

Computer algebra independent integration tests

4-Trig-functions/4.2-Cosine/4.2.3.1-a+b-cos-^m-c+d-cos-^n-A+B-cos-

Nasser M. Abbasi

July 17, 2021

Compiled on July 17, 2021 at 7:56am

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	3
1.2	Results	3
1.3	Performance	7
1.4	list of integrals that has no closed form antiderivative	8
1.5	list of integrals solved by CAS but has no known antiderivative	8
1.6	list of integrals solved by CAS but failed verification	8
1.7	Timing	9
1.8	Verification	9
1.9	Important notes about some of the results	9
1.9.1	Important note about Maxima results	9
1.9.2	Important note about FriCAS and Giac/XCAS results	10
1.9.3	Important note about finding leaf size of antiderivative	10
1.9.4	Important note about Mupad results	11
1.10	Design of the test system	11
2	detailed summary tables of results	13
2.1	List of integrals sorted by grade for each CAS	13
2.1.1	Rubi	13
2.1.2	Mathematica	13
2.1.3	Maple	14
2.1.4	Maxima	15
2.1.5	FriCAS	15
2.1.6	Sympy	16
2.1.7	Giac	17
2.1.8	Mupad	17
2.2	Detailed conclusion table per each integral for all CAS systems	19
2.3	Detailed conclusion table specific for Rubi results	126
3	Listing of integrals	145
3.1	$\int \cos^3(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$	145
3.2	$\int \cos^2(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$	149
3.3	$\int \cos(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$	152
3.4	$\int (a + a \cos(c + dx))(A + B \cos(c + dx)) dx$	155
3.5	$\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec(c + dx) dx$	157
3.6	$\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx$	160

3.7	$\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^3(c + dx) dx$	163
3.8	$\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^4(c + dx) dx$	166
3.9	$\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^5(c + dx) dx$	169
3.10	$\int \cos^3(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$	173
3.11	$\int \cos^2(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$	177
3.12	$\int \cos(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$	181
3.13	$\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$	184
3.14	$\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) \sec(c + dx) dx$	187
3.15	$\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) \sec^2(c + dx) dx$	190
3.16	$\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) \sec^3(c + dx) dx$	193
3.17	$\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) \sec^4(c + dx) dx$	197
3.18	$\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) \sec^5(c + dx) dx$	201
3.19	$\int \cos^2(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx$	205
3.20	$\int \cos(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx$	209
3.21	$\int (a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx$	213
3.22	$\int (a + a \cos(c + dx))^3(A + B \cos(c + dx)) \sec(c + dx) dx$	216
3.23	$\int (a + a \cos(c + dx))^3(A + B \cos(c + dx)) \sec^2(c + dx) dx$	220
3.24	$\int (a + a \cos(c + dx))^3(A + B \cos(c + dx)) \sec^3(c + dx) dx$	224
3.25	$\int (a + a \cos(c + dx))^3(A + B \cos(c + dx)) \sec^4(c + dx) dx$	228
3.26	$\int (a + a \cos(c + dx))^3(A + B \cos(c + dx)) \sec^5(c + dx) dx$	232
3.27	$\int (a + a \cos(c + dx))^3(A + B \cos(c + dx)) \sec^6(c + dx) dx$	236
3.28	$\int \cos^2(c + dx)(a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx$	240
3.29	$\int \cos(c + dx)(a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx$	245
3.30	$\int (a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx$	249
3.31	$\int (a + a \cos(c + dx))^4(A + B \cos(c + dx)) \sec(c + dx) dx$	253
3.32	$\int (a + a \cos(c + dx))^4(A + B \cos(c + dx)) \sec^2(c + dx) dx$	257
3.33	$\int (a + a \cos(c + dx))^4(A + B \cos(c + dx)) \sec^3(c + dx) dx$	261
3.34	$\int (a + a \cos(c + dx))^4(A + B \cos(c + dx)) \sec^4(c + dx) dx$	265
3.35	$\int (a + a \cos(c + dx))^4(A + B \cos(c + dx)) \sec^5(c + dx) dx$	269
3.36	$\int (a + a \cos(c + dx))^4(A + B \cos(c + dx)) \sec^6(c + dx) dx$	273
3.37	$\int (a + a \cos(c + dx))^4(A + B \cos(c + dx)) \sec^7(c + dx) dx$	277
3.38	$\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$	281
3.39	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$	285
3.40	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$	289
3.41	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$	292
3.42	$\int \frac{A+B \cos(c+dx)}{a+a \cos(c+dx)} dx$	295
3.43	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{a+a \cos(c+dx)} dx$	298
3.44	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{a+a \cos(c+dx)} dx$	301
3.45	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{a+a \cos(c+dx)} dx$	304
3.46	$\int \frac{(A+B \cos(c+dx)) \sec^4(c+dx)}{a+a \cos(c+dx)} dx$	308
3.47	$\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$	312
3.48	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$	316
3.49	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$	320
3.50	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$	324
3.51	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2} dx$	327

3.52	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^2} dx$	330
3.53	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^2} dx$	333
3.54	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^2} dx$	337
3.55	$\int \frac{(A+B \cos(c+dx)) \sec^4(c+dx)}{(a+a \cos(c+dx))^2} dx$	341
3.56	$\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$	345
3.57	$\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$	350
3.58	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$	354
3.59	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$	358
3.60	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$	362
3.61	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3} dx$	365
3.62	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^3} dx$	368
3.63	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx$	371
3.64	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^3} dx$	375
3.65	$\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$	379
3.66	$\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$	383
3.67	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$	388
3.68	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$	392
3.69	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$	396
3.70	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^4} dx$	400
3.71	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^4} dx$	403
3.72	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^4} dx$	407
3.73	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^4} dx$	411
3.74	$\int \cos^3(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$	416
3.75	$\int \cos^2(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$	419
3.76	$\int \cos(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$	422
3.77	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$	425
3.78	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec(c+dx) dx$	428
3.79	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^2(c+dx) dx$	432
3.80	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^3(c+dx) dx$	436
3.81	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^4(c+dx) dx$	441
3.82	$\int \cos^3(c+dx) (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$	447
3.83	$\int \cos^2(c+dx) (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$	451
3.84	$\int \cos(c+dx) (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$	455
3.85	$\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$	458
3.86	$\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec(c+dx) dx$	461
3.87	$\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$	464
3.88	$\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^3(c+dx) dx$	468
3.89	$\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^4(c+dx) dx$	473
3.90	$\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^5(c+dx) dx$	477
3.91	$\int \cos^2(c+dx) (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$	481
3.92	$\int \cos(c+dx) (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$	485
3.93	$\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$	488

3.94	$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx$	491
3.95	$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$	494
3.96	$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx$	501
3.97	$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx$	505
3.98	$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx$	512
3.99	$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^6(c + dx) dx$	516
3.100	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$	520
3.101	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$	524
3.102	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$	528
3.103	$\int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$	531
3.104	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$	534
3.105	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$	537
3.106	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$	541
3.107	$\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$	545
3.108	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$	550
3.109	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$	554
3.110	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$	558
3.111	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$	561
3.112	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$	564
3.113	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$	568
3.114	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$	572
3.115	$\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$	577
3.116	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$	582
3.117	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$	586
3.118	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$	590
3.119	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$	593
3.120	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$	596
3.121	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$	600
3.122	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$	604
3.123	$\int \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$	609
3.124	$\int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$	613
3.125	$\int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$	617
3.126	$\int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$	621
3.127	$\int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	625
3.128	$\int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$	629
3.129	$\int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$	633
3.130	$\int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$	637
3.131	$\int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$	641

3.132	$\int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$	645
3.133	$\int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	649
3.134	$\int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$	653
3.135	$\int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$	657
3.136	$\int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$	662
3.137	$\int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^3(A+B \cos(c+dx)) dx$	667
3.138	$\int \sqrt{\cos(c+dx)}(a+a \cos(c+dx))^3(A+B \cos(c+dx)) dx$	672
3.139	$\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$	677
3.140	$\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	681
3.141	$\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$	686
3.142	$\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$	690
3.143	$\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$	695
3.144	$\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$	700
3.145	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$	705
3.146	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$	709
3.147	$\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$	713
3.148	$\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))} dx$	716
3.149	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))} dx$	720
3.150	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))} dx$	724
3.151	$\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$	728
3.152	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$	732
3.153	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$	736
3.154	$\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$	740
3.155	$\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^2} dx$	744
3.156	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^2} dx$	748
3.157	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^2} dx$	752
3.158	$\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$	756
3.159	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$	760
3.160	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$	764
3.161	$\int \frac{\cos^{\frac{1}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$	768

3.162	$\int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$	772
3.163	$\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^3} dx$	776
3.164	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^3} dx$	780
3.165	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3} dx$	784
3.166	$\int \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$	788
3.167	$\int \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$	796
3.168	$\int \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$	801
3.169	$\int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$	805
3.170	$\int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	809
3.171	$\int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$	812
3.172	$\int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$	815
3.173	$\int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$	818
3.174	$\int \cos^{\frac{3}{2}}(c+dx) (a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) dx$	822
3.175	$\int \sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) dx$	830
3.176	$\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$	835
3.177	$\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	839
3.178	$\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$	843
3.179	$\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$	847
3.180	$\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$	850
3.181	$\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$	854
3.182	$\int \cos^{\frac{3}{2}}(c+dx) (a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) dx$	858
3.183	$\int \sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) dx$	862
3.184	$\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$	870
3.185	$\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	875
3.186	$\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$	880
3.187	$\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$	885
3.188	$\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$	889
3.189	$\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$	893
3.190	$\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx))}{\cos^{\frac{13}{2}}(c+dx)} dx$	897
3.191	$\int \frac{\cos^{\frac{3}{2}}(c+dx) (A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$	901
3.192	$\int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$	905

3.193	$\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} dx$	909
3.194	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} dx$	912
3.195	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} dx$	915
3.196	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} dx$	919
3.197	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{\frac{3}{2}}} dx$	923
3.198	$\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{\frac{3}{2}}} dx$	927
3.199	$\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{\frac{3}{2}}} dx$	931
3.200	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{3}{2}}} dx$	934
3.201	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{3}{2}}} dx$	938
3.202	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{\frac{5}{2}}} dx$	942
3.203	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{\frac{5}{2}}} dx$	946
3.204	$\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{\frac{5}{2}}} dx$	950
3.205	$\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{\frac{5}{2}}} dx$	954
3.206	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{5}{2}}} dx$	957
3.207	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{5}{2}}} dx$	961
3.208	$\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{\frac{7}{2}}} dx$	965
3.209	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{\frac{7}{2}}} dx$	970
3.210	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{\frac{7}{2}}} dx$	974
3.211	$\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{\frac{7}{2}}} dx$	978
3.212	$\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{\frac{7}{2}}} dx$	982
3.213	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{7}{2}}} dx$	986
3.214	$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{7}{2}}} dx$	990
3.215	$\int \cos^2(c+dx)(a+b \cos(c+dx))(A+B \cos(c+dx)) dx$	994
3.216	$\int \cos(c+dx)(a+b \cos(c+dx))(A+B \cos(c+dx)) dx$	997
3.217	$\int (a+b \cos(c+dx))(A+B \cos(c+dx)) dx$	1000
3.218	$\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec(c+dx) dx$	1002
3.219	$\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^2(c+dx) dx$	1005
3.220	$\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^3(c+dx) dx$	1008
3.221	$\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^4(c+dx) dx$	1011
3.222	$\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^5(c+dx) dx$	1014
3.223	$\int \cos^2(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx$	1018
3.224	$\int \cos(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx$	1022
3.225	$\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx$	1025
3.226	$\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec(c+dx) dx$	1028
3.227	$\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec^2(c+dx) dx$	1031
3.228	$\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec^3(c+dx) dx$	1034

3.229	$\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^4(c + dx) dx$	1037
3.230	$\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx$	1041
3.231	$\int \cos^2(c + dx) (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) dx$	1045
3.232	$\int \cos(c + dx) (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) dx$	1050
3.233	$\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) dx$	1054
3.234	$\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec(c + dx) dx$	1057
3.235	$\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx$	1061
3.236	$\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^3(c + dx) dx$	1065
3.237	$\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^4(c + dx) dx$	1069
3.238	$\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^5(c + dx) dx$	1073
3.239	$\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^6(c + dx) dx$	1077
3.240	$\int \cos^2(c + dx) (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) dx$	1082
3.241	$\int \cos(c + dx) (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) dx$	1087
3.242	$\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) dx$	1091
3.243	$\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx$	1094
3.244	$\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx$	1098
3.245	$\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^3(c + dx) dx$	1103
3.246	$\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^4(c + dx) dx$	1107
3.247	$\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^5(c + dx) dx$	1112
3.248	$\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^6(c + dx) dx$	1117
3.249	$\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^7(c + dx) dx$	1122
3.250	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$	1128
3.251	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$	1134
3.252	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$	1139
3.253	$\int \frac{A+B \cos(c+dx)}{a+b \cos(c+dx)} dx$	1144
3.254	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{a+b \cos(c+dx)} dx$	1148
3.255	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{a+b \cos(c+dx)} dx$	1151
3.256	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{a+b \cos(c+dx)} dx$	1155
3.257	$\int \frac{(A+B \cos(c+dx)) \sec^4(c+dx)}{a+b \cos(c+dx)} dx$	1161
3.258	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$	1167
3.259	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$	1174
3.260	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$	1179
3.261	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2} dx$	1184
3.262	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^2} dx$	1187
3.263	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^2} dx$	1192
3.264	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^2} dx$	1198
3.265	$\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$	1205
3.266	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$	1216
3.267	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$	1223
3.268	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$	1230
3.269	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3} dx$	1234
3.270	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^3} dx$	1238
3.271	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^3} dx$	1245

3.272	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^3} dx$	1254
3.273	$\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$	1264
3.274	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$	1274
3.275	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$	1284
3.276	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$	1289
3.277	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^4} dx$	1294
3.278	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^4} dx$	1299
3.279	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^4} dx$	1308
3.280	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^4} dx$	1319
3.281	$\int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$	1331
3.282	$\int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$	1333
3.283	$\int \frac{\cos(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$	1336
3.284	$\int \frac{aB+bB \cos(c+dx)}{a+b \cos(c+dx)} dx$	1338
3.285	$\int \frac{(aB+bB \cos(c+dx)) \sec(c+dx)}{a+b \cos(c+dx)} dx$	1340
3.286	$\int \frac{(aB+bB \cos(c+dx)) \sec^2(c+dx)}{a+b \cos(c+dx)} dx$	1342
3.287	$\int \frac{(aB+bB \cos(c+dx)) \sec^3(c+dx)}{a+b \cos(c+dx)} dx$	1345
3.288	$\int \frac{(aB+bB \cos(c+dx)) \sec^4(c+dx)}{a+b \cos(c+dx)} dx$	1348
3.289	$\int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$	1351
3.290	$\int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$	1355
3.291	$\int \frac{\cos(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$	1359
3.292	$\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^2} dx$	1362
3.293	$\int \frac{(aB+bB \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^2} dx$	1365
3.294	$\int \frac{(aB+bB \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^2} dx$	1368
3.295	$\int \frac{(aB+bB \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^2} dx$	1372
3.296	$\int \cos^3(c+dx) \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) dx$	1377
3.297	$\int \cos^2(c+dx) \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) dx$	1382
3.298	$\int \cos(c+dx) \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) dx$	1387
3.299	$\int \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) dx$	1391
3.300	$\int \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) \sec(c+dx) dx$	1395
3.301	$\int \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) \sec^2(c+dx) dx$	1399
3.302	$\int \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) \sec^3(c+dx) dx$	1403
3.303	$\int \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) \sec^4(c+dx) dx$	1408
3.304	$\int \cos^2(c+dx) (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$	1414
3.305	$\int \cos(c+dx) (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$	1419
3.306	$\int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$	1424
3.307	$\int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec(c+dx) dx$	1428
3.308	$\int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$	1433
3.309	$\int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^3(c+dx) dx$	1438
3.310	$\int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^4(c+dx) dx$	1443
3.311	$\int \cos^2(c+dx) (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$	1449
3.312	$\int \cos(c+dx) (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$	1454

3.313	$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx$	1459
3.314	$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx$	1463
3.315	$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$	1468
3.316	$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx$	1473
3.317	$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx$	1478
3.318	$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx$	1484
3.319	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$	1491
3.320	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$	1496
3.321	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$	1500
3.322	$\int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$	1504
3.323	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$	1507
3.324	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$	1510
3.325	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$	1515
3.326	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$	1520
3.327	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$	1525
3.328	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$	1529
3.329	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$	1533
3.330	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$	1537
3.331	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$	1541
3.332	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$	1546
3.333	$\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$	1551
3.334	$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$	1556
3.335	$\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$	1561
3.336	$\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$	1566
3.337	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$	1571
3.338	$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$	1575
3.339	$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$	1580
3.340	$\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$	1586
3.341	$\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$	1592
3.342	$\int \frac{(aB+bB \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$	1595
3.343	$\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$	1598
3.344	$\int \frac{(aB+bB \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$	1601
3.345	$\int \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx$	1606
3.346	$\int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx$	1610
3.347	$\int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))(A + B \cos(c + dx)) dx$	1614
3.348	$\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$	1617
3.349	$\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	1620
3.350	$\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$	1623

- 3.351 $\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^2(c+dx)} dx \dots\dots\dots 1627$
- 3.352 $\int \cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx \dots\dots\dots 1631$
- 3.353 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx \dots\dots\dots 1635$
- 3.354 $\int \sqrt{\cos(c+dx)}(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx \dots\dots\dots 1639$
- 3.355 $\int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots 1643$
- 3.356 $\int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots 1647$
- 3.357 $\int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots 1651$
- 3.358 $\int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots 1655$
- 3.359 $\int \cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^3(A+B \cos(c+dx)) dx \dots\dots\dots 1659$
- 3.360 $\int \sqrt{\cos(c+dx)}(a+b \cos(c+dx))^3(A+B \cos(c+dx)) dx \dots\dots\dots 1663$
- 3.361 $\int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots 1667$
- 3.362 $\int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots 1671$
- 3.363 $\int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots 1675$
- 3.364 $\int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots 1679$
- 3.365 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1683$
- 3.366 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1687$
- 3.367 $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1691$
- 3.368 $\int \frac{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))}{A+B \cos(c+dx)} dx \dots\dots\dots 1694$
- 3.369 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))}{A+B \cos(c+dx)} dx \dots\dots\dots 1697$
- 3.370 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))}{A+B \cos(c+dx)} dx \dots\dots\dots 1701$
- 3.371 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1706$
- 3.372 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1711$
- 3.373 $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1715$
- 3.374 $\int \frac{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^2}{A+B \cos(c+dx)} dx \dots\dots\dots 1719$
- 3.375 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^2}{A+B \cos(c+dx)} dx \dots\dots\dots 1723$
- 3.376 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^2}{A+B \cos(c+dx)} dx \dots\dots\dots 1728$
- 3.377 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx \dots\dots\dots 1733$
- 3.378 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx \dots\dots\dots 1738$
- 3.379 $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx \dots\dots\dots 1743$
- 3.380 $\int \frac{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^3}{A+B \cos(c+dx)} dx \dots\dots\dots 1748$
- 3.381 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^3}{A+B \cos(c+dx)} dx \dots\dots\dots 1753$

- 3.382 $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{5}}(c+dx)(a+b \cos(c+dx))^3} dx \dots\dots\dots 1758$
- 3.383 $\int \frac{\cos^{\frac{5}{5}}(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1763$
- 3.384 $\int \frac{\cos^{\frac{3}{3}}(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1766$
- 3.385 $\int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1769$
- 3.386 $\int \frac{aB+bB \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx \dots\dots\dots 1772$
- 3.387 $\int \frac{\cos^{\frac{3}{3}}(c+dx)(a+b \cos(c+dx))}{aB+bB \cos(c+dx)} dx \dots\dots\dots 1774$
- 3.388 $\int \frac{\cos^{\frac{5}{5}}(c+dx)(a+b \cos(c+dx))}{aB+bB \cos(c+dx)} dx \dots\dots\dots 1777$
- 3.389 $\int \frac{\cos^{\frac{5}{5}}(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1780$
- 3.390 $\int \frac{\cos^{\frac{3}{3}}(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1784$
- 3.391 $\int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1787$
- 3.392 $\int \frac{aB+bB \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^2} dx \dots\dots\dots 1790$
- 3.393 $\int \frac{\cos^{\frac{3}{3}}(c+dx)(a+b \cos(c+dx))^2}{aB+bB \cos(c+dx)} dx \dots\dots\dots 1793$
- 3.394 $\int \frac{\cos^{\frac{5}{5}}(c+dx)(a+b \cos(c+dx))^2}{aB+bB \cos(c+dx)} dx \dots\dots\dots 1797$
- 3.395 $\int \cos^{\frac{3}{3}}(c+dx) \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) dx \dots\dots\dots 1802$
- 3.396 $\int \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) dx \dots\dots\dots 1808$
- 3.397 $\int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots 1814$
- 3.398 $\int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{3}{3}}(c+dx)} dx \dots\dots\dots 1819$
- 3.399 $\int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{5}{5}}(c+dx)} dx \dots\dots\dots 1823$
- 3.400 $\int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{7}{7}}(c+dx)} dx \dots\dots\dots 1827$
- 3.401 $\int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{9}{9}}(c+dx)} dx \dots\dots\dots 1832$
- 3.402 $\int \cos^{\frac{3}{3}}(c+dx) (a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) dx \dots\dots\dots 1838$
- 3.403 $\int \sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) dx \dots\dots\dots 1845$
- 3.404 $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots 1851$
- 3.405 $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos^{\frac{3}{3}}(c+dx)} dx \dots\dots\dots 1857$
- 3.406 $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos^{\frac{5}{5}}(c+dx)} dx \dots\dots\dots 1862$
- 3.407 $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos^{\frac{7}{7}}(c+dx)} dx \dots\dots\dots 1867$
- 3.408 $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos^{\frac{9}{9}}(c+dx)} dx \dots\dots\dots 1872$
- 3.409 $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos^{\frac{11}{11}}(c+dx)} dx \dots\dots\dots 1878$
- 3.410 $\int \cos^{\frac{3}{3}}(c+dx) (a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) dx \dots\dots\dots 1884$
- 3.411 $\int \sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) dx \dots\dots\dots 1889$
- 3.412 $\int \frac{(a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots 1896$

- 3.413 $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots 1902$
- 3.414 $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots 1908$
- 3.415 $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots 1914$
- 3.416 $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx \dots\dots\dots 1920$
- 3.417 $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx \dots\dots\dots 1926$
- 3.418 $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{13}{2}}(c+dx)} dx \dots\dots\dots 1933$
- 3.419 $\int \frac{(a+b \cos(c+dx))^{5/2}\left(\frac{3bB}{2a}+B \cos(c+dx)\right)}{\cos^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots 1938$
- 3.420 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx \dots\dots\dots 1943$
- 3.421 $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx \dots\dots\dots 1949$
- 3.422 $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+b \cos(c+dx)}} dx \dots\dots\dots 1955$
- 3.423 $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \cos(c+dx)}} dx \dots\dots\dots 1958$
- 3.424 $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+b \cos(c+dx)}} dx \dots\dots\dots 1962$
- 3.425 $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+b \cos(c+dx)}} dx \dots\dots\dots 1966$
- 3.426 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx \dots\dots\dots 1971$
- 3.427 $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx \dots\dots\dots 1977$
- 3.428 $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^{3/2}} dx \dots\dots\dots 1982$
- 3.429 $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^{3/2}} dx \dots\dots\dots 1986$
- 3.430 $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^{3/2}} dx \dots\dots\dots 1991$
- 3.431 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx \dots\dots\dots 1997$
- 3.432 $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx \dots\dots\dots 2002$
- 3.433 $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx \dots\dots\dots 2007$
- 3.434 $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^{5/2}} dx \dots\dots\dots 2013$
- 3.435 $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^{5/2}} dx \dots\dots\dots 2017$
- 3.436 $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^{5/2}} dx \dots\dots\dots 2022$
- 3.437 $\int \frac{\cos^{\frac{3}{2}}(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx \dots\dots\dots 2027$
- 3.438 $\int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx \dots\dots\dots 2032$
- 3.439 $\int \frac{aB+bB \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^{3/2}} dx \dots\dots\dots 2035$
- 3.440 $\int \frac{aB+bB \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^{3/2}} dx \dots\dots\dots 2038$
- 3.441 $\int \frac{1+\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{2+3 \cos(c+dx)}} dx \dots\dots\dots 2042$

3.442	$\int \frac{1+\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{-2+3\cos(c+dx)}} dx$	2045
3.443	$\int \frac{1+\cos(c+dx)}{\sqrt{2-3\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$	2048
3.444	$\int \frac{1+\cos(c+dx)}{\sqrt{-2-3\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$	2051
3.445	$\int \frac{1+\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{3+2\cos(c+dx)}} dx$	2054
3.446	$\int \frac{1+\cos(c+dx)}{\sqrt{3-2\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$	2057
3.447	$\int \frac{1+\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{-3+2\cos(c+dx)}} dx$	2060
3.448	$\int \frac{1+\cos(c+dx)}{\sqrt{-3-2\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$	2063
3.449	$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^n (A+B \cos(e+fx)) dx$	2066
3.450	$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^4 (A+B \cos(e+fx)) dx$	2068
3.451	$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^3 (A+B \cos(e+fx)) dx$	2072
3.452	$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^2 (A+B \cos(e+fx)) dx$	2076
3.453	$\int (c \cos(e+fx))^m (a+b \cos(e+fx)) (A+B \cos(e+fx)) dx$	2079
3.454	$\int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{a+b \cos(e+fx)} dx$	2082
3.455	$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^{3/2} (A+B \cos(e+fx)) dx$	2090
3.456	$\int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx$	2092
3.457	$\int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{\sqrt{a+b \cos(e+fx)}} dx$	2094
3.458	$\int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{(a+b \cos(e+fx))^{3/2}} dx$	2096
3.459	$\int (a+a \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2099
3.460	$\int (a+a \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2103
3.461	$\int (a+a \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2107
3.462	$\int (a+a \cos(c+dx))(A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$	2110
3.463	$\int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2113
3.464	$\int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$	2117
3.465	$\int (a+a \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2121
3.466	$\int (a+a \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2125
3.467	$\int (a+a \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2129
3.468	$\int (a+a \cos(c+dx))^2 (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$	2133
3.469	$\int \frac{(a+a \cos(c+dx))^2 (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2137
3.470	$\int (a+a \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$	2141
3.471	$\int (a+a \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2145
3.472	$\int (a+a \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2149
3.473	$\int (a+a \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2153
3.474	$\int (a+a \cos(c+dx))^3 (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$	2157
3.475	$\int \frac{(a+a \cos(c+dx))^3 (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2161
3.476	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{a+a \cos(c+dx)} dx$	2166
3.477	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{a+a \cos(c+dx)} dx$	2170
3.478	$\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{a+a \cos(c+dx)} dx$	2174

3.479	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx)) \sqrt{\sec(c+dx)}} dx$	2177
3.480	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)} dx$	2181
3.481	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)} dx$	2185
3.482	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+a \cos(c+dx))^2} dx$	2189
3.483	$\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^2} dx$	2193
3.484	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$	2197
3.485	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sec^{\frac{3}{2}}(c+dx)} dx$	2201
3.486	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sec^{\frac{5}{2}}(c+dx)} dx$	2205
3.487	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+a \cos(c+dx))^3} dx$	2209
3.488	$\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^3} dx$	2213
3.489	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$	2217
3.490	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^{\frac{3}{2}}(c+dx)} dx$	2221
3.491	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)} dx$	2225
3.492	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^{\frac{7}{2}}(c+dx)} dx$	2229
3.493	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$	2233
3.494	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$	2237
3.495	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2241
3.496	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2245
3.497	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2248
3.498	$\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$	2252
3.499	$\int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2256
3.500	$\int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$	2260
3.501	$\int (a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{13}{2}}(c+dx) dx$	2265
3.502	$\int (a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$	2269
3.503	$\int (a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$	2273
3.504	$\int (a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2277
3.505	$\int (a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2281
3.506	$\int (a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2285
3.507	$\int (a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$	2289
3.508	$\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2293
3.509	$\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$	2298
3.510	$\int (a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sec^{\frac{15}{2}}(c+dx) dx$	2307
3.511	$\int (a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sec^{\frac{13}{2}}(c+dx) dx$	2312
3.512	$\int (a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$	2316
3.513	$\int (a+a \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$	2320

- 3.514 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{7/2}(c + dx) dx \dots\dots\dots 2324$
- 3.515 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{5/2}(c + dx) dx \dots\dots\dots 2329$
- 3.516 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{3/2}(c + dx) dx \dots\dots\dots 2334$
- 3.517 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx \dots\dots\dots 2338$
- 3.518 $\int \frac{(a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx \dots\dots\dots 2343$
- 3.519 $\int \frac{(a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\sec^3(c+dx)} dx \dots\dots\dots 2352$
- 3.520 $\int \frac{(A+B \cos(c+dx)) \sec^{11/2}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx \dots\dots\dots 2357$
- 3.521 $\int \frac{(A+B \cos(c+dx)) \sec^9(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx \dots\dots\dots 2361$
- 3.522 $\int \frac{(A+B \cos(c+dx)) \sec^7(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx \dots\dots\dots 2365$
- 3.523 $\int \frac{(A+B \cos(c+dx)) \sec^5(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx \dots\dots\dots 2369$
- 3.524 $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx \dots\dots\dots 2373$
- 3.525 $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx \dots\dots\dots 2376$
- 3.526 $\int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)} \sqrt{\sec(c+dx)}} dx \dots\dots\dots 2379$
- 3.527 $\int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)} \sec^3(c+dx)} dx \dots\dots\dots 2383$
- 3.528 $\int \frac{(aA+(Ab+aB) \cos(c+dx)+bB \cos^2(c+dx)) \sqrt{\sec(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx \dots\dots\dots 2387$
- 3.529 $\int \frac{(A+B \cos(c+dx)) \sec^9(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx \dots\dots\dots 2391$
- 3.530 $\int \frac{(A+B \cos(c+dx)) \sec^7(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx \dots\dots\dots 2397$
- 3.531 $\int \frac{(A+B \cos(c+dx)) \sec^5(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx \dots\dots\dots 2401$
- 3.532 $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx \dots\dots\dots 2405$
- 3.533 $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{3/2}} dx \dots\dots\dots 2409$
- 3.534 $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx \dots\dots\dots 2413$
- 3.535 $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2} \sec^3(c+dx)} dx \dots\dots\dots 2417$
- 3.536 $\int \frac{(A+B \cos(c+dx)) \sec^7(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx \dots\dots\dots 2422$
- 3.537 $\int \frac{(A+B \cos(c+dx)) \sec^5(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx \dots\dots\dots 2427$
- 3.538 $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx \dots\dots\dots 2431$
- 3.539 $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{5/2}} dx \dots\dots\dots 2435$
- 3.540 $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2} \sqrt{\sec(c+dx)}} dx \dots\dots\dots 2439$
- 3.541 $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2} \sec^3(c+dx)} dx \dots\dots\dots 2443$
- 3.542 $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2} \sec^5(c+dx)} dx \dots\dots\dots 2447$
- 3.543 $\int \frac{(A+B \cos(c+dx)) \sec^5(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx \dots\dots\dots 2452$
- 3.544 $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx \dots\dots\dots 2457$

3.545	$\int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{7/2}} dx$	2461
3.546	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2}\sqrt{\sec(c+dx)}} dx$	2465
3.547	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$	2469
3.548	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$	2473
3.549	$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$	2478
3.550	$\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2483
3.551	$\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2487
3.552	$\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2491
3.553	$\int (a+b \cos(c+dx))(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$	2494
3.554	$\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2497
3.555	$\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$	2501
3.556	$\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2505
3.557	$\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2509
3.558	$\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2513
3.559	$\int (a+b \cos(c+dx))^2(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$	2517
3.560	$\int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2521
3.561	$\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$	2525
3.562	$\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2530
3.563	$\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2534
3.564	$\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2538
3.565	$\int (a+b \cos(c+dx))^3(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$	2543
3.566	$\int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2548
3.567	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{a+b \cos(c+dx)} dx$	2553
3.568	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{a+b \cos(c+dx)} dx$	2558
3.569	$\int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{a+b \cos(c+dx)} dx$	2562
3.570	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))\sqrt{\sec(c+dx)}} dx$	2565
3.571	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)} dx$	2569
3.572	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$	2574
3.573	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$	2579
3.574	$\int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^2} dx$	2584
3.575	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$	2589
3.576	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sec^{\frac{3}{2}}(c+dx)} dx$	2594
3.577	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sec^{\frac{5}{2}}(c+dx)} dx$	2599
3.578	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$	2604

3.579	$\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^3} dx$	2610
3.580	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$	2615
3.581	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^{\frac{3}{2}}(c+dx)} dx$	2620
3.582	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)} dx$	2625
3.583	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^{\frac{7}{2}}(c+dx)} dx$	2630
3.584	$\int \frac{(aB+bB \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{a+b \cos(c+dx)} dx$	2636
3.585	$\int \frac{(aB+bB \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{a+b \cos(c+dx)} dx$	2639
3.586	$\int \frac{(aB+bB \cos(c+dx)) \sqrt{\sec(c+dx)}}{a+b \cos(c+dx)} dx$	2642
3.587	$\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx)) \sqrt{\sec(c+dx)}} dx$	2645
3.588	$\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)} dx$	2648
3.589	$\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)} dx$	2651
3.590	$\int \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$	2654
3.591	$\int \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2661
3.592	$\int \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2666
3.593	$\int \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2670
3.594	$\int \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$	2675
3.595	$\int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2680
3.596	$\int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$	2686
3.597	$\int (a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$	2692
3.598	$\int (a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$	2699
3.599	$\int (a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2706
3.600	$\int (a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2711
3.601	$\int (a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2716
3.602	$\int (a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$	2722
3.603	$\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2728
3.604	$\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$	2735
3.605	$\int (a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sec^{\frac{13}{2}}(c+dx) dx$	2743
3.606	$\int (a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$	2749
3.607	$\int (a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$	2757
3.608	$\int (a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$	2764
3.609	$\int (a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$	2770
3.610	$\int (a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$	2776
3.611	$\int (a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$	2782
3.612	$\int \frac{(a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$	2789
3.613	$\int \frac{(a+b \cos(c+dx))^{\frac{5}{2}} (A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$	2797

3.614	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$	2803
3.615	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$	2809
3.616	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$	2813
3.617	$\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$	2817
3.618	$\int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)} \sqrt{\sec(c+dx)}} dx$	2820
3.619	$\int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)} \sec^{\frac{3}{2}}(c+dx)} dx$	2825
3.620	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$	2831
3.621	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$	2838
3.622	$\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$	2843
3.623	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}} \sqrt{\sec(c+dx)}} dx$	2847
3.624	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{5}{2}}(c+dx)} dx$	2852
3.625	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^{\frac{5}{2}}} dx$	2858
3.626	$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^{\frac{5}{2}}} dx$	2864
3.627	$\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{\frac{5}{2}}} dx$	2870
3.628	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{\frac{5}{2}} \sqrt{\sec(c+dx)}} dx$	2876
3.629	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{3}{2}}(c+dx)} dx$	2882
3.630	$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{5}{2}}(c+dx)} dx$	2887
3.631	$\int \frac{(aB+bB \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$	2893
3.632	$\int \frac{(aB+bB \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$	2897
3.633	$\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}} \sqrt{\sec(c+dx)}} dx$	2900
3.634	$\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{3}{2}}(c+dx)} dx$	2903
3.635	$\int (a+b \cos(e+fx))^n (A+B \cos(e+fx))(c \sec(e+fx))^m dx$	2908
3.636	$\int (a+b \cos(e+fx))^4 (A+B \cos(e+fx))(c \sec(e+fx))^m dx$	2910
3.637	$\int (a+b \cos(e+fx))^3 (A+B \cos(e+fx))(c \sec(e+fx))^m dx$	2914
3.638	$\int (a+b \cos(e+fx))^2 (A+B \cos(e+fx))(c \sec(e+fx))^m dx$	2918
3.639	$\int (a+b \cos(e+fx))(A+B \cos(e+fx))(c \sec(e+fx))^m dx$	2922
3.640	$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{a+b \cos(e+fx)} dx$	2925
3.641	$\int (a+b \cos(e+fx))^{\frac{3}{2}} (A+B \cos(e+fx))(c \sec(e+fx))^m dx$	2929
3.642	$\int \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx))(c \sec(e+fx))^m dx$	2931
3.643	$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{\sqrt{a+b \cos(e+fx)}} dx$	2933
3.644	$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{(a+b \cos(e+fx))^{\frac{3}{2}}} dx$	2935

4	Listing of Grading functions	2939
4.0.1	Mathematica and Rubi grading function	2939
4.0.2	Maple grading function	2941
4.0.3	Sympy grading function	2944
4.0.4	SageMath grading function	2946

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [644]. This is test number [92].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric $2F1$ functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (644)	% 0.00 (0)
Mathematica	% 98.45 (634)	% 1.55 (10)
Maple	% 98.45 (634)	% 1.55 (10)
Maxima	% 29.35 (189)	% 70.65 (455)
Fricas	% 49.22 (317)	% 50.78 (327)
Sympy	% 9.78 (63)	% 90.22 (581)
Giac	% 30.43 (196)	% 69.57 (448)
Mupad	% 35.87 (231)	% 64.13 (413)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	57.76	11.49	29.19	1.55
Maple	37.42	60.71	0.31	1.55
Maxima	17.24	12.11	0.00	70.65
Fricas	43.01	6.21	0.00	50.78
Sympy	9.78	0.00	0.00	90.22
Giac	21.43	8.85	0.16	69.57
Mupad	1.55	34.32	0.00	64.13

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This the typical normal failure F .

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	10	80.00 %	20.00 %	0.00 %
Maple	10	100.00 %	0.00 %	0.00 %
Maxima	455	71.87 %	14.51 %	13.63 %
Fricas	327	79.20 %	20.80 %	0.00 %
Sympy	581	29.78 %	70.22 %	0.00 %
Giac	448	73.88 %	25.22 %	0.89 %
Mupad	413	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS


1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.61	222.34	0.98	187.50	1.00
Mathematica	4.31	520.33	2.05	221.00	1.09
Maple	1.17	887.71	3.20	423.50	2.51
Maxima	0.89	822.32	4.93	230.00	1.59
Fricas	3.32	248.45	1.46	164.00	1.05
Sympy	6.90	452.87	3.45	264.00	2.50
Giac	1.18	260.45	1.73	181.50	1.38
Mupad	2.30	881.70	4.06	202.00	1.43

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





1.4 list of integrals that has no closed form antiderivative

{449, 455, 456, 457, 458, 635, 641, 642, 643, 644}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 151, 152, 157, 158, 159, 165, 194, 195, 196, 200, 201, 318, 332, 338, 339, 340, 395, 399, 401, 402, 403, 408, 409, 410, 411, 412, 413, 415, 416, 417, 418, 421, 424, 426, 430, 431, 432, 434, 435, 436, 454, 492, 522, 524, 529, 531, 532, 546, 547, 549, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 590, 591, 592, 593, 595, 597, 598,

599, 600, 601, 602, 603, 605, 606, 607, 608, 609, 610, 612, 614, 615, 616, 620, 621, 622, 624, 625, 626, 627, 628, 629, 630, 633, 640}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int', int(expr,x)), output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate if the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are few integrals which failed due to SageMath not being able to translate the result back to SageMath syntax and not because these CAS systems were not able to do the integrations.

These will fail with error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for FriCAS and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
The following field present only in Rubi and Mathematica Tables
13. integer. 1 if result was verified or 0 if not verified.
The following fields present only in Rubi Tables
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 18, 19, 20, 21, 22, 24, 26, 27, 28, 29, 30, 31, 35, 36, 37, 49, 51, 60, 61, 62, 68, 69, 70, 71, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89,

90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 193, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 237, 238, 239, 240, 241, 242, 243, 244, 245, 247, 248, 249, 250, 251, 252, 253, 254, 255, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 275, 276, 277, 278, 279, 280, 281, 282, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 304, 305, 306, 311, 312, 313, 319, 320, 321, 322, 323, 326, 327, 328, 329, 333, 334, 335, 336, 337, 341, 342, 343, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 394, 397, 398, 399, 422, 423, 424, 438, 439, 440, 449, 450, 451, 452, 453, 455, 456, 457, 458, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 525, 528, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 591, 592, 593, 594, 599, 601, 613, 615, 616, 617, 621, 622, 628, 631, 632, 633, 635, 636, 637, 638, 639, 641, 642, 643, 644 }

B grade: { 16, 17, 23, 25, 32, 33, 34, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 63, 64, 65, 66, 67, 72, 73, 236, 246, 256, 257, 273, 274, 283, 369, 393, 454, 573, 574, 575, 576, 590, 595, 596, 597, 598, 600, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 614, 619, 620, 624, 625, 626, 627, 630, 640 }

C grade: { 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 191, 192, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 301, 302, 303, 307, 308, 309, 310, 314, 315, 316, 317, 318, 324, 325, 330, 331, 332, 338, 339, 340, 344, 395, 396, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 520, 521, 522, 524, 526, 527, 529, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 618, 623, 629, 634 }

F grade: { 441, 442, 443, 444, 445, 446, 447, 448, 523, 530 }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 41, 42, 43, 48, 49, 50, 51, 52, 53, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 82, 83, 84, 85, 91, 92, 93, 100, 101, 102, 107, 130, 131, 137, 138, 139, 145, 146, 147, 148, 149, 151, 158, 159, 170, 171, 172, 173, 178, 179, 180, 181, 188, 189, 190, 192, 193, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 253, 254, 281, 282, 283, 284, 285, 286, 287, 288, 290, 291, 292, 293, 294, 300, 322, 323, 329, 330, 342, 343, 344, 367, 368, 387, 390, 391, 422, 437, 438, 439, 449, 455, 456, 457, 458, 461, 464, 467, 468, 469, 474, 475, 477, 478, 479, 480, 481, 483, 484, 485, 486, 488, 489, 490, 491, 492, 493, 494, 495, 496, 498, 499, 500, 501, 502, 503, 504, 507, 508, 509, 510, 511, 512, 513, 517, 518, 519, 525, 526, 527, 528, 534, 535, 552, 555, 567, 568, 569, 570, 585, 617, 632, 633, 634, 635, 641, 642, 643, 644 }

B grade: { 38, 39, 40, 44, 45, 46, 47, 54, 55, 78, 79, 80, 81, 86, 87, 88, 89, 90, 94, 95, 96, 97, 98, 99, 103, 104, 105, 106, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 132, 133, 134, 135, 136, 140, 141, 142, 143, 144, 150, 152, 153, 154, 155, 156, 157, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 174, 175, 176, 177, 182, 183, 184, 185, 186, 187, 191, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 250, 251, 252, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 289, 295, 296, 297, 298, 299, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 324, 325, 326, 327, 328, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 388, 389, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 423, 424, 425, 426,

427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 440, 441, 442, 443, 444, 445, 446, 447, 448, 459, 460, 462, 463, 465, 466, 470, 471, 472, 473, 476, 482, 487, 497, 505, 506, 514, 515, 516, 520, 521, 522, 523, 524, 529, 530, 531, 532, 533, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 553, 554, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631 }

C grade: { 341, 386 }

F grade: { 450, 451, 452, 453, 454, 636, 637, 638, 639, 640 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 50, 51, 52, 57, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 82, 83, 84, 85, 86, 91, 92, 93, 94, 104, 215, 216, 217, 218, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 449, 455, 456, 457, 458, 635, 641, 642, 643, 644 }

B grade: { 6, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 53, 54, 55, 56, 63, 64, 79, 80, 81, 87, 88, 95, 97, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 183, 184, 185, 186, 187, 188, 189, 190, 219, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 517, 518 }

C grade: { }

F grade: { 89, 90, 96, 98, 99, 100, 101, 102, 103, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 182, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 450, 451, 452, 453, 454, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 516, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 636, 637, 638, 639, 640 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 73, 74, 75, 76, 77, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 107, 108, 109, 110, 114, 115, 116, 117, 122, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 257, 258, 261, 281, 282, 283, 284, 286, 287, 288, 289, 290, 291, 292, 293, 295, 449,

455, 456, 457, 458, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 635, 641, 642, 643, 644 }

B grade: { 6, 53, 72, 78, 79, 103, 104, 105, 106, 111, 112, 113, 118, 119, 120, 121, 219, 255, 256, 259, 260, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 285, 294 }

C grade: { }

F grade: { 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 279, 280, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 450, 451, 452, 453, 454, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 636, 637, 638, 639, 640 }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 10, 11, 12, 13, 19, 20, 21, 28, 29, 30, 38, 39, 40, 41, 42, 47, 48, 49, 50, 51, 56, 57, 58, 59, 60, 61, 65, 66, 67, 68, 69, 70, 215, 216, 217, 223, 224, 225, 231, 232, 233, 240, 241, 242, 252, 253, 281, 282, 283, 284, 285, 286, 288, 456, 457, 458, 642, 643, 644 }

B grade: { }

C grade: { }

F grade: { 5, 6, 7, 8, 9, 14, 15, 16, 17, 18, 22, 23, 24, 25, 26, 27, 31, 32, 33, 34, 35, 36, 37, 43, 44, 45, 46, 52, 53, 54, 55, 62, 63, 64, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 218, 219, 220, 221, 222, 226, 227, 228, 229, 230, 234, 235, 236, 237, 238, 239, 243, 244, 245, 246, 247, 248, 249, 250, 251, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 287, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577,

578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641 }

2.1.7 Giac

A grade: { 1, 2, 3, 4, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 82, 83, 84, 85, 91, 92, 93, 100, 101, 102, 103, 107, 108, 109, 110, 111, 115, 116, 117, 118, 119, 120, 215, 216, 217, 223, 224, 225, 231, 232, 233, 235, 240, 241, 242, 244, 251, 252, 254, 255, 258, 260, 261, 262, 264, 281, 282, 283, 286, 287, 288, 289, 290, 292, 293, 294, 449, 456, 457, 458, 635, 641, 642, 643, 644 }

B grade: { 5, 6, 7, 15, 78, 104, 105, 106, 112, 113, 121, 218, 219, 220, 221, 222, 226, 227, 228, 229, 230, 234, 236, 237, 238, 239, 243, 245, 246, 247, 248, 249, 250, 253, 256, 257, 259, 263, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 285, 291, 295 }

C grade: { 284 }

F grade: { 79, 80, 81, 86, 87, 88, 89, 90, 94, 95, 96, 97, 98, 99, 114, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 450, 451, 452, 453, 454, 455, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 636, 637, 638, 639, 640 }

2.1.8 Mupad

A grade: { 449, 455, 456, 457, 458, 635, 641, 642, 643, 644 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 102, 103, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 171, 172, 173, 179, 180, 181, 188, 189, 190, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 321, 322, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 493, 494, 495, 496, 501, 502, 503, 504, 510, 511, 512, 513 }

C grade: { }

F grade: { 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97,

98, 99, 100, 101, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 174, 175, 176, 177, 178, 182, 183, 184, 185, 186, 187, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 450, 451, 452, 453, 454, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 497, 498, 499, 500, 505, 506, 507, 508, 509, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 636, 637, 638, 639, 640 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	77	128	124	88	333	112	236
normalized size	1	1.00	0.62	1.02	0.99	0.70	2.66	0.90	1.89
time (sec)	N/A	0.167	0.275	0.066	0.761	1.083	2.159	0.662	1.546
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	75	107	101	74	252	89	212
normalized size	1	1.00	0.77	1.10	1.04	0.76	2.60	0.92	2.19
time (sec)	N/A	0.149	0.259	0.065	0.372	0.977	1.049	0.909	1.228
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	65	85	79	56	168	68	84
normalized size	1	1.00	0.84	1.10	1.03	0.73	2.18	0.88	1.09
time (sec)	N/A	0.078	0.194	0.060	0.584	1.080	0.533	0.363	0.234
Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	44	57	55	38	94	45	50
normalized size	1	1.00	0.94	1.21	1.17	0.81	2.00	0.96	1.06
time (sec)	N/A	0.021	0.103	0.062	0.382	1.059	0.249	0.497	0.194
Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	46	56	47	51	0	79	100
normalized size	1	1.00	1.44	1.75	1.47	1.59	0.00	2.47	3.12
time (sec)	N/A	0.091	0.027	0.110	0.574	0.937	0.000	0.804	0.283

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	43	65	73	79	0	84	100
normalized size	1	1.00	1.34	2.03	2.28	2.47	0.00	2.62	3.12
time (sec)	N/A	0.103	0.021	0.120	0.614	0.625	0.000	0.348	0.307
Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	75	86	95	89	0	124	94
normalized size	1	1.00	1.34	1.54	1.70	1.59	0.00	2.21	1.68
time (sec)	N/A	0.137	0.028	0.136	0.374	0.788	0.000	0.468	0.834
Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	56	128	127	105	0	154	126
normalized size	1	1.00	0.65	1.49	1.48	1.22	0.00	1.79	1.47
time (sec)	N/A	0.154	0.352	0.166	0.371	0.732	0.000	2.500	2.067
Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	77	171	163	127	0	188	166
normalized size	1	1.00	0.73	1.61	1.54	1.20	0.00	1.77	1.57
time (sec)	N/A	0.165	0.419	0.160	0.459	0.679	0.000	1.686	2.665
Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	191	191	134	217	216	130	600	166	315
normalized size	1	1.00	0.70	1.14	1.13	0.68	3.14	0.87	1.65
time (sec)	N/A	0.310	0.649	0.078	0.646	0.556	4.339	0.414	1.585
Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	160	160	108	186	178	110	459	137	277
normalized size	1	1.00	0.68	1.16	1.11	0.69	2.87	0.86	1.73
time (sec)	N/A	0.278	0.449	0.076	0.359	0.681	2.580	0.700	1.500

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	129	129	86	154	144	90	338	110	134
normalized size	1	1.00	0.67	1.19	1.12	0.70	2.62	0.85	1.04
time (sec)	N/A	0.176	0.372	0.055	0.412	0.753	1.229	1.067	0.291
Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	61	116	110	70	199	85	98
normalized size	1	1.00	0.65	1.23	1.17	0.74	2.12	0.90	1.04
time (sec)	N/A	0.059	0.205	0.065	0.377	0.913	0.637	0.327	0.233
Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	96	108	94	79	0	145	141
normalized size	1	1.00	1.17	1.32	1.15	0.96	0.00	1.77	1.72
time (sec)	N/A	0.193	0.204	0.119	0.356	0.889	0.000	0.429	0.337
Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	143	107	105	108	0	155	161
normalized size	1	1.00	1.93	1.45	1.42	1.46	0.00	2.09	2.18
time (sec)	N/A	0.210	0.369	0.138	0.424	0.665	0.000	1.057	0.320
Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	277	113	142	119	0	154	162
normalized size	1	1.00	3.15	1.28	1.61	1.35	0.00	1.75	1.84
time (sec)	N/A	0.219	1.357	0.146	0.536	0.847	0.000	0.498	0.299
Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	113	451	141	174	125	0	178	145
normalized size	1	1.00	3.99	1.25	1.54	1.11	0.00	1.58	1.28
time (sec)	N/A	0.270	6.355	0.147	0.693	0.603	0.000	0.498	2.082

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	144	144	262	187	230	145	0	212	183
normalized size	1	1.00	1.82	1.30	1.60	1.01	0.00	1.47	1.27
time (sec)	N/A	0.304	1.255	0.165	0.695	0.626	0.000	0.870	2.682
Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	134	266	262	130	695	166	315
normalized size	1	1.00	0.67	1.32	1.30	0.65	3.46	0.83	1.57
time (sec)	N/A	0.432	0.590	0.072	0.553	0.832	4.834	0.357	1.606
Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	108	223	213	110	530	136	277
normalized size	1	1.00	0.70	1.45	1.38	0.71	3.44	0.88	1.80
time (sec)	N/A	0.229	0.457	0.062	0.741	0.868	2.813	0.410	1.505
Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	116	86	176	167	90	371	112	134
normalized size	1	1.00	0.74	1.52	1.44	0.78	3.20	0.97	1.16
time (sec)	N/A	0.098	0.333	0.060	0.443	0.807	1.325	0.358	0.272
Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	113	153	141	102	0	180	178
normalized size	1	1.00	1.02	1.38	1.27	0.92	0.00	1.62	1.60
time (sec)	N/A	0.304	0.282	0.136	0.518	0.811	0.000	0.452	0.421
Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	272	145	140	127	0	192	197
normalized size	1	1.00	2.47	1.32	1.27	1.15	0.00	1.75	1.79
time (sec)	N/A	0.308	1.853	0.146	0.630	0.713	0.000	0.919	0.371

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	208	144	165	137	0	192	207
normalized size	1	1.00	1.82	1.26	1.45	1.20	0.00	1.68	1.82
time (sec)	N/A	0.338	2.005	0.161	0.796	0.627	0.000	0.612	0.372
Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	786	158	212	141	0	189	209
normalized size	1	1.00	6.29	1.26	1.70	1.13	0.00	1.51	1.67
time (sec)	N/A	0.337	6.406	0.160	0.689	0.651	0.000	0.411	0.332
Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	273	188	269	145	0	212	185
normalized size	1	1.00	1.77	1.22	1.75	0.94	0.00	1.38	1.20
time (sec)	N/A	0.418	1.386	0.177	0.353	0.765	0.000	0.759	2.708
Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	294	234	337	165	0	246	224
normalized size	1	1.00	1.59	1.26	1.82	0.89	0.00	1.33	1.21
time (sec)	N/A	0.447	1.604	0.172	0.676	0.732	0.000	1.717	2.816
Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	156	358	356	150	960	193	353
normalized size	1	1.00	0.65	1.49	1.48	0.62	3.98	0.80	1.46
time (sec)	N/A	0.593	0.870	0.069	0.457	0.877	8.008	0.531	1.637
Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	134	306	297	130	765	166	316
normalized size	1	1.00	0.72	1.65	1.61	0.70	4.14	0.90	1.71
time (sec)	N/A	0.304	0.555	0.071	0.600	0.700	4.831	0.997	1.616

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	150	108	248	236	110	544	139	278
normalized size	1	1.00	0.72	1.65	1.57	0.73	3.63	0.93	1.85
time (sec)	N/A	0.139	0.377	0.059	0.843	0.621	3.024	1.391	1.558
Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	138	199	198	118	0	214	188
normalized size	1	1.00	0.91	1.32	1.31	0.78	0.00	1.42	1.25
time (sec)	N/A	0.413	0.402	0.145	0.472	0.649	0.000	1.065	0.673
Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	150	312	190	187	150	0	226	242
normalized size	1	1.00	2.08	1.27	1.25	1.00	0.00	1.51	1.61
time (sec)	N/A	0.453	1.706	0.157	0.402	0.954	0.000	0.893	0.421
Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	343	182	199	156	0	230	243
normalized size	1	1.00	2.12	1.12	1.23	0.96	0.00	1.42	1.50
time (sec)	N/A	0.476	4.674	0.172	0.580	0.670	0.000	1.941	0.402
Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	380	189	235	159	0	227	254
normalized size	1	1.00	2.30	1.15	1.42	0.96	0.00	1.38	1.54
time (sec)	N/A	0.514	6.219	0.176	0.594	0.937	0.000	0.494	0.407
Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	173	173	326	204	307	157	0	223	255
normalized size	1	1.00	1.88	1.18	1.77	0.91	0.00	1.29	1.47
time (sec)	N/A	0.523	2.025	0.203	0.415	0.655	0.000	0.677	0.378

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	306	234	376	165	0	246	224
normalized size	1	1.00	1.55	1.18	1.90	0.83	0.00	1.24	1.13
time (sec)	N/A	0.587	1.753	0.199	0.697	1.242	0.000	0.459	2.791
Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	229	229	358	280	464	185	0	280	262
normalized size	1	1.00	1.56	1.22	2.03	0.81	0.00	1.22	1.14
time (sec)	N/A	0.650	2.354	0.221	0.400	0.730	0.000	0.543	2.839
Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	311	351	394	120	1794	181	170
normalized size	1	1.00	2.03	2.29	2.58	0.78	11.73	1.18	1.11
time (sec)	N/A	0.207	0.704	0.089	0.557	0.618	7.462	0.850	0.379
Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	249	281	310	98	1161	151	138
normalized size	1	1.00	2.04	2.30	2.54	0.80	9.52	1.24	1.13
time (sec)	N/A	0.172	0.641	0.097	0.703	0.649	4.507	0.493	1.357
Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	99	197	211	225	83	665	124	107
normalized size	1	1.10	2.19	2.34	2.50	0.92	7.39	1.38	1.19
time (sec)	N/A	0.123	0.505	0.096	0.769	0.559	3.232	1.061	0.490
Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	126	108	143	61	264	78	65
normalized size	1	1.00	2.33	2.00	2.65	1.13	4.89	1.44	1.20
time (sec)	N/A	0.139	0.282	0.096	0.688	0.659	1.707	0.912	0.265

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	72	56	73	43	49	43	30
normalized size	1	1.00	2.12	1.65	2.15	1.26	1.44	1.26	0.88
time (sec)	N/A	0.050	0.149	0.065	0.681	0.711	0.861	0.737	0.198
Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	109	78	99	74	0	71	42
normalized size	1	1.00	2.48	1.77	2.25	1.68	0.00	1.61	0.95
time (sec)	N/A	0.078	0.273	0.129	0.820	0.653	0.000	1.040	0.216
Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	201	163	196	127	0	110	78
normalized size	1	1.00	2.91	2.36	2.84	1.84	0.00	1.59	1.13
time (sec)	N/A	0.156	1.341	0.144	0.446	0.567	0.000	0.349	0.290
Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	289	252	282	156	0	157	119
normalized size	1	1.00	2.70	2.36	2.64	1.46	0.00	1.47	1.11
time (sec)	N/A	0.169	3.636	0.160	0.391	0.657	0.000	0.366	0.373
Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	490	340	368	168	0	182	152
normalized size	1	1.00	3.74	2.60	2.81	1.28	0.00	1.39	1.16
time (sec)	N/A	0.180	4.606	0.171	0.474	0.552	0.000	0.396	0.639
Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	170	170	369	322	372	154	1425	192	189
normalized size	1	1.00	2.17	1.89	2.19	0.91	8.38	1.13	1.11
time (sec)	N/A	0.322	0.703	0.101	0.713	1.032	10.807	0.733	0.335

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	315	252	283	138	843	164	152
normalized size	1	1.00	2.14	1.71	1.93	0.94	5.73	1.12	1.03
time (sec)	N/A	0.341	0.844	0.102	0.768	0.785	6.980	0.544	0.288
Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	137	149	191	117	411	119	105
normalized size	1	1.00	1.38	1.51	1.93	1.18	4.15	1.20	1.06
time (sec)	N/A	0.276	0.765	0.095	0.757	0.753	4.164	1.604	0.259
Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	153	97	120	91	105	86	65
normalized size	1	1.00	2.19	1.39	1.71	1.30	1.50	1.23	0.93
time (sec)	N/A	0.155	0.373	0.084	0.626	0.805	2.334	0.677	0.218
Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	76	60	93	58	94	60	45
normalized size	1	1.00	1.17	0.92	1.43	0.89	1.45	0.92	0.69
time (sec)	N/A	0.054	0.194	0.067	0.367	0.767	1.742	1.925	0.189
Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	170	119	145	131	0	113	74
normalized size	1	1.00	2.15	1.51	1.84	1.66	0.00	1.43	0.94
time (sec)	N/A	0.180	0.541	0.139	0.494	0.805	0.000	0.435	0.229
Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	B	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	264	205	244	207	0	155	123
normalized size	1	1.00	2.47	1.92	2.28	1.93	0.00	1.45	1.15
time (sec)	N/A	0.295	1.853	0.148	0.533	0.754	0.000	0.450	0.280

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	496	294	336	228	0	198	165
normalized size	1	1.00	3.26	1.93	2.21	1.50	0.00	1.30	1.09
time (sec)	N/A	0.314	3.430	0.178	0.501	0.871	0.000	1.295	0.301
Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	179	179	609	382	425	247	0	226	203
normalized size	1	1.00	3.40	2.13	2.37	1.38	0.00	1.26	1.13
time (sec)	N/A	0.365	5.600	0.176	0.617	1.584	0.000	0.972	0.341
Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	218	218	491	362	412	205	1584	228	238
normalized size	1	1.00	2.25	1.66	1.89	0.94	7.27	1.05	1.09
time (sec)	N/A	0.515	1.086	0.094	0.740	0.654	25.372	1.904	0.333
Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	435	292	322	190	966	200	203
normalized size	1	1.00	2.25	1.51	1.67	0.98	5.01	1.04	1.05
time (sec)	N/A	0.468	0.923	0.103	1.004	0.587	15.908	1.941	0.267
Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	361	189	231	165	496	155	152
normalized size	1	1.00	2.46	1.29	1.57	1.12	3.37	1.05	1.03
time (sec)	N/A	0.457	0.963	0.097	0.700	0.624	9.802	0.358	0.263
Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	116	241	137	160	137	148	120	134
normalized size	1	1.00	2.08	1.18	1.38	1.18	1.28	1.03	1.16
time (sec)	N/A	0.321	0.624	0.083	0.539	0.883	5.798	0.504	0.384

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	135	64	115	93	117	75	66
normalized size	1	1.00	1.32	0.63	1.13	0.91	1.15	0.74	0.65
time (sec)	N/A	0.188	0.363	0.082	0.807	0.759	3.722	1.900	0.208
Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	96	64	115	93	114	75	66
normalized size	1	1.00	0.94	0.63	1.13	0.91	1.12	0.74	0.65
time (sec)	N/A	0.079	0.293	0.071	0.464	0.539	2.537	0.448	0.195
Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	197	159	187	185	0	148	130
normalized size	1	1.00	1.68	1.36	1.60	1.58	0.00	1.26	1.11
time (sec)	N/A	0.311	1.039	0.157	0.570	0.725	0.000	4.309	0.246
Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	482	245	286	272	0	190	168
normalized size	1	1.00	3.32	1.69	1.97	1.88	0.00	1.31	1.16
time (sec)	N/A	0.469	3.279	0.165	0.485	0.664	0.000	0.440	0.280
Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	196	196	610	334	377	295	0	233	216
normalized size	1	1.00	3.11	1.70	1.92	1.51	0.00	1.19	1.10
time (sec)	N/A	0.541	5.224	0.182	0.561	0.822	0.000	2.213	0.277
Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	229	229	555	332	364	238	1085	233	259
normalized size	1	1.00	2.42	1.45	1.59	1.04	4.74	1.02	1.13
time (sec)	N/A	0.672	1.424	0.094	0.776	0.775	33.041	0.519	0.307

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	481	229	271	213	578	188	201
normalized size	1	1.00	2.60	1.24	1.46	1.15	3.12	1.02	1.09
time (sec)	N/A	0.679	0.978	0.096	0.656	0.754	21.682	0.791	0.388
Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	329	177	201	180	192	155	162
normalized size	1	1.00	2.14	1.15	1.31	1.17	1.25	1.01	1.05
time (sec)	N/A	0.498	0.829	0.084	0.760	0.907	13.270	0.401	0.345
Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	193	90	175	124	182	117	86
normalized size	1	1.00	1.42	0.66	1.29	0.91	1.34	0.86	0.63
time (sec)	N/A	0.348	0.500	0.079	0.362	0.744	9.237	0.624	0.247
Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	163	88	174	124	178	117	84
normalized size	1	1.00	1.18	0.64	1.26	0.90	1.29	0.85	0.61
time (sec)	N/A	0.215	0.426	0.087	0.394	0.621	6.689	0.585	0.248
Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	109	88	175	125	177	117	87
normalized size	1	1.00	0.79	0.64	1.27	0.91	1.28	0.85	0.63
time (sec)	N/A	0.138	0.373	0.068	0.454	0.538	4.875	0.928	0.243
Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	239	199	228	236	0	182	199
normalized size	1	1.00	1.63	1.35	1.55	1.61	0.00	1.24	1.35
time (sec)	N/A	0.466	1.594	0.150	0.416	0.783	0.000	0.971	0.361

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	595	285	326	337	0	224	236
normalized size	1	1.00	3.40	1.63	1.86	1.93	0.00	1.28	1.35
time (sec)	N/A	0.672	5.726	0.164	0.651	0.957	0.000	0.411	0.280
Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	232	232	798	374	419	360	0	267	273
normalized size	1	1.00	3.44	1.61	1.81	1.55	0.00	1.15	1.18
time (sec)	N/A	0.688	6.509	0.186	0.618	0.588	0.000	1.451	0.287
Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	187	187	103	121	145	99	0	194	-1
normalized size	1	1.00	0.55	0.65	0.78	0.53	0.00	1.04	-0.01
time (sec)	N/A	0.304	0.705	0.402	1.035	0.609	0.000	0.527	0.000
Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	144	144	80	102	118	82	0	165	-1
normalized size	1	1.00	0.56	0.71	0.82	0.57	0.00	1.15	-0.01
time (sec)	N/A	0.265	0.370	0.439	0.802	0.629	0.000	1.444	0.000
Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	64	83	88	64	0	113	-1
normalized size	1	1.00	0.63	0.82	0.87	0.63	0.00	1.12	-0.01
time (sec)	N/A	0.202	0.211	0.335	1.248	0.803	0.000	2.889	0.000
Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	62	62	46	62	57	47	0	83	-1
normalized size	1	1.00	0.74	1.00	0.92	0.76	0.00	1.34	-0.02
time (sec)	N/A	0.059	0.087	0.379	1.286	0.672	0.000	0.373	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	66	210	21	127	0	1884	-1
normalized size	1	1.00	1.00	3.18	0.32	1.92	0.00	28.55	-0.02
time (sec)	N/A	0.138	0.099	1.158	0.608	0.662	0.000	15.589	0.000
Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	85	642	710	153	0	0	-1
normalized size	1	1.00	1.25	9.44	10.44	2.25	0.00	0.00	-0.01
time (sec)	N/A	0.163	0.222	1.219	1.388	0.801	0.000	0.000	0.000
Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	101	991	3352	178	0	0	-1
normalized size	1	1.00	0.86	8.47	28.65	1.52	0.00	0.00	-0.01
time (sec)	N/A	0.220	0.883	1.328	7.760	0.777	0.000	0.000	0.000
Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	160	160	129	1311	5021	197	0	0	-1
normalized size	1	1.00	0.81	8.19	31.38	1.23	0.00	0.00	-0.01
time (sec)	N/A	0.293	2.014	1.475	7.421	0.775	0.000	0.000	0.000
Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	234	234	125	142	185	125	0	250	-1
normalized size	1	1.00	0.53	0.61	0.79	0.53	0.00	1.07	-0.00
time (sec)	N/A	0.529	1.073	0.401	0.855	1.154	0.000	2.996	0.000
Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	103	123	154	107	0	245	-1
normalized size	1	1.00	0.54	0.65	0.81	0.57	0.00	1.30	-0.01
time (sec)	N/A	0.446	0.599	0.415	0.791	0.589	0.000	1.842	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	81	104	123	88	0	164	-1
normalized size	1	1.00	0.59	0.75	0.89	0.64	0.00	1.19	-0.01
time (sec)	N/A	0.250	0.400	0.452	0.933	0.832	0.000	0.496	0.000
Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	65	85	93	69	0	161	-1
normalized size	1	1.00	0.64	0.84	0.92	0.68	0.00	1.59	-0.01
time (sec)	N/A	0.087	0.202	0.340	0.880	0.604	0.000	0.540	0.000
Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	85	272	39	149	0	0	-1
normalized size	1	1.00	0.81	2.59	0.37	1.42	0.00	0.00	-0.01
time (sec)	N/A	0.265	0.218	1.125	1.270	0.627	0.000	0.000	0.000
Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	98	696	1315	172	0	0	-1
normalized size	1	1.00	0.95	6.76	12.77	1.67	0.00	0.00	-0.01
time (sec)	N/A	0.284	0.342	1.171	0.995	0.656	0.000	0.000	0.000
Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	109	991	3339	182	0	0	-1
normalized size	1	1.00	0.92	8.33	28.06	1.53	0.00	0.00	-0.01
time (sec)	N/A	0.325	0.583	1.223	1.217	0.621	0.000	0.000	0.000
Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	132	1310	0	202	0	0	-1
normalized size	1	1.00	0.80	7.99	0.00	1.23	0.00	0.00	-0.01
time (sec)	N/A	0.400	1.010	1.360	0.000	0.594	0.000	0.000	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	151	1631	0	220	0	0	-1
normalized size	1	1.00	0.72	7.80	0.00	1.05	0.00	0.00	-0.00
time (sec)	N/A	0.485	1.603	1.409	0.000	0.863	0.000	0.000	0.000
Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	127	142	207	137	0	319	-1
normalized size	1	1.00	0.54	0.60	0.87	0.58	0.00	1.35	-0.00
time (sec)	N/A	0.648	1.133	0.339	1.982	0.672	0.000	0.928	0.000
Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	105	123	172	116	0	225	-1
normalized size	1	1.00	0.60	0.70	0.98	0.66	0.00	1.29	-0.01
time (sec)	N/A	0.280	0.753	0.467	1.019	0.809	0.000	0.861	0.000
Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	83	104	139	95	0	225	-1
normalized size	1	1.00	0.60	0.75	1.01	0.69	0.00	1.63	-0.01
time (sec)	N/A	0.109	0.356	0.331	1.054	0.472	0.000	1.390	0.000
Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	104	311	61	177	0	0	-1
normalized size	1	1.00	0.73	2.19	0.43	1.25	0.00	0.00	-0.01
time (sec)	N/A	0.414	0.423	1.278	0.868	0.441	0.000	0.000	0.000
Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	144	144	120	756	8114	202	0	0	-1
normalized size	1	1.00	0.83	5.25	56.35	1.40	0.00	0.00	-0.01
time (sec)	N/A	0.447	0.563	1.210	2.004	1.207	0.000	0.000	0.000

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	126	1016	0	204	0	0	-1
normalized size	1	1.00	0.81	6.51	0.00	1.31	0.00	0.00	-0.01
time (sec)	N/A	0.474	0.675	1.192	0.000	0.608	0.000	0.000	0.000
Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	131	1310	7994	212	0	0	-1
normalized size	1	1.00	0.80	7.99	48.74	1.29	0.00	0.00	-0.01
time (sec)	N/A	0.526	1.113	1.457	8.018	0.616	0.000	0.000	0.000
Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	152	1630	0	232	0	0	-1
normalized size	1	1.00	0.73	7.80	0.00	1.11	0.00	0.00	-0.00
time (sec)	N/A	0.609	1.799	1.500	0.000	0.718	0.000	0.000	0.000
Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	254	254	176	1951	0	252	0	0	-1
normalized size	1	1.00	0.69	7.68	0.00	0.99	0.00	0.00	-0.00
time (sec)	N/A	0.713	2.249	1.620	0.000	1.118	0.000	0.000	0.000
Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	202	202	111	281	0	184	0	181	-1
normalized size	1	1.00	0.55	1.39	0.00	0.91	0.00	0.90	-0.00
time (sec)	N/A	0.578	0.722	0.830	0.000	0.605	0.000	1.842	0.000
Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	94	240	0	166	0	158	-1
normalized size	1	1.00	0.59	1.51	0.00	1.04	0.00	0.99	-0.01
time (sec)	N/A	0.384	0.365	0.732	0.000	0.686	0.000	1.975	0.000

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	78	194	0	149	0	113	160
normalized size	1	1.00	0.66	1.64	0.00	1.26	0.00	0.96	1.36
time (sec)	N/A	0.210	0.173	0.673	0.000	0.634	0.000	1.558	0.379
Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	60	160	0	135	0	88	112
normalized size	1	1.00	0.77	2.05	0.00	1.73	0.00	1.13	1.44
time (sec)	N/A	0.071	0.074	0.676	0.000	0.759	0.000	2.922	0.350
Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	72	268	91	171	0	168	-1
normalized size	1	1.00	0.79	2.95	1.00	1.88	0.00	1.85	-0.01
time (sec)	N/A	0.166	0.084	1.405	1.129	0.679	0.000	2.080	0.000
Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	95	810	0	259	0	321	-1
normalized size	1	1.00	0.80	6.81	0.00	2.18	0.00	2.70	-0.01
time (sec)	N/A	0.308	0.363	1.457	0.000	0.930	0.000	3.891	0.000
Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	114	1240	0	284	0	535	-1
normalized size	1	1.00	0.69	7.52	0.00	1.72	0.00	3.24	-0.01
time (sec)	N/A	0.480	0.845	1.543	0.000	0.814	0.000	3.635	0.000
Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	167	448	0	241	0	254	-1
normalized size	1	1.00	0.64	1.72	0.00	0.92	0.00	0.97	-0.00
time (sec)	N/A	0.786	1.166	0.801	0.000	0.960	0.000	2.399	0.000

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	216	216	142	407	0	224	0	202	-1
normalized size	1	1.00	0.66	1.88	0.00	1.04	0.00	0.94	-0.00
time (sec)	N/A	0.595	0.943	0.782	0.000	0.897	0.000	3.100	0.000
Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	97	327	0	205	0	168	-1
normalized size	1	1.00	0.57	1.91	0.00	1.20	0.00	0.98	-0.01
time (sec)	N/A	0.420	0.767	0.796	0.000	0.720	0.000	1.931	0.000
Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	104	256	0	189	0	131	-1
normalized size	1	1.00	0.88	2.17	0.00	1.60	0.00	1.11	-0.01
time (sec)	N/A	0.223	0.424	0.742	0.000	0.603	0.000	1.703	0.000
Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	B	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	63	220	0	172	0	101	-1
normalized size	1	1.00	0.72	2.53	0.00	1.98	0.00	1.16	-0.01
time (sec)	N/A	0.077	0.202	0.720	0.000	0.844	0.000	1.302	0.000
Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	131	374	0	281	0	214	-1
normalized size	1	1.00	1.03	2.94	0.00	2.21	0.00	1.69	-0.01
time (sec)	N/A	0.315	0.710	1.537	0.000	0.850	0.000	2.864	0.000
Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	170	170	141	1051	0	339	0	373	-1
normalized size	1	1.00	0.83	6.18	0.00	1.99	0.00	2.19	-0.01
time (sec)	N/A	0.521	1.165	1.570	0.000	1.311	0.000	3.227	0.000

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	205	1540	0	361	0	0	-1
normalized size	1	1.00	0.93	6.97	0.00	1.63	0.00	0.00	-0.00
time (sec)	N/A	0.705	1.629	1.679	0.000	0.733	0.000	0.000	0.000
Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	139	467	0	270	0	257	-1
normalized size	1	1.00	0.53	1.79	0.00	1.03	0.00	0.98	-0.00
time (sec)	N/A	0.799	1.643	0.820	0.000	0.797	0.000	2.685	0.000
Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	216	216	117	397	0	254	0	204	-1
normalized size	1	1.00	0.54	1.84	0.00	1.18	0.00	0.94	-0.00
time (sec)	N/A	0.611	1.110	0.838	0.000	0.683	0.000	4.721	0.000
Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	100	327	0	237	0	181	-1
normalized size	1	1.00	0.59	1.93	0.00	1.40	0.00	1.07	-0.01
time (sec)	N/A	0.420	0.779	0.862	0.000	0.736	0.000	2.606	0.000
Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	B	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	87	292	0	223	0	134	-1
normalized size	1	1.00	0.69	2.32	0.00	1.77	0.00	1.06	-0.01
time (sec)	N/A	0.230	0.619	0.678	0.000	0.772	0.000	1.306	0.000
Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	B	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	80	292	0	223	0	134	-1
normalized size	1	1.00	0.63	2.32	0.00	1.77	0.00	1.06	-0.01
time (sec)	N/A	0.103	0.517	0.751	0.000	0.543	0.000	3.840	0.000

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	B	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	126	445	0	339	0	250	-1
normalized size	1	1.00	0.77	2.71	0.00	2.07	0.00	1.52	-0.01
time (sec)	N/A	0.466	1.652	1.582	0.000	0.811	0.000	3.502	0.000
Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	207	207	142	1122	0	404	0	409	-1
normalized size	1	1.00	0.69	5.42	0.00	1.95	0.00	1.98	-0.00
time (sec)	N/A	0.715	3.471	1.713	0.000	1.478	0.000	3.949	0.000
Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	264	264	178	1610	0	428	0	0	-1
normalized size	1	1.00	0.67	6.10	0.00	1.62	0.00	0.00	-0.00
time (sec)	N/A	0.923	6.202	1.989	0.000	0.665	0.000	0.000	0.000
Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	914	411	0	0	0	0	177
normalized size	1	1.00	5.75	2.58	0.00	0.00	0.00	0.00	1.11
time (sec)	N/A	0.199	6.351	1.066	0.000	0.803	0.000	0.000	1.085
Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	872	383	0	0	0	0	166
normalized size	1	1.00	6.61	2.90	0.00	0.00	0.00	0.00	1.26
time (sec)	N/A	0.175	6.274	0.980	0.000	1.138	0.000	0.000	0.609
Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	830	355	0	0	0	0	128
normalized size	1	1.00	8.22	3.51	0.00	0.00	0.00	0.00	1.27
time (sec)	N/A	0.158	6.259	1.024	0.000	0.894	0.000	0.000	0.522

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	784	321	0	0	0	0	79
normalized size	1	1.00	11.20	4.59	0.00	0.00	0.00	0.00	1.13
time (sec)	N/A	0.144	6.273	1.244	0.000	0.917	0.000	0.000	0.526
Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	783	240	0	0	0	0	90
normalized size	1	1.00	11.86	3.64	0.00	0.00	0.00	0.00	1.36
time (sec)	N/A	0.148	6.312	1.089	0.000	0.705	0.000	0.000	0.964
Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	813	426	0	0	0	0	150
normalized size	1	1.00	8.56	4.48	0.00	0.00	0.00	0.00	1.58
time (sec)	N/A	0.169	6.361	2.330	0.000	0.837	0.000	0.000	1.300
Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	865	661	0	0	0	0	177
normalized size	1	1.00	6.55	5.01	0.00	0.00	0.00	0.00	1.34
time (sec)	N/A	0.177	6.428	3.029	0.000	0.884	0.000	0.000	1.606
Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	194	194	944	413	0	0	0	0	266
normalized size	1	1.00	4.87	2.13	0.00	0.00	0.00	0.00	1.37
time (sec)	N/A	0.319	6.298	1.103	0.000	0.714	0.000	0.000	1.071
Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	898	385	0	0	0	0	231
normalized size	1	1.00	5.58	2.39	0.00	0.00	0.00	0.00	1.43
time (sec)	N/A	0.289	6.266	1.107	0.000	1.103	0.000	0.000	1.012

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	852	357	0	0	0	0	153
normalized size	1	1.00	6.76	2.83	0.00	0.00	0.00	0.00	1.21
time (sec)	N/A	0.274	6.302	0.989	0.000	0.842	0.000	0.000	1.004
Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	623	388	0	0	0	0	134
normalized size	1	1.00	5.28	3.29	0.00	0.00	0.00	0.00	1.14
time (sec)	N/A	0.269	6.370	1.008	0.000	0.845	0.000	0.000	1.136
Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	624	513	0	0	0	0	196
normalized size	1	1.00	5.20	4.28	0.00	0.00	0.00	0.00	1.63
time (sec)	N/A	0.280	6.448	1.232	0.000	0.614	0.000	0.000	1.692
Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	883	741	0	0	0	0	229
normalized size	1	1.00	5.55	4.66	0.00	0.00	0.00	0.00	1.44
time (sec)	N/A	0.306	6.533	3.343	0.000	1.022	0.000	0.000	1.974
Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	194	194	925	851	0	0	0	0	235
normalized size	1	1.00	4.77	4.39	0.00	0.00	0.00	0.00	1.21
time (sec)	N/A	0.337	6.628	4.040	0.000	0.877	0.000	0.000	2.299
Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	990	441	0	0	0	0	360
normalized size	1	1.00	4.18	1.86	0.00	0.00	0.00	0.00	1.52
time (sec)	N/A	0.479	6.323	1.113	0.000	1.048	0.000	0.000	1.310

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	204	204	944	413	0	0	0	0	323
normalized size	1	1.00	4.63	2.02	0.00	0.00	0.00	0.00	1.58
time (sec)	N/A	0.447	6.297	1.059	0.000	0.934	0.000	0.000	1.074
Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	898	385	0	0	0	0	255
normalized size	1	1.00	5.25	2.25	0.00	0.00	0.00	0.00	1.49
time (sec)	N/A	0.427	6.358	1.018	0.000	0.981	0.000	0.000	0.998
Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	888	519	0	0	0	0	229
normalized size	1	1.00	5.25	3.07	0.00	0.00	0.00	0.00	1.36
time (sec)	N/A	0.434	6.458	1.185	0.000	0.858	0.000	0.000	1.043
Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	879	654	0	0	0	0	251
normalized size	1	1.00	5.46	4.06	0.00	0.00	0.00	0.00	1.56
time (sec)	N/A	0.430	6.536	1.271	0.000	0.733	0.000	0.000	1.628
Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	890	916	0	0	0	0	287
normalized size	1	1.00	5.20	5.36	0.00	0.00	0.00	0.00	1.68
time (sec)	N/A	0.462	6.618	3.388	0.000	0.825	0.000	0.000	2.503
Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	204	204	925	929	0	0	0	0	307
normalized size	1	1.00	4.53	4.55	0.00	0.00	0.00	0.00	1.50
time (sec)	N/A	0.491	6.654	4.328	0.000	0.852	0.000	0.000	2.666

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	967	1178	0	0	0	0	552
normalized size	1	1.00	4.08	4.97	0.00	0.00	0.00	0.00	2.33
time (sec)	N/A	0.521	6.712	4.922	0.000	0.680	0.000	0.000	3.031
Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	1182	281	0	0	0	0	-1
normalized size	1	1.00	7.58	1.80	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.199	6.623	1.159	0.000	0.936	0.000	0.000	0.000
Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	1129	262	0	0	0	0	-1
normalized size	1	1.00	9.18	2.13	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.180	6.555	1.072	0.000	0.839	0.000	0.000	0.000
Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	1098	244	0	0	0	0	-1
normalized size	1	1.00	12.92	2.87	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.150	6.455	1.033	0.000	0.783	0.000	0.000	0.000
Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	1094	243	0	0	0	0	-1
normalized size	1	1.00	13.18	2.93	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.150	6.485	1.148	0.000	0.841	0.000	0.000	0.000
Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	1130	319	0	0	0	0	-1
normalized size	1	1.00	9.50	2.68	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.174	6.708	2.357	0.000	0.650	0.000	0.000	0.000

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	1167	493	0	0	0	0	-1
normalized size	1	1.00	7.63	3.22	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.195	7.089	3.156	0.000	0.891	0.000	0.000	0.000
Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	1262	465	0	0	0	0	-1
normalized size	1	1.00	6.22	2.29	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.407	6.859	1.046	0.000	0.900	0.000	0.000	0.000
Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	1218	435	0	0	0	0	-1
normalized size	1	1.00	7.34	2.62	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.389	6.758	1.142	0.000	1.164	0.000	0.000	0.000
Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	1184	421	0	0	0	0	-1
normalized size	1	1.00	8.71	3.10	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.314	6.657	1.171	0.000	1.214	0.000	0.000	0.000
Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	815	350	0	0	0	0	-1
normalized size	1	1.00	6.74	2.89	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.277	6.520	1.308	0.000	1.086	0.000	0.000	0.000
Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	815	350	0	0	0	0	-1
normalized size	1	1.00	6.74	2.89	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.342	6.548	1.101	0.000	0.849	0.000	0.000	0.000

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	1217	494	0	0	0	0	-1
normalized size	1	1.00	7.24	2.94	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.359	6.812	1.346	0.000	0.997	0.000	0.000	0.000
Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	1258	750	0	0	0	0	-1
normalized size	1	1.00	6.26	3.73	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.364	7.427	3.954	0.000	0.954	0.000	0.000	0.000
Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-1)	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	254	254	1346	493	0	0	0	0	-1
normalized size	1	1.00	5.30	1.94	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.548	7.157	1.418	0.000	1.220	0.000	0.000	0.000
Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	219	219	1306	465	0	0	0	0	-1
normalized size	1	1.00	5.96	2.12	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.518	6.988	1.128	0.000	0.943	0.000	0.000	0.000
Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	1273	451	0	0	0	0	-1
normalized size	1	1.00	6.77	2.40	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.478	6.896	1.249	0.000	0.948	0.000	0.000	0.000
Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	1265	451	0	0	0	0	-1
normalized size	1	1.00	7.03	2.51	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.470	6.817	1.158	0.000	1.183	0.000	0.000	0.000

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	1264	451	0	0	0	0	-1
normalized size	1	1.00	7.10	2.53	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.464	6.717	1.275	0.000	1.079	0.000	0.000	0.000
Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	182	182	1265	451	0	0	0	0	-1
normalized size	1	1.00	6.95	2.48	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.480	6.801	1.227	0.000	0.758	0.000	0.000	0.000
Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	1305	685	0	0	0	0	-1
normalized size	1	1.00	5.90	3.10	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.519	7.113	1.662	0.000	1.160	0.000	0.000	0.000
Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	254	254	1346	876	0	0	0	0	-1
normalized size	1	1.00	5.30	3.45	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.603	7.809	1.676	0.000	1.011	0.000	0.000	0.000
Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	135	428	8220	151	0	0	-1
normalized size	1	1.00	0.61	1.94	37.19	0.68	0.00	0.00	-0.00
time (sec)	N/A	0.350	1.030	0.319	2.976	0.998	0.000	0.000	0.000
Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	176	176	118	356	2981	134	0	0	-1
normalized size	1	1.00	0.67	2.02	16.94	0.76	0.00	0.00	-0.01
time (sec)	N/A	0.298	0.546	0.392	1.788	0.996	0.000	0.000	0.000

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	100	284	1851	117	0	0	-1
normalized size	1	1.00	0.76	2.17	14.13	0.89	0.00	0.00	-0.01
time (sec)	N/A	0.227	0.299	0.281	1.371	1.026	0.000	0.000	0.000
Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	83	164	939	97	0	0	-1
normalized size	1	1.00	1.06	2.10	12.04	1.24	0.00	0.00	-0.01
time (sec)	N/A	0.169	0.159	0.253	1.463	1.010	0.000	0.000	0.000
Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	86	109	245	109	0	0	-1
normalized size	1	1.00	1.13	1.43	3.22	1.43	0.00	0.00	-0.01
time (sec)	N/A	0.165	0.170	0.252	0.994	1.071	0.000	0.000	0.000
Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	57	62	289	67	0	0	112
normalized size	1	1.00	0.67	0.73	3.40	0.79	0.00	0.00	1.32
time (sec)	N/A	0.163	0.152	0.222	0.958	0.784	0.000	0.000	1.557
Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	78	86	428	86	0	0	194
normalized size	1	1.00	0.60	0.66	3.29	0.66	0.00	0.00	1.49
time (sec)	N/A	0.218	0.253	0.235	0.726	1.023	0.000	0.000	3.253
Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	102	108	522	104	0	0	479
normalized size	1	1.00	0.58	0.62	2.98	0.59	0.00	0.00	2.74
time (sec)	N/A	0.286	0.396	0.237	1.037	0.963	0.000	0.000	6.226

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	227	136	429	8904	162	0	0	-1
normalized size	1	1.00	0.60	1.89	39.22	0.71	0.00	0.00	-0.00
time (sec)	N/A	0.504	1.122	0.246	3.180	1.166	0.000	0.000	0.000
Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	119	357	3023	144	0	0	-1
normalized size	1	1.00	0.66	1.98	16.79	0.80	0.00	0.00	-0.01
time (sec)	N/A	0.412	0.685	0.348	2.088	1.348	0.000	0.000	0.000
Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	133	133	101	283	1884	125	0	0	-1
normalized size	1	1.00	0.76	2.13	14.17	0.94	0.00	0.00	-0.01
time (sec)	N/A	0.330	0.384	0.307	1.678	1.241	0.000	0.000	0.000
Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	107	300	1801	135	0	0	-1
normalized size	1	1.00	0.85	2.38	14.29	1.07	0.00	0.00	-0.01
time (sec)	N/A	0.331	0.331	0.283	1.601	1.151	0.000	0.000	0.000
Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	106	211	1124	133	0	0	-1
normalized size	1	1.00	0.85	1.69	8.99	1.06	0.00	0.00	-0.01
time (sec)	N/A	0.315	0.386	0.289	0.961	0.877	0.000	0.000	0.000
Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	80	87	344	88	0	0	195
normalized size	1	1.00	0.60	0.65	2.57	0.66	0.00	0.00	1.46
time (sec)	N/A	0.340	0.327	0.227	0.870	1.355	0.000	0.000	3.094

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	181	102	109	481	107	0	0	236
normalized size	1	1.00	0.56	0.60	2.66	0.59	0.00	0.00	1.30
time (sec)	N/A	0.431	0.538	0.235	0.955	0.689	0.000	0.000	6.720
Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	124	131	573	126	0	0	289
normalized size	1	1.00	0.54	0.57	2.51	0.55	0.00	0.00	1.27
time (sec)	N/A	0.505	0.691	0.270	1.176	0.851	0.000	0.000	7.023
Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	274	274	159	503	0	194	0	0	-1
normalized size	1	1.00	0.58	1.84	0.00	0.71	0.00	0.00	-0.00
time (sec)	N/A	0.709	1.978	0.260	0.000	1.196	0.000	0.000	0.000
Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	227	137	431	9415	174	0	0	-1
normalized size	1	1.00	0.60	1.90	41.48	0.77	0.00	0.00	-0.00
time (sec)	N/A	0.713	1.247	0.204	2.895	1.283	0.000	0.000	0.000
Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	121	357	3071	154	0	0	-1
normalized size	1	1.00	0.67	1.98	17.06	0.86	0.00	0.00	-0.01
time (sec)	N/A	0.547	0.778	0.336	2.095	1.134	0.000	0.000	0.000
Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	126	336	2080	164	0	0	-1
normalized size	1	1.00	0.71	1.89	11.69	0.92	0.00	0.00	-0.01
time (sec)	N/A	0.552	0.686	0.314	1.887	0.878	0.000	0.000	0.000

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	173	173	130	484	2370	169	0	0	-1
normalized size	1	1.00	0.75	2.80	13.70	0.98	0.00	0.00	-0.01
time (sec)	N/A	0.533	0.713	0.279	1.676	1.012	0.000	0.000	0.000
Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	130	306	1548	161	0	0	-1
normalized size	1	1.00	0.76	1.78	9.00	0.94	0.00	0.00	-0.01
time (sec)	N/A	0.506	0.783	0.388	1.180	0.988	0.000	0.000	0.000
Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	181	104	111	396	114	0	0	551
normalized size	1	1.00	0.57	0.61	2.19	0.63	0.00	0.00	3.04
time (sec)	N/A	0.552	0.631	0.229	1.308	0.989	0.000	0.000	6.864
Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	126	133	533	135	0	0	647
normalized size	1	1.00	0.55	0.58	2.34	0.59	0.00	0.00	2.84
time (sec)	N/A	0.703	0.858	0.278	0.964	1.035	0.000	0.000	8.236
Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	147	155	626	156	0	0	773
normalized size	1	1.00	0.53	0.56	2.28	0.57	0.00	0.00	2.81
time (sec)	N/A	0.714	0.986	0.310	0.991	0.947	0.000	0.000	7.322
Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	190	190	348	346	0	184	0	0	-1
normalized size	1	1.00	1.83	1.82	0.00	0.97	0.00	0.00	-0.01
time (sec)	N/A	0.595	1.971	0.319	0.000	8.758	0.000	0.000	0.000

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	222	216	0	168	0	0	-1
normalized size	1	1.00	1.57	1.53	0.00	1.19	0.00	0.00	-0.01
time (sec)	N/A	0.397	1.275	0.262	0.000	4.159	0.000	0.000	0.000
Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	82	149	0	96	0	0	-1
normalized size	1	1.00	0.82	1.49	0.00	0.96	0.00	0.00	-0.01
time (sec)	N/A	0.242	0.146	0.230	0.000	3.879	0.000	0.000	0.000
Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	A	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	203	230	0	143	0	0	-1
normalized size	1	1.00	2.05	2.32	0.00	1.44	0.00	0.00	-0.01
time (sec)	N/A	0.192	1.636	0.260	0.000	1.178	0.000	0.000	0.000
Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	627	383	0	163	0	0	-1
normalized size	1	1.00	4.42	2.70	0.00	1.15	0.00	0.00	-0.01
time (sec)	N/A	0.336	6.815	0.337	0.000	0.753	0.000	0.000	0.000
Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	187	187	1728	519	0	180	0	0	-1
normalized size	1	1.00	9.24	2.78	0.00	0.96	0.00	0.00	-0.01
time (sec)	N/A	0.609	7.817	0.357	0.000	1.166	0.000	0.000	0.000
Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	197	197	362	379	0	237	0	0	-1
normalized size	1	1.00	1.84	1.92	0.00	1.20	0.00	0.00	-0.01
time (sec)	N/A	0.636	2.202	0.296	0.000	15.060	0.000	0.000	0.000

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	226	298	0	203	0	0	-1
normalized size	1	1.00	1.56	2.06	0.00	1.40	0.00	0.00	-0.01
time (sec)	N/A	0.403	1.907	0.277	0.000	10.313	0.000	0.000	0.000
Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	212	246	0	164	0	0	-1
normalized size	1	1.00	1.98	2.30	0.00	1.53	0.00	0.00	-0.01
time (sec)	N/A	0.216	1.155	0.265	0.000	0.923	0.000	0.000	0.000
Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	423	299	0	201	0	0	-1
normalized size	1	1.00	2.71	1.92	0.00	1.29	0.00	0.00	-0.01
time (sec)	N/A	0.384	3.869	0.284	0.000	1.055	0.000	0.000	0.000
Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	1054	443	0	221	0	0	-1
normalized size	1	1.00	5.19	2.18	0.00	1.09	0.00	0.00	-0.00
time (sec)	N/A	0.555	6.806	0.343	0.000	0.984	0.000	0.000	0.000
Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	246	246	376	647	0	302	0	0	-1
normalized size	1	1.00	1.53	2.63	0.00	1.23	0.00	0.00	-0.00
time (sec)	N/A	0.837	3.533	0.335	0.000	28.556	0.000	0.000	0.000
Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	194	194	246	515	0	267	0	0	-1
normalized size	1	1.00	1.27	2.65	0.00	1.38	0.00	0.00	-0.01
time (sec)	N/A	0.582	2.173	0.307	0.000	24.442	0.000	0.000	0.000

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	198	413	0	215	0	0	-1
normalized size	1	1.00	1.29	2.68	0.00	1.40	0.00	0.00	-0.01
time (sec)	N/A	0.377	1.512	0.321	0.000	0.888	0.000	0.000	0.000
Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	200	413	0	217	0	0	-1
normalized size	1	1.00	1.28	2.65	0.00	1.39	0.00	0.00	-0.01
time (sec)	N/A	0.439	1.473	0.274	0.000	1.132	0.000	0.000	0.000
Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	217	443	0	248	0	0	-1
normalized size	1	1.00	1.07	2.18	0.00	1.22	0.00	0.00	-0.00
time (sec)	N/A	0.567	2.771	0.296	0.000	0.840	0.000	0.000	0.000
Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	250	250	239	571	0	270	0	0	-1
normalized size	1	1.00	0.96	2.28	0.00	1.08	0.00	0.00	-0.00
time (sec)	N/A	0.752	3.584	0.237	0.000	1.012	0.000	0.000	0.000
Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	293	293	396	887	0	368	0	0	-1
normalized size	1	1.00	1.35	3.03	0.00	1.26	0.00	0.00	-0.00
time (sec)	N/A	1.044	5.817	0.385	0.000	43.470	0.000	0.000	0.000
Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	266	703	0	327	0	0	-1
normalized size	1	1.00	1.10	2.92	0.00	1.36	0.00	0.00	-0.00
time (sec)	N/A	0.765	3.235	0.372	0.000	24.593	0.000	0.000	0.000

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	217	549	0	266	0	0	-1
normalized size	1	1.00	1.08	2.73	0.00	1.32	0.00	0.00	-0.00
time (sec)	N/A	0.587	2.357	0.339	0.000	0.603	0.000	0.000	0.000
Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	215	549	0	264	0	0	-1
normalized size	1	1.00	1.07	2.73	0.00	1.31	0.00	0.00	-0.00
time (sec)	N/A	0.579	2.144	0.336	0.000	1.746	0.000	0.000	0.000
Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	216	549	0	266	0	0	-1
normalized size	1	1.00	1.06	2.70	0.00	1.31	0.00	0.00	-0.00
time (sec)	N/A	0.591	2.155	0.326	0.000	1.054	0.000	0.000	0.000
Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	250	250	240	581	0	298	0	0	-1
normalized size	1	1.00	0.96	2.32	0.00	1.19	0.00	0.00	-0.00
time (sec)	N/A	0.804	2.925	0.375	0.000	0.818	0.000	0.000	0.000
Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	262	715	0	319	0	0	-1
normalized size	1	1.00	0.88	2.41	0.00	1.07	0.00	0.00	-0.00
time (sec)	N/A	1.032	5.405	0.243	0.000	0.826	0.000	0.000	0.000
Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	91	107	101	81	252	89	117
normalized size	1	1.00	0.87	1.02	0.96	0.77	2.40	0.85	1.11
time (sec)	N/A	0.170	0.223	0.054	1.372	1.001	1.044	0.413	0.474

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	75	85	79	60	168	68	84
normalized size	1	1.00	0.89	1.01	0.94	0.71	2.00	0.81	1.00
time (sec)	N/A	0.090	0.162	0.051	0.305	1.034	0.514	0.313	0.397
Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	52	51	57	55	42	94	45	50
normalized size	1	1.00	0.98	1.10	1.06	0.81	1.81	0.87	0.96
time (sec)	N/A	0.023	0.085	0.046	0.605	0.795	0.248	0.303	0.356
Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	46	56	47	54	0	79	100
normalized size	1	1.00	1.31	1.60	1.34	1.54	0.00	2.26	2.86
time (sec)	N/A	0.105	0.027	0.090	0.305	1.233	0.000	0.669	0.479
Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	43	65	73	85	0	84	114
normalized size	1	1.00	1.23	1.86	2.09	2.43	0.00	2.40	3.26
time (sec)	N/A	0.114	0.014	0.103	0.307	0.620	0.000	0.431	0.484
Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	75	86	95	96	0	151	104
normalized size	1	1.00	1.23	1.41	1.56	1.57	0.00	2.48	1.70
time (sec)	N/A	0.148	0.020	0.113	0.466	0.527	0.000	0.459	1.273
Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	67	128	127	115	0	210	145
normalized size	1	1.00	0.72	1.38	1.37	1.24	0.00	2.26	1.56
time (sec)	N/A	0.163	0.282	0.117	0.473	0.994	0.000	0.407	2.574

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	85	171	163	136	0	304	194
normalized size	1	1.00	0.75	1.50	1.43	1.19	0.00	2.67	1.70
time (sec)	N/A	0.179	0.620	0.140	1.299	0.652	0.000	0.512	3.863
Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	146	184	176	142	459	156	307
normalized size	1	1.00	0.77	0.97	0.93	0.75	2.43	0.83	1.62
time (sec)	N/A	0.311	0.483	0.052	0.829	0.647	2.471	0.404	3.933
Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	170	170	118	152	142	114	338	124	169
normalized size	1	1.00	0.69	0.89	0.84	0.67	1.99	0.73	0.99
time (sec)	N/A	0.234	0.455	0.049	0.531	0.748	1.187	0.376	0.512
Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	90	114	108	85	199	93	115
normalized size	1	1.00	0.84	1.07	1.01	0.79	1.86	0.87	1.07
time (sec)	N/A	0.094	0.225	0.050	0.308	0.657	0.590	0.469	0.453
Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	120	120	92	87	0	178	169
normalized size	1	1.00	1.40	1.40	1.07	1.01	0.00	2.07	1.97
time (sec)	N/A	0.176	0.233	0.099	1.213	0.726	0.000	0.450	0.693
Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	109	104	103	117	0	152	169
normalized size	1	1.00	1.82	1.73	1.72	1.95	0.00	2.53	2.82
time (sec)	N/A	0.169	0.497	0.116	0.551	0.610	0.000	0.728	0.876

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	67	133	140	136	0	190	176
normalized size	1	1.00	0.84	1.66	1.75	1.70	0.00	2.38	2.20
time (sec)	N/A	0.200	0.275	0.117	0.409	0.614	0.000	0.517	0.978
Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	116	92	174	172	150	0	294	227
normalized size	1	1.00	0.79	1.50	1.48	1.29	0.00	2.53	1.96
time (sec)	N/A	0.270	0.472	0.132	0.442	1.059	0.000	0.820	3.660
Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	120	241	228	180	0	478	314
normalized size	1	1.00	0.77	1.54	1.46	1.15	0.00	3.06	2.01
time (sec)	N/A	0.293	0.724	0.134	0.578	0.915	0.000	0.546	3.868
Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	269	269	289	270	266	211	721	230	352
normalized size	1	1.00	1.07	1.00	0.99	0.78	2.68	0.86	1.31
time (sec)	N/A	0.507	0.685	0.096	0.569	0.955	4.621	0.466	1.108
Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	243	243	176	227	217	174	551	188	277
normalized size	1	1.00	0.72	0.93	0.89	0.72	2.27	0.77	1.14
time (sec)	N/A	0.333	0.718	0.051	0.319	0.697	2.758	0.512	0.778
Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	140	180	171	136	386	148	202
normalized size	1	1.00	0.82	1.05	1.00	0.80	2.26	0.87	1.18
time (sec)	N/A	0.197	0.417	0.055	0.649	1.164	1.317	0.591	0.569

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	159	207	145	131	0	314	1924
normalized size	1	1.00	1.16	1.51	1.06	0.96	0.00	2.29	14.04
time (sec)	N/A	0.324	0.396	0.109	0.324	0.537	0.000	0.648	1.910
Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	217	168	144	152	0	234	236
normalized size	1	1.00	1.66	1.28	1.10	1.16	0.00	1.79	1.80
time (sec)	N/A	0.332	0.680	0.127	0.319	0.965	0.000	1.292	1.351
Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	277	172	169	167	0	239	249
normalized size	1	1.00	2.23	1.39	1.36	1.35	0.00	1.93	2.01
time (sec)	N/A	0.339	2.103	0.130	1.539	0.902	0.000	0.569	1.556
Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	108	223	216	189	0	336	526
normalized size	1	1.00	0.74	1.54	1.49	1.30	0.00	2.32	3.63
time (sec)	N/A	0.346	0.593	0.141	0.648	0.521	0.000	0.441	1.948
Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	140	290	273	211	0	586	395
normalized size	1	1.00	0.74	1.54	1.45	1.12	0.00	3.12	2.10
time (sec)	N/A	0.458	0.842	0.144	0.347	0.901	0.000	0.693	3.946
Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	236	236	181	382	341	249	0	722	470
normalized size	1	1.00	0.77	1.62	1.44	1.06	0.00	3.06	1.99
time (sec)	N/A	0.489	3.260	0.152	0.512	0.859	0.000	0.887	3.894

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	366	366	408	368	366	289	1017	313	436
normalized size	1	1.00	1.11	1.01	1.00	0.79	2.78	0.86	1.19
time (sec)	N/A	0.838	0.878	0.061	0.388	1.603	8.196	0.520	2.635
Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	325	325	333	316	307	243	811	263	403
normalized size	1	1.00	1.02	0.97	0.94	0.75	2.50	0.81	1.24
time (sec)	N/A	0.509	1.161	0.055	0.480	0.854	4.990	0.471	1.371
Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	263	258	246	197	580	212	307
normalized size	1	1.00	1.09	1.07	1.02	0.82	2.41	0.88	1.27
time (sec)	N/A	0.338	0.656	0.054	0.579	1.136	2.833	0.507	0.878
Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	200	200	210	319	208	183	0	603	369
normalized size	1	1.00	1.05	1.60	1.04	0.92	0.00	3.02	1.84
time (sec)	N/A	0.547	0.610	0.124	0.339	1.521	0.000	0.641	1.419
Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	195	195	257	255	197	196	0	371	2522
normalized size	1	1.00	1.32	1.31	1.01	1.01	0.00	1.90	12.93
time (sec)	N/A	0.570	1.074	0.127	0.322	1.588	0.000	1.232	2.269
Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	310	236	209	202	0	526	330
normalized size	1	1.00	1.48	1.13	1.00	0.97	0.00	2.52	1.58
time (sec)	N/A	0.615	1.847	0.147	1.209	0.698	0.000	0.689	2.314

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	415	262	245	219	0	387	636
normalized size	1	1.00	2.10	1.32	1.24	1.11	0.00	1.95	3.21
time (sec)	N/A	0.580	5.954	0.162	0.910	1.620	0.000	0.680	2.831
Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	216	216	160	338	317	250	0	635	1969
normalized size	1	1.00	0.74	1.56	1.47	1.16	0.00	2.94	9.12
time (sec)	N/A	0.597	1.082	0.160	0.578	0.844	0.000	0.694	2.976
Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	267	267	198	431	386	281	0	850	555
normalized size	1	1.00	0.74	1.61	1.45	1.05	0.00	3.18	2.08
time (sec)	N/A	0.723	4.249	0.150	0.593	0.657	0.000	0.544	3.879
Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	324	324	244	550	474	327	0	1186	706
normalized size	1	1.00	0.75	1.70	1.46	1.01	0.00	3.66	2.18
time (sec)	N/A	0.802	2.774	0.161	0.440	1.100	0.000	0.932	3.751
Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	152	641	0	541	0	360	4568
normalized size	1	1.00	0.85	3.60	0.00	3.04	0.00	2.02	25.66
time (sec)	N/A	0.493	0.468	0.087	0.000	1.106	0.000	0.488	5.088
Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	121	367	0	426	0	227	3761
normalized size	1	1.00	0.90	2.74	0.00	3.18	0.00	1.69	28.07
time (sec)	N/A	0.287	0.313	0.077	0.000	1.148	0.000	0.492	3.998

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	85	172	0	322	3225	142	541
normalized size	1	1.00	0.96	1.93	0.00	3.62	36.24	1.60	6.08
time (sec)	N/A	0.174	0.210	0.076	0.000	0.944	118.447	0.449	1.117
Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	68	113	0	242	524	296	344
normalized size	1	1.00	1.01	1.69	0.00	3.61	7.82	4.42	5.13
time (sec)	N/A	0.078	0.121	0.061	0.000	0.720	24.724	0.661	1.720
Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	112	135	0	304	0	127	342
normalized size	1	1.00	1.47	1.78	0.00	4.00	0.00	1.67	4.50
time (sec)	N/A	0.115	0.163	0.122	0.000	1.911	0.000	0.467	1.600
Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	129	228	0	460	0	175	675
normalized size	1	1.00	1.30	2.30	0.00	4.65	0.00	1.77	6.82
time (sec)	N/A	0.183	0.565	0.148	0.000	0.950	0.000	0.966	1.988
Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	300	410	0	589	0	269	4051
normalized size	1	1.00	2.10	2.87	0.00	4.12	0.00	1.88	28.33
time (sec)	N/A	0.490	1.782	0.158	0.000	8.205	0.000	0.772	4.207
Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	187	187	422	688	0	729	0	412	4696
normalized size	1	1.00	2.26	3.68	0.00	3.90	0.00	2.20	25.11
time (sec)	N/A	0.770	2.272	0.175	0.000	2.717	0.000	0.616	4.895

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	263	263	184	643	0	965	0	338	6744
normalized size	1	1.00	0.70	2.44	0.00	3.67	0.00	1.29	25.64
time (sec)	N/A	0.659	1.072	0.090	0.000	1.566	0.000	0.831	9.209
Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	155	147	445	0	788	0	1116	3276
normalized size	1	1.00	0.95	2.87	0.00	5.08	0.00	7.20	21.14
time (sec)	N/A	0.440	0.846	0.095	0.000	1.255	0.000	3.219	5.170
Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	119	320	0	552	0	199	3775
normalized size	1	1.00	0.98	2.62	0.00	4.52	0.00	1.63	30.94
time (sec)	N/A	0.241	0.552	0.081	0.000	0.731	0.000	0.440	7.786
Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	97	234	0	379	0	159	113
normalized size	1	1.00	0.97	2.34	0.00	3.79	0.00	1.59	1.13
time (sec)	N/A	0.089	0.347	0.071	0.000	0.783	0.000	0.414	0.732
Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	133	133	191	342	0	684	0	223	3763
normalized size	1	1.00	1.44	2.57	0.00	5.14	0.00	1.68	28.29
time (sec)	N/A	0.282	0.628	0.143	0.000	7.687	0.000	1.489	7.811
Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	240	502	0	1088	0	404	5464
normalized size	1	1.00	1.27	2.66	0.00	5.76	0.00	2.14	28.91
time (sec)	N/A	0.673	1.947	0.177	0.000	21.474	0.000	0.800	8.516

Problem 264	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	438	690	0	1329	0	378	6692
normalized size	1	1.00	1.62	2.56	0.00	4.92	0.00	1.40	24.79
time (sec)	N/A	0.975	6.268	0.192	0.000	33.864	0.000	1.231	9.279
Problem 265	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	398	398	734	1504	0	1812	0	2712	10598
normalized size	1	1.00	1.84	3.78	0.00	4.55	0.00	6.81	26.63
time (sec)	N/A	1.724	3.605	0.097	0.000	1.227	0.000	2.317	12.006
Problem 266	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	280	280	232	1301	0	1561	0	543	5542
normalized size	1	1.00	0.83	4.65	0.00	5.58	0.00	1.94	19.79
time (sec)	N/A	1.222	2.162	0.094	0.000	0.869	0.000	1.177	7.663
Problem 267	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	211	211	204	1023	0	1152	0	455	6923
normalized size	1	1.00	0.97	4.85	0.00	5.46	0.00	2.16	32.81
time (sec)	N/A	0.564	1.359	0.096	0.000	0.893	0.000	1.212	9.949
Problem 268	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	172	886	0	740	0	391	248
normalized size	1	1.00	0.96	4.92	0.00	4.11	0.00	2.17	1.38
time (sec)	N/A	0.290	0.856	0.079	0.000	0.775	0.000	0.706	3.742
Problem 269	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	157	886	0	742	0	390	248
normalized size	1	1.00	0.96	5.40	0.00	4.52	0.00	2.38	1.51
time (sec)	N/A	0.188	0.667	0.070	0.000	0.676	0.000	0.786	3.544

Problem 270	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	214	214	269	1045	0	1400	0	481	6913
normalized size	1	1.00	1.26	4.88	0.00	6.54	0.00	2.25	32.30
time (sec)	N/A	0.706	1.333	0.156	0.000	37.506	0.000	1.766	9.627
Problem 271	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	352	1358	0	2100	0	574	9312
normalized size	1	1.00	1.18	4.54	0.00	7.02	0.00	1.92	31.14
time (sec)	N/A	1.764	5.971	0.183	0.000	76.797	0.000	6.994	12.905
Problem 272	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	402	402	507	1551	0	2416	0	1395	10547
normalized size	1	1.00	1.26	3.86	0.00	6.01	0.00	3.47	26.24
time (sec)	N/A	2.236	2.956	0.198	0.000	121.638	0.000	1.921	12.558
Problem 273	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	409	409	1278	2787	0	2567	0	966	7823
normalized size	1	1.00	3.12	6.81	0.00	6.28	0.00	2.36	19.13
time (sec)	N/A	5.175	6.646	0.095	0.000	1.404	0.000	3.431	12.515
Problem 274	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	717	2158	0	1857	0	813	9733
normalized size	1	1.00	2.38	7.17	0.00	6.17	0.00	2.70	32.34
time (sec)	N/A	1.207	3.305	0.096	0.000	1.308	0.000	2.192	12.575
Problem 275	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	274	274	251	1726	0	1220	0	689	440
normalized size	1	1.00	0.92	6.30	0.00	4.45	0.00	2.51	1.61
time (sec)	N/A	0.636	1.325	0.085	0.000	0.873	0.000	1.031	4.147

Problem 276	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	263	263	252	1883	0	1232	0	722	451
normalized size	1	1.00	0.96	7.16	0.00	4.68	0.00	2.75	1.71
time (sec)	N/A	0.530	1.159	0.082	0.000	1.444	0.000	1.892	4.032
Problem 277	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	227	1727	0	1228	0	691	440
normalized size	1	1.00	0.96	7.29	0.00	5.18	0.00	2.92	1.86
time (sec)	N/A	0.478	2.371	0.077	0.000	1.133	0.000	1.217	4.002
Problem 278	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	368	2180	0	2269	0	837	9727
normalized size	1	1.00	1.22	7.24	0.00	7.54	0.00	2.78	32.32
time (sec)	N/A	1.509	1.733	0.214	0.000	136.531	0.000	2.401	12.810
Problem 279	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	420	420	549	2844	0	0	0	996	13119
normalized size	1	1.00	1.31	6.77	0.00	0.00	0.00	2.37	31.24
time (sec)	N/A	6.221	3.270	0.211	0.000	0.000	0.000	6.388	18.114
Problem 280	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	547	547	781	3042	0	0	0	1090	14398
normalized size	1	1.00	1.43	5.56	0.00	0.00	0.00	1.99	26.32
time (sec)	N/A	7.304	5.288	0.255	0.000	0.000	0.000	1.830	13.936
Problem 281	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	28	23	0	25	56	25	24
normalized size	1	1.00	1.00	0.82	0.00	0.89	2.00	0.89	0.86
time (sec)	N/A	0.016	0.008	0.085	0.000	0.686	1.260	0.421	0.479

Problem 282	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	24	28	0	24	68	33	50
normalized size	1	1.00	0.89	1.04	0.00	0.89	2.52	1.22	1.85
time (sec)	N/A	0.015	0.020	0.084	0.000	0.844	0.886	0.375	0.867
Problem 283	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	F(-2)	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	23	12	0	11	31	11	11
normalized size	1	1.00	2.09	1.09	0.00	1.00	2.82	1.00	1.00
time (sec)	N/A	0.009	0.008	0.063	0.000	0.932	0.602	0.349	0.472
Problem 284	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	3	3	3	4	0	3	2	10	3
normalized size	1	1.00	1.00	1.33	0.00	1.00	0.67	3.33	1.00
time (sec)	N/A	0.001	0.000	0.000	0.000	0.511	0.127	0.334	0.446
Problem 285	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	20	0	31	39	47	16
normalized size	1	1.00	1.00	1.67	0.00	2.58	3.25	3.92	1.33
time (sec)	N/A	0.007	0.003	0.073	0.000	1.092	3.815	0.449	0.487
Problem 286	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	11	12	0	19	32	11	30
normalized size	1	1.00	1.00	1.09	0.00	1.73	2.91	1.00	2.73
time (sec)	N/A	0.012	0.005	0.081	0.000	0.693	3.097	0.419	0.474
Problem 287	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	36	40	0	64	0	52	73
normalized size	1	1.00	1.00	1.11	0.00	1.78	0.00	1.44	2.03
time (sec)	N/A	0.020	0.008	0.092	0.000	0.655	0.000	0.587	0.855

Problem 288	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	24	25	0	32	42	25	39
normalized size	1	1.00	0.86	0.89	0.00	1.14	1.50	0.89	1.39
time (sec)	N/A	0.016	0.040	0.103	0.000	1.147	17.647	0.574	0.520
Problem 289	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	98	229	0	350	0	185	173
normalized size	1	1.00	0.86	2.01	0.00	3.07	0.00	1.62	1.52
time (sec)	N/A	0.217	0.251	0.098	0.000	0.587	0.000	0.425	1.167
Problem 290	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	73	105	0	281	0	128	193
normalized size	1	1.00	0.92	1.33	0.00	3.56	0.00	1.62	2.44
time (sec)	N/A	0.132	0.138	0.089	0.000	0.645	0.000	0.460	0.894
Problem 291	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	59	69	0	231	0	245	101
normalized size	1	1.00	0.97	1.13	0.00	3.79	0.00	4.02	1.66
time (sec)	N/A	0.067	0.080	0.080	0.000	0.869	0.000	0.647	0.799
Problem 292	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	49	45	0	177	0	78	44
normalized size	1	1.00	0.98	0.90	0.00	3.54	0.00	1.56	0.88
time (sec)	N/A	0.035	0.038	0.048	0.000	0.718	0.000	0.522	0.504
Problem 293	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	103	91	0	292	0	122	101
normalized size	1	1.00	1.47	1.30	0.00	4.17	0.00	1.74	1.44
time (sec)	N/A	0.081	0.081	0.093	0.000	0.941	0.000	0.501	0.758

Problem 294	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	116	139	0	398	0	155	326
normalized size	1	1.00	1.32	1.58	0.00	4.52	0.00	1.76	3.70
time (sec)	N/A	0.145	0.374	0.110	0.000	1.095	0.000	0.791	1.058
Problem 295	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	239	273	0	487	0	221	1099
normalized size	1	1.00	1.94	2.22	0.00	3.96	0.00	1.80	8.93
time (sec)	N/A	0.346	1.053	0.133	0.000	0.892	0.000	0.746	1.826
Problem 296	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	386	386	292	1635	0	0	0	0	-1
normalized size	1	1.00	0.76	4.24	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.785	1.572	1.582	0.000	0.586	0.000	0.000	0.000
Problem 297	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	303	303	232	1305	0	0	0	0	-1
normalized size	1	1.00	0.77	4.31	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.542	1.010	1.641	0.000	0.700	0.000	0.000	0.000
Problem 298	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	231	231	179	993	0	0	0	0	-1
normalized size	1	1.00	0.77	4.30	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.408	0.891	1.644	0.000	0.715	0.000	0.000	0.000
Problem 299	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	146	600	0	0	0	0	-1
normalized size	1	1.00	0.85	3.51	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.220	0.594	1.648	0.000	0.901	0.000	0.000	0.000

Problem 300	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	107	247	0	0	0	0	-1
normalized size	1	1.00	0.60	1.39	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.360	2.401	1.212	0.000	0.000	0.000	0.000	0.000
Problem 301	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	213	213	372	746	0	0	0	0	-1
normalized size	1	1.00	1.75	3.50	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.607	10.516	2.254	0.000	0.000	0.000	0.000	0.000
Problem 302	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	420	1290	0	0	0	0	-1
normalized size	1	1.00	1.44	4.42	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.955	4.256	3.455	0.000	0.000	0.000	0.000	0.000
Problem 303	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	378	378	635	2213	0	0	0	0	-1
normalized size	1	1.00	1.68	5.85	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.339	6.547	4.468	0.000	0.000	0.000	0.000	0.000
Problem 304	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	378	378	291	1635	0	0	0	0	-1
normalized size	1	1.00	0.77	4.33	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.733	1.534	1.979	0.000	1.044	0.000	0.000	0.000
Problem 305	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	233	1305	0	0	0	0	-1
normalized size	1	1.00	0.78	4.39	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.528	1.072	1.581	0.000	0.884	0.000	0.000	0.000

Problem 306	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	225	225	203	993	0	0	0	0	-1
normalized size	1	1.00	0.90	4.41	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.352	0.784	1.646	0.000	0.738	0.000	0.000	0.000
Problem 307	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	236	236	406	738	0	0	0	0	-1
normalized size	1	1.00	1.72	3.13	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.708	2.583	1.517	0.000	0.000	0.000	0.000	0.000
Problem 308	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	232	232	398	1167	0	0	0	0	-1
normalized size	1	1.00	1.72	5.03	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.686	2.536	1.595	0.000	8.694	0.000	0.000	0.000
Problem 309	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	295	295	422	1403	0	0	0	0	-1
normalized size	1	1.00	1.43	4.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.058	4.953	3.674	0.000	0.000	0.000	0.000	0.000
Problem 310	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	375	375	634	2327	0	0	0	0	-1
normalized size	1	1.00	1.69	6.21	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.450	6.711	4.807	0.000	0.000	0.000	0.000	0.000
Problem 311	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	462	462	357	1983	0	0	0	0	-1
normalized size	1	1.00	0.77	4.29	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.931	2.119	1.879	0.000	1.109	0.000	0.000	0.000

Problem 312	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	372	372	291	1635	0	0	0	0	-1
normalized size	1	1.00	0.78	4.40	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.796	1.600	1.807	0.000	1.369	0.000	0.000	0.000
Problem 313	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	288	288	254	1305	0	0	0	0	-1
normalized size	1	1.00	0.88	4.53	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.516	1.085	1.470	0.000	1.193	0.000	0.000	0.000
Problem 314	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	453	1067	0	0	0	0	-1
normalized size	1	1.00	1.55	3.65	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.014	2.912	1.467	0.000	3.345	0.000	0.000	0.000
Problem 315	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	296	296	442	1563	0	0	0	0	-1
normalized size	1	1.00	1.49	5.28	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.109	3.937	1.793	0.000	6.422	0.000	0.000	0.000
Problem 316	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	315	315	451	1742	0	0	0	0	-1
normalized size	1	1.00	1.43	5.53	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.055	5.875	3.890	0.000	8.149	0.000	0.000	0.000
Problem 317	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	376	376	486	2438	0	0	0	0	-1
normalized size	1	1.00	1.29	6.48	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.433	6.052	4.607	0.000	0.000	0.000	0.000	0.000

Problem 318	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	465	465	729	3548	0	0	0	0	-1
normalized size	1	1.00	1.57	7.63	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.845	6.770	6.827	0.000	0.000	0.000	0.000	0.000
Problem 319	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	320	320	230	1305	0	0	0	0	-1
normalized size	1	1.00	0.72	4.08	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.619	1.058	1.646	0.000	0.962	0.000	0.000	0.000
Problem 320	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	246	246	180	993	0	0	0	0	-1
normalized size	1	1.00	0.73	4.04	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.430	0.907	1.732	0.000	0.555	0.000	0.000	0.000
Problem 321	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	183	183	154	671	0	0	0	0	199
normalized size	1	1.00	0.84	3.67	0.00	0.00	0.00	0.00	1.09
time (sec)	N/A	0.292	0.691	1.749	0.000	0.658	0.000	0.000	0.800
Problem 322	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	93	249	0	0	0	0	135
normalized size	1	1.00	0.72	1.92	0.00	0.00	0.00	0.00	1.04
time (sec)	N/A	0.126	3.294	1.221	0.000	0.634	0.000	0.000	0.885
Problem 323	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	81	194	0	0	0	0	-1
normalized size	1	1.00	0.69	1.64	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.313	0.203	1.186	0.000	0.000	0.000	0.000	0.000

Problem 324	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	216	216	320	639	0	0	0	0	-1
normalized size	1	1.00	1.48	2.96	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.655	6.525	1.941	0.000	0.000	0.000	0.000	0.000
Problem 325	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	420	1182	0	0	0	0	-1
normalized size	1	1.00	1.40	3.95	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.955	6.021	3.275	0.000	0.000	0.000	0.000	0.000
Problem 326	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	387	387	304	1308	0	0	0	0	-1
normalized size	1	1.00	0.79	3.38	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.727	1.865	5.105	0.000	1.203	0.000	0.000	0.000
Problem 327	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	262	262	189	954	0	0	0	0	-1
normalized size	1	1.00	0.72	3.64	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.486	1.509	4.671	0.000	1.622	0.000	0.000	0.000
Problem 328	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	204	204	170	515	0	0	0	0	-1
normalized size	1	1.00	0.83	2.52	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.332	0.821	4.191	0.000	1.195	0.000	0.000	0.000
Problem 329	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	151	428	0	0	0	0	-1
normalized size	1	1.00	0.82	2.31	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.231	0.565	3.451	0.000	1.163	0.000	0.000	0.000

Problem 330	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	190	190	460	429	0	0	0	0	-1
normalized size	1	1.00	2.42	2.26	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.508	3.980	3.072	0.000	0.000	0.000	0.000	0.000
Problem 331	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	303	303	482	908	0	0	0	0	-1
normalized size	1	1.00	1.59	3.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.991	5.738	4.302	0.000	0.000	0.000	0.000	0.000
Problem 332	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	398	398	678	1564	0	0	0	0	-1
normalized size	1	1.00	1.70	3.93	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.431	6.936	5.079	0.000	0.000	0.000	0.000	0.000
Problem 333	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	550	550	372	1746	0	0	0	0	-1
normalized size	1	1.00	0.68	3.17	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.187	4.434	8.744	0.000	1.635	0.000	0.000	0.000
Problem 334	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	413	413	334	1389	0	0	0	0	-1
normalized size	1	1.00	0.81	3.36	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.805	2.885	7.258	0.000	1.471	0.000	0.000	0.000
Problem 335	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	274	950	0	0	0	0	-1
normalized size	1	1.00	0.83	2.87	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.553	2.330	5.832	0.000	1.050	0.000	0.000	0.000

Problem 336	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	307	307	224	860	0	0	0	0	-1
normalized size	1	1.00	0.73	2.80	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.472	2.026	5.282	0.000	0.783	0.000	0.000	0.000
Problem 337	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	193	750	0	0	0	0	-1
normalized size	1	1.00	0.70	2.73	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.373	1.648	5.005	0.000	0.627	0.000	0.000	0.000
Problem 338	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	349	349	743	854	0	0	0	0	-1
normalized size	1	1.00	2.13	2.45	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.099	6.812	5.595	0.000	0.000	0.000	0.000	0.000
Problem 339	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	437	437	750	1341	0	0	0	0	-1
normalized size	1	1.00	1.72	3.07	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.481	7.263	7.934	0.000	0.000	0.000	0.000	0.000
Problem 340	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	532	532	820	2000	0	0	0	0	-1
normalized size	1	1.00	1.54	3.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.934	7.951	9.707	0.000	0.000	0.000	0.000	0.000
Problem 341	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	58	76	0	0	0	0	-1
normalized size	1	1.00	1.00	1.31	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.045	0.050	0.130	0.000	0.419	0.000	0.000	0.000

Problem 342	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	59	167	0	0	0	0	-1
normalized size	1	1.00	1.00	2.83	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.146	0.079	1.132	0.000	0.000	0.000	0.000	0.000
Problem 343	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	108	108	84	218	0	0	0	0	-1
normalized size	1	1.00	0.78	2.02	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.082	0.214	1.711	0.000	2.139	0.000	0.000	0.000
Problem 344	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	179	179	403	377	0	0	0	0	-1
normalized size	1	1.00	2.25	2.11	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.424	4.868	1.808	0.000	0.000	0.000	0.000	0.000
Problem 345	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	170	170	125	451	0	0	0	0	177
normalized size	1	1.00	0.74	2.65	0.00	0.00	0.00	0.00	1.04
time (sec)	N/A	0.207	1.293	1.472	0.000	0.898	0.000	0.000	1.349
Problem 346	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	103	413	0	0	0	0	166
normalized size	1	1.00	0.74	2.95	0.00	0.00	0.00	0.00	1.19
time (sec)	N/A	0.184	0.861	1.388	0.000	0.527	0.000	0.000	1.156
Problem 347	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	108	108	86	371	0	0	0	0	128
normalized size	1	1.00	0.80	3.44	0.00	0.00	0.00	0.00	1.19
time (sec)	N/A	0.168	0.414	1.240	0.000	0.755	0.000	0.000	1.011

Problem 348	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	67	326	0	0	0	0	85
normalized size	1	1.00	0.89	4.35	0.00	0.00	0.00	0.00	1.13
time (sec)	N/A	0.146	0.231	1.284	0.000	0.731	0.000	0.000	0.993
Problem 349	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	64	244	0	0	0	0	96
normalized size	1	1.00	0.90	3.44	0.00	0.00	0.00	0.00	1.35
time (sec)	N/A	0.154	0.355	1.413	0.000	0.697	0.000	0.000	1.440
Problem 350	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	107	428	0	0	0	0	150
normalized size	1	1.00	1.04	4.16	0.00	0.00	0.00	0.00	1.46
time (sec)	N/A	0.170	0.477	3.239	0.000	0.444	0.000	0.000	1.965
Problem 351	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	134	663	0	0	0	0	177
normalized size	1	1.00	0.96	4.74	0.00	0.00	0.00	0.00	1.26
time (sec)	N/A	0.188	0.832	4.016	0.000	0.607	0.000	0.000	2.394
Problem 352	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	264	264	196	666	0	0	0	0	275
normalized size	1	1.00	0.74	2.52	0.00	0.00	0.00	0.00	1.04
time (sec)	N/A	0.381	1.769	1.289	0.000	0.496	0.000	0.000	1.535
Problem 353	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	167	610	0	0	0	0	264
normalized size	1	1.00	0.75	2.74	0.00	0.00	0.00	0.00	1.18
time (sec)	N/A	0.330	1.412	1.306	0.000	0.631	0.000	0.000	1.350

Problem 354	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	182	182	139	548	0	0	0	0	229
normalized size	1	1.00	0.76	3.01	0.00	0.00	0.00	0.00	1.26
time (sec)	N/A	0.316	1.127	1.441	0.000	0.568	0.000	0.000	1.342
Problem 355	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	106	487	0	0	0	0	177
normalized size	1	1.00	0.76	3.48	0.00	0.00	0.00	0.00	1.26
time (sec)	N/A	0.266	0.600	1.189	0.000	0.482	0.000	0.000	1.340
Problem 356	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	102	404	0	0	0	0	158
normalized size	1	1.00	0.84	3.34	0.00	0.00	0.00	0.00	1.31
time (sec)	N/A	0.246	0.641	1.391	0.000	0.512	0.000	0.000	1.570
Problem 357	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	105	677	0	0	0	0	194
normalized size	1	1.00	0.83	5.37	0.00	0.00	0.00	0.00	1.54
time (sec)	N/A	0.305	1.182	3.017	0.000	0.455	0.000	0.000	2.288
Problem 358	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	175	750	0	0	0	0	227
normalized size	1	1.00	1.02	4.36	0.00	0.00	0.00	0.00	1.32
time (sec)	N/A	0.351	1.111	4.042	0.000	0.445	0.000	0.000	2.616
Problem 359	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	305	305	235	825	0	0	0	0	364
normalized size	1	1.00	0.77	2.70	0.00	0.00	0.00	0.00	1.19
time (sec)	N/A	0.545	1.992	1.404	0.000	0.759	0.000	0.000	1.738

Problem 360	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	255	255	197	745	0	0	0	0	328
normalized size	1	1.00	0.77	2.92	0.00	0.00	0.00	0.00	1.29
time (sec)	N/A	0.496	1.229	1.575	0.000	0.613	0.000	0.000	1.539
Problem 361	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	158	664	0	0	0	0	275
normalized size	1	1.00	0.77	3.24	0.00	0.00	0.00	0.00	1.34
time (sec)	N/A	0.478	1.304	1.500	0.000	0.693	0.000	0.000	1.432
Problem 362	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	202	202	150	867	0	0	0	0	248
normalized size	1	1.00	0.74	4.29	0.00	0.00	0.00	0.00	1.23
time (sec)	N/A	0.464	1.153	1.632	0.000	0.806	0.000	0.000	1.458
Problem 363	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	165	1212	0	0	0	0	255
normalized size	1	1.00	0.86	6.31	0.00	0.00	0.00	0.00	1.33
time (sec)	N/A	0.465	1.114	3.795	0.000	0.732	0.000	0.000	2.339
Problem 364	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	204	204	176	997	0	0	0	0	291
normalized size	1	1.00	0.86	4.89	0.00	0.00	0.00	0.00	1.43
time (sec)	N/A	0.482	2.212	4.332	0.000	0.588	0.000	0.000	3.587
Problem 365	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	182	182	260	1074	0	0	0	0	-1
normalized size	1	1.00	1.43	5.90	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.820	2.469	1.637	0.000	0.000	0.000	0.000	0.000

Problem 366	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	207	786	0	0	0	0	-1
normalized size	1	1.00	1.51	5.74	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.513	1.438	1.640	0.000	114.015	0.000	0.000	0.000

Problem 367	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	128	295	0	0	0	0	-1
normalized size	1	1.00	1.44	3.31	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.210	0.910	1.414	0.000	0.000	0.000	0.000	0.000

Problem 368	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	58	217	0	0	0	0	-1
normalized size	1	1.00	0.95	3.56	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.144	0.208	1.365	0.000	0.000	0.000	0.000	0.000

Problem 369	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	206	327	0	0	0	0	-1
normalized size	1	1.00	2.40	3.80	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.309	2.482	2.674	0.000	0.000	0.000	0.000	0.000

Problem 370	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	150	260	468	0	0	0	0	-1
normalized size	1	1.00	1.73	3.12	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.770	2.289	3.722	0.000	0.000	0.000	0.000	0.000

Problem 371	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	303	303	318	1066	0	0	0	0	-1
normalized size	1	1.00	1.05	3.52	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.933	3.242	4.849	0.000	0.000	0.000	0.000	0.000

Problem 372	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	224	224	280	849	0	0	0	0	-1
normalized size	1	1.00	1.25	3.79	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.627	2.736	3.957	0.000	0.000	0.000	0.000	0.000
Problem 373	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	260	808	0	0	0	0	-1
normalized size	1	1.00	1.31	4.08	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.540	2.378	3.532	0.000	0.000	0.000	0.000	0.000
Problem 374	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	200	200	274	721	0	0	0	0	-1
normalized size	1	1.00	1.37	3.60	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.618	2.677	3.361	0.000	0.000	0.000	0.000	0.000
Problem 375	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	256	256	316	883	0	0	0	0	-1
normalized size	1	1.00	1.23	3.45	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.923	4.219	4.253	0.000	0.000	0.000	0.000	0.000
Problem 376	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	427	1031	0	0	0	0	-1
normalized size	1	1.00	1.24	2.99	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.292	6.919	6.823	0.000	0.000	0.000	0.000	0.000
Problem 377	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	367	367	390	1977	0	0	0	0	-1
normalized size	1	1.00	1.06	5.39	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.013	5.059	6.777	0.000	0.000	0.000	0.000	0.000

Problem 378	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	344	344	360	1937	0	0	0	0	-1
normalized size	1	1.00	1.05	5.63	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.990	3.730	6.060	0.000	0.000	0.000	0.000	0.000
Problem 379	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	337	337	365	1850	0	0	0	0	-1
normalized size	1	1.00	1.08	5.49	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.919	4.550	5.815	0.000	0.000	0.000	0.000	0.000
Problem 380	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	383	1744	0	0	0	0	-1
normalized size	1	1.00	1.11	5.06	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.060	4.887	5.772	0.000	0.000	0.000	0.000	0.000
Problem 381	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	420	420	458	2002	0	0	0	0	-1
normalized size	1	1.00	1.09	4.77	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.474	5.507	7.374	0.000	0.000	0.000	0.000	0.000
Problem 382	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	523	523	570	2158	0	0	0	0	-1
normalized size	1	1.00	1.09	4.13	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.953	7.275	11.609	0.000	0.000	0.000	0.000	0.000
Problem 383	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	41	203	0	0	0	0	-1
normalized size	1	1.00	0.93	4.61	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.025	0.039	1.176	0.000	2.563	0.000	0.000	0.000

Problem 384	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	37	180	0	0	0	0	-1
normalized size	1	1.00	0.84	4.09	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.024	0.036	1.103	0.000	1.126	0.000	0.000	0.000
Problem 385	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	17	134	0	0	0	0	-1
normalized size	1	1.00	1.00	7.88	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.011	0.015	0.955	0.000	1.648	0.000	0.000	0.000
Problem 386	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	17	19	0	0	0	0	-1
normalized size	1	1.00	1.00	1.12	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.011	0.018	0.008	0.000	1.259	0.000	0.000	0.000
Problem 387	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	40	102	0	0	0	0	-1
normalized size	1	1.00	1.00	2.55	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.022	0.053	1.174	0.000	2.571	0.000	0.000	0.000
Problem 388	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	37	214	0	0	0	0	-1
normalized size	1	1.00	0.84	4.86	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.023	0.062	1.286	0.000	0.455	0.000	0.000	0.000
Problem 389	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	116	159	517	0	0	0	0	-1
normalized size	1	1.00	1.37	4.46	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.403	1.578	1.510	0.000	97.865	0.000	0.000	0.000

Problem 390	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	82	228	0	0	0	0	-1
normalized size	1	1.00	1.05	2.92	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.167	0.110	1.350	0.000	94.557	0.000	0.000	0.000
Problem 391	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	49	189	0	0	0	0	-1
normalized size	1	1.00	0.89	3.44	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.103	0.056	1.354	0.000	0.000	0.000	0.000	0.000
Problem 392	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	30	151	0	0	0	0	-1
normalized size	1	1.00	1.00	5.03	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.049	0.065	0.994	0.000	0.000	0.000	0.000	0.000
Problem 393	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	196	355	0	0	0	0	-1
normalized size	1	1.00	2.45	4.44	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.247	2.676	1.477	0.000	0.000	0.000	0.000	0.000
Problem 394	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	133	133	211	452	0	0	0	0	-1
normalized size	1	1.00	1.59	3.40	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.560	4.115	3.338	0.000	0.000	0.000	0.000	0.000
Problem 395	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	560	560	1224	2949	0	0	0	0	-1
normalized size	1	1.00	2.19	5.27	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.507	6.327	0.439	0.000	0.000	0.000	0.000	0.000

Problem 396	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	473	473	1175	2052	0	0	0	0	-1
normalized size	1	1.00	2.48	4.34	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.042	21.106	0.257	0.000	3.760	0.000	0.000	0.000
Problem 397	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	385	385	408	1693	0	0	0	0	-1
normalized size	1	1.00	1.06	4.40	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.713	11.361	0.407	0.000	0.000	0.000	0.000	0.000
Problem 398	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	351	351	273	1687	0	0	0	0	-1
normalized size	1	1.00	0.78	4.81	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.504	12.743	0.294	0.000	69.788	0.000	0.000	0.000
Problem 399	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	284	284	407	1727	0	0	0	0	-1
normalized size	1	1.00	1.43	6.08	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.505	13.501	0.227	0.000	1.030	0.000	0.000	0.000
Problem 400	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	350	350	1315	2481	0	0	0	0	-1
normalized size	1	1.00	3.76	7.09	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.825	6.371	0.332	0.000	1.799	0.000	0.000	0.000
Problem 401	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	433	433	1408	3428	0	0	0	0	-1
normalized size	1	1.00	3.25	7.92	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.176	6.465	0.440	0.000	1.026	0.000	0.000	0.000

Problem 402	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	670	670	1284	4048	0	0	0	0	-1
normalized size	1	1.00	1.92	6.04	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.096	6.413	0.631	0.000	0.000	0.000	0.000	0.000
Problem 403	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	566	566	1227	3139	0	0	0	0	-1
normalized size	1	1.00	2.17	5.55	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.663	6.321	0.394	0.000	176.209	0.000	0.000	0.000
Problem 404	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	472	472	1198	2430	0	0	0	0	-1
normalized size	1	1.00	2.54	5.15	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.147	6.349	0.393	0.000	7.272	0.000	0.000	0.000
Problem 405	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	449	449	1196	2185	0	0	0	0	-1
normalized size	1	1.00	2.66	4.87	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.176	6.350	0.237	0.000	3.310	0.000	0.000	0.000
Problem 406	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	419	419	1236	2318	0	0	0	0	-1
normalized size	1	1.00	2.95	5.53	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.858	6.365	0.396	0.000	2.511	0.000	0.000	0.000
Problem 407	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	353	353	1314	2666	0	0	0	0	-1
normalized size	1	1.00	3.72	7.55	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.924	6.446	0.325	0.000	0.912	0.000	0.000	0.000

Problem 408	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	433	433	1407	3413	0	0	0	0	-1
normalized size	1	1.00	3.25	7.88	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.346	6.544	0.533	0.000	0.889	0.000	0.000	0.000
Problem 409	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	522	522	1515	4392	0	0	0	0	-1
normalized size	1	1.00	2.90	8.41	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.885	6.630	0.709	0.000	0.937	0.000	0.000	0.000
Problem 410	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	779	779	1353	5164	0	0	0	0	-1
normalized size	1	1.00	1.74	6.63	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.083	6.534	0.971	0.000	9.117	0.000	0.000	0.000
Problem 411	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	664	664	1287	4238	0	0	0	0	-1
normalized size	1	1.00	1.94	6.38	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.206	6.419	0.584	0.000	0.000	0.000	0.000	0.000
Problem 412	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	564	564	1251	3512	0	0	0	0	-1
normalized size	1	1.00	2.22	6.23	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.698	6.512	0.550	0.000	106.740	0.000	0.000	0.000
Problem 413	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	547	547	1241	3270	0	0	0	0	-1
normalized size	1	1.00	2.27	5.98	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.665	6.490	0.307	0.000	4.090	0.000	0.000	0.000

Problem 414	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	536	536	1269	3204	0	0	0	0	-1
normalized size	1	1.00	2.37	5.98	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.669	6.511	0.319	0.000	2.229	0.000	0.000	0.000
Problem 415	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	493	493	1319	3274	0	0	0	0	-1
normalized size	1	1.00	2.68	6.64	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.247	6.568	0.376	0.000	0.000	0.000	0.000	0.000
Problem 416	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	434	434	1409	3628	0	0	0	0	-1
normalized size	1	1.00	3.25	8.36	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.372	6.634	0.453	0.000	1.042	0.000	0.000	0.000
Problem 417	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	522	522	1517	4392	0	0	0	0	-1
normalized size	1	1.00	2.91	8.41	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.939	6.729	0.543	0.000	0.533	0.000	0.000	0.000
Problem 418	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	622	622	1640	5373	0	0	0	0	-1
normalized size	1	1.00	2.64	8.64	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.625	6.848	1.428	0.000	0.498	0.000	0.000	0.000
Problem 419	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	418	418	1236	2346	0	0	0	0	-1
normalized size	1	1.00	2.96	5.61	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.950	19.452	0.509	0.000	39.858	0.000	0.000	0.000

Problem 420	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	479	479	1175	1871	0	0	0	0	-1
normalized size	1	1.00	2.45	3.91	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.076	12.433	0.383	0.000	2.606	0.000	0.000	0.000
Problem 421	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	427	427	4017	1002	0	0	0	0	-1
normalized size	1	1.00	9.41	2.35	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.088	17.355	0.493	0.000	1.842	0.000	0.000	0.000
Problem 422	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	144	197	0	0	0	0	-1
normalized size	1	1.00	0.63	0.86	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.274	1.481	0.283	0.000	1.370	0.000	0.000	0.000
Problem 423	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	230	230	299	935	0	0	0	0	-1
normalized size	1	1.00	1.30	4.07	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.316	13.001	0.273	0.000	0.730	0.000	0.000	0.000
Problem 424	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	290	290	416	1536	0	0	0	0	-1
normalized size	1	1.00	1.43	5.30	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.524	15.727	0.274	0.000	0.782	0.000	0.000	0.000
Problem 425	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	363	363	1319	2480	0	0	0	0	-1
normalized size	1	1.00	3.63	6.83	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.862	6.411	0.436	0.000	0.523	0.000	0.000	0.000

Problem 426	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	500	500	1234	2885	0	0	0	0	-1
normalized size	1	1.00	2.47	5.77	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.287	6.418	0.352	0.000	99.980	0.000	0.000	0.000
Problem 427	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	416	416	1012	2013	0	0	0	0	-1
normalized size	1	1.00	2.43	4.84	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.612	17.985	0.326	0.000	2.046	0.000	0.000	0.000
Problem 428	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	284	284	1223	1633	0	0	0	0	-1
normalized size	1	1.00	4.31	5.75	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.512	6.364	0.408	0.000	0.575	0.000	0.000	0.000
Problem 429	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	305	305	1281	2280	0	0	0	0	-1
normalized size	1	1.00	4.20	7.48	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.615	6.506	0.346	0.000	1.013	0.000	0.000	0.000
Problem 430	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	393	393	1357	3334	0	0	0	0	-1
normalized size	1	1.00	3.45	8.48	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.980	6.706	0.353	0.000	0.665	0.000	0.000	0.000
Problem 431	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	674	674	1396	8611	0	0	0	0	-1
normalized size	1	1.00	2.07	12.78	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.189	6.697	0.705	0.000	3.801	0.000	0.000	0.000

Problem 432	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	545	545	1342	5749	0	0	0	0	-1
normalized size	1	1.00	2.46	10.55	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.402	6.534	0.512	0.000	1.370	0.000	0.000	0.000
Problem 433	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	391	391	1335	4237	0	0	0	0	-1
normalized size	1	1.00	3.41	10.84	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.869	6.455	0.394	0.000	1.488	0.000	0.000	0.000
Problem 434	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	429	429	1384	5203	0	0	0	0	-1
normalized size	1	1.00	3.23	12.13	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.985	6.579	0.905	0.000	0.719	0.000	0.000	0.000
Problem 435	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	456	456	1431	6498	0	0	0	0	-1
normalized size	1	1.00	3.14	14.25	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.161	6.723	1.420	0.000	1.241	0.000	0.000	0.000
Problem 436	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	567	567	1499	8093	0	0	0	0	-1
normalized size	1	1.00	2.64	14.27	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.877	6.950	0.495	0.000	1.955	0.000	0.000	0.000
Problem 437	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	419	419	480	623	0	0	0	0	-1
normalized size	1	1.00	1.15	1.49	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.789	1.437	0.342	0.000	53.184	0.000	0.000	0.000

Problem 438	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	131	160	0	0	0	0	-1
normalized size	1	1.00	1.12	1.37	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.085	0.143	0.333	0.000	1.519	0.000	0.000	0.000
Problem 439	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	171	124	0	0	0	0	-1
normalized size	1	1.00	1.55	1.13	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.087	0.893	0.233	0.000	0.820	0.000	0.000	0.000
Problem 440	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	226	226	212	613	0	0	0	0	-1
normalized size	1	1.00	0.94	2.71	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.268	2.186	0.257	0.000	2.593	0.000	0.000	0.000
Problem 441	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	0	658	0	0	0	0	-1
normalized size	1	1.00	0.00	9.14	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.088	35.237	0.449	0.000	0.871	0.000	0.000	0.000
Problem 442	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	0	600	0	0	0	0	-1
normalized size	1	1.00	0.00	8.57	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.104	38.260	0.424	0.000	0.917	0.000	0.000	0.000
Problem 443	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	0	614	0	0	0	0	-1
normalized size	1	1.00	0.00	6.60	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.206	33.185	0.415	0.000	0.561	0.000	0.000	0.000

Problem 444	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	0	703	0	0	0	0	-1
normalized size	1	1.00	0.00	7.40	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.191	30.158	0.390	0.000	0.984	0.000	0.000	0.000
Problem 445	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	0	665	0	0	0	0	-1
normalized size	1	1.00	0.00	9.24	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.083	37.987	0.423	0.000	1.602	0.000	0.000	0.000
Problem 446	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	0	663	0	0	0	0	-1
normalized size	1	1.00	0.00	8.96	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.099	38.379	0.420	0.000	1.172	0.000	0.000	0.000
Problem 447	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	0	714	0	0	0	0	-1
normalized size	1	1.00	0.00	7.29	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.202	41.063	0.329	0.000	0.952	0.000	0.000	0.000
Problem 448	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	B	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	0	740	0	0	0	0	-1
normalized size	1	1.00	0.00	7.71	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.189	30.579	0.335	0.000	1.490	0.000	0.000	0.000
Problem 449	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	36	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.082	7.983	3.390	0.000	1.768	0.000	0.000	0.000

Problem 450	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	595	595	487	0	0	0	0	0	-1
normalized size	1	1.00	0.82	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.984	6.202	2.882	0.000	0.864	0.000	0.000	0.000
Problem 451	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	406	406	269	0	0	0	0	0	-1
normalized size	1	1.00	0.66	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.053	2.815	3.002	0.000	0.977	0.000	0.000	0.000
Problem 452	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	287	287	217	0	0	0	0	0	-1
normalized size	1	1.00	0.76	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.541	1.704	1.884	0.000	0.914	0.000	0.000	0.000
Problem 453	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	196	196	151	0	0	0	0	0	-1
normalized size	1	1.00	0.77	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.246	0.339	1.993	0.000	0.675	0.000	0.000	0.000
Problem 454	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	286	286	10482	0	0	0	0	0	-1
normalized size	1	1.00	36.65	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.412	26.941	1.477	0.000	0.896	0.000	0.000	0.000
Problem 455	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	181	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.527	66.753	0.455	0.000	1.977	0.000	0.000	0.000

Problem 456	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	38	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.116	9.667	0.344	0.000	1.001	0.000	0.000	0.000
Problem 457	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	38	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.123	8.097	0.319	0.000	1.026	0.000	0.000	0.000
Problem 458	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	191	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.500	10.720	0.371	0.000	1.388	0.000	0.000	0.000
Problem 459	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	292	661	0	0	0	0	-1
normalized size	1	1.00	1.70	3.84	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.222	1.932	4.275	0.000	2.105	0.000	0.000	0.000
Problem 460	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	225	426	0	0	0	0	-1
normalized size	1	1.00	1.67	3.16	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.192	1.229	3.571	0.000	0.847	0.000	0.000	0.000
Problem 461	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	157	240	0	0	0	0	-1
normalized size	1	1.00	1.48	2.26	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.179	1.059	1.664	0.000	2.415	0.000	0.000	0.000

Problem 462	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	148	321	0	0	0	0	-1
normalized size	1	1.00	1.35	2.92	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.184	1.274	1.369	0.000	1.065	0.000	0.000	0.000
Problem 463	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	148	355	0	0	0	0	-1
normalized size	1	1.00	1.05	2.52	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.203	1.597	1.313	0.000	0.828	0.000	0.000	0.000
Problem 464	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	182	383	0	0	0	0	-1
normalized size	1	1.00	1.06	2.23	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.224	2.181	1.551	0.000	1.129	0.000	0.000	0.000
Problem 465	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	199	199	299	741	0	0	0	0	-1
normalized size	1	1.00	1.50	3.72	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.345	2.991	4.386	0.000	1.892	0.000	0.000	0.000
Problem 466	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	160	160	279	513	0	0	0	0	-1
normalized size	1	1.00	1.74	3.21	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.318	2.279	1.623	0.000	0.971	0.000	0.000	0.000
Problem 467	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	160	160	302	388	0	0	0	0	-1
normalized size	1	1.00	1.89	2.42	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.323	1.868	1.497	0.000	1.287	0.000	0.000	0.000

Problem 468	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	153	357	0	0	0	0	-1
normalized size	1	1.00	0.92	2.15	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.340	1.625	1.235	0.000	1.098	0.000	0.000	0.000
Problem 469	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	193	385	0	0	0	0	-1
normalized size	1	1.00	0.96	1.92	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.369	2.272	1.278	0.000	0.812	0.000	0.000	0.000
Problem 470	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	244	244	435	929	0	0	0	0	-1
normalized size	1	1.00	1.78	3.81	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.505	4.158	5.512	0.000	0.899	0.000	0.000	0.000
Problem 471	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	211	211	268	916	0	0	0	0	-1
normalized size	1	1.00	1.27	4.34	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.495	3.168	4.267	0.000	0.838	0.000	0.000	0.000
Problem 472	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	199	199	202	654	0	0	0	0	-1
normalized size	1	1.00	1.02	3.29	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.491	1.940	1.604	0.000	0.636	0.000	0.000	0.000
Problem 473	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	211	211	207	519	0	0	0	0	-1
normalized size	1	1.00	0.98	2.46	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.495	1.640	1.699	0.000	0.910	0.000	0.000	0.000

Problem 474	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	211	211	194	385	0	0	0	0	-1
normalized size	1	1.00	0.92	1.82	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.508	2.408	1.440	0.000	0.886	0.000	0.000	0.000
Problem 475	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	244	244	196	413	0	0	0	0	-1
normalized size	1	1.00	0.80	1.69	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.535	2.746	1.389	0.000	2.495	0.000	0.000	0.000
Problem 476	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	650	493	0	0	0	0	-1
normalized size	1	1.00	3.37	2.55	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.304	7.319	4.056	0.000	1.437	0.000	0.000	0.000
Problem 477	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	400	319	0	0	0	0	-1
normalized size	1	1.00	2.52	2.01	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.276	4.383	3.357	0.000	2.115	0.000	0.000	0.000
Problem 478	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	200	243	0	0	0	0	-1
normalized size	1	1.00	1.63	1.98	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.245	1.123	1.384	0.000	0.450	0.000	0.000	0.000
Problem 479	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	422	244	0	0	0	0	-1
normalized size	1	1.00	3.38	1.95	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.253	2.585	1.479	0.000	1.089	0.000	0.000	0.000

Problem 480	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	444	262	0	0	0	0	-1
normalized size	1	1.00	2.72	1.61	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.281	4.884	1.397	0.000	0.819	0.000	0.000	0.000
Problem 481	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	196	196	518	281	0	0	0	0	-1
normalized size	1	1.00	2.64	1.43	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.300	3.246	1.575	0.000	2.452	0.000	0.000	0.000
Problem 482	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	208	208	303	494	0	0	0	0	-1
normalized size	1	1.00	1.46	2.38	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.431	3.213	1.879	0.000	1.338	0.000	0.000	0.000
Problem 483	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	256	350	0	0	0	0	-1
normalized size	1	1.00	1.59	2.17	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.388	2.021	1.622	0.000	1.326	0.000	0.000	0.000
Problem 484	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	256	350	0	0	0	0	-1
normalized size	1	1.00	1.52	2.08	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.391	2.386	1.624	0.000	0.914	0.000	0.000	0.000
Problem 485	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	176	176	475	421	0	0	0	0	-1
normalized size	1	1.00	2.70	2.39	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.406	6.473	1.687	0.000	1.095	0.000	0.000	0.000

Problem 486	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	206	206	777	435	0	0	0	0	-1
normalized size	1	1.00	3.77	2.11	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.434	6.907	1.853	0.000	2.048	0.000	0.000	0.000
Problem 487	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	358	685	0	0	0	0	-1
normalized size	1	1.00	1.37	2.62	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.612	5.394	2.053	0.000	2.312	0.000	0.000	0.000
Problem 488	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-1)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	222	222	793	451	0	0	0	0	-1
normalized size	1	1.00	3.57	2.03	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.581	6.979	1.651	0.000	0.854	0.000	0.000	0.000
Problem 489	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	216	216	792	451	0	0	0	0	-1
normalized size	1	1.00	3.67	2.09	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.566	6.929	1.856	0.000	0.927	0.000	0.000	0.000
Problem 490	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	222	222	793	451	0	0	0	0	-1
normalized size	1	1.00	3.57	2.03	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.580	7.037	1.650	0.000	1.261	0.000	0.000	0.000
Problem 491	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	817	451	0	0	0	0	-1
normalized size	1	1.00	3.58	1.98	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.577	7.148	1.636	0.000	0.508	0.000	0.000	0.000

Problem 492	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	259	259	589	465	0	0	0	0	-1
normalized size	1	1.00	2.27	1.80	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.624	4.722	1.562	0.000	0.540	0.000	0.000	0.000
Problem 493	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	220	220	124	138	659	121	0	0	479
normalized size	1	1.00	0.56	0.63	3.00	0.55	0.00	0.00	2.18
time (sec)	N/A	0.486	0.577	0.417	0.761	0.675	0.000	0.000	5.605
Problem 494	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	102	116	568	104	0	0	441
normalized size	1	1.00	0.58	0.66	3.25	0.59	0.00	0.00	2.52
time (sec)	N/A	0.406	0.451	0.377	0.493	0.646	0.000	0.000	4.552
Problem 495	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	78	94	475	86	0	0	196
normalized size	1	1.00	0.60	0.72	3.65	0.66	0.00	0.00	1.51
time (sec)	N/A	0.334	0.280	0.350	0.506	0.631	0.000	0.000	2.689
Problem 496	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	57	70	380	65	0	0	114
normalized size	1	1.00	0.67	0.82	4.47	0.76	0.00	0.00	1.34
time (sec)	N/A	0.266	0.178	0.376	0.818	0.658	0.000	0.000	1.074
Problem 497	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	86	171	906	91	0	0	-1
normalized size	1	1.00	0.90	1.78	9.44	0.95	0.00	0.00	-0.01
time (sec)	N/A	0.273	0.209	0.391	1.357	0.571	0.000	0.000	0.000

Problem 498	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	103	168	939	97	0	0	-1
normalized size	1	1.00	1.05	1.71	9.58	0.99	0.00	0.00	-0.01
time (sec)	N/A	0.271	0.210	0.465	1.474	0.651	0.000	0.000	0.000
Problem 499	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	120	238	1851	127	0	0	-1
normalized size	1	1.00	0.79	1.58	12.26	0.84	0.00	0.00	-0.01
time (sec)	N/A	0.338	0.388	0.412	0.817	0.579	0.000	0.000	0.000
Problem 500	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	196	196	138	308	2981	146	0	0	-1
normalized size	1	1.00	0.70	1.57	15.21	0.74	0.00	0.00	-0.01
time (sec)	N/A	0.414	0.705	0.439	0.999	0.829	0.000	0.000	0.000
Problem 501	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	146	161	712	144	0	0	348
normalized size	1	1.00	0.53	0.59	2.59	0.52	0.00	0.00	1.27
time (sec)	N/A	0.723	0.782	0.412	0.517	0.652	0.000	0.000	5.142
Problem 502	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	124	139	619	126	0	0	316
normalized size	1	1.00	0.54	0.61	2.71	0.55	0.00	0.00	1.39
time (sec)	N/A	0.650	0.714	0.375	0.515	0.568	0.000	0.000	4.915
Problem 503	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	181	102	117	527	107	0	0	259
normalized size	1	1.00	0.56	0.65	2.91	0.59	0.00	0.00	1.43
time (sec)	N/A	0.561	0.562	0.357	0.510	0.515	0.000	0.000	4.804

Problem 504	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	80	95	436	88	0	0	197
normalized size	1	1.00	0.60	0.71	3.25	0.66	0.00	0.00	1.47
time (sec)	N/A	0.469	0.331	0.447	0.505	0.796	0.000	0.000	2.444
Problem 505	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	106	287	1462	130	0	0	-1
normalized size	1	1.00	0.73	1.98	10.08	0.90	0.00	0.00	-0.01
time (sec)	N/A	0.451	0.402	0.470	0.705	0.614	0.000	0.000	0.000
Problem 506	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	146	146	107	308	1801	119	0	0	-1
normalized size	1	1.00	0.73	2.11	12.34	0.82	0.00	0.00	-0.01
time (sec)	N/A	0.466	0.321	0.457	0.853	0.615	0.000	0.000	0.000
Problem 507	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	121	233	1884	133	0	0	-1
normalized size	1	1.00	0.79	1.52	12.31	0.87	0.00	0.00	-0.01
time (sec)	N/A	0.455	0.453	0.387	0.856	0.604	0.000	0.000	0.000
Problem 508	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	200	200	141	309	3023	153	0	0	-1
normalized size	1	1.00	0.70	1.54	15.12	0.76	0.00	0.00	-0.00
time (sec)	N/A	0.542	0.502	0.452	1.034	0.690	0.000	0.000	0.000
Problem 509	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	247	247	158	381	8901	171	0	0	-1
normalized size	1	1.00	0.64	1.54	36.04	0.69	0.00	0.00	-0.00
time (sec)	N/A	0.644	0.789	0.359	1.474	0.691	0.000	0.000	0.000

Problem 510	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	322	322	171	185	763	176	0	0	789
normalized size	1	1.00	0.53	0.57	2.37	0.55	0.00	0.00	2.45
time (sec)	N/A	0.939	0.907	0.485	0.535	0.567	0.000	0.000	6.192
Problem 511	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	147	163	672	156	0	0	751
normalized size	1	1.00	0.53	0.59	2.44	0.57	0.00	0.00	2.73
time (sec)	N/A	0.848	1.274	0.462	0.519	0.691	0.000	0.000	5.810
Problem 512	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	228	228	126	141	579	135	0	0	617
normalized size	1	1.00	0.55	0.62	2.54	0.59	0.00	0.00	2.71
time (sec)	N/A	0.768	0.947	0.395	0.504	0.748	0.000	0.000	5.725
Problem 513	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	181	104	119	488	114	0	0	579
normalized size	1	1.00	0.57	0.66	2.70	0.63	0.00	0.00	3.20
time (sec)	N/A	0.676	0.695	0.354	0.509	0.572	0.000	0.000	4.995
Problem 514	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	130	389	1713	162	0	0	-1
normalized size	1	1.00	0.68	2.03	8.92	0.84	0.00	0.00	-0.01
time (sec)	N/A	0.623	0.844	0.464	0.755	0.646	0.000	0.000	0.000
Problem 515	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	130	492	2780	166	0	0	-1
normalized size	1	1.00	0.67	2.55	14.40	0.86	0.00	0.00	-0.01
time (sec)	N/A	0.654	0.736	0.426	0.877	0.584	0.000	0.000	0.000

Problem 516	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	126	344	0	147	0	0	-1
normalized size	1	1.00	0.64	1.74	0.00	0.74	0.00	0.00	-0.01
time (sec)	N/A	0.664	0.777	0.441	0.000	0.617	0.000	0.000	0.000
Problem 517	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	200	200	141	305	3071	163	0	0	-1
normalized size	1	1.00	0.70	1.52	15.36	0.82	0.00	0.00	-0.00
time (sec)	N/A	0.650	0.977	0.424	3.043	0.802	0.000	0.000	0.000
Problem 518	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	247	247	159	383	9390	183	0	0	-1
normalized size	1	1.00	0.64	1.55	38.02	0.74	0.00	0.00	-0.00
time (sec)	N/A	0.752	0.979	0.375	2.310	0.927	0.000	0.000	0.000
Problem 519	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	294	294	181	455	0	203	0	0	-1
normalized size	1	1.00	0.62	1.55	0.00	0.69	0.00	0.00	-0.00
time (sec)	N/A	0.866	1.437	0.347	0.000	0.960	0.000	0.000	0.000
Problem 520	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	295	295	272	793	0	198	0	0	-1
normalized size	1	1.00	0.92	2.69	0.00	0.67	0.00	0.00	-0.00
time (sec)	N/A	1.057	9.330	0.368	0.000	1.380	0.000	0.000	0.000
Problem 521	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	A	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	250	250	250	657	0	181	0	0	-1
normalized size	1	1.00	1.00	2.63	0.00	0.72	0.00	0.00	-0.00
time (sec)	N/A	0.838	6.839	0.495	0.000	0.740	0.000	0.000	0.000

Problem 522	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	207	207	1718	521	0	164	0	0	-1
normalized size	1	1.00	8.30	2.52	0.00	0.79	0.00	0.00	-0.00
time (sec)	N/A	0.647	7.799	0.427	0.000	0.553	0.000	0.000	0.000
Problem 523	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F(-1)	B	F(-2)	A	F(-1)	F(-1)	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	0	384	0	143	0	0	-1
normalized size	1	1.00	0.00	2.37	0.00	0.88	0.00	0.00	-0.01
time (sec)	N/A	0.453	0.000	0.400	0.000	1.826	0.000	0.000	0.000
Problem 524	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-2)	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	203	231	0	110	0	0	-1
normalized size	1	1.00	1.71	1.94	0.00	0.92	0.00	0.00	-0.01
time (sec)	N/A	0.306	1.580	0.380	0.000	0.766	0.000	0.000	0.000
Problem 525	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	102	153	0	96	0	0	-1
normalized size	1	1.00	0.73	1.09	0.00	0.69	0.00	0.00	-0.01
time (sec)	N/A	0.350	0.211	0.385	0.000	3.095	0.000	0.000	0.000
Problem 526	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	181	467	232	0	168	0	0	-1
normalized size	1	1.00	2.58	1.28	0.00	0.93	0.00	0.00	-0.01
time (sec)	N/A	0.513	1.368	0.397	0.000	7.176	0.000	0.000	0.000
Problem 527	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	230	230	412	300	0	194	0	0	-1
normalized size	1	1.00	1.79	1.30	0.00	0.84	0.00	0.00	-0.00
time (sec)	N/A	0.699	1.455	0.420	0.000	6.973	0.000	0.000	0.000

Problem 528	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	143	317	0	208	0	0	-1
normalized size	1	1.00	0.74	1.65	0.00	1.08	0.00	0.00	-0.01
time (sec)	N/A	0.665	0.466	0.481	0.000	33.098	0.000	0.000	0.000
Problem 529	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	317	317	2966	731	0	237	0	0	-1
normalized size	1	1.00	9.36	2.31	0.00	0.75	0.00	0.00	-0.00
time (sec)	N/A	1.106	10.181	0.554	0.000	0.694	0.000	0.000	0.000
Problem 530	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F(-1)	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	0	595	0	220	0	0	-1
normalized size	1	1.00	0.00	2.20	0.00	0.81	0.00	0.00	-0.00
time (sec)	N/A	0.887	0.000	0.562	0.000	2.016	0.000	0.000	0.000
Problem 531	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	981	457	0	197	0	0	-1
normalized size	1	1.00	4.40	2.05	0.00	0.88	0.00	0.00	-0.00
time (sec)	N/A	0.702	6.832	0.439	0.000	0.604	0.000	0.000	0.000
Problem 532	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	176	176	443	312	0	163	0	0	-1
normalized size	1	1.00	2.52	1.77	0.00	0.93	0.00	0.00	-0.01
time (sec)	N/A	0.519	4.487	0.408	0.000	0.756	0.000	0.000	0.000
Problem 533	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	196	235	0	144	0	0	-1
normalized size	1	1.00	1.54	1.85	0.00	1.13	0.00	0.00	-0.01
time (sec)	N/A	0.337	1.643	0.366	0.000	0.714	0.000	0.000	0.000

Problem 534	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	243	288	0	203	0	0	-1
normalized size	1	1.00	1.31	1.56	0.00	1.10	0.00	0.00	-0.01
time (sec)	N/A	0.544	1.624	0.383	0.000	8.003	0.000	0.000	0.000
Problem 535	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	836	370	0	246	0	0	-1
normalized size	1	1.00	3.53	1.56	0.00	1.04	0.00	0.00	-0.00
time (sec)	N/A	0.736	6.709	0.444	0.000	10.958	0.000	0.000	0.000
Problem 536	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	317	317	261	729	0	266	0	0	-1
normalized size	1	1.00	0.82	2.30	0.00	0.84	0.00	0.00	-0.00
time (sec)	N/A	1.125	8.464	0.520	0.000	0.607	0.000	0.000	0.000
Problem 537	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	243	585	0	246	0	0	-1
normalized size	1	1.00	0.90	2.17	0.00	0.91	0.00	0.00	-0.00
time (sec)	N/A	0.929	3.791	0.513	0.000	0.873	0.000	0.000	0.000
Problem 538	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	219	457	0	210	0	0	-1
normalized size	1	1.00	0.98	2.05	0.00	0.94	0.00	0.00	-0.00
time (sec)	N/A	0.729	2.303	0.426	0.000	0.743	0.000	0.000	0.000
Problem 539	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	176	176	216	375	0	207	0	0	-1
normalized size	1	1.00	1.23	2.13	0.00	1.18	0.00	0.00	-0.01
time (sec)	N/A	0.526	1.843	0.392	0.000	0.716	0.000	0.000	0.000

Problem 540	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	174	174	213	375	0	205	0	0	-1
normalized size	1	1.00	1.22	2.16	0.00	1.18	0.00	0.00	-0.01
time (sec)	N/A	0.511	1.823	0.468	0.000	0.568	0.000	0.000	0.000
Problem 541	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	234	234	264	476	0	277	0	0	-1
normalized size	1	1.00	1.13	2.03	0.00	1.18	0.00	0.00	-0.00
time (sec)	N/A	0.738	2.580	0.391	0.000	16.162	0.000	0.000	0.000
Problem 542	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	286	286	929	609	0	313	0	0	-1
normalized size	1	1.00	3.25	2.13	0.00	1.09	0.00	0.00	-0.00
time (sec)	N/A	0.981	7.215	0.434	0.000	29.035	0.000	0.000	0.000
Problem 543	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	317	317	267	729	0	295	0	0	-1
normalized size	1	1.00	0.84	2.30	0.00	0.93	0.00	0.00	-0.00
time (sec)	N/A	1.147	5.771	0.484	0.000	0.836	0.000	0.000	0.000
Problem 544	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	242	595	0	260	0	0	-1
normalized size	1	1.00	0.90	2.20	0.00	0.96	0.00	0.00	-0.00
time (sec)	N/A	0.950	3.277	0.419	0.000	1.337	0.000	0.000	0.000
Problem 545	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	228	512	0	257	0	0	-1
normalized size	1	1.00	1.02	2.30	0.00	1.15	0.00	0.00	-0.00
time (sec)	N/A	0.728	3.070	0.391	0.000	0.775	0.000	0.000	0.000

Problem 546	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	233	512	0	255	0	0	-1
normalized size	1	1.00	1.05	2.32	0.00	1.15	0.00	0.00	-0.00
time (sec)	N/A	0.725	2.950	0.386	0.000	2.388	0.000	0.000	0.000
Problem 547	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	488	512	0	257	0	0	-1
normalized size	1	1.00	2.21	2.32	0.00	1.16	0.00	0.00	-0.00
time (sec)	N/A	0.723	7.232	0.426	0.000	1.509	0.000	0.000	0.000
Problem 548	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	281	281	281	667	0	338	0	0	-1
normalized size	1	1.00	1.00	2.37	0.00	1.20	0.00	0.00	-0.00
time (sec)	N/A	0.919	3.964	0.414	0.000	27.169	0.000	0.000	0.000
Problem 549	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	A	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	333	333	1017	855	0	379	0	0	-1
normalized size	1	1.00	3.05	2.57	0.00	1.14	0.00	0.00	-0.00
time (sec)	N/A	1.205	7.655	0.440	0.000	52.360	0.000	0.000	0.000
Problem 550	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	132	663	0	0	0	0	-1
normalized size	1	1.00	0.73	3.68	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.223	1.866	4.511	0.000	0.590	0.000	0.000	0.000
Problem 551	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	104	428	0	0	0	0	-1
normalized size	1	1.00	0.73	2.99	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.201	0.829	3.343	0.000	4.580	0.000	0.000	0.000

Problem 552	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	85	244	0	0	0	0	-1
normalized size	1	1.00	0.77	2.20	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.180	0.267	1.390	0.000	1.097	0.000	0.000	0.000
Problem 553	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	90	326	0	0	0	0	-1
normalized size	1	1.00	0.78	2.83	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.188	0.234	1.348	0.000	1.826	0.000	0.000	0.000
Problem 554	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	148	148	108	371	0	0	0	0	-1
normalized size	1	1.00	0.73	2.51	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.208	0.542	1.425	0.000	1.727	0.000	0.000	0.000
Problem 555	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	125	413	0	0	0	0	-1
normalized size	1	1.00	0.69	2.29	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.234	0.994	1.398	0.000	0.737	0.000	0.000	0.000
Problem 556	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	171	750	0	0	0	0	-1
normalized size	1	1.00	0.77	3.39	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.380	2.415	4.506	0.000	0.907	0.000	0.000	0.000
Problem 557	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	125	677	0	0	0	0	-1
normalized size	1	1.00	0.71	3.82	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.352	1.138	3.472	0.000	2.987	0.000	0.000	0.000

Problem 558	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	124	404	0	0	0	0	-1
normalized size	1	1.00	0.77	2.51	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.320	0.749	1.539	0.000	1.406	0.000	0.000	0.000
Problem 559	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	128	487	0	0	0	0	-1
normalized size	1	1.00	0.75	2.85	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.336	0.906	1.395	0.000	1.809	0.000	0.000	0.000
Problem 560	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	213	213	161	548	0	0	0	0	-1
normalized size	1	1.00	0.76	2.57	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.372	1.341	1.400	0.000	0.786	0.000	0.000	0.000
Problem 561	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	295	295	225	944	0	0	0	0	-1
normalized size	1	1.00	0.76	3.20	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.597	3.652	6.091	0.000	1.028	0.000	0.000	0.000
Problem 562	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	244	244	192	997	0	0	0	0	-1
normalized size	1	1.00	0.79	4.09	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.577	1.597	4.752	0.000	1.015	0.000	0.000	0.000
Problem 563	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	239	239	166	1212	0	0	0	0	-1
normalized size	1	1.00	0.69	5.07	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.566	1.941	4.128	0.000	1.027	0.000	0.000	0.000

Problem 564	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	172	867	0	0	0	0	-1
normalized size	1	1.00	0.73	3.66	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.533	1.436	1.663	0.000	0.839	0.000	0.000	0.000
Problem 565	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	245	245	180	664	0	0	0	0	-1
normalized size	1	1.00	0.73	2.71	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.544	1.306	1.457	0.000	1.440	0.000	0.000	0.000
Problem 566	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	295	295	219	745	0	0	0	0	-1
normalized size	1	1.00	0.74	2.53	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.579	1.832	1.595	0.000	0.958	0.000	0.000	0.000
Problem 567	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	210	210	225	468	0	0	0	0	-1
normalized size	1	1.00	1.07	2.23	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.808	3.426	4.125	0.000	0.000	0.000	0.000	0.000
Problem 568	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	125	327	0	0	0	0	-1
normalized size	1	1.00	0.99	2.60	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.459	1.285	2.865	0.000	0.000	0.000	0.000	0.000
Problem 569	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	76	217	0	0	0	0	-1
normalized size	1	1.00	0.75	2.15	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.283	0.536	1.499	0.000	0.000	0.000	0.000	0.000

Problem 570	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	149	220	295	0	0	0	0	-1
normalized size	1	1.00	1.48	1.98	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.346	6.359	1.586	0.000	0.000	0.000	0.000	0.000
Problem 571	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	197	197	278	786	0	0	0	0	-1
normalized size	1	1.00	1.41	3.99	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.560	6.660	1.567	0.000	160.199	0.000	0.000	0.000
Problem 572	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	405	405	735	1031	0	0	0	0	-1
normalized size	1	1.00	1.81	2.55	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.289	7.109	6.901	0.000	0.000	0.000	0.000	0.000
Problem 573	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	316	316	681	883	0	0	0	0	-1
normalized size	1	1.00	2.16	2.79	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.942	6.905	4.264	0.000	0.000	0.000	0.000	0.000
Problem 574	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-1)	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	260	260	639	721	0	0	0	0	-1
normalized size	1	1.00	2.46	2.77	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.613	6.838	3.646	0.000	0.000	0.000	0.000	0.000
Problem 575	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	258	258	626	808	0	0	0	0	-1
normalized size	1	1.00	2.43	3.13	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.605	6.819	3.802	0.000	0.000	0.000	0.000	0.000

Problem 576	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	284	284	655	849	0	0	0	0	-1
normalized size	1	1.00	2.31	2.99	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.658	6.888	4.748	0.000	0.000	0.000	0.000	0.000
Problem 577	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	363	363	701	1066	0	0	0	0	-1
normalized size	1	1.00	1.93	2.94	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.962	6.992	5.323	0.000	0.000	0.000	0.000	0.000
Problem 578	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	480	480	844	2002	0	0	0	0	-1
normalized size	1	1.00	1.76	4.17	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.450	7.209	7.641	0.000	0.000	0.000	0.000	0.000
Problem 579	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	405	405	797	1744	0	0	0	0	-1
normalized size	1	1.00	1.97	4.31	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.036	7.108	6.011	0.000	0.000	0.000	0.000	0.000
Problem 580	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	402	402	784	1850	0	0	0	0	-1
normalized size	1	1.00	1.95	4.60	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.090	6.931	6.468	0.000	0.000	0.000	0.000	0.000
Problem 581	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	400	400	786	1937	0	0	0	0	-1
normalized size	1	1.00	1.96	4.84	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.955	6.925	6.605	0.000	0.000	0.000	0.000	0.000

Problem 582	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	427	427	820	1977	0	0	0	0	-1
normalized size	1	1.00	1.92	4.63	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.057	7.080	7.444	0.000	0.000	0.000	0.000	0.000
Problem 583	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	521	521	865	2195	0	0	0	0	-1
normalized size	1	1.00	1.66	4.21	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.529	7.315	8.182	0.000	0.000	0.000	0.000	0.000
Problem 584	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	64	64	47	214	0	0	0	0	-1
normalized size	1	1.00	0.73	3.34	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.037	0.071	1.301	0.000	1.075	0.000	0.000	0.000
Problem 585	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	46	102	0	0	0	0	-1
normalized size	1	1.00	0.77	1.70	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.036	0.046	1.507	0.000	0.981	0.000	0.000	0.000
Problem 586	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	37	134	0	0	0	0	-1
normalized size	1	1.00	1.00	3.62	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.023	0.030	1.068	0.000	1.437	0.000	0.000	0.000
Problem 587	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	37	134	0	0	0	0	-1
normalized size	1	1.00	1.00	3.62	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.023	0.037	0.873	0.000	0.647	0.000	0.000	0.000

Problem 588	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	64	64	50	180	0	0	0	0	-1
normalized size	1	1.00	0.78	2.81	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.039	0.046	1.426	0.000	0.885	0.000	0.000	0.000
Problem 589	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	64	64	56	203	0	0	0	0	-1
normalized size	1	1.00	0.88	3.17	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.037	0.073	1.225	0.000	1.367	0.000	0.000	0.000
Problem 590	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	473	473	3321	3435	0	0	0	0	-1
normalized size	1	1.00	7.02	7.26	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.438	23.759	0.621	0.000	1.636	0.000	0.000	0.000
Problem 591	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	390	390	423	2489	0	0	0	0	-1
normalized size	1	1.00	1.08	6.38	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.057	17.473	0.456	0.000	0.563	0.000	0.000	0.000
Problem 592	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	324	324	346	1735	0	0	0	0	-1
normalized size	1	1.00	1.07	5.35	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.675	14.451	0.395	0.000	0.689	0.000	0.000	0.000
Problem 593	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	411	411	635	1361	0	0	0	0	-1
normalized size	1	1.00	1.55	3.31	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.685	17.281	0.459	0.000	1.173	0.000	0.000	0.000

Problem 594	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	445	445	787	1369	0	0	0	0	-1
normalized size	1	1.00	1.77	3.08	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.903	17.547	0.492	0.000	1.473	0.000	0.000	0.000
Problem 595	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	533	533	1121	2054	0	0	0	0	-1
normalized size	1	1.00	2.10	3.85	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.265	18.619	0.398	0.000	2.272	0.000	0.000	0.000
Problem 596	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	620	620	1533	2956	0	0	0	0	-1
normalized size	1	1.00	2.47	4.77	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.740	14.649	0.468	0.000	0.000	0.000	0.000	0.000
Problem 597	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	562	562	3739	4400	0	0	0	0	-1
normalized size	1	1.00	6.65	7.83	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.078	25.987	0.720	0.000	2.835	0.000	0.000	0.000
Problem 598	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	473	473	3318	3421	0	0	0	0	-1
normalized size	1	1.00	7.01	7.23	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.529	23.895	0.513	0.000	1.058	0.000	0.000	0.000
Problem 599	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	393	393	427	2674	0	0	0	0	-1
normalized size	1	1.00	1.09	6.80	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.091	18.753	0.409	0.000	0.581	0.000	0.000	0.000

Problem 600	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	479	479	5981	2326	0	0	0	0	-1
normalized size	1	1.00	12.49	4.86	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.076	24.553	0.358	0.000	1.136	0.000	0.000	0.000
Problem 601	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	509	509	927	2196	0	0	0	0	-1
normalized size	1	1.00	1.82	4.31	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.380	16.718	0.365	0.000	1.709	0.000	0.000	0.000
Problem 602	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	532	532	1134	2432	0	0	0	0	-1
normalized size	1	1.00	2.13	4.57	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.367	18.563	0.368	0.000	72.047	0.000	0.000	0.000
Problem 603	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	626	626	1489	3141	0	0	0	0	-1
normalized size	1	1.00	2.38	5.02	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.973	19.347	0.483	0.000	0.000	0.000	0.000	0.000
Problem 604	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	730	730	1888	4056	0	0	0	0	-1
normalized size	1	1.00	2.59	5.56	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.441	21.400	0.615	0.000	0.000	0.000	0.000	0.000
Problem 605	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	662	662	4198	5381	0	0	0	0	-1
normalized size	1	1.00	6.34	8.13	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.911	27.243	0.938	0.000	1.063	0.000	0.000	0.000

Problem 606	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	562	562	3755	4400	0	0	0	0	-1
normalized size	1	1.00	6.68	7.83	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.072	26.364	0.703	0.000	1.167	0.000	0.000	0.000
Problem 607	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	474	474	3348	3636	0	0	0	0	-1
normalized size	1	1.00	7.06	7.67	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.501	24.672	0.535	0.000	1.015	0.000	0.000	0.000
Problem 608	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	553	553	7032	3282	0	0	0	0	-1
normalized size	1	1.00	12.72	5.93	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.473	25.574	0.449	0.000	27.550	0.000	0.000	0.000
Problem 609	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	596	596	7700	3212	0	0	0	0	-1
normalized size	1	1.00	12.92	5.39	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.895	26.068	0.411	0.000	65.794	0.000	0.000	0.000
Problem 610	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	607	607	1278	3278	0	0	0	0	-1
normalized size	1	1.00	2.11	5.40	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.879	19.516	0.435	0.000	2.095	0.000	0.000	0.000
Problem 611	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	624	624	1504	3514	0	0	0	0	-1
normalized size	1	1.00	2.41	5.63	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.946	19.599	0.474	0.000	94.330	0.000	0.000	0.000

Problem 612	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	724	724	1857	4240	0	0	0	0	-1
normalized size	1	1.00	2.56	5.86	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.518	20.039	0.620	0.000	0.000	0.000	0.000	0.000
Problem 613	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	839	839	703	5172	0	0	0	0	-1
normalized size	1	1.00	0.84	6.16	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.603	16.074	0.838	0.000	5.786	0.000	0.000	0.000
Problem 614	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	403	403	2987	2488	0	0	0	0	-1
normalized size	1	1.00	7.41	6.17	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.026	22.265	0.414	0.000	0.703	0.000	0.000	0.000
Problem 615	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	330	330	355	1544	0	0	0	0	-1
normalized size	1	1.00	1.08	4.68	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.664	15.822	0.472	0.000	0.861	0.000	0.000	0.000
Problem 616	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	279	812	0	0	0	0	-1
normalized size	1	1.00	1.03	3.01	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.457	14.298	0.398	0.000	0.443	0.000	0.000	0.000
Problem 617	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	268	268	157	199	0	0	0	0	-1
normalized size	1	1.00	0.59	0.74	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.399	2.584	0.376	0.000	1.050	0.000	0.000	0.000

Problem 618	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	487	487	1091	1004	0	0	0	0	-1
normalized size	1	1.00	2.24	2.06	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.265	18.426	0.459	0.000	1.267	0.000	0.000	0.000
Problem 619	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	539	539	1157	1878	0	0	0	0	-1
normalized size	1	1.00	2.15	3.48	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.253	19.727	0.390	0.000	1.835	0.000	0.000	0.000
Problem 620	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	433	433	3433	3343	0	0	0	0	-1
normalized size	1	1.00	7.93	7.72	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.159	24.414	0.402	0.000	0.558	0.000	0.000	0.000
Problem 621	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	433	2291	0	0	0	0	-1
normalized size	1	1.00	1.26	6.64	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.791	18.936	0.441	0.000	0.485	0.000	0.000	0.000
Problem 622	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	324	324	305	1636	0	0	0	0	-1
normalized size	1	1.00	0.94	5.05	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.685	13.781	0.454	0.000	0.541	0.000	0.000	0.000
Problem 623	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	476	476	1403	2016	0	0	0	0	-1
normalized size	1	1.00	2.95	4.24	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.775	13.976	0.424	0.000	0.866	0.000	0.000	0.000

Problem 624	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	560	560	1551	2890	0	0	0	0	-1
normalized size	1	1.00	2.77	5.16	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.509	19.559	0.382	0.000	53.904	0.000	0.000	0.000
Problem 625	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	607	607	4316	8101	0	0	0	0	-1
normalized size	1	1.00	7.11	13.35	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.203	27.144	0.601	0.000	0.612	0.000	0.000	0.000
Problem 626	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	496	496	3891	6506	0	0	0	0	-1
normalized size	1	1.00	7.84	13.12	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.383	26.751	0.630	0.000	0.581	0.000	0.000	0.000
Problem 627	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	469	469	3493	5202	0	0	0	0	-1
normalized size	1	1.00	7.45	11.09	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.190	24.525	0.503	0.000	0.641	0.000	0.000	0.000
Problem 628	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	431	431	528	4243	0	0	0	0	-1
normalized size	1	1.00	1.23	9.84	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.081	18.801	0.470	0.000	0.745	0.000	0.000	0.000
Problem 629	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	602	602	1994	5757	0	0	0	0	-1
normalized size	1	1.00	3.31	9.56	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.645	16.206	0.433	0.000	25.692	0.000	0.000	0.000

Problem 630	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	733	733	2318	8621	0	0	0	0	-1
normalized size	1	1.00	3.16	11.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.494	22.369	0.563	0.000	1.602	0.000	0.000	0.000
Problem 631	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	298	621	0	0	0	0	-1
normalized size	1	1.00	1.12	2.33	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.370	6.105	0.333	0.000	0.527	0.000	0.000	0.000
Problem 632	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	104	126	0	0	0	0	-1
normalized size	1	1.00	0.80	0.97	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.155	0.145	0.318	0.000	0.644	0.000	0.000	0.000
Problem 633	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	147	144	0	0	0	0	-1
normalized size	1	1.00	1.07	1.05	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.155	0.189	0.299	0.000	0.713	0.000	0.000	0.000
Problem 634	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	479	479	508	631	0	0	0	0	-1
normalized size	1	1.00	1.06	1.32	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.922	3.329	0.352	0.000	25.390	0.000	0.000	0.000
Problem 635	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	59	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.181	9.519	3.111	0.000	0.476	0.000	0.000	0.000

Problem 636	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	644	644	317	0	0	0	0	0	-1
normalized size	1	1.00	0.49	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.042	4.371	2.793	0.000	0.681	0.000	0.000	0.000
Problem 637	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	455	455	259	0	0	0	0	0	-1
normalized size	1	1.00	0.57	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.145	2.521	2.228	0.000	0.435	0.000	0.000	0.000
Problem 638	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	327	327	205	0	0	0	0	0	-1
normalized size	1	1.00	0.63	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.643	0.986	1.801	0.000	0.478	0.000	0.000	0.000
Problem 639	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	217	217	163	0	0	0	0	0	-1
normalized size	1	1.00	0.75	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.360	0.383	1.942	0.000	0.462	0.000	0.000	0.000
Problem 640	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	10630	0	0	0	0	0	-1
normalized size	1	1.00	35.55	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.576	26.444	1.270	0.000	0.461	0.000	0.000	0.000
Problem 641	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	210	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.721	61.594	0.457	0.000	0.495	0.000	0.000	0.000

Problem 642	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	61	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.239	13.199	0.421	0.000	0.463	0.000	0.000	0.000
Problem 643	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	61	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.242	8.875	0.409	0.000	0.485	0.000	0.000	0.000
Problem 644	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	213	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.686	11.212	0.387	0.000	0.462	0.000	0.000	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [317] had the largest ratio of [.3333]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	8	6	1.00	29	0.207
2	A	7	6	1.00	29	0.207
3	A	3	3	1.00	27	0.111
4	A	1	1	1.00	21	0.048
5	A	4	4	1.00	27	0.148
6	A	4	4	1.00	29	0.138
7	A	6	6	1.00	29	0.207

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
8	A	7	7	1.00	29	0.241
9	A	7	6	1.00	29	0.207
10	A	9	7	1.00	31	0.226
11	A	8	7	1.00	31	0.226
12	A	4	4	1.00	29	0.138
13	A	2	2	1.00	23	0.087
14	A	5	5	1.00	29	0.172
15	A	5	5	1.00	31	0.161
16	A	5	5	1.00	31	0.161
17	A	7	7	1.00	31	0.226
18	A	8	8	1.00	31	0.258
19	A	9	7	1.00	31	0.226
20	A	10	8	1.00	29	0.276
21	A	8	6	1.00	23	0.261
22	A	6	5	1.00	29	0.172
23	A	6	6	1.00	31	0.194
24	A	6	5	1.00	31	0.161
25	A	6	5	1.00	31	0.161
26	A	8	7	1.00	31	0.226
27	A	9	8	1.00	31	0.258
28	A	10	7	1.00	31	0.226
29	A	13	8	1.00	29	0.276
30	A	11	6	1.00	23	0.261
31	A	7	5	1.00	29	0.172
32	A	7	6	1.00	31	0.194
33	A	7	6	1.00	31	0.194
34	A	7	5	1.00	31	0.161
35	A	7	5	1.00	31	0.161
36	A	9	7	1.00	31	0.226
37	A	10	8	1.00	31	0.258
38	A	7	5	1.00	31	0.161
39	A	6	5	1.00	31	0.161
40	A	2	2	1.10	31	0.065
41	A	5	5	1.00	29	0.172
42	A	2	2	1.00	23	0.087
43	A	3	3	1.00	29	0.103

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
44	A	5	5	1.00	31	0.161
45	A	6	6	1.00	31	0.194
46	A	6	5	1.00	31	0.161
47	A	7	5	1.00	31	0.161
48	A	3	2	1.00	31	0.065
49	A	6	6	1.00	31	0.194
50	A	4	4	1.00	29	0.138
51	A	2	2	1.00	23	0.087
52	A	4	3	1.00	29	0.103
53	A	6	5	1.00	31	0.161
54	A	7	6	1.00	31	0.194
55	A	7	5	1.00	31	0.161
56	A	8	5	1.00	31	0.161
57	A	4	2	1.00	31	0.065
58	A	7	6	1.00	31	0.194
59	A	5	5	1.00	31	0.161
60	A	4	4	1.00	29	0.138
61	A	3	3	1.00	23	0.130
62	A	5	3	1.00	29	0.103
63	A	7	5	1.00	31	0.161
64	A	8	6	1.00	31	0.194
65	A	5	2	1.00	31	0.065
66	A	8	6	1.00	31	0.194
67	A	6	5	1.00	31	0.161
68	A	5	5	1.00	31	0.161
69	A	5	5	1.00	29	0.172
70	A	4	3	1.00	23	0.130
71	A	6	3	1.00	29	0.103
72	A	8	5	1.00	31	0.161
73	A	9	6	1.00	31	0.194
74	A	5	5	1.00	33	0.152
75	A	4	4	1.00	33	0.121
76	A	4	4	1.00	31	0.129
77	A	2	2	1.00	25	0.080
78	A	3	3	1.00	31	0.097
79	A	3	3	1.00	33	0.091

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
80	A	4	4	1.00	33	0.121
81	A	5	4	1.00	33	0.121
82	A	6	6	1.00	33	0.182
83	A	5	5	1.00	33	0.152
84	A	5	5	1.00	31	0.161
85	A	3	3	1.00	25	0.120
86	A	4	4	1.00	31	0.129
87	A	4	4	1.00	33	0.121
88	A	4	4	1.00	33	0.121
89	A	5	5	1.00	33	0.152
90	A	6	5	1.00	33	0.152
91	A	6	5	1.00	33	0.152
92	A	6	5	1.00	31	0.161
93	A	4	3	1.00	25	0.120
94	A	5	4	1.00	31	0.129
95	A	5	5	1.00	33	0.152
96	A	5	4	1.00	33	0.121
97	A	5	4	1.00	33	0.121
98	A	6	5	1.00	33	0.152
99	A	7	5	1.00	33	0.152
100	A	7	6	1.00	33	0.182
101	A	6	6	1.00	33	0.182
102	A	5	5	1.00	31	0.161
103	A	3	3	1.00	25	0.120
104	A	5	4	1.00	31	0.129
105	A	6	5	1.00	33	0.152
106	A	7	5	1.00	33	0.152
107	A	8	7	1.00	33	0.212
108	A	7	7	1.00	33	0.212
109	A	6	6	1.00	33	0.182
110	A	5	5	1.00	31	0.161
111	A	3	3	1.00	25	0.120
112	A	6	5	1.00	31	0.161
113	A	7	6	1.00	33	0.182
114	A	8	6	1.00	33	0.182
115	A	8	7	1.00	33	0.212

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
116	A	7	6	1.00	33	0.182
117	A	6	6	1.00	33	0.182
118	A	5	5	1.00	31	0.161
119	A	4	4	1.00	25	0.160
120	A	7	5	1.00	31	0.161
121	A	8	6	1.00	33	0.182
122	A	9	6	1.00	33	0.182
123	A	8	6	1.00	31	0.194
124	A	7	6	1.00	31	0.194
125	A	6	6	1.00	31	0.194
126	A	5	5	1.00	31	0.161
127	A	5	5	1.00	31	0.161
128	A	6	6	1.00	31	0.194
129	A	7	6	1.00	31	0.194
130	A	8	7	1.00	33	0.212
131	A	7	7	1.00	33	0.212
132	A	6	6	1.00	33	0.182
133	A	6	6	1.00	33	0.182
134	A	6	6	1.00	33	0.182
135	A	7	7	1.00	33	0.212
136	A	8	7	1.00	33	0.212
137	A	9	7	1.00	33	0.212
138	A	8	7	1.00	33	0.212
139	A	7	6	1.00	33	0.182
140	A	7	7	1.00	33	0.212
141	A	7	6	1.00	33	0.182
142	A	7	6	1.00	33	0.182
143	A	8	7	1.00	33	0.212
144	A	9	7	1.00	33	0.212
145	A	6	5	1.00	33	0.152
146	A	5	5	1.00	33	0.152
147	A	4	4	1.00	33	0.121
148	A	4	4	1.00	33	0.121
149	A	5	5	1.00	33	0.152
150	A	6	5	1.00	33	0.152
151	A	7	5	1.00	33	0.152

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
152	A	6	5	1.00	33	0.152
153	A	5	4	1.00	33	0.121
154	A	5	5	1.00	33	0.152
155	A	5	4	1.00	33	0.121
156	A	6	5	1.00	33	0.152
157	A	7	5	1.00	33	0.152
158	A	8	5	1.00	33	0.152
159	A	7	5	1.00	33	0.152
160	A	6	4	1.00	33	0.121
161	A	6	5	1.00	33	0.152
162	A	6	5	1.00	33	0.152
163	A	6	4	1.00	33	0.121
164	A	7	5	1.00	33	0.152
165	A	8	5	1.00	33	0.152
166	A	6	4	1.00	35	0.114
167	A	5	4	1.00	35	0.114
168	A	4	4	1.00	35	0.114
169	A	3	3	1.00	35	0.086
170	A	3	3	1.00	35	0.086
171	A	2	2	1.00	35	0.057
172	A	3	3	1.00	35	0.086
173	A	4	3	1.00	35	0.086
174	A	6	5	1.00	35	0.143
175	A	5	5	1.00	35	0.143
176	A	4	4	1.00	35	0.114
177	A	4	4	1.00	35	0.114
178	A	4	4	1.00	35	0.114
179	A	3	3	1.00	35	0.086
180	A	4	4	1.00	35	0.114
181	A	5	4	1.00	35	0.114
182	A	7	5	1.00	35	0.143
183	A	6	5	1.00	35	0.143
184	A	5	4	1.00	35	0.114
185	A	5	5	1.00	35	0.143
186	A	5	4	1.00	35	0.114
187	A	5	4	1.00	35	0.114

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
188	A	4	3	1.00	35	0.086
189	A	5	4	1.00	35	0.114
190	A	6	4	1.00	35	0.114
191	A	7	6	1.00	35	0.171
192	A	6	6	1.00	35	0.171
193	A	5	5	1.00	35	0.143
194	A	4	4	1.00	35	0.114
195	A	5	4	1.00	35	0.114
196	A	6	4	1.00	35	0.114
197	A	7	7	1.00	35	0.200
198	A	6	6	1.00	35	0.171
199	A	4	4	1.00	35	0.114
200	A	5	5	1.00	35	0.143
201	A	6	5	1.00	35	0.143
202	A	8	7	1.00	35	0.200
203	A	7	6	1.00	35	0.171
204	A	5	5	1.00	35	0.143
205	A	5	4	1.00	35	0.114
206	A	6	5	1.00	35	0.143
207	A	7	5	1.00	35	0.143
208	A	9	7	1.00	35	0.200
209	A	8	6	1.00	35	0.171
210	A	6	5	1.00	35	0.143
211	A	6	5	1.00	35	0.143
212	A	6	4	1.00	35	0.114
213	A	7	5	1.00	35	0.143
214	A	8	5	1.00	35	0.143
215	A	7	6	1.00	29	0.207
216	A	3	3	1.00	27	0.111
217	A	1	1	1.00	21	0.048
218	A	4	4	1.00	27	0.148
219	A	4	4	1.00	29	0.138
220	A	6	6	1.00	29	0.207
221	A	7	7	1.00	29	0.241
222	A	7	6	1.00	29	0.207
223	A	7	6	1.00	31	0.194

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
224	A	4	4	1.00	29	0.138
225	A	2	2	1.00	23	0.087
226	A	4	4	1.00	29	0.138
227	A	4	4	1.00	31	0.129
228	A	4	4	1.00	31	0.129
229	A	6	6	1.00	31	0.194
230	A	7	7	1.00	31	0.226
231	A	8	7	1.00	31	0.226
232	A	5	4	1.00	29	0.138
233	A	3	2	1.00	23	0.087
234	A	5	5	1.00	29	0.172
235	A	5	5	1.00	31	0.161
236	A	5	5	1.00	31	0.161
237	A	5	5	1.00	31	0.161
238	A	7	7	1.00	31	0.226
239	A	8	8	1.00	31	0.258
240	A	9	8	1.00	31	0.258
241	A	6	4	1.00	29	0.138
242	A	4	2	1.00	23	0.087
243	A	6	6	1.00	29	0.207
244	A	6	6	1.00	31	0.194
245	A	6	6	1.00	31	0.194
246	A	6	6	1.00	31	0.194
247	A	6	6	1.00	31	0.194
248	A	8	8	1.00	31	0.258
249	A	9	9	1.00	31	0.290
250	A	6	6	1.00	31	0.194
251	A	5	5	1.00	31	0.161
252	A	6	6	1.00	29	0.207
253	A	3	3	1.00	23	0.130
254	A	4	4	1.00	29	0.138
255	A	6	6	1.00	31	0.194
256	A	6	6	1.00	31	0.194
257	A	7	6	1.00	31	0.194
258	A	6	6	1.00	31	0.194
259	A	5	5	1.00	31	0.161

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
260	A	5	5	1.00	29	0.172
261	A	4	4	1.00	23	0.174
262	A	5	5	1.00	29	0.172
263	A	6	6	1.00	31	0.194
264	A	7	6	1.00	31	0.194
265	A	7	7	1.00	31	0.226
266	A	6	6	1.00	31	0.194
267	A	5	5	1.00	31	0.161
268	A	6	6	1.00	29	0.207
269	A	5	4	1.00	23	0.174
270	A	6	6	1.00	29	0.207
271	A	7	6	1.00	31	0.194
272	A	8	6	1.00	31	0.194
273	A	7	7	1.00	31	0.226
274	A	6	6	1.00	31	0.194
275	A	6	6	1.00	31	0.194
276	A	7	6	1.00	29	0.207
277	A	6	4	1.00	23	0.174
278	A	7	6	1.00	29	0.207
279	A	8	6	1.00	31	0.194
280	A	9	6	1.00	31	0.194
281	A	3	2	1.00	34	0.059
282	A	3	3	1.00	34	0.088
283	A	2	2	1.00	32	0.062
284	A	2	2	1.00	26	0.077
285	A	2	2	1.00	32	0.062
286	A	3	3	1.00	34	0.088
287	A	3	3	1.00	34	0.088
288	A	3	2	1.00	34	0.059
289	A	6	6	1.00	34	0.176
290	A	6	6	1.00	34	0.176
291	A	4	4	1.00	32	0.125
292	A	3	3	1.00	26	0.115
293	A	5	5	1.00	32	0.156
294	A	7	7	1.00	34	0.206
295	A	7	7	1.00	34	0.206

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
296	A	9	9	1.00	33	0.273
297	A	8	8	1.00	33	0.242
298	A	8	8	1.00	31	0.258
299	A	6	6	1.00	25	0.240
300	A	8	8	1.00	31	0.258
301	A	9	9	1.00	33	0.273
302	A	10	10	1.00	33	0.303
303	A	11	10	1.00	33	0.303
304	A	9	8	1.00	33	0.242
305	A	9	8	1.00	31	0.258
306	A	7	6	1.00	25	0.240
307	A	9	9	1.00	31	0.290
308	A	9	9	1.00	33	0.273
309	A	10	10	1.00	33	0.303
310	A	11	10	1.00	33	0.303
311	A	10	8	1.00	33	0.242
312	A	10	8	1.00	31	0.258
313	A	8	6	1.00	25	0.240
314	A	10	10	1.00	31	0.323
315	A	10	10	1.00	33	0.303
316	A	10	10	1.00	33	0.303
317	A	11	11	1.00	33	0.333
318	A	12	11	1.00	33	0.333
319	A	8	8	1.00	33	0.242
320	A	7	7	1.00	33	0.212
321	A	7	7	1.00	31	0.226
322	A	5	5	1.00	25	0.200
323	A	5	5	1.00	31	0.161
324	A	9	9	1.00	33	0.273
325	A	10	10	1.00	33	0.303
326	A	8	8	1.00	33	0.242
327	A	7	7	1.00	33	0.212
328	A	7	7	1.00	31	0.226
329	A	6	6	1.00	25	0.240
330	A	7	7	1.00	31	0.226
331	A	10	10	1.00	33	0.303

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
332	A	11	10	1.00	33	0.303
333	A	9	9	1.00	33	0.273
334	A	8	8	1.00	33	0.242
335	A	7	7	1.00	33	0.212
336	A	8	8	1.00	31	0.258
337	A	7	6	1.00	25	0.240
338	A	10	10	1.00	31	0.323
339	A	11	11	1.00	33	0.333
340	A	12	10	1.00	33	0.303
341	A	3	3	1.00	28	0.107
342	A	3	3	1.00	34	0.088
343	A	5	4	1.00	28	0.143
344	A	8	8	1.00	34	0.235
345	A	8	6	1.00	31	0.194
346	A	7	6	1.00	31	0.194
347	A	6	6	1.00	31	0.194
348	A	5	5	1.00	31	0.161
349	A	5	5	1.00	31	0.161
350	A	6	6	1.00	31	0.194
351	A	7	6	1.00	31	0.194
352	A	8	6	1.00	33	0.182
353	A	7	6	1.00	33	0.182
354	A	6	6	1.00	33	0.182
355	A	5	5	1.00	33	0.152
356	A	5	5	1.00	33	0.152
357	A	5	5	1.00	33	0.152
358	A	6	6	1.00	33	0.182
359	A	8	7	1.00	33	0.212
360	A	7	7	1.00	33	0.212
361	A	6	6	1.00	33	0.182
362	A	6	6	1.00	33	0.182
363	A	6	6	1.00	33	0.182
364	A	6	6	1.00	33	0.182
365	A	7	7	1.00	33	0.212
366	A	6	6	1.00	33	0.182
367	A	5	5	1.00	33	0.152

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
368	A	3	3	1.00	33	0.091
369	A	5	5	1.00	33	0.152
370	A	7	7	1.00	33	0.212
371	A	7	7	1.00	33	0.212
372	A	6	6	1.00	33	0.182
373	A	6	6	1.00	33	0.182
374	A	6	6	1.00	33	0.182
375	A	7	7	1.00	33	0.212
376	A	8	7	1.00	33	0.212
377	A	7	7	1.00	33	0.212
378	A	7	7	1.00	33	0.212
379	A	7	7	1.00	33	0.212
380	A	7	7	1.00	33	0.212
381	A	8	7	1.00	33	0.212
382	A	9	7	1.00	33	0.212
383	A	3	3	1.00	36	0.083
384	A	3	3	1.00	36	0.083
385	A	2	2	1.00	36	0.056
386	A	2	2	1.00	36	0.056
387	A	3	3	1.00	36	0.083
388	A	3	3	1.00	36	0.083
389	A	7	7	1.00	36	0.194
390	A	6	6	1.00	36	0.167
391	A	4	4	1.00	36	0.111
392	A	2	2	1.00	36	0.056
393	A	6	6	1.00	36	0.167
394	A	8	8	1.00	36	0.222
395	A	8	8	1.00	35	0.229
396	A	7	7	1.00	35	0.200
397	A	6	6	1.00	35	0.171
398	A	5	5	1.00	35	0.143
399	A	4	4	1.00	35	0.114
400	A	5	5	1.00	35	0.143
401	A	6	5	1.00	35	0.143
402	A	9	8	1.00	35	0.229
403	A	8	8	1.00	35	0.229

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
404	A	7	7	1.00	35	0.200
405	A	7	7	1.00	35	0.200
406	A	6	6	1.00	35	0.171
407	A	5	5	1.00	35	0.143
408	A	6	5	1.00	35	0.143
409	A	7	5	1.00	35	0.143
410	A	10	8	1.00	35	0.229
411	A	9	8	1.00	35	0.229
412	A	8	8	1.00	35	0.229
413	A	8	8	1.00	35	0.229
414	A	8	8	1.00	35	0.229
415	A	7	7	1.00	35	0.200
416	A	6	6	1.00	35	0.171
417	A	7	6	1.00	35	0.171
418	A	8	6	1.00	35	0.171
419	A	6	6	1.00	43	0.140
420	A	7	7	1.00	35	0.200
421	A	7	7	1.00	35	0.200
422	A	3	3	1.00	35	0.086
423	A	3	3	1.00	35	0.086
424	A	4	4	1.00	35	0.114
425	A	5	5	1.00	35	0.143
426	A	7	7	1.00	35	0.200
427	A	6	6	1.00	35	0.171
428	A	4	4	1.00	35	0.114
429	A	4	4	1.00	35	0.114
430	A	5	5	1.00	35	0.143
431	A	8	8	1.00	35	0.229
432	A	7	7	1.00	35	0.200
433	A	5	5	1.00	35	0.143
434	A	5	5	1.00	35	0.143
435	A	5	5	1.00	35	0.143
436	A	6	5	1.00	35	0.143
437	A	9	9	1.00	38	0.237
438	A	2	2	1.00	38	0.053
439	A	2	2	1.00	38	0.053

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
440	A	4	4	1.00	38	0.105
441	A	1	1	1.00	33	0.030
442	A	1	1	1.00	33	0.030
443	A	2	2	1.00	33	0.061
444	A	2	2	1.00	33	0.061
445	A	1	1	1.00	33	0.030
446	A	1	1	1.00	33	0.030
447	A	2	2	1.00	33	0.061
448	A	2	2	1.00	33	0.061
449	A	0	0	0.00	0	0.000
450	A	7	6	1.00	33	0.182
451	A	6	5	1.00	33	0.152
452	A	5	4	1.00	33	0.121
453	A	5	4	1.00	31	0.129
454	A	7	5	1.00	33	0.152
455	A	0	0	0.00	0	0.000
456	A	0	0	0.00	0	0.000
457	A	0	0	0.00	0	0.000
458	A	0	0	0.00	0	0.000
459	A	9	7	1.00	31	0.226
460	A	8	7	1.00	31	0.226
461	A	7	6	1.00	31	0.194
462	A	7	6	1.00	31	0.194
463	A	8	7	1.00	31	0.226
464	A	9	7	1.00	31	0.226
465	A	9	8	1.00	33	0.242
466	A	8	7	1.00	33	0.212
467	A	8	7	1.00	33	0.212
468	A	8	7	1.00	33	0.212
469	A	9	8	1.00	33	0.242
470	A	10	8	1.00	33	0.242
471	A	9	7	1.00	33	0.212
472	A	9	8	1.00	33	0.242
473	A	9	7	1.00	33	0.212
474	A	9	7	1.00	33	0.212
475	A	10	8	1.00	33	0.242

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
476	A	9	7	1.00	33	0.212
477	A	8	7	1.00	33	0.212
478	A	7	6	1.00	33	0.182
479	A	7	6	1.00	33	0.182
480	A	8	7	1.00	33	0.212
481	A	9	7	1.00	33	0.212
482	A	9	7	1.00	33	0.212
483	A	8	6	1.00	33	0.182
484	A	8	7	1.00	33	0.212
485	A	8	6	1.00	33	0.182
486	A	9	7	1.00	33	0.212
487	A	10	7	1.00	33	0.212
488	A	9	6	1.00	33	0.182
489	A	9	7	1.00	33	0.212
490	A	9	7	1.00	33	0.212
491	A	9	6	1.00	33	0.182
492	A	10	7	1.00	33	0.212
493	A	6	4	1.00	35	0.114
494	A	5	4	1.00	35	0.114
495	A	4	4	1.00	35	0.114
496	A	3	3	1.00	35	0.086
497	A	4	4	1.00	35	0.114
498	A	4	4	1.00	35	0.114
499	A	5	5	1.00	35	0.143
500	A	6	5	1.00	35	0.143
501	A	7	5	1.00	35	0.143
502	A	6	5	1.00	35	0.143
503	A	5	5	1.00	35	0.143
504	A	4	4	1.00	35	0.114
505	A	5	5	1.00	35	0.143
506	A	5	5	1.00	35	0.143
507	A	5	5	1.00	35	0.143
508	A	6	6	1.00	35	0.171
509	A	7	6	1.00	35	0.171
510	A	8	5	1.00	35	0.143
511	A	7	5	1.00	35	0.143

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
512	A	6	5	1.00	35	0.143
513	A	5	4	1.00	35	0.114
514	A	6	5	1.00	35	0.143
515	A	6	5	1.00	35	0.143
516	A	6	6	1.00	35	0.171
517	A	6	5	1.00	35	0.143
518	A	7	6	1.00	35	0.171
519	A	8	6	1.00	35	0.171
520	A	9	5	1.00	35	0.143
521	A	8	5	1.00	35	0.143
522	A	7	5	1.00	35	0.143
523	A	6	5	1.00	35	0.143
524	A	5	5	1.00	35	0.143
525	A	6	6	1.00	35	0.171
526	A	7	7	1.00	35	0.200
527	A	8	7	1.00	35	0.200
528	A	7	7	1.00	54	0.130
529	A	9	6	1.00	35	0.171
530	A	8	6	1.00	35	0.171
531	A	7	6	1.00	35	0.171
532	A	6	6	1.00	35	0.171
533	A	5	5	1.00	35	0.143
534	A	7	7	1.00	35	0.200
535	A	8	8	1.00	35	0.229
536	A	9	6	1.00	35	0.171
537	A	8	6	1.00	35	0.171
538	A	7	6	1.00	35	0.171
539	A	6	5	1.00	35	0.143
540	A	6	6	1.00	35	0.171
541	A	8	7	1.00	35	0.200
542	A	9	8	1.00	35	0.229
543	A	9	6	1.00	35	0.171
544	A	8	6	1.00	35	0.171
545	A	7	5	1.00	35	0.143
546	A	7	6	1.00	35	0.171
547	A	7	6	1.00	35	0.171

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
548	A	9	7	1.00	35	0.200
549	A	10	8	1.00	35	0.229
550	A	9	7	1.00	31	0.226
551	A	8	7	1.00	31	0.226
552	A	7	6	1.00	31	0.194
553	A	7	6	1.00	31	0.194
554	A	8	7	1.00	31	0.226
555	A	9	7	1.00	31	0.226
556	A	9	8	1.00	33	0.242
557	A	8	7	1.00	33	0.212
558	A	8	7	1.00	33	0.212
559	A	8	7	1.00	33	0.212
560	A	9	8	1.00	33	0.242
561	A	10	9	1.00	33	0.273
562	A	9	8	1.00	33	0.242
563	A	9	8	1.00	33	0.242
564	A	9	8	1.00	33	0.242
565	A	9	8	1.00	33	0.242
566	A	10	9	1.00	33	0.273
567	A	11	10	1.00	33	0.303
568	A	8	8	1.00	33	0.242
569	A	6	6	1.00	33	0.182
570	A	8	8	1.00	33	0.242
571	A	10	9	1.00	33	0.273
572	A	12	10	1.00	33	0.303
573	A	11	10	1.00	33	0.303
574	A	10	9	1.00	33	0.273
575	A	10	9	1.00	33	0.273
576	A	10	9	1.00	33	0.273
577	A	11	10	1.00	33	0.303
578	A	12	11	1.00	33	0.333
579	A	11	10	1.00	33	0.303
580	A	11	10	1.00	33	0.303
581	A	11	10	1.00	33	0.303
582	A	11	10	1.00	33	0.303
583	A	12	11	1.00	33	0.333

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
584	A	4	4	1.00	36	0.111
585	A	4	4	1.00	36	0.111
586	A	3	3	1.00	36	0.083
587	A	3	3	1.00	36	0.083
588	A	4	4	1.00	36	0.111
589	A	4	4	1.00	36	0.111
590	A	7	6	1.00	35	0.171
591	A	6	6	1.00	35	0.171
592	A	5	5	1.00	35	0.143
593	A	6	6	1.00	35	0.171
594	A	7	7	1.00	35	0.200
595	A	8	8	1.00	35	0.229
596	A	9	9	1.00	35	0.257
597	A	8	6	1.00	35	0.171
598	A	7	6	1.00	35	0.171
599	A	6	6	1.00	35	0.171
600	A	7	7	1.00	35	0.200
601	A	8	8	1.00	35	0.229
602	A	8	8	1.00	35	0.229
603	A	9	9	1.00	35	0.257
604	A	10	9	1.00	35	0.257
605	A	9	7	1.00	35	0.200
606	A	8	7	1.00	35	0.200
607	A	7	7	1.00	35	0.200
608	A	8	8	1.00	35	0.229
609	A	9	9	1.00	35	0.257
610	A	9	9	1.00	35	0.257
611	A	9	9	1.00	35	0.257
612	A	10	9	1.00	35	0.257
613	A	11	9	1.00	35	0.257
614	A	6	6	1.00	35	0.171
615	A	5	5	1.00	35	0.143
616	A	4	4	1.00	35	0.114
617	A	4	4	1.00	35	0.114
618	A	8	8	1.00	35	0.229
619	A	8	8	1.00	35	0.229

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
620	A	6	6	1.00	35	0.171
621	A	5	5	1.00	35	0.143
622	A	5	5	1.00	35	0.143
623	A	7	7	1.00	35	0.200
624	A	8	8	1.00	35	0.229
625	A	7	6	1.00	35	0.171
626	A	6	6	1.00	35	0.171
627	A	6	6	1.00	35	0.171
628	A	6	6	1.00	35	0.171
629	A	8	8	1.00	35	0.229
630	A	9	9	1.00	35	0.257
631	A	5	5	1.00	38	0.132
632	A	3	3	1.00	38	0.079
633	A	3	3	1.00	38	0.079
634	A	10	10	1.00	38	0.263
635	A	0	0	0.00	0	0.000
636	A	10	8	1.00	33	0.242
637	A	9	7	1.00	33	0.212
638	A	8	6	1.00	33	0.182
639	A	7	5	1.00	31	0.161
640	A	10	8	1.00	33	0.242
641	A	0	0	0.00	0	0.000
642	A	0	0	0.00	0	0.000
643	A	0	0	0.00	0	0.000
644	A	0	0	0.00	0	0.000

Chapter 3

Listing of integrals

$$3.1 \quad \int \cos^3(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$$

Optimal. Leaf size=125

$$-\frac{a(5A + 4B) \sin^3(c + dx)}{15d} + \frac{a(5A + 4B) \sin(c + dx)}{5d} + \frac{a(A + B) \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3a(A + B) \sin(c + dx)}{8d}$$

[Out] 3/8*a*(A+B)*x+1/5*a*(5*A+4*B)*sin(d*x+c)/d+3/8*a*(A+B)*cos(d*x+c)*sin(d*x+c)/d+1/4*a*(A+B)*cos(d*x+c)^3*sin(d*x+c)/d+1/5*a*B*cos(d*x+c)^4*sin(d*x+c)/d-1/15*a*(5*A+4*B)*sin(d*x+c)^3/d

Rubi [A] time = 0.17, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2968, 3023, 2748, 2633, 2635, 8}

$$-\frac{a(5A + 4B) \sin^3(c + dx)}{15d} + \frac{a(5A + 4B) \sin(c + dx)}{5d} + \frac{a(A + B) \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3a(A + B) \sin(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] (3*a*(A + B)*x)/8 + (a*(5*A + 4*B)*Sin[c + d*x])/(5*d) + (3*a*(A + B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(A + B)*Cos[c + d*x]^3*SIN[c + d*x])/(4*d) + (a*B*Cos[c + d*x]^4*SIN[c + d*x])/(5*d) - (a*(5*A + 4*B)*Sin[c + d*x]^3)/(15*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*SIN[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^3(c + dx) (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) dx \\ &= \frac{aB \cos^4(c + dx) \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^3(c + dx)(a(5A + 4B) + aB \cos(c + dx)) dx \\ &= \frac{aB \cos^4(c + dx) \sin(c + dx)}{5d} + (a(A + B)) \int \cos^4(c + dx) dx \\ &= \frac{a(A + B) \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{aB \cos^4(c + dx) \sin(c + dx)}{5d} \\ &= \frac{a(5A + 4B) \sin(c + dx)}{5d} + \frac{3a(A + B) \cos(c + dx) \sin(c + dx)}{8d} \\ &= \frac{3}{8}a(A + B)x + \frac{a(5A + 4B) \sin(c + dx)}{5d} + \frac{3a(A + B) \cos(c + dx) \sin(c + dx)}{8d} \end{aligned}$$

Mathematica [A] time = 0.27, size = 77, normalized size = 0.62

$$\frac{a(-160(A + 2B) \sin^3(c + dx) + 480(A + B) \sin(c + dx) + 15(A + B)(12(c + dx) + 8 \sin(2(c + dx))) + \sin(4(c + dx)))}{480d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]), x]
```

```
[Out] (a*(480*(A + B)*Sin[c + d*x] - 160*(A + 2*B)*Sin[c + d*x]^3 + 96*B*Sin[c + d*x]^5 + 15*(A + B)*(12*(c + d*x) + 8*Sin[2*(c + d*x)]) + Sin[4*(c + d*x)])/(480*d)
```

fricas [A] time = 1.08, size = 88, normalized size = 0.70

$$\frac{45(A + B)adx + (24Ba \cos(dx + c)^4 + 30(A + B)a \cos(dx + c)^3 + 8(5A + 4B)a \cos(dx + c)^2 + 45(A + B)a \cos(dx + c))}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/120*(45*(A + B)*a*d*x + (24*B*a*cos(d*x + c)^4 + 30*(A + B)*a*cos(d*x + c)^3 + 8*(5*A + 4*B)*a*cos(d*x + c)^2 + 45*(A + B)*a*cos(d*x + c) + 16*(5*A + 4*B)*a)*sin(d*x + c))/d

giac [A] time = 0.66, size = 112, normalized size = 0.90

$$\frac{3}{8}(Aa + Ba)x + \frac{Ba \sin(5dx + 5c)}{80d} + \frac{(Aa + Ba) \sin(4dx + 4c)}{32d} + \frac{(4Aa + 5Ba) \sin(3dx + 3c)}{48d} + \frac{(Aa + Ba) \sin(2dx + 2c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 3/8*(A*a + B*a)*x + 1/80*B*a*sin(5*d*x + 5*c)/d + 1/32*(A*a + B*a)*sin(4*d*x + 4*c)/d + 1/48*(4*A*a + 5*B*a)*sin(3*d*x + 3*c)/d + 1/4*(A*a + B*a)*sin(2*d*x + 2*c)/d + 1/8*(6*A*a + 5*B*a)*sin(d*x + c)/d

maple [A] time = 0.07, size = 128, normalized size = 1.02

$$\frac{aB \left(\frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + aA \left(\frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + aB \left(\frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] 1/d*(1/5*a*B*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+a*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+a*B*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*a*A*(2+cos(d*x+c)^2)*sin(d*x+c))

maxima [A] time = 0.76, size = 124, normalized size = 0.99

$$\frac{160(\sin(dx+c)^3 - 3\sin(dx+c))Aa - 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa - 32(3\sin(dx+c)^5 - 10\sin(dx+c)^3 + 15\sin(dx+c))Ba - 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Ba}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] -1/480*(160*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a - 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a - 32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a - 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a)/d

mupad [B] time = 1.55, size = 236, normalized size = 1.89

$$\frac{\left(\frac{3Aa}{4} + \frac{3Ba}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(\frac{29Aa}{6} + \frac{13Ba}{6}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{20Aa}{3} + \frac{116Ba}{15}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{35Aa}{6} + \frac{19Ba}{6}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{Aa}{2} + \frac{Ba}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^3*(A + B*cos(c + d*x))*(a + a*cos(c + d*x)),x)

```
[Out] (tan(c/2 + (d*x)/2)*((13*A*a)/4 + (13*B*a)/4) + tan(c/2 + (d*x)/2)^9*((3*A*a)/4 + (3*B*a)/4) + tan(c/2 + (d*x)/2)^7*((29*A*a)/6 + (13*B*a)/6) + tan(c/2 + (d*x)/2)^3*((35*A*a)/6 + (19*B*a)/6) + tan(c/2 + (d*x)/2)^5*((20*A*a)/3 + (116*B*a)/15))/(d*(5*tan(c/2 + (d*x)/2)^2 + 10*tan(c/2 + (d*x)/2)^4 + 10*tan(c/2 + (d*x)/2)^6 + 5*tan(c/2 + (d*x)/2)^8 + tan(c/2 + (d*x)/2)^10 + 1) - (3*a*(atan(tan(c/2 + (d*x)/2)) - (d*x)/2)*(A + B))/(4*d) + (3*a*atan((3*a*tan(c/2 + (d*x)/2)*(A + B))/(4*((3*A*a)/4 + (3*B*a)/4)))*(A + B))/(4*d)
```

sympy [A] time = 2.16, size = 333, normalized size = 2.66

$$\left\{ \begin{array}{l} \frac{3Aax \sin^4(c+dx)}{8} + \frac{3Aax \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3Aax \cos^4(c+dx)}{8} + \frac{3Aa \sin^3(c+dx) \cos(c+dx)}{8d} + \frac{2Aa \sin^3(c+dx)}{3d} + \frac{5Aa \sin(c+dx) \cos^3(c)}{8d} \\ x(A + B \cos(c))(a \cos(c) + a) \cos^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)
```

```
[Out] Piecewise(((3*A*a*x*sin(c + d*x)**4/8 + 3*A*a*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*A*a*x*cos(c + d*x)**4/8 + 3*A*a*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 2*A*a*sin(c + d*x)**3/(3*d) + 5*A*a*sin(c + d*x)*cos(c + d*x)**3/(8*d) + A*a*sin(c + d*x)*cos(c + d*x)**2/d + 3*B*a*x*sin(c + d*x)**4/8 + 3*B*a*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*B*a*x*cos(c + d*x)**4/8 + 8*B*a*sin(c + d*x)**5/(15*d) + 4*B*a*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 3*B*a*sin(c + d*x)**3*cos(c + d*x)/(8*d) + B*a*sin(c + d*x)*cos(c + d*x)**4/d + 5*B*a*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a)*cos(c)**3, True))
```

3.2 $\int \cos^2(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$

Optimal. Leaf size=97

$$-\frac{a(A+B)\sin^3(c+dx)}{3d} + \frac{a(A+B)\sin(c+dx)}{d} + \frac{a(4A+3B)\sin(c+dx)\cos(c+dx)}{8d} + \frac{1}{8}ax(4A+3B) + \frac{aB\sin(c+dx)}{d}$$

[Out] $1/8*a*(4*A+3*B)*x+a*(A+B)*\sin(d*x+c)/d+1/8*a*(4*A+3*B)*\cos(d*x+c)*\sin(d*x+c)/d+1/4*a*B*\cos(d*x+c)^3*\sin(d*x+c)/d-1/3*a*(A+B)*\sin(d*x+c)^3/d$

Rubi [A] time = 0.15, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2968, 3023, 2748, 2635, 8, 2633}

$$-\frac{a(A+B)\sin^3(c+dx)}{3d} + \frac{a(A+B)\sin(c+dx)}{d} + \frac{a(4A+3B)\sin(c+dx)\cos(c+dx)}{8d} + \frac{1}{8}ax(4A+3B) + \frac{aB\sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*cos[c + d*x])*(A + B*cos[c + d*x]),x]

[Out] $(a*(4*A + 3*B)*x)/8 + (a*(A + B)*\sin[c + d*x])/d + (a*(4*A + 3*B)*\cos[c + d*x]*\sin[c + d*x])/(8*d) + (a*B*\cos[c + d*x]^3*\sin[c + d*x])/(4*d) - (a*(A + B)*\sin[c + d*x]^3)/(3*d)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*cos

```
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^2(c + dx) (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) dx \\ &= \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{1}{4} \int \cos^2(c + dx)(a(4A + 3B) + aB \cos(c + dx)) dx \\ &= \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} + (a(A + B)) \int \cos^3(c + dx) dx \\ &= \frac{a(4A + 3B) \cos(c + dx) \sin(c + dx)}{8d} + \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} \\ &= \frac{1}{8}a(4A + 3B)x + \frac{a(A + B) \sin(c + dx)}{d} + \frac{a(4A + 3B) \cos(c + dx) \sin(c + dx)}{8d} \end{aligned}$$

Mathematica [A] time = 0.26, size = 75, normalized size = 0.77

$$\frac{a(-32(A + B) \sin^3(c + dx) + 96(A + B) \sin(c + dx) + 24(A + B) \sin(2(c + dx)) + 48Ac + 48Adx + 3B \sin(4(c + dx)))}{96d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]
```

```
[Out] (a*(48*A*c + 36*B*c + 48*A*d*x + 36*B*d*x + 96*(A + B)*Sin[c + d*x] - 32*(A + B)*Sin[c + d*x]^3 + 24*(A + B)*Sin[2*(c + d*x)] + 3*B*Sin[4*(c + d*x)])/(96*d)
```

fricas [A] time = 0.98, size = 74, normalized size = 0.76

$$\frac{3(4A + 3B)adx + (6Ba \cos(dx + c)^3 + 8(A + B)a \cos(dx + c)^2 + 3(4A + 3B)a \cos(dx + c) + 16(A + B)a) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/24*(3*(4*A + 3*B)*a*d*x + (6*B*a*cos(d*x + c)^3 + 8*(A + B)*a*cos(d*x + c)^2 + 3*(4*A + 3*B)*a*cos(d*x + c) + 16*(A + B)*a)*sin(d*x + c)/d
```

giac [A] time = 0.91, size = 89, normalized size = 0.92

$$\frac{1}{8}(4Aa + 3Ba)x + \frac{Ba \sin(4dx + 4c)}{32d} + \frac{(Aa + Ba) \sin(3dx + 3c)}{12d} + \frac{(Aa + Ba) \sin(2dx + 2c)}{4d} + \frac{3(Aa + Ba) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/8*(4*A*a + 3*B*a)*x + 1/32*B*a*sin(4*d*x + 4*c)/d + 1/12*(A*a + B*a)*sin(3*d*x + 3*c)/d + 1/4*(A*a + B*a)*sin(2*d*x + 2*c)/d + 3/4*(A*a + B*a)*sin(d*x + c)/d
```


maple [A] time = 0.06, size = 107, normalized size = 1.10

$$aB \left(\frac{\left(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{aA(2+\cos^2(dx+c))\sin(dx+c)}{3} + \frac{aB(2+\cos^2(dx+c))\sin(dx+c)}{3} + aA \left(\frac{\cos(dx+c)\sin(dx+c)}{2} \right)$$

$$d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] 1/d*(a*B*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*a*A*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a*B*(2+cos(d*x+c)^2)*sin(d*x+c)+a*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

maxima [A] time = 0.37, size = 101, normalized size = 1.04

$$\frac{32(\sin(dx+c)^3 - 3\sin(dx+c))Aa - 24(2dx + 2c + \sin(2dx + 2c))Aa + 32(\sin(dx+c)^3 - 3\sin(dx+c))Ba}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] -1/96*(32*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a + 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a)/d

mupad [B] time = 1.23, size = 212, normalized size = 2.19

$$\frac{\left(Aa + \frac{3Ba}{4} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{7Aa}{3} + \frac{49Ba}{12} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{13Aa}{3} + \frac{31Ba}{12} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(3Aa + \frac{13Ba}{4} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + a*cos(c + d*x)),x)

[Out] (tan(c/2 + (d*x)/2)*(3*A*a + (13*B*a)/4) + tan(c/2 + (d*x)/2)^7*(A*a + (3*B*a)/4) + tan(c/2 + (d*x)/2)^3*((13*A*a)/3 + (31*B*a)/12) + tan(c/2 + (d*x)/2)^5*((7*A*a)/3 + (49*B*a)/12))/(d*(4*tan(c/2 + (d*x)/2)^2 + 6*tan(c/2 + (d*x)/2)^4 + 4*tan(c/2 + (d*x)/2)^6 + tan(c/2 + (d*x)/2)^8 + 1)) + (a*atan((a*tan(c/2 + (d*x)/2)*(4*A + 3*B))/(4*(A*a + (3*B*a)/4)))*(4*A + 3*B))/(4*d) - (a*(4*A + 3*B)*(atan(tan(c/2 + (d*x)/2)) - (d*x)/2))/(4*d)

sympy [A] time = 1.05, size = 252, normalized size = 2.60

$$\left\{ \begin{array}{l} \frac{Aax \sin^2(c+dx)}{2} + \frac{Aax \cos^2(c+dx)}{2} + \frac{2Aa \sin^3(c+dx)}{3d} + \frac{Aa \sin(c+dx) \cos^2(c+dx)}{d} + \frac{Aa \sin(c+dx) \cos(c+dx)}{2d} + \frac{3Bax \sin^4(c+dx)}{8} + \frac{3Bax \cos^4(c+dx)}{8} \\ x(A + B \cos(c))(a \cos(c) + a) \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] Piecewise((A*a*x*sin(c + d*x)**2/2 + A*a*x*cos(c + d*x)**2/2 + 2*A*a*sin(c + d*x)**3/(3*d) + A*a*sin(c + d*x)*cos(c + d*x)**2/d + A*a*sin(c + d*x)*cos(c + d*x)/(2*d) + 3*B*a*x*sin(c + d*x)**4/8 + 3*B*a*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*B*a*x*cos(c + d*x)**4/8 + 3*B*a*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 2*B*a*sin(c + d*x)**3/(3*d) + 5*B*a*sin(c + d*x)*cos(c + d*x)**3/(8*d) + B*a*sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a)*cos(c)**2, True))

3.3 $\int \cos(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$

Optimal. Leaf size=77

$$\frac{a(3A + 2B) \sin(c + dx)}{3d} + \frac{a(A + B) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A+B) + \frac{aB \sin(c + dx) \cos^2(c + dx)}{3d}$$

[Out] $\frac{1}{2}a*(A+B)*x + \frac{1}{3}a*(3*A+2*B)*\sin(d*x+c)/d + \frac{1}{2}a*(A+B)*\cos(d*x+c)*\sin(d*x+c)/d + \frac{1}{3}a*B*\cos(d*x+c)^2*\sin(d*x+c)/d$

Rubi [A] time = 0.08, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2968, 3023, 2734}

$$\frac{a(3A + 2B) \sin(c + dx)}{3d} + \frac{a(A + B) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A+B) + \frac{aB \sin(c + dx) \cos^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] $(a*(A + B)*x)/2 + (a*(3*A + 2*B)*\text{Sin}[c + d*x])/(3*d) + (a*(A + B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a*B*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos(c + dx) (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) dx \\ &= \frac{aB \cos^2(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \int \cos(c + dx)(a(3A + 2B) \sin(c + dx) + a(A + B) \cos(c + dx)) dx \\ &= \frac{1}{2}a(A + B)x + \frac{a(3A + 2B) \sin(c + dx)}{3d} + \frac{a(A + B) \cos(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.19, size = 65, normalized size = 0.84

$$\frac{a(3(4A + 3B) \sin(c + dx) + 3(A + B) \sin(2(c + dx)) + 6Ac + 6Adx + B \sin(3(c + dx)) + 6Bc + 6Bdx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] (a*(6*A*c + 6*B*c + 6*A*d*x + 6*B*d*x + 3*(4*A + 3*B)*Sin[c + d*x] + 3*(A + B)*Sin[2*(c + d*x)] + B*Sin[3*(c + d*x)])/(12*d)

fricas [A] time = 1.08, size = 56, normalized size = 0.73

$$\frac{3(A + B)adx + (2Ba \cos(dx + c)^2 + 3(A + B)a \cos(dx + c) + 2(3A + 2B)a) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/6*(3*(A + B)*a*d*x + (2*B*a*cos(d*x + c)^2 + 3*(A + B)*a*cos(d*x + c) + 2*(3*A + 2*B)*a)*sin(d*x + c))/d

giac [A] time = 0.36, size = 68, normalized size = 0.88

$$\frac{1}{2}(Aa + Ba)x + \frac{Ba \sin(3dx + 3c)}{12d} + \frac{(Aa + Ba) \sin(2dx + 2c)}{4d} + \frac{(4Aa + 3Ba) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/2*(A*a + B*a)*x + 1/12*B*a*sin(3*d*x + 3*c)/d + 1/4*(A*a + B*a)*sin(2*d*x + 2*c)/d + 1/4*(4*A*a + 3*B*a)*sin(d*x + c)/d

maple [A] time = 0.06, size = 85, normalized size = 1.10

$$\frac{\frac{aB(2+\cos^2(dx+c))\sin(dx+c)}{3} + aA\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + aB\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + aA \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] 1/d*(1/3*a*B*(2+cos(d*x+c)^2)*sin(d*x+c)+a*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a*B*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a*A*sin(d*x+c))

maxima [A] time = 0.58, size = 79, normalized size = 1.03

$$\frac{3(2dx + 2c + \sin(2dx + 2c))Aa - 4(\sin(dx + c)^3 - 3\sin(dx + c))Ba + 3(2dx + 2c + \sin(2dx + 2c))Ba}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/12*(3*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a - 4*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a + 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a + 12*A*a*sin(d*x + c))/d

mupad [B] time = 0.23, size = 84, normalized size = 1.09

$$\frac{Aax}{2} + \frac{Bax}{2} + \frac{Aa \sin(c+dx)}{d} + \frac{3Ba \sin(c+dx)}{4d} + \frac{Aa \sin(2c+2dx)}{4d} + \frac{Ba \sin(2c+2dx)}{4d} + \frac{Ba \sin(3c+3dx)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x)),x)`

[Out] $(A*a*x)/2 + (B*a*x)/2 + (A*a*\sin(c + d*x))/d + (3*B*a*\sin(c + d*x))/(4*d) + (A*a*\sin(2*c + 2*d*x))/(4*d) + (B*a*\sin(2*c + 2*d*x))/(4*d) + (B*a*\sin(3*c + 3*d*x))/(12*d)$

sympy [A] time = 0.53, size = 168, normalized size = 2.18

$$\left\{ \begin{array}{l} \frac{Aax \sin^2(c+dx)}{2} + \frac{Aax \cos^2(c+dx)}{2} + \frac{Aa \sin(c+dx) \cos(c+dx)}{2d} + \frac{Aa \sin(c+dx)}{d} + \frac{Bax \sin^2(c+dx)}{2} + \frac{Bax \cos^2(c+dx)}{2} + \frac{2Ba \sin^3(c+dx)}{3d} + \dots \\ x(A + B \cos(c))(a \cos(c) + a) \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise((A*a*x*sin(c + d*x)**2/2 + A*a*x*cos(c + d*x)**2/2 + A*a*sin(c + d*x)*cos(c + d*x)/(2*d) + A*a*sin(c + d*x)/d + B*a*x*sin(c + d*x)**2/2 + B*a*x*cos(c + d*x)**2/2 + 2*B*a*sin(c + d*x)**3/(3*d) + B*a*sin(c + d*x)*cos(c + d*x)**2/d + B*a*sin(c + d*x)*cos(c + d*x)/(2*d), Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a)*cos(c), True))`

3.4 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) dx$

Optimal. Leaf size=47

$$\frac{a(A + B) \sin(c + dx)}{d} + \frac{1}{2}ax(2A + B) + \frac{aB \sin(c + dx) \cos(c + dx)}{2d}$$

[Out] $1/2*a*(2*A+B)*x+a*(A+B)*\sin(d*x+c)/d+1/2*a*B*\cos(d*x+c)*\sin(d*x+c)/d$

Rubi [A] time = 0.02, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {2734}

$$\frac{a(A + B) \sin(c + dx)}{d} + \frac{1}{2}ax(2A + B) + \frac{aB \sin(c + dx) \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] $(a*(2*A + B)*x)/2 + (a*(A + B)*\sin[c + d*x])/d + (a*B*\cos[c + d*x]*\sin[c + d*x])/(2*d)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rubi steps

$$\int (a + a \cos(c + dx))(A + B \cos(c + dx)) dx = \frac{1}{2}a(2A + B)x + \frac{a(A + B) \sin(c + dx)}{d} + \frac{aB \cos(c + dx) \sin(c + dx)}{2d}$$

Mathematica [A] time = 0.10, size = 44, normalized size = 0.94

$$\frac{a(4(A + B) \sin(c + dx) + 4Adx + B \sin(2(c + dx)) + 2Bc + 2Bdx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] $(a*(2*B*c + 4*A*d*x + 2*B*d*x + 4*(A + B)*\sin[c + d*x] + B*\sin[2*(c + d*x)])/(4*d)$

fricas [A] time = 1.06, size = 38, normalized size = 0.81

$$\frac{(2A + B)adx + (Ba \cos(dx + c) + 2(A + B)a) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] $1/2*((2*A + B)*a*d*x + (B*a*\cos(d*x + c) + 2*(A + B)*a)*\sin(d*x + c))/d$

giac [A] time = 0.50, size = 45, normalized size = 0.96

$$\frac{1}{2}(2Aa + Ba)x + \frac{Ba \sin(2dx + 2c)}{4d} + \frac{(Aa + Ba) \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] $1/2*(2*A*a + B*a)*x + 1/4*B*a*\sin(2*d*x + 2*c)/d + (A*a + B*a)*\sin(d*x + c)/d$

maple [A] time = 0.06, size = 57, normalized size = 1.21

$$\frac{aB \left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + aA \sin(dx+c) + aB \sin(dx+c) + aA(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] $1/d*(a*B*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+a*A*\sin(d*x+c)+a*B*\sin(d*x+c)+a*A*(d*x+c))$

maxima [A] time = 0.38, size = 55, normalized size = 1.17

$$\frac{4(dx+c)Aa + (2dx+2c+\sin(2dx+2c))Ba + 4Aa\sin(dx+c) + 4Ba\sin(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] $1/4*(4*(d*x+c)*A*a + (2*d*x+2*c+\sin(2*d*x+2*c))*B*a + 4*A*a*\sin(d*x+c) + 4*B*a*\sin(d*x+c))/d$

mupad [B] time = 0.19, size = 50, normalized size = 1.06

$$Aax + \frac{Bax}{2} + \frac{Aa\sin(c+dx)}{d} + \frac{Ba\sin(c+dx)}{d} + \frac{Ba\sin(2c+2dx)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(c+d*x))*(a+a*cos(c+d*x)),x)

[Out] $A*a*x + (B*a*x)/2 + (A*a*\sin(c+d*x))/d + (B*a*\sin(c+d*x))/d + (B*a*\sin(2*c+2*d*x))/(4*d)$

sympy [A] time = 0.25, size = 94, normalized size = 2.00

$$\begin{cases} Aax + \frac{Aa\sin(c+dx)}{d} + \frac{Bax\sin^2(c+dx)}{2} + \frac{Bax\cos^2(c+dx)}{2} + \frac{Ba\sin(c+dx)\cos(c+dx)}{2d} + \frac{Ba\sin(c+dx)}{d} & \text{for } d \neq 0 \\ x(A+B\cos(c))(a\cos(c)+a) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] Piecewise((A*a*x + A*a*sin(c+d*x)/d + B*a*x*sin(c+d*x)**2/2 + B*a*x*cos(c+d*x)**2/2 + B*a*sin(c+d*x)*cos(c+d*x)/(2*d) + B*a*sin(c+d*x)/d, Ne(d, 0)), (x*(A+B*cos(c))*(a*cos(c)+a), True))

3.5 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec(c + dx) dx$

Optimal. Leaf size=32

$$ax(A + B) + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \sin(c + dx)}{d}$$

[Out] a*(A+B)*x+a*A*arctanh(sin(d*x+c))/d+a*B*sin(d*x+c)/d

Rubi [A] time = 0.09, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {2968, 3023, 2735, 3770}

$$ax(A + B) + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x],x]

[Out] a*(A + B)*x + (a*A*ArcTanh[Sin[c + d*x]])/d + (a*B*Sin[c + d*x])/d

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec(c + dx) dx &= \int (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) \sec(c + dx) dx \\
&= \frac{aB \sin(c + dx)}{d} + \int (aA + a(A + B) \cos(c + dx)) \sec(c + dx) dx \\
&= a(A + B)x + \frac{aB \sin(c + dx)}{d} + (aA) \int \sec(c + dx) dx \\
&= a(A + B)x + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \sin(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 46, normalized size = 1.44

$$\frac{aA \tanh^{-1}(\sin(c + dx))}{d} + aAx + \frac{aB \sin(c) \cos(dx)}{d} + \frac{aB \cos(c) \sin(dx)}{d} + aBx$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x], x]

[Out] a*A*x + a*B*x + (a*A*ArcTanh[Sin[c + d*x]])/d + (a*B*Cos[d*x]*Sin[c])/d + (a*B*Cos[c]*Sin[d*x])/d

fricas [A] time = 0.94, size = 51, normalized size = 1.59

$$\frac{2(A + B)adx + Aa \log(\sin(dx + c) + 1) - Aa \log(-\sin(dx + c) + 1) + 2Ba \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="fricas")

[Out] 1/2*(2*(A + B)*a*d*x + A*a*log(sin(d*x + c) + 1) - A*a*log(-sin(d*x + c) + 1) + 2*B*a*sin(d*x + c))/d

giac [B] time = 0.80, size = 79, normalized size = 2.47

$$\frac{Aa \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - Aa \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) + (Aa + Ba)(dx + c) + \frac{2Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="giac")

[Out] (A*a*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - A*a*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (A*a + B*a)*(d*x + c) + 2*B*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1))/d

maple [A] time = 0.11, size = 56, normalized size = 1.75

$$aAx + aBx + \frac{aA \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Aac}{d} + \frac{aB \sin(dx + c)}{d} + \frac{Bac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c), x)

[Out] a*A*x+a*B*x+1/d*a*A*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a*c+a*B*sin(d*x+c)/d+1/d*B*a*c

maxima [A] time = 0.57, size = 47, normalized size = 1.47

$$\frac{(dx + c)Aa + (dx + c)Ba + Aa \log(\sec(dx + c) + \tan(dx + c)) + Ba \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")

[Out] ((d*x + c)*A*a + (d*x + c)*B*a + A*a*log(sec(d*x + c) + tan(d*x + c)) + B*a*sin(d*x + c))/d

mupad [B] time = 0.28, size = 100, normalized size = 3.12

$$\frac{B a \sin(c + dx)}{d} + \frac{2 A a \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2 A a \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2 B a \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/cos(c + d*x),x)

[Out] (B*a*sin(c + d*x))/d + (2*A*a*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (2*A*a*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (2*B*a*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left(\int A \sec(c + dx) dx + \int A \cos(c + dx) \sec(c + dx) dx + \int B \cos(c + dx) \sec(c + dx) dx + \int B \cos^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] a*(Integral(A*sec(c + d*x), x) + Integral(A*cos(c + d*x)*sec(c + d*x), x) + Integral(B*cos(c + d*x)*sec(c + d*x), x) + Integral(B*cos(c + d*x)**2*sec(c + d*x), x))

3.6 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx$

Optimal. Leaf size=32

$$\frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d} + aBx$$

[Out] a*B*x+a*(A+B)*arctanh(sin(d*x+c))/d+a*A*tan(d*x+c)/d

Rubi [A] time = 0.10, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2968, 3021, 2735, 3770}

$$\frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d} + aBx$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] a*B*x + (a*(A + B)*ArcTanh[Sin[c + d*x]])/d + (a*A*Tan[c + d*x])/d

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx &= \int (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) \sec^2(c + dx) dx \\
&= \frac{aA \tan(c + dx)}{d} + \int (a(A + B) + aB \cos(c + dx)) \sec(c + dx) dx \\
&= aBx + \frac{aA \tan(c + dx)}{d} + (a(A + B)) \int \sec(c + dx) dx \\
&= aBx + \frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 43, normalized size = 1.34

$$\frac{aA \tan(c + dx)}{d} + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \tanh^{-1}(\sin(c + dx))}{d} + aBx$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] a*B*x + (a*A*ArcTanh[Sin[c + d*x]])/d + (a*B*ArcTanh[Sin[c + d*x]])/d + (a*A*Tan[c + d*x])/d

fricas [B] time = 0.62, size = 79, normalized size = 2.47

$$\frac{2Badx \cos(dx + c) + (A + B)a \cos(dx + c) \log(\sin(dx + c) + 1) - (A + B)a \cos(dx + c) \log(-\sin(dx + c) + 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")

[Out] 1/2*(2*B*a*d*x*cos(d*x + c) + (A + B)*a*cos(d*x + c)*log(sin(d*x + c) + 1) - (A + B)*a*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*A*a*sin(d*x + c))/(d*cos(d*x + c))

giac [B] time = 0.35, size = 84, normalized size = 2.62

$$\frac{(dx + c)Ba + (Aa + Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Aa + Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")

[Out] ((d*x + c)*B*a + (A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*A*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1))/d

maple [A] time = 0.12, size = 65, normalized size = 2.03

$$aBx + \frac{aA \tan(dx + c)}{d} + \frac{aA \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aB \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)

[Out] $a*B*x+a*A*\tan(d*x+c)/d+1/d*a*A*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*a*B*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*B*a*c$

maxima [B] time = 0.61, size = 73, normalized size = 2.28

$$\frac{2(dx+c)Ba + Aa(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + Ba(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")`

[Out] $1/2*(2*(d*x+c)*B*a + A*a*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + B*a*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 2*A*a*\tan(d*x+c))/d$

mupad [B] time = 0.31, size = 100, normalized size = 3.12

$$\frac{Aa \tan(c+dx)}{d} + \frac{2Aa \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2Ba \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2Ba \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A+B*cos(c+d*x))*(a+a*cos(c+d*x)))/cos(c+d*x)^2,x)`

[Out] $(A*a*\tan(c+dx))/d + (2*A*a*\operatorname{atanh}(\sin(c/2+(dx)/2)/\cos(c/2+(dx)/2)))/d + (2*B*a*\operatorname{atan}(\sin(c/2+(dx)/2)/\cos(c/2+(dx)/2)))/d + (2*B*a*\operatorname{atanh}(\sin(c/2+(dx)/2)/\cos(c/2+(dx)/2)))/d$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a\left(\int A \sec^2(c+dx) dx + \int A \cos(c+dx) \sec^2(c+dx) dx + \int B \cos(c+dx) \sec^2(c+dx) dx + \int B \cos^2(c+dx) dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)`

[Out] $a*(\operatorname{Integral}(A*\sec(c+dx)**2, x) + \operatorname{Integral}(A*\cos(c+dx)*\sec(c+dx)**2, x) + \operatorname{Integral}(B*\cos(c+dx)*\sec(c+dx)**2, x) + \operatorname{Integral}(B*\cos(c+dx)**2*\sec(c+dx)**2, x))$

3.7 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^3(c + dx) dx$

Optimal. Leaf size=56

$$\frac{a(A+B)\tan(c+dx)}{d} + \frac{a(A+2B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{aA\tan(c+dx)\sec(c+dx)}{2d}$$

[Out] $1/2*a*(A+2*B)*\arctanh(\sin(d*x+c))/d+a*(A+B)*\tan(d*x+c)/d+1/2*a*A*\sec(d*x+c)*\tan(d*x+c)/d$

Rubi [A] time = 0.14, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2968, 3021, 2748, 3767, 8, 3770}

$$\frac{a(A+B)\tan(c+dx)}{d} + \frac{a(A+2B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{aA\tan(c+dx)\sec(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^3, x]$

[Out] $(a*(A + 2*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + (a*(A + B)*\text{Tan}[c + d*x])/d + (a*A*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2748

$\text{Int}[(b_.*\sin[e_.] + (f_.*(x_))]^{(m_)}*((c_.) + (d_.*\sin[e_.] + (f_.*(x_)])), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\text{Int}[(a_.) + (b_.*\sin[e_.] + (f_.*(x_))]^{(m_)}*((A_.) + (B_.*\sin[e_.] + (f_.*(x_)])), x_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3021

$\text{Int}[(a_.) + (b_.*\sin[e_.] + (f_.*(x_))]^{(m_)}*((A_.) + (B_.*\sin[e_.] + (f_.*(x_)] + (C_.*\sin[e_.] + (f_.*(x_)]^2)), x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.*(x_))]^{(n_)}, x_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^3(c + dx) dx &= \int (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) \sec^3(c + dx) dx \\ &= \frac{aA \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (2a(A + B) + a(A + B) \cos^2(c + dx)) \sec^2(c + dx) dx \\ &= \frac{aA \sec(c + dx) \tan(c + dx)}{2d} + (a(A + B)) \int \sec^2(c + dx) dx \\ &= \frac{a(A + 2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{a(A + 2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(A + B) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.03, size = 75, normalized size = 1.34

$$\frac{aA \tan(c + dx)}{d} + \frac{aA \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d} + \frac{aB \tan(c + dx)}{d} + \frac{aB \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] (a*A*ArcTanh[Sin[c + d*x]])/(2*d) + (a*B*ArcTanh[Sin[c + d*x]])/d + (a*A*Tan[c + d*x])/d + (a*B*Tan[c + d*x])/d + (a*A*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

fricas [A] time = 0.79, size = 89, normalized size = 1.59

$$\frac{(A + 2B)a \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (A + 2B)a \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(2(A + B)a \cos(dx + c) + Aa) \sin(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")
```

```
[Out] 1/4*((A + 2*B)*a*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (A + 2*B)*a*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(2*(A + B)*a*cos(d*x + c) + A*a)*sin(d*x + c))/(d*cos(d*x + c)^2)
```

giac [B] time = 0.47, size = 124, normalized size = 2.21

$$\frac{(Aa + 2Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Aa + 2Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3}{2d}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")
```

```
[Out] 1/2*((A*a + 2*B*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (A*a + 2*B*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(A*a*tan(1/2*d*x + 1/2*c)^3 + 2*B*a*tan(1/2*d*x + 1/2*c)^2))/d
```

$$\frac{1/2*d*x + 1/2*c)^3 - 3*A*a*\tan(1/2*d*x + 1/2*c) - 2*B*a*\tan(1/2*d*x + 1/2*c)}{(\tan(1/2*d*x + 1/2*c)^2 - 1)^2}/d$$

maple [A] time = 0.14, size = 86, normalized size = 1.54

$$\frac{aA \tan(dx + c)}{d} + \frac{aB \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aA \sec(dx + c) \tan(dx + c)}{2d} + \frac{aA \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)

[Out] a*A*tan(d*x+c)/d+1/d*a*B*ln(sec(d*x+c)+tan(d*x+c))+1/2*a*A*sec(d*x+c)*tan(d*x+c)/d+1/2/d*a*A*ln(sec(d*x+c)+tan(d*x+c))+1/d*a*B*tan(d*x+c)

maxima [A] time = 0.37, size = 95, normalized size = 1.70

$$\frac{Aa \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) - 2Ba \left(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1) \right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] -1/4*(A*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 2*B*a*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) - 4*A*a*tan(d*x + c) - 4*B*a*tan(d*x + c))/d

mupad [B] time = 0.83, size = 94, normalized size = 1.68

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (3Aa + 2Ba) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (Aa + 2Ba)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)} + \frac{a \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (A + 2B)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/cos(c + d*x)^3,x)

[Out] (tan(c/2 + (d*x)/2)*(3*A*a + 2*B*a) - tan(c/2 + (d*x)/2)^3*(A*a + 2*B*a))/(d*(tan(c/2 + (d*x)/2)^4 - 2*tan(c/2 + (d*x)/2)^2 + 1)) + (a*atanh(tan(c/2 + (d*x)/2))*(A + 2*B))/d

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left(\int A \sec^3(c + dx) dx + \int A \cos(c + dx) \sec^3(c + dx) dx + \int B \cos(c + dx) \sec^3(c + dx) dx + \int B \cos^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] a*(Integral(A*sec(c + d*x)**3, x) + Integral(A*cos(c + d*x)*sec(c + d*x)**3, x) + Integral(B*cos(c + d*x)*sec(c + d*x)**3, x) + Integral(B*cos(c + d*x)**2*sec(c + d*x)**3, x))

3.8 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^4(c + dx) dx$

Optimal. Leaf size=86

$$\frac{a(2A + 3B) \tan(c + dx)}{3d} + \frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(A + B) \tan(c + dx) \sec(c + dx)}{2d} + \frac{aA \tan(c + dx) \sec^2(c + dx)}{3d}$$

[Out] 1/2*a*(A+B)*arctanh(sin(d*x+c))/d+1/3*a*(2*A+3*B)*tan(d*x+c)/d+1/2*a*(A+B)*sec(d*x+c)*tan(d*x+c)/d+1/3*a*A*sec(d*x+c)^2*tan(d*x+c)/d

Rubi [A] time = 0.15, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {2968, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{a(2A + 3B) \tan(c + dx)}{3d} + \frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(A + B) \tan(c + dx) \sec(c + dx)}{2d} + \frac{aA \tan(c + dx) \sec^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]

[Out] (a*(A + B)*ArcTanh[Sin[c + d*x]]/(2*d) + (a*(2*A + 3*B)*Tan[c + d*x])/(3*d) + (a*(A + B)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*A*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3767

Int[csc[(c_) + (d_)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768


```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^4(c + dx) dx &= \int (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) \sec^4(c + dx) dx \\ &= \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (3a(A + B) + aB \cos(c + dx)) \sec^3(c + dx) dx \\ &= \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} + (a(A + B)) \int \sec^3(c + dx) dx \\ &= \frac{a(A + B) \sec(c + dx) \tan(c + dx)}{2d} + \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(2A + 3B) \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.35, size = 56, normalized size = 0.65

$$\frac{a \left(3(A + B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left(3(A + B) \sec(c + dx) + 6(A + B) + 2A \tan^2(c + dx) \right) \right)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] (a*(3*(A + B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(6*(A + B) + 3*(A + B)*S
ec[c + d*x] + 2*A*Tan[c + d*x]^2)))/(6*d)
```

fricas [A] time = 0.73, size = 105, normalized size = 1.22

$$\frac{3(A + B)a \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(A + B)a \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2 \left(2(A + B)a \cos(dx + c)^2 + 3Aa \cos(dx + c) + 2A^2a \right) \sin(dx + c)}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fric
as")
```

```
[Out] 1/12*(3*(A + B)*a*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(A + B)*a*cos(d*
x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*(2*A + 3*B)*a*cos(d*x + c)^2 + 3*(A
+ B)*a*cos(d*x + c) + 2*A*a)*sin(d*x + c))/(d*cos(d*x + c)^3)
```

giac [A] time = 2.50, size = 154, normalized size = 1.79

$$3(Aa + Ba) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3(Aa + Ba) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(3Aa \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^5 + 3Ba \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 \right)}{6d}$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")

[Out] $\frac{1}{6}*(3*(A*a + B*a)*\log(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) + 1)) - 3*(A*a + B*a)*\log(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) - 1) - 2*(3*A*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^5 + 3*B*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^5 - 4*A*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^3 - 12*B*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^3 + 9*A*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) + 9*B*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c))/(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^2 - 1)^3)/d$

maple [A] time = 0.17, size = 128, normalized size = 1.49

$$\frac{aA \sec(dx+c) \tan(dx+c)}{2d} + \frac{aA \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{aB \tan(dx+c)}{d} + \frac{2aA \tan(dx+c)}{3d} + \frac{aA (\sec^2(dx+c) - 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)

[Out] $\frac{1}{2}*a*A*\sec(d*x+c)*\tan(d*x+c)/d + \frac{1}{2}/d*a*A*\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{1}{d}*a*B*\tan(d*x+c) + \frac{2}{3}*a*A*\tan(d*x+c)/d + \frac{1}{3}*a*A*\sec(d*x+c)^2*\tan(d*x+c)/d + \frac{1}{2}/d*a*B*\sec(d*x+c)*\tan(d*x+c) + \frac{1}{2}/d*a*B*\ln(\sec(d*x+c) + \tan(d*x+c))$

maxima [A] time = 0.37, size = 127, normalized size = 1.48

$$\frac{4(\tan(dx+c)^3 + 3 \tan(dx+c))Aa - 3Aa\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)\right) - 3Ba\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)\right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] $\frac{1}{12}*(4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a - 3*A*a*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 3*B*a*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 12*B*a*\tan(d*x + c))/d$

mupad [B] time = 2.07, size = 126, normalized size = 1.47

$$\frac{a \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (A + B) (Aa + Ba) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(-\frac{4Aa}{3} - 4Ba\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + (3Aa + 3Ba) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/cos(c + d*x)^4,x)

[Out] $(a*\operatorname{atanh}(\tan(c/2 + (d*x)/2))*(A + B))/d - (\tan(c/2 + (d*x)/2)*(3*A*a + 3*B*a) + \tan(c/2 + (d*x)/2)^5*(A*a + B*a) - \tan(c/2 + (d*x)/2)^3*((4*A*a)/3 + 4*B*a))/((d*(3*\tan(c/2 + (d*x)/2)^2 - 3*\tan(c/2 + (d*x)/2)^4 + \tan(c/2 + (d*x)/2)^6 - 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a\left(\int A \sec^4(c+dx) dx + \int A \cos(c+dx) \sec^4(c+dx) dx + \int B \cos(c+dx) \sec^4(c+dx) dx + \int B \cos^2(c+dx) dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)

[Out] $a*(\operatorname{Integral}(A*\sec(c + d*x)**4, x) + \operatorname{Integral}(A*\cos(c + d*x)*\sec(c + d*x)**4, x) + \operatorname{Integral}(B*\cos(c + d*x)*\sec(c + d*x)**4, x) + \operatorname{Integral}(B*\cos(c + d*x)**2*\sec(c + d*x)**4, x))$

3.9 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^5(c + dx) dx$

Optimal. Leaf size=106

$$\frac{a(A+B)\tan^3(c+dx)}{3d} + \frac{a(A+B)\tan(c+dx)}{d} + \frac{a(3A+4B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a(3A+4B)\tan(c+dx)\sec(c+dx)}{8d}$$

[Out] 1/8*a*(3*A+4*B)*arctanh(sin(d*x+c))/d+a*(A+B)*tan(d*x+c)/d+1/8*a*(3*A+4*B)*sec(d*x+c)*tan(d*x+c)/d+1/4*a*A*sec(d*x+c)^3*tan(d*x+c)/d+1/3*a*(A+B)*tan(d*x+c)^3/d

Rubi [A] time = 0.16, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2968, 3021, 2748, 3767, 3768, 3770}

$$\frac{a(A+B)\tan^3(c+dx)}{3d} + \frac{a(A+B)\tan(c+dx)}{d} + \frac{a(3A+4B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a(3A+4B)\tan(c+dx)\sec(c+dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]

[Out] (a*(3*A + 4*B)*ArcTanh[Sin[c + d*x]]/(8*d) + (a*(A + B)*Tan[c + d*x])/d + (a*(3*A + 4*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*A*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*(A + B)*Tan[c + d*x]^3)/(3*d)

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I

Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^5(c + dx) dx &= \int (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) \sec^5(c + dx) dx \\ &= \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (4a(A + B) + a(3A + 4B) \cos^2(c + dx)) \sec^4(c + dx) dx \\ &= \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} + (a(A + B)) \int \sec^4(c + dx) dx \\ &= \frac{a(3A + 4B) \sec(c + dx) \tan(c + dx)}{8d} + \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(A + B) \tan(c + dx) \sec^3(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.42, size = 77, normalized size = 0.73

$$\frac{a(3(3A + 4B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \sec(c + dx) (8(A + B)(\cos(2(c + dx)) + 2) \sec(c + dx) + 6A \sec^3(c + dx)))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]

[Out] (a*(3*(3*A + 4*B)*ArcTanh[Sin[c + d*x]] + Sec[c + d*x]*(9*A + 12*B + 8*(A + B)*(2 + Cos[2*(c + d*x)]))*Sec[c + d*x] + 6*A*Sec[c + d*x]^2)*Tan[c + d*x])/(24*d)

fricas [A] time = 0.68, size = 127, normalized size = 1.20

$$\frac{3(3A + 4B)a \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(3A + 4B)a \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(16(A + B)a \cos(dx + c)^3 + 3(3A + 4B)a \cos(dx + c)^2 + 8(A + B)a \cos(dx + c) + 6Aa) \sin(dx + c)}{48d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")

[Out] 1/48*(3*(3*A + 4*B)*a*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(3*A + 4*B)*a*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(16*(A + B)*a*cos(d*x + c)^3 + 3*(3*A + 4*B)*a*cos(d*x + c)^2 + 8*(A + B)*a*cos(d*x + c) + 6*A*a)*sin(d*x + c))/(d*cos(d*x + c)^4)

giac [A] time = 1.69, size = 188, normalized size = 1.77

$$3(3Aa + 4Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(3Aa + 4Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(9Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^6 + 6Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 12Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + 6Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 6Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6Ba\right)}{48d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")

[Out] $\frac{1}{24}*(3*(3*A*a + 4*B*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(3*A*a + 4*B*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(9*A*a*\tan(1/2*d*x + 1/2*c)^7 + 12*B*a*\tan(1/2*d*x + 1/2*c)^7 - 49*A*a*\tan(1/2*d*x + 1/2*c)^5 - 28*B*a*\tan(1/2*d*x + 1/2*c)^5 + 31*A*a*\tan(1/2*d*x + 1/2*c)^3 + 52*B*a*\tan(1/2*d*x + 1/2*c)^3 - 39*A*a*\tan(1/2*d*x + 1/2*c) - 36*B*a*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$

maple [A] time = 0.16, size = 171, normalized size = 1.61

$$\frac{2aA \tan(dx+c)}{3d} + \frac{aA (\sec^2(dx+c)) \tan(dx+c)}{3d} + \frac{aB \sec(dx+c) \tan(dx+c)}{2d} + \frac{aB \ln(\sec(dx+c) + \tan(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^5,x)

[Out] $\frac{2}{3}*a*A*\tan(d*x+c)/d + \frac{1}{3}*a*A*\sec(d*x+c)^2*\tan(d*x+c)/d + \frac{1}{2}/d*a*B*\sec(d*x+c)*\tan(d*x+c) + \frac{1}{2}/d*a*B*\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{1}{4}*a*A*\sec(d*x+c)^3*\tan(d*x+c)/d + \frac{3}{8}*a*A*\sec(d*x+c)*\tan(d*x+c)/d + \frac{3}{8}/d*a*A*\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{2}{3}/d*a*B*\tan(d*x+c) + \frac{1}{3}/d*a*B*\tan(d*x+c)*\sec(d*x+c)^2$

maxima [A] time = 0.46, size = 163, normalized size = 1.54

$$\frac{16 (\tan(dx+c)^3 + 3 \tan(dx+c)) Aa + 16 (\tan(dx+c)^3 + 3 \tan(dx+c)) Ba - 3 Aa \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="maxima")

[Out] $\frac{1}{48}*(16*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a + 16*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*B*a - 3*A*a*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 12*B*a*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)))/d$

mupad [B] time = 2.66, size = 166, normalized size = 1.57

$$\frac{\left(-\frac{3Aa}{4} - Ba\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{49Aa}{12} + \frac{7Ba}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(-\frac{31Aa}{12} - \frac{13Ba}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{13Aa}{4} + 3Ba\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/cos(c + d*x)^5,x)

[Out] $(\tan(c/2 + (d*x)/2)*((13*A*a)/4 + 3*B*a) - \tan(c/2 + (d*x)/2)^7*((3*A*a)/4 + B*a) - \tan(c/2 + (d*x)/2)^3*((31*A*a)/12 + (13*B*a)/3) + \tan(c/2 + (d*x)/2)^5*((49*A*a)/12 + (7*B*a)/3))/((d*(6*\tan(c/2 + (d*x)/2)^4 - 4*\tan(c/2 + (d*x)/2)^2 - 4*\tan(c/2 + (d*x)/2)^6 + \tan(c/2 + (d*x)/2)^8 + 1)) + (a*atanh(\tan(c/2 + (d*x)/2))*(3*A + 4*B))/(4*d)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)
```

```
[Out] Timed out
```

3.10 $\int \cos^3(c+dx)(a+a\cos(c+dx))^2(A+B\cos(c+dx))dx$

Optimal. Leaf size=191

$$-\frac{a^2(9A+8B)\sin^3(c+dx)}{15d} + \frac{a^2(9A+8B)\sin(c+dx)}{5d} + \frac{a^2(6A+7B)\sin(c+dx)\cos^4(c+dx)}{30d} + \frac{a^2(12A+11B)}{d}$$

[Out] 1/16*a^2*(12*A+11*B)*x+1/5*a^2*(9*A+8*B)*sin(d*x+c)/d+1/16*a^2*(12*A+11*B)*cos(d*x+c)*sin(d*x+c)/d+1/24*a^2*(12*A+11*B)*cos(d*x+c)^3*sin(d*x+c)/d+1/30*a^2*(6*A+7*B)*cos(d*x+c)^4*sin(d*x+c)/d+1/6*B*cos(d*x+c)^4*(a^2+a^2*cos(d*x+c))*sin(d*x+c)/d-1/15*a^2*(9*A+8*B)*sin(d*x+c)^3/d

Rubi [A] time = 0.31, antiderivative size = 191, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2976, 2968, 3023, 2748, 2633, 2635, 8}

$$-\frac{a^2(9A+8B)\sin^3(c+dx)}{15d} + \frac{a^2(9A+8B)\sin(c+dx)}{5d} + \frac{a^2(6A+7B)\sin(c+dx)\cos^4(c+dx)}{30d} + \frac{a^2(12A+11B)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*cos[c + d*x])^2*(A + B*cos[c + d*x]),x]

[Out] (a^2*(12*A + 11*B)*x)/16 + (a^2*(9*A + 8*B)*Sin[c + d*x])/(5*d) + (a^2*(12*A + 11*B)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^2*(12*A + 11*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(24*d) + (a^2*(6*A + 7*B)*Cos[c + d*x]^4*Ssin[c + d*x])/(30*d) + (B*cos[c + d*x]^4*(a^2 + a^2*cos[c + d*x])*Sin[c + d*x])/(6*d) - (a^2*(9*A + 8*B)*Sin[c + d*x]^3)/(15*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\int \cos^3(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx = \frac{B \cos^4(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{6d} + \frac{1}{6}$$

$$= \frac{B \cos^4(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{6d} + \frac{1}{6}$$

$$= \frac{a^2(6A + 7B) \cos^4(c + dx) \sin(c + dx)}{30d} + \frac{B \cos^4(c + dx)}{6d}$$

$$= \frac{a^2(6A + 7B) \cos^4(c + dx) \sin(c + dx)}{30d} + \frac{B \cos^4(c + dx)}{6d}$$

$$= \frac{a^2(12A + 11B) \cos^3(c + dx) \sin(c + dx)}{24d} + \frac{a^2(6A + 7B)}{6d}$$

$$= \frac{a^2(9A + 8B) \sin(c + dx)}{5d} + \frac{a^2(12A + 11B) \cos(c + dx)}{16d}$$

$$= \frac{1}{16} a^2(12A + 11B)x + \frac{a^2(9A + 8B) \sin(c + dx)}{5d} + \frac{a^2(c)}{16d}$$

Mathematica [A] time = 0.65, size = 134, normalized size = 0.70

$$\frac{a^2(120(11A + 10B) \sin(c + dx) + 15(32A + 31B) \sin(2(c + dx)) + 180A \sin(3(c + dx)) + 60A \sin(4(c + dx)) + 12A \sin(5(c + dx)) + 5B \sin(6(c + dx)))}{960d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]
```

```
[Out] (a^2*(660*B*c + 720*A*d*x + 660*B*d*x + 120*(11*A + 10*B)*Sin[c + d*x] + 15*(32*A + 31*B)*Sin[2*(c + d*x)] + 180*A*Ssin[3*(c + d*x)] + 200*B*Ssin[3*(c + d*x)] + 60*A*Ssin[4*(c + d*x)] + 75*B*Ssin[4*(c + d*x)] + 12*A*Ssin[5*(c + d*x)] + 24*B*Ssin[5*(c + d*x)] + 5*B*Ssin[6*(c + d*x)]))/(960*d)
```

fricas [A] time = 0.56, size = 130, normalized size = 0.68

$$15(12A + 11B)a^2 dx + (40Ba^2 \cos(dx + c))^5 + 48(A + 2B)a^2 \cos(dx + c)^4 + 10(12A + 11B)a^2 \cos(dx + c)^3 + 10Aa^2 \cos(dx + c)^2 + 5Ba^2 \cos(dx + c) + \frac{a^2 c}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/240*(15*(12*A + 11*B)*a^2*d*x + (40*B*a^2*cos(d*x + c)^5 + 48*(A + 2*B)*a^2*cos(d*x + c)^4 + 10*(12*A + 11*B)*a^2*cos(d*x + c)^3 + 16*(9*A + 8*B)*a^2*cos(d*x + c)^2 + 15*(12*A + 11*B)*a^2*cos(d*x + c) + 32*(9*A + 8*B)*a^2)*sin(d*x + c))/d

giac [A] time = 0.41, size = 166, normalized size = 0.87

$$\frac{Ba^2 \sin(6dx + 6c)}{192d} + \frac{1}{16} (12Aa^2 + 11Ba^2)x + \frac{(Aa^2 + 2Ba^2) \sin(5dx + 5c)}{80d} + \frac{(4Aa^2 + 5Ba^2) \sin(4dx + 4c)}{64d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/192*B*a^2*sin(6*d*x + 6*c)/d + 1/16*(12*A*a^2 + 11*B*a^2)*x + 1/80*(A*a^2 + 2*B*a^2)*sin(5*d*x + 5*c)/d + 1/64*(4*A*a^2 + 5*B*a^2)*sin(4*d*x + 4*c)/d + 1/48*(9*A*a^2 + 10*B*a^2)*sin(3*d*x + 3*c)/d + 1/64*(32*A*a^2 + 31*B*a^2)*sin(2*d*x + 2*c)/d + 1/8*(11*A*a^2 + 10*B*a^2)*sin(d*x + c)/d

maple [A] time = 0.08, size = 217, normalized size = 1.14

$$\frac{a^2 A \left(\frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + B a^2 \left(\frac{\left(\cos^5(dx+c) + \frac{5(\cos^3(dx+c))}{4} + \frac{15 \cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + 2a^2 A \left(\frac{\cos^3(dx+c)}{3} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)

[Out] 1/d*(1/5*a^2*A*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+2*a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/5*B*a^2*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+1/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c))

maxima [A] time = 0.65, size = 216, normalized size = 1.13

$$64(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa^2 - 320(\sin(dx + c)^3 - 3 \sin(dx + c))Aa^2 + 60(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Aa^2 + 128(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Ba^2 - 5(4 \sin(2dx + 2c)^3 - 60dx - 60c - 9 \sin(4dx + 4c) - 48 \sin(2dx + 2c))Ba^2 + 30(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Ba^2/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/960*(64*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2 - 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 + 60*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 + 128*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^2 - 5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*B*a^2 + 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2)/d

mupad [B] time = 1.59, size = 315, normalized size = 1.65

$$\frac{\left(\frac{3Aa^2}{2} + \frac{11Ba^2}{8}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11} + \left(\frac{17Aa^2}{2} + \frac{187Ba^2}{24}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(\frac{107Aa^2}{5} + \frac{331Ba^2}{20}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{117Aa^2}{5}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{12} + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + 15 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 20 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 15 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^3*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2,x)`

[Out] `(tan(c/2 + (d*x)/2)*((13*A*a^2)/2 + (53*B*a^2)/8) + tan(c/2 + (d*x)/2)^11*((3*A*a^2)/2 + (11*B*a^2)/8) + tan(c/2 + (d*x)/2)^3*((31*A*a^2)/2 + (87*B*a^2)/8) + tan(c/2 + (d*x)/2)^9*((17*A*a^2)/2 + (187*B*a^2)/24) + tan(c/2 + (d*x)/2)^7*((107*A*a^2)/5 + (331*B*a^2)/20) + tan(c/2 + (d*x)/2)^5*((117*A*a^2)/5 + (501*B*a^2)/20))/(d*(6*tan(c/2 + (d*x)/2)^2 + 15*tan(c/2 + (d*x)/2)^4 + 20*tan(c/2 + (d*x)/2)^6 + 15*tan(c/2 + (d*x)/2)^8 + 6*tan(c/2 + (d*x)/2)^10 + tan(c/2 + (d*x)/2)^12 + 1)) - (a^2*(12*A + 11*B)*(atan(tan(c/2 + (d*x)/2)) - (d*x)/2))/(8*d) + (a^2*atan((a^2*tan(c/2 + (d*x)/2)*(12*A + 11*B))/(8*((3*A*a^2)/2 + (11*B*a^2)/8)))*(12*A + 11*B))/(8*d)`

sympy [A] time = 4.34, size = 600, normalized size = 3.14

$$\left\{ \begin{array}{l} \frac{3Aa^2x \sin^4(c+dx)}{4} + \frac{3Aa^2x \sin^2(c+dx) \cos^2(c+dx)}{2} + \frac{3Aa^2x \cos^4(c+dx)}{4} + \frac{8Aa^2 \sin^5(c+dx)}{15d} + \frac{4Aa^2 \sin^3(c+dx) \cos^2(c+dx)}{3d} + \frac{3Aa^2 \sin^3(c+dx)}{4d} \\ x(A + B \cos(c))(a \cos(c) + a)^2 \cos^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+a*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise(((3*A*a**2*x*sin(c + d*x)**4/4 + 3*A*a**2*x*sin(c + d*x)**2*cos(c + d*x)**2/2 + 3*A*a**2*x*cos(c + d*x)**4/4 + 8*A*a**2*sin(c + d*x)**5/(15*d) + 4*A*a**2*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 3*A*a**2*sin(c + d*x)**3*cos(c + d*x)/(4*d) + 2*A*a**2*sin(c + d*x)**3/(3*d) + A*a**2*sin(c + d*x)*cos(c + d*x)**4/d + 5*A*a**2*sin(c + d*x)*cos(c + d*x)**3/(4*d) + A*a**2*sin(c + d*x)*cos(c + d*x)**2/d + 5*B*a**2*x*sin(c + d*x)**6/16 + 15*B*a**2*x*sin(c + d*x)**4*cos(c + d*x)**2/16 + 3*B*a**2*x*sin(c + d*x)**4/8 + 15*B*a**2*x*sin(c + d*x)**2*cos(c + d*x)**4/16 + 3*B*a**2*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 5*B*a**2*x*cos(c + d*x)**6/16 + 3*B*a**2*x*cos(c + d*x)**4/8 + 5*B*a**2*sin(c + d*x)**5*cos(c + d*x)/(16*d) + 16*B*a**2*sin(c + d*x)**5/(15*d) + 5*B*a**2*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 8*B*a**2*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 3*B*a**2*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 11*B*a**2*sin(c + d*x)*cos(c + d*x)**5/(16*d) + 2*B*a**2*sin(c + d*x)*cos(c + d*x)**4/d + 5*B*a**2*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a)**2*cos(c)**3, True))`

3.11 $\int \cos^2(c+dx)(a+a\cos(c+dx))^2(A+B\cos(c+dx)) dx$

Optimal. Leaf size=160

$$-\frac{a^2(10A+9B)\sin^3(c+dx)}{15d} + \frac{a^2(10A+9B)\sin(c+dx)}{5d} + \frac{a^2(5A+6B)\sin(c+dx)\cos^3(c+dx)}{20d} + \frac{a^2(7A+6B)}{d}$$

[Out] $1/8*a^2*(7*A+6*B)*x+1/5*a^2*(10*A+9*B)*\sin(d*x+c)/d+1/8*a^2*(7*A+6*B)*\cos(d*x+c)*\sin(d*x+c)/d+1/20*a^2*(5*A+6*B)*\cos(d*x+c)^3*\sin(d*x+c)/d+1/5*B*\cos(d*x+c)^3*(a^2+a^2*\cos(d*x+c))*\sin(d*x+c)/d-1/15*a^2*(10*A+9*B)*\sin(d*x+c)^3/d$

Rubi [A] time = 0.28, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2976, 2968, 3023, 2748, 2635, 8, 2633}

$$-\frac{a^2(10A+9B)\sin^3(c+dx)}{15d} + \frac{a^2(10A+9B)\sin(c+dx)}{5d} + \frac{a^2(5A+6B)\sin(c+dx)\cos^3(c+dx)}{20d} + \frac{a^2(7A+6B)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*cos[c + d*x])^2*(A + B*cos[c + d*x]), x]

[Out] $(a^2*(7*A+6*B)*x)/8 + (a^2*(10*A+9*B)*\sin[c+d*x])/(5*d) + (a^2*(7*A+6*B)*\cos[c+d*x]*\sin[c+d*x])/(8*d) + (a^2*(5*A+6*B)*\cos[c+d*x]^3*\sin[c+d*x])/(20*d) + (B*\cos[c+d*x]^3*(a^2+a^2*\cos[c+d*x])*\sin[c+d*x])/(5*d) - (a^2*(10*A+9*B)*\sin[c+d*x]^3)/(15*d)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[
(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\int \cos^2(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx = \frac{B \cos^3(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} + \frac{1}{5} \frac{B \cos^3(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} + \frac{1}{5} \frac{a^2(5A + 6B) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{B \cos^3(c + dx)}{5d} = \frac{a^2(5A + 6B) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{B \cos^3(c + dx)}{5d} = \frac{a^2(7A + 6B) \cos(c + dx) \sin(c + dx)}{8d} + \frac{a^2(5A + 6B)}{5d} = \frac{1}{8} a^2(7A + 6B)x + \frac{a^2(10A + 9B) \sin(c + dx)}{5d} + \frac{a^2(7A + 6B)}{5d}$$

Mathematica [A] time = 0.45, size = 108, normalized size = 0.68

$$\frac{a^2(60(12A + 11B) \sin(c + dx) + 240(A + B) \sin(2(c + dx)) + 80A \sin(3(c + dx)) + 15A \sin(4(c + dx)) + 420Adx + 15A^2 \sin^2(c + dx))}{480d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*cos[c + d*x])^2*(A + B*cos[c + d*x]),x]
[Out] (a^2*(360*B*c + 420*A*d*x + 360*B*d*x + 60*(12*A + 11*B)*Sin[c + d*x] + 240
*(A + B)*Sin[2*(c + d*x)] + 80*A*Sin[3*(c + d*x)] + 90*B*Sin[3*(c + d*x)] +
15*A*Sin[4*(c + d*x)] + 30*B*Sin[4*(c + d*x)] + 6*B*Sin[5*(c + d*x)])/(48
0*d)
```

fricas [A] time = 0.68, size = 110, normalized size = 0.69

$$\frac{15(7A + 6B)a^2 dx + (24Ba^2 \cos(dx + c)^4 + 30(A + 2B)a^2 \cos(dx + c)^3 + 8(10A + 9B)a^2 \cos(dx + c)^2 + 15(7A + 6B)a^2 \cos(dx + c)) \sin(dx + c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/120*(15*(7*A + 6*B)*a^2*d*x + (24*B*a^2*cos(d*x + c)^4 + 30*(A + 2*B)*a^2*cos(d*x + c)^3 + 8*(10*A + 9*B)*a^2*cos(d*x + c)^2 + 15*(7*A + 6*B)*a^2*cos(d*x + c) + 16*(10*A + 9*B)*a^2)*sin(d*x + c))/d

giac [A] time = 0.70, size = 137, normalized size = 0.86

$$\frac{Ba^2 \sin(5dx + 5c)}{80d} + \frac{1}{8} (7Aa^2 + 6Ba^2)x + \frac{(Aa^2 + 2Ba^2) \sin(4dx + 4c)}{32d} + \frac{(8Aa^2 + 9Ba^2) \sin(3dx + 3c)}{48d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/80*B*a^2*sin(5*d*x + 5*c)/d + 1/8*(7*A*a^2 + 6*B*a^2)*x + 1/32*(A*a^2 + 2*B*a^2)*sin(4*d*x + 4*c)/d + 1/48*(8*A*a^2 + 9*B*a^2)*sin(3*d*x + 3*c)/d + 1/2*(A*a^2 + B*a^2)*sin(2*d*x + 2*c)/d + 1/8*(12*A*a^2 + 11*B*a^2)*sin(d*x + c)/d

maple [A] time = 0.08, size = 186, normalized size = 1.16

$$a^2 A \left(\frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Ba^2 \left(\frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + \frac{2a^2 A (2 + \cos^2(dx+c)) \sin(dx+c)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)

[Out] 1/d*(a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/5*B*a^2*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+2/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+2*B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+a^2*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+1/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c))

maxima [A] time = 0.36, size = 178, normalized size = 1.11

$$\frac{320(\sin(dx+c)^3 - 3\sin(dx+c))Aa^2 - 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^2 - 120(2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] -1/480*(320*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 - 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 - 120*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2 - 32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^2 + 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 - 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2)/d

mupad [B] time = 1.50, size = 277, normalized size = 1.73

$$\frac{\left(\frac{7Aa^2}{4} + \frac{3Ba^2}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(\frac{49Aa^2}{6} + 7Ba^2\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{40Aa^2}{3} + \frac{72Ba^2}{5}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{79Aa^2}{6} + \dots\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + \dots \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2,x)
```

```
[Out] (tan(c/2 + (d*x)/2)*((25*A*a^2)/4 + (13*B*a^2)/2) + tan(c/2 + (d*x)/2)^9*((
7*A*a^2)/4 + (3*B*a^2)/2) + tan(c/2 + (d*x)/2)^7*((49*A*a^2)/6 + 7*B*a^2) +
tan(c/2 + (d*x)/2)^3*((79*A*a^2)/6 + 9*B*a^2) + tan(c/2 + (d*x)/2)^5*((40*
A*a^2)/3 + (72*B*a^2)/5))/(d*(5*tan(c/2 + (d*x)/2)^2 + 10*tan(c/2 + (d*x)/
)^4 + 10*tan(c/2 + (d*x)/2)^6 + 5*tan(c/2 + (d*x)/2)^8 + tan(c/2 + (d*x)/2
^10 + 1)) - (a^2*(7*A + 6*B)*(atan(tan(c/2 + (d*x)/2)) - (d*x)/2))/(4*d) +
(a^2*atan((a^2*tan(c/2 + (d*x)/2)*(7*A + 6*B))/(4*((7*A*a^2)/4 + (3*B*a^2)/
2)))*(7*A + 6*B))/(4*d)
```

```
sympy [A] time = 2.58, size = 459, normalized size = 2.87
```

$$\left\{ \begin{array}{l} \frac{3Aa^2x \sin^4(c+dx)}{8} + \frac{3Aa^2x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{Aa^2x \sin^2(c+dx)}{2} + \frac{3Aa^2x \cos^4(c+dx)}{8} + \frac{Aa^2x \cos^2(c+dx)}{2} + \frac{3Aa^2 \sin^3(c+dx) \cos(c+dx)}{8d} \\ x(A + B \cos(c))(a \cos(c) + a)^2 \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)
```

```
[Out] Piecewise(((3*A*a**2*x*sin(c + d*x)**4/8 + 3*A*a**2*x*sin(c + d*x)**2*cos(c
+ d*x)**2/4 + A*a**2*x*sin(c + d*x)**2/2 + 3*A*a**2*x*cos(c + d*x)**4/8 + A
*a**2*x*cos(c + d*x)**2/2 + 3*A*a**2*x*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 4
*A*a**2*sin(c + d*x)**3/(3*d) + 5*A*a**2*sin(c + d*x)*cos(c + d*x)**3/(8*d)
+ 2*A*a**2*sin(c + d*x)*cos(c + d*x)**2/d + A*a**2*sin(c + d*x)*cos(c + d*
x)/(2*d) + 3*B*a**2*x*sin(c + d*x)**4/4 + 3*B*a**2*x*sin(c + d*x)**2*cos(c
+ d*x)**2/2 + 3*B*a**2*x*cos(c + d*x)**4/4 + 8*B*a**2*sin(c + d*x)**5/(15*d
) + 4*B*a**2*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 3*B*a**2*sin(c + d*x)*
*3*cos(c + d*x)/(4*d) + 2*B*a**2*sin(c + d*x)**3/(3*d) + B*a**2*sin(c + d*x
)*cos(c + d*x)**4/d + 5*B*a**2*sin(c + d*x)*cos(c + d*x)**3/(4*d) + B*a**2*
sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a)
**2*cos(c)**2, True))
```

3.12 $\int \cos(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$

Optimal. Leaf size=129

$$\frac{a^2(8A + 7B) \sin(c + dx)}{6d} + \frac{a^2(8A + 7B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}a^2x(8A+7B) + \frac{(4A - B) \sin(c + dx)(a \cos(c + dx))}{12d}$$

[Out] $1/8*a^2*(8*A+7*B)*x+1/6*a^2*(8*A+7*B)*\sin(d*x+c)/d+1/24*a^2*(8*A+7*B)*\cos(d*x+c)*\sin(d*x+c)/d+1/12*(4*A-B)*(a+a*\cos(d*x+c))^2*\sin(d*x+c)/d+1/4*B*(a+a*\cos(d*x+c))^3*\sin(d*x+c)/a/d$

Rubi [A] time = 0.18, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2968, 3023, 2751, 2644}

$$\frac{a^2(8A + 7B) \sin(c + dx)}{6d} + \frac{a^2(8A + 7B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}a^2x(8A+7B) + \frac{(4A - B) \sin(c + dx)(a \cos(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]

[Out] $(a^2*(8*A + 7*B)*x)/8 + (a^2*(8*A + 7*B)*\sin[c + d*x])/(6*d) + (a^2*(8*A + 7*B)*\cos[c + d*x]*\sin[c + d*x])/(24*d) + ((4*A - B)*(a + a*\cos[c + d*x])^2*\sin[c + d*x])/(12*d) + (B*(a + a*\cos[c + d*x])^3*\sin[c + d*x])/(4*a*d)$

Rule 2644

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^2, x_Symbol] := Simp[((2*a^2 + b^2)*x)/2, x] + (-Simp[(2*a*b*Cos[c + d*x])/d, x] - Simp[(b^2*Cos[c + d*x]*Sin[c + d*x])/(2*d), x]) /; FreeQ[{a, b, c, d}, x]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx &= \int (a + a \cos(c + dx))^2 (A \cos(c + dx) + B \cos^2(c + dx)) dx \\
&= \frac{B(a + a \cos(c + dx))^3 \sin(c + dx)}{4ad} + \frac{\int (a + a \cos(c + dx))^2 A \cos(c + dx) dx}{4ad} \\
&= \frac{(4A - B)(a + a \cos(c + dx))^2 \sin(c + dx)}{12d} + \frac{B(a + a \cos(c + dx))^3 \sin(c + dx)}{4ad} \\
&= \frac{1}{8}a^2(8A + 7B)x + \frac{a^2(8A + 7B) \sin(c + dx)}{6d} + \frac{a^2(8A + 7B) \sin^3(c + dx)}{12d}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 86, normalized size = 0.67

$$\frac{a^2(24(7A + 6B) \sin(c + dx) + 48(A + B) \sin(2(c + dx)) + 8A \sin(3(c + dx)) + 96Adx + 16B \sin(3(c + dx)) + 3B \sin^3(c + dx))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]

[Out] (a^2*(84*B*c + 96*A*d*x + 84*B*d*x + 24*(7*A + 6*B)*Sin[c + d*x] + 48*(A + B)*Sin[2*(c + d*x)] + 8*A*Ssin[3*(c + d*x)] + 16*B*Ssin[3*(c + d*x)] + 3*B*Ssin[4*(c + d*x)]))/(96*d)

fricas [A] time = 0.75, size = 90, normalized size = 0.70

$$\frac{3(8A + 7B)a^2dx + (6Ba^2 \cos(dx + c))^3 + 8(A + 2B)a^2 \cos(dx + c)^2 + 3(8A + 7B)a^2 \cos(dx + c) + 8(5A + 4B)a^2 \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/24*(3*(8*A + 7*B)*a^2*d*x + (6*B*a^2*cos(d*x + c))^3 + 8*(A + 2*B)*a^2*cos(d*x + c)^2 + 3*(8*A + 7*B)*a^2*cos(d*x + c) + 8*(5*A + 4*B)*a^2*sin(d*x + c))/d

giac [A] time = 1.07, size = 110, normalized size = 0.85

$$\frac{Ba^2 \sin(4dx + 4c)}{32d} + \frac{1}{8}(8Aa^2 + 7Ba^2)x + \frac{(Aa^2 + 2Ba^2) \sin(3dx + 3c)}{12d} + \frac{(Aa^2 + Ba^2) \sin(2dx + 2c)}{2d} + \frac{(7Aa^2 + 6Ba^2) \sin(dx + c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/32*B*a^2*sin(4*d*x + 4*c)/d + 1/8*(8*A*a^2 + 7*B*a^2)*x + 1/12*(A*a^2 + 2*B*a^2)*sin(3*d*x + 3*c)/d + 1/2*(A*a^2 + B*a^2)*sin(2*d*x + 2*c)/d + 1/4*(7*A*a^2 + 6*B*a^2)*sin(d*x + c)/d

maple [A] time = 0.06, size = 154, normalized size = 1.19

$$\frac{a^2 A(2 + \cos^2(dx+c)) \sin(dx+c)}{3} + B a^2 \left(\frac{(\cos^3(dx+c) + \frac{3 \cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + 2a^2 A \left(\frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + \frac{2Ba^2 \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)

[Out] 1/d*(1/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2*a^2*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+2/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+a^2*A*sin(d*x+c)+B*a^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

maxima [A] time = 0.41, size = 144, normalized size = 1.12

$$\frac{32(\sin(dx+c)^3 - 3\sin(dx+c))Aa^2 - 48(2dx+2c+\sin(2dx+2c))Aa^2 + 64(\sin(dx+c)^3 - 3\sin(dx+c))B^2a^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] -1/96*(32*(sin(d*x+c)^3 - 3*sin(d*x+c))*A*a^2 - 48*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2 + 64*(sin(d*x+c)^3 - 3*sin(d*x+c))*B*a^2 - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2 - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2 - 96*A*a^2*sin(d*x+c))/d

mupad [B] time = 0.29, size = 134, normalized size = 1.04

$$Aa^2x + \frac{7Ba^2x}{8} + \frac{7Aa^2\sin(c+dx)}{4d} + \frac{3Ba^2\sin(c+dx)}{2d} + \frac{Aa^2\sin(2c+2dx)}{2d} + \frac{Aa^2\sin(3c+3dx)}{12d} + \frac{Ba^2\sin(4c+4dx)}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c+d*x)*(A+B*cos(c+d*x))*(a+a*cos(c+d*x))^2,x)

[Out] A*a^2*x + (7*B*a^2*x)/8 + (7*A*a^2*sin(c+d*x))/(4*d) + (3*B*a^2*sin(c+d*x))/(2*d) + (A*a^2*sin(2*c+2*d*x))/(2*d) + (A*a^2*sin(3*c+3*d*x))/(12*d) + (B*a^2*sin(2*c+2*d*x))/(2*d) + (B*a^2*sin(3*c+3*d*x))/(6*d) + (B*a^2*sin(4*c+4*d*x))/(32*d)

sympy [A] time = 1.23, size = 338, normalized size = 2.62

$$\left\{ \begin{array}{l} Aa^2x\sin^2(c+dx) + Aa^2x\cos^2(c+dx) + \frac{2Aa^2\sin^3(c+dx)}{3d} + \frac{Aa^2\sin(c+dx)\cos^2(c+dx)}{d} + \frac{Aa^2\sin(c+dx)\cos(c+dx)}{d} + \frac{Aa^2\cos^3(c+dx)}{3d} \\ x(A+B\cos(c))(a\cos(c)+a)^2\cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)

[Out] Piecewise((A*a**2*x*sin(c+d*x)**2 + A*a**2*x*cos(c+d*x)**2 + 2*A*a**2*sin(c+d*x)**3/(3*d) + A*a**2*sin(c+d*x)*cos(c+d*x)**2/d + A*a**2*sin(c+d*x)*cos(c+d*x)/d + A*a**2*sin(c+d*x)/d + 3*B*a**2*x*sin(c+d*x)**4/8 + 3*B*a**2*x*sin(c+d*x)**2*cos(c+d*x)**2/4 + B*a**2*x*sin(c+d*x)**2/2 + 3*B*a**2*x*cos(c+d*x)**4/8 + B*a**2*x*cos(c+d*x)**2/2 + 3*B*a**2*sin(c+d*x)**3*cos(c+d*x)/(8*d) + 4*B*a**2*sin(c+d*x)**3/(3*d) + 5*B*a**2*sin(c+d*x)*cos(c+d*x)**3/(8*d) + 2*B*a**2*sin(c+d*x)*cos(c+d*x)**2/d + B*a**2*sin(c+d*x)*cos(c+d*x)/(2*d), Ne(d, 0)), (x*(A+B*cos(c))*(a*cos(c)+a)**2*cos(c), True))

3.13 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) dx$

Optimal. Leaf size=94

$$\frac{2a^2(3A + 2B) \sin(c + dx)}{3d} + \frac{a^2(3A + 2B) \sin(c + dx) \cos(c + dx)}{6d} + \frac{1}{2}a^2x(3A+2B) + \frac{B \sin(c + dx)(a \cos(c + dx) + a)}{3d}$$

[Out] $1/2*a^2*(3*A+2*B)*x+2/3*a^2*(3*A+2*B)*\sin(d*x+c)/d+1/6*a^2*(3*A+2*B)*\cos(d*x+c)*\sin(d*x+c)/d+1/3*B*(a+a*\cos(d*x+c))^2*\sin(d*x+c)/d$

Rubi [A] time = 0.06, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {2751, 2644}

$$\frac{2a^2(3A + 2B) \sin(c + dx)}{3d} + \frac{a^2(3A + 2B) \sin(c + dx) \cos(c + dx)}{6d} + \frac{1}{2}a^2x(3A+2B) + \frac{B \sin(c + dx)(a \cos(c + dx) + a)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]

[Out] $(a^2*(3*A + 2*B)*x)/2 + (2*a^2*(3*A + 2*B)*\text{Sin}[c + d*x])/(3*d) + (a^2*(3*A + 2*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(6*d) + (B*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d)$

Rule 2644

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^2, x_Symbol] :> Simp[((2*a^2 + b^2)*x)/2, x] + (-Simp[(2*a*b*Cos[c + d*x])/d, x] - Simp[(b^2*Cos[c + d*x]*Sin[c + d*x])/(2*d), x]) /; FreeQ[{a, b, c, d}, x]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) dx &= \frac{B(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3}(3A + 2B) \int (a + a \cos(c + dx)) dx \\ &= \frac{1}{2}a^2(3A + 2B)x + \frac{2a^2(3A + 2B) \sin(c + dx)}{3d} + \frac{a^2(3A + 2B) \cos(c + dx)}{6d} \end{aligned}$$

Mathematica [A] time = 0.20, size = 61, normalized size = 0.65

$$\frac{a^2(3(8A + 7B) \sin(c + dx) + 3(A + 2B) \sin(2(c + dx)) + 18Adx + B \sin(3(c + dx)) + 12Bdx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]

[Out] $(a^2*(18*A*d*x + 12*B*d*x + 3*(8*A + 7*B)*\text{Sin}[c + d*x] + 3*(A + 2*B)*\text{Sin}[2*(c + d*x)] + B*\text{Sin}[3*(c + d*x)])/(12*d)$

fricas [A] time = 0.91, size = 70, normalized size = 0.74

$$\frac{3(3A + 2B)a^2 dx + (2Ba^2 \cos(dx + c))^2 + 3(A + 2B)a^2 \cos(dx + c) + 2(6A + 5B)a^2 \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/6*(3*(3*A + 2*B)*a^2*d*x + (2*B*a^2*cos(d*x + c))^2 + 3*(A + 2*B)*a^2*cos(d*x + c) + 2*(6*A + 5*B)*a^2)*sin(d*x + c)/d

giac [A] time = 0.33, size = 85, normalized size = 0.90

$$\frac{Ba^2 \sin(3dx + 3c)}{12d} + \frac{1}{2}(3Aa^2 + 2Ba^2)x + \frac{(Aa^2 + 2Ba^2) \sin(2dx + 2c)}{4d} + \frac{(8Aa^2 + 7Ba^2) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/12*B*a^2*sin(3*d*x + 3*c)/d + 1/2*(3*A*a^2 + 2*B*a^2)*x + 1/4*(A*a^2 + 2*B*a^2)*sin(2*d*x + 2*c)/d + 1/4*(8*A*a^2 + 7*B*a^2)*sin(d*x + c)/d

maple [A] time = 0.06, size = 116, normalized size = 1.23

$$\frac{Ba^2(2+\cos^2(dx+c))\sin(dx+c)}{3} + a^2A\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + 2Ba^2\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + 2a^2A\sin(dx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)

[Out] 1/d*(1/3*B*a^2*(2+cos(d*x+c))^2)*sin(d*x+c)+a^2*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+2*B*a^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+2*a^2*A*sin(d*x+c)+B*a^2*sin(d*x+c)+a^2*A*(d*x+c)

maxima [A] time = 0.38, size = 110, normalized size = 1.17

$$\frac{3(2dx + 2c + \sin(2dx + 2c))Aa^2 + 12(dx + c)Aa^2 - 4(\sin(dx + c)^3 - 3\sin(dx + c))Ba^2 + 6(2dx + 2c + \sin(2dx + 2c))a^2}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/12*(3*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2 + 12*(d*x + c)*A*a^2 - 4*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 + 6*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2 + 24*A*a^2*sin(d*x + c) + 12*B*a^2*sin(d*x + c))/d

mupad [B] time = 0.23, size = 98, normalized size = 1.04

$$\frac{3Aa^2x}{2} + Ba^2x + \frac{2Aa^2 \sin(c + dx)}{d} + \frac{7Ba^2 \sin(c + dx)}{4d} + \frac{Aa^2 \sin(2c + 2dx)}{4d} + \frac{Ba^2 \sin(2c + 2dx)}{2d} + \frac{Ba^2 \sin(3c + 3dx)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2,x)

[Out] (3*A*a^2*x)/2 + B*a^2*x + (2*A*a^2*sin(c + d*x))/d + (7*B*a^2*sin(c + d*x))/(4*d) + (A*a^2*sin(2*c + 2*d*x))/(4*d) + (B*a^2*sin(2*c + 2*d*x))/(2*d) + (B*a^2*sin(3*c + 3*d*x))/(12*d)

sympy [A] time = 0.64, size = 199, normalized size = 2.12

$$\left\{ \begin{array}{l} \frac{Aa^2x \sin^2(c+dx)}{2} + \frac{Aa^2x \cos^2(c+dx)}{2} + Aa^2x + \frac{Aa^2 \sin(c+dx) \cos(c+dx)}{2d} + \frac{2Aa^2 \sin(c+dx)}{d} + Ba^2x \sin^2(c+dx) + Ba^2x \cos^2(c+dx) \\ x(A+B \cos(c))(a \cos(c)+a)^2 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)

[Out] Piecewise((A*a**2*x*sin(c + d*x)**2/2 + A*a**2*x*cos(c + d*x)**2/2 + A*a**2*x + A*a**2*sin(c + d*x)*cos(c + d*x)/(2*d) + 2*A*a**2*sin(c + d*x)/d + B*a**2*x*sin(c + d*x)**2 + B*a**2*x*cos(c + d*x)**2 + 2*B*a**2*sin(c + d*x)**3/(3*d) + B*a**2*sin(c + d*x)*cos(c + d*x)**2/d + B*a**2*sin(c + d*x)*cos(c + d*x)/d + B*a**2*sin(c + d*x)/d, Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a)**2, True))

3.14 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx$

Optimal. Leaf size=82

$$\frac{a^2(2A + 3B) \sin(c + dx)}{2d} + \frac{1}{2}a^2x(4A+3B) + \frac{a^2A \tanh^{-1}(\sin(c + dx))}{d} + \frac{B \sin(c + dx) (a^2 \cos(c + dx) + a^2)}{2d}$$

[Out] $1/2*a^2*(4*A+3*B)*x+a^2*A*\operatorname{arctanh}(\sin(d*x+c))/d+1/2*a^2*(2*A+3*B)*\sin(d*x+c)/d+1/2*B*(a^2+a^2*\cos(d*x+c))*\sin(d*x+c)/d$

Rubi [A] time = 0.19, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {2976, 2968, 3023, 2735, 3770}

$$\frac{a^2(2A + 3B) \sin(c + dx)}{2d} + \frac{1}{2}a^2x(4A+3B) + \frac{a^2A \tanh^{-1}(\sin(c + dx))}{d} + \frac{B \sin(c + dx) (a^2 \cos(c + dx) + a^2)}{2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^2*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x], x]$

[Out] $(a^2*(4*A + 3*B)*x)/2 + (a^2*A*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/d + (a^2*(2*A + 3*B)* \operatorname{Sin}[c + d*x])/(2*d) + (B*(a^2 + a^2*\operatorname{Cos}[c + d*x])* \operatorname{Sin}[c + d*x])/(2*d)$

Rule 2735

$\operatorname{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)]) / ((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \operatorname{Simp}[(b*x)/d, x] - \operatorname{Dist}[(b*c - a*d)/d, \operatorname{Int}[1/(c + d*\sin[e + f*x]), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2968

$\operatorname{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)} * ((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]) * ((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \operatorname{Int}[(a + b*\sin[e + f*x])^m * (A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2976

$\operatorname{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)} * ((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]) * ((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(b*B*\operatorname{Cos}[e + f*x] * (a + b*\sin[e + f*x])^{(m-1)} * (c + d*\sin[e + f*x])^{(n+1)}) / (d*f*(m+n+1)), x] + \operatorname{Dist}[1/(d*(m+n+1)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(m-1)} * (c + d*\sin[e + f*x])^n * \operatorname{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*\sin[e + f*x], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \ \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \ \operatorname{GtQ}[m, 1/2] \ \&\& \ \operatorname{!LtQ}[n, -1] \ \&\& \ \operatorname{IntegerQ}[2*m] \ \&\& \ (\operatorname{IntegerQ}[2*n] \ || \ \operatorname{EqQ}[c, 0])$

Rule 3023

$\operatorname{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)} * ((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]) + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2, x_Symbol] \rightarrow -\operatorname{Simp}[(C*\operatorname{Cos}[e + f*x] * (a + b*\sin[e + f*x])^{(m+1)}) / (b*f*(m+2)), x] + \operatorname{Dist}[1/(b*(m+2)), \operatorname{Int}[(a + b*\sin[e + f*x])^m * \operatorname{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\sin[e + f*x], x], x], x] /;$ $\operatorname{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \ \&\& \ \operatorname{!LtQ}[m, -1]$

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{1}{2} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx \\ &= \frac{B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{1}{2} \int (2a^2 A + (2a^2 B \cos(c + dx) + a^2)) \sec(c + dx) dx \\ &= \frac{a^2(2A + 3B) \sin(c + dx)}{2d} + \frac{B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a^2 (4A + 3B)x + \frac{a^2(2A + 3B) \sin(c + dx)}{2d} + \frac{B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a^2 (4A + 3B)x + \frac{a^2 A \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2(2A + 3B) \sin(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.20, size = 96, normalized size = 1.17

$$\frac{a^2 \left(4(A + 2B) \sin(c + dx) - 4A \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + 4A \log \left(\sin \left(\frac{1}{2}(c + dx) \right) + \cos \left(\frac{1}{2}(c + dx) \right) \right) \right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x],x]

[Out] (a^2*(8*A*d*x + 6*B*d*x - 4*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 4*(A + 2*B)*Sin[c + d*x] + B*Sin[2*(c + d*x)])/(4*d)

fricas [A] time = 0.89, size = 79, normalized size = 0.96

$$\frac{(4A + 3B)a^2 dx + Aa^2 \log(\sin(dx + c) + 1) - Aa^2 \log(-\sin(dx + c) + 1) + (Ba^2 \cos(dx + c) + 2(A + 2B)a^2) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="fricas")

[Out] 1/2*((4*A + 3*B)*a^2*d*x + A*a^2*log(sin(d*x + c) + 1) - A*a^2*log(-sin(d*x + c) + 1) + (B*a^2*cos(d*x + c) + 2*(A + 2*B)*a^2)*sin(d*x + c))/d

giac [A] time = 0.43, size = 145, normalized size = 1.77

$$\frac{2Aa^2 \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 2Aa^2 \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + (4Aa^2 + 3Ba^2)(dx + c) + \frac{2 \left(2Aa^2 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + (A + 2B)a^2 \right) \sin(dx + c)}{2d}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")

[Out] $\frac{1}{2}*(2*A*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 2*A*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))) + (4*A*a^2 + 3*B*a^2)*(d*x + c) + 2*(2*A*a^2*\tan(1/2*d*x + 1/2*c)^3 + 3*B*a^2*\tan(1/2*d*x + 1/2*c)^3 + 2*A*a^2*\tan(1/2*d*x + 1/2*c) + 5*B*a^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^2/d$

maple [A] time = 0.12, size = 108, normalized size = 1.32

$$\frac{a^2 A \sin(dx + c)}{d} + \frac{B a^2 \cos(dx + c) \sin(dx + c)}{2d} + \frac{3a^2 Bx}{2} + \frac{3B a^2 c}{2d} + 2a^2 Ax + \frac{2A a^2 c}{d} + \frac{2B a^2 \sin(dx + c)}{d} + \frac{a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c), x)`

[Out] $\frac{1}{d}*a^2*A*\sin(d*x+c) + \frac{1}{2}*d*B*a^2*\cos(d*x+c)*\sin(d*x+c) + \frac{3}{2}*a^2*B*x + \frac{3}{2}*d*B*a^2*c + 2*a^2*A*x + \frac{2}{d}*A*a^2*c + \frac{2}{d}*B*a^2*\sin(d*x+c) + \frac{1}{d}*a^2*A*\ln(\sec(d*x+c) + \tan(d*x+c))$

maxima [A] time = 0.36, size = 94, normalized size = 1.15

$$\frac{8(dx + c)Aa^2 + (2dx + 2c + \sin(2dx + 2c))Ba^2 + 4(dx + c)Ba^2 + 4Aa^2 \log(\sec(dx + c) + \tan(dx + c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="maxima")`

[Out] $\frac{1}{4}*(8*(d*x + c)*A*a^2 + (2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^2 + 4*(d*x + c)*B*a^2 + 4*A*a^2*\log(\sec(d*x + c) + \tan(d*x + c)) + 4*A*a^2*\sin(d*x + c) + 8*B*a^2*\sin(d*x + c))/d$

mupad [B] time = 0.34, size = 141, normalized size = 1.72

$$\frac{A a^2 \sin(c + dx)}{d} + \frac{2 B a^2 \sin(c + dx)}{d} + \frac{4 A a^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2 A a^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{3 B a^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/cos(c + d*x), x)`

[Out] $\frac{(A*a^2*\sin(c + d*x))/d + (2*B*a^2*\sin(c + d*x))/d + (4*A*a^2*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (2*A*a^2*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (3*B*a^2*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (B*a^2*\sin(2*c + 2*d*x))/(4*d)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left(\int A \sec(c + dx) dx + \int 2A \cos(c + dx) \sec(c + dx) dx + \int A \cos^2(c + dx) \sec(c + dx) dx + \int B \cos(c + dx) \sec(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c), x)`

[Out] `a**2*(Integral(A*sec(c + d*x), x) + Integral(2*A*cos(c + d*x)*sec(c + d*x), x) + Integral(A*cos(c + d*x)**2*sec(c + d*x), x) + Integral(B*cos(c + d*x)*sec(c + d*x), x) + Integral(2*B*cos(c + d*x)**2*sec(c + d*x), x) + Integral(B*cos(c + d*x)**3*sec(c + d*x), x))`

3.15 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx$

Optimal. Leaf size=74

$$\frac{a^2(A - B) \sin(c + dx)}{d} + \frac{a^2(2A + B) \tanh^{-1}(\sin(c + dx))}{d} + a^2x(A + 2B) + \frac{A \tan(c + dx) (a^2 \cos(c + dx) + a^2)}{d}$$

[Out] $a^2*(A+2*B)*x + a^2*(2*A+B)*\operatorname{arctanh}(\sin(d*x+c))/d - a^2*(A-B)*\sin(d*x+c)/d + A*(a^2 + a^2*\cos(d*x+c))*\tan(d*x+c)/d$

Rubi [A] time = 0.21, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2975, 2968, 3023, 2735, 3770}

$$\frac{a^2(A - B) \sin(c + dx)}{d} + \frac{a^2(2A + B) \tanh^{-1}(\sin(c + dx))}{d} + a^2x(A + 2B) + \frac{A \tan(c + dx) (a^2 \cos(c + dx) + a^2)}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^2*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^2, x]$

[Out] $a^2*(A + 2*B)*x + (a^2*(2*A + B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/d - (a^2*(A - B)*\operatorname{Sin}[c + d*x])/d + (A*(a^2 + a^2*\operatorname{Cos}[c + d*x])* \operatorname{Tan}[c + d*x])/d$

Rule 2735

$\operatorname{Int}[(a + b*\sin[e + f*x])^2*(c + d*\sin[e + f*x])*(c + d*\sin[e + f*x])^2, x]$:> $\operatorname{Simp}[(b*x)/d, x] - \operatorname{Dist}[(b*c - a*d)/d, \operatorname{Int}[1/(c + d*\sin[e + f*x]), x], x]$ /; $\operatorname{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2968

$\operatorname{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^n, x]$:> $\operatorname{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^n, x]$ /; $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2975

$\operatorname{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^n, x]$:> $-\operatorname{Simp}[(b^2*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)), x] - \operatorname{Dist}[b/(d*(n+1)*(b*c + a*d)), \operatorname{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}*\operatorname{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*\sin[e + f*x], x], x], x]$ /; $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \ \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \ \operatorname{GtQ}[m, 1/2] \ \&\& \ \operatorname{LtQ}[n, -1] \ \&\& \ \operatorname{IntegerQ}[2*m] \ \&\& \ (\operatorname{IntegerQ}[2*n] \ \|\ \operatorname{EqQ}[c, 0])$

Rule 3023

$\operatorname{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^2, x]$:> $-\operatorname{Simp}[(C*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m+1})/(b*f*(m+2)), x] + \operatorname{Dist}[1/(b*(m+2)), \operatorname{Int}[(a + b*\sin[e + f*x])^m*\operatorname{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\sin[e + f*x], x], x], x]$ /; $\operatorname{FreeQ}\{a, b, e, f, A, B, C, m\}, x\} \ \&\& \ \operatorname{LtQ}[m, -1]$

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{A(a^2 + a^2 \cos(c + dx)) \tan(c + dx)}{d} + \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= \frac{A(a^2 + a^2 \cos(c + dx)) \tan(c + dx)}{d} + \int (a^2(2A + B) \cos(c + dx) - a^2(A - B) \sin(c + dx)) \sec^2(c + dx) dx \\ &= \frac{a^2(A - B) \sin(c + dx)}{d} + \frac{A(a^2 + a^2 \cos(c + dx)) \tan(c + dx)}{d} \\ &= a^2(A + 2B)x - \frac{a^2(A - B) \sin(c + dx)}{d} + \frac{A(a^2 + a^2 \cos(c + dx)) \tan(c + dx)}{d} \\ &= a^2(A + 2B)x + \frac{a^2(2A + B) \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.37, size = 143, normalized size = 1.93

$$a^2 \left(A \tan(c + dx) - 2A \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + 2A \log \left(\sin \left(\frac{1}{2}(c + dx) \right) + \cos \left(\frac{1}{2}(c + dx) \right) \right) \right) / d$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] (a^2*(A*c + 2*B*c + A*d*x + 2*B*d*x - 2*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + B*Sin[c + d*x] + A*Tan[c + d*x])/d

fricas [A] time = 0.67, size = 108, normalized size = 1.46

$$\frac{2(A + 2B)a^2 dx \cos(dx + c) + (2A + B)a^2 \cos(dx + c) \log(\sin(dx + c) + 1) - (2A + B)a^2 \cos(dx + c) \log(-\sin(dx + c) + 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")

[Out] 1/2*(2*(A + 2*B)*a^2*d*x*cos(d*x + c) + (2*A + B)*a^2*cos(d*x + c)*log(sin(d*x + c) + 1) - (2*A + B)*a^2*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*(B*a^2*cos(d*x + c) + A*a^2)*sin(d*x + c))/(d*cos(d*x + c))

giac [B] time = 1.06, size = 155, normalized size = 2.09

$$\frac{(Aa^2 + 2Ba^2)(dx + c) + (2Aa^2 + Ba^2) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - (2Aa^2 + Ba^2) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")

[Out] $((Aa^2 + 2Ba^2)(dx + c) + (2Aa^2 + Ba^2)\log(\tan(1/2dx + 1/2c) + 1)) - (2Aa^2 + Ba^2)\log(\tan(1/2dx + 1/2c) - 1) - 2(Aa^2 \tan(1/2dx + 1/2c)^3 - Ba^2 \tan(1/2dx + 1/2c)^3 + Aa^2 \tan(1/2dx + 1/2c) + Ba^2 \tan(1/2dx + 1/2c))/(\tan(1/2dx + 1/2c)^4 - 1)/d$

maple [A] time = 0.14, size = 107, normalized size = 1.45

$$a^2 Ax + 2a^2 Bx + \frac{a^2 A \tan(dx + c)}{d} + \frac{2a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{A a^2 c}{d} + \frac{B a^2 \sin(dx + c)}{d} + \frac{B a^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)`

[Out] $a^2 A x + 2a^2 B x + a^2 A \tan(dx + c)/d + 2/d a^2 A \ln(\sec(dx + c) + \tan(dx + c)) + 1/d A a^2 c + 1/d B a^2 \sin(dx + c) + 1/d B a^2 \ln(\sec(dx + c) + \tan(dx + c)) + 2/d B a^2 c$

maxima [A] time = 0.42, size = 105, normalized size = 1.42

$$\frac{2(dx + c)Aa^2 + 4(dx + c)Ba^2 + 2Aa^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + Ba^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")`

[Out] $1/2*(2*(dx + c)*Aa^2 + 4*(dx + c)*Ba^2 + 2Aa^2*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + Ba^2*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2Ba^2*\sin(dx + c) + 2Aa^2*\tan(dx + c))/d$

mupad [B] time = 0.32, size = 161, normalized size = 2.18

$$\frac{B a^2 \sin(c + dx)}{d} + \frac{2 A a^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{4 A a^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{4 B a^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2 B a^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/cos(c + d*x)^2,x)`

[Out] $(Ba^2*\sin(c + dx))/d + (2Aa^2*\operatorname{atan}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)))/d + (4Aa^2*\operatorname{atanh}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)))/d + (4Ba^2*\operatorname{atan}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)))/d + (2Ba^2*\operatorname{atanh}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)))/d + (Aa^2*\sin(c + dx))/(d*\cos(c + dx))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left(\int A \sec^2(c + dx) dx + \int 2A \cos(c + dx) \sec^2(c + dx) dx + \int A \cos^2(c + dx) \sec^2(c + dx) dx + \int B \cos(c + dx) \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)`

[Out] $a**2*(\operatorname{Integral}(A*\sec(c + dx)**2, x) + \operatorname{Integral}(2*A*\cos(c + dx)*\sec(c + dx)**2, x) + \operatorname{Integral}(A*\cos(c + dx)**2*\sec(c + dx)**2, x) + \operatorname{Integral}(B*\cos(c + dx)*\sec(c + dx)**2, x) + \operatorname{Integral}(2*B*\cos(c + dx)**2*\sec(c + dx)**2, x) + \operatorname{Integral}(B*\cos(c + dx)**3*\sec(c + dx)**2, x))$

3.16 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^3(c + dx) dx$

Optimal. Leaf size=88

$$\frac{a^2(3A + 2B) \tan(c + dx)}{2d} + \frac{a^2(3A + 4B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{A \tan(c + dx) \sec(c + dx) (a^2 \cos(c + dx) + a^2)}{2d}$$

[Out] $a^2 B x + 1/2 a^2 (3A + 4B) \operatorname{arctanh}(\sin(dx + c)) / d + 1/2 a^2 (3A + 2B) \tan(dx + c) / d + 1/2 A (a^2 + a^2 \cos(dx + c)) \sec(dx + c) \tan(dx + c) / d$

Rubi [A] time = 0.22, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2975, 2968, 3021, 2735, 3770}

$$\frac{a^2(3A + 2B) \tan(c + dx)}{2d} + \frac{a^2(3A + 4B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{A \tan(c + dx) \sec(c + dx) (a^2 \cos(c + dx) + a^2)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a \cos[c + d*x])^2 (A + B \cos[c + d*x]) \sec[c + d*x]^3, x]$

[Out] $a^2 B x + (a^2 (3A + 4B) \operatorname{ArcTanh}[\sin[c + d*x]]) / (2*d) + (a^2 (3A + 2B) \tan[c + d*x]) / (2*d) + (A (a^2 + a^2 \cos[c + d*x]) \sec[c + d*x] \tan[c + d*x]) / (2*d)$

Rule 2735

$\text{Int}[(a_. + (b_.) \sin[(e_.) + (f_.)(x_.)]) / ((c_.) + (d_.) \sin[(e_.) + (f_.)(x_.)]), x_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d \sin[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

$\text{Int}[(a_. + (b_.) \sin[(e_.) + (f_.)(x_.)])^{(m_.)} ((A_.) + (B_.) \sin[(e_.) + (f_.)(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Int}[(a + b \sin[e + f*x])^m (A*c + (B*c + A*d) \sin[e + f*x] + B*d \sin[e + f*x]^2), x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2975

$\text{Int}[(a_. + (b_.) \sin[(e_.) + (f_.)(x_.)])^{(m_.)} ((A_.) + (B_.) \sin[(e_.) + (f_.)(x_.)])^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b^2 (B*c - A*d) \cos[e + f*x] (a + b \sin[e + f*x])^{(m-1)} (c + d \sin[e + f*x])^{(n+1)}) / (d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b / (d*(n+1)*(b*c + a*d)), \text{Int}[(a + b \sin[e + f*x])^{(m-1)} (c + d \sin[e + f*x])^{(n+1)} \text{Simp}[A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))] \sin[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3021

$\text{Int}[(a_. + (b_.) \sin[(e_.) + (f_.)(x_.)])^{(m_.)} ((A_.) + (B_.) \sin[(e_.) + (f_.)(x_.)] + (C_.) \sin[(e_.) + (f_.)(x_.)]^2), x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C) \cos[e + f*x] (a + b \sin[e + f*x])^{(m+1)} / (b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1 / (b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b \sin[e + f*x])^{(m+1)} \text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1)] \sin[e + f*x], x], x] /;$ FreeQ[{a, b, e, f, A, B,

$C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x]$
 $;/; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{A (a^2 + a^2 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \\ &= \frac{A (a^2 + a^2 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \\ &= \frac{a^2(3A + 2B) \tan(c + dx)}{2d} + \frac{A (a^2 + a^2 \cos(c + dx)) \sec(c + dx)}{2d} \\ &= a^2 B x + \frac{a^2(3A + 2B) \tan(c + dx)}{2d} + \frac{A (a^2 + a^2 \cos(c + dx)) \sec(c + dx)}{2d} \\ &= a^2 B x + \frac{a^2(3A + 4B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(3A + 4B)}{2d} \end{aligned}$$

Mathematica [B] time = 1.36, size = 277, normalized size = 3.15

$$\frac{1}{16} a^2 (\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left(\frac{4(2A + B) \sin\left(\frac{dx}{2}\right)}{d \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)} + \frac{1}{d \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

[Out] (a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*(4*B*x - (2*(3*A + 4*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (2*(3*A + 4*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + A/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(2*A + B)*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - A/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(2*A + B)*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/16

fricas [A] time = 0.85, size = 119, normalized size = 1.35

$$\frac{4 B a^2 dx \cos(dx + c)^2 + (3 A + 4 B) a^2 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (3 A + 4 B) a^2 \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2*(2*(2*A + B)*a^2*\cos(d*x + c) + A*a^2)*\sin(d*x + c)}{4 d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")

[Out] 1/4*(4*B*a^2*d*x*cos(d*x + c)^2 + (3*A + 4*B)*a^2*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (3*A + 4*B)*a^2*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(2*(2*A + B)*a^2*cos(d*x + c) + A*a^2)*sin(d*x + c))/(d*cos(d*x + c)^2)

giac [A] time = 0.50, size = 154, normalized size = 1.75

$$\frac{2(dx+c)Ba^2 + (3Aa^2 + 4Ba^2)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (3Aa^2 + 4Ba^2)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - 2(3Aa^2 + 4Ba^2)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")

[Out] 1/2*(2*(d*x + c)*B*a^2 + (3*A*a^2 + 4*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (3*A*a^2 + 4*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(3*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 5*A*a^2*tan(1/2*d*x + 1/2*c) - 2*B*a^2*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2/d

maple [A] time = 0.15, size = 113, normalized size = 1.28

$$\frac{3a^2A \ln(\sec(dx+c) + \tan(dx+c))}{2d} + a^2Bx + \frac{Ba^2c}{d} + \frac{2a^2A \tan(dx+c)}{d} + \frac{2Ba^2 \ln(\sec(dx+c) + \tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)

[Out] 3/2/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+a^2*B*x+1/d*B*a^2*c+2*a^2*A*tan(d*x+c)/d+2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+1/2*a^2*A*sec(d*x+c)*tan(d*x+c)/d+1/d*B*a^2*tan(d*x+c)

maxima [A] time = 0.54, size = 142, normalized size = 1.61

$$\frac{4(dx+c)Ba^2 - Aa^2\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) + 2Aa^2(\log(\sin(dx+c)+1) + \log(\sin(dx+c)-1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] 1/4*(4*(d*x + c)*B*a^2 - A*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 2*A*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*B*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 8*A*a^2*tan(d*x + c) + 4*B*a^2*tan(d*x + c))/d

mupad [B] time = 0.30, size = 162, normalized size = 1.84

$$\frac{3Aa^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2Ba^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{4Ba^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2Aa^2 \sin(c+dx)}{d \cos(c+dx)} + \frac{Aa^2 \sin(c+dx)}{2d \cos(c+dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/cos(c + d*x)^3,x)

[Out] (3*A*a^2*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (2*B*a^2*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (4*B*a^2*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (2*A*a^2*sin(c + d*x))/(d*cos(c + d*x)) + (A*a^2*sin(c + d*x))/(2*d*cos(c + d*x)^2) + (B*a^2*sin(c + d*x))/(d*cos(c + d*x))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left(\int A \sec^3(c + dx) dx + \int 2A \cos(c + dx) \sec^3(c + dx) dx + \int A \cos^2(c + dx) \sec^3(c + dx) dx + \int B \cos(c + dx) \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] a**2*(Integral(A*sec(c + d*x)**3, x) + Integral(2*A*cos(c + d*x)*sec(c + d*x)**3, x) + Integral(A*cos(c + d*x)**2*sec(c + d*x)**3, x) + Integral(B*cos(c + d*x)*sec(c + d*x)**3, x) + Integral(2*B*cos(c + d*x)**2*sec(c + d*x)**3, x) + Integral(B*cos(c + d*x)**3*sec(c + d*x)**3, x))

3.17 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^4(c + dx) dx$

Optimal. Leaf size=113

$$\frac{a^2(5A + 6B) \tan(c + dx)}{3d} + \frac{a^2(2A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(4A + 3B) \tan(c + dx) \sec(c + dx)}{6d} + \frac{A \tan(c + dx)}{d}$$

[Out] 1/2*a^2*(2*A+3*B)*arctanh(sin(d*x+c))/d+1/3*a^2*(5*A+6*B)*tan(d*x+c)/d+1/6*a^2*(4*A+3*B)*sec(d*x+c)*tan(d*x+c)/d+1/3*A*(a^2+a^2*cos(d*x+c))*sec(d*x+c)^2*tan(d*x+c)/d

Rubi [A] time = 0.27, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2975, 2968, 3021, 2748, 3767, 8, 3770}

$$\frac{a^2(5A + 6B) \tan(c + dx)}{3d} + \frac{a^2(2A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(4A + 3B) \tan(c + dx) \sec(c + dx)}{6d} + \frac{A \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]

[Out] (a^2*(2*A + 3*B)*ArcTanh[Sin[c + d*x]]/(2*d) + (a^2*(5*A + 6*B)*Tan[c + d*x])/(3*d) + (a^2*(4*A + 3*B)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (A*(a^2 + a^2*Cos[c + d*x])*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2975

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2

```
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{A(a^2 + a^2 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \\ &= \frac{A(a^2 + a^2 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \\ &= \frac{a^2(4A + 3B) \sec(c + dx) \tan(c + dx)}{6d} + \frac{A(a^2 + a^2 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{a^2(4A + 3B) \sec(c + dx) \tan(c + dx)}{6d} + \frac{A(a^2 + a^2 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{a^2(2A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(4A + 3B) \sec(c + dx) \tan(c + dx)}{3d} \\ &= \frac{a^2(2A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(5A + 6B) \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [B] time = 6.36, size = 451, normalized size = 3.99

$$a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left(\frac{4(5A+6B) \sin\left(\frac{dx}{2}\right)}{\left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)} + \frac{4(5A+6B) \sin\left(\frac{dx}{2}\right)}{\left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right) \left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] (a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*(-6*(2*A + 3*B)*Log[Cos[(c + d
*x)/2] - Sin[(c + d*x)/2]] + 6*(2*A + 3*B)*Log[Cos[(c + d*x)/2] + Sin[(c +
d*x)/2]] + (2*A*Sin[(d*x)/2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Si
n[(c + d*x)/2])^3) + ((7*A + 3*B)*Cos[c/2] - (5*A + 3*B)*Sin[c/2])/((Cos[c/
2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(5*A + 6*B)*Si
n[(d*x)/2])/((Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) +
(2*A*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x
)/2])^3) - ((7*A + 3*B)*Cos[c/2] + (5*A + 3*B)*Sin[c/2])/((Cos[c/2] + Sin[c
/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(5*A + 6*B)*Sin[(d*x)/2]
)/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(48*d)
```


fricas [A] time = 0.60, size = 125, normalized size = 1.11

$$\frac{3(2A + 3B)a^2 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(2A + 3B)a^2 \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")

[Out] 1/12*(3*(2*A + 3*B)*a^2*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(2*A + 3*B)*a^2*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*(5*A + 6*B)*a^2*cos(d*x + c)^2 + 3*(2*A + B)*a^2*cos(d*x + c) + 2*A*a^2)*sin(d*x + c))/(d*cos(d*x + c)^3)

giac [A] time = 0.50, size = 178, normalized size = 1.58

$$\frac{3(2Aa^2 + 3Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aa^2 + 3Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(6Aa^2 \tan\left(\frac{1}{2}dx\right)\right)}{6d}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")

[Out] 1/6*(3*(2*A*a^2 + 3*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*A*a^2 + 3*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 9*B*a^2*tan(1/2*d*x + 1/2*c)^5 - 16*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 24*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 18*A*a^2*tan(1/2*d*x + 1/2*c) + 15*B*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3/d

maple [A] time = 0.15, size = 141, normalized size = 1.25

$$\frac{5a^2 A \tan(dx + c)}{3d} + \frac{3B a^2 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{a^2 A \sec(dx + c) \tan(dx + c)}{d} + \frac{a^2 A \ln(\sec(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)

[Out] 5/3*a^2*A*tan(d*x+c)/d+3/2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+a^2*A*sec(d*x+c)*tan(d*x+c)/d+1/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+2/d*B*a^2*tan(d*x+c)+1/3*a^2*A*sec(d*x+c)^2*tan(d*x+c)/d+1/2/d*B*a^2*sec(d*x+c)*tan(d*x+c)

maxima [A] time = 0.69, size = 174, normalized size = 1.54

$$\frac{4\left(\tan(dx + c)^3 + 3 \tan(dx + c)\right)Aa^2 - 6Aa^2\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)\right) - 3}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] 1/12*(4*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^2 - 6*A*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 3*B*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 6*B*a^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 12*A*a^2*tan(d*x + c) + 24*B*a^2*tan(d*x + c))/d

mupad [B] time = 2.08, size = 145, normalized size = 1.28

$$\frac{2a^2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \left(A + \frac{3B}{2}\right)}{d} - \frac{(2Aa^2 + 3Ba^2) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(-\frac{16Aa^2}{3} - 8Ba^2\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + (6Aa^2 + 5Ba^2) \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 \left(2Aa^2 + 3Ba^2\right) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 \left(\frac{16Aa^2}{3} + 8Ba^2\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/cos(c + d*x)^4,x)

[Out] (2*a^2*atanh(tan(c/2 + (d*x)/2))*(A + (3*B)/2))/d - (tan(c/2 + (d*x)/2)*(6*A*a^2 + 5*B*a^2) + tan(c/2 + (d*x)/2)^5*(2*A*a^2 + 3*B*a^2) - tan(c/2 + (d*x)/2)^3*((16*A*a^2)/3 + 8*B*a^2))/(d*(3*tan(c/2 + (d*x)/2)^2 - 3*tan(c/2 + (d*x)/2)^4 + tan(c/2 + (d*x)/2)^6 - 1))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*2*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)

[Out] Timed out

3.18 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx$

Optimal. Leaf size=144

$$\frac{a^2(4A + 5B) \tan(c + dx)}{3d} + \frac{a^2(7A + 8B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(5A + 4B) \tan(c + dx) \sec^2(c + dx)}{12d} + \frac{a^2(7A + 8B) \tan(c + dx) \sec^2(c + dx)}{12d}$$

[Out] $1/8*a^2*(7*A+8*B)*\text{arctanh}(\sin(d*x+c))/d+1/3*a^2*(4*A+5*B)*\tan(d*x+c)/d+1/8*a^2*(7*A+8*B)*\sec(d*x+c)*\tan(d*x+c)/d+1/12*a^2*(5*A+4*B)*\sec(d*x+c)^2*\tan(d*x+c)/d+1/4*A*(a^2+a^2*\cos(d*x+c))*\sec(d*x+c)^3*\tan(d*x+c)/d$

Rubi [A] time = 0.30, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {2975, 2968, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{a^2(4A + 5B) \tan(c + dx)}{3d} + \frac{a^2(7A + 8B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(5A + 4B) \tan(c + dx) \sec^2(c + dx)}{12d} + \frac{a^2(7A + 8B) \tan(c + dx) \sec^2(c + dx)}{12d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]

[Out] $(a^2*(7*A + 8*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(8*d) + (a^2*(4*A + 5*B)*\text{Tan}[c + d*x])/(3*d) + (a^2*(7*A + 8*B)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(8*d) + (a^2*(5*A + 4*B)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(12*d) + (A*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(4*d)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)]^(m_))*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)]^(m_))*((A_) + (B_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2975

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)]^(m_))*((A_) + (B_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{A (a^2 + a^2 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \\ &= \frac{A (a^2 + a^2 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \\ &= \frac{a^2(5A + 4B) \sec^2(c + dx) \tan(c + dx)}{12d} + \frac{A (a^2 + a^2 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a^2(5A + 4B) \sec^2(c + dx) \tan(c + dx)}{12d} + \frac{A (a^2 + a^2 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a^2(7A + 8B) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^2(5A + 4B) \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a^2(7A + 8B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(4A + 5B) \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 1.26, size = 262, normalized size = 1.82

$$\frac{a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \left(24(7A + 8B) \cos^4(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{4} - \frac{1}{4} \right)}{4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
```

```
[Out] -1/768*(a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*Sec[c + d*x]^4*(24*(7*A
+ 8*B)*Cos[c + d*x]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[
(c + d*x)/2] + Sin[(c + d*x)/2]]) - Sec[c]*(-24*(4*A + 5*B)*Sin[c] + 3*(15*
A + 8*B)*Sin[d*x] + 45*A*Sin[2*c + d*x] + 24*B*Sin[2*c + d*x] + 128*A*Sin[c
```

+ 2*d*x] + 136*B*Sin[c + 2*d*x] - 24*B*Sin[3*c + 2*d*x] + 21*A*Sin[2*c + 3*d*x] + 24*B*Sin[2*c + 3*d*x] + 21*A*Sin[4*c + 3*d*x] + 24*B*Sin[4*c + 3*d*x] + 32*A*Sin[3*c + 4*d*x] + 40*B*Sin[3*c + 4*d*x]))/d

fricas [A] time = 0.63, size = 145, normalized size = 1.01

$$\frac{3(7A + 8B)a^2 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(7A + 8B)a^2 \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2}{48d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")

[Out] 1/48*(3*(7*A + 8*B)*a^2*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(7*A + 8*B)*a^2*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(8*(4*A + 5*B)*a^2*cos(d*x + c)^3 + 3*(7*A + 8*B)*a^2*cos(d*x + c)^2 + 8*(2*A + B)*a^2*cos(d*x + c) + 6*A*a^2)*sin(d*x + c))/(d*cos(d*x + c)^4)

giac [A] time = 0.87, size = 212, normalized size = 1.47

$$3(7Aa^2 + 8Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(7Aa^2 + 8Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(21Aa^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")

[Out] 1/24*(3*(7*A*a^2 + 8*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(7*A*a^2 + 8*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(21*A*a^2*tan(1/2*d*x + 1/2*c)^7 + 24*B*a^2*tan(1/2*d*x + 1/2*c)^7 - 77*A*a^2*tan(1/2*d*x + 1/2*c)^5 - 88*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 83*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 136*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 75*A*a^2*tan(1/2*d*x + 1/2*c) - 72*B*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4)/d

maple [A] time = 0.16, size = 187, normalized size = 1.30

$$\frac{7a^2 A \sec(dx + c) \tan(dx + c)}{8d} + \frac{7a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{5B a^2 \tan(dx + c)}{3d} + \frac{4a^2 A \tan(dx + c)}{3d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^5,x)

[Out] 7/8*a^2*A*sec(d*x+c)*tan(d*x+c)/d+7/8/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+5/3/d*B*a^2*tan(d*x+c)+4/3*a^2*A*tan(d*x+c)/d+2/3*a^2*A*sec(d*x+c)^2*tan(d*x+c)/d+1/d*B*a^2*sec(d*x+c)*tan(d*x+c)+1/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+1/4*a^2*A*sec(d*x+c)^3*tan(d*x+c)/d+1/3/d*B*a^2*tan(d*x+c)*sec(d*x+c)^2

maxima [A] time = 0.69, size = 230, normalized size = 1.60

$$32(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^2 + 16(\tan(dx + c)^3 + 3 \tan(dx + c))Ba^2 - 3Aa^2 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="maxima")

[Out] $\frac{1}{48} \cdot (32 \cdot (\tan(dx + c))^3 + 3 \cdot \tan(dx + c)) \cdot A \cdot a^2 + 16 \cdot (\tan(dx + c))^3 + 3 \cdot \tan(dx + c) \cdot B \cdot a^2 - 3 \cdot A \cdot a^2 \cdot (2 \cdot (3 \cdot \sin(dx + c))^3 - 5 \cdot \sin(dx + c)) / (\sin(dx + c)^4 - 2 \cdot \sin(dx + c)^2 + 1) - 3 \cdot \log(\sin(dx + c) + 1) + 3 \cdot \log(\sin(dx + c) - 1)) - 12 \cdot A \cdot a^2 \cdot (2 \cdot \sin(dx + c)) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 24 \cdot B \cdot a^2 \cdot (2 \cdot \sin(dx + c)) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 48 \cdot B \cdot a^2 \cdot \tan(dx + c) / d$

mupad [B] time = 2.68, size = 183, normalized size = 1.27

$$\frac{\left(-\frac{7Aa^2}{4} - 2Ba^2\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{77Aa^2}{12} + \frac{22Ba^2}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(-\frac{83Aa^2}{12} - \frac{34Ba^2}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{25Aa^2}{4} - 2Ba^2\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/cos(c + d*x)^5,x)`

[Out] $(\tan(c/2 + (d*x)/2) \cdot ((25 \cdot A \cdot a^2)/4 + 6 \cdot B \cdot a^2) - \tan(c/2 + (d*x)/2)^7 \cdot ((7 \cdot A \cdot a^2)/4 + 2 \cdot B \cdot a^2) + \tan(c/2 + (d*x)/2)^5 \cdot ((77 \cdot A \cdot a^2)/12 + (22 \cdot B \cdot a^2)/3) - \tan(c/2 + (d*x)/2)^3 \cdot ((83 \cdot A \cdot a^2)/12 + (34 \cdot B \cdot a^2)/3)) / (d \cdot (6 \cdot \tan(c/2 + (d*x)/2)^4 - 4 \cdot \tan(c/2 + (d*x)/2)^2 - 4 \cdot \tan(c/2 + (d*x)/2)^6 + \tan(c/2 + (d*x)/2)^8 + 1)) + (2 \cdot a^2 \cdot \operatorname{atanh}(\tan(c/2 + (d*x)/2)) \cdot ((7 \cdot A)/8 + B)) / d$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)`

[Out] Timed out

3.19 $\int \cos^2(c+dx)(a+a\cos(c+dx))^3(A+B\cos(c+dx)) dx$

Optimal. Leaf size=201

$$-\frac{a^3(19A+17B)\sin^3(c+dx)}{15d} + \frac{a^3(19A+17B)\sin(c+dx)}{5d} + \frac{a^3(22A+21B)\sin(c+dx)\cos^3(c+dx)}{40d} + \frac{(3A+4B)\cos^2(c+dx)}{15d}$$

[Out] 1/16*a^3*(26*A+23*B)*x+1/5*a^3*(19*A+17*B)*sin(d*x+c)/d+1/16*a^3*(26*A+23*B)*cos(d*x+c)*sin(d*x+c)/d+1/40*a^3*(22*A+21*B)*cos(d*x+c)^3*sin(d*x+c)/d+1/6*a*B*cos(d*x+c)^3*(a+a*cos(d*x+c))^2*sin(d*x+c)/d+1/15*(3*A+4*B)*cos(d*x+c)^3*(a^3+a^3*cos(d*x+c))*sin(d*x+c)/d-1/15*a^3*(19*A+17*B)*sin(d*x+c)^3/d

Rubi [A] time = 0.43, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2976, 2968, 3023, 2748, 2635, 8, 2633}

$$-\frac{a^3(19A+17B)\sin^3(c+dx)}{15d} + \frac{a^3(19A+17B)\sin(c+dx)}{5d} + \frac{a^3(22A+21B)\sin(c+dx)\cos^3(c+dx)}{40d} + \frac{(3A+4B)\cos^2(c+dx)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*cos[c + d*x])^3*(A + B*cos[c + d*x]),x]

[Out] (a^3*(26*A + 23*B)*x)/16 + (a^3*(19*A + 17*B)*Sin[c + d*x])/(5*d) + (a^3*(26*A + 23*B)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^3*(22*A + 21*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(40*d) + (a*B*cos[c + d*x]^3*(a + a*cos[c + d*x])^2*Ssin[c + d*x])/(6*d) + ((3*A + 4*B)*Cos[c + d*x]^3*(a^3 + a^3*cos[c + d*x])*Sin[c + d*x])/(15*d) - (a^3*(19*A + 17*B)*Sin[c + d*x]^3)/(15*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[
(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{6d} + \frac{1}{6} \\ &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{6d} + \frac{3}{6} \\ &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{6d} + \frac{3}{6} \\ &= \frac{a^3(22A + 21B) \cos^3(c + dx) \sin(c + dx)}{40d} + \frac{aB \cos^3(c + dx)}{6d} \\ &= \frac{a^3(22A + 21B) \cos^3(c + dx) \sin(c + dx)}{40d} + \frac{aB \cos^3(c + dx)}{6d} \\ &= \frac{a^3(26A + 23B) \cos(c + dx) \sin(c + dx)}{16d} + \frac{a^3(22A + 21B)}{6d} \\ &= \frac{1}{16} a^3(26A + 23B)x + \frac{a^3(19A + 17B) \sin(c + dx)}{5d} + \frac{a^3(22A + 21B)}{6d} \end{aligned}$$

Mathematica [A] time = 0.59, size = 134, normalized size = 0.67

$$\frac{a^3(120(23A + 21B) \sin(c + dx) + 15(64A + 63B) \sin(2(c + dx)) + 340A \sin(3(c + dx)) + 90A \sin(4(c + dx)) + 120A \sin(5(c + dx)) + 36B \sin(6(c + dx)))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*cos[c + d*x])^3*(A + B*cos[c + d*x]),x]

[Out] (a^3*(1380*B*c + 1560*A*d*x + 1380*B*d*x + 120*(23*A + 21*B)*Sin[c + d*x] + 15*(64*A + 63*B)*Sin[2*(c + d*x)] + 340*A*Sin[3*(c + d*x)] + 380*B*Sin[3*(c + d*x)] + 90*A*Sin[4*(c + d*x)] + 135*B*Sin[4*(c + d*x)] + 12*A*Sin[5*(c + d*x)] + 36*B*Sin[5*(c + d*x)] + 5*B*Sin[6*(c + d*x)]))/(960*d)

fricas [A] time = 0.83, size = 130, normalized size = 0.65

$$\frac{15(26A + 23B)a^3 dx + (40Ba^3 \cos(dx + c))^5 + 48(A + 3B)a^3 \cos(dx + c)^4 + 10(18A + 23B)a^3 \cos(dx + c)^3 + 120A \sin(6(c + dx))}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{240}*(15*(26*A + 23*B)*a^3*d*x + (40*B*a^3*\cos(d*x + c)^5 + 48*(A + 3*B)*a^3*\cos(d*x + c)^4 + 10*(18*A + 23*B)*a^3*\cos(d*x + c)^3 + 16*(19*A + 17*B)*a^3*\cos(d*x + c)^2 + 15*(26*A + 23*B)*a^3*\cos(d*x + c) + 32*(19*A + 17*B)*a^3)*\sin(d*x + c))/d$

giac [A] time = 0.36, size = 166, normalized size = 0.83

$$\frac{Ba^3 \sin(6dx + 6c)}{192d} + \frac{1}{16} (26Aa^3 + 23Ba^3)x + \frac{(Aa^3 + 3Ba^3) \sin(5dx + 5c)}{80d} + \frac{3(2Aa^3 + 3Ba^3) \sin(4dx + 4c)}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{192}*B*a^3*\sin(6*d*x + 6*c)/d + \frac{1}{16}*(26*A*a^3 + 23*B*a^3)*x + \frac{1}{80}*(A*a^3 + 3*B*a^3)*\sin(5*d*x + 5*c)/d + \frac{3}{64}*(2*A*a^3 + 3*B*a^3)*\sin(4*d*x + 4*c)/d + \frac{1}{48}*(17*A*a^3 + 19*B*a^3)*\sin(3*d*x + 3*c)/d + \frac{1}{64}*(64*A*a^3 + 63*B*a^3)*\sin(2*d*x + 2*c)/d + \frac{1}{8}*(23*A*a^3 + 21*B*a^3)*\sin(d*x + c)/d$

maple [A] time = 0.07, size = 266, normalized size = 1.32

$$\frac{Aa^3 \left(\frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + a^3 B \left(\frac{\left(\cos^5(dx+c) + \frac{5(\cos^3(dx+c))}{4} + \frac{15\cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + 3Aa^3 \left(\frac{\cos^3(dx+c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x)

[Out] $\frac{1}{d}*(\frac{1}{5}*A*a^3*(\frac{8}{3}+\cos(d*x+c)^4+\frac{4}{3}*\cos(d*x+c)^2)*\sin(d*x+c)+a^3*B*(\frac{1}{6}*(\cos(d*x+c)^5+\frac{5}{4}*\cos(d*x+c)^3+\frac{15}{8}*\cos(d*x+c))*\sin(d*x+c)+\frac{5}{16}*d*x+\frac{5}{16}*c)+3*A*a^3*(\frac{1}{4}*(\cos(d*x+c)^3+\frac{3}{2}*\cos(d*x+c))*\sin(d*x+c)+\frac{3}{8}*d*x+\frac{3}{8}*c)+\frac{3}{5}*a^3*B*(\frac{8}{3}+\cos(d*x+c)^4+\frac{4}{3}*\cos(d*x+c)^2)*\sin(d*x+c)+A*a^3*(2+\cos(d*x+c)^2)*\sin(d*x+c)+3*a^3*B*(\frac{1}{4}*(\cos(d*x+c)^3+\frac{3}{2}*\cos(d*x+c))*\sin(d*x+c)+\frac{3}{8}*d*x+\frac{3}{8}*c)+A*a^3*(\frac{1}{2}*\cos(d*x+c)*\sin(d*x+c)+\frac{1}{2}*d*x+\frac{1}{2}*c)+\frac{1}{3}*a^3*B*(2+\cos(d*x+c)^2)*\sin(d*x+c))$

maxima [A] time = 0.55, size = 262, normalized size = 1.30

$$\frac{64(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa^3 - 960(\sin(dx + c)^3 - 3 \sin(dx + c))Aa^3 + 90(12d*x + 12c + \sin(4d*x + 4c) + 8*\sin(2d*x + 2c))Aa^3 + 240*(2d*x + 2c + \sin(2d*x + 2c))*Aa^3 + 192*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*B*a^3 - 5*(4*\sin(2d*x + 2c)^3 - 60*d*x - 60*c - 9*\sin(4d*x + 4c) - 48*\sin(2d*x + 2c))*B*a^3 - 320*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a^3 + 90*(12d*x + 12c + \sin(4d*x + 4c) + 8*\sin(2d*x + 2c))*B*a^3)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{960}*(64*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*A*a^3 - 960*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*A*a^3 + 90*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a^3 + 240*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a^3 + 192*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*B*a^3 - 5*(4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c))*B*a^3 - 320*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a^3 + 90*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a^3)/d$

mupad [B] time = 1.61, size = 315, normalized size = 1.57

$$\frac{\left(\frac{13Aa^3}{4} + \frac{23Ba^3}{8}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11} + \left(\frac{221Aa^3}{12} + \frac{391Ba^3}{24}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(\frac{429Aa^3}{10} + \frac{759Ba^3}{20}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{499Aa^3}{10} + \frac{969Ba^3}{20}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{499Aa^3}{10} + \frac{969Ba^3}{20}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{499Aa^3}{10} + \frac{969Ba^3}{20}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{12} + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + 15 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 20 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 15 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3,x)`

[Out] `(tan(c/2 + (d*x)/2)*((51*A*a^3)/4 + (105*B*a^3)/8) + tan(c/2 + (d*x)/2)^11*((13*A*a^3)/4 + (23*B*a^3)/8) + tan(c/2 + (d*x)/2)^3*((419*A*a^3)/12 + (211*B*a^3)/8) + tan(c/2 + (d*x)/2)^9*((221*A*a^3)/12 + (391*B*a^3)/24) + tan(c/2 + (d*x)/2)^7*((429*A*a^3)/10 + (759*B*a^3)/20) + tan(c/2 + (d*x)/2)^5*((499*A*a^3)/10 + (969*B*a^3)/20))/(d*(6*tan(c/2 + (d*x)/2)^2 + 15*tan(c/2 + (d*x)/2)^4 + 20*tan(c/2 + (d*x)/2)^6 + 15*tan(c/2 + (d*x)/2)^8 + 6*tan(c/2 + (d*x)/2)^10 + tan(c/2 + (d*x)/2)^12 + 1)) - (a^3*(26*A + 23*B)*(atan(tan(c/2 + (d*x)/2)) - (d*x)/2))/(8*d) + (a^3*atan((a^3*tan(c/2 + (d*x)/2)*(26*A + 23*B)))/(8*((13*A*a^3)/4 + (23*B*a^3)/8)))*(26*A + 23*B))/(8*d)`

sympy [A] time = 4.83, size = 695, normalized size = 3.46

$$\left\{ \begin{array}{l} \frac{9Aa^3x \sin^4(c+dx)}{8} + \frac{9Aa^3x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{Aa^3x \sin^2(c+dx)}{2} + \frac{9Aa^3x \cos^4(c+dx)}{8} + \frac{Aa^3x \cos^2(c+dx)}{2} + \frac{8Aa^3 \sin^5(c+dx)}{15d} + \frac{4Aa^3 \cos^5(c+dx)}{15d} \\ x(A + B \cos(c))(a \cos(c) + a)^3 \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**3*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise(((9*A*a**3*x*sin(c + d*x)**4/8 + 9*A*a**3*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + A*a**3*x*sin(c + d*x)**2/2 + 9*A*a**3*x*cos(c + d*x)**4/8 + A*a**3*x*cos(c + d*x)**2/2 + 8*A*a**3*sin(c + d*x)**5/(15*d) + 4*A*a**3*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 9*A*a**3*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 2*A*a**3*sin(c + d*x)**3/d + A*a**3*sin(c + d*x)*cos(c + d*x)**4/d + 15*A*a**3*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 3*A*a**3*sin(c + d*x)*cos(c + d*x)**2/d + A*a**3*sin(c + d*x)*cos(c + d*x)/(2*d) + 5*B*a**3*x*sin(c + d*x)**6/16 + 15*B*a**3*x*sin(c + d*x)**4*cos(c + d*x)**2/16 + 9*B*a**3*x*sin(c + d*x)**4/8 + 15*B*a**3*x*sin(c + d*x)**2*cos(c + d*x)**4/16 + 9*B*a**3*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 5*B*a**3*x*cos(c + d*x)**6/16 + 9*B*a**3*x*cos(c + d*x)**4/8 + 5*B*a**3*sin(c + d*x)**5*cos(c + d*x)/(16*d) + 8*B*a**3*sin(c + d*x)**5/(5*d) + 5*B*a**3*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 4*B*a**3*sin(c + d*x)**3*cos(c + d*x)**2/d + 9*B*a**3*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 2*B*a**3*sin(c + d*x)**3/(3*d) + 11*B*a**3*sin(c + d*x)*cos(c + d*x)**5/(16*d) + 3*B*a**3*sin(c + d*x)*cos(c + d*x)**4/d + 15*B*a**3*sin(c + d*x)*cos(c + d*x)**3/(8*d) + B*a**3*sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a)**3*cos(c)**2, True))`

3.20 $\int \cos(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx$

Optimal. Leaf size=154

$$-\frac{a^3(15A + 13B) \sin^3(c + dx)}{60d} + \frac{a^3(15A + 13B) \sin(c + dx)}{5d} + \frac{3a^3(15A + 13B) \sin(c + dx) \cos(c + dx)}{40d} + \frac{1}{8}a^3x(15A + 13B)$$

[Out] 1/8*a^3*(15*A+13*B)*x+1/5*a^3*(15*A+13*B)*sin(d*x+c)/d+3/40*a^3*(15*A+13*B)*cos(d*x+c)*sin(d*x+c)/d+1/20*(5*A-B)*(a+a*cos(d*x+c))^3*sin(d*x+c)/d+1/5*B*(a+a*cos(d*x+c))^4*sin(d*x+c)/a/d-1/60*a^3*(15*A+13*B)*sin(d*x+c)^3/d

Rubi [A] time = 0.23, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$, Rules used = {2968, 3023, 2751, 2645, 2637, 2635, 8, 2633}

$$-\frac{a^3(15A + 13B) \sin^3(c + dx)}{60d} + \frac{a^3(15A + 13B) \sin(c + dx)}{5d} + \frac{3a^3(15A + 13B) \sin(c + dx) \cos(c + dx)}{40d} + \frac{1}{8}a^3x(15A + 13B)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*cos[c + d*x])^3*(A + B*cos[c + d*x]),x]

[Out] (a^3*(15*A + 13*B)*x)/8 + (a^3*(15*A + 13*B)*Sin[c + d*x])/(5*d) + (3*a^3*(15*A + 13*B)*Cos[c + d*x]*Sin[c + d*x])/(40*d) + ((5*A - B)*(a + a*cos[c + d*x])^3*sin[c + d*x])/(20*d) + (B*(a + a*cos[c + d*x])^4*sin[c + d*x])/(5*a*d) - (a^3*(15*A + 13*B)*Sin[c + d*x]^3)/(60*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2645

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrig[(a + b*sin[c + d*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n, 0]

Rule 2751

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*cos[e + f*x]*(a + b*sin[e + f*x])^m)/(f

$\cdot(m+1)), x] + \text{Dist}[(a*d*m + b*c*(m+1))/(b*(m+1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

Rule 2968

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_)]])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_)] + (C_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_)]), x_Symbol] :> \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3023

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_)]])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x\} \&\& !\text{LtQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \cos(c+dx)(a+a\cos(c+dx))^3(A+B\cos(c+dx))dx &= \int (a+a\cos(c+dx))^3(A\cos(c+dx)+B\cos^2(c+dx))dx \\ &= \frac{B(a+a\cos(c+dx))^4\sin(c+dx)}{5ad} + \frac{\int (a+a\cos(c+dx))^3(A\cos(c+dx)+B\cos^2(c+dx))dx}{5ad} \\ &= \frac{(5A-B)(a+a\cos(c+dx))^3\sin(c+dx)}{20d} + \frac{B(a+a\cos(c+dx))^3\sin(c+dx)}{20d} \\ &= \frac{(5A-B)(a+a\cos(c+dx))^3\sin(c+dx)}{20d} + \frac{B(a+a\cos(c+dx))^3\sin(c+dx)}{20d} \\ &= \frac{1}{20}a^3(15A+13B)x + \frac{(5A-B)(a+a\cos(c+dx))^3\sin(c+dx)}{20d} \\ &= \frac{1}{20}a^3(15A+13B)x + \frac{3a^3(15A+13B)\sin(c+dx)}{20d} + \frac{3a^3(15A+13B)\sin^2(c+dx)}{20d} \\ &= \frac{1}{8}a^3(15A+13B)x + \frac{a^3(15A+13B)\sin(c+dx)}{5d} + \frac{3a^3(15A+13B)\sin^2(c+dx)}{20d} \end{aligned}$$

Mathematica [A] time = 0.46, size = 108, normalized size = 0.70

$$\frac{a^3(60(26A+23B)\sin(c+dx) + 480(A+B)\sin(2(c+dx)) + 120A\sin(3(c+dx)) + 15A\sin(4(c+dx)) + 900Ad\sin^2(c+dx) + 480d\sin^3(c+dx))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d*x]*(a+a*Cos[c+d*x])^3*(A+B*Cos[c+d*x]),x]

[Out] (a^3*(780*B*c + 900*A*d*x + 780*B*d*x + 60*(26*A + 23*B)*Sin[c+d*x] + 480*(A+B)*Sin[2*(c+d*x)] + 120*A*Sin[3*(c+d*x)] + 170*B*Sin[3*(c+d*x)] + 15*A*Sin[4*(c+d*x)] + 45*B*Sin[4*(c+d*x)] + 6*B*Sin[5*(c+d*x)]))/(480*d)

fricas [A] time = 0.87, size = 110, normalized size = 0.71

$$\frac{15(15A+13B)a^3dx + (24Ba^3\cos(dx+c)^4 + 30(A+3B)a^3\cos(dx+c)^3 + 8(15A+19B)a^3\cos(dx+c)^2 + 15Aa^3\cos(dx+c) + 480Ad\sin^2(c+dx) + 480d\sin^3(c+dx))}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/120*(15*(15*A + 13*B)*a^3*d*x + (24*B*a^3*cos(d*x + c)^4 + 30*(A + 3*B)*a^3*cos(d*x + c)^3 + 8*(15*A + 19*B)*a^3*cos(d*x + c)^2 + 15*(15*A + 13*B)*a^3*cos(d*x + c) + 8*(45*A + 38*B)*a^3)*sin(d*x + c))/d

giac [A] time = 0.41, size = 136, normalized size = 0.88

$$\frac{Ba^3 \sin(5dx + 5c)}{80d} + \frac{1}{8} (15Aa^3 + 13Ba^3)x + \frac{(Aa^3 + 3Ba^3) \sin(4dx + 4c)}{32d} + \frac{(12Aa^3 + 17Ba^3) \sin(3dx + 3c)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/80*B*a^3*sin(5*d*x + 5*c)/d + 1/8*(15*A*a^3 + 13*B*a^3)*x + 1/32*(A*a^3 + 3*B*a^3)*sin(4*d*x + 4*c)/d + 1/48*(12*A*a^3 + 17*B*a^3)*sin(3*d*x + 3*c)/d + (A*a^3 + B*a^3)*sin(2*d*x + 2*c)/d + 1/8*(26*A*a^3 + 23*B*a^3)*sin(d*x + c)/d

maple [A] time = 0.06, size = 223, normalized size = 1.45

$$Aa^3 \left(\frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2})\sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{a^3B \left(\frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + Aa^3 (2 + \cos^2(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x)

[Out] 1/d*(A*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/5*a^3*B*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+A*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+3*a^3*B*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+3*A*a^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a^3*B*(2+cos(d*x+c)^2)*sin(d*x+c)+A*a^3*sin(d*x+c)+a^3*B*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

maxima [A] time = 0.74, size = 213, normalized size = 1.38

$$\frac{480(\sin(dx+c)^3 - 3\sin(dx+c))Aa^3 - 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^3 - 360(2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] -1/480*(480*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3 - 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^3 - 360*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 - 32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^3 + 480*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^3 - 45*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^3 - 120*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^3 - 480*A*a^3*sin(d*x + c))/d

mupad [B] time = 1.50, size = 277, normalized size = 1.80

$$\frac{\left(\frac{15Aa^3}{4} + \frac{13Ba^3}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(\frac{35Aa^3}{2} + \frac{91Ba^3}{6}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(32Aa^3 + \frac{416Ba^3}{15}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{61Aa^3}{2} + \frac{103Ba^3}{6}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{15Aa^3}{4} + \frac{13Ba^3}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3,x)`

[Out] $(\tan(c/2 + (d*x)/2)*((49*A*a^3)/4 + (51*B*a^3)/4) + \tan(c/2 + (d*x)/2)^9*((15*A*a^3)/4 + (13*B*a^3)/4) + \tan(c/2 + (d*x)/2)^7*((35*A*a^3)/2 + (91*B*a^3)/6) + \tan(c/2 + (d*x)/2)^3*((61*A*a^3)/2 + (133*B*a^3)/6) + \tan(c/2 + (d*x)/2)^5*(32*A*a^3 + (416*B*a^3)/15))/(d*(5*\tan(c/2 + (d*x)/2)^2 + 10*\tan(c/2 + (d*x)/2)^4 + 10*\tan(c/2 + (d*x)/2)^6 + 5*\tan(c/2 + (d*x)/2)^8 + \tan(c/2 + (d*x)/2)^{10} + 1)) - (a^3*(15*A + 13*B)*(atan(\tan(c/2 + (d*x)/2)) - (d*x)/2))/(4*d) + (a^3*atan((a^3*\tan(c/2 + (d*x)/2)*(15*A + 13*B))/(4*((15*A*a^3)/4 + (13*B*a^3)/4)))*(15*A + 13*B))/(4*d)$

sympy [A] time = 2.81, size = 530, normalized size = 3.44

$$\left\{ \begin{array}{l} \frac{3Aa^3x\sin^4(c+dx)}{8} + \frac{3Aa^3x\sin^2(c+dx)\cos^2(c+dx)}{4} + \frac{3Aa^3x\sin^2(c+dx)}{2} + \frac{3Aa^3x\cos^4(c+dx)}{8} + \frac{3Aa^3x\cos^2(c+dx)}{2} + \frac{3Aa^3\sin^3(c+dx)\cos(c+dx)}{8d} \\ x(A + B\cos(c))(a\cos(c) + a)^3\cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*cos(d*x+c))**3*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise(((3*A*a**3*x*sin(c + d*x)**4/8 + 3*A*a**3*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*A*a**3*x*cos(c + d*x)**4/8 + 3*A*a**3*x*cos(c + d*x)**2/2 + 3*A*a**3*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 2*A*a**3*sin(c + d*x)**3/d + 5*A*a**3*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 3*A*a**3*sin(c + d*x)*cos(c + d*x)**2/d + 3*A*a**3*sin(c + d*x)*cos(c + d*x)/(2*d) + A*a**3*sin(c + d*x)/d + 9*B*a**3*x*sin(c + d*x)**4/8 + 9*B*a**3*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + B*a**3*x*sin(c + d*x)**2/2 + 9*B*a**3*x*cos(c + d*x)**4/8 + B*a**3*x*cos(c + d*x)**2/2 + 8*B*a**3*sin(c + d*x)**5/(15*d) + 4*B*a**3*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 9*B*a**3*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 2*B*a**3*sin(c + d*x)**3/d + B*a**3*sin(c + d*x)*cos(c + d*x)**4/d + 15*B*a**3*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 3*B*a**3*sin(c + d*x)*cos(c + d*x)**2/d + B*a**3*sin(c + d*x)*cos(c + d*x)/(2*d), Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a)**3*cos(c), True))`

3.21 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) dx$

Optimal. Leaf size=116

$$-\frac{a^3(4A+3B)\sin^3(c+dx)}{12d} + \frac{a^3(4A+3B)\sin(c+dx)}{d} + \frac{3a^3(4A+3B)\sin(c+dx)\cos(c+dx)}{8d} + \frac{5}{8}a^3x(4A+3B) +$$

[Out] $5/8*a^3*(4*A+3*B)*x + a^3*(4*A+3*B)*\sin(d*x+c)/d + 3/8*a^3*(4*A+3*B)*\cos(d*x+c)*\sin(d*x+c)/d + 1/4*B*(a+a*\cos(d*x+c))^3*\sin(d*x+c)/d - 1/12*a^3*(4*A+3*B)*\sin(d*x+c)^3/d$

Rubi [A] time = 0.10, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {2751, 2645, 2637, 2635, 8, 2633}

$$-\frac{a^3(4A+3B)\sin^3(c+dx)}{12d} + \frac{a^3(4A+3B)\sin(c+dx)}{d} + \frac{3a^3(4A+3B)\sin(c+dx)\cos(c+dx)}{8d} + \frac{5}{8}a^3x(4A+3B) +$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x]), x]$

[Out] $(5*a^3*(4*A + 3*B)*x)/8 + (a^3*(4*A + 3*B)*\text{Sin}[c + d*x])/d + (3*a^3*(4*A + 3*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (B*(a + a*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/d - (a^3*(4*A + 3*B)*\text{Sin}[c + d*x]^3)/(12*d)$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{(n-1)/2}], x], x], x, \text{Cos}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[(n-1)/2, 0]$

Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)}]/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2645

$\text{Int}[(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[c + d*x])^n], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[n, 0]$

Rule 2751

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow -\text{Simp}[(d*\text{Cos}[e + f*x])*(a + b*\text{Sin}[e + f*x])^m]/(c*(m+1)), x] + \text{Dist}[(a*d*m + b*c*(m+1))/(b*(m+1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\&$

EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) dx &= \frac{B(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4}(4A + 3B) \int (a + a \cos(c + dx))^3 dx \\ &= \frac{B(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4}(4A + 3B) \int (a^3 + 3a^3 \cos(c + dx) + 3a^3 \cos^2(c + dx) + a^3 \cos^3(c + dx)) dx \\ &= \frac{1}{4}a^3(4A + 3B)x + \frac{B(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4}(a^3(4A + 3B)x + 3a^3(4A + 3B) \int \cos(c + dx) dx + 3a^3(4A + 3B) \int \cos^2(c + dx) dx + a^3(4A + 3B) \int \cos^3(c + dx) dx) \\ &= \frac{1}{4}a^3(4A + 3B)x + \frac{3a^3(4A + 3B) \sin(c + dx)}{4d} + \frac{3a^3(4A + 3B) \cos(c + dx)}{8} + \frac{a^3(4A + 3B) \sin(2(c + dx))}{8} \\ &= \frac{5}{8}a^3(4A + 3B)x + \frac{a^3(4A + 3B) \sin(c + dx)}{d} + \frac{3a^3(4A + 3B) \cos(c + dx)}{8} + \frac{a^3(4A + 3B) \sin(2(c + dx))}{8} \end{aligned}$$

Mathematica [A] time = 0.33, size = 86, normalized size = 0.74

$$\frac{a^3(24(15A + 13B) \sin(c + dx) + 24(3A + 4B) \sin(2(c + dx)) + 8A \sin(3(c + dx)) + 240Adx + 24B \sin(3(c + dx)))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]),x]

[Out] (a^3*(240*A*d*x + 180*B*d*x + 24*(15*A + 13*B)*Sin[c + d*x] + 24*(3*A + 4*B)*Sin[2*(c + d*x)] + 8*A*Sin[3*(c + d*x)] + 24*B*Sin[3*(c + d*x)] + 3*B*Sin[4*(c + d*x)]))/(96*d)

fricas [A] time = 0.81, size = 90, normalized size = 0.78

$$\frac{15(4A + 3B)a^3 dx + (6Ba^3 \cos(dx + c))^3 + 8(A + 3B)a^3 \cos(dx + c)^2 + 9(4A + 5B)a^3 \cos(dx + c) + 8(11A + 9B)a^3 \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/24*(15*(4*A + 3*B)*a^3*d*x + (6*B*a^3*cos(d*x + c))^3 + 8*(A + 3*B)*a^3*cos(d*x + c)^2 + 9*(4*A + 5*B)*a^3*cos(d*x + c) + 8*(11*A + 9*B)*a^3*sin(d*x + c))/d

giac [A] time = 0.36, size = 112, normalized size = 0.97

$$\frac{Ba^3 \sin(4dx + 4c)}{32d} + \frac{5}{8} \left(4Aa^3 + 3Ba^3 \right) x + \frac{(Aa^3 + 3Ba^3) \sin(3dx + 3c)}{12d} + \frac{(3Aa^3 + 4Ba^3) \sin(2dx + 2c)}{4d} + \frac{(15A + 9B)a^3 \sin(dx + c)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/32*B*a^3*sin(4*d*x + 4*c)/d + 5/8*(4*A*a^3 + 3*B*a^3)*x + 1/12*(A*a^3 + 3*B*a^3)*sin(3*d*x + 3*c)/d + 1/4*(3*A*a^3 + 4*B*a^3)*sin(2*d*x + 2*c)/d + 1/4*(15*A*a^3 + 13*B*a^3)*sin(d*x + c)/d

maple [A] time = 0.06, size = 176, normalized size = 1.52

$$a^3 B \left(\frac{\left(\cos^3(dx+c) + \frac{3 \cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{A a^3 (2 + \cos^2(dx+c)) \sin(dx+c)}{3} + a^3 B (2 + \cos^2(dx+c)) \sin(dx+c) + 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x)`

[Out] $1/d*(a^3*B*(1/4*(\cos(d*x+c))^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+1/3*A*a^3*(2+\cos(d*x+c))^2*\sin(d*x+c)+a^3*B*(2+\cos(d*x+c))^2*\sin(d*x+c)+3*A*a^3*(1/2*\cos(d*x+c))*\sin(d*x+c)+1/2*d*x+1/2*c)+3*a^3*B*(1/2*\cos(d*x+c))*\sin(d*x+c)+1/2*d*x+1/2*c)+3*A*a^3*\sin(d*x+c)+a^3*B*\sin(d*x+c)+A*a^3*(d*x+c)$

maxima [A] time = 0.44, size = 167, normalized size = 1.44

$$\frac{32(\sin(dx+c)^3 - 3\sin(dx+c))Aa^3 - 72(2dx+2c+\sin(2dx+2c))Aa^3 - 96(dx+c)Aa^3 + 96(\sin(dx+c) - 3\sin(dx+c))Ba^3 - 72(2dx+2c+\sin(2dx+2c))Ba^3 - 96(dx+c)Ba^3 + 96(\sin(dx+c) - 3\sin(dx+c))Ba^3 \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] $-1/96*(32*(\sin(d*x+c))^3 - 3*\sin(d*x+c))*A*a^3 - 72*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a^3 - 96*(d*x + c)*A*a^3 + 96*(\sin(d*x+c)^3 - 3*\sin(d*x+c))*B*a^3 - 3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a^3 - 72*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^3 - 288*A*a^3*\sin(d*x+c) - 96*B*a^3*\sin(d*x+c))/d$

mupad [B] time = 0.27, size = 134, normalized size = 1.16

$$\frac{5Aa^3x}{2} + \frac{15Ba^3x}{8} + \frac{15Aa^3\sin(c+dx)}{4d} + \frac{13Ba^3\sin(c+dx)}{4d} + \frac{3Aa^3\sin(2c+2dx)}{4d} + \frac{Aa^3\sin(3c+3dx)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(c+d*x))*(a+a*cos(c+d*x))^3,x)`

[Out] $(5*A*a^3*x)/2 + (15*B*a^3*x)/8 + (15*A*a^3*\sin(c+d*x))/(4*d) + (13*B*a^3*\sin(c+d*x))/(4*d) + (3*A*a^3*\sin(2*c+2*d*x))/(4*d) + (A*a^3*\sin(3*c+3*d*x))/(12*d) + (B*a^3*\sin(2*c+2*d*x))/d + (B*a^3*\sin(3*c+3*d*x))/(4*d) + (B*a^3*\sin(4*c+4*d*x))/(32*d)$

sympy [A] time = 1.32, size = 371, normalized size = 3.20

$$\left\{ \begin{array}{l} \frac{3Aa^3x\sin^2(c+dx)}{2} + \frac{3Aa^3x\cos^2(c+dx)}{2} + Aa^3x + \frac{2Aa^3\sin^3(c+dx)}{3d} + \frac{Aa^3\sin(c+dx)\cos^2(c+dx)}{d} + \frac{3Aa^3\sin(c+dx)\cos(c+dx)}{2d} + \frac{3Aa^3\cos^3(c+dx)}{2d} \\ x(A+B\cos(c))(a\cos(c)+a)^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise((3*A*a**3*x*sin(c+d*x)**2/2 + 3*A*a**3*x*cos(c+d*x)**2/2 + A*a**3*x + 2*A*a**3*sin(c+d*x)**3/(3*d) + A*a**3*sin(c+d*x)*cos(c+d*x)**2/d + 3*A*a**3*sin(c+d*x)*cos(c+d*x)/(2*d) + 3*A*a**3*sin(c+d*x)/d + 3*B*a**3*x*sin(c+d*x)**4/8 + 3*B*a**3*x*sin(c+d*x)**2*cos(c+d*x)**2/4 + 3*B*a**3*x*sin(c+d*x)**2/2 + 3*B*a**3*x*cos(c+d*x)**4/8 + 3*B*a**3*x*cos(c+d*x)**2/2 + 3*B*a**3*sin(c+d*x)**3*cos(c+d*x)/(8*d) + 2*B*a**3*sin(c+d*x)**3/d + 5*B*a**3*sin(c+d*x)*cos(c+d*x)**3/(8*d) + 3*B*a**3*sin(c+d*x)*cos(c+d*x)**2/d + 3*B*a**3*sin(c+d*x)*cos(c+d*x)/(2*d) + B*a**3*sin(c+d*x)/d, Ne(d, 0)), (x*(A+B*cos(c))*(a*cos(c)+a)**3, True))`

3.22 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec(c + dx) dx$

Optimal. Leaf size=111

$$\frac{5a^3(A+B)\sin(c+dx)}{2d} + \frac{(3A+5B)\sin(c+dx)(a^3\cos(c+dx)+a^3)}{6d} + \frac{1}{2}a^3x(7A+5B) + \frac{a^3A \tanh^{-1}(\sin(c+dx))}{d}$$

[Out] $\frac{1}{2}a^3(7A+5B)x + a^3A \operatorname{arctanh}(\sin(dx+c))/d + 5/2a^3(A+B)\sin(dx+c)/d + 1/3a^3B(a+a\cos(dx+c))^2\sin(dx+c)/d + 1/6(3A+5B)(a^3+a^3\cos(dx+c))\sin(dx+c)/d$

Rubi [A] time = 0.30, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {2976, 2968, 3023, 2735, 3770}

$$\frac{5a^3(A+B)\sin(c+dx)}{2d} + \frac{(3A+5B)\sin(c+dx)(a^3\cos(c+dx)+a^3)}{6d} + \frac{1}{2}a^3x(7A+5B) + \frac{a^3A \tanh^{-1}(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a\cos[c + dx])^3(A + B\cos[c + dx])\sec[c + dx], x]$

[Out] $(a^3(7A + 5B)x)/2 + (a^3A \operatorname{ArcTanh}[\sin[c + dx]])/d + (5a^3(A + B)\sin[c + dx])/(2d) + (a^3B(a + a\cos[c + dx])^2\sin[c + dx])/(3d) + ((3A + 5B)(a^3 + a^3\cos[c + dx])\sin[c + dx])/(6d)$

Rule 2735

$\text{Int}[(a + b\sin(e + f(x)))/(c + d\sin(e + f(x)))(x)]$, x_Symbol] $\rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d\sin[e + f*x]), x], x]$ /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

$\text{Int}[(a + b\sin(e + f(x)))^m((A + B\sin(e + f(x)) + (C + d\sin(e + f(x))))(x))$, x_Symbol] $\rightarrow \text{Int}[(a + b\sin[e + f*x])^m(A*c + (B*c + A*d)\sin[e + f*x] + B*d\sin[e + f*x]^2), x]$ /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2976

$\text{Int}[(a + b\sin(e + f(x)))^m((A + B\sin(e + f(x)) + (C + d\sin(e + f(x))))(x))$, x_Symbol] $\rightarrow -\text{Simp}[(b*B\cos[e + f*x](a + b\sin[e + f*x])^{m-1}(c + d\sin[e + f*x])^{n+1})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b\sin[e + f*x])^{m-1}(c + d\sin[e + f*x])^n \text{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n))]\sin[e + f*x], x], x]$ /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3023

$\text{Int}[(a + b\sin(e + f(x)))^m((A + B\sin(e + f(x)) + (C + d\sin(e + f(x))))(x))$, x_Symbol] $\rightarrow -\text{Simp}[(C\cos[e + f*x](a + b\sin[e + f*x])^{m+1})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b\sin[e + f*x])^m \text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)\sin[e + f*x], x], x]$ /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{aB(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec(c + dx) dx \\
&= \frac{aB(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{(3A + 5B)(a + a \cos(c + dx))^3}{3d} \\
&= \frac{aB(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{(3A + 5B)(a + a \cos(c + dx))^3}{3d} \\
&= \frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{aB(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^3(7A + 5B)x + \frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{aB(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^3(7A + 5B)x + \frac{a^3 A \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^3(A + B) \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 113, normalized size = 1.02

$$\frac{a^3 \left(9(4A + 5B) \sin(c + dx) + 3(A + 3B) \sin(2(c + dx)) - 12A \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + 12A \log \left(\cos \left(\frac{1}{2}(c + dx) \right) + \sin \left(\frac{1}{2}(c + dx) \right) \right) \right)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x],x]

```
[Out] (a^3*(42*A*d*x + 30*B*d*x - 12*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] +
12*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*(4*A + 5*B)*Sin[c + d*x]
+ 3*(A + 3*B)*Sin[2*(c + d*x)] + B*Sin[3*(c + d*x)]))/(12*d)
```

fricas [A] time = 0.81, size = 102, normalized size = 0.92

$$\frac{3(7A + 5B)a^3 dx + 3Aa^3 \log(\sin(dx + c) + 1) - 3Aa^3 \log(-\sin(dx + c) + 1) + (2Ba^3 \cos(dx + c)^2 + 3(A + 3B)a^3 \sin(dx + c))}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="fricas")

```
[Out] 1/6*(3*(7*A + 5*B)*a^3*d*x + 3*A*a^3*log(sin(d*x + c) + 1) - 3*A*a^3*log(-sin(d*x + c) + 1) + (2*B*a^3*cos(d*x + c)^2 + 3*(A + 3*B)*a^3*cos(d*x + c) + 2*(9*A + 11*B)*a^3)*sin(d*x + c))/d
```

giac [A] time = 0.45, size = 180, normalized size = 1.62

$$6Aa^3 \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 6Aa^3 \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + 3(7Aa^3 + 5Ba^3)(dx + c) + \frac{2(15Aa^3 \tan^2 \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 3Aa^3 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 3Aa^3)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")

[Out] $\frac{1}{6}(6Aa^3 \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1) - 6Aa^3 \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1)) + 3(7Aa^3 + 5Ba^3)(dx + c) + 2(15Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 15Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 36Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 40Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 21Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 33Ba^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + 1)^3 / d$

maple [A] time = 0.14, size = 153, normalized size = 1.38

$$\frac{Aa^3 \cos(dx + c) \sin(dx + c)}{2d} + \frac{7Aa^3 x}{2} + \frac{7Aa^3 c}{2d} + \frac{B \sin(dx + c) (\cos^2(dx + c)) a^3}{3d} + \frac{11a^3 B \sin(dx + c)}{3d} + \frac{3a^3 A \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] $\frac{1}{2}dAa^3 \cos(dx + c) \sin(dx + c) + \frac{7}{2}Aa^3 x + \frac{7}{2}dAa^3 c + \frac{1}{3}dB \sin(dx + c) \cos(dx + c)^2 a^3 + \frac{11}{3}Aa^3 B \sin(dx + c) / d + \frac{3}{2}Aa^3 \sin(dx + c) / d + \frac{3}{2}dB \cos(dx + c) \sin(dx + c) + \frac{5}{2}Aa^3 B x + \frac{5}{2}dAa^3 B c + \frac{1}{d}Aa^3 \ln(\sec(dx + c) + \tan(dx + c))$

maxima [A] time = 0.52, size = 141, normalized size = 1.27

$$\frac{3(2dx + 2c + \sin(2dx + 2c))Aa^3 + 36(dx + c)Aa^3 - 4(\sin(dx + c)^3 - 3 \sin(dx + c))Ba^3 + 9(2dx + 2c + \sin(2dx + 2c))Aa^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")

[Out] $\frac{1}{12}(3(2dx + 2c + \sin(2dx + 2c))Aa^3 + 36(dx + c)Aa^3 - 4(\sin(dx + c)^3 - 3 \sin(dx + c))Ba^3 + 9(2dx + 2c + \sin(2dx + 2c))Aa^3 + 12(dx + c)Ba^3 + 12Aa^3 \log(\sec(dx + c) + \tan(dx + c)) + 36Aa^3 \sin(dx + c) + 36Ba^3 \sin(dx + c)) / d$

mupad [B] time = 0.42, size = 178, normalized size = 1.60

$$\frac{3Aa^3 \sin(c + dx)}{d} + \frac{15Ba^3 \sin(c + dx)}{4d} + \frac{7Aa^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2Aa^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{5Ba^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x),x)

[Out] $\frac{3Aa^3 \sin(c + dx)}{d} + \frac{15Ba^3 \sin(c + dx)}{4d} + \frac{7Aa^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2Aa^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{5Ba^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{Aa^3 \sin(2c + 2dx)}{4d} + \frac{3Ba^3 \sin(2c + 2dx)}{4d} + \frac{Ba^3 \sin(3c + 3dx)}{12d}$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^3 \left(\int A \sec(c + dx) dx + \int 3A \cos(c + dx) \sec(c + dx) dx + \int 3A \cos^2(c + dx) \sec(c + dx) dx + \int A \cos^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c),x)
```

```
[Out] a**3*(Integral(A*sec(c + d*x), x) + Integral(3*A*cos(c + d*x)*sec(c + d*x),  
x) + Integral(3*A*cos(c + d*x)**2*sec(c + d*x), x) + Integral(A*cos(c + d*  
x)**3*sec(c + d*x), x) + Integral(B*cos(c + d*x)*sec(c + d*x), x) + Integra  
l(3*B*cos(c + d*x)**2*sec(c + d*x), x) + Integral(3*B*cos(c + d*x)**3*sec(c  
+ d*x), x) + Integral(B*cos(c + d*x)**4*sec(c + d*x), x))
```

3.23 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx$

Optimal. Leaf size=110

$$\frac{a^3(3A + B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(2A - B) \sin(c + dx) (a^3 \cos(c + dx) + a^3)}{2d} + \frac{1}{2} a^3 x (6A + 7B) + \frac{5a^3 B \sin(c + dx)}{2d} +$$

[Out] $\frac{1}{2} a^3 (6A + 7B) x + a^3 (3A + B) \operatorname{arctanh}(\sin(dx + c)) / d + 5/2 a^3 B \sin(dx + c) / d - 1/2 (2A - B) (a^3 + a^3 \cos(dx + c)) \sin(dx + c) / d + a A (a + a \cos(dx + c))^2 \tan(dx + c) / d$

Rubi [A] time = 0.31, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2975, 2976, 2968, 3023, 2735, 3770}

$$\frac{a^3(3A + B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(2A - B) \sin(c + dx) (a^3 \cos(c + dx) + a^3)}{2d} + \frac{1}{2} a^3 x (6A + 7B) + \frac{5a^3 B \sin(c + dx)}{2d} +$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a \cos[c + d*x])^3 (A + B \cos[c + d*x]) \operatorname{Sec}[c + d*x]^2, x]$

[Out] $(a^3 (6A + 7B) x) / 2 + (a^3 (3A + B) \operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]]) / d + (5 a^3 B \operatorname{Sin}[c + d*x]) / (2d) - ((2A - B) (a^3 + a^3 \cos[c + d*x]) \operatorname{Sin}[c + d*x]) / (2d) + (a A (a + a \cos[c + d*x])^2 \operatorname{Tan}[c + d*x]) / d$

Rule 2735

$\operatorname{Int}[(a + b \sin[e + f*x])^m ((c + d \sin[e + f*x])^n) / ((c + d \sin[e + f*x])^n), x, x] \rightarrow \operatorname{Simp}[(b*x)/d, x] - \operatorname{Dist}[(b*c - a*d)/d, \operatorname{Int}[1/(c + d \sin[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

$\operatorname{Int}[(a + b \sin[e + f*x])^m ((c + d \sin[e + f*x])^n) / ((c + d \sin[e + f*x])^n), x, x] \rightarrow \operatorname{Int}[(a + b \sin[e + f*x])^m (A*c + (B*c + A*d) \sin[e + f*x] + B*d \sin[e + f*x]^2), x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2975

$\operatorname{Int}[(a + b \sin[e + f*x])^m ((c + d \sin[e + f*x])^n) / ((c + d \sin[e + f*x])^n), x, x] \rightarrow -\operatorname{Simp}[(b^2 (B*c - A*d) \cos[e + f*x] (a + b \sin[e + f*x])^{m-1} (c + d \sin[e + f*x])^{n+1}) / (d*f*(n+1)*(b*c + a*d)), x] - \operatorname{Dist}[b / (d*(n+1)*(b*c + a*d)), \operatorname{Int}[(a + b \sin[e + f*x])^{m-1} (c + d \sin[e + f*x])^{n+1} \operatorname{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))] \sin[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2976

$\operatorname{Int}[(a + b \sin[e + f*x])^m ((c + d \sin[e + f*x])^n) / ((c + d \sin[e + f*x])^n), x, x] \rightarrow -\operatorname{Simp}[(b*B \cos[e + f*x] (a + b \sin[e + f*x])^{m-1} (c + d \sin[e + f*x])^{n+1}) / (d*f*(m+n+1)), x] + \operatorname{Dist}[1 / (d*(m+n+1)), \operatorname{Int}[(a + b \sin[e + f*x])^{m-1} (c + d \sin[e + f*x])^n \operatorname{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n))] \sin[e + f*x], x], x] /;$

], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^2 \tan(c + dx)}{d} + \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= -\frac{(2A - B)(a^3 + a^3 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{aA(a + a \cos(c + dx))^2 \tan(c + dx)}{d} \\ &= -\frac{(2A - B)(a^3 + a^3 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{aA(a + a \cos(c + dx))^2 \tan(c + dx)}{d} \\ &= \frac{5a^3 B \sin(c + dx)}{2d} - \frac{(2A - B)(a^3 + a^3 \cos(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a^3 (6A + 7B)x + \frac{5a^3 B \sin(c + dx)}{2d} - \frac{(2A - B)(a^3 + a^3 \cos(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a^3 (6A + 7B)x + \frac{a^3 (3A + B) \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [B] time = 1.85, size = 272, normalized size = 2.47

$$\frac{1}{32} a^3 (\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \left(\frac{4(A + 3B) \sin(c) \cos(dx)}{d} + \frac{4(A + 3B) \cos(c) \sin(dx)}{d} - \frac{4(3A + B) \log(\cos((c + dx)/2) - \sin((c + dx)/2))}{d} + \frac{4(3A + B) \log(\cos((c + dx)/2) + \sin((c + dx)/2))}{d} + \frac{4(A + 3B) \cos[d*x] \sin[c]}{d} + \frac{B \cos[2*d*x] \sin[2*c]}{d} + \frac{4(A + 3B) \cos[c] \sin[d*x]}{d} + \frac{B \cos[2*c] \sin[2*d*x]}{d} + \frac{4A \sin[(d*x)/2]}{d(\cos[c/2] - \sin[c/2])} (\cos[(c + dx)/2] - \sin[(c + dx)/2]) + \frac{4A \sin[(d*x)/2]}{d(\cos[c/2] + \sin[c/2])} (\cos[(c + dx)/2] + \sin[(c + dx)/2]) \right) / 32$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] (a^3*(1 + Cos[c + d*x])^3*Sec[(c + d*x)/2]^6*(2*(6*A + 7*B)*x - (4*(3*A + B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (4*(3*A + B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (4*(A + 3*B)*Cos[d*x]*Sin[c])/d + (B*Cos[2*d*x]*Sin[2*c])/d + (4*(A + 3*B)*Cos[c]*Sin[d*x])/d + (B*Cos[2*c]*Sin[2*d*x])/d + (4*A*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (4*A*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/32

fricas [A] time = 0.71, size = 127, normalized size = 1.15

$$\frac{(6A + 7B)a^3 dx \cos(dx + c) + (3A + B)a^3 \cos(dx + c) \log(\sin(dx + c) + 1) - (3A + B)a^3 \cos(dx + c) \log(-\sin(dx + c) + 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")

[Out] $\frac{1}{2} * ((6 * A + 7 * B) * a^3 * d * x * \cos(d * x + c) + (3 * A + B) * a^3 * \cos(d * x + c) * \log(\sin(d * x + c) + 1) - (3 * A + B) * a^3 * \cos(d * x + c) * \log(-\sin(d * x + c) + 1) + (B * a^3 * \cos(d * x + c)^2 + 2 * (A + 3 * B) * a^3 * \cos(d * x + c) + 2 * A * a^3) * \sin(d * x + c)) / (d * \cos(d * x + c))$

giac [A] time = 0.92, size = 192, normalized size = 1.75

$$\frac{4 A a^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - 1} - (6 A a^3 + 7 B a^3)(d x + c) - 2 (3 A a^3 + B a^3) \log\left(\left|\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right|\right) + 2 (3 A a^3 + B a^3) \log\left(\left|\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right|\right)$$

$2 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")

[Out] $-\frac{1}{2} * (4 * A * a^3 * \tan(1/2 * d * x + 1/2 * c) / (\tan(1/2 * d * x + 1/2 * c)^2 - 1) - (6 * A * a^3 + 7 * B * a^3) * (d * x + c) - 2 * (3 * A * a^3 + B * a^3) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) + 2 * (3 * A * a^3 + B * a^3) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) - 2 * (2 * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 5 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 2 * A * a^3 * \tan(1/2 * d * x + 1/2 * c) + 7 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 + 1)^2) / d$

maple [A] time = 0.15, size = 145, normalized size = 1.32

$$\frac{a^3 A \sin(dx + c)}{d} + \frac{a^3 B \cos(dx + c) \sin(dx + c)}{2d} + \frac{7a^3 Bx}{2} + \frac{7a^3 Bc}{2d} + 3Aa^3x + \frac{3Aa^3c}{d} + \frac{3a^3B \sin(dx + c)}{d} + \frac{3Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)

[Out] $a^3 * A * \sin(d * x + c) / d + 1/2 * d * a^3 * B * \cos(d * x + c) * \sin(d * x + c) + 7/2 * a^3 * B * x + 7/2 * d * a^3 * B * c + 3 * A * a^3 * x + 3/d * A * a^3 * c + 3 * a^3 * B * \sin(d * x + c) / d + 3/d * A * a^3 * \ln(\sec(d * x + c) + \tan(d * x + c)) + 1/d * A * a^3 * \tan(d * x + c) + 1/d * a^3 * B * \ln(\sec(d * x + c) + \tan(d * x + c))$

maxima [A] time = 0.63, size = 140, normalized size = 1.27

$$\frac{12(dx + c)Aa^3 + (2dx + 2c + \sin(2dx + 2c))Ba^3 + 12(dx + c)Ba^3 + 6Aa^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")

[Out] $\frac{1}{4} * (12 * (d * x + c) * A * a^3 + (2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * B * a^3 + 12 * (d * x + c) * B * a^3 + 6 * A * a^3 * (\log(\sin(d * x + c) + 1) - \log(\sin(d * x + c) - 1)) + 2 * B * a^3 * (\log(\sin(d * x + c) + 1) - \log(\sin(d * x + c) - 1)) + 4 * A * a^3 * \sin(d * x + c) + 12 * B * a^3 * \sin(d * x + c) + 4 * A * a^3 * \tan(d * x + c)) / d$

mupad [B] time = 0.37, size = 197, normalized size = 1.79

$$\frac{A a^3 \sin(c + dx)}{d} + \frac{3 B a^3 \sin(c + dx)}{d} + \frac{6 A a^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{6 A a^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{7 B a^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^2,x)
```

```
[Out] (A*a^3*sin(c + d*x))/d + (3*B*a^3*sin(c + d*x))/d + (6*A*a^3*atan(sin(c/2 +
(d*x)/2)/cos(c/2 + (d*x)/2)))/d + (6*A*a^3*atanh(sin(c/2 + (d*x)/2)/cos(c/
2 + (d*x)/2)))/d + (7*B*a^3*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d
+ (2*B*a^3*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (A*a^3*sin(c +
d*x))/(d*cos(c + d*x)) + (B*a^3*cos(c + d*x)*sin(c + d*x))/(2*d)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$a^3 \left(\int A \sec^2(c + dx) dx + \int 3A \cos(c + dx) \sec^2(c + dx) dx + \int 3A \cos^2(c + dx) \sec^2(c + dx) dx + \int A \cos^3(c + dx) \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)
```

```
[Out] a**3*(Integral(A*sec(c + d*x)**2, x) + Integral(3*A*cos(c + d*x)*sec(c + d*
x)**2, x) + Integral(3*A*cos(c + d*x)**2*sec(c + d*x)**2, x) + Integral(A*c
os(c + d*x)**3*sec(c + d*x)**2, x) + Integral(B*cos(c + d*x)*sec(c + d*x)**
2, x) + Integral(3*B*cos(c + d*x)**2*sec(c + d*x)**2, x) + Integral(3*B*cos
(c + d*x)**3*sec(c + d*x)**2, x) + Integral(B*cos(c + d*x)**4*sec(c + d*x)*
**2, x))
```

3.24 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^3(c + dx) dx$

Optimal. Leaf size=114

$$\frac{a^3(7A + 6B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(2A + B) \tan(c + dx) (a^3 \cos(c + dx) + a^3)}{d} + a^3 x(A + 3B) - \frac{5a^3 A \sin(c + dx)}{2d} + \frac{a^3 B \cos(c + dx)}{2d}$$

[Out] $a^3*(A+3*B)*x+1/2*a^3*(7*A+6*B)*\operatorname{arctanh}(\sin(d*x+c))/d-5/2*a^3*A*\sin(d*x+c)/d+(2*A+B)*(a^3+a^3*\cos(d*x+c))*\tan(d*x+c)/d+1/2*a*A*(a+a*\cos(d*x+c))^2*\sec(d*x+c)*\tan(d*x+c)/d$

Rubi [A] time = 0.34, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2975, 2968, 3023, 2735, 3770}

$$\frac{a^3(7A + 6B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(2A + B) \tan(c + dx) (a^3 \cos(c + dx) + a^3)}{d} + a^3 x(A + 3B) - \frac{5a^3 A \sin(c + dx)}{2d} + \frac{a^3 B \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^3*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^3, x]$

[Out] $a^3*(A + 3*B)*x + (a^3*(7*A + 6*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(2*d) - (5*a^3*A*\operatorname{Sin}[c + d*x])/(2*d) + ((2*A + B)*(a^3 + a^3*\operatorname{Cos}[c + d*x])* \operatorname{Tan}[c + d*x])/d + (a*A*(a + a*\operatorname{Cos}[c + d*x])^2*\operatorname{Sec}[c + d*x]* \operatorname{Tan}[c + d*x])/(2*d)$

Rule 2735

$\operatorname{Int}[(a_. + (b_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])/(c_. + (d_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)]), x_Symbol] :> \operatorname{Simp}[(b*x)/d, x] - \operatorname{Dist}[(b*c - a*d)/d, \operatorname{Int}[1/(c + d*\operatorname{Sin}[e + f*x]), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2968

$\operatorname{Int}[(a_. + (b_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])*(c_. + (d_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)]), x_Symbol] :> \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\operatorname{Sin}[e + f*x] + B*d*\operatorname{Sin}[e + f*x]^2), x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2975

$\operatorname{Int}[(a_. + (b_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])*(c_. + (d_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :> -\operatorname{Simp}[(b^2*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m-1)}*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] - \operatorname{Dist}[b/(d*(n+1)*(b*c + a*d)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m-1)}*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)}*\operatorname{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\operatorname{Sin}[e + f*x], x], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \ \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \ \operatorname{GtQ}[m, 1/2] \ \&\& \ \operatorname{LtQ}[n, -1] \ \&\& \ \operatorname{IntegerQ}[2*m] \ \&\& \ (\operatorname{IntegerQ}[2*n] \ \|\ \operatorname{EqQ}[c, 0])$

Rule 3023

$\operatorname{Int}[(a_. + (b_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -\operatorname{Simp}[(C*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m+1)})/(b*f*(m+2)), x] + \operatorname{Dist}[1/(b*(m+2)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^m*\operatorname{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\operatorname{Sin}[e + f*x], x], x], x] /;$ $\operatorname{FreeQ}\{a, b, e, f, A, B, C, m\}, x\} \ \&\&$

!LtQ[m, -1]

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} + \\
 &= \frac{(2A + B)(a^3 + a^3 \cos(c + dx)) \tan(c + dx)}{d} + \frac{aA}{d} \\
 &= \frac{(2A + B)(a^3 + a^3 \cos(c + dx)) \tan(c + dx)}{d} + \frac{aA}{d} \\
 &= -\frac{5a^3 A \sin(c + dx)}{2d} + \frac{(2A + B)(a^3 + a^3 \cos(c + dx)) \tan(c + dx)}{d} \\
 &= a^3(A + 3B)x - \frac{5a^3 A \sin(c + dx)}{2d} + \frac{(2A + B)(a^3 + a^3 \cos(c + dx)) \tan(c + dx)}{d} \\
 &= a^3(A + 3B)x + \frac{a^3(7A + 6B) \tanh^{-1}(\sin(c + dx))}{2d}
 \end{aligned}$$

Mathematica [A] time = 2.00, size = 208, normalized size = 1.82

$$\frac{a^3 \left(4(3A + B) \tan(c + dx) + \frac{A}{\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right) \right)^2} - \frac{A}{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right) \right)^2} - 14A \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) \right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

```
[Out] (a^3*(4*A*c + 12*B*c + 4*A*d*x + 12*B*d*x - 14*A*Log[Cos[(c + d*x)/2] - Sin
[(c + d*x)/2]] - 12*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 14*A*Log[Cos
[(c + d*x)/2] + Sin[(c + d*x)/2]] + 12*B*Log[Cos[(c + d*x)/2] + Sin[(c +
d*x)/2]] + A/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - A/(Cos[(c + d*x)/2]
+ Sin[(c + d*x)/2])^2 + 4*B*Sin[c + d*x] + 4*(3*A + B)*Tan[c + d*x]))/(4*d)
```

fricas [A] time = 0.63, size = 137, normalized size = 1.20

$$\frac{4(A + 3B)a^3 dx \cos(dx + c)^2 + (7A + 6B)a^3 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (7A + 6B)a^3 \cos(dx + c)^2}{4d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")

```
[Out] 1/4*(4*(A + 3*B)*a^3*d*x*cos(d*x + c)^2 + (7*A + 6*B)*a^3*cos(d*x + c)^2*log
(sin(d*x + c) + 1) - (7*A + 6*B)*a^3*cos(d*x + c)^2*log(-sin(d*x + c) + 1)
+ 2*(2*B*a^3*cos(d*x + c)^2 + 2*(3*A + B)*a^3*cos(d*x + c) + A*a^3)*sin(d*x
+ c))/(d*cos(d*x + c)^2)
```

giac [A] time = 0.61, size = 192, normalized size = 1.68

$$\frac{4Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 2(Aa^3 + 3Ba^3)(dx + c) + (7Aa^3 + 6Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (7Aa^3 + 6Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")

[Out] 1/2*(4*B*a^3*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 2*(A*a^3 + 3*B*a^3)*(d*x + c) + (7*A*a^3 + 6*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (7*A*a^3 + 6*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(5*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 7*A*a^3*tan(1/2*d*x + 1/2*c) - 2*B*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d

maple [A] time = 0.16, size = 144, normalized size = 1.26

$$Aa^3x + \frac{Aa^3c}{d} + \frac{a^3B \sin(dx + c)}{d} + \frac{7Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 3a^3Bx + \frac{3a^3Bc}{d} + \frac{3Aa^3 \tan(dx + c)}{d} + \frac{3a^3B}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)

[Out] A*a^3*x+1/d*A*a^3*c+a^3*B*sin(d*x+c)/d+7/2/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+3*a^3*B*x+3/d*a^3*B*c+3/d*A*a^3*tan(d*x+c)+3/d*a^3*B*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*A*a^3*sec(d*x+c)*tan(d*x+c)+1/d*a^3*B*tan(d*x+c)

maxima [A] time = 0.80, size = 165, normalized size = 1.45

$$4(dx + c)Aa^3 + 12(dx + c)Ba^3 - Aa^3 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 6Aa^3 (\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] 1/4*(4*(d*x + c)*A*a^3 + 12*(d*x + c)*B*a^3 - A*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 6*A*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 6*B*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*B*a^3*sin(d*x + c) + 12*A*a^3*tan(d*x + c) + 4*B*a^3*tan(d*x + c))/d

mupad [B] time = 0.37, size = 207, normalized size = 1.82

$$\frac{Ba^3 \sin(c + dx)}{d} + \frac{2Aa^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{7Aa^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{6Ba^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{6Ba^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^3,x)

[Out] (B*a^3*sin(c + d*x))/d + (2*A*a^3*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2))/d + (7*A*a^3*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (6*B*a^3*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (6*B*a^3*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d

$$\frac{(d*x)/2}{\cos(c/2 + (d*x)/2))/d + (3*A*a^3*\sin(c + d*x))/(d*\cos(c + d*x)) + (A*a^3*\sin(c + d*x))/(2*d*\cos(c + d*x)^2) + (B*a^3*\sin(c + d*x))/(d*\cos(c + d*x))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] Timed out

3.25 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^4(c + dx) dx$

Optimal. Leaf size=125

$$\frac{5a^3(A+B)\tan(c+dx)}{2d} + \frac{a^3(5A+7B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{(5A+3B)\tan(c+dx)\sec(c+dx)(a^3\cos(c+dx)+1)}{6d}$$

[Out] $a^3 B x + 1/2 a^3 (5A + 7B) \operatorname{arctanh}(\sin(dx + c)) / d + 5/2 a^3 (A + B) \tan(dx + c) / d + 1/6 (5A + 3B) (a^3 + a^3 \cos(dx + c)) \sec(dx + c) \tan(dx + c) / d + 1/3 a A (a + a \cos(dx + c))^2 \sec(dx + c)^2 \tan(dx + c) / d$

Rubi [A] time = 0.34, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2975, 2968, 3021, 2735, 3770}

$$\frac{5a^3(A+B)\tan(c+dx)}{2d} + \frac{a^3(5A+7B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{(5A+3B)\tan(c+dx)\sec(c+dx)(a^3\cos(c+dx)+1)}{6d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a \cos[c + dx])^3 (A + B \cos[c + dx]) \sec^4[c + dx], x]$

[Out] $a^3 B x + (a^3 (5A + 7B) \operatorname{ArcTanh}[\sin[c + dx]]) / (2d) + (5a^3 (A + B) \tan[c + dx]) / (2d) + ((5A + 3B) (a^3 + a^3 \cos[c + dx]) \sec[c + dx] \tan[c + dx]) / (6d) + (a A (a + a \cos[c + dx])^2 \sec[c + dx]^2 \tan[c + dx]) / (3d)$

Rule 2735

$\text{Int}[(a + b \sin[e + f x])^3 (c + d \sin[e + f x]) (A + B \sin[e + f x]) \sec^4[e + f x], x] \text{Symbol} \rightarrow \text{Simp}[(b x) / d, x] - \text{Dist}[(b c - a d) / d, \text{Int}[1 / (c + d \sin[e + f x]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b c - a d, 0]

Rule 2968

$\text{Int}[(a + b \sin[e + f x])^m (c + d \sin[e + f x]) (A + B \sin[e + f x]) \sec^2[e + f x], x] \text{Symbol} \rightarrow \text{Int}[(a + b \sin[e + f x])^m (A c + (B c + A d) \sin[e + f x] + B d \sin[e + f x]^2), x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b c - a d, 0]

Rule 2975

$\text{Int}[(a + b \sin[e + f x])^m (c + d \sin[e + f x])^n (A + B \sin[e + f x]) \sec^2[e + f x], x] \text{Symbol} \rightarrow -\text{Simp}[(b^2 (B c - A d) \cos[e + f x] (a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1}) / (d f (n+1) (b c + a d)), x] - \text{Dist}[b / (d (n+1) (b c + a d)), \text{Int}[(a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1} \text{Simp}[a A d (m-n-2) - B (a c (m-1) + b d (n+1)) - (A b d (m+n+1) - B (b c m - a d (n+1))] \sin[e + f x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b c - a d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3021

$\text{Int}[(a + b \sin[e + f x])^m (c + d \sin[e + f x])^2 (A + B \sin[e + f x]) \sec^2[e + f x], x] \text{Symbol} \rightarrow -\text{Simp}[(A b^2 - a b B + a^2 C) \cos[e + f x] (a + b \sin[e + f x])^{m+1} / (b f (m+1) (a^2 - b^2)), x] + \text{Dist}[1 / (b (m+1) (a^2 - b^2)), \text{Int}[(a + b \sin[e + f x])^{m+1} \text{Simp}[b (a A - b B + a C) (m+1) - (A b^2 - a b B + a^2 C + b (A b$

$- a*B + b*C)*(m + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{(5A + 3B)(a^3 + a^3 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{6d} \\ &= \frac{(5A + 3B)(a^3 + a^3 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{6d} \\ &= \frac{5a^3(A + B) \tan(c + dx)}{2d} + \frac{(5A + 3B)(a^3 + a^3 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{6d} \\ &= a^3 Bx + \frac{5a^3(A + B) \tan(c + dx)}{2d} + \frac{(5A + 3B)(a^3 + a^3 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{6d} \\ &= a^3 Bx + \frac{a^3(5A + 7B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{5a^3(A + B) \tan(c + dx)}{2d} \end{aligned}$$

Mathematica [B] time = 6.41, size = 786, normalized size = 6.29

$$\frac{\sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^3 \left(11A \sin\left(\frac{dx}{2}\right) + 9B \sin\left(\frac{dx}{2}\right)\right)}{24d \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right)} + \frac{\sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^3 \left(11A \sin\left(\frac{dx}{2}\right) + 9B \sin\left(\frac{dx}{2}\right)\right)}{24d \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right) \left(\sin\left(\frac{c}{2} + \frac{dx}{2}\right) + \cos\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]

[Out] (B*x*(a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6)/8 + ((-5*A - 7*B)*(a + a*Cos[c + d*x])^3*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^6)/(16*d) + ((5*A + 7*B)*(a + a*Cos[c + d*x])^3*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^6)/(16*d) + (A*(a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*Sin[(d*x)/2])/(48*d*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])^3) + ((a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(10*A*Cos[c/2] + 3*B*Cos[c/2] - 8*A*Sin[c/2] - 3*B*Sin[c/2]))/(96*d*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])^2) + ((a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(11*A*Sin[(d*x)/2] + 9*B*Sin[(d*x)/2]))/(24*d*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])) + (A*(a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*Sin[(d*x)/2])/(48*d*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])^3) + ((a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-10*A*Cos[c/2] - 3*B*Cos[c/2] - 8*A*Sin[c/2] - 3*B*Sin[c/2]))/(96*d*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])^2) + ((a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(11*A*Sin[(d*x)/2] + 9*B*Sin[(d*x)/2]))/(24*d*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]))

fricas [A] time = 0.65, size = 141, normalized size = 1.13

$$\frac{12Ba^3 dx \cos(dx + c)^3 + 3(5A + 7B)a^3 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(5A + 7B)a^3 \cos(dx + c)^3 \log(\sin(dx + c) - 1)}{12d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")

[Out] $\frac{1}{12}*(12*B*a^3*d*x*\cos(d*x + c)^3 + 3*(5*A + 7*B)*a^3*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(5*A + 7*B)*a^3*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(2*(11*A + 9*B)*a^3*\cos(d*x + c)^2 + 3*(3*A + B)*a^3*\cos(d*x + c) + 2*A*a^3)*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

giac [A] time = 0.41, size = 189, normalized size = 1.51

$$6(dx+c)Ba^3 + 3(5Aa^3 + 7Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(5Aa^3 + 7Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")

[Out] $\frac{1}{6}*(6*(d*x + c)*B*a^3 + 3*(5*A*a^3 + 7*B*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(5*A*a^3 + 7*B*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(15*A*a^3*\tan(1/2*d*x + 1/2*c)^5 + 15*B*a^3*\tan(1/2*d*x + 1/2*c)^5 - 40*A*a^3*\tan(1/2*d*x + 1/2*c)^3 - 36*B*a^3*\tan(1/2*d*x + 1/2*c)^3 + 33*A*a^3*\tan(1/2*d*x + 1/2*c) + 21*B*a^3*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d$

maple [A] time = 0.16, size = 158, normalized size = 1.26

$$\frac{5Aa^3 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + a^3 Bx + \frac{a^3 Bc}{d} + \frac{11Aa^3 \tan(dx+c)}{3d} + \frac{7a^3 B \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{3}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)

[Out] $\frac{5}{2}/d*A*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+a^3*B*x+1/d*a^3*B*c+11/3/d*A*a^3*\tan(d*x+c)+7/2/d*a^3*B*\ln(\sec(d*x+c)+\tan(d*x+c))+3/2/d*A*a^3*\sec(d*x+c)*\tan(d*x+c)+3/d*a^3*B*\tan(d*x+c)+1/3/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^2+1/2/d*a^3*B*\sec(d*x+c)*\tan(d*x+c)$

maxima [A] time = 0.69, size = 212, normalized size = 1.70

$$4\left(\tan(dx+c)^3 + 3 \tan(dx+c)\right)Aa^3 + 12(dx+c)Ba^3 - 9Aa^3\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) + \frac{3}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] $\frac{1}{12}*(4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a^3 + 12*(d*x + c)*B*a^3 - 9*A*a^3*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 3*B*a^3*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 6*A*a^3*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 18*B*a^3*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 36*A*a^3*\tan(d*x + c) + 36*B*a^3*\tan(d*x + c))/d$

mupad [B] time = 0.33, size = 209, normalized size = 1.67

$$\frac{5 A a^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2 B a^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{7 B a^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{11 A a^3 \sin(c + dx)}{3 d \cos(c + dx)} + \frac{3 A a^3 \sin(c + dx)}{2 d \cos(c + dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^4,x)

[Out] (5*A*a^3*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (2*B*a^3*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (7*B*a^3*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (11*A*a^3*sin(c + d*x))/(3*d*cos(c + d*x)) + (3*A*a^3*sin(c + d*x))/(2*d*cos(c + d*x)^2) + (A*a^3*sin(c + d*x))/(3*d*cos(c + d*x)^3) + (3*B*a^3*sin(c + d*x))/(d*cos(c + d*x)) + (B*a^3*sin(c + d*x))/(2*d*cos(c + d*x)^2)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)

[Out] Timed out

3.26 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^5(c + dx) dx$

Optimal. Leaf size=154

$$\frac{a^3(9A + 11B) \tan(c + dx)}{3d} + \frac{5a^3(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(27A + 28B) \tan(c + dx) \sec(c + dx)}{24d} + \frac{(3A + 2B) \sec^5(c + dx)}{4d}$$

[Out] $5/8*a^3*(3*A+4*B)*\operatorname{arctanh}(\sin(d*x+c))/d+1/3*a^3*(9*A+11*B)*\tan(d*x+c)/d+1/24*a^3*(27*A+28*B)*\sec(d*x+c)*\tan(d*x+c)/d+1/6*(3*A+2*B)*(a^3+a^3*\cos(d*x+c))*\sec(d*x+c)^2*\tan(d*x+c)/d+1/4*a*A*(a+a*\cos(d*x+c))^2*\sec(d*x+c)^3*\tan(d*x+c)/d$

Rubi [A] time = 0.42, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2975, 2968, 3021, 2748, 3767, 8, 3770}

$$\frac{a^3(9A + 11B) \tan(c + dx)}{3d} + \frac{5a^3(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(27A + 28B) \tan(c + dx) \sec(c + dx)}{24d} + \frac{(3A + 2B) \sec^5(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^3*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^5, x]$

[Out] $(5*a^3*(3*A + 4*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(8*d) + (a^3*(9*A + 11*B)*\operatorname{Tan}[c + d*x])/(3*d) + (a^3*(27*A + 28*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(24*d) + ((3*A + 2*B)*(a^3 + a^3*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/(6*d) + (a*A*(a + a*\operatorname{Cos}[c + d*x])^2*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(4*d)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}[(b_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m + 1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\operatorname{Int}[(a_*) + (b_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]^{(m_*)}*((A_*) + (B_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\operatorname{Sin}[e + f*x] + B*d*\operatorname{Sin}[e + f*x]^2), x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2975

$\operatorname{Int}[(a_*) + (b_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]^{(m_*)}*((A_*) + (B_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m - 1)}*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)})/(d*f*(n + 1)*(b*c + a*d)), x] - \operatorname{Dist}[b/(d*(n + 1)*(b*c + a*d)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m - 1)}*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)}*\operatorname{Simp}[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*\operatorname{Sin}[e + f*x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{GtQ}[m, 1/2] \&\& \operatorname{LtQ}[n, -1] \&\& \operatorname{IntegerQ}[2*m] \&\& (\operatorname{IntegerQ}[2*n] \mid \mid \operatorname{EqQ}[c, 0])$

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^2 \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{(3A + 2B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{6d} \\ &= \frac{(3A + 2B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{6d} \\ &= \frac{a^3(27A + 28B) \sec(c + dx) \tan(c + dx)}{24d} + \frac{(3A + 2B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{6d} \\ &= \frac{a^3(27A + 28B) \sec(c + dx) \tan(c + dx)}{24d} + \frac{(3A + 2B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{6d} \\ &= \frac{5a^3(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(27A + 28B) \sec(c + dx) \tan(c + dx)}{24d} \\ &= \frac{5a^3(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(9A + 11B) \sec^2(c + dx) \tan(c + dx)}{6d} \end{aligned}$$

Mathematica [A] time = 1.39, size = 273, normalized size = 1.77

$$\frac{a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \left(120(3A + 4B) \cos^4(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left[\cos\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{1}{2}(c + dx)\right)\right] - \sec[c](-24(9A + 11B) \sin[c] + (69A + 36B) \sin[dx] + 69A \sin[2c + dx] + 36B \sin[2c + dx] + 264A \sin[c + 2dx] + 280B \sin[c + 2dx] - 24A \sin[3c + 2dx] - 72B \sin[3c + 2dx] + 45A \sin[2c + 3dx] + 36B \sin[2c + 3dx] + 45A \sin[4c + 3dx] + 36B \sin[4c + 3dx] + 72A \sin[3c + 4dx] + 88B \sin[3c + 4dx])\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
[Out] -1/1536*(a^3*(1 + Cos[c + d*x])^3*Sec[(c + d*x)/2]^6*Sec[c + d*x]^4*(120*(3
*A + 4*B)*Cos[c + d*x]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Co
s[(c + d*x)/2] + Sin[(c + d*x)/2]]) - Sec[c]*(-24*(9*A + 11*B)*Sin[c] + (69
*A + 36*B)*Sin[dx] + 69*A*Sin[2*c + d*x] + 36*B*Sin[2*c + d*x] + 264*A*Sin
[c + 2*d*x] + 280*B*Sin[c + 2*d*x] - 24*A*Sin[3*c + 2*d*x] - 72*B*Sin[3*c +
2*d*x] + 45*A*Sin[2*c + 3*d*x] + 36*B*Sin[2*c + 3*d*x] + 45*A*Sin[4*c + 3*
d*x] + 36*B*Sin[4*c + 3*d*x] + 72*A*Sin[3*c + 4*d*x] + 88*B*Sin[3*c + 4*d*x
]))/d
```

fricas [A] time = 0.76, size = 145, normalized size = 0.94

$$\frac{15(3A + 4B)a^3 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 15(3A + 4B)a^3 \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(8A^3 + 11B^3)a^3 \cos(dx + c)^3 + 9(5A + 4B)a^3 \cos(dx + c)^2 + 8(3A + B)a^3 \cos(dx + c) + 6A^2 a^3 \sin(dx + c)}{48d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")

[Out] 1/48*(15*(3*A + 4*B)*a^3*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 15*(3*A + 4*B)*a^3*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(8*(9*A + 11*B)*a^3*cos(d*x + c)^3 + 9*(5*A + 4*B)*a^3*cos(d*x + c)^2 + 8*(3*A + B)*a^3*cos(d*x + c) + 6*A*a^3)*sin(d*x + c))/(d*cos(d*x + c)^4)

giac [A] time = 0.76, size = 212, normalized size = 1.38

$$15(3Aa^3 + 4Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(3Aa^3 + 4Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(45Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 11B^3)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")

[Out] 1/24*(15*(3*A*a^3 + 4*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(3*A*a^3 + 4*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(45*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 60*B*a^3*tan(1/2*d*x + 1/2*c)^7 - 165*A*a^3*tan(1/2*d*x + 1/2*c)^5 - 220*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 219*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 292*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 147*A*a^3*tan(1/2*d*x + 1/2*c) - 132*B*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d

maple [A] time = 0.18, size = 188, normalized size = 1.22

$$\frac{3Aa^3 \tan(dx + c)}{d} + \frac{5a^3 B \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{15Aa^3 \sec(dx + c) \tan(dx + c)}{8d} + \frac{15Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^5,x)

[Out] 3/d*A*a^3*tan(d*x+c)+5/2/d*a^3*B*ln(sec(d*x+c)+tan(d*x+c))+15/8/d*A*a^3*sec(d*x+c)*tan(d*x+c)+15/8/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+11/3/d*a^3*B*tan(d*x+c)+1/d*A*a^3*tan(d*x+c)*sec(d*x+c)^2+3/2/d*a^3*B*sec(d*x+c)*tan(d*x+c)+1/4/d*A*a^3*tan(d*x+c)*sec(d*x+c)^3+1/3/d*a^3*B*tan(d*x+c)*sec(d*x+c)^2

maxima [A] time = 0.35, size = 269, normalized size = 1.75

$$48(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^3 + 16(\tan(dx + c)^3 + 3 \tan(dx + c))Ba^3 - 3Aa^3 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="maxima")

[Out] 1/48*(48*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^3 + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a^3 - 3*A*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c)))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1))

$$x + c)^4 - 2\sin(dx + c)^2 + 1) - 3\log(\sin(dx + c) + 1) + 3\log(\sin(dx + c) - 1) - 36Aa^3(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 36Ba^3(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 24Ba^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 48Aa^3\tan(dx + c) + 144Ba^3\tan(dx + c))/d$$

mupad [B] time = 2.71, size = 185, normalized size = 1.20

$$\frac{\left(-\frac{15Aa^3}{4} - 5Ba^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{55Aa^3}{4} + \frac{55Ba^3}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(-\frac{73Aa^3}{4} - \frac{73Ba^3}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{49Aa^3}{4} + 5Ba^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^5,x)

[Out] (tan(c/2 + (d*x)/2)*((49*A*a^3)/4 + 11*B*a^3) - tan(c/2 + (d*x)/2)^7*((15*A*a^3)/4 + 5*B*a^3) + tan(c/2 + (d*x)/2)^5*((55*A*a^3)/4 + (55*B*a^3)/3) - tan(c/2 + (d*x)/2)^3*((73*A*a^3)/4 + (73*B*a^3)/3))/(d*(6*tan(c/2 + (d*x)/2)^4 - 4*tan(c/2 + (d*x)/2)^2 - 4*tan(c/2 + (d*x)/2)^6 + tan(c/2 + (d*x)/2)^8 + 1)) + (5*a^3*atanh(tan(c/2 + (d*x)/2))*(3*A + 4*B))/(4*d)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)

[Out] Timed out

3.27 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^6(c + dx) dx$

Optimal. Leaf size=185

$$\frac{a^3(38A + 45B) \tan(c + dx)}{15d} + \frac{a^3(13A + 15B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(43A + 45B) \tan(c + dx) \sec^2(c + dx)}{60d} + \frac{a^3(13A + 15B) \sec^2(c + dx)}{20d}$$

[Out] $1/8*a^3*(13*A+15*B)*\operatorname{arctanh}(\sin(d*x+c))/d+1/15*a^3*(38*A+45*B)*\tan(d*x+c)/d+1/8*a^3*(13*A+15*B)*\sec(d*x+c)*\tan(d*x+c)/d+1/60*a^3*(43*A+45*B)*\sec(d*x+c)^2*\tan(d*x+c)/d+1/20*(7*A+5*B)*(a^3+a^3*\cos(d*x+c))*\sec(d*x+c)^3*\tan(d*x+c)/d+1/5*a*A*(a+a*\cos(d*x+c))^2*\sec(d*x+c)^4*\tan(d*x+c)/d$

Rubi [A] time = 0.45, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {2975, 2968, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{a^3(38A + 45B) \tan(c + dx)}{15d} + \frac{a^3(13A + 15B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(43A + 45B) \tan(c + dx) \sec^2(c + dx)}{60d} + \frac{a^3(13A + 15B) \sec^2(c + dx)}{20d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^3*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^6, x]$

[Out] $(a^3*(13*A + 15*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(8*d) + (a^3*(38*A + 45*B)*\operatorname{Tan}[c + d*x])/(15*d) + (a^3*(13*A + 15*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(8*d) + (a^3*(43*A + 45*B)*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/(60*d) + ((7*A + 5*B)*(a^3 + a^3*\operatorname{Cos}[c + d*x])*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(20*d) + (a*A*(a + a*\operatorname{Cos}[c + d*x])^2*\operatorname{Sec}[c + d*x]^4*\operatorname{Tan}[c + d*x])/(5*d)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}[(b_*)*\operatorname{sin}[(e_*) + (f_*)(x_)]^{(m_)*((c_*) + (d_*)*\operatorname{sin}[(e_*) + (f_*)(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m + 1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\operatorname{Int}[(a_*) + (b_*)*\operatorname{sin}[(e_*) + (f_*)(x_)]^{(m_)*((A_*) + (B_*)*\operatorname{sin}[(e_*) + (f_*)(x_)]), x_Symbol] \rightarrow \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\operatorname{Sin}[e + f*x] + B*d*\operatorname{Sin}[e + f*x]^2), x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2975

$\operatorname{Int}[(a_*) + (b_*)*\operatorname{sin}[(e_*) + (f_*)(x_)]^{(m_)*((A_*) + (B_*)*\operatorname{sin}[(e_*) + (f_*)(x_)]), x_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m - 1)}*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)})/(d*f*(n + 1)*(b*c + a*d)), x] - \operatorname{Dist}[b/(d*(n + 1)*(b*c + a*d)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m - 1)}*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)}*\operatorname{Simp}[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*\operatorname{Sin}[e + f*x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{GtQ}[m, 1/2] \&\& \operatorname{LtQ}[n, -1] \&\& \operatorname{IntegerQ}[2*m] \&\& (\operatorname{IntegerQ}[2*n] \mid\mid \operatorname{EqQ}[c, 0])$

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^6(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^2 \sec^4(c + dx) \tan(c + dx)}{5d} \\
&= \frac{(7A + 5B)(a^3 + a^3 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{20d} \\
&= \frac{(7A + 5B)(a^3 + a^3 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{20d} \\
&= \frac{a^3(43A + 45B) \sec^2(c + dx) \tan(c + dx)}{60d} + \frac{(7A + 5B)(a^3 + a^3 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{20d} \\
&= \frac{a^3(43A + 45B) \sec^2(c + dx) \tan(c + dx)}{60d} + \frac{(7A + 5B)(a^3 + a^3 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{20d} \\
&= \frac{a^3(13A + 15B) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^3(43A + 45B) \sec^2(c + dx) \tan(c + dx)}{60d} \\
&= \frac{a^3(13A + 15B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(38A + 45B) \sec^2(c + dx) \tan(c + dx)}{60d}
\end{aligned}$$

Mathematica [A] time = 1.60, size = 294, normalized size = 1.59

$$\frac{a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \left(240(13A + 15B) \cos^5(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \sin(c + dx)\right)}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^6,x]
```

```
[Out] -1/15360*(a^3*(1 + Cos[c + d*x])^3*Sec[(c + d*x)/2]^6*Sec[c + d*x]^5*(240*(13*A + 15*B)*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - Sec[c]*(80*(29*A + 30*B)*Sin[d*x] - 240*(3*A + 5*B)*Sin[2*c + d*x] + 750*A*Sin[c + 2*d*x] + 570*B*Sin[c + 2*d*x] + 750*A*Sin[3*c + 2*d*x] + 570*B*Sin[3*c + 2*d*x] + 1520*A*Sin[2*c + 3*d*x] + 1680*B*Sin[2*c + 3*d*x] - 120*B*Sin[4*c + 3*d*x] + 195*A*Sin[3*c + 4*d*x] + 225*B*Sin[3*c + 4*d*x] + 195*A*Sin[5*c + 4*d*x] + 225*B*Sin[5*c + 4*d*x] + 304*A*Sin[4*c + 5*d*x] + 360*B*Sin[4*c + 5*d*x]))/d
```

fricas [A] time = 0.73, size = 165, normalized size = 0.89

$$\frac{15(13A + 15B)a^3 \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(13A + 15B)a^3 \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="fricas")
```

```
[Out] 1/240*(15*(13*A + 15*B)*a^3*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(13*A + 15*B)*a^3*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(8*(38*A + 45*B)*a^3*cos(d*x + c)^4 + 15*(13*A + 15*B)*a^3*cos(d*x + c)^3 + 8*(19*A + 15*B)*a^3*cos(d*x + c)^2 + 30*(3*A + B)*a^3*cos(d*x + c) + 24*A*a^3)*sin(d*x + c))/(d*cos(d*x + c)^5)
```

giac [A] time = 1.72, size = 246, normalized size = 1.33

$$15(13Aa^3 + 15Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(13Aa^3 + 15Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(195Aa^3 \tan(dx + c) + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="giac")
```

```
[Out] 1/120*(15*(13*A*a^3 + 15*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(13*A*a^3 + 15*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(195*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 225*B*a^3*tan(1/2*d*x + 1/2*c)^9 - 910*A*a^3*tan(1/2*d*x + 1/2*c)^7 - 1050*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 1664*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 1920*B*a^3*tan(1/2*d*x + 1/2*c)^5 - 1330*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 1830*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 765*A*a^3*tan(1/2*d*x + 1/2*c) + 735*B*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5)/d
```

maple [A] time = 0.17, size = 234, normalized size = 1.26

$$\frac{13Aa^3 \sec(dx + c) \tan(dx + c)}{8d} + \frac{13Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{3a^3B \tan(dx + c)}{d} + \frac{38Aa^3 \tan(dx + c)}{15d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^6,x)
```

```
[Out] 13/8/d*A*a^3*sec(d*x+c)*tan(d*x+c)+13/8/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+3/d*a^3*B*tan(d*x+c)+38/15/d*A*a^3*tan(d*x+c)+19/15/d*A*a^3*tan(d*x+c)*sec(d*x+c)^2+15/8/d*a^3*B*sec(d*x+c)*tan(d*x+c)+15/8/d*a^3*B*ln(sec(d*x+c)+tan(d*x+c))+3/4/d*A*a^3*tan(d*x+c)*sec(d*x+c)^3+1/d*a^3*B*tan(d*x+c)*sec(d*x+c)^2+1/5/d*A*a^3*tan(d*x+c)*sec(d*x+c)^4+1/4/d*a^3*B*tan(d*x+c)*sec(d*x+c)^3
```


maxima [A] time = 0.68, size = 337, normalized size = 1.82

$$16(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Aa^3 + 240(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^3 + 240$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="maxima")

[Out] 1/240*(16*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*A*a^3 + 240*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^3 + 240*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a^3 - 45*A*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 15*B*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 60*A*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 180*B*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 240*B*a^3*tan(d*x + c))/d

mupad [B] time = 2.82, size = 224, normalized size = 1.21

$$\frac{a^3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (13A + 15B) \left(\frac{13Aa^3}{4} + \frac{15Ba^3}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(-\frac{91Aa^3}{6} - \frac{35Ba^3}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{4d} + \frac{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} - 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 1\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^6,x)

[Out] (a^3*atanh(tan(c/2 + (d*x)/2))*(13*A + 15*B))/(4*d) - (tan(c/2 + (d*x)/2))*((51*A*a^3)/4 + (49*B*a^3)/4) + tan(c/2 + (d*x)/2)^9*((13*A*a^3)/4 + (15*B*a^3)/4) - tan(c/2 + (d*x)/2)^7*((91*A*a^3)/6 + (35*B*a^3)/2) - tan(c/2 + (d*x)/2)^5*((416*A*a^3)/15 + 32*B*a^3)/(d*(5*tan(c/2 + (d*x)/2)^2 - 10*tan(c/2 + (d*x)/2)^4 + 10*tan(c/2 + (d*x)/2)^6 - 5*tan(c/2 + (d*x)/2)^8 + tan(c/2 + (d*x)/2)^10 - 1))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**6,x)

[Out] Timed out

3.28 $\int \cos^2(c+dx)(a+a\cos(c+dx))^4(A+B\cos(c+dx)) dx$

Optimal. Leaf size=241

$$-\frac{a^4(252A+227B)\sin^3(c+dx)}{105d} + \frac{a^4(252A+227B)\sin(c+dx)}{35d} + \frac{a^4(301A+276B)\sin(c+dx)\cos^3(c+dx)}{280d} + \frac{7(A+B)\cos^2(c+dx)\sin(c+dx)}{7d}$$

[Out] 1/16*a^4*(49*A+44*B)*x+1/35*a^4*(252*A+227*B)*sin(d*x+c)/d+1/16*a^4*(49*A+44*B)*cos(d*x+c)*sin(d*x+c)/d+1/280*a^4*(301*A+276*B)*cos(d*x+c)^3*sin(d*x+c)/d+1/7*a*B*cos(d*x+c)^3*(a+a*cos(d*x+c))^3*sin(d*x+c)/d+1/42*(7*A+10*B)*cos(d*x+c)^3*(a^2+a^2*cos(d*x+c))^2*sin(d*x+c)/d+7/15*(A+B)*cos(d*x+c)^3*(a^4+a^4*cos(d*x+c))*sin(d*x+c)/d-1/105*a^4*(252*A+227*B)*sin(d*x+c)^3/d

Rubi [A] time = 0.59, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2976, 2968, 3023, 2748, 2635, 8, 2633}

$$-\frac{a^4(252A+227B)\sin^3(c+dx)}{105d} + \frac{a^4(252A+227B)\sin(c+dx)}{35d} + \frac{a^4(301A+276B)\sin(c+dx)\cos^3(c+dx)}{280d} + \frac{7(A+B)\cos^2(c+dx)\sin(c+dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*cos[c + d*x])^4*(A + B*cos[c + d*x]), x]

[Out] (a^4*(49*A + 44*B)*x)/16 + (a^4*(252*A + 227*B)*Sin[c + d*x])/(35*d) + (a^4*(49*A + 44*B)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^4*(301*A + 276*B)*Cos[c + d*x]^3*SIN[c + d*x])/(280*d) + (a*B*cos[c + d*x]^3*(a + a*cos[c + d*x])^3*sin[c + d*x])/(7*d) + ((7*A + 10*B)*cos[c + d*x]^3*(a^2 + a^2*cos[c + d*x])^2*sin[c + d*x])/(42*d) + (7*(A + B)*cos[c + d*x]^3*(a^4 + a^4*cos[c + d*x])*sin[c + d*x])/(15*d) - (a^4*(252*A + 227*B)*sin[c + d*x]^3)/(105*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a

+ b*Sin[e + f*x]^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} + \\ &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} + \\ &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} + \\ &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} + \\ &= \frac{a^4(301A + 276B) \cos^3(c + dx) \sin(c + dx)}{280d} + \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} + \\ &= \frac{a^4(301A + 276B) \cos^3(c + dx) \sin(c + dx)}{280d} + \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} + \\ &= \frac{a^4(49A + 44B) \cos(c + dx) \sin(c + dx)}{16d} + \frac{a^4(301A + 276B) \cos^3(c + dx) \sin(c + dx)}{280d} + \\ &= \frac{1}{16}a^4(49A + 44B)x + \frac{a^4(252A + 227B) \sin(c + dx)}{35d} \end{aligned}$$

Mathematica [A] time = 0.87, size = 156, normalized size = 0.65

$$\frac{a^4(105(352A + 323B) \sin(c + dx) + 105(127A + 124B) \sin(2(c + dx)) + 5040A \sin(3(c + dx)) + 1575A \sin(4(c + dx)))}{35d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x]),x]

[Out] $(a^4*(18480*B*c + 20580*A*d*x + 18480*B*d*x + 105*(352*A + 323*B)*\sin[c + d*x] + 105*(127*A + 124*B)*\sin[2*(c + d*x)] + 5040*A*\sin[3*(c + d*x)] + 5495*B*\sin[3*(c + d*x)] + 1575*A*\sin[4*(c + d*x)] + 2100*B*\sin[4*(c + d*x)] + 336*A*\sin[5*(c + d*x)] + 651*B*\sin[5*(c + d*x)] + 35*A*\sin[6*(c + d*x)] + 140*B*\sin[6*(c + d*x)] + 15*B*\sin[7*(c + d*x)])/(6720*d)$

fricas [A] time = 0.88, size = 150, normalized size = 0.62

$$105(49A + 44B)a^4 dx + (240Ba^4 \cos(dx + c))^6 + 280(A + 4B)a^4 \cos(dx + c)^5 + 192(7A + 12B)a^4 \cos(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out] $1/1680*(105*(49*A + 44*B)*a^4*d*x + (240*B*a^4*\cos(d*x + c))^6 + 280*(A + 4*B)*a^4*\cos(d*x + c)^5 + 192*(7*A + 12*B)*a^4*\cos(d*x + c)^4 + 70*(41*A + 44*B)*a^4*\cos(d*x + c)^3 + 16*(252*A + 227*B)*a^4*\cos(d*x + c)^2 + 105*(49*A + 44*B)*a^4*\cos(d*x + c) + 32*(252*A + 227*B)*a^4*\sin(d*x + c))/d$

giac [A] time = 0.53, size = 193, normalized size = 0.80

$$\frac{Ba^4 \sin(7dx + 7c)}{448d} + \frac{1}{16} (49Aa^4 + 44Ba^4)x + \frac{(Aa^4 + 4Ba^4) \sin(6dx + 6c)}{192d} + \frac{(16Aa^4 + 31Ba^4) \sin(5dx + 5c)}{320d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="giac")`

[Out] $1/448*B*a^4*\sin(7*d*x + 7*c)/d + 1/16*(49*A*a^4 + 44*B*a^4)*x + 1/192*(A*a^4 + 4*B*a^4)*\sin(6*d*x + 6*c)/d + 1/320*(16*A*a^4 + 31*B*a^4)*\sin(5*d*x + 5*c)/d + 5/64*(3*A*a^4 + 4*B*a^4)*\sin(4*d*x + 4*c)/d + 1/192*(144*A*a^4 + 157*B*a^4)*\sin(3*d*x + 3*c)/d + 1/64*(127*A*a^4 + 124*B*a^4)*\sin(2*d*x + 2*c)/d + 1/64*(352*A*a^4 + 323*B*a^4)*\sin(d*x + c)/d$

maple [A] time = 0.07, size = 358, normalized size = 1.49

$$Aa^4 \left(\frac{\left(\cos^5(dx+c) + \frac{5(\cos^3(dx+c))}{4} + \frac{15\cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{a^4 B \left(\frac{16}{5} + \cos^6(dx+c) + \frac{6(\cos^4(dx+c))}{5} + \frac{8(\cos^2(dx+c))}{5} \right) \sin(dx+c)}{7} + \frac{4Aa^4}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x)`

[Out] $1/d*(A*a^4*(1/6*(\cos(d*x+c))^5+5/4*\cos(d*x+c)^3+15/8*\cos(d*x+c))*\sin(d*x+c)+5/16*d*x+5/16*c)+1/7*a^4*B*(16/5+\cos(d*x+c)^6+6/5*\cos(d*x+c)^4+8/5*\cos(d*x+c)^2)*\sin(d*x+c)+4/5*A*a^4*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+4*a^4*B*(1/6*(\cos(d*x+c))^5+5/4*\cos(d*x+c)^3+15/8*\cos(d*x+c))*\sin(d*x+c)+5/16*d*x+5/16*c)+6*A*a^4*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+6/5*a^4*B*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+4/3*A*a^4*(2+\cos(d*x+c)^2)*\sin(d*x+c)+4*a^4*B*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+A*a^4*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+1/3*a^4*B*(2+\cos(d*x+c)^2)*\sin(d*x+c)$

maxima [A] time = 0.46, size = 356, normalized size = 1.48

$$1792(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa^4 - 35(4 \sin(2dx + 2c)^3 - 60dx - 60c - 9 \sin(4c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/6720*(1792*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^4 - 35*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*a^4 - 8960*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^4 + 1260*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^4 + 1680*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^4 - 192*(5*sin(d*x + c)^7 - 21*sin(d*x + c)^5 + 35*sin(d*x + c)^3 - 35*sin(d*x + c))*B*a^4 + 2688*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^4 - 140*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*B*a^4 - 2240*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^4 + 840*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^4)/d

mupad [B] time = 1.64, size = 353, normalized size = 1.46

$$\frac{\left(\frac{49Aa^4}{8} + \frac{11Ba^4}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{13} + \left(\frac{245Aa^4}{6} + \frac{110Ba^4}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11} + \left(\frac{13867Aa^4}{120} + \frac{3113Ba^4}{30}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{14} + 7 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{12} + 21 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + \dots \right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{14} + 7 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{12} + 21 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + \dots \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^4,x)

[Out] (tan(c/2 + (d*x)/2)*((207*A*a^4)/8 + (53*B*a^4)/2) + tan(c/2 + (d*x)/2)^13*((49*A*a^4)/8 + (11*B*a^4)/2) + tan(c/2 + (d*x)/2)^11*((245*A*a^4)/6 + (110*B*a^4)/3) + tan(c/2 + (d*x)/2)^9*((13867*A*a^4)/120 + (3113*B*a^4)/30) + tan(c/2 + (d*x)/2)^7*((896*A*a^4)/5 + (5632*B*a^4)/35) + tan(c/2 + (d*x)/2)^5*((19157*A*a^4)/120 + (1501*B*a^4)/10))/((d*(7*tan(c/2 + (d*x)/2)^2 + 21*tan(c/2 + (d*x)/2)^4 + 35*tan(c/2 + (d*x)/2)^6 + 35*tan(c/2 + (d*x)/2)^8 + 21*tan(c/2 + (d*x)/2)^10 + 7*tan(c/2 + (d*x)/2)^12 + tan(c/2 + (d*x)/2)^14 + 1)) - (a^4*(49*A + 44*B)*(atan(tan(c/2 + (d*x)/2)) - (d*x)/2))/(8*d) + (a^4*atan((a^4*tan(c/2 + (d*x)/2)*(49*A + 44*B))/(8*((49*A*a^4)/8 + (11*B*a^4)/2)))*(49*A + 44*B))/(8*d)

sympy [A] time = 8.01, size = 960, normalized size = 3.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**4*(A+B*cos(d*x+c)),x)

[Out] Piecewise((5*A*a**4*x*sin(c + d*x)**6/16 + 15*A*a**4*x*sin(c + d*x)**4*cos(c + d*x)**2/16 + 9*A*a**4*x*sin(c + d*x)**4/4 + 15*A*a**4*x*sin(c + d*x)**2*cos(c + d*x)**4/16 + 9*A*a**4*x*sin(c + d*x)**2*cos(c + d*x)**2/2 + A*a**4*x*sin(c + d*x)**2/2 + 5*A*a**4*x*cos(c + d*x)**6/16 + 9*A*a**4*x*cos(c + d*x)**4/4 + A*a**4*x*cos(c + d*x)**2/2 + 5*A*a**4*sin(c + d*x)**5*cos(c + d*x)/(16*d) + 32*A*a**4*sin(c + d*x)**5/(15*d) + 5*A*a**4*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 16*A*a**4*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 9*A*a**4*sin(c + d*x)**3*cos(c + d*x)/(4*d) + 8*A*a**4*sin(c + d*x)**3/(3*d) + 11*A*a**4*sin(c + d*x)*cos(c + d*x)**5/(16*d) + 4*A*a**4*sin(c + d*x)*cos(c + d*x)**4/d + 15*A*a**4*sin(c + d*x)*cos(c + d*x)**3/(4*d) + 4*A*a**4*sin(c + d*x)*cos(c + d*x)**2/d + A*a**4*sin(c + d*x)*cos(c + d*x)/(2*d) + 5*B*a**4*x*sin(c + d*x)**6/4 + 15*B*a**4*x*sin(c + d*x)**4*cos(c + d*x)**2/4 + 3*B*a**4*x*sin(c + d*x)**4/2 + 15*B*a**4*x*sin(c + d*x)**2*cos(c + d*x)**4/4 + 3*B*a**4*x*sin(c + d*x)**2*cos(c + d*x)**2 + 5*B*a**4*x*cos(c + d*x)**6/

```

4 + 3*B*a**4*x*cos(c + d*x)**4/2 + 16*B*a**4*sin(c + d*x)**7/(35*d) + 8*B*a
**4*sin(c + d*x)**5*cos(c + d*x)**2/(5*d) + 5*B*a**4*sin(c + d*x)**5*cos(c
+ d*x)/(4*d) + 16*B*a**4*sin(c + d*x)**5/(5*d) + 2*B*a**4*sin(c + d*x)**3*c
os(c + d*x)**4/d + 10*B*a**4*sin(c + d*x)**3*cos(c + d*x)**3/(3*d) + 8*B*a*
**4*sin(c + d*x)**3*cos(c + d*x)**2/d + 3*B*a**4*sin(c + d*x)**3*cos(c + d*x
)/(2*d) + 2*B*a**4*sin(c + d*x)**3/(3*d) + B*a**4*sin(c + d*x)*cos(c + d*x)
**6/d + 11*B*a**4*sin(c + d*x)*cos(c + d*x)**5/(4*d) + 6*B*a**4*sin(c + d*x
)*cos(c + d*x)**4/d + 5*B*a**4*sin(c + d*x)*cos(c + d*x)**3/(2*d) + B*a**4*
sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a
**4*cos(c)**2, True))

```

$$3.29 \quad \int \cos(c + dx)(a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx$$

Optimal. Leaf size=185

$$-\frac{2a^4(8A + 7B) \sin^3(c + dx)}{15d} + \frac{4a^4(8A + 7B) \sin(c + dx)}{5d} + \frac{a^4(8A + 7B) \sin(c + dx) \cos^3(c + dx)}{40d} + \frac{27a^4(8A + 7B) \sin^5(c + dx)}{15d}$$

[Out] $7/16*a^4*(8*A+7*B)*x+4/5*a^4*(8*A+7*B)*\sin(d*x+c)/d+27/80*a^4*(8*A+7*B)*\cos(d*x+c)*\sin(d*x+c)/d+1/40*a^4*(8*A+7*B)*\cos(d*x+c)^3*\sin(d*x+c)/d+1/30*(6*A-B)*(a+a*\cos(d*x+c))^4*\sin(d*x+c)/d+1/6*B*(a+a*\cos(d*x+c))^5*\sin(d*x+c)/a/d-2/15*a^4*(8*A+7*B)*\sin(d*x+c)^3/d$

Rubi [A] time = 0.30, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$, Rules used = {2968, 3023, 2751, 2645, 2637, 2635, 8, 2633}

$$-\frac{2a^4(8A + 7B) \sin^3(c + dx)}{15d} + \frac{4a^4(8A + 7B) \sin(c + dx)}{5d} + \frac{a^4(8A + 7B) \sin(c + dx) \cos^3(c + dx)}{40d} + \frac{27a^4(8A + 7B) \sin^5(c + dx)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x]), x]

[Out] $(7*a^4*(8*A + 7*B)*x)/16 + (4*a^4*(8*A + 7*B)*\sin[c + d*x])/(5*d) + (27*a^4*(8*A + 7*B)*\cos[c + d*x]*\sin[c + d*x])/(80*d) + (a^4*(8*A + 7*B)*\cos[c + d*x]^3*\sin[c + d*x])/(40*d) + ((6*A - B)*(a + a*\cos[c + d*x])^4*\sin[c + d*x])/(30*d) + (B*(a + a*\cos[c + d*x])^5*\sin[c + d*x])/(6*a*d) - (2*a^4*(8*A + 7*B)*\sin[c + d*x]^3)/(15*d)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2645

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrig[(a + b*sin[c + d*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n, 0]

Rule 2751

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*cos[e + f*x]*(a + b*sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx &= \int (a + a \cos(c + dx))^4 (A \cos(c + dx) + B \cos^2(c + dx)) dx \\ &= \frac{B(a + a \cos(c + dx))^5 \sin(c + dx)}{6ad} + \int (a + a \cos(c + dx))^4 A dx \\ &= \frac{(6A - B)(a + a \cos(c + dx))^4 \sin(c + dx)}{30d} + \frac{B(a + a \cos(c + dx))^4}{30d} \\ &= \frac{(6A - B)(a + a \cos(c + dx))^4 \sin(c + dx)}{30d} + \frac{B(a + a \cos(c + dx))^4}{30d} \\ &= \frac{1}{10}a^4(8A + 7B)x + \frac{(6A - B)(a + a \cos(c + dx))^4 \sin(c + dx)}{30d} \\ &= \frac{1}{10}a^4(8A + 7B)x + \frac{2a^4(8A + 7B) \sin(c + dx)}{5d} + \frac{3a^4(8A + 7B)}{5d} \\ &= \frac{2}{5}a^4(8A + 7B)x + \frac{4a^4(8A + 7B) \sin(c + dx)}{5d} + \frac{27a^4(8A + 7B)}{5d} \\ &= \frac{7}{16}a^4(8A + 7B)x + \frac{4a^4(8A + 7B) \sin(c + dx)}{5d} + \frac{27a^4(8A + 7B)}{5d} \end{aligned}$$

Mathematica [A] time = 0.56, size = 134, normalized size = 0.72

$$a^4(120(49A + 44B) \sin(c + dx) + 15(128A + 127B) \sin(2(c + dx)) + 580A \sin(3(c + dx)) + 120A \sin(4(c + dx)) -$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*cos[c + d*x])^4*(A + B*cos[c + d*x]),x]
[Out] (a^4*(2940*B*c + 3360*A*d*x + 2940*B*d*x + 120*(49*A + 44*B)*Sin[c + d*x] + 15*(128*A + 127*B)*Sin[2*(c + d*x)] + 580*A*Ssin[3*(c + d*x)] + 720*B*Ssin[3*(c + d*x)] + 120*A*Ssin[4*(c + d*x)] + 225*B*Ssin[4*(c + d*x)] + 12*A*Ssin[5*(c + d*x)] + 48*B*Ssin[5*(c + d*x)] + 5*B*Ssin[6*(c + d*x)]))/(960*d)
```


fricas [A] time = 0.70, size = 130, normalized size = 0.70

$$\frac{105(8A + 7B)a^4 dx + (40Ba^4 \cos(dx + c))^5 + 48(A + 4B)a^4 \cos(dx + c)^4 + 10(24A + 41B)a^4 \cos(dx + c)^3}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/240*(105*(8*A + 7*B)*a^4*d*x + (40*B*a^4*cos(d*x + c)^5 + 48*(A + 4*B)*a^4*cos(d*x + c)^4 + 10*(24*A + 41*B)*a^4*cos(d*x + c)^3 + 32*(17*A + 18*B)*a^4*cos(d*x + c)^2 + 105*(8*A + 7*B)*a^4*cos(d*x + c) + 16*(83*A + 72*B)*a^4)*sin(d*x + c))/d

giac [A] time = 1.00, size = 166, normalized size = 0.90

$$\frac{Ba^4 \sin(6dx + 6c)}{192d} + \frac{7}{16} (8Aa^4 + 7Ba^4)x + \frac{(Aa^4 + 4Ba^4) \sin(5dx + 5c)}{80d} + \frac{(8Aa^4 + 15Ba^4) \sin(4dx + 4c)}{64d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/192*B*a^4*sin(6*d*x + 6*c)/d + 7/16*(8*A*a^4 + 7*B*a^4)*x + 1/80*(A*a^4 + 4*B*a^4)*sin(5*d*x + 5*c)/d + 1/64*(8*A*a^4 + 15*B*a^4)*sin(4*d*x + 4*c)/d + 1/48*(29*A*a^4 + 36*B*a^4)*sin(3*d*x + 3*c)/d + 1/64*(128*A*a^4 + 127*B*a^4)*sin(2*d*x + 2*c)/d + 1/8*(49*A*a^4 + 44*B*a^4)*sin(d*x + c)/d

maple [A] time = 0.07, size = 306, normalized size = 1.65

$$\frac{Aa^4 \left(\frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + a^4 B \left(\frac{\left(\cos^5(dx+c) + \frac{5(\cos^3(dx+c))}{4} + \frac{15\cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + 4Aa^4 \left(\frac{\cos^3(dx+c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x)

[Out] 1/d*(1/5*A*a^4*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+a^4*B*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+4*A*a^4*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4/5*a^4*B*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+2*A*a^4*(2+cos(d*x+c)^2)*sin(d*x+c)+6*a^4*B*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4*A*a^4*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+4/3*a^4*B*(2+cos(d*x+c)^2)*sin(d*x+c)+A*a^4*sin(d*x+c)+a^4*B*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

maxima [A] time = 0.60, size = 297, normalized size = 1.61

$$\frac{64(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa^4 - 1920(\sin(dx + c)^3 - 3 \sin(dx + c))Aa^4 + 120(12d*x + 12c + \sin(4d*x + 4c))Aa^4}{1960}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/960*(64*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^4 - 1920*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^4 + 120*(12*d*x + 12*c + sin(4*d*x + 4*c))*A*a^4)/d

$*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a^4 + 960*(2*d*x + 2*c + \sin(2*d*x + 2*c)) *A*a^4 + 256*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*B*a^4 - 5*(4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c))*B*a^4 - 1280*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a^4 + 180*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a^4 + 240*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^4 + 960*A*a^4*\sin(d*x + c))/d$

mupad [B] time = 1.62, size = 316, normalized size = 1.71

$$\frac{\left(7 A a^4 + \frac{49 B a^4}{8}\right) \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^{11} + \left(\frac{119 A a^4}{3} + \frac{833 B a^4}{24}\right) \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^9 + \left(\frac{462 A a^4}{5} + \frac{1617 B a^4}{20}\right) \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^7 + \left(\frac{562 A a^4}{5} + \frac{1967 B a^4}{20}\right) \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^5 + \left(\frac{1967 B a^4}{20}\right) \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^3 + \left(\frac{1471 B a^4}{24}\right) \tan\left(\frac{c}{2} + \frac{d x}{2}\right) + 1}{d \left(\tan\left(\frac{c}{2} + \frac{d x}{2}\right)^{12} + 6 \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^{10} + 15 \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^8 + 20 \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^6 + 15 \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^4 + 6 \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^2 + 1\right) - (7 a^4 (8 A + 7 B) \operatorname{atan}\left(\tan\left(\frac{c}{2} + \frac{d x}{2}\right)\right) - (d x) / 2) / (8 d) + (7 a^4 \operatorname{atan}\left(\tan\left(\frac{c}{2} + \frac{d x}{2}\right)\right) (8 A + 7 B)) / (8 (7 A a^4 + (49 B a^4) / 8)) (8 A + 7 B) / (8 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^4,x)`

[Out] $(\tan(c/2 + (d*x)/2)*(25*A*a^4 + (207*B*a^4)/8) + \tan(c/2 + (d*x)/2)^{11}*(7*A*a^4 + (49*B*a^4)/8) + \tan(c/2 + (d*x)/2)^9*((119*A*a^4)/3 + (833*B*a^4)/24) + \tan(c/2 + (d*x)/2)^3*((233*A*a^4)/3 + (1471*B*a^4)/24) + \tan(c/2 + (d*x)/2)^7*((462*A*a^4)/5 + (1617*B*a^4)/20) + \tan(c/2 + (d*x)/2)^5*((562*A*a^4)/5 + (1967*B*a^4)/20))/(d*(6*\tan(c/2 + (d*x)/2)^2 + 15*\tan(c/2 + (d*x)/2)^4 + 20*\tan(c/2 + (d*x)/2)^6 + 15*\tan(c/2 + (d*x)/2)^8 + 6*\tan(c/2 + (d*x)/2)^{10} + \tan(c/2 + (d*x)/2)^{12} + 1)) - (7*a^4*(8*A + 7*B)*(\operatorname{atan}(\tan(c/2 + (d*x)/2)) - (d*x)/2))/(8*d) + (7*a^4*\operatorname{atan}((7*a^4*\tan(c/2 + (d*x)/2)*(8*A + 7*B)))/(8*(7*A*a^4 + (49*B*a^4)/8)))*(8*A + 7*B))/(8*d)$

sympy [A] time = 4.83, size = 765, normalized size = 4.14

$$\begin{cases} \frac{3Aa^4x\sin^4(c+dx)}{2} + 3Aa^4x\sin^2(c+dx)\cos^2(c+dx) + 2Aa^4x\sin^2(c+dx) + \frac{3Aa^4x\cos^4(c+dx)}{2} + 2Aa^4x\cos^2(c+dx) \\ x(A+B\cos(c))(a\cos(c)+a)^4\cos(c) \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*cos(d*x+c))**4*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise((3*A*a**4*x*sin(c + d*x)**4/2 + 3*A*a**4*x*sin(c + d*x)**2*cos(c + d*x)**2 + 2*A*a**4*x*sin(c + d*x)**2 + 3*A*a**4*x*cos(c + d*x)**4/2 + 2*A*a**4*x*cos(c + d*x)**2 + 8*A*a**4*sin(c + d*x)**5/(15*d) + 4*A*a**4*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 3*A*a**4*sin(c + d*x)**3*cos(c + d*x)/(2*d) + 4*A*a**4*sin(c + d*x)**3/d + A*a**4*sin(c + d*x)*cos(c + d*x)**4/d + 5*A*a**4*sin(c + d*x)*cos(c + d*x)**3/(2*d) + 6*A*a**4*sin(c + d*x)*cos(c + d*x)**2/d + 2*A*a**4*sin(c + d*x)*cos(c + d*x)/d + A*a**4*sin(c + d*x)/d + 5*B*a**4*x*sin(c + d*x)**6/16 + 15*B*a**4*x*sin(c + d*x)**4*cos(c + d*x)**2/16 + 9*B*a**4*x*sin(c + d*x)**4/4 + 15*B*a**4*x*sin(c + d*x)**2*cos(c + d*x)**4/16 + 9*B*a**4*x*sin(c + d*x)**2*cos(c + d*x)**2/2 + B*a**4*x*sin(c + d*x)**2/2 + 5*B*a**4*x*cos(c + d*x)**6/16 + 9*B*a**4*x*cos(c + d*x)**4/4 + B*a**4*x*cos(c + d*x)**2/2 + 5*B*a**4*sin(c + d*x)**5*cos(c + d*x)/(16*d) + 32*B*a**4*sin(c + d*x)**5/(15*d) + 5*B*a**4*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 16*B*a**4*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 9*B*a**4*sin(c + d*x)**3*cos(c + d*x)/(4*d) + 8*B*a**4*sin(c + d*x)**3/(3*d) + 11*B*a**4*sin(c + d*x)*cos(c + d*x)**5/(16*d) + 4*B*a**4*sin(c + d*x)*cos(c + d*x)**4/d + 15*B*a**4*sin(c + d*x)*cos(c + d*x)**3/(4*d) + 4*B*a**4*sin(c + d*x)*cos(c + d*x)**2/d + B*a**4*sin(c + d*x)*cos(c + d*x)/(2*d), Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a)**4*cos(c), True))`

3.30 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) dx$

Optimal. Leaf size=150

$$-\frac{4a^4(5A+4B)\sin^3(c+dx)}{15d} + \frac{8a^4(5A+4B)\sin(c+dx)}{5d} + \frac{a^4(5A+4B)\sin(c+dx)\cos^3(c+dx)}{20d} + \frac{27a^4(5A+4B)\cos(c+dx)\sin^3(c+dx)}{40d}$$

[Out] $7/8*a^4*(5*A+4*B)*x+8/5*a^4*(5*A+4*B)*\sin(d*x+c)/d+27/40*a^4*(5*A+4*B)*\cos(d*x+c)*\sin(d*x+c)/d+1/20*a^4*(5*A+4*B)*\cos(d*x+c)^3*\sin(d*x+c)/d+1/5*B*(a+a*\cos(d*x+c))^4*\sin(d*x+c)/d-4/15*a^4*(5*A+4*B)*\sin(d*x+c)^3/d$

Rubi [A] time = 0.14, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {2751, 2645, 2637, 2635, 8, 2633}

$$-\frac{4a^4(5A+4B)\sin^3(c+dx)}{15d} + \frac{8a^4(5A+4B)\sin(c+dx)}{5d} + \frac{a^4(5A+4B)\sin(c+dx)\cos^3(c+dx)}{20d} + \frac{27a^4(5A+4B)\cos(c+dx)\sin^3(c+dx)}{40d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x]),x]

[Out] $(7*a^4*(5*A+4*B)*x)/8 + (8*a^4*(5*A+4*B)*\sin[c+d*x])/(5*d) + (27*a^4*(5*A+4*B)*\cos[c+d*x]*\sin[c+d*x])/(40*d) + (a^4*(5*A+4*B)*\cos[c+d*x]^3*\sin[c+d*x])/(20*d) + (B*(a+a*\cos[c+d*x])^4*\sin[c+d*x])/(5*d) - (4*a^4*(5*A+4*B)*\sin[c+d*x]^3)/(15*d)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2645

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrig[(a + b*sin[c + d*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n, 0]

Rule 2751

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] &&

EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) dx &= \frac{B(a + a \cos(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5}(5A + 4B) \int (a + a \cos(c + dx))^4 dx \\
 &= \frac{B(a + a \cos(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5}(5A + 4B) \int (a^4 + 4a^4 \cos(c + dx) + 6a^4 \cos^2(c + dx) + 4a^4 \cos^3(c + dx) + a^4 \cos^4(c + dx)) dx \\
 &= \frac{1}{5}a^4(5A + 4B)x + \frac{B(a + a \cos(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5}(a^4(5A + 4B) \int (1 + 4 \cos(c + dx) + 6 \cos^2(c + dx) + 4 \cos^3(c + dx) + \cos^4(c + dx)) dx) \\
 &= \frac{1}{5}a^4(5A + 4B)x + \frac{4a^4(5A + 4B) \sin(c + dx)}{5d} + \frac{3a^4(5A + 4B) \cos(c + dx)}{5d} + \frac{2a^4(5A + 4B) \cos^2(c + dx)}{5d} + \frac{a^4(5A + 4B) \cos^3(c + dx)}{5d} + \frac{a^4(5A + 4B) \cos^4(c + dx)}{5d} \\
 &= \frac{4}{5}a^4(5A + 4B)x + \frac{8a^4(5A + 4B) \sin(c + dx)}{5d} + \frac{27a^4(5A + 4B) \cos(c + dx)}{5d} + \frac{18a^4(5A + 4B) \cos^2(c + dx)}{5d} + \frac{8a^4(5A + 4B) \cos^3(c + dx)}{5d} + \frac{4a^4(5A + 4B) \cos^4(c + dx)}{5d} \\
 &= \frac{7}{8}a^4(5A + 4B)x + \frac{8a^4(5A + 4B) \sin(c + dx)}{5d} + \frac{27a^4(5A + 4B) \cos(c + dx)}{5d} + \frac{18a^4(5A + 4B) \cos^2(c + dx)}{5d} + \frac{8a^4(5A + 4B) \cos^3(c + dx)}{5d} + \frac{4a^4(5A + 4B) \cos^4(c + dx)}{5d}
 \end{aligned}$$

Mathematica [A] time = 0.38, size = 108, normalized size = 0.72

$$\frac{a^4(420(8A + 7B) \sin(c + dx) + 120(7A + 8B) \sin(2(c + dx)) + 160A \sin(3(c + dx)) + 15A \sin(4(c + dx)) + 2100A \sin(5(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x]),x]

[Out] (a^4*(2100*A*d*x + 1680*B*d*x + 420*(8*A + 7*B)*Sin[c + d*x] + 120*(7*A + 8*B)*Sin[2*(c + d*x)] + 160*A*Ssin[3*(c + d*x)] + 290*B*Ssin[3*(c + d*x)] + 15*A*Ssin[4*(c + d*x)] + 60*B*Ssin[4*(c + d*x)] + 6*B*Ssin[5*(c + d*x)]))/(480*d)

fricas [A] time = 0.62, size = 110, normalized size = 0.73

$$\frac{105(5A + 4B)a^4 dx + (24Ba^4 \cos(dx + c)^4 + 30(A + 4B)a^4 \cos(dx + c)^3 + 16(10A + 17B)a^4 \cos(dx + c)^2 + 15Aa^4 \cos(dx + c) + 8(100A + 83B)a^4) \sin(dx + c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/120*(105*(5*A + 4*B)*a^4*d*x + (24*B*a^4*cos(d*x + c)^4 + 30*(A + 4*B)*a^4*cos(d*x + c)^3 + 16*(10*A + 17*B)*a^4*cos(d*x + c)^2 + 15*(27*A + 28*B)*a^4*cos(d*x + c) + 8*(100*A + 83*B)*a^4)*sin(d*x + c)/d

giac [A] time = 1.39, size = 139, normalized size = 0.93

$$\frac{Ba^4 \sin(5dx + 5c)}{80d} + \frac{7}{8}(5Aa^4 + 4Ba^4)x + \frac{(Aa^4 + 4Ba^4) \sin(4dx + 4c)}{32d} + \frac{(16Aa^4 + 29Ba^4) \sin(3dx + 3c)}{48d} + \frac{(7Aa^4 + 8Ba^4) \sin(2dx + 2c)}{48d} + \frac{4a^4 \cos^4(dx + c)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/80*B*a^4*sin(5*d*x + 5*c)/d + 7/8*(5*A*a^4 + 4*B*a^4)*x + 1/32*(A*a^4 + 4*B*a^4)*sin(4*d*x + 4*c)/d + 1/48*(16*A*a^4 + 29*B*a^4)*sin(3*d*x + 3*c)/d + 1/4*(7*A*a^4 + 8*B*a^4)*sin(2*d*x + 2*c)/d + 7/8*(8*A*a^4 + 7*B*a^4)*sin(d*x + c)/d

maple [A] time = 0.06, size = 248, normalized size = 1.65

$$\frac{a^4 B \left(\frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + A a^4 \left(\frac{\left(\cos^3(dx+c) + \frac{3 \cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + 4a^4 B \left(\frac{\left(\cos^3(dx+c) + \frac{3 \cos(dx+c)}{2} \right)}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x)

[Out] 1/d*(1/5*a^4*B*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+A*a^4*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4*a^4*B*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4/3*A*a^4*(2+cos(d*x+c)^2)*sin(d*x+c)+2*a^4*B*(2+cos(d*x+c)^2)*sin(d*x+c)+6*A*a^4*(1/2*cos(d*x+c))*sin(d*x+c)+1/2*d*x+1/2*c)+4*a^4*B*(1/2*cos(d*x+c))*sin(d*x+c)+1/2*d*x+1/2*c)+4*A*a^4*sin(d*x+c)+a^4*B*sin(d*x+c)+A*a^4*(d*x+c))

maxima [A] time = 0.84, size = 236, normalized size = 1.57

$$\frac{640(\sin(dx+c)^3 - 3\sin(dx+c))Aa^4 - 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^4 - 720(2\sin(dx+c) - \sin(2dx+c))Ba^4}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] -1/480*(640*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^4 - 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^4 - 720*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^4 - 480*(d*x + c)*A*a^4 - 32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^4 + 960*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^4 - 60*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^4 - 480*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^4 - 1920*A*a^4*sin(d*x + c) - 480*B*a^4*sin(d*x + c))/d

mupad [B] time = 1.56, size = 278, normalized size = 1.85

$$\frac{\left(\frac{35Aa^4}{4} + 7Ba^4 \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(\frac{245Aa^4}{6} + \frac{98Ba^4}{3} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{224Aa^4}{3} + \frac{896Ba^4}{15} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{395Aa^4}{6} + \frac{158Ba^4}{3} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{224Aa^4}{3} + \frac{896Ba^4}{15} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^4,x)

[Out] (tan(c/2 + (d*x)/2)*((93*A*a^4)/4 + 25*B*a^4) + tan(c/2 + (d*x)/2)^9*((35*A*a^4)/4 + 7*B*a^4) + tan(c/2 + (d*x)/2)^7*((245*A*a^4)/6 + (98*B*a^4)/3) + tan(c/2 + (d*x)/2)^5*((395*A*a^4)/6 + (158*B*a^4)/3) + tan(c/2 + (d*x)/2)^3*((224*A*a^4)/3 + (896*B*a^4)/15))/(d*(5*tan(c/2 + (d*x)/2)^2 + 10*tan(c/2 + (d*x)/2)^4 + 10*tan(c/2 + (d*x)/2)^6 + 5*tan(c/2 + (d*x)/2)^8 + tan(c/2 + (d*x)/2)^10 + 1)) - (7*a^4*(5*A + 4*B)*(atan(tan(c/2 + (d*x)/2)) - (d*x)/2))/(4*d) + (7*a^4*atan((7*a^4*tan(c/2 + (d*x)/2)*(5*A + 4*B))/(4*((35*A*a^4)/4 + 7*B*a^4)))*(5*A + 4*B))/(4*d)

sympy [A] time = 3.02, size = 544, normalized size = 3.63

$$\left\{ \begin{array}{l} \frac{3Aa^4x \sin^4(c+dx)}{8} + \frac{3Aa^4x \sin^2(c+dx) \cos^2(c+dx)}{4} + 3Aa^4x \sin^2(c+dx) + \frac{3Aa^4x \cos^4(c+dx)}{8} + 3Aa^4x \cos^2(c+dx) + Aa^4 \\ x(A+B \cos(c))(a \cos(c) + a)^4 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**4*(A+B*cos(d*x+c)),x)
```

```
[Out] Piecewise((3*A*a**4*x*sin(c + d*x)**4/8 + 3*A*a**4*x*sin(c + d*x)**2*cos(c
+ d*x)**2/4 + 3*A*a**4*x*sin(c + d*x)**2 + 3*A*a**4*x*cos(c + d*x)**4/8 + 3
*A*a**4*x*cos(c + d*x)**2 + A*a**4*x + 3*A*a**4*sin(c + d*x)**3*cos(c + d*x
)/(8*d) + 8*A*a**4*sin(c + d*x)**3/(3*d) + 5*A*a**4*sin(c + d*x)*cos(c + d*
x)**3/(8*d) + 4*A*a**4*sin(c + d*x)*cos(c + d*x)**2/d + 3*A*a**4*sin(c + d*
x)*cos(c + d*x)/d + 4*A*a**4*sin(c + d*x)/d + 3*B*a**4*x*sin(c + d*x)**4/2
+ 3*B*a**4*x*sin(c + d*x)**2*cos(c + d*x)**2 + 2*B*a**4*x*sin(c + d*x)**2 +
3*B*a**4*x*cos(c + d*x)**4/2 + 2*B*a**4*x*cos(c + d*x)**2 + 8*B*a**4*sin(c
+ d*x)**5/(15*d) + 4*B*a**4*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 3*B*a*
**4*sin(c + d*x)**3*cos(c + d*x)/(2*d) + 4*B*a**4*sin(c + d*x)**3/d + B*a**4
*sin(c + d*x)*cos(c + d*x)**4/d + 5*B*a**4*sin(c + d*x)*cos(c + d*x)**3/(2*
d) + 6*B*a**4*sin(c + d*x)*cos(c + d*x)**2/d + 2*B*a**4*sin(c + d*x)*cos(c
+ d*x)/d + B*a**4*sin(c + d*x)/d, Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) +
a)**4, True))
```

3.31 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx$

Optimal. Leaf size=151

$$\frac{5a^4(8A + 7B) \sin(c + dx)}{8d} + \frac{(32A + 35B) \sin(c + dx) (a^4 \cos(c + dx) + a^4)}{24d} + \frac{1}{8} a^4 x (48A + 35B) + \frac{a^4 A \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] $1/8*a^4*(48*A+35*B)*x+a^4*A*\operatorname{arctanh}(\sin(d*x+c))/d+5/8*a^4*(8*A+7*B)*\sin(d*x+c)/d+1/4*a*B*(a+a*\cos(d*x+c))^3*\sin(d*x+c)/d+1/12*(4*A+7*B)*(a^2+a^2*\cos(d*x+c))^2*\sin(d*x+c)/d+1/24*(32*A+35*B)*(a^4+a^4*\cos(d*x+c))*\sin(d*x+c)/d$

Rubi [A] time = 0.41, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {2976, 2968, 3023, 2735, 3770}

$$\frac{5a^4(8A + 7B) \sin(c + dx)}{8d} + \frac{(4A + 7B) \sin(c + dx) (a^2 \cos(c + dx) + a^2)^2}{12d} + \frac{(32A + 35B) \sin(c + dx) (a^4 \cos(c + dx) + a^4)}{24d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a \cos[c + d*x])^4 (A + B \cos[c + d*x]) \sec[c + d*x], x]$

[Out] $(a^4*(48*A + 35*B)*x)/8 + (a^4*A*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/d + (5*a^4*(8*A + 7*B)*\operatorname{Sin}[c + d*x])/(8*d) + (a*B*(a + a*\cos[c + d*x])^3*\operatorname{Sin}[c + d*x])/(4*d) + ((4*A + 7*B)*(a^2 + a^2*\cos[c + d*x])^2*\operatorname{Sin}[c + d*x])/(12*d) + ((32*A + 35*B)*(a^4 + a^4*\cos[c + d*x])*\operatorname{Sin}[c + d*x])/(24*d)$

Rule 2735

$\operatorname{Int}[(a + b \sin[e + f*x])^4 (c + d \sin[e + f*x]) \sec[e + f*x], x] \rightarrow \operatorname{Simp}[(b*x)/d, x] - \operatorname{Dist}[(b*c - a*d)/d, \operatorname{Int}[1/(c + d \sin[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

$\operatorname{Int}[(a + b \sin[e + f*x])^m (c + d \sin[e + f*x])^n \sec[e + f*x], x] \rightarrow \operatorname{Int}[(a + b \sin[e + f*x])^m (A*c + (B*c + A*d) \sin[e + f*x] + B*d \sin[e + f*x]^2), x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2976

$\operatorname{Int}[(a + b \sin[e + f*x])^m (c + d \sin[e + f*x])^n \sec[e + f*x], x] \rightarrow -\operatorname{Simp}[(b*B \cos[e + f*x] (a + b \sin[e + f*x])^{m-1} (c + d \sin[e + f*x])^{n+1})/(d*f*(m+n+1)), x] + \operatorname{Dist}[1/(d*(m+n+1)), \operatorname{Int}[(a + b \sin[e + f*x])^{m-1} (c + d \sin[e + f*x])^n \operatorname{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n))] \sin[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3023

$\operatorname{Int}[(a + b \sin[e + f*x])^m (c + d \sin[e + f*x])^n \sec[e + f*x], x] \rightarrow -\operatorname{Simp}[(C \cos[e + f*x] (a + b \sin[e + f*x])^{m+1})/(b*f*(m+2)), x] + \operatorname{Dist}[1/(b*(m+2)), \operatorname{Int}[(a + b \sin[e + f*x])^m \operatorname{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) + b*C*(m+1)) \sin[e + f*x], x], x] /;$

2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4} \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx \\ &= \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{(4A + 7B)(a^2 + a \cos(c + dx))^3 \sin(c + dx)}{4d} \\ &= \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{(4A + 7B)(a^2 + a \cos(c + dx))^3 \sin(c + dx)}{4d} \\ &= \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{(4A + 7B)(a^2 + a \cos(c + dx))^3 \sin(c + dx)}{4d} \\ &= \frac{5a^4(8A + 7B) \sin(c + dx)}{8d} + \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} \\ &= \frac{1}{8} a^4 (48A + 35B)x + \frac{5a^4(8A + 7B) \sin(c + dx)}{8d} + \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} \\ &= \frac{1}{8} a^4 (48A + 35B)x + \frac{a^4 A \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^4(8A + 7B) \sin(c + dx)}{8d} \end{aligned}$$

Mathematica [A] time = 0.40, size = 138, normalized size = 0.91

$$\frac{a^4 \left(24(27A + 28B) \sin(c + dx) + 24(4A + 7B) \sin(2(c + dx)) + 8A \sin(3(c + dx)) - 96A \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) \right)}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x], x]

[Out] (a^4*(576*A*d*x + 420*B*d*x - 96*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 96*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 24*(27*A + 28*B)*Sin[c + d*x] + 24*(4*A + 7*B)*Sin[2*(c + d*x)] + 8*A*Sin[3*(c + d*x)] + 32*B*Sin[3*(c + d*x)] + 3*B*Sin[4*(c + d*x)])/(96*d)

fricas [A] time = 0.65, size = 118, normalized size = 0.78

$$\frac{3(48A + 35B)a^4 dx + 12Aa^4 \log(\sin(dx + c) + 1) - 12Aa^4 \log(-\sin(dx + c) + 1) + (6Ba^4 \cos(dx + c)^3 + 8Aa^4 \cos(dx + c)^2 + 3(16A + 27B)a^4 \cos(dx + c) + 160(A + B)a^4) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="fricas")

[Out] 1/24*(3*(48*A + 35*B)*a^4*d*x + 12*A*a^4*log(sin(d*x + c) + 1) - 12*A*a^4*log(-sin(d*x + c) + 1) + (6*B*a^4*cos(d*x + c)^3 + 8*(A + 4*B)*a^4*cos(d*x + c)^2 + 3*(16*A + 27*B)*a^4*cos(d*x + c) + 160*(A + B)*a^4)*sin(d*x + c)/d

giac [A] time = 1.07, size = 214, normalized size = 1.42

$$24 A a^4 \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 24 A a^4 \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + 3 (48 A a^4 + 35 B a^4) (dx + c) + \frac{2 (12 A a^4 \tan^2 \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 105 B a^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 424 A a^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^5 + 385 B a^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^5 + 520 A a^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 + 511 B a^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 + 216 A a^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 279 B a^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right))}{(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + 1)^4} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")

[Out] 1/24*(24*A*a^4*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 24*A*a^4*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 3*(48*A*a^4 + 35*B*a^4)*(d*x + c) + 2*(120*A*a^4*tan(1/2*d*x + 1/2*c)^7 + 105*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 424*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 385*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 520*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 511*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 216*A*a^4*tan(1/2*d*x + 1/2*c) + 279*B*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4/d

maple [A] time = 0.14, size = 199, normalized size = 1.32

$$\frac{A \sin(dx + c) (\cos^2(dx + c)) a^4}{3d} + \frac{20A a^4 \sin(dx + c)}{3d} + \frac{a^4 B \sin(dx + c) (\cos^3(dx + c))}{4d} + \frac{27a^4 B \cos(dx + c) \sin(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] 1/3/d*A*sin(d*x+c)*cos(d*x+c)^2*a^4+20/3/d*A*a^4*sin(d*x+c)+1/4/d*a^4*B*sin(d*x+c)*cos(d*x+c)^3+27/8/d*a^4*B*cos(d*x+c)*sin(d*x+c)+35/8*a^4*B*x+35/8/d*a^4*B*c+2/d*A*a^4*cos(d*x+c)*sin(d*x+c)+6*A*a^4*x+6/d*A*a^4*c+4/3/d*B*sin(d*x+c)*cos(d*x+c)^2*a^4+20/3/d*a^4*B*sin(d*x+c)+1/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))

maxima [A] time = 0.47, size = 198, normalized size = 1.31

$$\frac{32 (\sin(dx + c)^3 - 3 \sin(dx + c)) A a^4 - 96 (2 dx + 2 c + \sin(2 dx + 2 c)) A a^4 - 384 (dx + c) A a^4 + 128 (\sin(dx + c) \cos^3(dx + c) + 3 \sin(dx + c) \cos(dx + c) + \sin^3(dx + c)) B a^4 - 35 (2 dx + 2 c) B a^4 + 35 B x}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")

[Out] -1/96*(32*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^4 - 96*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^4 - 384*(d*x + c)*A*a^4 + 128*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^4 - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^4 - 144*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^4 - 96*(d*x + c)*B*a^4 - 96*A*a^4*log(sec(d*x + c) + tan(d*x + c)) - 576*A*a^4*sin(d*x + c) - 384*B*a^4*sin(d*x + c))/d

mupad [B] time = 0.67, size = 188, normalized size = 1.25

$$144 A a^4 \operatorname{atan} \left(\frac{\sin \left(\frac{c}{2} + \frac{dx}{2} \right)}{\cos \left(\frac{c}{2} + \frac{dx}{2} \right)} \right) + 24 A a^4 \operatorname{atanh} \left(\frac{\sin \left(\frac{c}{2} + \frac{dx}{2} \right)}{\cos \left(\frac{c}{2} + \frac{dx}{2} \right)} \right) + 105 B a^4 \operatorname{atan} \left(\frac{\sin \left(\frac{c}{2} + \frac{dx}{2} \right)}{\cos \left(\frac{c}{2} + \frac{dx}{2} \right)} \right) + 12 A a^4 \sin(2c + 2dx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^4)/cos(c + d*x),x)

```
[Out] (144*A*a^4*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)) + 24*A*a^4*atanh(sin
(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)) + 105*B*a^4*atan(sin(c/2 + (d*x)/2)/cos
(c/2 + (d*x)/2)) + 12*A*a^4*sin(2*c + 2*d*x) + A*a^4*sin(3*c + 3*d*x) + 21*
B*a^4*sin(2*c + 2*d*x) + 4*B*a^4*sin(3*c + 3*d*x) + (3*B*a^4*sin(4*c + 4*d*
x))/8 + 81*A*a^4*sin(c + d*x) + 84*B*a^4*sin(c + d*x))/(12*d)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$a^4 \left(\int A \sec(c + dx) dx + \int 4A \cos(c + dx) \sec(c + dx) dx + \int 6A \cos^2(c + dx) \sec(c + dx) dx + \int 4A \cos^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c),x)
```

```
[Out] a**4*(Integral(A*sec(c + d*x), x) + Integral(4*A*cos(c + d*x)*sec(c + d*x),
x) + Integral(6*A*cos(c + d*x)**2*sec(c + d*x), x) + Integral(4*A*cos(c +
d*x)**3*sec(c + d*x), x) + Integral(A*cos(c + d*x)**4*sec(c + d*x), x) + In
tegral(B*cos(c + d*x)*sec(c + d*x), x) + Integral(4*B*cos(c + d*x)**2*sec(c
+ d*x), x) + Integral(6*B*cos(c + d*x)**3*sec(c + d*x), x) + Integral(4*B*
cos(c + d*x)**4*sec(c + d*x), x) + Integral(B*cos(c + d*x)**5*sec(c + d*x),
x))
```

3.32 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx$

Optimal. Leaf size=150

$$\frac{5a^4(A + 2B) \sin(c + dx)}{2d} + \frac{a^4(4A + B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(3A - 8B) \sin(c + dx) (a^4 \cos(c + dx) + a^4)}{6d} + \frac{1}{2}a^4$$

[Out] $\frac{1}{2}a^4(13A+12B)x + a^4(4A+B)\operatorname{arctanh}(\sin(dx+c))/d + 5/2a^4(A+2B)\sin(dx+c)/d - 1/3(3A-B)(a^2+a^2\cos(dx+c))^2\sin(dx+c)/d - 1/6(3A-8B)(a^4+a^4\cos(dx+c))\sin(dx+c)/d + aA(a+a\cos(dx+c))^3\tan(dx+c)/d$

Rubi [A] time = 0.45, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2975, 2976, 2968, 3023, 2735, 3770}

$$\frac{5a^4(A + 2B) \sin(c + dx)}{2d} + \frac{a^4(4A + B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(3A - B) \sin(c + dx) (a^2 \cos(c + dx) + a^2)^2}{3d} - \frac{(3A - B) \sin(c + dx) (a^2 \cos(c + dx) + a^2)^2}{3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a\cos[c + dx])^4(A + B\cos[c + dx])\sec[c + dx]^2, x]$

[Out] $(a^4(13A + 12B)x)/2 + (a^4(4A + B)\operatorname{ArcTanh}[\sin[c + dx]])/d + (5a^4(A + 2B)\sin[c + dx])/(2d) - ((3A - B)(a^2 + a^2\cos[c + dx])^2\sin[c + dx])/(3d) - ((3A - 8B)(a^4 + a^4\cos[c + dx])\sin[c + dx])/(6d) + (aA(a + a\cos[c + dx])^3\tan[c + dx])/d$

Rule 2735

$\operatorname{Int}[(a + b\sin[e + f(x)])^4((c + d\sin[e + f(x)])\sin[e + f(x)])], x_Symbol] \rightarrow \operatorname{Simp}[(b^4x)/d, x] - \operatorname{Dist}[(b^4c - a^4d)/d, \operatorname{Int}[1/(c + d\sin[e + f(x)]), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \operatorname{NeQ}[b^4c - a^4d, 0]$

Rule 2968

$\operatorname{Int}[(a + b\sin[e + f(x)])^m((c + d\sin[e + f(x)])\sin[e + f(x)])], x_Symbol] \rightarrow \operatorname{Int}[(a + b\sin[e + f(x)])^m(Ac + (Bc + Ad)\sin[e + f(x)] + Bd\sin[e + f(x)]^2), x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m, x\} \ \&\& \ \operatorname{NeQ}[b^4c - a^4d, 0]$

Rule 2975

$\operatorname{Int}[(a + b\sin[e + f(x)])^m((c + d\sin[e + f(x)])\sin[e + f(x)])^n], x_Symbol] \rightarrow -\operatorname{Simp}[(b^2(Bc - Ad)\cos[e + f(x)](a + b\sin[e + f(x)])^{m-1}(c + d\sin[e + f(x)])^{n+1})/(d^2f(n+1)(bc + ad)), x] - \operatorname{Dist}[b/(d(n+1)(bc + ad)), \operatorname{Int}[(a + b\sin[e + f(x)])^{m-1}(c + d\sin[e + f(x)])^{n+1}\operatorname{Simp}[aAd(m-n-2) - B(ac(m-1) + bd(n+1)) - (Abd(m+n+1) - B(bc^m - ad(n+1))\sin[e + f(x)], x], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B, x\} \ \&\& \ \operatorname{NeQ}[b^4c - a^4d, 0] \ \&\& \ \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \ \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \ \operatorname{GtQ}[m, 1/2] \ \&\& \ \operatorname{LtQ}[n, -1] \ \&\& \ \operatorname{IntegerQ}[2m] \ \&\& \ (\operatorname{IntegerQ}[2n] \ \|\ \operatorname{EqQ}[c, 0])$

Rule 2976

$\operatorname{Int}[(a + b\sin[e + f(x)])^m((c + d\sin[e + f(x)])\sin[e + f(x)])^n], x_Symbol] \rightarrow -\operatorname{Simp}[(bB\cos[e + f(x)](a + b\sin[e + f(x)])^{m-1}(c + d\sin[e + f(x)])^{n+1})/(d^2f(m+n+1)), x] + \operatorname{Dist}[1/(d(m+n+1)), \operatorname{Int}[(a + b\sin[e + f(x)])^m((c + d\sin[e + f(x)])\sin[e + f(x)])^n], x], x] /;$

```

])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
  b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \tan(c + dx)}{d} + \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\
 &= -\frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{aA(a + a \cos(c + dx))^3 \tan(c + dx)}{d} \\
 &= -\frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} - \frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} \\
 &= -\frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} - \frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} \\
 &= \frac{5a^4(A + 2B) \sin(c + dx)}{2d} - \frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} \\
 &= \frac{1}{2}a^4(13A + 12B)x + \frac{5a^4(A + 2B) \sin(c + dx)}{2d} - \frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} \\
 &= \frac{1}{2}a^4(13A + 12B)x + \frac{a^4(4A + B) \tanh^{-1}(\sin(c + dx))}{d}
 \end{aligned}$$

Mathematica [B] time = 1.71, size = 312, normalized size = 2.08

$$\frac{1}{192}a^4(\cos(c+dx)+1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left(\frac{3(16A + 27B) \sin(c) \cos(dx)}{d} + \frac{3(A + 4B) \sin(2c) \cos(2dx)}{d} + \frac{3(16A + 27B) \sin(3c) \cos(3dx)}{d} \right)$$

Antiderivative was successfully verified.

```

[In] Integrate[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
[Out] (a^4*(1 + Cos[c + d*x])^4*Sec[(c + d*x)/2]^8*(78*A*x + 72*B*x - (12*(4*A +
B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (12*(4*A + B)*Log[Cos[(c +
d*x)/2] + Sin[(c + d*x)/2]])/d + (3*(16*A + 27*B)*Cos[d*x]*Sin[c])/d + (3*
(A + 4*B)*Cos[2*d*x]*Sin[2*c])/d + (B*Cos[3*d*x]*Sin[3*c])/d + (3*(16*A + 2
7*B)*Cos[c]*Sin[d*x])/d + (3*(A + 4*B)*Cos[2*c]*Sin[2*d*x])/d + (B*Cos[3*c]

```

$\frac{*Sin[3*d*x])/d + (12*A*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (12*A*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])}{192}$

fricas [A] time = 0.95, size = 150, normalized size = 1.00

$3(13A + 12B)a^4 dx \cos(dx + c) + 3(4A + B)a^4 \cos(dx + c) \log(\sin(dx + c) + 1) - 3(4A + B)a^4 \cos(dx + c)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")

[Out] $\frac{1}{6}*(3*(13*A + 12*B)*a^4*d*x*\cos(d*x + c) + 3*(4*A + B)*a^4*\cos(d*x + c)*\log(\sin(d*x + c) + 1) - 3*(4*A + B)*a^4*\cos(d*x + c)*\log(-\sin(d*x + c) + 1) + (2*B*a^4*\cos(d*x + c)^3 + 3*(A + 4*B)*a^4*\cos(d*x + c)^2 + 8*(3*A + 5*B)*a^4*\cos(d*x + c) + 6*A*a^4)*\sin(d*x + c))/(d*\cos(d*x + c))$

giac [A] time = 0.89, size = 226, normalized size = 1.51

$\frac{12Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - 3(13Aa^4 + 12Ba^4)(dx + c) - 6(4Aa^4 + Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 6(4Aa^4 + B$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")

[Out] $-\frac{1}{6}*(12*A*a^4*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) - 3*(13*A*a^4 + 12*B*a^4)*(d*x + c) - 6*(4*A*a^4 + B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) + 6*(4*A*a^4 + B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(21*A*a^4*\tan(1/2*d*x + 1/2*c)^5 + 30*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 48*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 76*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 27*A*a^4*\tan(1/2*d*x + 1/2*c) + 54*B*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d$

maple [A] time = 0.16, size = 190, normalized size = 1.27

$\frac{Aa^4 \cos(dx + c) \sin(dx + c)}{2d} + \frac{13Aa^4x}{2} + \frac{13Aa^4c}{2d} + \frac{B \sin(dx + c) (\cos^2(dx + c)) a^4}{3d} + \frac{20a^4B \sin(dx + c)}{3d} + \frac{4Aa^4}{3d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)

[Out] $\frac{1}{2}/d*A*a^4*\cos(d*x+c)*\sin(d*x+c)+13/2*A*a^4*x+13/2/d*A*a^4*c+1/3/d*B*\sin(d*x+c)*\cos(d*x+c)^2*a^4+20/3/d*a^4*B*\sin(d*x+c)+4/d*A*a^4*\sin(d*x+c)+2/d*a^4*B*\cos(d*x+c)*\sin(d*x+c)+6*a^4*B*x+6/d*a^4*B*c+4/d*A*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*A*a^4*\tan(d*x+c)+1/d*a^4*B*\ln(\sec(d*x+c)+\tan(d*x+c))$

maxima [A] time = 0.40, size = 187, normalized size = 1.25

$3(2dx + 2c + \sin(2dx + 2c))Aa^4 + 72(dx + c)Aa^4 - 4(\sin(dx + c)^3 - 3\sin(dx + c))Ba^4 + 12(2dx + 2c +$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")

[Out] $1/12*(3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a^4 + 72*(d*x + c)*A*a^4 - 4*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a^4 + 12*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^4 + 48*(d*x + c)*B*a^4 + 24*A*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 6*B*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 48*A*a^4*\sin(d*x + c) + 72*B*a^4*\sin(d*x + c) + 12*A*a^4*\tan(d*x + c))/d$

mupad [B] time = 0.42, size = 242, normalized size = 1.61

$$\frac{4 A a^4 \sin(c + d x)}{d} + \frac{20 B a^4 \sin(c + d x)}{3 d} + \frac{13 A a^4 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d} + \frac{8 A a^4 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d} + \frac{12 B a^4 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^4)/cos(c + d*x)^2,x)`

[Out] $(4*A*a^4*\sin(c + d*x))/d + (20*B*a^4*\sin(c + d*x))/(3*d) + (13*A*a^4*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (8*A*a^4*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (12*B*a^4*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (2*B*a^4*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (A*a^4*\sin(c + d*x))/(d*\cos(c + d*x)) + (B*a^4*\cos(c + d*x)^2*\sin(c + d*x))/(3*d) + (A*a^4*\cos(c + d*x)*\sin(c + d*x))/(2*d) + (2*B*a^4*\cos(c + d*x)*\sin(c + d*x))/d$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)`

[Out] Timed out

3.33 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^3(c + dx) dx$

Optimal. Leaf size=162

$$-\frac{5a^4(A-B)\sin(c+dx)}{2d} + \frac{a^4(13A+8B)\tanh^{-1}(\sin(c+dx))}{2d} - \frac{(6A+B)\sin(c+dx)(a^4\cos(c+dx)+a^4)}{2d} + \frac{1}{2}a^4$$

[Out] $\frac{1}{2}a^4(8A+13B)x + \frac{1}{2}a^4(13A+8B)\operatorname{arctanh}(\sin(dx+c))/d - \frac{5}{2}a^4(A-B)\sin(dx+c)/d - \frac{1}{2}(6A+B)(a^4+a^4\cos(dx+c))\sin(dx+c)/d + \frac{1}{2}(5A+2B)(a^2+a^2\cos(dx+c))^2\tan(dx+c)/d + \frac{1}{2}a^4A(a+a\cos(dx+c))^3\sec(dx+c)\tan(dx+c)/d$

Rubi [A] time = 0.48, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2975, 2976, 2968, 3023, 2735, 3770}

$$-\frac{5a^4(A-B)\sin(c+dx)}{2d} + \frac{a^4(13A+8B)\tanh^{-1}(\sin(c+dx))}{2d} - \frac{(6A+B)\sin(c+dx)(a^4\cos(c+dx)+a^4)}{2d} + \frac{1}{2}a^4$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a\cos[c + dx])^4(A + B\cos[c + dx])\sec[c + dx]^3, x]$

[Out] $(a^4(8A + 13B)x)/2 + (a^4(13A + 8B)\operatorname{ArcTanh}[\sin[c + dx]])/(2d) - (5a^4(A - B)\sin[c + dx])/(2d) - ((6A + B)(a^4 + a^4\cos[c + dx])\sin[c + dx])/(2d) + ((5A + 2B)(a^2 + a^2\cos[c + dx])^2\tan[c + dx])/(2d) + (a^4A(a + a\cos[c + dx])^3\sec[c + dx]\tan[c + dx])/(2d)$

Rule 2735

$\operatorname{Int}[(a + b\sin(e + f(x)))/(c + d\sin(e + f(x)))^3, x] \rightarrow \operatorname{Simp}[(b^3x)/d, x] - \operatorname{Dist}[(b^3c - a^3d)/d, \operatorname{Int}[1/(c + d\sin[e + f(x)]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^3c - a^3d, 0]

Rule 2968

$\operatorname{Int}[(a + b\sin(e + f(x)))^m(A + B\sin(e + f(x)) + (f(x))\cos(e + f(x))), x] \rightarrow \operatorname{Int}[(a + b\sin[e + f(x)])^m(Ac + (Bc + Ad)\sin[e + f(x)] + B^2d\sin[e + f(x)]^2), x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b^3c - a^3d, 0]

Rule 2975

$\operatorname{Int}[(a + b\sin(e + f(x)))^m(A + B\sin(e + f(x)) + (f(x))\cos(e + f(x)))^n, x] \rightarrow -\operatorname{Simp}[(b^2(Bc - Ad)\cos[e + f(x)](a + b\sin[e + f(x)])^{m-1}(c + d\sin[e + f(x)])^{n+1})/(d^2f(n+1)(bc + ad)), x] - \operatorname{Dist}[b/(d(n+1)(bc + ad)), \operatorname{Int}[(a + b\sin[e + f(x)])^{m-1}(c + d\sin[e + f(x)])^{n+1}\operatorname{Simp}[a^2Ad(m-n-2) - B(a^2c(m-1) + b^2d(n+1)) - (A^2b^2d(m+n+1) - B^2(bc^2m - a^2d(n+1))\sin[e + f(x)], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b^3c - a^3d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2976

$\operatorname{Int}[(a + b\sin(e + f(x)))^m(A + B\sin(e + f(x)) + (f(x))\cos(e + f(x)))^n, x] \rightarrow -\operatorname{Simp}[(bB\cos[e + f(x)](a + b\sin[e + f(x)])^{m-1}(c + d\sin[e + f(x)])^{n+1})/(d^2f(n+1)(bc + ad)), x] - \operatorname{Dist}[b/(d(n+1)(bc + ad)), \operatorname{Int}[(a + b\sin[e + f(x)])^{m-1}(c + d\sin[e + f(x)])^{n+1}\operatorname{Simp}[a^2Ad(m-n-2) - B(a^2c(m-1) + b^2d(n+1)) - (A^2b^2d(m+n+1) - B^2(bc^2m - a^2d(n+1))\sin[e + f(x)], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b^3c - a^3d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &&
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^3(c + dx) dx = \frac{aA(a + a \cos(c + dx))^3 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \frac{(5A + 2B)(a^2 + a^2 \cos(c + dx))^2 \tan(c + dx)}{2d} + \frac{aA}{2} \int \frac{(6A + B)(a^4 + a^4 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{(5A + 2B)(a^4 + a^4 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{(5A + 2B)(a^4 + a^4 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{5a^4(A - B) \sin(c + dx)}{2d} - \frac{(6A + B)(a^4 + a^4 \cos(c + dx)) \sin(c + dx)}{2d} = \frac{1}{2} a^4 (8A + 13B)x - \frac{5a^4(A - B) \sin(c + dx)}{2d} - \frac{(6A + B)(a^4 + a^4 \cos(c + dx)) \sin(c + dx)}{2d} = \frac{1}{2} a^4 (8A + 13B)x + \frac{a^4(13A + 8B) \tanh^{-1}(\sin(c + dx))}{2d}$$

Mathematica [B] time = 4.67, size = 343, normalized size = 2.12

$$\frac{1}{64} a^4 (\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left(\frac{4(A + 4B) \sin(c) \cos(dx)}{d} + \frac{4(A + 4B) \cos(c) \sin(dx)}{d} + \frac{1}{d \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right)} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] (a^4*(1 + Cos[c + d*x])^4*Sec[(c + d*x)/2]^8*(2*(8*A + 13*B)*x - (2*(13*A +
8*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (2*(13*A + 8*B)*Log[Cos
[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (4*(A + 4*B)*Cos[d*x]*Sin[c])/d + (B
*Cos[2*d*x]*Sin[2*c])/d + (4*(A + 4*B)*Cos[c]*Sin[d*x])/d + (B*Cos[2*c]*Sin
```


$$\frac{[2*d*x]}{d} + \frac{A}{(d*(\cos[(c + d*x)/2] - \sin[(c + d*x)/2])^2)} + \frac{(4*(4*A + B)*\sin[(d*x)/2])}{(d*(\cos[c/2] - \sin[c/2])*(\cos[(c + d*x)/2] - \sin[(c + d*x)/2]))} - \frac{A}{(d*(\cos[(c + d*x)/2] + \sin[(c + d*x)/2])^2)} + \frac{(4*(4*A + B)*\sin[(d*x)/2])}{(d*(\cos[c/2] + \sin[c/2])*(\cos[(c + d*x)/2] + \sin[(c + d*x)/2]))})/64$$

fricas [A] time = 0.67, size = 156, normalized size = 0.96

$$\frac{2(8A + 13B)a^4 dx \cos(dx + c)^2 + (13A + 8B)a^4 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (13A + 8B)a^4 \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(Ba^4 \cos(dx + c)^3 + 2(A + 4B)a^4 \cos(dx + c)^2 + 2(4A + B)a^4 \cos(dx + c) + Aa^4) \sin(dx + c)}{(d \cos(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")

[Out] 1/4*(2*(8*A + 13*B)*a^4*d*x*cos(d*x + c)^2 + (13*A + 8*B)*a^4*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (13*A + 8*B)*a^4*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(B*a^4*cos(d*x + c)^3 + 2*(A + 4*B)*a^4*cos(d*x + c)^2 + 2*(4*A + B)*a^4*cos(d*x + c) + A*a^4)*sin(d*x + c))/(d*cos(d*x + c)^2)

giac [A] time = 1.94, size = 230, normalized size = 1.42

$$(8Aa^4 + 13Ba^4)(dx + c) + (13Aa^4 + 8Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (13Aa^4 + 8Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")

[Out] 1/2*((8*A*a^4 + 13*B*a^4)*(d*x + c) + (13*A*a^4 + 8*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (13*A*a^4 + 8*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1))) - 2*(5*A*a^4*tan(1/2*d*x + 1/2*c)^7 - 5*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 7*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 7*B*a^4*tan(1/2*d*x + 1/2*c)^5 - 9*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 9*B*a^4*tan(1/2*d*x + 1/2*c)^3 - 11*A*a^4*tan(1/2*d*x + 1/2*c) - 11*B*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1)^2)/d

maple [A] time = 0.17, size = 182, normalized size = 1.12

$$\frac{Aa^4 \sin(dx + c)}{d} + \frac{a^4 B \cos(dx + c) \sin(dx + c)}{2d} + \frac{13a^4 Bx}{2} + \frac{13a^4 Bc}{2d} + 4Aa^4 x + \frac{4Aa^4 c}{d} + \frac{4a^4 B \sin(dx + c)}{d} + \frac{13Aa^4 \cos(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)

[Out] 1/d*A*a^4*sin(d*x+c)+1/2/d*a^4*B*cos(d*x+c)*sin(d*x+c)+13/2*a^4*B*x+13/2/d*a^4*B*c+4*A*a^4*x+4/d*A*a^4*c+4/d*a^4*B*sin(d*x+c)+13/2/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+4/d*A*a^4*tan(d*x+c)+4/d*a^4*B*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*A*a^4*sec(d*x+c)*tan(d*x+c)+1/d*a^4*B*tan(d*x+c)

maxima [A] time = 0.58, size = 199, normalized size = 1.23

$$16(dx + c)Aa^4 + (2dx + 2c + \sin(2dx + 2c))Ba^4 + 24(dx + c)Ba^4 - Aa^4 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx + c) + 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] $\frac{1}{4}*(16*(d*x + c)*A*a^4 + (2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^4 + 24*(d*x + c)*B*a^4 - A*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 12*A*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 8*B*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 4*A*a^4*\sin(d*x + c) + 16*B*a^4*\sin(d*x + c) + 16*A*a^4*\tan(d*x + c) + 4*B*a^4*\tan(d*x + c))/d$

mupad [B] time = 0.40, size = 243, normalized size = 1.50

$$\frac{A a^4 \sin(c + d x)}{d} + \frac{4 B a^4 \sin(c + d x)}{d} + \frac{8 A a^4 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d} + \frac{13 A a^4 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d} + \frac{13 B a^4 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^4)/cos(c + d*x)^3,x)

[Out] $(A*a^4*\sin(c + d*x))/d + (4*B*a^4*\sin(c + d*x))/d + (8*A*a^4*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (13*A*a^4*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (13*B*a^4*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (8*B*a^4*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (4*A*a^4*\sin(c + d*x))/(d*\cos(c + d*x)) + (A*a^4*\sin(c + d*x))/(2*d*\cos(c + d*x)^2) + (B*a^4*\sin(c + d*x))/(d*\cos(c + d*x)) + (B*a^4*\cos(c + d*x)*\sin(c + d*x))/(2*d)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] Timed out

3.34 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^4(c + dx) dx$

Optimal. Leaf size=165

$$-\frac{5a^4(2A + B) \sin(c + dx)}{2d} + \frac{a^4(12A + 13B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(11A + 9B) \tan(c + dx) (a^4 \cos(c + dx) + a^4)}{3d}$$

[Out] $a^4*(A+4*B)*x+1/2*a^4*(12*A+13*B)*\operatorname{arctanh}(\sin(d*x+c))/d-5/2*a^4*(2*A+B)*\sin(d*x+c)/d+1/3*(11*A+9*B)*(a^4+a^4*\cos(d*x+c))*\tan(d*x+c)/d+1/2*(2*A+B)*(a^2+a^2*\cos(d*x+c))^2*\sec(d*x+c)*\tan(d*x+c)/d+1/3*a*A*(a+a*\cos(d*x+c))^3*\sec(d*x+c)^2*\tan(d*x+c)/d$

Rubi [A] time = 0.51, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2975, 2968, 3023, 2735, 3770}

$$-\frac{5a^4(2A + B) \sin(c + dx)}{2d} + \frac{a^4(12A + 13B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(11A + 9B) \tan(c + dx) (a^4 \cos(c + dx) + a^4)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^4*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^4, x]$

[Out] $a^4*(A + 4*B)*x + (a^4*(12*A + 13*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) - (5*a^4*(2*A + B)*\text{Sin}[c + d*x])/(2*d) + ((11*A + 9*B)*(a^4 + a^4*\text{Cos}[c + d*x])* \text{Tan}[c + d*x])/(3*d) + ((2*A + B)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Sec}[c + d*x]* \text{Tan}[c + d*x])/(2*d) + (a*A*(a + a*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*d)$

Rule 2735

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)]) / ((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\sin[e + f*x]), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 2968

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{m_.} * ((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]) * ((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m * (A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 2975

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{m_.} * ((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]) * ((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{n_.}, x_Symbol] \rightarrow -\text{Simp}[(b^2*(B*c - A*d)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}) / (d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b / (d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1} * \text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\sin[e + f*x], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1/2] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*m] \ \&\& \ (\text{IntegerQ}[2*n] \ \|\ \text{EqQ}[c, 0])$

Rule 3023

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{m_.} * ((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]) + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2, x_Symbol] \rightarrow -\text{Simp}[(C*\cos$

```
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \\ &= \frac{(2A + B)(a^2 + a^2 \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{(11A + 9B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} + \frac{(2A + B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} \\ &= \frac{(11A + 9B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} + \frac{(2A + B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} \\ &= -\frac{5a^4(2A + B) \sin(c + dx)}{2d} + \frac{(11A + 9B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} \\ &= a^4(A + 4B)x - \frac{5a^4(2A + B) \sin(c + dx)}{2d} + \frac{(11A + 9B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} \\ &= a^4(A + 4B)x + \frac{a^4(12A + 13B) \tanh^{-1}(\sin(c + dx))}{2d} \end{aligned}$$

Mathematica [B] time = 6.22, size = 380, normalized size = 2.30

$$a^4 \left(\frac{(A + 4B)(c + dx)}{d} + \frac{-13A - 3B}{12d \left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right) \right)^2} + \frac{4 \left(5A \sin\left(\frac{1}{2}(c + dx)\right) + 3B \sin\left(\frac{1}{2}(c + dx)\right) \right)}{3d \left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right) \right)} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] a^4*(((A + 4*B)*(c + d*x))/d + ((-12*A - 13*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/(2*d) + ((12*A + 13*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/(2*d) + (13*A + 3*B)/(12*d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (A*Sin[(c + d*x)/2])/(6*d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3) + (A*Sin[(c + d*x)/2])/(6*d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3) + (-13*A - 3*B)/(12*d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(5*A*Sin[(c + d*x)/2] + 3*B*Sin[(c + d*x)/2]))/(3*d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (4*(5*A*Sin[(c + d*x)/2] + 3*B*Sin[(c + d*x)/2]))/(3*d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])) + (B*Sin[c + d*x])/d)
```

fricas [A] time = 0.94, size = 159, normalized size = 0.96

$$12(A + 4B)a^4 dx \cos(dx + c)^3 + 3(12A + 13B)a^4 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(12A + 13B)a^4 \cos(dx + c)^3 \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")

[Out] $\frac{1}{12}*(12*(A + 4*B)*a^4*d*x*\cos(d*x + c)^3 + 3*(12*A + 13*B)*a^4*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(12*A + 13*B)*a^4*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(6*B*a^4*\cos(d*x + c)^3 + 8*(5*A + 3*B)*a^4*\cos(d*x + c)^2 + 3*(4*A + B)*a^4*\cos(d*x + c) + 2*A*a^4)*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

giac [A] time = 0.49, size = 227, normalized size = 1.38

$$\frac{12Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 6(Aa^4 + 4Ba^4)(dx + c) + 3(12Aa^4 + 13Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(12Aa^4 + 13Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")

[Out] $\frac{1}{6}*(12*B*a^4*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 + 1) + 6*(A*a^4 + 4*B*a^4)*(d*x + c) + 3*(12*A*a^4 + 13*B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(12*A*a^4 + 13*B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(30*A*a^4*\tan(1/2*d*x + 1/2*c)^5 + 21*B*a^4*\tan(1/2*d*x + 1/2*c)^5 - 76*A*a^4*\tan(1/2*d*x + 1/2*c)^3 - 48*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 54*A*a^4*\tan(1/2*d*x + 1/2*c) + 27*B*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)/d$

maple [A] time = 0.18, size = 189, normalized size = 1.15

$$Aa^4x + \frac{Aa^4c}{d} + \frac{a^4B \sin(dx + c)}{d} + \frac{6Aa^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} + 4a^4Bx + \frac{4a^4Bc}{d} + \frac{20Aa^4 \tan(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)

[Out] $A*a^4*x + 1/d*A*a^4*c + 1/d*a^4*B*\sin(d*x+c) + 6/d*A*a^4*\ln(\sec(d*x+c) + \tan(d*x+c)) + 4*a^4*B*x + 4/d*a^4*B*c + 20/3/d*A*a^4*\tan(d*x+c) + 13/2/d*a^4*B*\ln(\sec(d*x+c) + \tan(d*x+c)) + 2/d*A*a^4*\sec(d*x+c)*\tan(d*x+c) + 4/d*a^4*B*\tan(d*x+c) + 1/3/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^2 + 1/2/d*a^4*B*\sec(d*x+c)*\tan(d*x+c)$

maxima [A] time = 0.59, size = 235, normalized size = 1.42

$$4(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^4 + 12(dx + c)Aa^4 + 48(dx + c)Ba^4 - 12Aa^4 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] $\frac{1}{12}*(4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a^4 + 12*(d*x + c)*A*a^4 + 48*(d*x + c)*B*a^4 - 12*A*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 3*B*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 24*A*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 36*B*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 12*B*a^4*\sin(d*x + c) + 72*A*a^4*\tan(d*x + c) + 48*B*a^4*\tan(d*x + c))/d$

mupad [B] time = 0.41, size = 254, normalized size = 1.54

$$\frac{B a^4 \sin(c + d x)}{d} + \frac{2 A a^4 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d} + \frac{12 A a^4 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d} + \frac{8 B a^4 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d} + \frac{13 B a^4 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^4)/cos(c + d*x)^4,x)`

[Out] `(B*a^4*sin(c + d*x))/d + (2*A*a^4*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (12*A*a^4*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (8*B*a^4*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (13*B*a^4*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (20*A*a^4*sin(c + d*x))/(3*d*cos(c + d*x)) + (2*A*a^4*sin(c + d*x))/(d*cos(c + d*x)^2) + (A*a^4*sin(c + d*x))/(3*d*cos(c + d*x)^3) + (4*B*a^4*sin(c + d*x))/(d*cos(c + d*x)) + (B*a^4*sin(c + d*x))/(2*d*cos(c + d*x)^2)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)`

[Out] Timed out

3.35 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^5(c + dx) dx$

Optimal. Leaf size=173

$$\frac{5a^4(7A + 8B) \tan(c + dx)}{8d} + \frac{a^4(35A + 48B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(35A + 32B) \tan(c + dx) \sec(c + dx) (a^4 \cos(c + dx))}{24d}$$

[Out] $a^4 B x + 1/8 a^4 (35 A + 48 B) \operatorname{arctanh}(\sin(d x + c)) / d + 5/8 a^4 (7 A + 8 B) \tan(d x + c) / d + 1/24 (35 A + 32 B) (a^4 + a^4 \cos(d x + c)) \sec(d x + c) \tan(d x + c) / d + 1/12 (7 A + 4 B) (a^2 + a^2 \cos(d x + c))^2 \sec(d x + c)^2 \tan(d x + c) / d + 1/4 a A (a + a \cos(d x + c))^3 \sec(d x + c)^3 \tan(d x + c) / d$

Rubi [A] time = 0.52, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2975, 2968, 3021, 2735, 3770}

$$\frac{5a^4(7A + 8B) \tan(c + dx)}{8d} + \frac{a^4(35A + 48B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(7A + 4B) \tan(c + dx) \sec^2(c + dx) (a^2 \cos(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]

[Out] $a^4 B x + (a^4 (35 A + 48 B) \operatorname{ArcTanh}[\sin[c + d x]]) / (8 d) + (5 a^4 (7 A + 8 B) \tan[c + d x]) / (8 d) + ((35 A + 32 B) (a^4 + a^4 \cos[c + d x]) \sec[c + d x] \tan[c + d x]) / (24 d) + ((7 A + 4 B) (a^2 + a^2 \cos[c + d x])^2 \sec[c + d x]^2 \tan[c + d x]) / (12 d) + (a A (a + a \cos[c + d x])^3 \sec[c + d x]^3 \tan[c + d x]) / (4 d)$

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2975

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(A*b^2

- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \\ &= \frac{(7A + 4B)(a^2 + a^2 \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{12d} \\ &= \frac{(35A + 32B)(a^4 + a^4 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{24d} \\ &= \frac{(35A + 32B)(a^4 + a^4 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{24d} \\ &= \frac{5a^4(7A + 8B) \tan(c + dx)}{8d} + \frac{(35A + 32B)(a^4 + a^4 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{24d} \\ &= a^4 Bx + \frac{5a^4(7A + 8B) \tan(c + dx)}{8d} + \frac{(35A + 32B)(a^4 + a^4 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{24d} \\ &= a^4 Bx + \frac{a^4(35A + 48B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{5a^4(7A + 8B) \tan(c + dx)}{8d} \end{aligned}$$

Mathematica [A] time = 2.03, size = 326, normalized size = 1.88

$$a^4 \sec^8\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^4 \left(\sec(c)(105A \sin(2c + dx) + 544A \sin(c + 2dx) - 96A \sin(3c + 2dx) + 81A \sin(4c + 3dx) + 160A \sin(3c + 4dx) + 160B \sin(3c + 4dx))\right) / (3072d)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^5, x]

[Out] (a^4*Sec[(c + d*x)/2]^8*(1 + Sec[c + d*x])^4*(-24*(35*A + 48*B)*Cos[c + d*x]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c]*(72*B*d*x*Cos[c] + 48*B*d*x*Cos[c + 2*d*x] + 48*B*d*x*Cos[3*c + 2*d*x] + 12*B*d*x*Cos[3*c + 4*d*x] + 12*B*d*x*Cos[5*c + 4*d*x] - 480*A*Sin[c] - 480*B*Sin[c] + 105*A*Sin[d*x] + 48*B*Sin[d*x] + 105*A*Sin[2*c + d*x] + 48*B*Sin[2*c + d*x] + 544*A*Sin[c + 2*d*x] + 496*B*Sin[c + 2*d*x] - 96*A*Sin[3*c + 2*d*x] - 144*B*Sin[3*c + 2*d*x] + 81*A*Sin[2*c + 3*d*x] + 48*B*Sin[2*c + 3*d*x] + 81*A*Sin[4*c + 3*d*x] + 48*B*Sin[4*c + 3*d*x] + 160*A*Sin[3*c + 4*d*x] + 160*B*Sin[3*c + 4*d*x])))/(3072*d)

fricas [A] time = 0.66, size = 157, normalized size = 0.91

$$48Ba^4 dx \cos(dx + c)^4 + 3(35A + 48B)a^4 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(35A + 48B)a^4 \cos(dx + c)^4 \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")

[Out] $\frac{1}{48}*(48*B*a^4*d*x*\cos(d*x + c)^4 + 3*(35*A + 48*B)*a^4*\cos(d*x + c)^4*\log(\sin(d*x + c) + 1) - 3*(35*A + 48*B)*a^4*\cos(d*x + c)^4*\log(-\sin(d*x + c) + 1) + 2*(160*(A + B)*a^4*\cos(d*x + c)^3 + 3*(27*A + 16*B)*a^4*\cos(d*x + c)^2 + 8*(4*A + B)*a^4*\cos(d*x + c) + 6*A*a^4)*\sin(d*x + c))/(d*\cos(d*x + c)^4)$

giac [A] time = 0.68, size = 223, normalized size = 1.29

$$24(dx+c)Ba^4 + 3(35Aa^4 + 48Ba^4)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(35Aa^4 + 48Ba^4)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")

[Out] $\frac{1}{24}*(24*(d*x + c)*B*a^4 + 3*(35*A*a^4 + 48*B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(35*A*a^4 + 48*B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(105*A*a^4*\tan(1/2*d*x + 1/2*c)^7 + 120*B*a^4*\tan(1/2*d*x + 1/2*c)^7 - 385*A*a^4*\tan(1/2*d*x + 1/2*c)^5 - 424*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 511*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 520*B*a^4*\tan(1/2*d*x + 1/2*c)^3 - 279*A*a^4*\tan(1/2*d*x + 1/2*c) - 216*B*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$

maple [A] time = 0.20, size = 204, normalized size = 1.18

$$\frac{35Aa^4 \ln(\sec(dx+c) + \tan(dx+c))}{8d} + a^4 Bx + \frac{a^4 Bc}{d} + \frac{20Aa^4 \tan(dx+c)}{3d} + \frac{6a^4 B \ln(\sec(dx+c) + \tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^5,x)

[Out] $\frac{35}{8}/d*A*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+a^4*B*x+1/d*a^4*B*c+20/3/d*A*a^4*\tan(d*x+c)+6/d*a^4*B*\ln(\sec(d*x+c)+\tan(d*x+c))+27/8/d*A*a^4*\sec(d*x+c)*\tan(d*x+c)+20/3/d*a^4*B*\tan(d*x+c)+4/3/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^2+2/d*a^4*B*\sec(d*x+c)*\tan(d*x+c)+1/4/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^3+1/3/d*a^4*B*\tan(d*x+c)*\sec(d*x+c)^2$

maxima [A] time = 0.42, size = 307, normalized size = 1.77

$$64(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^4 + 16(\tan(dx+c)^3 + 3 \tan(dx+c))Ba^4 + 48(dx+c)Ba^4 - 3Aa^4 \left(\frac{2(3}{\sin} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="maxima")

[Out] $\frac{1}{48}*(64*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a^4 + 16*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*B*a^4 + 48*(d*x + c)*B*a^4 - 3*A*a^4*(2*(3*\sin(d*x + c))^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 72*A*a^4*(2*\sin(d*x + c))/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1) - 48*B*a^4*(2*\sin(d*x + c))/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 24*A*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 96*B*a^4*(\log$

$(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 192Aa^4 \tan(dx + c) + 288Ba^4 \tan(dx + c))/d$

mupad [B] time = 0.38, size = 255, normalized size = 1.47

$$\frac{35 A a^4 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{4d} + \frac{2 B a^4 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{12 B a^4 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{20 A a^4 \sin(c + dx)}{3d \cos(c + dx)} + \frac{27 A a^4 \sin(c + dx)}{8d \cos(c + dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^4)/cos(c + d*x)^5,x)

[Out] $(35Aa^4 \operatorname{atanh}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)))/(4d) + (2Ba^4 \operatorname{atan}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)))/d + (12Ba^4 \operatorname{atanh}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)))/d + (20Aa^4 \sin(c + dx))/(3d \cos(c + dx)) + (27Aa^4 \sin(c + dx))/(8d \cos(c + dx)^2) + (4Aa^4 \sin(c + dx))/(3d \cos(c + dx)^3) + (Aa^4 \sin(c + dx))/(4d \cos(c + dx)^4) + (20Ba^4 \sin(c + dx))/(3d \cos(c + dx)) + (2Ba^4 \sin(c + dx))/(d \cos(c + dx)^2) + (Ba^4 \sin(c + dx))/(3d \cos(c + dx)^3)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)

[Out] Timed out

3.36 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^6(c + dx) dx$

Optimal. Leaf size=198

$$\frac{a^4(83A + 100B) \tan(c + dx)}{15d} + \frac{7a^4(4A + 5B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^4(244A + 275B) \tan(c + dx) \sec(c + dx)}{120d} +$$

[Out] $7/8*a^4*(4*A+5*B)*\operatorname{arctanh}(\sin(d*x+c))/d+1/15*a^4*(83*A+100*B)*\tan(d*x+c)/d+1/120*a^4*(244*A+275*B)*\sec(d*x+c)*\tan(d*x+c)/d+1/30*(26*A+25*B)*(a^4+a^4*\cos(d*x+c))*\sec(d*x+c)^2*\tan(d*x+c)/d+1/20*(8*A+5*B)*(a^2+a^2*\cos(d*x+c))^2*\sec(d*x+c)^3*\tan(d*x+c)/d+1/5*a*A*(a+a*\cos(d*x+c))^3*\sec(d*x+c)^4*\tan(d*x+c)/d$

Rubi [A] time = 0.59, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2975, 2968, 3021, 2748, 3767, 8, 3770}

$$\frac{a^4(83A + 100B) \tan(c + dx)}{15d} + \frac{7a^4(4A + 5B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^4(244A + 275B) \tan(c + dx) \sec(c + dx)}{120d} +$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a \cos[c + d*x])^4 (A + B \cos[c + d*x]) \sec[c + d*x]^6, x]$

[Out] $(7*a^4*(4*A + 5*B)*\operatorname{ArcTanh}[\sin[c + d*x]])/(8*d) + (a^4*(83*A + 100*B)*\tan[c + d*x])/(15*d) + (a^4*(244*A + 275*B)*\sec[c + d*x]*\tan[c + d*x])/(120*d) + ((26*A + 25*B)*(a^4 + a^4*\cos[c + d*x])*\sec[c + d*x]^2*\tan[c + d*x])/(30*d) + ((8*A + 5*B)*(a^2 + a^2*\cos[c + d*x])^2*\sec[c + d*x]^3*\tan[c + d*x])/(20*d) + (a*A*(a + a*\cos[c + d*x])^3*\sec[c + d*x]^4*\tan[c + d*x])/(5*d)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}[(b_*) \sin[(e_*) + (f_*)(x_)]])^{(m_*)} ((c_*) + (d_*) \sin[(e_*) + (f_*)(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\sin[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\sin[e + f*x])^{(m+1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\operatorname{Int}[(a_*) + (b_*) \sin[(e_*) + (f_*)(x_)]])^{(m_*)} ((A_*) + (B_*) \sin[(e_*) + (f_*)(x_)]), x_Symbol] \rightarrow \operatorname{Int}[(a + b*\sin[e + f*x])^m (A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2975

$\operatorname{Int}[(a_*) + (b_*) \sin[(e_*) + (f_*)(x_)]])^{(m_*)} ((A_*) + (B_*) \sin[(e_*) + (f_*)(x_)]), x_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(B*c - A*d)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] - \operatorname{Dist}[b/(d*(n+1)*(b*c + a*d)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)}*\operatorname{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\sin[e + f*x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{GtQ}[m, 1/2] \&\& \operatorname{LtQ}[n, -1] \&\& \operatorname{IntegerQ}[2*m] \&\& (\operatorname{IntegerQ}[2*n] \mid \mid \operatorname{EqQ}[c, 0])$

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^6(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \\
&= \frac{(8A + 5B)(a^2 + a^2 \cos(c + dx))^2 \sec^3(c + dx) \tan(c + dx)}{20d} \\
&= \frac{(26A + 25B)(a^4 + a^4 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{30d} \\
&= \frac{(26A + 25B)(a^4 + a^4 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{30d} \\
&= \frac{a^4(244A + 275B) \sec(c + dx) \tan(c + dx)}{120d} + \frac{(26A + 25B) \sec^2(c + dx) \tan(c + dx)}{30d} \\
&= \frac{a^4(244A + 275B) \sec(c + dx) \tan(c + dx)}{120d} + \frac{(26A + 25B) \sec^2(c + dx) \tan(c + dx)}{30d} \\
&= \frac{7a^4(4A + 5B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^4(244A + 275B) \sec^2(c + dx) \tan(c + dx)}{30d} \\
&= \frac{7a^4(4A + 5B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^4(83A + 100B) \sec^2(c + dx) \tan(c + dx)}{15d}
\end{aligned}$$

Mathematica [A] time = 1.75, size = 306, normalized size = 1.55

$$\frac{a^4(\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \left(1680(4A + 5B) \cos^5(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{1}{2}(c + dx)\right)\right) - \sec[c] * (80 * (59 * A + 64 * B) * \sin[d * x]) - \right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^6,x]
```

```
[Out] -1/30720*(a^4*(1 + Cos[c + d*x])^4*Sec[(c + d*x)/2]^8*Sec[c + d*x]^5*(1680*
(4*A + 5*B)*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[
Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - Sec[c]*(80*(59*A + 64*B)*Sin[d*x] -
```

960*(2*A + 3*B)*Sin[2*c + d*x] + 1320*A*SIN[c + 2*d*x] + 930*B*SIN[c + 2*d*x] + 1320*A*SIN[3*c + 2*d*x] + 930*B*SIN[3*c + 2*d*x] + 3200*A*SIN[2*c + 3*d*x] + 3520*B*SIN[2*c + 3*d*x] - 120*A*SIN[4*c + 3*d*x] - 480*B*SIN[4*c + 3*d*x] + 420*A*SIN[3*c + 4*d*x] + 405*B*SIN[3*c + 4*d*x] + 420*A*SIN[5*c + 4*d*x] + 405*B*SIN[5*c + 4*d*x] + 664*A*SIN[4*c + 5*d*x] + 800*B*SIN[4*c + 5*d*x]))/d

fricas [A] time = 1.24, size = 165, normalized size = 0.83

$$\frac{105(4A + 5B)a^4 \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 105(4A + 5B)a^4 \cos(dx + c)^5 \log(-\sin(dx + c) + 1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="fricas")

[Out] 1/240*(105*(4*A + 5*B)*a^4*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 105*(4*A + 5*B)*a^4*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(8*(83*A + 100*B)*a^4*cos(d*x + c)^4 + 15*(28*A + 27*B)*a^4*cos(d*x + c)^3 + 16*(17*A + 10*B)*a^4*cos(d*x + c)^2 + 30*(4*A + B)*a^4*cos(d*x + c) + 24*A*a^4)*sin(d*x + c))/(d*cos(d*x + c)^5)

giac [A] time = 0.46, size = 246, normalized size = 1.24

$$105(4Aa^4 + 5Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 105(4Aa^4 + 5Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(420Aa^4 + 525Ba^4)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="giac")

[Out] 1/120*(105*(4*A*a^4 + 5*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 105*(4*A*a^4 + 5*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(420*A*a^4*tan(1/2*d*x + 1/2*c)^9 + 525*B*a^4*tan(1/2*d*x + 1/2*c)^9 - 1960*A*a^4*tan(1/2*d*x + 1/2*c)^7 - 2450*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 3584*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 4480*B*a^4*tan(1/2*d*x + 1/2*c)^5 - 3160*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 3950*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 1500*A*a^4*tan(1/2*d*x + 1/2*c) + 1395*B*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5/d

maple [A] time = 0.20, size = 234, normalized size = 1.18

$$\frac{83Aa^4 \tan(dx + c)}{15d} + \frac{35a^4B \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{7Aa^4 \sec(dx + c) \tan(dx + c)}{2d} + \frac{7Aa^4 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x)

[Out] 83/15/d*A*a^4*tan(d*x+c)+35/8/d*a^4*B*ln(sec(d*x+c)+tan(d*x+c))+7/2/d*A*a^4*sec(d*x+c)*tan(d*x+c)+7/2/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+20/3/d*a^4*B*tan(d*x+c)+34/15/d*A*a^4*tan(d*x+c)*sec(d*x+c)^2+27/8/d*a^4*B*sec(d*x+c)*tan(d*x+c)+1/d*A*a^4*tan(d*x+c)*sec(d*x+c)^3+4/3/d*a^4*B*tan(d*x+c)*sec(d*x+c)^2+1/5/d*A*a^4*tan(d*x+c)*sec(d*x+c)^4+1/4/d*a^4*B*tan(d*x+c)*sec(d*x+c)^3

maxima [B] time = 0.70, size = 376, normalized size = 1.90

$$16(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Aa^4 + 480(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^4 + 320$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="maxima")

[Out] $\frac{1}{240}*(16*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*A*a^4 + 480*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a^4 + 320*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*B*a^4 - 60*A*a^4*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 15*B*a^4*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 240*A*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 360*B*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 120*B*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 240*A*a^4*\tan(d*x + c) + 960*B*a^4*\tan(d*x + c))/d$

mupad [B] time = 2.79, size = 224, normalized size = 1.13

$$\frac{7a^4 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (4A + 5B) \left(7Aa^4 + \frac{35Ba^4}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(-\frac{98Aa^4}{3} - \frac{245Ba^4}{6}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{8Aa^4}{3} + \frac{245Ba^4}{6}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{158Aa^4}{3} + \frac{395Ba^4}{6}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{24Ba^4}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4d} - \frac{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} - 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 1\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^4)/cos(c + d*x)^6,x)

[Out] $(7*a^4*\operatorname{atanh}(\tan(c/2 + (d*x)/2))*(4*A + 5*B))/(4*d) - (\tan(c/2 + (d*x)/2))*((25*A*a^4 + (93*B*a^4)/4) + \tan(c/2 + (d*x)/2)^9*(7*A*a^4 + (35*B*a^4)/4) - \tan(c/2 + (d*x)/2)^7*((98*A*a^4)/3 + (245*B*a^4)/6) - \tan(c/2 + (d*x)/2)^3*((158*A*a^4)/3 + (395*B*a^4)/6) + \tan(c/2 + (d*x)/2)^5*((896*A*a^4)/15 + (24*B*a^4)/3))/(d*(5*\tan(c/2 + (d*x)/2)^2 - 10*\tan(c/2 + (d*x)/2)^4 + 10*\tan(c/2 + (d*x)/2)^6 - 5*\tan(c/2 + (d*x)/2)^8 + \tan(c/2 + (d*x)/2)^{10} - 1))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**6,x)

[Out] Timed out

3.37 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^7(c + dx) dx$

Optimal. Leaf size=229

$$\frac{a^4(72A + 83B) \tan(c + dx)}{15d} + \frac{7a^4(7A + 8B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(159A + 176B) \tan(c + dx) \sec^2(c + dx)}{120d} + \dots$$

[Out] $7/16*a^4*(7*A+8*B)*\operatorname{arctanh}(\sin(d*x+c))/d+1/15*a^4*(72*A+83*B)*\tan(d*x+c)/d+7/16*a^4*(7*A+8*B)*\sec(d*x+c)*\tan(d*x+c)/d+1/120*a^4*(159*A+176*B)*\sec(d*x+c)^2*\tan(d*x+c)/d+1/120*(73*A+72*B)*(a^4+a^4*\cos(d*x+c))*\sec(d*x+c)^3*\tan(d*x+c)/d+1/10*(3*A+2*B)*(a^2+a^2*\cos(d*x+c))^2*\sec(d*x+c)^4*\tan(d*x+c)/d+1/6*a*A*(a+a*\cos(d*x+c))^3*\sec(d*x+c)^5*\tan(d*x+c)/d$

Rubi [A] time = 0.65, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {2975, 2968, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{a^4(72A + 83B) \tan(c + dx)}{15d} + \frac{7a^4(7A + 8B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(159A + 176B) \tan(c + dx) \sec^2(c + dx)}{120d} + \dots$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^7,x]`

[Out] $(7*a^4*(7*A + 8*B)*\operatorname{ArcTanh}[\sin[c + d*x]]/(16*d) + (a^4*(72*A + 83*B)*\tan[c + d*x])/(15*d) + (7*a^4*(7*A + 8*B)*\sec[c + d*x]*\tan[c + d*x])/(16*d) + (a^4*(159*A + 176*B)*\sec[c + d*x]^2*\tan[c + d*x])/(120*d) + ((73*A + 72*B)*(a^4 + a^4*\cos[c + d*x])*\sec[c + d*x]^3*\tan[c + d*x])/(120*d) + ((3*A + 2*B)*(a^2 + a^2*\cos[c + d*x])^2*\sec[c + d*x]^4*\tan[c + d*x])/(10*d) + (a*A*(a + a*\cos[c + d*x])^3*\sec[c + d*x]^5*\tan[c + d*x])/(6*d)$

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

Rule 2968

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]`

Rule 2975

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&`

GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^7(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \sec^5(c + dx) \tan(c + dx)}{6d} + \frac{1}{6} \\
 &= \frac{(3A + 2B)(a^2 + a^2 \cos(c + dx))^2 \sec^4(c + dx) \tan(c + dx)}{10d} \\
 &= \frac{(73A + 72B)(a^4 + a^4 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{(73A + 72B)(a^4 + a^4 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{a^4(159A + 176B) \sec^2(c + dx) \tan(c + dx)}{120d} + \frac{(73A + 72B) \sec^2(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{a^4(159A + 176B) \sec^2(c + dx) \tan(c + dx)}{120d} + \frac{(73A + 72B) \sec^2(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{7a^4(7A + 8B) \sec(c + dx) \tan(c + dx)}{16d} + \frac{a^4(159A + 176B)}{120d} \\
 &= \frac{7a^4(7A + 8B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(72A + 83B)}{150d}
 \end{aligned}$$

Mathematica [A] time = 2.35, size = 358, normalized size = 1.56

$$a^4(\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \sec^6(c + dx) \left(3360(7A + 8B) \cos^6(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*cos[c + d*x])^4*(A + B*cos[c + d*x])*Sec[c + d*x]^7,x]

[Out]
$$\frac{-1/122880*(a^4*(1 + \cos[c + d*x])^4*\sec[(c + d*x)/2]^8*\sec[c + d*x]^6*(3360*(7*A + 8*B)*\cos[c + d*x]^6*(\log[\cos[(c + d*x)/2] - \sin[(c + d*x)/2]] - \log[\cos[(c + d*x)/2] + \sin[(c + d*x)/2]]) - \sec[c]*(-160*(72*A + 83*B)*\sin[c] + 30*(125*A + 88*B)*\sin[d*x] + 3750*A*\sin[2*c + d*x] + 2640*B*\sin[2*c + d*x] + 15360*A*\sin[c + 2*d*x] + 15840*B*\sin[c + 2*d*x] - 1920*A*\sin[3*c + 2*d*x] - 4080*B*\sin[3*c + 2*d*x] + 3845*A*\sin[2*c + 3*d*x] + 3480*B*\sin[2*c + 3*d*x] + 3845*A*\sin[4*c + 3*d*x] + 3480*B*\sin[4*c + 3*d*x] + 6912*A*\sin[3*c + 4*d*x] + 7728*B*\sin[3*c + 4*d*x] - 240*B*\sin[5*c + 4*d*x] + 735*A*\sin[4*c + 5*d*x] + 840*B*\sin[4*c + 5*d*x] + 735*A*\sin[6*c + 5*d*x] + 840*B*\sin[6*c + 5*d*x] + 1152*A*\sin[5*c + 6*d*x] + 1328*B*\sin[5*c + 6*d*x]))}{d}$$

fricas [A] time = 0.73, size = 185, normalized size = 0.81

$$\frac{105(7A + 8B)a^4 \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 105(7A + 8B)a^4 \cos(dx + c)^6 \log(-\sin(dx + c) + 1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^7,x, algorithm="fricas")

[Out]
$$\frac{1/480*(105*(7*A + 8*B)*a^4*\cos(d*x + c)^6*\log(\sin(d*x + c) + 1) - 105*(7*A + 8*B)*a^4*\cos(d*x + c)^6*\log(-\sin(d*x + c) + 1) + 2*(16*(72*A + 83*B)*a^4*\cos(d*x + c)^5 + 105*(7*A + 8*B)*a^4*\cos(d*x + c)^4 + 32*(18*A + 17*B)*a^4*\cos(d*x + c)^3 + 10*(41*A + 24*B)*a^4*\cos(d*x + c)^2 + 48*(4*A + B)*a^4*\cos(d*x + c) + 40*A*a^4)*\sin(d*x + c))/(d*\cos(d*x + c)^6)}$$

giac [A] time = 0.54, size = 280, normalized size = 1.22

$$105(7Aa^4 + 8Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 105(7Aa^4 + 8Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(735Aa^4 \tan(dx + c) + 840Ba^4 \sec(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^7,x, algorithm="giac")

[Out]
$$\frac{1/240*(105*(7*A*a^4 + 8*B*a^4)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 105*(7*A*a^4 + 8*B*a^4)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(735*A*a^4*\tan(1/2*d*x + 1/2*c)^{11} + 840*B*a^4*\tan(1/2*d*x + 1/2*c)^{11} - 4165*A*a^4*\tan(1/2*d*x + 1/2*c)^9 - 4760*B*a^4*\tan(1/2*d*x + 1/2*c)^9 + 9702*A*a^4*\tan(1/2*d*x + 1/2*c)^7 + 11088*B*a^4*\tan(1/2*d*x + 1/2*c)^7 - 11802*A*a^4*\tan(1/2*d*x + 1/2*c)^5 - 13488*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 7355*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 9320*B*a^4*\tan(1/2*d*x + 1/2*c)^3 - 3105*A*a^4*\tan(1/2*d*x + 1/2*c) - 3000*B*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^6}{d}$$

maple [A] time = 0.22, size = 280, normalized size = 1.22

$$\frac{49Aa^4 \sec(dx + c) \tan(dx + c)}{16d} + \frac{49Aa^4 \ln(\sec(dx + c) + \tan(dx + c))}{16d} + \frac{83a^4 B \tan(dx + c)}{15d} + \frac{24Aa^4 \tan(dx + c)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^7,x)

```
[Out] 49/16/d*A*a^4*sec(d*x+c)*tan(d*x+c)+49/16/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))
+83/15/d*a^4*B*tan(d*x+c)+24/5/d*A*a^4*tan(d*x+c)+12/5/d*A*a^4*tan(d*x+c)*s
ec(d*x+c)^2+7/2/d*a^4*B*sec(d*x+c)*tan(d*x+c)+7/2/d*a^4*B*ln(sec(d*x+c)+tan
(d*x+c))+41/24/d*A*a^4*tan(d*x+c)*sec(d*x+c)^3+34/15/d*a^4*B*tan(d*x+c)*sec
(d*x+c)^2+4/5/d*A*a^4*tan(d*x+c)*sec(d*x+c)^4+1/d*a^4*B*tan(d*x+c)*sec(d*x+
c)^3+1/6/d*A*a^4*tan(d*x+c)*sec(d*x+c)^5+1/5/d*a^4*B*tan(d*x+c)*sec(d*x+c)^
4
```

maxima [B] time = 0.40, size = 464, normalized size = 2.03

$$128 \left(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right) Aa^4 + 640 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Aa^4 + 32 \left(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right) Ba^4 + 960 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Ba^4 - 5Aa^4 \left(2 \left(15 \sin(dx + c)^5 - 40 \sin(dx + c)^3 + 33 \sin(dx + c) \right) / \left(\sin(dx + c)^6 - 3 \sin(dx + c)^4 + 3 \sin(dx + c)^2 - 1 \right) - 15 \log(\sin(dx + c) + 1) + 15 \log(\sin(dx + c) - 1) \right) - 180Aa^4 \left(2 \left(3 \sin(dx + c)^3 - 5 \sin(dx + c) \right) / \left(\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1 \right) - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1) \right) - 120Ba^4 \left(2 \left(3 \sin(dx + c)^3 - 5 \sin(dx + c) \right) / \left(\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1 \right) - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1) \right) - 120Aa^4 \left(2 \sin(dx + c) / \left(\sin(dx + c)^2 - 1 \right) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) - 480Ba^4 \left(2 \sin(dx + c) / \left(\sin(dx + c)^2 - 1 \right) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 480Ba^4 \tan(dx + c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^7,x, algorithm="ma
xima")
```

```
[Out] 1/480*(128*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*A*a^4 +
640*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^4 + 32*(3*tan(d*x + c)^5 + 10*tan
(d*x + c)^3 + 15*tan(d*x + c))*B*a^4 + 960*(tan(d*x + c)^3 + 3*tan(d*x + c
))*B*a^4 - 5*A*a^4*(2*(15*sin(d*x + c)^5 - 40*sin(d*x + c)^3 + 33*sin(d*x +
c))/sin(d*x + c)^6 - 3*sin(d*x + c)^4 + 3*sin(d*x + c)^2 - 1) - 15*log(si
n(d*x + c) + 1) + 15*log(sin(d*x + c) - 1)) - 180*A*a^4*(2*(3*sin(d*x + c)^
3 - 5*sin(d*x + c))/sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x
+ c) + 1) + 3*log(sin(d*x + c) - 1)) - 120*B*a^4*(2*(3*sin(d*x + c)^3 - 5*
sin(d*x + c))/sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c)
+ 1) + 3*log(sin(d*x + c) - 1)) - 120*A*a^4*(2*sin(d*x + c)/sin(d*x + c)^2
- 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 480*B*a^4*(2*sin(d
*x + c)/sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1
)) + 480*B*a^4*tan(d*x + c)/d
```

mupad [B] time = 2.84, size = 262, normalized size = 1.14

$$\frac{\left(-\frac{49Aa^4}{8} - 7Ba^4\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11} + \left(\frac{833Aa^4}{24} + \frac{119Ba^4}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(-\frac{1617Aa^4}{20} - \frac{462Ba^4}{5}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{1967Aa^4}{20} + \frac{562Ba^4}{5}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{1471Aa^4}{24} + \frac{233Ba^4}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{1617Aa^4}{20} + \frac{462Ba^4}{5}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + \left(\frac{1967Aa^4}{20} + \frac{562Ba^4}{5}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{-1} + \left(\frac{1471Aa^4}{24} + \frac{233Ba^4}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{-3} + \left(-\frac{49Aa^4}{8} - 7Ba^4\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{-5} + \left(\frac{833Aa^4}{24} + \frac{119Ba^4}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{-7} + \left(-\frac{1617Aa^4}{20} - \frac{462Ba^4}{5}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{-9} + \left(\frac{1967Aa^4}{20} + \frac{562Ba^4}{5}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{-11} + \left(\frac{1471Aa^4}{24} + \frac{233Ba^4}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{-13} + \left(-\frac{49Aa^4}{8} - 7Ba^4\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{-15}}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{12} - 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + 15 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 20 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 15 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right) + (7a^4 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) * (7A + 8B)) / (8d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^4)/cos(c + d*x)^7,x)
```

```
[Out] (tan(c/2 + (d*x)/2)*((207*A*a^4)/8 + 25*B*a^4) - tan(c/2 + (d*x)/2)^11*((49
*A*a^4)/8 + 7*B*a^4) + tan(c/2 + (d*x)/2)^9*((833*A*a^4)/24 + (119*B*a^4)/3
) - tan(c/2 + (d*x)/2)^3*((1471*A*a^4)/24 + (233*B*a^4)/3) - tan(c/2 + (d*x
)/2)^7*((1617*A*a^4)/20 + (462*B*a^4)/5) + tan(c/2 + (d*x)/2)^5*((1967*A*a^
4)/20 + (562*B*a^4)/5))/(d*(15*tan(c/2 + (d*x)/2)^4 - 6*tan(c/2 + (d*x)/2)^
2 - 20*tan(c/2 + (d*x)/2)^6 + 15*tan(c/2 + (d*x)/2)^8 - 6*tan(c/2 + (d*x)/2
)^10 + tan(c/2 + (d*x)/2)^12 + 1)) + (7*a^4*atanh(tan(c/2 + (d*x)/2))*(7*A
+ 8*B))/(8*d)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)**7,x)
```

```
[Out] Timed out
```

$$3.38 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=153

$$-\frac{4(A-B) \sin^3(c+dx)}{3ad} + \frac{4(A-B) \sin(c+dx)}{ad} + \frac{(A-B) \sin(c+dx) \cos^4(c+dx)}{d(a \cos(c+dx) + a)} - \frac{(4A-5B) \sin(c+dx) \cos^3(c+dx)}{4ad}$$

[Out] $-3/8*(4*A-5*B)*x/a+4*(A-B)*\sin(d*x+c)/a/d-3/8*(4*A-5*B)*\cos(d*x+c)*\sin(d*x+c)/a/d-1/4*(4*A-5*B)*\cos(d*x+c)^3*\sin(d*x+c)/a/d+(A-B)*\cos(d*x+c)^4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))-4/3*(A-B)*\sin(d*x+c)^3/a/d$

Rubi [A] time = 0.21, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2977, 2748, 2633, 2635, 8}

$$-\frac{4(A-B) \sin^3(c+dx)}{3ad} + \frac{4(A-B) \sin(c+dx)}{ad} + \frac{(A-B) \sin(c+dx) \cos^4(c+dx)}{d(a \cos(c+dx) + a)} - \frac{(4A-5B) \sin(c+dx) \cos^3(c+dx)}{4ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]

[Out] $(-3*(4*A - 5*B)*x)/(8*a) + (4*(A - B)*\text{Sin}[c + d*x])/(a*d) - (3*(4*A - 5*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*a*d) - ((4*A - 5*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*a*d) + ((A - B)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(d*(a + a*\text{Cos}[c + d*x])) - (4*(A - B)*\text{Sin}[c + d*x]^3)/(3*a*d)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*SIN[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int

egerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)} dx &= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \cos^3(c+dx)(4a(A-B)-a(4A-B))}{a^2} \\
 &= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(4A-5B)\int \cos^4(c+dx) dx}{a} + \frac{(4A-5B)\cos^3(c+dx)\sin(c+dx)}{4ad} \\
 &= -\frac{(4A-5B)\cos^3(c+dx)\sin(c+dx)}{4ad} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} \\
 &= \frac{4(A-B)\sin(c+dx)}{ad} - \frac{3(4A-5B)\cos(c+dx)\sin(c+dx)}{8ad} - \frac{(4A-5B)\cos^3(c+dx)\sin(c+dx)}{4ad} \\
 &= -\frac{3(4A-5B)x}{8a} + \frac{4(A-B)\sin(c+dx)}{ad} - \frac{3(4A-5B)\cos(c+dx)\sin(c+dx)}{8ad}
 \end{aligned}$$

Mathematica [B] time = 0.70, size = 311, normalized size = 2.03

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-72dx(4A-5B)\cos\left(c+\frac{dx}{2}\right)-72dx(4A-5B)\cos\left(\frac{dx}{2}\right)+168A\sin\left(c+\frac{dx}{2}\right)+144A\sin\left(\frac{dx}{2}\right)\right)}{192ad(1+\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-72*(4*A - 5*B)*d*x*Cos[(d*x)/2] - 72*(4*A - 5*B)*d*x*Cos[c + (d*x)/2] + 552*A*Sin[(d*x)/2] - 552*B*Sin[(d*x)/2] + 168*A*Sin[c + (d*x)/2] - 168*B*Sin[c + (d*x)/2] + 144*A*Sin[c + (3*d*x)/2] - 120*B*Sin[c + (3*d*x)/2] + 144*A*Sin[2*c + (3*d*x)/2] - 120*B*Sin[2*c + (3*d*x)/2] - 16*A*Sin[2*c + (5*d*x)/2] + 40*B*Sin[2*c + (5*d*x)/2] - 16*A*Sin[3*c + (5*d*x)/2] + 40*B*Sin[3*c + (5*d*x)/2] + 8*A*Sin[3*c + (7*d*x)/2] - 5*B*Sin[3*c + (7*d*x)/2] + 8*A*Sin[4*c + (7*d*x)/2] - 5*B*Sin[4*c + (7*d*x)/2] + 3*B*Sin[4*c + (9*d*x)/2] + 3*B*Sin[5*c + (9*d*x)/2]))/(192*a*d*(1 + Cos[c + d*x]))

fricas [A] time = 0.62, size = 120, normalized size = 0.78

$$\frac{9(4A-5B)dx\cos(dx+c)+9(4A-5B)dx-(6B\cos(dx+c)^4+2(4A-B)\cos(dx+c)^3-(4A-13B)\cos(dx+c)^2+(28A-19B)\cos(dx+c)+64A-64B)\sin(dx+c)}{24(ad\cos(dx+c)+ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] -1/24*(9*(4*A - 5*B)*d*x*cos(d*x + c) + 9*(4*A - 5*B)*d*x - (6*B*cos(d*x + c)^4 + 2*(4*A - B)*cos(d*x + c)^3 - (4*A - 13*B)*cos(d*x + c)^2 + (28*A - 19*B)*cos(d*x + c) + 64*A - 64*B)*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)

giac [A] time = 0.85, size = 181, normalized size = 1.18

$$\frac{9(dx+c)(4A-5B)}{a} - \frac{24\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} - \frac{2\left(60A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7-75B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7+124A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-115B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5\right)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out]
$$-1/24*(9*(d*x + c)*(4*A - 5*B)/a - 24*(A*\tan(1/2*d*x + 1/2*c) - B*\tan(1/2*d*x + 1/2*c))/a - 2*(60*A*\tan(1/2*d*x + 1/2*c)^7 - 75*B*\tan(1/2*d*x + 1/2*c)^7 + 124*A*\tan(1/2*d*x + 1/2*c)^5 - 115*B*\tan(1/2*d*x + 1/2*c)^5 + 100*A*\tan(1/2*d*x + 1/2*c)^3 - 109*B*\tan(1/2*d*x + 1/2*c)^3 + 36*A*\tan(1/2*d*x + 1/2*c) - 21*B*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^4*a))/d$$

maple [B] time = 0.09, size = 351, normalized size = 2.29

$$\frac{A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{25 \left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B}{4ad \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4} + \frac{5 \left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A}{ad \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4} - \frac{115 \left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B}{12ad \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)

[Out]
$$1/a/d*A*\tan(1/2*d*x+1/2*c)-1/a/d*B*\tan(1/2*d*x+1/2*c)-25/4/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^7*B+5/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^7*A-115/12/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^5*B+31/3/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^5*A-109/12/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^3*B+25/3/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^3*A-7/4/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*B*\tan(1/2*d*x+1/2*c)+3/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*A*\tan(1/2*d*x+1/2*c)-3/a/d*\arctan(\tan(1/2*d*x+1/2*c))*A+15/4/a/d*\arctan(\tan(1/2*d*x+1/2*c))*B$$

maxima [B] time = 0.56, size = 394, normalized size = 2.58

$$\frac{B \left(\frac{21 \sin(dx+c) + 109 \sin(dx+c)^3 + 115 \sin(dx+c)^5 + 75 \sin(dx+c)^7}{\cos(dx+c)+1} - \frac{45 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{12 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 4 A \left(\frac{9 \sin(dx+c) + 16 \sin(dx+c)^3}{\cos(dx+c)+1} + \frac{3 a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} \right)}{12 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/12*(B*((21*\sin(d*x + c))/(\cos(d*x + c) + 1) + 109*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 115*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 75*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/(a + 4*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 6*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 4*a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + a*\sin(d*x + c)^8/(\cos(d*x + c) + 1)^8) - 45*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + 12*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))) - 4*A*((9*\sin(d*x + c)/(\cos(d*x + c) + 1) + 16*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 15*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/(a + 3*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6) - 9*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + 3*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))))/d$$

mupad [B] time = 0.38, size = 170, normalized size = 1.11

$$\frac{15 B x}{8 a} - \frac{3 A x}{2 a} + \frac{7 A \sin(c + d x)}{4 a d} - \frac{7 B \sin(c + d x)}{4 a d} - \frac{A \sin(2 c + 2 d x)}{4 a d} + \frac{A \sin(3 c + 3 d x)}{12 a d} + \frac{A \tan\left(\frac{c}{2} + \frac{d x}{2}\right)}{a d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x)),x)
```

```
[Out] (15*B*x)/(8*a) - (3*A*x)/(2*a) + (7*A*sin(c + d*x))/(4*a*d) - (7*B*sin(c +
d*x))/(4*a*d) - (A*sin(2*c + 2*d*x))/(4*a*d) + (A*sin(3*c + 3*d*x))/(12*a*d
) + (A*tan(c/2 + (d*x)/2))/(a*d) + (B*sin(2*c + 2*d*x))/(2*a*d) - (B*sin(3*
c + 3*d*x))/(12*a*d) + (B*sin(4*c + 4*d*x))/(32*a*d) - (B*tan(c/2 + (d*x)/
2))/(a*d)
```

sympy [A] time = 7.46, size = 1794, normalized size = 11.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)
```

```
[Out] Piecewise((-36*A*d*x*tan(c/2 + d*x/2)**8/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a
*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x
/2)**2 + 24*a*d) - 144*A*d*x*tan(c/2 + d*x/2)**6/(24*a*d*tan(c/2 + d*x/2)**
8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c
/2 + d*x/2)**2 + 24*a*d) - 216*A*d*x*tan(c/2 + d*x/2)**4/(24*a*d*tan(c/2 +
d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a
*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 144*A*d*x*tan(c/2 + d*x/2)**2/(24*a*d*ta
n(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**
4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 36*A*d*x/(24*a*d*tan(c/2 + d*x/2
)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*ta
n(c/2 + d*x/2)**2 + 24*a*d) + 24*A*tan(c/2 + d*x/2)**9/(24*a*d*tan(c/2 + d*
x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d
*tan(c/2 + d*x/2)**2 + 24*a*d) + 216*A*tan(c/2 + d*x/2)**7/(24*a*d*tan(c/2
+ d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96
*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 392*A*tan(c/2 + d*x/2)**5/(24*a*d*tan(
c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4
+ 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 296*A*tan(c/2 + d*x/2)**3/(24*a*d*
tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)
**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 96*A*tan(c/2 + d*x/2)/(24*a*d*
tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)
**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 45*B*d*x*tan(c/2 + d*x/2)**8/(
24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 +
d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 180*B*d*x*tan(c/2 + d*x
/2)**6/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*t
an(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 270*B*d*x*tan(c
/2 + d*x/2)**4/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 1
44*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 180*B*d
*x*tan(c/2 + d*x/2)**2/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2
)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) +
45*B*d*x/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*
d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 24*B*tan(c/2
+ d*x/2)**9/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144
*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 246*B*tan
(c/2 + d*x/2)**7/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 +
144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 374*B
*tan(c/2 + d*x/2)**5/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)*
**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 3
14*B*tan(c/2 + d*x/2)**3/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x
/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d)
- 66*B*tan(c/2 + d*x/2)/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x
/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d)
, Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**4/(a*cos(c) + a), True))
```

$$3.39 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=122

$$\frac{(3A-4B) \sin^3(c+dx)}{3ad} - \frac{(3A-4B) \sin(c+dx)}{ad} + \frac{(A-B) \sin(c+dx) \cos^3(c+dx)}{d(a \cos(c+dx) + a)} + \frac{3(A-B) \sin(c+dx) \cos(c+dx)}{2ad}$$

[Out] 3/2*(A-B)*x/a-(3*A-4*B)*sin(d*x+c)/a/d+3/2*(A-B)*cos(d*x+c)*sin(d*x+c)/a/d+(A-B)*cos(d*x+c)^3*sin(d*x+c)/d/(a+a*cos(d*x+c))+1/3*(3*A-4*B)*sin(d*x+c)^3/a/d

Rubi [A] time = 0.17, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2977, 2748, 2635, 8, 2633}

$$\frac{(3A-4B) \sin^3(c+dx)}{3ad} - \frac{(3A-4B) \sin(c+dx)}{ad} + \frac{(A-B) \sin(c+dx) \cos^3(c+dx)}{d(a \cos(c+dx) + a)} + \frac{3(A-B) \sin(c+dx) \cos(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]

[Out] (3*(A - B)*x)/(2*a) - ((3*A - 4*B)*Sin[c + d*x])/(a*d) + (3*(A - B)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) + ((A - B)*Cos[c + d*x]^3*SIN[c + d*x])/(d*(a + a*Cos[c + d*x])) + ((3*A - 4*B)*Sin[c + d*x]^3)/(3*a*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*SIN[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int

egerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)} dx &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \cos^2(c+dx)(3a(A-B)-a(3A-B)) dx}{a^2} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(3A-4B)\int \cos^3(c+dx) dx}{a} + \frac{(3A-B)\int \cos^2(c+dx) dx}{a} \\ &= \frac{3(A-B)\cos(c+dx)\sin(c+dx)}{2ad} + \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{(3A-B)\cos^2(c+dx)\sin(c+dx)}{2ad} \\ &= \frac{3(A-B)x}{2a} - \frac{(3A-4B)\sin(c+dx)}{ad} + \frac{3(A-B)\cos(c+dx)\sin(c+dx)}{2ad} \end{aligned}$$

Mathematica [B] time = 0.64, size = 249, normalized size = 2.04

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(36dx(A-B)\cos\left(c+\frac{dx}{2}\right)+36dx(A-B)\cos\left(\frac{dx}{2}\right)-12A\sin\left(c+\frac{dx}{2}\right)-9A\sin\left(c+\frac{3dx}{2}\right)\right)}{6(ad\cos(dx+c)+ad)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(36*(A - B)*d*x*Cos[(d*x)/2] + 36*(A - B)*d*x*Cos[c + (d*x)/2] - 60*A*Sin[(d*x)/2] + 69*B*Sin[(d*x)/2] - 12*A*Sin[c + (d*x)/2] + 21*B*Sin[c + (d*x)/2] - 9*A*Sin[c + (3*d*x)/2] + 18*B*Sin[c + (3*d*x)/2] - 9*A*Sin[2*c + (3*d*x)/2] + 18*B*Sin[2*c + (3*d*x)/2] + 3*A*Sin[2*c + (5*d*x)/2] - 2*B*Sin[2*c + (5*d*x)/2] + 3*A*Sin[3*c + (5*d*x)/2] - 2*B*Sin[3*c + (5*d*x)/2] + B*Sin[3*c + (7*d*x)/2] + B*Sin[4*c + (7*d*x)/2]))/(24*a*d*(1 + Cos[c + d*x]))

fricas [A] time = 0.65, size = 98, normalized size = 0.80

$$\frac{9(A-B)dx\cos(dx+c)+9(A-B)dx+(2B\cos(dx+c))^3+(3A-B)\cos(dx+c)^2-(3A-7B)\cos(dx+c)}{6(ad\cos(dx+c)+ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/6*(9*(A - B)*d*x*cos(d*x + c) + 9*(A - B)*d*x + (2*B*cos(d*x + c))^3 + (3*A - B)*cos(d*x + c)^2 - (3*A - 7*B)*cos(d*x + c) - 12*A + 16*B)*sin(d*x + c)/(a*d*cos(d*x + c) + a*d)

giac [A] time = 0.49, size = 151, normalized size = 1.24

$$\frac{9(dx+c)(A-B)}{a} - \frac{6\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} - \frac{2\left(9A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-15B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+12A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-16B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^3 a} \cdot \frac{1}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{6} \cdot (9 \cdot (d \cdot x + c) \cdot (A - B) / a - 6 \cdot (A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - B \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / a - 2 \cdot (9 \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 15 \cdot B \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 12 \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 16 \cdot B \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 3 \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 9 \cdot B \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / ((\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^3 \cdot a)) / d$

maple [B] time = 0.10, size = 281, normalized size = 2.30

$$-\frac{A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} + \frac{B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{3 \left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A}{ad \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} + \frac{5 \left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B}{ad \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} + \frac{16 \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B}{3ad \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)`

[Out] $-1/a/d \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1/a/d \cdot B \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 3/a/d \cdot (1 + \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 \cdot A + 5/a/d \cdot (1 + \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 \cdot B + 16/3/a/d \cdot (1 + \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot B - 4/a/d \cdot (1 + \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot A - 1/a/d \cdot (1 + \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^3 \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 3/a/d \cdot (1 + \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^3 \cdot B \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 3/a/d \cdot \arctan(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot A - 3/a/d \cdot \arctan(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot B$

maxima [B] time = 0.70, size = 310, normalized size = 2.54

$$\frac{B \left(\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a + \frac{3a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} - \frac{9 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{3 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 3A \left(\frac{\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a + \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{3} \cdot (B \cdot ((9 \cdot \sin(d \cdot x + c) / (\cos(d \cdot x + c) + 1) + 16 \cdot \sin(d \cdot x + c)^3 / (\cos(d \cdot x + c) + 1)^3 + 15 \cdot \sin(d \cdot x + c)^5 / (\cos(d \cdot x + c) + 1)^5) / (a + 3 \cdot a \cdot \sin(d \cdot x + c)^2 / (\cos(d \cdot x + c) + 1)^2 + 3 \cdot a \cdot \sin(d \cdot x + c)^4 / (\cos(d \cdot x + c) + 1)^4 + a \cdot \sin(d \cdot x + c)^6 / (\cos(d \cdot x + c) + 1)^6) - 9 \cdot \arctan(\sin(d \cdot x + c) / (\cos(d \cdot x + c) + 1)) / a + 3 \cdot \sin(d \cdot x + c) / (a \cdot (\cos(d \cdot x + c) + 1))) - 3 \cdot A \cdot ((\sin(d \cdot x + c) / (\cos(d \cdot x + c) + 1) + 3 \cdot \sin(d \cdot x + c)^3 / (\cos(d \cdot x + c) + 1)^3) / (a + 2 \cdot a \cdot \sin(d \cdot x + c)^2 / (\cos(d \cdot x + c) + 1)^2 + a \cdot \sin(d \cdot x + c)^4 / (\cos(d \cdot x + c) + 1)^4) - 3 \cdot \arctan(\sin(d \cdot x + c) / (\cos(d \cdot x + c) + 1)) / a + \sin(d \cdot x + c) / (a \cdot (\cos(d \cdot x + c) + 1)))) / d$

mupad [B] time = 1.36, size = 138, normalized size = 1.13

$$\frac{3x(A-B)}{2a} - \frac{(3A-5B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(4A - \frac{16B}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + (A-3B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 3a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a \right)} \cdot \frac{1}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c+d*x)^3*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x)),x)`

[Out] $\frac{(3 \cdot x \cdot (A - B)) / (2 \cdot a) - (\tan(c/2 + (d \cdot x) / 2)^5 \cdot (3 \cdot A - 5 \cdot B) + \tan(c/2 + (d \cdot x) / 2)^3 \cdot (4 \cdot A - (16 \cdot B) / 3) + \tan(c/2 + (d \cdot x) / 2) \cdot (A - 3 \cdot B)) / (d \cdot (a + 3 \cdot a \cdot \tan(c/2 + (d \cdot x) / 2)^2 + 3 \cdot a \cdot \tan(c/2 + (d \cdot x) / 2)^4 + a \cdot \tan(c/2 + (d \cdot x) / 2)^6)) - (\tan(c/2 + (d \cdot x) / 2) \cdot (A - B)) / (a \cdot d)}$

sympy [A] time = 4.51, size = 1161, normalized size = 9.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)

[Out] Piecewise((9*A*d*x*tan(c/2 + d*x/2)**6/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) + 27*A*d*x*tan(c/2 + d*x/2)**4/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) + 27*A*d*x*tan(c/2 + d*x/2)**2/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) + 9*A*d*x/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 6*A*tan(c/2 + d*x/2)**7/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 36*A*tan(c/2 + d*x/2)**5/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 42*A*tan(c/2 + d*x/2)**3/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 12*A*tan(c/2 + d*x/2)/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 9*B*d*x*tan(c/2 + d*x/2)**6/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 27*B*d*x*tan(c/2 + d*x/2)**4/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 27*B*d*x*tan(c/2 + d*x/2)**2/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 9*B*d*x/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) + 6*B*tan(c/2 + d*x/2)**7/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) + 48*B*tan(c/2 + d*x/2)**5/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) + 50*B*tan(c/2 + d*x/2)**3/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) + 24*B*tan(c/2 + d*x/2)/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**3/(a*cos(c) + a), True))

$$3.40 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=90

$$\frac{(A-B) \sin(c+dx)}{ad} + \frac{(A-B) \sin(c+dx)}{ad(\cos(c+dx)+1)} - \frac{x(A-B)}{a} + \frac{B \sin(c+dx) \cos(c+dx)}{2ad} + \frac{Bx}{2a}$$

[Out] $-(A-B)*x/a+1/2*B*x/a+(A-B)*\sin(d*x+c)/a/d+1/2*B*\cos(d*x+c)*\sin(d*x+c)/a/d+(A-B)*\sin(d*x+c)/a/d/(1+\cos(d*x+c))$

Rubi [A] time = 0.12, antiderivative size = 99, normalized size of antiderivative = 1.10, number of steps used = 2, number of rules used = 2, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$, Rules used = {2977, 2734}

$$\frac{2(A-B) \sin(c+dx)}{ad} + \frac{(A-B) \sin(c+dx) \cos^2(c+dx)}{d(a \cos(c+dx)+a)} - \frac{(2A-3B) \sin(c+dx) \cos(c+dx)}{2ad} - \frac{x(2A-3B)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]

[Out] $-((2*A - 3*B)*x)/(2*a) + (2*(A - B)*Sin[c + d*x])/(a*d) - ((2*A - 3*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) + ((A - B)*Cos[c + d*x]^2*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])*(x_), x_Symbol] := Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx &= \frac{(A-B) \cos^2(c+dx) \sin(c+dx)}{d(a+a \cos(c+dx))} + \frac{\int \cos(c+dx)(2a(A-B) - a(2A-B) \cos(c+dx))}{a^2} \\ &= -\frac{(2A-3B)x}{2a} + \frac{2(A-B) \sin(c+dx)}{ad} - \frac{(2A-3B) \cos(c+dx) \sin(c+dx)}{2ad} \end{aligned}$$

Mathematica [B] time = 0.50, size = 197, normalized size = 2.19

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \left(-4dx(2A-3B) \cos\left(c+\frac{dx}{2}\right) - 4dx(2A-3B) \cos\left(\frac{dx}{2}\right) + 4A \sin\left(c+\frac{dx}{2}\right) + 4A \sin\left(\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*cos[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-4*(2*A - 3*B)*d*x*cos[(d*x)/2] - 4*(2*A - 3*B)*d*x*cos[c + (d*x)/2] + 20*A*sin[(d*x)/2] - 20*B*sin[(d*x)/2] + 4*A*sin[c + (d*x)/2] - 4*B*sin[c + (d*x)/2] + 4*A*sin[c + (3*d*x)/2] - 3*B*sin[c + (3*d*x)/2] + 4*A*sin[2*c + (3*d*x)/2] - 3*B*sin[2*c + (3*d*x)/2] + B*sin[2*c + (5*d*x)/2] + B*sin[3*c + (5*d*x)/2]))/(8*a*d*(1 + Cos[c + d*x]))

fricas [A] time = 0.56, size = 83, normalized size = 0.92

$$\frac{(2A - 3B)dx \cos(dx + c) + (2A - 3B)dx - (B \cos(dx + c))^2 + (2A - B) \cos(dx + c) + 4A - 4B \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] -1/2*((2*A - 3*B)*d*x*cos(d*x + c) + (2*A - 3*B)*d*x - (B*cos(d*x + c))^2 + (2*A - B)*cos(d*x + c) + 4*A - 4*B)*sin(d*x + c)/(a*d*cos(d*x + c) + a*d)

giac [A] time = 1.06, size = 124, normalized size = 1.38

$$\frac{\frac{(dx+c)(2A-3B)}{a} - \frac{2\left(A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{a} - \frac{2\left(2A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 2A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)^2 a}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] -1/2*((d*x + c)*(2*A - 3*B)/a - 2*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a - 2*(2*A*tan(1/2*d*x + 1/2*c)^3 - 3*B*tan(1/2*d*x + 1/2*c)^3 + 2*A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a))/d

maple [B] time = 0.10, size = 211, normalized size = 2.34

$$\frac{A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{3 \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B}{ad \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} + \frac{2 \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A}{ad \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} - \frac{B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)

[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*B*tan(1/2*d*x+1/2*c)-3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*B+2/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*A-1/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*B*tan(1/2*d*x+1/2*c)+2/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*A*tan(1/2*d*x+1/2*c)-2/a/d*arctan(tan(1/2*d*x+1/2*c))*A+3/a/d*arctan(tan(1/2*d*x+1/2*c))*B

maxima [B] time = 0.77, size = 225, normalized size = 2.50

$$\frac{B \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + A \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out]
$$-(B*((\sin(d*x + c)/(\cos(d*x + c) + 1) + 3*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a + 2*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) - 3*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + \sin(d*x + c)/(a*(\cos(d*x + c) + 1))) + A*(2*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a - 2*\sin(d*x + c)/((a + a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))))/d$$

mupad [B] time = 0.49, size = 107, normalized size = 1.19

$$\frac{(2A - 3B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + (2A - B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 2a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a \right)} - \frac{x(2A - 3B)}{2a} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)(A - B)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x)),x)

[Out]
$$\left(\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)^3*(2*A - 3*B) + \tan\left(\frac{c}{2} + \frac{d*x}{2}\right)*(2*A - B)\right)/(d*(a + 2*a*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)^2 + a*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)^4) - (x*(2*A - 3*B))/(2*a) + (\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)*(A - B))/(a*d)$$

sympy [A] time = 3.23, size = 665, normalized size = 7.39

$$\left\{ \begin{array}{l} -\frac{2Adx \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 4ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad} - \frac{4Adx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 4ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad} - \frac{2Adx}{2ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 4ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad} + \frac{x(A+B \cos(c)) \cos^2(c)}{a \cos(c) + a} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)

[Out]
$$\text{Piecewise}\left(\left(-2*A*d*x*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) - 4*A*d*x*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) - 2*A*d*x/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) + 2*A*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**5/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) + 8*A*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**3/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) + 6*A*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) + 3*B*d*x*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) + 6*B*d*x*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) + 3*B*d*x/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) - 2*B*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**5/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) - 10*B*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**3/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d) - 4*B*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)/(2*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**4 + 4*a*d*\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)**2 + 2*a*d), \text{Ne}(d, 0)\right), (x*(A + B*cos(c))*cos(c)**2/(a*cos(c) + a), \text{True}))$$

$$3.41 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=54

$$-\frac{(A-B) \sin(c+dx)}{ad(\cos(c+dx)+1)} + \frac{x(A-B)}{a} + \frac{B \sin(c+dx)}{ad}$$

[Out] (A-B)*x/a+B*sin(d*x+c)/a/d-(A-B)*sin(d*x+c)/a/d/(1+cos(d*x+c))

Rubi [A] time = 0.14, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {2968, 3023, 12, 2735, 2648}

$$-\frac{(A-B) \sin(c+dx)}{ad(\cos(c+dx)+1)} + \frac{x(A-B)}{a} + \frac{B \sin(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]

[Out] ((A - B)*x)/a + (B*Sin[c + d*x])/(a*d) - ((A - B)*Sin[c + d*x])/(a*d*(1 + Cos[c + d*x]))

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2735

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{a+a\cos(c+dx)} dx \\
&= \frac{B\sin(c+dx)}{ad} + \frac{\int \frac{a(A-B)\cos(c+dx)}{a+a\cos(c+dx)} dx}{a} \\
&= \frac{B\sin(c+dx)}{ad} + (A-B) \int \frac{\cos(c+dx)}{a+a\cos(c+dx)} dx \\
&= \frac{(A-B)x}{a} + \frac{B\sin(c+dx)}{ad} + (-A+B) \int \frac{1}{a+a\cos(c+dx)} dx \\
&= \frac{(A-B)x}{a} + \frac{B\sin(c+dx)}{ad} - \frac{(A-B)\sin(c+dx)}{d(a+a\cos(c+dx))}
\end{aligned}$$

Mathematica [B] time = 0.28, size = 126, normalized size = 2.33

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(2dx(A-B)\cos\left(c+\frac{dx}{2}\right)+2dx(A-B)\cos\left(\frac{dx}{2}\right)-4A\sin\left(\frac{dx}{2}\right)+B\sin\left(c+\frac{dx}{2}\right)+B\sin\left(c+\frac{3dx}{2}\right)\right)}{2ad(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(2*(A - B)*d*x*Cos[(d*x)/2] + 2*(A - B)*d*x*Cos[c + (d*x)/2] - 4*A*Sin[(d*x)/2] + 5*B*Sin[(d*x)/2] + B*Sin[c + (d*x)/2] + B*Sin[c + (3*d*x)/2] + B*Sin[2*c + (3*d*x)/2]))/(2*a*d*(1 + Cos[c + d*x]))
```

fricas [A] time = 0.66, size = 61, normalized size = 1.13

$$\frac{(A-B)dx\cos(dx+c)+(A-B)dx+(B\cos(dx+c)-A+2B)\sin(dx+c)}{ad\cos(dx+c)+ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="fricas")
[Out] ((A - B)*d*x*cos(d*x + c) + (A - B)*d*x + (B*cos(d*x + c) - A + 2*B)*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)
```

giac [A] time = 0.91, size = 78, normalized size = 1.44

$$\frac{\frac{(dx+c)(A-B)}{a} - \frac{A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a} + \frac{2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2+1}a}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="giac")
[Out] ((d*x + c)*(A - B)/a - (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a + 2*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a))/d
```

maple [A] time = 0.10, size = 108, normalized size = 2.00

$$-\frac{A\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{ad} + \frac{B\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{ad} + \frac{2B\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{ad\left(1+\tan^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)} + \frac{2\arctan\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)A}{ad} - \frac{2\arctan\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)
```

```
[Out] -1/a/d*A*tan(1/2*d*x+1/2*c)+1/a/d*B*tan(1/2*d*x+1/2*c)+2/a/d*B*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)+2/a/d*arctan(tan(1/2*d*x+1/2*c))*A-2/a/d*arctan(tan(1/2*d*x+1/2*c))*B
```

maxima [B] time = 0.69, size = 143, normalized size = 2.65

$$\frac{B \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - A \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] -(B*(2*arctan(sin(d*x + c)/(cos(d*x + c) + 1)))/a - 2*sin(d*x + c)/((a + a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1))) - A*(2*arctan(sin(d*x + c)/(cos(d*x + c) + 1)))/a - sin(d*x + c)/(a*(cos(d*x + c) + 1)))/d
```

mupad [B] time = 0.27, size = 65, normalized size = 1.20

$$\frac{x(A-B)}{a} + \frac{2B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a \right)} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)(A-B)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x)),x)
```

```
[Out] (x*(A - B))/a + (2*B*tan(c/2 + (d*x)/2))/(d*(a + a*tan(c/2 + (d*x)/2)^2)) - (tan(c/2 + (d*x)/2)*(A - B))/(a*d)
```

sympy [A] time = 1.71, size = 264, normalized size = 4.89

$$\left\{ \begin{array}{l} \frac{A dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} + \frac{A dx}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{B dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{B dx}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} + \frac{B}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} \\ \frac{x(A+B \cos(c)) \cos(c)}{a \cos(c) + a} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)
```

```
[Out] Piecewise((A*d*x*tan(c/2 + d*x/2)**2/(a*d*tan(c/2 + d*x/2)**2 + a*d) + A*d*x/(a*d*tan(c/2 + d*x/2)**2 + a*d) - A*tan(c/2 + d*x/2)**3/(a*d*tan(c/2 + d*x/2)**2 + a*d) - A*tan(c/2 + d*x/2)/(a*d*tan(c/2 + d*x/2)**2 + a*d) - B*d*x*tan(c/2 + d*x/2)**2/(a*d*tan(c/2 + d*x/2)**2 + a*d) - B*d*x/(a*d*tan(c/2 + d*x/2)**2 + a*d) + B*tan(c/2 + d*x/2)**3/(a*d*tan(c/2 + d*x/2)**2 + a*d) + 3*B*tan(c/2 + d*x/2)/(a*d*tan(c/2 + d*x/2)**2 + a*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)/(a*cos(c) + a), True))
```


$$3.42 \quad \int \frac{A+B \cos(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=34

$$\frac{(A-B) \sin(c+dx)}{d(a \cos(c+dx)+a)} + \frac{Bx}{a}$$

[Out] B*x/a+(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))

Rubi [A] time = 0.05, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {2735, 2648}

$$\frac{(A-B) \sin(c+dx)}{d(a \cos(c+dx)+a)} + \frac{Bx}{a}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x]),x]

[Out] (B*x)/a + ((A - B)*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2735

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{A+B \cos(c+dx)}{a+a \cos(c+dx)} dx &= \frac{Bx}{a} - (-A+B) \int \frac{1}{a+a \cos(c+dx)} dx \\ &= \frac{Bx}{a} + \frac{(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))} \end{aligned}$$

Mathematica [B] time = 0.15, size = 72, normalized size = 2.12

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \left(2(A-B) \sin\left(\frac{dx}{2}\right) + Bdx \cos\left(c + \frac{dx}{2}\right) + Bdx \cos\left(\frac{dx}{2}\right)\right)}{ad(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(B*d*x*Cos[(d*x)/2] + B*d*x*Cos[c + (d*x)/2] + 2*(A - B)*Sin[(d*x)/2]))/(a*d*(1 + Cos[c + d*x]))

fricas [A] time = 0.71, size = 43, normalized size = 1.26

$$\frac{Bdx \cos(dx+c) + Bdx + (A-B) \sin(dx+c)}{ad \cos(dx+c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] (B*d*x*cos(d*x + c) + B*d*x + (A - B)*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)

giac [A] time = 0.74, size = 43, normalized size = 1.26

$$\frac{\frac{(dx+c)B}{a} + \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)*B/a + (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a)/d

maple [A] time = 0.06, size = 56, normalized size = 1.65

$$\frac{A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B}{ad} - \frac{B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)

[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)+2/a/d*arctan(tan(1/2*d*x+1/2*c))*B-1/a/d*B*tan(1/2*d*x+1/2*c)

maxima [B] time = 0.68, size = 73, normalized size = 2.15

$$\frac{B \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + \frac{A \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] (B*(2*arctan(sin(d*x + c)/(cos(d*x + c) + 1)))/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))) + A*sin(d*x + c)/(a*(cos(d*x + c) + 1))/d

mupad [B] time = 0.20, size = 30, normalized size = 0.88

$$\frac{\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)(A-B)}{a} + \frac{B dx}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(a + a*cos(c + d*x)),x)

[Out] ((tan(c/2 + (d*x)/2)*(A - B))/a + (B*d*x)/a)/d

sympy [A] time = 0.86, size = 49, normalized size = 1.44

$$\begin{cases} \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad} + \frac{Bx}{a} - \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c))}{a \cos(c)+a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)
```

```
[Out] Piecewise((A*tan(c/2 + d*x/2)/(a*d) + B*x/a - B*tan(c/2 + d*x/2)/(a*d), Ne(d, 0)), (x*(A + B*cos(c))/(a*cos(c) + a), True))
```

$$3.43 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=44

$$\frac{A \tanh^{-1}(\sin(c+dx))}{ad} - \frac{(A-B) \sin(c+dx)}{d(a \cos(c+dx) + a)}$$

[Out] A*arctanh(sin(d*x+c))/a/d-(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))

Rubi [A] time = 0.08, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2978, 12, 3770}

$$\frac{A \tanh^{-1}(\sin(c+dx))}{ad} - \frac{(A-B) \sin(c+dx)}{d(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x]),x]

[Out] (A*ArcTanh[Sin[c + d*x]])/(a*d) - ((A - B)*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3770

Int[csc[(c_) + (d_)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{a+a \cos(c+dx)} dx &= -\frac{(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))} + \frac{\int aA \sec(c+dx) dx}{a^2} \\ &= -\frac{(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))} + \frac{A \int \sec(c+dx) dx}{a} \\ &= \frac{A \tanh^{-1}(\sin(c+dx))}{ad} - \frac{(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))} \end{aligned}$$

Mathematica [B] time = 0.27, size = 109, normalized size = 2.48

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((B - A) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + A \cos\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) - \cos\left(\frac{1}{2}(c + dx)\right)\right) \right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)}{ad(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x]),x]

[Out] (2*Cos[(c + d*x)/2]*(A*Cos[(c + d*x)/2]*(-Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (-A + B)*Sec[c/2]*Sin[(d*x)/2])/(a*d*(1 + Cos[c + d*x]))

fricas [A] time = 0.65, size = 74, normalized size = 1.68

$$\frac{(A \cos(dx + c) + A) \log(\sin(dx + c) + 1) - (A \cos(dx + c) + A) \log(-\sin(dx + c) + 1) - 2(A - B) \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/2*((A*cos(d*x + c) + A)*log(sin(d*x + c) + 1) - (A*cos(d*x + c) + A)*log(-sin(d*x + c) + 1) - 2*(A - B)*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)

giac [A] time = 1.04, size = 71, normalized size = 1.61

$$\frac{\frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] (A*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - A*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a)/d

maple [A] time = 0.13, size = 78, normalized size = 1.77

$$-\frac{A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} + \frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{ad} - \frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{ad} + \frac{B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c)),x)

[Out] -1/a/d*A*tan(1/2*d*x+1/2*c)+1/a/d*A*ln(tan(1/2*d*x+1/2*c)+1)-1/a/d*A*ln(tan(1/2*d*x+1/2*c)-1)+1/a/d*B*tan(1/2*d*x+1/2*c)

maxima [B] time = 0.82, size = 99, normalized size = 2.25

$$\frac{A \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + \frac{B \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] $(A * (\log(\sin(dx + c)) / (\cos(dx + c) + 1) + 1) / a - \log(\sin(dx + c)) / (\cos(dx + c) + 1) - 1) / a - \sin(dx + c) / (a * (\cos(dx + c) + 1)) + B * \sin(dx + c) / (a * (\cos(dx + c) + 1)) / d$

mupad [B] time = 0.22, size = 42, normalized size = 0.95

$$\frac{2 A \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (A - B)}{a d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + a*cos(c + d*x))),x)`

[Out] $(2 * A * \operatorname{atanh}(\tan(c/2 + (d*x)/2))) / (a*d) - (\tan(c/2 + (d*x)/2) * (A - B)) / (a*d)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec(c+dx)}{\cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c)),x)`

[Out] $(\operatorname{Integral}(A * \sec(c + d*x) / (\cos(c + d*x) + 1), x) + \operatorname{Integral}(B * \cos(c + d*x) * \sec(c + d*x) / (\cos(c + d*x) + 1), x)) / a$

$$3.44 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=69

$$\frac{(2A - B) \tan(c + dx)}{ad} - \frac{(A - B) \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(A - B) \tan(c + dx)}{d(a \cos(c + dx) + a)}$$

[Out] $-(A-B)*\operatorname{arctanh}(\sin(d*x+c))/a/d+(2*A-B)*\tan(d*x+c)/a/d-(A-B)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))$

Rubi [A] time = 0.16, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2978, 2748, 3767, 8, 3770}

$$\frac{(2A - B) \tan(c + dx)}{ad} - \frac{(A - B) \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(A - B) \tan(c + dx)}{d(a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^2/(a + a*\operatorname{Cos}[c + d*x]), x]$

[Out] $-\frac{((A - B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])}{(a*d)} + \frac{((2*A - B)*\operatorname{Tan}[c + d*x])}{(a*d)} - \frac{((A - B)*\operatorname{Tan}[c + d*x])}{(d*(a + a*\operatorname{Cos}[c + d*x]))}$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}[(b_*)\sin[(e_*) + (f_*)(x_)]^{(m_)*((c_*) + (d_*)\sin[(e_*) + (f_*)(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m + 1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2978

$\operatorname{Int}[(a_*) + (b_*)\sin[(e_*) + (f_*)(x_)]^{(m_)*((A_*) + (B_*)\sin[(e_*) + (f_*)(x_)]), x_Symbol] \rightarrow \operatorname{Simp}[(b*(A*b - a*B)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^m*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \operatorname{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m + 1)}*(c + d*\operatorname{Sin}[e + f*x])^n*\operatorname{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\operatorname{Sin}[e + f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{LtQ}[m, -2^{(-1)}] \&\& \operatorname{!GtQ}[n, 0] \&\& \operatorname{IntegerQ}[2*m] \&\& (\operatorname{IntegerQ}[2*n] \mid \mid \operatorname{EqQ}[c, 0])]$

Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)(x_)]^{(n_)}, x_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \operatorname{Cot}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

Rule 3770

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)(x_)], x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]]/d, x] /; \operatorname{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{a + a \cos(c + dx)} dx &= \frac{(A - B) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int (a(2A - B) - a(A - B) \cos(c + dx)) \sec^2(c + dx) dx}{a^2} \\
&= \frac{(A - B) \tan(c + dx)}{d(a + a \cos(c + dx))} - \frac{(A - B) \int \sec(c + dx) dx}{a} + \frac{(2A - B) \int \sec^2(c + dx) dx}{a} \\
&= \frac{(A - B) \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(A - B) \tan(c + dx)}{d(a + a \cos(c + dx))} - \frac{(2A - B) \text{Subst}(\int \sec^2(c + dx) dx, c + dx, x)}{a} \\
&= \frac{(A - B) \tanh^{-1}(\sin(c + dx))}{ad} + \frac{(2A - B) \tan(c + dx)}{ad} - \frac{(A - B) \tan(c + dx)}{d(a + a \cos(c + dx))}
\end{aligned}$$

Mathematica [B] time = 1.34, size = 201, normalized size = 2.91

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + \cos\left(\frac{1}{2}(c + dx)\right) \left((A - B) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right) \right) \right) \right)}{ad(\cos\left(\frac{1}{2}(c + dx)\right) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x]),x]

[Out] (2*Cos[(c + d*x)/2]*((A - B)*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]*((A - B)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) + (A*Sin[d*x])/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) / (a*d*(1 + Cos[c + d*x]))

fricas [A] time = 0.57, size = 127, normalized size = 1.84

$$\frac{\left((A - B) \cos(dx + c)^2 + (A - B) \cos(dx + c) \right) \log(\sin(dx + c) + 1) - \left((A - B) \cos(dx + c)^2 + (A - B) \cos(dx + c) \right) \log(-\sin(dx + c) + 1) - 2 * \left((2A - B) \cos(dx + c) + A \sin(dx + c) \right) / (a * d * \cos(dx + c)^2 + a * d * \cos(dx + c))}{2 \left(ad \cos(dx + c)^2 + ad \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] -1/2*((A - B)*cos(d*x + c)^2 + (A - B)*cos(d*x + c))*log(sin(d*x + c) + 1) - ((A - B)*cos(d*x + c)^2 + (A - B)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*((2*A - B)*cos(d*x + c) + A*sin(d*x + c))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))

giac [A] time = 0.35, size = 110, normalized size = 1.59

$$\frac{\frac{(A-B) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{(A-B) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} + \frac{2 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1} a}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] -((A - B)*log(abs(tan(1/2*d*x + 1/2*c) + 1)))/a - (A - B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a + 2*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a)/d

maple [B] time = 0.14, size = 163, normalized size = 2.36

$$\frac{A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{A}{ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{ad} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) B}{ad} - \frac{B}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c)),x)

[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*B*tan(1/2*d*x+1/2*c)-1/a/d*A/(tan(1/2*d*x+1/2*c)-1)+1/a/d*A*ln(tan(1/2*d*x+1/2*c)-1)-1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B-1/a/d*A/(tan(1/2*d*x+1/2*c)+1)-1/a/d*A*ln(tan(1/2*d*x+1/2*c)+1)+1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B

maxima [B] time = 0.45, size = 196, normalized size = 2.84

$$A \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a} - \frac{2 \sin(dx+c)}{\left(a - \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - B \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] -(A*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - 2*sin(d*x + c)/((a - a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1)))) - B*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))))/d

mupad [B] time = 0.29, size = 78, normalized size = 1.13

$$\frac{2 A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a - a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2\right)} - \frac{2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (A - B)}{a d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (A - B)}{a d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + a*cos(c + d*x))),x)

[Out] (2*A*tan(c/2 + (d*x)/2))/(d*(a - a*tan(c/2 + (d*x)/2)^2)) - (2*atanh(tan(c/2 + (d*x)/2))*(A - B))/(a*d) + (tan(c/2 + (d*x)/2)*(A - B))/(a*d)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec^2(c+dx)}{\cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^2(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+a*cos(d*x+c)),x)

[Out] (Integral(A*sec(c + d*x)**2/(cos(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sec(c + d*x)**2/(cos(c + d*x) + 1), x))/a

$$3.45 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=107

$$-\frac{2(A-B) \tan(c+dx)}{ad} + \frac{(3A-2B) \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(3A-2B) \tan(c+dx) \sec(c+dx)}{2ad} - \frac{(A-B) \tan(c+dx)}{d(a \cos(c+dx))}$$

[Out] 1/2*(3*A-2*B)*arctanh(sin(d*x+c))/a/d-2*(A-B)*tan(d*x+c)/a/d+1/2*(3*A-2*B)*sec(d*x+c)*tan(d*x+c)/a/d-(A-B)*sec(d*x+c)*tan(d*x+c)/d/(a+a*cos(d*x+c))

Rubi [A] time = 0.17, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2978, 2748, 3768, 3770, 3767, 8}

$$-\frac{2(A-B) \tan(c+dx)}{ad} + \frac{(3A-2B) \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(3A-2B) \tan(c+dx) \sec(c+dx)}{2ad} - \frac{(A-B) \tan(c+dx)}{d(a \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x]),x]

[Out] ((3*A - 2*B)*ArcTanh[Sin[c + d*x]]/(2*a*d) - (2*(A - B)*Tan[c + d*x])/(a*d) + ((3*A - 2*B)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) - ((A - B)*Sec[c + d*x]*Tan[c + d*x])/(d*(a + a*Cos[c + d*x])))

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3767

Int[csc[(c_) + (d_)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{a + a \cos(c + dx)} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int (a(3A - 2B) - 2a(A - B) \cos(c + dx)) \sec^3(c + dx) dx}{a^2} \\ &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{(3A - 2B) \int \sec^3(c + dx) dx}{a} - \frac{2(A - B) \int \sec(c + dx) dx}{a} \\ &= \frac{(3A - 2B) \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} \\ &= \frac{(3A - 2B) \tanh^{-1}(\sin(c + dx))}{2ad} - \frac{2(A - B) \tan(c + dx)}{ad} + \frac{(3A - 2B)}{ad} \end{aligned}$$

Mathematica [B] time = 3.64, size = 289, normalized size = 2.70

$$\cos\left(\frac{1}{2}(c + dx)\right) \left(4(B - A) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + \cos\left(\frac{1}{2}(c + dx)\right) \left(-\frac{4(A - B) \sin(dx)}{(\cos(\frac{c}{2}) - \sin(\frac{c}{2}))(\sin(\frac{c}{2}) + \cos(\frac{c}{2}))(\cos(\frac{1}{2}(c + dx)) - \sin(\frac{1}{2}(c + dx)))} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*(4*(-A + B)*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]*((-6*A + 4*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 6*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 4*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + A/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - A/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 - (4*(A - B)*Sin[d*x])/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) / (2*a*d*(1 + Cos[c + d*x]))

fricas [A] time = 0.66, size = 156, normalized size = 1.46

$$\frac{((3A - 2B) \cos(dx + c)^3 + (3A - 2B) \cos(dx + c)^2) \log(\sin(dx + c) + 1) - ((3A - 2B) \cos(dx + c)^3 + (3A - 2B) \cos(dx + c)^2) \log(-\sin(dx + c) + 1) - 2*(4*(A - B)*\cos(dx + c)^2 + (A - 2*B)*\cos(dx + c) - A)*\sin(dx + c)}{4(ad \cos(dx + c) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/4*(((3*A - 2*B)*cos(d*x + c)^3 + (3*A - 2*B)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - ((3*A - 2*B)*cos(d*x + c)^3 + (3*A - 2*B)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(4*(A - B)*cos(d*x + c)^2 + (A - 2*B)*cos(d*x + c) - A)*sin(d*x + c)/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)

giac [A] time = 0.37, size = 157, normalized size = 1.47

$$\frac{(3A-2B) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a} - \frac{(3A-2B) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a} - \frac{2\left(A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a} + \frac{2\left(3A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3 - 2B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/2*((3*A - 2*B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - (3*A - 2*B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - 2*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a + 2*(3*A*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c)^3 - A*tan(1/2*d*x + 1/2*c) + 2*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a))/d
```

maple [B] time = 0.16, size = 252, normalized size = 2.36

$$-\frac{A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} + \frac{B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} + \frac{A}{2ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} + \frac{3A}{2ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} - \frac{B}{ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} - \frac{3A}{2ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^2} + \frac{3A}{2ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)} - \frac{B}{ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c)),x)
```

```
[Out] -1/a/d*A*tan(1/2*d*x+1/2*c)+1/a/d*B*tan(1/2*d*x+1/2*c)+1/2/a/d*A/(tan(1/2*d*x+1/2*c)-1)^2+3/2/a/d*A/(tan(1/2*d*x+1/2*c)-1)-1/a/d/(tan(1/2*d*x+1/2*c)-1)*B-3/2/a/d*A*ln(tan(1/2*d*x+1/2*c)-1)+1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B-1/2/a/d*A/(tan(1/2*d*x+1/2*c)+1)^2+3/2/a/d*A/(tan(1/2*d*x+1/2*c)+1)-1/a/d/(tan(1/2*d*x+1/2*c)+1)*B+3/2/a/d*A*ln(tan(1/2*d*x+1/2*c)+1)-1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B
```

maxima [B] time = 0.39, size = 282, normalized size = 2.64

$$\frac{A \left(\frac{2 \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a - \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{2 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) + 2B \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] -1/2*(A*(2*(sin(d*x + c))/(cos(d*x + c) + 1) - 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a - 2*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) - 3*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a + 3*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a + 2*sin(d*x + c)/(a*(cos(d*x + c) + 1))) + 2*B*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - 2*sin(d*x + c)/((a - a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1))))/d
```

mupad [B] time = 0.37, size = 119, normalized size = 1.11

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (3A - 2B) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right) (A - 2B)}{d \left(a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a \right)} + \frac{2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \left(\frac{3A}{2} - B\right)}{ad} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (A - B)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + a*cos(c + d*x))),x)
```

```
[Out] (tan(c/2 + (d*x)/2)^3*(3*A - 2*B) - tan(c/2 + (d*x)/2)*(A - 2*B))/(d*(a - 2*a*tan(c/2 + (d*x)/2)^2 + a*tan(c/2 + (d*x)/2)^4)) + (2*atanh(tan(c/2 + (d*x)/2))*(3*A/2 - B))/(a*d) - (tan(c/2 + (d*x)/2)*(A - B))/(a*d)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec^3(c+dx)}{\cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^3(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+a*cos(d*x+c)),x)

[Out] (Integral(A*sec(c + d*x)**3/(cos(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sec(c + d*x)**3/(cos(c + d*x) + 1), x))/a

$$3.46 \quad \int \frac{(A+B \cos(c+dx)) \sec^4(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=131

$$\frac{(4A-3B) \tan^3(c+dx)}{3ad} + \frac{(4A-3B) \tan(c+dx)}{ad} - \frac{3(A-B) \tanh^{-1}(\sin(c+dx))}{2ad} - \frac{3(A-B) \tan(c+dx) \sec(c+dx)}{2ad}$$

[Out] $-3/2*(A-B)*\operatorname{arctanh}(\sin(d*x+c))/a/d+(4*A-3*B)*\tan(d*x+c)/a/d-3/2*(A-B)*\sec(d*x+c)*\tan(d*x+c)/a/d-(A-B)*\sec(d*x+c)^2*\tan(d*x+c)/d/(a+a*\cos(d*x+c))+1/3*(4*A-3*B)*\tan(d*x+c)^3/a/d$

Rubi [A] time = 0.18, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2978, 2748, 3767, 3768, 3770}

$$\frac{(4A-3B) \tan^3(c+dx)}{3ad} + \frac{(4A-3B) \tan(c+dx)}{ad} - \frac{3(A-B) \tanh^{-1}(\sin(c+dx))}{2ad} - \frac{3(A-B) \tan(c+dx) \sec(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A+B*\operatorname{Cos}[c+d*x])* \operatorname{Sec}[c+d*x]^4]/(a+a*\operatorname{Cos}[c+d*x]),x]$

[Out] $(-3*(A-B)*\operatorname{ArcTanh}[\operatorname{Sin}[c+d*x]])/(2*a*d) + ((4*A-3*B)*\operatorname{Tan}[c+d*x])/(a*d) - (3*(A-B)*\operatorname{Sec}[c+d*x]*\operatorname{Tan}[c+d*x])/(2*a*d) - ((A-B)*\operatorname{Sec}[c+d*x]^2*\operatorname{Tan}[c+d*x])/(d*(a+a*\operatorname{Cos}[c+d*x])) + ((4*A-3*B)*\operatorname{Tan}[c+d*x]^3)/(3*a*d)$

Rule 2748

$\operatorname{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] := \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e+f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e+f*x])^{(m+1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2978

$\operatorname{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_*)])^{(n_*)}, x_Symbol] := \operatorname{Simp}[(b*(A*b - a*B)*\operatorname{Cos}[e+f*x]*(a+b*\operatorname{Sin}[e+f*x])^m*(c+d*\operatorname{Sin}[e+f*x])^{(n+1)})/(a*f*(2*m+1)*(b*c - a*d)), x] + \operatorname{Dist}[1/(a*(2*m+1)*(b*c - a*d)), \operatorname{Int}[(a+b*\operatorname{Sin}[e+f*x])^{(m+1)}*(c+d*\operatorname{Sin}[e+f*x])^n*\operatorname{Simp}[B*(a*c*m + b*d*(n+1)) + A*(b*c*(m+1) - a*d*(2*m+n+2)) + d*(A*b - a*B)*(m+n+2)*\operatorname{Sin}[e+f*x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{LtQ}[m, -2^{(-1)}] \&\& \operatorname{!GtQ}[n, 0] \&\& \operatorname{IntegerQ}[2*m] \&\& (\operatorname{IntegerQ}[2*n] || \operatorname{EqQ}[c, 0])]$

Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] := -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1+x^2)^{(n/2-1)}, x], x], x, \operatorname{Cot}[c+d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

Rule 3768

$\operatorname{Int}[(\operatorname{csc}[(c_*) + (d_*)*(x_*)]*(b_*))^{(n_*)}, x_Symbol] := -\operatorname{Simp}[(b*\operatorname{Cos}[c+d*x]*(b*\operatorname{Csc}[c+d*x])^{(n-1)})/(d*(n-1)), x] + \operatorname{Dist}[(b^2*(n-2))/(n-1), \operatorname{Int}[(b*\operatorname{Csc}[c+d*x])^{(n-2)}, x], x] /; \operatorname{FreeQ}\{b, c, d\}, x] \&\& \operatorname{GtQ}[n, 1] \&\& \operatorname{IntegerQ}[2*n]$

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^4(c + dx)}{a + a \cos(c + dx)} dx &= -\frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int (a(4A - 3B) - 3a(A - B) \cos(c + dx)) \sec^4(c + dx) dx}{a^2} \\ &= -\frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{(4A - 3B) \int \sec^4(c + dx) dx}{a} \\ &= -\frac{3(A - B) \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} \\ &= -\frac{3(A - B) \tanh^{-1}(\sin(c + dx))}{2ad} + \frac{(4A - 3B) \tan(c + dx)}{ad} - \frac{3(A - B)}{ad} \end{aligned}$$

Mathematica [B] time = 4.61, size = 490, normalized size = 3.74

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \left(\sec\left(\frac{c}{2}\right) \sec(c) \sec^3(c + dx) \left(6(A + B) \sin\left(\frac{dx}{2}\right) + 3(13A - 9B) \sin\left(\frac{3dx}{2}\right) - 24A \sin\left(c - \frac{dx}{2}\right) - 6 \right) \right)}{48ad(1 + \cos(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^4)/(a + a*Cos[c + d*x]),x]
[Out] (Cos[(c + d*x)/2]*(144*(A - B)*Cos[(c + d*x)/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) + Sec[c/2]*Sec[c + d*x]^3*(6*(A + B)*Sin[(d*x)/2] + 3*(13*A - 9*B)*Sin[(3*d*x)/2] - 24*A*Sin[c - (d*x)/2] + 12*B*Sin[c - (d*x)/2] - 6*A*Sin[c + (d*x)/2] + 6*B*Sin[c + (d*x)/2] - 24*A*Sin[2*c + (d*x)/2] + 24*B*Sin[2*c + (d*x)/2] + 21*A*Sin[c + (3*d*x)/2] - 9*B*Sin[c + (3*d*x)/2] + 9*A*Sin[2*c + (3*d*x)/2] - 9*B*Sin[2*c + (3*d*x)/2] - 9*A*Sin[3*c + (3*d*x)/2] + 9*B*Sin[3*c + (3*d*x)/2] + 7*A*Sin[c + (5*d*x)/2] - 3*B*Sin[c + (5*d*x)/2] + A*Sin[2*c + (5*d*x)/2] + 3*B*Sin[2*c + (5*d*x)/2] - 3*A*Sin[3*c + (5*d*x)/2] + 3*B*Sin[3*c + (5*d*x)/2] - 9*A*Sin[4*c + (5*d*x)/2] + 9*B*Sin[4*c + (5*d*x)/2] + 16*A*Sin[2*c + (7*d*x)/2] - 12*B*Sin[2*c + (7*d*x)/2] + 10*A*Sin[3*c + (7*d*x)/2] - 6*B*Sin[3*c + (7*d*x)/2] + 6*A*Sin[4*c + (7*d*x)/2] - 6*B*Sin[4*c + (7*d*x)/2]))/(48*a*d*(1 + Cos[c + d*x]))
```

fricas [A] time = 0.55, size = 168, normalized size = 1.28

$$\frac{9\left((A - B) \cos(dx + c)^4 + (A - B) \cos(dx + c)^3\right) \log(\sin(dx + c) + 1) - 9\left((A - B) \cos(dx + c)^4 + (A - B) \cos(dx + c)^3\right) \log(-\sin(dx + c) + 1) - 2*(4*(4*A - 3*B)*\cos(dx + c)^3 + (7*A - 3*B)*\cos(dx + c)^2 - (A - 3*B)*\cos(dx + c) + 2*A)*\sin(dx + c)}{12(a + a \cos(dx + c))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+a*cos(d*x+c)),x, algorithm="fricas")
[Out] -1/12*(9*((A - B)*cos(d*x + c)^4 + (A - B)*cos(d*x + c)^3)*log(sin(d*x + c) + 1) - 9*((A - B)*cos(d*x + c)^4 + (A - B)*cos(d*x + c)^3)*log(-sin(d*x + c) + 1) - 2*(4*(4*A - 3*B)*cos(d*x + c)^3 + (7*A - 3*B)*cos(d*x + c)^2 - (A - 3*B)*cos(d*x + c) + 2*A)*sin(d*x + c)/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)
```

giac [A] time = 0.40, size = 182, normalized size = 1.39

$$\frac{9(A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{9(A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{6\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{2\left(15A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-9B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-16A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+12B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+9A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-3B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^3a}/d$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] -1/6*(9*(A - B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - 9*(A - B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - 6*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a + 2*(15*A*tan(1/2*d*x + 1/2*c)^5 - 9*B*tan(1/2*d*x + 1/2*c)^5 - 16*A*tan(1/2*d*x + 1/2*c)^3 + 12*B*tan(1/2*d*x + 1/2*c)^3 + 9*A*tan(1/2*d*x + 1/2*c) - 3*B*tan(1/2*d*x + 1/2*c)))/((tan(1/2*d*x + 1/2*c)^2 - 1)^3*a))/d

maple [B] time = 0.17, size = 340, normalized size = 2.60

$$\frac{A\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{ad} - \frac{B\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{ad} - \frac{A}{3ad\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)^3} + \frac{B}{2ad\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)^2} - \frac{A}{ad\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)^2} + \frac{3A}{ad\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+a*cos(d*x+c)),x)

[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*B*tan(1/2*d*x+1/2*c)-1/3/a/d*A/(tan(1/2*d*x+1/2*c)-1)^3+1/2/a/d/(tan(1/2*d*x+1/2*c)-1)^2*B-1/a/d*A/(tan(1/2*d*x+1/2*c)-1)^2+3/2/a/d*A*ln(tan(1/2*d*x+1/2*c)-1)-3/2/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B-5/2/a/d*A/(tan(1/2*d*x+1/2*c)-1)+3/2/a/d/(tan(1/2*d*x+1/2*c)-1)*B-1/3/a/d*A/(tan(1/2*d*x+1/2*c)+1)^3+1/a/d*A/(tan(1/2*d*x+1/2*c)+1)^2-1/2/a/d/(tan(1/2*d*x+1/2*c)+1)^2*B-3/2/a/d*A*ln(tan(1/2*d*x+1/2*c)+1)+3/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B-5/2/a/d*A/(tan(1/2*d*x+1/2*c)+1)+3/2/a/d/(tan(1/2*d*x+1/2*c)+1)*B

maxima [B] time = 0.47, size = 368, normalized size = 2.81

$$A\left(\frac{2\left(\frac{9\sin(dx+c)}{\cos(dx+c)+1}-\frac{16\sin(dx+c)^3}{(\cos(dx+c)+1)^3}+\frac{15\sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right)}{a-\frac{3a\sin(dx+c)^2}{(\cos(dx+c)+1)^2}+\frac{3a\sin(dx+c)^4}{(\cos(dx+c)+1)^4}-\frac{a\sin(dx+c)^6}{(\cos(dx+c)+1)^6}}-\frac{9\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a}+\frac{9\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a}+\frac{6\sin(dx+c)}{a(\cos(dx+c)+1)}\right)-3B\left(\frac{2\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-\frac{2a\sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)}{a-\frac{3a\sin(dx+c)^2}{(\cos(dx+c)+1)^2}+\frac{3a\sin(dx+c)^4}{(\cos(dx+c)+1)^4}-\frac{a\sin(dx+c)^6}{(\cos(dx+c)+1)^6}}-\frac{9\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a}+\frac{9\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a}+\frac{6\sin(dx+c)}{a(\cos(dx+c)+1)}\right)$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/6*(A*(2*(9*sin(d*x + c)/(cos(d*x + c) + 1) - 16*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 15*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/(a - 3*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 - a*sin(d*x + c)^6/(cos(d*x + c) + 1)^6) - 9*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a + 9*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a + 6*sin(d*x + c)/(a*(cos(d*x + c) + 1))) - 3*B*(2*(sin(d*x + c)/(cos(d*x + c) + 1) - 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a - 2*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) - 3*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a + 3*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a + 2*sin(d*x + c)/(a*(cos(d*x + c) + 1))))/d

mupad [B] time = 0.64, size = 152, normalized size = 1.16

$$\frac{(5A - 3B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(4B - \frac{16A}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + (3A - B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right) - 3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d \left(-a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 3a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 3a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a\right)} \frac{(A - B)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^4*(a + a*cos(c + d*x))),x)

[Out] (tan(c/2 + (d*x)/2)^5*(5*A - 3*B) - tan(c/2 + (d*x)/2)^3*((16*A)/3 - 4*B) + tan(c/2 + (d*x)/2)*(3*A - B))/(d*(a - 3*a*tan(c/2 + (d*x)/2)^2 + 3*a*tan(c/2 + (d*x)/2)^4 - a*tan(c/2 + (d*x)/2)^6)) - (3*atanh(tan(c/2 + (d*x)/2))*(A - B))/(a*d) + (tan(c/2 + (d*x)/2)*(A - B))/(a*d)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec^4(c+dx)}{\cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^4(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**4/(a+a*cos(d*x+c)),x)

[Out] (Integral(A*sec(c + d*x)**4/(cos(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sec(c + d*x)**4/(cos(c + d*x) + 1), x))/a

$$3.47 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=170

$$\frac{4(2A-3B) \sin^3(c+dx)}{3a^2d} - \frac{4(2A-3B) \sin(c+dx)}{a^2d} + \frac{(7A-10B) \sin(c+dx) \cos^3(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{(7A-10B) \sin(c+dx)}{2a^2d}$$

[Out] 1/2*(7*A-10*B)*x/a^2-4*(2*A-3*B)*sin(d*x+c)/a^2/d+1/2*(7*A-10*B)*cos(d*x+c)*sin(d*x+c)/a^2/d+1/3*(7*A-10*B)*cos(d*x+c)^3*sin(d*x+c)/a^2/d/(1+cos(d*x+c))+1/3*(A-B)*cos(d*x+c)^4*sin(d*x+c)/d/(a+a*cos(d*x+c))^2+4/3*(2*A-3*B)*sin(d*x+c)^3/a^2/d

Rubi [A] time = 0.32, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2977, 2748, 2635, 8, 2633}

$$\frac{4(2A-3B) \sin^3(c+dx)}{3a^2d} - \frac{4(2A-3B) \sin(c+dx)}{a^2d} + \frac{(7A-10B) \sin(c+dx) \cos^3(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{(7A-10B) \sin(c+dx)}{2a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2,x]

[Out] ((7*A - 10*B)*x)/(2*a^2) - (4*(2*A - 3*B)*Sin[c + d*x])/(a^2*d) + ((7*A - 10*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) + ((7*A - 10*B)*Cos[c + d*x]^3*Sine[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) + ((A - B)*Cos[c + d*x]^4*Sine[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2) + (4*(2*A - 3*B)*Sin[c + d*x]^3)/(3*a^2*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sine[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sine[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sine[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sine[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sine[e + f*x])^m*(c + d*Sine[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sine[e + f*x])^(m + 1)*(c + d*Sine[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sine[e + f*x], x], x] /; Free

Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
 NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
 egerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{\cos^3(c+dx)(4a(A-B)-3a(A-2B)\cos(c+dx))}{a+a\cos(c+dx)} dx}{3a^2} \\ &= \frac{(7A-10B)\cos^3(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} \\ &= \frac{(7A-10B)\cos^3(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} \\ &= \frac{(7A-10B)\cos(c+dx)\sin(c+dx)}{2a^2d} + \frac{(7A-10B)\cos^3(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} \\ &= \frac{(7A-10B)x}{2a^2} - \frac{4(2A-3B)\sin(c+dx)}{a^2d} + \frac{(7A-10B)\cos(c+dx)\sin(c+dx)}{2a^2d} \end{aligned}$$

Mathematica [B] time = 0.70, size = 369, normalized size = 2.17

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(36dx(7A-10B)\cos\left(c+\frac{dx}{2}\right)+36dx(7A-10B)\cos\left(\frac{dx}{2}\right)+147A\sin\left(c+\frac{dx}{2}\right)-239A\right)}{6\left(a^2d\cos(dx+c)^2+2a^2d\right)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2, x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(36*(7*A - 10*B)*d*x*Cos[(d*x)/2] + 36*(7*A - 10*B)*d*x*Cos[c + (d*x)/2] + 84*A*d*x*Cos[c + (3*d*x)/2] - 120*B*d*x*Cos[c + (3*d*x)/2] + 84*A*d*x*Cos[2*c + (3*d*x)/2] - 120*B*d*x*Cos[2*c + (3*d*x)/2] - 381*A*Sin[(d*x)/2] + 516*B*Sin[(d*x)/2] + 147*A*Sin[c + (d*x)/2] - 156*B*Sin[c + (d*x)/2] - 239*A*Sin[c + (3*d*x)/2] + 342*B*Sin[c + (3*d*x)/2] - 6*3*A*Sin[2*c + (3*d*x)/2] + 118*B*Sin[2*c + (3*d*x)/2] - 15*A*Sin[2*c + (5*d*x)/2] + 30*B*Sin[2*c + (5*d*x)/2] - 15*A*Sin[3*c + (5*d*x)/2] + 30*B*Sin[3*c + (5*d*x)/2] + 3*A*Sin[3*c + (7*d*x)/2] - 3*B*Sin[3*c + (7*d*x)/2] + 3*A*Sin[4*c + (7*d*x)/2] - 3*B*Sin[4*c + (7*d*x)/2] + B*Sin[4*c + (9*d*x)/2] + B*Sin[5*c + (9*d*x)/2]))/(48*a^2*d*(1 + Cos[c + d*x])^2)

fricas [A] time = 1.03, size = 154, normalized size = 0.91

$$\frac{3(7A-10B)dx\cos(dx+c)^2+6(7A-10B)dx\cos(dx+c)+3(7A-10B)dx+(2B\cos(dx+c))^4+(3A-2B)\cos(dx+c)^3-6(A-2B)\cos(dx+c)^2-(43A-66B)\cos(dx+c)-32A+48B)\sin(dx+c)}{6(a^2d\cos(dx+c)^2+2a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2, x, algorithm="fricas")

[Out] 1/6*(3*(7*A - 10*B)*d*x*cos(d*x + c)^2 + 6*(7*A - 10*B)*d*x*cos(d*x + c) + 3*(7*A - 10*B)*d*x + (2*B*cos(d*x + c))^4 + (3*A - 2*B)*cos(d*x + c)^3 - 6*(A - 2*B)*cos(d*x + c)^2 - (43*A - 66*B)*cos(d*x + c) - 32*A + 48*B)*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [A] time = 0.73, size = 192, normalized size = 1.13

$$\frac{3(dx+c)(7A-10B)}{a^2} - \frac{2\left(15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 30B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 24A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 40B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 18B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a^2}$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(3*(d*x + c)*(7*A - 10*B)/a^2 - 2*(15*A*tan(1/2*d*x + 1/2*c)^5 - 30*B*tan(1/2*d*x + 1/2*c)^5 + 24*A*tan(1/2*d*x + 1/2*c)^3 - 40*B*tan(1/2*d*x + 1/2*c)^3 + 9*A*tan(1/2*d*x + 1/2*c) - 18*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 - 21*A*a^4*tan(1/2*d*x + 1/2*c) + 27*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

maple [B] time = 0.10, size = 322, normalized size = 1.89

$$\frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A}{6d a^2} - \frac{B \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{6d a^2} - \frac{7A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} + \frac{9B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} - \frac{5 \left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A}{d a^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} + \frac{10 \left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B}{d a^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x)

[Out] 1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*B*tan(1/2*d*x+1/2*c)^3-7/2/d/a^2*A*tan(1/2*d*x+1/2*c)+9/2/d/a^2*B*tan(1/2*d*x+1/2*c)-5/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*A+10/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*B-8/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*A+40/3/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*B*tan(1/2*d*x+1/2*c)^3-3/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*A*tan(1/2*d*x+1/2*c)+6/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*B*tan(1/2*d*x+1/2*c)+7/d/a^2*arctan(tan(1/2*d*x+1/2*c))*A-10/d/a^2*arctan(tan(1/2*d*x+1/2*c))*B

maxima [B] time = 0.71, size = 372, normalized size = 2.19

$$B \left(\frac{4 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^2 + \frac{3a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{27 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{60 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - A \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 + \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} \right)$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] 1/6*(B*(4*(9*sin(d*x + c)/(cos(d*x + c) + 1) + 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 15*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/(a^2 + 3*a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*a^2*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + a^2*sin(d*x + c)^6/(cos(d*x + c) + 1)^6) + (27*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 60*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^2) - A*(6*(3*sin(d*x + c)/(cos(d*x + c) + 1) + 5*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a^2 + 2*a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a^2*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) + (21*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 42*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^2)/d

mupad [B] time = 0.33, size = 189, normalized size = 1.11

$$\frac{x(7A - 10B)}{2a^2} \frac{(5A - 10B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(8A - \frac{40B}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + (3A - 6B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 3a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2,x)

[Out] (x*(7*A - 10*B))/(2*a^2) - (tan(c/2 + (d*x)/2)^5*(5*A - 10*B) + tan(c/2 + (d*x)/2)^3*(8*A - (40*B)/3) + tan(c/2 + (d*x)/2)*(3*A - 6*B))/(d*(3*a^2*tan(c/2 + (d*x)/2)^2 + 3*a^2*tan(c/2 + (d*x)/2)^4 + a^2*tan(c/2 + (d*x)/2)^6 + a^2)) - (tan(c/2 + (d*x)/2)*((2*(A - B))/a^2 + (3*A - 5*B)/(2*a^2)))/d + (tan(c/2 + (d*x)/2)^3*(A - B))/(6*a^2*d)

sympy [A] time = 10.81, size = 1425, normalized size = 8.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2,x)

[Out] Piecewise((21*A*d*x*tan(c/2 + d*x/2)**6/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 63*A*d*x*tan(c/2 + d*x/2)**4/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 63*A*d*x*tan(c/2 + d*x/2)**2/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 21*A*d*x/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + A*tan(c/2 + d*x/2)**9/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 18*A*tan(c/2 + d*x/2)**7/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 90*A*tan(c/2 + d*x/2)**5/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 110*A*tan(c/2 + d*x/2)**3/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 39*A*tan(c/2 + d*x/2)/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 30*B*d*x*tan(c/2 + d*x/2)**6/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 90*B*d*x*tan(c/2 + d*x/2)**4/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 90*B*d*x*tan(c/2 + d*x/2)**2/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 30*B*d*x/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - B*tan(c/2 + d*x/2)**9/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 24*B*tan(c/2 + d*x/2)**7/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 138*B*tan(c/2 + d*x/2)**5/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 160*B*tan(c/2 + d*x/2)**3/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 63*B*tan(c/2 + d*x/2)/(6*a**2*d*tan(c/2 + d*x/2)**6 + 18*a**2*d*tan(c/2 + d*x/2)**4 + 18*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**4/(a*cos(c) + a)**2, True))

$$3.48 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=147

$$\frac{2(5A-8B) \sin(c+dx)}{3a^2d} + \frac{(5A-8B) \sin(c+dx) \cos^2(c+dx)}{3a^2d(\cos(c+dx)+1)} - \frac{(4A-7B) \sin(c+dx) \cos(c+dx)}{2a^2d} - \frac{x(4A-7B)}{2a^2} + \dots$$

[Out] $-1/2*(4*A-7*B)*x/a^2+2/3*(5*A-8*B)*\sin(d*x+c)/a^2/d-1/2*(4*A-7*B)*\cos(d*x+c)*\sin(d*x+c)/a^2/d+1/3*(5*A-8*B)*\cos(d*x+c)^2*\sin(d*x+c)/a^2/d/(1+\cos(d*x+c))+1/3*(A-B)*\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2$

Rubi [A] time = 0.34, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$, Rules used = {2977, 2734}

$$\frac{2(5A-8B) \sin(c+dx)}{3a^2d} + \frac{(5A-8B) \sin(c+dx) \cos^2(c+dx)}{3a^2d(\cos(c+dx)+1)} - \frac{(4A-7B) \sin(c+dx) \cos(c+dx)}{2a^2d} - \frac{x(4A-7B)}{2a^2} + \dots$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2,x]

[Out] $-((4*A-7*B)*x)/(2*a^2) + (2*(5*A-8*B)*\text{Sin}[c+d*x])/(3*a^2*d) - ((4*A-7*B)*\text{Cos}[c+d*x]*\text{Sin}[c+d*x])/(2*a^2*d) + ((5*A-8*B)*\text{Cos}[c+d*x]^2*\text{Sin}[c+d*x])/(3*a^2*d*(1+\text{Cos}[c+d*x])) + ((A-B)*\text{Cos}[c+d*x]^3*\text{Sin}[c+d*x])/(3*d*(a+a*\text{Cos}[c+d*x])^2)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[(b*c + a*d)*Cos[e + f*x]/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx &= \frac{(A-B) \cos^3(c+dx) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{\int \frac{\cos^2(c+dx)(3a(A-B)-a(2A-5B) \cos(c+dx))}{a+a \cos(c+dx)}}{3a^2} \\ &= \frac{(5A-8B) \cos^2(c+dx) \sin(c+dx)}{3a^2d(1+\cos(c+dx))} + \frac{(A-B) \cos^3(c+dx) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} \\ &= -\frac{(4A-7B)x}{2a^2} + \frac{2(5A-8B) \sin(c+dx)}{3a^2d} - \frac{(4A-7B) \cos(c+dx) \sin(c+dx)}{2a^2d} \end{aligned}$$

Mathematica [B] time = 0.84, size = 315, normalized size = 2.14

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-36dx(4A-7B)\cos\left(c+\frac{dx}{2}\right)-36dx(4A-7B)\cos\left(\frac{dx}{2}\right)-120A\sin\left(c+\frac{dx}{2}\right)+164A\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*cos[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-36*(4*A - 7*B)*d*x*cos[(d*x)/2] - 36*(4*A - 7*B)*d*x*cos[c + (d*x)/2] - 48*A*d*x*cos[c + (3*d*x)/2] + 84*B*d*x*cos[c + (3*d*x)/2] - 48*A*d*x*cos[2*c + (3*d*x)/2] + 84*B*d*x*cos[2*c + (3*d*x)/2] + 264*A*sin[(d*x)/2] - 381*B*sin[(d*x)/2] - 120*A*sin[c + (d*x)/2] + 147*B*sin[c + (d*x)/2] + 164*A*sin[c + (3*d*x)/2] - 239*B*sin[c + (3*d*x)/2] + 36*A*sin[2*c + (3*d*x)/2] - 63*B*sin[2*c + (3*d*x)/2] + 12*A*sin[2*c + (5*d*x)/2] - 15*B*sin[2*c + (5*d*x)/2] + 12*A*sin[3*c + (5*d*x)/2] - 15*B*sin[3*c + (5*d*x)/2] + 3*B*sin[3*c + (7*d*x)/2] + 3*B*sin[4*c + (7*d*x)/2]))/(48*a^2*d*(1 + Cos[c + d*x])^2)

fricas [A] time = 0.79, size = 138, normalized size = 0.94

$$\frac{3(4A-7B)dx\cos(dx+c)^2+6(4A-7B)dx\cos(dx+c)+3(4A-7B)dx-(3B\cos(dx+c)^3+6(A-B)dx)}{6(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] -1/6*(3*(4*A - 7*B)*d*x*cos(d*x + c)^2 + 6*(4*A - 7*B)*d*x*cos(d*x + c) + 3*(4*A - 7*B)*d*x - (3*B*cos(d*x + c)^3 + 6*(A - B)*cos(d*x + c)^2 + (28*A - 43*B)*cos(d*x + c) + 20*A - 32*B)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [A] time = 0.54, size = 164, normalized size = 1.12

$$\frac{\frac{3(dx+c)(4A-7B)}{a^2} - \frac{6\left(2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-5B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-3B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^2 a^2} + \frac{Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] -1/6*(3*(d*x + c)*(4*A - 7*B)/a^2 - 6*(2*A*tan(1/2*d*x + 1/2*c)^3 - 5*B*tan(1/2*d*x + 1/2*c)^3 + 2*A*tan(1/2*d*x + 1/2*c) - 3*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^4*tan(1/2*d*x + 1/2*c) + 21*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

maple [A] time = 0.10, size = 252, normalized size = 1.71

$$\frac{\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)A}{6da^2} + \frac{B\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{6da^2} + \frac{5A\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{2da^2} - \frac{7B\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{2da^2} - \frac{5B\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{da^2\left(1+\tan^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^2} + \frac{2\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x)

[Out] $-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*B*\tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*A*\tan(1/2*d*x+1/2*c)-7/2/d/a^2*B*\tan(1/2*d*x+1/2*c)-5/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^2*B*\tan(1/2*d*x+1/2*c)^3+2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^2*\tan(1/2*d*x+1/2*c)^3*A-3/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^2*B*\tan(1/2*d*x+1/2*c)+2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^2*A*\tan(1/2*d*x+1/2*c)-4/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*A+7/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*B$

maxima [B] time = 0.77, size = 283, normalized size = 1.93

$$\frac{B \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 + \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{21 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{42 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - A \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] $-1/6*(B*(6*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) + 5*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^2 + 2*a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^2*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (21*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 42*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/a^2 - A*((15*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 24*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^2 + 12*\sin(d*x + c)/((a^2 + a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1))))/d$

mupad [B] time = 0.29, size = 152, normalized size = 1.03

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{3(A-B)}{2a^2} + \frac{2A-4B}{2a^2}\right) x(4A-7B) + (2A-5B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + (2A-3B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 2a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2,x)

[Out] $(\tan(c/2 + (d*x)/2)*((3*(A - B))/(2*a^2) + (2*A - 4*B)/(2*a^2)))/d - (x*(4*A - 7*B))/(2*a^2) + (\tan(c/2 + (d*x)/2)^3*(2*A - 5*B) + \tan(c/2 + (d*x)/2)*(2*A - 3*B))/(d*(2*a^2*\tan(c/2 + (d*x)/2)^2 + a^2*\tan(c/2 + (d*x)/2)^4 + a^2)) - (\tan(c/2 + (d*x)/2)^3*(A - B))/(6*a^2*d)$

sympy [A] time = 6.98, size = 843, normalized size = 5.73

$$\left\{ \begin{array}{l} \frac{12Adx \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 12a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{24Adx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 12a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{12Adx}{6a^2d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 12a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} \\ \frac{x(A+B \cos(c)) \cos^3(c)}{(a \cos(c)+a)^2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2,x)

[Out] $\text{Piecewise}((-12*A*d*x*\tan(c/2 + d*x/2)**4/(6*a**2*d*\tan(c/2 + d*x/2)**4 + 12*a**2*d*\tan(c/2 + d*x/2)**2 + 6*a**2*d) - 24*A*d*x*\tan(c/2 + d*x/2)**2/(6*a**2*d*\tan(c/2 + d*x/2)**4 + 12*a**2*d*\tan(c/2 + d*x/2)**2 + 6*a**2*d) - 12*$


```

A*d*x/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**
2*d) - A*tan(c/2 + d*x/2)**7/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(
c/2 + d*x/2)**2 + 6*a**2*d) + 13*A*tan(c/2 + d*x/2)**5/(6*a**2*d*tan(c/2 +
d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 41*A*tan(c/2 + d*x/
2)**3/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**
2*d) + 27*A*tan(c/2 + d*x/2)/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(
c/2 + d*x/2)**2 + 6*a**2*d) + 21*B*d*x*tan(c/2 + d*x/2)**4/(6*a**2*d*tan(c/
2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 42*B*d*x*tan(c/
2 + d*x/2)**2/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2
+ 6*a**2*d) + 21*B*d*x/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 +
d*x/2)**2 + 6*a**2*d) + B*tan(c/2 + d*x/2)**7/(6*a**2*d*tan(c/2 + d*x/2)**
4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 19*B*tan(c/2 + d*x/2)**5/(6
*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 7
1*B*tan(c/2 + d*x/2)**3/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 +
d*x/2)**2 + 6*a**2*d) - 39*B*tan(c/2 + d*x/2)/(6*a**2*d*tan(c/2 + d*x/2)**
4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d), Ne(d, 0)), (x*(A + B*cos(c))
*cos(c)**3/(a*cos(c) + a)**2, True))

```

$$3.49 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=99

$$-\frac{(A-4B) \sin(c+dx)}{3a^2d} - \frac{(A-2B) \sin(c+dx)}{a^2d(\cos(c+dx)+1)} + \frac{x(A-2B)}{a^2} + \frac{(A-B) \sin(c+dx) \cos^2(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out] (A-2*B)*x/a^2-1/3*(A-4*B)*sin(d*x+c)/a^2/d-(A-2*B)*sin(d*x+c)/a^2/d/(1+cos(d*x+c))+1/3*(A-B)*cos(d*x+c)^2*sin(d*x+c)/d/(a+a*cos(d*x+c))^2

Rubi [A] time = 0.28, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2977, 2968, 3023, 12, 2735, 2648}

$$-\frac{(A-4B) \sin(c+dx)}{3a^2d} - \frac{(A-2B) \sin(c+dx)}{a^2d(\cos(c+dx)+1)} + \frac{x(A-2B)}{a^2} + \frac{(A-B) \sin(c+dx) \cos^2(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2,x]

[Out] ((A - 2*B)*x)/a^2 - ((A - 4*B)*Sin[c + d*x])/(3*a^2*d) - ((A - 2*B)*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) + ((A - B)*Cos[c + d*x]^2*SIN[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] := -Simp[Cos[c + d*x]/(d*(b + a*SIN[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2735

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])/((c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*SIN[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int

egerQ[2*n] || EqQ[c, 0])

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^2} dx &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{\cos(c + dx)(2a(A - B) - a(A - 4B) \cos(c + dx))}{a + a \cos(c + dx)} dx}{3a^2} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{2a(A - B) \cos(c + dx) - a(A - 4B) \cos^2(c + dx)}{a + a \cos(c + dx)} dx}{3a^2} \\ &= -\frac{(A - 4B) \sin(c + dx)}{3a^2 d} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{3a^2(A - 2B)}{a + a \cos(c + dx)} dx}{3a^2} \\ &= -\frac{(A - 4B) \sin(c + dx)}{3a^2 d} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{(A - 2B)x}{a} \\ &= \frac{(A - 2B)x}{a^2} - \frac{(A - 4B) \sin(c + dx)}{3a^2 d} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= \frac{(A - 2B)x}{a^2} - \frac{(A - 4B) \sin(c + dx)}{3a^2 d} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} \end{aligned}$$

Mathematica [A] time = 0.77, size = 137, normalized size = 1.38

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(6 \cos^3\left(\frac{1}{2}(c + dx)\right) (dx(A - 2B) + B \sin(c + dx)) + (A - B) \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) + (A - B)\right)}{3a^2 d (\cos(c + dx) + 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2,x]

[Out] (2*Cos[(c + d*x)/2]*((A - B)*Sec[c/2]*Sin[(d*x)/2] - 2*(5*A - 8*B)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] + 6*Cos[(c + d*x)/2]^3*((A - 2*B)*d*x + B*Sin[c + d*x]) + (A - B)*Cos[(c + d*x)/2]*Tan[c/2))/(3*a^2*d*(1 + Cos[c + d*x])^2)

fricas [A] time = 0.75, size = 117, normalized size = 1.18

$$\frac{3(A - 2B)dx \cos(dx + c)^2 + 6(A - 2B)dx \cos(dx + c) + 3(A - 2B)dx + (3B \cos(dx + c)^2 - (5A - 14B) \cos(dx + c))}{3(a^2 d \cos(dx + c)^2 + 2a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] 1/3*(3*(A - 2*B)*d*x*cos(d*x + c)^2 + 6*(A - 2*B)*d*x*cos(d*x + c) + 3*(A - 2*B)*d*x + (3*B*cos(d*x + c)^2 - (5*A - 14*B)*cos(d*x + c) - 4*A + 10*B)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [A] time = 1.60, size = 119, normalized size = 1.20

$$\frac{\frac{6(dx+c)(A-2B)}{a^2} + \frac{12B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)a^2} + \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 9Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(6*(d*x + c)*(A - 2*B)/a^2 + 12*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 - 9*A*a^4*tan(1/2*d*x + 1/2*c) + 15*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

maple [A] time = 0.10, size = 149, normalized size = 1.51

$$\frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{6d a^2} - \frac{B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{6d a^2} - \frac{3A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} + \frac{5B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} + \frac{2B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d a^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x)

[Out] 1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*B*tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*A*tan(1/2*d*x+1/2*c)+5/2/d/a^2*B*tan(1/2*d*x+1/2*c)+2/d/a^2*B*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)+2/d/a^2*arctan(tan(1/2*d*x+1/2*c))*A-4/d/a^2*arctan(tan(1/2*d*x+1/2*c))*B

maxima [B] time = 0.76, size = 191, normalized size = 1.93

$$B \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 + \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right) - A \left(\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] 1/6*(B*((15*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 24*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^2 + 12*sin(d*x + c)/((a^2 + a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1))) - A*((9*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 12*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^2))/d

mupad [B] time = 0.26, size = 105, normalized size = 1.06

$$\frac{x(A-2B)}{a^2} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\left(\frac{A-B}{a^2} + \frac{A-3B}{2a^2}\right)}{d} + \frac{2B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a^2\right)} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (A-B)}{6a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2,x)

[Out] $(x*(A - 2*B))/a^2 - (\tan(c/2 + (d*x)/2)*((A - B)/a^2 + (A - 3*B)/(2*a^2)))/d + (2*B*\tan(c/2 + (d*x)/2))/(d*(a^2*\tan(c/2 + (d*x)/2)^2 + a^2)) + (\tan(c/2 + (d*x)/2)^3*(A - B))/(6*a^2*d)$

sympy [A] time = 4.16, size = 411, normalized size = 4.15

$$\left\{ \begin{array}{l} \frac{6Adx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} + \frac{6Adx}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} + \frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{8A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{9A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \\ \frac{x(A+B \cos(c)) \cos^2(c)}{(a \cos(c)+a)^2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2,x)`

[Out] `Piecewise((6*A*d*x*tan(c/2 + d*x/2)**2/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 6*A*d*x/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + A*tan(c/2 + d*x/2)**5/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 8*A*tan(c/2 + d*x/2)**3/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 9*A*tan(c/2 + d*x/2)/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 12*B*d*x*tan(c/2 + d*x/2)**2/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 12*B*d*x/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - B*tan(c/2 + d*x/2)**5/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 14*B*tan(c/2 + d*x/2)**3/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 27*B*tan(c/2 + d*x/2)/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**2/(a*cos(c) + a)**2, True))`

$$3.50 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=70

$$\frac{(2A - 5B) \sin(c + dx)}{3a^2d(\cos(c + dx) + 1)} + \frac{Bx}{a^2} - \frac{(A - B) \sin(c + dx)}{3d(a \cos(c + dx) + a)^2}$$

[Out] $B*x/a^2+1/3*(2*A-5*B)*\sin(d*x+c)/a^2/d/(1+\cos(d*x+c))-1/3*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2$

Rubi [A] time = 0.16, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2968, 3019, 2735, 2648}

$$\frac{(2A - 5B) \sin(c + dx)}{3a^2d(\cos(c + dx) + 1)} + \frac{Bx}{a^2} - \frac{(A - B) \sin(c + dx)}{3d(a \cos(c + dx) + a)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x])^2, x]$

[Out] $(B*x)/a^2 + ((2*A - 5*B)*\text{Sin}[c + d*x])/(3*a^2*d*(1 + \text{Cos}[c + d*x])) - ((A - B)*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Cos}[c + d*x])^2)$

Rule 2648

$\text{Int}[(a + (b_*)*\sin[(c_*) + (d_*)*(x_*)])^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/(d*(b + a*\text{Sin}[c + d*x])), x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 2735

$\text{Int}[(a + (b_*)*\sin[(e_*) + (f_*)*(x_*)])/(c + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 2968

$\text{Int}[(a + (b_*)*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_*)])*(c + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 3019

$\text{Int}[(a + (b_*)*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_*)] + (C_*)*\sin[(e_*) + (f_*)*(x_*)]^2), x_Symbol] \rightarrow \text{Simp}[(A*b - a*B + b*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m/(a*f*(2*m + 1)), x] + \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*\text{Simp}[a*A*(m + 1) + m*(b*B - a*C) + b*C*(2*m + 1)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, x\} \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+a\cos(c+dx))^2} dx \\ &= -\frac{(A-B)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{\int \frac{-2a(A-B)-3aB\cos(c+dx)}{a+a\cos(c+dx)} dx}{3a^2} \\ &= \frac{Bx}{a^2} - \frac{(A-B)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{(2A-5B) \int \frac{1}{a+a\cos(c+dx)} dx}{3a} \\ &= \frac{Bx}{a^2} - \frac{(A-B)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{(2A-5B)\sin(c+dx)}{3d(a^2+a^2\cos(c+dx))} \end{aligned}$$

Mathematica [B] time = 0.37, size = 153, normalized size = 2.19

$$\frac{\sec\left(\frac{c}{2}\right)\sec^3\left(\frac{1}{2}(c+dx)\right)\left(-6A\sin\left(c+\frac{dx}{2}\right)+4A\sin\left(c+\frac{3dx}{2}\right)+6A\sin\left(\frac{dx}{2}\right)+12B\sin\left(c+\frac{dx}{2}\right)-10B\sin\left(c+\frac{3dx}{2}\right)\right)}{24a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^3*(9*B*d*x*Cos[(d*x)/2] + 9*B*d*x*Cos[c + (d*x)/2] + 3*B*d*x*Cos[c + (3*d*x)/2] + 3*B*d*x*Cos[2*c + (3*d*x)/2] + 6*A*Sin[(d*x)/2] - 18*B*Sin[(d*x)/2] - 6*A*Sin[c + (d*x)/2] + 12*B*Sin[c + (d*x)/2] + 4*A*Sin[c + (3*d*x)/2] - 10*B*Sin[c + (3*d*x)/2]))/(24*a^2*d)

fricas [A] time = 0.81, size = 91, normalized size = 1.30

$$\frac{3Bdx\cos(dx+c)^2+6Bdx\cos(dx+c)+3Bdx+((2A-5B)\cos(dx+c)+A-4B)\sin(dx+c)}{3(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] 1/3*(3*B*d*x*cos(d*x+c)^2+6*B*d*x*cos(d*x+c)+3*B*d*x+((2*A-5*B)*cos(d*x+c)+A-4*B)*sin(d*x+c))/(a^2*d*cos(d*x+c)^2+2*a^2*d*cos(d*x+c)+a^2*d)

giac [A] time = 0.68, size = 86, normalized size = 1.23

$$\frac{\frac{6(dx+c)B}{a^2} - \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 3Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 9Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(6*(d*x+c)*B/a^2 - (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 - 3*A*a^4*tan(1/2*d*x + 1/2*c) + 9*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

maple [A] time = 0.08, size = 97, normalized size = 1.39

$$-\frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{6da^2} + \frac{B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{6da^2} + \frac{A\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2da^2} - \frac{3B\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2da^2} + \frac{2\arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)B}{da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x)`

[Out] $-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*B*\tan(1/2*d*x+1/2*c)^3+1/2/d/a^2*A*\tan(1/2*d*x+1/2*c)-3/2/d/a^2*B*\tan(1/2*d*x+1/2*c)+2/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*B$

maxima [A] time = 0.63, size = 120, normalized size = 1.71

$$\frac{B \left(\frac{9 \sin(dx+c) - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - \frac{A \left(\frac{3 \sin(dx+c) - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="maxima")`

[Out] $-1/6*(B*((9*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 12*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^2) - A*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2)/d$

mupad [B] time = 0.22, size = 65, normalized size = 0.93

$$\frac{3A \tan\left(\frac{c}{2} + \frac{dx}{2}\right) - 9B \tan\left(\frac{c}{2} + \frac{dx}{2}\right) - A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + 6B dx}{6a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2,x)`

[Out] $(3*A*\tan(c/2 + (d*x)/2) - 9*B*\tan(c/2 + (d*x)/2) - A*\tan(c/2 + (d*x)/2)^3 + B*\tan(c/2 + (d*x)/2)^3 + 6*B*d*x)/(6*a^2*d)$

sympy [A] time = 2.33, size = 105, normalized size = 1.50

$$\begin{cases} -\frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} + \frac{Bx}{a^2} + \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} - \frac{3B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c)) \cos(c)}{(a \cos(c)+a)^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2,x)`

[Out] `Piecewise((-A*tan(c/2 + d*x/2)**3/(6*a**2*d) + A*tan(c/2 + d*x/2)/(2*a**2*d) + B*x/a**2 + B*tan(c/2 + d*x/2)**3/(6*a**2*d) - 3*B*tan(c/2 + d*x/2)/(2*a**2*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)/(a*cos(c) + a)**2, True))`

$$3.51 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=65

$$\frac{(A+2B) \sin(c+dx)}{3d(a^2 \cos(c+dx)+a^2)} + \frac{(A-B) \sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out] 1/3*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^2+1/3*(A+2*B)*sin(d*x+c)/d/(a^2+a^2*cos(d*x+c))

Rubi [A] time = 0.05, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {2750, 2648}

$$\frac{(A+2B) \sin(c+dx)}{3d(a^2 \cos(c+dx)+a^2)} + \frac{(A-B) \sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x])^2, x]

[Out] ((A - B)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2) + ((A + 2*B)*Sin[c + d*x])/(3*d*(a^2 + a^2*Cos[c + d*x]))

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] := -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2750

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2} dx &= \frac{(A-B) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{(A+2B) \int \frac{1}{a+a \cos(c+dx)} dx}{3a} \\ &= \frac{(A-B) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{(A+2B) \sin(c+dx)}{3d(a^2+a^2 \cos(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.19, size = 76, normalized size = 1.17

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \left((A+2B) \sin\left(c + \frac{3dx}{2}\right) + 3(A+B) \sin\left(\frac{dx}{2}\right) - 3B \sin\left(c + \frac{dx}{2}\right) \right)}{3a^2 d (\cos(c+dx) + 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x])^2, x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(3*(A + B)*Sin[(d*x)/2] - 3*B*Sin[c + (d*x)/2] + (A + 2*B)*Sin[c + (3*d*x)/2]))/(3*a^2*d*(1 + Cos[c + d*x])^2)

fricas [A] time = 0.77, size = 58, normalized size = 0.89

$$\frac{((A + 2B) \cos(dx + c) + 2A + B) \sin(dx + c)}{3(a^2d \cos(dx + c)^2 + 2a^2d \cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] 1/3*((A + 2*B)*cos(d*x + c) + 2*A + B)*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [A] time = 1.93, size = 60, normalized size = 0.92

$$\frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 3A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 3B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{6a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(A*tan(1/2*d*x + 1/2*c)^3 - B*tan(1/2*d*x + 1/2*c)^3 + 3*A*tan(1/2*d*x + 1/2*c) + 3*B*tan(1/2*d*x + 1/2*c))/(a^2*d)

maple [A] time = 0.07, size = 60, normalized size = 0.92

$$\frac{\frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{3} - \frac{B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3} + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x)

[Out] 1/2/d/a^2*(1/3*tan(1/2*d*x+1/2*c)^3*A-1/3*B*tan(1/2*d*x+1/2*c)^3+A*tan(1/2*d*x+1/2*c)+B*tan(1/2*d*x+1/2*c))

maxima [A] time = 0.37, size = 93, normalized size = 1.43

$$\frac{A\left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{a^2} + \frac{B\left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{a^2}$$

$$6d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] 1/6*(A*(3*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 + B*(3*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2)/d

mupad [B] time = 0.19, size = 45, normalized size = 0.69

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (A - B)}{6a^2d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (A + B)}{2a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(a + a*cos(c + d*x))^2,x)

[Out] $(\tan(c/2 + (d*x)/2))^3*(A - B)/(6*a^2*d) + (\tan(c/2 + (d*x)/2)*(A + B))/(2*a^2*d)$

sympy [A] time = 1.74, size = 94, normalized size = 1.45

$$\begin{cases} \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} - \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c))}{(a \cos(c)+a)^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2,x)`

[Out] `Piecewise((A*tan(c/2 + d*x/2)**3/(6*a**2*d) + A*tan(c/2 + d*x/2)/(2*a**2*d) - B*tan(c/2 + d*x/2)**3/(6*a**2*d) + B*tan(c/2 + d*x/2)/(2*a**2*d), Ne(d, 0)), (x*(A + B*cos(c))/(a*cos(c) + a)**2, True))`

$$3.52 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=79

$$-\frac{(4A-B) \sin(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{A \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A-B) \sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out] A*arctanh(sin(d*x+c))/a^2/d-1/3*(4*A-B)*sin(d*x+c)/a^2/d/(1+cos(d*x+c))-1/3*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^2

Rubi [A] time = 0.18, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2978, 12, 3770}

$$-\frac{(4A-B) \sin(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{A \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A-B) \sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x])^2,x]

[Out] (A*ArcTanh[Sin[c + d*x]])/(a^2*d) - ((4*A - B)*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A - B)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3770

Int[csc[(c_) + (d_)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^2} dx &= -\frac{(A-B) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{\int \frac{(3aA-a(A-B) \cos(c+dx)) \sec(c+dx)}{a+a \cos(c+dx)} dx}{3a^2} \\ &= -\frac{(4A-B) \sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{\int 3a^2A \sec(c+dx)}{3a^4} \\ &= -\frac{(4A-B) \sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{A \int \sec(c+dx) dx}{a^2} \\ &= \frac{A \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(4A-B) \sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} \end{aligned}$$

Mathematica [B] time = 0.54, size = 170, normalized size = 2.15

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((A - B) \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) + (A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + 2(4A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \right)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x])^2,x]

[Out] (-2*Cos[(c + d*x)/2]*(6*A*Cos[(c + d*x)/2]^3*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (A - B)*Sec[c/2]*Sin[(d*x)/2] + 2*(4*A - B)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] + (A - B)*Cos[(c + d*x)/2]*Tan[c/2]))/(3*a^2*d*(1 + Cos[c + d*x])^2)

fricas [A] time = 0.80, size = 131, normalized size = 1.66

$$\frac{3 \left(A \cos(dx + c)^2 + 2 A \cos(dx + c) + A \right) \log(\sin(dx + c) + 1) - 3 \left(A \cos(dx + c)^2 + 2 A \cos(dx + c) + A \right) \log(\sin(dx + c) - 1)}{6 \left(a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] 1/6*(3*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c) + A)*log(sin(d*x + c) + 1) - 3*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c) + A)*log(-sin(d*x + c) + 1) - 2*((4*A - B)*cos(d*x + c) + 5*A - 2*B)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [A] time = 0.44, size = 113, normalized size = 1.43

$$\frac{6 A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} - \frac{6 A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} - \frac{A a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - B a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 9 A a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 3 B a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^6}}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(6*A*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - 6*A*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 - (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 + 9*A*a^4*tan(1/2*d*x + 1/2*c) - 3*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

maple [A] time = 0.14, size = 119, normalized size = 1.51

$$\frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A}{6d a^2} + \frac{B \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{6d a^2} - \frac{3A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} + \frac{B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} - \frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d a^2} + \frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^2,x)

[Out] -1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*B*tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*A*tan(1/2*d*x+1/2*c)+1/2/d/a^2*B*tan(1/2*d*x+1/2*c)-1/d/a^2*A*ln(tan(1/2*d*x+1/2*c)-1)+1/d/a^2*A*ln(tan(1/2*d*x+1/2*c)+1)

maxima [A] time = 0.49, size = 145, normalized size = 1.84

$$\frac{A \left(\frac{9 \sin(dx+c) + \sin(dx+c)^3}{\cos(dx+c)+1} - \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - \frac{B \left(\frac{3 \sin(dx+c) + \sin(dx+c)^3}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2}}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] $-1/6*(A*((9*\sin(d*x + c))/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2) - B*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2)/d$

mupad [B] time = 0.23, size = 74, normalized size = 0.94

$$\frac{2 A \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^2 d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (A - B)}{6 a^2 d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{A}{a^2} + \frac{A-B}{2 a^2}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + a*cos(c + d*x))^2),x)

[Out] $(2*A*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(a^2*d) - (\tan(c/2 + (d*x)/2)^3*(A - B))/(6*a^2*d) - (\tan(c/2 + (d*x)/2)*(A/a^2 + (A - B)/(2*a^2)))/d$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec(c+dx)}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec(c+dx)}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))**2,x)

[Out] $(\operatorname{Integral}(A*\sec(c + d*x)/(\cos(c + d*x)**2 + 2*\cos(c + d*x) + 1), x) + \operatorname{Integral}(B*\cos(c + d*x)*\sec(c + d*x)/(\cos(c + d*x)**2 + 2*\cos(c + d*x) + 1), x))/a**2$

$$3.53 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=107

$$\frac{2(5A - 2B) \tan(c + dx)}{3a^2d} - \frac{(2A - B) \tanh^{-1}(\sin(c + dx))}{a^2d} - \frac{(2A - B) \tan(c + dx)}{a^2d(\cos(c + dx) + 1)} - \frac{(A - B) \tan(c + dx)}{3d(a \cos(c + dx) + a)^2}$$

[Out] $-(2*A-B)*\operatorname{arctanh}(\sin(d*x+c))/a^2/d+2/3*(5*A-2*B)*\tan(d*x+c)/a^2/d-(2*A-B)*\tan(d*x+c)/a^2/d/(1+\cos(d*x+c))-1/3*(A-B)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^2$

Rubi [A] time = 0.30, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2978, 2748, 3767, 8, 3770}

$$\frac{2(5A - 2B) \tan(c + dx)}{3a^2d} - \frac{(2A - B) \tanh^{-1}(\sin(c + dx))}{a^2d} - \frac{(2A - B) \tan(c + dx)}{a^2d(\cos(c + dx) + 1)} - \frac{(A - B) \tan(c + dx)}{3d(a \cos(c + dx) + a)^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^2/(a + a*\operatorname{Cos}[c + d*x])^2, x]$

[Out] $-\left(\frac{(2*A - B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]]}{(a^2*d)} + \frac{2*(5*A - 2*B)*\operatorname{Tan}[c + d*x]}{(3*a^2*d) - ((2*A - B)*\operatorname{Tan}[c + d*x])/(a^2*d*(1 + \operatorname{Cos}[c + d*x]))} - \frac{(A - B)*\operatorname{Tan}[c + d*x]}{(3*d*(a + a*\operatorname{Cos}[c + d*x])^2}\right)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}[(b_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]^{(m_)}*((c_*) + (d_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m + 1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2978

$\operatorname{Int}[(a_*) + (b_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]^{(m_)}*((A_*) + (B_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)])^{(n_)}, x_Symbol] \rightarrow \operatorname{Simp}[(b*(A*b - a*B)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^m*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \operatorname{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m + 1)}*(c + d*\operatorname{Sin}[e + f*x])^n*\operatorname{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\operatorname{Sin}[e + f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{LtQ}[m, -2^{(-1)}] \&\& !\operatorname{GtQ}[n, 0] \&\& \operatorname{IntegerQ}[2*m] \&\& (\operatorname{IntegerQ}[2*n] || \operatorname{EqQ}[c, 0])$

Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)*(x_)]^{(n_)}, x_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \operatorname{Cot}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

Rule 3770

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)*(x_)], x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]]/d, x] /; \operatorname{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^2} dx &= -\frac{(A - B) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{(a(4A-B) - 2a(A-B) \cos(c+dx)) \sec^2(c+dx)}{a+a \cos(c+dx)} dx}{3a^2} \\
&= -\frac{(2A - B) \tan(c + dx)}{a^2 d (1 + \cos(c + dx))} - \frac{(A - B) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int (2a^2(5A - 2B) - 3)}{3a^2} \\
&= -\frac{(2A - B) \tan(c + dx)}{a^2 d (1 + \cos(c + dx))} - \frac{(A - B) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{(2(5A - 2B)) \int \sec^2}{3a^2} \\
&= -\frac{(2A - B) \tanh^{-1}(\sin(c + dx))}{a^2 d} - \frac{(2A - B) \tan(c + dx)}{a^2 d (1 + \cos(c + dx))} - \frac{(A - B) \tan}{3d(a + a \cos)} \\
&= -\frac{(2A - B) \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{2(5A - 2B) \tan(c + dx)}{3a^2 d} - \frac{(2A - B) \tan}{a^2 d (1 + \cos)}
\end{aligned}$$

Mathematica [B] time = 1.85, size = 264, normalized size = 2.47

$$2 \cos\left(\frac{1}{2}(c + dx)\right) \left((A - B) \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) + (A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + 6 \cos^3\left(\frac{1}{2}(c + dx)\right) \left((2A - B) \left(\log \right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^2,x]
[Out] (2*Cos[(c + d*x)/2]*((A - B)*Sec[c/2]*Sin[(d*x)/2] + 2*(7*A - 4*B)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] + 6*Cos[(c + d*x)/2]^3*((2*A - B)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (A*Sin[d*x])/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) + (A - B)*Cos[(c + d*x)/2]*Tan[c/2))/(3*a^2*d*(1 + Cos[c + d*x])^2)
```

fricas [B] time = 0.75, size = 207, normalized size = 1.93

$$\frac{3 \left((2A - B) \cos(dx + c)^3 + 2(2A - B) \cos(dx + c)^2 + (2A - B) \cos(dx + c) \right) \log(\sin(dx + c) + 1) - 3 \left((2A - B) \cos(dx + c)^3 + 2(2A - B) \cos(dx + c)^2 + (2A - B) \cos(dx + c) \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^2,x, algorithm="fricas")
[Out] -1/6*(3*((2*A - B)*cos(d*x + c)^3 + 2*(2*A - B)*cos(d*x + c)^2 + (2*A - B)*cos(d*x + c))*log(sin(d*x + c) + 1) - 3*((2*A - B)*cos(d*x + c)^3 + 2*(2*A - B)*cos(d*x + c)^2 + (2*A - B)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(2*(5*A - 2*B)*cos(d*x + c)^2 + (14*A - 5*B)*cos(d*x + c) + 3*A)*sin(d*x + c))/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))
```

giac [A] time = 0.45, size = 155, normalized size = 1.45

$$\frac{6(2A-B) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^2} - \frac{6(2A-B) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^2} + \frac{12A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)a^2} - \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^2,x, algorithm="giac")
```


[Out] $-1/6*(6*(2*A - B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^2 - 6*(2*A - B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^2 + 12*A*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*a^2) - (A*a^4*\tan(1/2*d*x + 1/2*c)^3 - B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 15*A*a^4*\tan(1/2*d*x + 1/2*c) - 9*B*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

maple [A] time = 0.15, size = 205, normalized size = 1.92

$$\frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A - B \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{6d a^2} + \frac{5A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} - \frac{3B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} + \frac{2A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d a^2} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^2,x)`

[Out] $1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*B*\tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*A*\tan(1/2*d*x+1/2*c)-3/2/d/a^2*B*\tan(1/2*d*x+1/2*c)+2/d/a^2*A*\ln(\tan(1/2*d*x+1/2*c)-1)-1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B-1/d/a^2*A/(\tan(1/2*d*x+1/2*c)-1)-2/d/a^2*A*\ln(\tan(1/2*d*x+1/2*c)+1)+1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/d/a^2*A/(\tan(1/2*d*x+1/2*c)+1)$

maxima [B] time = 0.53, size = 244, normalized size = 2.28

$$A \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 - \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} \right) - B \left(\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 - \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} \right) \frac{1}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^2,x, algorithm="maxima")`

[Out] $1/6*(A*((15*\sin(d*x + c))/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2 + 12*\sin(d*x + c)/((a^2 - a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1))) - B*((9*\sin(d*x + c))/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2))/d$

mupad [B] time = 0.28, size = 123, normalized size = 1.15

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{A-B}{a^2} + \frac{3A-B}{2a^2}\right)}{d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (A-B)}{6a^2 d} - \frac{2A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - a^2\right)} - \frac{2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (2A-B)}{a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + a*cos(c + d*x))^2),x)`

[Out] $(\tan(c/2 + (d*x)/2)*((A - B)/a^2 + (3*A - B)/(2*a^2)))/d + (\tan(c/2 + (d*x)/2)^3*(A - B))/(6*a^2*d) - (2*A*\tan(c/2 + (d*x)/2))/(d*(a^2*\tan(c/2 + (d*x)/2)^2 - a^2)) - (2*\operatorname{atanh}(\tan(c/2 + (d*x)/2))*(2*A - B))/(a^2*d)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec^2(c+dx)}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^2(c+dx)}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+a*cos(d*x+c))**2,x)
```

```
[Out] (Integral(A*sec(c + d*x)**2/(cos(c + d*x)**2 + 2*cos(c + d*x) + 1), x) + In  
tegral(B*cos(c + d*x)*sec(c + d*x)**2/(cos(c + d*x)**2 + 2*cos(c + d*x) + 1  
, x))/a**2
```

$$3.54 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=152

$$\frac{2(8A-5B) \tan(c+dx)}{3a^2d} + \frac{(7A-4B) \tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{(7A-4B) \tan(c+dx) \sec(c+dx)}{2a^2d} - \frac{(8A-5B) \tan(c+dx)}{3a^2d \cos(c+dx)}$$

[Out] 1/2*(7*A-4*B)*arctanh(sin(d*x+c))/a^2/d-2/3*(8*A-5*B)*tan(d*x+c)/a^2/d+1/2*(7*A-4*B)*sec(d*x+c)*tan(d*x+c)/a^2/d-1/3*(8*A-5*B)*sec(d*x+c)*tan(d*x+c)/a^2/d/(1+cos(d*x+c))-1/3*(A-B)*sec(d*x+c)*tan(d*x+c)/d/(a+a*cos(d*x+c))^2

Rubi [A] time = 0.31, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2978, 2748, 3768, 3770, 3767, 8}

$$\frac{2(8A-5B) \tan(c+dx)}{3a^2d} + \frac{(7A-4B) \tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{(7A-4B) \tan(c+dx) \sec(c+dx)}{2a^2d} - \frac{(8A-5B) \tan(c+dx)}{3a^2d \cos(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x])^2,x]

[Out] ((7*A - 4*B)*ArcTanh[Sin[c + d*x]]/(2*a^2*d) - (2*(8*A - 5*B)*Tan[c + d*x])/(3*a^2*d) + ((7*A - 4*B)*Sec[c + d*x]*Tan[c + d*x])/(2*a^2*d) - ((8*A - 5*B)*Sec[c + d*x]*Tan[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A - B)*Sec[c + d*x]*Tan[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sine[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sine[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sine[e + f*x])^m*(c + d*Sine[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sine[e + f*x])^(m + 1)*(c + d*Sine[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sine[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)^(n_)])*(b_.)^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&

IntegerQ[2*n]

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^2} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \int \frac{(a(5A - 2B) - 3a(A - B) \cos(c + dx)) \sec^3(c + dx)}{a + a \cos(c + dx)} \frac{1}{3a^2} dx \\ &= -\frac{(8A - 5B) \sec(c + dx) \tan(c + dx)}{3a^2 d (1 + \cos(c + dx))} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= -\frac{(8A - 5B) \sec(c + dx) \tan(c + dx)}{3a^2 d (1 + \cos(c + dx))} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= \frac{(7A - 4B) \sec(c + dx) \tan(c + dx)}{2a^2 d} - \frac{(8A - 5B) \sec(c + dx) \tan(c + dx)}{3a^2 d (1 + \cos(c + dx))} \\ &= \frac{(7A - 4B) \tanh^{-1}(\sin(c + dx))}{2a^2 d} - \frac{2(8A - 5B) \tan(c + dx)}{3a^2 d} + \frac{(7A - 4B)}{3a^2 d} \end{aligned}$$

Mathematica [B] time = 3.43, size = 496, normalized size = 3.26

$$\frac{96(7A - 4B) \cos^4\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)\right)}{1}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x])^2, x]
```

```
[Out] -1/48*(96*(7*A - 4*B)*Cos[(c + d*x)/2]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^2*(-14*(A - B)*Sin[(d*x)/2] + (97*A - 64*B)*Sin[(3*d*x)/2] - 126*A*Sin[c - (d*x)/2] + 84*B*Sin[c - (d*x)/2] + 42*A*Sin[c + (d*x)/2] - 42*B*Sin[c + (d*x)/2] - 98*A*Sin[2*c + (d*x)/2] + 56*B*Sin[2*c + (d*x)/2] - 3*A*Sin[c + (3*d*x)/2] + 6*B*Sin[c + (3*d*x)/2] + 37*A*Sin[2*c + (3*d*x)/2] - 34*B*Sin[2*c + (3*d*x)/2] - 63*A*Sin[3*c + (3*d*x)/2] + 36*B*Sin[3*c + (3*d*x)/2] + 75*A*Sin[c + (5*d*x)/2] - 48*B*Sin[c + (5*d*x)/2] + 15*A*Sin[2*c + (5*d*x)/2] - 6*B*Sin[2*c + (5*d*x)/2] + 39*A*Sin[3*c + (5*d*x)/2] - 30*B*Sin[3*c + (5*d*x)/2] - 21*A*Sin[4*c + (5*d*x)/2] + 12*B*Sin[4*c + (5*d*x)/2] + 32*A*Sin[2*c + (7*d*x)/2] - 20*B*Sin[2*c + (7*d*x)/2] + 12*A*Sin[3*c + (7*d*x)/2] - 6*B*Sin[3*c + (7*d*x)/2] + 20*A*Sin[4*c + (7*d*x)/2] - 14*B*Sin[4*c + (7*d*x)/2]))/(a^2*d*(1 + Cos[c + d*x])^2)
```

fricas [A] time = 0.87, size = 228, normalized size = 1.50

$$\frac{3\left((7A - 4B) \cos(dx + c)^4 + 2(7A - 4B) \cos(dx + c)^3 + (7A - 4B) \cos(dx + c)^2\right) \log(\sin(dx + c) + 1) - 3\left((7A - 4B) \cos(dx + c)^4 + 2(7A - 4B) \cos(dx + c)^3 + (7A - 4B) \cos(dx + c)^2\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^2,x, algorithm="fricas")
```

[Out]
$$\frac{1}{12} \cdot (3 \cdot ((7A - 4B) \cdot \cos(dx + c)^4 + 2 \cdot (7A - 4B) \cdot \cos(dx + c)^3 + (7A - 4B) \cdot \cos(dx + c)^2) \cdot \log(\sin(dx + c) + 1) - 3 \cdot ((7A - 4B) \cdot \cos(dx + c)^4 + 2 \cdot (7A - 4B) \cdot \cos(dx + c)^3 + (7A - 4B) \cdot \cos(dx + c)^2) \cdot \log(-\sin(dx + c) + 1) - 2 \cdot (4 \cdot (8A - 5B) \cdot \cos(dx + c)^3 + (43A - 28B) \cdot \cos(dx + c)^2 + 6 \cdot (A - B) \cdot \cos(dx + c) - 3A) \cdot \sin(dx + c)) / (a^2 \cdot d \cdot \cos(dx + c)^4 + 2 \cdot a^2 \cdot d \cdot \cos(dx + c)^3 + a^2 \cdot d \cdot \cos(dx + c)^2)$$

giac [A] time = 1.29, size = 198, normalized size = 1.30

$$\frac{3(7A-4B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{3(7A-4B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} + \frac{6\left(5A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-3A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right)^2 a^2}$$

$$6d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out]
$$\frac{1}{6} \cdot (3 \cdot (7A - 4B) \cdot \log(\tan(\frac{1}{2}d*x + \frac{1}{2}c) + 1)) / a^2 - 3 \cdot (7A - 4B) \cdot \log(\tan(\frac{1}{2}d*x + \frac{1}{2}c) - 1) / a^2 + 6 \cdot (5A \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^3 - 2B \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^2 - 3A \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c) + 2B) \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c) / ((\tan(\frac{1}{2}d*x + \frac{1}{2}c)^2 - 1)^2 \cdot a^2) - (A \cdot a^4 \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^3 - B \cdot a^4 \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^2 + 21A \cdot a^4 \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c) - 15B \cdot a^4 \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)) / a^6 / d$$

maple [B] time = 0.18, size = 294, normalized size = 1.93

$$-\frac{\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)A}{6da^2} + \frac{B\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{6da^2} - \frac{7A\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{2da^2} + \frac{5B\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{2da^2} - \frac{7A\ln\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)}{2da^2} + \frac{2\ln\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+1\right)}{2da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^2,x)

[Out]
$$-1/6/d/a^2 \cdot \tan(1/2d*x+1/2c)^3 A + 1/6/d/a^2 \cdot B \cdot \tan(1/2d*x+1/2c)^3 - 7/2/d/a^2 \cdot A \cdot \tan(1/2d*x+1/2c) + 5/2/d/a^2 \cdot B \cdot \tan(1/2d*x+1/2c) - 7/2/d/a^2 \cdot A \cdot \ln(\tan(1/2d*x+1/2c)-1) + 2/d/a^2 \cdot \ln(\tan(1/2d*x+1/2c)-1) \cdot B + 5/2/d/a^2 \cdot A / (\tan(1/2d*x+1/2c)-1) - 1/d/a^2 / (\tan(1/2d*x+1/2c)-1) \cdot B + 1/2/d/a^2 \cdot A / (\tan(1/2d*x+1/2c)-1)^2 + 5/2/d/a^2 \cdot A / (\tan(1/2d*x+1/2c)+1) - 1/d/a^2 / (\tan(1/2d*x+1/2c)+1) \cdot B + 7/2/d/a^2 \cdot A \cdot \ln(\tan(1/2d*x+1/2c)+1) - 2/d/a^2 \cdot \ln(\tan(1/2d*x+1/2c)+1) \cdot B - 1/2/d/a^2 \cdot A / (\tan(1/2d*x+1/2c)+1)^2$$

maxima [B] time = 0.50, size = 336, normalized size = 2.21

$$\frac{A\left(\frac{6\left(\frac{3\sin(dx+c)}{\cos(dx+c)+1}-\frac{5\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{a^2-\frac{2a^2\sin(dx+c)^2}{(\cos(dx+c)+1)^2}+\frac{a^2\sin(dx+c)^4}{(\cos(dx+c)+1)^4}}+\frac{21\sin(dx+c)}{\cos(dx+c)+1}+\frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}-\frac{21\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a^2}+\frac{21\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a^2}\right)-B\left(\frac{15\sin(dx+c)}{\cos(dx+c)+1}+\frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out]
$$-1/6 \cdot (A \cdot (6 \cdot (3 \cdot \sin(dx + c)) / (\cos(dx + c) + 1) - 5 \cdot \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / (a^2 - 2 \cdot a^2 \cdot \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + a^2 \cdot \sin(dx + c)^4 / (\cos(dx + c) + 1)^4) + (21 \cdot \sin(dx + c)) / (\cos(dx + c) + 1) + \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2 - 21 \cdot \log(\sin(dx + c) / (\cos(dx + c) + 1)) / a^2 + 21 \cdot \log(\sin(dx + c) / (\cos(dx + c) + 1) - 1) / a^2) - B \cdot (15 \cdot \sin(dx + c) / (\cos(dx + c) + 1) + \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2$$

$+ 1)/a^2 + 21*\log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)/a^2) - B*((15*\sin(dx + c)/(\cos(dx + c) + 1) + \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2 - 12*\log(\sin(dx + c)/(\cos(dx + c) + 1) + 1)/a^2 + 12*\log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)/a^2 + 12*\sin(dx + c)/((a^2 - a^2*\sin(dx + c)^2/(\cos(dx + c) + 1)^2)*(\cos(dx + c) + 1))))/d$

mupad [B] time = 0.30, size = 165, normalized size = 1.09

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (5A - 2B) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right) (3A - 2B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{3(A-B)}{2a^2} + \frac{4A-2B}{2a^2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (A - B)}{d \left(a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a^2\right) d - 6a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + a*cos(c + d*x))^2), x)

[Out] $(\tan(c/2 + (d*x)/2)^3*(5*A - 2*B) - \tan(c/2 + (d*x)/2)*(3*A - 2*B))/(d*(a^2*\tan(c/2 + (d*x)/2)^4 - 2*a^2*\tan(c/2 + (d*x)/2)^2 + a^2)) - (\tan(c/2 + (d*x)/2)*((3*(A - B))/(2*a^2) + (4*A - 2*B)/(2*a^2)))/d - (\tan(c/2 + (d*x)/2)^3*(A - B))/(6*a^2*d) + (\operatorname{atanh}(\tan(c/2 + (d*x)/2))*(7*A - 4*B))/(a^2*d)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec^3(c+dx)}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^3(c+dx)}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+a*cos(d*x+c))**2, x)

[Out] $(\operatorname{Integral}(A*\sec(c + d*x)**3/(\cos(c + d*x)**2 + 2*\cos(c + d*x) + 1), x) + \operatorname{Integral}(B*\cos(c + d*x)*\sec(c + d*x)**3/(\cos(c + d*x)**2 + 2*\cos(c + d*x) + 1), x))/a**2$

$$3.55 \quad \int \frac{(A+B \cos(c+dx)) \sec^4(c+dx)}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=179

$$\frac{4(3A-2B) \tan^3(c+dx)}{3a^2d} + \frac{4(3A-2B) \tan(c+dx)}{a^2d} - \frac{(10A-7B) \tanh^{-1}(\sin(c+dx))}{2a^2d} - \frac{(10A-7B) \tan(c+dx)}{2a^2d}$$

[Out] $-1/2*(10*A-7*B)*\operatorname{arctanh}(\sin(d*x+c))/a^2/d+4*(3*A-2*B)*\tan(d*x+c)/a^2/d-1/2*(10*A-7*B)*\sec(d*x+c)*\tan(d*x+c)/a^2/d-1/3*(10*A-7*B)*\sec(d*x+c)^2*\tan(d*x+c)/a^2/d/(1+\cos(d*x+c))-1/3*(A-B)*\sec(d*x+c)^2*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^2+4/3*(3*A-2*B)*\tan(d*x+c)^3/a^2/d$

Rubi [A] time = 0.36, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2978, 2748, 3767, 3768, 3770}

$$\frac{4(3A-2B) \tan^3(c+dx)}{3a^2d} + \frac{4(3A-2B) \tan(c+dx)}{a^2d} - \frac{(10A-7B) \tanh^{-1}(\sin(c+dx))}{2a^2d} - \frac{(10A-7B) \tan(c+dx)}{2a^2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A+B*\operatorname{Cos}[c+d*x])* \operatorname{Sec}[c+d*x]^4/(a+a*\operatorname{Cos}[c+d*x])^2,x]$

[Out] $-((10*A-7*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c+d*x]])/(2*a^2*d) + (4*(3*A-2*B)*\operatorname{Tan}[c+d*x])/(a^2*d) - ((10*A-7*B)*\operatorname{Sec}[c+d*x]*\operatorname{Tan}[c+d*x])/(2*a^2*d) - ((10*A-7*B)*\operatorname{Sec}[c+d*x]^2*\operatorname{Tan}[c+d*x])/(3*a^2*d*(1+\operatorname{Cos}[c+d*x])) - ((A-B)*\operatorname{Sec}[c+d*x]^2*\operatorname{Tan}[c+d*x])/(3*d*(a+a*\operatorname{Cos}[c+d*x])^2) + (4*(3*A-2*B)*\operatorname{Tan}[c+d*x]^3)/(3*a^2*d)$

Rule 2748

$\operatorname{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] :> \operatorname{Dist}[c, \operatorname{Int}[(b*\sin[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\sin[e + f*x])^{(m+1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2978

$\operatorname{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)])*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)])^{(n_)}, x_Symbol] :> \operatorname{Simp}[(b*(A*b - a*B)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^{(n+1)})/(a*f*(2*m+1)*(b*c - a*d)), x] + \operatorname{Dist}[1/(a*(2*m+1)*(b*c - a*d)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^n*\operatorname{Simp}[B*(a*c*m + b*d*(n+1)) + A*(b*c*(m+1) - a*d*(2*m+n+2)) + d*(A*b - a*B)*(m+n+2)*\sin[e + f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{LtQ}[m, -2^{(-1)}] \&\& \operatorname{!GtQ}[n, 0] \&\& \operatorname{IntegerQ}[2*m] \&\& (\operatorname{IntegerQ}[2*n] \mid \mid \operatorname{EqQ}[c, 0])]$

Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)*(x_)]^{(n_)}, x_Symbol] :> -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1+x^2)^{(n/2-1)}, x], x], x, \operatorname{Cot}[c+d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

Rule 3768

$\operatorname{Int}[(\operatorname{csc}[(c_*) + (d_*)*(x_)]*(b_*))^{(n_)}, x_Symbol] :> -\operatorname{Simp}[(b*\operatorname{Cos}[c+d*x])*(b*\operatorname{Csc}[c+d*x])^{(n-1)})/(d*(n-1)), x] + \operatorname{Dist}[(b^2*(n-2))/(n-1), \operatorname{Int}[(b*\operatorname{Csc}[c+d*x])^{(n-2)}, x], x] /; \operatorname{FreeQ}\{b, c, d\}, x] \&\& \operatorname{GtQ}[n, 1] \&\& \operatorname{IntegerQ}[2*n]$

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
 /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^4(c + dx)}{(a + a \cos(c + dx))^2} dx &= -\frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \int \frac{(3a(2A - B) - 4a(A - B) \cos(c + dx)) \sec^4(c + dx)}{a + a \cos(c + dx)} dx \\ &= -\frac{(10A - 7B) \sec^2(c + dx) \tan(c + dx)}{3a^2d(1 + \cos(c + dx))} - \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= -\frac{(10A - 7B) \sec^2(c + dx) \tan(c + dx)}{3a^2d(1 + \cos(c + dx))} - \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= -\frac{(10A - 7B) \sec(c + dx) \tan(c + dx)}{2a^2d} - \frac{(10A - 7B) \sec^2(c + dx) \tan(c + dx)}{3a^2d(1 + \cos(c + dx))} \\ &= -\frac{(10A - 7B) \tanh^{-1}(\sin(c + dx))}{2a^2d} + \frac{4(3A - 2B) \tan(c + dx)}{a^2d} - \frac{(10A - 7B) \sec^2(c + dx) \tan(c + dx)}{3a^2d(1 + \cos(c + dx))} \end{aligned}$$

Mathematica [B] time = 5.60, size = 609, normalized size = 3.40

$$\frac{192(10A - 7B) \cos^4\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)\right)}{a^2d(1 + \cos(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^4)/(a + a*Cos[c + d*x])^2,x]
 [Out] (192*(10*A - 7*B)*Cos[(c + d*x)/2]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*Sec[c + d*x]^3*((-6*A + 45*B)*Sin[(d*x)/2] + (310*A - 201*B)*Sin[(3*d*x)/2] - 306*A*Sin[c - (d*x)/2] + 195*B*Sin[c - (d*x)/2] + 42*A*Sin[c + (d*x)/2] - 51*B*Sin[c + (d*x)/2] - 270*A*Sin[2*c + (d*x)/2] + 189*B*Sin[2*c + (d*x)/2] + 50*A*Sin[c + (3*d*x)/2] - B*Sin[c + (3*d*x)/2] + 90*A*Sin[2*c + (3*d*x)/2] - 81*B*Sin[2*c + (3*d*x)/2] - 170*A*Sin[3*c + (3*d*x)/2] + 119*B*Sin[3*c + (3*d*x)/2] + 198*A*Sin[c + (5*d*x)/2] - 129*B*Sin[c + (5*d*x)/2] + 42*A*Sin[2*c + (5*d*x)/2] - 9*B*Sin[2*c + (5*d*x)/2] + 66*A*Sin[3*c + (5*d*x)/2] - 57*B*Sin[3*c + (5*d*x)/2] - 90*A*Sin[4*c + (5*d*x)/2] + 63*B*Sin[4*c + (5*d*x)/2] + 114*A*Sin[2*c + (7*d*x)/2] - 75*B*Sin[2*c + (7*d*x)/2] + 36*A*Sin[3*c + (7*d*x)/2] - 15*B*Sin[3*c + (7*d*x)/2] + 48*A*Sin[4*c + (7*d*x)/2] - 39*B*Sin[4*c + (7*d*x)/2] - 30*A*Sin[5*c + (7*d*x)/2] + 21*B*Sin[5*c + (7*d*x)/2] + 48*A*Sin[3*c + (9*d*x)/2] - 32*B*Sin[3*c + (9*d*x)/2] + 22*A*Sin[4*c + (9*d*x)/2] - 12*B*Sin[4*c + (9*d*x)/2] + 26*A*Sin[5*c + (9*d*x)/2] - 20*B*Sin[5*c + (9*d*x)/2]))/(96*a^2*d*(1 + Cos[c + d*x])^2)

fricas [A] time = 1.58, size = 247, normalized size = 1.38

$$\frac{3\left((10A - 7B) \cos(dx + c)^5 + 2(10A - 7B) \cos(dx + c)^4 + (10A - 7B) \cos(dx + c)^3\right) \log(\sin(dx + c) + 1) - (10A - 7B) \cos(dx + c)^2}{a^2d(1 + \cos(c + dx))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] $-1/12*(3*((10*A - 7*B)*\cos(d*x + c)^5 + 2*(10*A - 7*B)*\cos(d*x + c)^4 + (10*A - 7*B)*\cos(d*x + c)^3)*\log(\sin(d*x + c) + 1) - 3*((10*A - 7*B)*\cos(d*x + c)^5 + 2*(10*A - 7*B)*\cos(d*x + c)^4 + (10*A - 7*B)*\cos(d*x + c)^3)*\log(-\sin(d*x + c) + 1) - 2*(16*(3*A - 2*B)*\cos(d*x + c)^4 + (66*A - 43*B)*\cos(d*x + c)^3 + 6*(2*A - B)*\cos(d*x + c)^2 - (2*A - 3*B)*\cos(d*x + c) + 2*A)*\sin(d*x + c)/(a^2*d*\cos(d*x + c)^5 + 2*a^2*d*\cos(d*x + c)^4 + a^2*d*\cos(d*x + c)^3)$

giac [A] time = 0.97, size = 226, normalized size = 1.26

$$\frac{3(10A-7B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{3(10A-7B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} + \frac{2\left(30A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 15B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 40A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 24B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 18A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 9B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 - 1\right)^3 a^2} - \frac{A a^4 \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - B a^4 \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 27 A a^4 \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 21 B a^4 \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^6} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] $-1/6*(3*(10*A - 7*B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^2 - 3*(10*A - 7*B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^2 + 2*(30*A*\tan(1/2*d*x + 1/2*c)^5 - 15*B*\tan(1/2*d*x + 1/2*c)^5 - 40*A*\tan(1/2*d*x + 1/2*c)^3 + 24*B*\tan(1/2*d*x + 1/2*c)^3 + 18*A*\tan(1/2*d*x + 1/2*c) - 9*B*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^3*a^2) - (A*a^4*\tan(1/2*d*x + 1/2*c)^3 - B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 27*A*a^4*\tan(1/2*d*x + 1/2*c) - 21*B*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

maple [B] time = 0.18, size = 382, normalized size = 2.13

$$\frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A}{6d a^2} - \frac{B \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{6d a^2} + \frac{9A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} - \frac{7B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} - \frac{3A}{2d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} + \frac{B}{2d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+a*cos(d*x+c))^2,x)

[Out] $1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*B*\tan(1/2*d*x+1/2*c)^3+9/2/d/a^2*A*\tan(1/2*d*x+1/2*c)-7/2/d/a^2*B*\tan(1/2*d*x+1/2*c)-3/2/d/a^2*A/(\tan(1/2*d*x+1/2*c)-1)^2+1/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)^2*B+5/d/a^2*A*\ln(\tan(1/2*d*x+1/2*c)-1)-7/2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B-5/d/a^2*A/(\tan(1/2*d*x+1/2*c)-1)+5/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*B-1/3/d/a^2*A/(\tan(1/2*d*x+1/2*c)-1)^3-5/d/a^2*A*\ln(\tan(1/2*d*x+1/2*c)+1)+7/2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B+3/2/d/a^2*A/(\tan(1/2*d*x+1/2*c)+1)^2-1/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)^2*B-5/d/a^2*A/(\tan(1/2*d*x+1/2*c)+1)+5/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*B-1/3/d/a^2*A/(\tan(1/2*d*x+1/2*c)+1)^3$

maxima [B] time = 0.62, size = 425, normalized size = 2.37

$$A \left(\frac{4 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^2 - \frac{3 a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{27 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - B \left(\frac{4 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^2 - \frac{3 a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{27 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{6} \left(A \left(4 \left(9 \sin(dx + c) / (\cos(dx + c) + 1) - 20 \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 15 \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 \right) / (a^2 - 3a^2 \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 3a^2 \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 - a^2 \sin(dx + c)^6 / (\cos(dx + c) + 1)^6) + (27 \sin(dx + c) / (\cos(dx + c) + 1) + \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2 - 30 \log(\sin(dx + c) / (\cos(dx + c) + 1) + 1) / a^2 + 30 \log(\sin(dx + c) / (\cos(dx + c) + 1) - 1) / a^2 - B \left(6 \left(3 \sin(dx + c) / (\cos(dx + c) + 1) - 5 \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 \right) / (a^2 - 2a^2 \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + a^2 \sin(dx + c)^4 / (\cos(dx + c) + 1)^4) + (21 \sin(dx + c) / (\cos(dx + c) + 1) + \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) / a^2 - 21 \log(\sin(dx + c) / (\cos(dx + c) + 1) + 1) / a^2 + 21 \log(\sin(dx + c) / (\cos(dx + c) + 1) - 1) / a^2 \right) \right) / d$

mupad [B] time = 0.34, size = 203, normalized size = 1.13

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{2(A-B)}{a^2} + \frac{5A-3B}{2a^2}\right)}{d} \frac{(10A-5B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(8B - \frac{40A}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + (6A-3B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - a^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(cos(c + d*x)^4*(a + a*cos(c + d*x))^2), x)`

[Out] $(\tan(c/2 + (d*x)/2) * ((2*(A - B))/a^2 + (5*A - 3*B)/(2*a^2))) / d - (\tan(c/2 + (d*x)/2)^5 * (10*A - 5*B) - \tan(c/2 + (d*x)/2)^3 * ((40*A)/3 - 8*B) + \tan(c/2 + (d*x)/2) * (6*A - 3*B)) / (d * (3*a^2 * \tan(c/2 + (d*x)/2)^2 - 3*a^2 * \tan(c/2 + (d*x)/2)^4 + a^2 * \tan(c/2 + (d*x)/2)^6 - a^2)) + (\tan(c/2 + (d*x)/2)^3 * (A - B)) / (6*a^2*d) - (\operatorname{atanh}(\tan(c/2 + (d*x)/2)) * (10*A - 7*B)) / (a^2*d)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec^4(c+dx)}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^4(c+dx)}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**4/(a+a*cos(d*x+c))**2, x)`

[Out] $(\operatorname{Integral}(A * \sec(c + d*x)**4 / (\cos(c + d*x)**2 + 2 * \cos(c + d*x) + 1), x) + \operatorname{Integral}(B * \cos(c + d*x) * \sec(c + d*x)**4 / (\cos(c + d*x)**2 + 2 * \cos(c + d*x) + 1), x)) / a**2$

$$3.56 \quad \int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=218

$$\frac{4(19A - 34B) \sin^3(c + dx)}{15a^3d} - \frac{4(19A - 34B) \sin(c + dx)}{5a^3d} + \frac{(13A - 23B) \sin(c + dx) \cos^3(c + dx)}{3d(a^3 \cos(c + dx) + a^3)} + \frac{(13A - 23B) \sin(c + dx)}{3d(a^3 \cos(c + dx) + a^3)}$$

[Out] $1/2*(13*A-23*B)*x/a^3-4/5*(19*A-34*B)*\sin(d*x+c)/a^3/d+1/2*(13*A-23*B)*\cos(d*x+c)*\sin(d*x+c)/a^3/d+1/5*(A-B)*\cos(d*x+c)^5*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^3+1/15*(8*A-13*B)*\cos(d*x+c)^4*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^2+1/3*(13*A-23*B)*\cos(d*x+c)^3*\sin(d*x+c)/d/(a^3+a^3*\cos(d*x+c))+4/15*(19*A-34*B)*\sin(d*x+c)^3/a^3/d$

Rubi [A] time = 0.52, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2977, 2748, 2635, 8, 2633}

$$\frac{4(19A - 34B) \sin^3(c + dx)}{15a^3d} - \frac{4(19A - 34B) \sin(c + dx)}{5a^3d} + \frac{(13A - 23B) \sin(c + dx) \cos^3(c + dx)}{3d(a^3 \cos(c + dx) + a^3)} + \frac{(13A - 23B) \sin(c + dx)}{3d(a^3 \cos(c + dx) + a^3)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^5*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]

[Out] $((13*A - 23*B)*x)/(2*a^3) - (4*(19*A - 34*B)*\text{Sin}[c + d*x])/(5*a^3*d) + ((13*A - 23*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a^3*d) + ((A - B)*\text{Cos}[c + d*x]^5*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Cos}[c + d*x])^3) + ((8*A - 13*B)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Cos}[c + d*x])^2) + ((13*A - 23*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(3*d*(a^3 + a^3*\text{Cos}[c + d*x])) + (4*(19*A - 34*B)*\text{Sin}[c + d*x]^3)/(15*a^3*d)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[(A*b - a*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n/

```
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^3} dx &= \frac{(A - B) \cos^5(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\cos^4(c + dx)(5a(A - B) - a(3A - 8B) \cos(c + dx))}{(a + a \cos(c + dx))^2} dx}{5a^2} \\ &= \frac{(A - B) \cos^5(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(8A - 13B) \cos^4(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= \frac{(A - B) \cos^5(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(8A - 13B) \cos^4(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= \frac{(A - B) \cos^5(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(8A - 13B) \cos^4(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= \frac{(13A - 23B) \cos(c + dx) \sin(c + dx)}{2a^3d} + \frac{(A - B) \cos^5(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} \\ &= \frac{(13A - 23B)x}{2a^3} - \frac{4(19A - 34B) \sin(c + dx)}{5a^3d} + \frac{(13A - 23B) \cos(c + dx) \sin(c + dx)}{2a^3d} \end{aligned}$$

Mathematica [B] time = 1.09, size = 491, normalized size = 2.25

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(600dx(13A - 23B) \cos\left(c + \frac{dx}{2}\right) + 600dx(13A - 23B) \cos\left(\frac{dx}{2}\right) + 7560A \sin\left(c + \frac{dx}{2}\right) - 9230A \sin\left(\frac{dx}{2}\right) + 15380B \sin\left(c + \frac{3dx}{2}\right) + 930A \sin\left[2c + \frac{3dx}{2}\right] - 380B \sin\left[2c + \frac{3dx}{2}\right] - 2782A \sin\left[2c + \frac{5dx}{2}\right] + 4777B \sin\left[2c + \frac{5dx}{2}\right] - 750A \sin\left[3c + \frac{5dx}{2}\right] + 1625B \sin\left[3c + \frac{5dx}{2}\right] - 105A \sin\left[3c + \frac{7dx}{2}\right] + 230B \sin\left[3c + \frac{7dx}{2}\right] - 105A \sin\left[4c + \frac{7dx}{2}\right] + 230B \sin\left[4c + \frac{7dx}{2}\right] + 15A \sin\left[4c + \frac{9dx}{2}\right] - 20B \sin\left[4c + \frac{9dx}{2}\right] + 15A \sin\left[5c + \frac{9dx}{2}\right] - 20B \sin\left[5c + \frac{9dx}{2}\right] + 5B \sin\left[5c + \frac{11dx}{2}\right] + 5B \sin\left[6c + \frac{11dx}{2}\right]\right)}{(480a^3d(1 + \cos[c + dx]))^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^5*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(600*(13*A - 23*B)*d*x*Cos[(d*x)/2] + 600*(13*A - 23*B)*d*x*Cos[c + (d*x)/2] + 3900*A*d*x*Cos[c + (3*d*x)/2] - 6900*B*d*x*Cos[c + (3*d*x)/2] + 3900*A*d*x*Cos[2*c + (3*d*x)/2] - 6900*B*d*x*Cos[2*c + (3*d*x)/2] + 780*A*d*x*Cos[2*c + (5*d*x)/2] - 1380*B*d*x*Cos[2*c + (5*d*x)/2] + 780*A*d*x*Cos[3*c + (5*d*x)/2] - 1380*B*d*x*Cos[3*c + (5*d*x)/2] - 12760*A*Sin[(d*x)/2] + 20410*B*Sin[(d*x)/2] + 7560*A*Sin[c + (d*x)/2] - 11110*B*Sin[c + (d*x)/2] - 9230*A*Sin[c + (3*d*x)/2] + 15380*B*Sin[c + (3*d*x)/2] + 930*A*Sin[2*c + (3*d*x)/2] - 380*B*Sin[2*c + (3*d*x)/2] - 2782*A*Sin[2*c + (5*d*x)/2] + 4777*B*Sin[2*c + (5*d*x)/2] - 750*A*Sin[3*c + (5*d*x)/2] + 1625*B*Sin[3*c + (5*d*x)/2] - 105*A*Sin[3*c + (7*d*x)/2] + 230*B*Sin[3*c + (7*d*x)/2] - 105*A*Sin[4*c + (7*d*x)/2] + 230*B*Sin[4*c + (7*d*x)/2] + 15*A*Sin[4*c + (9*d*x)/2] - 20*B*Sin[4*c + (9*d*x)/2] + 15*A*Sin[5*c + (9*d*x)/2] - 20*B*Sin[5*c + (9*d*x)/2] + 5*B*Sin[5*c + (11*d*x)/2] + 5*B*Sin[6*c + (11*d*x)/2]))/(480*a^3*d*(1 + Cos[c + d*x])^3)
```

fricas [A] time = 0.65, size = 205, normalized size = 0.94

$$\frac{15(13A - 23B)dx \cos(dx + c)^3 + 45(13A - 23B)dx \cos(dx + c)^2 + 45(13A - 23B)dx \cos(dx + c) + 15(13A - 23B)dx}{(480a^3d(1 + \cos[c + dx]))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] $\frac{1}{30}*(15*(13*A - 23*B)*d*x*cos(d*x + c)^3 + 45*(13*A - 23*B)*d*x*cos(d*x + c)^2 + 45*(13*A - 23*B)*d*x*cos(d*x + c) + 15*(13*A - 23*B)*d*x + (10*B*cos(d*x + c)^5 + 15*(A - B)*cos(d*x + c)^4 - 5*(9*A - 19*B)*cos(d*x + c)^3 - (479*A - 869*B)*cos(d*x + c)^2 - 3*(239*A - 429*B)*cos(d*x + c) - 304*A + 544*B)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)$

giac [A] time = 1.90, size = 228, normalized size = 1.05

$$\frac{30(dx+c)(13A-23B)}{a^3} - \frac{20\left(21A \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 51B \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 + 36A \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 76B \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 15A \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 33B \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + 1\right)^3 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] $\frac{1}{60}*(30*(d*x + c)*(13*A - 23*B)/a^3 - 20*(21*A*\tan(1/2*d*x + 1/2*c)^5 - 51*B*\tan(1/2*d*x + 1/2*c)^5 + 36*A*\tan(1/2*d*x + 1/2*c)^3 - 76*B*\tan(1/2*d*x + 1/2*c)^3 + 15*A*\tan(1/2*d*x + 1/2*c) - 33*B*\tan(1/2*d*x + 1/2*c)))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^3) - (3*A*a^12*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*\tan(1/2*d*x + 1/2*c)^5 - 40*A*a^12*\tan(1/2*d*x + 1/2*c)^3 + 50*B*a^12*\tan(1/2*d*x + 1/2*c)^3 + 465*A*a^12*\tan(1/2*d*x + 1/2*c) - 735*B*a^12*\tan(1/2*d*x + 1/2*c))/a^15)/d$

maple [A] time = 0.09, size = 362, normalized size = 1.66

$$-\frac{A \left(\tan^5 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{20d a^3} + \frac{B \left(\tan^5 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{20d a^3} + \frac{2 \left(\tan^3 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) A}{3d a^3} - \frac{5B \left(\tan^3 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{6d a^3} - \frac{31A \tan \left(\frac{dx}{2} + \frac{c}{2} \right)}{4d a^3} + \frac{49B \tan \left(\frac{dx}{2} + \frac{c}{2} \right)}{4d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)

[Out] $-\frac{1}{20}/d/a^3*A*\tan(1/2*d*x+1/2*c)^5 + \frac{1}{20}/d/a^3*B*\tan(1/2*d*x+1/2*c)^5 + \frac{2}{3}/d/a^3*\tan(1/2*d*x+1/2*c)^3*A - \frac{5}{6}/d/a^3*B*\tan(1/2*d*x+1/2*c)^3 - \frac{31}{4}/d/a^3*A*\tan(1/2*d*x+1/2*c) + \frac{49}{4}/d/a^3*B*\tan(1/2*d*x+1/2*c) - \frac{7}{d}/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*A*\tan(1/2*d*x+1/2*c)^5 + \frac{17}{d}/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*B*\tan(1/2*d*x+1/2*c)^5 - \frac{12}{d}/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*A + \frac{76}{3}/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*B*\tan(1/2*d*x+1/2*c)^3 - \frac{5}{d}/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*A*\tan(1/2*d*x+1/2*c) + \frac{11}{d}/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*B*\tan(1/2*d*x+1/2*c) + \frac{13}{d}/a^3*\arctan(\tan(1/2*d*x+1/2*c))*A - \frac{23}{d}/a^3*\arctan(\tan(1/2*d*x+1/2*c))*B$

maxima [B] time = 0.74, size = 412, normalized size = 1.89

$$B \left(\frac{20 \left(\frac{33 \sin(dx+c)}{\cos(dx+c)+1} + \frac{76 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{51 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3 + \frac{3a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^3 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{735 \sin(dx+c)}{\cos(dx+c)+1} - \frac{50 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{1380 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - A \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{2a^3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{60d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

[Out] $\frac{1}{60} * (B * (20 * (33 * \sin(d * x + c) / (\cos(d * x + c) + 1) + 76 * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3 + 51 * \sin(d * x + c)^5 / (\cos(d * x + c) + 1)^5) / (a^3 + 3 * a^3 * \sin(d * x + c)^2 / (\cos(d * x + c) + 1)^2 + 3 * a^3 * \sin(d * x + c)^4 / (\cos(d * x + c) + 1)^4 + a^3 * \sin(d * x + c)^6 / (\cos(d * x + c) + 1)^6) + (735 * \sin(d * x + c) / (\cos(d * x + c) + 1) - 50 * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3 + 3 * \sin(d * x + c)^5 / (\cos(d * x + c) + 1)^5) / a^3 - 1380 * \arctan(\sin(d * x + c) / (\cos(d * x + c) + 1)) / a^3 - A * (60 * (5 * \sin(d * x + c) / (\cos(d * x + c) + 1) + 7 * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / (a^3 + 2 * a^3 * \sin(d * x + c)^2 / (\cos(d * x + c) + 1)^2 + a^3 * \sin(d * x + c)^4 / (\cos(d * x + c) + 1)^4) + (465 * \sin(d * x + c) / (\cos(d * x + c) + 1) - 40 * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3 + 3 * \sin(d * x + c)^5 / (\cos(d * x + c) + 1)^5) / a^3 - 780 * \arctan(\sin(d * x + c) / (\cos(d * x + c) + 1)) / a^3) / d$

mupad [B] time = 0.33, size = 238, normalized size = 1.09

$$\frac{x(13A - 23B)}{2a^3} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{5(A-B)}{2a^3} + \frac{4A-6B}{a^3} + \frac{5A-15B}{4a^3}\right)}{d} - \frac{(7A - 17B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(12A - \frac{76B}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 3a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + \dots\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^5*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3,x)

[Out] $(x * (13 * A - 23 * B)) / (2 * a^3) - (\tan(c/2 + (d * x) / 2) * ((5 * (A - B)) / (2 * a^3) + (4 * A - 6 * B) / a^3 + (5 * A - 15 * B) / (4 * a^3))) / d - (\tan(c/2 + (d * x) / 2)^5 * (7 * A - 17 * B) + \tan(c/2 + (d * x) / 2)^3 * (12 * A - (76 * B) / 3) + \tan(c/2 + (d * x) / 2) * (5 * A - 11 * B)) / (d * (3 * a^3 * \tan(c/2 + (d * x) / 2)^2 + 3 * a^3 * \tan(c/2 + (d * x) / 2)^4 + a^3 * \tan(c/2 + (d * x) / 2)^6 + a^3)) + (\tan(c/2 + (d * x) / 2)^3 * ((A - B) / (3 * a^3) + (4 * A - 6 * B) / (12 * a^3))) / d - (\tan(c/2 + (d * x) / 2)^5 * (A - B)) / (20 * a^3 * d)$

sympy [A] time = 25.37, size = 1584, normalized size = 7.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)

[Out] Piecewise(((390 * A * d * x * tan(c/2 + d * x / 2) ** 6 / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) + 1170 * A * d * x * tan(c/2 + d * x / 2) ** 4 / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) + 1170 * A * d * x * tan(c/2 + d * x / 2) ** 2 / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) + 390 * A * d * x / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) - 3 * A * tan(c/2 + d * x / 2) ** 11 / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) + 31 * A * tan(c/2 + d * x / 2) ** 9 / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) - 354 * A * tan(c/2 + d * x / 2) ** 7 / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) - 1698 * A * tan(c/2 + d * x / 2) ** 5 / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) - 2075 * A * tan(c/2 + d * x / 2) ** 3 / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) - 765 * A * tan(c/2 + d * x / 2) / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) - 690 * B * d * x * tan(c/2 + d * x / 2) ** 6 / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d) - 2070 * B * d * x * tan(c/2 + d * x / 2) ** 4 / (60 * a ** 3 * d * tan(c/2 + d * x / 2) ** 6 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 4 + 180 * a ** 3 * d * tan(c/2 + d * x / 2) ** 2 + 60 * a ** 3 * d))

```

/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/
2)**2 + 60*a**3*d) - 2070*B*d*x*tan(c/2 + d*x/2)**2/(60*a**3*d*tan(c/2 + d*
x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 +
60*a**3*d) - 690*B*d*x/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2
+ d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 3*B*tan(c/2 +
d*x/2)**11/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4
+ 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 41*B*tan(c/2 + d*x/2)**9/(6
0*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*
tan(c/2 + d*x/2)**2 + 60*a**3*d) + 594*B*tan(c/2 + d*x/2)**7/(60*a**3*d*tan
(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*
x/2)**2 + 60*a**3*d) + 3078*B*tan(c/2 + d*x/2)**5/(60*a**3*d*tan(c/2 + d*x/
2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 6
0*a**3*d) + 3675*B*tan(c/2 + d*x/2)**3/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180
*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) +
1395*B*tan(c/2 + d*x/2)/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/
2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d), Ne(d, 0)), (x*
(A + B*cos(c))*cos(c)**5/(a*cos(c) + a)**3, True))

```

$$3.57 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=193

$$\frac{8(9A - 19B) \sin(c + dx)}{15a^3d} + \frac{4(9A - 19B) \sin(c + dx) \cos^2(c + dx)}{15d(a^3 \cos(c + dx) + a^3)} - \frac{(6A - 13B) \sin(c + dx) \cos(c + dx)}{2a^3d} - \frac{x(6A - 13B)}{2a^3}$$

[Out] $-1/2*(6*A-13*B)*x/a^3+8/15*(9*A-19*B)*\sin(d*x+c)/a^3/d-1/2*(6*A-13*B)*\cos(d*x+c)*\sin(d*x+c)/a^3/d+1/5*(A-B)*\cos(d*x+c)^4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^3+1/15*(6*A-11*B)*\cos(d*x+c)^3*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^2+4/15*(9*A-19*B)*\cos(d*x+c)^2*\sin(d*x+c)/d/(a^3+a^3*\cos(d*x+c))$

Rubi [A] time = 0.47, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$, Rules used = {2977, 2734}

$$\frac{8(9A - 19B) \sin(c + dx)}{15a^3d} + \frac{4(9A - 19B) \sin(c + dx) \cos^2(c + dx)}{15d(a^3 \cos(c + dx) + a^3)} - \frac{(6A - 13B) \sin(c + dx) \cos(c + dx)}{2a^3d} - \frac{x(6A - 13B)}{2a^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]

[Out] $-((6*A - 13*B)*x)/(2*a^3) + (8*(9*A - 19*B)*\text{Sin}[c + d*x])/(15*a^3*d) - ((6*A - 13*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a^3*d) + ((A - B)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Cos}[c + d*x])^3) + ((6*A - 11*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Cos}[c + d*x])^2) + (4*(9*A - 19*B)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(15*d*(a^3 + a^3*\text{Cos}[c + d*x]))$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx = \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos^3(c+dx)(4a(A-B)-a(2A-7B)\cos(c+dx))}{(a+a\cos(c+dx))^2} dx}{5a^2}$$

$$= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(6A-11B)\cos^3(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2}$$

$$= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(6A-11B)\cos^3(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2}$$

$$= -\frac{(6A-13B)x}{2a^3} + \frac{8(9A-19B)\sin(c+dx)}{15a^3d} - \frac{(6A-13B)\cos(c+dx)}{2a^3d}$$

Mathematica [B] time = 0.92, size = 435, normalized size = 2.25

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-600dx(6A-13B)\cos\left(c+\frac{dx}{2}\right)-600dx(6A-13B)\cos\left(\frac{dx}{2}\right)-4500A\sin\left(c+\frac{dx}{2}\right)+\right.$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-600*(6*A - 13*B)*d*x*Cos[(d*x)/2] - 600*(6*A - 13*B)*d*x*Cos[c + (d*x)/2] - 1800*A*d*x*Cos[c + (3*d*x)/2] + 3900*B*d*x*Cos[c + (3*d*x)/2] - 1800*A*d*x*Cos[2*c + (3*d*x)/2] + 3900*B*d*x*Cos[2*c + (3*d*x)/2] - 360*A*d*x*Cos[2*c + (5*d*x)/2] + 780*B*d*x*Cos[2*c + (5*d*x)/2] - 360*A*d*x*Cos[3*c + (5*d*x)/2] + 780*B*d*x*Cos[3*c + (5*d*x)/2] + 7020*A*Sin[(d*x)/2] - 12760*B*Sin[(d*x)/2] - 4500*A*Sin[c + (d*x)/2] + 7560*B*Sin[c + (d*x)/2] + 4860*A*Sin[c + (3*d*x)/2] - 9230*B*Sin[c + (3*d*x)/2] - 900*A*Sin[2*c + (3*d*x)/2] + 930*B*Sin[2*c + (3*d*x)/2] + 1452*A*Sin[2*c + (5*d*x)/2] - 2782*B*Sin[2*c + (5*d*x)/2] + 300*A*Sin[3*c + (5*d*x)/2] - 750*B*Sin[3*c + (5*d*x)/2] + 60*A*Sin[3*c + (7*d*x)/2] - 105*B*Sin[3*c + (7*d*x)/2] + 60*A*Sin[4*c + (7*d*x)/2] - 105*B*Sin[4*c + (7*d*x)/2] + 15*B*Sin[4*c + (9*d*x)/2] + 15*B*Sin[5*c + (9*d*x)/2]))/(480*a^3*d*(1 + Cos[c + d*x])^3)
```

fricas [A] time = 0.59, size = 190, normalized size = 0.98

$$\frac{15(6A-13B)dx\cos(dx+c)^3 + 45(6A-13B)dx\cos(dx+c)^2 + 45(6A-13B)dx\cos(dx+c) + 15(6A-13B)}{30(a^3d\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="fricas")
[Out] -1/30*(15*(6*A - 13*B)*d*x*cos(d*x + c)^3 + 45*(6*A - 13*B)*d*x*cos(d*x + c)^2 + 45*(6*A - 13*B)*d*x*cos(d*x + c) + 15*(6*A - 13*B)*d*x - (15*B*cos(d*x + c)^4 + 15*(2*A - 3*B)*cos(d*x + c)^3 + (234*A - 479*B)*cos(d*x + c)^2 + 3*(114*A - 239*B)*cos(d*x + c) + 144*A - 304*B)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)
```

giac [A] time = 1.94, size = 200, normalized size = 1.04

$$\frac{30(dx+c)(6A-13B)}{a^3} - \frac{60\left(2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-7B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-5B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right)^2 a^3} - \frac{3Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-3Ba^{12}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out]
$$-1/60*(30*(d*x + c)*(6*A - 13*B)/a^3 - 60*(2*A*\tan(1/2*d*x + 1/2*c)^3 - 7*B*\tan(1/2*d*x + 1/2*c)^3 + 2*A*\tan(1/2*d*x + 1/2*c) - 5*B*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^3) - (3*A*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 30*A*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 40*B*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 255*A*a^{12}*\tan(1/2*d*x + 1/2*c) - 465*B*a^{12}*\tan(1/2*d*x + 1/2*c))/a^{15})/d$$

maple [A] time = 0.10, size = 292, normalized size = 1.51

$$\frac{A \left(\tan^5 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{20d a^3} - \frac{B \left(\tan^5 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{20d a^3} - \frac{\left(\tan^3 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) A}{2d a^3} + \frac{2B \left(\tan^3 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{3d a^3} + \frac{17A \tan \left(\frac{dx}{2} + \frac{c}{2} \right)}{4d a^3} - \frac{31B \tan \left(\frac{dx}{2} + \frac{c}{2} \right)}{4d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)

[Out]
$$1/20/d/a^3*A*\tan(1/2*d*x+1/2*c)^5-1/20/d/a^3*B*\tan(1/2*d*x+1/2*c)^5-1/2/d/a^3*\tan(1/2*d*x+1/2*c)^3*A+2/3/d/a^3*B*\tan(1/2*d*x+1/2*c)^3+17/4/d/a^3*A*\tan(1/2*d*x+1/2*c)-31/4/d/a^3*B*\tan(1/2*d*x+1/2*c)+2/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A-7/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*B*\tan(1/2*d*x+1/2*c)^3+2/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*A*\tan(1/2*d*x+1/2*c)-5/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*B*\tan(1/2*d*x+1/2*c)-6/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*A+13/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*B$$

maxima [A] time = 1.00, size = 322, normalized size = 1.67

$$\frac{B \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 + \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} - \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{780 \arctan \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} \right)}{a^3} \right) - 3A \left(\frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} \right) (\cos(dx+c)+1)^2} \right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

[Out]
$$-1/60*(B*(60*(5*\sin(d*x + c))/(\cos(d*x + c) + 1) + 7*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^3 + 2*a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (465*\sin(d*x + c))/(\cos(d*x + c) + 1) - 40*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 780*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3) - 3*A*(40*\sin(d*x + c)/((a^3 + a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (85*\sin(d*x + c))/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3)/d$$

mupad [B] time = 0.27, size = 203, normalized size = 1.05

$$\frac{\tan \left(\frac{c}{2} + \frac{dx}{2} \right) \left(\frac{3(A-B)}{2a^3} + \frac{3(3A-5B)}{4a^3} + \frac{2A-10B}{4a^3} \right)}{d} - \frac{x(6A-13B)}{2a^3} + \frac{(2A-7B) \tan \left(\frac{c}{2} + \frac{dx}{2} \right)^3 + (2A-5B) \tan \left(\frac{c}{2} + \frac{dx}{2} \right)}{d \left(a^3 \tan \left(\frac{c}{2} + \frac{dx}{2} \right)^4 + 2a^3 \tan \left(\frac{c}{2} + \frac{dx}{2} \right)^2 + a^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3,x)
```

```
[Out] (tan(c/2 + (d*x)/2)*((3*(A - B))/(2*a^3) + (3*(3*A - 5*B))/(4*a^3) + (2*A - 10*B)/(4*a^3)))/d - (x*(6*A - 13*B))/(2*a^3) + (tan(c/2 + (d*x)/2)^3*(2*A - 7*B) + tan(c/2 + (d*x)/2)*(2*A - 5*B))/(d*(2*a^3*tan(c/2 + (d*x)/2)^2 + a^3*tan(c/2 + (d*x)/2)^4 + a^3)) - (tan(c/2 + (d*x)/2)^3*((A - B)/(4*a^3) + (3*A - 5*B)/(12*a^3)))/d + (tan(c/2 + (d*x)/2)^5*(A - B))/(20*a^3*d)
```

sympy [A] time = 15.91, size = 966, normalized size = 5.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Piecewise((-180*A*d*x*tan(c/2 + d*x/2)**4/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 360*A*d*x*tan(c/2 + d*x/2)**2/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 180*A*d*x/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 3*A*tan(c/2 + d*x/2)**9/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 24*A*tan(c/2 + d*x/2)**7/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 198*A*tan(c/2 + d*x/2)**5/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 600*A*tan(c/2 + d*x/2)**3/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 375*A*tan(c/2 + d*x/2)/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 390*B*d*x*tan(c/2 + d*x/2)**4/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 780*B*d*x*tan(c/2 + d*x/2)**2/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 390*B*d*x/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 3*B*tan(c/2 + d*x/2)**9/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 34*B*tan(c/2 + d*x/2)**7/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 388*B*tan(c/2 + d*x/2)**5/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 1310*B*tan(c/2 + d*x/2)**3/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 765*B*tan(c/2 + d*x/2)/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**4/(a*cos(c) + a)**3, True))
```

$$3.58 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=147

$$-\frac{(7A-27B)\sin(c+dx)}{15a^3d} - \frac{(A-3B)\sin(c+dx)}{d(a^3\cos(c+dx)+a^3)} + \frac{x(A-3B)}{a^3} + \frac{(A-B)\sin(c+dx)\cos^3(c+dx)}{5d(a\cos(c+dx)+a)^3} + \frac{(4A-9B)\sin(c+dx)}{15ad(a\cos(c+dx)+a)^3}$$

[Out] (A-3*B)*x/a^3-1/15*(7*A-27*B)*sin(d*x+c)/a^3/d+1/5*(A-B)*cos(d*x+c)^3*sin(d*x+c)/d/(a+a*cos(d*x+c))^3+1/15*(4*A-9*B)*cos(d*x+c)^2*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^2-(A-3*B)*sin(d*x+c)/d/(a^3+a^3*cos(d*x+c))

Rubi [A] time = 0.46, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2977, 2968, 3023, 12, 2735, 2648}

$$-\frac{(7A-27B)\sin(c+dx)}{15a^3d} - \frac{(A-3B)\sin(c+dx)}{d(a^3\cos(c+dx)+a^3)} + \frac{x(A-3B)}{a^3} + \frac{(A-B)\sin(c+dx)\cos^3(c+dx)}{5d(a\cos(c+dx)+a)^3} + \frac{(4A-9B)\sin(c+dx)}{15ad(a\cos(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]

[Out] ((A - 3*B)*x)/a^3 - ((7*A - 27*B)*Sin[c + d*x])/(15*a^3*d) + ((A - B)*Cos[c + d*x]^3*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) + ((4*A - 9*B)*Cos[c + d*x]^2*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((A - 3*B)*Sin[c + d*x])/(d*(a^3 + a^3*Cos[c + d*x]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] := -Simp[Cos[c + d*x]/(d*(b + a*sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2735

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])/((c_) + (d_)*sin[(e_) + (f_)*(x_)])*(x_), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^n, x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^n, x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^n/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free

Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
 NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
 egerQ[2*n] || EqQ[c, 0])

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
 + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos
 [e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
 !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^3} dx &= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\cos^2(c + dx)(3a(A - B) - a(A - 6B) \cos(c + dx))}{(a + a \cos(c + dx))^2}}{5a^2} \\ &= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A - 9B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A - 9B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= -\frac{(7A - 27B) \sin(c + dx)}{15a^3d} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A - 9B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= -\frac{(7A - 27B) \sin(c + dx)}{15a^3d} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A - 9B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= \frac{(A - 3B)x}{a^3} - \frac{(7A - 27B) \sin(c + dx)}{15a^3d} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} \\ &= \frac{(A - 3B)x}{a^3} - \frac{(7A - 27B) \sin(c + dx)}{15a^3d} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} \end{aligned}$$

Mathematica [B] time = 0.96, size = 361, normalized size = 2.46

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(300dx(A - 3B) \cos\left(c + \frac{dx}{2}\right) + 300dx(A - 3B) \cos\left(\frac{dx}{2}\right) + 540A \sin\left(c + \frac{dx}{2}\right) - 460A \sin\left(\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(300*(A - 3*B)*d*x*Cos[(d*x)/2] + 300*(A - 3*B)*
 d*x*Cos[c + (d*x)/2] + 150*A*d*x*Cos[c + (3*d*x)/2] - 450*B*d*x*Cos[c + (3*
 d*x)/2] + 150*A*d*x*Cos[2*c + (3*d*x)/2] - 450*B*d*x*Cos[2*c + (3*d*x)/2] +
 30*A*d*x*Cos[2*c + (5*d*x)/2] - 90*B*d*x*Cos[2*c + (5*d*x)/2] + 30*A*d*x*Cos
 [3*c + (5*d*x)/2] - 90*B*d*x*Cos[3*c + (5*d*x)/2] - 740*A*Sin[(d*x)/2] +
 1755*B*Sin[(d*x)/2] + 540*A*Sin[c + (d*x)/2] - 1125*B*Sin[c + (d*x)/2] - 46
 0*A*Sin[c + (3*d*x)/2] + 1215*B*Sin[c + (3*d*x)/2] + 180*A*Sin[2*c + (3*d*x
)/2] - 225*B*Sin[2*c + (3*d*x)/2] - 128*A*Sin[2*c + (5*d*x)/2] + 363*B*Sin[
 2*c + (5*d*x)/2] + 75*B*Sin[3*c + (5*d*x)/2] + 15*B*Sin[3*c + (7*d*x)/2] +
 15*B*Sin[4*c + (7*d*x)/2]))/(120*a^3*d*(1 + Cos[c + d*x])^3)

fricas [A] time = 0.62, size = 165, normalized size = 1.12

$$\frac{15(A-3B)dx \cos(dx+c)^3 + 45(A-3B)dx \cos(dx+c)^2 + 45(A-3B)dx \cos(dx+c) + 15(A-3B)dx + (15B \cos(dx+c)^3 - (3A-117B) \cos(dx+c)^2 - 3(17A-57B) \cos(dx+c) - 22A + 72B) \sin(dx+c)}{15(a^3 d \cos(dx+c)^3 + 3a^3 d \cos(dx+c)^2 + 3a^3 d \cos(dx+c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] 1/15*(15*(A-3*B)*d*x*cos(d*x+c)^3 + 45*(A-3*B)*d*x*cos(d*x+c)^2 + 45*(A-3*B)*d*x*cos(d*x+c) + 15*(A-3*B)*d*x + (15*B*cos(d*x+c)^3 - (3*A-117*B)*cos(d*x+c)^2 - 3*(17*A-57*B)*cos(d*x+c) - 22*A + 72*B)*sin(d*x+c))/(a^3*d*cos(d*x+c)^3 + 3*a^3*d*cos(d*x+c)^2 + 3*a^3*d*cos(d*x+c) + a^3*d)

giac [A] time = 0.36, size = 155, normalized size = 1.05

$$\frac{\frac{60(dx+c)(A-3B)}{a^3} + \frac{120B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 20Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 30Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 255Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{15}}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(60*(d*x+c)*(A-3*B)/a^3 + 120*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 - 20*A*a^12*tan(1/2*d*x + 1/2*c)^3 + 30*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 105*A*a^12*tan(1/2*d*x + 1/2*c) - 255*B*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d

maple [A] time = 0.10, size = 189, normalized size = 1.29

$$\frac{A \left(\tan^5 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{20d a^3} + \frac{B \left(\tan^5 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{20d a^3} + \frac{\left(\tan^3 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) A}{3d a^3} - \frac{B \left(\tan^3 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{2d a^3} - \frac{7A \tan \left(\frac{dx}{2} + \frac{c}{2} \right)}{4d a^3} + \frac{17B \tan \left(\frac{dx}{2} + \frac{c}{2} \right)}{4d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)

[Out] -1/20/d/a^3*A*tan(1/2*d*x+1/2*c)^5+1/20/d/a^3*B*tan(1/2*d*x+1/2*c)^5+1/3/d/a^3*tan(1/2*d*x+1/2*c)^3*A-1/2/d/a^3*B*tan(1/2*d*x+1/2*c)^3-7/4/d/a^3*A*tan(1/2*d*x+1/2*c)+17/4/d/a^3*B*tan(1/2*d*x+1/2*c)+2/d/a^3*B*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)+2/d/a^3*arctan(tan(1/2*d*x+1/2*c))*A-6/d/a^3*arctan(tan(1/2*d*x+1/2*c))*B

maxima [A] time = 0.70, size = 231, normalized size = 1.57

$$\frac{3B \left(\frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} \right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - A \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)}{(\cos(dx+c)+1)^3}}{a^3} \right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

```
[Out] 1/60*(3*B*(40*sin(d*x + c)/((a^3 + a^3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)
*(cos(d*x + c) + 1)) + (85*sin(d*x + c)/(cos(d*x + c) + 1) - 10*sin(d*x + c)
)^3/(cos(d*x + c) + 1)^3 + sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 120*a
rctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^3 - A*((105*sin(d*x + c)/(cos(d*x
+ c) + 1) - 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos
(d*x + c) + 1)^5)/a^3 - 120*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^3))/d
```

mupad [B] time = 0.26, size = 152, normalized size = 1.03

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 \left(\frac{A-B}{6a^3} + \frac{2A-4B}{12a^3}\right)}{d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{3(A-B)}{4a^3} - \frac{3B}{2a^3} + \frac{2A-4B}{2a^3}\right)}{d} + \frac{x(A-3B)}{a^3} + \frac{2B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3,x)
```

```
[Out] (tan(c/2 + (d*x)/2)^3*((A - B)/(6*a^3) + (2*A - 4*B)/(12*a^3)))/d - (tan(c/
2 + (d*x)/2)*((3*(A - B))/(4*a^3) - (3*B)/(2*a^3) + (2*A - 4*B)/(2*a^3)))/d
+ (x*(A - 3*B))/a^3 + (2*B*tan(c/2 + (d*x)/2))/(d*(a^3*tan(c/2 + (d*x)/2)^
2 + a^3)) - (tan(c/2 + (d*x)/2)^5*(A - B))/(20*a^3*d)
```

sympy [A] time = 9.80, size = 496, normalized size = 3.37

$$\left\{ \begin{array}{l} \frac{60Adx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{60a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} + \frac{60Adx}{60a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} - \frac{3A \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{60a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} + \frac{17A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{60a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} - \frac{85A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{60a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} \\ \frac{x(A+B \cos(c)) \cos^3(c)}{(a \cos(c)+a)^3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Piecewise((60*A*d*x*tan(c/2 + d*x/2)**2/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60
*a**3*d) + 60*A*d*x/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 3*A*tan(c
/2 + d*x/2)**7/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 17*A*tan(c/2 +
d*x/2)**5/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 85*A*tan(c/2 + d*x
/2)**3/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 105*A*tan(c/2 + d*x/2)
/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 180*B*d*x*tan(c/2 + d*x/2)**
2/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 180*B*d*x/(60*a**3*d*tan(c/
2 + d*x/2)**2 + 60*a**3*d) + 3*B*tan(c/2 + d*x/2)**7/(60*a**3*d*tan(c/2 + d
*x/2)**2 + 60*a**3*d) - 27*B*tan(c/2 + d*x/2)**5/(60*a**3*d*tan(c/2 + d*x/2)
)**2 + 60*a**3*d) + 225*B*tan(c/2 + d*x/2)**3/(60*a**3*d*tan(c/2 + d*x/2)**
2 + 60*a**3*d) + 375*B*tan(c/2 + d*x/2)/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60
*a**3*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**3/(a*cos(c) + a)**3, True))
```

$$3.59 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=116

$$\frac{(4A - 29B) \sin(c + dx)}{15d(a^3 \cos(c + dx) + a^3)} + \frac{Bx}{a^3} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{5d(a \cos(c + dx) + a)^3} - \frac{(2A - 7B) \sin(c + dx)}{15ad(a \cos(c + dx) + a)^2}$$

[Out] B*x/a^3+1/5*(A-B)*cos(d*x+c)^2*sin(d*x+c)/d/(a+a*cos(d*x+c))^3-1/15*(2*A-7*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^2+1/15*(4*A-29*B)*sin(d*x+c)/d/(a^3+a^3*cos(d*x+c))

Rubi [A] time = 0.32, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2977, 2968, 3019, 2735, 2648}

$$\frac{(4A - 29B) \sin(c + dx)}{15d(a^3 \cos(c + dx) + a^3)} + \frac{Bx}{a^3} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{5d(a \cos(c + dx) + a)^3} - \frac{(2A - 7B) \sin(c + dx)}{15ad(a \cos(c + dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]

[Out] (B*x)/a^3 + ((A - B)*Cos[c + d*x]^2*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((2*A - 7*B)*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) + ((4*A - 29*B)*Sin[c + d*x])/(15*d*(a^3 + a^3*Cos[c + d*x]))

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2735

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])/((c_) + (d_)*sin[(e_) + (f_)*(x_)])*(x_), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^n, x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^n, x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3019

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] :> Simp[((A*b - a*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^3} dx &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\cos(c+dx)(2a(A-B)+5aB \cos(c+dx))}{(a+a \cos(c+dx))^2} dx}{5a^2} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{2a(A-B) \cos(c+dx)+5aB \cos^2(c+dx)}{(a+a \cos(c+dx))^2} dx}{5a^2} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(2A - 7B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{\int \frac{-2a}{(a+a \cos(c+dx))^2} dx}{15ad} \\ &= \frac{Bx}{a^3} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(2A - 7B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \\ &= \frac{Bx}{a^3} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(2A - 7B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \end{aligned}$$

Mathematica [B] time = 0.62, size = 241, normalized size = 2.08

$$\frac{\sec\left(\frac{c}{2}\right) \sec^5\left(\frac{1}{2}(c + dx)\right) \left(-60A \sin\left(c + \frac{dx}{2}\right) + 40A \sin\left(c + \frac{3dx}{2}\right) - 30A \sin\left(2c + \frac{3dx}{2}\right) + 14A \sin\left(2c + \frac{5dx}{2}\right) + \dots}{(a + a \cos(c + dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(150*B*d*x*Cos[(d*x)/2] + 150*B*d*x*Cos[c + (d*x)/2] + 75*B*d*x*Cos[c + (3*d*x)/2] + 75*B*d*x*Cos[2*c + (3*d*x)/2] + 15*B*d*x*Cos[2*c + (5*d*x)/2] + 15*B*d*x*Cos[3*c + (5*d*x)/2] + 80*A*Sin[(d*x)/2] - 370*B*Sin[(d*x)/2] - 60*A*Sin[c + (d*x)/2] + 270*B*Sin[c + (d*x)/2] + 40*A*Sin[c + (3*d*x)/2] - 230*B*Sin[c + (3*d*x)/2] - 30*A*Sin[2*c + (3*d*x)/2] + 90*B*Sin[2*c + (3*d*x)/2] + 14*A*Sin[2*c + (5*d*x)/2] - 64*B*Sin[2*c + (5*d*x)/2]))/(480*a^3*d)

fricas [A] time = 0.88, size = 137, normalized size = 1.18

$$\frac{15 B dx \cos(dx + c)^3 + 45 B dx \cos(dx + c)^2 + 45 B dx \cos(dx + c) + 15 B dx + ((7A - 32B) \cos(dx + c)^2 + 3((7A - 32B) \cos(dx + c) + 2A - 22B) \sin(dx + c))}{15(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] 1/15*(15*B*d*x*cos(d*x + c)^3 + 45*B*d*x*cos(d*x + c)^2 + 45*B*d*x*cos(d*x + c) + 15*B*d*x + ((7*A - 32*B)*cos(d*x + c)^2 + 3*(2*A - 17*B)*cos(d*x + c) + 2*A - 22*B)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [A] time = 0.50, size = 120, normalized size = 1.03

$$\frac{60(dx+c)B}{a^3} + \frac{3Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 3Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 10Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 20Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 15Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 105Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^{15}}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(60*(d*x + c)*B/a^3 + (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 - 10*A*a^12*tan(1/2*d*x + 1/2*c)^3 + 20*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 15*A*a^12*tan(1/2*d*x + 1/2*c) - 105*B*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d

maple [A] time = 0.08, size = 137, normalized size = 1.18

$$\frac{A\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{20d a^3} - \frac{B\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{20d a^3} - \frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{6d a^3} + \frac{B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3d a^3} + \frac{A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3} - \frac{7B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)

[Out] 1/20/d/a^3*A*tan(1/2*d*x+1/2*c)^5-1/20/d/a^3*B*tan(1/2*d*x+1/2*c)^5-1/6/d/a^3*tan(1/2*d*x+1/2*c)^3*A+1/3/d/a^3*B*tan(1/2*d*x+1/2*c)^3+1/4/d/a^3*A*tan(1/2*d*x+1/2*c)-7/4/d/a^3*B*tan(1/2*d*x+1/2*c)+2/d/a^3*arctan(tan(1/2*d*x+1/2*c))*B

maxima [A] time = 0.54, size = 160, normalized size = 1.38

$$B\left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3}\right) - \frac{A\left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right)}{a^3}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

[Out] -1/60*(B*((105*sin(d*x + c))/(cos(d*x + c) + 1) - 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 120*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^3) - A*(15*sin(d*x + c)/(cos(d*x + c) + 1) - 10*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3)/d

mupad [B] time = 0.38, size = 134, normalized size = 1.16

$$\frac{Bx}{a^3} - \frac{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \left(\frac{A \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{6} - \frac{B \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3}\right) - \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \left(\frac{A \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{4} - \frac{7B \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}\right) - \frac{A \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{20} + \dots}{a^3 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3,x)

[Out] (B*x)/a^3 - (cos(c/2 + (d*x)/2)^2*((A*sin(c/2 + (d*x)/2)^3)/6 - (B*sin(c/2 + (d*x)/2)^3)/3) - cos(c/2 + (d*x)/2)^4*((A*sin(c/2 + (d*x)/2))/4 - (7*B*si

$$\frac{n(c/2 + (d*x)/2)}{4} - (A*\sin(c/2 + (d*x)/2)^5)/20 + (B*\sin(c/2 + (d*x)/2)^5)/20)/(a^3*d*\cos(c/2 + (d*x)/2)^5)$$

sympy [A] time = 5.80, size = 148, normalized size = 1.28

$$\left\{ \begin{array}{ll} \frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} - \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^3d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} + \frac{Bx}{a^3} - \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} + \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{3a^3d} - \frac{7B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c)) \cos^2(c)}{(a \cos(c)+a)^3} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)

[Out] Piecewise((A*tan(c/2 + d*x/2)**5/(20*a**3*d) - A*tan(c/2 + d*x/2)**3/(6*a**3*d) + A*tan(c/2 + d*x/2)/(4*a**3*d) + B*x/a**3 - B*tan(c/2 + d*x/2)**5/(20*a**3*d) + B*tan(c/2 + d*x/2)**3/(3*a**3*d) - 7*B*tan(c/2 + d*x/2)/(4*a**3*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**2/(a*cos(c) + a)**3, True))

$$3.60 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=102

$$\frac{(3A+7B) \sin(c+dx)}{15d(a^3 \cos(c+dx)+a^3)} + \frac{(3A-8B) \sin(c+dx)}{15ad(a \cos(c+dx)+a)^2} - \frac{(A-B) \sin(c+dx)}{5d(a \cos(c+dx)+a)^3}$$

[Out] $-1/5*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^3+1/15*(3*A-8*B)*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^2+1/15*(3*A+7*B)*\sin(d*x+c)/d/(a^3+a^3*\cos(d*x+c))$

Rubi [A] time = 0.19, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2968, 3019, 2750, 2648}

$$\frac{(3A+7B) \sin(c+dx)}{15d(a^3 \cos(c+dx)+a^3)} + \frac{(3A-8B) \sin(c+dx)}{15ad(a \cos(c+dx)+a)^2} - \frac{(A-B) \sin(c+dx)}{5d(a \cos(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]

[Out] $-((A-B)*\sin[c+d*x])/(5*d*(a+a*\cos[c+d*x])^3)+((3*A-8*B)*\sin[c+d*x])/(15*a*d*(a+a*\cos[c+d*x])^2)+((3*A+7*B)*\sin[c+d*x])/(15*d*(a^3+a^3*\cos[c+d*x]))$

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2750

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3019

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> Simp[((A*b - a*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+a\cos(c+dx))^3} dx \\ &= -\frac{(A-B)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{\int \frac{-3a(A-B)-5aB\cos(c+dx)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{(A-B)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(3A-8B)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{(3A+7B)\int \frac{1}{a}}{15a} \\ &= -\frac{(A-B)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(3A-8B)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{(3A+7B)\sin(c+dx)}{15d(a^3+a^3\cos^2(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.36, size = 135, normalized size = 1.32

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-15(A+2B)\sin\left(c+\frac{dx}{2}\right)+5(3A+8B)\sin\left(\frac{dx}{2}\right)+15A\sin\left(c+\frac{3dx}{2}\right)+3A\sin\left(2c+\frac{5dx}{2}\right)\right)}{30a^3d(\cos(c+dx)+1)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(5*(3*A + 8*B)*Sin[(d*x)/2] - 15*(A + 2*B)*Sin[c + (d*x)/2] + 15*A*Sin[c + (3*d*x)/2] + 20*B*Sin[c + (3*d*x)/2] - 15*B*Sin[2*c + (3*d*x)/2] + 3*A*Sin[2*c + (5*d*x)/2] + 7*B*Sin[2*c + (5*d*x)/2]))/(30*a^3*d*(1 + Cos[c + d*x])^3)
```

fricas [A] time = 0.76, size = 93, normalized size = 0.91

$$\frac{((3A + 7B)\cos(dx + c)^2 + 3(3A + 2B)\cos(dx + c) + 3A + 2B)\sin(dx + c)}{15(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] 1/15*((3*A + 7*B)*cos(d*x + c)^2 + 3*(3*A + 2*B)*cos(d*x + c) + 3*A + 2*B)*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)
```

giac [A] time = 1.90, size = 75, normalized size = 0.74

$$\frac{3A\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3B\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 10B\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 15A\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 15B\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] -1/60*(3*A*tan(1/2*d*x + 1/2*c)^5 - 3*B*tan(1/2*d*x + 1/2*c)^5 + 10*B*tan(1/2*d*x + 1/2*c)^3 - 15*A*tan(1/2*d*x + 1/2*c) - 15*B*tan(1/2*d*x + 1/2*c))/(a^3*d)
```

maple [A] time = 0.08, size = 64, normalized size = 0.63

$$\frac{\frac{(-A+B)\left(\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{5} - \frac{2B\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{3} + A\tan\left(\frac{dx}{2}+\frac{c}{2}\right) + B\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{4da^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)`

[Out] $\frac{1}{4}d/a^3*(1/5*(-A+B)*\tan(1/2*d*x+1/2*c)^5-2/3*B*\tan(1/2*d*x+1/2*c)^3+A*\tan(1/2*d*x+1/2*c)+B*\tan(1/2*d*x+1/2*c))$

maxima [A] time = 0.81, size = 115, normalized size = 1.13

$$\frac{B\left(\frac{15\sin(dx+c)}{\cos(dx+c)+1} - \frac{10\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3\sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right)}{a^3} + \frac{3A\left(\frac{5\sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right)}{a^3}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="maxima")`

[Out] $\frac{1}{60}*(B*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 + 3*A*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3)/d$

mupad [B] time = 0.21, size = 66, normalized size = 0.65

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\left(15A + 15B - 3A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 10B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 3B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4\right)}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3,x)`

[Out] $\frac{(\tan(c/2 + (d*x)/2)*(15*A + 15*B - 3*A*\tan(c/2 + (d*x)/2)^4 - 10*B*\tan(c/2 + (d*x)/2)^2 + 3*B*\tan(c/2 + (d*x)/2)^4))/(60*a^3*d)}$

sympy [A] time = 3.72, size = 117, normalized size = 1.15

$$\left\{ \begin{array}{ll} -\frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} + \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} - \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^3d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c)) \cos(c)}{(a \cos(c)+a)^3} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)`

[Out] `Piecewise((-A*tan(c/2 + d*x/2)**5/(20*a**3*d) + A*tan(c/2 + d*x/2)/(4*a**3*d) + B*tan(c/2 + d*x/2)**5/(20*a**3*d) - B*tan(c/2 + d*x/2)**3/(6*a**3*d) + B*tan(c/2 + d*x/2)/(4*a**3*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)/(a*cos(c) + a)**3, True))`

$$3.61 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=102

$$\frac{(2A+3B) \sin(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} + \frac{(2A+3B) \sin(c+dx)}{15ad(a \cos(c+dx) + a)^2} + \frac{(A-B) \sin(c+dx)}{5d(a \cos(c+dx) + a)^3}$$

[Out] 1/5*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^3+1/15*(2*A+3*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^2+1/15*(2*A+3*B)*sin(d*x+c)/d/(a^3+a^3*cos(d*x+c))

Rubi [A] time = 0.08, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {2750, 2650, 2648}

$$\frac{(2A+3B) \sin(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} + \frac{(2A+3B) \sin(c+dx)}{15ad(a \cos(c+dx) + a)^2} + \frac{(A-B) \sin(c+dx)}{5d(a \cos(c+dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x])^3, x]

[Out] ((A - B)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) + ((2*A + 3*B)*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) + ((2*A + 3*B)*Sin[c + d*x])/(15*d*(a^3 + a^3*Cos[c + d*x]))

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2650

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^n)/(a*d*(2*n + 1)), x] + Dist[(n + 1)/(a*(2*n + 1)), Int[(a + b*Sin[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2750

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3} dx &= \frac{(A-B) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{(2A+3B) \int \frac{1}{(a+a \cos(c+dx))^2} dx}{5a} \\ &= \frac{(A-B) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{(2A+3B) \sin(c+dx)}{15ad(a+a \cos(c+dx))^2} + \frac{(2A+3B) \int \frac{1}{a+a \cos(c+dx)} dx}{15a^2} \\ &= \frac{(A-B) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{(2A+3B) \sin(c+dx)}{15ad(a+a \cos(c+dx))^2} + \frac{(2A+3B) \sin(c+dx)}{15d(a^3+a^3 \cos(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.29, size = 96, normalized size = 0.94

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left((2A + 3B) \left(5 \sin\left(c + \frac{3dx}{2}\right) + \sin\left(2c + \frac{5dx}{2}\right) \right) + 5(4A + 3B) \sin\left(\frac{dx}{2}\right) - 15B \sin\left(c + \frac{dx}{2}\right) \right)}{30a^3d(\cos(c + dx) + 1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x])^3,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(5*(4*A + 3*B)*Sin[(d*x)/2] - 15*B*Sin[c + (d*x)/2] + (2*A + 3*B)*(5*Sin[c + (3*d*x)/2] + Sin[2*c + (5*d*x)/2]))) / (30*a^3*d*(1 + Cos[c + d*x])^3)

fricas [A] time = 0.54, size = 93, normalized size = 0.91

$$\frac{(2A + 3B) \cos(dx + c)^2 + 3(2A + 3B) \cos(dx + c) + 7A + 3B) \sin(dx + c)}{15(a^3d \cos(dx + c)^3 + 3a^3d \cos(dx + c)^2 + 3a^3d \cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] 1/15*((2*A + 3*B)*cos(d*x + c)^2 + 3*(2*A + 3*B)*cos(d*x + c) + 7*A + 3*B)*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [A] time = 0.45, size = 75, normalized size = 0.74

$$\frac{3A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 10A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(3*A*tan(1/2*d*x + 1/2*c)^5 - 3*B*tan(1/2*d*x + 1/2*c)^5 + 10*A*tan(1/2*d*x + 1/2*c)^3 + 15*A*tan(1/2*d*x + 1/2*c) + 15*B*tan(1/2*d*x + 1/2*c))/(a^3*d)

maple [A] time = 0.07, size = 64, normalized size = 0.63

$$\frac{\frac{(A-B)\left(\tan^5\left(\frac{dx+c}{2}\right)\right)}{5} + \frac{2\left(\tan^3\left(\frac{dx+c}{2}\right)\right)A}{3} + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)

[Out] 1/4/d/a^3*(1/5*(A-B)*tan(1/2*d*x+1/2*c)^5+2/3*tan(1/2*d*x+1/2*c)^3*A+A*tan(1/2*d*x+1/2*c)+B*tan(1/2*d*x+1/2*c))

maxima [A] time = 0.46, size = 115, normalized size = 1.13

$$\frac{A \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) + 3B \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{60d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

[Out] $1/60*(A*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) + 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 + 3*B*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3)/d$

mupad [B] time = 0.20, size = 66, normalized size = 0.65

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(15A + 15B + 10A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 3A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 3B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4\right)}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(a + a*cos(c + d*x))^3, x)`

[Out] $(\tan(c/2 + (d*x)/2)*(15*A + 15*B + 10*A*\tan(c/2 + (d*x)/2)^2 + 3*A*\tan(c/2 + (d*x)/2)^4 - 3*B*\tan(c/2 + (d*x)/2)^4))/(60*a^3*d)$

sympy [A] time = 2.54, size = 114, normalized size = 1.12

$$\begin{cases} \frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} + \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^3d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} - \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c))}{(a \cos(c)+a)^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3, x)`

[Out] `Piecewise((A*tan(c/2 + d*x/2)**5/(20*a**3*d) + A*tan(c/2 + d*x/2)**3/(6*a**3*d) + A*tan(c/2 + d*x/2)/(4*a**3*d) - B*tan(c/2 + d*x/2)**5/(20*a**3*d) + B*tan(c/2 + d*x/2)/(4*a**3*d), Ne(d, 0)), (x*(A + B*cos(c))/(a*cos(c) + a)**3, True))`

$$3.62 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=117

$$-\frac{2(11A - B) \sin(c + dx)}{15d(a^3 \cos(c + dx) + a^3)} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^3 d} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a \cos(c + dx) + a)^2} - \frac{(A - B) \sin(c + dx)}{5d(a \cos(c + dx) + a)^3}$$

[Out] A*arctanh(sin(d*x+c))/a^3/d-1/5*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^3-1/15*(7*A-2*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^2-2/15*(11*A-B)*sin(d*x+c)/d/(a^3+a^3*cos(d*x+c))

Rubi [A] time = 0.31, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2978, 12, 3770}

$$-\frac{2(11A - B) \sin(c + dx)}{15d(a^3 \cos(c + dx) + a^3)} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^3 d} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a \cos(c + dx) + a)^2} - \frac{(A - B) \sin(c + dx)}{5d(a \cos(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x])^3, x]

[Out] (A*ArcTanh[Sin[c + d*x]])/(a^3*d) - ((A - B)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((7*A - 2*B)*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - (2*(11*A - B)*Sin[c + d*x])/(15*d*(a^3 + a^3*Cos[c + d*x]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3770

Int[csc[(c_) + (d_)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^3} dx &= -\frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{(5aA - 2a(A - B) \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^2} dx}{5a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{(15a^2A - a^2(7A - 2B) \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^2} dx}{a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{2(11A - B) \sin(c + dx)}{15d(a^3 + a^3 \cos^2(c + dx))} \\
&= -\frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{2(11A - B) \sin(c + dx)}{15d(a^3 + a^3 \cos^2(c + dx))} \\
&= \frac{A \tanh^{-1}(\sin(c + dx))}{a^3d} - \frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2}
\end{aligned}$$

Mathematica [A] time = 1.04, size = 197, normalized size = 1.68

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-5(29A - 4B) \sin\left(\frac{dx}{2}\right) + 75A \sin\left(c + \frac{dx}{2}\right) - 95A \sin\left(c + \frac{3dx}{2}\right) + 15A \sin\left(2c + \frac{3dx}{2}\right)\right)}{30(a^3d \cos(dx + c) + 3A \cos(dx + c)^3 + 3A \cos(dx + c)^2 + 3A \cos(dx + c) + A) \log(\sin(dx + c) + 1) - 15(A \cos(dx + c)^3 + 3A \cos(dx + c)^2 + 3A \cos(dx + c) + A) \log(-\sin(dx + c) + 1) - 2(2(11A - B) \cos(dx + c)^2 + 3(17A - 2B) \cos(dx + c) + 32A - 7B) \sin(dx + c)}{30(a^3d \cos(dx + c) + 3A \cos(dx + c)^3 + 3A \cos(dx + c)^2 + 3A \cos(dx + c) + A) \log(\sin(dx + c) + 1) - 15(A \cos(dx + c)^3 + 3A \cos(dx + c)^2 + 3A \cos(dx + c) + A) \log(-\sin(dx + c) + 1) - 2(2(11A - B) \cos(dx + c)^2 + 3(17A - 2B) \cos(dx + c) + 32A - 7B) \sin(dx + c)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x])^3,x]

[Out] (-240*A*Cos[(c + d*x)/2]^6*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*(-5*(29*A - 4*B)*Sin[(d*x)/2] + 75*A*Sin[c + (d*x)/2] - 95*A*Sin[c + (3*d*x)/2] + 10*B*Sin[c + (3*d*x)/2] + 15*A*Sin[2*c + (3*d*x)/2] - 22*A*Sin[2*c + (5*d*x)/2] + 2*B*Sin[2*c + (5*d*x)/2]))/(30*a^3*d*(1 + Cos[c + d*x])^3)

fricas [A] time = 0.72, size = 185, normalized size = 1.58

$$\frac{15(A \cos(dx + c)^3 + 3A \cos(dx + c)^2 + 3A \cos(dx + c) + A) \log(\sin(dx + c) + 1) - 15(A \cos(dx + c)^3 + 3A \cos(dx + c)^2 + 3A \cos(dx + c) + A) \log(-\sin(dx + c) + 1) - 2(2(11A - B) \cos(dx + c)^2 + 3(17A - 2B) \cos(dx + c) + 32A - 7B) \sin(dx + c)}{30(a^3d \cos(dx + c) + 3A \cos(dx + c)^3 + 3A \cos(dx + c)^2 + 3A \cos(dx + c) + A) \log(\sin(dx + c) + 1) - 15(A \cos(dx + c)^3 + 3A \cos(dx + c)^2 + 3A \cos(dx + c) + A) \log(-\sin(dx + c) + 1) - 2(2(11A - B) \cos(dx + c)^2 + 3(17A - 2B) \cos(dx + c) + 32A - 7B) \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] 1/30*(15*(A*cos(d*x + c)^3 + 3*A*cos(d*x + c)^2 + 3*A*cos(d*x + c) + A)*log(sin(d*x + c) + 1) - 15*(A*cos(d*x + c)^3 + 3*A*cos(d*x + c)^2 + 3*A*cos(d*x + c) + A)*log(-sin(d*x + c) + 1) - 2*(2*(11*A - B)*cos(d*x + c)^2 + 3*(17*A - 2*B)*cos(d*x + c) + 32*A - 7*B)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [A] time = 4.31, size = 148, normalized size = 1.26

$$\frac{60A \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^3} - \frac{60A \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 20Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 10Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{a^{15}}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] $\frac{1}{60} \cdot (60 \cdot A \cdot \log(\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) + 1)) / a^3 - 60 \cdot A \cdot \log(\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) - 1)) / a^3 - (3 \cdot A \cdot a^{12} \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^5 - 3 \cdot B \cdot a^{12} \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^5 + 20 \cdot A \cdot a^{12} \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^3 - 10 \cdot B \cdot a^{12} \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^3 + 105 \cdot A \cdot a^{12} \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) - 15 \cdot B \cdot a^{12} \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)) / a^{15} / d$

maple [A] time = 0.16, size = 159, normalized size = 1.36

$$\frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d a^3} - \frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A}{3d a^3} + \frac{B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{6d a^3} - \frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d a^3} - \frac{A\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{20d a^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(dx+c))*sec(dx+c)/(a+a*cos(dx+c))^3,x)`

[Out] $\frac{1}{d} \cdot \frac{1}{a^3} \cdot A \cdot \ln(\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) + 1) - \frac{1}{3} \cdot \frac{1}{d} \cdot \frac{1}{a^3} \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^3 \cdot A + \frac{1}{6} \cdot \frac{1}{d} \cdot \frac{1}{a^3} \cdot B \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^3 - \frac{1}{d} \cdot \frac{1}{a^3} \cdot A \cdot \ln(\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) - 1) - \frac{1}{20} \cdot \frac{1}{d} \cdot \frac{1}{a^3} \cdot A \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^5 + \frac{1}{20} \cdot \frac{1}{d} \cdot \frac{1}{a^3} \cdot B \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^5 - \frac{7}{4} \cdot \frac{1}{d} \cdot \frac{1}{a^3} \cdot A \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) + \frac{1}{4} \cdot \frac{1}{d} \cdot \frac{1}{a^3} \cdot B \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)$

maxima [A] time = 0.57, size = 187, normalized size = 1.60

$$A \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - \frac{B \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(dx+c))*sec(dx+c)/(a+a*cos(dx+c))^3,x, algorithm="maxima")`

[Out] $-\frac{1}{60} \cdot (A \cdot ((\frac{105 \cdot \sin(dx+c)}{\cos(dx+c)+1} + 20 \cdot \sin(dx+c)^3 / (\cos(dx+c)+1)^3 + 3 \cdot \sin(dx+c)^5 / (\cos(dx+c)+1)^5) / a^3 - 60 \cdot \log(\sin(dx+c) / (\cos(dx+c)+1) + 1) / a^3 + 60 \cdot \log(\sin(dx+c) / (\cos(dx+c)+1) - 1) / a^3) - B \cdot (15 \cdot \sin(dx+c) / (\cos(dx+c)+1) + 10 \cdot \sin(dx+c)^3 / (\cos(dx+c)+1)^3 + 3 \cdot \sin(dx+c)^5 / (\cos(dx+c)+1)^5) / a^3) / d$

mupad [B] time = 0.25, size = 130, normalized size = 1.11

$$\frac{2 A \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^3 d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{A-B}{4a^3} + \frac{3A+B}{4a^3} + \frac{3A-B}{4a^3}\right)}{d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 (A-B)}{20 a^3 d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 \left(\frac{A-B}{12a^3} + \dots\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + dx))/(cos(c + dx)*(a + a*cos(c + dx))^3),x)`

[Out] $\frac{(2 \cdot A \cdot \operatorname{atanh}(\tan(c/2 + (dx)/2))) / (a^3 \cdot d) - (\tan(c/2 + (dx)/2) \cdot ((A - B) / (4 \cdot a^3) + (3 \cdot A + B) / (4 \cdot a^3) + (3 \cdot A - B) / (4 \cdot a^3))) / d - (\tan(c/2 + (dx)/2)^5 \cdot (A - B) / (20 \cdot a^3 \cdot d) - (\tan(c/2 + (dx)/2)^3 \cdot ((A - B) / (12 \cdot a^3) + (3 \cdot A - B) / (12 \cdot a^3))) / d$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec(c+dx)}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec(c+dx)}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(dx+c))*sec(dx+c)/(a+a*cos(dx+c))**3,x)`

[Out] $(\operatorname{Integral}(A \cdot \sec(c + dx) / (\cos(c + dx)**3 + 3 \cdot \cos(c + dx)**2 + 3 \cdot \cos(c + dx) + 1), x) + \operatorname{Integral}(B \cdot \cos(c + dx) \cdot \sec(c + dx) / (\cos(c + dx)**3 + 3 \cdot \cos(c + dx)**2 + 3 \cdot \cos(c + dx) + 1), x)) / a**3$

$$3.63 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=145

$$\frac{2(36A - 11B) \tan(c + dx)}{15a^3d} - \frac{(3A - B) \tanh^{-1}(\sin(c + dx))}{a^3d} - \frac{(3A - B) \tan(c + dx)}{d(a^3 \cos(c + dx) + a^3)} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a \cos(c + dx) + a)^2}$$

[Out] $-(3A-B) \cdot \arctanh(\sin(dx+c))/a^3/d + 2/15 \cdot (36A-11B) \cdot \tan(dx+c)/a^3/d - 1/5 \cdot (A-B) \cdot \tan(dx+c)/d / (a+a \cdot \cos(dx+c))^3 - 1/15 \cdot (9A-4B) \cdot \tan(dx+c)/a/d / (a+a \cdot \cos(dx+c))^2 - (3A-B) \cdot \tan(dx+c)/d / (a^3+a^3 \cdot \cos(dx+c))$

Rubi [A] time = 0.47, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2978, 2748, 3767, 8, 3770}

$$\frac{2(36A - 11B) \tan(c + dx)}{15a^3d} - \frac{(3A - B) \tanh^{-1}(\sin(c + dx))}{a^3d} - \frac{(3A - B) \tan(c + dx)}{d(a^3 \cos(c + dx) + a^3)} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a \cos(c + dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^3, x]

[Out] $-\left(\frac{(3A - B) \cdot \text{ArcTanh}[\text{Sin}[c + d*x]]}{a^3 \cdot d}\right) + \frac{2 \cdot (36A - 11B) \cdot \text{Tan}[c + d*x]}{(15 \cdot a^3 \cdot d)} - \frac{(A - B) \cdot \text{Tan}[c + d*x]}{5 \cdot d \cdot (a + a \cdot \text{Cos}[c + d*x])^3} - \frac{(9A - 4B) \cdot \text{Tan}[c + d*x]}{15 \cdot a \cdot d \cdot (a + a \cdot \text{Cos}[c + d*x])^2} - \frac{(3A - B) \cdot \text{Tan}[c + d*x]}{d \cdot (a^3 + a^3 \cdot \text{Cos}[c + d*x])}$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^3} dx &= -\frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{(a(6A-B) - 3a(A-B) \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{(a^2(27A-7B) - 2a^2)}{a}}{a} \\
&= -\frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{(3A - B) \tan(c + dx)}{d(a^3 + a^3 \cos(c + dx))} \\
&= -\frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{(3A - B) \tan(c + dx)}{d(a^3 + a^3 \cos(c + dx))} \\
&= -\frac{(3A - B) \tanh^{-1}(\sin(c + dx))}{a^3d} - \frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} \\
&= -\frac{(3A - B) \tanh^{-1}(\sin(c + dx))}{a^3d} + \frac{2(36A - 11B) \tan(c + dx)}{15a^3d} - \frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3}
\end{aligned}$$

Mathematica [B] time = 3.28, size = 482, normalized size = 3.32

$$\frac{960(3A - B) \cos^6\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)\right)}{120a^3d(1 + \cos(c + dx))^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^3,x]
[Out] (960*(3*A - B)*Cos[(c + d*x)/2]^6*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]*(-5*(51*A - 32*B)*Sin[(d*x)/2] + (567*A - 167*B)*Sin[(3*d*x)/2] - 600*A*Sin[c - (d*x)/2] + 170*B*Sin[c - (d*x)/2] + 375*A*Sin[c + (d*x)/2] - 170*B*Sin[c + (d*x)/2] - 480*A*Sin[2*c + (d*x)/2] + 160*B*Sin[2*c + (d*x)/2] - 60*A*Sin[c + (3*d*x)/2] + 75*B*Sin[c + (3*d*x)/2] + 402*A*Sin[2*c + (3*d*x)/2] - 167*B*Sin[2*c + (3*d*x)/2] - 225*A*Sin[3*c + (3*d*x)/2] + 75*B*Sin[3*c + (3*d*x)/2] + 315*A*Sin[c + (5*d*x)/2] - 95*B*Sin[c + (5*d*x)/2] + 30*A*Sin[2*c + (5*d*x)/2] + 15*B*Sin[2*c + (5*d*x)/2] + 240*A*Sin[3*c + (5*d*x)/2] - 95*B*Sin[3*c + (5*d*x)/2] - 45*A*Sin[4*c + (5*d*x)/2] + 15*B*Sin[4*c + (5*d*x)/2] + 72*A*Sin[2*c + (7*d*x)/2] - 22*B*Sin[2*c + (7*d*x)/2] + 15*A*Sin[3*c + (7*d*x)/2] + 57*A*Sin[4*c + (7*d*x)/2] - 22*B*Sin[4*c + (7*d*x)/2]))/(120*a^3*d*(1 + Cos[c + d*x])^3)
```

fricas [A] time = 0.66, size = 272, normalized size = 1.88

$$\frac{15\left((3A - B) \cos(dx + c)^4 + 3(3A - B) \cos(dx + c)^3 + 3(3A - B) \cos(dx + c)^2 + (3A - B) \cos(dx + c)\right) \log(\sin(dx + c) + 1) - 15\left((3A - B) \cos(dx + c)^4 + 3(3A - B) \cos(dx + c)^3 + 3(3A - B) \cos(dx + c)^2 + (3A - B) \cos(dx + c)\right) \log(-\sin(dx + c) + 1) - 2*(2*(36A - 11*B) \tan(c + dx))}{15a^3d(1 + \cos(c + dx))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] -1/30*(15*((3*A - B)*cos(d*x + c)^4 + 3*(3*A - B)*cos(d*x + c)^3 + 3*(3*A - B)*cos(d*x + c)^2 + (3*A - B)*cos(d*x + c))*log(sin(d*x + c) + 1) - 15*((3*A - B)*cos(d*x + c)^4 + 3*(3*A - B)*cos(d*x + c)^3 + 3*(3*A - B)*cos(d*x + c)^2 + (3*A - B)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(2*(36*A - 11*B)tan(c + dx))
```

$$\frac{3\cos(dx+c)^3 + 3(57A - 17B)\cos(dx+c)^2 + (117A - 32B)\cos(dx+c) + 15A\sin(dx+c)}{a^3 d \cos(dx+c)^4 + 3a^3 d \cos(dx+c)^3 + 3a^3 d \cos(dx+c)^2 + a^3 d \cos(dx+c)}$$

giac [A] time = 0.44, size = 190, normalized size = 1.31

$$\frac{60(3A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{60(3A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3} + \frac{120A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)a^3} - \frac{3Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 3Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)^2/(a+a*cos(dx+c))^3,x, algorithm="giac")

[Out] -1/60*(60*(3*A - B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 60*(3*A - B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 + 120*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 30*A*a^12*tan(1/2*d*x + 1/2*c)^3 - 20*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 255*A*a^12*tan(1/2*d*x + 1/2*c) - 105*B*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d

maple [A] time = 0.16, size = 245, normalized size = 1.69

$$\frac{A\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{20d a^3} - \frac{B\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{20d a^3} + \frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{2d a^3} - \frac{B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3d a^3} + \frac{17A \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3} - \frac{7B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(dx+c))*sec(dx+c)^2/(a+a*cos(dx+c))^3,x)

[Out] 1/20/d/a^3*A*tan(1/2*d*x+1/2*c)^5-1/20/d/a^3*B*tan(1/2*d*x+1/2*c)^5+1/2/d/a^3*tan(1/2*d*x+1/2*c)^3*A-1/3/d/a^3*B*tan(1/2*d*x+1/2*c)^3+17/4/d/a^3*A*tan(1/2*d*x+1/2*c)-7/4/d/a^3*B*tan(1/2*d*x+1/2*c)+3/d/a^3*A*ln(tan(1/2*d*x+1/2*c)-1)-1/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*B-1/d/a^3*A/(tan(1/2*d*x+1/2*c)-1)-3/d/a^3*A*ln(tan(1/2*d*x+1/2*c)+1)+1/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*B-1/d/a^3*A/(tan(1/2*d*x+1/2*c)+1)

maxima [B] time = 0.48, size = 286, normalized size = 1.97

$$3A\left(\frac{40\sin(dx+c)}{\left(a^3 - \frac{a^3\sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} + \frac{85\sin(dx+c)}{\cos(dx+c)+1} + \frac{10\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{60\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)}{a^3} + \frac{60\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}-1\right)}{a^3}\right) - \frac{60d}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)^2/(a+a*cos(dx+c))^3,x, algorithm="maxima")

[Out] 1/60*(3*A*(40*sin(dx+c)/((a^3 - a^3*sin(dx+c)^2/(cos(dx+c)+1)^2)*(cos(dx+c)+1)) + (85*sin(dx+c)/(cos(dx+c)+1) + 10*sin(dx+c)^3/(cos(dx+c)+1)^3 + sin(dx+c)^5/(cos(dx+c)+1)^5)/a^3 - 60*log(sin(dx+c)/(cos(dx+c)+1) + 1)/a^3 + 60*log(sin(dx+c)/(cos(dx+c)+1) - 1)/a^3) - B*((105*sin(dx+c)/(cos(dx+c)+1) + 20*sin(dx+c)^3/(cos(dx+c)+1)^3 + 3*sin(dx+c)^5/(cos(dx+c)+1)^5)/a^3 - 60*log(sin(dx+c)/(cos(dx+c)+1) + 1)/a^3 + 60*log(sin(dx+c)/(cos(dx+c)+1) - 1)/a^3))/d

mupad [B] time = 0.28, size = 168, normalized size = 1.16

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 \left(\frac{A-B}{6a^3} + \frac{4A-2B}{12a^3}\right)}{d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{3A}{2a^3} + \frac{3(A-B)}{4a^3} + \frac{4A-2B}{2a^3}\right)}{d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 (A-B)}{20a^3d} - \frac{2A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - a^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + a*cos(c + d*x))^3),x)

[Out] (tan(c/2 + (d*x)/2)^3*((A - B)/(6*a^3) + (4*A - 2*B)/(12*a^3)))/d + (tan(c/2 + (d*x)/2)*((3*A)/(2*a^3) + (3*(A - B))/(4*a^3) + (4*A - 2*B)/(2*a^3)))/d + (tan(c/2 + (d*x)/2)^5*(A - B))/(20*a^3*d) - (2*A*tan(c/2 + (d*x)/2))/(d*(a^3*tan(c/2 + (d*x)/2)^2 - a^3)) - (2*atanh(tan(c/2 + (d*x)/2))*(3*A - B))/(a^3*d)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec^2(c+dx)}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^2(c+dx)}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+a*cos(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)**2/(cos(c + d*x)**3 + 3*cos(c + d*x)**2 + 3*cos(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sec(c + d*x)**2/(cos(c + d*x)**3 + 3*cos(c + d*x)**2 + 3*cos(c + d*x) + 1), x))/a**3

$$3.64 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=196

$$\frac{8(19A - 9B) \tan(c + dx)}{15a^3d} + \frac{(13A - 6B) \tanh^{-1}(\sin(c + dx))}{2a^3d} + \frac{(13A - 6B) \tan(c + dx) \sec(c + dx)}{2a^3d} - \frac{4(19A - 9B)}{15d}$$

[Out] 1/2*(13*A-6*B)*arctanh(sin(d*x+c))/a^3/d-8/15*(19*A-9*B)*tan(d*x+c)/a^3/d+1/2*(13*A-6*B)*sec(d*x+c)*tan(d*x+c)/a^3/d-1/5*(A-B)*sec(d*x+c)*tan(d*x+c)/(a+a*cos(d*x+c))^3-1/15*(11*A-6*B)*sec(d*x+c)*tan(d*x+c)/a/d/(a+a*cos(d*x+c))^2-4/15*(19*A-9*B)*sec(d*x+c)*tan(d*x+c)/d/(a^3+a^3*cos(d*x+c))

Rubi [A] time = 0.54, antiderivative size = 196, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2978, 2748, 3768, 3770, 3767, 8}

$$\frac{8(19A - 9B) \tan(c + dx)}{15a^3d} + \frac{(13A - 6B) \tanh^{-1}(\sin(c + dx))}{2a^3d} + \frac{(13A - 6B) \tan(c + dx) \sec(c + dx)}{2a^3d} - \frac{4(19A - 9B)}{15d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x])^3,x]

[Out] ((13*A - 6*B)*ArcTanh[Sin[c + d*x]]/(2*a^3*d) - (8*(19*A - 9*B)*Tan[c + d*x])/(15*a^3*d) + ((13*A - 6*B)*Sec[c + d*x]*Tan[c + d*x])/(2*a^3*d) - ((A - B)*Sec[c + d*x]*Tan[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((11*A - 6*B)*Sec[c + d*x]*Tan[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - (4*(19*A - 9*B)*Sec[c + d*x]*Tan[c + d*x])/(15*d*(a^3 + a^3*Cos[c + d*x]))

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^3} dx = -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{(a(7A - 2B) - 4a(A - B) \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^2} dx}{5a^2}$$

$$= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(11A - 6B) \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2}$$

$$= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(11A - 6B) \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2}$$

$$= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(11A - 6B) \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2}$$

$$= \frac{(13A - 6B) \sec(c + dx) \tan(c + dx)}{2a^3d} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3}$$

$$= \frac{(13A - 6B) \tanh^{-1}(\sin(c + dx))}{2a^3d} - \frac{8(19A - 9B) \tan(c + dx)}{15a^3d} + \frac{(13A - 6B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3}$$

Mathematica [B] time = 5.22, size = 610, normalized size = 3.11

$$\frac{1920(13A - 6B) \cos^6\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)\right)}{(a + a \cos(c + dx))^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*cos[c + d*x])^3,x]
[Out] -1/480*(1920*(13*A - 6*B)*Cos[(c + d*x)/2]^6*(Log[Cos[(c + d*x)/2] - Sin[(c
+ d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*
Sec[c/2]*Sec[c]*Sec[c + d*x]^2*((-1235*A + 870*B)*Sin[(d*x)/2] + 5*(761*A -
366*B)*Sin[(3*d*x)/2] - 4329*A*Sin[c - (d*x)/2] + 2094*B*Sin[c - (d*x)/2]
+ 1989*A*Sin[c + (d*x)/2] - 1314*B*Sin[c + (d*x)/2] - 3575*A*Sin[2*c + (d*x
)/2] + 1650*B*Sin[2*c + (d*x)/2] - 475*A*Sin[c + (3*d*x)/2] + 450*B*Sin[c +
(3*d*x)/2] + 2005*A*Sin[2*c + (3*d*x)/2] - 1230*B*Sin[2*c + (3*d*x)/2] - 2
275*A*Sin[3*c + (3*d*x)/2] + 1050*B*Sin[3*c + (3*d*x)/2] + 2673*A*Sin[c + (
5*d*x)/2] - 1278*B*Sin[c + (5*d*x)/2] + 105*A*Sin[2*c + (5*d*x)/2] + 90*B*S
in[2*c + (5*d*x)/2] + 1593*A*Sin[3*c + (5*d*x)/2] - 918*B*Sin[3*c + (5*d*x)
/2] - 975*A*Sin[4*c + (5*d*x)/2] + 450*B*Sin[4*c + (5*d*x)/2] + 1325*A*Sin[
2*c + (7*d*x)/2] - 630*B*Sin[2*c + (7*d*x)/2] + 255*A*Sin[3*c + (7*d*x)/2]
- 60*B*Sin[3*c + (7*d*x)/2] + 875*A*Sin[4*c + (7*d*x)/2] - 480*B*Sin[4*c +
(7*d*x)/2] - 195*A*Sin[5*c + (7*d*x)/2] + 90*B*Sin[5*c + (7*d*x)/2] + 304*A
*Sin[3*c + (9*d*x)/2] - 144*B*Sin[3*c + (9*d*x)/2] + 90*A*Sin[4*c + (9*d*x)
/2] - 30*B*Sin[4*c + (9*d*x)/2] + 214*A*Sin[5*c + (9*d*x)/2] - 114*B*Sin[5*
c + (9*d*x)/2]))/(a^3*d*(1 + Cos[c + d*x])^3)
```

fricas [A] time = 0.82, size = 295, normalized size = 1.51

$$15 \left((13A - 6B) \cos(dx + c)^5 + 3(13A - 6B) \cos(dx + c)^4 + 3(13A - 6B) \cos(dx + c)^3 + (13A - 6B) \cos(dx + c)^2 \right) \log(\sin(dx + c) + 1) - 15 \left((13A - 6B) \cos(dx + c)^5 + 3(13A - 6B) \cos(dx + c)^4 + 3(13A - 6B) \cos(dx + c)^3 + (13A - 6B) \cos(dx + c)^2 \right) \log(-\sin(dx + c) + 1) - 2(16(19A - 9B) \cos(dx + c)^4 + 3(239A - 114B) \cos(dx + c)^3 + (479A - 234B) \cos(dx + c)^2 + 15(3A - 2B) \cos(dx + c) - 15A) \sin(dx + c) / (a^3 d \cos(dx + c)^5 + 3a^3 d \cos(dx + c)^4 + 3a^3 d \cos(dx + c)^3 + a^3 d \cos(dx + c)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] 1/60*(15*((13*A - 6*B)*cos(d*x + c)^5 + 3*(13*A - 6*B)*cos(d*x + c)^4 + 3*(13*A - 6*B)*cos(d*x + c)^3 + (13*A - 6*B)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - 15*((13*A - 6*B)*cos(d*x + c)^5 + 3*(13*A - 6*B)*cos(d*x + c)^4 + 3*(13*A - 6*B)*cos(d*x + c)^3 + (13*A - 6*B)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(16*(19*A - 9*B)*cos(d*x + c)^4 + 3*(239*A - 114*B)*cos(d*x + c)^3 + (479*A - 234*B)*cos(d*x + c)^2 + 15*(3*A - 2*B)*cos(d*x + c) - 15*A)*sin(d*x + c)/(a^3*d*cos(d*x + c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + a^3*d*cos(d*x + c)^2)

giac [A] time = 2.21, size = 233, normalized size = 1.19

$$\frac{30(13A-6B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{30(13A-6B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3} + \frac{60\left(7A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-5A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(30*(13*A - 6*B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 30*(13*A - 6*B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 + 60*(7*A*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c)^3 - 5*A*tan(1/2*d*x + 1/2*c)^2 + 2*B*tan(1/2*d*x + 1/2*c)^2 - 1)/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 40*A*a^12*tan(1/2*d*x + 1/2*c)^3 - 30*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 465*A*a^12*tan(1/2*d*x + 1/2*c) - 255*B*a^12*tan(1/2*d*x + 1/2*c))/a^15/d

maple [A] time = 0.18, size = 334, normalized size = 1.70

$$\frac{A \left(\tan^5 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{20d a^3} + \frac{B \left(\tan^5 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{20d a^3} - \frac{2 \left(\tan^3 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) A}{3d a^3} + \frac{B \left(\tan^3 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{2d a^3} - \frac{31A \tan \left(\frac{dx}{2} + \frac{c}{2} \right)}{4d a^3} + \frac{17B \tan \left(\frac{dx}{2} + \frac{c}{2} \right)}{4d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^3,x)

[Out] -1/20/d/a^3*A*tan(1/2*d*x+1/2*c)^5+1/20/d/a^3*B*tan(1/2*d*x+1/2*c)^5-2/3/d/a^3*tan(1/2*d*x+1/2*c)^3*A+1/2/d/a^3*B*tan(1/2*d*x+1/2*c)^3-31/4/d/a^3*A*tan(1/2*d*x+1/2*c)+17/4/d/a^3*B*tan(1/2*d*x+1/2*c)-13/2/d/a^3*A*ln(tan(1/2*d*x+1/2*c)-1)+3/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*B+7/2/d/a^3*A/(tan(1/2*d*x+1/2*c)-1)-1/d/a^3/(tan(1/2*d*x+1/2*c)-1)*B+1/2/d/a^3*A/(tan(1/2*d*x+1/2*c)-1)^2+7/2/d/a^3*A/(tan(1/2*d*x+1/2*c)+1)-1/d/a^3/(tan(1/2*d*x+1/2*c)+1)*B+13/2/d/a^3*A*ln(tan(1/2*d*x+1/2*c)+1)-3/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*B-1/2/d/a^3*A/(tan(1/2*d*x+1/2*c)+1)^2

maxima [B] time = 0.56, size = 377, normalized size = 1.92

$$A \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 - \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} + \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{390 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{390 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - 3$$

60d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

[Out] -1/60*(A*(60*(5*sin(d*x + c))/(cos(d*x + c) + 1) - 7*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a^3 - 2*a^3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a^3*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) + (465*sin(d*x + c)/(cos(d*x + c) + 1) + 40*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 390*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^3 + 390*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^3 - 3*B*(40*sin(d*x + c)/((a^3 - a^3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (85*sin(d*x + c)/(cos(d*x + c) + 1) + 10*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 60*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^3 + 60*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^3)/d

mupad [B] time = 0.28, size = 216, normalized size = 1.10

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (7A - 2B) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right) (5A - 2B)}{d \left(a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a^3 \right)} \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{3(A-B)}{2a^3} + \frac{3(5A-3B)}{4a^3} + \frac{10A-2B}{4a^3} \right)}{d} \tan\left(\frac{c}{2} + \frac{dx}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + a*cos(c + d*x))^3),x)

[Out] (tan(c/2 + (d*x)/2)^3*(7*A - 2*B) - tan(c/2 + (d*x)/2)*(5*A - 2*B))/(d*(a^3*tan(c/2 + (d*x)/2)^4 - 2*a^3*tan(c/2 + (d*x)/2)^2 + a^3)) - (tan(c/2 + (d*x)/2)*((3*(A - B))/(2*a^3) + (3*(5*A - 3*B))/(4*a^3) + (10*A - 2*B)/(4*a^3)))/d - (tan(c/2 + (d*x)/2)^3*((A - B)/(4*a^3) + (5*A - 3*B)/(12*a^3)))/d - (tan(c/2 + (d*x)/2)^5*(A - B))/(20*a^3*d) + (atanh(tan(c/2 + (d*x)/2)))*(13*A - 6*B))/(a^3*d)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sec^3(c+dx)}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^3(c+dx)}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+a*cos(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)**3/(cos(c + d*x)**3 + 3*cos(c + d*x)**2 + 3*cos(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sec(c + d*x)**3/(cos(c + d*x)**3 + 3*cos(c + d*x)**2 + 3*cos(c + d*x) + 1), x))/a**3

$$3.65 \quad \int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$$

Optimal. Leaf size=229

$$\frac{8(83A - 216B) \sin(c + dx)}{105a^4d} + \frac{(52A - 129B) \sin(c + dx) \cos^3(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{4(83A - 216B) \sin(c + dx) \cos^2(c + dx)}{105a^4d(\cos(c + dx) + 1)}$$

[Out] $-1/2*(8*A-21*B)*x/a^4+8/105*(83*A-216*B)*\sin(d*x+c)/a^4/d-1/2*(8*A-21*B)*\cos(d*x+c)*\sin(d*x+c)/a^4/d+1/105*(52*A-129*B)*\cos(d*x+c)^3*\sin(d*x+c)/a^4/d/(1+\cos(d*x+c))^2+4/105*(83*A-216*B)*\cos(d*x+c)^2*\sin(d*x+c)/a^4/d/(1+\cos(d*x+c))+1/7*(A-B)*\cos(d*x+c)^5*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^4+1/5*(A-2*B)*\cos(d*x+c)^4*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^3$

Rubi [A] time = 0.67, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 2, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$, Rules used = {2977, 2734}

$$\frac{8(83A - 216B) \sin(c + dx)}{105a^4d} + \frac{(52A - 129B) \sin(c + dx) \cos^3(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{4(83A - 216B) \sin(c + dx) \cos^2(c + dx)}{105a^4d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^5*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^4,x]

[Out] $-((8*A - 21*B)*x)/(2*a^4) + (8*(83*A - 216*B)*\text{Sin}[c + d*x])/(105*a^4*d) - ((8*A - 21*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a^4*d) + ((52*A - 129*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(105*a^4*d*(1 + \text{Cos}[c + d*x])^2) + (4*(83*A - 216*B)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(105*a^4*d*(1 + \text{Cos}[c + d*x])) + ((A - B)*\text{Cos}[c + d*x]^5*\text{Sin}[c + d*x])/(7*d*(a + a*\text{Cos}[c + d*x])^4) + ((A - 2*B)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(5*a*d*(a + a*\text{Cos}[c + d*x])^3)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])*(x_), x_Symbol] := Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[(b*c + a*d)*Cos[e + f*x]/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sine[e + f*x])^m*(c + d*Sine[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sine[e + f*x])^(m + 1)*(c + d*Sine[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sine[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^5(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^4} dx &= \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{\int \frac{\cos^4(c+dx)(5a(A-B)-a(2A-9B)\cos(c+dx))}{(a+a\cos(c+dx))^3}}{7a^2} \\
&= \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(A-2B)\cos^4(c+dx)\sin(c+dx)}{5ad(a+a\cos(c+dx))^3} + \\
&= \frac{(52A-129B)\cos^3(c+dx)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} \\
&= \frac{(52A-129B)\cos^3(c+dx)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} \\
&= -\frac{(8A-21B)x}{2a^4} + \frac{8(83A-216B)\sin(c+dx)}{105a^4d} - \frac{(8A-21B)\cos(c+dx)\sin(c+dx)}{2a^4d}
\end{aligned}$$

Mathematica [B] time = 1.42, size = 555, normalized size = 2.42

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-14700dx(8A-21B)\cos\left(c+\frac{dx}{2}\right)-14700dx(8A-21B)\cos\left(\frac{dx}{2}\right)-184520A\sin\left(c+\frac{dx}{2}\right)\right)}{105a^4d(1+\cos(c+dx))^2}$$

Antiderivative was successfully verified.

```

[In] Integrate[(Cos[c + d*x]^5*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^4,x]
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-14700*(8*A - 21*B)*d*x*Cos[(d*x)/2] - 14700*(8
*A - 21*B)*d*x*Cos[c + (d*x)/2] - 70560*A*d*x*Cos[c + (3*d*x)/2] + 185220*B
*d*x*Cos[c + (3*d*x)/2] - 70560*A*d*x*Cos[2*c + (3*d*x)/2] + 185220*B*d*x*C
os[2*c + (3*d*x)/2] - 23520*A*d*x*Cos[2*c + (5*d*x)/2] + 61740*B*d*x*Cos[2*
c + (5*d*x)/2] - 23520*A*d*x*Cos[3*c + (5*d*x)/2] + 61740*B*d*x*Cos[3*c + (
5*d*x)/2] - 3360*A*d*x*Cos[3*c + (7*d*x)/2] + 8820*B*d*x*Cos[3*c + (7*d*x)/
2] - 3360*A*d*x*Cos[4*c + (7*d*x)/2] + 8820*B*d*x*Cos[4*c + (7*d*x)/2] + 24
3320*A*Sin[(d*x)/2] - 539490*B*Sin[(d*x)/2] - 184520*A*Sin[c + (d*x)/2] + 3
86190*B*Sin[c + (d*x)/2] + 184464*A*Sin[c + (3*d*x)/2] - 422478*B*Sin[c + (
3*d*x)/2] - 72240*A*Sin[2*c + (3*d*x)/2] + 132930*B*Sin[2*c + (3*d*x)/2] +
77168*A*Sin[2*c + (5*d*x)/2] - 181461*B*Sin[2*c + (5*d*x)/2] - 8400*A*Sin[3
*c + (5*d*x)/2] + 3675*B*Sin[3*c + (5*d*x)/2] + 15164*A*Sin[3*c + (7*d*x)/2
] - 36003*B*Sin[3*c + (7*d*x)/2] + 2940*A*Sin[4*c + (7*d*x)/2] - 9555*B*Sin
[4*c + (7*d*x)/2] + 420*A*Sin[4*c + (9*d*x)/2] - 945*B*Sin[4*c + (9*d*x)/2]
+ 420*A*Sin[5*c + (9*d*x)/2] - 945*B*Sin[5*c + (9*d*x)/2] + 105*B*Sin[5*c
+ (11*d*x)/2] + 105*B*Sin[6*c + (11*d*x)/2]))/(6720*a^4*d*(1 + Cos[c + d*x]
)^4)

```

fricas [A] time = 0.78, size = 238, normalized size = 1.04

$$\frac{105(8A-21B)dx\cos(dx+c)^4 + 420(8A-21B)dx\cos(dx+c)^3 + 630(8A-21B)dx\cos(dx+c)^2 + 420(8A-21B)dx\cos(dx+c) + 105(8A-21B)dx - (105B\cos(dx+c)^5 + 210(A-2B)\cos(dx+c)^4 + 4(592A-1509B)\cos(dx+c)^3 + 4(1318A-3411B)\cos(dx+c)^2 + 4(83A-216B)\sin(dx+c) - (8A-21B)\cos(dx+c)\sin(dx+c)}{105a^4d(1+\cos(c+dx))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^5*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="fr
icas")

```

```

[Out] -1/210*(105*(8*A - 21*B)*d*x*cos(d*x + c)^4 + 420*(8*A - 21*B)*d*x*cos(d*x
+ c)^3 + 630*(8*A - 21*B)*d*x*cos(d*x + c)^2 + 420*(8*A - 21*B)*d*x*cos(d*x
+ c) + 105*(8*A - 21*B)*d*x - (105*B*cos(d*x + c)^5 + 210*(A - 2*B)*cos(d*x
+ c)^4 + 4*(592*A - 1509*B)*cos(d*x + c)^3 + 4*(1318*A - 3411*B)*cos(d*x
+ c)^2 + 4*(83*A - 216*B)*sin(d*x + c) - (8*A - 21*B)*cos(d*x + c)*sin(d*x + c))
/(6720*a^4*d*(1 + Cos[c + d*x])^4)

```

$$+ c)^2 + (4472A - 11619B)\cos(dx + c) + 1328A - 3456B)\sin(dx + c))/((a^4 d \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + 6a^4 d \cos(dx + c)^2 + 4a^4 d \cos(dx + c) + a^4 d)$$

giac [A] time = 0.52, size = 233, normalized size = 1.02

$$\frac{420(dx+c)(8A-21B)}{a^4} - \frac{840\left(2A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 9B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 7B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^2 a^4} + \frac{15Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15B a^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7}{a^{28}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(A+B*cos(dx+c))/(a+a*cos(dx+c))^4,x, algorithm="giac")

[Out] -1/840*(420*(dx + c)*(8*A - 21*B)/a^4 - 840*(2*A*tan(1/2*d*x + 1/2*c)^3 - 9*B*tan(1/2*d*x + 1/2*c)^3 + 2*A*tan(1/2*d*x + 1/2*c) - 7*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^4) + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^7 - 147*A*a^24*tan(1/2*d*x + 1/2*c)^5 + 189*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 805*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 1365*B*a^24*tan(1/2*d*x + 1/2*c)^3 - 5145*A*a^24*tan(1/2*d*x + 1/2*c) + 11655*B*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

maple [A] time = 0.09, size = 332, normalized size = 1.45

$$\frac{\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{56da^4} + \frac{B\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{56da^4} + \frac{7A\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{40da^4} - \frac{9B\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{40da^4} - \frac{23\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{24da^4} + \frac{13B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{24da^4} + \frac{21A}{840d} + \frac{21B}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^5*(A+B*cos(dx+c))/(a+a*cos(dx+c))^4,x)

[Out] -1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*B*tan(1/2*d*x+1/2*c)^7+7/40/d/a^4*A*tan(1/2*d*x+1/2*c)^5-9/40/d/a^4*B*tan(1/2*d*x+1/2*c)^5-23/24/d/a^4*tan(1/2*d*x+1/2*c)^3*A+13/8/d/a^4*B*tan(1/2*d*x+1/2*c)^3+49/8/d/a^4*A*tan(1/2*d*x+1/2*c)-111/8/d/a^4*B*tan(1/2*d*x+1/2*c)+2/d/a^4/(1+tan(1/2*d*x+1/2*c))^2)^2*tan(1/2*d*x+1/2*c)^3*A-9/d/a^4/(1+tan(1/2*d*x+1/2*c))^2)^2*B*tan(1/2*d*x+1/2*c)^3+2/d/a^4/(1+tan(1/2*d*x+1/2*c))^2)^2*A*tan(1/2*d*x+1/2*c)-7/d/a^4/(1+tan(1/2*d*x+1/2*c))^2)^2*B*tan(1/2*d*x+1/2*c)-8/d/a^4*arctan(tan(1/2*d*x+1/2*c))*A+21/d/a^4*arctan(tan(1/2*d*x+1/2*c))*B

maxima [A] time = 0.78, size = 364, normalized size = 1.59

$$3B \left(\frac{280 \left(\frac{7 \sin(dx+c)}{\cos(dx+c)+1} + \frac{9 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^4 + \frac{2a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{3885 \sin(dx+c)}{\cos(dx+c)+1} - \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} - \frac{5880 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - A \left(\frac{1}{a^4} \right)$$

840d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(A+B*cos(dx+c))/(a+a*cos(dx+c))^4,x, algorithm="maxima")

[Out] -1/840*(3*B*(280*(7*sin(dx + c)/(cos(dx + c) + 1) + 9*sin(dx + c)^3/(cos(dx + c) + 1)^3)/(a^4 + 2*a^4*sin(dx + c)^2/(cos(dx + c) + 1)^2 + a^4*sin(dx + c)^4/(cos(dx + c) + 1)^4) + (3885*sin(dx + c)/(cos(dx + c) + 1) - 455*sin(dx + c)^3/(cos(dx + c) + 1)^3 + 63*sin(dx + c)^5/(cos(dx + c) + 1)^5 - 5*sin(dx + c)^7/(cos(dx + c) + 1)^7)/a^4 - 5880*arctan(sin(dx + c)/(cos(dx + c) + 1)))/a^4 - A*(1/a^4)

+ c)/(cos(d*x + c) + 1))/a^4) - A*(1680*sin(d*x + c)/((a^4 + a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (5145*sin(d*x + c)/(cos(d*x + c) + 1) - 805*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 147*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 6720*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^4))/d

mupad [B] time = 0.31, size = 259, normalized size = 1.13

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{5(A-B)}{4a^4} - \frac{5B}{2a^4} + \frac{3(4A-6B)}{4a^4} + \frac{3(5A-15B)}{8a^4}\right)}{d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 \left(\frac{A-B}{4a^4} + \frac{4A-6B}{8a^4} + \frac{5A-15B}{24a^4}\right)}{d} - \frac{x(8A-21B)}{2a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^5*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^4,x)

[Out] (tan(c/2 + (d*x)/2)*((5*(A - B))/(4*a^4) - (5*B)/(2*a^4) + (3*(4*A - 6*B))/(4*a^4) + (3*(5*A - 15*B))/(8*a^4)))/d - (tan(c/2 + (d*x)/2)^3*((A - B)/(4*a^4) + (4*A - 6*B)/(8*a^4) + (5*A - 15*B)/(24*a^4)))/d - (x*(8*A - 21*B))/(2*a^4) + (tan(c/2 + (d*x)/2)^3*(2*A - 9*B) + tan(c/2 + (d*x)/2)*(2*A - 7*B))/(d*(2*a^4*tan(c/2 + (d*x)/2)^2 + a^4*tan(c/2 + (d*x)/2)^4 + a^4)) + (tan(c/2 + (d*x)/2)^5*((3*(A - B))/(40*a^4) + (4*A - 6*B)/(40*a^4)))/d - (tan(c/2 + (d*x)/2)^7*(A - B))/(56*a^4*d)

sympy [A] time = 33.04, size = 1085, normalized size = 4.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**4,x)

[Out] Piecewise((-3360*A*d*x*tan(c/2 + d*x/2)**4/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 6720*A*d*x*tan(c/2 + d*x/2)**2/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 3360*A*d*x/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 15*A*tan(c/2 + d*x/2)**11/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 117*A*tan(c/2 + d*x/2)**9/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 526*A*tan(c/2 + d*x/2)**7/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 3682*A*tan(c/2 + d*x/2)**5/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 11165*A*tan(c/2 + d*x/2)**3/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 6825*A*tan(c/2 + d*x/2)/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 8820*B*d*x*tan(c/2 + d*x/2)**4/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 17640*B*d*x*tan(c/2 + d*x/2)**2/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 8820*B*d*x/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 15*B*tan(c/2 + d*x/2)**11/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 159*B*tan(c/2 + d*x/2)**9/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 1002*B*tan(c/2 + d*x/2)**7/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 9114*B*tan(c/2 + d*x/2)**5/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 29505*B*tan(c/2 + d*x/2)**3/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 17535*B*tan(c/2 + d*x/2)/(840*a**4*d*tan(c/2 + d*x/2)**4 + 1680*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**5/(a*cos(c) + a)**4, True))

$$3.66 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$$

Optimal. Leaf size=185

$$-\frac{(55A-244B)\sin(c+dx)}{105a^4d} + \frac{(25A-88B)\sin(c+dx)\cos^2(c+dx)}{105a^4d(\cos(c+dx)+1)^2} - \frac{(A-4B)\sin(c+dx)}{a^4d(\cos(c+dx)+1)} + \frac{x(A-4B)}{a^4} + \frac{(A-B)}{7a^4}$$

```
[Out] (A-4*B)*x/a^4-1/105*(55*A-244*B)*sin(d*x+c)/a^4/d+1/105*(25*A-88*B)*cos(d*x+c)^2*sin(d*x+c)/a^4/d/(1+cos(d*x+c))^2-(A-4*B)*sin(d*x+c)/a^4/d/(1+cos(d*x+c))+1/7*(A-B)*cos(d*x+c)^4*sin(d*x+c)/d/(a+a*cos(d*x+c))^4+1/35*(5*A-12*B)*cos(d*x+c)^3*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^3
```

Rubi [A] time = 0.68, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2977, 2968, 3023, 12, 2735, 2648}

$$-\frac{(55A-244B)\sin(c+dx)}{105a^4d} + \frac{(25A-88B)\sin(c+dx)\cos^2(c+dx)}{105a^4d(\cos(c+dx)+1)^2} - \frac{(A-4B)\sin(c+dx)}{a^4d(\cos(c+dx)+1)} + \frac{x(A-4B)}{a^4} + \frac{(A-B)}{7a^4}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^4,x]
```

```
[Out] ((A - 4*B)*x)/a^4 - ((55*A - 244*B)*Sin[c + d*x])/((105*a^4*d) + ((25*A - 88*B)*Cos[c + d*x]^2*SIN[c + d*x])/((105*a^4*d*(1 + Cos[c + d*x]))^2) - ((A - 4*B)*Sin[c + d*x])/(a^4*d*(1 + Cos[c + d*x])) + ((A - B)*Cos[c + d*x]^4*SIN[c + d*x])/(7*d*(a + a*Cos[c + d*x])^4) + ((5*A - 12*B)*Cos[c + d*x]^3*SIN[c + d*x])/(35*a*d*(a + a*Cos[c + d*x])^3)
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 2648

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] := -Simp[Cos[c + d*x]/(d*(b + a*sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 2735

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^n, x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^n, x_Symbol] := Simp[(A*b - a*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
```

b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\int \frac{\cos^4(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^4} dx = \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{\cos^3(c+dx)(4a(A-B)-a(A-8B) \cos(c+dx))}{(a+a \cos(c+dx))^3} dx}{7a^2}$$

$$= \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(5A - 12B) \cos^3(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3}$$

$$= \frac{(25A - 88B) \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} + \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4}$$

$$= \frac{(25A - 88B) \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} + \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4}$$

$$= -\frac{(55A - 244B) \sin(c + dx)}{105a^4d} + \frac{(25A - 88B) \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} + \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4}$$

$$= -\frac{(55A - 244B) \sin(c + dx)}{105a^4d} + \frac{(25A - 88B) \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} + \frac{(A - 4B)x}{a^4} - \frac{(55A - 244B) \sin(c + dx)}{105a^4d} + \frac{(25A - 88B) \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2}$$

$$= \frac{(A - 4B)x}{a^4} - \frac{(55A - 244B) \sin(c + dx)}{105a^4d} + \frac{(25A - 88B) \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2}$$

Mathematica [B] time = 0.98, size = 481, normalized size = 2.60

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(7350dx(A - 4B) \cos\left(c + \frac{dx}{2}\right) + 7350dx(A - 4B) \cos\left(\frac{dx}{2}\right) + 16520A \sin\left(c + \frac{dx}{2}\right) - 14280A \cos\left(c + \frac{dx}{2}\right)\right)}{105a^4d(1 + \cos(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*cos[c + d*x])^4, x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(7350*(A - 4*B)*d*x*Cos[(d*x)/2] + 7350*(A - 4*B)*d*x*Cos[c + (d*x)/2] + 4410*A*d*x*Cos[c + (3*d*x)/2] - 17640*B*d*x*Cos[c + (3*d*x)/2] + 4410*A*d*x*Cos[2*c + (3*d*x)/2] - 17640*B*d*x*Cos[2*c + (3*d*x)/2] + 1470*A*d*x*Cos[2*c + (5*d*x)/2] - 5880*B*d*x*Cos[2*c + (5*d*x)/2] + 1470*A*d*x*Cos[3*c + (5*d*x)/2] - 5880*B*d*x*Cos[3*c + (5*d*x)/2] + 210*A*d*x*Cos[3*c + (7*d*x)/2] - 840*B*d*x*Cos[3*c + (7*d*x)/2] + 210*A*d*x*Cos[4*c + (7*d*x)/2] - 840*B*d*x*Cos[4*c + (7*d*x)/2] - 19880*A*Sin[(d*x)/2] +

$$60830*B*\sin[(d*x)/2] + 16520*A*\sin[c + (d*x)/2] - 46130*B*\sin[c + (d*x)/2] - 14280*A*\sin[c + (3*d*x)/2] + 46116*B*\sin[c + (3*d*x)/2] + 7560*A*\sin[2*c + (3*d*x)/2] - 18060*B*\sin[2*c + (3*d*x)/2] - 5600*A*\sin[2*c + (5*d*x)/2] + 19292*B*\sin[2*c + (5*d*x)/2] + 1680*A*\sin[3*c + (5*d*x)/2] - 2100*B*\sin[3*c + (5*d*x)/2] - 1040*A*\sin[3*c + (7*d*x)/2] + 3791*B*\sin[3*c + (7*d*x)/2] + 735*B*\sin[4*c + (7*d*x)/2] + 105*B*\sin[4*c + (9*d*x)/2] + 105*B*\sin[5*c + (9*d*x)/2]) / (1680*a^4*d*(1 + \cos[c + d*x])^4)$$

fricas [A] time = 0.75, size = 213, normalized size = 1.15

$$\frac{105(A-4B)dx \cos(dx+c)^4 + 420(A-4B)dx \cos(dx+c)^3 + 630(A-4B)dx \cos(dx+c)^2 + 420(A-4B)dx \cos(dx+c) + 105(A-4B)dx + (105B \cos(dx+c)^4 - 4(65A - 296B) \cos(dx+c)^3 - 4(155A - 659B) \cos(dx+c)^2 - (535A - 2236B) \cos(dx+c) - 160A + 664B) \sin(dx+c)}{a^4 d \cos(dx+c)^4 + 4a^4 d \cos(dx+c)^3 + 6a^4 d \cos(dx+c)^2 + 4a^4 d \cos(dx+c) + a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="fricas")

[Out] 1/105*(105*(A - 4*B)*d*x*cos(d*x + c)^4 + 420*(A - 4*B)*d*x*cos(d*x + c)^3 + 630*(A - 4*B)*d*x*cos(d*x + c)^2 + 420*(A - 4*B)*d*x*cos(d*x + c) + 105*(A - 4*B)*d*x + (105*B*cos(d*x + c)^4 - 4*(65*A - 296*B)*cos(d*x + c)^3 - 4*(155*A - 659*B)*cos(d*x + c)^2 - (535*A - 2236*B)*cos(d*x + c) - 160*A + 664*B)*sin(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [A] time = 0.79, size = 188, normalized size = 1.02

$$\frac{840(dx+c)(A-4B)}{a^4} + \frac{1680B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^4} + \frac{15Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 105Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 147Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5}{a^{28}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="giac")

[Out] 1/840*(840*(d*x + c)*(A - 4*B)/a^4 + 1680*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^4) + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^7 - 105*A*a^24*tan(1/2*d*x + 1/2*c)^5 + 147*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 385*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 805*B*a^24*tan(1/2*d*x + 1/2*c)^3 - 1575*A*a^24*tan(1/2*d*x + 1/2*c) + 5145*B*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

maple [A] time = 0.10, size = 229, normalized size = 1.24

$$\frac{\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{56da^4} - \frac{B\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{56da^4} - \frac{A\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8da^4} + \frac{7B\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{40da^4} + \frac{11\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{24da^4} - \frac{23B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{24da^4} + \frac{15A\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8da^4} - \frac{15B\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8da^4} + \frac{15A}{8da^4} - \frac{15B}{8da^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x)

[Out] 1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*A-1/56/d/a^4*B*tan(1/2*d*x+1/2*c)^7-1/8/d/a^4*A*tan(1/2*d*x+1/2*c)^5+7/40/d/a^4*B*tan(1/2*d*x+1/2*c)^5+11/24/d/a^4*tan(1/2*d*x+1/2*c)^3*A-23/24/d/a^4*B*tan(1/2*d*x+1/2*c)^3-15/8/d/a^4*A*tan(1/2*d*x+1/2*c)+49/8/d/a^4*B*tan(1/2*d*x+1/2*c)+2/d/a^4*B*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)+2/d/a^4*arctan(tan(1/2*d*x+1/2*c))*A-8/d/a^4*arctan(tan(1/2*d*x+1/2*c))*B

maxima [A] time = 0.66, size = 271, normalized size = 1.46

$$\frac{B \left(\frac{1680 \sin(dx+c)}{\left(a^4 + \frac{a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} - \frac{805 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{147 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{6720 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - 5A \left(\frac{315 \sin(dx+c)}{\cos(dx+c)+1} \right)}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="maxima")

[Out] 1/840*(B*(1680*sin(d*x + c)/((a^4 + a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (5145*sin(d*x + c)/(cos(d*x + c) + 1) - 805*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 147*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 6720*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^4 - 5*A*((315*sin(d*x + c)/(cos(d*x + c) + 1) - 77*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 3*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 336*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^4))/d

mupad [B] time = 0.39, size = 201, normalized size = 1.09

$$\frac{A dx - 4 B dx}{a^4 d} - \frac{\left(\frac{52 A \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{21} - \frac{764 B \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{105} \right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + \left(\frac{143 B \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{105} - \frac{16 A \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{21} \right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4}{a^4 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^4,x)

[Out] (A*d*x - 4*B*d*x)/(a^4*d) - ((B*sin(c/2 + (d*x)/2))/56 - (A*sin(c/2 + (d*x)/2))/56 + cos(c/2 + (d*x)/2)^2*((5*A*sin(c/2 + (d*x)/2))/28 - (8*B*sin(c/2 + (d*x)/2))/35) - cos(c/2 + (d*x)/2)^4*((16*A*sin(c/2 + (d*x)/2))/21 - (143*B*sin(c/2 + (d*x)/2))/105) + cos(c/2 + (d*x)/2)^6*((52*A*sin(c/2 + (d*x)/2))/21 - (764*B*sin(c/2 + (d*x)/2))/105))/(a^4*d*cos(c/2 + (d*x)/2)^7) + (2*B*cos(c/2 + (d*x)/2)*sin(c/2 + (d*x)/2))/(a^4*d)

sympy [A] time = 21.68, size = 578, normalized size = 3.12

$$\left\{ \begin{array}{l} \frac{840A dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{840a^4 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 840a^4 d} + \frac{840A dx}{840a^4 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 840a^4 d} + \frac{15A \tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{840a^4 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 840a^4 d} - \frac{90A \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{840a^4 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 840a^4 d} + \frac{280A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{840a^4 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 840a^4 d} \\ \frac{x(A+B \cos(c)) \cos^4(c)}{(a \cos(c)+a)^4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**4,x)

[Out] Piecewise((840*A*d*x*tan(c/2 + d*x/2)**2/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 840*A*d*x/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 15*A*tan(c/2 + d*x/2)**9/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 90*A*tan(c/2 + d*x/2)**7/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 280*A*tan(c/2 + d*x/2)**5/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 1190*A*tan(c/2 + d*x/2)**3/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 1575*A*tan(c/2 + d*x/2)/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 3360*B*d*x*tan(c/2 + d*x/2)**2/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 3360*B*d*x/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 15*B*tan(c/2 + d*x/2)**

```

9/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 132*B*tan(c/2 + d*x/2)**7
/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 658*B*tan(c/2 + d*x/2)**5/
(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 4340*B*tan(c/2 + d*x/2)**3/
(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 6825*B*tan(c/2 + d*x/2)/(84
0*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d), Ne(d, 0)), (x*(A + B*cos(c))*co
s(c)**4/(a*cos(c) + a)**4, True))

```

$$3.67 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$$

Optimal. Leaf size=154

$$\frac{(12A - 215B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{(6A - 55B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{Bx}{a^4} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{7d(a \cos(c + dx) + a)^4} + \frac{(3A - 10B) \sin(c + dx)}{35ad(a \cos(c + dx) + a)^3}$$

[Out] B*x/a^4-1/105*(6*A-55*B)*sin(d*x+c)/a^4/d/(1+cos(d*x+c))^2+1/105*(12*A-215*B)*sin(d*x+c)/a^4/d/(1+cos(d*x+c))+1/7*(A-B)*cos(d*x+c)^3*sin(d*x+c)/d/(a+a*cos(d*x+c))^4+1/35*(3*A-10*B)*cos(d*x+c)^2*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^3

Rubi [A] time = 0.50, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2977, 2968, 3019, 2735, 2648}

$$\frac{(12A - 215B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{(6A - 55B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{Bx}{a^4} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{7d(a \cos(c + dx) + a)^4} + \frac{(3A - 10B) \sin(c + dx)}{35ad(a \cos(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^4,x]

[Out] (B*x)/a^4 - ((6*A - 55*B)*Sin[c + d*x])/(105*a^4*d*(1 + Cos[c + d*x])^2) + ((12*A - 215*B)*Sin[c + d*x])/(105*a^4*d*(1 + Cos[c + d*x])) + ((A - B)*Cos[c + d*x]^3*Sin[c + d*x])/(7*d*(a + a*Cos[c + d*x])^4) + ((3*A - 10*B)*Cos[c + d*x]^2*Sin[c + d*x])/(35*a*d*(a + a*Cos[c + d*x])^3)

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2735

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])/(c_) + (d_)*sin[(e_) + (f_)*(x_)], x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)], x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3019

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[((A*b - a
*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1
/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*
B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^4} dx &= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{\cos^2(c + dx)(3a(A - B) + 7aB \cos(c + dx))}{(a + a \cos(c + dx))^3} dx}{7a^2} \\ &= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A - 10B) \cos^2(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\ &= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A - 10B) \cos^2(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\ &= -\frac{(6A - 55B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A - 10B) \cos^2(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\ &= \frac{Bx}{a^4} - \frac{(6A - 55B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \\ &= \frac{Bx}{a^4} - \frac{(6A - 55B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} \end{aligned}$$

Mathematica [B] time = 0.83, size = 329, normalized size = 2.14

$$\frac{\sec\left(\frac{c}{2}\right) \sec^7\left(\frac{1}{2}(c + dx)\right) \left(-1260A \sin\left(c + \frac{dx}{2}\right) + 882A \sin\left(c + \frac{3dx}{2}\right) - 630A \sin\left(2c + \frac{3dx}{2}\right) + 294A \sin\left(2c + 5\frac{dx}{2}\right) - 126A \sin\left(2c + 7\frac{dx}{2}\right)\right)}{13440a^4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^4, x]
```

```
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^7*(3675*B*d*x*Cos[(d*x)/2] + 3675*B*d*x*Cos[c +
(d*x)/2] + 2205*B*d*x*Cos[c + (3*d*x)/2] + 2205*B*d*x*Cos[2*c + (3*d*x)/2]
+ 735*B*d*x*Cos[2*c + (5*d*x)/2] + 735*B*d*x*Cos[3*c + (5*d*x)/2] + 105*B*d
*x*Cos[3*c + (7*d*x)/2] + 105*B*d*x*Cos[4*c + (7*d*x)/2] + 1260*A*Sin[(d*x)
/2] - 9940*B*Sin[(d*x)/2] - 1260*A*Sin[c + (d*x)/2] + 8260*B*Sin[c + (d*x)/
2] + 882*A*Sin[c + (3*d*x)/2] - 7140*B*Sin[c + (3*d*x)/2] - 630*A*Sin[2*c +
(3*d*x)/2] + 3780*B*Sin[2*c + (3*d*x)/2] + 294*A*Sin[2*c + (5*d*x)/2] - 28
00*B*Sin[2*c + (5*d*x)/2] - 210*A*Sin[3*c + (5*d*x)/2] + 840*B*Sin[3*c + (5
*d*x)/2] + 72*A*Sin[3*c + (7*d*x)/2] - 520*B*Sin[3*c + (7*d*x)/2]))/(13440*
a^4*d)
```

fricas [A] time = 0.91, size = 180, normalized size = 1.17

$$\frac{105 Bdx \cos(dx + c)^4 + 420 Bdx \cos(dx + c)^3 + 630 Bdx \cos(dx + c)^2 + 420 Bdx \cos(dx + c) + 105 Bdx + (420 A^2 dx \cos(dx + c)^3 + 1260 A^2 dx \cos(dx + c)^2 + 1260 A^2 dx \cos(dx + c) + 420 A^2 dx)}{105 (a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + 6 a^4 d \cos(dx + c)^2 + 4 a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="fr
icas")
```

[Out] $\frac{1}{105} \cdot (105 \cdot B \cdot d \cdot x \cdot \cos(dx + c)^4 + 420 \cdot B \cdot d \cdot x \cdot \cos(dx + c)^3 + 630 \cdot B \cdot d \cdot x \cdot \cos(dx + c)^2 + 420 \cdot B \cdot d \cdot x \cdot \cos(dx + c) + 105 \cdot B \cdot d \cdot x + (4 \cdot (9 \cdot A - 65 \cdot B) \cdot \cos(dx + c)^3 + (39 \cdot A - 620 \cdot B) \cdot \cos(dx + c)^2 + (24 \cdot A - 535 \cdot B) \cdot \cos(dx + c) + 6 \cdot A - 160 \cdot B) \cdot \sin(dx + c)) / (a^4 \cdot d \cdot \cos(dx + c)^4 + 4 \cdot a^4 \cdot d \cdot \cos(dx + c)^3 + 6 \cdot a^4 \cdot d \cdot \cos(dx + c)^2 + 4 \cdot a^4 \cdot d \cdot \cos(dx + c) + a^4 \cdot d)$

giac [A] time = 0.40, size = 155, normalized size = 1.01

$$\frac{\frac{840(dx+c)B}{a^4} - \frac{15Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 63Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 105Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 105Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 385Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 105Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1575Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{28}}}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(A+B*cos(dx+c))/(a+a*cos(dx+c))^4,x, algorithm="giac")

[Out] $\frac{1}{840} \cdot (840 \cdot (dx + c) \cdot B / a^4 - (15 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 - 15 \cdot B \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 - 63 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 105 \cdot B \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 105 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 385 \cdot B \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 105 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) + 1575 \cdot B \cdot a^{24} \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)) / a^{28}) / d$

maple [A] time = 0.08, size = 177, normalized size = 1.15

$$-\frac{\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{56da^4} + \frac{B\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{56da^4} + \frac{3A\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{40da^4} - \frac{B\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8da^4} - \frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{8da^4} + \frac{11B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{24da^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^3*(A+B*cos(dx+c))/(a+a*cos(dx+c))^4,x)

[Out] $-1/56/d/a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 \cdot A + 1/56/d/a^4 \cdot B \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 3/40/d/a^4 \cdot A \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 - 1/8/d/a^4 \cdot B \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 - 1/8/d/a^4 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 \cdot A + 11/24/d/a^4 \cdot B \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 1/8/d/a^4 \cdot A \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) - 15/8/d/a^4 \cdot B \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) + 2/d/a^4 \cdot \arctan(\tan(1/2 \cdot dx + 1/2 \cdot c)) \cdot B$

maxima [A] time = 0.76, size = 201, normalized size = 1.31

$$\frac{5B \left(\frac{315 \sin(dx+c)}{\cos(dx+c)+1} - \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} - \frac{336 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - 3A \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(A+B*cos(dx+c))/(a+a*cos(dx+c))^4,x, algorithm="maxima")

[Out] $-1/840 \cdot (5 \cdot B \cdot ((315 \cdot \sin(dx + c) / (\cos(dx + c) + 1) - 77 \cdot \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 21 \cdot \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 - 3 \cdot \sin(dx + c)^7 / (\cos(dx + c) + 1)^7) / a^4 - 336 \cdot \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^4) - 3 \cdot A \cdot (35 \cdot \sin(dx + c) / (\cos(dx + c) + 1) - 35 \cdot \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 21 \cdot \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 - 5 \cdot \sin(dx + c)^7 / (\cos(dx + c) + 1)^7) / a^4) / d$

mupad [B] time = 0.34, size = 162, normalized size = 1.05

$$\frac{Bx \left(\frac{12A \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{35} - \frac{52B \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{21} \right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + \left(\frac{16B \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{21} - \frac{23A \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{70} \right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + \left(\frac{9A \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{70} - \frac{5B \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{21} \right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2}{a^4} + \frac{a^4 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^4,x)`

[Out] $(B*x)/a^4 + ((B*\sin(c/2 + (d*x)/2))/56 - (A*\sin(c/2 + (d*x)/2))/56 + \cos(c/2 + (d*x)/2)^2*((9*A*\sin(c/2 + (d*x)/2))/70 - (5*B*\sin(c/2 + (d*x)/2))/28) + \cos(c/2 + (d*x)/2)^6*((12*A*\sin(c/2 + (d*x)/2))/35 - (52*B*\sin(c/2 + (d*x)/2))/21) - \cos(c/2 + (d*x)/2)^4*((23*A*\sin(c/2 + (d*x)/2))/70 - (16*B*\sin(c/2 + (d*x)/2))/21))/(a^4*d*\cos(c/2 + (d*x)/2)^7)$

sympy [A] time = 13.27, size = 192, normalized size = 1.25

$$\left\{ \begin{array}{l} -\frac{A \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} + \frac{3A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} - \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{Bx}{a^4} + \frac{B \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} - \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{11B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} \\ \frac{x(A+B \cos(c)) \cos^3(c)}{(a \cos(c)+a)^4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**4,x)`

[Out] `Piecewise((-A*tan(c/2 + d*x/2)**7/(56*a**4*d) + 3*A*tan(c/2 + d*x/2)**5/(40*a**4*d) - A*tan(c/2 + d*x/2)**3/(8*a**4*d) + A*tan(c/2 + d*x/2)/(8*a**4*d) + B*x/a**4 + B*tan(c/2 + d*x/2)**7/(56*a**4*d) - B*tan(c/2 + d*x/2)**5/(8*a**4*d) + 11*B*tan(c/2 + d*x/2)**3/(24*a**4*d) - 15*B*tan(c/2 + d*x/2)/(8*a**4*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**3/(a*cos(c) + a)**4, True))`

$$3.68 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$$

Optimal. Leaf size=136

$$\frac{(13A + 36B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{2(A + 27B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{7d(a \cos(c + dx) + a)^4} - \frac{(A - 8B) \sin(c + dx)}{35ad(a \cos(c + dx) + a)^3}$$

[Out] -2/105*(A+27*B)*sin(d*x+c)/a^4/d/(1+cos(d*x+c))^2+1/105*(13*A+36*B)*sin(d*x+c)/a^4/d/(1+cos(d*x+c))+1/7*(A-B)*cos(d*x+c)^2*sin(d*x+c)/d/(a+a*cos(d*x+c))^4-1/35*(A-8*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^3

Rubi [A] time = 0.35, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2977, 2968, 3019, 2750, 2648}

$$\frac{(13A + 36B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{2(A + 27B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{7d(a \cos(c + dx) + a)^4} - \frac{(A - 8B) \sin(c + dx)}{35ad(a \cos(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]^4,x]

[Out] (-2*(A + 27*B)*Sin[c + d*x]/(105*a^4*d*(1 + Cos[c + d*x])^2) + ((13*A + 36*B)*Sin[c + d*x]/(105*a^4*d*(1 + Cos[c + d*x])) + ((A - B)*Cos[c + d*x]^2*SIN[c + d*x]/(7*d*(a + a*Cos[c + d*x])^4) - ((A - 8*B)*Sin[c + d*x]/(35*a*d*(a + a*Cos[c + d*x])^3)

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c + d*x]/(d*(b + a*SIN[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2750

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*SIN[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3019

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[((A*b - a*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^4} dx &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{\cos(c+dx)(2a(A-B)+a(A+6B) \cos(c+dx))}{(a+a \cos(c+dx))^3} dx}{7a^2} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{2a(A-B) \cos(c+dx)+a(A+6B) \cos^2(c+dx)}{(a+a \cos(c+dx))^3} dx}{7a^2} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(A - 8B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} - \frac{\int \frac{-3a}{(a+a \cos(c+dx))^2} dx}{35a^2} \\ &= -\frac{2(A + 27B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(A - 8B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\ &= -\frac{2(A + 27B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(A - 8B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \end{aligned}$$

Mathematica [A] time = 0.50, size = 193, normalized size = 1.42

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-35(5A + 18B) \sin\left(c + \frac{dx}{2}\right) + 70(4A + 9B) \sin\left(\frac{dx}{2}\right) + 168A \sin\left(c + \frac{3dx}{2}\right) - 105A \sin\left(\frac{5dx}{2}\right)\right)}{(a + a \cos(c + dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^4,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(70*(4*A + 9*B)*Sin[(d*x)/2] - 35*(5*A + 18*B)*Sin[c + (d*x)/2] + 168*A*Sin[c + (3*d*x)/2] + 441*B*Sin[c + (3*d*x)/2] - 105*A*Sin[2*c + (3*d*x)/2] - 315*B*Sin[2*c + (3*d*x)/2] + 91*A*Sin[2*c + (5*d*x)/2] + 147*B*Sin[2*c + (5*d*x)/2] - 105*B*Sin[3*c + (5*d*x)/2] + 13*A*Sin[3*c + (7*d*x)/2] + 36*B*Sin[3*c + (7*d*x)/2]))/(420*a^4*d*(1 + Cos[c + d*x])^4)

fricas [A] time = 0.74, size = 124, normalized size = 0.91

$$\frac{((13A + 36B) \cos(dx + c)^3 + 13(4A + 3B) \cos(dx + c)^2 + 8(4A + 3B) \cos(dx + c) + 8A + 6B) \sin(dx + c)}{105(a^4d \cos(dx + c)^4 + 4a^4d \cos(dx + c)^3 + 6a^4d \cos(dx + c)^2 + 4a^4d \cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="fricas")

[Out] 1/105*((13*A + 36*B)*cos(d*x + c)^3 + 13*(4*A + 3*B)*cos(d*x + c)^2 + 8*(4*A + 3*B)*cos(d*x + c) + 8*A + 6*B)*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [A] time = 0.62, size = 117, normalized size = 0.86

$$\frac{15 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 21 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 63 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 35 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 105 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 105 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 105 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{840 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="giac")

[Out] 1/840*(15*A*tan(1/2*d*x + 1/2*c)^7 - 15*B*tan(1/2*d*x + 1/2*c)^7 - 21*A*tan(1/2*d*x + 1/2*c)^5 + 63*B*tan(1/2*d*x + 1/2*c)^5 - 35*A*tan(1/2*d*x + 1/2*c)^3 - 105*B*tan(1/2*d*x + 1/2*c)^3 + 105*A*tan(1/2*d*x + 1/2*c) + 105*B*tan(1/2*d*x + 1/2*c))/(a^4*d)

maple [A] time = 0.08, size = 90, normalized size = 0.66

$$\frac{\frac{(A-B)\left(\tan^7\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{7} + \frac{(-A+3B)\left(\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{5} + \frac{(-A-3B)\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{3} + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{8 d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x)

[Out] 1/8/d/a^4*(1/7*(A-B)*tan(1/2*d*x+1/2*c)^7+1/5*(-A+3*B)*tan(1/2*d*x+1/2*c)^5+1/3*(-A-3*B)*tan(1/2*d*x+1/2*c)^3+A*tan(1/2*d*x+1/2*c)+B*tan(1/2*d*x+1/2*c))

maxima [A] time = 0.36, size = 175, normalized size = 1.29

$$\frac{A\left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}\right)}{a^4} + \frac{3B\left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}\right)}{a^4}$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="maxima")

[Out] 1/840*(A*(105*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 + 3*B*(35*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 5*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4)/d

mupad [B] time = 0.25, size = 86, normalized size = 0.63

$$\frac{\frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^3 (A+3B)}{24 a^4} + \frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^5 (A-3B)}{40 a^4} - \frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^7 (A-B)}{56 a^4} - \frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right) (A+B)}{8 a^4}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^4,x)

[Out] -((tan(c/2 + (d*x)/2)^3*(A + 3*B))/(24*a^4) + (tan(c/2 + (d*x)/2)^5*(A - 3*B))/(40*a^4) - (tan(c/2 + (d*x)/2)^7*(A - B))/(56*a^4) - (tan(c/2 + (d*x)/2)*(A + B))/(8*a^4))/d

sympy [A] time = 9.24, size = 182, normalized size = 1.34

$$\left\{ \begin{array}{l} \frac{A \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} - \frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} - \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} - \frac{B \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} + \frac{3B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} - \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} \\ \frac{x(A+B \cos(c)) \cos^2(c)}{(a \cos(c)+a)^4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**4,x)

[Out] Piecewise((A*tan(c/2 + d*x/2)**7/(56*a**4*d) - A*tan(c/2 + d*x/2)**5/(40*a**4*d) - A*tan(c/2 + d*x/2)**3/(24*a**4*d) + A*tan(c/2 + d*x/2)/(8*a**4*d) - B*tan(c/2 + d*x/2)**7/(56*a**4*d) + 3*B*tan(c/2 + d*x/2)**5/(40*a**4*d) - B*tan(c/2 + d*x/2)**3/(8*a**4*d) + B*tan(c/2 + d*x/2)/(8*a**4*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**2/(a*cos(c) + a)**4, True))

$$3.69 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$$

Optimal. Leaf size=138

$$\frac{(8A + 13B) \sin(c + dx)}{105d (a^4 \cos(c + dx) + a^4)} + \frac{(8A + 13B) \sin(c + dx)}{105d (a^2 \cos(c + dx) + a^2)^2} + \frac{(4A - 11B) \sin(c + dx)}{35ad (a \cos(c + dx) + a)^3} - \frac{(A - B) \sin(c + dx)}{7d (a \cos(c + dx) + a)^4}$$

[Out] $-1/7*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^4+1/35*(4*A-11*B)*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^3+1/105*(8*A+13*B)*\sin(d*x+c)/d/(a^2+a^2*\cos(d*x+c))^2+1/105*(8*A+13*B)*\sin(d*x+c)/d/(a^4+a^4*\cos(d*x+c))$

Rubi [A] time = 0.21, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {2968, 3019, 2750, 2650, 2648}

$$\frac{(8A + 13B) \sin(c + dx)}{105d (a^4 \cos(c + dx) + a^4)} + \frac{(8A + 13B) \sin(c + dx)}{105d (a^2 \cos(c + dx) + a^2)^2} + \frac{(4A - 11B) \sin(c + dx)}{35ad (a \cos(c + dx) + a)^3} - \frac{(A - B) \sin(c + dx)}{7d (a \cos(c + dx) + a)^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x])^4, x]$

[Out] $-\frac{(A - B)*\text{Sin}[c + d*x]}{(7*d*(a + a*\text{Cos}[c + d*x])^4)} + \frac{((4*A - 11*B)*\text{Sin}[c + d*x])}{(35*a*d*(a + a*\text{Cos}[c + d*x])^3)} + \frac{((8*A + 13*B)*\text{Sin}[c + d*x])}{(105*d*(a^2 + a^2*\text{Cos}[c + d*x])^2)} + \frac{((8*A + 13*B)*\text{Sin}[c + d*x])}{(105*d*(a^4 + a^4*\text{Cos}[c + d*x]))}$

Rule 2648

$\text{Int}[(a + (b + a*\text{Sin}[c + d*x]))^(-1), x_Symbol] :> -\text{Simp}[\text{Cos}[c + d*x]/(d*(b + a*\text{Sin}[c + d*x])), x] /; \text{FreeQ}\{a, b, c, d, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 2650

$\text{Int}[(a + (b + a*\text{Sin}[c + d*x]))^n, x_Symbol] :> \text{Simp}[(b*\text{Cos}[c + d*x]*(a + b*\text{Sin}[c + d*x])^n)/(a*d*(2*n + 1)), x] + \text{Dist}[(n + 1)/(a*(2*n + 1)), \text{Int}[(a + b*\text{Sin}[c + d*x])^(n + 1), x], x] /; \text{FreeQ}\{a, b, c, d, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2750

$\text{Int}[(a + (b + a*\text{Sin}[e + f*x]))^m * ((c + (d + a*\text{Sin}[e + f*x]))), x_Symbol] :> \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m)/(a*f*(2*m + 1)), x] + \text{Dist}[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^(m + 1), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^(-1)]$

Rule 2968

$\text{Int}[(a + (b + a*\text{Sin}[e + f*x]))^m * ((A + (B + a*\text{Sin}[e + f*x]))), x_Symbol] :> \text{Int}[(a + b*\text{Sin}[e + f*x])^m * (A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m, x\} \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3019

$\text{Int}[(a + (b + a*\text{Sin}[e + f*x]))^m * ((A + (B + a*\text{Sin}[e + f*x])) + (C + a*\text{Sin}[e + f*x])^2), x_Symbol] :> \text{Simp}[(A*b - a$

*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^4} dx &= \int \frac{A \cos(c + dx) + B \cos^2(c + dx)}{(a + a \cos(c + dx))^4} dx \\ &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{\int \frac{-4a(A - B) - 7aB \cos(c + dx)}{(a + a \cos(c + dx))^3} dx}{7a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(4A - 11B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{(8A + 13B) \int}{3} \\ &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(4A - 11B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{(8A + 13B)}{105d(a^2 + a^2)} \\ &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(4A - 11B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{(8A + 13B)}{105d(a^2 + a^2)} \end{aligned}$$

Mathematica [A] time = 0.43, size = 163, normalized size = 1.18

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-35(4A + 5B) \sin\left(c + \frac{dx}{2}\right) + 140(A + 2B) \sin\left(\frac{dx}{2}\right) + 168A \sin\left(c + \frac{3dx}{2}\right) + 56A \sin\left(2c + \frac{3dx}{2}\right) + 168B \sin\left(c + \frac{3dx}{2}\right) + 56B \sin\left(2c + \frac{3dx}{2}\right) + 168A \sin\left(2c + \frac{5dx}{2}\right) + 91B \sin\left[2c + \frac{(5dx)}{2}\right] + 8A \sin\left[3c + \frac{(7dx)}{2}\right] + 13B \sin\left[3c + \frac{(7dx)}{2}\right]\right)}{420a^4d \cos^4\left(\frac{c + dx}{2}\right)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^4, x]
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(140*(A + 2*B)*Sin[(d*x)/2] - 35*(4*A + 5*B)*Sin[c + (d*x)/2] + 168*A*Sin[c + (3*d*x)/2] + 168*B*Sin[c + (3*d*x)/2] - 105*B*Sin[2*c + (3*d*x)/2] + 56*A*Sin[2*c + (5*d*x)/2] + 91*B*Sin[2*c + (5*d*x)/2] + 8*A*Sin[3*c + (7*d*x)/2] + 13*B*Sin[3*c + (7*d*x)/2]))/(420*a^4*d*(1 + Cos[c + d*x])^4)
```

fricas [A] time = 0.62, size = 124, normalized size = 0.90

$$\frac{((8A + 13B) \cos(dx + c)^3 + 4(8A + 13B) \cos(dx + c)^2 + 4(13A + 8B) \cos(dx + c) + 13A + 8B) \sin(dx + c)}{105(a^4d \cos(dx + c)^4 + 4a^4d \cos(dx + c)^3 + 6a^4d \cos(dx + c)^2 + 4a^4d \cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4, x, algorithm="fricas")
[Out] 1/105*((8*A + 13*B)*cos(d*x + c)^3 + 4*(8*A + 13*B)*cos(d*x + c)^2 + 4*(13*A + 8*B)*cos(d*x + c) + 13*A + 8*B)*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)
```

giac [A] time = 0.58, size = 117, normalized size = 0.85

$$\frac{15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 21A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 21B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 35A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 35B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{840a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{-1/840*(15*A*\tan(1/2*d*x + 1/2*c)^7 - 15*B*\tan(1/2*d*x + 1/2*c)^7 + 21*A*\tan(1/2*d*x + 1/2*c)^5 + 21*B*\tan(1/2*d*x + 1/2*c)^5 - 35*A*\tan(1/2*d*x + 1/2*c)^3 + 35*B*\tan(1/2*d*x + 1/2*c)^3 - 105*A*\tan(1/2*d*x + 1/2*c) - 105*B*\tan(1/2*d*x + 1/2*c))/(a^4*d)}$$

maple [A] time = 0.09, size = 88, normalized size = 0.64

$$\frac{\frac{(-A+B)\left(\tan^7\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{7} + \frac{(-A-B)\left(\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{5} + \frac{(A-B)\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{3} + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{8d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x)

[Out]
$$1/8/d/a^4*(1/7*(-A+B)*\tan(1/2*d*x+1/2*c)^7+1/5*(-A-B)*\tan(1/2*d*x+1/2*c)^5+1/3*(A-B)*\tan(1/2*d*x+1/2*c)^3+A*\tan(1/2*d*x+1/2*c)+B*\tan(1/2*d*x+1/2*c))$$

maxima [A] time = 0.39, size = 174, normalized size = 1.26

$$\frac{A\left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}\right)}{a^4} + \frac{B\left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}\right)}{a^4}$$

$$\frac{\hspace{10em}}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="maxima")

[Out]
$$1/840*(A*(105*\sin(d*x + c)/(\cos(d*x + c) + 1) + 35*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 - 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 + B*(105*\sin(d*x + c)/(\cos(d*x + c) + 1) - 35*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 - 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4)/d$$

mupad [B] time = 0.25, size = 84, normalized size = 0.61

$$\frac{\frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^5 (A+B)}{40 a^4} - \frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^3 (A-B)}{24 a^4} + \frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^7 (A-B)}{56 a^4} - \frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right) (A+B)}{8 a^4}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^4,x)

[Out]
$$-\left(\frac{\tan(c/2 + (d*x)/2)^5*(A + B)}{(40*a^4)} - \frac{\tan(c/2 + (d*x)/2)^3*(A - B)}{(24*a^4)} + \frac{\tan(c/2 + (d*x)/2)^7*(A - B)}{(56*a^4)} - \frac{\tan(c/2 + (d*x)/2)*(A + B)}{(8*a^4)}\right)/d$$

sympy [A] time = 6.69, size = 178, normalized size = 1.29

$$\left\{ \begin{array}{l} -\frac{A \tan^7\left(\frac{c}{2}+\frac{dx}{2}\right)}{56 a^4 d} - \frac{A \tan^5\left(\frac{c}{2}+\frac{dx}{2}\right)}{40 a^4 d} + \frac{A \tan^3\left(\frac{c}{2}+\frac{dx}{2}\right)}{24 a^4 d} + \frac{A \tan\left(\frac{c}{2}+\frac{dx}{2}\right)}{8 a^4 d} + \frac{B \tan^7\left(\frac{c}{2}+\frac{dx}{2}\right)}{56 a^4 d} - \frac{B \tan^5\left(\frac{c}{2}+\frac{dx}{2}\right)}{40 a^4 d} - \frac{B \tan^3\left(\frac{c}{2}+\frac{dx}{2}\right)}{24 a^4 d} + \frac{B \tan\left(\frac{c}{2}+\frac{dx}{2}\right)}{8 a^4 d} \\ \frac{x(A+B \cos(c)) \cos(c)}{(a \cos(c)+a)^4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**4,x)
```

```
[Out] Piecewise((-A*tan(c/2 + d*x/2)**7/(56*a**4*d) - A*tan(c/2 + d*x/2)**5/(40*a  
**4*d) + A*tan(c/2 + d*x/2)**3/(24*a**4*d) + A*tan(c/2 + d*x/2)/(8*a**4*d)  
+ B*tan(c/2 + d*x/2)**7/(56*a**4*d) - B*tan(c/2 + d*x/2)**5/(40*a**4*d) - B  
*tan(c/2 + d*x/2)**3/(24*a**4*d) + B*tan(c/2 + d*x/2)/(8*a**4*d), Ne(d, 0))  
, (x*(A + B*cos(c))*cos(c)/(a*cos(c) + a)**4, True))
```

$$3.70 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^4} dx$$

Optimal. Leaf size=138

$$\frac{2(3A+4B) \sin(c+dx)}{105d(a^4 \cos(c+dx)+a^4)} + \frac{2(3A+4B) \sin(c+dx)}{105d(a^2 \cos(c+dx)+a^2)^2} + \frac{(3A+4B) \sin(c+dx)}{35ad(a \cos(c+dx)+a)^3} + \frac{(A-B) \sin(c+dx)}{7d(a \cos(c+dx)+a)^4}$$

[Out] 1/7*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^4+1/35*(3*A+4*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^3+2/105*(3*A+4*B)*sin(d*x+c)/d/(a^2+a^2*cos(d*x+c))^2+2/105*(3*A+4*B)*sin(d*x+c)/d/(a^4+a^4*cos(d*x+c))

Rubi [A] time = 0.14, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {2750, 2650, 2648}

$$\frac{2(3A+4B) \sin(c+dx)}{105d(a^4 \cos(c+dx)+a^4)} + \frac{2(3A+4B) \sin(c+dx)}{105d(a^2 \cos(c+dx)+a^2)^2} + \frac{(3A+4B) \sin(c+dx)}{35ad(a \cos(c+dx)+a)^3} + \frac{(A-B) \sin(c+dx)}{7d(a \cos(c+dx)+a)^4}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x])^4,x]

[Out] ((A - B)*Sin[c + d*x])/(7*d*(a + a*Cos[c + d*x])^4) + ((3*A + 4*B)*Sin[c + d*x])/(35*a*d*(a + a*Cos[c + d*x])^3) + (2*(3*A + 4*B)*Sin[c + d*x])/(105*d*(a^2 + a^2*Cos[c + d*x])^2) + (2*(3*A + 4*B)*Sin[c + d*x])/(105*d*(a^4 + a^4*Cos[c + d*x]))

Rule 2648

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] := -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2650

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^n)/(a*d*(2*n + 1)), x] + Dist[(n + 1)/(a*(2*n + 1)), Int[(a + b*Sin[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2750

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^4} dx &= \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A + 4B) \int \frac{1}{(a + a \cos(c + dx))^3} dx}{7a} \\ &= \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A + 4B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{(2(3A + 4B)) \int \frac{1}{(a + a \cos(c + dx))^2} dx}{35a^2} \\ &= \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A + 4B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{2(3A + 4B) \sin(c + dx)}{105d(a^2 + a^2 \cos(c + dx))^2} \\ &= \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A + 4B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{2(3A + 4B) \sin(c + dx)}{105d(a^2 + a^2 \cos(c + dx))^2} \end{aligned}$$

Mathematica [A] time = 0.37, size = 109, normalized size = 0.79

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left((3A + 4B) \left(21 \sin\left(c + \frac{3dx}{2}\right) + 7 \sin\left(2c + \frac{5dx}{2}\right) + \sin\left(3c + \frac{7dx}{2}\right) \right) + 35(3A + 2B) \sin\left(\frac{c}{2}\right) }{210a^4d(\cos(c + dx) + 1)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x])^4,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(35*(3*A + 2*B)*Sin[(d*x)/2] - 70*B*Sin[c + (d*x)/2] + (3*A + 4*B)*(21*Sin[c + (3*d*x)/2] + 7*Sin[2*c + (5*d*x)/2] + Sin[3*c + (7*d*x)/2]))/(210*a^4*d*(1 + Cos[c + d*x])^4)

fricas [A] time = 0.54, size = 125, normalized size = 0.91

$$\frac{(2(3A + 4B) \cos(dx + c)^3 + 8(3A + 4B) \cos(dx + c)^2 + 13(3A + 4B) \cos(dx + c) + 36A + 13B) \sin(dx + c)}{105(a^4d \cos(dx + c)^4 + 4a^4d \cos(dx + c)^3 + 6a^4d \cos(dx + c)^2 + 4a^4d \cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="fricas")

[Out] 1/105*(2*(3*A + 4*B)*cos(d*x + c)^3 + 8*(3*A + 4*B)*cos(d*x + c)^2 + 13*(3*A + 4*B)*cos(d*x + c) + 36*A + 13*B)*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [A] time = 0.93, size = 117, normalized size = 0.85

$$\frac{15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 63A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 21B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 105A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{840a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="giac")

[Out] 1/840*(15*A*tan(1/2*d*x + 1/2*c)^7 - 15*B*tan(1/2*d*x + 1/2*c)^7 + 63*A*tan(1/2*d*x + 1/2*c)^5 - 21*B*tan(1/2*d*x + 1/2*c)^5 + 105*A*tan(1/2*d*x + 1/2*c)^3 + 35*B*tan(1/2*d*x + 1/2*c)^3 + 105*A*tan(1/2*d*x + 1/2*c) + 105*B*tan(1/2*d*x + 1/2*c))/(a^4*d)

maple [A] time = 0.07, size = 88, normalized size = 0.64

$$\frac{\frac{(A-B)\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{7} + \frac{(3A-B)\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{5} + \frac{(3A+B)\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3} + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{8da^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x)`

[Out] $\frac{1}{8} \frac{d}{a^4} \left(\frac{1}{7} (A-B) \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^7 + \frac{1}{5} (3A-B) \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^5 + \frac{1}{3} (3A+B) \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 + A \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + B \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) \right)$

maxima [A] time = 0.45, size = 175, normalized size = 1.27

$$\frac{B \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{3A \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}$$

$$840 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="maxima")`

[Out] $\frac{1}{840} \left(B \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) / a^4 + 3A \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) / a^4 \right) / d$

mupad [B] time = 0.24, size = 87, normalized size = 0.63

$$\frac{\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (3A+B)}{24a^4} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 (A-B)}{56a^4} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (A+B)}{8a^4} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 (3A-B)}{40a^4}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(a + a*cos(c + d*x))^4,x)`

[Out] $\left(\frac{\tan(c/2 + (d*x)/2)^3 (3A + B)}{(24*a^4)} + \frac{\tan(c/2 + (d*x)/2)^7 (A - B)}{(56*a^4)} + \frac{\tan(c/2 + (d*x)/2) (A + B)}{(8*a^4)} + \frac{\tan(c/2 + (d*x)/2)^5 (3A - B)}{(40*a^4)} \right) / d$

sympy [A] time = 4.87, size = 177, normalized size = 1.28

$$\left\{ \begin{array}{l} \frac{A \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} + \frac{3A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} + \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} - \frac{B \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} - \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} + \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} \\ \frac{x(A+B \cos(c))}{(a \cos(c)+a)^4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**4,x)`

[Out] `Piecewise((A*tan(c/2 + d*x/2)**7/(56*a**4*d) + 3*A*tan(c/2 + d*x/2)**5/(40*a**4*d) + A*tan(c/2 + d*x/2)**3/(8*a**4*d) + A*tan(c/2 + d*x/2)/(8*a**4*d) - B*tan(c/2 + d*x/2)**7/(56*a**4*d) - B*tan(c/2 + d*x/2)**5/(40*a**4*d) + B*tan(c/2 + d*x/2)**3/(24*a**4*d) + B*tan(c/2 + d*x/2)/(8*a**4*d), Ne(d, 0)), (x*(A + B*cos(c))/(a*cos(c) + a)**4, True))`

$$3.71 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^4} dx$$

Optimal. Leaf size=147

$$\frac{2(80A-3B)\sin(c+dx)}{105a^4d(\cos(c+dx)+1)} - \frac{(55A-6B)\sin(c+dx)}{105a^4d(\cos(c+dx)+1)^2} + \frac{A \tanh^{-1}(\sin(c+dx))}{a^4d} - \frac{(10A-3B)\sin(c+dx)}{35ad(a \cos(c+dx)+a)^3} - \frac{(A-B)\sin(c+dx)}{7d(a+a \cos(c+dx))^4}$$

[Out] A*arctanh(sin(d*x+c))/a^4/d-1/105*(55*A-6*B)*sin(d*x+c)/a^4/d/(1+cos(d*x+c))^2-2/105*(80*A-3*B)*sin(d*x+c)/a^4/d/(1+cos(d*x+c))-1/7*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^4-1/35*(10*A-3*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^3

Rubi [A] time = 0.47, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2978, 12, 3770}

$$\frac{2(80A-3B)\sin(c+dx)}{105a^4d(\cos(c+dx)+1)} - \frac{(55A-6B)\sin(c+dx)}{105a^4d(\cos(c+dx)+1)^2} + \frac{A \tanh^{-1}(\sin(c+dx))}{a^4d} - \frac{(10A-3B)\sin(c+dx)}{35ad(a \cos(c+dx)+a)^3} - \frac{(A-B)\sin(c+dx)}{7d(a+a \cos(c+dx))^4}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x])^4,x]

[Out] (A*ArcTanh[Sin[c + d*x]])/(a^4*d) - ((55*A - 6*B)*Sin[c + d*x])/(105*a^4*d*(1 + Cos[c + d*x])^2) - (2*(80*A - 3*B)*Sin[c + d*x])/(105*a^4*d*(1 + Cos[c + d*x])) - ((A - B)*Sin[c + d*x])/(7*d*(a + a*Cos[c + d*x])^4) - ((10*A - 3*B)*Sin[c + d*x])/(35*a*d*(a + a*Cos[c + d*x])^3)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1))/(a*f*(2*m+1)*(b*c - a*d)), x] + Dist[1/(a*(2*m+1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m+1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n+1)) + A*(b*c*(m+1) - a*d*(2*m+n+2)) + d*(A*b - a*B)*(m+n+2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3770

Int[csc[(c_) + (d_)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^4} dx &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{(7aA - 3a(A - B) \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^3} dx}{7a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(10A - 3B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{\int \frac{(35a^2A - 2a^2(10A - 3B) \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^2} dx}{7a^2} \\
&= -\frac{(55A - 6B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(10A - 3B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
&= -\frac{(55A - 6B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(10A - 3B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
&= -\frac{(55A - 6B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(10A - 3B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
&= \frac{A \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(55A - 6B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4}
\end{aligned}$$

Mathematica [A] time = 1.59, size = 239, normalized size = 1.63

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-70(49A - 3B) \sin\left(\frac{dx}{2}\right) + 2170A \sin\left(c + \frac{dx}{2}\right) - 2625A \sin\left(c + \frac{3dx}{2}\right) + 735A \sin\left(2c + \frac{3dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x])^4,x]

[Out] (-6720*A*Cos[(c + d*x)/2]^8*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*(-70*(49*A - 3*B)*Sin[(d*x)/2] + 2170*A*Sin[c + (d*x)/2] - 2625*A*Sin[c + (3*d*x)/2] + 126*B*Sin[c + (3*d*x)/2] + 735*A*Sin[2*c + (3*d*x)/2] - 1015*A*Sin[2*c + (5*d*x)/2] + 42*B*Sin[2*c + (5*d*x)/2] + 105*A*Sin[3*c + (5*d*x)/2] - 160*A*Sin[3*c + (7*d*x)/2] + 6*B*Sin[3*c + (7*d*x)/2]))/(420*a^4*d*(1 + Cos[c + d*x])^4)

fricas [A] time = 0.78, size = 236, normalized size = 1.61

$$105 \left(A \cos(dx + c)^4 + 4A \cos(dx + c)^3 + 6A \cos(dx + c)^2 + 4A \cos(dx + c) + A \right) \log(\sin(dx + c) + 1) - 105 \left(A \cos(dx + c)^4 + 4A \cos(dx + c)^3 + 6A \cos(dx + c)^2 + 4A \cos(dx + c) + A \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^4,x, algorithm="fricas")

[Out] 1/210*(105*(A*cos(d*x + c)^4 + 4*A*cos(d*x + c)^3 + 6*A*cos(d*x + c)^2 + 4*A*cos(d*x + c) + A)*log(sin(d*x + c) + 1) - 105*(A*cos(d*x + c)^4 + 4*A*cos(d*x + c)^3 + 6*A*cos(d*x + c)^2 + 4*A*cos(d*x + c) + A)*log(-sin(d*x + c) + 1) - 2*(2*(80*A - 3*B)*cos(d*x + c)^3 + (535*A - 24*B)*cos(d*x + c)^2 + (620*A - 39*B)*cos(d*x + c) + 260*A - 36*B)*sin(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [A] time = 0.97, size = 182, normalized size = 1.24

$$\frac{840 A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^4} - \frac{840 A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^4} - \frac{15 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 B a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 105 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 63 B a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^4,x, algorithm="giac")

[Out] $\frac{1}{840} \cdot (840 \cdot A \cdot \log(\tan(\frac{1}{2}d*x + \frac{1}{2}c) + 1)) / a^4 - 840 \cdot A \cdot \log(\tan(\frac{1}{2}d*x + \frac{1}{2}c) - 1)) / a^4 - (15 \cdot A \cdot a^{24} \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^7 - 15 \cdot B \cdot a^{24} \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^7 + 105 \cdot A \cdot a^{24} \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^5 - 63 \cdot B \cdot a^{24} \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^5 + 385 \cdot A \cdot a^{24} \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^3 - 105 \cdot B \cdot a^{24} \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^3 + 1575 \cdot A \cdot a^{24} \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c) - 105 \cdot B \cdot a^{24} \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)) / a^{28} / d$

maple [A] time = 0.15, size = 199, normalized size = 1.35

$$\frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d a^4} - \frac{11 \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A}{24 d a^4} + \frac{B \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8 d a^4} - \frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d a^4} - \frac{A \left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8 d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^4,x)

[Out] $\frac{1}{d} \cdot \frac{1}{a^4} \cdot A \cdot \ln(\tan(\frac{1}{2}d*x + \frac{1}{2}c) + 1) - \frac{11}{24} \cdot \frac{1}{d} \cdot \frac{1}{a^4} \cdot A \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^3 + \frac{1}{8} \cdot \frac{1}{d} \cdot \frac{1}{a^4} \cdot B \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^3 - \frac{1}{d} \cdot \frac{1}{a^4} \cdot A \cdot \ln(\tan(\frac{1}{2}d*x + \frac{1}{2}c) - 1) - \frac{1}{8} \cdot \frac{1}{d} \cdot \frac{1}{a^4} \cdot A \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^5 + \frac{3}{40} \cdot \frac{1}{d} \cdot \frac{1}{a^4} \cdot B \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^5 - \frac{1}{56} \cdot \frac{1}{d} \cdot \frac{1}{a^4} \cdot A \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^7 + \frac{1}{56} \cdot \frac{1}{d} \cdot \frac{1}{a^4} \cdot B \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)^7 - \frac{15}{8} \cdot \frac{1}{d} \cdot \frac{1}{a^4} \cdot A \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c) + \frac{1}{8} \cdot \frac{1}{d} \cdot \frac{1}{a^4} \cdot B \cdot \tan(\frac{1}{2}d*x + \frac{1}{2}c)$

maxima [A] time = 0.42, size = 228, normalized size = 1.55

$$\frac{5 A \left(\frac{315 \sin(dx+c)}{\cos(dx+c)+1} + \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} - \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} + \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right) - 3 B \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} \right)}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^4,x, algorithm="maxima")

[Out] $-\frac{1}{840} \cdot (5 \cdot A \cdot ((315 \cdot \sin(d*x + c)) / (\cos(d*x + c) + 1) + 77 \cdot \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 21 \cdot \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5 + 3 \cdot \sin(d*x + c)^7 / (\cos(d*x + c) + 1)^7) / a^4 - 168 \cdot \log(\sin(d*x + c) / (\cos(d*x + c) + 1) + 1) / a^4 + 168 \cdot \log(\sin(d*x + c) / (\cos(d*x + c) + 1) - 1) / a^4 - 3 \cdot B \cdot (35 \cdot \sin(d*x + c) / (\cos(d*x + c) + 1) + 35 \cdot \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 21 \cdot \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5 + 5 \cdot \sin(d*x + c)^7 / (\cos(d*x + c) + 1)^7) / a^4) / d$

mupad [B] time = 0.36, size = 199, normalized size = 1.35

$$\frac{2 A \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \left(\frac{11 A \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{24} - \frac{B \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{8}\right) + \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \left(\frac{A \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{8} - \frac{3 B \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{40}\right)}{a^4 d} \quad a^4 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + a*cos(c + d*x))^4),x)

[Out] $(2 \cdot A \cdot \operatorname{atanh}(\sin(c/2 + (d*x)/2) / \cos(c/2 + (d*x)/2))) / (a^4 \cdot d) - (\cos(c/2 + (d*x)/2)^4 \cdot ((11 \cdot A \cdot \sin(c/2 + (d*x)/2)^3) / 24 - (B \cdot \sin(c/2 + (d*x)/2)^3) / 8) + \cos(c/2 + (d*x)/2)$

$$\begin{aligned} & (c/2 + (d*x)/2)^2 * ((A*\sin(c/2 + (d*x)/2)^5)/8 - (3*B*\sin(c/2 + (d*x)/2)^5)/ \\ & 40) + \cos(c/2 + (d*x)/2)^6 * ((15*A*\sin(c/2 + (d*x)/2))/8 - (B*\sin(c/2 + (d*x) \\ &)/2))/8) + (A*\sin(c/2 + (d*x)/2)^7)/56 - (B*\sin(c/2 + (d*x)/2)^7)/56) / (a^4 * \\ & d*\cos(c/2 + (d*x)/2)^7) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))**4,x)

[Out] Timed out

$$3.72 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^4} dx$$

Optimal. Leaf size=175

$$\frac{8(83A - 20B) \tan(c + dx)}{105a^4d} - \frac{(4A - B) \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(4A - B) \tan(c + dx)}{a^4d(\cos(c + dx) + 1)} - \frac{(88A - 25B) \tan(c + dx)}{105a^4d(\cos(c + dx) + 1)^2}$$

[Out] $-(4*A-B)*\operatorname{arctanh}(\sin(d*x+c))/a^4/d+8/105*(83*A-20*B)*\tan(d*x+c)/a^4/d-1/105*(88*A-25*B)*\tan(d*x+c)/a^4/d/(1+\cos(d*x+c))^2-(4*A-B)*\tan(d*x+c)/a^4/d/(1+\cos(d*x+c))-1/7*(A-B)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^4-1/35*(12*A-5*B)*\tan(d*x+c)/a/d/(a+a*\cos(d*x+c))^3$

Rubi [A] time = 0.67, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2978, 2748, 3767, 8, 3770}

$$\frac{8(83A - 20B) \tan(c + dx)}{105a^4d} - \frac{(4A - B) \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(4A - B) \tan(c + dx)}{a^4d(\cos(c + dx) + 1)} - \frac{(88A - 25B) \tan(c + dx)}{105a^4d(\cos(c + dx) + 1)^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^2/(a + a*\operatorname{Cos}[c + d*x])^4, x]$

[Out] $-\left(\frac{(4*A - B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]]}{a^4*d}\right) + \frac{8*(83*A - 20*B)*\operatorname{Tan}[c + d*x]}{(105*a^4*d)} - \frac{(88*A - 25*B)*\operatorname{Tan}[c + d*x]}{(105*a^4*d*(1 + \operatorname{Cos}[c + d*x])^2)} - \frac{(4*A - B)*\operatorname{Tan}[c + d*x]}{a^4*d*(1 + \operatorname{Cos}[c + d*x])} - \frac{(A - B)*\operatorname{Tan}[c + d*x]}{(7*d*(a + a*\operatorname{Cos}[c + d*x])^4)} - \frac{(12*A - 5*B)*\operatorname{Tan}[c + d*x]}{(35*a*d*(a + a*\operatorname{Cos}[c + d*x])^3)}$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m + 1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2978

$\operatorname{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \operatorname{Simp}[(b*(A*b - a*B)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^m*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \operatorname{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m + 1)}*(c + d*\operatorname{Sin}[e + f*x])^n*\operatorname{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\operatorname{Sin}[e + f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{LtQ}[m, -2^{(-1)}] \&\& \operatorname{!GtQ}[n, 0] \&\& \operatorname{IntegerQ}[2*m] \&\& (\operatorname{IntegerQ}[2*n] \mid \mid \operatorname{EqQ}[c, 0])]$

Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \operatorname{Cot}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
 /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^4} dx &= -\frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{(a(8A-B) - 4a(A-B) \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx}{7a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(12A - 5B) \tan(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{\int \frac{(2a^2(26A-5B) - 3a^2)}{(a+a \cos(c+dx))^2} dx}{35ad} \\ &= -\frac{(88A - 25B) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(12A - 5B) \tan(c + dx)}{35ad(a + a \cos(c + dx))^3} \\ &= -\frac{(88A - 25B) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(12A - 5B) \tan(c + dx)}{35ad(a + a \cos(c + dx))^3} \\ &= -\frac{(88A - 25B) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(12A - 5B) \tan(c + dx)}{35ad(a + a \cos(c + dx))^3} \\ &= -\frac{(4A - B) \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(88A - 25B) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} \\ &= -\frac{(4A - B) \tanh^{-1}(\sin(c + dx))}{a^4d} + \frac{8(83A - 20B) \tan(c + dx)}{105a^4d} - \frac{(88A - 25B) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} \end{aligned}$$

Mathematica [B] time = 5.73, size = 595, normalized size = 3.40

$$26880(4A - B) \cos^8\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^4, x]

[Out] (26880*(4*A - B)*Cos[(c + d*x)/2]^8*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]*(-245*(44*A - 17*B)*Sin[(d*x)/2] + 7*(2684*A - 635*B)*Sin[(3*d*x)/2] - 20524*A*Sin[c - (d*x)/2] + 4795*B*Sin[c - (d*x)/2] + 14644*A*Sin[c + (d*x)/2] - 4795*B*Sin[c + (d*x)/2] - 16660*A*Sin[2*c + (d*x)/2] + 4165*B*Sin[2*c + (d*x)/2] - 4690*A*Sin[c + (3*d*x)/2] + 2275*B*Sin[c + (3*d*x)/2] + 14378*A*Sin[2*c + (3*d*x)/2] - 4445*B*Sin[2*c + (3*d*x)/2] - 9100*A*Sin[3*c + (3*d*x)/2] + 2275*B*Sin[3*c + (3*d*x)/2] + 11668*A*Sin[c + (5*d*x)/2] - 2785*B*Sin[c + (5*d*x)/2] - 630*A*Sin[2*c + (5*d*x)/2] + 735*B*Sin[2*c + (5*d*x)/2] + 9358*A*Sin[3*c + (5*d*x)/2] - 2785*B*Sin[3*c + (5*d*x)/2] - 2940*A*Sin[4*c + (5*d*x)/2] + 735*B*Sin[4*c + (5*d*x)/2] + 4228*A*Sin[2*c + (7*d*x)/2] - 1015*B*Sin[2*c + (7*d*x)/2] + 315*A*Sin[3*c + (7*d*x)/2] + 105*B*Sin[3*c + (7*d*x)/2] + 3493*A*Sin[4*c + (7*d*x)/2] - 1015*B*Sin[4*c + (7*d*x)/2] - 420*A*Sin[5*c + (7*d*x)/2] + 105*B*Sin[5*c + (7*d*x)/2] + 664*A*Sin[3*c + (9*d*x)/2] - 160*B*Sin[3*c + (9*d*x)/2] + 105*A*Sin[4*c + (9*d*x)/2] + 559*A*Sin[5*c + (9*d*x)/2] - 160*B*Sin[5*c + (9*d*x)/2]))/(1680*a^4*d*(1 + Cos[c + d*x])^4)

fricas [B] time = 0.96, size = 337, normalized size = 1.93

$$105 \left((4A - B) \cos(dx + c)^5 + 4(4A - B) \cos(dx + c)^4 + 6(4A - B) \cos(dx + c)^3 + 4(4A - B) \cos(dx + c)^2 + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^4,x, algorithm="fricas")

[Out]
$$-1/210*(105*((4*A - B)*\cos(d*x + c))^5 + 4*(4*A - B)*\cos(d*x + c)^4 + 6*(4*A - B)*\cos(d*x + c)^3 + 4*(4*A - B)*\cos(d*x + c)^2 + (4*A - B)*\cos(d*x + c)) * \log(\sin(d*x + c) + 1) - 105*((4*A - B)*\cos(d*x + c))^5 + 4*(4*A - B)*\cos(d*x + c)^4 + 6*(4*A - B)*\cos(d*x + c)^3 + 4*(4*A - B)*\cos(d*x + c)^2 + (4*A - B)*\cos(d*x + c)) * \log(-\sin(d*x + c) + 1) - 2*(8*(83*A - 20*B)*\cos(d*x + c)^4 + (2236*A - 535*B)*\cos(d*x + c)^3 + 4*(659*A - 155*B)*\cos(d*x + c)^2 + 4*(296*A - 65*B)*\cos(d*x + c) + 105*A)*\sin(d*x + c))/(a^4*d*\cos(d*x + c)^5 + 4*a^4*d*\cos(d*x + c)^4 + 6*a^4*d*\cos(d*x + c)^3 + 4*a^4*d*\cos(d*x + c)^2 + a^4*d*\cos(d*x + c))$$

giac [A] time = 0.41, size = 224, normalized size = 1.28

$$\frac{840(4A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^4} - \frac{840(4A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^4} + \frac{1680A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right)a^4} - \frac{15Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 15Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^4,x, algorithm="giac")

[Out]
$$-1/840*(840*(4*A - B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^4 - 840*(4*A - B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^4 + 1680*A*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*a^4) - (15*A*a^{24}*\tan(1/2*d*x + 1/2*c)^7 - 15*B*a^{24}*\tan(1/2*d*x + 1/2*c)^7 + 147*A*a^{24}*\tan(1/2*d*x + 1/2*c)^5 - 105*B*a^{24}*\tan(1/2*d*x + 1/2*c)^5 + 805*A*a^{24}*\tan(1/2*d*x + 1/2*c)^3 - 385*B*a^{24}*\tan(1/2*d*x + 1/2*c)^3 + 5145*A*a^{24}*\tan(1/2*d*x + 1/2*c) - 1575*B*a^{24}*\tan(1/2*d*x + 1/2*c))/a^{28}/d$$

maple [A] time = 0.16, size = 285, normalized size = 1.63

$$\frac{\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{56d a^4} - \frac{B\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{56d a^4} + \frac{7A\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{40d a^4} - \frac{B\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8d a^4} + \frac{23\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{24d a^4} - \frac{11B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{24d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^4,x)

[Out]
$$1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A - 1/56/d/a^4*B*\tan(1/2*d*x+1/2*c)^7 + 7/40/d/a^4*A*\tan(1/2*d*x+1/2*c)^5 - 1/8/d/a^4*B*\tan(1/2*d*x+1/2*c)^5 + 23/24/d/a^4*\tan(1/2*d*x+1/2*c)^3*A - 11/24/d/a^4*B*\tan(1/2*d*x+1/2*c)^3 + 49/8/d/a^4*A*\tan(1/2*d*x+1/2*c) - 15/8/d/a^4*B*\tan(1/2*d*x+1/2*c) + 4/d/a^4*A*\ln(\tan(1/2*d*x+1/2*c) - 1) - 1/d/a^4*\ln(\tan(1/2*d*x+1/2*c) - 1)*B - 1/d/a^4*A/(\tan(1/2*d*x+1/2*c) - 1) - 4/d/a^4*A*\ln(\tan(1/2*d*x+1/2*c) + 1) + 1/d/a^4*\ln(\tan(1/2*d*x+1/2*c) + 1)*B - 1/d/a^4*A/(\tan(1/2*d*x+1/2*c) + 1)$$

maxima [A] time = 0.65, size = 326, normalized size = 1.86

$$A \left(\frac{1680 \sin(dx+c)}{\left(a^4 - \frac{a^4 \sin^2(dx+c)}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} + \frac{805 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{147 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^4,x, algorithm="maxima")

[Out] 1/840*(A*(1680*sin(d*x + c)/((a^4 - a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (5145*sin(d*x + c)/(cos(d*x + c) + 1) + 805*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 147*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 3360*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^4 + 3360*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^4 - 5*B*((315*sin(d*x + c)/(cos(d*x + c) + 1) + 77*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 3*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 168*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^4 + 168*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^4)/d

mupad [B] time = 0.28, size = 236, normalized size = 1.35

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 \left(\frac{A-B}{8a^4} + \frac{5A-3B}{12a^4} + \frac{10A-2B}{24a^4}\right)}{d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 \left(\frac{A-B}{20a^4} + \frac{5A-3B}{40a^4}\right)}{d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{A-B}{2a^4} + \frac{3(5A-3B)}{8a^4} + \frac{10A-2B}{4a^4}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + a*cos(c + d*x))^4),x)

[Out] (tan(c/2 + (d*x)/2)^3*((A - B)/(8*a^4) + (5*A - 3*B)/(12*a^4) + (10*A - 2*B)/(24*a^4)))/d + (tan(c/2 + (d*x)/2)^5*((A - B)/(20*a^4) + (5*A - 3*B)/(40*a^4)))/d + (tan(c/2 + (d*x)/2)*((A - B)/(2*a^4) + (3*(5*A - 3*B))/(8*a^4) + (10*A - 2*B)/(4*a^4) + (10*A + 2*B)/(8*a^4)))/d + (tan(c/2 + (d*x)/2)^7*(A - B))/(56*a^4*d) - (2*A*tan(c/2 + (d*x)/2))/(d*(a^4*tan(c/2 + (d*x)/2)^2 - a^4)) - (2*atanh(tan(c/2 + (d*x)/2))*(4*A - B))/(a^4*d)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+a*cos(d*x+c))**4,x)

[Out] Timed out

$$3.73 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^4} dx$$

Optimal. Leaf size=232

$$\frac{8(216A - 83B) \tan(c + dx)}{105a^4d} + \frac{(21A - 8B) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(21A - 8B) \tan(c + dx) \sec(c + dx)}{2a^4d} - \frac{4(216A - 83B)}{105a^4d}$$

[Out] 1/2*(21*A-8*B)*arctanh(sin(d*x+c))/a^4/d-8/105*(216*A-83*B)*tan(d*x+c)/a^4/d+1/2*(21*A-8*B)*sec(d*x+c)*tan(d*x+c)/a^4/d-1/105*(129*A-52*B)*sec(d*x+c)*tan(d*x+c)/a^4/d/(1+cos(d*x+c))^2-4/105*(216*A-83*B)*sec(d*x+c)*tan(d*x+c)/a^4/d/(1+cos(d*x+c))-1/7*(A-B)*sec(d*x+c)*tan(d*x+c)/d/(a+a*cos(d*x+c))^4-1/5*(2*A-B)*sec(d*x+c)*tan(d*x+c)/a/d/(a+a*cos(d*x+c))^3

Rubi [A] time = 0.69, antiderivative size = 232, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2978, 2748, 3768, 3770, 3767, 8}

$$\frac{8(216A - 83B) \tan(c + dx)}{105a^4d} + \frac{(21A - 8B) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(21A - 8B) \tan(c + dx) \sec(c + dx)}{2a^4d} - \frac{4(216A - 83B)}{105a^4d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x])^4,x]

[Out] ((21*A - 8*B)*ArcTanh[Sin[c + d*x]]/(2*a^4*d) - (8*(216*A - 83*B)*Tan[c + d*x])/(105*a^4*d) + ((21*A - 8*B)*Sec[c + d*x]*Tan[c + d*x])/(2*a^4*d) - ((129*A - 52*B)*Sec[c + d*x]*Tan[c + d*x])/(105*a^4*d*(1 + Cos[c + d*x])^2) - (4*(216*A - 83*B)*Sec[c + d*x]*Tan[c + d*x])/(105*a^4*d*(1 + Cos[c + d*x])) - ((A - B)*Sec[c + d*x]*Tan[c + d*x])/(7*d*(a + a*Cos[c + d*x])^4) - ((2*A - B)*Sec[c + d*x]*Tan[c + d*x])/(5*a*d*(a + a*Cos[c + d*x])^3)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^4} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{(a(9A - 2B) - 5a(A - B) \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^3} dx}{7a^2} \\ &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(2A - B) \sec(c + dx) \tan(c + dx)}{5ad(a + a \cos(c + dx))^3} + \\ &= -\frac{(129A - 52B) \sec(c + dx) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} \\ &= -\frac{(129A - 52B) \sec(c + dx) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} \\ &= -\frac{(129A - 52B) \sec(c + dx) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} \\ &= \frac{(21A - 8B) \sec(c + dx) \tan(c + dx)}{2a^4d} - \frac{(129A - 52B) \sec(c + dx) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} \\ &= \frac{(21A - 8B) \tanh^{-1}(\sin(c + dx))}{2a^4d} - \frac{8(216A - 83B) \tan(c + dx)}{105a^4d} + \frac{(21A - 8B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} \end{aligned}$$

Mathematica [B] time = 6.51, size = 798, normalized size = 3.44

$$\frac{8(21A - 8B) \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \cos^8\left(\frac{c}{2} + \frac{dx}{2}\right)}{d(\cos(c + dx)a + a)^4} + \frac{8(21A - 8B) \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \cos^8\left(\frac{c}{2} + \frac{dx}{2}\right)}{d(\cos(c + dx)a + a)^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x])^4, x]
```

```
[Out] (-8*(21*A - 8*B)*Cos[c/2 + (d*x)/2]^8*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d
*x)/2])/(d*(a + a*Cos[c + d*x])^4) + (8*(21*A - 8*B)*Cos[c/2 + (d*x)/2]^8*
Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])/(d*(a + a*Cos[c + d*x])^4) +
(Cos[c/2 + (d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^2*(73206*A*Sin[(d*x)/2] -
38668*B*Sin[(d*x)/2] - 166668*A*Sin[(3*d*x)/2] + 64384*B*Sin[(3*d*x)/2] + 1
83162*A*Sin[c - (d*x)/2] - 70896*B*Sin[c - (d*x)/2] - 100842*A*Sin[c + (d*x
)/2] + 50316*B*Sin[c + (d*x)/2] + 155526*A*Sin[2*c + (d*x)/2] - 59248*B*Sin
[2*c + (d*x)/2] + 37380*A*Sin[c + (3*d*x)/2] - 22820*B*Sin[c + (3*d*x)/2] -
101148*A*Sin[2*c + (3*d*x)/2] + 48004*B*Sin[2*c + (3*d*x)/2] + 102900*A*Si
n[3*c + (3*d*x)/2] - 39200*B*Sin[3*c + (3*d*x)/2] - 119364*A*Sin[c + (5*d*x
)/2] + 46032*B*Sin[c + (5*d*x)/2] + 8820*A*Sin[2*c + (5*d*x)/2] - 8750*B*Si
n[2*c + (5*d*x)/2] - 78204*A*Sin[3*c + (5*d*x)/2] + 35742*B*Sin[3*c + (5*d*
```

$$\begin{aligned} & x)/2] + 49980*A*\sin[4*c + (5*d*x)/2] - 19040*B*\sin[4*c + (5*d*x)/2] - 64053 \\ & *A*\sin[2*c + (7*d*x)/2] + 24664*B*\sin[2*c + (7*d*x)/2] - 3885*A*\sin[3*c + (\\ & 7*d*x)/2] - 1050*B*\sin[3*c + (7*d*x)/2] - 44733*A*\sin[4*c + (7*d*x)/2] + 19 \\ & 834*B*\sin[4*c + (7*d*x)/2] + 15435*A*\sin[5*c + (7*d*x)/2] - 5880*B*\sin[5*c \\ & + (7*d*x)/2] - 21987*A*\sin[3*c + (9*d*x)/2] + 8456*B*\sin[3*c + (9*d*x)/2] - \\ & 3675*A*\sin[4*c + (9*d*x)/2] + 630*B*\sin[4*c + (9*d*x)/2] - 16107*A*\sin[5*c \\ & + (9*d*x)/2] + 6986*B*\sin[5*c + (9*d*x)/2] + 2205*A*\sin[6*c + (9*d*x)/2] - \\ & 840*B*\sin[6*c + (9*d*x)/2] - 3456*A*\sin[4*c + (11*d*x)/2] + 1328*B*\sin[4*c \\ & + (11*d*x)/2] - 840*A*\sin[5*c + (11*d*x)/2] + 210*B*\sin[5*c + (11*d*x)/2] \\ & - 2616*A*\sin[6*c + (11*d*x)/2] + 1118*B*\sin[6*c + (11*d*x)/2]))/(6720*d*(a \\ & + a*\cos[c + d*x])^4) \end{aligned}$$

fricas [A] time = 0.59, size = 360, normalized size = 1.55

$$\frac{105 \left((21A - 8B) \cos(dx + c)^6 + 4(21A - 8B) \cos(dx + c)^5 + 6(21A - 8B) \cos(dx + c)^4 + 4(21A - 8B) \cos(dx + c)^3 + 2(21A - 8B) \cos(dx + c)^2 + 4(21A - 8B) \cos(dx + c) + 105 \right)}{(a + a \cos(dx + c))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^4,x, algorithm="fricas")

[Out] $\frac{1}{420} \cdot (105 \cdot ((21A - 8B) \cdot \cos(dx + c)^6 + 4 \cdot (21A - 8B) \cdot \cos(dx + c)^5 + 6 \cdot (21A - 8B) \cdot \cos(dx + c)^4 + 4 \cdot (21A - 8B) \cdot \cos(dx + c)^3 + (21A - 8B) \cdot \cos(dx + c)^2) \cdot \log(\sin(dx + c) + 1) - 105 \cdot ((21A - 8B) \cdot \cos(dx + c)^6 + 4 \cdot (21A - 8B) \cdot \cos(dx + c)^5 + 6 \cdot (21A - 8B) \cdot \cos(dx + c)^4 + 4 \cdot (21A - 8B) \cdot \cos(dx + c)^3 + (21A - 8B) \cdot \cos(dx + c)^2) \cdot \log(-\sin(dx + c) + 1) - 2 \cdot (16 \cdot (216A - 83B) \cdot \cos(dx + c)^5 + (11619A - 4472B) \cdot \cos(dx + c)^4 + 4 \cdot (3411A - 1318B) \cdot \cos(dx + c)^3 + 4 \cdot (1509A - 592B) \cdot \cos(dx + c)^2 + 210 \cdot (2A - B) \cdot \cos(dx + c) - 105A) \cdot \sin(dx + c)) / (a^4 \cdot d \cdot \cos(dx + c)^6 + 4 \cdot a^4 \cdot d \cdot \cos(dx + c)^5 + 6 \cdot a^4 \cdot d \cdot \cos(dx + c)^4 + 4 \cdot a^4 \cdot d \cdot \cos(dx + c)^3 + a^4 \cdot d \cdot \cos(dx + c)^2)$

giac [A] time = 1.45, size = 267, normalized size = 1.15

$$\frac{420(21A-8B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^4} - \frac{420(21A-8B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^4} + \frac{840\left(9A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-7A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+7B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^4,x, algorithm="giac")

[Out] $\frac{1}{840} \cdot (420 \cdot (21A - 8B) \cdot \log(\operatorname{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1)) / a^4 - 420 \cdot (21A - 8B) \cdot \log(\operatorname{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1)) / a^4 + 840 \cdot (9 \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 2 \cdot B \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 7 \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 2 \cdot B \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1) / ((\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^2 \cdot a^4) - (15 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 15 \cdot B \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 189 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 147 \cdot B \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 1365 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 805 \cdot B \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 11655 \cdot A \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 5145 \cdot B \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / a^{28}) / d$

maple [A] time = 0.19, size = 374, normalized size = 1.61

$$\frac{\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{56da^4} + \frac{B\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{56da^4} - \frac{9A\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{40da^4} + \frac{7B\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{40da^4} - \frac{13\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)A}{8da^4} + \frac{23B\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8da^4} - \frac{7A\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{4da^4} + \frac{7B\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{4da^4} - \frac{105A}{6720d} + \frac{105B}{6720d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^4,x)

[Out]
$$-1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*B*\tan(1/2*d*x+1/2*c)^7-9/40/d/a^4*A*\tan(1/2*d*x+1/2*c)^5+7/40/d/a^4*B*\tan(1/2*d*x+1/2*c)^5-13/8/d/a^4*\tan(1/2*d*x+1/2*c)^3*A+23/24/d/a^4*B*\tan(1/2*d*x+1/2*c)^3-111/8/d/a^4*A*\tan(1/2*d*x+1/2*c)+49/8/d/a^4*B*\tan(1/2*d*x+1/2*c)-21/2/d/a^4*A*\ln(\tan(1/2*d*x+1/2*c)-1)+4/d/a^4*\ln(\tan(1/2*d*x+1/2*c)-1)*B+9/2/d/a^4*A/(\tan(1/2*d*x+1/2*c)-1)-1/d/a^4/(\tan(1/2*d*x+1/2*c)-1)*B+1/2/d/a^4*A/(\tan(1/2*d*x+1/2*c)-1)^2+9/2/d/a^4*A/(\tan(1/2*d*x+1/2*c)+1)-1/d/a^4/(\tan(1/2*d*x+1/2*c)+1)*B+21/2/d/a^4*A*\ln(\tan(1/2*d*x+1/2*c)+1)-4/d/a^4*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/2/d/a^4*A/(\tan(1/2*d*x+1/2*c)+1)^2$$

maxima [A] time = 0.62, size = 419, normalized size = 1.81

$$3A \frac{\left(\frac{280 \left(\frac{7 \sin(dx+c)}{\cos(dx+c)+1} - \frac{9 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^4 - \frac{2a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{3885 \sin(dx+c)}{\cos(dx+c)+1} + \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{2940 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{2940 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^4,x, algorithm="maxima")

[Out]
$$-1/840*(3*A*(280*(7*\sin(d*x + c))/(\cos(d*x + c) + 1) - 9*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^4 - 2*a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^4*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (3885*\sin(d*x + c))/(\cos(d*x + c) + 1) + 455*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 63*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 2940*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 2940*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4 - B*(1680*\sin(d*x + c)/((a^4 - a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (5145*\sin(d*x + c))/(\cos(d*x + c) + 1) + 805*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 147*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 3360*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 3360*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4)/d$$

mupad [B] time = 0.29, size = 273, normalized size = 1.18

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (9A - 2B) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right) (7A - 2B) \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{5A}{2a^4} + \frac{5(A-B)}{4a^4} + \frac{3(6A-4B)}{4a^4} + \frac{3(15A-5B)}{8a^4}\right)}{d \left(a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + a*cos(c + d*x))^4),x)

[Out]
$$(\tan(c/2 + (d*x)/2)^3*(9*A - 2*B) - \tan(c/2 + (d*x)/2)*(7*A - 2*B))/(d*(a^4*\tan(c/2 + (d*x)/2)^4 - 2*a^4*\tan(c/2 + (d*x)/2)^2 + a^4) - (\tan(c/2 + (d*x)/2)*((5*A)/(2*a^4) + (5*(A - B))/(4*a^4) + (3*(6*A - 4*B))/(4*a^4) + (3*(15*A - 5*B))/(8*a^4)))/d - (\tan(c/2 + (d*x)/2)^3*((A - B)/(4*a^4) + (6*A - 4*B)/(8*a^4) + (15*A - 5*B)/(24*a^4)))/d - (\tan(c/2 + (d*x)/2)^5*((3*(A - B))/(40*a^4) + (6*A - 4*B)/(40*a^4)))/d - (\tan(c/2 + (d*x)/2)^7*(A - B))/(56*a^4*d) + (\operatorname{atanh}(\tan(c/2 + (d*x)/2))*(21*A - 8*B))/(a^4*d)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+a*cos(d*x+c))**4,x)
```

```
[Out] Timed out
```

3.74 $\int \cos^3(c+dx)\sqrt{a+a\cos(c+dx)}(A+B\cos(c+dx))dx$

Optimal. Leaf size=187

$$\frac{2a(9A+8B)\sin(c+dx)\cos^3(c+dx)}{63d\sqrt{a\cos(c+dx)+a}} + \frac{4(9A+8B)\sin(c+dx)(a\cos(c+dx)+a)^{3/2}}{105ad} - \frac{8(9A+8B)\sin(c+dx)\sqrt{a}}{315d}$$

[Out] $\frac{4}{105}*(9*A+8*B)*(a+a*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/a/d+\frac{4}{45}*a*(9*A+8*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+\frac{2}{63}*a*(9*A+8*B)*\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+\frac{2}{9}*a*B*\cos(d*x+c)^4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}-\frac{8}{315}*(9*A+8*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.30, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2981, 2770, 2759, 2751, 2646}

$$\frac{2a(9A+8B)\sin(c+dx)\cos^3(c+dx)}{63d\sqrt{a\cos(c+dx)+a}} + \frac{4(9A+8B)\sin(c+dx)(a\cos(c+dx)+a)^{3/2}}{105ad} - \frac{8(9A+8B)\sin(c+dx)\sqrt{a}}{315d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]), x]

[Out] $\frac{4*a*(9*A+8*B)*\sin[c+d*x]}{(45*d*\sqrt{a+a*\cos[c+d*x]})} + \frac{(2*a*(9*A+8*B)*\cos[c+d*x]^3*\sin[c+d*x])}{(63*d*\sqrt{a+a*\cos[c+d*x]})} + \frac{(2*a*B*\cos[c+d*x]^4*\sin[c+d*x])}{(9*d*\sqrt{a+a*\cos[c+d*x]})} - \frac{(8*(9*A+8*B)*\sqrt{a+a*\cos[c+d*x]}*\sin[c+d*x])}{(315*d)} + \frac{(4*(9*A+8*B)*(a+a*\cos[c+d*x])^{(3/2)}*\sin[c+d*x])}{(105*a*d)}$

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2759

Int[sin[(e_) + (f_)*(x_)]^2*((a_) + (b_)*sin[(e_) + (f_)*(x_)]^(m_)), x_Symbol] :> -Simp[(Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*(b*(m + 1) - a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2770

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_)), x_Symbol] :> Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2981

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) dx &= \frac{2aB \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} + \frac{1}{9}(9A + 8B) \int \cos^3(c + dx)\sqrt{a + a \cos(c + dx)} dx \\ &= \frac{2a(9A + 8B) \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a(9A + 8B) \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a(9A + 8B) \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{4a(9A + 8B) \sin(c + dx)}{45d\sqrt{a + a \cos(c + dx)}} + \frac{2a(9A + 8B) \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.70, size = 103, normalized size = 0.55

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right)\sqrt{a(\cos(c + dx) + 1)}(94(9A + 8B)\cos(c + dx) + 4(54A + 83B)\cos(2(c + dx)) + 90A\cos(3(c + dx)))}{1260d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]), x]

[Out] (Sqrt[a*(1 + Cos[c + d*x])]*(1368*A + 1321*B + 94*(9*A + 8*B)*Cos[c + d*x] + 4*(54*A + 83*B)*Cos[2*(c + d*x)] + 90*A*Cos[3*(c + d*x)] + 80*B*Cos[3*(c + d*x)] + 35*B*Cos[4*(c + d*x)])*Tan[(c + d*x)/2])/(1260*d)

fricas [A] time = 0.61, size = 99, normalized size = 0.53

$$\frac{2(35B \cos(dx + c)^4 + 5(9A + 8B) \cos(dx + c)^3 + 6(9A + 8B) \cos(dx + c)^2 + 8(9A + 8B) \cos(dx + c) + 144A + 128B)\sqrt{a \cos(dx + c) + a} \sin(dx + c)}{315(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)), x, algorithm="fricas")

[Out] 2/315*(35*B*cos(d*x + c)^4 + 5*(9*A + 8*B)*cos(d*x + c)^3 + 6*(9*A + 8*B)*cos(d*x + c)^2 + 8*(9*A + 8*B)*cos(d*x + c) + 144*A + 128*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)

giac [A] time = 0.53, size = 194, normalized size = 1.04

$$\frac{1}{2520} \sqrt{2} \left(\frac{35 B \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{9}{2} dx + \frac{9}{2} c\right)}{d} + \frac{45 \left(2 A \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) + B \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{2520}\sqrt{2}*(35*B*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\sin(9/2*d*x + 9/2*c)/d + 45*(2*A*\text{sgn}(\cos(1/2*d*x + 1/2*c)) + B*\text{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(7/2*d*x + 7/2*c)/d + 126*(A*\text{sgn}(\cos(1/2*d*x + 1/2*c)) + 2*B*\text{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(5/2*d*x + 5/2*c)/d + 210*(3*A*\text{sgn}(\cos(1/2*d*x + 1/2*c)) + 2*B*\text{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(3/2*d*x + 3/2*c)/d + 1890*(A*\text{sgn}(\cos(1/2*d*x + 1/2*c)) + B*\text{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(1/2*d*x + 1/2*c)/d)*\sqrt{a}$

maple [A] time = 0.40, size = 121, normalized size = 0.65

$$\frac{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(560B \left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-360A - 1440B) \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (756A + 1512B) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-630A - 840B) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 315A) + (-360A - 1440B) \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (756A + 1512B) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-630A - 840B) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 315A}{315\sqrt{a} \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)

[Out] $\frac{2}{315}\cos(1/2*d*x+1/2*c)*a*\sin(1/2*d*x+1/2*c)*(560*B*\sin(1/2*d*x+1/2*c)^8+(-360*A-1440*B)*\sin(1/2*d*x+1/2*c)^6+(756*A+1512*B)*\sin(1/2*d*x+1/2*c)^4+(-630*A-840*B)*\sin(1/2*d*x+1/2*c)^2+315*A+315*B)*2^{(1/2)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$

maxima [A] time = 1.03, size = 145, normalized size = 0.78

$$\frac{18\left(5\sqrt{2}\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 7\sqrt{2}\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 35\sqrt{2}\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 105\sqrt{2}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)A\sqrt{a} + (315A + 1512B)\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) + (-630A - 840B)\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) + 315A}{315\sqrt{a} \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{2520}*(18*(5*\sqrt{2}*\sin(7/2*d*x + 7/2*c) + 7*\sqrt{2}*\sin(5/2*d*x + 5/2*c) + 35*\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 105*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a} + (35*\sqrt{2}*\sin(9/2*d*x + 9/2*c) + 45*\sqrt{2}*\sin(7/2*d*x + 7/2*c) + 252*\sqrt{2}*\sin(5/2*d*x + 5/2*c) + 420*\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 1890*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*B*\sqrt{a})/d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^3 (A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^3*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2),x)

[Out] int(cos(c + d*x)^3*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.75 \quad \int \cos^2(c+dx) \sqrt{a + a \cos(c + dx)} (A+B \cos(c+dx)) dx$$

Optimal. Leaf size=144

$$\frac{2(7A + 6B) \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35ad} - \frac{4(7A + 6B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{105d} + \frac{2a(7A + 6B) \sin(c + dx)}{15d \sqrt{a \cos(c + dx) + a}}$$

[Out] 2/35*(7*A+6*B)*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/a/d+2/15*a*(7*A+6*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+2/7*a*B*cos(d*x+c)^3*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)-4/105*(7*A+6*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d

Rubi [A] time = 0.26, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2981, 2759, 2751, 2646}

$$\frac{2(7A + 6B) \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35ad} - \frac{4(7A + 6B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{105d} + \frac{2a(7A + 6B) \sin(c + dx)}{15d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] (2*a*(7*A + 6*B)*Sin[c + d*x])/(15*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*B*Cos[c + d*x]^3*Ssin[c + d*x])/(7*d*Sqrt[a + a*Cos[c + d*x]]) - (4*(7*A + 6*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*(7*A + 6*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(35*a*d)

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2759

Int[sin[(e_) + (f_)*(x_)]^2*((a_) + (b_)*sin[(e_) + (f_)*(x_)]^(m_), x_Symbol] := -Simp[(Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*(b*(m + 1) - a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2981

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)]*((c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_)), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx) \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{2aB \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{1}{7}(7A + 6B) \int \cos^2(c + dx) \sqrt{a + a \cos(c + dx)} dx \\
&= \frac{2aB \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{2(7A + 6B)(a + a \cos(c + dx))^{3/2}}{105d} \\
&= \frac{2aB \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} - \frac{4(7A + 6B)\sqrt{a + a \cos(c + dx)}}{105d} \\
&= \frac{2a(7A + 6B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 80, normalized size = 0.56

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} ((112A + 141B) \cos(c + dx) + 6(7A + 6B) \cos(2(c + dx)) + 266A + 15B \cos(3(c + dx)))}{210d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
[Out] (Sqrt[a*(1 + Cos[c + d*x])]*(266*A + 228*B + (112*A + 141*B)*Cos[c + d*x] + 6*(7*A + 6*B)*Cos[2*(c + d*x)] + 15*B*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(210*d)
```

fricas [A] time = 0.63, size = 82, normalized size = 0.57

$$\frac{2(15B \cos(dx + c)^3 + 3(7A + 6B) \cos(dx + c)^2 + 4(7A + 6B) \cos(dx + c) + 56A + 48B) \sqrt{a \cos(dx + c) + a}}{105(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
[Out] 2/105*(15*B*cos(d*x + c)^3 + 3*(7*A + 6*B)*cos(d*x + c)^2 + 4*(7*A + 6*B)*cos(d*x + c) + 56*A + 48*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)
```

giac [A] time = 1.44, size = 165, normalized size = 1.15

$$\frac{1}{420} \sqrt{2} \left(\frac{15B \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{7}{2}dx + \frac{7}{2}c\right)}{d} + \frac{420A \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{d} + \frac{315B \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
[Out] 1/420*sqrt(2)*(15*B*sgn(cos(1/2*d*x + 1/2*c))*sin(7/2*d*x + 7/2*c)/d + 420*A*sgn(cos(1/2*d*x + 1/2*c))*sin(1/2*d*x + 1/2*c)/d + 315*B*sgn(cos(1/2*d*x + 1/2*c))*sin(3/2*d*x + 3/2*c)/d + 21*(2*A*sgn(cos(1/2*d*x + 1/2*c)) + B*sgn(cos(1/2*d*x + 1/2*c)))*sin(5/2*d*x + 5/2*c)/d + 35*(2*A*sgn(cos(1/2*d*x + 1/2*c)) + 3*B*sgn(cos(1/2*d*x + 1/2*c)))*sin(3/2*d*x + 3/2*c)/d)*sqrt(a)
```

maple [A] time = 0.44, size = 102, normalized size = 0.71

$$\frac{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(-120B \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (84A + 252B) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-140A - 210B) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 105A}{105 \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)

[Out] 2/105*cos(1/2*d*x+1/2*c)*a*sin(1/2*d*x+1/2*c)*(-120*B*sin(1/2*d*x+1/2*c)^6+(84*A+252*B)*sin(1/2*d*x+1/2*c)^4+(-140*A-210*B)*sin(1/2*d*x+1/2*c)^2+105*A+105*B)*2^(1/2)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [A] time = 0.80, size = 118, normalized size = 0.82

$$\frac{14 \left(3 \sqrt{2} \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 5 \sqrt{2} \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 30 \sqrt{2} \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) A \sqrt{a} + 3 \left(5 \sqrt{2} \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right) + 7 \sqrt{2} \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 35 \sqrt{2} \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 105 \sqrt{2} \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) B \sqrt{a}}{420 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/420*(14*(3*sqrt(2)*sin(5/2*d*x + 5/2*c) + 5*sqrt(2)*sin(3/2*d*x + 3/2*c) + 30*sqrt(2)*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + 3*(5*sqrt(2)*sin(7/2*d*x + 7/2*c) + 7*sqrt(2)*sin(5/2*d*x + 5/2*c) + 35*sqrt(2)*sin(3/2*d*x + 3/2*c) + 105*sqrt(2)*sin(1/2*d*x + 1/2*c))*B*sqrt(a))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^2 (A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2),x)

[Out] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

3.76 $\int \cos(c+dx)\sqrt{a+a\cos(c+dx)}(A+B\cos(c+dx))dx$

Optimal. Leaf size=101

$$\frac{2(5A-2B)\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{15d} + \frac{2a(5A+7B)\sin(c+dx)}{15d\sqrt{a\cos(c+dx)+a}} + \frac{2B\sin(c+dx)(a\cos(c+dx)+a)^{3/2}}{5ad}$$

[Out] $2/5*B*(a+a*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/a/d+2/15*a*(5*A+7*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/15*(5*A-2*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.20, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {2968, 3023, 2751, 2646}

$$\frac{2(5A-2B)\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{15d} + \frac{2a(5A+7B)\sin(c+dx)}{15d\sqrt{a\cos(c+dx)+a}} + \frac{2B\sin(c+dx)(a\cos(c+dx)+a)^{3/2}}{5ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]), x]

[Out] $(2*a*(5*A + 7*B)*Sin[c + d*x])/(15*d*Sqrt[a + a*Cos[c + d*x]]) + (2*(5*A - 2*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*B*(a + a*Cos[c + d*x])^{(3/2)}*Sin[c + d*x])/(5*a*d)$

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos(c+dx)\sqrt{a+a\cos(c+dx)}(A+B\cos(c+dx))dx &= \int \sqrt{a+a\cos(c+dx)}(A\cos(c+dx)+B\cos^2(c+dx))dx \\ &= \frac{2B(a+a\cos(c+dx))^{3/2}\sin(c+dx)}{5ad} + \frac{2\int\sqrt{a+a\cos(c+dx)}\cos(c+dx)dx}{15d} \\ &= \frac{2(5A-2B)\sqrt{a+a\cos(c+dx)}\sin(c+dx)}{15d} + \frac{2B(a+a\cos(c+dx))^{3/2}\sin(c+dx)}{5ad} \\ &= \frac{2a(5A+7B)\sin(c+dx)}{15d\sqrt{a+a\cos(c+dx)}} + \frac{2(5A-2B)\sqrt{a+a\cos(c+dx)}\sin(c+dx)}{15d} \end{aligned}$$

Mathematica [A] time = 0.21, size = 64, normalized size = 0.63

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\cos(c+dx)+1)}(2(5A+4B)\cos(c+dx)+20A+3B\cos(2(c+dx))+19B)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
[Out] (Sqrt[a*(1 + Cos[c + d*x])]*(20*A + 19*B + 2*(5*A + 4*B)*Cos[c + d*x] + 3*B*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/(15*d)
```

fricas [A] time = 0.80, size = 64, normalized size = 0.63

$$\frac{2(3B\cos(dx+c)^2 + (5A+4B)\cos(dx+c) + 10A+8B)\sqrt{a\cos(dx+c)+a}\sin(dx+c)}{15(d\cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
[Out] 2/15*(3*B*cos(d*x + c)^2 + (5*A + 4*B)*cos(d*x + c) + 10*A + 8*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)
```

giac [A] time = 2.89, size = 113, normalized size = 1.12

$$\frac{1}{30}\sqrt{2}\left(\frac{3B\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\sin\left(\frac{5}{2}dx+\frac{5}{2}c\right)}{d} + \frac{5\left(2A\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right) + B\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\right)}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
[Out] 1/30*sqrt(2)*(3*B*sgn(cos(1/2*d*x + 1/2*c))*sin(5/2*d*x + 5/2*c)/d + 5*(2*A*sgn(cos(1/2*d*x + 1/2*c)) + B*sgn(cos(1/2*d*x + 1/2*c)))*sin(3/2*d*x + 3/2*c)/d + 30*(A*sgn(cos(1/2*d*x + 1/2*c)) + B*sgn(cos(1/2*d*x + 1/2*c)))*sin(1/2*d*x + 1/2*c)/d)*sqrt(a)
```

maple [A] time = 0.34, size = 83, normalized size = 0.82

$$\frac{2\cos\left(\frac{dx}{2}+\frac{c}{2}\right)a\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\left(12B\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+(-10A-20B)\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+15A+15B\right)\sqrt{2}}{15\sqrt{a}\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)`

[Out] $2/15*\cos(1/2*d*x+1/2*c)*a*\sin(1/2*d*x+1/2*c)*(12*B*\sin(1/2*d*x+1/2*c)^4+(-10*A-20*B)*\sin(1/2*d*x+1/2*c)^2+15*A+15*B)*2^(1/2)/(a*\cos(1/2*d*x+1/2*c)^2)^(1/2)/d$

maxima [A] time = 1.25, size = 88, normalized size = 0.87

$$\frac{10\left(\sqrt{2}\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 3\sqrt{2}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)A\sqrt{a} + \left(3\sqrt{2}\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 5\sqrt{2}\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 30\sqrt{2}\right)B\sqrt{a}}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] $1/30*(10*(\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 3*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a} + (3*\sqrt{2}*\sin(5/2*d*x + 5/2*c) + 5*\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 30*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*B*\sqrt{a})/d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) (A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2),x)`

[Out] `int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} (A + B \cos(c + dx)) \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)`

[Out] `Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))*cos(c + d*x), x)`

$$3.77 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx$$

Optimal. Leaf size=62

$$\frac{2a(3A + B) \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2B \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3d}$$

[Out] 2/3*a*(3*A+B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+2/3*B*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d

Rubi [A] time = 0.06, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {2751, 2646}

$$\frac{2a(3A + B) \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2B \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] (2*a*(3*A + B)*Sin[c + d*x])/((3*d*Sqrt[a + a*Cos[c + d*x]])) + (2*B*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/((3*d))

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3}(3A + B) \int \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{2a(3A + B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.09, size = 46, normalized size = 0.74

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} (3A + B \cos(c + dx) + 2B)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(3*A + 2*B + B*Cos[c + d*x])*Tan[(c + d*x)/2])/((3*d))

fricas [A] time = 0.67, size = 47, normalized size = 0.76

$$\frac{2(B \cos(dx + c) + 3A + 2B)\sqrt{a \cos(dx + c) + a} \sin(dx + c)}{3(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 2/3*(B*cos(d*x + c) + 3*A + 2*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)

giac [A] time = 0.37, size = 83, normalized size = 1.34

$$\frac{1}{3} \sqrt{2} \left(\frac{B \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right)}{d} + \frac{6 A \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d} + \frac{3 B \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d} \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/3*sqrt(2)*(B*sgn(cos(1/2*d*x + 1/2*c))*sin(3/2*d*x + 3/2*c)/d + 6*A*sgn(cos(1/2*d*x + 1/2*c))*sin(1/2*d*x + 1/2*c)/d + 3*B*sgn(cos(1/2*d*x + 1/2*c))*sin(1/2*d*x + 1/2*c)/d)*sqrt(a)

maple [A] time = 0.38, size = 62, normalized size = 1.00

$$\frac{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(2B \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3A + B\right) \sqrt{2}}{3 \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)

[Out] 2/3*cos(1/2*d*x+1/2*c)*a*sin(1/2*d*x+1/2*c)*(2*B*cos(1/2*d*x+1/2*c)^2+3*A+B)*2^(1/2)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [A] time = 1.29, size = 57, normalized size = 0.92

$$\frac{6 \sqrt{2} A \sqrt{a} \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \left(\sqrt{2} \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 3 \sqrt{2} \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) B \sqrt{a}}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/3*(6*sqrt(2)*A*sqrt(a)*sin(1/2*d*x + 1/2*c) + (sqrt(2)*sin(3/2*d*x + 3/2*c) + 3*sqrt(2)*sin(1/2*d*x + 1/2*c))*B*sqrt(a))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int (A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2),x)

[Out] int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)

[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x)), x)

$$3.78 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec(c + dx) dx$$

Optimal. Leaf size=66

$$\frac{2\sqrt{a} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aB \sin(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

[Out] $2*A*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*a^{(1/2)}/d+2*a*B*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {2981, 2773, 206}

$$\frac{2\sqrt{a} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aB \sin(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x],x]`

[Out] `(2*Sqrt[a]*A*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/d + (2*a*B*Sin[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]])`

Rule 206

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 2773

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rule 2981

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]`

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{2aB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + A \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx \\ &= \frac{2aB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(2aA) \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, \sqrt{a + a \cos(c + dx)}\right)}{d} \\ &= \frac{2\sqrt{a} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} + \frac{2aB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.10, size = 66, normalized size = 1.00

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2} A \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2B \sin\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x], x]

[Out] (Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(Sqrt[2]*A*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*B*Sin[(c + d*x)/2]))/d

fricas [B] time = 0.66, size = 127, normalized size = 1.92

$$\frac{(A \cos(dx + c) + A)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c)-2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + 4\sqrt{a \cos(dx+c)}}{2(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="fricas")

[Out] 1/2*((A*cos(d*x + c) + A)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*sqrt(a*cos(d*x + c))*B*sin(d*x + c))/(d*cos(d*x + c) + d)

giac [B] time = 15.59, size = 1884, normalized size = 28.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="giac")

[Out] 1/2*sqrt(2)*sqrt(a)*(sqrt(2)*(A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c)^6 - 6*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c)^5 + 3*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c)^6 - 15*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c)^4 + 18*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c)^5 - 3*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^6 + 20*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c)^3 - 45*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c)^4 + 18*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^5 - A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^6 + 15*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c)^2 - 60*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c)^3 + 45*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^4 - 6*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^5 - 6*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c) + 45*A*sgn(cos(1/2*d*x + 1/2*c))

```

*tan(1/2*c)^2*tan(1/4*c)^2 - 60*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(
1/4*c)^3 + 15*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^4 - A*sgn(cos(1/2*d*x
+ 1/2*c))*tan(1/2*c)^3 + 18*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/
4*c) - 45*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^2 + 20*A*sgn(co
s(1/2*d*x + 1/2*c))*tan(1/4*c)^3 - 3*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)
^2 + 18*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c) - 15*A*sgn(cos(1/
2*d*x + 1/2*c))*tan(1/4*c)^2 + 3*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c) - 6
*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c) + A*sgn(cos(1/2*d*x + 1/2*c))*log(
abs(-2*tan(1/4*d*x + c)*tan(1/2*c)^3 + 6*tan(1/4*d*x + c)*tan(1/2*c)^2 - 2*
tan(1/2*c)^3 - 2*sqrt(2)*(tan(1/2*c)^2 + 1)^(3/2) + 6*tan(1/4*d*x + c)*tan(
1/2*c) - 6*tan(1/2*c)^2 - 2*tan(1/4*d*x + c) + 6*tan(1/2*c) + 2)/abs(-2*tan
(1/4*d*x + c)*tan(1/2*c)^3 + 6*tan(1/4*d*x + c)*tan(1/2*c)^2 - 2*tan(1/2*c)
^3 + 2*sqrt(2)*(tan(1/2*c)^2 + 1)^(3/2) + 6*tan(1/4*d*x + c)*tan(1/2*c) - 6
*tan(1/2*c)^2 - 2*tan(1/4*d*x + c) + 6*tan(1/2*c) + 2))/((tan(1/4*c)^6 + 3*
tan(1/4*c)^4 + 3*tan(1/4*c)^2 + 1)*(tan(1/2*c)^2 + 1)^(3/2)) + sqrt(2)*(A*sg
n(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c)^6 + 6*A*sgn(cos(1/2*d*x +
1/2*c))*tan(1/2*c)^3*tan(1/4*c)^5 - 3*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)
^2*tan(1/4*c)^6 - 15*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c)^4
+ 18*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c)^5 - 3*A*sgn(cos(1/
2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^6 - 20*A*sgn(cos(1/2*d*x + 1/2*c))*t
an(1/2*c)^3*tan(1/4*c)^3 + 45*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(
1/4*c)^4 - 18*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^5 + A*sgn(c
os(1/2*d*x + 1/2*c))*tan(1/4*c)^6 + 15*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*
c)^3*tan(1/4*c)^2 - 60*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c)^
3 + 45*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^4 - 6*A*sgn(cos(1/
2*d*x + 1/2*c))*tan(1/4*c)^5 + 6*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*t
an(1/4*c) - 45*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c)^2 + 60*A
*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^3 - 15*A*sgn(cos(1/2*d*x +
1/2*c))*tan(1/4*c)^4 - A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3 + 18*A*sgn
(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c) - 45*A*sgn(cos(1/2*d*x + 1/2
*c))*tan(1/2*c)*tan(1/4*c)^2 + 20*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^3
+ 3*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2 - 18*A*sgn(cos(1/2*d*x + 1/2*c
))*tan(1/2*c)*tan(1/4*c) + 15*A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^2 + 3*
A*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c) - 6*A*sgn(cos(1/2*d*x + 1/2*c))*tan(
1/4*c) - A*sgn(cos(1/2*d*x + 1/2*c))*log(abs(-2*tan(1/4*d*x + c)*tan(1/2*c)
)^3 - 6*tan(1/4*d*x + c)*tan(1/2*c)^2 + 2*tan(1/2*c)^3 - 2*sqrt(2)*(tan(1/2
*c)^2 + 1)^(3/2) + 6*tan(1/4*d*x + c)*tan(1/2*c) - 6*tan(1/2*c)^2 + 2*tan(1
/4*d*x + c) - 6*tan(1/2*c) + 2)/abs(-2*tan(1/4*d*x + c)*tan(1/2*c)^3 - 6*ta
n(1/4*d*x + c)*tan(1/2*c)^2 + 2*tan(1/2*c)^3 + 2*sqrt(2)*(tan(1/2*c)^2 + 1)
^(3/2) + 6*tan(1/4*d*x + c)*tan(1/2*c) - 6*tan(1/2*c)^2 + 2*tan(1/4*d*x + c
) - 6*tan(1/2*c) + 2))/((tan(1/4*c)^6 + 3*tan(1/4*c)^4 + 3*tan(1/4*c)^2 + 1
)*(tan(1/2*c)^2 + 1)^(3/2)) - 8*(B*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*d*x +
c)*tan(1/4*c)^6 - 15*B*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*d*x + c)*tan(1/4*c
)^4 + 6*B*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^5 + 15*B*sgn(cos(1/2*d*x + 1
/2*c))*tan(1/4*d*x + c)*tan(1/4*c)^2 - 20*B*sgn(cos(1/2*d*x + 1/2*c))*tan(1
/4*c)^3 - B*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*d*x + c) + 6*B*sgn(cos(1/2*d*
x + 1/2*c))*tan(1/4*c))/((tan(1/4*c)^6 + 3*tan(1/4*c)^4 + 3*tan(1/4*c)^2 +
1)*(tan(1/4*d*x + c)^2 + 1))/d

```

maple [B] time = 1.16, size = 210, normalized size = 3.18

$$\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(A \ln \left(\frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a+4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 8a}}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}} \right) + A \ln \left(\frac{4\left(\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{-2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)} \right) \right)}{\sqrt{a} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c), x)


```
[Out] 1/a^(1/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*ln(4/(2*cos(
1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2
^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(
2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)
+2*a))*a+2*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/sin(1/2*d*x+1/
2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d
```

maxima [A] time = 0.61, size = 21, normalized size = 0.32

$$\frac{2\sqrt{2}B\sqrt{a}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="
maxima")
```

```
[Out] 2*sqrt(2)*B*sqrt(a)*sin(1/2*d*x + 1/2*c)/d
```

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} (A + B \cos(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)
```

```
[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))*sec(c + d*x), x)
```

$$3.79 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=68

$$\frac{\sqrt{a} (A + 2B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{d} + \frac{aA \tan(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

[Out] (A+2*B)*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*a^(1/2)/d+a*A*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.16, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2980, 2773, 206}

$$\frac{\sqrt{a} (A + 2B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{d} + \frac{aA \tan(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] (Sqrt[a]*(A + 2*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/d + (a*A*Tan[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2773

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2980

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^n, x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx = \frac{aA \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{1}{2}(A + 2B) \int \sqrt{a + a \cos(c + dx)} dx$$

$$= \frac{aA \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(a(A + 2B)) \operatorname{Subst}\left(\int \frac{1}{a-x} dx\right)}{d}$$

$$= \frac{\sqrt{a} (A + 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{aA \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.22, size = 85, normalized size = 1.25

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2} (A + 2B) \cos(c + dx) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2A \tan(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] (Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]*(Sqrt[2]*(A + 2*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*A*Sin[(c + d*x)/2]))/(2*d)

fricas [B] time = 0.80, size = 153, normalized size = 2.25

$$\frac{\left((A + 2B) \cos(dx + c)^2 + (A + 2B) \cos(dx + c)\right) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{4\left(d \cos(dx + c)^2 + d \cos(dx + c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")

[Out] 1/4*(((A + 2*B)*cos(d*x + c)^2 + (A + 2*B)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*sqrt(a*cos(d*x + c) + a)*A*sin(d*x + c)/(d*cos(d*x + c)^2 + d*cos(d*x + c))

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.22, size = 642, normalized size = 9.44

$$\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-2a \left(A \ln\left(\frac{4\left(\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} - a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 2a\right)}{-2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}}\right)\right) + A \ln\left(\frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{\dots}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\cos(d*x+c))^{1/2}*(A+B*\cos(d*x+c))*\sec(d*x+c)^2,x)$

[Out] $\cos(1/2*d*x+1/2*c)*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*a*(A*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))+A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))+2*B*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))+2*B*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*\sin(1/2*d*x+1/2*c)^2+2*A*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a+A*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a+2*B*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a+2*B*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a)/a^{1/2}/(2*\cos(1/2*d*x+1/2*c)+2^{1/2})/(2*\cos(1/2*d*x+1/2*c)-2^{1/2})/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{1/2}/d$

maxima [B] time = 1.39, size = 710, normalized size = 10.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\cos(d*x+c))^{1/2}*(A+B*\cos(d*x+c))*\sec(d*x+c)^2,x, \text{algorithm}="maxima")$

[Out] $-1/4*(4*\sqrt{2}*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\cos(3/2*d*x + 3/2*c)*\sin(2*d*x + 2*c) - 4*\sqrt{2}*\cos(2*d*x + 2*c)*\sin(3/2*d*x + 3/2*c) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*d*x + 5/2*c) + 4*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2})*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*\sqrt{2}*\sin(3/2*d*x + 3/2*c))*A*\sqrt{a}/((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(((A + B*\cos(c + d*x))*(a + a*\cos(c + d*x))^{1/2})/\cos(c + d*x)^2,x)$

[Out] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)`

[Out] `Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))*sec(c + d*x)**2, x)`

3.80 $\int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^3(c + dx) dx$

Optimal. Leaf size=117

$$\frac{a(3A + 4B) \tan(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a} (3A + 4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d\sqrt{a \cos(c + dx) + a}}$$

[Out] 1/4*(3*A+4*B)*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*a^(1/2)/d+1/4*a*(3*A+4*B)*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/2*a*A*sec(d*x+c)*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.22, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2980, 2772, 2773, 206}

$$\frac{a(3A + 4B) \tan(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a} (3A + 4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

[Out] (Sqrt[a]*(3*A + 4*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]])/(4*d) + (a*(3*A + 4*B)*Tan[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]) + (a*A*Sec[c + d*x]*Tan[c + d*x])/(2*d*Sqrt[a + a*Cos[c + d*x]])

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2773

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2980

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &

& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{1}{4}(3A + 4B) \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx \\ &= \frac{a(3A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{aA \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a(3A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{aA \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{\sqrt{a} (3A + 4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{4d} + \frac{a(3A + 4B) \sec(c + dx) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.88, size = 101, normalized size = 0.86

$$\frac{\sqrt{a(\cos(c + dx) + 1)} \left(6 \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) ((3A + 4B) \cos(c + dx) + 2A) + 3\sqrt{2} (3A + 4B) \sec\left(\frac{1}{2}(c + dx)\right) \right)}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

[Out] (Sqrt[a*(1 + Cos[c + d*x])]*(3*Sqrt[2]*(3*A + 4*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Sec[(c + d*x)/2] + 6*(2*A + (3*A + 4*B)*Cos[c + d*x])*Sec[c + d*x]^2*Tan[(c + d*x)/2]))/(24*d)

fricas [A] time = 0.78, size = 178, normalized size = 1.52

$$\frac{((3A + 4B) \cos(dx + c)^3 + (3A + 4B) \cos(dx + c)^2) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{16(d \cos(dx + c)^3 + d \cos(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")

[Out] 1/16*(((3*A + 4*B)*cos(d*x + c)^3 + (3*A + 4*B)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*((3*A + 4*B)*cos(d*x + c) + 2*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.33, size = 991, normalized size = 8.47

result too large to display

$2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*d*x + 5/2*c) + 4*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*\sqrt{2}*\sin(3/2*d*x + 3/2*c))*B*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1))/d$

mapad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^3, x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} (A + B \cos(c + dx)) \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)**3, x)

[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))*sec(c + d*x)**3, x)

3.81 $\int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^4(c + dx) dx$

Optimal. Leaf size=160

$$\frac{a(5A + 6B) \tan(c + dx)}{8d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a} (5A + 6B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{8d} + \frac{a(5A + 6B) \tan(c + dx) \sec(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{aA \tan(c + dx)}{3d\sqrt{a \cos(c + dx) + a}}$$

[Out] $1/8*(5*A+6*B)*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*a^{(1/2)}/d+1/8*a*(5*A+6*B)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/12*a*(5*A+6*B)*\sec(d*x+c)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/3*a*A*\sec(d*x+c)^2*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2980, 2772, 2773, 206}

$$\frac{a(5A + 6B) \tan(c + dx)}{8d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a} (5A + 6B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{8d} + \frac{a(5A + 6B) \tan(c + dx) \sec(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{aA \tan(c + dx)}{3d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]`

[Out] $(\operatorname{Sqrt}[a]*(5*A + 6*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\sin[c + d*x])/\operatorname{Sqrt}[a + a*\cos[c + d*x]])/(8*d) + (a*(5*A + 6*B)*\tan[c + d*x])/(8*d*\operatorname{Sqrt}[a + a*\cos[c + d*x]]) + (a*(5*A + 6*B)*\sec[c + d*x]*\tan[c + d*x])/(12*d*\operatorname{Sqrt}[a + a*\cos[c + d*x]]) + (a*A*\sec[c + d*x]^2*\tan[c + d*x])/(3*d*\operatorname{Sqrt}[a + a*\cos[c + d*x]])$

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 2772

`Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]*((c_) + (d_.)*sin[(e_) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Ssin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]`

Rule 2773

`Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]/((c_) + (d_.)*sin[(e_) + (f_.)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Ssin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rule 2980

`Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]*((A_) + (B_.)*sin[(e_) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c`

$- 2*a*d*(n + 1))/(2*d*(n + 1)*(b*c + a*d)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n + 1)}, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] & NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{6}(5A + 6B) \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx \\ &= \frac{a(5A + 6B) \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a(5A + 6B) \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{a(5A + 6B) \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a(5A + 6B) \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{a(5A + 6B) \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{\sqrt{a} (5A + 6B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{a(5A + 6B)}{8d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 2.01, size = 129, normalized size = 0.81

$$\frac{\sec^3(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\tan\left(\frac{1}{2}(c + dx)\right) (4(5A + 6B) \cos(c + dx) + 3(5A + 6B) \cos(2(c + dx))) + 31A + 18B \right)}{48d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
[Out] (Sqrt[a*(1 + Cos[c + d*x])]*Sec[c + d*x]^3*(3*Sqrt[2]*(5*A + 6*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3*Sec[(c + d*x)/2] + (31*A + 18*B + 4*(5*A + 6*B)*Cos[c + d*x] + 3*(5*A + 6*B)*Cos[2*(c + d*x)])*Tan[(c + d*x)/2]))/(48*d)
```

fricas [A] time = 0.78, size = 197, normalized size = 1.23

$$\frac{3 \left((5A + 6B) \cos(dx + c)^4 + (5A + 6B) \cos(dx + c)^3 \right) \sqrt{a} \log\left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - 4\sqrt{a \cos(dx + c) + a} \sqrt{a} (\cos(dx + c) - 2) \sin(dx + c) + 8a}{\cos(dx + c)^3 + \cos(dx + c)^2}\right)}{96 (d \cos(dx + c))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")
```

```
[Out] 1/96*(3*((5*A + 6*B)*cos(d*x + c)^4 + (5*A + 6*B)*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(5*A + 6*B)*cos(d*x + c)^2 + 2*(5*A + 6*B)*cos(d*x + c) + 8*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.48, size = 1311, normalized size = 8.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)

[Out]
$$\frac{1}{6}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{-24a\left(5A\ln\left(\frac{-4}{-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)+2\right)^2\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}-a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)+5A\ln\left(\frac{4}{2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)}\right)^2\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)+6B\ln\left(\frac{-4}{-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}-a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)+6B\ln\left(\frac{4}{2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^6+12\left(10A\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+12B\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+15A\ln\left(\frac{-4}{-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}-a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)+15A\ln\left(\frac{4}{2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)+18B\ln\left(\frac{-4}{-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}-a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)+18B\ln\left(\frac{4}{2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4-2\left(80A\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+96B\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+45A\ln\left(\frac{-4}{-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}-a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)+45A\ln\left(\frac{4}{2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)+54B\ln\left(\frac{-4}{-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}-a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)+54B\ln\left(\frac{4}{2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+15A\ln\left(\frac{4}{2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)+15A\ln\left(\frac{-4}{-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}-a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)+66A\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+18B\ln\left(\frac{4}{2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}+a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)+18B\ln\left(\frac{-4}{-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2}\right)\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}-a\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2a\right)}\right)+60B\sqrt{2}\left(a\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}\left(\frac{1}{2}\right)/\left(2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2\right)^3/\left(2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)-2\right)^3/\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)/\left(a\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sqrt{a}/d$$

maxima [B] time = 7.42, size = 5021, normalized size = 31.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out]
$$-1/96\left(\left(120\left(\sin(6dx+6c)+3\sin(4dx+4c)+3\sin(2dx+2c)\right)\cos\left(\frac{13}{2}dx+\frac{13}{2}c\right)-8\left(15\sin\left(\frac{11}{2}dx+\frac{11}{2}c\right)+50\sin\left(\frac{9}{2}dx+\frac{9}{2}c\right)+42\sin\left(\frac{7}{2}dx+\frac{7}{2}c\right)+3\sin\left(\frac{5}{2}dx+\frac{5}{2}c\right)-5\sin\left(\frac{3}{2}dx+\frac{3}{2}c\right)\right)\cos(6dx+6c)+360\left(\sin(4dx+4c)+\sin(2dx+2c)\right)\cos\left(\frac{11}{2}dx+\frac{11}{2}c\right)\right)$$

$$\begin{aligned}
& d*x + 11/2*c) + 1200*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\cos(9/2*d*x + 9/ \\
& 2*c) - 24*(42*\sin(7/2*d*x + 7/2*c) + 3*\sin(5/2*d*x + 5/2*c) - 5*\sin(3/2*d*x \\
& + 3/2*c))*\cos(4*d*x + 4*c) - 15*(\sqrt{2}*\cos(6*d*x + 6*c))^2 + 9*\sqrt{2}*\co \\
& s(4*d*x + 4*c)^2 + 9*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(6*d*x + 6*c)^ \\
& 2 + 9*\sqrt{2}*\sin(4*d*x + 4*c)^2 + 18*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + \\
& 2*c) + 9*\sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*(3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{ \\
& t(2)*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(6*d*x + 6*c) + 6*(3*\sqrt{2}*\cos(2*d*x \\
& + 2*c) + \sqrt{2})*\cos(4*d*x + 4*c) + 6*(\sqrt{2}*\sin(4*d*x + 4*c) + \sqrt{2})* \\
& \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})* \\
& \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\si \\
& n(d*x + c), \cos(d*x + c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(\\
& d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + \\
& 15*(\sqrt{2}*\cos(6*d*x + 6*c))^2 + 9*\sqrt{2}*\cos(4*d*x + 4*c)^2 + 9*\sqrt{2}*\co \\
& s(2*d*x + 2*c)^2 + \sqrt{2}*\sin(6*d*x + 6*c)^2 + 9*\sqrt{2}*\sin(4*d*x + 4*c) \\
& ^2 + 18*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sqrt{2}*\sin(2*d*x + 2 \\
& *c)^2 + 2*(3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2} \\
&))*\cos(6*d*x + 6*c) + 6*(3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + \\
& 4*c) + 6*(\sqrt{2}*\sin(4*d*x + 4*c) + \sqrt{2}*\sin(2*d*x + 2*c))*\sin(6*d*x + \\
& 6*c) + 6*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(2*\cos(1/2*\arctan2(\sin(d*x \\
& + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + \\
& 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2 \\
& *\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 15*(\sqrt{2}*\cos(6*d*x + 6*c))^2 \\
& + 9*\sqrt{2}*\cos(4*d*x + 4*c)^2 + 9*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\si \\
& n(6*d*x + 6*c)^2 + 9*\sqrt{2}*\sin(4*d*x + 4*c)^2 + 18*\sqrt{2}*\sin(4*d*x + 4* \\
& c)*\sin(2*d*x + 2*c) + 9*\sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*(3*\sqrt{2}*\cos(4*d*x \\
& + 4*c) + 3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2}))*\cos(6*d*x + 6*c) + 6*(3*\sqrt{ \\
& t(2)*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + 4*c) + 6*(\sqrt{2}*\sin(4*d*x + \\
& 4*c) + \sqrt{2}*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\cos(2*d*x + 2 \\
& *c) + \sqrt{2})*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin \\
& (1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin \\
& (d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x \\
& + c))) + 2) + 15*(\sqrt{2}*\cos(6*d*x + 6*c))^2 + 9*\sqrt{2}*\cos(4*d*x + 4*c)^ \\
& 2 + 9*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(6*d*x + 6*c)^2 + 9*\sqrt{2}*\s \\
& in(4*d*x + 4*c)^2 + 18*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sqrt{2} \\
&)*\sin(2*d*x + 2*c)^2 + 2*(3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2*d*x \\
& + 2*c) + \sqrt{2}))*\cos(6*d*x + 6*c) + 6*(3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2} \\
&))*\cos(4*d*x + 4*c) + 6*(\sqrt{2}*\sin(4*d*x + 4*c) + \sqrt{2}*\sin(2*d*x + 2*c) \\
&))*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(2*\cos(1/2*a \\
& rctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos \\
& (d*x + c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2* \\
& \sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 120*(\cos(6*d*x \\
& + 6*c) + 3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\sin(13/2*d*x + 13/2*c \\
&) + 8*(15*\cos(11/2*d*x + 11/2*c) + 50*\cos(9/2*d*x + 9/2*c) + 42*\cos(7/2*d*x \\
& + 7/2*c) + 3*\cos(5/2*d*x + 5/2*c) - 5*\cos(3/2*d*x + 3/2*c))*\sin(6*d*x + 6* \\
& c) - 120*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\sin(11/2*d*x + 11/2* \\
& c) - 400*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\sin(9/2*d*x + 9/2*c) \\
& + 24*(42*\cos(7/2*d*x + 7/2*c) + 3*\cos(5/2*d*x + 5/2*c) - 5*\cos(3/2*d*x + 3 \\
& /2*c))*\sin(4*d*x + 4*c) - 336*(3*\cos(2*d*x + 2*c) + 1)*\sin(7/2*d*x + 7/2*c) \\
& - 24*(3*\cos(2*d*x + 2*c) + 1)*\sin(5/2*d*x + 5/2*c) + 1008*\cos(7/2*d*x + 7/ \\
& 2*c)*\sin(2*d*x + 2*c) + 72*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 120*\cos(\\
& 3/2*d*x + 3/2*c)*\sin(2*d*x + 2*c) + 120*\cos(2*d*x + 2*c)*\sin(3/2*d*x + 3/2* \\
& c) + 120*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) \\
& + \cos(6*d*x + 6*c))^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(\\
& 4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2 \\
& *c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(\\
& 4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + \\
& 1)*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 40*\sin(3/2*d*x + 3/2*c)) \\
& *A*\sqrt{a}/(\sqrt{2}*\cos(6*d*x + 6*c))^2 + 9*\sqrt{2}*\cos(4*d*x + 4*c)^2 + 9*s \\
& \sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(6*d*x + 6*c)^2 + 9*\sqrt{2}*\sin(4*d*
\end{aligned}$$

$$\begin{aligned}
& x + 4c)^2 + 18\sqrt{2}\sin(4dx + 4c)\sin(2dx + 2c) + 9\sqrt{2}\sin(2 \\
& dx + 2c)^2 + 2(3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx + 2c) \\
& + \sqrt{2})\cos(6dx + 6c) + 6(3\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\cos(\\
& 4dx + 4c) + 6(\sqrt{2}\sin(4dx + 4c) + \sqrt{2}\sin(2dx + 2c))\sin(\\
& 6dx + 6c) + 6\sqrt{2}\cos(2dx + 2c) + \sqrt{2}) - 6(3(\log(2\cos(1/2* \\
& dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) \\
& + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - \log(2\cos(1/2dx + 1/2c)^2 + 2\sin \\
& (1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2d \\
& *x + 1/2c) + 2) + \log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 \\
& - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - \log \\
& (2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2d \\
& *x + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2))\cos(4dx + 4c)^2 + 12* \\
& (\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/ \\
& 2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - \log(2\cos(1/2dx + \\
& 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{ \\
& rt(2)\sin(1/2dx + 1/2c) + 2) + \log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2* \\
& dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1 \\
& /2c) + 2) - \log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{ \\
& rt(2)\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2))\cos(2dx \\
& + 2c)^2 + 3(\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2* \\
& sqrt(2)\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - \log(2* \\
& cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + \\
& 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) + \log(2\cos(1/2dx + 1/2c)^ \\
& 2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}*s \\
& in(1/2dx + 1/2c) + 2) - \log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1 \\
& /2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + \\
& 2))\sin(4dx + 4c)^2 + 12(\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx \\
& + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c \\
&) + 2) - \log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2} \\
&)\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) + \log(2\cos(1/ \\
& 2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) \\
&) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - \log(2\cos(1/2dx + 1/2c)^2 + 2* \\
& sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2 \\
& *dx + 1/2c) + 2))\sin(2dx + 2c)^2 - 24\sqrt{2}\cos(7/2dx + 7/2c)*\sin \\
& (2dx + 2c) - 8\sqrt{2}\cos(5/2dx + 5/2c)\sin(2dx + 2c) + 2(6(\log \\
& (2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2d \\
& *x + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - \log(2\cos(1/2dx + 1/2 \\
& *c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2} \\
& (2)\sin(1/2dx + 1/2c) + 2) + \log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx \\
& + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2* \\
& c) + 2) - \log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2} \\
& (2)\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2))\cos(2dx + \\
& 2c) + 6\sqrt{2}\sin(7/2dx + 7/2c) + 2\sqrt{2}\sin(5/2dx + 5/2c) - 2* \\
& sqrt(2)\sin(3/2dx + 3/2c) - 6\sqrt{2}\sin(1/2dx + 1/2c) + 3\log(2\cos \\
& (1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/ \\
& 2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - 3\log(2\cos(1/2dx + 1/2c)^2 \\
& + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin \\
& (1/2dx + 1/2c) + 2) + 3\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + \\
& 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) \\
& + 2) - 3\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2} \\
& (2)\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2))\cos(4dx + 4 \\
& *c) - 4(2\sqrt{2}\sin(3/2dx + 3/2c) + 6\sqrt{2}\sin(1/2dx + 1/2c) - \\
& 3\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1 \\
& /2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) + 3\log(2\cos(1/2dx \\
& + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) - 2 \\
& *sqrt(2)\sin(1/2dx + 1/2c) + 2) - 3\log(2\cos(1/2dx + 1/2c)^2 + 2\sin \\
& (1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2d* \\
& x + 1/2c) + 2) + 3\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 \\
& - 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2))\cos
\end{aligned}$$

$s(2*d*x + 2*c) + 4*(3*(\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c) - 3*\sqrt{2}*\cos(7/2*d*x + 7/2*c) - \sqrt{2}*\cos(5/2*d*x + 5/2*c) + \sqrt{2}*\cos(3/2*d*x + 3/2*c) + 3*\sqrt{2}*\cos(1/2*d*x + 1/2*c))*\sin(4*d*x + 4*c) + 12*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(7/2*d*x + 7/2*c) + 4*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*d*x + 5/2*c) + 8*(\sqrt{2}*\cos(3/2*d*x + 3/2*c) + 3*\sqrt{2}*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c) - 4*\sqrt{2}*\sin(3/2*d*x + 3/2*c) - 12*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 3*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*B*\sqrt{a}/(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c))^2 + 4*\cos(2*d*x + 2*c))^2 + \sin(4*d*x + 4*c))^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c))^2 + 4*\cos(2*d*x + 2*c) + 1))/d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)}}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^4,x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)

[Out] Timed out

$$3.82 \quad \int \cos^3(c+dx)(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=234

$$\frac{2a^2(11A + 12B) \sin(c + dx) \cos^4(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(187A + 168B) \sin(c + dx) \cos^3(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{4a^2(187A + 168B) \sin(c + dx) \cos^2(c + dx)}{495d\sqrt{a \cos(c + dx) + a}}$$

[Out] $4/1155*(187*A+168*B)*(a+a*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+4/495*a^2*(187*A+168*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/693*a^2*(187*A+168*B)*\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/99*a^2*(11*A+12*B)*\cos(d*x+c)^4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}-8/3465*a*(187*A+168*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+2/11*a*B*\cos(d*x+c)^4*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.53, antiderivative size = 234, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2976, 2981, 2770, 2759, 2751, 2646}

$$\frac{2a^2(11A + 12B) \sin(c + dx) \cos^4(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(187A + 168B) \sin(c + dx) \cos^3(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{4a^2(187A + 168B) \sin(c + dx) \cos^2(c + dx)}{495d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*cos[c + d*x])^(3/2)*(A + B*cos[c + d*x]),x]

[Out] $(4*a^2*(187*A + 168*B)*\sin[c + d*x])/(495*d*\sqrt{a + a*\cos[c + d*x]}) + (2*a^2*(187*A + 168*B)*\cos[c + d*x]^3*\sin[c + d*x])/(693*d*\sqrt{a + a*\cos[c + d*x]}) + (2*a^2*(11*A + 12*B)*\cos[c + d*x]^4*\sin[c + d*x])/(99*d*\sqrt{a + a*\cos[c + d*x]}) - (8*a*(187*A + 168*B)*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(3465*d) + (2*a*B*\cos[c + d*x]^4*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(11*d) + (4*(187*A + 168*B)*(a + a*\cos[c + d*x])^{(3/2)}*\sin[c + d*x])/(1155*d)$

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(-2*b*cos[c + d*x])/(d*Sqrt[a + b*sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*cos[e + f*x]*(a + b*sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2759

Int[sin[(e_) + (f_)*(x_)]^2*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := -Simp[(cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*sin[e + f*x])^m*(b*(m + 1) - a*sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2770

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*cos[e + f*x]*(c + d*sin[e + f*x])

```

^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*
(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

```

Rule 2976

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2981

```

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

```

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx &= \frac{2aB \cos^4(c + dx)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{11d} + \\
 &= \frac{2a^2(11A + 12B) \cos^4(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} \\
 &= \frac{2a^2(187A + 168B) \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(11A + 12B) \cos^4(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} \\
 &= \frac{2a^2(187A + 168B) \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(11A + 12B) \cos^4(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} \\
 &= \frac{4a^2(187A + 168B) \sin(c + dx)}{495d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(187A + 168B) \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.07, size = 125, normalized size = 0.53

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((35156A + 34734B) \cos(c + dx) + 8(1507A + 1743B) \cos(2(c + dx)) + 3740A \cos(3(c + dx)))}{495d\sqrt{a + a \cos(c + dx)}}$$

Antiderivative was successfully verified.

```

[In] Integrate[Cos[c + d*x]^3*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(59158*A + 55482*B + (35156*A + 34734*B)*Cos[
c + d*x] + 8*(1507*A + 1743*B)*Cos[2*(c + d*x)] + 3740*A*Cos[3*(c + d*x)] +

```

$$4935*B*\text{Cos}[3*(c + d*x)] + 770*A*\text{Cos}[4*(c + d*x)] + 1470*B*\text{Cos}[4*(c + d*x)] \\ + 315*B*\text{Cos}[5*(c + d*x)]*\text{Tan}[(c + d*x)/2]/(27720*d)$$

fricas [A] time = 1.15, size = 125, normalized size = 0.53

$$\frac{2(315Ba \cos(dx + c)^5 + 35(11A + 21B)a \cos(dx + c)^4 + 5(187A + 168B)a \cos(dx + c)^3 + 6(187A + 168B)a \cos(dx + c)^2 + 8(187A + 168B)a \cos(dx + c) + 16(187A + 168B)a)\sqrt{a \cos(dx + c) + a} \sin(dx + c)}{3465(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 2/3465*(315*B*a*cos(d*x + c)^5 + 35*(11*A + 21*B)*a*cos(d*x + c)^4 + 5*(187*A + 168*B)*a*cos(d*x + c)^3 + 6*(187*A + 168*B)*a*cos(d*x + c)^2 + 8*(187*A + 168*B)*a*cos(d*x + c) + 16*(187*A + 168*B)*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)

giac [A] time = 3.00, size = 250, normalized size = 1.07

$$\frac{1}{55440} \sqrt{2} \left(\frac{315Basgn\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{11}{2}dx + \frac{11}{2}c\right)}{d} + \frac{385\left(2Aasgn\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) + 3Basgn\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/55440*sqrt(2)*(315*B*a*sgn(cos(1/2*d*x + 1/2*c))*sin(11/2*d*x + 11/2*c)/d + 385*(2*A*a*sgn(cos(1/2*d*x + 1/2*c)) + 3*B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(9/2*d*x + 9/2*c)/d + 495*(6*A*a*sgn(cos(1/2*d*x + 1/2*c)) + 7*B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(7/2*d*x + 7/2*c)/d + 693*(12*A*a*sgn(cos(1/2*d*x + 1/2*c)) + 13*B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(5/2*d*x + 5/2*c)/d + 2310*(10*A*a*sgn(cos(1/2*d*x + 1/2*c)) + 9*B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(3/2*d*x + 3/2*c)/d + 6930*(12*A*a*sgn(cos(1/2*d*x + 1/2*c)) + 11*B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(1/2*d*x + 1/2*c)/d)*sqrt(a)

maple [A] time = 0.40, size = 142, normalized size = 0.61

$$\frac{4 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^2 \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(-5040B \left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (3080A + 18480B) \left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-9900A - 27720B) \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (12474A + 22176B) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-8085A - 10395B) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3465A + 3465B) \sqrt{2}}{3465(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)

[Out] 4/3465*cos(1/2*d*x+1/2*c)*a^2*sin(1/2*d*x+1/2*c)*(-5040*B*sin(1/2*d*x+1/2*c)^10+(3080*A+18480*B)*sin(1/2*d*x+1/2*c)^8+(-9900*A-27720*B)*sin(1/2*d*x+1/2*c)^6+(12474*A+22176*B)*sin(1/2*d*x+1/2*c)^4+(-8085*A-10395*B)*sin(1/2*d*x+1/2*c)^2+3465*A+3465*B)*2^(1/2)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [A] time = 0.85, size = 185, normalized size = 0.79

$$\frac{22\left(35\sqrt{2}a \sin\left(\frac{9}{2}dx + \frac{9}{2}c\right) + 135\sqrt{2}a \sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 378\sqrt{2}a \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 1050\sqrt{2}a \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 3465\sqrt{2}a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{3465(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/55440*(22*(35*sqrt(2)*a*sin(9/2*d*x + 9/2*c) + 135*sqrt(2)*a*sin(7/2*d*x + 7/2*c) + 378*sqrt(2)*a*sin(5/2*d*x + 5/2*c) + 1050*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 3780*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + 21*(15*sqrt(2)*a*sin(11/2*d*x + 11/2*c) + 55*sqrt(2)*a*sin(9/2*d*x + 9/2*c) + 165*sqrt(2)*a*sin(7/2*d*x + 7/2*c) + 429*sqrt(2)*a*sin(5/2*d*x + 5/2*c) + 990*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 3630*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*B*sqrt(a))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^3 (A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^3*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2),x)

[Out] int(cos(c + d*x)^3*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

3.83 $\int \cos^2(c+dx)(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx)) dx$

Optimal. Leaf size=189

$$\frac{2a^2(9A+10B) \sin(c+dx) \cos^3(c+dx)}{63d\sqrt{a \cos(c+dx)+a}} + \frac{2a^2(39A+34B) \sin(c+dx)}{45d\sqrt{a \cos(c+dx)+a}} + \frac{2(39A+34B) \sin(c+dx)(a \cos(c+dx))^{3/2}}{105d}$$

[Out] $2/105*(39*A+34*B)*(a+a*\cos(d*x+c))^{3/2}*\sin(d*x+c)/d+2/45*a^2*(39*A+34*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+2/63*a^2*(9*A+10*B)*\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}-4/315*a*(39*A+34*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{1/2}/d+2/9*a*B*\cos(d*x+c)^3*\sin(d*x+c)*(a+a*\cos(d*x+c))^{1/2}/d$

Rubi [A] time = 0.45, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2976, 2981, 2759, 2751, 2646}

$$\frac{2a^2(9A+10B) \sin(c+dx) \cos^3(c+dx)}{63d\sqrt{a \cos(c+dx)+a}} + \frac{2a^2(39A+34B) \sin(c+dx)}{45d\sqrt{a \cos(c+dx)+a}} + \frac{2(39A+34B) \sin(c+dx)(a \cos(c+dx))^{3/2}}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]

[Out] $(2*a^2*(39*A + 34*B)*\sin[c + d*x])/(45*d*\sqrt{a + a*\cos[c + d*x]}) + (2*a^2*(9*A + 10*B)*\cos[c + d*x]^3*\sin[c + d*x])/(63*d*\sqrt{a + a*\cos[c + d*x]}) - (4*a*(39*A + 34*B)*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(315*d) + (2*a*B*\cos[c + d*x]^3*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(9*d) + (2*(39*A + 34*B)*(a + a*\cos[c + d*x])^{3/2}*\sin[c + d*x])/(105*d)$

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2759

Int[sin[(e_) + (f_)*(x_)]^2*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := -Simp[(Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*(b*(m + 1) - a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +

```

b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2981

```

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx &= \frac{2aB \cos^3(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{9d} + \\
&= \frac{2a^2(9A + 10B) \cos^3(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^3(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} \\
&= \frac{2a^2(9A + 10B) \cos^3(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^3(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} \\
&= \frac{2a^2(9A + 10B) \cos^3(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} - \frac{4a(39A + 40B)}{63d \sqrt{a + a \cos(c + dx)}} \\
&= \frac{2a^2(39A + 34B) \sin(c + dx)}{45d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(9A + 10B) \cos^3(c + dx)}{63d \sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.60, size = 103, normalized size = 0.54

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} (2(759A + 799B) \cos(c + dx) + (468A + 548B) \cos(2(c + dx)) + 90A \cos(3(c + dx)))}{1260d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(2964*A + 2689*B + 2*(759*A + 799*B)*Cos[c +
d*x] + (468*A + 548*B)*Cos[2*(c + d*x)] + 90*A*Cos[3*(c + d*x)] + 170*B*Cos
[3*(c + d*x)] + 35*B*Cos[4*(c + d*x)])*Tan[(c + d*x)/2])/(1260*d)
```

fricas [A] time = 0.59, size = 107, normalized size = 0.57

$$\frac{2(35Ba \cos(dx + c)^4 + 5(9A + 17B)a \cos(dx + c)^3 + 3(39A + 34B)a \cos(dx + c)^2 + 4(39A + 34B)a \cos(dx + c) + 8(39A + 34B)a) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{315(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm
="fricas")
```

```
[Out] 2/315*(35*B*a*cos(d*x + c)^4 + 5*(9*A + 17*B)*a*cos(d*x + c)^3 + 3*(39*A +
34*B)*a*cos(d*x + c)^2 + 4*(39*A + 34*B)*a*cos(d*x + c) + 8*(39*A + 34*B)*a
)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)
```

giac [A] time = 1.84, size = 245, normalized size = 1.30

$$\frac{1}{2520} \sqrt{2} \left(\frac{35 B a \operatorname{sgn} \left(\cos \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right) \sin \left(\frac{9}{2} d x + \frac{9}{2} c \right)}{d} + \frac{45 \left(2 A a \operatorname{sgn} \left(\cos \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right) + 3 B a \operatorname{sgn} \left(\cos \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right) \right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/2520*sqrt(2)*(35*B*a*sgn(cos(1/2*d*x + 1/2*c))*sin(9/2*d*x + 9/2*c)/d + 45*(2*A*a*sgn(cos(1/2*d*x + 1/2*c)) + 3*B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(7/2*d*x + 7/2*c)/d + 378*(A*a*sgn(cos(1/2*d*x + 1/2*c)) + B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(5/2*d*x + 5/2*c)/d + 1050*(A*a*sgn(cos(1/2*d*x + 1/2*c)) + B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(3/2*d*x + 3/2*c)/d + 630*(3*A*a*sgn(cos(1/2*d*x + 1/2*c)) + 4*B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(1/2*d*x + 1/2*c)/d + 1260*(2*A*a*sgn(cos(1/2*d*x + 1/2*c)) + B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(1/2*d*x + 1/2*c)/d)*sqrt(a)

maple [A] time = 0.42, size = 123, normalized size = 0.65

$$\frac{4 \cos \left(\frac{d x}{2} + \frac{c}{2} \right) a^2 \sin \left(\frac{d x}{2} + \frac{c}{2} \right) \left(280 B \left(\sin^8 \left(\frac{d x}{2} + \frac{c}{2} \right) \right) + (-180 A - 900 B) \left(\sin^6 \left(\frac{d x}{2} + \frac{c}{2} \right) \right) + (504 A + 1134 B) \left(\sin^4 \left(\frac{d x}{2} + \frac{c}{2} \right) \right) + (-525 A - 735 B) \left(\sin^2 \left(\frac{d x}{2} + \frac{c}{2} \right) \right) + 315 A + 315 B \right) 2^{1/2}}{315 \sqrt{a} \left(\cos^2 \left(\frac{d x}{2} + \frac{c}{2} \right) \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)

[Out] 4/315*cos(1/2*d*x+1/2*c)*a^2*sin(1/2*d*x+1/2*c)*(280*B*sin(1/2*d*x+1/2*c)^8 + (-180*A-900*B)*sin(1/2*d*x+1/2*c)^6 + (504*A+1134*B)*sin(1/2*d*x+1/2*c)^4 + (-525*A-735*B)*sin(1/2*d*x+1/2*c)^2 + 315*A+315*B)*2^(1/2)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [A] time = 0.79, size = 154, normalized size = 0.81

$$\frac{6 \left(15 \sqrt{2} a \sin \left(\frac{7}{2} d x + \frac{7}{2} c \right) + 63 \sqrt{2} a \sin \left(\frac{5}{2} d x + \frac{5}{2} c \right) + 175 \sqrt{2} a \sin \left(\frac{3}{2} d x + \frac{3}{2} c \right) + 735 \sqrt{2} a \sin \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right)}{315 \sqrt{a} \left(\cos^2 \left(\frac{d x}{2} + \frac{c}{2} \right) \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/2520*(6*(15*sqrt(2)*a*sin(7/2*d*x + 7/2*c) + 63*sqrt(2)*a*sin(5/2*d*x + 5/2*c) + 175*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 735*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + (35*sqrt(2)*a*sin(9/2*d*x + 9/2*c) + 135*sqrt(2)*a*sin(7/2*d*x + 7/2*c) + 378*sqrt(2)*a*sin(5/2*d*x + 5/2*c) + 1050*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 3780*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*B*sqrt(a))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + d x)^2 (A + B \cos(c + d x)) (a + a \cos(c + d x))^{3/2} d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2),x)

[Out] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.84 \quad \int \cos(c+dx)(a+a\cos(c+dx))^{3/2}(A+B\cos(c+dx)) dx$$

Optimal. Leaf size=138

$$\frac{8a^2(21A+19B)\sin(c+dx)}{105d\sqrt{a\cos(c+dx)+a}} + \frac{2(7A-2B)\sin(c+dx)(a\cos(c+dx)+a)^{3/2}}{35d} + \frac{2a(21A+19B)\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{105d}$$

[Out] 2/35*(7*A-2*B)*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/d+2/7*B*(a+a*cos(d*x+c))^(5/2)*sin(d*x+c)/a/d+8/105*a^2*(21*A+19*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+2/105*a*(21*A+19*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d

Rubi [A] time = 0.25, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2968, 3023, 2751, 2647, 2646}

$$\frac{8a^2(21A+19B)\sin(c+dx)}{105d\sqrt{a\cos(c+dx)+a}} + \frac{2(7A-2B)\sin(c+dx)(a\cos(c+dx)+a)^{3/2}}{35d} + \frac{2a(21A+19B)\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*cos[c + d*x])^(3/2)*(A + B*cos[c + d*x]), x]

[Out] (8*a^2*(21*A + 19*B)*Sin[c + d*x])/(105*d*Sqrt[a + a*cos[c + d*x]]) + (2*a*(21*A + 19*B)*Sqrt[a + a*cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*(7*A - 2*B)*(a + a*cos[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*B*(a + a*cos[c + d*x])^(5/2)*Sin[c + d*x])/(7*a*d)

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(-2*b*cos[c + d*x])/(d*Sqrt[a + b*sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2647

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]*(a + b*sin[c + d*x])^(n-1))/(d*n), x] + Dist[(a*(2*n-1))/n, Int[(a + b*sin[c + d*x])^(n-1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*cos[e + f*x]*(a + b*sin[e + f*x])^m)/(f*(m+1)), x] + Dist[(a*d*m + b*c*(m+1))/(b*(m+1)), Int[(a + b*sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*cos

```
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx &= \int (a + a \cos(c + dx))^{3/2} (A \cos(c + dx) + B \cos^2(c + dx)) dx \\ &= \frac{2B(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7ad} + \frac{2 \int (a + a \cos(c + dx))^{3/2} A \cos(c + dx) dx}{7ad} \\ &= \frac{2(7A - 2B)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{35d} + \frac{2B(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7ad} \\ &= \frac{2a(21A + 19B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{105d} + \frac{2B(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7ad} \\ &= \frac{8a^2(21A + 19B) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a(21A + 19B)\sqrt{a + a \cos(c + dx)}}{105d} \end{aligned}$$

Mathematica [A] time = 0.40, size = 81, normalized size = 0.59

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} ((252A + 253B) \cos(c + dx) + 6(7A + 13B) \cos(2(c + dx)) + 546A + 15B)}{210d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(546*A + 494*B + (252*A + 253*B)*Cos[c + d*x] + 6*(7*A + 13*B)*Cos[2*(c + d*x)] + 15*B*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/ (210*d)
```

fricas [A] time = 0.83, size = 88, normalized size = 0.64

$$\frac{2(15Ba \cos(dx + c)^3 + 3(7A + 13B)a \cos(dx + c)^2 + (63A + 52B)a \cos(dx + c) + 2(63A + 52B)a)\sqrt{a \cos(dx + c) + a}}{105(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
[Out] 2/105*(15*B*a*cos(d*x + c)^3 + 3*(7*A + 13*B)*a*cos(d*x + c)^2 + (63*A + 52*B)*a*cos(d*x + c) + 2*(63*A + 52*B)*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)
```

giac [A] time = 0.50, size = 164, normalized size = 1.19

$$\frac{1}{420} \sqrt{2} \left(\frac{15Basgn\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{7}{2}dx + \frac{7}{2}c\right)}{d} + \frac{21\left(2Aasgn\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) + 3Basgn\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/420*sqrt(2)*(15*B*a*sgn(cos(1/2*d*x + 1/2*c))*sin(7/2*d*x + 7/2*c)/d + 21
*(2*A*a*sgn(cos(1/2*d*x + 1/2*c)) + 3*B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(5/
2*d*x + 5/2*c)/d + 35*(6*A*a*sgn(cos(1/2*d*x + 1/2*c)) + 5*B*a*sgn(cos(1/2*
d*x + 1/2*c)))*sin(3/2*d*x + 3/2*c)/d + 105*(8*A*a*sgn(cos(1/2*d*x + 1/2*c)
) + 7*B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(1/2*d*x + 1/2*c)/d)*sqrt(a)
```

maple [A] time = 0.45, size = 104, normalized size = 0.75

$$\frac{4 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^2 \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(-60B \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (42A + 168B) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-105A - 175B) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7B \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4A}{105 \sqrt{a} \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] 4/105*cos(1/2*d*x+1/2*c)*a^2*sin(1/2*d*x+1/2*c)*(-60*B*sin(1/2*d*x+1/2*c)^6
+(42*A+168*B)*sin(1/2*d*x+1/2*c)^4+(-105*A-175*B)*sin(1/2*d*x+1/2*c)^2+105*
A+105*B)*2^(1/2)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d
```

maxima [A] time = 0.93, size = 123, normalized size = 0.89

$$\frac{42 \left(\sqrt{2} a \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 5 \sqrt{2} a \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 20 \sqrt{2} a \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right) A \sqrt{a} + \left(15 \sqrt{2} a \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right) + 7 \sqrt{2} a \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 20 \sqrt{2} a \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 7 \sqrt{2} a \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right) B \sqrt{a}}{420 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="
maxima")
```

```
[Out] 1/420*(42*(sqrt(2)*a*sin(5/2*d*x + 5/2*c) + 5*sqrt(2)*a*sin(3/2*d*x + 3/2*c)
) + 20*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + (15*sqrt(2)*a*sin(7/2*d*
x + 7/2*c) + 63*sqrt(2)*a*sin(5/2*d*x + 5/2*c) + 175*sqrt(2)*a*sin(3/2*d*x
+ 3/2*c) + 735*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*B*sqrt(a)/d
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) (A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2),x)
```

```
[Out] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

3.85 $\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx$

Optimal. Leaf size=101

$$\frac{8a^2(5A + 3B) \sin(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a(5A + 3B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{15d} + \frac{2B \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5d}$$

[Out] $\frac{2}{5}B*(a+a*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+8/15*a^2*(5*A+3*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/15*a*(5*A+3*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.09, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {2751, 2647, 2646}

$$\frac{8a^2(5A + 3B) \sin(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a(5A + 3B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{15d} + \frac{2B \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]

[Out] $(8*a^2*(5*A + 3*B)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*(5*A + 3*B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*B*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*d)$

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2647

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(a*(2*n - 1))/n, Int[(a + b*Sin[c + d*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx &= \frac{2B(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{1}{5}(5A + 3B) \int (a + a \cos(c + dx))^{3/2} dx \\ &= \frac{2a(5A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{8a^2(5A + 3B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a(5A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} \end{aligned}$$

Mathematica [A] time = 0.20, size = 65, normalized size = 0.64

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} (2(5A + 9B) \cos(c + dx) + 50A + 3B \cos(2(c + dx)) + 39B)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*cos[c + d*x])^(3/2)*(A + B*cos[c + d*x]),x]

[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(50*A + 39*B + 2*(5*A + 9*B)*Cos[c + d*x] + 3*B*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/(15*d)

fricas [A] time = 0.60, size = 69, normalized size = 0.68

$$\frac{2(3Ba \cos(dx+c)^2 + (5A+9B)a \cos(dx+c) + (25A+18B)a)\sqrt{a \cos(dx+c) + a} \sin(dx+c)}{15(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 2/15*(3*B*a*cos(d*x + c)^2 + (5*A + 9*B)*a*cos(d*x + c) + (25*A + 18*B)*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)

giac [A] time = 0.54, size = 161, normalized size = 1.59

$$\frac{1}{30} \sqrt{2} \left(\frac{3B a \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)}{d} + \frac{5\left(2A a \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) + 3B a \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/30*sqrt(2)*(3*B*a*sgn(cos(1/2*d*x + 1/2*c))*sin(5/2*d*x + 5/2*c)/d + 5*(2*A*a*sgn(cos(1/2*d*x + 1/2*c)) + 3*B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(3/2*d*x + 3/2*c)/d + 30*(2*A*a*sgn(cos(1/2*d*x + 1/2*c)) + B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(1/2*d*x + 1/2*c)/d + 30*(A*a*sgn(cos(1/2*d*x + 1/2*c)) + B*a*sgn(cos(1/2*d*x + 1/2*c)))*sin(1/2*d*x + 1/2*c)/d)*sqrt(a)

maple [A] time = 0.34, size = 85, normalized size = 0.84

$$\frac{4 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^2 \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(6B \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-5A - 15B) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 15A + 15B\right) \sqrt{2}}{15 \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)

[Out] 4/15*cos(1/2*d*x+1/2*c)*a^2*sin(1/2*d*x+1/2*c)*(6*B*sin(1/2*d*x+1/2*c)^4+(-5*A-15*B)*sin(1/2*d*x+1/2*c)^2+15*A+15*B)*2^(1/2)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [A] time = 0.88, size = 93, normalized size = 0.92

$$\frac{10\left(\sqrt{2} a \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 9 \sqrt{2} a \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) A \sqrt{a} + 3\left(\sqrt{2} a \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 5 \sqrt{2} a \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right)\right)}{30 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/30*(10*(sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 9*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + 3*(sqrt(2)*a*sin(5/2*d*x + 5/2*c) + 5*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 20*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*B*sqrt(a))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2), x)

[Out] int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a(\cos(c + dx) + 1))^{3/2} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)), x)

[Out] Integral((a*(cos(c + d*x) + 1))**(3/2)*(A + B*cos(c + d*x)), x)

3.86 $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec(c+dx) dx$

Optimal. Leaf size=105

$$\frac{2a^{3/2} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2a^2(3A+4B) \sin(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} + \frac{2aB \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d}$$

[Out] $2*a^{(3/2)}*A*\arctanh(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+2/3*a^2*(3*A+4*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/3*a*B*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.27, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {2976, 2981, 2773, 206}

$$\frac{2a^2(3A+4B) \sin(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} + \frac{2a^{3/2} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aB \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x], x]$

[Out] $(2*a^{(3/2)}*A*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/ \text{Sqrt}[a + a*\text{Cos}[c + d*x]])/d + (2*a^2*(3*A + 4*B)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*B*\text{Sqrt}[a + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/(3*d)$

Rule 206

$\text{Int}[(a + b*(x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/ \text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 2773

$\text{Int}[\text{Sqrt}[(a + b*\sin[e + f*x])/(c + d*\sin[e + f*x])], x_Symbol] \rightarrow \text{Dist}[(2*b)/f, \text{Subst}[\text{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\text{Cos}[e + f*x])/ \text{Sqrt}[a + b*\sin[e + f*x]]], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

Rule 2976

$\text{Int}[(a + b*\sin[e + f*x])^{(m)}*(A + B*\sin[e + f*x])^{(n)}, x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^n * \text{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n))]*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1/2] \ \&\& \ !\text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*m] \ \&\& \ (\text{IntegerQ}[2*n] \ || \ \text{EqQ}[c, 0])$

Rule 2981

$\text{Int}[\text{Sqrt}[(a + b*\sin[e + f*x])*(A + B*\sin[e + f*x])^{(n)}, x_Symbol] \rightarrow \text{Simp}[(2*b*B*\text{Cos}[e + f*x]*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(2*n+3)*\text{Sqrt}[a + b*\sin[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1))]/(b$

```
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{2aB\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{2a^2(3A + 4B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2aB\sqrt{a + a \cos(c + dx)}}{3d} \\ &= \frac{2a^2(3A + 4B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2aB\sqrt{a + a \cos(c + dx)}}{3d} \\ &= \frac{2a^{3/2} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{2a^2(3A + 4B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.22, size = 85, normalized size = 0.81

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (3A + B \cos(c + dx) + 5B) + 3\sqrt{2} A \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x], x]
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*A*ArcTanh[Sqrt[2]*
*Sin[(c + d*x)/2]] + 2*(3*A + 5*B + B*Cos[c + d*x])*Sin[(c + d*x)/2]))/(3*d
)
```

fricas [A] time = 0.63, size = 149, normalized size = 1.42

$$\frac{3(Aa \cos(dx + c) + Aa)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c)-2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + 4(Ba \cos(dx + c) + Aa)\sqrt{a}}{6(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="
fricas")
[Out] 1/6*(3*(A*a*cos(d*x + c) + A*a)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x
+ c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c
) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(B*a*cos(d*x + c) + (3*A +
5*B)*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(d*cos(d*x + c) + d)
giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="
giac")
[Out] Timed out
```


maple [B] time = 1.12, size = 272, normalized size = 2.59

$$\sqrt{a} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-4B\sqrt{a} \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 6A\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c), x)

[Out] $\frac{1}{3}a^{1/2}\cos(1/2dx+1/2c)*(a\sin(1/2dx+1/2c)^2)^{1/2}*(-4Ba^{1/2}2^{1/2}*(a\sin(1/2dx+1/2c)^2)^{1/2}\sin(1/2dx+1/2c)^2+6A2^{1/2}*(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+3A\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a)*a+3A\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a)*a+12B2^{1/2}*(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2})/\sin(1/2dx+1/2c)/(a\cos(1/2dx+1/2c)^2)^{1/2}/d$

maxima [A] time = 1.27, size = 39, normalized size = 0.37

$$\frac{\left(\sqrt{2}a \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 9\sqrt{2}a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)B\sqrt{a}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="maxima")

[Out] $\frac{1}{3}*(\sqrt{2}a\sin(3/2dx + 3/2c) + 9\sqrt{2}a\sin(1/2dx + 1/2c))*B*\sqrt{a}/d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x), x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c), x)

[Out] Timed out

3.87 $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$

Optimal. Leaf size=103

$$\frac{a^{3/2}(3A+2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^2(A-2B) \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}} + \frac{aA \tan(c+dx)\sqrt{a \cos(c+dx)+a}}{d}$$

[Out] $a^{(3/2)}*(3*A+2*B)*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d-a^2*(A-2*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+a*A*(a+a*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 0.28, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2975, 2981, 2773, 206}

$$\frac{a^2(A-2B) \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}} + \frac{a^{3/2}(3A+2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{aA \tan(c+dx)\sqrt{a \cos(c+dx)+a}}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^2, x]$

[Out] $(a^{(3/2)}*(3*A + 2*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/ \operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])/d - (a^2*(A - 2*B)*\operatorname{Sin}[c + d*x])/(d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (a*A*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x])* \operatorname{Tan}[c + d*x])/d$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/ \operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 2773

$\operatorname{Int}[\operatorname{Sqrt}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]/((c_ + (d_)*\sin[(e_ + (f_)*(x_)) + (f_)*(x_)]))], x_Symbol] \rightarrow \operatorname{Dist}[(-2*b)/f, \operatorname{Subst}[\operatorname{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\operatorname{Cos}[e + f*x])/ \operatorname{Sqrt}[a + b*\sin[e + f*x]]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{NeQ}[c^2 - d^2, 0]$

Rule 2975

$\operatorname{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_))]/((c_ + (d_)*\sin[(e_ + (f_)*(x_)) + (f_)*(x_)]))^{(n_)}], x_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] - \operatorname{Dist}[b/(d*(n+1)*(b*c + a*d)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)}*\operatorname{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\operatorname{Sin}[e + f*x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \operatorname{GtQ}[m, 1/2] \ \&\& \operatorname{LtQ}[n, -1] \ \&\& \operatorname{IntegerQ}[2*m] \ \&\& (\operatorname{IntegerQ}[2*n] \ || \ \operatorname{EqQ}[c, 0])$

Rule 2981

$\operatorname{Int}[\operatorname{Sqrt}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_))]/((c_ + (d_)*\sin[(e_ + (f_)*(x_)) + (f_)*(x_)]))^{(n_)}], x_Symbol] \rightarrow \operatorname{Simp}[(-2*b*B*\operatorname{Cos}[e + f*x]*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(2*n+3)*\operatorname{Sqrt}[a + b*\sin[e + f*x]]), x] + \operatorname{Dist}[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1))]/(b$

```
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA\sqrt{a + a \cos(c + dx)} \tan(c + dx)}{d} + \int \sqrt{a + a \cos(c + dx)} dx \\ &= -\frac{a^2(A - 2B) \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{aA\sqrt{a + a \cos(c + dx)}}{d} \\ &= -\frac{a^2(A - 2B) \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{aA\sqrt{a + a \cos(c + dx)}}{d} \\ &= \frac{a^{3/2}(3A + 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} - \frac{a^2(A - 2B) \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.34, size = 98, normalized size = 0.95

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (A + 2B \cos(c + dx)) + \sqrt{2} (3A + 2B) \cos\left(\frac{1}{2}(c + dx)\right)\right)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]*(Sqrt[2]*(3*A +
2*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*(A + 2*B*Cos[c + d
*x])*Sin[(c + d*x)/2]))/(2*d)
```

fricas [A] time = 0.66, size = 172, normalized size = 1.67

$$\frac{\left((3A + 2B)a \cos(dx + c)^2 + (3A + 2B)a \cos(dx + c)\right) \sqrt{a} \log\left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - 4\sqrt{a} \cos(dx + c) + a}{\cos(dx + c)^3 + \cos(dx + c)^2}\right)}{4\left(d \cos(dx + c)^2 + d \cos(dx + c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm
="fricas")
[Out] 1/4*(((3*A + 2*B)*a*cos(d*x + c)^2 + (3*A + 2*B)*a*cos(d*x + c))*sqrt(a)*lo
g((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(
a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2
) + 4*(2*B*a*cos(d*x + c) + A*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(d*
cos(d*x + c)^2 + d*cos(d*x + c))
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm
="giac")
[Out] Timed out
```

maple [B] time = 1.17, size = 696, normalized size = 6.76

$$\sqrt{a} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\left(-6A \ln\left(\frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a+4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right)} + 8a}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}} \right) a - 6A \ln\left(-\frac{4\left(\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)

[Out] a^(1/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*((-6*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-6*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-4*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-4*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-8*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))*sin(1/2*d*x+1/2*c)^2+3*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+3*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+2*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+2*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+2*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/(2*cos(1/2*d*x+1/2*c)+2^(1/2))/(2*cos(1/2*d*x+1/2*c)-2^(1/2))/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [B] time = 0.99, size = 1315, normalized size = 12.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")

[Out] -1/4*(2*sqrt(2)*a*cos(7/2*d*x + 7/2*c)*sin(2*d*x + 2*c) + 6*sqrt(2)*a*cos(5/2*d*x + 5/2*c)*sin(2*d*x + 2*c) + (2*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 6*sqrt(2)*a*sin(1/2*d*x + 1/2*c) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c)^2 + (2*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 6*sqrt(2)*a*sin(1/2*d*x + 1/2*c) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*sin(2*d*x + 2*c)^2 - 4*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 4*sqrt(2)*a*sin(1/2*d*x + 1/2*c) -

```

2*(sqrt(2)*a*sin(3/2*d*x + 3/2*c) - 5*sqrt(2)*a*sin(1/2*d*x + 1/2*c) + 3*a
*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/
2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*
x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) -
2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*
sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2
*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2
*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2
))*cos(2*d*x + 2*c) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/
2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) +
2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2
)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*co
s(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1
/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c
)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)
*sin(1/2*d*x + 1/2*c) + 2) - 2*(sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin
(7/2*d*x + 7/2*c) - 6*(sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(5/2*d*x
+ 5/2*c) + 2*(3*sqrt(2)*a*cos(3/2*d*x + 3/2*c) + sqrt(2)*a*cos(1/2*d*x + 1/
2*c))*sin(2*d*x + 2*c))*A*sqrt(a)/((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2
+ 2*cos(2*d*x + 2*c) + 1)*d)

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^2, x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**2, x)

[Out] Timed out

3.88 $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^3(c+dx) dx$

Optimal. Leaf size=119

$$\frac{a^{3/2}(7A + 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a^2(5A + 4B) \tan(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{aA \tan(c + dx) \sec(c + dx)\sqrt{a \cos(c + dx) + a}}{2d}$$

[Out] $1/4*a^{(3/2)}*(7*A+12*B)*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d + 1/4*a^2*(5*A+4*B)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)} + 1/2*a*A*\sec(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 0.33, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2975, 2980, 2773, 206}

$$\frac{a^2(5A + 4B) \tan(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(7A + 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{aA \tan(c + dx) \sec(c + dx)\sqrt{a \cos(c + dx) + a}}{2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^3, x]$

[Out] $(a^{(3/2)}*(7*A + 12*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/ \operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]])/(4*d) + (a^2*(5*A + 4*B)*\operatorname{Tan}[c + d*x])/(4*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (a*A*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*d)$

Rule 206

$\operatorname{Int}[(a + (b*x)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/ \operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 2773

$\operatorname{Int}[\operatorname{Sqrt}[(a + (b*\sin(e + f*x)) + (c + d*\sin(e + f*x)))]/(c + d*\sin(e + f*x)), x_Symbol] \rightarrow \operatorname{Dist}[(-2*b)/f, \operatorname{Subst}[\operatorname{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\operatorname{Cos}[e + f*x])/ \operatorname{Sqrt}[a + b*\sin[e + f*x]]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{NeQ}[c^2 - d^2, 0]$

Rule 2975

$\operatorname{Int}[(a + (b*\sin(e + f*x)) + (c + d*\sin(e + f*x)))^m * ((A + (B*\sin(e + f*x)) + (c + d*\sin(e + f*x)))^n), x_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)), x] - \operatorname{Dist}[b/(d*(n+1)*(b*c + a*d)), \operatorname{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}*\operatorname{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\operatorname{Sin}[e + f*x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \operatorname{GtQ}[m, 1/2] \ \&\& \operatorname{LtQ}[n, -1] \ \&\& \operatorname{IntegerQ}[2*m] \ \&\& (\operatorname{IntegerQ}[2*n] \ || \ \operatorname{EqQ}[c, 0])$

Rule 2980

$\operatorname{Int}[\operatorname{Sqrt}[(a + (b*\sin(e + f*x)) + (c + d*\sin(e + f*x)))]*((A + (B*\sin(e + f*x)) + (c + d*\sin(e + f*x)))^n), x_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(c + d*\sin[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)*\operatorname{Sqrt}[a + b*\sin[e + f*x]]), x] + \operatorname{Dist}[(A*b*d*(2*n+3) - B*(b*c$

$- 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n + 1)}, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] & NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA\sqrt{a + a \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{a^2(5A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{aA\sqrt{a + a \cos(c + dx)}}{2d} \\ &= \frac{a^2(5A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{aA\sqrt{a + a \cos(c + dx)}}{2d} \\ &= \frac{a^{3/2}(7A + 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{4d} + \frac{a^2(5A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.58, size = 109, normalized size = 0.92

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right)\right) ((7A + 4B) \cos(c + dx) + 2A) + \sqrt{2} (7A + 4B) \cos(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^2*(Sqrt[2]*(7*A + 12*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^2 + 2*(2*A + (7*A + 4*B)*Cos[c + d*x])*Sin[(c + d*x)/2]))/(8*d)

fricas [A] time = 0.62, size = 182, normalized size = 1.53

$$\frac{((7A + 12B)a \cos(dx + c)^3 + (7A + 12B)a \cos(dx + c)^2) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{16(d \cos(dx + c)^3 + d \cos(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")

[Out] 1/16*(((7*A + 12*B)*a*cos(d*x + c)^3 + (7*A + 12*B)*a*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*((7*A + 4*B)*a*cos(d*x + c) + 2*A*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.22, size = 991, normalized size = 8.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\cos(dx+c))^{3/2}*(A+B*\cos(dx+c))*\sec(dx+c)^3,x)$

[Out] $\frac{1}{2}a^{1/2}\cos(1/2dx+1/2c)*(a*\sin(1/2dx+1/2c)^2)^{1/2}*(4a*(7A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))+7A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))+12B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))+12B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a)))*\sin(1/2dx+1/2c)^4-4*(7A*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+4B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+7A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+7A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+12B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+12B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a)*\sin(1/2dx+1/2c)^2+18A*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+7A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+7A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+8B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+12B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+12B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a)/(2*\cos(1/2dx+1/2c)+2^{1/2})^2/(2*\cos(1/2dx+1/2c)-2^{1/2})^2/\sin(1/2dx+1/2c)/(a*\cos(1/2dx+1/2c)^2)^{1/2}/d$

maxima [B] time = 1.22, size = 3339, normalized size = 28.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\cos(dx+c))^{3/2}*(A+B*\cos(dx+c))*\sec(dx+c)^3,x, \text{algorithm}="maxima")$

[Out] $-1/16*((12a*\cos(4dx+4c)^2*\sin(3/2dx+3/2c)+48a*\cos(2dx+2c)^2*\sin(3/2dx+3/2c)+12a*\sin(4dx+4c)^2*\sin(3/2dx+3/2c)+48a*\sin(2dx+2c)^2*\sin(3/2dx+3/2c)+160a*\cos(7/2dx+7/2c)*\sin(2dx+2c)+168a*\cos(5/2dx+5/2c)*\sin(2dx+2c)+72a*\cos(3/2dx+3/2c)*\sin(2dx+2c)-24a*\cos(2dx+2c)*\sin(3/2dx+3/2c)-4*(a*\sin(4dx+4c)+2a*\sin(2dx+2c))*\cos(13/2dx+13/2c)+12*(a*\sin(4dx+4c)+2a*\sin(2dx+2c))*\cos(11/2dx+11/2c)+48*(a*\sin(4dx+4c)+2a*\sin(2dx+2c))*\cos(9/2dx+9/2c)+4*(12a*\cos(2dx+2c)*\sin(3/2dx+3/2c)-20a*\sin(7/2dx+7/2c)-21a*\sin(5/2dx+5/2c)-3a*\sin(3/2dx+3/2c))*\cos(4dx+4c)-7*(\sqrt{2})*a*\cos(4dx+4c)^2+4*\sqrt{2})*a*\cos(2dx+2c)^2+\sqrt{2})*a*\sin(4dx+4c)^2+4*\sqrt{2})*a*\sin(4dx+4c)*\sin(2dx+2c)+4*\sqrt{2})*a*\sin(2dx+2c)^2+4*\sqrt{2})*a*\cos(2dx+2c)+2*(2*\sqrt{2})*a*\cos(2dx+2c)+\sqrt{2})*a*\cos(4dx+4c)+\sqrt{2})*a*\log(2*\cos(1/3*\arctan2(\sin(3/2dx+3/2c),\cos(3/2dx+3/2c)))^2+2*\sin(1/3*\arctan2(\sin(3/2dx+3/2c),\cos(3/2dx+3/2c)))^2+2*\sqrt{2})*\cos(1/3*\arctan2(\sin(3/2dx+3/2c),\cos(3/2dx+3/2c))))+2*\sqrt{2})*\sin(1/3*\arctan2(\sin(3/2dx+3/2c),\cos(3/2dx+3/2c)))$


```

2))*sin(2*d*x + 2*c)^2 - 4*sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 4*sqrt(2)*a*si
n(1/2*d*x + 1/2*c) - 2*(sqrt(2)*a*sin(3/2*d*x + 3/2*c) - 5*sqrt(2)*a*sin(1/
2*d*x + 1/2*c) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^
2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) -
3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos
(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2*cos(1/2
*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c)
+ 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 +
2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(
1/2*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2
+ 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin
(1/2*d*x + 1/2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x +
1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c)
+ 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt
(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2
*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x
+ 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 2*(sqrt(2)*a*cos(2*d*x + 2
*c) + sqrt(2)*a)*sin(7/2*d*x + 7/2*c) - 6*(sqrt(2)*a*cos(2*d*x + 2*c) + sqrt
(2)*a)*sin(5/2*d*x + 5/2*c) + 2*(3*sqrt(2)*a*cos(3/2*d*x + 3/2*c) + sqrt(2)
)*a*cos(1/2*d*x + 1/2*c))*sin(2*d*x + 2*c))*B*sqrt(a)/(cos(2*d*x + 2*c)^2 +
sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1))/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^3,x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] Timed out

$$3.89 \quad \int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^4(c+dx) dx$$

Optimal. Leaf size=164

$$\frac{a^{3/2}(11A+14B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(11A+14B) \tan(c+dx)}{8d\sqrt{a \cos(c+dx)+a}} + \frac{a^2(7A+6B) \tan(c+dx) \sec(c+dx)}{12d\sqrt{a \cos(c+dx)+a}} + a$$

[Out] 1/8*a^(3/2)*(11*A+14*B)*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d+1/8*a^2*(11*A+14*B)*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/12*a^2*(7*A+6*B)*sec(d*x+c)*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/3*a*A*sec(d*x+c)^2*(a+a*cos(d*x+c))^(1/2)*tan(d*x+c)/d

Rubi [A] time = 0.40, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2975, 2980, 2772, 2773, 206}

$$\frac{a^2(11A+14B) \tan(c+dx)}{8d\sqrt{a \cos(c+dx)+a}} + \frac{a^{3/2}(11A+14B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(7A+6B) \tan(c+dx) \sec(c+dx)}{12d\sqrt{a \cos(c+dx)+a}} + a$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]

[Out] (a^(3/2)*(11*A + 14*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(8*d) + (a^2*(11*A + 14*B)*Tan[c + d*x])/(8*d*Sqrt[a + a*Cos[c + d*x]]) + (a^2*(7*A + 6*B)*Sec[c + d*x]*Tan[c + d*x])/(12*d*Sqrt[a + a*Cos[c + d*x]]) + (a*A*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2772

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Ssin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2773

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Ssin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2975

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a

```
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Sim
p[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*
(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c
- 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(
c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &
& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx = \frac{aA\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d} + \dots$$

$$= \frac{a^2(7A + 6B) \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{aA\sqrt{a + a \cos(c + dx)}}{3d}$$

$$= \frac{a^2(11A + 14B) \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(7A + 6B) \sec(c + dx)}{12d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{a^2(11A + 14B) \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(7A + 6B) \sec(c + dx)}{12d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{a^{3/2}(11A + 14B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{a^2(11A + 14B)}{8d\sqrt{a}}$$

Mathematica [A] time = 1.01, size = 132, normalized size = 0.80

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (4(11A + 6B) \cos(c + dx) + (33A + 42B) \cos^2(c + dx))\right)}{48d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^3*(3*Sqrt[2]*(1
1*A + 14*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (7*(7*A + 6*
B) + 4*(11*A + 6*B)*Cos[c + d*x] + (33*A + 42*B)*Cos[2*(c + d*x)])*Sin[(c +
d*x)/2]))/(48*d)
```

fricas [A] time = 0.59, size = 202, normalized size = 1.23

$$\frac{3\left((11A + 14B)a \cos(dx + c)^4 + (11A + 14B)a \cos(dx + c)^3\right) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) \sqrt{a}}{96(d \cos(dx + c) + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm
="fricas")
```

```
[Out] 1/96*(3*((11*A + 14*B)*a*cos(d*x + c)^4 + (11*A + 14*B)*a*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(11*A + 14*B)*a*cos(d*x + c)^2 + 2*(11*A + 6*B)*a*cos(d*x + c) + 8*A*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 1.36, size = 1310, normalized size = 7.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)
```

```
[Out] 1/6*a^(1/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*a*(11*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+11*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+14*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+14*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)))*sin(1/2*d*x+1/2*c)^6+12*(22*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+28*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+33*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+33*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+42*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+42*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^4+(-352*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-198*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-198*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-384*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-252*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^2+126*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+33*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+33*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+108*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+42*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+42*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2))^3/(2*cos(1/2*d*x+1/2*c)+2^(1/2))^3/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2}}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^4,x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)

[Out] Timed out

3.90 $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^5(c+dx) dx$

Optimal. Leaf size=209

$$\frac{a^{3/2}(75A + 88B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{a^2(75A + 88B) \tan(c + dx)}{64d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(9A + 8B) \tan(c + dx) \sec^2(c + dx)}{24d\sqrt{a \cos(c + dx) + a}}$$

[Out] $1/64*a^{(3/2)}*(75*A+88*B)*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+1/64*a^2*(75*A+88*B)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/96*a^2*(75*A+88*B)*\sec(d*x+c)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/24*a^2*(9*A+8*B)*\sec(d*x+c)^2*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/4*a*A*\sec(d*x+c)^3*(a+a*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 0.48, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2975, 2980, 2772, 2773, 206}

$$\frac{a^2(75A + 88B) \tan(c + dx)}{64d\sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(75A + 88B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{a^2(9A + 8B) \tan(c + dx) \sec^2(c + dx)}{24d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^5, x]$

[Out] $(a^{(3/2)}*(75*A + 88*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/ \operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])/(64*d) + (a^2*(75*A + 88*B)*\operatorname{Tan}[c + d*x])/(64*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (a^2*(75*A + 88*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(96*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (a^2*(9*A + 8*B)*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/(24*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (a*A*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(4*d)$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] :> \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/ \operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{Gt}Q[a, 0] \ || \ \operatorname{Lt}Q[b, 0])$

Rule 2772

$\operatorname{Int}[\operatorname{Sqrt}[(a_ + (b_)*\sin[(e_.) + (f_)*(x_)])*((c_.) + (d_)*\sin[(e_.) + (f_)*(x_)])^{(n_)}], x_Symbol] :> \operatorname{Simp}[(b*c - a*d)*\operatorname{Cos}[e + f*x]*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)}]/(f*(n + 1)*(c^2 - d^2)*\operatorname{Sqrt}[a + b*\operatorname{Sin}[e + f*x]]), x] + \operatorname{Dist}[(2*n + 3)*(b*c - a*d)/(2*b*(n + 1)*(c^2 - d^2)), \operatorname{Int}[\operatorname{Sqrt}[a + b*\operatorname{Sin}[e + f*x]]*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \operatorname{Lt}Q[n, -1] \ \&\& \operatorname{NeQ}[2*n + 3, 0] \ \&\& \operatorname{IntegerQ}[2*n]$

Rule 2773

$\operatorname{Int}[\operatorname{Sqrt}[(a_ + (b_)*\sin[(e_.) + (f_)*(x_)])/((c_.) + (d_)*\sin[(e_.) + (f_)*(x_)])], x_Symbol] :> \operatorname{Dist}[(-2*b)/f, \operatorname{Subst}[\operatorname{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\operatorname{Cos}[e + f*x])/ \operatorname{Sqrt}[a + b*\operatorname{Sin}[e + f*x]]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{NeQ}[c^2 - d^2, 0]$

Rule 2975

$\operatorname{Int}[(a_ + (b_)*\sin[(e_.) + (f_)*(x_)])^{(m_)}*((A_.) + (B_)*\sin[(e_.) + (f_)*(x_)])^{(n_)}], x_Symbol] :> -\operatorname{Si}$

```
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx = \frac{aA\sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \tan(c + dx)}{4d} + \dots$$

$$= \frac{a^2(9A + 8B) \sec^2(c + dx) \tan(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} + \frac{aA\sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \tan(c + dx)}{4d}$$

$$= \frac{a^2(75A + 88B) \sec(c + dx) \tan(c + dx)}{96d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(9A + 8B) \sec^3(c + dx) \tan(c + dx)}{24d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{a^2(75A + 88B) \tan(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(75A + 88B) \sec(c + dx)}{96d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{a^2(75A + 88B) \tan(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(75A + 88B) \sec(c + dx)}{96d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{a^{3/2}(75A + 88B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{64d} + \frac{a^2(75A + 88B) \sec(c + dx)}{64d\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 1.60, size = 151, normalized size = 0.72

$$a \sec\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) ((1155A + 1048B) \cos(c + dx) + 4(75A + 88B))\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^5, x]
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^4*(6*Sqrt[2]*(75*A + 88*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (492*A + 352*B + (1155*A + 1048*B)*Cos[c + d*x] + 4*(75*A + 88*B)*Cos[2*(c + d*x)] + 22*5*A*Cos[3*(c + d*x)] + 264*B*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(768*d)
```

fricas [A] time = 0.86, size = 220, normalized size = 1.05

$$3 \left((75A + 88B)a \cos(dx + c)^5 + (75A + 88B)a \cos(dx + c)^4 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4 \sqrt{a \cos(dx+c)+a} \sqrt{a} \cos(dx+c)}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm
="fricas")
```

```
[Out] 1/768*(3*((75*A + 88*B)*a*cos(d*x + c)^5 + (75*A + 88*B)*a*cos(d*x + c)^4)*
sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c)
+ a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d
*x + c)^2)) + 4*(3*(75*A + 88*B)*a*cos(d*x + c)^3 + 2*(75*A + 88*B)*a*cos(d
*x + c)^2 + 8*(15*A + 8*B)*a*cos(d*x + c) + 48*A*a)*sqrt(a*cos(d*x + c) + a
)*sin(d*x + c))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)
```

```
giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm
="giac")
```

```
[Out] Timed out
```

```
maple [B] time = 1.41, size = 1631, normalized size = 7.80
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x)
```

```
[Out] 1/24*a^(1/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(48*a*(75*A*
ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/
2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+75*A*ln(4/(2*cos(1/2*d*x+1/2*
c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1
/2*d*x+1/2*c)+2*a))+88*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*
sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+88*B
*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2
)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)))*sin(1/2*d*x+1/2*c)^8-48*(75*A
*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+88*B*2^(1/2)*(a*sin(1/2*d*x
+1/2*c)^2)^(1/2)*a^(1/2)+150*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/
2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)
)*a+150*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)
^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+176*B*ln(-4/(-2*cos
(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*
2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+176*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)
))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2
*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^6+8*(825*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)
^(1/2)*a^(1/2)+968*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+675*A*ln
(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)
)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+675*A*ln(4/(2*cos(1/2*d*x+1/
2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos
(1/2*d*x+1/2*c)+2*a))*a+792*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)
)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))
)*a+792*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)
^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^4
-4*(1095*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+1208*B*2^(1/2)*(
a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+450*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(
1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*
x+1/2*c)+2*a))*a+450*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(
1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+528*B*
ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/
```

```

2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+528*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^2+1086*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+225*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+225*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1008*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+264*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+264*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)/(2*cos(1/2*d*x+1/2*c)+2^(1/2))^4/(2*cos(1/2*d*x+1/2*c)-2^(1/2))^4/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2}}{\cos(c + dx)^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^5,x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^5, x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)
```

[Out] Timed out

3.91 $\int \cos^2(c+dx)(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx)) dx$

Optimal. Leaf size=237

$$\frac{2a^3(209A + 194B) \sin(c + dx) \cos^3(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{2a^3(803A + 710B) \sin(c + dx)}{495d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(11A + 14B) \sin(c + dx) \cos^3(c + dx)}{99d}$$

[Out] $\frac{2}{1155}a*(803*A+710*B)*(a+a*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+2/11*a*B*\cos(d*x+c)^3*(a+a*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+2/495*a^3*(803*A+710*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/693*a^3*(209*A+194*B)*\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}-4/3465*a^2*(803*A+710*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+2/99*a^2*(11*A+14*B)*\cos(d*x+c)^3*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.65, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2976, 2981, 2759, 2751, 2646}

$$\frac{2a^3(209A + 194B) \sin(c + dx) \cos^3(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(11A + 14B) \sin(c + dx) \cos^3(c + dx)\sqrt{a \cos(c + dx) + a}}{99d} + \frac{2a^3(803A + 710B) \sin(c + dx)}{495d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]

[Out] $(2*a^3*(803*A + 710*B)*\sin[c + d*x])/(495*d*\sqrt{a + a*\cos[c + d*x]}) + (2*a^3*(209*A + 194*B)*\cos[c + d*x]^3*\sin[c + d*x])/(693*d*\sqrt{a + a*\cos[c + d*x]}) - (4*a^2*(803*A + 710*B)*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(3465*d) + (2*a^2*(11*A + 14*B)*\cos[c + d*x]^3*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(99*d) + (2*a*(803*A + 710*B)*(a + a*\cos[c + d*x])^{(3/2)}*\sin[c + d*x])/(1155*d) + (2*a*B*\cos[c + d*x]^3*(a + a*\cos[c + d*x])^{(3/2)}*\sin[c + d*x])/(11*d)$

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Ssin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Ssin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2759

Int[sin[(e_) + (f_)*(x_)]^2*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := -Simp[(Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Ssin[e + f*x])^m*(b*(m + 1) - a*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si

```
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx &= \frac{2aB \cos^3(c + dx)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{11d} \\ &= \frac{2a^2(11A + 14B) \cos^3(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{99d} \\ &= \frac{2a^3(209A + 194B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(11A + 14B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^3(209A + 194B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(11A + 14B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^3(209A + 194B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} - \frac{4a^2(11A + 14B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^3(803A + 710B) \sin(c + dx)}{495d \sqrt{a + a \cos(c + dx)}} + \frac{2a^3(209A + 194B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 1.13, size = 127, normalized size = 0.54

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} ((68552A + 69890B) \cos(c + dx) + 16(1397A + 1625B) \cos(2(c + dx))) + 5(11A + 32B)a^2 \cos(dx + c)^4 + 5(286A + 355B)a^2 \cos(dx + c)^3 + 3(803A + 710B)a^2 \cos(dx + c)^2 + 3(11A + 32B)a^2 \cos(dx + c) + 3(803A + 710B)a^2}{3465(d \cos(dx + c) + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]), x]
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(124366*A + 114640*B + (68552*A + 69890*B)*Cos[c + d*x] + 16*(1397*A + 1625*B)*Cos[2*(c + d*x)] + 5720*A*Cos[3*(c + d*x)] + 8675*B*Cos[3*(c + d*x)] + 770*A*Cos[4*(c + d*x)] + 2240*B*Cos[4*(c + d*x)] + 315*B*Cos[5*(c + d*x)])*Tan[(c + d*x)/2])/(27720*d)
```

fricas [A] time = 0.67, size = 137, normalized size = 0.58

$$\frac{2(315Ba^2 \cos(dx + c)^5 + 35(11A + 32B)a^2 \cos(dx + c)^4 + 5(286A + 355B)a^2 \cos(dx + c)^3 + 3(803A + 710B)a^2 \cos(dx + c)^2 + 3(11A + 32B)a^2 \cos(dx + c) + 3(803A + 710B)a^2)}{3465(d \cos(dx + c) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] $2/3465*(315*B*a^2*\cos(d*x + c)^5 + 35*(11*A + 32*B)*a^2*\cos(d*x + c)^4 + 5*(286*A + 355*B)*a^2*\cos(d*x + c)^3 + 3*(803*A + 710*B)*a^2*\cos(d*x + c)^2 + 4*(803*A + 710*B)*a^2*\cos(d*x + c) + 8*(803*A + 710*B)*a^2)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/(d*\cos(d*x + c) + d)$

giac [A] time = 0.93, size = 319, normalized size = 1.35

$$\frac{1}{55440} \sqrt{2} \left(\frac{315 B a^2 \operatorname{sgn} \left(\cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left(\frac{11}{2} dx + \frac{11}{2} c \right)}{d} + \frac{385 \left(2 A a^2 \operatorname{sgn} \left(\cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) + 5 B a^2 \operatorname{sgn} \left(\cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) \right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] $1/55440*\sqrt{2}*(315*B*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c))*\sin(11/2*d*x + 11/2*c)/d + 385*(2*A*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) + 5*B*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(9/2*d*x + 9/2*c)/d + 495*(10*A*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) + 13*B*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(7/2*d*x + 7/2*c)/d + 693*(24*A*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) + 25*B*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(5/2*d*x + 5/2*c)/d + 2310*(20*A*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) + 19*B*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(3/2*d*x + 3/2*c)/d + 6930*(14*A*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) + 15*B*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(1/2*d*x + 1/2*c)/d + 27720*(3*A*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) + 2*B*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(1/2*d*x + 1/2*c)/d)*\sqrt{a}$

maple [A] time = 0.34, size = 142, normalized size = 0.60

$$\frac{8 \cos \left(\frac{dx}{2} + \frac{c}{2} \right) a^3 \sin \left(\frac{dx}{2} + \frac{c}{2} \right) \left(-2520 B \left(\sin^{10} \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + (1540 A + 10780 B) \left(\sin^8 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + (-5940 A - 18810 B) \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + (9009 A + 17325 B) \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + (-6930 A - 9240 B) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 3465 A + 3465 B \right) \sqrt{2}}{3465 \sqrt{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)

[Out] $8/3465*\cos(1/2*d*x+1/2*c)*a^3*\sin(1/2*d*x+1/2*c)*(-2520*B*\sin(1/2*d*x+1/2*c)^10+(1540*A+10780*B)*\sin(1/2*d*x+1/2*c)^8+(-5940*A-18810*B)*\sin(1/2*d*x+1/2*c)^6+(9009*A+17325*B)*\sin(1/2*d*x+1/2*c)^4+(-6930*A-9240*B)*\sin(1/2*d*x+1/2*c)^2+3465*A+3465*B)*2^(1/2)/(a*\cos(1/2*d*x+1/2*c)^2)^(1/2)/d$

maxima [A] time = 1.98, size = 207, normalized size = 0.87

$$\frac{22 \left(35 \sqrt{2} a^2 \sin \left(\frac{9}{2} dx + \frac{9}{2} c \right) + 225 \sqrt{2} a^2 \sin \left(\frac{7}{2} dx + \frac{7}{2} c \right) + 756 \sqrt{2} a^2 \sin \left(\frac{5}{2} dx + \frac{5}{2} c \right) + 2100 \sqrt{2} a^2 \sin \left(\frac{3}{2} dx + \frac{3}{2} c \right) + 8190 \sqrt{2} a^2 \sin \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) A \sqrt{a} + 5 \left(63 \sqrt{2} a^2 \sin \left(\frac{11}{2} dx + \frac{11}{2} c \right) + 385 \sqrt{2} a^2 \sin \left(\frac{9}{2} dx + \frac{9}{2} c \right) + 1287 \sqrt{2} a^2 \sin \left(\frac{7}{2} dx + \frac{7}{2} c \right) + 3465 \sqrt{2} a^2 \sin \left(\frac{5}{2} dx + \frac{5}{2} c \right) + 27720 \sqrt{2} a^2 \sin \left(\frac{3}{2} dx + \frac{3}{2} c \right) + 6930 \sqrt{2} a^2 \sin \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) B \sqrt{a}}{55440 \sqrt{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] $1/55440*(22*(35*\sqrt{2})*a^2*\sin(9/2*d*x + 9/2*c) + 225*\sqrt{2})*a^2*\sin(7/2*d*x + 7/2*c) + 756*\sqrt{2})*a^2*\sin(5/2*d*x + 5/2*c) + 2100*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) + 8190*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a} + 5*(63*\sqrt{2})*a^2*\sin(11/2*d*x + 11/2*c) + 385*\sqrt{2})*a^2*\sin(9/2*d*x + 9/2*c) + 1287*\sqrt{2})*a^2*\sin(7/2*d*x + 7/2*c) + 3465*\sqrt{2})*a^2*\sin(5/2*d*x + 5/2*c) + 27720*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) + 6930*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c))*B*\sqrt{a}$

$2*c) + 8778*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) + 31878*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*B*\sqrt{a})/d$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^2 (A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2), x)`

[Out] `int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)), x)`

[Out] Timed out

3.92 $\int \cos(c+dx)(a+a\cos(c+dx))^{5/2}(A+B\cos(c+dx)) dx$

Optimal. Leaf size=175

$$\frac{64a^3(15A+13B)\sin(c+dx)}{315d\sqrt{a\cos(c+dx)+a}} + \frac{16a^2(15A+13B)\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{315d} + \frac{2(9A-2B)\sin(c+dx)(a\cos(c+dx)+a)}{63d}$$

[Out] $2/105*a*(15*A+13*B)*(a+a*\cos(d*x+c))^(3/2)*\sin(d*x+c)/d+2/63*(9*A-2*B)*(a+a*\cos(d*x+c))^(5/2)*\sin(d*x+c)/d+2/9*B*(a+a*\cos(d*x+c))^(7/2)*\sin(d*x+c)/a/d+64/315*a^3*(15*A+13*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)+16/315*a^2*(15*A+13*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^(1/2)/d$

Rubi [A] time = 0.28, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2968, 3023, 2751, 2647, 2646}

$$\frac{16a^2(15A+13B)\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{315d} + \frac{64a^3(15A+13B)\sin(c+dx)}{315d\sqrt{a\cos(c+dx)+a}} + \frac{2(9A-2B)\sin(c+dx)(a\cos(c+dx)+a)}{63d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]*(a + a*\text{Cos}[c + d*x])^(5/2)*(A + B*\text{Cos}[c + d*x]), x]$

[Out] $(64*a^3*(15*A + 13*B)*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (16*a^2*(15*A + 13*B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(315*d) + (2*a*(15*A + 13*B)*(a + a*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(105*d) + (2*(9*A - 2*B)*(a + a*\text{Cos}[c + d*x])^(5/2)*\text{Sin}[c + d*x])/(63*d) + (2*B*(a + a*\text{Cos}[c + d*x])^(7/2)*\text{Sin}[c + d*x])/(9*a*d)$

Rule 2646

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x_Symbol] \text{ :> } \text{Simp}[(-2*b*\text{Cos}[c + d*x])/(d*\text{Sqrt}[a + b*\text{Sin}[c + d*x]]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 2647

$\text{Int}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] \text{ :> } -\text{Simp}[(b*\text{Cos}[c + d*x]*(a + b*\text{Sin}[c + d*x])^(n-1))/(d*n), x] + \text{Dist}[(a*(2*n-1))/n, \text{Int}[(a + b*\text{Sin}[c + d*x])^(n-1), x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[n - 1/2, 0]$

Rule 2751

$\text{Int}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*\sin[(e_) + (f_)*(x_)]), x_Symbol] \text{ :> } -\text{Simp}[(d*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m)/(f*(m+1)), x] + \text{Dist}[(a*d*m + b*c*(m+1))/(b*(m+1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ !\text{LtQ}[m, -2^(-1)]$

Rule 2968

$\text{Int}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])*(c_) + (d_)*\sin[(e_) + (f_)*(x_)], x_Symbol] \text{ :> } \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx &= \int (a + a \cos(c + dx))^{5/2} (A \cos(c + dx) + B \cos^2(c + dx)) dx \\ &= \frac{2B(a + a \cos(c + dx))^{7/2} \sin(c + dx)}{9ad} + \frac{2 \int (a + a \cos(c + dx))^{5/2} (A \cos(c + dx) + B \cos^2(c + dx)) dx}{63d} \\ &= \frac{2(9A - 2B)(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{63d} + \frac{2B \int (a + a \cos(c + dx))^{5/2} dx}{105d} \\ &= \frac{2a(15A + 13B)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{105d} + \frac{2B \int (a + a \cos(c + dx))^{5/2} dx}{315d} \\ &= \frac{16a^2(15A + 13B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{315d} + \frac{2B \int (a + a \cos(c + dx))^{5/2} dx}{315d} \\ &= \frac{64a^3(15A + 13B) \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \frac{16a^2(15A + 13B)\sqrt{a + a \cos(c + dx)}}{315d} \end{aligned}$$

Mathematica [A] time = 0.75, size = 105, normalized size = 0.60

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} ((3030A + 3116B) \cos(c + dx) + 8(90A + 127B) \cos(2(c + dx)) + 90A \cos(3(c + dx)) + 260B \cos(4(c + dx))) \tan\left(\frac{c + dx}{2}\right)}{1260d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(6240*A + 5653*B + (3030*A + 3116*B)*Cos[c
+ d*x] + 8*(90*A + 127*B)*Cos[2*(c + d*x)] + 90*A*Cos[3*(c + d*x)] + 260*B*
Cos[3*(c + d*x)] + 35*B*Cos[4*(c + d*x)])*Tan[(c + d*x)/2])/(1260*d)
```

fricas [A] time = 0.81, size = 116, normalized size = 0.66

$$\frac{2(35Ba^2 \cos(dx + c)^4 + 5(9A + 26B)a^2 \cos(dx + c)^3 + 3(60A + 73B)a^2 \cos(dx + c)^2 + (345A + 292B)a^2 \cos(dx + c) + 2a^2)}{315(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="
fricas")
```

```
[Out] 2/315*(35*B*a^2*cos(d*x + c)^4 + 5*(9*A + 26*B)*a^2*cos(d*x + c)^3 + 3*(60*
A + 73*B)*a^2*cos(d*x + c)^2 + (345*A + 292*B)*a^2*cos(d*x + c) + 2*(345*A
+ 292*B)*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)
```

giac [A] time = 0.86, size = 225, normalized size = 1.29

$$\frac{1}{2520} \sqrt{2} \left(\frac{35Ba^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{9}{2}dx + \frac{9}{2}c\right)}{d} + \frac{45\left(2Aa^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) + 5Ba^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{2520}\sqrt{2}*(35*B*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\sin(9/2*d*x + 9/2*c)/d + 45*(2*A*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c)) + 5*B*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(7/2*d*x + 7/2*c)/d + 126*(5*A*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c)) + 6*B*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(5/2*d*x + 5/2*c)/d + 210*(11*A*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c)) + 10*B*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(3/2*d*x + 3/2*c)/d + 630*(15*A*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c)) + 13*B*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(1/2*d*x + 1/2*c)/d)*\sqrt{a}$

maple [A] time = 0.47, size = 123, normalized size = 0.70

$$\frac{8 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^3 \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(140B \left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-90A - 540B) \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (315A + 819B) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-420A - 630B) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 315A} {315 \sqrt{a} \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)

[Out] $\frac{8}{315}\cos(1/2*d*x+1/2*c)*a^3*\sin(1/2*d*x+1/2*c)*(140*B*\sin(1/2*d*x+1/2*c)^8 + (-90*A-540*B)*\sin(1/2*d*x+1/2*c)^6 + (315*A+819*B)*\sin(1/2*d*x+1/2*c)^4 + (-420*A-630*B)*\sin(1/2*d*x+1/2*c)^2 + 315*A+315*B)*2^{1/2}/(a*\cos(1/2*d*x+1/2*c)^2)^{1/2}/d$

maxima [A] time = 1.02, size = 172, normalized size = 0.98

$$\frac{30 \left(3 \sqrt{2} a^2 \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right) + 21 \sqrt{2} a^2 \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 77 \sqrt{2} a^2 \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 315 \sqrt{2} a^2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{315 \sqrt{a} \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{2520}*(30*(3*\sqrt{2})*a^2*\sin(7/2*d*x + 7/2*c) + 21*\sqrt{2})*a^2*\sin(5/2*d*x + 5/2*c) + 77*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) + 315*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a} + (35*\sqrt{2})*a^2*\sin(9/2*d*x + 9/2*c) + 225*\sqrt{2})*a^2*\sin(7/2*d*x + 7/2*c) + 756*\sqrt{2})*a^2*\sin(5/2*d*x + 5/2*c) + 2100*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) + 8190*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c))*B*\sqrt{a})/d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) (A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2),x)

[Out] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

3.93 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx$

Optimal. Leaf size=138

$$\frac{64a^3(7A + 5B) \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a^2(7A + 5B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{105d} + \frac{2a(7A + 5B) \sin(c + dx)(a \cos(c + dx) + a)}{35d}$$

[Out] $2/35*a*(7*A+5*B)*(a+a*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+2/7*B*(a+a*\cos(d*x+c))^{(5/2)}*\sin(d*x+c)/d+64/105*a^3*(7*A+5*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}$
 $+16/105*a^2*(7*A+5*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.11, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {2751, 2647, 2646}

$$\frac{64a^3(7A + 5B) \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a^2(7A + 5B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{105d} + \frac{2a(7A + 5B) \sin(c + dx)(a \cos(c + dx) + a)}{35d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]

[Out] $(64*a^3*(7*A + 5*B)*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (16*a^2*(7*A + 5*B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(105*d) + (2*a*(7*A + 5*B)*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(35*d) + (2*B*(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sin}[c + d*x])/(7*d)$

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2647

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(a*(2*n - 1))/n, Int[(a + b*Sin[c + d*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx &= \frac{2B(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{1}{7}(7A + 5B) \int (a + a \cos(c + dx))^{5/2} dx \\ &= \frac{2a(7A + 5B)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{35d} + \frac{2B(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7d} \\ &= \frac{16a^2(7A + 5B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{105d} + \frac{2a(7A + 5B)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{35d} \\ &= \frac{64a^3(7A + 5B) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{16a^2(7A + 5B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{105d} \end{aligned}$$

Mathematica [A] time = 0.36, size = 83, normalized size = 0.60

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} ((392A + 505B) \cos(c + dx) + 6(7A + 20B) \cos(2(c + dx)) + 1246A + 210d)}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]

[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(1246*A + 1040*B + (392*A + 505*B)*Cos[c + d*x] + 6*(7*A + 20*B)*Cos[2*(c + d*x)] + 15*B*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(210*d)

fricas [A] time = 0.47, size = 95, normalized size = 0.69

$$\frac{2(15Ba^2 \cos(dx + c)^3 + 3(7A + 20B)a^2 \cos(dx + c)^2 + (98A + 115B)a^2 \cos(dx + c) + (301A + 230B)a^2) \sqrt{a(\cos(dx + c) + 1)}}{105(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 2/105*(15*B*a^2*cos(d*x + c)^3 + 3*(7*A + 20*B)*a^2*cos(d*x + c)^2 + (98*A + 115*B)*a^2*cos(d*x + c) + (301*A + 230*B)*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)

giac [A] time = 1.39, size = 225, normalized size = 1.63

$$\frac{1}{420} \sqrt{2} \left(\frac{15Ba^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{7}{2}dx + \frac{7}{2}c\right)}{d} + \frac{21\left(2Aa^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) + 5Ba^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/420*sqrt(2)*(15*B*a^2*sgn(cos(1/2*d*x + 1/2*c))*sin(7/2*d*x + 7/2*c)/d + 21*(2*A*a^2*sgn(cos(1/2*d*x + 1/2*c)) + 5*B*a^2*sgn(cos(1/2*d*x + 1/2*c)))*sin(5/2*d*x + 5/2*c)/d + 35*(10*A*a^2*sgn(cos(1/2*d*x + 1/2*c)) + 11*B*a^2*sgn(cos(1/2*d*x + 1/2*c)))*sin(3/2*d*x + 3/2*c)/d + 105*(8*A*a^2*sgn(cos(1/2*d*x + 1/2*c)) + 7*B*a^2*sgn(cos(1/2*d*x + 1/2*c)))*sin(1/2*d*x + 1/2*c)/d + 420*(3*A*a^2*sgn(cos(1/2*d*x + 1/2*c)) + 2*B*a^2*sgn(cos(1/2*d*x + 1/2*c)))*sin(1/2*d*x + 1/2*c)/d)*sqrt(a)

maple [A] time = 0.33, size = 104, normalized size = 0.75

$$\frac{8 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^3 \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(-30B \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (21A + 105B) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-70A - 140B) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{105 \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)

[Out] 8/105*cos(1/2*d*x+1/2*c)*a^3*sin(1/2*d*x+1/2*c)*(-30*B*sin(1/2*d*x+1/2*c)^6 + (21*A+105*B)*sin(1/2*d*x+1/2*c)^4 + (-70*A-140*B)*sin(1/2*d*x+1/2*c)^2 + 105*A + 105*B)*2^(1/2)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [A] time = 1.05, size = 139, normalized size = 1.01

$$\frac{14 \left(3 \sqrt{2} a^2 \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 25 \sqrt{2} a^2 \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 150 \sqrt{2} a^2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) A \sqrt{a} + 5 \left(3 \sqrt{2} a^2 \sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 15 \sqrt{2} a^2 \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 15 \sqrt{2} a^2 \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 15 \sqrt{2} a^2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{420d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/420*(14*(3*sqrt(2)*a^2*sin(5/2*d*x + 5/2*c) + 25*sqrt(2)*a^2*sin(3/2*d*x
+ 3/2*c) + 150*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + 5*(3*sqrt(2)*a
^2*sin(7/2*d*x + 7/2*c) + 21*sqrt(2)*a^2*sin(5/2*d*x + 5/2*c) + 77*sqrt(2)*
a^2*sin(3/2*d*x + 3/2*c) + 315*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c))*B*sqrt(a))
/d
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2),x)
```

```
[Out] int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

3.94 $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec(c+dx) dx$

Optimal. Leaf size=142

$$\frac{2a^{5/2} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2a^3(35A + 32B) \sin(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(5A + 8B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{15d} + \dots$$

[Out] $2*a^{(5/2)}*A*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+2/5*a*B*(a+a*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+2/15*a^3*(35*A+32*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/15*a^2*(5*A+8*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.41, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {2976, 2981, 2773, 206}

$$\frac{2a^3(35A + 32B) \sin(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(5A + 8B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{15d} + \frac{2a^{5/2} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \dots$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x], x]`

[Out] $(2*a^{(5/2)}*A*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])]/d + (2*a^3*(35*A + 32*B)*\operatorname{Sin}[c + d*x])/(15*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (2*a^2*(5*A + 8*B)*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*d) + (2*a*B*(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}*\operatorname{Sin}[c + d*x])/(5*d)$

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 2773

`Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]/((c_) + (d_.)*sin[(e_) + (f_.)*(x_)]), x_Symbol] :> Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rule 2976

`Int[((a_) + (b_.)*sin[(e_) + (f_.)*(x_)])^(m_)*((A_) + (B_.)*sin[(e_) + (f_.)*(x_)])^((c_) + (d_.)*sin[(e_) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])`

Rule 2981

`Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]*((A_) + (B_.)*sin[(e_) + (f_.)*(x_)])^((c_) + (d_.)*sin[(e_) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +`

```
b*Sin[e + f*x]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{2aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{2}{5} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx \\ &= \frac{2a^2(5A + 8B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2aB}{5} \int (a + a \cos(c + dx))^{5/2} \sec(c + dx) dx \\ &= \frac{2a^3(35A + 32B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(5A + 8B)\sqrt{a + a \cos(c + dx)}}{15d} \\ &= \frac{2a^3(35A + 32B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(5A + 8B)\sqrt{a + a \cos(c + dx)}}{15d} \\ &= \frac{2a^{5/2} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{2a^3(35A + 32B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.42, size = 104, normalized size = 0.73

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (2(5A + 14B) \cos(c + dx) + 80A + 3B \cos(2(c + dx))) + 80A + 3B \cos(2(c + dx))\right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x], x]
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(15*Sqrt[2]*A*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + (80*A + 89*B + 2*(5*A + 14*B)*Cos[c + d*x] + 3*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(15*d)
```

fricas [A] time = 0.44, size = 177, normalized size = 1.25

$$\frac{15 \left(Aa^2 \cos(dx + c) + Aa^2 \right) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4 \sqrt{a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c)-2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right) + 4 \left(3Ba^2 \cos(dx + c) + 80A + 3B \cos(2(dx + c)) \right)}{30(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="
fricas")
[Out] 1/30*(15*(A*a^2*cos(d*x + c) + A*a^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*c
os(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d
*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*B*a^2*cos(d*x + c)
^2 + (5*A + 14*B)*a^2*cos(d*x + c) + (40*A + 43*B)*a^2)*sqrt(a*cos(d*x + c)
+ a)*sin(d*x + c))/(d*cos(d*x + c) + d)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.28, size = 311, normalized size = 2.19

$$a^{\frac{3}{2}} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(24B\sqrt{a} \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 20\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] $1/15*a^{(3/2)}*\cos(1/2*d*x+1/2*c)*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(24*B*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-20*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*2^{(1/2)}*(A+4*B)*\sin(1/2*d*x+1/2*c)^2+90*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+15*A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a+15*A*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a+120*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$

maxima [A] time = 0.87, size = 61, normalized size = 0.43

$$\frac{\left(3\sqrt{2}a^2\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 25\sqrt{2}a^2\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 150\sqrt{2}a^2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)B\sqrt{a}}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")

[Out] $1/30*(3*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) + 25*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) + 150*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*B*\sqrt{a}/d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x),x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] Timed out

3.95 $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$

Optimal. Leaf size=144

$$\frac{a^{5/2}(5A+2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{a^3(3A+14B) \sin(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} - \frac{a^2(3A-2B) \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d} + \dots$$

[Out] $a^{(5/2)}*(5*A+2*B)*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+1/3*a^{(3)}*(3*A+14*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}-1/3*a^{(2)}*(3*A-2*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+a*A*(a+a*\cos(d*x+c))^{(3/2)}*\tan(d*x+c)/d$

Rubi [A] time = 0.45, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2975, 2976, 2981, 2773, 206}

$$\frac{a^3(3A+14B) \sin(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} - \frac{a^2(3A-2B) \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d} + \frac{a^{5/2}(5A+2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \dots$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^{(5/2)}*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^2, x]$

[Out] $(a^{(5/2)}*(5*A + 2*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/ \operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]])/d + (a^{(3)}*(3*A + 14*B)*\operatorname{Sin}[c + d*x])/ (3*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) - (a^{(2)}*(3*A - 2*B)*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/ (3*d) + (a*A*(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}*\operatorname{Tan}[c + d*x])/d$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/ \operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 2773

$\operatorname{Int}[\operatorname{Sqrt}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]/((c_ + (d_)*\sin[(e_ + (f_)*(x_)) + (f_)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[(-2*b)/f, \operatorname{Subst}[\operatorname{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\operatorname{Cos}[e + f*x])/ \operatorname{Sqrt}[a + b*\sin[e + f*x]]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{NeQ}[c^2 - d^2, 0]$

Rule 2975

$\operatorname{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_))]*(c_ + (d_)*\sin[(e_ + (f_)*(x_)) + (f_)*(x_)]))^{(n_)}, x_Symbol] \rightarrow -\operatorname{Simp}[(b^{(2)}*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)})]/(d*f*(n+1)*(b*c + a*d)), x] - \operatorname{Dist}[b/(d*(n+1)*(b*c + a*d)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)}*\operatorname{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\operatorname{Sin}[e + f*x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \operatorname{GtQ}[m, 1/2] \ \&\& \operatorname{LtQ}[n, -1] \ \&\& \operatorname{IntegerQ}[2*m] \ \&\& (\operatorname{IntegerQ}[2*n] \ || \ \operatorname{EqQ}[c, 0])$

Rule 2976

$\operatorname{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_))]*(c_ + (d_)*\sin[(e_ + (f_)*(x_)) + (f_)*(x_)]))^{(n_)}, x_Symbol] \rightarrow -\operatorname{Simp}[(b*B*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)}]$


```

1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x]
]^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2981

```

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^{3/2} \tan(c + dx)}{d} + \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx \\
&= -\frac{a^2(3A - 2B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx \\
&= \frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} - \frac{a^2(3A - 2B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx \\
&= \frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} - \frac{a^2(3A - 2B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx \\
&= \frac{a^{5/2}(5A + 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} + \frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} - \frac{a^2(3A - 2B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

Mathematica [A] time = 0.56, size = 120, normalized size = 0.83

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (2(3A + 8B) \cos(c + dx) + 3A + B \cos(2(c + dx)))\right)}{6d}$$

Antiderivative was successfully verified.

```

[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]*(3*Sqrt[2]*(5
*A + 2*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*(3*A + B + 2*(
3*A + 8*B)*Cos[c + d*x] + B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(6*d)

```

fricas [A] time = 1.21, size = 202, normalized size = 1.40

$$\frac{3 \left((5A + 2B)a^2 \cos(dx + c)^2 + (5A + 2B)a^2 \cos(dx + c) \right) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{12 \left(d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm
="fricas")

```

```
[Out] 1/12*(3*((5*A + 2*B)*a^2*cos(d*x + c)^2 + (5*A + 2*B)*a^2*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(2*B*a^2*cos(d*x + c)^2 + 2*(3*A + 8*B)*a^2*cos(d*x + c) + 3*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c))
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 1.21, size = 756, normalized size = 5.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)
```

```
[Out] 1/3*a^(3/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(16*B*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4+(-24*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-30*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-30*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-80*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-12*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-12*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^2+18*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+15*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+15*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+36*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+6*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+6*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2))/(2*cos(1/2*d*x+1/2*c)+2^(1/2))/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d
```

maxima [B] time = 2.00, size = 8114, normalized size = 56.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")
```

```
[Out] -1/252*(1449*sqrt(2)*a^2*cos(5/2*d*x + 5/2*c)^3*sin(2*d*x + 2*c) - 1260*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c)^3 - 1449*(sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2)*sin(5/2*d*x + 5/2*c)^3 + 21*(25*sqrt(2)*a^2*cos(2*d*x + 2*c)^2*sin(3/2*d*x + 3/2*c) + 25*sqrt(2)*a^2*sin(2*d*x + 2*c)^2*sin(3/2*d*x + 3/2*c) - 60*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c) + 5*(5*sqrt(2)*a^2*sin(3/2*d*x + 3/2*c) - 12*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c))*cos(2*d*x + 2*c) + (25*sqrt(2)*a^2
```

$$\begin{aligned}
& 2*\cos(3/2*d*x + 3/2*c) + 198*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + \\
& 2*c))*\cos(5/2*d*x + 5/2*c)^2 - 21*(12*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) - 25 \\
& *(sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)* \\
& \sin(3/2*d*x + 3/2*c))*\cos(2*d*x + 2*c)^2 + 21*(25*\sqrt{2}*a^2*\cos(2*d*x + 2 \\
& *c)^2*\sin(3/2*d*x + 3/2*c) + 25*\sqrt{2}*a^2*\sin(2*d*x + 2*c)^2*\sin(3/2*d*x \\
& + 3/2*c) + 69*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 198*\sqrt{2} \\
& *(a^2*\sin(1/2*d*x + 1/2*c) + (25*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 198*\sqrt{2} \\
& *(a^2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 5*(5*\sqrt{2}*a^2*\cos(3/2 \\
& *d*x + 3/2*c) + 12*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c))*\sin(\\
& 5/2*d*x + 5/2*c)^2 - 21*(12*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) - 25*(sqrt{2}* \\
& a^2*\cos(1/2*d*x + 1/2*c)^2 + sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(3/2*d* \\
& x + 3/2*c))*\sin(2*d*x + 2*c)^2 - 35*(sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)^2*\sin \\
& (2*d*x + 2*c) + 2*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x + 1/2*c)*\sin \\
& (2*d*x + 2*c) + sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) + 2*\sqrt{2} \\
& *(a^2*\sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + (sqrt{2} \\
& *(a^2*\cos(1/2*d*x + 1/2*c)^2 + sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2* \\
& d*x + 2*c))*\cos(13/2*d*x + 13/2*c) - 135*(sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)^ \\
& 2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x + 1/2*c) \\
&)*\sin(2*d*x + 2*c) + sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) + \\
& 2*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \\
& (sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin \\
& (2*d*x + 2*c))*\cos(11/2*d*x + 11/2*c) - 98*(sqrt{2}*a^2*\cos(5/2*d*x + 5/2 \\
& *c)^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x + 1 \\
& /2*c)*\sin(2*d*x + 2*c) + sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) \\
&) + 2*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) \\
&) + (sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^ \\
& 2)*\sin(2*d*x + 2*c))*\cos(9/2*d*x + 9/2*c) + 390*(sqrt{2}*a^2*\cos(5/2*d*x + \\
& 5/2*c)^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x \\
& + 1/2*c)*\sin(2*d*x + 2*c) + sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + \\
& 2*c) + 2*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/ \\
& 2*c) + (sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + sqrt{2}*a^2*\sin(1/2*d*x + 1/2* \\
& c)^2)*\sin(2*d*x + 2*c))*\cos(7/2*d*x + 7/2*c) + 21*(50*\sqrt{2}*a^2*\cos(2*d*x \\
& + 2*c)^2*\cos(1/2*d*x + 1/2*c)*\sin(3/2*d*x + 3/2*c) + 50*\sqrt{2}*a^2*\cos(1/ \\
& 2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2*\sin(3/2*d*x + 3/2*c) - 120*\sqrt{2}*a^2*\cos \\
& (1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c) + 10*(5*\sqrt{2}*a^2*\cos(1/2*d*x + 1 \\
& /2*c)*\sin(3/2*d*x + 3/2*c) - 12*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d* \\
& x + 1/2*c))*\cos(2*d*x + 2*c) + (50*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)*\cos(1/2 \\
& *d*x + 1/2*c) + 189*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + 69*\sqrt{2}*a^2*\sin \\
& (1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c))*\cos(5/2*d*x + 5/2*c) - 21*(60*\sqrt{2} \\
&)*a^2*\sin(1/2*d*x + 1/2*c)^3 - 25*(sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + sqrt{2} \\
& *(a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(3/2*d*x + 3/2*c) + 12*(5*\sqrt{2}*a^2*\cos \\
& (1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*a^2)*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2* \\
& c) - 315*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2 + (a^2*\cos \\
& (2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos \\
& (5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2 \\
& *c)^2)*\cos(2*d*x + 2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^ \\
& 2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x \\
& + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + 2*(a^2*\cos(2 \\
& *d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2 \\
& *c)^2 + 2*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2 \\
& *c))*\cos(5/2*d*x + 5/2*c) + 2*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x \\
& + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(a^2*\cos(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2 \\
& *c) + a^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*a^2*\cos(2*d*x + 2*c)* \\
& \sin(1/2*d*x + 1/2*c) + a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\log(\\
& 2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2}*\cos(1/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2}*\sin(1/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 315*(a^2*\cos(1/ \\
& 2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a
\end{aligned}$$

$$\begin{aligned}
& ^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(5/2*d*x + 5/2*c)^2 \\
& + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c)^2 \\
& + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x \\
& + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin \\
& (1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + 2*(a^2*\cos(2*d*x + 2*c)^2*\cos(1/ \\
& 2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2* \\
& d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5 \\
& /2*c) + 2*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d \\
& *x + 2*c) + 2*(a^2*\cos(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + a^2*\sin(2*d*x \\
& + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) \\
& + a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\log(2*\cos(1/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d* \\
& x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d* \\
& x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) - 315*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a \\
& ^2*\sin(1/2*d*x + 1/2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^ \\
& 2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x \\
& + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c)^2 + (a^2*\cos(2*d \\
& *x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(5/ \\
& 2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2) \\
&)*\sin(2*d*x + 2*c)^2 + 2*(a^2*\cos(2*d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + a^2 \\
& *\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d \\
& *x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + 2*(a^2*\cos(1 \\
& /2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(a^2*c \\
& os(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + a^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d*x \\
& + 1/2*c) + 2*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + a^2*\sin(1/2*d*x + \\
& 1/2*c))*\sin(5/2*d*x + 5/2*c))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
& d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
& d*x + 3/2*c))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c)))) + 2) + 315*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2 \\
& *c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x \\
& + 2*c) + a^2)*\cos(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin \\
& (1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin \\
& (2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c)^2 + (\\
& a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 \\
& + 2*(a^2*\cos(2*d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c) \\
&)*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + a^2*c \\
& os(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + 2*(a^2*\cos(1/2*d*x + 1/2*c)^2 + \\
& a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(a^2*\cos(2*d*x + 2*c)^2*\sin \\
& (1/2*d*x + 1/2*c) + a^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*a^2*c \\
& os(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x \\
& + 5/2*c))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2 \\
& *\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*s \\
& qrt(2)*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) + \\
& 35*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 \\
& + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\cos(5/2*d*x + 5/2*c)^2 + (s \\
& qrt(2)*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(5/2*d*x + 5/2*c)^2 + 2*(\sqrt{2} \\
& (2)*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\cos(1/2*d*x + 1 \\
& /2*c))*\cos(5/2*d*x + 5/2*c) + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} \\
& *a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(\sqrt{2}*a^2*\cos(2*d*x + \\
& 2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + \\
& 5/2*c))*\sin(13/2*d*x + 13/2*c) + 135*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \\
& \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2} \\
& (2)*a^2)*\cos(5/2*d*x + 5/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2 \\
& (2)*\sin(5/2*d*x + 5/2*c)^2 + 2*(\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1 \\
& /2*c) + \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + (\sqrt{2}*a \\
& ^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x +
\end{aligned}$$

$$\begin{aligned}
& 2*c) + 2*(\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2}*a^2* \\
& \sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\sin(11/2*d*x + 11/2*c) + 7*(9*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + 9*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 - \\
& (5*\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2 + 5*\sqrt{2}*a^2*\sin(2*d*x + 2*c)^2 - 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) - 9*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)^2 - 5*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2 \\
& *d*x + 2*c)^2 - (5*\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2 + 5*\sqrt{2}*a^2*\sin(2*d*x \\
& + 2*c)^2 - 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) - 9*\sqrt{2}*a^2*\sin(5/2*d*x + 5 \\
& /2*c)^2 - 5*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + \\
& 1/2*c)^2)*\sin(2*d*x + 2*c)^2 - 2*(5*\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2*\cos(1/2 \\
& *d*x + 1/2*c) + 5*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 - 4*\sqrt{2} \\
& *a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) - 9*\sqrt{2}*a^2*\cos(1/2*d*x \\
& + 1/2*c))*\cos(5/2*d*x + 5/2*c) + 4*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \\
& \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) - 2*(5*\sqrt{2}*a^2*\cos \\
& (2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 5*\sqrt{2}*a^2*\sin(2*d*x + 2*c)^2*\sin \\
& (1/2*d*x + 1/2*c) - 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) - 9 \\
& *\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\sin(9/2*d*x + 9/2* \\
& c) - 390*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/ \\
& 2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c))^2 \\
& + (\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c))^2 + 2 \\
& *(\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\cos(1/2*d \\
& *x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} \\
& *a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(\sqrt{2}*a^2*\cos(2* \\
& d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2 \\
& *d*x + 5/2*c))*\sin(7/2*d*x + 7/2*c) - 21*(69*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2* \\
& c)^2 + 189*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 + 69*(\sqrt{2}*a^2*\cos(2*d*x + \\
& 2*c) + \sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c))^2 - 2*(25*\sqrt{2}*a^2*\sin(3/2*d*x \\
& + 3/2*c)*\sin(1/2*d*x + 1/2*c) - 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2 - 2*(25* \\
& \sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c)*\sin(1/2*d*x + 1/2*c) - 6*\sqrt{2}*a^2*\sin(\\
& 2*d*x + 2*c)^2 + 12*\sqrt{2}*a^2 + 138*(\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\cos(1/2 \\
& *d*x + 1/2*c) - \sqrt{2}*a^2*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2} \\
& *a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c) + (69*\sqrt{2}*a^2*\cos(1/2*d \\
& *x + 1/2*c)^2 - 50*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c)*\sin(1/2*d*x + 1/2*c) + \\
& 189*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 + 24*\sqrt{2}*a^2*\cos(2*d*x + 2*c) - \\
& 10*(5*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)*\sin(1/2*d*x + 1/2*c) + 12*\sqrt{2}*a \\
& ^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c))*\sin(5/2*d*x \\
& + 5/2*c) + 105*(12*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^3 + 12*\sqrt{2}*a^2*\cos \\
& (1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c)^2 + 5*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(3/2*d*x + 3/2*c))*\sin(2*d*x \\
& + 2*c) - 252*(5*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2* \\
& d*x + 1/2*c) - 135*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/ \\
& 2*d*x + 1/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2 + \sqrt{2}*a^2*\sin(2*d*x \\
& + 2*c)^2 + 2*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\cos(5/2*d*x + 5/2* \\
& c)^2 + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2* \\
& c)^2)*\cos(2*d*x + 2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2 + \sqrt{2}*a^2*\sin \\
& (2*d*x + 2*c)^2 + 2*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(5/2*d* \\
& x + 5/2*c)^2 + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d* \\
& x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + 2*(\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2*\cos(1/ \\
& 2*d*x + 1/2*c) + \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2} \\
& *a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\cos(1/2*d*x + \\
& 1/2*c))*\cos(5/2*d*x + 5/2*c) + 2*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} \\
& *a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(\sqrt{2}*a^2*\cos(2*d* \\
& x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d* \\
& x + 1/2*c) + 2*\sqrt{2}*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2}* \\
& a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\sin(7/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 63*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 \\
& + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2 + (\sqrt{2}*a^2*\cos(2*d*x + 2*c)^2 + \sqrt{2} \\
& *a^2*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2 \\
&)*\cos(5/2*d*x + 5/2*c)^2 + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2
\end{aligned}$$

$2\sin(1/2dx + 1/2c)^2 \cos(2dx + 2c)^2 + (\sqrt{2})a^2 \cos(2dx + 2c)^2 + \sqrt{2}a^2 \sin(2dx + 2c)^2 + 2\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2 \sin(5/2dx + 5/2c)^2 + (\sqrt{2})a^2 \cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2 \sin(1/2dx + 1/2c)^2 \sin(2dx + 2c)^2 + 2(\sqrt{2})a^2 \cos(2dx + 2c)^2 \cos(1/2dx + 1/2c) + \sqrt{2}a^2 \cos(1/2dx + 1/2c) \sin(2dx + 2c)^2 + 2\sqrt{2}a^2 \cos(2dx + 2c) \cos(1/2dx + 1/2c) + \sqrt{2}a^2 \cos(1/2dx + 1/2c) \cos(5/2dx + 5/2c) + 2(\sqrt{2})a^2 \cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2 \sin(1/2dx + 1/2c)^2 \cos(2dx + 2c) + 2(\sqrt{2})a^2 \cos(2dx + 2c)^2 \sin(1/2dx + 1/2c) + \sqrt{2}a^2 \sin(2dx + 2c)^2 \sin(1/2dx + 1/2c) + 2\sqrt{2}a^2 \cos(2dx + 2c) \sin(1/2dx + 1/2c) + \sqrt{2}a^2 \sin(1/2dx + 1/2c) \sin(5/2dx + 5/2c) \sin(5/3 \arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))) + 1260(\sqrt{2})a^2 \cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2 \sin(1/2dx + 1/2c)^2 + (\sqrt{2})a^2 \cos(2dx + 2c)^2 + \sqrt{2}a^2 \sin(2dx + 2c)^2 + 2\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2 \cos(5/2dx + 5/2c)^2 + (\sqrt{2})a^2 \cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2 \sin(1/2dx + 1/2c)^2 \cos(2dx + 2c)^2 + (\sqrt{2})a^2 \cos(2dx + 2c)^2 + \sqrt{2}a^2 \sin(2dx + 2c)^2 + 2\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2 \sin(5/2dx + 5/2c)^2 + (\sqrt{2})a^2 \cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2 \sin(1/2dx + 1/2c)^2 \sin(2dx + 2c)^2 + 2(\sqrt{2})a^2 \cos(2dx + 2c)^2 \cos(1/2dx + 1/2c) + \sqrt{2}a^2 \cos(1/2dx + 1/2c) \sin(2dx + 2c)^2 + 2\sqrt{2}a^2 \cos(2dx + 2c) \cos(1/2dx + 1/2c) + \sqrt{2}a^2 \cos(1/2dx + 1/2c) \cos(5/2dx + 5/2c) + 2(\sqrt{2})a^2 \cos(1/2dx + 1/2c)^2 + \sqrt{2}a^2 \sin(1/2dx + 1/2c)^2 \cos(2dx + 2c) + 2(\sqrt{2})a^2 \cos(2dx + 2c)^2 \sin(1/2dx + 1/2c) + \sqrt{2}a^2 \sin(2dx + 2c)^2 \sin(1/2dx + 1/2c) + 2\sqrt{2}a^2 \cos(2dx + 2c) \sin(1/2dx + 1/2c) + \sqrt{2}a^2 \sin(1/2dx + 1/2c) \sin(5/2dx + 5/2c) \sin(1/3 \arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))) \cdot A \sqrt{a} / (((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1) \cos(5/2dx + 5/2c)^2 + (\cos(1/2dx + 1/2c)^2 + \sin(1/2dx + 1/2c)^2) \cos(2dx + 2c)^2 + (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1) \sin(5/2dx + 5/2c)^2 + (\cos(1/2dx + 1/2c)^2 + \sin(1/2dx + 1/2c)^2) \sin(2dx + 2c)^2 + 2(\cos(2dx + 2c)^2 \cos(1/2dx + 1/2c) + \cos(1/2dx + 1/2c) \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) \cos(1/2dx + 1/2c) + \cos(1/2dx + 1/2c) \cos(5/2dx + 5/2c) + 2(\cos(1/2dx + 1/2c)^2 + \sin(1/2dx + 1/2c)^2) \cos(2dx + 2c) + \cos(1/2dx + 1/2c)^2 + 2(\cos(2dx + 2c)^2 \sin(1/2dx + 1/2c) + \sin(2dx + 2c)^2 \sin(1/2dx + 1/2c) + 2\cos(2dx + 2c) \sin(1/2dx + 1/2c) + \sin(1/2dx + 1/2c) \sin(5/2dx + 5/2c) + \sin(1/2dx + 1/2c)^2) \cdot d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^2,x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)

[Out] Timed out

3.96 $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^3(c+dx) dx$

Optimal. Leaf size=156

$$\frac{a^{5/2}(19A + 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} - \frac{a^3(9A - 4B) \sin(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(7A + 4B) \tan(c + dx)\sqrt{a \cos(c + dx) + a}}{4d}$$

[Out] 1/4*a^(5/2)*(19*A+20*B)*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d-1/4*a^3*(9*A-4*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/2*a*A*(a+a*cos(d*x+c))^(3/2)*sec(d*x+c)*tan(d*x+c)/d+1/4*a^2*(7*A+4*B)*(a+a*cos(d*x+c))^(1/2)*tan(d*x+c)/d

Rubi [A] time = 0.47, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2975, 2981, 2773, 206}

$$-\frac{a^3(9A - 4B) \sin(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(7A + 4B) \tan(c + dx)\sqrt{a \cos(c + dx) + a}}{4d} + \frac{a^{5/2}(19A + 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

[Out] (a^(5/2)*(19*A + 20*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]/(4*d) - (a^3*(9*A - 4*B)*Sin[c + d*x]/(4*d*Sqrt[a + a*Cos[c + d*x]])) + (a^2*(7*A + 4*B)*Sqrt[a + a*Cos[c + d*x]]*Tan[c + d*x]/(4*d) + (a*A*(a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]*Tan[c + d*x])/(2*d))

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2773

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2975

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp

```
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^{3/2} \sec(c + dx) \tan(c + dx)}{2d} + \\ &= \frac{a^2(7A + 4B)\sqrt{a + a \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA}{4d} \\ &= -\frac{a^3(9A - 4B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(7A + 4B)\sqrt{a + a \cos(c + dx)}}{4d} \\ &= -\frac{a^3(9A - 4B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(7A + 4B)\sqrt{a + a \cos(c + dx)}}{4d} \\ &= \frac{a^{5/2}(19A + 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4d} - \frac{a^3(9A - 4B)}{4d\sqrt{a - a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.68, size = 126, normalized size = 0.81

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((11A + 4B) \cos(c + dx) + 2(A + 2B \cos(2(c + dx))))\right)}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^2*(Sqrt[2]*(1
9*A + 20*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^2 + 2*((11*A + 4
*B)*Cos[c + d*x] + 2*(A + 2*B + 2*B*Cos[2*(c + d*x)]))*Sin[(c + d*x)/2]))/(
8*d)
```

fricas [A] time = 0.61, size = 204, normalized size = 1.31

$$\frac{\left((19A + 20B)a^2 \cos(dx + c)^3 + (19A + 20B)a^2 \cos(dx + c)^2\right) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{16(d \cos(dx + c) + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm
="fricas")
[Out] 1/16*(((19*A + 20*B)*a^2*cos(d*x + c)^3 + (19*A + 20*B)*a^2*cos(d*x + c)^2)
*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c)
+ a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(
d*x + c)^2)) + 4*(8*B*a^2*cos(d*x + c)^2 + (11*A + 4*B)*a^2*cos(d*x + c) +
2*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(
d*x + c)^2)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.19, size = 1016, normalized size = 6.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)

[Out] $\frac{1}{2}a^{3/2}\cos(1/2dx+1/2c)*(a\sin(1/2dx+1/2c))^2)^{1/2}*((76A\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a+76A\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a+64B2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}+80B\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a+80B\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a)\sin(1/2dx+1/2c)^4+(-44A2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}-76A\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a-76A\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a-80B2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}-80B\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a-80B\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a)\sin(1/2dx+1/2c)^2+26A2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}+19A\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a+19A\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a+24B2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}+20B\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a+20B\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c))^2)^{1/2}a^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a)/(2\cos(1/2dx+1/2c)-2^{1/2})^2/(2\cos(1/2dx+1/2c)+2^{1/2})^2/\sin(1/2dx+1/2c)/(a\cos(1/2dx+1/2c))^2)^{1/2}/d$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^3,x)

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^3, x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)
```

```
[Out] Timed out
```

3.97 $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^4(c+dx) dx$

Optimal. Leaf size=164

$$\frac{a^{5/2}(25A + 38B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^3(49A + 54B) \tan(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(3A + 2B) \tan(c + dx) \sec(c + dx)\sqrt{a}}{4d}$$

[Out] $1/8*a^{(5/2)}*(25*A+38*B)*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+1/3*a*A*(a+a*\cos(d*x+c))^{(3/2)}*\sec(d*x+c)^2*\tan(d*x+c)/d+1/24*a^3*(49*A+54*B)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/4*a^2*(3*A+2*B)*\sec(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 0.53, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2975, 2980, 2773, 206}

$$\frac{a^3(49A + 54B) \tan(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{a^{5/2}(25A + 38B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(3A + 2B) \tan(c + dx) \sec(c + dx)\sqrt{a}}{4d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^{(5/2)}*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^4, x]$

[Out] $(a^{(5/2)}*(25*A + 38*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/ \operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]])/(8*d) + (a^3*(49*A + 54*B)*\operatorname{Tan}[c + d*x])/(24*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (a^2*(3*A + 2*B)*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(4*d) + (a*A*(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/(3*d)$

Rule 206

$\operatorname{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/ \operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2773

$\operatorname{Int}[\operatorname{Sqrt}[(a + b*\sin[(e + f*x)])]/((c + d*\sin[(e + f*x)])*(x)), x_Symbol] \rightarrow \operatorname{Dist}[(-2*b)/f, \operatorname{Subst}[\operatorname{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\operatorname{Cos}[e + f*x])/ \operatorname{Sqrt}[a + b*\sin[e + f*x]]], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2975

$\operatorname{Int}[(a + b*\sin[(e + f*x)])^m * ((A + B*\sin[(e + f*x)]) * ((c + d*\sin[(e + f*x)])^n), x_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] - \operatorname{Dist}[b/(d*(n+1)*(b*c + a*d)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)}*\operatorname{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*\operatorname{Sin}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2980

$\operatorname{Int}[\operatorname{Sqrt}[(a + b*\sin[(e + f*x)]) * ((A + B*\sin[(e + f*x)]) * ((c + d*\sin[(e + f*x)])^n), x_Symbol] \rightarrow -\operatorname{Sim}$

$p[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(n + 1)*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \& \& \text{NeQ}[b*c - a*d, 0] \& \& \text{EqQ}[a^2 - b^2, 0] \& \& \text{NeQ}[c^2 - d^2, 0] \& \& \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^{3/2} \sec^2(c + dx) \tan(c + dx)}{3d} + \\ &= \frac{a^2(3A + 2B)\sqrt{a + a \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a^3(49A + 54B) \tan(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(3A + 2B)\sqrt{a + a \cos(c + dx)}}{24d} \\ &= \frac{a^3(49A + 54B) \tan(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(3A + 2B)\sqrt{a + a \cos(c + dx)}}{24d} \\ &= \frac{a^{5/2}(25A + 38B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{a^3(49A + 54B) \tan(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 1.11, size = 131, normalized size = 0.80

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (4(17A + 6B) \cos(c + dx) + (75A + 66B) \cos\left(\frac{1}{2}(c + dx)\right))\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
 [Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^3*(3*Sqrt[2]*(25*A + 38*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (91*A + 66*B + 4*(17*A + 6*B)*Cos[c + d*x] + (75*A + 66*B)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d)

fricas [A] time = 0.62, size = 212, normalized size = 1.29

$$\frac{3\left((25A + 38B)a^2 \cos(dx + c)^4 + (25A + 38B)a^2 \cos(dx + c)^3\right)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a}{\cos(dx+c)^3 + \cos(dx+c)}\right)}{96(d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")
 [Out] 1/96*(3*((25*A + 38*B)*a^2*cos(d*x + c)^4 + (25*A + 38*B)*a^2*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(25*A + 22*B)*a^2*cos(d*x + c)^2 + 2*(17*A + 6*B)*a^2*cos(d*x + c) + 8*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 1.46, size = 1310, normalized size = 7.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)
```

```
[Out] 1/6*a^(3/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*a*(25*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+25*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+38*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+38*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)))*sin(1/2*d*x+1/2*c)^6+12*(50*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+44*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+75*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+75*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+114*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+114*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^4+(-736*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-450*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-450*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-576*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-684*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-684*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^2+234*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+75*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+75*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+156*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+114*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+114*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2))^3/(2*cos(1/2*d*x+1/2*c)+2^(1/2))^3/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d
```

maxima [B] time = 8.02, size = 7994, normalized size = 48.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")
```

```
[Out] -1/96*((1530*a^2*cos(4*d*x + 4*c)^2*sin(3/2*d*x + 3/2*c) + 1530*a^2*cos(2*d*x + 2*c)^2*sin(3/2*d*x + 3/2*c) + 1530*a^2*sin(4*d*x + 4*c)^2*sin(3/2*d*x
```

$$\begin{aligned}
& + 3/2*c) + 1530*a^2*\sin(2*d*x + 2*c)^2*\sin(3/2*d*x + 3/2*c) + 4176*a^2*\cos(\\
& 7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) + 2430*a^2*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x \\
& + 2*c) + 678*a^2*\cos(3/2*d*x + 3/2*c)*\sin(2*d*x + 2*c) + 342*a^2*\cos(2*d*x \\
& + 2*c)*\sin(3/2*d*x + 3/2*c) + 10*(a^2*\sin(9/2*d*x + 9/2*c) + 17*a^2*\sin(3/ \\
& 2*d*x + 3/2*c))*\cos(6*d*x + 6*c)^2 + 10*(a^2*\sin(9/2*d*x + 9/2*c) + 17*a^2* \\
& \sin(3/2*d*x + 3/2*c))*\sin(6*d*x + 6*c)^2 - 56*a^2*\sin(3/2*d*x + 3/2*c) + 10 \\
& *(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(2*d*x + 2*c))*c \\
& \cos(21/2*d*x + 21/2*c) - 30*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + \\
& 3*a^2*\sin(2*d*x + 2*c))*\cos(19/2*d*x + 19/2*c) - 48*(a^2*\sin(6*d*x + 6*c) \\
& + 3*a^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(2*d*x + 2*c))*\cos(17/2*d*x + 17/2*c) + \\
& 80*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(2*d*x + 2*c) \\
&)*\cos(15/2*d*x + 15/2*c) + 396*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4* \\
& c) + 3*a^2*\sin(2*d*x + 2*c))*\cos(13/2*d*x + 13/2*c) + 6*(170*a^2*\cos(4*d*x \\
& + 4*c)*\sin(3/2*d*x + 3/2*c) + 170*a^2*\cos(2*d*x + 2*c)*\sin(3/2*d*x + 3/2*c) \\
& - 170*a^2*\sin(11/2*d*x + 11/2*c) - 232*a^2*\sin(7/2*d*x + 7/2*c) - 135*a^2* \\
& \sin(5/2*d*x + 5/2*c) + 19*a^2*\sin(3/2*d*x + 3/2*c) + 10*(a^2*\cos(4*d*x + 4* \\
& c) + a^2*\cos(2*d*x + 2*c) - 25*a^2)*\sin(9/2*d*x + 9/2*c))*\cos(6*d*x + 6*c) \\
& + 3060*(a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\cos(11/2*d*x + 11/2*c) \\
& + 4560*(a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\cos(9/2*d*x + 9/2*c) \\
& + 18*(170*a^2*\cos(2*d*x + 2*c)*\sin(3/2*d*x + 3/2*c) - 232*a^2*\sin(7/2*d*x + \\
& 7/2*c) - 135*a^2*\sin(5/2*d*x + 5/2*c) + 19*a^2*\sin(3/2*d*x + 3/2*c))*\cos(4 \\
& *d*x + 4*c) - 75*(\sqrt{2})*a^2*\cos(6*d*x + 6*c)^2 + 9*\sqrt{2})*a^2*\cos(4*d*x \\
& + 4*c)^2 + 9*\sqrt{2})*a^2*\cos(2*d*x + 2*c)^2 + \sqrt{2})*a^2*\sin(6*d*x + 6*c)^ \\
& 2 + 9*\sqrt{2})*a^2*\sin(4*d*x + 4*c)^2 + 18*\sqrt{2})*a^2*\sin(4*d*x + 4*c)*\sin(\\
& 2*d*x + 2*c) + 9*\sqrt{2})*a^2*\sin(2*d*x + 2*c)^2 + 6*\sqrt{2})*a^2*\cos(2*d*x + \\
& 2*c) + \sqrt{2})*a^2 + 2*(3*\sqrt{2})*a^2*\cos(4*d*x + 4*c) + 3*\sqrt{2})*a^2*\cos \\
& (2*d*x + 2*c) + \sqrt{2})*a^2)*\cos(6*d*x + 6*c) + 6*(3*\sqrt{2})*a^2*\cos(2*d*x \\
& + 2*c) + \sqrt{2})*a^2)*\cos(4*d*x + 4*c) + 6*(\sqrt{2})*a^2*\sin(4*d*x + 4*c) + \\
& \sqrt{2})*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/3*\arctan2(\sin(3 \\
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2})*\cos(1/3*\arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2})*\sin(1/3*\arctan2(\sin(3/2*d*x + 3 \\
& /2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 75*(\sqrt{2})*a^2*\cos(6*d*x + 6*c)^2 + 9 \\
& *\sqrt{2})*a^2*\cos(4*d*x + 4*c)^2 + 9*\sqrt{2})*a^2*\cos(2*d*x + 2*c)^2 + \sqrt{2} \\
&))*a^2*\sin(6*d*x + 6*c)^2 + 9*\sqrt{2})*a^2*\sin(4*d*x + 4*c)^2 + 18*\sqrt{2})*a^ \\
& 2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sqrt{2})*a^2*\sin(2*d*x + 2*c)^2 + 6* \\
& \sqrt{2})*a^2*\cos(2*d*x + 2*c) + \sqrt{2})*a^2 + 2*(3*\sqrt{2})*a^2*\cos(4*d*x + 4 \\
& *c) + 3*\sqrt{2})*a^2*\cos(2*d*x + 2*c) + \sqrt{2})*a^2)*\cos(6*d*x + 6*c) + 6*(3 \\
& *\sqrt{2})*a^2*\cos(2*d*x + 2*c) + \sqrt{2})*a^2)*\cos(4*d*x + 4*c) + 6*(\sqrt{2})* \\
& a^2*\sin(4*d*x + 4*c) + \sqrt{2})*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(\\
& 2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2})*\cos(1/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2})*\sin(1/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 75*(\sqrt{2})*a^2 \\
& *\cos(6*d*x + 6*c)^2 + 9*\sqrt{2})*a^2*\cos(4*d*x + 4*c)^2 + 9*\sqrt{2})*a^2*\cos(\\
& 2*d*x + 2*c)^2 + \sqrt{2})*a^2*\sin(6*d*x + 6*c)^2 + 9*\sqrt{2})*a^2*\sin(4*d*x + \\
& 4*c)^2 + 18*\sqrt{2})*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sqrt{2})*a^2* \\
& \sin(2*d*x + 2*c)^2 + 6*\sqrt{2})*a^2*\cos(2*d*x + 2*c) + \sqrt{2})*a^2 + 2*(3*\sq \\
& rt(2)*a^2*\cos(4*d*x + 4*c) + 3*\sqrt{2})*a^2*\cos(2*d*x + 2*c) + \sqrt{2})*a^2)* \\
& \cos(6*d*x + 6*c) + 6*(3*\sqrt{2})*a^2*\cos(2*d*x + 2*c) + \sqrt{2})*a^2)*\cos(4*d \\
& *x + 4*c) + 6*(\sqrt{2})*a^2*\sin(4*d*x + 4*c) + \sqrt{2})*a^2*\sin(2*d*x + 2*c) \\
&)*\sin(6*d*x + 6*c))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&))^2 - 2*\sqrt{2})*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&)) + 2*\sqrt{2})*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 2) + 75*(\sqrt{2})*a^2*\cos(6*d*x + 6*c)^2 + 9*\sqrt{2})*a^2*\cos(4*d*x + 4*c) \\
& ^2 + 9*\sqrt{2})*a^2*\cos(2*d*x + 2*c)^2 + \sqrt{2})*a^2*\sin(6*d*x + 6*c)^2 + 9* \\
& \sqrt{2})*a^2*\sin(4*d*x + 4*c)^2 + 18*\sqrt{2})*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x \\
& + 2*c) + 9*\sqrt{2})*a^2*\sin(2*d*x + 2*c)^2 + 6*\sqrt{2})*a^2*\cos(2*d*x + 2*c)
\end{aligned}$$

$$\begin{aligned}
& + \sqrt{2} * a^2 + 2 * (3 * \sqrt{2}) * a^2 * \cos(4 * d * x + 4 * c) + 3 * \sqrt{2} * a^2 * \cos(2 * d * x \\
& + 2 * c) + \sqrt{2} * a^2 * \cos(6 * d * x + 6 * c) + 6 * (3 * \sqrt{2}) * a^2 * \cos(2 * d * x + 2 * c) \\
& + \sqrt{2} * a^2 * \cos(4 * d * x + 4 * c) + 6 * (\sqrt{2}) * a^2 * \sin(4 * d * x + 4 * c) + \sqrt{2} (2 \\
&) * a^2 * \sin(2 * d * x + 2 * c) * \sin(6 * d * x + 6 * c) * \log(2 * \cos(1/3 * \arctan 2(\sin(3/2 * d * x \\
& + 3/2 * c), \cos(3/2 * d * x + 3/2 * c)))^2 + 2 * \sin(1/3 * \arctan 2(\sin(3/2 * d * x + 3/2 * c \\
&), \cos(3/2 * d * x + 3/2 * c)))^2 - 2 * \sqrt{2} * \cos(1/3 * \arctan 2(\sin(3/2 * d * x + 3/2 * c \\
&), \cos(3/2 * d * x + 3/2 * c))) - 2 * \sqrt{2} * \sin(1/3 * \arctan 2(\sin(3/2 * d * x + 3/2 * c), \\
& \cos(3/2 * d * x + 3/2 * c))) + 2) - 10 * (a^2 * \cos(6 * d * x + 6 * c) + 3 * a^2 * \cos(4 * d * x + \\
& 4 * c) + 3 * a^2 * \cos(2 * d * x + 2 * c) + a^2) * \sin(21/2 * d * x + 21/2 * c) + 30 * (a^2 * \cos(\\
& 6 * d * x + 6 * c) + 3 * a^2 * \cos(4 * d * x + 4 * c) + 3 * a^2 * \cos(2 * d * x + 2 * c) + a^2) * \sin(1 \\
& 9/2 * d * x + 19/2 * c) + 48 * (a^2 * \cos(6 * d * x + 6 * c) + 3 * a^2 * \cos(4 * d * x + 4 * c) + 3 * a \\
& ^2 * \cos(2 * d * x + 2 * c) + a^2) * \sin(17/2 * d * x + 17/2 * c) - 80 * (a^2 * \cos(6 * d * x + 6 * c \\
&) + 3 * a^2 * \cos(4 * d * x + 4 * c) + 3 * a^2 * \cos(2 * d * x + 2 * c) + a^2) * \sin(15/2 * d * x + 1 \\
& 5/2 * c) - 396 * (a^2 * \cos(6 * d * x + 6 * c) + 3 * a^2 * \cos(4 * d * x + 4 * c) + 3 * a^2 * \cos(2 * d \\
& * x + 2 * c) + a^2) * \sin(13/2 * d * x + 13/2 * c) + 2 * (510 * a^2 * \sin(4 * d * x + 4 * c) * \sin(3 \\
& /2 * d * x + 3/2 * c) + 510 * a^2 * \sin(2 * d * x + 2 * c) * \sin(3/2 * d * x + 3/2 * c) + 510 * a^2 * c \\
& \cos(11/2 * d * x + 11/2 * c) + 760 * a^2 * \cos(9/2 * d * x + 9/2 * c) + 696 * a^2 * \cos(7/2 * d * x \\
& + 7/2 * c) + 405 * a^2 * \cos(5/2 * d * x + 5/2 * c) + 113 * a^2 * \cos(3/2 * d * x + 3/2 * c) + 30 \\
& * (a^2 * \sin(4 * d * x + 4 * c) + a^2 * \sin(2 * d * x + 2 * c)) * \sin(9/2 * d * x + 9/2 * c) * \sin(6 * \\
& d * x + 6 * c) - 1020 * (3 * a^2 * \cos(4 * d * x + 4 * c) + 3 * a^2 * \cos(2 * d * x + 2 * c) + a^2) * s \\
& \sin(11/2 * d * x + 11/2 * c) + 10 * (9 * a^2 * \cos(4 * d * x + 4 * c)^2 + 9 * a^2 * \cos(2 * d * x + 2 * \\
& c)^2 + 9 * a^2 * \sin(4 * d * x + 4 * c)^2 + 18 * a^2 * \sin(4 * d * x + 4 * c) * \sin(2 * d * x + 2 * c) \\
& + 9 * a^2 * \sin(2 * d * x + 2 * c)^2 - 450 * a^2 * \cos(2 * d * x + 2 * c) - 151 * a^2 + 18 * (a^2 * c \\
& \cos(2 * d * x + 2 * c) - 25 * a^2) * \cos(4 * d * x + 4 * c) * \sin(9/2 * d * x + 9/2 * c) + 6 * (510 * a \\
& ^2 * \sin(2 * d * x + 2 * c) * \sin(3/2 * d * x + 3/2 * c) + 696 * a^2 * \cos(7/2 * d * x + 7/2 * c) + 4 \\
& 05 * a^2 * \cos(5/2 * d * x + 5/2 * c) + 113 * a^2 * \cos(3/2 * d * x + 3/2 * c) * \sin(4 * d * x + 4 * c \\
&) - 1392 * (3 * a^2 * \cos(2 * d * x + 2 * c) + a^2) * \sin(7/2 * d * x + 7/2 * c) - 810 * (3 * a^2 * c \\
& \cos(2 * d * x + 2 * c) + a^2) * \sin(5/2 * d * x + 5/2 * c) - 30 * (a^2 * \cos(6 * d * x + 6 * c)^2 + \\
& 9 * a^2 * \cos(4 * d * x + 4 * c)^2 + 9 * a^2 * \cos(2 * d * x + 2 * c)^2 + a^2 * \sin(6 * d * x + 6 * c)^ \\
& 2 + 9 * a^2 * \sin(4 * d * x + 4 * c)^2 + 18 * a^2 * \sin(4 * d * x + 4 * c) * \sin(2 * d * x + 2 * c) + 9 \\
& * a^2 * \sin(2 * d * x + 2 * c)^2 + 6 * a^2 * \cos(2 * d * x + 2 * c) + a^2 + 2 * (3 * a^2 * \cos(4 * d * x \\
& + 4 * c) + 3 * a^2 * \cos(2 * d * x + 2 * c) + a^2) * \cos(6 * d * x + 6 * c) + 6 * (3 * a^2 * \cos(2 * d \\
& * x + 2 * c) + a^2) * \cos(4 * d * x + 4 * c) + 6 * (a^2 * \sin(4 * d * x + 4 * c) + a^2 * \sin(2 * d * x \\
& + 2 * c)) * \sin(6 * d * x + 6 * c) * \sin(7/3 * \arctan 2(\sin(3/2 * d * x + 3/2 * c), \cos(3/2 * d * \\
& x + 3/2 * c))) - 78 * (a^2 * \cos(6 * d * x + 6 * c)^2 + 9 * a^2 * \cos(4 * d * x + 4 * c)^2 + 9 * a^ \\
& 2 * \cos(2 * d * x + 2 * c)^2 + a^2 * \sin(6 * d * x + 6 * c)^2 + 9 * a^2 * \sin(4 * d * x + 4 * c)^2 + \\
& 18 * a^2 * \sin(4 * d * x + 4 * c) * \sin(2 * d * x + 2 * c) + 9 * a^2 * \sin(2 * d * x + 2 * c)^2 + 6 * a^2 \\
& * \cos(2 * d * x + 2 * c) + a^2 + 2 * (3 * a^2 * \cos(4 * d * x + 4 * c) + 3 * a^2 * \cos(2 * d * x + 2 * c \\
&) + a^2) * \cos(6 * d * x + 6 * c) + 6 * (3 * a^2 * \cos(2 * d * x + 2 * c) + a^2) * \cos(4 * d * x + 4 * \\
& c) + 6 * (a^2 * \sin(4 * d * x + 4 * c) + a^2 * \sin(2 * d * x + 2 * c)) * \sin(6 * d * x + 6 * c) * \sin(\\
& 5/3 * \arctan 2(\sin(3/2 * d * x + 3/2 * c), \cos(3/2 * d * x + 3/2 * c))) + 600 * (a^2 * \cos(6 * d \\
& * x + 6 * c)^2 + 9 * a^2 * \cos(4 * d * x + 4 * c)^2 + 9 * a^2 * \cos(2 * d * x + 2 * c)^2 + a^2 * \sin \\
& (6 * d * x + 6 * c)^2 + 9 * a^2 * \sin(4 * d * x + 4 * c)^2 + 18 * a^2 * \sin(4 * d * x + 4 * c) * \sin(2 * \\
& d * x + 2 * c) + 9 * a^2 * \sin(2 * d * x + 2 * c)^2 + 6 * a^2 * \cos(2 * d * x + 2 * c) + a^2 + 2 * (3 \\
& * a^2 * \cos(4 * d * x + 4 * c) + 3 * a^2 * \cos(2 * d * x + 2 * c) + a^2) * \cos(6 * d * x + 6 * c) + 6 * \\
& (3 * a^2 * \cos(2 * d * x + 2 * c) + a^2) * \cos(4 * d * x + 4 * c) + 6 * (a^2 * \sin(4 * d * x + 4 * c) + \\
& a^2 * \sin(2 * d * x + 2 * c)) * \sin(6 * d * x + 6 * c) * \sin(1/3 * \arctan 2(\sin(3/2 * d * x + 3/2 * \\
& c), \cos(3/2 * d * x + 3/2 * c)))) * A * \sqrt{a} / (\sqrt{2} * \cos(6 * d * x + 6 * c)^2 + 9 * \sqrt{2} (\\
& 2) * \cos(4 * d * x + 4 * c)^2 + 9 * \sqrt{2} * \cos(2 * d * x + 2 * c)^2 + \sqrt{2} * \sin(6 * d * x + \\
& 6 * c)^2 + 9 * \sqrt{2} * \sin(4 * d * x + 4 * c)^2 + 18 * \sqrt{2} * \sin(4 * d * x + 4 * c) * \sin(2 * d \\
& * x + 2 * c) + 9 * \sqrt{2} * \sin(2 * d * x + 2 * c)^2 + 2 * (3 * \sqrt{2}) * \cos(4 * d * x + 4 * c) + \\
& 3 * \sqrt{2} * \cos(2 * d * x + 2 * c) + \sqrt{2}) * \cos(6 * d * x + 6 * c) + 6 * (3 * \sqrt{2}) * \cos(2 \\
& * d * x + 2 * c) + \sqrt{2}) * \cos(4 * d * x + 4 * c) + 6 * (\sqrt{2}) * \sin(4 * d * x + 4 * c) + \sqrt{2} \\
& * \sin(2 * d * x + 2 * c) * \sin(6 * d * x + 6 * c) + 6 * \sqrt{2} * \cos(2 * d * x + 2 * c) + \sqrt{2} \\
& (2) + 6 * (150 * \sqrt{2}) * a^2 * \cos(7/2 * d * x + 7/2 * c) * \sin(2 * d * x + 2 * c) + 154 * \sqrt{2} (\\
& 2) * a^2 * \cos(5/2 * d * x + 5/2 * c) * \sin(2 * d * x + 2 * c) - 28 * \sqrt{2} * a^2 * \sin(3/2 * d * x + \\
& 3/2 * c) + 44 * \sqrt{2} * a^2 * \sin(1/2 * d * x + 1/2 * c) - (3 * \sqrt{2}) * a^2 * \sin(7/2 * d * x \\
& + 7/2 * c) + 5 * \sqrt{2} * a^2 * \sin(5/2 * d * x + 5/2 * c) - 17 * \sqrt{2} * a^2 * \sin(3/2 * d * x \\
& + 3/2 * c) - 55 * \sqrt{2} * a^2 * \sin(1/2 * d * x + 1/2 * c) + 19 * a^2 * \log(2 * \cos(1/2 * d * x +
\end{aligned}$$


```

*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/
2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*log(2*cos(1/2
*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c)
- 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c) + 3*(4*sqrt(2)*a^2
*cos(2*d*x + 2*c) + 27*sqrt(2)*a^2)*sin(7/2*d*x + 7/2*c) + (20*sqrt(2)*a^2*
cos(2*d*x + 2*c) + 87*sqrt(2)*a^2)*sin(5/2*d*x + 5/2*c))*cos(4*d*x + 4*c) -
2*(11*sqrt(2)*a^2*sin(3/2*d*x + 3/2*c) - 99*sqrt(2)*a^2*sin(1/2*d*x + 1/2*
c) + 38*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sq
rt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 38*a^2*lo
g(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d
*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 38*a^2*log(2*cos(1/2*d*
x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) +
2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 38*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 +
2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(
1/2*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c) + 3*(sqrt(2)*a^2*cos(4*d*x + 4*c) +
2*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2)*sin(15/2*d*x + 15/2*c) + 5*(
sqrt(2)*a^2*cos(4*d*x + 4*c) + 2*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2
)*sin(13/2*d*x + 13/2*c) - 11*(sqrt(2)*a^2*cos(4*d*x + 4*c) + 2*sqrt(2)*a^2
*cos(2*d*x + 2*c) + sqrt(2)*a^2)*sin(11/2*d*x + 11/2*c) - 45*(sqrt(2)*a^2*c
os(4*d*x + 4*c) + 2*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2)*sin(9/2*d*x
+ 9/2*c) - (12*sqrt(2)*a^2*sin(7/2*d*x + 7/2*c)*sin(2*d*x + 2*c) + 20*sqrt
(2)*a^2*sin(5/2*d*x + 5/2*c)*sin(2*d*x + 2*c) - 75*sqrt(2)*a^2*cos(7/2*d*x
+ 7/2*c) - 77*sqrt(2)*a^2*cos(5/2*d*x + 5/2*c) - 45*sqrt(2)*a^2*cos(3/2*d*x
+ 3/2*c) - 11*sqrt(2)*a^2*cos(1/2*d*x + 1/2*c) - 4*(17*sqrt(2)*a^2*sin(3/2
*d*x + 3/2*c) + 55*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c) - 19*a^2*log(2*cos(1/2*
d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c)
+ 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*log(2*cos(1/2*d*x + 1/2*c)^2
+ 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*si
n(1/2*d*x + 1/2*c) + 2) - 19*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d
*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/
2*c) + 2) + 19*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2
- 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*sin
(2*d*x + 2*c))*sin(4*d*x + 4*c) - 6*(2*sqrt(2)*a^2*cos(2*d*x + 2*c)^2 + 2*s
qrt(2)*a^2*sin(2*d*x + 2*c)^2 + 27*sqrt(2)*a^2*cos(2*d*x + 2*c) + 13*sqrt(2
)*a^2)*sin(7/2*d*x + 7/2*c) - 2*(10*sqrt(2)*a^2*cos(2*d*x + 2*c)^2 + 10*sq
rt(2)*a^2*sin(2*d*x + 2*c)^2 + 87*sqrt(2)*a^2*cos(2*d*x + 2*c) + 41*sqrt(2)*
a^2)*sin(5/2*d*x + 5/2*c) + 2*(45*sqrt(2)*a^2*cos(3/2*d*x + 3/2*c) + 11*sq
rt(2)*a^2*cos(1/2*d*x + 1/2*c))*sin(2*d*x + 2*c))*B*sqrt(a)/(2*(2*cos(2*d*x
+ 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 +
sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*
c)^2 + 4*cos(2*d*x + 2*c) + 1))/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^4,x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)

[Out] Timed out

3.98 $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^5(c+dx) dx$

Optimal. Leaf size=209

$$\frac{a^{5/2}(163A + 200B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{a^3(163A + 200B) \tan(c + dx)}{64d\sqrt{a \cos(c + dx) + a}} + \frac{a^3(95A + 104B) \tan(c + dx) \sec(c + dx)}{96d\sqrt{a \cos(c + dx) + a}}$$

[Out] $1/64*a^{(5/2)}*(163*A+200*B)*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+1/4*a*A*(a+a*\cos(d*x+c))^{(3/2)}*\sec(d*x+c)^3*\tan(d*x+c)/d+1/64*a^3*(163*A+200*B)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/96*a^3*(95*A+104*B)*\sec(d*x+c)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/24*a^2*(11*A+8*B)*\sec(d*x+c)^2*(a+a*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 0.61, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2975, 2980, 2772, 2773, 206}

$$\frac{a^3(163A + 200B) \tan(c + dx)}{64d\sqrt{a \cos(c + dx) + a}} + \frac{a^{5/2}(163A + 200B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{a^2(11A + 8B) \tan(c + dx) \sec^2(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]`

[Out] $(a^{(5/2)}*(163*A + 200*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])]/(64*d) + (a^3*(163*A + 200*B)*\operatorname{Tan}[c + d*x])/((64*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (a^3*(95*A + 104*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/((96*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (a^2*(11*A + 8*B)*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/((24*d) + (a*A*(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/((4*d)$

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 2772

`Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]`

Rule 2773

`Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rule 2975

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Si`

```
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx = \frac{aA(a + a \cos(c + dx))^{3/2} \sec^3(c + dx) \tan(c + dx)}{4d}$$

$$= \frac{a^2(11A + 8B)\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{24d}$$

$$= \frac{a^3(95A + 104B) \sec(c + dx) \tan(c + dx)}{96d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(163A + 200B) \tan(c + dx)}{64d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{a^3(163A + 200B) \tan(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{a^3(95A + 104B)}{96d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{a^{5/2}(163A + 200B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{64d} + \frac{a^3}{96d\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 1.80, size = 152, normalized size = 0.73

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) ((2203A + 2056B) \cos(c + dx) + (652A + 544B))\right)}{768d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^4*(6*Sqrt[2]*(163*A + 200*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (844*A + 544*B + (2203*A + 2056*B)*Cos[c + d*x] + (652*A + 544*B)*Cos[2*(c + d*x)] + 489*A*Cos[3*(c + d*x)] + 600*B*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(768*d)
```

fricas [A] time = 0.72, size = 232, normalized size = 1.11

$$3 \left((163A + 200B)a^2 \cos(dx + c)^5 + (163A + 200B)a^2 \cos(dx + c)^4 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c)}{\cos(dx+c)^3 + \dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")
```

```
[Out] 1/768*(3*((163*A + 200*B)*a^2*cos(d*x + c)^5 + (163*A + 200*B)*a^2*cos(d*x + c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(163*A + 200*B)*a^2*cos(d*x + c)^3 + 2*(163*A + 136*B)*a^2*cos(d*x + c)^2 + 8*(23*A + 8*B)*a^2*cos(d*x + c) + 48*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 1.50, size = 1630, normalized size = 7.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x)
```

```
[Out] 1/24*a^(3/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(48*a*(163*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+163*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+200*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+200*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)))*sin(1/2*d*x+1/2*c)^8-48*(163*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+200*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+326*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+326*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+400*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+400*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1800*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1800*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1800*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1800*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1800*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-9632*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+1467*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-3912*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-9632*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-4800*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x
```

```
+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-4800*B*ln(4/(
2*cos(1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/
2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^2+2094*A*2^(1/2
)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+489*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)
+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2
*d*x+1/2*c)+2*a))*a+489*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)*(a*s
in(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+187
2*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+600*B*ln(-4/(-2*cos(1/2*
d*x+1/2*c)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/
2)*cos(1/2*d*x+1/2*c)+2*a))*a+600*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(2^
(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2
*a))*a)/(2*cos(1/2*d*x+1/2*c)+2^(1/2))^4/(2*cos(1/2*d*x+1/2*c)-2^(1/2))^4/s
in(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm
="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^5,x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^5, x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)
```

[Out] Timed out

$$3.99 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^6(c + dx) dx$$

Optimal. Leaf size=254

$$\frac{a^{5/2}(283A + 326B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{128d} + \frac{a^3(283A + 326B) \tan(c + dx)}{128d\sqrt{a \cos(c + dx) + a}} + \frac{a^3(157A + 170B) \tan(c + dx) \sec^2(c + dx)}{240d\sqrt{a \cos(c + dx) + a}}$$

[Out] 1/128*a^(5/2)*(283*A+326*B)*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d+1/5*a*A*(a+a*cos(d*x+c))^(3/2)*sec(d*x+c)^4*tan(d*x+c)/d+1/128*a^3*(283*A+326*B)*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/192*a^3*(283*A+326*B)*sec(d*x+c)*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/240*a^3*(157*A+170*B)*sec(d*x+c)^2*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/40*a^2*(13*A+10*B)*sec(d*x+c)^3*(a+a*cos(d*x+c))^(1/2)*tan(d*x+c)/d

Rubi [A] time = 0.71, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2975, 2980, 2772, 2773, 206}

$$\frac{a^3(283A + 326B) \tan(c + dx)}{128d\sqrt{a \cos(c + dx) + a}} + \frac{a^{5/2}(283A + 326B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{128d} + \frac{a^2(13A + 10B) \tan(c + dx) \sec^3(c + dx)}{40d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^6,x]

[Out] (a^(5/2)*(283*A + 326*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(128*d) + (a^3*(283*A + 326*B)*Tan[c + d*x])/((128*d*Sqrt[a + a*Cos[c + d*x]]) + (a^3*(283*A + 326*B)*Sec[c + d*x]*Tan[c + d*x])/((192*d*Sqrt[a + a*Cos[c + d*x]]) + (a^3*(157*A + 170*B)*Sec[c + d*x]^2*Tan[c + d*x])/((240*d*Sqrt[a + a*Cos[c + d*x]]) + (a^2*(13*A + 10*B)*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) + (a*A*(a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^4*Tan[c + d*x])/(5*d)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2772

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2773

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*
(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c
- 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(
c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &
& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^6(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^{3/2} \sec^4(c + dx) \tan(c + dx)}{5d} \\ &= \frac{a^2(13A + 10B)\sqrt{a + a \cos(c + dx)} \sec^3(c + dx)}{40d} \\ &= \frac{a^3(157A + 170B) \sec^2(c + dx) \tan(c + dx)}{240d\sqrt{a + a \cos(c + dx)}} + \frac{a^2}{192d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^3(283A + 326B) \sec(c + dx) \tan(c + dx)}{192d\sqrt{a + a \cos(c + dx)}} + \frac{a^3}{128d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^3(283A + 326B) \tan(c + dx)}{128d\sqrt{a + a \cos(c + dx)}} + \frac{a^3(283A + 326B)}{192d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^3(283A + 326B) \tan(c + dx)}{128d\sqrt{a + a \cos(c + dx)}} + \frac{a^3(283A + 326B)}{192d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^{5/2}(283A + 326B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{128d} + \frac{a^3}{192d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 2.25, size = 176, normalized size = 0.69

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (36(781A + 650B) \cos(c + dx) + 4(6509A + 6730B) \cos[2(c + dx)] + 5660A \cos[3(c + dx)] + 6520B \cos[3(c + dx)] + 4245A \cos[4(c + dx)] + 4890B \cos[4(c + dx)]) \sin\left(\frac{1}{2}(c + dx)\right)\right)}{(15360*d)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^6,x]
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^5*(60*Sqrt[2]
*(283*A + 326*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^5 + (24863*
A + 22030*B + 36*(781*A + 650*B)*Cos[c + d*x] + 4*(6509*A + 6730*B)*Cos[2*(
c + d*x)] + 5660*A*Cos[3*(c + d*x)] + 6520*B*Cos[3*(c + d*x)] + 4245*A*Cos[
4*(c + d*x)] + 4890*B*Cos[4*(c + d*x)])*Sin[(c + d*x)/2])/ (15360*d)
```

fricas [A] time = 1.12, size = 252, normalized size = 0.99

$$15 \left((283 A + 326 B) a^2 \cos(dx + c)^6 + (283 A + 326 B) a^2 \cos(dx + c)^5 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7 a \cos(dx+c)^2 - 4 \sqrt{a} \cos(dx+c)}{\cos(dx+c)^3 + c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="fricas")

[Out] 1/7680*(15*((283*A + 326*B)*a^2*cos(d*x + c)^6 + (283*A + 326*B)*a^2*cos(d*x + c)^5)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(15*(283*A + 326*B)*a^2*cos(d*x + c)^4 + 10*(283*A + 326*B)*a^2*cos(d*x + c)^3 + 8*(283*A + 230*B)*a^2*cos(d*x + c)^2 + 48*(29*A + 10*B)*a^2*cos(d*x + c) + 384*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.62, size = 1951, normalized size = 7.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^6,x)

[Out] 1/120*a^(3/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-480*a*(283*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+283*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+326*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+326*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)))*sin(1/2*d*x+1/2*c)^10+240*(566*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+652*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+1415*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1415*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1630*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1630*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^8-80*(3962*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+4564*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+4245*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4245*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4890*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2^(1/2))


```

/2*d*x+1/2*c)+2*a))*a+4890*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)
*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*
a)*sin(1/2*d*x+1/2*c)^6+8*(36224*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a
^(1/2)+40960*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+21225*A*ln(4/
(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1
/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+21225*A*ln(-4/(-2*cos(1/2*d*x+1/2*
c)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1
/2*d*x+1/2*c)+2*a))*a+24450*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)*
(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a
+24450*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*
c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c
)^4-10*(12556*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+13400*B*2^(1
/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+4245*A*ln(4/(2*cos(1/2*d*x+1/2*c
)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/
2*d*x+1/2*c)+2*a))*a+4245*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)*
(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a
+4890*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^
2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4890*B*ln(-4/(-2*cos(
1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2
^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^2+4245*A*ln(4/(2*cos(
1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2
^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4245*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/
2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1
/2*c)+2*a))*a+22230*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+4890*B
*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)
)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4890*B*ln(-4/(-2*cos(1/2*d*x
+1/2*c)+2^(1/2))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*
cos(1/2*d*x+1/2*c)+2*a))*a+20940*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a
^(1/2))/(2*cos(1/2*d*x+1/2*c)+2^(1/2))^5/(2*cos(1/2*d*x+1/2*c)-2^(1/2))^5/s
in(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^6,x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^6, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**6,x)

[Out] Timed out

$$3.100 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=202

$$\frac{2(7A - B) \sin(c + dx) \cos^2(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} - \frac{2(7A - 31B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{105ad} + \frac{4(49A - 37B) \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} - \frac{\sqrt{2}}{105d\sqrt{a \cos(c + dx) + a}}$$

[Out] $-(A-B)*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}/d/a^{(1/2)}+4/105*(49*A-37*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/35*(7*A-B)*\cos(d*x+c)^2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/7*B*\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}-2/105*(7*A-31*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/a/d$

Rubi [A] time = 0.58, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2983, 2968, 3023, 2751, 2649, 206}

$$\frac{2(7A - B) \sin(c + dx) \cos^2(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} - \frac{2(7A - 31B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{105ad} + \frac{4(49A - 37B) \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} - \frac{\sqrt{2}}{105d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] `Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/Sqrt[a + a*Cos[c + d*x]],x]`

[Out] $-\left(\frac{\sqrt{2}*(A - B)*\operatorname{ArcTanh}\left[\frac{\sqrt{a}*\sin[c + d*x]}{\sqrt{2}*\sqrt{a + a*\cos[c + d*x]}}\right]}{\sqrt{a}*d} + \frac{4*(49*A - 37*B)*\sin[c + d*x]}{105*d*\sqrt{a + a*\cos[c + d*x]}} + \frac{2*(7*A - B)*\cos[c + d*x]^2*\sin[c + d*x]}{35*d*\sqrt{a + a*\cos[c + d*x]}} + \frac{2*B*\cos[c + d*x]^3*\sin[c + d*x]}{7*d*\sqrt{a + a*\cos[c + d*x]}} - \frac{2*(7*A - 31*B)*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x]}{105*a*d}\right)$

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 2649

`Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Ssin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]`

Rule 2751

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Ssin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]`

Rule 2968

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Ssin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Ssin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]`

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n
+ 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m +
n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{2 \int \frac{\cos^2(c + dx) \left(3aB + \frac{1}{2}a(7A - B) \cos(c + dx)\right)}{\sqrt{a + a \cos(c + dx)}} dx}{7a} \\ &= \frac{2(7A - B) \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \\ &= \frac{2(7A - B) \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \\ &= \frac{2(7A - B) \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} - \\ &= \frac{4(49A - 37B) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2(7A - B) \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{4(49A - 37B) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2(7A - B) \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{a} d} + \frac{4(49A - 37B) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.72, size = 111, normalized size = 0.55

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \left(2 \sin\left(\frac{1}{2}(c + dx)\right) \left((169B - 28A) \cos(c + dx) + 6(7A - B) \cos(2(c + dx)) + 406A + 15B \cos(3(c + dx))\right)\right)}{210d\sqrt{a}(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/Sqrt[a + a*Cos[c + d*x]], x]
[Out] (Cos[(c + d*x)/2]*(-420*(A - B)*ArcTanh[Sin[(c + d*x)/2]] + 2*(406*A - 178*
B + (-28*A + 169*B)*Cos[c + d*x] + 6*(7*A - B)*Cos[2*(c + d*x)] + 15*B*Cos[
3*(c + d*x)])*Sin[(c + d*x)/2]))/(210*d*Sqrt[a*(1 + Cos[c + d*x])])
```

fricas [A] time = 0.61, size = 184, normalized size = 0.91

$$\frac{4 \left(15 B \cos(dx + c)^3 + 3(7A - B) \cos(dx + c)^2 - (7A - 31B) \cos(dx + c) + 91A - 43B \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c) - 105 \sqrt{2} \left((A - B) a \cos(dx + c) + (A - B) a \right) \log \left(-\cos(dx + c)^2 - 2 \sqrt{2} \sqrt{a \cos(dx + c) + a} \sin(dx + c) / \sqrt{a - 2 \cos(dx + c) - 3} / (\cos(dx + c)^2 + 2 \cos(dx + c) + 1) \right) / \sqrt{a}}{210(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/210*(4*(15*B*cos(d*x + c)^3 + 3*(7*A - B)*cos(d*x + c)^2 - (7*A - 31*B)*cos(d*x + c) + 91*A - 43*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c) - 105*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d)

giac [A] time = 1.84, size = 181, normalized size = 0.90

$$\frac{105 \sqrt{2} (A-B) \log \left(\left(-\sqrt{a} \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + \sqrt{a \tan^2 \left(\frac{1}{2} dx + \frac{1}{2} c \right) + a} \right) \right)}{\sqrt{a}} + \frac{2 \left(105 \sqrt{2} A a^3 + \left(\sqrt{2} (119 A a^3 - 92 B a^3) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 7 \sqrt{2} (37 A a^3 - 16 B a^3) \right) \right)}{\left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + a \right)^{7/2}} \cdot 105 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] 1/105*(105*sqrt(2)*(A - B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)))/sqrt(a) + 2*(105*sqrt(2)*A*a^3 + ((sqrt(2)*(119*A*a^3 - 92*B*a^3)*tan(1/2*d*x + 1/2*c)^2 + 7*sqrt(2)*(37*A*a^3 - 16*B*a^3))*tan(1/2*d*x + 1/2*c)^2 + 35*sqrt(2)*(7*A*a^3 - 4*B*a^3))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 + a)^(7/2))/d

maple [A] time = 0.83, size = 281, normalized size = 1.39

$$\cos \left(\frac{dx}{2} + \frac{c}{2} \right) \sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \left(-240B\sqrt{2} \sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \sqrt{a} \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 168\sqrt{2} \sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x)

[Out] 1/105*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-240*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*sin(1/2*d*x+1/2*c)^6+168*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*(A+2*B)*sin(1/2*d*x+1/2*c)^4-140*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*(A+2*B)*sin(1/2*d*x+1/2*c)^2-105*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*A+105*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*B+210*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(3/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^3 (A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(1/2),x)

[Out] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(1/2),x)

[Out] Timed out

$$3.101 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=159

$$\frac{2(5A - B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{15ad} - \frac{4(5A - 7B) \sin(c + dx)}{15d \sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{2B \sin(c + dx)}{5d}$$

[Out] (A-B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)/d/a^(1/2)-4/15*(5*A-7*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+2/5*B*cos(d*x+c)^2*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+2/15*(5*A-B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/a/d

Rubi [A] time = 0.38, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2983, 2968, 3023, 2751, 2649, 206}

$$\frac{2(5A - B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{15ad} - \frac{4(5A - 7B) \sin(c + dx)}{15d \sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{2B \sin(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/Sqrt[a + a*Cos[c + d*x]],x]

[Out] (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])]/(Sqrt[a]*d) - (4*(5*A - 7*B)*Sin[c + d*x])/(15*d*Sqrt[a + a*Cos[c + d*x]]) + (2*B*Cos[c + d*x]^2*Sin[c + d*x])/(5*d*Sqrt[a + a*Cos[c + d*x]]) + (2*(5*A - B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(15*a*d)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Ssin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Ssin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a + b*Ssin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Ssin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2983

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Si

```
mp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2 \int \frac{\cos(c + dx) \left(2aB + \frac{1}{2}a(5A - B) \cos(c + dx)\right)}{\sqrt{a + a \cos(c + dx)}} dx}{5a} \\ &= \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2 \int \frac{2aB \cos(c + dx) + \frac{1}{2}a(5A - B) \cos^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{5a} \\ &= \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2(5A - B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15ad} \\ &= -\frac{4(5A - 7B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2(5A - B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15ad} \\ &= -\frac{4(5A - 7B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2(5A - B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15ad} \\ &= \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{a}d} - \frac{4(5A - 7B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2(5A - B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15ad} \end{aligned}$$

Mathematica [A] time = 0.37, size = 94, normalized size = 0.59

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(15(A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + \sin\left(\frac{1}{2}(c + dx)\right) (2(5A - B) \cos(c + dx) - 10A + 3B)\right)}{15d\sqrt{a}(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/Sqrt[a + a*Cos[c + d*x]], x]
[Out] (2*Cos[(c + d*x)/2]*(15*(A - B)*ArcTanh[Sin[(c + d*x)/2]] + (-10*A + 29*B + 2*(5*A - B)*Cos[c + d*x] + 3*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(15*d*Sqrt[a*(1 + Cos[c + d*x])])
```

fricas [A] time = 0.69, size = 166, normalized size = 1.04

$$4 \left(3B \cos(dx + c)^2 + (5A - B) \cos(dx + c) - 5A + 13B\right) \sqrt{a \cos(dx + c) + a} \sin(dx + c) - \frac{15\sqrt{2}((A - B)a \cos(dx + c) + a)}{30(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/30*(4*(3*B*cos(d*x + c)^2 + (5*A - B)*cos(d*x + c) - 5*A + 13*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c) - 15*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d)

giac [A] time = 1.98, size = 158, normalized size = 0.99

$$\frac{15(\sqrt{2}A - \sqrt{2}B) \log\left(\left| -\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} \right|\right)}{\sqrt{a}} - \frac{2\left(15\sqrt{2}Ba^2 - \left(10\sqrt{2}Aa^2 - 20\sqrt{2}Ba^2 + (10\sqrt{2}Aa^2 - 17\sqrt{2}Ba^2) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\right)}{\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a\right)^{\frac{5}{2}}}$$

15 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] -1/15*(15*(sqrt(2)*A - sqrt(2)*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)))/sqrt(a) - 2*(15*sqrt(2)*B*a^2 - (10*sqrt(2)*A*a^2 - 20*sqrt(2)*B*a^2 + (10*sqrt(2)*A*a^2 - 17*sqrt(2)*B*a^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 + a)^(5/2))/d

maple [A] time = 0.73, size = 240, normalized size = 1.51

$$\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(24B\sqrt{a} \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 20\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{15a^{\frac{3}{2}} \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x)

[Out] 1/15*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(24*B*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-20*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*(A+B)*sin(1/2*d*x+1/2*c)^2+15*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*A-15*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*B+30*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(3/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^2 (A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(1/2), x)

[Out] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(1/2), x)

[Out] Timed out

$$3.102 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=118

$$\frac{2(3A - 2B) \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} - \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{2B \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3ad}$$

[Out] $-(A-B)*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}/d/a^{(1/2)}+2/3*(3*A-2*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/3*B*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/a/d$

Rubi [A] time = 0.21, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2968, 3023, 2751, 2649, 206}

$$\frac{2(3A - 2B) \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} - \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{2B \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3ad}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Cos}[c + d*x]*(A + B*\operatorname{Cos}[c + d*x]))/\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]], x]$

[Out] $-\left(\left(\operatorname{Sqrt}[2]*(A - B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])]\right)/(\operatorname{Sqrt}[a]*d)\right) + (2*(3*A - 2*B)*\operatorname{Sin}[c + d*x])/(3*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (2*B*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(3*a*d)$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{Gt} Q[a, 0] \ || \ \operatorname{Lt} Q[b, 0])$

Rule 2649

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*\sin[(c_ + (d_)*(x_))]], x_Symbol] \rightarrow \operatorname{Dist}[-2/d, \operatorname{Subst}[\operatorname{Int}[1/(2*a - x^2), x], x, (b*\operatorname{Cos}[c + d*x])/(\operatorname{Sqrt}[a + b*\operatorname{Sin}[c + d*x])]], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0]$

Rule 2751

$\operatorname{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)}*((c_ + (d_)*\sin[(e_ + (f_)*(x_))]), x_Symbol] \rightarrow -\operatorname{Simp}[(d*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^m)/(f*(m + 1)), x] + \operatorname{Dist}[(a*d*m + b*c*(m + 1))/(b*(m + 1)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^m, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{!Lt} Q[m, -2^{(-1)}]$

Rule 2968

$\operatorname{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_))]), x_Symbol] \rightarrow \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\operatorname{Sin}[e + f*x] + B*d*\operatorname{Sin}[e + f*x]^2), x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0]$

Rule 3023

$\operatorname{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_)) + (C_)*\sin[(e_ + (f_)*(x_))]^2), x_Symbol] \rightarrow -\operatorname{Simp}[(C*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \operatorname{Dist}[1/(b*(m +$

2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx &= \int \frac{A \cos(c + dx) + B \cos^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3ad} + \frac{2 \int \frac{\frac{aB}{2} + \frac{1}{2}a(3A-2B) \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{3a} \\ &= \frac{2(3A - 2B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3ad} + (-A + \\ &= \frac{2(3A - 2B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3ad} + \frac{(2(A - B) \sqrt{a + a \cos(c + dx)} \sin(c + dx))}{3ad} \\ &= -\frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} + \frac{2(3A - 2B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3ad} \end{aligned}$$

Mathematica [A] time = 0.17, size = 78, normalized size = 0.66

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(-3(A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 6A \sin\left(\frac{1}{2}(c + dx)\right) - 4B \sin^3\left(\frac{1}{2}(c + dx)\right)\right)}{3d\sqrt{a}(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/Sqrt[a + a*Cos[c + d*x]], x]

[Out] (2*Cos[(c + d*x)/2]*(-3*(A - B)*ArcTanh[Sin[(c + d*x)/2]] + 6*A*Sin[(c + d*x)/2] - 4*B*Sin[(c + d*x)/2]^3))/(3*d*Sqrt[a*(1 + Cos[c + d*x])])

fricas [A] time = 0.63, size = 149, normalized size = 1.26

$$\frac{4(B \cos(dx + c) + 3A - B)\sqrt{a \cos(dx + c) + a} \sin(dx + c) - \frac{3\sqrt{2}((A-B)a \cos(dx+c) + (A-B)a) \log\left(\frac{\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a \cos(dx+c)}}{\cos(dx+c)}\right)}{\sqrt{a}}}{6(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] 1/6*(4*(B*cos(d*x + c) + 3*A - B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c) - 3*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c))^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d)

giac [A] time = 1.56, size = 113, normalized size = 0.96

$$\frac{3\sqrt{2}(A-B) \log\left(-\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a}\right)}{\sqrt{a}} + \frac{2\left(\sqrt{2}(3Aa-2Ba) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3\sqrt{2}Aa\right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a\right)^{\frac{3}{2}}}$$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] $\frac{1}{3} \cdot (3 \cdot \sqrt{2} \cdot (A - B) \cdot \log(\text{abs}(-\sqrt{a}) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})) / \sqrt{a} + 2 \cdot (\sqrt{2} \cdot (3 \cdot A \cdot a - 2 \cdot B \cdot a) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 3 \cdot \sqrt{2} \cdot A \cdot a) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a)^{(3/2)}) / d$

maple [A] time = 0.67, size = 194, normalized size = 1.64

$$\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-4B \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 6A \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} \right)}{3a^{\frac{3}{2}} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x)

[Out] $\frac{1}{3} \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot 2^{(1/2)} \cdot (a \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot (-4 \cdot B \cdot (a \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot a^{(1/2)} \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 6 \cdot A \cdot (a \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot a^{(1/2)} - 3 \cdot A \cdot \ln(4 / \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot (a^{(1/2)} \cdot (a \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} + a)) \cdot a + 3 \cdot B \cdot \ln(4 / \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot (a^{(1/2)} \cdot (a \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} + a)) \cdot a / a^{(3/2)} / \sin(1/2 \cdot d \cdot x + 1/2 \cdot c) / (a \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} / d$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [B] time = 0.38, size = 160, normalized size = 1.36

$$\frac{2A \left(2E\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) - F\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) \right) \sqrt{\frac{a+a \cos(c+dx)}{2a}}}{d \sqrt{a+a \cos(c+dx)}} + \frac{2B \sin(c+dx) \sqrt{a+a \cos(c+dx)}}{3ad} - \frac{2B \left(4a^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) \right)}{3a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(1/2),x)

[Out] $(2 \cdot A \cdot (2 \cdot \text{ellipticE}(c/2 + (d \cdot x)/2, 1) - \text{ellipticF}(c/2 + (d \cdot x)/2, 1))) \cdot ((a + a \cdot \cos(c + d \cdot x)) / (2 \cdot a))^{(1/2)} / (d \cdot (a + a \cdot \cos(c + d \cdot x))^{(1/2)}) + (2 \cdot B \cdot \sin(c + d \cdot x) \cdot (a + a \cdot \cos(c + d \cdot x))^{(1/2)}) / (3 \cdot a \cdot d) - (2 \cdot B \cdot (4 \cdot a^2 \cdot \text{ellipticE}(c/2 + (d \cdot x)/2, 1) - 3 \cdot a^2 \cdot \text{ellipticF}(c/2 + (d \cdot x)/2, 1))) \cdot ((a + a \cdot \cos(c + d \cdot x)) / (2 \cdot a))^{(1/2)} / (3 \cdot a^2 \cdot d \cdot (a + a \cdot \cos(c + d \cdot x))^{(1/2)})$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \cos(c + dx)}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*cos(c + d*x)/sqrt(a*(cos(c + d*x) + 1)), x)

$$3.103 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=78

$$\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{2B \sin(c+dx)}{d \sqrt{a \cos(c+dx)+a}}$$

[Out] (A-B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)/d/a^(1/2)+2*B*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.07, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {2751, 2649, 206}

$$\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{2B \sin(c+dx)}{d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/Sqrt[a + a*Cos[c + d*x]],x]

[Out] (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(Sqrt[a]*d) + (2*B*Sin[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx &= \frac{2B \sin(c+dx)}{d \sqrt{a+a \cos(c+dx)}} + (A-B) \int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx \\ &= \frac{2B \sin(c+dx)}{d \sqrt{a+a \cos(c+dx)}} - \frac{(2(A-B)) \text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\ &= \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} + \frac{2B \sin(c+dx)}{d \sqrt{a+a \cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 60, normalized size = 0.77

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 2B \sin\left(\frac{1}{2}(c + dx)\right) \right)}{d \sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/Sqrt[a + a*Cos[c + d*x]],x]

[Out] (2*Cos[(c + d*x)/2]*((A - B)*ArcTanh[Sin[(c + d*x)/2]] + 2*B*Sin[(c + d*x)/2]))/(d*Sqrt[a*(1 + Cos[c + d*x])])

fricas [B] time = 0.76, size = 135, normalized size = 1.73

$$\frac{4 \sqrt{a \cos(dx + c) + a} B \sin(dx + c) - \frac{\sqrt{2}((A-B)a \cos(dx+c) + (A-B)a) \log\left(\frac{\cos(dx+c)^2 + 2\sqrt{2}\sqrt{a \cos(dx+c)+a} \sin(dx+c) - 2 \cos(dx+c) - 3}{\sqrt{a} \cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)}{\sqrt{a}}}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/2*(4*sqrt(a*cos(d*x + c) + a)*B*sin(d*x + c) - sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a)/(a*d*cos(d*x + c) + a*d)

giac [A] time = 2.92, size = 88, normalized size = 1.13

$$\frac{2 \sqrt{2} B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}} - \frac{(\sqrt{2} A - \sqrt{2} B) \log\left(\left[-\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right]\right)}{\sqrt{a}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] (2*sqrt(2)*B*tan(1/2*d*x + 1/2*c)/sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a) - (sqrt(2)*A - sqrt(2)*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)))/sqrt(a))/d

maple [B] time = 0.68, size = 160, normalized size = 2.05

$$\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(A \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) a + 2B \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} - B \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \right)}{a^{\frac{3}{2}} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x)

[Out] cos(1/2*d*x+1/2*c)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a+2*B*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-B*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a/a^(3/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [B] time = 0.35, size = 112, normalized size = 1.44

$$\frac{A F\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) \sqrt{\frac{2(a+a \cos(c+dx))}{a}} + 2 B E\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) \sqrt{\frac{2(a+a \cos(c+dx))}{a}} - B F\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) \sqrt{\frac{2(a+a \cos(c+dx))}{a}}}{d \sqrt{a + a \cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(a + a*cos(c + d*x))^(1/2),x)

[Out] (A*ellipticF(c/2 + (d*x)/2, 1)*((2*(a + a*cos(c + d*x)))/a)^(1/2) + 2*B*ellipticE(c/2 + (d*x)/2, 1)*((2*(a + a*cos(c + d*x)))/a)^(1/2) - B*ellipticF(c/2 + (d*x)/2, 1)*((2*(a + a*cos(c + d*x)))/a)^(1/2))/(d*(a + a*cos(c + d*x))^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a (\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))/sqrt(a*(cos(c + d*x) + 1)), x)

$$3.104 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=91

$$\frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out] 2*A*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d/a^(1/2)-(A-B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)/d/a^(1/2)

Rubi [A] time = 0.17, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {2985, 2649, 206, 2773}

$$\frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/Sqrt[a + a*Cos[c + d*x]],x]

[Out] (2*A*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(Sqrt[a]*d)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2773

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2985

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx = \frac{A \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx}{a} - (A - B) \int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{(2A) \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{(2(A-B)) \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d}$$

$$= \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} - \frac{\sqrt{2} (A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d}$$

Mathematica [A] time = 0.08, size = 72, normalized size = 0.79

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) - \sqrt{2} A \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{d \sqrt{a} (\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/Sqrt[a + a*Cos[c + d*x]],x]

[Out] (-2*((A - B)*ArcTanh[Sin[(c + d*x)/2]] - Sqrt[2]*A*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]])*Cos[(c + d*x)/2])/(d*Sqrt[a*(1 + Cos[c + d*x])])

fricas [B] time = 0.68, size = 171, normalized size = 1.88

$$\frac{\sqrt{2} (A - B) \sqrt{a} \log\left(-\frac{\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\cos(dx+c)+a \sin(dx+c) - 2\cos(dx+c) - 3}{\sqrt{a} \cos(dx+c)^2 + 2\cos(dx+c) + 1}\right) - A \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) - 3}{\cos(dx+c)}\right)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] -1/2*(sqrt(2)*(A - B)*sqrt(a)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - A*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(a*d)

giac [B] time = 2.08, size = 168, normalized size = 1.85

$$\frac{\sqrt{2} (A \sqrt{a} - B \sqrt{a}) \log\left(\left(\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2\right)}{a} + \frac{2A \log\left(\left(\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2 - a(2\sqrt{2} + 3)\right)}{\sqrt{a}}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] 1/2*(sqrt(2)*(A*sqrt(a) - B*sqrt(a))*log((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2/a + 2*A*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))))/sqrt(a) - 2*A*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/sqrt(a))/d

maple [B] time = 1.40, size = 268, normalized size = 2.95

$$\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\sqrt{2} \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) A - \sqrt{2} \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) B - A \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \right)}{\sqrt{a} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(1/2), x)

[Out] -cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2^(1/2)*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*A-2^(1/2)*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*B-A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))-A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)))/a^(1/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [A] time = 1.13, size = 91, normalized size = 1.00

$$\frac{\left(\sqrt{2} \log\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right) - \sqrt{2} \log\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)\right)}{2 \sqrt{a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(1/2), x, algorithm="maxima")

[Out] 1/2*(sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1))*B/(sqrt(a)*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + a*cos(c + d*x))^(1/2)), x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + a*cos(c + d*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{\sqrt{a} (\cos(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(1/2), x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)/sqrt(a*(cos(c + d*x) + 1)), x)

$$3.105 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=119

$$\frac{(A-2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{A \tan(c+dx)}{d \sqrt{a \cos(c+dx)+a}}$$

[Out] -(A-2*B)*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d/a^(1/2)+(A-B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)/d/a^(1/2)+A*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.31, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2984, 2985, 2649, 206, 2773}

$$\frac{(A-2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{A \tan(c+dx)}{d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/Sqrt[a + a*Cos[c + d*x]],x]

[Out] -(((A - 2*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(Sqrt[a]*d)) + (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])]/(Sqrt[a]*d) + (A*Tan[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]]))

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2773

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2984

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1))/(f*(n+1)*(c^2 - d^2)), x] + Dist[1/(b*(n+1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1)*Simp[A*(a*d*m + b*c*(n+1)) - B*(a*c*m + b*d*(n+1)) + b*(B*c - A*d)*(m+n+2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 2985

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{A \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{\left(-\frac{1}{2}a(A-2B) + \frac{1}{2}aA \cos(c+dx)\right) \sec(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{a} \\ &= \frac{A \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(A - 2B) \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx}{2a} \\ &= \frac{A \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{(A - 2B) \text{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\ &= -\frac{(A - 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} + \frac{\sqrt{2} (A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} \end{aligned}$$

Mathematica [A] time = 0.36, size = 95, normalized size = 0.80

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \left(2(A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) - \sqrt{2} (A - 2B) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2A \sin\left(\frac{1}{2}(c + dx)\right)\right)}{d\sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/Sqrt[a + a*Cos[c + d*x]], x]

[Out] (Cos[(c + d*x)/2]*(2*(A - B)*ArcTanh[Sin[(c + d*x)/2]] - Sqrt[2]*(A - 2*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*A*Sec[c + d*x]*Sin[(c + d*x)/2])/(d*Sqrt[a*(1 + Cos[c + d*x])])

fricas [B] time = 0.93, size = 259, normalized size = 2.18

$$\frac{\left((A - 2B) \cos(dx + c)^2 + (A - 2B) \cos(dx + c)\right) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c)-2) \sin(dx+c)}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{4(ad \cos(dx+c) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] -1/4*(((A - 2*B)*cos(d*x + c)^2 + (A - 2*B)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) - 4*sqrt(a*cos(d*x + c) + a)*A*sin(d*x + c) + 2*sqrt(2)*((A - B)*a*cos(d*x + c)^2 + (A - B)*a*cos(d*x + c))*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a)/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))

giac [B] time = 3.89, size = 321, normalized size = 2.70

$$\frac{\sqrt{2}(A\sqrt{a}-B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)\right)}{a} + \frac{(A\sqrt{a}-2B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] -1/2*(sqrt(2)*(A*sqrt(a) - B*sqrt(a))*log((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2/a + (A*sqrt(a) - 2*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/a - (A*sqrt(a) - 2*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/a - 4*sqrt(2)*(3*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(a) - A*a^(3/2))/((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2))/d

maple [B] time = 1.46, size = 810, normalized size = 6.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(1/2),x)

[Out] cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*a*(-2*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*A+2*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*B+A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))-2*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))-2*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*sin(1/2*d*x+1/2*c)^2+2*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*A-2*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*B+2*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+2*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a/a^(3/2)/(2*cos(1/2*d*x+1/2*c)+2^(1/2))/(2*cos(1/2*d*x+1/2*c)-2^(1/2))/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^2 \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + a*cos(c + d*x))^(1/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + a*cos(c + d*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+a*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/sqrt(a*(cos(c + d*x) + 1)), x
)

$$3.106 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=165

$$\frac{(A-4B) \tan(c+dx)}{4d\sqrt{a \cos(c+dx)+a}} + \frac{(7A-4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{a}d} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{A \tan(c+dx)}{2d\sqrt{a \cos(c+dx)+a}}$$

[Out] 1/4*(7*A-4*B)*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d/a^(1/2)-(A-B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)/d/a^(1/2)-1/4*(A-4*B)*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/2*A*sec(d*x+c)*tan(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.48, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2984, 2985, 2649, 206, 2773}

$$\frac{(A-4B) \tan(c+dx)}{4d\sqrt{a \cos(c+dx)+a}} + \frac{(7A-4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{a}d} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{A \tan(c+dx)}{2d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/Sqrt[a + a*Cos[c + d*x]], x]

[Out] ((7*A - 4*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(Sqrt[a]*d) - ((A - 4*B)*Tan[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]) + (A*Sec[c + d*x]*Tan[c + d*x])/(2*d*Sqrt[a + a*Cos[c + d*x]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2773

Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]/((c_) + (d_.)*sin[(e_) + (f_.)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2984

Int[((a_) + (b_.)*sin[(e_) + (f_.)*(x_)])^m*((c_) + (d_.)*sin[(e_) + (f_.)*(x_)])^n, x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1))/(f*(n+1)*(c^2 - d^2)), x] + Dist[1/(b*(n+1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1)*Simp[A*(a*d*m + b*c*(n+1)) - B*(a*c*m + b*d*(n+1)) + b*(B*c - A*d)*(m+n+2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m

+ 1/2, 0])

Rule 2985

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{A \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{\left(-\frac{1}{2}a(A-4B) + \frac{3}{2}aA \cos(c+dx)\right) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{2a} \\ &= -\frac{(A - 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{A \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{\left(\frac{1}{4}a^2(7A-4B) - \frac{1}{4}a^2\right) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{2a} \\ &= -\frac{(A - 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{A \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{(7A - 4B) \int \sqrt{a + a \cos(c + dx)} dx}{2a} \\ &= -\frac{(A - 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{A \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} - \frac{(7A - 4B) \operatorname{Subst}\left(\int \sqrt{a + a \cos(x)} dx, x, c + dx\right)}{2a} \\ &= \frac{(7A - 4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{4\sqrt{a}d} - \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a}d} \end{aligned}$$

Mathematica [A] time = 0.84, size = 114, normalized size = 0.69

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \left(-8(A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + \sqrt{2}(7A - 4B) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)\right)}{4d\sqrt{a}(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/Sqrt[a + a*Cos[c + d*x]], x]

[Out] (Cos[(c + d*x)/2]*(-8*(A - B)*ArcTanh[Sin[(c + d*x)/2]] + Sqrt[2]*(7*A - 4*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(-A + 4*B + 2*A*Sec[c + d*x])*Sin[(c + d*x)/2))/(4*d*Sqrt[a*(1 + Cos[c + d*x])])

fricas [B] time = 0.81, size = 284, normalized size = 1.72

$$\frac{\left((7A - 4B) \cos(dx + c)^3 + (7A - 4B) \cos(dx + c)^2\right) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 + 4\sqrt{a} \cos(dx+c) + a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")


```
[Out] -1/16*(((7*A - 4*B)*cos(d*x + c)^3 + (7*A - 4*B)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 + 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2) + 4*((A - 4*B)*cos(d*x + c) - 2*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c) + 8*sqrt(2)*((A - B)*a*cos(d*x + c)^3 + (A - B)*a*cos(d*x + c)^2)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)
```

giac [B] time = 3.64, size = 535, normalized size = 3.24

$$\frac{4\sqrt{2}(A\sqrt{a}-B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{a} + \frac{(7A\sqrt{a}-4B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] 1/8*(4*sqrt(2)*(A*sqrt(a) - B*sqrt(a))*log((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2/a + (7*A*sqrt(a) - 4*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/a - (7*A*sqrt(a) - 4*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/a - 4*sqrt(2)*(17*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(a) - 12*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(a) - 57*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*a^(3/2) + 76*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*a^(3/2) + 19*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*a^(5/2) - 36*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*a^(5/2) - 3*A*a^(7/2) + 4*B*a^(7/2))/((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^2)/d
```

maple [B] time = 1.54, size = 1240, normalized size = 7.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(1/2),x)
```

```
[Out] -1/2*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4*a*(8*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*A-8*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*B-7*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))-7*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+4*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+4*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*sin(1/2*d*x+1/2*c)^4-4*(8*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*A+A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-8*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*B-4*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-7*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2
```

$$\begin{aligned} & \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} - a^{3/2} \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \\ & 2a \sqrt{a} - 7A \ln\left(\frac{4}{2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2}\right) \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} + \\ & a^{3/2} \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2a \sqrt{a} + 4B \ln\left(-\frac{4}{-2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2}\right) \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} - \\ & a^{3/2} \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2a \sqrt{a} + 4B \ln\left(\frac{4}{2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2}\right) \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} + \\ & 2a \sqrt{a} \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 8a^{3/2} \ln\left(\frac{4}{\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)}\right) \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} + \\ & a^{3/2} \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2a \sqrt{a} - 8a^{3/2} \ln\left(\frac{4}{\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)}\right) \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} + \\ & a^{3/2} \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2a \sqrt{a} - 7A \ln\left(-\frac{4}{-2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2}\right) \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} - \\ & a^{3/2} \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2a \sqrt{a} - 8B \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} + 4B \ln\left(\frac{4}{2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2}\right) \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} + \\ & 4B \ln\left(-\frac{4}{-2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2}\right) \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} + 2a \sqrt{a} \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2a \sqrt{a} \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} - \\ & a^{3/2} \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2a \sqrt{a} \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} \sqrt{a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{a} / a^{3/2} / \left(2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2\right)^2 / \left(2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2\right)^2 / \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) / \left(a \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^2 / d \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^3 \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + a*cos(c + d*x))^(1/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + a*cos(c + d*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{\sqrt{a} (\cos(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+a*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**3/sqrt(a*(cos(c + d*x) + 1)), x)

$$3.107 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=261

$$\frac{(15A - 19B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{(273A - 397B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{210a^2 d} + \frac{(A - B) \sin(c+dx)}{2d(a \cos(c+dx)+a)}$$

[Out] 1/2*(A-B)*cos(d*x+c)^4*sin(d*x+c)/d/(a+a*cos(d*x+c))^(3/2)-1/4*(15*A-19*B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d*2^(1/2)+1/105*(651*A-799*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(1/2)+1/70*(63*A-67*B)*cos(d*x+c)^2*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(1/2)-1/14*(7*A-11*B)*cos(d*x+c)^3*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(1/2)-1/210*(273*A-397*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/a^2/d

Rubi [A] time = 0.79, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2977, 2983, 2968, 3023, 2751, 2649, 206}

$$\frac{(273A - 397B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{210a^2 d} - \frac{(15A - 19B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(A - B) \sin(c+dx)}{2d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] -((15*A - 19*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Cos[c + d*x]^4*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) + ((651*A - 799*B)*Sin[c + d*x])/(105*a*d*Sqrt[a + a*Cos[c + d*x]]) + ((63*A - 67*B)*Cos[c + d*x]^2*Sin[c + d*x])/(70*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((7*A - 11*B)*Cos[c + d*x]^3*Sin[c + d*x])/(14*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((273*A - 397*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(210*a^2*d)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m +
n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m +
n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{3/2}} dx &= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{\cos^3(c+dx)\left(4a(A-B)-\frac{1}{2}a(7A-11B)\cos(c+dx)\right)}{\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{(7A-11B)\cos^3(c+dx)\sin(c+dx)}{14ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(63A-67B)\cos^2(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(63A-67B)\cos^2(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(63A-67B)\cos^2(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(651A-799B)\sin(c+dx)}{105ad\sqrt{a+a\cos(c+dx)}} + \frac{(63A-67B)\cos^2(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(651A-799B)\sin(c+dx)}{105ad\sqrt{a+a\cos(c+dx)}} + \frac{(63A-67B)\cos^2(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}} \\
&= -\frac{(15A-19B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.17, size = 167, normalized size = 0.64

$$\frac{105(15A-19B)\cos^5\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - \frac{1}{2}\sin\left(\frac{1}{2}(c+dx)\right)\cos^3\left(\frac{1}{2}(c+dx)\right)(6(273A-277B)\cos^2\left(\frac{1}{2}(c+dx)\right) - 105d\left(\sin^2\left(\frac{1}{2}(c+dx)\right)\right))}{105d\left(\sin^2\left(\frac{1}{2}(c+dx)\right)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] (105*(15*A - 19*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^5 - (Cos[(c + d*x)/2]^3*(1974*A - 2161*B + 6*(273*A - 277*B)*Cos[c + d*x] + (-84*A + 256*B)*Cos[2*(c + d*x)] + 42*A*Cos[3*(c + d*x)] - 18*B*Cos[3*(c + d*x)] + 15*B*Cos[4*(c + d*x)])*Sin[(c + d*x)/2])/2)/(105*d*(a*(1 + Cos[c + d*x]))^(3/2)*(-1 + Sin[(c + d*x)/2]^2))

fricas [A] time = 0.96, size = 241, normalized size = 0.92

$$\frac{105\sqrt{2}\left((15A-19B)\cos(dx+c)^2 + 2(15A-19B)\cos(dx+c) + 15A-19B\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2-2\sqrt{2}\sqrt{a}\cos(dx+c)}{a+a\cos(dx+c)}\right)}{2\sqrt{2}a^{3/2}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out] -1/840*(105*sqrt(2)*((15*A - 19*B)*cos(d*x + c)^2 + 2*(15*A - 19*B)*cos(d*x + c) + 15*A - 19*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*cos(dx+c))

$$d*x + c) + a)*\sqrt{a}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) - 4*(60*B*\cos(d*x + c)^4 + 12*(7*A - 3*B)*\cos(d*x + c)^3 - 28*(3*A - 7*B)*\cos(d*x + c)^2 + 12*(63*A - 67*B)*\cos(d*x + c) + 1029*A - 1201*B)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) + a^2*d)$$

giac [A] time = 2.40, size = 254, normalized size = 0.97

$$\frac{105(15\sqrt{2}A - 19\sqrt{2}B) \log\left(\left| -\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} \right|\right)}{a^{\frac{3}{2}}} + \frac{\left(\left(\left(\frac{105(\sqrt{2}Aa^5 - \sqrt{2}Ba^5) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^3} + \frac{4(693\sqrt{2}Aa^5 - 877\sqrt{2}Ba^5)}{a^3}\right)\right)\right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{\frac{3}{2}}}$$

420 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] 1/420*(105*(15*sqrt(2)*A - 19*sqrt(2)*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)))/a^(3/2) + (((((105*(sqrt(2)*A*a^5 - sqrt(2)*B*a^5)*tan(1/2*d*x + 1/2*c)^2/a^3 + 4*(693*sqrt(2)*A*a^5 - 877*sqrt(2)*B*a^5)/a^3)*tan(1/2*d*x + 1/2*c)^2 + 14*(453*sqrt(2)*A*a^5 - 517*sqrt(2)*B*a^5)/a^3)*tan(1/2*d*x + 1/2*c)^2 + 140*(39*sqrt(2)*A*a^5 - 47*sqrt(2)*B*a^5)/a^3)*tan(1/2*d*x + 1/2*c)^2 + 1785*(sqrt(2)*A*a^5 - sqrt(2)*B*a^5)/a^3)*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 + a)^(7/2))/d

maple [A] time = 0.80, size = 448, normalized size = 1.72

$$\sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \left(960B\sqrt{2} \sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \sqrt{a} \left(\sin^8 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 96\sqrt{2} \sqrt{a} \sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \right) (7A + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x)

[Out] 1/420/cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(960*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*sin(1/2*d*x+1/2*c)^8-96*2^(1/2)*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(7*A+17*B)*sin(1/2*d*x+1/2*c)^6+224*2^(1/2)*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(3*A+8*B)*sin(1/2*d*x+1/2*c)^4+35*2^(1/2)*(45*A*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a-48*A*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-57*B*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a+16*B*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))*sin(1/2*d*x+1/2*c)^2-1575*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*A+1995*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*B+1785*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-1785*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(5/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^4 (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(3/2), x)

[Out] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2), x)

[Out] Timed out

$$3.108 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=216

$$\frac{(11A - 15B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} + \frac{(35A - 39B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{30a^2d} + \frac{(A - B) \sin(c+dx) \cos^3(c+dx)}{2d(a \cos(c+dx)+a)^3}$$

[Out] 1/2*(A-B)*cos(d*x+c)^3*sin(d*x+c)/d/(a+a*cos(d*x+c))^(3/2)+1/4*(11*A-15*B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d*2^(1/2)-1/15*(65*A-93*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(1/2)-1/10*(5*A-9*B)*cos(d*x+c)^2*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(1/2)+1/30*(35*A-39*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/a^2/d

Rubi [A] time = 0.59, antiderivative size = 216, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2977, 2983, 2968, 3023, 2751, 2649, 206}

$$\frac{(35A - 39B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{30a^2d} + \frac{(11A - 15B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} + \frac{(A - B) \sin(c+dx) \cos^3(c+dx)}{2d(a \cos(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2),x]

[Out] ((11*A - 15*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Cos[c + d*x]^3*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) - ((65*A - 93*B)*Sin[c + d*x])/(15*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((5*A - 9*B)*Cos[c + d*x]^2*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Cos[c + d*x]]) + ((35*A - 39*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(30*a^2*d)

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n
+ 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m +
n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx = \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\cos^2(c + dx) \left(3a(A - B) - \frac{1}{2}a(5A - 9B) \cos(c + dx)\right)}{\sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(5A - 9B) \cos^2(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(5A - 9B) \cos^2(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(5A - 9B) \cos^2(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(65A - 93B) \sin(c + dx)}{15ad\sqrt{a + a \cos(c + dx)}} - \frac{(5A - 9B) \cos^2(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(65A - 93B) \sin(c + dx)}{15ad\sqrt{a + a \cos(c + dx)}} - \frac{(5A - 9B) \cos^2(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(11A - 15B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}}$$

Mathematica [A] time = 0.94, size = 142, normalized size = 0.66

$$\frac{\sin\left(\frac{1}{2}(c+dx)\right)\cos^3\left(\frac{1}{2}(c+dx)\right)(3(20A-39B)\cos(c+dx)+(6B-10A)\cos(2(c+dx))+85A-3B\cos(3(c+dx)))}{15d\left(\sin^2\left(\frac{1}{2}(c+dx)\right)-1\right)(a(\cos(c+dx)+1))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] (-15*(11*A - 15*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^5 + Cos[(c + d*x)/2]^3*(85*A - 141*B + 3*(20*A - 39*B)*Cos[c + d*x] + (-10*A + 6*B)*Cos[2*(c + d*x)] - 3*B*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/((15*d*(a*(1 + Cos[c + d*x]))^(3/2)*(-1 + Sin[(c + d*x)/2]^2))

fricas [A] time = 0.90, size = 224, normalized size = 1.04

$$\frac{15\sqrt{2}\left((11A-15B)\cos(dx+c)^2+2(11A-15B)\cos(dx+c)+11A-15B\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2+2\sqrt{2}\sqrt{a}\cos(dx+c)}{\cos(dx+c)}\right)}{\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out] -1/120*(15*sqrt(2)*((11*A - 15*B)*cos(d*x + c)^2 + 2*(11*A - 15*B)*cos(d*x + c) + 11*A - 15*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(12*B*cos(d*x + c)^3 + 4*(5*A - 3*B)*cos(d*x + c)^2 - 12*(5*A - 9*B)*cos(d*x + c) - 95*A + 147*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [A] time = 3.10, size = 202, normalized size = 0.94

$$\frac{15\sqrt{2}(11A-15B)\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{\frac{3}{a^2}} + \frac{\left(\left(\frac{15\sqrt{2}(Aa^3-Ba^3)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^2}+\frac{\sqrt{2}(245Aa^3-381Ba^3)}{a^2}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] -1/60*(15*sqrt(2)*(11*A - 15*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)))/a^(3/2) + (((15*sqrt(2)*(A*a^3 - B*a^3)*tan(1/2*d*x + 1/2*c)^2/a^2 + sqrt(2)*(245*A*a^3 - 381*B*a^3)/a^2)*tan(1/2*d*x + 1/2*c)^2 + 5*sqrt(2)*(73*A*a^3 - 105*B*a^3)/a^2)*tan(1/2*d*x + 1/2*c)^2 + 15*sqrt(2)*(9*A*a^3 - 17*B*a^3)/a^2)*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 + a)^(5/2))/d

maple [B] time = 0.78, size = 407, normalized size = 1.88

$$\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(-96B\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\sqrt{a}\left(\sin^6\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+16\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\sqrt{a}\left(5A+\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x)`

[Out]
$$\frac{1}{60} (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)} (-96 B 2^{1/2} (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)} + 16 2^{1/2} (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)} (5A + 6B) \sin(1/2 dx + 1/2 c)^4 + 5 2^{1/2} (8A (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)} - 33A \ln(4/\cos(1/2 dx + 1/2 c)) (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)} + a) a - 48 B (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)} + 45 B \ln(4/\cos(1/2 dx + 1/2 c)) (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)} + a) a) \sin(1/2 dx + 1/2 c)^2 + 165 2^{1/2} \ln(4/\cos(1/2 dx + 1/2 c)) (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)} + a) a A - 225 2^{1/2} \ln(4/\cos(1/2 dx + 1/2 c)) (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)} + a) a B - 135 A 2^{1/2} (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)} + 255 B 2^{1/2} (a \sin(1/2 dx + 1/2 c))^2 \sqrt{a \sin(1/2 dx + 1/2 c)}) / \cos(1/2 dx + 1/2 c) / a^{5/2} / \sin(1/2 dx + 1/2 c) / (a \cos(1/2 dx + 1/2 c))^2 \sqrt{a \cos(1/2 dx + 1/2 c)} / d$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^3 (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(3/2),x)`

[Out] `int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(3/2), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2),x)`

[Out] Timed out

$$3.109 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=171

$$\frac{(7A - 11B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{(3A - 7B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{6a^2 d} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{2d(a \cos(c + dx) + a)^{3/2}}$$

[Out] 1/2*(A-B)*cos(d*x+c)^2*sin(d*x+c)/d/(a+a*cos(d*x+c))^(3/2)-1/4*(7*A-11*B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d*2^(1/2)+1/3*(9*A-13*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(1/2)-1/6*(3*A-7*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/a^2/d

Rubi [A] time = 0.42, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2977, 2968, 3023, 2751, 2649, 206}

$$\frac{(3A - 7B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{6a^2 d} - \frac{(7A - 11B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{2d(a \cos(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2),x]

[Out] -((7*A - 11*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Cos[c + d*x]^2*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) + ((9*A - 13*B)*Sin[c + d*x])/(3*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((3*A - 7*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(6*a^2*d)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\cos(c + dx) \left(2a(A - B) - \frac{1}{2}a(3A - 7B) \cos(c + dx) \right)}{\sqrt{a + a \cos(c + dx)}}}{2a^2} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{2a(A - B) \cos(c + dx) - \frac{1}{2}a(3A - 7B) \cos^2(c + dx)}{\sqrt{a + a \cos(c + dx)}}}{2a^2} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(3A - 7B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{6a^2 d} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(9A - 13B) \sin(c + dx)}{3ad \sqrt{a + a \cos(c + dx)}} - \frac{(3A - 7B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{6a^2 d} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(9A - 13B) \sin(c + dx)}{3ad \sqrt{a + a \cos(c + dx)}} - \frac{(3A - 7B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{6a^2 d} \\ &= -\frac{(7A - 11B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}} \right)}{2\sqrt{2} a^{3/2} d} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.77, size = 97, normalized size = 0.57

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \left(12(A - B) \cos(c + dx) + 15A + 2B \cos(2(c + dx)) - 17B \right) - 3(7A - 11B) \cos\left(\frac{1}{2}(c + dx)\right) \tanh\left(\frac{1}{2}(c + dx)\right)}{6ad \sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2),
x]
```

```
[Out] (-3*(7*A - 11*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + (15*A - 17*B
+ 12*(A - B)*Cos[c + d*x] + 2*B*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/(6*a*d*
Sqrt[a*(1 + Cos[c + d*x])])
```

fricas [A] time = 0.72, size = 205, normalized size = 1.20

$$\frac{3\sqrt{2}\left((7A-11B)\cos(dx+c)^2+2(7A-11B)\cos(dx+c)+7A-11B\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2-2\sqrt{2}\sqrt{a\cos(dx+c)+1}}{\cos(dx+c)^2+2}\right)}{24\left(a^2d\cos(dx+c)+a^2d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out] -1/24*(3*sqrt(2)*((7*A - 11*B)*cos(d*x + c)^2 + 2*(7*A - 11*B)*cos(d*x + c) + 7*A - 11*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a))*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(4*B*cos(d*x + c)^2 + 12*(A - B)*cos(d*x + c) + 15*A - 19*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [A] time = 1.93, size = 168, normalized size = 0.98

$$\frac{3(7\sqrt{2}A-11\sqrt{2}B)\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{a^{\frac{3}{2}}} + \frac{\left(\frac{3(\sqrt{2}Aa-\sqrt{2}Ba)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a} + \frac{2(15\sqrt{2}Aa-23\sqrt{2}Ba)}{a}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a\right)^{\frac{3}{2}}}$$

$12d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] 1/12*(3*(7*sqrt(2)*A - 11*sqrt(2)*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)))/a^(3/2) + ((3*(sqrt(2)*A*a - sqrt(2)*B*a)*tan(1/2*d*x + 1/2*c)^2/a + 2*(15*sqrt(2)*A*a - 23*sqrt(2)*B*a)/a)*tan(1/2*d*x + 1/2*c)^2 + 27*(sqrt(2)*A*a - sqrt(2)*B*a)/a)*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 + a)^(3/2))/d

maple [B] time = 0.80, size = 327, normalized size = 1.91

$$\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(16B\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\sqrt{a}\left(\cos^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-21A\ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+4a}}{\cos\left(\frac{dx}{2}+\frac{c}{2}\right)}\right)\right)\sqrt{2}\left(\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x)

[Out] 1/12/cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(16*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4-21*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^2*a+33*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^2*a+24*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2-40*B*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+3*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-3*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(5/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^2 (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(3/2),x)

[Out] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.110 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=118

$$\frac{(3A - 7B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{(A - B) \sin(c + dx)}{2d(a \cos(c + dx) + a)^{3/2}} + \frac{2B \sin(c + dx)}{ad\sqrt{a \cos(c + dx) + a}}$$

[Out] $-1/2*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}+1/4*(3*A-7*B)*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(3/2)}/d*2^{(1/2)}+2*B*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2968, 3019, 2751, 2649, 206}

$$\frac{(3A - 7B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{(A - B) \sin(c + dx)}{2d(a \cos(c + dx) + a)^{3/2}} + \frac{2B \sin(c + dx)}{ad\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] $((3*A - 7*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])])/(2*\operatorname{Sqrt}[2]*a^{(3/2)}*d) - ((A - B)*\operatorname{Sin}[c + d*x])/(2*d*(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}) + (2*B*\operatorname{Sin}[c + d*x])/(a*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3019

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[(A*b - a*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m/(a*f*(2*m + 1)), x] + Dist[1

$/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}*\text{Simp}[a*A*(m+1) + m*(b*B - a*C) + b*C*(2*m + 1)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{LtQ}[m, -1] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{3/2}} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+a\cos(c+dx))^{3/2}} dx \\ &= -\frac{(A-B)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{\int \frac{-\frac{3}{2}a(A-B)-2aB\cos(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\ &= -\frac{(A-B)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{2B\sin(c+dx)}{ad\sqrt{a+a\cos(c+dx)}} + \frac{(3A-7B)\int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx}{4a^2} \\ &= -\frac{(A-B)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{2B\sin(c+dx)}{ad\sqrt{a+a\cos(c+dx)}} - \frac{(3A-7B)\text{Subst}\left(\int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx\right)}{4a^2} \\ &= \frac{(3A-7B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{2B\sin(c+dx)}{ad\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.42, size = 104, normalized size = 0.88

$$\frac{\sin\left(\frac{1}{2}(c+dx)\right)\cos^3\left(\frac{1}{2}(c+dx)\right)(A-4B\cos(c+dx)-5B)-(3A-7B)\cos^5\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{d\left(\sin^2\left(\frac{1}{2}(c+dx)\right)-1\right)(a(\cos(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] -((3*A - 7*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^5 + Cos[(c + d*x)/2]^3*(A - 5*B - 4*B*Cos[c + d*x])*Sin[(c + d*x)/2]) / (d*(a*(1 + Cos[c + d*x]))^(3/2)*(-1 + Sin[(c + d*x)/2]^2))

fricas [A] time = 0.60, size = 189, normalized size = 1.60

$$\frac{\sqrt{2}\left((3A-7B)\cos(dx+c)^2+2(3A-7B)\cos(dx+c)+3A-7B\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2+2\sqrt{2}\sqrt{a}\cos(dx+c)+a}{\cos(dx+c)^2+2\cos(dx+c)+a}\right)}{8\left(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] -1/8*(sqrt(2)*((3*A - 7*B)*cos(d*x + c)^2 + 2*(3*A - 7*B)*cos(d*x + c) + 3*A - 7*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a))*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(4*B*cos(d*x + c) - A + 5*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [A] time = 1.70, size = 131, normalized size = 1.11

$$\frac{\left(\frac{\sqrt{2}(Aa^2-Ba^2)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^3}+\frac{\sqrt{2}(Aa^2-9Ba^2)}{a^3}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}+\frac{\sqrt{2}(3A-7B)\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out]
$$-1/4*((\sqrt{2}*(A*a^2 - B*a^2)*\tan(1/2*d*x + 1/2*c)^2/a^3 + \sqrt{2}*(A*a^2 - 9*B*a^2)/a^3)*\tan(1/2*d*x + 1/2*c)/\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a} + \sqrt{2}*(3*A - 7*B)*\log(\text{abs}(-\sqrt{a}*\tan(1/2*d*x + 1/2*c) + \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a}))/a^{(3/2)})/d$$

maple [B] time = 0.74, size = 256, normalized size = 2.17

$$\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(3A \ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sqrt{2} \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a - 7B \ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sqrt{2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a^{\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x)

[Out]
$$1/4*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(3*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^2*a-7*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^2*a+8*B*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2-A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/\cos(1/2*d*x+1/2*c)/a^{(5/2)}/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c+d*x)*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x))^(3/2),x)

[Out] int((cos(c+d*x)*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x))^(3/2),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A+B\cos(c+dx))\cos(c+dx)}{(a(\cos(c+dx)+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x)

[Out] Integral((A+B*cos(c+d*x))*cos(c+d*x)/(a*(cos(c+d*x)+1))^(3/2),x)

$$3.111 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=87

$$\frac{(A+3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(A-B) \sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] $1/2*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}+1/4*(A+3*B)*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(3/2)}/d*2^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {2750, 2649, 206}

$$\frac{(A+3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(A-B) \sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A+B*\operatorname{Cos}[c+d*x])/(a+a*\operatorname{Cos}[c+d*x])^{(3/2)},x]$

[Out] $((A+3*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c+d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]])])/(2*\operatorname{Sqrt}[2]*a^{(3/2)}*d) + ((A-B)*\operatorname{Sin}[c+d*x])/(2*d*(a+a*\operatorname{Cos}[c+d*x])^{(3/2)})$

Rule 206

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \parallel \operatorname{LtQ}[b, 0])$

Rule 2649

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_+ + (b_+)*\sin[(c_+ + (d_+)*(x_+)]), x_Symbol] \rightarrow \operatorname{Dist}[-2/d, \operatorname{Subst}[\operatorname{Int}[1/(2*a - x^2), x], x, (b*\operatorname{Cos}[c + d*x])/\operatorname{Sqrt}[a + b*\sin[c + d*x]]], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{EqQ}[a^2 - b^2, 0]$

Rule 2750

$\operatorname{Int}[(a_+ + (b_+)*\sin[(e_+ + (f_+)*(x_+)])^{(m_+)}*((c_+ + (d_+)*\sin[(e_+ + (f_+)*(x_+)]), x_Symbol] \rightarrow \operatorname{Simp}[(b*c - a*d)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^m]/(a*f*(2*m + 1)), x] + \operatorname{Dist}[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(m + 1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -2^{(-1)}]$

Rubi steps

$$\begin{aligned} \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx &= \frac{(A-B) \sin(c+dx)}{2d(a+a \cos(c+dx))^{3/2}} + \frac{(A+3B) \int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx}{4a} \\ &= \frac{(A-B) \sin(c+dx)}{2d(a+a \cos(c+dx))^{3/2}} - \frac{(A+3B) \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{2ad} \\ &= \frac{(A+3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(A-B) \sin(c+dx)}{2d(a+a \cos(c+dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.20, size = 63, normalized size = 0.72

$$\frac{\frac{1}{2}(A - B) \sin(c + dx) + (A + 3B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{d(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x])^(3/2), x]

[Out] ((A + 3*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + ((A - B)*Sin[c + d*x])/2)/(d*(a*(1 + Cos[c + d*x]))^(3/2))

fricas [B] time = 0.84, size = 172, normalized size = 1.98

$$\frac{\sqrt{2}((A + 3B) \cos(dx + c)^2 + 2(A + 3B) \cos(dx + c) + A + 3B) \sqrt{a} \log\left(-\frac{a \cos(dx+c)^2 - 2\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{a} \sin(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)}{8(a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/8*(sqrt(2)*((A + 3*B)*cos(d*x + c)^2 + 2*(A + 3*B)*cos(d*x + c) + A + 3*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*sqrt(a*cos(d*x + c) + a)*(A - B)*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [A] time = 1.30, size = 101, normalized size = 1.16

$$\frac{(\sqrt{2}A + 3\sqrt{2}B) \log\left(-\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a}\right)}{a^{3/2}} - \frac{\sqrt{a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} (\sqrt{2}Aa - \sqrt{2}Ba) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^3}$$

$$4d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] -1/4*((sqrt(2)*A + 3*sqrt(2)*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)))/a^(3/2) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)*(sqrt(2)*A*a - sqrt(2)*B*a)*tan(1/2*d*x + 1/2*c)/a^3/d

maple [B] time = 0.72, size = 220, normalized size = 2.53

$$\frac{\sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(A \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sqrt{2} \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a + 3B \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sqrt{2} \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \right)}{4 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^{\frac{5}{2}} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2), x)

[Out] 1/4/cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))^2^(1/2)*cos(1/2*d*x+1/2*c)^2*a+3*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))^2^(1/2)*cos(1/2*d*x+1/2*c)^2*a+A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(5/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(a + a*cos(c + d*x))^(3/2),x)

[Out] int((A + B*cos(c + d*x))/(a + a*cos(c + d*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a(\cos(c + dx) + 1))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2),x)

[Out] Integral((A + B*cos(c + d*x))/(a*(cos(c + d*x) + 1))**(3/2), x)

$$3.112 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=127

$$-\frac{(5A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2} d} - \frac{(A-B) \sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] 2*A*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d-1/2*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(3/2)-1/4*(5*A-B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d*2^(1/2)

Rubi [A] time = 0.32, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2978, 2985, 2649, 206, 2773}

$$-\frac{(5A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2} d} - \frac{(A-B) \sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x])^(3/2), x]

[Out] (2*A*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]])/(a^(3/2)*d) - ((5*A - B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2))

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2773

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2985

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(2aA - \frac{1}{2}a(A-B) \cos(c+dx)) \sec(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{2a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{A \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx}{a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(2A) \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{ad} \\ &= \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{3/2}d} - \frac{(5A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{2A}{2\sqrt{2} a^{3/2}d} \end{aligned}$$

Mathematica [A] time = 0.71, size = 131, normalized size = 1.03

$$\frac{(A - B) \sin\left(\frac{1}{2}(c + dx)\right) \cos^3\left(\frac{1}{2}(c + dx)\right) + (5A - B) \cos^5\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) - 4\sqrt{2} A \cos^5\left(\frac{1}{2}(c + dx)\right)}{d \left(\sin^2\left(\frac{1}{2}(c + dx)\right) - 1\right) (a \cos(c + dx) + 1)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x])^(3/2), x]

[Out] ((5*A - B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^5 - 4*Sqrt[2]*A*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^5 + (A - B)*Cos[(c + d*x)/2]^3*Sin[(c + d*x)/2])/(d*(a*(1 + Cos[c + d*x]))^(3/2)*(-1 + Sin[(c + d*x)/2])^2)

fricas [B] time = 0.85, size = 281, normalized size = 2.21

$$\frac{\sqrt{2} \left((5A - B) \cos(dx + c)^2 + 2(5A - B) \cos(dx + c) + 5A - B \right) \sqrt{a} \log\left(-\frac{a \cos(dx+c)^2 - 2\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{a} \sin(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)}{d \left(\sin^2\left(\frac{1}{2}(c + dx)\right) - 1\right) (a \cos(c + dx) + 1)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] -1/8*(sqrt(2))*((5*A - B)*cos(d*x + c)^2 + 2*(5*A - B)*cos(d*x + c) + 5*A - B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c) + A)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*sqrt(a)

$\frac{\cos(dx + c) + a}{a^2} \frac{(A - B)\sin(dx + c)}{\cos(dx + c)^2 + 2a\cos(dx + c) + a^2}$

giac [B] time = 2.86, size = 214, normalized size = 1.69

$$\frac{\sqrt{2}(5A\sqrt{a}-B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan^2\left(\frac{1}{2}dx+\frac{1}{2}c\right)+a}\right)^2\right)}{a^2} + \frac{8A\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan^2\left(\frac{1}{2}dx+\frac{1}{2}c\right)+a}\right)^2-a(2\sqrt{2}+3)\right)}{a^{\frac{3}{2}}}$$

8d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)/(a+a*cos(dx+c))^(3/2),x, algorithm="giac")

[Out] $\frac{1}{8}(\sqrt{2}(5A\sqrt{a}-B\sqrt{a})\log((\sqrt{a}\tan(1/2dx+1/2c)-\sqrt{a\tan(1/2dx+1/2c)^2+a})^2/a^2+8A\log(\text{abs}((\sqrt{a}\tan(1/2dx+1/2c)-\sqrt{a\tan(1/2dx+1/2c)^2+a})^2-a(2\sqrt{2}+3)))/a^{3/2}-8A\log(\text{abs}((\sqrt{a}\tan(1/2dx+1/2c)-\sqrt{a\tan(1/2dx+1/2c)^2+a})^2+a(2\sqrt{2}-3)))/a^{3/2}-2\sqrt{2}(A\sqrt{a}-B\sqrt{a})\tan(1/2dx+1/2c)/a^3)/d$

maple [B] time = 1.54, size = 374, normalized size = 2.94

$$\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(5A\ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+4a}}{\cos\left(\frac{dx}{2}+\frac{c}{2}\right)}\right)\sqrt{2}\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)a-B\ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+4a}}{\cos\left(\frac{dx}{2}+\frac{c}{2}\right)}\right)\sqrt{2}\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(dx+c))*sec(dx+c)/(a+a*cos(dx+c))^(3/2),x)

[Out] $-\frac{1}{4}a^{-5/2}/\cos(1/2dx+1/2c)*(a*\sin(1/2dx+1/2c)^2)^{1/2}*(5A*\ln(2*(2*a^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+2*a)/\cos(1/2dx+1/2c))*2^{1/2}*\cos(1/2dx+1/2c)^2*a-B*\ln(2*(2*a^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+2*a)/\cos(1/2dx+1/2c))*2^{1/2}*\cos(1/2dx+1/2c)^2*a-4A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2})*(2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*\cos(1/2dx+1/2c)^2*a-4A*\ln(-4*(a*2^{1/2}*\cos(1/2dx+1/2c)-2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}-2*a)/(2*\cos(1/2dx+1/2c)-2^{1/2}))*\cos(1/2dx+1/2c)^2*a+A*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2}-B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}*a^{1/2})/\sin(1/2dx+1/2c)/(a*\cos(1/2dx+1/2c)^2)^{1/2}/d$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)/(a+a*cos(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + a*cos(c + d*x))^(3/2)),x)`

[Out] `int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + a*cos(c + d*x))^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(3/2),x)`

[Out] `Integral((A + B*cos(c + d*x))*sec(c + d*x)/(a*(cos(c + d*x) + 1))^(3/2), x)`

$$3.113 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=170

$$-\frac{(3A-2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(9A-5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} + \frac{(3A-B) \tan(c+dx)}{2ad\sqrt{a \cos(c+dx)+a}} - \frac{(A-B) \tan(c+dx)}{2d(a \cos(c+dx)+a)}$$

[Out] $-(3A-2B) \operatorname{arctanh}(\sin(dx+c) a^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{3/2} / d + 1/4 (9A-5B) \operatorname{arctanh}(1/2 \sin(dx+c) a^{1/2} * 2^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{3/2} / d * 2^{1/2} - 1/2 (A-B) \tan(dx+c) / d / (a+a \cos(dx+c))^{3/2} + 1/2 (3A-B) \tan(dx+c) / a / d / (a+a \cos(dx+c))^{1/2}$

Rubi [A] time = 0.52, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2978, 2984, 2985, 2649, 206, 2773}

$$-\frac{(3A-2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(9A-5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} + \frac{(3A-B) \tan(c+dx)}{2ad\sqrt{a \cos(c+dx)+a}} - \frac{(A-B) \tan(c+dx)}{2d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^(3/2), x]

[Out] $-(((3A-2B) \operatorname{ArcTanh}[\frac{\sqrt{a} \sin[c+d*x]}{\sqrt{a+a \cos[c+d*x]}}]) / (a^{3/2} * d) + ((9A-5B) \operatorname{ArcTanh}[\frac{\sqrt{a} \sin[c+d*x]}{\sqrt{2} \sqrt{a+a \cos[c+d*x]}}]) / (2 \sqrt{2} a^{3/2} * d) - ((A-B) \tan[c+d*x]) / (2 * d * (a + a \cos[c+d*x])^{3/2}) + ((3A-B) \tan[c+d*x]) / (2 * a * d * \sqrt{a+a \cos[c+d*x]})$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2773

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_)), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1))/(a*f*(2*m+1)*(b*c - a*d)), x] + Dist[1/(a*(2*m+1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m+1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n+1)) + A*(b*c*(m+1) - a*d*(2*m+n+2)) + d*(A*b - a*B)*(m+n+2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2984

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 2985

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(a(3A - B) - \frac{3}{2}a(A - B) \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{2a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(3A - B) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{-a^2(3A - 2B)}{\sqrt{a + a \cos(c + dx)}} dx}{2a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(3A - B) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} + \frac{(9A - 5B) \int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx}{2a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(3A - B) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} - \frac{(9A - 5B) \operatorname{ArcTanh}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{2a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(3A - B) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} - \frac{(9A - 5B) \operatorname{ArcTanh}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{2\sqrt{2} a^{3/2} d} \end{aligned}$$

Mathematica [A] time = 1.16, size = 141, normalized size = 0.83

$$\frac{\cos^3\left(\frac{1}{2}(c + dx)\right) \left(2(9A - 5B) \operatorname{tanh}^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + \frac{2 \sin\left(\frac{1}{2}(c + dx)\right) (-2A \sec(c + dx) - 3A + B) + 4\sqrt{2} (3A - 2B) \cos^2\left(\frac{1}{2}(c + dx)\right)}{\sin^2\left(\frac{1}{2}(c + dx)\right) - 1} \right)}{2d(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^(3/2), x]

[Out] (Cos[(c + d*x)/2]^3*(2*(9*A - 5*B)*ArcTanh[Sin[(c + d*x)/2]] + (4*Sqrt[2]*(3*A - 2*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^2 + 2*(-3*A +

$B - 2A \sec[c + dx] \sin[(c + dx)/2] / (-1 + \sin[(c + dx)/2]^2)) / (2d(a(1 + \cos[c + dx]))^{3/2})$

fricas [B] time = 1.31, size = 339, normalized size = 1.99

$$\frac{\sqrt{2} \left((9A - 5B) \cos(dx + c)^3 + 2(9A - 5B) \cos(dx + c)^2 + (9A - 5B) \cos(dx + c) \right) \sqrt{a} \log\left(-\frac{a \cos(dx+c)^2 + 2\sqrt{2} \sqrt{a} \cos(dx+c) + a}{a^2}\right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out] $-1/8*(\sqrt{2}*((9*A - 5*B)*\cos(d*x + c)^3 + 2*(9*A - 5*B)*\cos(d*x + c)^2 + (9*A - 5*B)*\cos(d*x + c))*\sqrt{a}*\log(-(a*\cos(d*x + c)^2 + 2*\sqrt{2}*\sqrt{a}*\cos(d*x + c) + a)*\sqrt{a}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) + 2*((3*A - 2*B)*\cos(d*x + c)^3 + 2*(3*A - 2*B)*\cos(d*x + c)^2 + (3*A - 2*B)*\cos(d*x + c))*\sqrt{a}*\log((a*\cos(d*x + c)^3 - 7*a*\cos(d*x + c)^2 - 4*\sqrt{a*\cos(d*x + c) + a}*\sqrt{a}*(\cos(d*x + c) - 2)*\sin(d*x + c) + 8*a)/(\cos(d*x + c)^3 + \cos(d*x + c)^2)) - 4*((3*A - B)*\cos(d*x + c) + 2*A)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/(a^2*d*\cos(d*x + c)^3 + 2*a^2*d*\cos(d*x + c)^2 + a^2*d*\cos(d*x + c))$

giac [B] time = 3.23, size = 373, normalized size = 2.19

$$\frac{\sqrt{2} (9A\sqrt{a} - 5B\sqrt{a}) \log\left(\left(\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2\right)}{a^2} + \frac{4(3A\sqrt{a} - 2B\sqrt{a}) \log\left(\left(\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2\right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] $-1/8*(\sqrt{2}*(9*A*\sqrt{a} - 5*B*\sqrt{a})*\log((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2)/a^2 + 4*(3*A*\sqrt{a} - 2*B*\sqrt{a})*\log(\text{abs}((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/a^2 - 4*(3*A*\sqrt{a} - 2*B*\sqrt{a})*\log(\text{abs}(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/a^2 - 16*\sqrt{2}*(3*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{a} - A*a^{3/2})/(((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)*a) - 2*\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a}*(\sqrt{2}*A*a - \sqrt{2}*B*a)*\tan(1/2*d*x + 1/2*c)/a^3/d$

maple [B] time = 1.57, size = 1051, normalized size = 6.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(3/2),x)

[Out] $1/2*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(18*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))^2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a-10*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))^2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a-12*A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}$

```

)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))
*cos(1/2*d*x+1/2*c)^4*a-12*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-2^(1/2)*(a
*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))
*cos(1/2*d*x+1/2*c)^4*a+8*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*s
in(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1
/2*d*x+1/2*c)^4*a+8*B*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-2^(1/2)*(a*sin(1/
2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))
*cos(1/2*d*x+1/2*c)^4*a-9*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(
1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^2*a+5*B*ln(2*(2*a^(1/2)*(a*sin(1
/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^
2*a+6*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2
+6*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(
1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^2*a+6*A
*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)
*a^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))
*cos(1/2*d*x+1/2*c)^2*a-2*B*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2-4*B*ln(4/
(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1
/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^2*a-4*B*ln(-4*(a*
2^(1/2)*cos(1/2*d*x+1/2*c)-2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-2
*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))
*cos(1/2*d*x+1/2*c)^2*a-A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a
^(1/2))/a^(5/2)/cos(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)+2^(1/2))/(2*cos(1/
2*d*x+1/2*c)-2^(1/2))/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(3/2),x, algorithm
="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^2 (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + a*cos(c + d*x))^(3/2)),x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + a*cos(c + d*x))^(3/2)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a(\cos(c + dx) + 1))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+a*cos(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/(a*(cos(c + d*x) + 1))**(3/2)
, x)
```

$$3.114 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=221

$$\frac{(19A - 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13A - 9B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{(7A - 6B) \tan(c+dx)}{4ad\sqrt{a \cos(c+dx)+a}} + \frac{(2A - B) \tan(c+dx)}{2ad\sqrt{a \cos(c+dx)+a}}$$

[Out] 1/4*(19*A-12*B)*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d-1/4*(13*A-9*B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d*2^(1/2)-1/2*(A-B)*sec(d*x+c)*tan(d*x+c)/d/(a+a*cos(d*x+c))^(3/2)-1/4*(7*A-6*B)*tan(d*x+c)/a/d/(a+a*cos(d*x+c))^(1/2)+1/2*(2*A-B)*sec(d*x+c)*tan(d*x+c)/a/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.71, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2978, 2984, 2985, 2649, 206, 2773}

$$\frac{(19A - 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13A - 9B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{(7A - 6B) \tan(c+dx)}{4ad\sqrt{a \cos(c+dx)+a}} + \frac{(2A - B) \tan(c+dx)}{2ad\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x])^(3/2), x]

[Out] ((19*A - 12*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(4*a^(3/2)*d) - ((13*A - 9*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((7*A - 6*B)*Tan[c + d*x])/(4*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]*Tan[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) + ((2*A - B)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d*Sqrt[a + a*Cos[c + d*x]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2773

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)

) * Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2984

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 2985

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])), x_Symbol] :> Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \int \frac{\left(2a(2A - B) - \frac{5}{2}a(A - B) \cos(c + dx)\right) \sec^3(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx \\
 &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(2A - B) \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{(7A - 6B) \tan(c + dx)}{4ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(2A - B) \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{(7A - 6B) \tan(c + dx)}{4ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(2A - B) \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{(7A - 6B) \tan(c + dx)}{4ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(2A - B) \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} \\
 &= \frac{(19A - 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4a^{3/2}d} - \frac{(13A - 9B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{2\sqrt{2} a^{3/2}d}
 \end{aligned}$$

Mathematica [A] time = 1.63, size = 205, normalized size = 0.93

$$\cos^3\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \left(4 \sin\left(\frac{1}{2}(c + dx)\right) \left((6A - 8B) \cos(c + dx) + (7A - 6B) \cos(2(c + dx))\right) + 3(A - 2B) \cos(c + dx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*cos[c + d*x])*Sec[c + d*x]^3)/(a + a*cos[c + d*x])^(3/2), x]

[Out] (Cos[(c + d*x)/2]^3*Sec[c + d*x]^2*(4*(13*A - 9*B)*ArcTanh[Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Cos[(3*(c + d*x))/2])^2 - 2*Sqrt[2]*(19*A - 12*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Cos[(3*(c + d*x))/2])^2 + 4*(3*(A - 2*B) + (6*A - 8*B)*Cos[c + d*x] + (7*A - 6*B)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(16*d*(a*(1 + Cos[c + d*x]))^(3/2)*(-1 + Sin[(c + d*x)/2])^2))

fricas [A] time = 0.73, size = 361, normalized size = 1.63

$$2\sqrt{2}\left((13A - 9B)\cos(dx + c)^4 + 2(13A - 9B)\cos(dx + c)^3 + (13A - 9B)\cos(dx + c)^2\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out] -1/16*(2*sqrt(2)*((13*A - 9*B)*cos(d*x + c)^4 + 2*(13*A - 9*B)*cos(d*x + c)^3 + (13*A - 9*B)*cos(d*x + c)^2)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + ((19*A - 12*B)*cos(d*x + c)^4 + 2*(19*A - 12*B)*cos(d*x + c)^3 + (19*A - 12*B)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 + 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*((7*A - 6*B)*cos(d*x + c)^2 + (3*A - 4*B)*cos(d*x + c) - 2*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to check sign: (2*pi/x/2)>(-2*pi/x/2) Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(cos((d*t_nostep+c)/2))]Discontinuities at zeroes of cos((d*t_nostep+c)/2) were not checkedEvaluation time: 0.69Unable to divide, perhaps due to rounding error%%{%%{[23574053482485268906770432,0]:[1,0,-2]%%},[16]%%},[0]:[1,0,%%{-1,[1]%%}%%},[0]%%} / %%{%%{%%{[604462909807314587353088,0]:[1,0,-2]%%},[16]%%},[0]%%} Error: Bad Argument Value

maple [B] time = 1.68, size = 1540, normalized size = 6.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(3/2),x)

[Out]
$$-1/2*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(104*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^6*a-72*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^6*a-76*A*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})))*\cos(1/2*d*x+1/2*c)^6*a-76*A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^6*a+48*B*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^6*a+48*B*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^6*a-104*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a+72*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a+28*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^4+76*A*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^4*a+76*A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^4*a-24*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^4-48*B*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^4*a-48*B*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^4*a+26*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^2*a-18*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^2*a-22*A*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2-19*A*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^2*a-19*A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^2*a+16*B*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2+12*B*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^2*a+12*B*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^2*a+2*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/a^{(5/2)}/\cos(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})^2/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})^2/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^3 (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + a*cos(c + d*x))^(3/2)),x)

[Out] `int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + a*cos(c + d*x))^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+a*cos(d*x+c))**(3/2),x)`

[Out] `Integral((A + B*cos(c + d*x))*sec(c + d*x)**3/(a*(cos(c + d*x) + 1))**(3/2), x)`

$$3.115 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=261

$$\frac{(163A - 283B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(475A - 787B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{240a^3 d} - \frac{(85A - 157B) \sin(c+dx)}{80a^2 d \sqrt{a \cos(c+dx)+a}}$$

[Out] 1/4*(A-B)*cos(d*x+c)^4*sin(d*x+c)/d/(a+a*cos(d*x+c))^(5/2)+1/16*(13*A-21*B)*cos(d*x+c)^3*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(3/2)+1/32*(163*A-283*B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d*2^(1/2)-1/120*(985*A-1729*B)*sin(d*x+c)/a^2/d/(a+a*cos(d*x+c))^(1/2)-1/80*(85*A-157*B)*cos(d*x+c)^2*sin(d*x+c)/a^2/d/(a+a*cos(d*x+c))^(1/2)+1/240*(475*A-787*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/a^3/d

Rubi [A] time = 0.80, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2977, 2983, 2968, 3023, 2751, 2649, 206}

$$\frac{(85A - 157B) \sin(c+dx) \cos^2(c+dx)}{80a^2 d \sqrt{a \cos(c+dx)+a}} + \frac{(475A - 787B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{240a^3 d} - \frac{(985A - 1729B) \sin(c+dx)}{120a^2 d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] ((163*A - 283*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Cos[c + d*x]^4*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) + ((13*A - 21*B)*Cos[c + d*x]^3*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)) - ((985*A - 1729*B)*Sin[c + d*x])/(120*a^2*d*Sqrt[a + a*Cos[c + d*x]]) - ((85*A - 157*B)*Cos[c + d*x]^2*Sin[c + d*x])/(80*a^2*d*Sqrt[a + a*Cos[c + d*x]]) + ((475*A - 787*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(240*a^3*d)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m +
n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m +
n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{5/2}} dx &= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\cos^3(c+dx)\left(4a(A-B)-\frac{1}{2}a(5A-13B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\
&= \frac{(163A-283B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 1.64, size = 139, normalized size = 0.53

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)(-5(479A-887B)\cos(c+dx)+(832B-400A)\cos(2(c+dx))+40A\cos(3(c+dx))-1895A\cos(4(c+dx))}{240ad(a\cos(c+dx)+1)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] (30*(163*A - 283*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + (-1895*A + 3491*B - 5*(479*A - 887*B)*Cos[c + d*x] + (-400*A + 832*B)*Cos[2*(c + d*x)] + 40*A*Cos[3*(c + d*x)] - 40*B*Cos[3*(c + d*x)] + 12*B*Cos[4*(c + d*x)])*Tan[(c + d*x)/2]/(240*a*d*(a*(1 + Cos[c + d*x]))^(3/2))

fricas [A] time = 0.80, size = 270, normalized size = 1.03

$$\frac{15\sqrt{2}\left((163A-283B)\cos(dx+c)^3+3(163A-283B)\cos(dx+c)^2+3(163A-283B)\cos(dx+c)+163A-283B\right)}{16\sqrt{2}a^{5/2}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] -1/960*(15*sqrt(2)*((163*A - 283*B)*cos(d*x + c)^3 + 3*(163*A - 283*B)*cos(d*x + c)^2 + 3*(163*A - 283*B)*cos(d*x + c) + 163*A - 283*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c))

$$- 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(96*B*cos(d*x + c)^4 + 160*(A - B)*cos(d*x + c)^3 - 32*(25*A - 49*B)*cos(d*x + c)^2 - 5*(503*A - 911*B)*cos(d*x + c) - 1495*A + 2671*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)$$

giac [A] time = 2.69, size = 257, normalized size = 0.98

$$\frac{15(163\sqrt{2}A-283\sqrt{2}B)\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan^2\left(\frac{1}{2}dx+\frac{1}{2}c\right)+a}\right)}{a^{\frac{5}{2}}}-\left(\left(\left(\frac{2(\sqrt{2}Aa^2-\sqrt{2}Ba^2)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^2}-\frac{21\sqrt{2}Aa^2-29\sqrt{2}Ba^2}{a^2}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\right)$$

480 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] -1/480*(15*(163*sqrt(2)*A - 283*sqrt(2)*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)))/a^(5/2) - (((15*(2*(sqrt(2)*A*a^2 - sqrt(2)*B*a^2)*tan(1/2*d*x + 1/2*c)^2/a^2 - (21*sqrt(2)*A*a^2 - 29*sqrt(2)*B*a^2)/a^2)*tan(1/2*d*x + 1/2*c)^2 - (3685*sqrt(2)*A*a^2 - 6733*sqrt(2)*B*a^2)/a^2)*tan(1/2*d*x + 1/2*c)^2 - 5*(1133*sqrt(2)*A*a^2 - 1973*sqrt(2)*B*a^2)/a^2)*tan(1/2*d*x + 1/2*c)^2 - 15*(155*sqrt(2)*A*a^2 - 291*sqrt(2)*B*a^2)/a^2)*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 + a)^(5/2))/d

maple [B] time = 0.82, size = 467, normalized size = 1.79

$$\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\left(768B\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{a}\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 640A\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{a}\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x)

[Out] 1/480/cos(1/2*d*x+1/2*c)^3*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(768*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^8+640*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^6-2176*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^6+2445*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c)))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a-4245*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c)))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a-2560*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4+5248*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4-435*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+555*B*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+30*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-30*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(7/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^4 (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(5/2), x)

[Out] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2), x)

[Out] Timed out

$$3.116 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=216

$$\frac{(75A - 163B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(39A - 95B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{48a^3 d} + \frac{(93A - 197B) \sin(c+dx)}{24a^2 d \sqrt{a \cos(c+dx)+a}}$$

[Out] 1/4*(A-B)*cos(d*x+c)^3*sin(d*x+c)/d/(a+a*cos(d*x+c))^(5/2)+1/16*(9*A-17*B)*cos(d*x+c)^2*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(3/2)-1/32*(75*A-163*B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d*2^(1/2)+1/24*(93*A-197*B)*sin(d*x+c)/a^2/d/(a+a*cos(d*x+c))^(1/2)-1/48*(39*A-95*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/a^3/d

Rubi [A] time = 0.61, antiderivative size = 216, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2977, 2968, 3023, 2751, 2649, 206}

$$\frac{(39A - 95B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{48a^3 d} + \frac{(93A - 197B) \sin(c+dx)}{24a^2 d \sqrt{a \cos(c+dx)+a}} - \frac{(75A - 163B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2),x]

[Out] -((75*A - 163*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Cos[c + d*x]^3*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) + ((9*A - 17*B)*Cos[c + d*x]^2*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)) + ((93*A - 197*B)*Sin[c + d*x])/(24*a^2*d*Sqrt[a + a*Cos[c + d*x]]) - ((39*A - 95*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(48*a^3*d)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{5/2}} dx &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\cos^2(c+dx)\left(3a(A-B)-\frac{1}{2}a(3A-11B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(9A-17B)\cos^2(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(9A-17B)\cos^2(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(9A-17B)\cos^2(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(9A-17B)\cos^2(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(9A-17B)\cos^2(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\ &= -\frac{(75A-163B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} \end{aligned}$$

Mathematica [A] time = 1.11, size = 117, normalized size = 0.54

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\left((255A-479B)\cos(c+dx)+16(3A-5B)\cos(2(c+dx))+195A+8B\cos(3(c+dx))-379B\right)}{48ad(a(\cos(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2),
x]
```

[Out] $(-6*(75*A - 163*B)*\text{ArcTanh}[\text{Sin}[(c + d*x)/2]]*\text{Cos}[(c + d*x)/2]^3 + (195*A - 379*B + (255*A - 479*B)*\text{Cos}[c + d*x] + 16*(3*A - 5*B)*\text{Cos}[2*(c + d*x)] + 8*B*\text{Cos}[3*(c + d*x)])*\text{Tan}[(c + d*x)/2])/(48*a*d*(a*(1 + \text{Cos}[c + d*x]))^{(3/2)})$

fricas [A] time = 0.68, size = 254, normalized size = 1.18

$$3\sqrt{2}\left((75A - 163B)\cos(dx + c)^3 + 3(75A - 163B)\cos(dx + c)^2 + 3(75A - 163B)\cos(dx + c) + 75A - 163B\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] $-1/192*(3*\sqrt{2}*((75*A - 163*B)*\cos(d*x + c)^3 + 3*(75*A - 163*B)*\cos(d*x + c)^2 + 3*(75*A - 163*B)*\cos(d*x + c) + 75*A - 163*B)*\sqrt{a}*\log(-(a*\cos(d*x + c)^2 - 2*\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{a}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) - 4*(32*B*\cos(d*x + c)^3 + 32*(3*A - 5*B)*\cos(d*x + c)^2 + (255*A - 503*B)*\cos(d*x + c) + 147*A - 299*B)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$

giac [A] time = 4.72, size = 204, normalized size = 0.94

$$\frac{\left(\left(3\left(\frac{2\sqrt{2}(Aa^5 - Ba^5)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^6} - \frac{\sqrt{2}(15Aa^5 - 23Ba^5)}{a^6}\right)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \frac{4\sqrt{2}(75Aa^5 - 167Ba^5)}{a^6}\right)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \frac{3\sqrt{2}(83Aa^5 - 155Ba^5)}{a^6}\right)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a\right)^{\frac{3}{2}}}$$

96d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")`

[Out] $-1/96*((3*(2*\sqrt{2}*(A*a^5 - B*a^5)*\tan(1/2*d*x + 1/2*c))^2/a^6 - \sqrt{2}*(15*A*a^5 - 23*B*a^5)/a^6)*\tan(1/2*d*x + 1/2*c)^2 - 4*\sqrt{2}*(75*A*a^5 - 167*B*a^5)/a^6)*\tan(1/2*d*x + 1/2*c)^2 - 3*\sqrt{2}*(83*A*a^5 - 155*B*a^5)/a^6)*\tan(1/2*d*x + 1/2*c)/(a*\tan(1/2*d*x + 1/2*c)^2 + a)^{(3/2)} - 3*\sqrt{2}*(75*A - 163*B)*\log(\text{abs}(-\sqrt{a}*\tan(1/2*d*x + 1/2*c) + \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a}))/a^{(5/2)})/d$

maple [B] time = 0.84, size = 397, normalized size = 1.84

$$\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\left(128B\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{a}\left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 225A\ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} + 4a}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)\right)\sqrt{2}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{3/2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x)`

[Out] $1/96/\cos(1/2*d*x+1/2*c)^3*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(128*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^6 - 225*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))^2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a + 489*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))^2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a + 192*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^6$

$$d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^4-512*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^2-87*B*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2-6*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+6*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/a^{(7/2)}/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^3 (A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c+d*x)^3*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x))^(5/2),x)

[Out] int((cos(c+d*x)^3*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x))^(5/2),x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.117 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=169

$$\frac{(19A - 75B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(A - 9B) \sin(c + dx)}{4a^2 d \sqrt{a \cos(c + dx) + a}} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}} - \frac{(5A - 13B) \sin(c + dx)}{16ad(a \cos(c + dx) + a)^{3/2}}$$

[Out] 1/4*(A-B)*cos(d*x+c)^2*sin(d*x+c)/d/(a+a*cos(d*x+c))^(5/2)-1/16*(5*A-13*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(3/2)+1/32*(19*A-75*B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d*2^(1/2)-1/4*(A-9*B)*sin(d*x+c)/a^2/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.42, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2977, 2968, 3019, 2751, 2649, 206}

$$-\frac{(A - 9B) \sin(c + dx)}{4a^2 d \sqrt{a \cos(c + dx) + a}} + \frac{(19A - 75B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}} - \frac{(5A - 13B) \sin(c + dx)}{16ad(a \cos(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2),x]

[Out] (((19*A - 75*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Cos[c + d*x]^2*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) - ((5*A - 13*B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)) - ((A - 9*B)*Sin[c + d*x])/(4*a^2*d*Sqrt[a + a*Cos[c + d*x]]))

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 3019

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)^2], x_Symbol] := Simp[((A*b - a
*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1
/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*
B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{5/2}} dx &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\cos(c+dx)(2a(A-B)-\frac{1}{2}a(A-9B)\cos(c+dx))}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{2a(A-B)\cos(c+dx)-\frac{1}{2}a(A-9B)\cos^2(c+dx)}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{(5A-13B)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{\int \frac{\cos(c+dx)}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{(5A-13B)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{(5A-13B)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4a^2} \\ &= \frac{(19A-75B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.78, size = 100, normalized size = 0.59

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\left((85B-13A)\cos(c+dx)-9A+16B\cos(2(c+dx))+65B\right)+2(19A-75B)\cos^3\left(\frac{1}{2}(c+dx)\right)}{16ad(a(\cos(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2),
x]
```

```
[Out] (2*(19*A - 75*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + (-9*A + 65*
B + (-13*A + 85*B)*Cos[c + d*x] + 16*B*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/
(16*a*d*(a*(1 + Cos[c + d*x]))^(3/2))
```

fricas [A] time = 0.74, size = 237, normalized size = 1.40

$$\sqrt{2} \left((19A - 75B) \cos(dx + c)^3 + 3(19A - 75B) \cos(dx + c)^2 + 3(19A - 75B) \cos(dx + c) + 19A - 75B \right) \sqrt{a}$$

$$64 \left(a^3 d \cos \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\frac{-1/64 * (\sqrt{2} * ((19*A - 75*B) * \cos(d*x + c)^3 + 3 * (19*A - 75*B) * \cos(d*x + c) + 19*A - 75*B) * \sqrt{a} * \log(- (a * \cos(d*x + c)^2 + 2 * \sqrt{2} * \sqrt{a * \cos(d*x + c) + a} * \sqrt{a} * \sin(d*x + c) - 2 * a * \cos(d*x + c) - 3 * a) / (\cos(d*x + c)^2 + 2 * \cos(d*x + c) + 1)) - 4 * (32 * B * \cos(d*x + c)^2 - (13 * A - 85 * B) * \cos(d*x + c) - 9 * A + 49 * B) * \sqrt{a * \cos(d*x + c) + a} * \sin(d*x + c)) / (a^3 * d * \cos(d*x + c)^3 + 3 * a^3 * d * \cos(d*x + c)^2 + 3 * a^3 * d * \cos(d*x + c) + a^3 * d)}{32 d}$$

giac [A] time = 2.61, size = 181, normalized size = 1.07

$$\frac{\left(\frac{2(\sqrt{2}Aa^6 - \sqrt{2}Ba^6) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^8} - \frac{9\sqrt{2}Aa^6 - 17\sqrt{2}Ba^6}{a^8} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \frac{11\sqrt{2}Aa^6 - 83\sqrt{2}Ba^6}{a^8} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}} \quad (19\sqrt{2}A - 75\sqrt{2}B) \log\left(-\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)$$

$$32 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out]
$$\frac{1/32 * (((2 * (\sqrt{2} * A * a^6 - \sqrt{2} * B * a^6) * \tan(1/2 * d * x + 1/2 * c))^2 / a^8 - (9 * \sqrt{2} * A * a^6 - 17 * \sqrt{2} * B * a^6) / a^8) * \tan(1/2 * d * x + 1/2 * c)^2 - (11 * \sqrt{2} * A * a^6 - 83 * \sqrt{2} * B * a^6) / a^8) * \tan(1/2 * d * x + 1/2 * c) / \sqrt{a * \tan(1/2 * d * x + 1/2 * c)^2 + a} - (19 * \sqrt{2} * A - 75 * \sqrt{2} * B) * \log(\text{abs}(-\sqrt{a} * \tan(1/2 * d * x + 1/2 * c) + \sqrt{a * \tan(1/2 * d * x + 1/2 * c)^2 + a})) / a^{5/2}}{d}$$

maple [B] time = 0.86, size = 327, normalized size = 1.93

$$\sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \left(19A \ln \left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left(\frac{dx}{2} + \frac{c}{2} \right)} \right) \sqrt{2} \left(\cos^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) a - 75B \ln \left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left(\frac{dx}{2} + \frac{c}{2} \right)} \right) \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x)

[Out]
$$\frac{1/32 * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (19 * A * \ln(2 * (2 * a^{1/2}) * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 2 * a) / \cos(1/2 * d * x + 1/2 * c) * 2^{1/2} * \cos(1/2 * d * x + 1/2 * c)^4 * a - 75 * B * \ln(2 * (2 * a^{1/2}) * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 2 * a) / \cos(1/2 * d * x + 1/2 * c) * 2^{1/2} * \cos(1/2 * d * x + 1/2 * c)^4 * a + 64 * B * 2^{1/2} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{1/2} * \cos(1/2 * d * x + 1/2 * c)^4 - 13 * A * a^{1/2} * 2^{1/2} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \cos(1/2 * d * x + 1/2 * c)^2 + 21 * B * a^{1/2} * 2^{1/2} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * A * 2^{1/2} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{1/2} - 2 * B * 2^{1/2} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{1/2}) / \cos(1/2 * d * x + 1/2 * c)^3 / a^{7/2} / \sin(1/2 * d * x + 1/2 * c) / (a * \cos(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / d$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^2 (A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c+d*x)^2*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x))^(5/2),x)

[Out] int((cos(c+d*x)^2*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x))^(5/2),x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.118 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=126

$$\frac{(5A + 19B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} + \frac{(5A - 13B) \sin(c + dx)}{16ad(a \cos(c + dx) + a)^{3/2}} - \frac{(A - B) \sin(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}}$$

[Out] $-1/4*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}+1/16*(5*A-13*B)*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}+1/32*(5*A+19*B)*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})/a^{(5/2)}/d*2^{(1/2)}$

Rubi [A] time = 0.23, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2968, 3019, 2750, 2649, 206}

$$\frac{(5A + 19B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} + \frac{(5A - 13B) \sin(c + dx)}{16ad(a \cos(c + dx) + a)^{3/2}} - \frac{(A - B) \sin(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Cos}[c + d*x]*(A + B*\operatorname{Cos}[c + d*x]))/(a + a*\operatorname{Cos}[c + d*x])^{(5/2)}, x]$

[Out] $((5*A + 19*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])]/(16*\operatorname{Sqrt}[2]*a^{(5/2)}*d) - ((A - B)*\operatorname{Sin}[c + d*x]/(4*d*(a + a*\operatorname{Cos}[c + d*x])^{(5/2)})) + ((5*A - 13*B)*\operatorname{Sin}[c + d*x]/(16*a*d*(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}))$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 2649

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*\sin[(c_ + (d_)*(x_))]], x_Symbol] \rightarrow \operatorname{Dist}[-2/d, \operatorname{Subst}[\operatorname{Int}[1/(2*a - x^2), x], x, (b*\operatorname{Cos}[c + d*x])/ \operatorname{Sqrt}[a + b*\sin[c + d*x]]], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0]$

Rule 2750

$\operatorname{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)*((c_ + (d_)*\sin[(e_ + (f_)*(x_))])}, x_Symbol] \rightarrow \operatorname{Simp}[(b*c - a*d)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m)}/(a*f*(2*m + 1)), x] + \operatorname{Dist}[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(m + 1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{LtQ}[m, -2^{(-1)}]$

Rule 2968

$\operatorname{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)*((A_ + (B_)*\sin[(e_ + (f_)*(x_))])}, x_Symbol] \rightarrow \operatorname{Int}[(a + b*\sin[e + f*x])^{(m)}*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0]$

Rule 3019

$\operatorname{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)*((A_ + (B_)*\sin[(e_ + (f_)*(x_)) + (C_)*\sin[(e_ + (f_)*(x_))]^2), x_Symbol] \rightarrow \operatorname{Simp}[(A*b - a$

*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx &= \int \frac{A \cos(c + dx) + B \cos^2(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{\int \frac{-\frac{5}{2}a(A-B) - 4aB \cos(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx}{4a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(5A - 13B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{(5A + 19B)}{16\sqrt{2}a^{5/2}d} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(5A - 13B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{(5A + 19B)}{16\sqrt{2}a^{5/2}d} \\ &= \frac{(5A + 19B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(5A - 13B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.62, size = 87, normalized size = 0.69

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \left((5A - 13B) \cos(c + dx) + A - 9B \right) + 2(5A + 19B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{16ad(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] (2*(5*A + 19*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + (A - 9*B + (5*A - 13*B)*Cos[c + d*x])*Tan[(c + d*x)/2])/(16*a*d*(a*(1 + Cos[c + d*x]))^(3/2))

fricas [B] time = 0.77, size = 223, normalized size = 1.77

$$\frac{\sqrt{2} \left((5A + 19B) \cos(dx + c)^3 + 3(5A + 19B) \cos(dx + c)^2 + 3(5A + 19B) \cos(dx + c) + 5A + 19B \right) \sqrt{a} \log\left(\frac{\sqrt{2} \sqrt{a+a \cos(dx+c)}}{\sqrt{2} \sqrt{a+a \cos(dx+c)}}\right)}{64 \left(a^3 d \cos(dx + c)^3 + 3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/64*(sqrt(2))*((5*A + 19*B)*cos(d*x + c)^3 + 3*(5*A + 19*B)*cos(d*x + c)^2 + 3*(5*A + 19*B)*cos(d*x + c) + 5*A + 19*B)*sqrt(a)*log(-a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((5*A - 13*B)*cos(d*x + c) + A - 9*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [A] time = 1.31, size = 134, normalized size = 1.06

$$\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left(\frac{2 \sqrt{2} (Aa^5 - Ba^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8} - \frac{\sqrt{2} (3Aa^5 - 11Ba^5)}{a^8} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \frac{\sqrt{2} (5A + 19B) \log\left(\frac{\sqrt{2} \sqrt{a+a \cos(dx+c)}}{\sqrt{2} \sqrt{a+a \cos(dx+c)}}\right)}{32d}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out]
$$-1/32*(\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a}*(2*\sqrt{2}*(A*a^5 - B*a^5)*\tan(1/2*d*x + 1/2*c)^2/a^8 - \sqrt{2}*(3*A*a^5 - 11*B*a^5)/a^8)*\tan(1/2*d*x + 1/2*c) + \sqrt{2}*(5*A + 19*B)*\log(\text{abs}(-\sqrt{a}*\tan(1/2*d*x + 1/2*c) + \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a}))/a^{(5/2)}/d$$

maple [B] time = 0.68, size = 292, normalized size = 2.32

$$\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(5A \ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sqrt{2} \left(\cos^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a + 19B \ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sqrt{2} \left(\cos^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a \right) / a^{(5/2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x)

[Out]
$$1/32/\cos(1/2*d*x+1/2*c)^3*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a+19*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a+5*A*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2-13*B*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2-2*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+2*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/a^{(7/2)}/\sin(1/2*d*x+1/2*c)/\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx) (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(5/2),x)

[Out] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x)

[Out] Timed out

$$3.119 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=126

$$\frac{(3A + 5B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} + \frac{(3A + 5B) \sin(c + dx)}{16ad(a \cos(c + dx) + a)^{3/2}} + \frac{(A - B) \sin(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}}$$

[Out] 1/4*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(5/2)+1/16*(3*A+5*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(3/2)+1/32*(3*A+5*B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d*2^(1/2)

Rubi [A] time = 0.10, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {2750, 2650, 2649, 206}

$$\frac{(3A + 5B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} + \frac{(3A + 5B) \sin(c + dx)}{16ad(a \cos(c + dx) + a)^{3/2}} + \frac{(A - B) \sin(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x])^(5/2), x]

[Out] ((3*A + 5*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) + ((3*A + 5*B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2))

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2650

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^n)/(a*d*(2*n + 1)), x] + Dist[(n + 1)/(a*(2*n + 1)), Int[(a + b*Sin[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2750

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A + 5B) \int \frac{1}{(a + a \cos(c + dx))^{3/2}} dx}{8a} \\
&= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A + 5B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{(3A + 5B) \int \frac{1}{\sqrt{a + a \cos(c + dx)}}}{32a^2} \\
&= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A + 5B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{(3A + 5B) \operatorname{Subst}\left(\int \frac{1}{2a - x^2}\right)}{16a^2} \\
&= \frac{(3A + 5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A + 5B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.52, size = 80, normalized size = 0.63

$$\frac{\sin(c + dx)((3A + 5B) \cos(c + dx) + 7A + B) + 4(3A + 5B) \cos^5\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{16d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + a*Cos[c + d*x])^(5/2), x]

[Out] (4*(3*A + 5*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^5 + (7*A + B + (3*A + 5*B)*Cos[c + d*x])*Sin[c + d*x])/(16*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [B] time = 0.54, size = 223, normalized size = 1.77

$$\frac{\sqrt{2} \left((3A + 5B) \cos(dx + c)^3 + 3(3A + 5B) \cos(dx + c)^2 + 3(3A + 5B) \cos(dx + c) + 3A + 5B \right) \sqrt{a} \log\left(-\frac{a \cos(dx + c)}{2a - \cos(dx + c)}\right)}{64 \left(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/64*(sqrt(2)*((3*A + 5*B)*cos(d*x + c)^3 + 3*(3*A + 5*B)*cos(d*x + c)^2 + 3*(3*A + 5*B)*cos(d*x + c) + 3*A + 5*B)*sqrt(a)*log(-(a*cos(d*x + c))^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((3*A + 5*B)*cos(d*x + c) + 7*A + B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [A] time = 3.84, size = 134, normalized size = 1.06

$$\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left(\frac{2\sqrt{2}(Aa^5 - Ba^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8} + \frac{\sqrt{2}(5Aa^5 + 3Ba^5)}{a^8} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \frac{\sqrt{2}(3A + 5B) \log\left(-\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{32d}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2), x, algorithm="giac")

[Out] 1/32*(sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(A*a^5 - B*a^5)*tan(1/2*d*x + 1/2*c)^2/a^8 + sqrt(2)*(5*A*a^5 + 3*B*a^5)/a^8)*tan(1/2*d*x + 1/2*c) - sqrt(2)*(3*A + 5*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)))/a^(5/2))/d

maple [B] time = 0.75, size = 292, normalized size = 2.32

$$\sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \left(3A \ln \left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left(\frac{dx}{2} + \frac{c}{2} \right)} \right) \sqrt{2} \left(\cos^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) a + 5B \ln \left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left(\frac{dx}{2} + \frac{c}{2} \right)} \right) \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2), x)

[Out] 1/32/cos(1/2*d*x+1/2*c)^3*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(3*A*ln(2*(2*a^(1/2)*a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a+5*B*ln(2*(2*a^(1/2)*a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a+3*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+5*B*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+2*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-2*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(7/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2), x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(a + a*cos(c + d*x))^(5/2), x)

[Out] int((A + B*cos(c + d*x))/(a + a*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2), x)

[Out] Timed out

$$3.120 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=164

$$-\frac{(43A-3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2} d} - \frac{(11A-3B) \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} - \frac{(A-B) \sin(c+dx)}{4d(a \cos(c+dx)+a)^{3/2}}$$

[Out] 2*A*arctanh(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d-1/4*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(5/2)-1/16*(11*A-3*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(3/2)-1/32*(43*A-3*B)*arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d*2^(1/2)

Rubi [A] time = 0.47, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 31, number of rules / integrand size = 0.161, Rules used = {2978, 2985, 2649, 206, 2773}

$$-\frac{(43A-3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2} d} - \frac{(11A-3B) \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} - \frac{(A-B) \sin(c+dx)}{4d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x])^(5/2), x]

[Out] (2*A*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(a^(5/2)*d) - ((43*A - 3*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) - ((11*A - 3*B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2))

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2773

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2985

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{(4aA - \frac{3}{2}a(A-B) \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx}{4a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(11A - 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(8a^2A - \frac{1}{4}a^2)}{}}{16ad(a + a \cos(c + dx))^{3/2}} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(11A - 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{A \int \sqrt{a + a}}{16ad(a + a \cos(c + dx))^{3/2}} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(11A - 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{(2A) \text{Subst}}{16ad(a + a \cos(c + dx))^{3/2}} \\ &= \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{5/2}d} - \frac{(43A - 3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2} a^{5/2}d} \end{aligned}$$

Mathematica [A] time = 1.65, size = 126, normalized size = 0.77

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \left((3B - 11A) \cos(c + dx) - 15A + 7B \right) - 2(43A - 3B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{16ad(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + a*Cos[c + d*x])^(5/2), x]
 [Out] (-2*(43*A - 3*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + 64*Sqrt[2]*A*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + (-15*A + 7*B + (-1 + 3*B)*Cos[c + d*x])*Tan[(c + d*x)/2])/(16*a*d*(a*(1 + Cos[c + d*x]))^(3/2))

fricas [B] time = 0.81, size = 339, normalized size = 2.07

$$\sqrt{2} \left((43A - 3B) \cos(dx + c)^3 + 3(43A - 3B) \cos(dx + c)^2 + 3(43A - 3B) \cos(dx + c) + 43A - 3B \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(5/2), x, algorithm="fricas")
 [Out] -1/64*(sqrt(2))*((43*A - 3*B)*cos(d*x + c)^3 + 3*(43*A - 3*B)*cos(d*x + c)^2 + 3*(43*A - 3*B)*cos(d*x + c) + 43*A - 3*B)*sqrt(a)*log(-(a*cos(d*x + c))^2

- 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 32*(A*cos(d*x + c)^3 + 3*A*cos(d*x + c)^2 + 3*A*cos(d*x + c) + A)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*((11*A - 3*B)*cos(d*x + c) + 15*A - 7*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [A] time = 3.50, size = 250, normalized size = 1.52

$$2\sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} \left(\frac{2\sqrt{2}(Aa^5 - Ba^5) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^8} + \frac{\sqrt{2}(13Aa^5 - 5Ba^5)}{a^8} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \frac{\sqrt{2}(43A\sqrt{a} - 3B\sqrt{a}) \log\left(\frac{\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}}{\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}}\right)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] -1/64*(2*sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(A*a^5 - B*a^5)*tan(1/2*d*x + 1/2*c)^2/a^8 + sqrt(2)*(13*A*a^5 - 5*B*a^5)/a^8)*tan(1/2*d*x + 1/2*c) - sqrt(2)*(43*A*sqrt(a) - 3*B*sqrt(a))*log((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2/a^3 - 64*A*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/a^(5/2) + 64*A*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/a^(5/2))/d

maple [B] time = 1.58, size = 445, normalized size = 2.71

$$\sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)} \left(43A \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sqrt{2} \left(\cos^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) a - 3B \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(5/2),x)

[Out] -1/32/a^(7/2)/cos(1/2*d*x+1/2*c)^3*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(43*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))^2^(1/2)*cos(1/2*d*x+1/2*c)^4*a-3*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))^2^(1/2)*cos(1/2*d*x+1/2*c)^4*a-32*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)*cos(1/2*d*x+1/2*c)^4*a-32*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^4*a+11*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2-3*B*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+2*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-2*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + a*cos(c + d*x))^(5/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + a*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.121 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=207

$$-\frac{(5A-2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} + \frac{(115A-43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} + \frac{(35A-11B) \tan(c+dx)}{16a^2d\sqrt{a \cos(c+dx)+a}} - \frac{(15A-7B) \tan(c+dx)}{16ad\sqrt{a \cos(c+dx)+a}} \quad (15A-7B)$$

[Out] $-(5A-2B) \operatorname{arctanh}\left(\frac{\sin(dx+c) \sqrt{a}}{(a+a \cos(dx+c))^{1/2}}\right) / a^{5/2} / d + 1/3 \cdot 2 \cdot (115A-43B) \operatorname{arctanh}\left(\frac{1/2 \sin(dx+c) \sqrt{a} \cdot 2^{1/2}}{(a+a \cos(dx+c))^{1/2}}\right) / a^{5/2} / d \cdot 2^{1/2} - 1/4 \cdot (A-B) \tan(dx+c) / d / (a+a \cos(dx+c))^{5/2} - 1/16 \cdot (15A-7B) \tan(dx+c) / a / d / (a+a \cos(dx+c))^{3/2} + 1/16 \cdot (35A-11B) \tan(dx+c) / a^2 / d / (a+a \cos(dx+c))^{1/2}$

Rubi [A] time = 0.71, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2978, 2984, 2985, 2649, 206, 2773}

$$\frac{(35A-11B) \tan(c+dx)}{16a^2d\sqrt{a \cos(c+dx)+a}} - \frac{(5A-2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} + \frac{(115A-43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{(15A-7B) \tan(c+dx)}{16ad\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^(5/2), x]

[Out] $-\left(\frac{(5A-2B) \operatorname{ArcTanh}\left[\frac{\sqrt{a} \sin[c+d*x]}{\sqrt{a+a \cos[c+d*x]}}\right]}{a^{5/2}d} + \frac{(115A-43B) \operatorname{ArcTanh}\left[\frac{\sqrt{a} \sin[c+d*x]}{\sqrt{2} \sqrt{a \cos[c+d*x]}}\right]}{16\sqrt{2} a^{5/2}d} - \frac{(A-B) \tan[c+d*x]}{4d(a+a \cos[c+d*x])^{5/2}} - \frac{(15A-7B) \tan[c+d*x]}{16a^2d(a+a \cos[c+d*x])^{3/2}} + \frac{(35A-11B) \tan[c+d*x]}{16a^2d \sqrt{a \cos[c+d*x]}}\right)$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2773

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^n, x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1))/(a*f*(2*m+1)*(b*c - a*d)), x] + Dist[1/(a*(2*m+1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m+1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n+1)) + A*(b*c*(m+1) - a*d*(2*m+n+2)) + d*(A*b - a*B)*(m+n+2)]

) * Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2984

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 2985

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{(a(5A - B) - \frac{5}{2}a(A - B) \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx}{4a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(15A - 7B) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a^2(35A - 11B) \sec^2(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx}{16a^2d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(15A - 7B) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{(35A - 11B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(15A - 7B) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{(35A - 11B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(15A - 7B) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{(35A - 11B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(5A - 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{a^{5/2}d} + \frac{(115A - 43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2} a^{5/2}d} \end{aligned}$$

Mathematica [A] time = 3.47, size = 142, normalized size = 0.69

$$\frac{\tan(c + dx)(10(11A - 3B) \cos(c + dx) + (35A - 11B) \cos(2(c + dx)) + 67A - 11B) + 8(115A - 43B) \cos^5\left(\frac{1}{2}(c + dx)\right)}{32d(a \cos(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^(5/2), x]

```
[Out] (8*(115*A - 43*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^5 - 128*Sqrt[2]
]*(5*A - 2*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^5 + (67*A
- 11*B + 10*(11*A - 3*B)*Cos[c + d*x] + (35*A - 11*B)*Cos[2*(c + d*x)])*Tan
[c + d*x])/(32*d*(a*(1 + Cos[c + d*x]))^(5/2))
```

fricas [B] time = 1.48, size = 404, normalized size = 1.95

$$\sqrt{2} \left((115A - 43B) \cos(dx + c)^4 + 3(115A - 43B) \cos(dx + c)^3 + 3(115A - 43B) \cos(dx + c)^2 + (115A - 43B) \cos(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(5/2),x, algorithm
="fricas")
```

```
[Out] -1/64*(sqrt(2)*((115*A - 43*B)*cos(d*x + c)^4 + 3*(115*A - 43*B)*cos(d*x +
c)^3 + 3*(115*A - 43*B)*cos(d*x + c)^2 + (115*A - 43*B)*cos(d*x + c))*sqrt(
a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(
d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) +
16*((5*A - 2*B)*cos(d*x + c)^4 + 3*(5*A - 2*B)*cos(d*x + c)^3 + 3*(5*A - 2
*B)*cos(d*x + c)^2 + (5*A - 2*B)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^
3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) -
2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) - 4*((35*A - 11*
B)*cos(d*x + c)^2 + 5*(11*A - 3*B)*cos(d*x + c) + 16*A)*sqrt(a*cos(d*x + c)
+ a)*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*
d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))
```

giac [B] time = 3.95, size = 409, normalized size = 1.98

$$2 \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left(\frac{2 \sqrt{2} (Aa^5 - Ba^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8} + \frac{\sqrt{2} (21Aa^5 - 13Ba^5)}{a^8} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \frac{\sqrt{2} (115A\sqrt{a} - 43B\sqrt{a}) \log\left(\frac{\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}}{\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}}\right)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(5/2),x, algorithm
="giac")
```

```
[Out] 1/64*(2*sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(A*a^5 - B*a^5)*tan(1
/2*d*x + 1/2*c)^2/a^8 + sqrt(2)*(21*A*a^5 - 13*B*a^5)/a^8)*tan(1/2*d*x + 1/
2*c) - sqrt(2)*(115*A*sqrt(a) - 43*B*sqrt(a))*log((sqrt(a)*tan(1/2*d*x + 1/
2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2/a^3 - 32*(5*A*sqrt(a) - 2*B*s
qrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)
^2 + a))^2 - a*(2*sqrt(2) + 3)))/a^3 + 32*(5*A*sqrt(a) - 2*B*sqrt(a))*log(a
bs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 +
a*(2*sqrt(2) - 3)))/a^3 + 128*sqrt(2)*(3*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sq
rt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(a) - A*a^(3/2))/(((sqrt(a)*tan(1
/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(a)*tan(1/
2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)*a^2))/d
```

maple [B] time = 1.71, size = 1122, normalized size = 5.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(5/2),x)
```

```
[Out] 1/16*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(230*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^6*a-86*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^6*a-160*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^6*a-160*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^6*a+64*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^6*a+64*B*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^6*a-115*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a+43*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a+70*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4+80*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^4*a+80*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^4*a-22*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4-32*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^4*a-32*B*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^4*a-15*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+7*B*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2-2*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+2*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(7/2)/cos(1/2*d*x+1/2*c)^3/(2*cos(1/2*d*x+1/2*c)+2^(1/2))/(2*cos(1/2*d*x+1/2*c)-2^(1/2))/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: THROW: The catch RAT-ERR is undefined.
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^2 (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + a*cos(c + d*x))^(5/2)),x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + a*cos(c + d*x))^(5/2)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+a*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

$$3.122 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=264

$$\frac{(39A - 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4a^{5/2}d} - \frac{(219A - 115B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{7(9A - 5B) \tan(c + dx)}{16a^2d\sqrt{a \cos(c + dx) + a}} + \frac{(31A - 15B) \sec(c + dx) \tan(c + dx)}{16a^2d\sqrt{a \cos(c + dx) + a}}$$

[Out] $1/4*(39*A-20*B)*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(5/2)}/d-1/32*(219*A-115*B)*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(5/2)}/d*2^{(1/2)}-1/4*(A-B)*\sec(d*x+c)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}-1/16*(19*A-11*B)*\sec(d*x+c)*\tan(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}-7/16*(9*A-5*B)*\tan(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}+1/16*(31*A-15*B)*\sec(d*x+c)*\tan(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.92, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2978, 2984, 2985, 2649, 206, 2773}

$$-\frac{7(9A - 5B) \tan(c + dx)}{16a^2d\sqrt{a \cos(c + dx) + a}} + \frac{(39A - 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4a^{5/2}d} - \frac{(219A - 115B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} + \frac{(31A - 15B) \sec(c + dx) \tan(c + dx)}{16a^2d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^3/(a + a*\operatorname{Cos}[c + d*x])^{5/2}, x]$

[Out] $((39*A - 20*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/ \operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])/(4*a^{(5/2)*d}) - ((219*A - 115*B)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])]/(16*\operatorname{Sqrt}[2]*a^{(5/2)*d}) - (7*(9*A - 5*B)*\operatorname{Tan}[c + d*x])/ (16*a^2*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) - ((A - B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/ (4*d*(a + a*\operatorname{Cos}[c + d*x])^{(5/2)}) - ((19*A - 11*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/ (16*a*d*(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}) + ((31*A - 15*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/ (16*a^2*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])$

Rule 206

$\operatorname{Int}[(a_) + (b_)*(x_)^2]^{(-1)}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/ \operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{Gt}Q[a, 0] \parallel \operatorname{Lt}Q[b, 0])$

Rule 2649

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x_Symbol] \rightarrow \operatorname{Dist}[-2/d, \operatorname{Subst}[\operatorname{Int}[1/(2*a - x^2), x], x, (b*\operatorname{Cos}[c + d*x])/ \operatorname{Sqrt}[a + b*\sin[c + d*x]]], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{EqQ}[a^2 - b^2, 0]$

Rule 2773

$\operatorname{Int}[\operatorname{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*\sin[(e_) + (f_)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[(-2*b)/f, \operatorname{Subst}[\operatorname{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\operatorname{Cos}[e + f*x])/ \operatorname{Sqrt}[a + b*\sin[e + f*x]]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0]$

Rule 2978

$\operatorname{Int}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]^{(m_)}*((A_) + (B_)*\sin[(e_) + (f_)*(x_)]^{(n_)}, x_Symbol] \rightarrow \operatorname{Simp}[(b*(A*b - a*B)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^{(n + 1)})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \operatorname{Dist}[1/(a*(2*m + 1)*(b*c - a*d)),$

Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2984

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 2985

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])), x_Symbol] :> Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \int \frac{\left(2a(3A - B) - \frac{7}{2}a(A - B) \cos(c + dx)\right) \sec^3(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx}{4a^2} \\
 &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(19A - 11B) \sec(c + dx) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(19A - 11B) \sec(c + dx) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= -\frac{7(9A - 5B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(19A - 11B) \sec(c + dx) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= -\frac{7(9A - 5B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(19A - 11B) \sec(c + dx) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= -\frac{7(9A - 5B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(19A - 11B) \sec(c + dx) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= \frac{(39A - 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4a^{5/2}d} - \frac{(219A - 115B) \tanh^{-1}\left(\frac{\sqrt{a}}{\sqrt{2}\sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2}a^{5/2}d}
 \end{aligned}$$

Mathematica [A] time = 6.20, size = 178, normalized size = 0.67

$$-8(219A - 115B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 32\sqrt{2}(39A - 20B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x])^(5/2), x]

[Out] (-8*(219*A - 115*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + 32*Sqrt[2]*(39*A - 20*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + (-158*A + 110*B + (-269*A + 169*B)*Cos[c + d*x] + (-190*A + 110*B)*Cos[2*(c + d*x)] - 63*A*Cos[3*(c + d*x)] + 35*B*Cos[3*(c + d*x)])*Sec[c + d*x]^2*Tan[(c + d*x)/2])/(64*a*d*(a*(1 + Cos[c + d*x]))^(3/2))

fricas [A] time = 0.66, size = 428, normalized size = 1.62

$$\sqrt{2} \left((219A - 115B) \cos(dx + c)^5 + 3(219A - 115B) \cos(dx + c)^4 + 3(219A - 115B) \cos(dx + c)^3 + (219A - 115B) \cos(dx + c)^2 + 3(219A - 115B) \cos(dx + c) + 3(219A - 115B) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] -1/64*(sqrt(2)*((219*A - 115*B)*cos(d*x + c)^5 + 3*(219*A - 115*B)*cos(d*x + c)^4 + 3*(219*A - 115*B)*cos(d*x + c)^3 + (219*A - 115*B)*cos(d*x + c)^2)*sqrt(a)*log(-(a*cos(d*x + c))^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((39*A - 20*B)*cos(d*x + c)^5 + 3*(39*A - 20*B)*cos(d*x + c)^4 + 3*(39*A - 20*B)*cos(d*x + c)^3 + (39*A - 20*B)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c))^3 - 7*a*cos(d*x + c)^2 + 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(7*(9*A - 5*B)*cos(d*x + c)^3 + 5*(19*A - 11*B)*cos(d*x + c)^2 + 4*(5*A - 4*B)*cos(d*x + c) - 8*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(a^3*d*cos(d*x + c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + a^3*d*cos(d*x + c)^2)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to check sign: (2*pi/x/2)>(-2*pi/x/2) Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(cos((d*t_nostep+c)/2))]Discontinuities at zeroes of cos((d*t_nostep+c)/2) were not checkedEvaluation time: 1.15Unable to divide, perhaps due to roundi

ng error%%{%%{[%%{%%{[663535861056963827345930584064,0]:[1,0,-2]%%},[16]%%},0]:[1,0,%%{-1,[1]%%}%%},[0]%%} / %%{%%{%%{[9903520314283042199192993792,0]:[1,0,-2]%%},[16]%%},[0]%%} Error: Bad Argument Value

maple [B] time = 1.99, size = 1610, normalized size = 6.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B\cos(dx+c))\sec(dx+c)^3/(a+a\cos(dx+c))^{5/2}, x)$

[Out]
$$-1/8*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(320*B*\ln(4/(2*\cos(1/2*d*x+1/2*c))+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^{8*a-624*A*\ln(4/(2*\cos(1/2*d*x+1/2*c))+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^{8*a+320*B*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})))*\cos(1/2*d*x+1/2*c)^{8*a-624*A*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})))*\cos(1/2*d*x+1/2*c)^{8*a+624*A*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})))*\cos(1/2*d*x+1/2*c)^{6*a+624*A*\ln(4/(2*\cos(1/2*d*x+1/2*c))+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^{6*a-320*B*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})))*\cos(1/2*d*x+1/2*c)^{6*a-320*B*\ln(4/(2*\cos(1/2*d*x+1/2*c))+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^{6*a-2*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-876*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c)))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^{6*a+460*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c)))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^{6*a-188*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^4-156*A*\ln(4/(2*\cos(1/2*d*x+1/2*c))+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^4*a-156*A*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})))*\cos(1/2*d*x+1/2*c)^4*a+80*B*\ln(4/(2*\cos(1/2*d*x+1/2*c))+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^4*a+80*B*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})))*\cos(1/2*d*x+1/2*c)^4*a+19*A*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2-11*B*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2+100*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^4+2*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+219*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c)))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a-115*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c)))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a+252*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^6-140*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^6+876*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c)))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^8*a-460*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c)))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^8*a)/a^{(7/2)}/\cos(1/2*d*x+1/2*c)^3/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})^2/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})^2/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^3 (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + a*cos(c + d*x))^(5/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + a*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+a*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.123 \quad \int \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=159

$$\frac{10a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2a(9A+7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2a(A+B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{7d} + \frac{2a(9A+7B)}{d}$$

[Out] $2/15*a*(9*A+7*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+10/21*a*(A+B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/45*a*(9*A+7*B)*cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*a*(A+B)*cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/9*a*B*cos(d*x+c)^{(7/2)}*\sin(d*x+c)/d+10/21*a*(A+B)*\sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.20, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2968, 3023, 2748, 2635, 2639, 2641}

$$\frac{10a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2a(9A+7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2a(A+B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{7d} + \frac{2a(9A+7B)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(5/2)}*(a + a*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x]),x]$

[Out] $(2*a*(9*A + 7*B)*EllipticE[(c + d*x)/2, 2])/(15*d) + (10*a*(A + B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (10*a*(A + B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*a*(9*A + 7*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(45*d) + (2*a*(A + B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d) + (2*a*B*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(9*d)$

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$ $\text{FreeQ}\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] := \text{Simp}[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$ $\text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] := \text{Simp}[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$ $\text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$ $\text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] := \text{Int}[(a$

+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^{\frac{5}{2}}(c + dx) (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) dx \\ &= \frac{2aB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d} + \frac{2}{9} \int \cos^{\frac{5}{2}}(c + dx) \left(\frac{1}{2}\right) dx \\ &= \frac{2aB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d} + (a(A + B)) \int \cos^{\frac{7}{2}}(c + dx) dx \\ &= \frac{2a(9A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{45d} + \frac{2a(A + B) \cos^{\frac{5}{2}}(c + dx)}{21d} \\ &= \frac{2a(9A + 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10a(A + B)\sqrt{\cos(c + dx)}}{21d} \\ &= \frac{2a(9A + 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

Mathematica [C] time = 6.35, size = 914, normalized size = 5.75

$$a \left(\sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \left(-\frac{(9A + 7B) \cot(c)}{15d} + \frac{23(A + B) \cos(dx) \sin(c)}{84d} + \frac{(18A + 19B) \cos(2dx) \sin(2c)}{180d} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]
 [Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-1/15*((9*A + 7*B)*Cot[c])/d + (23*(A + B)*Cos[d*x]*Sin[c])/(84*d) + ((18*A + 19*B)*Cos[2*d*x]*Sin[2*c])/(180*d) + ((A + B)*Cos[3*d*x]*Sin[3*c])/(28*d) + (B*Cos[4*d*x]*Sin[4*c])/(72*d) + (23*(A + B)*Cos[c]*Sin[d*x])/(84*d) + ((18*A + 19*B)*Cos[2*c]*Sin[2*d*x])/(180*d) + ((A + B)*Cos[3*c]*Sin[3*d*x])/(28*d) + (B*Cos[4*c]*Sin[4*d*x])/(72*d)) - (5*A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*Sqrt[1 + Cot[c]^2]) - (5*B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*Sqrt[1 + Cot[c]^2])

eometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*Sqrt[1 + Cot[c]^2]) - (3*A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d) - (7*B*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(30*d)

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba \cos(dx + c)^4 + (A + B)a \cos(dx + c)^3 + Aa \cos(dx + c)^2\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^4 + (A + B)*a*cos(d*x + c)^3 + A*a*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*cos(d*x + c)^(5/2), x)

maple [B] time = 1.07, size = 411, normalized size = 2.58

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(-1120B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (720A + 2960B)\left(\sin\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] -2/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(-1120*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(720*A+2960*B)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-1584*A-3152*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(1344*A+1792*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-366*A-408*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+75*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-189*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+75*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))

$$2*c)^{2-1})^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 147*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2})) / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^{2-1})^{1/2} / d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \cos(dx + c)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*cos(d*x + c)^(5/2), x)

mupad [B] time = 1.09, size = 177, normalized size = 1.11

$$\frac{2 A a \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)^2\right)}{7 d \sqrt{\sin(c + dx)^2}} - \frac{2 A a \cos(c + dx)^{9/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; \cos(c + dx)^2\right)}{9 d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(5/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x)),x)

[Out] - (2*A*a*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*A*a*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2)) - (2*B*a*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2)) - (2*B*a*cos(c + d*x)^(11/2)*sin(c + d*x)*hypergeom([1/2, 11/4], 15/4, cos(c + d*x)^2))/(11*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.124 \quad \int \cos^3(c+dx)(a+a \cos(c+dx))(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=132

$$\frac{2a(7A+5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{6a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)\cos^3(c+dx)}{5d} + \frac{2a(7A+5B)}{5d}$$

[Out] $6/5*a*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/21*a*(7*A+5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a*(A+B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*a*B*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/21*a*(7*A+5*B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.18, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{2a(7A+5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{6a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)\cos^3(c+dx)}{5d} + \frac{2a(7A+5B)}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c+d*x]^{(3/2)}*(a+a*\text{Cos}[c+d*x])*(A+B*\text{Cos}[c+d*x]),x]$

[Out] $(6*a*(A+B)*\text{EllipticE}[(c+d*x)/2, 2])/(5*d) + (2*a*(7*A+5*B)*\text{EllipticF}[(c+d*x)/2, 2])/(21*d) + (2*a*(7*A+5*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(21*d) + (2*a*(A+B)*\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(5*d) + (2*a*B*\text{Cos}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x])/(7*d)$

Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c+d*x])*(b*\text{Sin}[c+d*x])^{(n-1)}]/(d*n), x] + \text{Dist}[(b^{2*(n-1)})/n, \text{Int}[(b*\text{Sin}[c+d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])], x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e+f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2968

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := \text{Int}[(a + b*\text{Sin}[e+f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e+f*x] + B*d*\text{Sin}[e+f*x]^2),$

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^{\frac{3}{2}}(c + dx) (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) dx \\ &= \frac{2aB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{2}{7} \int \cos^{\frac{3}{2}}(c + dx) \left(\frac{1}{2} (2aA + aB \cos(c + dx)) \right) dx \\ &= \frac{2aB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + (a(A + B)) \int \cos^{\frac{5}{2}}(c + dx) dx \\ &= \frac{2a(7A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2a(A + B)}{21d} \int \cos^{\frac{3}{2}}(c + dx) dx \\ &= \frac{6a(A + B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(7A + 5B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

Mathematica [C] time = 6.27, size = 872, normalized size = 6.61

$$a \left(\sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \left(-\frac{3(A + B) \cot(c)}{5d} + \frac{(28A + 23B) \cos(dx) \sin(c)}{84d} + \frac{(A + B) \cos(2dx) \sin(2c)}{10d} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*((-3*(A + B)*Cot[c])/(5*d) + ((28*A + 23*B)*Cos[d*x]*Sin[c])/(84*d) + ((A + B)*Cos[2*d*x]*Sin[2*c])/(10*d) + (B*Cos[3*d*x]*Sin[3*c])/(28*d) + ((28*A + 23*B)*Cos[c]*Sin[d*x])/(84*d) + ((A + B)*Cos[2*c]*Sin[2*d*x])/(10*d) + (B*Cos[3*c]*Sin[3*d*x])/(28*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (5*B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(21*d*Sqrt[1 + Cot[c]^2]) - (3*A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*S


```
in[d*x + ArcTan[Tan[c]]]*Tan[c]]/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))/(10*d) - (3*B*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2*Sin[d*x + ArcTan[Tan[c]]]*Tan[c]]/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))/(10*d))
```

fricas [F] time = 1.14, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba \cos(dx+c)^3 + (A+B)a \cos(dx+c)^2 + Aa \cos(dx+c)\right)\sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*a*cos(d*x + c)^3 + (A + B)*a*cos(d*x + c)^2 + A*a*cos(d*x + c))*sqrt(cos(d*x + c)), x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.98, size = 383, normalized size = 2.90

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(240B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168A - 528B)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)
```

```
[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(240*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-168*A-528*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(308*A+448*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-112*A-122*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+35*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+25*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(a \cos(dx+c) + a) \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*cos(d*x + c)^(3/2), x)

mupad [B] time = 0.61, size = 166, normalized size = 1.26

$$\frac{2 A a \left(\sqrt{\cos(c + d x)} \sin(c + d x) + F\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right) \right)}{3 d} - \frac{2 A a \cos(c + d x)^{7/2} \sin(c + d x) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + d x)\right)}{7 d \sqrt{\sin(c + d x)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x)),x)

[Out] (2*A*a*(cos(c + d*x)^(1/2)*sin(c + d*x) + ellipticF(c/2 + (d*x)/2, 2)))/(3*d) - (2*A*a*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*B*a*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*B*a*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.125 \quad \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))(A + B \cos(c + dx)) dx$$

Optimal. Leaf size=101

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(5A+3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2aB\sin(c+dx)}{3d}$$

[Out] $2/5*a*(5*A+3*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a*(A+B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a*B*cos(d*x+c)^{(3/2)}*sin(d*x+c)/d+2/3*a*(A+B)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.16, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(5A+3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2aB\sin(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])*(A + B*cos[c + d*x]),x]

[Out] $(2*a*(5*A + 3*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(A + B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*B*Cos[c + d*x]^{(3/2)}*Sin[c + d*x])/(5*d)$

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*sin[c + d*x]^(n-1)/(d*n), x] + Dist[(b^2*(n-1))/n, Int[(b*sin[c + d*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*sin[e + f*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*sin[e + f*x] + B*d*sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \sqrt{\cos(c + dx)} (aA + (aA + aB) \cos(c + dx) + aB) dx \\
&= \frac{2aB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\cos(c + dx)} dx \\
&= \frac{2aB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + (a(A + B)) \int \cos^{\frac{3}{2}}(c + dx) dx \\
&= \frac{2a(5A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)\sqrt{\cos(c + dx)}}{3d} \\
&= \frac{2a(5A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}
\end{aligned}$$

Mathematica [C] time = 6.26, size = 830, normalized size = 8.22

$$a \sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \left(-\frac{(5A + 3B) \cot(c)}{5d} + \frac{(A + B) \cos(dx) \sin(c)}{3d} + \frac{B \cos(2dx) \sin(2c)}{10d} + \frac{(A + B) \cos(2c)}{3d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]
```

```
[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-1/5*((5*A +
3*B)*Cot[c])/d + ((A + B)*Cos[d*x]*Sin[c])/(3*d) + (B*Cos[2*d*x]*Sin[2*c])
/(10*d) + ((A + B)*Cos[c]*Sin[d*x])/(3*d) + (B*Cos[2*c]*Sin[2*d*x])/(10*d))
- (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x
- ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[
1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - A
rcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^
2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin
[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sq
rt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x
- ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[
c]^2]) - (A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(Hypergeometric
PFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[
c]])*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan
[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Tan[c]^2])*Sqrt[1
+ Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]])*Tan[c])/Sqrt[1 + Tan[c]^2] + (2
```

*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/((Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]/(2*d) - (3*B*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/((Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/((Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]))/(10*d)

fricas [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*sqrt(cos(d*x + c)), x)

maple [B] time = 1.02, size = 355, normalized size = 3.51

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(-24B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20A + 44B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x)

[Out]
$$\frac{-2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(-24*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A+44*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A-16*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*sqrt(cos(d*x + c)), x)

mupad [B] time = 0.52, size = 128, normalized size = 1.27

$$\frac{2 A a \left(\sqrt{\cos(c + d x)} \sin(c + d x) + F\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right) \right)}{3 d} + \frac{2 B a \left(\sqrt{\cos(c + d x)} \sin(c + d x) + F\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right) \right)}{3 d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x)),x)

[Out] (2*A*a*(cos(c + d*x)^(1/2)*sin(c + d*x) + ellipticF(c/2 + (d*x)/2, 2)))/(3*d) + (2*B*a*(cos(c + d*x)^(1/2)*sin(c + d*x) + ellipticF(c/2 + (d*x)/2, 2)))/(3*d) + (2*A*a*ellipticE(c/2 + (d*x)/2, 2))/d - (2*B*a*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*cos(d*x+c)**(1/2),x)

[Out] Timed out

$$3.126 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=70

$$\frac{2a(3A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aB \sin(c+dx)\sqrt{\cos(c+dx)}}{3d}$$

[Out] $2*a*(A+B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*a*(3*A+B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*a*B*\sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.14, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2968, 3023, 2748, 2641, 2639}

$$\frac{2a(3A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aB \sin(c+dx)\sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] $(2*a*(A+B)*EllipticE[(c+d*x)/2,2])/d+(2*a*(3*A+B)*EllipticF[(c+d*x)/2,2])/(3*d)+(2*a*B*Sqrt[Cos[c+d*x]]*Sin[c+d*x])/(3*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aB\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}a(3A + B) + \frac{3}{2}a(A + B) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aB\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + (a(A + B)) \int \sqrt{\cos(c + dx)} dx + \\
&= \frac{2a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(3A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aB}{3}
\end{aligned}$$

Mathematica [C] time = 6.27, size = 784, normalized size = 11.20

$$a \left(\frac{A \csc(c) (\cos(c + dx) + 1) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1}}} \right)}{2d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-(((A + B)*Cot[c])/d) + (B*Cos[d*x]*Sin[c])/(3*d) + (B*Cos[c]*Sin[d*x])/(3*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/((Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d) - (B*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/((Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d))

fricas [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)/sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/sqrt(cos(d*x + c)), x)

maple [B] time = 1.24, size = 321, normalized size = 4.59

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(4B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x)

[Out]
$$-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(4*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/sqrt(cos(d*x + c)), x)

mupad [B] time = 0.53, size = 79, normalized size = 1.13

$$\frac{2 B a \left(\sqrt{\cos(c + dx)} \sin(c + dx) + F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{3 d} + \frac{2 B a E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2 A a \left(E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/cos(c + d*x)^(1/2),x)

```
[Out] (2*B*a*(cos(c + d*x)^(1/2)*sin(c + d*x) + ellipticF(c/2 + (d*x)/2, 2)))/(3*d) + (2*B*a*ellipticE(c/2 + (d*x)/2, 2))/d + (2*A*a*(ellipticE(c/2 + (d*x)/2, 2) + ellipticF(c/2 + (d*x)/2, 2)))/d
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.127 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=66

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2a(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

[Out] $-2*a*(A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2*a*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2*a*A*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2968, 3021, 2748, 2641, 2639}

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2a(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(3/2)}, x]$

[Out] $(-2*a*(A - B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*a*(A + B)*\text{EllipticF}[(c + d*x)/2, 2])/d + (2*a*A*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] \text{ ; FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] \text{ ; FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] \text{ ; FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] \text{ ; FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 3021

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1)]*\text{Sin}[e + f*x], x], x] \text{ ; FreeQ}\{a, b, e, f, A, B,$

C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx = \int \frac{aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{1}{2}a(A + B) - \frac{1}{2}a(A - B) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - (a(A - B)) \int \sqrt{\cos(c + dx)} dx + (a(A + B)) \int \sqrt{\cos(c + dx)} dx$$

$$= -\frac{2a(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA}{d\sqrt{\cos(c + dx)}}$$

Mathematica [C] time = 6.31, size = 783, normalized size = 11.86

$$a \left(\frac{A \csc(c)(\cos(c + dx) + 1) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1}} \cos(dx + \tan^{-1}(\tan(c)))} \right)}{2d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]
[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-1/2*((-2*A + B + B*Cos[2*c])*Csc[c]*Sec[c])/d + (A*Sec[c]*Sec[c + d*x]*Sin[d*x])/d) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*Sqrt[1 + Cot[c]^2]) + (A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d) - (B*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]])*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]])*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d))
```

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba \cos(dx+c)^2 + (A+B)a \cos(dx+c) + Aa}{\cos(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)/cos(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(a \cos(dx+c) + a)}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/cos(d*x + c)^(3/2), x)

maple [B] time = 1.09, size = 240, normalized size = 3.64

$$\frac{2a \left(A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} - 1 \text{EllipticF} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) + A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} \right)} \right)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)

[Out] -2*a*(A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-2*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(a \cos(dx+c) + a)}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/cos(d*x + c)^(3/2), x)

mupad [B] time = 0.96, size = 90, normalized size = 1.36

$$\frac{2AaF\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2Ba\left(E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)\right)}{d} + \frac{2Aa \sin(c+dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c+dx)^2\right)}{d \sqrt{\cos(c+dx)} \sqrt{\sin(c+dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/cos(c + d*x)^(3/2),x)
```

```
[Out] (2*A*a*ellipticF(c/2 + (d*x)/2, 2))/d + (2*B*a*(ellipticE(c/2 + (d*x)/2, 2)
+ ellipticF(c/2 + (d*x)/2, 2))/d + (2*A*a*sin(c + d*x)*hypergeom([-1/4, 1
/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

$$3.128 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=95

$$\frac{2a(A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(A+B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aA\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)}$$

[Out] $-2*a*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a*(A+3*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a*A*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2*a*(A+B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{2a(A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(A+B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aA\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] $(-2*a*(A+B)*\text{EllipticE}[(c+d*x)/2, 2])/d + (2*a*(A+3*B)*\text{EllipticF}[(c+d*x)/2, 2])/(3*d) + (2*a*A*\sin[c+d*x])/(3*d*\cos[c+d*x]^{(3/2)}) + (2*a*(A+B)*\sin[c+d*x])/(d*\sqrt{\cos[c+d*x]})$

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= \int \frac{aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{3}{2}a(A + B) + \frac{1}{2}a(A + 3B) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + \frac{1}{3}(a(A + 3B)) \\ &= \frac{2a(A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \\ &= -\frac{2a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a(A + B) \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \end{aligned}$$

Mathematica [C] time = 6.36, size = 813, normalized size = 8.56

$$a \sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \left(\frac{A \sec(c) \sin(dx) \sec^2(c + dx)}{3d} + \frac{\sec(c)(A \sin(c) + 3A \sin(dx) + 3B \sin(dx)) \sec(c + dx)}{3d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2),x]
```

```
[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(((A + B)*Csc
[c]*Sec[c])/d + (A*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(3*d) + (Sec[c]*Sec[c +
d*x]*(A*Sin[c] + 3*A*Sin[d*x] + 3*B*Sin[d*x]))/(3*d)) - (A*(1 + Cos[c + d*x
])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]
*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[C
ot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[
1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c +
d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]
^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTa
n[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sq
rt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*Sqrt[1 + Cot[c]^2]) + (A*(1 + Cos[c +
d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[-1/2, -1/4], {3/4},
Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - C
```


$\cos[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]*\text{Sqrt}[1 + \text{Tan}[c]^2] - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(2*d) + (B*(1 + \text{Cos}[c + d*x])*Csc[c]*\text{Sec}[c/2 + (d*x)/2]^2*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])* \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/\text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]))/(2*d)$

fricas [F] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)/cos(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)

maple [B] time = 2.33, size = 426, normalized size = 4.48

$$4\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(\frac{B\sqrt{\frac{1-\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)}{2\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} + \frac{\left(\frac{A}{2} + \dots\right)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)

[Out] $-4*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(1/2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+(1/2*A+1/2*B)*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+1/2*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2$

$$\frac{d \cos(x + \frac{1}{2}c)^2 \sqrt{-1/2 + \cos(1/2 d x + 1/2 c)^2} + 1/3 (\sin(1/2 d x + 1/2 c)^2 \sqrt{-1/2 + \cos(1/2 d x + 1/2 c)^2})^{1/2} (-2 \cos(1/2 d x + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 d x + 1/2 c)^4 + \sin(1/2 d x + 1/2 c)^2)^{1/2} \text{EllipticF}(\cos(1/2 d x + 1/2 c), 2^{1/2})}{\sin(1/2 d x + 1/2 c) / (2 \cos(1/2 d x + 1/2 c)^2 - 1)^{1/2}} / d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)

mupad [B] time = 1.30, size = 150, normalized size = 1.58

$$\frac{2 B a F\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right)}{d} + \frac{2 A a \sin(c + d x) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + d x)^2\right)}{d \sqrt{\cos(c + d x)} \sqrt{\sin(c + d x)^2}} + \frac{2 A a \sin(c + d x) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + d x)^2\right)}{3 d \cos(c + d x)^{3/2} \sqrt{\sin(c + d x)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/cos(c + d*x)^(5/2),x)

[Out] (2*B*a*ellipticF(c/2 + (d*x)/2, 2))/d + (2*A*a*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2)) + (2*A*a*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (2*B*a*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)

[Out] Timed out

$$3.129 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=132

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(3A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2a(3A+5B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

[Out] $-2/5*a*(3*A+5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*a*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/5*a*A*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+2/3*a*(A+B)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/5*a*(3*A+5*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.18, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(3A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2a(3A+5B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(7/2)}, x]$

[Out] $(-2*a*(3*A + 5*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(A + B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*A*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*(A + B)*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(3*A + 5*B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n+1)}]/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^{2*(n+1)}), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2968

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2),$

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx &= \int \frac{aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{5}{2}a(A + B) + \frac{1}{2}a(3A + 5B) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + \frac{1}{5}(a(3A + 5B)) \int \frac{\cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(3A + 5B) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} \\ &= -\frac{2a(3A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a}{5d} \end{aligned}$$

Mathematica [C] time = 6.43, size = 865, normalized size = 6.55

$$a \left(\sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \left(\frac{A \sec(c) \sin(dx) \sec^3(c + dx)}{5d} + \frac{\sec(c)(3A \sin(c) + 5A \sin(dx) + 5B \sin(dx))}{15d} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(((3*A + 5*B)*Csc[c]*Sec[c])/(5*d) + (A*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(5*d) + (Sec[c]*Sec[c + d*x]^2*(3*A*Sin[c] + 5*A*Sin[d*x] + 5*B*Sin[d*x]))/(15*d) + (Sec[c]*Sec[c + d*x]*(5*A*Sin[c] + 5*B*Sin[c] + 9*A*Sin[d*x] + 15*B*Sin[d*x]))/(15*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 +

$\text{Cot}[c]^2) + (3*A*(1 + \text{Cos}[c + d*x])*Csc[c]*\text{Sec}[c/2 + (d*x)/2]^2*((\text{HypergeometricPFQ}[-1/2, -1/4, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 + \text{Tan}[c]^2]) + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])))/(10*d) + (B*(1 + \text{Cos}[c + d*x])*Csc[c]*\text{Sec}[c/2 + (d*x)/2]^2*((\text{HypergeometricPFQ}[-1/2, -1/4, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 + \text{Tan}[c]^2]) + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])))/(2*d))$

fricas [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)/cos(d*x + c)^(7/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/cos(d*x + c)^(7/2), x)

maple [B] time = 3.03, size = 661, normalized size = 5.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)

[Out] $-4*(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(-1/10*A/(8*\text{sin}(1/2*d*x+1/2*c)^6-12*\text{sin}(1/2*d*x+1/2*c)^4+6*\text{sin}(1/2*d*x+1/2*c)^2-1)/\text{sin}(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{sin}(1/2*d*x+1/2*c)^4-24*\text{cos}(1/2*d*x+1/2*c)*\text{sin}(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{sin}(1/2*d*x+1/2*c)^2+24*\text{sin}(1/2*d*x+1/2*c)^4*\text{cos}(1/2*d*x+1/2*c)+3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-8*\text{sin}(1/2*d*x+1/2*c)^2*\text{cos}(1/2*d*x+1/2*c))*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}+1/2*B*(-(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{cos}(1/2*d*x+1/2*c)*\text{sin}(1/2*d*x+1/2*c)^2)/\text{sin}(1/2*d*x+1/2*c)$

$$\frac{\sin^2\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{-2} + \left(\frac{1}{2}A + \frac{1}{2}B\right) \left(-\frac{1}{6}\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) \left(-2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{\frac{1}{2}}}{\left(-\frac{1}{2} + \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{\frac{1}{2}}} + \frac{2 + \frac{1}{3}\left(\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{\frac{1}{2}} \left(-2\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^{\frac{1}{2}}}{\left(-2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{\frac{1}{2}}} \operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right)}{\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) \left(2\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^{\frac{1}{2}}}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/cos(d*x + c)^(7/2), x)

mupad [B] time = 1.61, size = 177, normalized size = 1.34

$$\frac{2 A a \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{3 d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}} + \frac{2 A a \sin(c + dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + dx)^2\right)}{5 d \cos(c + dx)^{5/2} \sqrt{\sin(c + dx)^2}} + \frac{2 B a \sin(c + dx)}{d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/cos(c + d*x)^(7/2),x)

[Out] (2*A*a*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (2*A*a*sin(c + d*x)*hypergeom([-5/4, 1/2], -1/4, cos(c + d*x)^2))/(5*d*cos(c + d*x)^(5/2)*(sin(c + d*x)^2)^(1/2)) + (2*B*a*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2)) + (2*B*a*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)

[Out] Timed out

$$3.130 \quad \int \cos^3(c+dx)(a+a \cos(c+dx))^2(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=194

$$\frac{4a^2(6A+5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{4a^2(9A+8B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2a^2(9A+11B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{63d} + \frac{4a^2(9A+8B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15d}$$

[Out] $4/15*a^2*(9*A+8*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/21*a^2*(6*A+5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/45*a^2*(9*A+8*B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/63*a^2*(9*A+11*B)*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/9*B*\cos(d*x+c)^{(5/2)}*(a^2+a^2*\cos(d*x+c))*\sin(d*x+c)/d+4/21*a^2*(6*A+5*B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.32, antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2976, 2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{4a^2(6A+5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{4a^2(9A+8B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2a^2(9A+11B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{63d} + \frac{4a^2(9A+8B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c+d*x]^{(3/2)}*(a+a*\text{Cos}[c+d*x])^2*(A+B*\text{Cos}[c+d*x]), x]$

[Out] $(4*a^2*(9*A+8*B)*\text{EllipticE}[(c+d*x)/2, 2])/(15*d) + (4*a^2*(6*A+5*B)*\text{EllipticF}[(c+d*x)/2, 2])/(21*d) + (4*a^2*(6*A+5*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(21*d) + (4*a^2*(9*A+8*B)*\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(45*d) + (2*a^2*(9*A+11*B)*\text{Cos}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x])/(63*d) + (2*B*\text{Cos}[c+d*x]^{(5/2)}*(a^2+a^2*\text{Cos}[c+d*x])*\text{Sin}[c+d*x])/(9*d)$

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c+d*x])*(b*\text{Sin}[c+d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c+d*x])^{(n-2)}, x], x] /;$ $\text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e+f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)}, x], x] /;$ $\text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2968

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] := \text{Int}[(a$

+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx &= \frac{2B \cos^{\frac{5}{2}}(c + dx)(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{9d} + \\ &= \frac{2B \cos^{\frac{5}{2}}(c + dx)(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{9d} + \\ &= \frac{2a^2(9A + 11B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2B \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{9d} \\ &= \frac{2a^2(9A + 11B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2B \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{9d} \\ &= \frac{4a^2(6A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{4a^2(9A + 11B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} \\ &= \frac{4a^2(9A + 8B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^2(6A + 5B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

Mathematica [C] time = 6.30, size = 944, normalized size = 4.87

$$\sqrt{\cos(c + dx)} (\cos(c + dx)a + a)^2 \left(-\frac{(9A + 8B) \cot(c)}{15d} + \frac{(51A + 46B) \cos(dx) \sin(c)}{168d} + \frac{(36A + 37B) \cos(2dx) \sin(2c)}{360d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]


```
[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(-1/15*((9*A
+ 8*B)*Cot[c])/d + ((51*A + 46*B)*Cos[d*x]*Sin[c])/(168*d) + ((36*A + 37*B
)*Cos[2*d*x]*Sin[2*c])/(360*d) + ((A + 2*B)*Cos[3*d*x]*Sin[3*c])/(56*d) + (
B*cos[4*d*x]*Sin[4*c])/(144*d) + ((51*A + 46*B)*Cos[c]*Sin[d*x])/(168*d) +
((36*A + 37*B)*Cos[2*c]*Sin[2*d*x])/(360*d) + ((A + 2*B)*Cos[3*c]*Sin[3*d*x
])/(56*d) + (B*cos[4*c]*Sin[4*d*x])/(144*d)) - (2*A*(a + a*cos[c + d*x])^2*
Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Se
c[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[
c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 +
Sin[d*x - ArcTan[Cot[c]]]])/(7*d*Sqrt[1 + Cot[c]^2]) - (5*B*(a + a*cos[c +
d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]
]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - Ar
cTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])
]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(21*d*Sqrt[1 + Cot[c]^2]) - (3*A*(a +
a*cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[{-1/2, -
1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])
/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*S
qrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]*Sqrt[1 + Tan[c]^2]
) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Co
s[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos
[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d) - (4*B*(a + a*Co
s[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[{-1/2, -1/4},
{3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqr
t[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[C
os[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]*Sqrt[1 + Tan[c]^2]) - (
(Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x
+ ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*C
os[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(15*d)
```

fricas [F] time = 0.71, size = 0, normalized size = 0.00

integral((Ba² cos(dx + c)⁴ + (A + 2B)a² cos(dx + c)³ + (2A + B)a² cos(dx + c)² + Aa² cos(dx + c))sqrt(cos(dx + c)))

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*a^2*cos(d*x + c)^4 + (A + 2*B)*a^2*cos(d*x + c)^3 + (2*A + B)*a
^2*cos(d*x + c)^2 + A*a^2*cos(d*x + c))*sqrt(cos(d*x + c)), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2), x
)
```

maple [A] time = 1.10, size = 413, normalized size = 2.13

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(-560B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (360A + 1840B)\left(\sin\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)

[Out]
$$-4/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(-560*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(360*A+1840*B)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-1044*A-2368*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(1134*A+1568*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-351*A-387*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-189*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+90*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-168*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+75*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2), x)

mupad [B] time = 1.07, size = 266, normalized size = 1.37

$$\frac{2 A a^2 \left(\sqrt{\cos(c + dx)} \sin(c + dx) + F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{3 d} - \frac{4 A a^2 \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)\right)}{7 d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2,x)

[Out]
$$(2*A*a^2*(\cos(c + d*x)^{(1/2)}*\sin(c + d*x) + \text{ellipticF}(c/2 + (d*x)/2, 2)))/(3*d) - (4*A*a^2*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*A*a^2*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(9*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*B*a^2*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) - (4*B*a^2*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(9*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*B*a^2*\cos(c + d*x)^{(11/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 11/4], 15/4, \cos(c + d*x)^2))/(11*d*(\sin(c + d*x)^2)^{(1/2)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.131 \quad \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) dx$$

Optimal. Leaf size=161

$$\frac{4a^2(7A + 6B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^2(4A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2(7A + 9B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{35d} + \frac{4a^2(7A + 6B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{35d}$$

[Out] $4/5*a^2*(4*A+3*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/21*a^2*(7*A+6*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/35*a^2*(7*A+9*B)*cos(d*x+c)^{(3/2)}*sin(d*x+c)/d+2/7*B*cos(d*x+c)^{(3/2)}*(a^2+a^2*cos(d*x+c))*sin(d*x+c)/d+4/21*a^2*(7*A+6*B)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.29, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2976, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{4a^2(7A + 6B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^2(4A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2(7A + 9B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{35d} + \frac{4a^2(7A + 6B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{35d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]), x]

[Out] $(4*a^2*(4*A + 3*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(7*A + 6*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^2*(7*A + 6*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a^2*(7*A + 9*B)*Cos[c + d*x]^{(3/2)}*Sin[c + d*x])/(35*d) + (2*B*cos[c + d*x]^{(3/2)}*(a^2 + a^2*cos[c + d*x])*Sin[c + d*x])/(7*d)$

Rule 2635

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) dx &= \frac{2B \cos^{\frac{3}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d} \\ &= \frac{2B \cos^{\frac{3}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d} \\ &= \frac{2a^2(7A + 9B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d} \\ &= \frac{2a^2(7A + 9B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d} \\ &= \frac{4a^2(4A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(7A + 6B)\sqrt{\cos(c + dx)}}{7d} \\ &= \frac{4a^2(4A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(7A + 6B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

Mathematica [C] time = 6.27, size = 898, normalized size = 5.58

$$\sqrt{\cos(c + dx)} (\cos(c + dx)a + a)^2 \left(-\frac{(4A + 3B) \cot(c)}{5d} + \frac{(56A + 51B) \cos(dx) \sin(c)}{168d} + \frac{(A + 2B) \cos(2dx) \sin(2c)}{20d} + \dots \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]

[Out] Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(-1/5*((4*A + 3*B)*Cot[c])/d + ((56*A + 51*B)*Cos[d*x]*Sin[c])/(168*d) + ((A + 2*B)*Cos

$$\begin{aligned} & [2*d*x]*\sin[2*c]/(20*d) + (B*\cos[3*d*x]*\sin[3*c])/(56*d) + ((56*A + 51*B)* \\ & \cos[c]*\sin[d*x])/(168*d) + ((A + 2*B)*\cos[2*c]*\sin[2*d*x])/(20*d) + (B*\cos[\\ & 3*c]*\sin[3*d*x])/(56*d) - (A*(a + a*\cos[c + d*x])^2*\operatorname{Csc}[c]*\operatorname{HypergeometricPFQ} \\ & \left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2*\operatorname{Sec}[c/2 + (d*x)/2]^4*\operatorname{Sec} \\ & [d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]*\operatorname{Sqrt}[1 - \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]]*\operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \\ & \operatorname{Cot}[c]^2]*\sin[c]*\sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] * \operatorname{Sqrt}[1 + \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[\\ & c]]]]/(3*d*\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) - (2*B*(a + a*\cos[c + d*x])^2*\operatorname{Csc}[c]*\operatorname{Hyperg} \\ & \operatorname{eometricPFQ}\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2*\operatorname{Sec}[c/2 + (d*x) \\ & /2]^4*\operatorname{Sec}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]*\operatorname{Sqrt}[1 - \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]]*\operatorname{Sqrt}[-(\\ & \operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]*\sin[c]*\sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]])] * \operatorname{Sqrt}[1 + \sin[d*x - \operatorname{Arc} \\ & \operatorname{tan}[\operatorname{Cot}[c]]]]/(7*d*\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) - (2*A*(a + a*\cos[c + d*x])^2*\operatorname{Csc}[\\ & c]*\operatorname{Sec}[c/2 + (d*x)/2]^4*(\operatorname{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \\ & \operatorname{ArcTan}[\operatorname{Tan}[c]]]^2*\sin[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]*\operatorname{Tan}[c]) / (\operatorname{Sqrt}[1 - \cos[d*x + \operatorname{Arc} \\ & \operatorname{tan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[1 + \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[\cos[c]*\cos[d*x + \operatorname{Arc} \\ & \operatorname{tan}[\operatorname{Tan}[c]]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]) - ((\sin[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c] \\ &] * \operatorname{Tan}[c]) / \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2] + (2*\cos[c]^2*\cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]] \\ & * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \operatorname{Sqrt}[\cos[c]*\cos[d*x + \operatorname{ArcTan}[\operatorname{Tan} \\ & [c]]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2])) / (5*d) - (3*B*(a + a*\cos[c + d*x])^2*\operatorname{Csc}[c]*\operatorname{Sec} \\ & [c/2 + (d*x)/2]^4*(\operatorname{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \operatorname{ArcTan} \\ & [\operatorname{Tan}[c]]]^2*\sin[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]*\operatorname{Tan}[c]) / (\operatorname{Sqrt}[1 - \cos[d*x + \operatorname{ArcTan}[\operatorname{T} \\ & \operatorname{an}[c]]]] * \operatorname{Sqrt}[1 + \cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]]] * \operatorname{Sqrt}[\cos[c]*\cos[d*x + \operatorname{ArcTan}[\operatorname{T} \\ & \operatorname{an}[c]]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]] * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2]) - ((\sin[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c] \\ &] * \operatorname{Tan}[c]) / \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2] + (2*\cos[c]^2*\cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]] * \operatorname{Sqrt} \\ & [1 + \operatorname{Tan}[c]^2]) / (\cos[c]^2 + \sin[c]^2)) / \operatorname{Sqrt}[\cos[c]*\cos[d*x + \operatorname{ArcTan}[\operatorname{Tan}[c]]] \\ & * \operatorname{Sqrt}[1 + \operatorname{Tan}[c]^2])) / (10*d) \end{aligned}$$

fricas [F] time = 1.10, size = 0, normalized size = 0.00

integral($(Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2)\sqrt{\cos(dx + c)}, x$)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)

maple [A] time = 1.11, size = 385, normalized size = 2.39

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(120B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-84A - 348B)\left(\sin^6\left(\frac{d}{2}\right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x)

```
[Out] -4/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(120*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-84*A-348*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(224*A+378*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-91*A-117*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+35*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-84*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+30*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)
```

mupad [B] time = 1.01, size = 231, normalized size = 1.43

$$\frac{2 A a^2 \left(\frac{2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{{}_2F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3} \right)}{d} + \frac{2 B a^2 \left(\sqrt{\cos(c+dx)} \sin(c+dx) + F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{3 d} + \frac{2 A a^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2,x)
```

```
[Out] (2*A*a^2*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d + (2*B*a^2*(cos(c + d*x)^(1/2)*sin(c + d*x) + ellipticF(c/2 + (d*x)/2, 2)))/(3*d) + (2*A*a^2*ellipticE(c/2 + (d*x)/2, 2))/d - (2*A*a^2*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (4*B*a^2*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*B*a^2*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x)
```

```
[Out] Timed out
```

$$3.132 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=126

$$\frac{4a^2(2A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^2(5A+4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(5A+7B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15d} + \frac{2B \sin(c+dx)}{d}$$

[Out] $4/5*a^2*(5*A+4*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+4/3*a^2*(2*A+B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/15*a^2*(5*A+7*B)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d+2/5*B*(a^2+a^2*cos(d*x+c))*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.27, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^2(2A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^2(5A+4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(5A+7B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15d} + \frac{2B \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] $(4*a^2*(5*A+4*B)*EllipticE[(c+d*x)/2,2])/(5*d) + (4*a^2*(2*A+B)*EllipticF[(c+d*x)/2,2])/(3*d) + (2*a^2*(5*A+7*B)*Sqrt[Cos[c+d*x]]*Sin[c+d*x])/(15*d) + (2*B*Sqrt[Cos[c+d*x]]*(a^2+a^2*cos[c+d*x])*Sin[c+d*x])/(5*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2976

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +

```

b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{2B\sqrt{\cos(c + dx)} (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2B\sqrt{\cos(c + dx)} (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{\frac{1}{2}a^2(5A + 7B)\sqrt{\cos(c + dx)} \sin(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2a^2(5A + 7B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B\sqrt{\cos(c + dx)} (a^2 - a^2 \cos(c + dx)) \sin(c + dx)}{5d} \\
&= \frac{2a^2(5A + 7B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B\sqrt{\cos(c + dx)} (a^2 - a^2 \cos(c + dx)) \sin(c + dx)}{5d} \\
&= \frac{4a^2(5A + 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(2A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \dots
\end{aligned}$$

Mathematica [C] time = 6.30, size = 852, normalized size = 6.76

$$\sqrt{\cos(c + dx)} (\cos(c + dx)a + a)^2 \left(-\frac{(5A + 4B) \cot(c)}{5d} + \frac{(A + 2B) \cos(dx) \sin(c)}{6d} + \frac{B \cos(2dx) \sin(2c)}{20d} + \frac{(A + 2B) \cos(c)}{6d} \right)$$

Warning: Unable to verify antiderivative.

```

[In] Integrate[((a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],
x]

```

```

[Out] Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(-1/5*((5*A
+ 4*B)*Cot[c])/d + ((A + 2*B)*Cos[d*x]*Sin[c])/(6*d) + (B*Cos[2*d*x]*Sin[2*
c])/(20*d) + ((A + 2*B)*Cos[c]*Sin[d*x])/(6*d) + (B*Cos[2*c]*Sin[2*d*x])/(2
0*d)) - (2*A*(a + a*Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5
/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot
[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*
Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*Sqrt[
1 + Cot[c]^2]) - (B*(a + a*Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1
/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - Arc
Tan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*
Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*
d*Sqrt[1 + Cot[c]^2]) - (A*(a + a*Cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]

```


$$\begin{aligned} &^4 * ((\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2 * \sin[d*x + \text{ArcTan}[\tan[c]] * \tan[c]] / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]} * \sqrt{1 + \cos[d*x + \text{ArcTan}[\tan[c]]]} * \sqrt{\cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]]} * \sqrt{1 + \tan[c]^2}) * \sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 * \cos[c]^2 * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2})) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]]} * \sqrt{1 + \tan[c]^2})) / (2 * d) - (2 * B * (a + a * \cos[c + d*x])^2 * \csc[c] * \sec[c/2 + (d*x)/2]^4 * ((\text{HypergeometricPFQ}\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2 * \sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]} * \sqrt{1 + \cos[d*x + \text{ArcTan}[\tan[c]]]} * \sqrt{\cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]]} * \sqrt{1 + \tan[c]^2}) * \sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 * \cos[c]^2 * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2})) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]]} * \sqrt{1 + \tan[c]^2})) / (5 * d) \end{aligned}$$

fricas [F] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)/sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)

maple [B] time = 0.99, size = 357, normalized size = 2.83

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(-12B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (10A + 32B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x)

[Out]
$$\begin{aligned} &-4/15 * ((2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^2 * (-12 * B * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^6 + (10 * A + 32 * B) * \sin(1/2 * d * x + 1/2 * c)^4 * \cos(1/2 * d * x + 1/2 * c) + (-5 * A - 13 * B) * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) + 10 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 15 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 5 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 12 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{El} \end{aligned}$$

lipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)

mupad [B] time = 1.00, size = 153, normalized size = 1.21

$$\frac{2 B a^2 \left(\frac{2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3} \right)}{d} + \frac{2 A a^2 \left(\sqrt{\cos(c+dx)} \sin(c+dx) + 6 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + 4 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/cos(c + d*x)^(1/2),x)

[Out] (2*B*a^2*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d + (2*A*a^2*(cos(c + d*x)^(1/2)*sin(c + d*x) + 6*ellipticE(c/2 + (d*x)/2, 2) + 4*ellipticF(c/2 + (d*x)/2, 2)))/(3*d) + (2*B*a^2*ellipticE(c/2 + (d*x)/2, 2))/d - (2*B*a^2*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*2*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] Timed out

$$3.133 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^3(c+dx)} dx$$

Optimal. Leaf size=118

$$\frac{4a^2(3A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a^2(3A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2A\sin(c+dx)(a^2\cos(c+dx)+a^2)}{d\sqrt{\cos(c+dx)}} +$$

[Out] $4*a^2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/3*a^2*(3*A+2*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2*A*(a^2+a^2*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}-2/3*a^2*(3*A-B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.27, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2975, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^2(3A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a^2(3A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2A\sin(c+dx)(a^2\cos(c+dx)+a^2)}{d\sqrt{\cos(c+dx)}} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(3/2)}, x]$

[Out] $(4*a^2*B*\text{EllipticE}[(c + d*x)/2, 2])/d + (4*a^2*(3*A + 2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) - (2*a^2*(3*A - B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*A*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 2975

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a$

```
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx = \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{(a + a \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{1}{2}a^2(3A + B) + \left(-\frac{1}{2}\right)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= -\frac{2a^2(3A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

$$= -\frac{2a^2(3A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

$$= \frac{4a^2 B E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4a^2(3A + 2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a^2(3A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d}$$

Mathematica [C] time = 6.37, size = 623, normalized size = 5.28

$$\frac{A \csc(c) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^2 \sqrt{1 - \sin(dx - \tan^{-1}(\cot(c)))} \sqrt{\sin(c) \left(-\sqrt{\cot^2(c) + 1}\right) \sin(dx - \tan^{-1}(\cot(c)))}}{d\sqrt{\cot^2(c)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2),
x]
```

```
[Out] Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(-1/4*((-A +
2*B + A*Cos[2*c] + 2*B*Cos[2*c])*Csc[c]*Sec[c])/d + (B*Cos[d*x]*Sin[c])/(6
*d) + (B*Cos[c]*Sin[d*x])/(6*d) + (A*Sec[c]*Sec[c + d*x]*Sin[d*x])/(2*d)) -
(A*(a + a*Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[
d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqr
t[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x -
ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*Sqrt[1 + Cot[c]^
2]) - (2*B*(a + a*Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4
}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[
c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Si
```

$n[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (B*(a + a*\text{Cos}[c + d*x])^2*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^4*((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2]])) / (2*d)$

fricas [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba^2 \cos(dx+c)^3 + (A+2B)a^2 \cos(dx+c)^2 + (2A+B)a^2 \cos(dx+c) + Aa^2}{\cos(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)/cos(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(a \cos(dx+c) + a)^2}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)

maple [B] time = 1.01, size = 388, normalized size = 3.29

$$\frac{4a^2 \left(2B \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \right)}{\cos(dx+c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)

[Out] $-4/3*a^2*(2*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(3*A+B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)

mupad [B] time = 1.14, size = 134, normalized size = 1.14

$$\frac{2 B a^2 \left(\sqrt{\cos(c + dx)} \sin(c + dx) + 6 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + 4 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{3 d} + \frac{2 A a^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4 A a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/cos(c + d*x)^(3/2),x)

[Out] (2*B*a^2*(cos(c + d*x)^(1/2)*sin(c + d*x) + 6*ellipticE(c/2 + (d*x)/2, 2) + 4*ellipticF(c/2 + (d*x)/2, 2)))/(3*d) + (2*A*a^2*ellipticE(c/2 + (d*x)/2, 2))/d + (4*A*a^2*ellipticF(c/2 + (d*x)/2, 2))/d + (2*A*a^2*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)

[Out] Timed out

$$3.134 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=120

$$\frac{4a^2(2A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a^2(5A+3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} - \frac{4a^2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2A\sin(c+dx)(a^2\cos(c+dx))}{3d\cos^{\frac{3}{2}}(c+dx)}$$

[Out] $-4*a^2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/3*a^2*(2*A+3*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*A*(a^2+a^2*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/3*a^2*(5*A+3*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.28, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2975, 2968, 3021, 2748, 2641, 2639}

$$\frac{4a^2(2A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a^2(5A+3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} - \frac{4a^2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2A\sin(c+dx)(a^2\cos(c+dx))}{3d\cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(5/2)}, x]$

[Out] $(-4*a^2*A*\text{EllipticE}[(c + d*x)/2, 2])/d + (4*a^2*(2*A + 3*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*(5*A + 3*B)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)})$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2968

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 2975

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a$

```
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx = \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + a \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{1}{2}a^2(5A + 3B) + (-A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2(5A + 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2a^2(5A + 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

$$= -\frac{4a^2 AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4a^2(2A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2(5A + 3B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

Mathematica [C] time = 6.45, size = 624, normalized size = 5.20

$$\frac{A \csc(c) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^2 \left(\frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1}}} \right)}{2d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2),
x]
```

```
[Out] Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(-1/4*((-4*A
- B + B*Cos[2*c])*Csc[c]*Sec[c])/d + (A*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(6
*d) + (Sec[c]*Sec[c + d*x]*(A*Sin[c] + 6*A*Sin[d*x] + 3*B*Sin[d*x]))/(6*d)
- (2*A*(a + a*Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4},
Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]
*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d
*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*Sqrt[1 + C
ot[c]^2]) - (B*(a + a*Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2},
```


{5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*Sqrt[1 + Cot[c]^2]) + (A*(a + a*cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))/(2*d)

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)/cos(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(5/2), x)

maple [B] time = 1.23, size = 513, normalized size = 4.28

$$4 \left(6 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} (2A + B) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} + s \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)

[Out] -4/3*(6*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A+B)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(7*A+3*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+3*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2+2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)+3*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(

$$\frac{1}{2}d^2x + \frac{1}{2}c)^2)^{(1/2)} * (\sin(1/2*d*x + 1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x + 1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x + 1/2*c), 2^{(1/2)}) * a^2 / (-2*\sin(1/2*d*x + 1/2*c)^4 + \sin(1/2*d*x + 1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x + 1/2*c)^2 - 1)^{(3/2)} / \sin(1/2*d*x + 1/2*c) / d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(5/2), x)

mupad [B] time = 1.69, size = 196, normalized size = 1.63

$$\frac{2 A a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2 B a^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4 B a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4 A a^2 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/cos(c + d*x)^(5/2),x)

[Out] (2*A*a^2*ellipticF(c/2 + (d*x)/2, 2))/d + (2*B*a^2*ellipticE(c/2 + (d*x)/2, 2))/d + (4*B*a^2*ellipticF(c/2 + (d*x)/2, 2))/d + (4*A*a^2*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2)) + (2*A*a^2*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (2*B*a^2*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)

[Out] Timed out

$$3.135 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=159

$$\frac{4a^2(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^2(4A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(7A+5B)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^2(4A+5B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

[Out] $-4/5*a^2*(4*A+5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+4/3*a^2*(A+2*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/15*a^2*(7*A+5*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/5*A*(a^2+a^2*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+4/5*a^2*(4*A+5*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2975, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{4a^2(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^2(4A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(7A+5B)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^2(4A+5B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(7/2)}, x]$

[Out] $(-4*a^2*(4*A + 5*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^2*(A + 2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A + 5*B)*\text{Sin}[c + d*x])/(15*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^2*(4*A + 5*B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)})$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] := \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n+1)}]/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2968

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] := \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2),$

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2975

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 3021

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx &= \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2} a^2 (7A + 5B) + \left(\frac{1}{2}\right)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2a^2 (7A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} \\ &= \frac{2a^2 (7A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} \\ &= \frac{4a^2 (A + 2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 (7A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^2}{15d \cos^{\frac{3}{2}}(c + dx)} \\ &= -\frac{4a^2 (4A + 5B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2 (A + 2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

Mathematica [C] time = 6.53, size = 883, normalized size = 5.55

$$\sqrt{\cos(c + dx)} (\cos(c + dx) a + a)^2 \left(\frac{A \sec(c) \sin(dx) \sec^3(c + dx)}{10d} + \frac{\sec(c) (3A \sin(c) + 10A \sin(dx) + 5B \sin(dx))}{30d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*cos[c + d*x])^2*(A + B*cos[c + d*x]))/cos[c + d*x]^(7/2), x]

[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(((4*A + 5*B)*Csc[c]*Sec[c])/(5*d) + (A*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(10*d) + (Sec[c]*Sec[c + d*x]^2*(3*A*Sin[c] + 10*A*Sin[d*x] + 5*B*Sin[d*x]))/(30*d) + (Sec[c]*Sec[c + d*x]*(10*A*Sin[c] + 5*B*Sin[c] + 24*A*Sin[d*x] + 30*B*Sin[d*x]))/(30*d)) - (A*(a + a*cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*Sqrt[1 + Cot[c]^2]) - (2*B*(a + a*cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*Sqrt[1 + Cot[c]^2]) + (2*A*(a + a*cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(5*d) + (B*(a + a*cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d)

fricas [F] time = 1.02, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)/cos(d*x + c)^(7/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(7/2), x)

maple [B] time = 3.34, size = 741, normalized size = 4.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)`

[Out]
$$-8*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(1/4*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/20*A/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(1/4*A+1/2*B)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+(1/2*A+1/4*B)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(7/2), x)`

mupad [B] time = 1.97, size = 229, normalized size = 1.44

$$\frac{6 A a^2 \sin(c + dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + dx)^2\right) + 20 A a^2 \cos(c + dx) \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{15 d \cos(c + dx)^{5/2} \sqrt{1 - \cos(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/cos(c + d*x)^(7/2),x)`

[Out]
$$(6*A*a^2*\sin(c + d*x)*\text{hypergeom}([-5/4, 1/2], -1/4, \cos(c + d*x)^2) + 20*A*a^2*\cos(c + d*x)*\sin(c + d*x)*\text{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2) + 30*A*a^2*\cos(c + d*x)^2*\sin(c + d*x)*\text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/((15*d*\cos(c + d*x)^{(5/2)}*(1 - \cos(c + d*x)^2)^{(1/2)} + (2*B*a^2*\text{ellipticF}(c/2 + (d*x)/2, 2)))/d + (4*B*a^2*\sin(c + d*x)*\text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)}) + (2*B*a^2*\sin(c + d*x)*\text{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2))/(3*d*\cos(c + d*x)^{(3/2)}*(\sin(c + d*x)^2)^{(1/2)}))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

$$3.136 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

Optimal. Leaf size=194

$$\frac{4a^2(6A+7B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^2(3A+4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^2(6A+7B)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2(9A+7B)\sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx)}$$

[Out] $-4/5*a^2*(3*A+4*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+4/21*a^2*(6*A+7*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/35*a^2*(9*A+7*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+4/21*a^2*(6*A+7*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/7*A*(a^2+a^2*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(7/2)}+4/5*a^2*(3*A+4*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2975, 2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{4a^2(6A+7B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^2(3A+4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^2(6A+7B)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2(9A+7B)\sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(9/2)}, x]$

[Out] $(-4*a^2*(3*A + 4*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^2*(6*A + 7*B)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a^2*(9*A + 7*B)*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{(5/2)}) + (4*a^2*(6*A + 7*B)*\text{Sin}[c + d*x])/(21*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^2*(3*A + 4*B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)})$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] := \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968


```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 2975

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(
m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx &= \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{\frac{1}{2}a^2(9A + 7B) + (A + B \cos(c + dx)) \sin(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2a^2(9A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} + \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a^2(9A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} + \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a^2(9A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^2(6A + 7B) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^2}{21d} \\
&= -\frac{4a^2(3A + 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(6A + 7B)F\left(\frac{1}{2}(c + dx)\right)}{21d}
\end{aligned}$$

Mathematica [C] time = 6.63, size = 925, normalized size = 4.77

$$\sqrt{\cos(c + dx)} (\cos(c + dx)a + a)^2 \left(\frac{A \sec(c) \sin(dx) \sec^4(c + dx)}{14d} + \frac{\sec(c)(5A \sin(c) + 14A \sin(dx) + 7B \sin(dx))}{70d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*cos[c + d*x])^2*(A + B*cos[c + d*x]))/Cos[c + d*x]^(9/2), x]

[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(((3*A + 4*B)*Csc[c]*Sec[c])/(5*d) + (A*Sec[c]*Sec[c + d*x]^4*Sin[d*x])/(14*d) + (Sec[c]*Sec[c + d*x]^3*(5*A*Sin[c] + 14*A*Sin[d*x] + 7*B*Sin[d*x]))/(70*d) + (Sec[c]*Sec[c + d*x]^2*(42*A*Sin[c] + 21*B*Sin[c] + 60*A*Sin[d*x] + 70*B*Sin[d*x]))/(210*d) + (Sec[c]*Sec[c + d*x]*(30*A*Sin[c] + 35*B*Sin[c] + 63*A*Sin[d*x] + 84*B*Sin[d*x]))/(105*d)) - (2*A*(a + a*cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(7*d*Sqrt[1 + Cot[c]^2]) - (B*(a + a*cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) + (3*A*(a + a*cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d) + (2*B*(a + a*cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(5*d)

fricas [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2}{\cos(dx + c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)/cos(d*x + c)^(9/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(9/2), x)

maple [B] time = 4.04, size = 851, normalized size = 4.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x)

[Out]
$$-8*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(-1/5*(1/2*A+1/4*B)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/4*B*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+(1/4*A+1/2*B)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+1/4*A*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(9/2), x)

mupad [B] time = 2.30, size = 235, normalized size = 1.21

$$\frac{30 A a^2 \sin(c + dx) {}_2F_1\left(-\frac{7}{4}, \frac{1}{2}; -\frac{3}{4}; \cos(c + dx)^2\right) + 84 A a^2 \cos(c + dx) \sin(c + dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + dx)^2\right)}{105 d \cos(c + dx)^{7/2} \sqrt{1 - \cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/cos(c + d*x)^(9/2),x)

[Out]
$$(30*A*a^2*\sin(c + d*x)*\text{hypergeom}([-7/4, 1/2], -3/4, \cos(c + d*x)^2) + 84*A*a^2*\cos(c + d*x)*\sin(c + d*x)*\text{hypergeom}([-5/4, 1/2], -1/4, \cos(c + d*x)^2) + 70*A*a^2*\cos(c + d*x)^2*\sin(c + d*x)*\text{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2))/(105*d*\cos(c + d*x)^{(7/2)}*(1 - \cos(c + d*x)^2)^{(1/2)}) + (6*B*a^2*s$$

```
in(c + d*x)*hypergeom([-5/4, 1/2], -1/4, cos(c + d*x)^2) + 20*B*a^2*cos(c +
d*x)*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2) + 30*B*a^2*c
os(c + d*x)^2*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(15
*d*cos(c + d*x)^(5/2)*(1 - cos(c + d*x)^2)^(1/2))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))/cos(d*x+c)**(9/2),x)
```

[Out] Timed out

$$3.137 \quad \int \cos^2(c+dx)(a+a \cos(c+dx))^3(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=237

$$\frac{4a^3(121A + 105B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{4a^3(17A + 15B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{20a^3(22A + 21B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{693d}$$

[Out] $4/15*a^3*(17*A+15*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/231*a^3*(121*A+105*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/45*a^3*(17*A+15*B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+20/693*a^3*(22*A+21*B)*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/11*a*B*\cos(d*x+c)^{(5/2)}*(a+a*\cos(d*x+c))^2*\sin(d*x+c)/d+2/99*(11*A+15*B)*\cos(d*x+c)^{(5/2)}*(a^3+a^3*\cos(d*x+c))*\sin(d*x+c)/d+4/231*a^3*(121*A+105*B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.48, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2976, 2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{4a^3(121A + 105B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{4a^3(17A + 15B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{20a^3(22A + 21B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{693d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x]), x]$

[Out] $(4*a^3*(17*A + 15*B)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (4*a^3*(121*A + 105*B)*\text{EllipticF}[(c + d*x)/2, 2])/(231*d) + (4*a^3*(121*A + 105*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(231*d) + (4*a^3*(17*A + 15*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(45*d) + (20*a^3*(22*A + 21*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(693*d) + (2*a*B*\text{Cos}[c + d*x]^{(5/2)}*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(11*d) + (2*(11*A + 15*B)*\text{Cos}[c + d*x]^{(5/2)}*(a^3 + a^3*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(99*d)$

Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)}]/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$ $\text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])], x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$ $\text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 2976

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := -Simp
[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx &= \frac{2aB \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} + \\
&= \frac{2aB \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} + \\
&= \frac{2aB \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} + \\
&= \frac{20a^3(22A + 21B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{693d} + \frac{2aB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{693d} + \\
&= \frac{20a^3(22A + 21B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{693d} + \frac{2aB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{693d} + \\
&= \frac{4a^3(121A + 105B) \sqrt{\cos(c + dx)} \sin(c + dx)}{231d} + \frac{4a^3(121A + 105B) \sqrt{\cos(c + dx)} \sin(c + dx)}{231d} + \\
&= \frac{4a^3(17A + 15B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(121A + 105B) \sqrt{\cos(c + dx)} \sin(c + dx)}{231d} +
\end{aligned}$$

Mathematica [C] time = 6.32, size = 990, normalized size = 4.18

$$\sqrt{\cos(c+dx)}(\cos(c+dx)a+a)^3 \left(-\frac{(17A+15B)\cot(c)}{30d} + \frac{(2134A+1953B)\cos(dx)\sin(c)}{7392d} + \frac{(73A+75B)\cos(2dx)}{720d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*cos[c + d*x])^3*(A + B*cos[c + d*x]), x]

[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-1/30*((17*A + 15*B)*Cot[c])/d + ((2134*A + 1953*B)*Cos[d*x]*Sin[c])/(7392*d) + ((73*A + 75*B)*Cos[2*d*x]*Sin[2*c])/(720*d) + (3*(44*A + 63*B)*Cos[3*d*x]*Sin[3*c])/ (4928*d) + ((A + 3*B)*Cos[4*d*x]*Sin[4*c])/(288*d) + (B*cos[5*d*x]*Sin[5*c])/ (704*d) + ((2134*A + 1953*B)*Cos[c]*Sin[d*x])/(7392*d) + ((73*A + 75*B)*Cos[2*c]*Sin[2*d*x])/(720*d) + (3*(44*A + 63*B)*Cos[3*c]*Sin[3*d*x])/ (4928*d) + ((A + 3*B)*Cos[4*c]*Sin[4*d*x])/(288*d) + (B*cos[5*c]*Sin[5*d*x])/ (704*d)) - (11*A*(a + a*cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(42*d*Sqrt[1 + Cot[c]^2]) - (5*B*(a + a*cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(22*d*Sqrt[1 + Cot[c]^2]) - (17*A*(a + a*cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])))/(60*d) - (B*(a + a*cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])))/(4*d)

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}((Ba^3 \cos(dx+c)^5 + (A+3B)a^3 \cos(dx+c)^4 + 3(A+B)a^3 \cos(dx+c)^3 + (3A+B)a^3 \cos(dx+c)^2 + Aa^3 \cos(dx+c)) \sqrt{\cos(dx+c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)), x, algorithm="fricas")

[Out] integral((B*a^3*cos(d*x + c)^5 + (A + 3*B)*a^3*cos(d*x + c)^4 + 3*(A + B)*a^3*cos(d*x + c)^3 + (3*A + B)*a^3*cos(d*x + c)^2 + A*a^3*cos(d*x + c))*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(a \cos(dx+c) + a)^3 \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*cos(d*x + c)^(3/2), x)

maple [A] time = 1.11, size = 441, normalized size = 1.86

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(10080B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{12}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-6160A - 43680B)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x)

[Out] -4/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(10080*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-6160*A-43680*B)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(24200*A+77280*B)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-37532*A-72240*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(29722*A+39270*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-8118*A-8820*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+1815*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3927*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+1575*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3465*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*cos(d*x + c)^(3/2), x)

mupad [B] time = 1.31, size = 360, normalized size = 1.52

$$\frac{A a^3 \left(\frac{2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{{}_2F_1\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3} \right)}{d} - \frac{6 A a^3 \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)^2\right)}{7 d \sqrt{\sin(c + dx)^2}} - \frac{2 A a^3 \cos(c + dx)^{9/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; \cos(c + dx)^2\right)}{3 d \sqrt{\sin(c + dx)^2}} - \frac{2 A a^3 \cos(c + dx)^{11/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{11}{4}; \frac{15}{4}; \cos(c + dx)^2\right)}{3 d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3,x)

[Out] (A*a^3*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d - (6*A*a^3*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*A*a^3*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(3*d*(sin(c + d*x)^2)^(1/2)) - (2*A*a^3*cos(c + d*x)^(11/2)*sin(c + d*x)*hypergeom([

$$\frac{1}{2}, \frac{11}{4}], \frac{15}{4}, \cos(c + d*x)^2) / (11*d*(\sin(c + d*x)^2)^{1/2}) - (2*B*a^3 * \cos(c + d*x)^{7/2} * \sin(c + d*x) * \text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2)) / (7*d*(\sin(c + d*x)^2)^{1/2}) - (2*B*a^3 * \cos(c + d*x)^{9/2} * \sin(c + d*x) * \text{hypergeom}([1/2, 9/4], 13/4, \cos(c + d*x)^2)) / (3*d*(\sin(c + d*x)^2)^{1/2}) - (6*B*a^3 * \cos(c + d*x)^{11/2} * \sin(c + d*x) * \text{hypergeom}([1/2, 11/4], 15/4, \cos(c + d*x)^2)) / (11*d*(\sin(c + d*x)^2)^{1/2}) - (2*B*a^3 * \cos(c + d*x)^{13/2} * \sin(c + d*x) * \text{hypergeom}([1/2, 13/4], 17/4, \cos(c + d*x)^2)) / (13*d*(\sin(c + d*x)^2)^{1/2})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))**3*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.138 \quad \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) dx$$

Optimal. Leaf size=204

$$\frac{4a^3(13A + 11B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^3(21A + 17B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(24A + 23B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{105d} + \dots$$

[Out] $\frac{4}{15}a^3(21A+17B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d + \frac{4}{21}a^3(13A+11B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d + \frac{4}{105}a^3(24A+23B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d + \frac{2}{9}a*B*\cos(d*x+c)^{(3/2)}*(a+a*\cos(d*x+c))^2*\sin(d*x+c)/d + \frac{2}{63}*(9A+13B)*\cos(d*x+c)^{(3/2)}*(a^3+a^3*\cos(d*x+c))*\sin(d*x+c)/d + \frac{4}{21}a^3(13A+11B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.45, antiderivative size = 204, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2976, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{4a^3(13A + 11B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^3(21A + 17B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(24A + 23B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{105d} + \dots$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]),x]`

[Out] $(4*a^3*(21*A + 17*B)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (4*a^3*(13*A + 11*B)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (4*a^3*(24*A + 23*B)*\cos[c + d*x]^{(3/2)}*\sin[c + d*x])/(105*d) + (2*a*B*\cos[c + d*x]^{(3/2)}*(a + a*\cos[c + d*x])^2*\sin[c + d*x])/(9*d) + (2*(9*A + 13*B)*\cos[c + d*x]^{(3/2)}*(a^3 + a^3*\cos[c + d*x])*\sin[c + d*x])/(63*d)$

Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 2976

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) dx &= \frac{2aB \cos^{\frac{3}{2}}(c + dx) (a + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\
 &= \frac{2aB \cos^{\frac{3}{2}}(c + dx) (a + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\
 &= \frac{2aB \cos^{\frac{3}{2}}(c + dx) (a + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\
 &= \frac{4a^3(24A + 23B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2aB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{4a^3(24A + 23B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2aB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{4a^3(21A + 17B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(13A + 17B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} \\
 &= \frac{4a^3(21A + 17B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(13A + 17B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d}
 \end{aligned}$$

Mathematica [C] time = 6.30, size = 944, normalized size = 4.63

$$\sqrt{\cos(c + dx)} (\cos(c + dx)a + a)^3 \left(-\frac{(21A + 17B) \cot(c)}{30d} + \frac{(107A + 97B) \cos(dx) \sin(c)}{336d} + \frac{(54A + 73B) \cos(2dx)}{720d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*(A + B*cos[c + d*x]),x]
[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-1/30*((21*A + 17*B)*Cot[c])/d + ((107*A + 97*B)*Cos[d*x]*Sin[c])/(336*d) + ((54*A + 73*B)*Cos[2*d*x]*Sin[2*c])/(720*d) + ((A + 3*B)*Cos[3*d*x]*Sin[3*c])/(112*d) + (B*cos[4*d*x]*Sin[4*c])/(288*d) + ((107*A + 97*B)*Cos[c]*Sin[d*x])/(336*d) + ((54*A + 73*B)*Cos[2*c]*Sin[2*d*x])/(720*d) + ((A + 3*B)*Cos[3*c]*Sin[3*d*x])/(112*d) + (B*cos[4*c]*Sin[4*d*x])/(288*d)) - (13*A*(a + a*cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(42*d*Sqrt[1 + Cot[c]^2]) - (11*B*(a + a*cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(42*d*Sqrt[1 + Cot[c]^2]) - (7*A*(a + a*cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(20*d) - (17*B*(a + a*cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(60*d)
```

fricas [F] time = 0.93, size = 0, normalized size = 0.00

integral((B*a^3*cos(dx + c)^4 + (A + 3*B)*a^3*cos(dx + c)^3 + 3*(A + B)*a^3*cos(dx + c)^2 + (3*A + B)*a^3*cos(dx + c) +

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)*sqrt(cos(d*x + c)), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sqrt(cos(d*x + c)), x)
```

maple [A] time = 1.06, size = 413, normalized size = 2.02

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(-560B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (360A + 2200B)\left(\sin\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x)

[Out] $-4/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*(-560*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(360*A+2200*B)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-1296*A-3412*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(1806*A+2702*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-624*A-738*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+195*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-441*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+165*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-357*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sqrt(cos(d*x + c)), x)

mupad [B] time = 1.07, size = 323, normalized size = 1.58

$$\frac{2\left(Aa^3E\left(\frac{c}{2} + \frac{dx}{2}\middle|2\right) + Aa^3F\left(\frac{c}{2} + \frac{dx}{2}\middle|2\right) + Aa^3\sqrt{\cos(c+dx)}\sin(c+dx)\right)}{d} + \frac{Ba^3\left(\frac{2\sqrt{\cos(c+dx)}\sin(c+dx)}{3} + \frac{2}{3}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3,x)

[Out] $(2*(A*a^3*ellipticE(c/2 + (d*x)/2, 2) + A*a^3*ellipticF(c/2 + (d*x)/2, 2) + A*a^3*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/d + (B*a^3*((2*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d - (6*A*a^3*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*A*a^3*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(9*d*(\sin(c + d*x)^2)^{(1/2)}) - (6*B*a^3*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*B*a^3*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(3*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*B*a^3*\cos(c + d*x)^{(11/2)}*\sin(c + d*x)*hypergeom([1/2, 11/4], 15/4, \cos(c + d*x)^2))/(11*d*(\sin(c + d*x)^2)^{(1/2)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.139 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=171

$$\frac{4a^3(21A+13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{4a^3(9A+7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^3(42A+41B)\sin(c+dx)\sqrt{\cos(c+dx)}}{105d} +$$

[Out] $4/5*a^3*(9*A+7*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+4/21*a^3*(21*A+13*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+4/105*a^3*(42*A+41*B)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d+2/7*a*B*(a+a*cos(d*x+c))^2*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d+2/35*(7*A+11*B)*(a^3+a^3*cos(d*x+c))*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.43, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(21A+13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{4a^3(9A+7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^3(42A+41B)\sin(c+dx)\sqrt{\cos(c+dx)}}{105d} +$$

Antiderivative was successfully verified.

[In] Int[((a + aCos[c + d*x])^3*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] $(4*a^3*(9*A+7*B)*EllipticE[(c+d*x)/2,2])/(5*d)+(4*a^3*(21*A+13*B)*EllipticF[(c+d*x)/2,2])/(21*d)+(4*a^3*(42*A+41*B)*Sqrt[Cos[c+d*x]]*Sin[c+d*x])/(105*d)+(2*a*B*Sqrt[Cos[c+d*x]]*(a+a*cos[c+d*x])^2*Sin[c+d*x])/(7*d)+(2*(7*A+11*B)*Sqrt[Cos[c+d*x]]*(a^3+a^3*cos[c+d*x])*Sin[c+d*x])/(35*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2976

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^(n +

```

1)))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{2aB\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{2}{7} \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aB\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{2(7A + 11B)}{7d} \int \frac{(a + a \cos(c + dx))^2 \sin(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aB\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{2(7A + 11B)}{7d} \int \frac{(a + a \cos(c + dx)) \sin(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{4a^3(42A + 41B)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} + \frac{2aB\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} \\
&= \frac{4a^3(42A + 41B)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} + \frac{2aB\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} \\
&= \frac{4a^3(9A + 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(21A + 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
\end{aligned}$$

Mathematica [C] time = 6.36, size = 898, normalized size = 5.25

$$\sqrt{\cos(c + dx)} (\cos(c + dx)a + a)^3 \left(-\frac{(9A + 7B) \cot(c)}{10d} + \frac{(84A + 107B) \cos(dx) \sin(c)}{336d} + \frac{(A + 3B) \cos(2dx) \sin(2c)}{40d} \right)$$

Warning: Unable to verify antiderivative.

```

[In] Integrate[((a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],
x]

```

```

[Out] Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-1/10*((9*A
+ 7*B)*Cot[c])/d + ((84*A + 107*B)*Cos[d*x]*Sin[c])/(336*d) + ((A + 3*B)*C
os[2*d*x]*Sin[2*c])/(40*d) + (B*Cos[3*d*x]*Sin[3*c])/(112*d) + ((84*A + 107
*B)*Cos[c]*Sin[d*x])/(336*d) + ((A + 3*B)*Cos[2*c]*Sin[2*d*x])/(40*d) + (B*
Cos[3*c]*Sin[3*d*x])/(112*d)) - (A*(a + a*Cos[c + d*x])^3*Csc[c]*Hypergeome
tricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^
6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt

```


$$\begin{aligned} & [1 + \cot[c]^2] \sin[c] \sin[dx - \text{ArcTan}[\cot[c]]] \sqrt{1 + \sin[dx - \text{ArcTan}[\cot[c]]]} \\ & / (2d \sqrt{1 + \cot[c]^2}) - (13B(a + a \cos[c + dx])^3 \csc[c] \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[dx - \text{ArcTan}[\cot[c]]]^2 \sec[c/2 + \\ & (dx)/2]^6 \sec[dx - \text{ArcTan}[\cot[c]]] \sqrt{1 - \sin[dx - \text{ArcTan}[\cot[c]]]} \sqrt{1 - \sin[dx - \text{ArcTan}[\cot[c]]]} \\ & / (42d \sqrt{1 + \cot[c]^2}) - (9A(a + a \cos[c + dx])^3 \csc[c] \sec[c/2 + (dx)/2]^6 (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[\\ & dx + \text{ArcTan}[\tan[c]]]^2 \sin[dx + \text{ArcTan}[\tan[c]]] \tan[c]) / (\sqrt{1 - \cos[dx + \text{ArcTan}[\tan[c]]]} \sqrt{1 + \cos[dx + \text{ArcTan}[\tan[c]]]} \sqrt{\cos[c] \cos[dx + \text{ArcTan}[\tan[c]]]} \sqrt{1 + \tan[c]^2}) - ((\sin[dx + \text{ArcTan}[\tan[c]]] \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 \cos[c]^2 \cos[dx + \text{ArcTan}[\tan[c]]] \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cos[dx + \text{ArcTan}[\tan[c]]] \sqrt{1 + \tan[c]^2}}) / (20d) - (7B(a + a \cos[c + dx])^3 \csc[c] \sec[c/2 + (dx)/2]^6 (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[dx + \text{ArcTan}[\tan[c]]]^2 \sin[dx + \text{ArcTan}[\tan[c]]] \tan[c]) / (\sqrt{1 - \cos[dx + \text{ArcTan}[\tan[c]]]} \sqrt{1 + \cos[dx + \text{ArcTan}[\tan[c]]]} \sqrt{\cos[c] \cos[dx + \text{ArcTan}[\tan[c]]]} \sqrt{1 + \tan[c]^2}) - ((\sin[dx + \text{ArcTan}[\tan[c]]] \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 \cos[c]^2 \cos[dx + \text{ArcTan}[\tan[c]]] \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] \cos[dx + \text{ArcTan}[\tan[c]]] \sqrt{1 + \tan[c]^2}}) / (20d) \end{aligned}$$

fricas [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Ba^3 \cos(dx+c)^4 + (A+3B)a^3 \cos(dx+c)^3 + 3(A+B)a^3 \cos(dx+c)^2 + (3A+B)a^3 \cos(dx+c)}{\sqrt{\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(dx+c))^3*(A+B*cos(dx+c))/cos(dx+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a^3*cos(dx+c)^4 + (A+3*B)*a^3*cos(dx+c)^3 + 3*(A+B)*a^3*cos(dx+c)^2 + (3*A+B)*a^3*cos(dx+c) + A*a^3)/sqrt(cos(dx+c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(a \cos(dx+c) + a)^3}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(dx+c))^3*(A+B*cos(dx+c))/cos(dx+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(dx+c) + A)*(a*cos(dx+c) + a)^3/sqrt(cos(dx+c)), x)

maple [A] time = 1.02, size = 385, normalized size = 2.25

$$4 \sqrt{2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) a^3 \left(120B \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^8 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + (-84A - 432B) \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(dx+c))^3*(A+B*cos(dx+c))/cos(dx+c)^(1/2),x)

[Out] -4/105*((2*cos(1/2*dx+1/2*c)^2-1)*sin(1/2*dx+1/2*c)^2)^(1/2)*a^3*(120*B*cos(1/2*dx+1/2*c)*sin(1/2*dx+1/2*c)^8+(-84*A-432*B)*sin(1/2*dx+1/2*c)^6*c

```
os(1/2*d*x+1/2*c)+(294*A+602*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-1
26*A-208*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-189*A*(sin(1/2*d*x+1/2*
c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2
^(1/2))+105*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(
2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+65*B*
(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos
(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1
/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/sqrt(cos(d*x + c)), x
)
```

mupad [B] time = 1.00, size = 255, normalized size = 1.49

$$\frac{2 \left(B a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + B a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + B a^3 \sqrt{\cos(c + dx)} \sin(c + dx) \right)}{d} + \frac{6 A a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4 A a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^(1/2),x)
```

```
[Out] (2*(B*a^3*ellipticE(c/2 + (d*x)/2, 2) + B*a^3*ellipticF(c/2 + (d*x)/2, 2) +
B*a^3*cos(c + d*x)^(1/2)*sin(c + d*x))/d + (6*A*a^3*ellipticE(c/2 + (d*x)
/2, 2))/d + (4*A*a^3*ellipticF(c/2 + (d*x)/2, 2))/d + (2*A*a^3*cos(c + d*x)
^(1/2)*sin(c + d*x))/d - (2*A*a^3*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom
([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (6*B*a^3
*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2
))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*B*a^3*cos(c + d*x)^(9/2)*sin(c + d*x)*
hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.140 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=169

$$\frac{4a^3(5A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^3(5A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} - \frac{4a^3(5A-6B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15d} - \frac{2(5A-6B)\sqrt{\cos(c+dx)}}{15d}$$

[Out] $4/5*a^3*(5*A+9*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+4/3*a^3*(5*A+3*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2*a*A*(a+a*cos(d*x+c))^2*sin(d*x+c)/d/cos(d*x+c)^{(1/2)}-4/15*a^3*(5*A-6*B)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d-2/5*(5*A-B)*(a^3+a^3*cos(d*x+c))*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.43, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2975, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(5A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^3(5A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} - \frac{4a^3(5A-6B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15d} - \frac{2(5A-6B)\sqrt{\cos(c+dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] $(4*a^3*(5*A+9*B)*EllipticE[(c+d*x)/2,2]/(5*d)+(4*a^3*(5*A+3*B)*EllipticF[(c+d*x)/2,2]/(3*d)-(4*a^3*(5*A-6*B)*Sqrt[Cos[c+d*x]]*Sin[c+d*x]/(15*d)+(2*a*A*(a+a*Cos[c+d*x])^2*Sin[c+d*x])/(d*Sqrt[Cos[c+d*x]])-(2*(5*A-B)*Sqrt[Cos[c+d*x]]*(a^3+a^3*Cos[c+d*x])*Sin[c+d*x])/5*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 2975

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Si

```
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^3(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{(a + a \cos(c + dx))^2}{\cos^2(c + dx)} dx \\ &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{2(5A - B)\sqrt{\cos(c + dx)}}{d} \int \frac{1}{\cos(c + dx)} dx \\ &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{2(5A - B)\sqrt{\cos(c + dx)}}{d} \int \frac{1}{\cos(c + dx)} dx \\ &= -\frac{4a^3(5A - 6B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\ &= -\frac{4a^3(5A - 6B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\ &= \frac{4a^3(5A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(5A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

Mathematica [C] time = 6.46, size = 888, normalized size = 5.25

$$\sqrt{\cos(c + dx)} (\cos(c + dx)a + a)^3 \left(-\frac{(15 \cos(2c)A + 5A + 18B + 18B \cos(2c)) \csc(c) \sec(c)}{40d} + \frac{A \sec(c + dx) \sin(dx)}{4d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*cos[c + d*x])^3*(A + B*cos[c + d*x]))/cos[c + d*x]^(3/2),
x]
```

```
[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-1/40*((5*A
+ 18*B + 15*A*cos[2*c] + 18*B*cos[2*c])*Csc[c]*Sec[c])/d + ((A + 3*B)*Cos[
d*x]*Sin[c])/(12*d) + (B*cos[2*d*x]*Sin[2*c])/(40*d) + ((A + 3*B)*Cos[c]*Si
n[d*x])/(12*d) + (A*Sec[c]*Sec[c + d*x]*Sin[d*x])/(4*d) + (B*cos[2*c]*Sin[2
*d*x])/(40*d) - (5*A*(a + a*cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4,
1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - A
rcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2
]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(
6*d*Sqrt[1 + Cot[c]^2]) - (B*(a + a*cos[c + d*x])^3*Csc[c]*HypergeometricPF
Q[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[
d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + C
ot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]
]]])]/(2*d*Sqrt[1 + Cot[c]^2]) - (A*(a + a*cos[c + d*x])^3*Csc[c]*Sec[c/2 +
(d*x)/2]^6*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]
]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]
]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]
]]]*Sqrt[1 + Tan[c]^2]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan
[c])/Sqrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Ta
n[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[
1 + Tan[c]^2]))/(4*d) - (9*B*(a + a*cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)
/2]^6*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]
*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqr
t[1 + Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt
[1 + Tan[c]^2]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/S
qrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2
])/((Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Ta
n[c]^2]))/(20*d)
```

fricas [F] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c)}{\cos(dx + c)^{\frac{3}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm
="fricas")
```

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a
^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)/cos(d*x + c)^(3/2),
x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(3/2), x
)
```

maple [B] time = 1.18, size = 519, normalized size = 3.07

$$4a^3 \left(-12B \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 2 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)

[Out]
$$\begin{aligned} & -4/15*a^3*(-12*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A+21*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(10*A+9*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+25*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-15*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}+15*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-27*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(3/2), x)

mupad [B] time = 1.04, size = 229, normalized size = 1.36

$$\frac{A a^3 \left(\frac{2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3} \right)}{d} + \frac{6 A a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6 A a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6 B a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4 B a^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^(3/2),x)

[Out]
$$\begin{aligned} & (A*a^3*((2*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/3 + (2*\text{ellipticF}(c/2 + (d*x)/2, 2))/3))/d + (6*A*a^3*\text{ellipticE}(c/2 + (d*x)/2, 2))/d + (6*A*a^3*\text{ellipticF}(c/2 + (d*x)/2, 2))/d + (6*B*a^3*\text{ellipticE}(c/2 + (d*x)/2, 2))/d + (4*B*a^3*\text{ellipticF}(c/2 + (d*x)/2, 2))/d + (2*B*a^3*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/d + (2*A*a^3*\sin(c + d*x)*\text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/d + (\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)} - (2*B*a^3*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)

[Out] Timed out

$$3.141 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=161

$$\frac{20a^3(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{4a^3(4A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2(7A+3B)s}{3d}$$

[Out] $-4*a^3*(A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+20/3*a^3*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a*A*(a+a*\cos(d*x+c))^2*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/3*(7*A+3*B)*(a^3+a^3*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}-4/3*a^3*(4*A+B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.43, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2975, 2968, 3023, 2748, 2641, 2639}

$$\frac{20a^3(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{4a^3(4A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2(7A+3B)s}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(5/2)}, x]$

[Out] $(-4*a^3*(A - B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (20*a^3*(A + B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) - (4*a^3*(4*A + B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a*A*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(7*A + 3*B)*(a^3 + a^3*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] := \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 2975

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] := -\text{Si}$


```
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(C*cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + a \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(7A + 3B)(a^3 + a^3 \cos^2(c + dx))}{3d \sqrt{\cos(c + dx)}} \\ &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(7A + 3B)(a^3 + a^3 \cos^2(c + dx))}{3d \sqrt{\cos(c + dx)}} \\ &= -\frac{4a^3(4A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\ &= -\frac{4a^3(4A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\ &= -\frac{4a^3(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{20a^3(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

Mathematica [C] time = 6.54, size = 879, normalized size = 5.46

$$\sqrt{\cos(c + dx)} (\cos(c + dx)a + a)^3 \left(\frac{A \sec(c) \sin(dx) \sec^2(c + dx)}{12d} + \frac{\sec(c)(A \sin(c) + 9A \sin(dx) + 3B \sin(dx)) \sec^2(c + dx)}{12d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-1/8*((-5*A + B + A*Cos[2*c] + 3*B*Cos[2*c])*Csc[c]*Sec[c])/d + (B*Cos[d*x]*Sin[c])/(12*d) + (B*Cos[c]*Sin[d*x])/(12*d) + (A*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(12*d)
```

d) + (Sec[c]*Sec[c + d*x]*(A*Sin[c] + 9*A*Sin[d*x] + 3*B*Sin[d*x]))/(12*d) - (5*A*(a + a*cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(6*d*Sqrt[1 + Cot[c]^2]) - (5*B*(a + a*cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(6*d*Sqrt[1 + Cot[c]^2]) + (A*(a + a*cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))/(4*d) - (B*(a + a*cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))/(4*d)

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3}{\cos(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)/cos(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(5/2), x)

maple [B] time = 1.27, size = 654, normalized size = 4.06

$$4 \left(-4B \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 2 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)

[Out]
$$-4/3*(-4*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(9*A+5*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A+2*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+5*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))*\sin(1/2*d*x+1/2*c)^2+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}+5*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))*a^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(3/2)}/\sin(1/2*d*x+1/2*c)/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(5/2), x)

mupad [B] time = 1.63, size = 251, normalized size = 1.56

$$\frac{2 \left(A a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + 3 A a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{d} + \frac{B a^3 \left(\frac{2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3} \right)}{d} + \frac{6 B a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^(5/2),x)

[Out]
$$(2*(A*a^3*\text{ellipticE}(c/2 + (d*x)/2, 2) + 3*A*a^3*\text{ellipticF}(c/2 + (d*x)/2, 2)))/d + (B*a^3*((2*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/3 + (2*\text{ellipticF}(c/2 + (d*x)/2, 2))/3))/d + (6*B*a^3*\text{ellipticE}(c/2 + (d*x)/2, 2))/d + (6*B*a^3*\text{ellipticF}(c/2 + (d*x)/2, 2))/d + (6*A*a^3*\sin(c + d*x)*\text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)}) + (2*A*a^3*\sin(c + d*x)*\text{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2))/(3*d*\cos(c + d*x)^{(3/2)}*(\sin(c + d*x)^2)^{(1/2)}) + (2*B*a^3*\sin(c + d*x)*\text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)

[Out] Timed out

$$3.142 \quad \int \frac{(a+a \cos(c+dx))^3 (A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=171

$$\frac{4a^3(3A+5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^3(9A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(9A+5B)\sin(c+dx)(a^3\cos(c+dx)+a^3)}{15d\cos^{\frac{3}{2}}(c+dx)} + \frac{4a^3(3A+5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d}$$

[Out] $-4/5*a^3*(9*A+5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+4/3*a^3*(3*A+5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/5*a*A*(a+a*\cos(d*x+c))^2*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+2/15*(9*A+5*B)*(a^3+a^3*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+4/15*a^3*(21*A+20*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.46, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2975, 2968, 3021, 2748, 2641, 2639}

$$\frac{4a^3(3A+5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^3(9A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(9A+5B)\sin(c+dx)(a^3\cos(c+dx)+a^3)}{15d\cos^{\frac{3}{2}}(c+dx)} + \frac{4a^3(3A+5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a+a*\text{Cos}[c+d*x])^3*(A+B*\text{Cos}[c+d*x])]/\text{Cos}[c+d*x]^{(7/2)},x]$

[Out] $(-4*a^3*(9*A+5*B)*\text{EllipticE}[(c+d*x)/2,2])/(5*d)+(4*a^3*(3*A+5*B)*\text{EllipticF}[(c+d*x)/2,2])/(3*d)+(4*a^3*(21*A+20*B)*\text{Sin}[c+d*x])/(15*d*\text{Sqrt}[\text{Cos}[c+d*x]])+(2*a*A*(a+a*\text{Cos}[c+d*x])^2*\text{Sin}[c+d*x])/(5*d*\text{Cos}[c+d*x]^{(5/2)})+(2*(9*A+5*B)*(a^3+a^3*\text{Cos}[c+d*x])*\text{Sin}[c+d*x])/(15*d*\text{Cos}[c+d*x]^{(3/2)})$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.)+(d_.)*(x_)]]],x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c-Pi/2+d*x))/2,2])/d,x] /; \text{FreeQ}\{c,d\},x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.)+(d_.)*(x_)]]],x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c-Pi/2+d*x))/2,2])/d,x] /; \text{FreeQ}\{c,d\},x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.)+(f_.)*(x_)]]^{(m_.)*((c_.)+(d_.)*\sin[(e_.)+(f_.)*(x_)])},x_Symbol] \rightarrow \text{Dist}[c,\text{Int}[(b*\text{Sin}[e+f*x])^m,x],x]+\text{Dist}[d/b,\text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)},x],x] /; \text{FreeQ}\{b,c,d,e,f,m\},x]$

Rule 2968

$\text{Int}[(a_.)+(b_.)*\sin[(e_.)+(f_.)*(x_)]]^{(m_.)*((A_.)+(B_.)*\sin[(e_.)+(f_.)*(x_)])},x_Symbol] \rightarrow \text{Int}[(a+b*\text{Sin}[e+f*x])^m*(A*c+(B*c+A*d)*\text{Sin}[e+f*x]+B*d*\text{Sin}[e+f*x]^2),x] /; \text{FreeQ}\{a,b,c,d,e,f,A,B,m\},x \&\& \text{NeQ}[b*c-a*d,0]$

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3021

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(
m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(9A + 5B)(a^3 + a^3 \cos^2(c + dx))}{15d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(9A + 5B)(a^3 + a^3 \cos^2(c + dx))}{15d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{4a^3(21A + 20B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)}} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{4a^3(21A + 20B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)}} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} \\
&= -\frac{4a^3(9A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(3A + 5B)F\left(\frac{1}{2}(c + dx)\right)}{3d}
\end{aligned}$$

Mathematica [C] time = 6.62, size = 890, normalized size = 5.20

$$\sqrt{\cos(c + dx)} (\cos(c + dx)a + a)^3 \left(\frac{A \sec(c) \sin(dx) \sec^3(c + dx)}{20d} + \frac{\sec(c)(3A \sin(c) + 15A \sin(dx) + 5B \sin(dx))}{60d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2),
x]
```

```
[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-1/40*((-36
*A - 25*B + 5*B*cos[2*c])*Csc[c]*Sec[c])/d + (A*Sec[c]*Sec[c + d*x]^3*sin[d
*x]))/(20*d) + (Sec[c]*Sec[c + d*x]^2*(3*A*sin[c] + 15*A*sin[d*x] + 5*B*sin[
d*x]))/(60*d) + (Sec[c]*Sec[c + d*x]*(15*A*sin[c] + 5*B*sin[c] + 54*A*sin[d
*x] + 45*B*sin[d*x]))/(60*d) - (A*(a + a*cos[c + d*x])^3*Csc[c]*Hypergeome
tricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^
6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt
[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan
[Cot[c]]]])/(2*d*Sqrt[1 + Cot[c]^2]) - (5*B*(a + a*cos[c + d*x])^3*Csc[c]*H
ypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 +
(d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sq
rt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x
- ArcTan[Cot[c]]]])/(6*d*Sqrt[1 + Cot[c]^2]) + (9*A*(a + a*cos[c + d*x])^3
*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d
*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x
+ ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x
+ ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + Ar
cTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan
[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcT
an[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(20*d) + (B*(a + a*cos[c + d*x])^3*Csc[c]
*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + Ar
cTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcT
an[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcT
an[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Ta
n[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*S
qrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[
c]]]*Sqrt[1 + Tan[c]^2]))/(4*d)
```

fricas [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3}{\cos(dx + c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm
="fricas")
```

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a
^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)/cos(d*x + c)^(7/2),
x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(7/2), x
)
```

maple [B] time = 3.39, size = 916, normalized size = 5.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)

[Out] $\frac{4}{15} \cdot (-(-2 \cdot \cos(\frac{1}{2} d x + \frac{1}{2} c)^2 + 1) \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot a^3 / (8 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^6 - 12 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^4 + 6 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1) / \sin(\frac{1}{2} d x + \frac{1}{2} c)^3 \cdot (60 \cdot A \cdot \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^4 + 108 \cdot A \cdot \text{EllipticE}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^4 - 216 \cdot A \cdot \cos(\frac{1}{2} d x + \frac{1}{2} c) \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^6 + 100 \cdot B \cdot \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^4 + 60 \cdot B \cdot \text{EllipticE}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^4 - 180 \cdot B \cdot \cos(\frac{1}{2} d x + \frac{1}{2} c) \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^6 - 60 \cdot A \cdot \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 108 \cdot A \cdot \text{EllipticE}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 + 246 \cdot A \cdot \cos(\frac{1}{2} d x + \frac{1}{2} c) \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^4 - 100 \cdot B \cdot \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 60 \cdot B \cdot \text{EllipticE}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 + 190 \cdot B \cdot \cos(\frac{1}{2} d x + \frac{1}{2} c) \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^4 + 15 \cdot A \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) + 27 \cdot A \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot \text{EllipticE}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) - 72 \cdot A \cdot \cos(\frac{1}{2} d x + \frac{1}{2} c) \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 + 25 \cdot B \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) + 15 \cdot B \cdot (\sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} \cdot (2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} \cdot \text{EllipticE}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)}) - 50 \cdot B \cdot \cos(\frac{1}{2} d x + \frac{1}{2} c) \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^2) \cdot (-2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c)^4 + \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{(1/2)} / (2 \cdot \cos(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{(1/2)} / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(7/2), x)

mupad [B] time = 2.50, size = 287, normalized size = 1.68

$$\frac{2 \left(B a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + 3 B a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{d} + \frac{2 A a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6 A a^3 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^(7/2),x)

[Out] $(2 \cdot (B \cdot a^3 \cdot \text{ellipticE}(c/2 + (d \cdot x)/2, 2) + 3 \cdot B \cdot a^3 \cdot \text{ellipticF}(c/2 + (d \cdot x)/2, 2))) / d + (2 \cdot A \cdot a^3 \cdot \text{ellipticF}(c/2 + (d \cdot x)/2, 2)) / d + (6 \cdot A \cdot a^3 \cdot \sin(c + d \cdot x) \cdot \text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d \cdot x)^2)) / (d \cdot \cos(c + d \cdot x)^{(1/2)} \cdot (\sin(c + d \cdot x)^2)^{(1/2)}) + (2 \cdot A \cdot a^3 \cdot \sin(c + d \cdot x) \cdot \text{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d \cdot x)^2)) / (d \cdot \cos(c + d \cdot x)^{(3/2)} \cdot (\sin(c + d \cdot x)^2)^{(1/2)}) + (2 \cdot A \cdot a^3 \cdot \sin(c + d \cdot x) \cdot \text{hypergeom}([-5/4, 1/2], -1/4, \cos(c + d \cdot x)^2)) / (5 \cdot d \cdot \cos(c + d \cdot x)^{(5/2)} \cdot (\sin(c + d \cdot x)^2)^{(1/2)}) + (6 \cdot B \cdot a^3 \cdot \sin(c + d \cdot x) \cdot \text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d \cdot x)^2)) / (d \cdot \cos(c + d \cdot x)^{(1/2)} \cdot (\sin(c + d \cdot x)^2)^{(1/2)}) + (2 \cdot B \cdot a^3 \cdot \sin(c + d \cdot x) \cdot \text{hypergeom}([1/4, 1/2], 3/4, \cos(c + d \cdot x)^2)) / (d \cdot \cos(c + d \cdot x)^{(1/2)} \cdot (\sin(c + d \cdot x)^2)^{(1/2)})$

```
c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```


$$3.143 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

Optimal. Leaf size=204

$$\frac{4a^3(13A + 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} - \frac{4a^3(7A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(11A + 7B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] $-4/5*a^3*(7*A+9*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/21*a^3*(13*A+21*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/105*a^3*(41*A+42*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/7*a*A*(a+a*\cos(d*x+c))^2*\sin(d*x+c)/d/\cos(d*x+c)^{(7/2)}+2/35*(11*A+7*B)*(a^3+a^3*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+4/5*a^3*(7*A+9*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 204, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2975, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{4a^3(13A + 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} - \frac{4a^3(7A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(11A + 7B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(9/2)}, x]$

[Out] $(-4*a^3*(7*A + 9*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^3*(13*A + 21*B)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (4*a^3*(41*A + 42*B)*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^3*(7*A + 9*B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*a*A*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (2*(11*A + 7*B)*(a^3 + a^3*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{(5/2)})$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 2975

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*SIN[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*SIN[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*SIN[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^2(c + dx)} dx = \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + a \cos(c + dx))^2}{\cos^2(c + dx)} dx$$

$$= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(11A + 7B)(a^3 + a^3 \cos^2(c + dx))}{35d \cos^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(11A + 7B)(a^3 + a^3 \cos^2(c + dx))}{35d \cos^{\frac{5}{2}}(c + dx)}$$

$$= \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)}$$

$$= \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)}$$

$$= \frac{4a^3(13A + 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)}$$

$$= -\frac{4a^3(7A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(13A + 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}$$

Mathematica [C] time = 6.65, size = 925, normalized size = 4.53

$$\sqrt{\cos(c+dx)}(\cos(c+dx)a+a)^3 \left(\frac{A \sec(c) \sin(dx) \sec^4(c+dx)}{28d} + \frac{\sec(c)(5A \sin(c) + 21A \sin(dx) + 7B \sin(dx))}{140d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]

[Out] Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(((7*A + 9*B)*Csc[c]*Sec[c])/(10*d) + (A*Sec[c]*Sec[c + d*x]^4*Sin[d*x])/(28*d) + (Sec[c]*Sec[c + d*x]^3*(5*A*Sin[c] + 21*A*Sin[d*x] + 7*B*Sin[d*x]))/(140*d) + (Sec[c]*Sec[c + d*x]^2*(63*A*Sin[c] + 21*B*Sin[c] + 130*A*Sin[d*x] + 105*B*Sin[d*x]))/(420*d) + (Sec[c]*Sec[c + d*x]*(130*A*Sin[c] + 105*B*Sin[c] + 294*A*Sin[d*x] + 378*B*Sin[d*x]))/(420*d)) - (13*A*(a + a*Cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(42*d*Sqrt[1 + Cot[c]^2]) - (B*(a + a*Cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(2*d*Sqrt[1 + Cot[c]^2]) + (7*A*(a + a*Cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(20*d) + (9*B*(a + a*Cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(20*d)

fricas [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Ba^3 \cos(dx+c)^4 + (A+3B)a^3 \cos(dx+c)^3 + 3(A+B)a^3 \cos(dx+c)^2 + (3A+B)a^3 \cos(dx+c)}{\cos(dx+c)^{\frac{9}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)/cos(d*x + c)^(9/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(a \cos(dx+c) + a)^3}{\cos(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(9/2), x)

maple [B] time = 4.33, size = 929, normalized size = 4.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x)

[Out]
$$-16*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*(1/8*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/5*(3/8*A+1/8*B)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+(3/8*A+3/8*B)*(-1/6*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/8*A*(-1/56*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^4-5/42*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(9/2), x)

mupad [B] time = 2.67, size = 307, normalized size = 1.50

$$\frac{2 B a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2 A a^3 \sin(c+dx) {}_2F_1\left(-\frac{7}{4}, \frac{1}{2}; -\frac{3}{4}; \cos(c+dx)^2\right)}{7} + \frac{6 A a^3 \cos(c+dx) \sin(c+dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c+dx)^2\right)}{5} + 2 A a^3 \cos(c+dx)$$

dc

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^(9/2),x)
[Out] (2*B*a^3*ellipticF(c/2 + (d*x)/2, 2))/d + ((2*A*a^3*sin(c + d*x)*hypergeom(
[-7/4, 1/2], -3/4, cos(c + d*x)^2))/7 + (6*A*a^3*cos(c + d*x)*sin(c + d*x)*
hypergeom([-5/4, 1/2], -1/4, cos(c + d*x)^2))/5 + 2*A*a^3*cos(c + d*x)^2*si
n(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2) + 2*A*a^3*cos(c + d*
x)^3*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d
*x)^(7/2)*(1 - cos(c + d*x)^2)^(1/2)) + (6*B*a^3*sin(c + d*x)*hypergeom([-1
/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2
)) + (2*B*a^3*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(d*
cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (2*B*a^3*sin(c + d*x)*hypergeo
m([-5/4, 1/2], -1/4, cos(c + d*x)^2))/(5*d*cos(c + d*x)^(5/2)*(sin(c + d*x)
^2)^(1/2))
sympy [F(-1)]    time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))/cos(d*x+c)**(9/2),x)
[Out] Timed out
```

$$3.144 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$$

Optimal. Leaf size=237

$$\frac{4a^3(11A+13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^3(17A+21B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{4a^3(11A+13B)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^3(23A+24B)}{105d \cos^{\frac{5}{2}}(c+dx)}$$

[Out] $-4/15*a^3*(17*A+21*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/21*a^3*(11*A+13*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/105*a^3*(23*A+24*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+4/21*a^3*(11*A+13*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/9*a*A*(a+a*\cos(d*x+c))^2*\sin(d*x+c)/d/\cos(d*x+c)^{(9/2)}+2/63*(13*A+9*B)*(a^3+a^3*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(7/2)}+4/15*a^3*(17*A+21*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.52, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2975, 2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{4a^3(11A+13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^3(17A+21B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{4a^3(11A+13B)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^3(23A+24B)}{105d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(11/2)}, x]$

[Out] $(-4*a^3*(17*A + 21*B)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (4*a^3*(11*A + 13*B)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (4*a^3*(23*A + 24*B)*\text{Sin}[c + d*x])/(105*d*\text{Cos}[c + d*x]^{(5/2)}) + (4*a^3*(11*A + 13*B)*\text{Sin}[c + d*x])/(21*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^3*(17*A + 21*B)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*a*A*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(9*d*\text{Cos}[c + d*x]^{(9/2)}) + (2*(13*A + 9*B)*(a^3 + a^3*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(63*d*\text{Cos}[c + d*x]^{(7/2)})$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /;$ FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$ FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 2975

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{11}{2}}(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(13A + 9B)(a^3 + a^3 \cos^2(c + dx))}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(13A + 9B)(a^3 + a^3 \cos^2(c + dx))}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(23A + 24B) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{4a^3(23A + 24B) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{4a^3(23A + 24B) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^3(11A + 13B) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} + \\
&= -\frac{4a^3(17A + 21B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(11A + 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
\end{aligned}$$

Mathematica [C] time = 6.71, size = 967, normalized size = 4.08

$$\sqrt{\cos(c+dx)}(\cos(c+dx)a+a)^3 \left(\frac{A \sec(c) \sin(dx) \sec^5(c+dx)}{36d} + \frac{\sec(c)(7A \sin(c) + 27A \sin(dx) + 9B \sin(dx)) \sec^3(c+dx)}{252d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2), x]

[Out] Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(((17*A + 21*B)*Csc[c]*Sec[c])/(30*d) + (A*Sec[c]*Sec[c + d*x]^5*Sin[d*x])/(36*d) + (Sec[c]*Sec[c + d*x]^4*(7*A*Sin[c] + 27*A*Sin[d*x] + 9*B*Sin[d*x]))/(252*d) + (Sec[c]*Sec[c + d*x]*(55*A*Sin[c] + 65*B*Sin[c] + 119*A*Sin[d*x] + 147*B*Sin[d*x]))/(210*d) + (Sec[c]*Sec[c + d*x]^3*(135*A*Sin[c] + 45*B*Sin[c] + 238*A*Sin[d*x] + 189*B*Sin[d*x]))/(1260*d) + (Sec[c]*Sec[c + d*x]^2*(238*A*Sin[c] + 189*B*Sin[c] + 330*A*Sin[d*x] + 390*B*Sin[d*x]))/(1260*d)) - (11*A*(a + a*Cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])]/(42*d*Sqrt[1 + Cot[c]^2]) - (13*B*(a + a*Cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])]/(42*d*Sqrt[1 + Cot[c]^2]) + (17*A*(a + a*Cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(60*d) + (7*B*(a + a*Cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(20*d)

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Ba^3 \cos(dx+c)^4 + (A+3B)a^3 \cos(dx+c)^3 + 3(A+B)a^3 \cos(dx+c)^2 + (3A+B)a^3 \cos(dx+c) + Aa^3}{\cos(dx+c)^{\frac{11}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2), x, algorithm="fricas")

[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)/cos(d*x + c)^(11/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algorithm m="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(11/2), x)

maple [B] time = 4.92, size = 1178, normalized size = 4.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x)

[Out]
$$\begin{aligned} & -16*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*(-1/5*(3/8*A+3/8*B)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/8*A*(-1/144*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c))^2)^5-7/180*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c))^2)^3-14/15*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))+1/8*B*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+(1/8*A+3/8*B)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c))^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))+(3/8*A+1/8*B)*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c))^2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c))^2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(11/2), x)

mupad [B] time = 3.03, size = 552, normalized size = 2.33

$$2_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c+dx)^2\right) \left(\frac{19 A a^3 \sin(c+dx)}{\cos(c+dx)^{3/2} \sqrt{1-\cos(c+dx)^2}} + \frac{9 A a^3 \sin(c+dx)}{\cos(c+dx)^{7/2} \sqrt{1-\cos(c+dx)^2}} + \frac{25 B a^3 \sin(c+dx)}{\cos(c+dx)^{3/2} \sqrt{1-\cos(c+dx)^2}} + \dots \right) \\ \hline 21 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/cos(c + d*x)^(11/2),x)

[Out] (2*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2)*((19*A*a^3*sin(c + d*x))/(cos(c + d*x)^(3/2)*(1 - cos(c + d*x)^2)^(1/2)) + (9*A*a^3*sin(c + d*x))/(cos(c + d*x)^(7/2)*(1 - cos(c + d*x)^2)^(1/2)) + (25*B*a^3*sin(c + d*x))/(cos(c + d*x)^(3/2)*(1 - cos(c + d*x)^2)^(1/2)) + (3*B*a^3*sin(c + d*x))/(cos(c + d*x)^(7/2)*(1 - cos(c + d*x)^2)^(1/2))))/(21*d) - (8*hypergeom([-1/4, 1/2], 7/4, cos(c + d*x)^2)*((34*A*a^3*sin(c + d*x))/(cos(c + d*x)^(1/2)*(1 - cos(c + d*x)^2)^(1/2)) + (5*A*a^3*sin(c + d*x))/(cos(c + d*x)^(5/2)*(1 - cos(c + d*x)^2)^(1/2)) + (27*B*a^3*sin(c + d*x))/(cos(c + d*x)^(1/2)*(1 - cos(c + d*x)^2)^(1/2))))/(135*d) + (8*((3*A*a^3*sin(c + d*x))/(cos(c + d*x)^(3/2)*(1 - cos(c + d*x)^2)^(1/2)) + (B*a^3*sin(c + d*x))/(cos(c + d*x)^(3/2)*(1 - cos(c + d*x)^2)^(1/2)))*hypergeom([-3/4, 1/2], 5/4, cos(c + d*x)^2))/(21*d) + (2*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2)*((136*A*a^3*sin(c + d*x))/(cos(c + d*x)^(1/2)*(1 - cos(c + d*x)^2)^(1/2)) + (39*A*a^3*sin(c + d*x))/(cos(c + d*x)^(5/2)*(1 - cos(c + d*x)^2)^(1/2)) + (5*A*a^3*sin(c + d*x))/(cos(c + d*x)^(9/2)*(1 - cos(c + d*x)^2)^(1/2)) + (153*B*a^3*sin(c + d*x))/(cos(c + d*x)^(1/2)*(1 - cos(c + d*x)^2)^(1/2)) + (27*B*a^3*sin(c + d*x))/(cos(c + d*x)^(5/2)*(1 - cos(c + d*x)^2)^(1/2))))/(45*d)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))/cos(d*x+c)**(11/2),x)

[Out] Timed out

$$3.145 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=156

$$\frac{5(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3(5A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} + \frac{(A-B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} - \frac{(5A-7B)\sin(c+dx)}{5ad}$$

[Out] $-3/5*(5*A-7*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d+5/3*(A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d-1/5*(5*A-7*B)*\cos(d*x+c)^{(3/2)*\sin(d*x+c)}/a/d+(A-B)*\cos(d*x+c)^{(5/2)*\sin(d*x+c)}/d/(a+a*\cos(d*x+c))+5/3*(A-B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a/d$

Rubi [A] time = 0.20, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2977, 2748, 2635, 2641, 2639}

$$\frac{5(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3(5A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} + \frac{(A-B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} - \frac{(5A-7B)\sin(c+dx)}{5ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c+d*x]^{(5/2)}*(A+B*\text{Cos}[c+d*x]))/(a+a*\text{Cos}[c+d*x]),x]$

[Out] $(-3*(5*A-7*B)*\text{EllipticE}[(c+d*x)/2, 2])/(5*a*d) + (5*(A-B)*\text{EllipticF}[(c+d*x)/2, 2])/(3*a*d) + (5*(A-B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*a*d) - ((5*A-7*B)*\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(5*a*d) + ((A-B)*\text{Cos}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x])/(d*(a+a*\text{Cos}[c+d*x]))$

Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c+d*x])*(b*\text{Sin}[c+d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^{2*(n-1)})/n, \text{Int}[(b*\text{Sin}[c+d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])], x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e+f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2977

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := \text{Simp}[(A*b - a*B)*\text{Cos}[e+f*x]*(a + b*\text{Sin}[e+f*x])^m*(c + d*\text{Sin}[e+f*x])^n]/(a*f*(2*m+1)), x] - \text{Dist}[1/(a*b*(2*m+1)), \text{Int}[(a + b*\text{Sin}[e+f*x])^{(m+1)}, x], x]$

1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c + dx)(A + B \cos(c + dx))}{a + a \cos(c + dx)} dx &= \frac{(A - B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int \cos^{\frac{3}{2}}(c + dx) \left(\frac{5}{2}a(A - B) - \frac{1}{2}a(5A - 7B) \right) dx}{a^2} \\ &= \frac{(A - B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d(a + a \cos(c + dx))} - \frac{(5A - 7B) \int \cos^{\frac{5}{2}}(c + dx) dx}{2a} + \frac{(5A - 7B) \int \cos^{\frac{3}{2}}(c + dx) dx}{2a} \\ &= \frac{5(A - B) \sqrt{\cos(c + dx)} \sin(c + dx)}{3ad} - \frac{(5A - 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad} \\ &= -\frac{3(5A - 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5ad} + \frac{5(A - B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{5(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3ad} \end{aligned}$$

Mathematica [C] time = 6.62, size = 1182, normalized size = 7.58

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]
[Out] (((-3*I)/4)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) + (((21*I)/20)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) + (Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*((2*(5*A - 5*B + 10*A*Cos[c] - 16*B*Cos[c])*Csc[c])/(5*d) + (4*(A - B)*Cos[d*x]*Sin[c])/(3*d) + (2*B*Cos[2*d*x]*Sin[2*c])/(5*d) + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/d + (4*(A - B)*Cos[c]*Sin[d*x])/(3*d) + (2*B*Cos[2*c]*Sin[2*d*x])/(5*d)))/(a + a*Cos[c + d*x]) - (5*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])]/(3*d*(a + a*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) + (5*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]
```

$\wedge 2 * \text{Sec}[c/2] * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d*(a + a*\text{Cos}[c + d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2])$

fricas [F] time = 0.94, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2) \sqrt{\cos(dx + c)}}{a \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a), x)

maple [A] time = 1.16, size = 281, normalized size = 1.80

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right) \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right) \left(25A \text{Elliptic}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)

[Out] $-1/15 * ((2 * \cos(1/2*d*x+1/2*c)^2 - 1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (\cos(1/2*d*x+1/2*c) * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (25 * A * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 45 * A * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 25 * B * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 63 * B * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) + 48 * B * \sin(1/2*d*x+1/2*c)^8 + (-40 * A - 56 * B) * \sin(1/2*d*x+1/2*c)^6 + (90 * A - 30 * B) * \sin(1/2*d*x+1/2*c)^4 + (-35 * A + 23 * B) * \sin(1/2*d*x+1/2*c)^2) / (a * \cos(1/2*d*x+1/2*c) / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2} (A + B \cos(c + dx))}{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x)),x)

[Out] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)

[Out] Timed out

$$3.146 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=123

$$\frac{(3A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sin(c+dx)\cos^3(c+dx)}{d(a\cos(c+dx)+a)} - \frac{(3A-5B)\sin(c+dx)}{3ad}$$

[Out] 3*(A-B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a/d-1/3*(3*A-5*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a/d+(A-B)*cos(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))-1/3*(3*A-5*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a/d

Rubi [A] time = 0.18, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2977, 2748, 2639, 2635, 2641}

$$\frac{(3A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sin(c+dx)\cos^3(c+dx)}{d(a\cos(c+dx)+a)} - \frac{(3A-5B)\sin(c+dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]

[Out] (3*(A - B)*EllipticE[(c + d*x)/2, 2])/(a*d) - ((3*A - 5*B)*EllipticF[(c + d*x)/2, 2])/(3*a*d) - ((3*A - 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) + ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_)), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free

Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
 NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
 egerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)} dx &= \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \sqrt{\cos(c+dx)} \left(\frac{3}{2}a(A-B) - \frac{1}{2}a(3\right.}{a^2} \\ &= \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(3A-5B)\int \cos^{\frac{3}{2}}(c+dx) dx}{2a} + \frac{(3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(3A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} + \frac{(A-B)\sqrt{\cos(c+dx)}}{3ad} \\ &= \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(3A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} + \frac{(A-B)\sqrt{\cos(c+dx)}}{3ad} \\ &= \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(3A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{(3A-5B)\sqrt{\cos(c+dx)}}{3ad} \end{aligned}$$

Mathematica [C] time = 6.56, size = 1129, normalized size = 9.18

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]
[Out] (((3*I)/4)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) - ((3*I)/4)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) + (Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*((-2*(A - B)*(1 + 2*Cos[c])*Csc[c])/d + (4*B*Cos[d*x]*Sin[c])/(3*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/d + (4*B*Cos[c]*Sin[d*x])/(3*d)))/(a + a*Cos[c + d*x]) + (A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) - (5*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*Cos[c + d*x])*Sqrt[1 + Cot[c]^2])
```


fricas [F] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx+c)^2 + A \cos(dx+c))\sqrt{\cos(dx+c)}}{a \cos(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^{\frac{3}{2}}}{a \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a), x)

maple [A] time = 1.07, size = 262, normalized size = 2.13

$$\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} - 1\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right) \left(3A \text{EllipticF}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)

[Out] 1/3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(3*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+9*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-5*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-9*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+8*B*sin(1/2*d*x+1/2*c)^6+(6*A-18*B)*sin(1/2*d*x+1/2*c)^4+(-3*A+7*B)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^{\frac{3}{2}}}{a \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{3/2} (A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x)),x)
```

```
[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.147 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=85

$$\frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

[Out] $-(A-3B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d+(A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d+(A-B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))$

Rubi [A] time = 0.15, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2977, 2748, 2641, 2639}

$$\frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Cos}[c+d*x]]*(A+B*\text{Cos}[c+d*x]))/(a+a*\text{Cos}[c+d*x]),x]$

[Out] $-(((A-3*B)*\text{EllipticE}[(c+d*x)/2, 2])/(a*d)) + ((A-B)*\text{EllipticF}[(c+d*x)/2, 2])/(a*d) + ((A-B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(d*(a+a*\text{Cos}[c+d*x]))$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2977

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n-1)}*\text{Simp}[A*(a*d*n - b*c*(m+1)) - B*(a*c*m + b*d*n) - d*(a*B*(m-n) + A*b*(m+n+1))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{a+a\cos(c+dx)} dx = \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \frac{\frac{1}{2}a(A-B) - \frac{1}{2}a(A-3B)\cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{a^2}$$

$$= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(A-3B)\int \sqrt{\cos(c+dx)} dx}{2a} + \frac{(A-3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sqrt{\cos(c+dx)}}{d(a+a\cos(c+dx))}$$

Mathematica [C] time = 6.45, size = 1098, normalized size = 12.92

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]
[Out] ((-1/4*I)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2]]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2]]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) + ((3*I)/4)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2]]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2]]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) + (Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*((-2*(-A + B + 2*B*Cos[c]))*Csc[c])/d + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/d)/(a + a*Cos[c + d*x]) - (A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]])*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) + (B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]])*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*Cos[c + d*x])*Sqrt[1 + Cot[c]^2])
```

fricas [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c)+A)\sqrt{\cos(dx+c)}}{a\cos(dx+c)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="fricas")
```

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a), x)

maple [A] time = 1.03, size = 244, normalized size = 2.87

$$\frac{\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \left(A \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right) + B \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right) - 3B \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right) + (2A - 2B) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)^4 + (-A + B) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)^2\right) / (a \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + a)}{a \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x)

[Out] -((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)*2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+(2*A-2*B)*sin(1/2*d*x+1/2*c)^4+(-A+B)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x)),x)

[Out] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)**(1/2)/(a+a*cos(d*x+c)),x)

[Out] Timed out

$$3.148 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))} dx$$

Optimal. Leaf size=83

$$\frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

[Out] (A-B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a/d+(A+B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a/d-(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))

Rubi [A] time = 0.15, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2978, 2748, 2641, 2639}

$$\frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])),x]

[Out] ((A - B)*EllipticE[(c + d*x)/2, 2])/(a*d) + ((A + B)*EllipticF[(c + d*x)/2, 2])/(a*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(A+B) + \frac{1}{2}a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{a^2} \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d(a + a \cos(c + dx))} + \frac{(A - B) \int \sqrt{\cos(c + dx)} dx}{2a} + \\ &= \frac{(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{(A - B)\sqrt{\cos(c + dx)}}{d(a + a \cos(c + dx))} \end{aligned}$$

Mathematica [C] time = 6.49, size = 1094, normalized size = 13.18

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])),x]
[Out] ((I/4)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) - ((I/4)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) + (Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*((-2*(A - B)*Csc[c])/d - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/d))/(a + a*Cos[c + d*x]) - (A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(a + a*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) - (B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(a + a*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]))
```

fricas [F] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c)^2 + a \cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^2 + a*cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)

maple [A] time = 1.15, size = 243, normalized size = 2.93

$$\frac{\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \left(A \operatorname{EllipticF}\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{a \cos\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/cos(d*x+c)^(1/2), x)

[Out] ((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-cos(1/2*d*x+1/2*c))*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+(2*A-2*B)*sin(1/2*d*x+1/2*c)^4+(-A+B)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.149 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))} dx$$

Optimal. Leaf size=119

$$\frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(3A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(3A-B)\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{(A-B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a\cos(c+dx)+a)}$$

[Out] $-(3A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d - (A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d + (3A-B)*\sin(d*x+c)/a/d/\cos(d*x+c)^{(1/2)} - (A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2978, 2748, 2636, 2639, 2641}

$$\frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(3A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(3A-B)\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{(A-B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])]/(\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])), x]$

[Out] $-(((3A - B)*\text{EllipticE}[(c + d*x)/2, 2])/(a*d)) - ((A - B)*\text{EllipticF}[(c + d*x)/2, 2])/(a*d) + ((3A - B)*\text{Sin}[c + d*x])/(a*d*\text{Sqrt}[\text{Cos}[c + d*x]]) - ((A - B)*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x]))$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /;$ $\text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /;$ $\text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2978

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)$

) * Sin[e + f * x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b * c - a * d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2 * m] && (IntegerQ[2 * n] || EqQ[c, 0])

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} dx = -\frac{(A - B) \sin(c + dx)}{d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(3A-B) - \frac{1}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx}{a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))} - \frac{(A - B) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} + \frac{(3A - B) \sin(c + dx)}{2a}$$

$$= -\frac{(A - B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(3A - B) \sin(c + dx)}{ad \sqrt{\cos(c + dx)}} - \frac{(A - B) \sin(c + dx)}{d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))}$$

$$= -\frac{(3A - B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{(A - B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(3A - B) \sin(c + dx)}{ad \sqrt{\cos(c + dx)}}$$

Mathematica [C] time = 6.71, size = 1130, normalized size = 9.50

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])), x]
[Out] (((-3*I)/4)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) + ((I/4)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) + (Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*(((2*A + A*Cos[c] - B*Cos[c])*Csc[c/2]*Sec[c/2]*Sec[c])/d + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/d + (4*A*Sec[c]*Sec[c + d*x]*Sin[d*x])/d))/(a + a*Cos[c + d*x]) + (A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) - (B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]])*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d
```

$*x - \text{ArcTan}[\text{Cot}[c]]]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (d*(a + a*\text{Cos}[c + d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2])$

fricas [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c)^3 + a \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^3 + a*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

maple [A] time = 2.36, size = 319, normalized size = 2.68

$$\frac{\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\sin^4\right)}\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/a*(cos(1/2*d*x+1/2*c)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(3*A-B)*sin(1/2*d*x+1/2*c)^4+(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A-B)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^3/(2*sin(1/2*d*x+1/2*c)^2-1)/cos(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))), x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c)), x)

[Out] Timed out

$$3.150 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))} dx$$

Optimal. Leaf size=153

$$\frac{(5A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} + \frac{(5A-3B)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

[Out] 3*(A-B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a/d+1/3*(5*A-3*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a/d+1/3*(5*A-3*B)*sin(d*x+c)/a/d/cos(d*x+c)^(3/2)-(A-B)*sin(d*x+c)/d/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))-3*(A-B)*sin(d*x+c)/a/d/cos(d*x+c)^(1/2)

Rubi [A] time = 0.19, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2978, 2748, 2636, 2641, 2639}

$$\frac{(5A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} + \frac{(5A-3B)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])),x]

[Out] (3*(A - B)*EllipticE[(c + d*x)/2, 2])/(a*d) + ((5*A - 3*B)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((5*A - 3*B)*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)) - (3*(A - B)*Sin[c + d*x])/(a*d*sqrt[Cos[c + d*x]]) - ((A - B)*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x]))

Rule 2636

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n_)]

$n + 1) / (a * f * (2 * m + 1) * (b * c - a * d))$, $x]$ + Dist[$1 / (a * (2 * m + 1) * (b * c - a * d))$,
 Int[$(a + b * \sin[e + f * x])^{(m + 1)} * (c + d * \sin[e + f * x])^n * \text{Simp}[B * (a * c * m + b * d * (n + 1)) + A * (b * c * (m + 1) - a * d * (2 * m + n + 2)) + d * (A * b - a * B) * (m + n + 2) * \sin[e + f * x]$, $x]$, $x]$ /; FreeQ[{ $a, b, c, d, e, f, A, B, n$ }, $x]$ && NeQ[$b * c - a * d, 0]$ && EqQ[$a^2 - b^2, 0]$ && NeQ[$c^2 - d^2, 0]$ && LtQ[$m, -2^{(-1)}$] && !GtQ[$n, 0]$ && IntegerQ[$2 * m$] && (IntegerQ[$2 * n$] || EqQ[$c, 0]$)

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))} dx = -\frac{(A - B) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(5A-3B) - \frac{3}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx}{a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} + \frac{(5A - 3B) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)} dx}{2a} \quad (3)$$

$$= \frac{(5A - 3B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{3(A - B) \sin(c + dx)}{ad \sqrt{\cos(c + dx)}} - \frac{(A - B) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))}$$

$$= \frac{3(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(5A - 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{(5A - 3B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)}$$

Mathematica [C] time = 7.09, size = 1167, normalized size = 7.63

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])), x]
[Out] (((3*I)/4)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) - (((3*I)/4)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x]) + (Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*(-((A - B)*(2 + Cos[c])*Csc[c/2]*Sec[c/2]*Sec[c])/d - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/d + (4*A*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(3*d) + (4*Sec[c]*Sec[c + d*x]*(A*Sin[c] - 3*A*Sin[d*x] + 3*B*Sin[d*x]))/(3*d)))/(a + a*Cos[c + d*x]) - (5*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcT
```

an[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*cos[c + d*x]) *Sqrt[1 + Cot[c]^2]) + (B*cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*cos[c + d*x])*Sqrt[1 + Cot[c]^2])

fricas [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{a \cos(dx + c)^4 + a \cos(dx + c)^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^4 + a*cos(d*x + c)^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

maple [B] time = 3.16, size = 493, normalized size = 3.22

$$\sqrt{-2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) + 1 \right) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \left(\frac{(-2A+2B) \left(-\sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \sqrt{\frac{1 - \cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1}}{\sin \left(\frac{dx}{2} + \frac{c}{2} \right)} \right)^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c)),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/a*((-2*A+2*B)*(-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)+2*A*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-1/2+cos(1/2*d*x+1/2*c)^2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+(A-B)*(cos(1/2*d*x+1/2*c)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c)),x)

[Out] Timed out

$$3.151 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=203

$$\frac{5(2A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{7(5A-8B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} + \frac{(2A-3B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{a^2d(\cos(c+dx)+1)} - \frac{7(5A-8B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{15a^2d(\cos(c+dx)+1)}$$

[Out] $-7/5*(5*A-8*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d+5/3*(2*A-3*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d-7/15*(5*A-8*B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/a^2/d+(2*A-3*B)*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/a^2/d/(1+\cos(d*x+c))+1/3*(A-B)*\cos(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2+5/3*(2*A-3*B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^2/d$

Rubi [A] time = 0.41, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2977, 2748, 2635, 2641, 2639}

$$\frac{5(2A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{7(5A-8B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} + \frac{(2A-3B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{a^2d(\cos(c+dx)+1)} - \frac{7(5A-8B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{15a^2d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c+d*x]^{(7/2)}*(A+B*\text{Cos}[c+d*x]))/(a+a*\text{Cos}[c+d*x])^2, x]$

[Out] $(-7*(5*A-8*B)*\text{EllipticE}[(c+d*x)/2, 2])/(5*a^2*d) + (5*(2*A-3*B)*\text{EllipticF}[(c+d*x)/2, 2])/(3*a^2*d) + (5*(2*A-3*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*a^2*d) - (7*(5*A-8*B)*\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(15*a^2*d) + ((2*A-3*B)*\text{Cos}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x])/(a^2*d*(1+\text{Cos}[c+d*x])) + ((A-B)*\text{Cos}[c+d*x]^{(7/2)}*\text{Sin}[c+d*x])/(3*d*(a+a*\text{Cos}[c+d*x])^2)$

Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c+d*x])*(b*\text{Sin}[c+d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c+d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c-Pi/2+d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c-Pi/2+d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])], x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e+f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2977

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := \text{Simp}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x]$

```
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\cos^{\frac{5}{2}}(c+dx)\left(\frac{7}{2}a(A-B)-\frac{1}{2}a(5A-11B)\cos(c+dx)\right)}{a+a\cos(c+dx)} \frac{1}{3a^2} \\ &= \frac{(2A-3B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} \\ &= \frac{(2A-3B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} \\ &= \frac{5(2A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d} - \frac{7(5A-8B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15a^2d} \\ &= -\frac{7(5A-8B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} + \frac{5(2A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{5(2A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d} \end{aligned}$$

Mathematica [C] time = 6.86, size = 1262, normalized size = 6.22

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(7/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2,
x]
```

```
[Out] (((-7*I)/2)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2 + (((28*I)/5)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2 - (20*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*Cos[c + d*x])
```

$\sqrt{1 + \cot^2[c]} + (10B \cos[c/2 + (dx)/2]^4 \operatorname{Csc}[c/2] \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[dx - \operatorname{ArcTan}[\cot[c]]]^2 \operatorname{Sec}[c/2] \operatorname{Sec}[dx - \operatorname{ArcTan}[\cot[c]]] \sqrt{1 - \sin[dx - \operatorname{ArcTan}[\cot[c]]]} \sqrt{-(\sqrt{1 + \cot^2[c]} \sin[c] \sin[dx - \operatorname{ArcTan}[\cot[c]])}] \sqrt{1 + \sin[dx - \operatorname{ArcTan}[\cot[c]]]}) / (d(a + a \cos[c + dx])^2 \sqrt{1 + \cot^2[c]}) + (\cos[c/2 + (dx)/2]^4 \sqrt{\cos[c + dx]}) * ((4(15A - 20B + 20A \cos[c] - 36B \cos[c]) \operatorname{Csc}[c]) / (5d) + (8(A - 2B) \cos[dx] \sin[c]) / (3d) + (4B \cos[2dx] \sin[2c]) / (5d) + (4 \operatorname{Sec}[c/2] \operatorname{Sec}[c/2 + (dx)/2] * (3A \sin[(dx)/2] - 4B \sin[(dx)/2])) / d - (2 \operatorname{Sec}[c/2] \operatorname{Sec}[c/2 + (dx)/2]^3 * (A \sin[(dx)/2] - B \sin[(dx)/2])) / (3d) + (8(A - 2B) \cos[c] \sin[dx]) / (3d) + (4B \cos[2c] \sin[2dx]) / (5d) - (2(A - B) \operatorname{Sec}[c/2 + (dx)/2]^2 \operatorname{Tan}[c/2]) / (3d)) / (a + a \cos[c + dx])^2$

fricas [F] time = 0.90, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{(B \cos(dx + c))^4 + A \cos(dx + c)^3 \sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(7/2)*(A+B*cos(dx+c))/(a+a*cos(dx+c))^2,x, algorithm="fricas")`

[Out] `integral((B*cos(dx + c)^4 + A*cos(dx + c)^3)*sqrt(cos(dx + c))/(a^2*cos(dx + c)^2 + 2*a^2*cos(dx + c) + a^2), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(7/2)*(A+B*cos(dx+c))/(a+a*cos(dx+c))^2,x, algorithm="giac")`

[Out] `integrate((B*cos(dx + c) + A)*cos(dx + c)^(7/2)/(a*cos(dx + c) + a)^2, x)`

maple [A] time = 1.05, size = 465, normalized size = 2.29

$$\sqrt{2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) - 1 \right) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) \left(96B \left(\cos^{10} \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 80A \left(\cos^8 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 352B \left(\cos^8 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)^(7/2)*(A+B*cos(dx+c))/(a+a*cos(dx+c))^2,x)`

[Out] `-1/30*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(96*B*cos(1/2*d*x+1/2*c)^10+80*A*cos(1/2*d*x+1/2*c)^8-352*B*cos(1/2*d*x+1/2*c)^8+60*A*cos(1/2*d*x+1/2*c)^6+100*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3+210*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+120*B*cos(1/2*d*x+1/2*c)^6-150*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3-336*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-240*A*cos(1/2*d*x+1/2*c)^4+266*B*cos(1/2*d*x+1/2*c)^4+105*A*cos(1/2*d*x+1/2*c)^2-135*B*cos(1/2*d*x+1/2*c)^2-5*A+5*B)/`

$a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(7/2)/(a*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{7/2} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(7/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2,x)

[Out] int((cos(c + d*x)^(7/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2,x)

[Out] Timed out

$$3.152 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=166

$$-\frac{5(A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(4A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(4A-7B)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{3a^2d(\cos(c+dx)+1)} - \frac{5(A-2B)\sin(c+dx)}{3a^2d}$$

[Out] (4*A-7*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a^2/d-5/3*(A-2*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a^2/d+1/3*(4*A-7*B)*cos(d*x+c)^(3/2)*sin(d*x+c)/a^2/d/(1+cos(d*x+c))+1/3*(A-B)*cos(d*x+c)^(5/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^2-5/3*(A-2*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a^2/d

Rubi [A] time = 0.39, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2977, 2748, 2639, 2635, 2641}

$$-\frac{5(A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(4A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(4A-7B)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{3a^2d(\cos(c+dx)+1)} - \frac{5(A-2B)\sin(c+dx)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2,x]

[Out] ((4*A - 7*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) - (5*(A - 2*B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (5*(A - 2*B)*Sqrt[Cos[c + d*x]*Sin[c + d*x]])/(3*a^2*d) + ((4*A - 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) + ((A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 2635

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n-1)/(d*n), x] + Dist[(b^2*(n-1))/n, Int[(b*Sin[c + d*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2977

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/

$(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*\text{Sin}[e + f*x], x], x] /;$ Free Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^2} dx &= \frac{(A - B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \int \frac{\cos^{\frac{3}{2}}(c + dx) \left(\frac{5}{2}a(A - B) - \frac{3}{2}a(A - 3B) \cos(c + dx) \right)}{a + a \cos(c + dx)} \frac{1}{3a^2} dx \\ &= \frac{(4A - 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2 d (1 + \cos(c + dx))} + \frac{(A - B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= \frac{(4A - 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2 d (1 + \cos(c + dx))} + \frac{(A - B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= \frac{(4A - 7B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} - \frac{5(A - 2B) \sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2 d} + \\ &= \frac{(4A - 7B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} - \frac{5(A - 2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} - \frac{5(A - 2B)}{3a^2 d} \end{aligned}$$

Mathematica [C] time = 6.76, size = 1218, normalized size = 7.34

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2, x]

[Out] $((2*I)*A*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{Sec}[c/2]*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((3*I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((-I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]))/(a + a*\text{Cos}[c + d*x])^2 - (((7*I)/2)*B*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{Sec}[c/2]*((2*E^{((2*I)*d*x)}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((3*I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((-I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]))/(a + a*\text{Cos}[c + d*x])^2 + (10*A*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(a + a*\text{Cos}[c + d*x])^2*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (20*B*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1$

/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*Cos[c + d*x])^2*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*((-4*(2*A - 3*B + 2*A*Cos[c] - 4*B*Cos[c])*Csc[c])/d + (8*B*Cos[d*x]*Sin[c])/(3*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(2*A*Sin[(d*x)/2] - 3*B*Sin[(d*x)/2]))/d + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/(3*d) + (8*B*Cos[c]*Sin[d*x])/(3*d) + (2*(A - B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(3*d)))/(a + a*Cos[c + d*x])^2

fricas [F] time = 1.16, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c))^3 + A \cos(dx + c)^2 \sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^2, x)

maple [B] time = 1.14, size = 435, normalized size = 2.62

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(-16B \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 24A \left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 10A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right) \sqrt{\dots}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x)

[Out] 1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-16*B*cos(1/2*d*x+1/2*c)^8+24*A*cos(1/2*d*x+1/2*c)^6+10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3+24*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-12*B*cos(1/2*d*x+1/2*c)^6-20*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3-42*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-38*A*cos(1/2*d*x+1/2*c)^4+48*B*cos(1/2*d*x+1/2*c)^4+15*A*cos(1/2*d*x+1/2*c)^2-21*B*cos(1/2*d*x+1/2*c)^2-A+B)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2,x)

[Out] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2,x)

[Out] Timed out

$$3.153 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=136

$$\frac{(2A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(2A-5B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} + \frac{(A-B)\sin(c+dx)}{3d(a\cos(c+dx)+1)}$$

[Out] $-(A-4B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d+1/3*(2A-5B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d+1/3*(A-B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2+1/3*(2A-5B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^2/d/(1+\cos(d*x+c))$

Rubi [A] time = 0.31, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2977, 2748, 2641, 2639}

$$\frac{(2A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(2A-5B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} + \frac{(A-B)\sin(c+dx)}{3d(a\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^{(3/2)}*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x])^2, x]$

[Out] $-\left(\frac{(A-4B)*\text{EllipticE}[(c+d*x)/2, 2]}{(a^2*d)} + \frac{(2A-5B)*\text{EllipticF}[(c+d*x)/2, 2]}{(3*a^2*d)} + \frac{(2A-5B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]}{(3*a^2*d*(1+\text{Cos}[c+d*x]))} + \frac{(A-B)*\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x]}{(3*d*(a+a*\text{Cos}[c+d*x])^2)}\right)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2977

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}), x_Symbol] \rightarrow \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n-1)}*\text{Simp}[A*(a*d*n - b*c*(m+1)) - B*(a*c*m + b*d*n) - d*(a*B*(m-n) + A*b*(m+n+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)-\frac{1}{2}a(A-7B)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx \\
&= \frac{(2A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} \\
&= \frac{(2A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} \\
&= -\frac{(A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(2A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(2A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d}
\end{aligned}$$

Mathematica [C] time = 6.66, size = 1184, normalized size = 8.71

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2, x]

[Out] ((-1/2*I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2 + ((2*I)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2 - (4*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])] *Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*Cos[c + d*x])^2*Sqrt[1 + Cot[c]^2]) + (10*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])] *Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*Cos[c + d*x])^2*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*((-4*(-A + 2*B + 2*B*Cos[c])*Csc[c])/d + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - 2*B*Sin[(d*x)/2]))/d - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/(3*d) - (2*(A - B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(3*d)))/(a + a*Cos[c + d*x])^2

fricas [F] time = 1.21, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx+c)^2 + A \cos(dx+c))\sqrt{\cos(dx+c)}}{a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^{\frac{3}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^2, x)

maple [B] time = 1.17, size = 421, normalized size = 3.10

$$\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(12A\left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x)

[Out] -1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(12*A*cos(1/2*d*x+1/2*c)^6+4*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3+6*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-24*B*cos(1/2*d*x+1/2*c)^6-10*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3-24*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-20*A*cos(1/2*d*x+1/2*c)^4+38*B*cos(1/2*d*x+1/2*c)^4+9*A*cos(1/2*d*x+1/2*c)^2-15*B*cos(1/2*d*x+1/2*c)^2-A+B)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^{\frac{3}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2,x)

[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2,x)

[Out] Timed out

$$3.154 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=121

$$\frac{(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} + \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

[Out] $-B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d+1/3*(A+2*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d+B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^2/d/(1+\cos(d*x+c))+1/3*(A-B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^2$

Rubi [A] time = 0.28, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2977, 2978, 2748, 2641, 2639}

$$\frac{(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} + \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Cos}[c+d*x]]*(A+B*\text{Cos}[c+d*x]))/(a+a*\text{Cos}[c+d*x])^2, x]$

[Out] $-\left(\frac{B*\text{EllipticE}[(c+d*x)/2, 2]}{(a^2*d)}\right) + \left(\frac{(A+2*B)*\text{EllipticF}[(c+d*x)/2, 2]}{(3*a^2*d)} + \frac{B*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]}{(a^2*d*(1+\text{Cos}[c+d*x]))} + \frac{(A-B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]}{(3*d*(a+a*\text{Cos}[c+d*x])^2)}\right)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e+f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2977

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] := \text{Simp}[(A*b - a*B)*\text{Cos}[e+f*x]*(a+b*\text{Sin}[e+f*x])^m*(c+d*\text{Sin}[e+f*x])^n/(a*f*(2*m+1)), x] - \text{Dist}[1/(a*b*(2*m+1)), \text{Int}[(a+b*\text{Sin}[e+f*x])^{(m+1)}*(c+d*\text{Sin}[e+f*x])^{(n-1)}*\text{Simp}[A*(a*d*n - b*c*(m+1)) - B*(a*c*m + b*d*n) - d*(a*B*(m-n) + A*b*(m+n+1))*\text{Sin}[e+f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{\frac{1}{2}a(A-B)+\frac{1}{2}a(A+5B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx}{3a^2} \\
&= \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{a^2d(1+\cos(c+dx))} + \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \dots \\
&= \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{a^2d(1+\cos(c+dx))} + \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \dots \\
&= -\frac{BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{a^2d(1+\cos(c+dx))}
\end{aligned}$$

Mathematica [C] time = 6.52, size = 815, normalized size = 6.74

$$iB \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left(\frac{2e^{2idx} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}; -e^{2idx}(\cos(c)+i\sin(c))^2\right) \sqrt{e^{-idx}(2(1+e^{2idx})\cos(c)+2i(-1+e^{2idx})\sin(c))} \sqrt{e^{2idx}\cos(2c)+ie^{2idx}\sin(2c)}}{3id(1+e^{2idx})\cos(c)-3d(-1+e^{2idx})\sin(c)} \right)$$

2(cos(c +

Antiderivative was successfully verified.

```

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2,
x]

```

```

[Out] ((-1/2*I)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2 - (2*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*Cos[c + d*x])^2*Sqrt[1 + Cot[c]^2]) - (4*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*Cos[c + d*x])^2*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*((4*B*Csc[c])/d + (4*B*Sec[c/2]*Sec[c/2 + (d*x)/2]*Sin[(d*x)/2])/d +

```

$(2*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2]))/(3*d) + (2*(A - B)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/(3*d)))/(a + a*\text{Cos}[c + d*x])^2$

fricas [F] time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^2, x)

maple [B] time = 1.31, size = 350, normalized size = 2.89

$$\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(2A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^2,x)

[Out] $-1/6*((2*\cos(1/2*d*x+1/2*c))^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(\sin(1/2*d*x+1/2*c))^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+12*B*\cos(1/2*d*x+1/2*c)^6+4*B*(\sin(1/2*d*x+1/2*c))^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+6*B*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c))^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*A*\cos(1/2*d*x+1/2*c)^4-20*B*\cos(1/2*d*x+1/2*c)^4-3*A*\cos(1/2*d*x+1/2*c)^2+9*B*\cos(1/2*d*x+1/2*c)^2+A-B)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2,x)

[Out] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**2,x)

[Out] Timed out

$$3.155 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=121

$$\frac{(2A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{A \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

[Out] A*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a^2/d+1/3*(2*A+B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a^2/d-A*sin(d*x+c)*cos(d*x+c)^(1/2)/a^2/d/(1+cos(d*x+c))-1/3*(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^2

Rubi [A] time = 0.34, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2978, 2748, 2641, 2639}

$$\frac{(2A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{A \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2),x]

[Out] (A*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((2*A + B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^2} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(5A+B) - \frac{1}{2}a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))} dx}{3a^2} \\
&= -\frac{A\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \dots \\
&= -\frac{A\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \dots \\
&= \frac{AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{(2A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} - \frac{A\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} + \dots
\end{aligned}$$

Mathematica [C] time = 6.55, size = 815, normalized size = 6.74

$$iA \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left(\frac{2e^{2idx} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2idx}(\cos(c) + i \sin(c))^2\right) \sqrt{e^{-idx}(2(1+e^{2idx})\cos(c) + 2i(-1+e^{2idx})\sin(c))} \sqrt{e^{2idx}\cos(2c) + ie^{2idx}\sin(2c) + 1}}{3id(1+e^{2idx})\cos(c) - 3d(-1+e^{2idx})\sin(c)} \right)$$

2(cos(c + d

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2), x]

[Out] ((I/2)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2 - (4*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*Cos[c + d*x])^2*Sqrt[1 + Cot[c]^2]) - (2*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*Cos[c + d*x])^2*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]])*((-4*A*Csc[c])/d - (4*A*Sec[c/2]*Sec[c/2 + (d*x)/2]*Sin[(d*x)/2])/d - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/(3*d) - (2*(A - B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(3*d))/(a + a*Cos[c + d*x])^2

fricas [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^3 + 2a^2 \cos(dx + c)^2 + a^2 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/cos(d*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^3 + 2*a^2*cos(d*x + c)^2 + a^2*cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)

maple [B] time = 1.10, size = 350, normalized size = 2.89

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(12A \left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 4A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/cos(d*x+c)^(1/2),x)

[Out] 1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(12*A*cos(1/2*d*x+1/2*c)^6-4*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3+6*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3-16*A*cos(1/2*d*x+1/2*c)^4-2*B*cos(1/2*d*x+1/2*c)^4+3*A*cos(1/2*d*x+1/2*c)^2+3*B*cos(1/2*d*x+1/2*c)^2+A-B)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^2),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2/cos(d*x+c)**(1/2),x)

[Out] Timed out

$$3.156 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=168

$$\frac{(5A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(4A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(4A-B)\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{(5A-2B)\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)}$$

[Out] $-(4A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d - 1/3*(5A-2B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d + (4A-B)*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(1/2)} - 1/3*(5A-2B)*\sin(d*x+c)/a^2/d/(1+\cos(d*x+c))/\cos(d*x+c)^{(1/2)} - 1/3*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.36, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2978, 2748, 2636, 2639, 2641}

$$\frac{(5A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(4A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(4A-B)\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{(5A-2B)\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^2), x]$

[Out] $-(((4A - B)*\text{EllipticE}[(c + d*x)/2, 2])/(a^2*d)) - ((5A - 2B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*a^2*d) + ((4A - B)*\text{Sin}[c + d*x])/(a^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]) - ((5A - 2B)*\text{Sin}[c + d*x])/(3*a^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(1 + \text{Cos}[c + d*x])) - ((A - B)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x])^2)$

Rule 2636

$\text{Int}[(b_*\sin[(c_*) + (d_*)*(x_*)])^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2978

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_*)])*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)])^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/d, x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n, x\}$

$n + 1) / (a * f * (2 * m + 1) * (b * c - a * d))$, $x]$ + Dist[$1 / (a * (2 * m + 1) * (b * c - a * d))$,
 Int[$(a + b * \sin[e + f * x])^{(m + 1)} * (c + d * \sin[e + f * x])^n * \text{Simp}[B * (a * c * m + b * d * (n + 1)) + A * (b * c * (m + 1) - a * d * (2 * m + n + 2)) + d * (A * b - a * B) * (m + n + 2) * \sin[e + f * x]$, $x]$, $x]$ /; FreeQ[{ $a, b, c, d, e, f, A, B, n$ }, $x]$ && NeQ[$b * c - a * d, 0]$ && EqQ[$a^2 - b^2, 0]$ && NeQ[$c^2 - d^2, 0]$ && LtQ[$m, -2^{(-1)}$] && !GtQ[$n, 0]$ && IntegerQ[$2 * m$] && (IntegerQ[$2 * n$] || EqQ[$c, 0$])

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} dx = -\frac{(A - B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2} a (7A - B) - \frac{3}{2} a (A - B) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} dx}{3a^2}$$

$$= -\frac{(5A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)} (1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} (a + a \cos(c + dx))}$$

$$= -\frac{(5A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)} (1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} (a + a \cos(c + dx))}$$

$$= -\frac{(5A - 2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} + \frac{(4A - B) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} - \frac{(5A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)}}$$

$$= -\frac{(4A - B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} - \frac{(5A - 2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} + \frac{(4A - B) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}}$$

Mathematica [C] time = 6.81, size = 1217, normalized size = 7.24

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B * Cos[c + d * x]) / (Cos[c + d * x]^(3/2) * (a + a * Cos[c + d * x])^2), x]

[Out] $((-2 * I) * A * \cos[c/2 + (d * x)/2]^4 * \text{Csc}[c/2] * \text{Sec}[c/2] * ((2 * E^{((2 * I) * d * x)} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2 * I) * d * x)} * (\cos[c] + I * \sin[c])^2)] * \text{Sqrt}[(2 * (1 + E^{((2 * I) * d * x)} * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)} * \sin[c])) / E^{(I * d * x)}] * \text{Sqrt}[1 + E^{((2 * I) * d * x)} * \cos[2 * c] + I * E^{((2 * I) * d * x)} * \sin[2 * c]]) / ((3 * I) * d * (1 + E^{((2 * I) * d * x)} * \cos[c] - 3 * d * (-1 + E^{((2 * I) * d * x)} * \sin[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2 * I) * d * x)} * (\cos[c] + I * \sin[c])^2)] * \text{Sqrt}[(2 * (1 + E^{((2 * I) * d * x)} * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)} * \sin[c])) / E^{(I * d * x)}] * \text{Sqrt}[1 + E^{((2 * I) * d * x)} * \cos[2 * c] + I * E^{((2 * I) * d * x)} * \sin[2 * c]]) / ((-I) * d * (1 + E^{((2 * I) * d * x)} * \cos[c] + d * (-1 + E^{((2 * I) * d * x)} * \sin[c])))) / (a + a * \cos[c + d * x])^2 + ((I/2) * B * \cos[c/2 + (d * x)/2]^4 * \text{Csc}[c/2] * \text{Sec}[c/2] * ((2 * E^{((2 * I) * d * x)} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2 * I) * d * x)} * (\cos[c] + I * \sin[c])^2)] * \text{Sqrt}[(2 * (1 + E^{((2 * I) * d * x)} * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)} * \sin[c])) / E^{(I * d * x)}] * \text{Sqrt}[1 + E^{((2 * I) * d * x)} * \cos[2 * c] + I * E^{((2 * I) * d * x)} * \sin[2 * c]]) / ((3 * I) * d * (1 + E^{((2 * I) * d * x)} * \cos[c] - 3 * d * (-1 + E^{((2 * I) * d * x)} * \sin[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2 * I) * d * x)} * (\cos[c] + I * \sin[c])^2)] * \text{Sqrt}[(2 * (1 + E^{((2 * I) * d * x)} * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)} * \sin[c])) / E^{(I * d * x)}] * \text{Sqrt}[1 + E^{((2 * I) * d * x)} * \cos[2 * c] + I * E^{((2 * I) * d * x)} * \sin[2 * c]]) / ((-I) * d * (1 + E^{((2 * I) * d * x)} * \cos[c] + d * (-1 + E^{((2 * I) * d * x)} * \sin[c])))) / (a + a * \cos[c + d * x])^2 + (10 * A * \cos[c/2 + (d * x)/2]^4 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2] * \text{Sec}[d * x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]]$

```

ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]
])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]]/(3*d*(a + a*Cos[c + d*x])^2*Sqrt[1
+ Cot[c]^2]) - (4*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4,
1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]
]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[
d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]]/(3*d*(a + a*Co
s[c + d*x])^2*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]
]*((2*(2*A + 2*A*Cos[c] - B*Cos[c])*Csc[c/2]*Sec[c/2]*Sec[c])/d + (2*Sec[c/
2]*Sec[c/2 + (d*x)/2]^3*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/(3*d) + (4*Sec[c
/2]*Sec[c/2 + (d*x)/2]*(2*A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/d + (8*A*Sec[c]
*Sec[c + d*x]*Sin[d*x])/d + (2*(A - B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(3*d)
))/(a + a*Cos[c + d*x])^2

```

fricas [F] time = 1.00, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^4 + 2a^2 \cos(dx + c)^3 + a^2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^4 + 2*a^2*cos(d*x + c)^3 + a^2*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2)), x)

maple [B] time = 1.35, size = 494, normalized size = 2.94

$$2\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \left(5A \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right), \sqrt{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2,x)

[Out] -1/6*(2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-12*A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-2*B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+3*B*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-12*A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-2*B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+3*B*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))*cos(1/2*d*x+1/2*c)-12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(4*A-B)*sin(1/2*d*x+1/2*c)^6+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(43*A-10*B)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2

$*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(37*A-7*B)*\sin(1/2*d*x+1/2*c)^2)/$
 $a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}$
 $2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^2), x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**2,x)

[Out] Timed out

$$3.157 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=201

$$\frac{5(2A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(7A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(7A-4B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} + \frac{5(2A-B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] (7*A-4*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a^2/d+5/3*(2*A-B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a^2/d+5/3*(2*A-B)*sin(d*x+c)/a^2/d/cos(d*x+c)^(3/2)-1/3*(7*A-4*B)*sin(d*x+c)/a^2/d/cos(d*x+c)^(3/2)/(1+cos(d*x+c))-1/3*(A-B)*sin(d*x+c)/d/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2-(7*A-4*B)*sin(d*x+c)/a^2/d/cos(d*x+c)^(1/2)

Rubi [A] time = 0.36, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2978, 2748, 2636, 2641, 2639}

$$\frac{5(2A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(7A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(7A-4B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} + \frac{5(2A-B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^2),x]

[Out] ((7*A - 4*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + (5*(2*A - B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + (5*(2*A - B)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)) - ((7*A - 4*B)*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]) - ((7*A - 4*B)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)*(1 + Cos[c + d*x])) - ((A - B)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2)

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2} dx &= -\frac{(A - B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{3}{2}a(3A-B) - \frac{5}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))} dx}{3a^2} \\
&= -\frac{(7A - 4B) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} \\
&= -\frac{(7A - 4B) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} \\
&= \frac{5(2A - B) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)} - \frac{(7A - 4B) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} - \frac{(7A - 4B) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(7A - 4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{5(2A - B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} + \frac{5(2A - B) \sin(c + dx)}{3a^2 d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 7.43, size = 1258, normalized size = 6.26

result too large to display

Warning: Unable to verify antiderivative.

```

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^2),
x]

```

```

[Out] (((7*I)/2)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hyper
geometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2
*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]
*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 +
E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometr
ic2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 +
E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[
1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*
I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2 -
((2*I)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeo
metric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1
+ E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sq
rt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^
((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2
F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^
(2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 +

```

$$\frac{E^{\left(\left(2i\right)dx\right)}\cos\left[2c\right]+iE^{\left(\left(2i\right)dx\right)}\sin\left[2c\right]}{\left(-i\right) d\left(1+E^{\left(\left(2i\right)dx\right)}\cos\left[c\right]+d\left(-1+E^{\left(\left(2i\right)dx\right)}\sin\left[c\right]\right)\right)}\left/\left(a+a\cos\left[c+dx\right]\right)^2-\left(20A\cos\left[\frac{c}{2}+\frac{dx}{2}\right]^4\operatorname{Csc}\left[\frac{c}{2}\right]\operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4},\frac{1}{2}\right\},\left\{\frac{5}{4}\right\},\sin\left[dx-\operatorname{ArcTan}\left[\operatorname{Cot}\left[c\right]\right]\right]^2\operatorname{Sec}\left[\frac{c}{2}\right]\operatorname{Sec}\left[dx-\operatorname{ArcTan}\left[\operatorname{Cot}\left[c\right]\right]\right]\operatorname{Sqrt}\left[1-\sin\left[dx-\operatorname{ArcTan}\left[\operatorname{Cot}\left[c\right]\right]\right]\right]\operatorname{Sqrt}\left[-\left(\operatorname{Sqrt}\left[1+\operatorname{Cot}\left[c\right]^2\right)\sin\left[c\right]\sin\left[dx-\operatorname{ArcTan}\left[\operatorname{Cot}\left[c\right]\right]\right]\right]\operatorname{Sqrt}\left[1+\sin\left[dx-\operatorname{ArcTan}\left[\operatorname{Cot}\left[c\right]\right]\right]\right)\right/\left(3d\left(a+a\cos\left[c+dx\right]\right)^2\operatorname{Sqrt}\left[1+\operatorname{Cot}\left[c\right]^2\right]\right)+\left(10B\cos\left[\frac{c}{2}+\frac{dx}{2}\right]^4\operatorname{Csc}\left[\frac{c}{2}\right]\operatorname{HypergeometricPFQ}\left[\left\{\frac{1}{4},\frac{1}{2}\right\},\left\{\frac{5}{4}\right\},\sin\left[dx-\operatorname{ArcTan}\left[\operatorname{Cot}\left[c\right]\right]\right]^2\operatorname{Sec}\left[\frac{c}{2}\right]\operatorname{Sec}\left[dx-\operatorname{ArcTan}\left[\operatorname{Cot}\left[c\right]\right]\right]\operatorname{Sqrt}\left[1-\sin\left[dx-\operatorname{ArcTan}\left[\operatorname{Cot}\left[c\right]\right]\right]\right]\operatorname{Sqrt}\left[-\left(\operatorname{Sqrt}\left[1+\operatorname{Cot}\left[c\right]^2\right)\sin\left[c\right]\sin\left[dx-\operatorname{ArcTan}\left[\operatorname{Cot}\left[c\right]\right]\right]\right]\operatorname{Sqrt}\left[1+\sin\left[dx-\operatorname{ArcTan}\left[\operatorname{Cot}\left[c\right]\right]\right]\right)\right/\left(3d\left(a+a\cos\left[c+dx\right]\right)^2\operatorname{Sqrt}\left[1+\operatorname{Cot}\left[c\right]^2\right]\right)+\left(\cos\left[\frac{c}{2}+\frac{dx}{2}\right]^4\operatorname{Sqrt}\left[\cos\left[c+dx\right]\right]\right)\left(\left(-2\left(4A-2B+3A\cos\left[c\right]-2B\cos\left[c\right]\right)\operatorname{Csc}\left[\frac{c}{2}\right]\operatorname{Sec}\left[\frac{c}{2}\right]\operatorname{Sec}\left[c\right]\right)/d-\left(4\operatorname{Sec}\left[\frac{c}{2}\right]\operatorname{Sec}\left[\frac{c}{2}+\frac{dx}{2}\right]\left(3A\sin\left[\frac{dx}{2}\right]-2B\sin\left[\frac{dx}{2}\right]\right)\right)/d-\left(2\operatorname{Sec}\left[\frac{c}{2}\right]\operatorname{Sec}\left[\frac{c}{2}+\frac{dx}{2}\right]^3\left(A\sin\left[\frac{dx}{2}\right]-B\sin\left[\frac{dx}{2}\right]\right)\right)/\left(3d\right)+\left(8A\operatorname{Sec}\left[c\right]\operatorname{Sec}\left[c+dx\right]^2\sin\left[dx\right]\right)/\left(3d\right)+\left(8\operatorname{Sec}\left[c\right]\operatorname{Sec}\left[c+dx\right]\left(A\sin\left[c\right]-6A\sin\left[dx\right]+3B\sin\left[dx\right]\right)\right)/\left(3d\right)-\left(2\left(A-B\right)\operatorname{Sec}\left[\frac{c}{2}+\frac{dx}{2}\right]^2\operatorname{Tan}\left[\frac{c}{2}\right]\right)/\left(3d\right)\right)/\left(a+a\cos\left[c+dx\right]\right)^2$$

fricas [F] time = 0.95, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{(B\cos(dx+c)+A)\sqrt{\cos(dx+c)}}{a^2\cos(dx+c)^5+2a^2\cos(dx+c)^4+a^2\cos(dx+c)^3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/cos(dx+c)^(5/2)/(a+a*cos(dx+c))^2,x, algorithm="fricas")

[Out] integral((B*cos(dx+c)+A)*sqrt(cos(dx+c))/(a^2*cos(dx+c)^5+2*a^2*cos(dx+c)^4+a^2*cos(dx+c)^3),x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B\cos(dx+c)+A}{(a\cos(dx+c)+a)^2\cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/cos(dx+c)^(5/2)/(a+a*cos(dx+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(dx+c)+A)/((a*cos(dx+c)+a)^2*cos(dx+c)^(5/2)),x)

maple [B] time = 3.95, size = 750, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(dx+c))/cos(dx+c)^(5/2)/(a+a*cos(dx+c))^2,x)

[Out]
$$-\frac{1}{2}\left(-\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}/a^2\left(\frac{1}{3}\left(A-B\right)\left(2\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^{\frac{1}{2}}\left(2\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)-3\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)\right)\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-2\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^{\frac{1}{2}}\left(2\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)-3\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)\right)\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)-12\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^6+20\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4-7\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)/\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}/\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)/\left(-1+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)+\left(-8A+4B\right)\left(-\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)$$

$$d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+4*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+(4*A-2*B)*(\cos(1/2*d*x+1/2*c)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^2),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**2,x)

[Out] Timed out

$$3.158 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=254

$$\frac{(11A - 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a^3d} - \frac{7(17A - 33B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{3(11A - 21B) \sin(c + dx) \cos^5(c + dx)}{10d(a^3 \cos(c + dx) + a^3)} - \frac{7(17A - 33B) \sin(c + dx) \cos^5(c + dx)}{10d(a^3 \cos(c + dx) + a^3)}$$

[Out] $-7/10*(17*A-33*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^3/d+1/2*(11*A-21*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^3/d-7/30*(17*A-33*B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/a^3/d+1/5*(A-B)*\cos(d*x+c)^{(9/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{3+1/15*(7*A-12*B)*\cos(d*x+c)^{(7/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{2+3/10*(11*A-21*B)*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a^3+a^3*\cos(d*x+c))+1/2*(11*A-21*B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^3/d$

Rubi [A] time = 0.55, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2977, 2748, 2635, 2641, 2639}

$$\frac{(11A - 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a^3d} - \frac{7(17A - 33B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{3(11A - 21B) \sin(c + dx) \cos^5(c + dx)}{10d(a^3 \cos(c + dx) + a^3)} - \frac{7(17A - 33B) \sin(c + dx) \cos^5(c + dx)}{10d(a^3 \cos(c + dx) + a^3)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^{(9/2)}*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x])^3, x]$

[Out] $(-7*(17*A - 33*B)*\text{EllipticE}[(c + d*x)/2, 2])/(10*a^3*d) + ((11*A - 21*B)*\text{EllipticF}[(c + d*x)/2, 2])/(2*a^3*d) + ((11*A - 21*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(2*a^3*d) - (7*(17*A - 33*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(30*a^3*d) + ((A - B)*\text{Cos}[c + d*x]^{(9/2)}*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Cos}[c + d*x])^3) + ((7*A - 12*B)*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Cos}[c + d*x])^2) + (3*(11*A - 21*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(10*d*(a^3 + a^3*\text{Cos}[c + d*x]))$

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2977

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx = \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos^2(c+dx)\left(\frac{9}{2}a(A-B) - \frac{5}{2}a(A-3B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2}$$

$$= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(7A-12B)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2}$$

$$= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(7A-12B)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2}$$

$$= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(7A-12B)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2}$$

$$= \frac{(11A-21B)\sqrt{\cos(c+dx)}\sin(c+dx)}{2a^3d} - \frac{7(17A-33B)\cos^2(c+dx)}{30a^3d}$$

$$= -\frac{7(17A-33B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(11A-21B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + (1$$

Mathematica [C] time = 7.16, size = 1346, normalized size = 5.30

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(9/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,
x]
```

```
[Out] (((-119*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*H
ypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqr
t[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d
*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*
(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeo
metric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(
1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*S
qrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^
((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])
^3 + (((231*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*
x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])
*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^
(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I
```

)d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*cos[c + d*x])^3 - (22*A*cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) + (42*B*cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]]*((4*(59*A - 99*B + 60*A*cos[c] - 132*B*cos[c])*Csc[c])/(5*d) + (16*(A - 3*B)*Cos[d*x]*Sin[c])/(3*d) + (8*B*cos[2*d*x]*Sin[2*c])/(5*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(59*A*sin[(d*x)/2] - 99*B*sin[(d*x)/2]))/(5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(19*A*sin[(d*x)/2] - 24*B*sin[(d*x)/2]))/(15*d) + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*sin[(d*x)/2] - B*sin[(d*x)/2]))/(5*d) + (16*(A - 3*B)*Cos[c]*Sin[d*x])/(3*d) + (8*B*cos[2*c]*Sin[2*d*x])/(5*d) - (4*(19*A - 24*B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(15*d) + (2*(A - B)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/(a + a*cos[c + d*x])^3

fricas [F] time = 1.22, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c))^5 + A \cos(dx + c)^4 \sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^3 + 3 a^3 \cos(dx + c)^2 + 3 a^3 \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^5 + A*cos(d*x + c)^4)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{9}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(9/2)/(a*cos(d*x + c) + a)^3, x)

maple [A] time = 1.42, size = 493, normalized size = 1.94

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(192B \left(\cos^{12}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 160A \left(\cos^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 864B \left(\cos^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \dots\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(9/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)


```
[Out] -1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(192*B*cos(1/2*d*x+1/2*c)^12+160*A*cos(1/2*d*x+1/2*c)^10-864*B*cos(1/2*d*x+1/2*c)^10+468*A*cos(1/2*d*x+1/2*c)^8+330*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+714*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-228*B*cos(1/2*d*x+1/2*c)^8-630*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5-1386*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1058*A*cos(1/2*d*x+1/2*c)^6+1590*B*cos(1/2*d*x+1/2*c)^6+474*A*cos(1/2*d*x+1/2*c)^4-744*B*cos(1/2*d*x+1/2*c)^4-47*A*cos(1/2*d*x+1/2*c)^2+57*B*cos(1/2*d*x+1/2*c)^2+3*A-3*B)/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{9/2} (A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c+d*x)^(9/2)*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x))^3,x)
```

```
[Out] int((cos(c+d*x)^(9/2)*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x))^3, x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)
```

[Out] Timed out

$$3.159 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=219

$$\frac{(13A - 33B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{7(7A - 17B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{7(7A - 17B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{30d(a^3 \cos(c + dx) + a^3)} \frac{(13A - 33B)}{6a^3d}$$

[Out] $\frac{7}{10} \cdot (7A - 17B) \cdot (\cos(\frac{1}{2}dx + \frac{1}{2}c))^2 \cdot \sqrt{\cos(\frac{1}{2}dx + \frac{1}{2}c)} \cdot \text{EllipticE}(\sin(\frac{1}{2}dx + \frac{1}{2}c), 2) / a^3/d - \frac{1}{6} \cdot (13A - 33B) \cdot (\cos(\frac{1}{2}dx + \frac{1}{2}c))^2 \cdot \sqrt{\cos(\frac{1}{2}dx + \frac{1}{2}c)} \cdot \text{EllipticF}(\sin(\frac{1}{2}dx + \frac{1}{2}c), 2) / a^3/d + \frac{1}{5} \cdot (A - B) \cdot \cos(dx + c)^{7/2} \cdot \sin(dx + c) / d / (a + a \cdot \cos(dx + c))^3 + \frac{1}{3} \cdot (A - 2B) \cdot \cos(dx + c)^{5/2} \cdot \sin(dx + c) / a / d / (a + a \cdot \cos(dx + c))^2 + \frac{7}{30} \cdot (7A - 17B) \cdot \cos(dx + c)^{3/2} \cdot \sin(dx + c) / d / (a^3 + a^3 \cdot \cos(dx + c)) - \frac{1}{6} \cdot (13A - 33B) \cdot \sin(dx + c) \cdot \cos(dx + c)^{1/2} / a^3/d$

Rubi [A] time = 0.52, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2977, 2748, 2639, 2635, 2641}

$$\frac{(13A - 33B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{7(7A - 17B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{7(7A - 17B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{30d(a^3 \cos(c + dx) + a^3)} \frac{(13A - 33B)}{6a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(7/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]

[Out] $\frac{7 \cdot (7A - 17B) \cdot \text{EllipticE}[(c + dx)/2, 2]}{(10 \cdot a^3 \cdot d)} - \frac{(13A - 33B) \cdot \text{EllipticF}[(c + dx)/2, 2]}{(6 \cdot a^3 \cdot d)} - \frac{(13A - 33B) \cdot \sqrt{\cos[c + dx]} \cdot \sin[c + dx]}{(6 \cdot a^3 \cdot d)} + \frac{(A - B) \cdot \cos[c + dx]^{7/2} \cdot \sin[c + dx]}{(5 \cdot d \cdot (a + a \cdot \cos[c + dx])^3)} + \frac{(A - 2B) \cdot \cos[c + dx]^{5/2} \cdot \sin[c + dx]}{(3 \cdot a \cdot d \cdot (a + a \cdot \cos[c + dx])^2)} + \frac{7 \cdot (7A - 17B) \cdot \cos[c + dx]^{3/2} \cdot \sin[c + dx]}{(30 \cdot d \cdot (a^3 + a^3 \cdot \cos[c + dx]))}$

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2977

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \int \frac{\cos^{\frac{5}{2}}(c+dx)\left(\frac{7}{2}a(A-B)-\frac{1}{2}a(3A-13B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A-2B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A-2B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A-2B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} \\
&= \frac{7(7A-17B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(13A-33B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6a^3d} \\
&= \frac{7(7A-17B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(13A-33B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(13A-33B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6a^3d}
\end{aligned}$$

Mathematica [C] time = 6.99, size = 1306, normalized size = 5.96

result too large to display

Warning: Unable to verify antiderivative.

```

[In] Integrate[(Cos[c + d*x]^(7/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,
x]

```

```

[Out] (((49*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)])*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 - (((119*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3

```

```
eometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2
*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]
*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 +
E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*cos[c + d*x
])^3 + (26*A*cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5
/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1
- Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - Ar
cTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*cos[c + d*x
])^3*Sqrt[1 + Cot[c]^2]) - (22*B*cos[c/2 + (d*x)/2]^6*Csc[c/2]*Hypergeomet
ricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - A
rcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2
]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(
d*(a + a*cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^6*Sqrt[C
os[c + d*x]]*((-4*(29*A - 59*B + 20*A*cos[c] - 60*B*cos[c])*Csc[c])/(5*d) +
(16*B*cos[d*x]*Sin[c])/(3*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(29*A*sin[(d
*x)/2] - 59*B*sin[(d*x)/2]))/(5*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(14*A
*sin[(d*x)/2] - 19*B*sin[(d*x)/2]))/(15*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2
]^5*(A*sin[(d*x)/2] - B*sin[(d*x)/2]))/(5*d) + (16*B*cos[c]*Sin[d*x]))/(3*d
+ (4*(14*A - 19*B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2]))/(15*d) - (2*(A - B)*Sec[c
/2 + (d*x)/2]^4*Tan[c/2]))/(5*d)))/(a + a*cos[c + d*x])^3
```

fricas [F] time = 0.94, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c))^4 + A \cos(dx + c)^3 \sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c)^4 + A*cos(d*x + c)^3)*sqrt(cos(d*x + c))/(a^3*cos(
d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(7/2)/(a*cos(d*x + c) + a)^3, x
)
```

maple [A] time = 1.13, size = 465, normalized size = 2.12

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(-160B \left(\cos^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 348A \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 130A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)
```

```
[Out] 1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-160*B*cos(1/
2*d*x+1/2*c)^10+348*A*cos(1/2*d*x+1/2*c)^8+130*A*(sin(1/2*d*x+1/2*c)^2)^(1/
```

$2) * (-2 * \cos(1/2 * d * x + 1/2 * c)^{2+1})^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c)^5 + 294 * A * \cos(1/2 * d * x + 1/2 * c)^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^{2+1})^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 468 * B * \cos(1/2 * d * x + 1/2 * c)^8 - 330 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^{2+1})^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c)^5 - 714 * B * \cos(1/2 * d * x + 1/2 * c)^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^{2+1})^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 578 * A * \cos(1/2 * d * x + 1/2 * c)^6 + 1058 * B * \cos(1/2 * d * x + 1/2 * c)^6 + 264 * A * \cos(1/2 * d * x + 1/2 * c)^4 - 474 * B * \cos(1/2 * d * x + 1/2 * c)^4 - 37 * A * \cos(1/2 * d * x + 1/2 * c)^2 + 47 * B * \cos(1/2 * d * x + 1/2 * c)^2 + 3 * A - 3 * B) / a^3 / \cos(1/2 * d * x + 1/2 * c)^5 / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(7/2)/(a*cos(d*x + c) + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{7/2} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(7/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3,x)

[Out] int((cos(c + d*x)^(7/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)

[Out] Timed out

$$3.160 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=188

$$\frac{(3A-13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(9A-49B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(3A-13B)\sin(c+dx)\sqrt{\cos(c+dx)}}{6d(a^3\cos(c+dx)+a^3)} + \frac{(A-B)\sin(c+dx)}{5d(a\cos(c+dx)+a)}$$

[Out] $-1/10*(9*A-49*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/a^3/d+1/6*(3*A-13*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/a^3/d+1/5*(A-B)*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{3+1/15*(3*A-8*B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{2+1/6*(3*A-13*B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a^3+a^3*\cos(d*x+c))$

Rubi [A] time = 0.48, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2977, 2748, 2641, 2639}

$$\frac{(3A-13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(9A-49B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(3A-13B)\sin(c+dx)\sqrt{\cos(c+dx)}}{6d(a^3\cos(c+dx)+a^3)} + \frac{(A-B)\sin(c+dx)}{5d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c+d*x]^{(5/2)}*(A+B*\text{Cos}[c+d*x]))/(a+a*\text{Cos}[c+d*x])^3,x]$

[Out] $-\frac{((9*A-49*B)*\text{EllipticE}[(c+d*x)/2,2])/(10*a^3*d)+((3*A-13*B)*\text{EllipticF}[(c+d*x)/2,2])/(6*a^3*d)+((A-B)*\text{Cos}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x])/(5*d*(a+a*\text{Cos}[c+d*x])^3)+((3*A-8*B)*\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(15*a*d*(a+a*\text{Cos}[c+d*x])^2)+((3*A-13*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(6*d*(a^3+a^3*\text{Cos}[c+d*x]))}{1}$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.)+(d_.)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c-Pi/2+d*x))/2,2])/d,x] /; \text{FreeQ}\{c,d,x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.)+(d_.)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c-Pi/2+d*x))/2,2])/d,x] /; \text{FreeQ}\{c,d,x\}$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.)+(f_.)*(x_)]]^{(m)}*((c_.)+(d_.)*\sin[(e_.)+(f_.)*(x_)])], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e+f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b,c,d,e,f,m,x\}$

Rule 2977

$\text{Int}[(a_.)+(b_.)*\sin[(e_.)+(f_.)*(x_)]]^{(m)}*((A_.)+(B_.)*\sin[(e_.)+(f_.)*(x_)])^{(n)}, x_Symbol] \rightarrow \text{Simp}[(A*b-a*B)*\text{Cos}[e+f*x]*(a+b*\text{Sin}[e+f*x])^m*(c+d*\text{Sin}[e+f*x])^n]/(a*f*(2*m+1)), x] - \text{Dist}[1/(a*b*(2*m+1)), \text{Int}[(a+b*\text{Sin}[e+f*x])^{(m+1)}*(c+d*\text{Sin}[e+f*x])^{(n-1)}*\text{Simp}[A*(a*d*n-b*c*(m+1))-B*(a*c*m+b*d*n)-d*(a*B*(m-n)+A*b*(m+n+1))*\text{Sin}[e+f*x], x], x] /; \text{FreeQ}\{a,b,c,d,e,f,A,B,x\} \&\& \text{NeQ}[b*c-a*d,0] \&\& \text{EqQ}[a^2-b^2,0] \&\& \text{NeQ}[c^2-d^2,0] \&\& \text{LtQ}[m,-2^{(-1)}] \&\& \text{GtQ}[n,0] \&\& \text{IntegerQ}[2*m] \&\& (\text{Int}[\dots])$

egerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \int \frac{\cos^{\frac{3}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-\frac{1}{2}a(A-11B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx \\
 &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(3A-8B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\
 &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(3A-8B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\
 &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(3A-8B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\
 &= -\frac{(9A-49B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(3A-13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3}
 \end{aligned}$$

Mathematica [C] time = 6.90, size = 1273, normalized size = 6.77

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3, x]

[Out] (((-9*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)])*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 + (((49*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 - (2*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(a + a*Cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) + (26*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*

$(a + a \cos[c + d*x])^3 \sqrt{1 + \cot[c]^2} + (\cos[c/2 + (d*x)/2]^6 \sqrt{\cos[c + d*x]} * ((-4 * (-9*A + 29*B + 20*B \cos[c]) * \csc[c]) / (5*d) + (4 * \sec[c/2] * \sec[c/2 + (d*x)/2] * (9*A \sin[(d*x)/2] - 29*B \sin[(d*x)/2])) / (5*d) - (4 * \sec[c/2] * \sec[c/2 + (d*x)/2]^3 * (9*A \sin[(d*x)/2] - 14*B \sin[(d*x)/2])) / (15*d) + (2 * \sec[c/2] * \sec[c/2 + (d*x)/2]^5 * (A \sin[(d*x)/2] - B \sin[(d*x)/2])) / (5*d) - (4 * (9*A - 14*B) * \sec[c/2 + (d*x)/2]^2 * \tan[c/2]) / (15*d) + (2 * (A - B) * \sec[c/2 + (d*x)/2]^4 * \tan[c/2]) / (5*d)) / (a + a \cos[c + d*x])^3$

fricas [F] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c))^3 + A \cos(dx + c)^2 \sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^3, x)

maple [B] time = 1.25, size = 451, normalized size = 2.40

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(108A \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 30A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)

[Out] $-1/60 * ((2 * \cos(1/2*d*x+1/2*c)^2 - 1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (108*A * \cos(1/2*d*x+1/2*c)^8 + 30*A * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 + 54*A * \cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 348*B * \cos(1/2*d*x+1/2*c)^8 - 130*B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 - 294*B * \cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 198*A * \cos(1/2*d*x+1/2*c)^6 + 578*B * \cos(1/2*d*x+1/2*c)^6 + 114*A * \cos(1/2*d*x+1/2*c)^4 - 264*B * \cos(1/2*d*x+1/2*c)^4 - 27*A * \cos(1/2*d*x+1/2*c)^2 + 37*B * \cos(1/2*d*x+1/2*c)^2 + 3*A - 3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3,x)

[Out] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)

[Out] Timed out

$$3.161 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=180

$$\frac{(A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A+9B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(A-B)\sin(c+dx)\cos(c+dx)}{5d(a\cos(c+dx))}$$

[Out] $-1/10*(A+9*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/a^3/d+1/6*(A+3*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/a^3/d+1/5*(A-B)*cos(d*x+c)^{(3/2)}*sin(d*x+c)/d/(a+a*cos(d*x+c))^3+1/15*(A-6*B)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/a/d/(a+a*cos(d*x+c))^2+1/10*(A+9*B)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d/(a^3+a^3*cos(d*x+c))$

Rubi [A] time = 0.47, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2977, 2978, 2748, 2641, 2639}

$$\frac{(A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A+9B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(A-B)\sin(c+dx)\cos(c+dx)}{5d(a\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^{(3/2)}*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x])^3, x]$

[Out] $-((A + 9*B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + 3*B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((A - B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Cos}[c + d*x])^3) + ((A - 6*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Cos}[c + d*x])^2) + ((A + 9*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(10*d*(a^3 + a^3*\text{Cos}[c + d*x]))$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2977

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_)}), x_Symbol] \rightarrow \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n-1)}*\text{Simp}[A*(a*d*n - b*c*(m+1)) - B*(a*c*m + b*d*n) - d*(a*B*(m-n) + A*b*(m+n+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{Int}$

egerQ[2*n] || EqQ[c, 0])

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^3} dx = \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\sqrt{\cos(c + dx)} \left(\frac{3}{2}a(A - B) + \frac{1}{2}a(A + 9B) \cos(c + dx) \right)}{(a + a \cos(c + dx))^2} dx}{5a^2}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(A - 6B) \sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(A - 6B) \sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(A - 6B) \sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2}$$

$$= -\frac{(A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(A - B) \cos(c + dx)}{5d(a + a \cos(c + dx))^2}$$

Mathematica [C] time = 6.82, size = 1265, normalized size = 7.03

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,
x]
```

```
[Out] ((-1/10*I)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hyper
geometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2
*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]
*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 +
E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometr
ic2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 +
E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[
1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*
I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 -
(((9*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hyp
ergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[
(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x
)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1
+ E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeome
```

$\text{tric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]]/((-I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]))/(a + a*\text{Cos}[c + d*x])^3 - (2*A*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(a + a*\text{Cos}[c + d*x])^3*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (2*B*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(a + a*\text{Cos}[c + d*x])^3*\text{Sqrt}[1 + \text{Cot}[c]^2]) + (\text{Cos}[c/2 + (d*x)/2]^6*\text{Sqrt}[\text{Cos}[c + d*x]]*((4*(A + 9*B)*\text{Csc}[c])/(5*d) + (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(4*A*\text{Sin}[(d*x)/2] - 9*B*\text{Sin}[(d*x)/2]))/(15*d) - (2*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^5*(A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2]))/(5*d) + (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(A*\text{Sin}[(d*x)/2] + 9*B*\text{Sin}[(d*x)/2]))/(5*d) + (4*(4*A - 9*B)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/(15*d) - (2*(A - B)*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2])/(5*d)))/(a + a*\text{Cos}[c + d*x])^3$

fricas [F] time = 1.18, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c)) \sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^3, x)

maple [B] time = 1.16, size = 451, normalized size = 2.51

$$\sqrt{2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) - 1 \right) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) \left(12A \left(\cos^8 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 10A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x)

[Out] -1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(12*A*cos(1/2*d*x+1/2*c)^8+10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*cos(1/2*d*x+1/2*c)^5+6*A*cos(1

$$\begin{aligned} & /2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ & * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 108*B*\cos(1/2*d*x+1/2*c)^8 + 30*B*(\\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\cos \\ & (1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 + 54*B*\cos(1/2*d*x+1/2*c)^5*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1 \\ & /2*d*x+1/2*c), 2^{(1/2)}) - 2*A*\cos(1/2*d*x+1/2*c)^6 - 198*B*\cos(1/2*d*x+1/2*c)^6 - \\ & 24*A*\cos(1/2*d*x+1/2*c)^4 + 114*B*\cos(1/2*d*x+1/2*c)^4 + 17*A*\cos(1/2*d*x+1/2*c) \\ &)^2 - 27*B*\cos(1/2*d*x+1/2*c)^2 - 3*A + 3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2 \\ & *d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x \\ & +1/2*c)^2 - 1)^{(1/2)} / d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3,x)

[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)

[Out] Timed out

$$3.162 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=178

$$\frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(A+4B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a^2)}$$

[Out] 1/10*(A-B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a^3/d+1/6*(A+B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a^3/d+1/5*(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^3+1/15*(A+4*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a/d/(a+a*cos(d*x+c))^2-1/10*(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a^3+a^2*cos(d*x+c))

Rubi [A] time = 0.46, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2977, 2978, 2748, 2641, 2639}

$$\frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(A+4B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]

[Out] ((A - B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) + ((A + 4*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Cos[c + d*x]))

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int

egerQ[2*n] || EqQ[c, 0])

Rule 2978

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\frac{1}{2}a(A-B)+\frac{1}{2}a(3A+7B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A+4B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A+4B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A+4B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\ &= \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5d(a+a\cos(c+dx))^2} \end{aligned}$$

Mathematica [C] time = 6.72, size = 1264, normalized size = 7.10

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,
x]
```

```
[Out] ((I/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeo
metric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1
+ E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sq
rt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^
((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2
F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^
(2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 +
E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*
d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 - ((
I/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeome
tric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 +
E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt
[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((
2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1
```

$$\begin{aligned} & [-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)*\sqrt{(2*(1 + E^{((2*I)*d*x)}*\cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}*\sin[c])/E^{(I*d*x)}]*\sqrt{1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]})/((-I)*d*(1 + E^{((2*I)*d*x)}*\cos[c] + d*(-1 + E^{((2*I)*d*x)}*\sin[c])))}/(a + a*\cos[c + d*x])^3 - (2*A*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2)*\sec[c/2]*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]}]*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]})/(3*d*(a + a*\cos[c + d*x])^3*\sqrt{1 + \cot[c]^2}) - (2*B*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2)*\sec[c/2]*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]}]*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]})/(3*d*(a + a*\cos[c + d*x])^3*\sqrt{1 + \cot[c]^2}) + (\cos[c/2 + (d*x)/2]^6*\sqrt{\cos[c + d*x]}*((-4*(A - B)*\csc[c])/(5*d) - (4*\sec[c/2]*\sec[c/2 + (d*x)/2]*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2]))/(5*d) + (2*\sec[c/2]*\sec[c/2 + (d*x)/2]^5*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2]))/(5*d) + (4*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(A*\sin[(d*x)/2] + 4*B*\sin[(d*x)/2]))/(15*d) + (4*(A + 4*B)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(15*d) + (2*(A - B)*\sec[c/2 + (d*x)/2]^4*\tan[c/2])/(5*d)))/(a + a*\cos[c + d*x])^3 \end{aligned}$$

fricas [F] time = 1.08, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^3, x)

maple [B] time = 1.28, size = 451, normalized size = 2.53

$$\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right) \left(12A\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 10A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x)

[Out] 1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(12*A*cos(1/2*d*x+1/2*c)^8-10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+6*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)

$2) * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 12*B*\cos(1/2*d*x+1/2*c)^8 - 10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 - 6*B*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 22*A*\cos(1/2*d*x+1/2*c)^6 + 2*B*\cos(1/2*d*x+1/2*c)^6 + 6*A*\cos(1/2*d*x+1/2*c)^4 + 24*B*\cos(1/2*d*x+1/2*c)^4 + 7*A*\cos(1/2*d*x+1/2*c)^2 - 17*B*\cos(1/2*d*x+1/2*c)^2 - 3*A + 3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3,x)

[Out] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**3,x)

[Out] Timed out

$$3.163 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=182

$$\frac{(3A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(9A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(9A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{(6A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)}$$

[Out] 1/10*(9*A+B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a^3/d+1/6*(3*A+B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a^3/d-1/5*(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^3-1/15*(6*A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a/d/(a+a*cos(d*x+c))^2-1/10*(9*A+B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a^3+a^3*cos(d*x+c))

Rubi [A] time = 0.48, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2978, 2748, 2641, 2639}

$$\frac{(3A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(9A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(9A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{(6A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3),x]

[Out] ((9*A + B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A + B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((6*A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((9*A + B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Cos[c + d*x]))

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^3} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \int \frac{\frac{1}{2}a(9A+B) - \frac{3}{2}a(A-B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^2} dx \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= \frac{(9A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(3A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} \end{aligned}$$

Mathematica [C] time = 6.80, size = 1265, normalized size = 6.95

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3), x]

[Out] (((9*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 + ((I/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 - (2*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*Cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) - (2*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*Cos[c + d*x])^3*Sqrt[1 + Cot[c]^2])

$\text{Cos}[c + d*x]^3 \sqrt{1 + \text{Cot}[c]^2} + (\text{Cos}[c/2 + (d*x)/2]^6 \sqrt{\text{Cos}[c + d*x]} * ((-4*(9*A + B)*\text{Csc}[c])/(5*d) - (2*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^5*(A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2]))/(5*d) - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(6*A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2]))/(15*d) - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(9*A*\text{Sin}[(d*x)/2] + B*\text{Sin}[(d*x)/2]))/(5*d) - (4*(6*A - B)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/(15*d) - (2*(A - B)*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2])/(5*d)))/(a + a*\text{Cos}[c + d*x])^3$

fricas [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^4 + 3a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + a^3 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^4 + 3*a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + a^3*cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*sqrt(cos(d*x + c))), x)

maple [B] time = 1.23, size = 451, normalized size = 2.48

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(108A \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 30A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right) + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/cos(d*x+c)^(1/2),x)

[Out] $\frac{1}{60} * ((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^(1/2) * (108*A*\cos(1/2*d*x+1/2*c)^8 - 30*A*(\sin(1/2*d*x+1/2*c)^2)^(1/2) * (-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2) * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2)) * \cos(1/2*d*x+1/2*c)^5 + 54*A*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^(1/2) * (-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2) * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^(1/2)) + 12*B*\cos(1/2*d*x+1/2*c)^8 - 10*B*(\sin(1/2*d*x+1/2*c)^2)^(1/2) * (-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2) * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^(1/2)) * \cos(1/2*d*x+1/2*c)^5 + 6*B*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^(1/2) * (-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2) * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^(1/2)) - 138*A*\cos(1/2*d*x+1/2*c)^6 - 22*B*\cos(1/2*d*x+1/2*c)^6 + 24*A*\cos(1/2*d*x+1/2*c)^4 + 6*B*\cos(1/2*d*x+1/2*c)^4 + 3*A*\cos(1/2*d*x+1/2*c)^2 + 7*B*\cos(1/2*d*x+1/2*c)^2 + 3*A - 3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^(1/2) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2) / d$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^3),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3/cos(d*x+c)**(1/2),x)

[Out] Timed out

$$3.164 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=221

$$\frac{(13A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(49A-9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(49A-9B)\sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} - \frac{(13A-3B)\sin(c+dx)}{6d\sqrt{\cos(c+dx)}(a^3\cos(c+dx))}$$

[Out] $-1/10*(49*A-9*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/a^3/d-1/6*(13*A-3*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/a^3/d+1/10*(49*A-9*B)*\sin(d*x+c)/a^3/d/\cos(d*x+c)^{(1/2)}-1/5*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^3/\cos(d*x+c)^{(1/2)}-1/15*(8*A-3*B)*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^2/\cos(d*x+c)^{(1/2)}-1/6*(13*A-3*B)*\sin(d*x+c)/d/(a^3+a^3*\cos(d*x+c))/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.52, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2978, 2748, 2636, 2639, 2641}

$$\frac{(13A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(49A-9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(49A-9B)\sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} - \frac{(13A-3B)\sin(c+dx)}{6d\sqrt{\cos(c+dx)}(a^3\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^3), x]$

[Out] $-((49*A - 9*B)*\text{EllipticE}[(c + d*x)/2, 2])/(10*a^3*d) - ((13*A - 3*B)*\text{EllipticF}[(c + d*x)/2, 2])/(6*a^3*d) + ((49*A - 9*B)*\text{Sin}[c + d*x])/(10*a^3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) - ((A - B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x])^3) - ((8*A - 3*B)*\text{Sin}[c + d*x])/(15*a*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x])^2) - ((13*A - 3*B)*\text{Sin}[c + d*x])/(6*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a^3 + a^3*\text{Cos}[c + d*x]))$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /;$ FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$ FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} dx &= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(11A-B) - \frac{5}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} - \frac{(8A - 3B) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} - \frac{(8A - 3B) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} - \frac{(8A - 3B) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} \\
&= -\frac{(13A - 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(49A - 9B) \sin(c + dx)}{10a^3d\sqrt{\cos(c + dx)}} - \frac{(49A - 9B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}} \\
&= -\frac{(49A - 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(13A - 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(49A - 9B) \sin(c + dx)}{10a^3d}
\end{aligned}$$

Mathematica [C] time = 7.11, size = 1305, normalized size = 5.90

result too large to display

Antiderivative was successfully verified.

```

[In] Integrate[(A + B*Cos[c + d*x])/((Cos[c + d*x])^(3/2)*(a + a*Cos[c + d*x])^3),
x]

```

```

[Out] (((-49*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 + (((9*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d

```

$$\begin{aligned}
 & * (1 + E^{((2*I)*d*x)}) * \cos[c] - 3*d*(-1 + E^{((2*I)*d*x)}) * \sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, - (E^{((2*I)*d*x)} * (\cos[c] + I*\sin[c])^2)] * \sqrt{(2*(1 + E^{((2*I)*d*x)}) * \cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * \sin[c]) / E^{(I*d*x)}}] * \\
 & \sqrt{1 + E^{((2*I)*d*x)} * \cos[2*c] + I * E^{((2*I)*d*x)} * \sin[2*c]}) / ((-I)*d*(1 + E^{((2*I)*d*x)}) * \cos[c] + d*(-1 + E^{((2*I)*d*x)}) * \sin[c])) / (a + a*\cos[c + d*x])^3 + \\
 & (26*A*\cos[c/2 + (d*x)/2]^6 * \operatorname{Csc}[c/2] * \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2] * \operatorname{Sec}[c/2] * \operatorname{Sec}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]] * \sqrt{1 - \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]}) * \sqrt{-(\sqrt{1 + \operatorname{Cot}[c]^2} * \sin[c] * \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]])}) * \sqrt{1 + \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]})} / (3*d*(a + a*\cos[c + d*x])^3 * \sqrt{1 + \operatorname{Cot}[c]^2}) - \\
 & (2*B*\cos[c/2 + (d*x)/2]^6 * \operatorname{Csc}[c/2] * \operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2] * \operatorname{Sec}[c/2] * \operatorname{Sec}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]] * \sqrt{1 - \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]}) * \sqrt{-(\sqrt{1 + \operatorname{Cot}[c]^2} * \sin[c] * \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]])}) * \sqrt{1 + \sin[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]})} / (d*(a + a*\cos[c + d*x])^3 * \sqrt{1 + \operatorname{Cot}[c]^2}) + \\
 & (\cos[c/2 + (d*x)/2]^6 * \sqrt{\cos[c + d*x]} * ((2*(20*A + 29*A*\cos[c] - 9*B*\cos[c]) * \operatorname{Csc}[c/2] * \operatorname{Sec}[c/2] * \operatorname{Sec}[c]) / (5*d) + (4*\operatorname{Sec}[c/2] * \operatorname{Sec}[c/2 + (d*x)/2] * (29*A*\sin[(d*x)/2] - 9*B*\sin[(d*x)/2])) / (5*d) + (4*\operatorname{Sec}[c/2] * \operatorname{Sec}[c/2 + (d*x)/2]^3 * (11*A*\sin[(d*x)/2] - 6*B*\sin[(d*x)/2])) / (15*d) + (2*\operatorname{Sec}[c/2] * \operatorname{Sec}[c/2 + (d*x)/2]^5 * (A*\sin[(d*x)/2] - B*\sin[(d*x)/2])) / (5*d) + (16*A*\operatorname{Sec}[c] * \operatorname{Sec}[c + d*x] * \sin[d*x]) / d + (4*(11*A - 6*B) * \operatorname{Sec}[c/2 + (d*x)/2]^2 * \operatorname{Tan}[c/2]) / (15*d) + (2*(A - B) * \operatorname{Sec}[c/2 + (d*x)/2]^4 * \operatorname{Tan}[c/2]) / (5*d))) / (a + a*\cos[c + d*x])^3
 \end{aligned}$$

fricas [F] time = 1.16, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^5 + 3a^3 \cos(dx + c)^4 + 3a^3 \cos(dx + c)^3 + a^3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^5 + 3*a^3*cos(d*x + c)^4 + 3*a^3*cos(d*x + c)^3 + a^3*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*cos(d*x + c)^(3/2)), x)

maple [B] time = 1.66, size = 685, normalized size = 3.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x)

[Out]
$$\begin{aligned}
 & -1/60*(-2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(65*A*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-147*A*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-15*B*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+27*B*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+4*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*
 \end{aligned}$$


```
(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(65*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(65*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*cos(1/2*d*x+1/2*c)+12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(49*A-9*B)*sin(1/2*d*x+1/2*c)^8-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(817*A-147*B)*sin(1/2*d*x+1/2*c)^6+6*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(248*A-43*B)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(439*A-69*B)*sin(1/2*d*x+1/2*c)^2/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: THROW: The catch RAT-ERR is undefined.
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^3), x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^3), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

$$3.165 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=254

$$\frac{(33A-13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{7(17A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{7(17A-7B)\sin(c+dx)}{30d \cos^{\frac{3}{2}}(c+dx)(a^3 \cos(c+dx) + a^3)} + \frac{(33A-13B)}{6a^3d \cos(c+dx)}$$

[Out] 7/10*(17*A-7*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a^3/d+1/6*(33*A-13*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a^3/d+1/6*(33*A-13*B)*sin(d*x+c)/a^3/d/cos(d*x+c)^(3/2)-1/5*(A-B)*sin(d*x+c)/d/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3-1/3*(2*A-B)*sin(d*x+c)/a/d/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2-7/30*(17*A-7*B)*sin(d*x+c)/d/cos(d*x+c)^(3/2)/(a^3+a^3*cos(d*x+c))-7/10*(17*A-7*B)*sin(d*x+c)/a^3/d/cos(d*x+c)^(1/2)

Rubi [A] time = 0.60, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2978, 2748, 2636, 2641, 2639}

$$\frac{(33A-13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{7(17A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{7(17A-7B)\sin(c+dx)}{30d \cos^{\frac{3}{2}}(c+dx)(a^3 \cos(c+dx) + a^3)} + \frac{(33A-13B)}{6a^3d \cos(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^3),x]

[Out] (7*(17*A - 7*B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((33*A - 13*B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((33*A - 13*B)*Sin[c + d*x])/(6*a^3*d*Cos[c + d*x]^(3/2)) - (7*(17*A - 7*B)*Sin[c + d*x])/(10*a^3*d*sqrt[Cos[c + d*x]]) - ((A - B)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3) - ((2*A - B)*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2) - (7*(17*A - 7*B)*Sin[c + d*x])/(30*d*Cos[c + d*x]^(3/2)*(a^3 + a^3*Cos[c + d*x]))

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2978

```

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^3} dx &= -\frac{(A - B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(13A-3B) - \frac{7}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} \\
&= -\frac{(A - B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} \\
&= -\frac{(A - B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} \\
&= \frac{(33A - 13B) \sin(c + dx)}{6a^3d \cos^{\frac{3}{2}}(c + dx)} - \frac{7(17A - 7B) \sin(c + dx)}{10a^3d \sqrt{\cos(c + dx)}} - \frac{(A - B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{7(17A - 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(33A - 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(33A - 13B) \sin(c + dx)}{6a^3d}
\end{aligned}$$

Mathematica [C] time = 7.81, size = 1346, normalized size = 5.30

result too large to display

Warning: Unable to verify antiderivative.

```

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^3),
x]

```

```

[Out] (((119*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hy
pergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt
[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*
x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(
1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeom
etric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1
+ E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sq
rt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^
(2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^
3 - (((49*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x)

```

```
*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2)]*S
qrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I
*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*
d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hyperg
eometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2
*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]
*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 +
E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*cos[c + d*x
])^3 - (22*A*cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5
/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1
- Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - Ar
cTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*cos[c + d*x
])^3*Sqrt[1 + Cot[c]^2]) + (26*B*cos[c/2 + (d*x)/2]^6*Csc[c/2]*Hypergeometri
cPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - Arc
Tan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*
Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*
d*(a + a*cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^6*Sqrt[C
os[c + d*x]]*((-2*(60*A - 20*B + 59*A*cos[c] - 29*B*cos[c])*Csc[c/2]*Sec[c/
2]*Sec[c])/((5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(59*A*sin[(d*x)/2] - 29*B
*sin[(d*x)/2]))/(5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(16*A*sin[(d*x)/2]
- 11*B*sin[(d*x)/2]))/(15*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*sin[(d*
x)/2] - B*sin[(d*x)/2]))/(5*d) + (16*A*Sec[c]*Sec[c + d*x]^2*sin[d*x])/(3*d
) + (16*Sec[c]*Sec[c + d*x]*(A*sin[c] - 9*A*sin[d*x] + 3*B*sin[d*x]))/(3*d)
- (4*(16*A - 11*B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/((15*d) - (2*(A - B)*Sec[
c/2 + (d*x)/2]^4*Tan[c/2])/((5*d)))/(a + a*cos[c + d*x])^3
```

fricas [F] time = 1.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^6 + 3a^3 \cos(dx + c)^5 + 3a^3 \cos(dx + c)^4 + a^3 \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^3,x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^6 + 3*a^
3*cos(d*x + c)^5 + 3*a^3*cos(d*x + c)^4 + a^3*cos(d*x + c)^3), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^3,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*cos(d*x + c)^(5/2)),
x)
```

maple [B] time = 1.68, size = 876, normalized size = 3.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^3,x)
```

```
[Out] 1/60*(4*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*s
in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(165*A*EllipticF(cos(1/2*d*
```

```

x+1/2*c),2^(1/2))-357*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-65*B*Elliptic
F(cos(1/2*d*x+1/2*c),2^(1/2))+147*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))
*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6-10*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2
)^(1/2)*(165*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-357*A*EllipticE(cos(1/
2*d*x+1/2*c),2^(1/2))-65*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+147*B*Elli
pticE(cos(1/2*d*x+1/2*c),2^(1/2)))
*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+
8*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2
*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(165*A*EllipticF(cos(1/2*d*x+1/2*
c),2^(1/2))-357*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-65*B*EllipticF(cos(
1/2*d*x+1/2*c),2^(1/2))+147*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))
*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
*(165*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-357*A*EllipticE(cos(1/2*d*x+1
/2*c),2^(1/2))-65*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+147*B*EllipticE(c
os(1/2*d*x+1/2*c),2^(1/2)))
*cos(1/2*d*x+1/2*c)-168*(-2*sin(1/2*d*x+1/2*c)^4
+sin(1/2*d*x+1/2*c)^2)^(1/2)*(17*A-7*B)*sin(1/2*d*x+1/2*c)^10+8*(-2*sin(1/2
*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(1167*A-482*B)*sin(1/2*d*x+1/2*c)
^8-10*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(1111*A-461*B)*s
in(1/2*d*x+1/2*c)^6+14*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
*(404*A-169*B)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/
2*c)^2)^(1/2)*(1029*A-439*B)*sin(1/2*d*x+1/2*c)^2)/(2*cos(1/2*d*x+1/2*c)^2-
1)^(3/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1
/2*c)^5/a^3/sin(1/2*d*x+1/2*c)/d

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^3,x, algorithm
="maxima")
```

```
[Out] Timed out
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^3),x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^3), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

$$3.166 \quad \int \cos^2(c+dx) \sqrt{a + a \cos(c + dx)} (A+B \cos(c+dx)) dx$$

Optimal. Leaf size=221

$$\frac{a(8A + 7B) \sin(c + dx) \cos^2(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{5a(8A + 7B) \sin(c + dx) \cos^2(c + dx)}{96d\sqrt{a \cos(c + dx) + a}} + \frac{5\sqrt{a} (8A + 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d}$$

[Out] $5/64*(8*A+7*B)*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*a^{(1/2)}/d+5/96*a*(8*A+7*B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/24*a*(8*A+7*B)*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/4*a*B*\cos(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+5/64*a*(8*A+7*B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2981, 2770, 2774, 216}

$$\frac{a(8A + 7B) \sin(c + dx) \cos^2(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{5a(8A + 7B) \sin(c + dx) \cos^2(c + dx)}{96d\sqrt{a \cos(c + dx) + a}} + \frac{5\sqrt{a} (8A + 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] $(5*\text{Sqrt}[a]*(8*A + 7*B)*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/(64*d) + (5*a*(8*A + 7*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(64*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (5*a*(8*A + 7*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(96*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a*(8*A + 7*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(24*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a*B*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(4*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2981

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +

```
b*Sin[e + f*x]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{aB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{1}{8}(8A + 7B) \int \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{a(8A + 7B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} + \frac{aB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{5a(8A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d\sqrt{a + a \cos(c + dx)}} + \frac{a(8A + 7B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{5a(8A + 7B) \sqrt{\cos(c + dx)} \sin(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{5a(8A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{5a(8A + 7B) \sqrt{\cos(c + dx)} \sin(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{5a(8A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{5\sqrt{a} (8A + 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{64d} + \frac{5a(8A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 1.03, size = 135, normalized size = 0.61

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(15\sqrt{2} (8A + 7B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}\right)}{384d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),
x]
```

```
[Out] (Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(15*Sqrt[2]*(8*A + 7*B)*ArcSin
[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(152*A + 133*B + 2*(40*A
+ 53*B)*Cos[c + d*x] + 4*(8*A + 7*B)*Cos[2*(c + d*x)] + 12*B*Cos[3*(c + d*x)
]))*Sin[(c + d*x)/2])/(384*d)
```

fricas [A] time = 1.00, size = 151, normalized size = 0.68

$$\frac{(48 B \cos(dx + c)^3 + 8(8A + 7B) \cos(dx + c)^2 + 10(8A + 7B) \cos(dx + c) + 120A + 105B) \sqrt{a \cos(dx + c)}}{192(d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algor
ithm="fricas")
```

```
[Out] 1/192*((48*B*cos(d*x + c)^3 + 8*(8*A + 7*B)*cos(d*x + c)^2 + 10*(8*A + 7*B)
*cos(d*x + c) + 120*A + 105*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*
sin(d*x + c) - 15*((8*A + 7*B)*cos(d*x + c) + 8*A + 7*B)*sqrt(a)*arctan(sqrt
(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*
x + c) + d)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)*cos(d*x + c)^(5/2), x)

maple [B] time = 0.32, size = 428, normalized size = 1.94

$$(-1 + \cos(dx + c))^4 \left(64A \sin(dx + c) (\cos^3(dx + c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} + 144A \sin(dx + c) (\cos^2(dx + c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)

[Out] 1/192/d*(-1+cos(d*x+c))^4*(64*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+144*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+48*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+200*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+56*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+120*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+70*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+105*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+120*A*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+105*B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)))*cos(d*x+c)^(5/2)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)^8/(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)

maxima [B] time = 2.98, size = 8220, normalized size = 37.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/768*(8*(4*(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(3/4)*(cos(3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))*sin(3*d*x + 3*c) - (cos(3*d*x + 3*c) - 1)*sin(3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)))*sqrt(a) + 6*(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*((sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 5*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) - (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 3*cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) - 4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3

$$\begin{aligned}
& * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)) + 1))) * \sqrt{a} + 15 * \sqrt{a} * (\\
& \arctan 2(-(\cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \\
& \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan 2(\sin(3*d* \\
& x + 3*c), \cos(3*d*x + 3*c))) + 1)^{1/4} * (\cos(1/2 * \arctan 2(\sin(2/3 * \arctan 2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3 \\
& *d*x + 3*c))) + 1)) * \sin(1/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - \\
& \cos(1/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \sin(1/2 * \arctan 2(\sin(2/ \\
& 3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan 2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c))) + 1))), (\cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3* \\
& d*x + 3*c)))^2 + \sin(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 \\
& * \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{1/4} * (\cos(1/3 * a \\
& rctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \cos(1/2 * \arctan 2(\sin(2/3 * \arctan 2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), co \\
& s(3*d*x + 3*c))) + 1)) + \sin(1/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c) \\
&)) * \sin(1/2 * \arctan 2(\sin(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), co \\
& s(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) + 1) - \arctan 2(- \\
& (\cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan 2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \\
& \cos(3*d*x + 3*c))) + 1)^{1/4} * (\cos(1/2 * \arctan 2(\sin(2/3 * \arctan 2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c) \\
&))) + 1)) * \sin(1/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - \cos(1/3 * ar \\
& ctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \sin(1/2 * \arctan 2(\sin(2/3 * \arctan 2(\\
& \sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos \\
& (3*d*x + 3*c))) + 1))), (\cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c) \\
&))^2 + \sin(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * a \\
& rctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{1/4} * (\cos(1/3 * \arctan 2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c))) * \cos(1/2 * \arctan 2(\sin(2/3 * \arctan 2(\sin(3*d*x \\
& + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + \\
& 3*c))) + 1)) + \sin(1/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \sin(1/2 \\
& * \arctan 2(\sin(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * arct \\
& an 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) - 1) - \arctan 2((\cos(2/3 * arc \\
& tan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan 2(\sin(3*d*x + 3 \\
& *c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + \\
& 3*c))) + 1)^{1/4} * \sin(1/2 * \arctan 2(\sin(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3* \\
& d*x + 3*c))), \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)), (\\
& \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan 2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \\
& \cos(3*d*x + 3*c))) + 1)^{1/4} * \cos(1/2 * \arctan 2(\sin(2/3 * \arctan 2(\sin(3*d*x + 3 \\
& *c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c) \\
&)) + 1)) + 1) + \arctan 2((\cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c) \\
&))^2 + \sin(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * a \\
& rctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{1/4} * \sin(1/2 * \arctan 2(\sin(\\
& 2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan 2(\sin(3*d*x \\
& + 3*c), \cos(3*d*x + 3*c))) + 1)), (\cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3 \\
& *d*x + 3*c)))^2 + \sin(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \\
& 2 * \cos(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{1/4} * \cos(1/2 * a \\
& rctan 2(\sin(2/3 * \arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan \\
& 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) - 1))) * A + (2 * (\cos(1/2 * \arctan 2 \\
& (\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2 * \arctan 2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))^2 + 2 * \cos(1/2 * \arctan 2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
&))) + 1)^{3/4} * ((156 * (\sin(4*d*x + 4*c))^3 + (\cos(4*d*x + 4*c))^2 - 2 * \cos(4*d* \\
& x + 4*c) + 1) * \sin(4*d*x + 4*c)) * \cos(1/2 * \arctan 2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))^2 + 39 * \cos(4*d*x + 4*c)^2 * \sin(4*d*x + 4*c) + 39 * \sin(4*d*x + 4*c)^ \\
& 3 + 156 * (\sin(4*d*x + 4*c))^3 + (\cos(4*d*x + 4*c))^2 + 2 * \cos(4*d*x + 4*c) + 1) \\
& * \sin(4*d*x + 4*c)) * \sin(1/2 * \arctan 2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \\
& 39 * (2 * \cos(1/2 * \arctan 2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) \\
&) - 2 * (\cos(4*d*x + 4*c) + 1) * \sin(1/2 * \arctan 2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c))) + \sin(4*d*x + 4*c)) * \cos(3/4 * \arctan 2(\sin(4*d*x + 4*c), \cos(4*d*x + 4* \\
& c))) + 156 * (\sin(4*d*x + 4*c))^3 + (\cos(4*d*x + 4*c))^2 - \cos(4*d*x + 4*c)) * \sin
\end{aligned}$$

$$\begin{aligned}
& n(4*d*x + 4*c)) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + (32 * \\
& (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2 * \cos(4*d*x + 4*c) + 1) * \cos(1/2 * \\
& \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 32 * (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2 * \cos(4*d*x + 4*c) + 1) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 8 * \cos(4*d*x + 4*c)^2 + 2 * (16 * \cos(4*d*x + 4*c)^2 + 16 * \sin(4*d*x + 4*c)^2 - 55 * \cos(4*d*x + 4*c) + 39) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 8 * \sin(4*d*x + 4*c)^2 - 2 * (64 * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 55 * \sin(4*d*x + 4*c)) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 39 * \cos(4*d*x + 4*c) * \sin(3/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 156 * (4 * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(3/2 * \arctan2(\sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) - (39 * \cos(4*d*x + 4*c)^3 + 4 * (39 * \cos(4*d*x + 4*c)^3 + (39 * \cos(4*d*x + 4*c) - 8) * \sin(4*d*x + 4*c)^2 - 86 * \cos(4*d*x + 4*c)^2 + 55 * \cos(4*d*x + 4*c) - 8) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (39 * \cos(4*d*x + 4*c) - 8) * \sin(4*d*x + 4*c)^2 + 4 * (39 * \cos(4*d*x + 4*c)^3 + (39 * \cos(4*d*x + 4*c) - 8) * \sin(4*d*x + 4*c)^2 + 70 * \cos(4*d*x + 4*c)^2 + 23 * \cos(4*d*x + 4*c) - 8) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 - 8 * \cos(4*d*x + 4*c)^2 + (32 * (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2 * \cos(4*d*x + 4*c) + 1) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 32 * (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2 * \cos(4*d*x + 4*c) + 1) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 8 * \cos(4*d*x + 4*c)^2 + 2 * (16 * \cos(4*d*x + 4*c)^2 + 16 * \sin(4*d*x + 4*c)^2 - 55 * \cos(4*d*x + 4*c) + 39) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 8 * \sin(4*d*x + 4*c)^2 - 2 * (64 * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 55 * \sin(4*d*x + 4*c)) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 39 * \cos(4*d*x + 4*c) * \cos(3/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 4 * (39 * \cos(4*d*x + 4*c)^3 + (39 * \cos(4*d*x + 4*c) - 8) * \sin(4*d*x + 4*c)^2 - 47 * \cos(4*d*x + 4*c)^2 + 8 * \cos(4*d*x + 4*c)) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 39 * (2 * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) - 2 * (\cos(4*d*x + 4*c) + 1) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + \sin(4*d*x + 4*c) * \sin(3/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4 * (4 * (39 * \cos(4*d*x + 4*c) - 8) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + (39 * \cos(4*d*x + 4*c) - 8) * \sin(4*d*x + 4*c)) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(3/2 * \arctan2(\sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) * \sqrt{a} - 6 * (\cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2 * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4) * ((4 * (11 * \sin(4*d*x + 4*c)^3 + 11 * (\cos(4*d*x + 4*c)^2 - 2 * \cos(4*d*x + 4*c) + 1) * \sin(4*d*x + 4*c) - 24 * (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2 * \cos(4*d*x + 4*c) + 1) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 11 * \cos(4*d*x + 4*c)^2 * \sin(4*d*x + 4*c) + 11 * \sin(4*d*x + 4*c)^3 + 4 * (11 * \sin(4*d*x + 4*c)^3 + 11 * (\cos(4*d*x + 4*c)^2 + 2 * \cos(4*d*x + 4*c) + 1) * \sin(4*d*x + 4*c) - 24 * (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2 * \cos(4*d*x + 4*c) + 1) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2 * (22 * \sin(4*d*x + 4*c)^3 + 22 * (\cos(4*d*x + 4*c)^2 - \cos(4*d*x + 4*c)) * \sin(4*d*x + 4*c) + 11 * \cos(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) - (48 * \cos(4*d*x + 4*c)^2 + 48 * \sin(4*d*x + 4*c)^2 - 37 * \cos(4*d*x + 4*c) - 11) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 11 * \cos(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) - 2 * (8 * (11 * \sin(4*d*x + 4*c)^2 - 24 * \sin(4*d*x + 4*c) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 11 * (\cos(4*d*x + 4*c) + 1) * \cos(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 22 * \sin(4*d*x + 4*c)^2 - 37 * \sin(4*d*x + 4*c) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c),
\end{aligned}$$

$$\begin{aligned}
& \cos(4dx + 4c))) * \sin(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - \\
& (24 * \cos(4dx + 4c)^2 + 24 * \sin(4dx + 4c)^2 + 11 * \cos(4dx + 4c)) * \sin(\\
& 1/4 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) * \cos(1/2 * \arctan2(\sin(1/2 * a \\
& rctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 * \arctan2(\sin(4dx + 4* \\
& c), \cos(4dx + 4c))) + 1)) - (11 * \cos(4dx + 4c)^3 + 4 * (11 * \cos(4dx + 4 \\
& *c)^3 + (11 * \cos(4dx + 4c) + 24) * \sin(4dx + 4c)^2 + 2 * \cos(4dx + 4c)^ \\
& 2 - 24 * (\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - 2 * \cos(4dx + 4c) + 1) * c \\
& os(1/4 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - 37 * \cos(4dx + 4c) + \\
& 24) * \cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + (11 * \cos(4dx * \\
& + 4c) + 24) * \sin(4dx + 4c)^2 + 4 * (11 * \cos(4dx + 4c)^3 + (11 * \cos(4dx * \\
& + 4c) + 24) * \sin(4dx + 4c)^2 + 46 * \cos(4dx + 4c)^2 - 24 * (\cos(4dx * \\
& 4c)^2 + \sin(4dx + 4c)^2 + 2 * \cos(4dx + 4c) + 1) * \cos(1/4 * \arctan2(\sin(4 \\
& *dx + 4c), \cos(4dx + 4c))) + 59 * \cos(4dx + 4c) + 24) * \sin(1/2 * \arctan2 \\
& (\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 24 * \cos(4dx + 4c)^2 + 2 * (22 * \cos \\
& (4dx + 4c)^3 + 2 * (11 * \cos(4dx + 4c) + 24) * \sin(4dx + 4c)^2 + 26 * \cos(\\
& 4dx + 4c)^2 - (48 * \cos(4dx + 4c)^2 + 48 * \sin(4dx + 4c)^2 - 37 * \cos(4* \\
& dx + 4c) - 11) * \cos(1/4 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - 11 * \\
& \sin(4dx + 4c) * \sin(1/4 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - 48 * \\
& \cos(4dx + 4c) * \cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - (2 \\
& 4 * \cos(4dx + 4c)^2 + 24 * \sin(4dx + 4c)^2 + 11 * \cos(4dx + 4c)) * \cos(1/4 \\
& * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - 2 * (8 * ((11 * \cos(4dx + 4c) \\
& + 24) * \sin(4dx + 4c) - 24 * \cos(1/4 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4 \\
& *c))) * \sin(4dx + 4c)) * \cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)) \\
&) + 2 * (11 * \cos(4dx + 4c) + 24) * \sin(4dx + 4c) - 37 * \cos(1/4 * \arctan2(\sin(\\
& 4dx + 4c), \cos(4dx + 4c))) * \sin(4dx + 4c) - 11 * (\cos(4dx + 4c) + \\
& 1) * \sin(1/4 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))) * \sin(1/2 * \arctan2(si \\
& n(4dx + 4c), \cos(4dx + 4c))) - 11 * \sin(4dx + 4c) * \sin(1/4 * \arctan2(si \\
& n(4dx + 4c), \cos(4dx + 4c)))) * \sin(1/2 * \arctan2(\sin(1/2 * \arctan2(\sin(4d \\
& *x + 4c), \cos(4dx + 4c))), \cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx * \\
& + 4c))) + 1))) * \sqrt{a} + 105 * ((4 * (\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 \\
& - 2 * \cos(4dx + 4c) + 1) * \cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c \\
&)))^2 + 4 * (\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 + 2 * \cos(4dx + 4c) + 1 \\
&) * \sin(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + \cos(4dx + 4c) \\
& ^2 + 4 * (\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - \cos(4dx + 4c)) * \cos(1/2 \\
& * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + \sin(4dx + 4c)^2 - 4 * (4 * c \\
& os(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) * \sin(4dx + 4c) + \sin(\\
& 4dx + 4c)) * \sin(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))) * \arctan2 \\
& (- (\cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + \sin(1/2 * \arctan2 \\
& (\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2 * \cos(1/2 * \arctan2(\sin(4dx + 4c \\
&), \cos(4dx + 4c))) + 1)^(1/4) * (\cos(1/2 * \arctan2(\sin(1/2 * \arctan2(\sin(4d \\
& *x + 4c), \cos(4dx + 4c))), \cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx * \\
& 4c))) + 1)) * \sin(1/4 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - \cos(1/4 \\
& * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) * \sin(1/2 * \arctan2(\sin(1/2 * \arcta \\
& n2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 * \arctan2(\sin(4dx + 4c), \\
& \cos(4dx + 4c))) + 1))), (\cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4 \\
& *c)))^2 + \sin(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2 * \cos(1/ \\
& 2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^(1/4) * (\cos(1/4 * \arctan2(\\
& \sin(4dx + 4c), \cos(4dx + 4c))) * \cos(1/2 * \arctan2(\sin(1/2 * \arctan2(\sin(4* \\
& dx + 4c), \cos(4dx + 4c))), \cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx * \\
& + 4c))) + 1)) + \sin(1/4 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) * \sin(\\
& 1/2 * \arctan2(\sin(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 * a \\
& rctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1))) + 1) - (4 * (\cos(4dx + 4 \\
& *c)^2 + \sin(4dx + 4c)^2 - 2 * \cos(4dx + 4c) + 1) * \cos(1/2 * \arctan2(\sin(4* \\
& dx + 4c), \cos(4dx + 4c)))^2 + 4 * (\cos(4dx + 4c)^2 + \sin(4dx + 4c) \\
& ^2 + 2 * \cos(4dx + 4c) + 1) * \sin(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + \\
& 4c)))^2 + \cos(4dx + 4c)^2 + 4 * (\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 \\
& - \cos(4dx + 4c)) * \cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + \\
& \sin(4dx + 4c)^2 - 4 * (4 * \cos(1/2 * \arctan2(\sin(4dx + 4c), \cos(4dx + 4c \\
&))) * \sin(4dx + 4c) + \sin(4dx + 4c)) * \sin(1/2 * \arctan2(\sin(4dx + 4c),
\end{aligned}$$

```

cos(4*d*x + 4*c))) * arctan2(-(cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x +
4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(
1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)^(1/4)*(cos(1/2*arctan
2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin
(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1))*sin(1/4*arctan2(sin(4*d*x + 4*c), c
os(4*d*x + 4*c))) - cos(1/4*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) * si
n(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2
*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1))), (cos(1/2*arctan2(sin(
4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos(
4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) +
1)^(1/4)*(cos(1/4*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) * cos(1/2*arc
tan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(
sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)) + sin(1/4*arctan2(sin(4*d*x + 4*
c), cos(4*d*x + 4*c))) * sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), co
s(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)
)) - 1) - (4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*cos(4*d*x + 4*c)
+ 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(cos(4*d*x
+ 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*sin(1/2*arctan2(sin
(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 + 4*(cos(4*d*x + 4*
c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(sin(4*d*x +
4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*arctan2(sin(4*
d*x + 4*c), cos(4*d*x + 4*c))) * sin(4*d*x + 4*c) + sin(4*d*x + 4*c)) * sin(1/2
*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) * arctan2((cos(1/2*arctan2(sin
(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos
(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))
+ 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*
c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)), (cos(1/2*
arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x
+ 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*
x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos
(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1))
+ 1) + (4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*cos(4*d*x + 4*c) +
1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(cos(4*d*x +
4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*sin(1/2*arctan2(sin(4
*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 + 4*(cos(4*d*x + 4*c)
)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(sin(4*d*x + 4*
c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*arctan2(sin(4*d*
x + 4*c), cos(4*d*x + 4*c))) * sin(4*d*x + 4*c) + sin(4*d*x + 4*c)) * sin(1/2*a
rctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) * arctan2((cos(1/2*arctan2(sin(4
*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4
*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) +
1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)
))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)), (cos(1/2*ar
ctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x +
4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x
+ 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4
*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)) -
1)) * sqrt(a) * B / (4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*cos(4*d*x +
4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(cos(
4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*sin(1/2*arcta
n2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 + 4*(cos(4*d
*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(sin(4*
d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*arctan2(
sin(4*d*x + 4*c), cos(4*d*x + 4*c))) * sin(4*d*x + 4*c) + sin(4*d*x + 4*c)) * s
in(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))))) / d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^{5/2} (A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(5/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2), x)
```

```
[Out] int(cos(c + d*x)^(5/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)), x)
```

```
[Out] Timed out
```

$$3.167 \quad \int \cos^2(c+dx) \sqrt{a + a \cos(c + dx)} (A+B \cos(c+dx)) dx$$

Optimal. Leaf size=176

$$\frac{a(6A + 5B) \sin(c + dx) \cos^2(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a}(6A + 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a(6A + 5B) \sin(c + dx) \sqrt{\cos(c + dx)}}{8d\sqrt{a \cos(c + dx) + a}}$$

[Out] 1/8*(6*A+5*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*a^(1/2)/d+1/12*a*(6*A+5*B)*cos(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/3*a*B*cos(d*x+c)^(5/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/8*a*(6*A+5*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.30, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2981, 2770, 2774, 216}

$$\frac{a(6A + 5B) \sin(c + dx) \cos^2(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a}(6A + 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a(6A + 5B) \sin(c + dx) \sqrt{\cos(c + dx)}}{8d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] (Sqrt[a]*(6*A + 5*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(8*d) + (a*(6*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(8*d*Sqrt[a + a*Cos[c + d*x]]) + (a*(6*A + 5*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Cos[c + d*x]]) + (a*B*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2981

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]

/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx &= \frac{aB \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d \sqrt{a+a \cos(c+dx)}} + \frac{1}{6}(6A+5B) \int \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \cos(c+dx)} dx \\ &= \frac{a(6A+5B) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{12d \sqrt{a+a \cos(c+dx)}} + \frac{aB \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d \sqrt{a+a \cos(c+dx)}} \\ &= \frac{a(6A+5B) \sqrt{\cos(c+dx)} \sin(c+dx)}{8d \sqrt{a+a \cos(c+dx)}} + \frac{a(6A+5B) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{12d \sqrt{a+a \cos(c+dx)}} \\ &= \frac{a(6A+5B) \sqrt{\cos(c+dx)} \sin(c+dx)}{8d \sqrt{a+a \cos(c+dx)}} + \frac{a(6A+5B) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{12d \sqrt{a+a \cos(c+dx)}} \\ &= \frac{\sqrt{a} (6A+5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{8d} + \frac{a(6A+5B) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{12d \sqrt{a+a \cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.55, size = 118, normalized size = 0.67

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)} \left(3\sqrt{2}(6A+5B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)}\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]), x]

[Out] (Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*(6*A + 5*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(18*A + 19*B + 2*(6*A + 5*B)*Cos[c + d*x] + 4*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d)

fricas [A] time = 1.00, size = 134, normalized size = 0.76

$$\frac{(8B \cos(dx+c)^2 + 2(6A+5B) \cos(dx+c) + 18A + 15B) \sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)} \sin(dx+c) - 3((6A+5B) \cos(dx+c) + 6A + 5B) \sqrt{a} \arctan(\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)})}{24(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)), x, algorithm="fricas")

[Out] 1/24*((8*B*cos(d*x + c)^2 + 2*(6*A + 5*B)*cos(d*x + c) + 18*A + 15*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 3*((6*A + 5*B)*cos(d*x + c) + 6*A + 5*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c)))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*x + c) + d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) \sqrt{a \cos(dx+c) + a} \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algor
ithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)*cos(d*x + c)^(3/2),
x)
```

maple [B] time = 0.39, size = 356, normalized size = 2.02

$$(-1 + \cos(dx + c))^3 \left(12A \sin(dx + c) \left(\cos^2(dx + c) \right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} + 30A \sin(dx + c) \cos(dx + c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] -1/24/d*(-1+cos(d*x+c))^3*(12*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(
d*x+c)))^(3/2)+30*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)
+8*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+18*A*sin(d*x
+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+10*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x
+c)/(1+cos(d*x+c)))^(1/2)+15*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x
+c)))^(1/2)+18*A*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)/cos(d*x+c))+15*B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c
)))^(1/2)/cos(d*x+c))*cos(d*x+c)^(3/2)*(a*(1+cos(d*x+c)))^(1/2)/(cos(d*x+c
)/(1+cos(d*x+c)))^(5/2)/sin(d*x+c)^6
```

maxima [B] time = 1.79, size = 2981, normalized size = 16.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algor
ithm="maxima")
```

```
[Out] 1/96*(6*(2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)^(1/4)*((cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(2*d*x +
2*c) - (cos(2*d*x + 2*c) - 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c)))) + sin(2*d*x + 2*c))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c) + 1)) + ((cos(2*d*x + 2*c) - 2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c)))) + sin(2*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d
*x + 2*c)))) - cos(2*d*x + 2*c) + 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c) + 1)))*sqrt(a) + 3*sqrt(a)*(arctan2((cos(2*d*x + 2*c)^2 + sin(2
*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
+ 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*a
rctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d
*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arc
tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - arctan2((cos(2*d*x + 2*c)
^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*
d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))
*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2
+ sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(
2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*s
in(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 1) - arctan2((cos(2*
```



```

3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*
d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c))) + 1)) + 1) + arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*co
s(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arcta
n2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c)
, cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)
))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*co
s(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3
*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) - 1))) * B) / d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{3/2} (A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2),x)
```

```
[Out] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.168 \quad \int \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx$$

Optimal. Leaf size=131

$$\frac{\sqrt{a}(4A + 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a(4A + 3B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d \sqrt{a \cos(c + dx) + a}} + \frac{aB \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{2d \sqrt{a \cos(c + dx) + a}}$$

[Out] 1/4*(4*A+3*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*a^(1/2)/d+1/2*a*B*cos(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/4*a*(4*A+3*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.23, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, number of rules / integrand size = 0.114, Rules used = {2981, 2770, 2774, 216}

$$\frac{\sqrt{a}(4A + 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a(4A + 3B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d \sqrt{a \cos(c + dx) + a}} + \frac{aB \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{2d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] (Sqrt[a]*(4*A + 3*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(4*d) + (a*(4*A + 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]) + (a*B*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*Sqrt[a + a*Cos[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2981

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)} \sqrt{a+a\cos(c+dx)} (A+B\cos(c+dx)) dx &= \frac{aB \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} + \frac{1}{4}(4A+3B) \int \sqrt{\cos(c+dx)} \sqrt{a+a\cos(c+dx)} dx \\
&= \frac{a(4A+3B)\sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{aB \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} \\
&= \frac{a(4A+3B)\sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{aB \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} \\
&= \frac{\sqrt{a}(4A+3B) \sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{4d} + \frac{a(4A+3B)\sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 100, normalized size = 0.76

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)} \left(\sqrt{2}(4A+3B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right) + 2 \sin\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)}}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]), x]

[Out] (Sqrt[a*(1 + Cos[c + d*x])] * Sec[(c + d*x)/2] * (Sqrt[2]*(4*A + 3*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(4*A + 3*B + 2*B*Cos[c + d*x]))*Sin[(c + d*x)/2])/(8*d)

fricas [A] time = 1.03, size = 117, normalized size = 0.89

$$\frac{(2B \cos(dx+c) + 4A + 3B)\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)} \sin(dx+c) - ((4A + 3B) \cos(dx+c) + 4A + 3B)\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{4(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)), x, algorithm="fricas")

[Out] 1/4*((2*B*cos(d*x + c) + 4*A + 3*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - ((4*A + 3*B)*cos(d*x + c) + 4*A + 3*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(d*cos(d*x + c) + d)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.28, size = 284, normalized size = 2.17

$$(-1 + \cos(dx + c))^2 \left(4A \sin(dx + c) \cos(dx + c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} + 4A \sin(dx + c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} + 2B \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)

[Out] 1/4/d*(-1+cos(d*x+c))^2*(4*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+4*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+2*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+4*A*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+3*B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^(1/2)*(a*(1+cos(d*x+c)))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/sin(d*x+c)^4

maxima [B] time = 1.37, size = 1851, normalized size = 14.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/16*(4*(2*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - (cos(d*x + c) - 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(a) + sqrt(a)*(arctan2(-(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + 1) - arctan2(-(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - 1) - arctan2((cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + arctan2((cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1)))*A + (2*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c) - (cos(2*d*x + 2*c) - 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(2*d*x + 2*c))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + ((cos(2*d*x + 2*c) - 2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(2*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - cos(2*d*x + 2*c) + 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) * sqrt(a) + 3*sqrt(a)*(arctan2((cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(

$$\begin{aligned}
& (2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), \\
& (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), \\
& (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), \\
& (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) + \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), \\
& (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1))) \cdot B) / d
\end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\cos(c + dx)} (A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2), x)

[Out] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} (A + B \cos(c + dx)) \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)), x)

[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))*sqrt(cos(c + d*x)), x)

$$3.169 \quad \int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=78

$$\frac{\sqrt{a}(2A+B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{aB \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}}$$

[Out] (2*A+B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*a^(1/2)/d+a*B*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.17, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2981, 2774, 216}

$$\frac{\sqrt{a}(2A+B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{aB \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] (Sqrt[a]*(2*A + B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/d + (a*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2981

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\int \frac{\sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx = \frac{aB\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{1}{2}(2A + B) \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{aB\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(2A + B) \text{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{a}}} dx, x, \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} \right)}{d}$$

$$= \frac{\sqrt{a} (2A + B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} + \frac{aB\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.16, size = 83, normalized size = 1.06

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2} (2A + B) \sin^{-1} \left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right) \right) \right) + 2B \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] (Sqrt[a*(1 + Cos[c + d*x])] * Sec[(c + d*x)/2] * (Sqrt[2]*(2*A + B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*B*Sqrt[Cos[c + d*x]]*Sin[(c + d*x)/2]))/(2*d)

fricas [A] time = 1.01, size = 97, normalized size = 1.24

$$\frac{\sqrt{a \cos(dx + c) + a} B \sqrt{\cos(dx + c)} \sin(dx + c) - ((2A + B) \cos(dx + c) + 2A + B) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)}\right)}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x, algorithm="fricas")

[Out] (sqrt(a*cos(d*x + c) + a)*B*sqrt(cos(d*x + c))*sin(d*x + c) - ((2*A + B)*cos(d*x + c) + 2*A + B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(d*cos(d*x + c) + d)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.25, size = 164, normalized size = 2.10

$$\frac{(-1 + \cos(dx + c)) \left(B \sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + 2A \arctan\left(\frac{\sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}}{\cos(dx + c)}\right) + B \arctan\left(\frac{\sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}}{\cos(dx + c)}\right) \right)}{d \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sin(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x)`

[Out] `-1/d*(-1+cos(d*x+c))*(B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+2*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)))*cos(d*x+c)^(1/2)*(a*(1+cos(d*x+c))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/sin(d*x+c)^2`

maxima [B] time = 1.46, size = 939, normalized size = 12.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `1/4*(4*A*sqrt(a)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + cos(d*x + c)) + (2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(d*x + c) - (cos(d*x + c) - 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(a) + sqrt(a)*(arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + 1) - arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) - 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1)))*B)/d`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^(1/2),x)`

[Out] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))/sqrt(cos(c + d*x))  
, x)
```

$$3.170 \quad \int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=76

$$\frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2\sqrt{a} B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

[Out] $2*B*\arcsin(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)}}*a^{(1/2)}/d+2*a*A*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)}}$

Rubi [A] time = 0.16, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2980, 2774, 216}

$$\frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2\sqrt{a} B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]`

[Out] $(2*\text{Sqrt}[a]*B*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/\text{Sqrt}[a + a*\text{Cos}[c + d*x]])/d + (2*a*A*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 216

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rule 2774

`Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]`

Rule 2980

`Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]`

Rubi steps

$$\int \frac{\sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx = \frac{2aA \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + B \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2aA \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} - \frac{(2B) \operatorname{Subst} \left(\int \frac{1}{\sqrt{1 - \frac{x^2}{a}}} dx, x \right)}{d}$$

$$= \frac{2\sqrt{a} B \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} + \frac{2aA \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.17, size = 86, normalized size = 1.13

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(2A \sin\left(\frac{1}{2}(c + dx)\right) + \sqrt{2} B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)}}{d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (Sqrt[a*(1 + Cos[c + d*x])] * Sec[(c + d*x)/2] * (Sqrt[2] * B * ArcSin[Sqrt[2] * Sin[(c + d*x)/2]] * Sqrt[Cos[c + d*x]] + 2 * A * Sin[(c + d*x)/2])) / (d * Sqrt[Cos[c + d*x]])

fricas [A] time = 1.07, size = 109, normalized size = 1.43

$$\frac{2 \left(\sqrt{a \cos(dx + c) + a} A \sqrt{\cos(dx + c)} \sin(dx + c) - (B \cos(dx + c)^2 + B \cos(dx + c)) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx + c) + a}}{\sqrt{a} \sin(dx + c)}\right) \right)}{d \cos(dx + c)^2 + d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2), x, algorithm="fricas")

[Out] 2*(sqrt(a*cos(d*x + c) + a)*A*sqrt(cos(d*x + c))*sin(d*x + c) - (B*cos(d*x + c)^2 + B*cos(d*x + c))*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(d*cos(d*x + c)^2 + d*cos(d*x + c))

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.25, size = 109, normalized size = 1.43

$$\frac{2\sqrt{a(1 + \cos(dx + c))} \left(-B \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \arctan\left(\frac{\sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}}{\cos(dx + c)}\right) \sin(dx + c) + A \cos(dx + c) - A \right)}{d \sin(dx + c) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)`

[Out] `-2/d*(a*(1+cos(d*x+c)))^(1/2)*(-B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*sin(d*x+c)+A*cos(d*x+c)-A)/sin(d*x+c)/cos(d*x+c)^(1/2)`

maxima [B] time = 0.99, size = 245, normalized size = 3.22

$$B\sqrt{a} \arctan\left(\left(\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1\right)^{\frac{1}{4}} \sin\left(\frac{1}{2} \arctan(\sin(2dx+2c)), \cos(2dx+2c) + 1\right)\right) + \sin(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `(B*sqrt(a)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), sin(d*x + c), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + cos(d*x + c)) + 2*A*(sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(3/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(3/2)))/d`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)}}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^(3/2),x)`

[Out] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)}(A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)`

[Out] `Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))/cos(c + d*x)**(3/2), x)`

$$3.171 \quad \int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=85

$$\frac{2a(2A+3B) \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}}$$

[Out] $2/3*a*A*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+2/3*a*(2*A+3*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {2980, 2771}

$$\frac{2a(2A+3B) \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] $(2*a*A*\sin[c + d*x])/(3*d*\cos[c + d*x]^{(3/2)}*\sqrt{a + a*\cos[c + d*x]}) + (2*a*(2*A + 3*B)*\sin[c + d*x])/(3*d*\sqrt{\cos[c + d*x]}*\sqrt{a + a*\cos[c + d*x]})$

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] :> Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2980

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx &= \frac{2aA \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} + \frac{1}{3}(2A+3B) \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx \\ &= \frac{2aA \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} + \frac{2a(2A+3B) \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.15, size = 57, normalized size = 0.67

$$\frac{2 \tan\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)} ((2A+3B) \cos(c+dx)+A)}{3d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(A + (2*A + 3*B)*Cos[c + d*x])*Tan[(c + d*x)/2])/(3*d*Cos[c + d*x]^(3/2))

fricas [A] time = 0.78, size = 67, normalized size = 0.79

$$\frac{2((2A + 3B)\cos(dx + c) + A)\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)}\sin(dx + c)}{3(d\cos(dx + c)^3 + d\cos(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x, algorithm="fricas")

[Out] 2/3*((2*A + 3*B)*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.22, size = 62, normalized size = 0.73

$$\frac{2(-1 + \cos(dx + c))(2A \cos(dx + c) + 3B \cos(dx + c) + A)\sqrt{a(1 + \cos(dx + c))}}{3d \sin(dx + c) \cos(dx + c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x)

[Out] -2/3/d*(-1+cos(d*x+c))*(2*A*cos(d*x+c)+3*B*cos(d*x+c)+A)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)/cos(d*x+c)^(3/2)

maxima [B] time = 0.96, size = 289, normalized size = 3.40

$$2 \left(\frac{3B \left(\frac{\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) + A \left(\frac{3\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{4\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{3}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{3}{2}} + \frac{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(\frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}{3d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x, algorithm="maxima")

[Out] 2/3*(3*B*(sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(3/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(3/2)) + A*(3*sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - 4*sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + sqrt(2)*sqrt(a)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^2/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(3/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(3/2))

$1)^{(5/2)} * (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{(5/2)} * (2 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + 1)) / d$

mupad [B] time = 1.56, size = 112, normalized size = 1.32

$$\frac{2 \sqrt{a (\cos(c + dx) + 1)} (2 A \sin(c + dx) + 3 B \sin(c + dx) + 2 A \sin(2c + 2dx) + 2 A \sin(3c + 3dx) + 3 B \sin(2c + 2dx) + 3 B \sin(3c + 3dx))}{3 d \sqrt{\cos(c + dx)} (3 \cos(c + dx) + 2 \cos(2c + 2dx) + \cos(3c + 3dx) + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^(5/2),x)`

[Out] $(2 * (a * (\cos(c + dx) + 1))^{(1/2)} * (2 * A * \sin(c + dx) + 3 * B * \sin(c + dx) + 2 * A * \sin(2 * c + 2 * dx) + 2 * A * \sin(3 * c + 3 * dx) + 3 * B * \sin(3 * c + 3 * dx))) / (3 * d * \cos(c + dx)^{(1/2)} * (3 * \cos(c + dx) + 2 * \cos(2 * c + 2 * dx) + \cos(3 * c + 3 * dx) + 2))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a (\cos(c + dx) + 1)} (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)`

[Out] `Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))/cos(c + d*x)**(5/2), x)`

$$3.172 \quad \int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=130

$$\frac{2a(4A+5B) \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{4a(4A+5B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}}$$

[Out] $2/5*a*A*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}/(a+a*\cos(d*x+c))^{(1/2)}+2/15*a*(4*A+5*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+4/15*a*(4*A+5*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2980, 2772, 2771}

$$\frac{2a(4A+5B) \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{4a(4A+5B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] $(2*a*A*\sin[c + d*x])/(5*d*\cos[c + d*x]^{(5/2)}*\sqrt{a + a*\cos[c + d*x]}) + (2*a*(4*A + 5*B)*\sin[c + d*x])/(15*d*\cos[c + d*x]^{(3/2)}*\sqrt{a + a*\cos[c + d*x]}) + (4*a*(4*A + 5*B)*\sin[c + d*x])/(15*d*\sqrt{\cos[c + d*x]}*\sqrt{a + a*\cos[c + d*x]})$

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2980

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\int \frac{\sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx = \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{5}(4A + 5B) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a(4A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a(4A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.25, size = 78, normalized size = 0.60

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} ((4A + 5B) \cos(c + dx) + (4A + 5B) \cos(2(c + dx))) + 7A + 5B}{15d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(7*A + 5*B + (4*A + 5*B)*Cos[c + d*x] + (4*A + 5*B)*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/(15*d*Cos[c + d*x]^(5/2))

fricas [A] time = 1.02, size = 86, normalized size = 0.66

$$\frac{2 \left(2(4A + 5B) \cos(dx + c)^2 + (4A + 5B) \cos(dx + c) + 3A \right) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{15 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorithm="fricas")

[Out] 2/15*(2*(4*A + 5*B)*cos(d*x + c)^2 + (4*A + 5*B)*cos(d*x + c) + 3*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.24, size = 86, normalized size = 0.66

$$\frac{2(-1 + \cos(dx + c)) \left(8A \left(\cos^2(dx + c) \right) + 10B \left(\cos^2(dx + c) \right) + 4A \cos(dx + c) + 5B \cos(dx + c) + 3A \right) \sqrt{a(1 + \cos(dx + c))}}{15d \sin(dx + c) \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x)

[Out] $-2/15/d*(-1+\cos(dx+c))*(8*A*\cos(dx+c)^2+10*B*\cos(dx+c)^2+4*A*\cos(dx+c)+5*B*\cos(dx+c)+3*A)*(a*(1+\cos(dx+c)))^{1/2}/\sin(dx+c)/\cos(dx+c)^{5/2}$

maxima [B] time = 0.73, size = 428, normalized size = 3.29

$$2 \frac{\left(\frac{5B \left(\frac{3\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{4\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(\frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)} + \frac{A \left(\frac{15\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{25\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{17\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(\frac{3\sin(dx+c)^2}{(\cos(dx+c)+1)^2} \right)^2} \right) \frac{1}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(dx+c))^(1/2)*(A+B*cos(dx+c))/cos(dx+c)^(7/2), x, algorith="maxima")

[Out] $2/15*(5*B*(3*\sqrt{2}*\sqrt{a}*\sin(dx+c))/(\cos(dx+c)+1) - 4*\sqrt{2}*\sqrt{a}*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + \sqrt{2}*\sqrt{a}*\sin(dx+c)^5/(\cos(dx+c)+1)^5)*(\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 1)^2/((\sin(dx+c)/(\cos(dx+c)+1) + 1)^{5/2}*(-\sin(dx+c)/(\cos(dx+c)+1) + 1)^{5/2}*(2*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + \sin(dx+c)^4/(\cos(dx+c)+1)^4 + 1)) + A*(15*\sqrt{2}*\sqrt{a}*\sin(dx+c))/(\cos(dx+c)+1) - 25*\sqrt{2}*\sqrt{a}*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 17*\sqrt{2}*\sqrt{a}*\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 7*\sqrt{2}*\sqrt{a}*\sin(dx+c)^7/(\cos(dx+c)+1)^7)*(\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 1)^3/((\sin(dx+c)/(\cos(dx+c)+1) + 1)^{7/2}*(-\sin(dx+c)/(\cos(dx+c)+1) + 1)^{7/2}*(3*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 3*\sin(dx+c)^4/(\cos(dx+c)+1)^4 + \sin(dx+c)^6/(\cos(dx+c)+1)^6 + 1)))/d$

mupad [B] time = 3.25, size = 194, normalized size = 1.49

$$\frac{4\sqrt{a}(\cos(c+dx)+1)(14A\sin(c+dx)+10B\sin(c+dx)+8A\sin(2c+2dx)+18A\sin(3c+3dx))}{15d\sqrt{\cos(c+dx)}(10\cos(c+dx)+8\cos(2c+2dx)+6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A+B*cos(c+dx))*(a+a*cos(c+dx))^(1/2))/cos(c+dx)^(7/2), x)

[Out] $(4*(a*(\cos(c+dx)+1))^{1/2}*(14*A*\sin(c+dx)+10*B*\sin(c+dx)+8*A*\sin(2*c+2*d*x)+18*A*\sin(3*c+3*d*x)+4*A*\sin(4*c+4*d*x)+4*A*\sin(5*c+5*d*x)+10*B*\sin(2*c+2*d*x)+15*B*\sin(3*c+3*d*x)+5*B*\sin(4*c+4*d*x)+5*B*\sin(5*c+5*d*x)))/(15*d*\cos(c+dx)^{1/2}*(10*\cos(c+dx)+8*\cos(2*c+2*d*x)+6))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(dx+c))**(1/2)*(A+B*cos(dx+c))/cos(dx+c)**(7/2), x)

[Out] Timed out

$$3.173 \quad \int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

Optimal. Leaf size=175

$$\frac{8a(6A+7B) \sin(c+dx)}{105d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a(6A+7B) \sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{16a(6A+7B) \sin(c+dx)}{105d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)}}$$

[Out] 2/7*a*A*sin(d*x+c)/d/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2)+2/35*a*(6*A+7*B)*sin(d*x+c)/d/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2)+8/105*a*(6*A+7*B)*sin(d*x+c)/d/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+16/105*a*(6*A+7*B)*sin(d*x+c)/d/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.29, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2980, 2772, 2771}

$$\frac{8a(6A+7B) \sin(c+dx)}{105d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a(6A+7B) \sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{16a(6A+7B) \sin(c+dx)}{105d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]

[Out] (2*a*A*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Cos[c + d*x]]) + (2*a*(6*A + 7*B)*Sin[c + d*x])/(35*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]) + (8*a*(6*A + 7*B)*Sin[c + d*x])/(105*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) + (16*a*(6*A + 7*B)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] :> Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2980

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\int \frac{\sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx = \frac{2aA \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{7}(6A + 7B) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2aA \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a(6A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2aA \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a(6A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2aA \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a(6A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.40, size = 102, normalized size = 0.58

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} (9(6A + 7B) \cos(c + dx) + 2(6A + 7B) \cos(2(c + dx)) + 12A \cos(3(c + dx)))}{105d \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]

[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(27*A + 14*B + 9*(6*A + 7*B)*Cos[c + d*x] + 2*(6*A + 7*B)*Cos[2*(c + d*x)] + 12*A*Cos[3*(c + d*x)] + 14*B*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(105*d*Cos[c + d*x]^(7/2))

fricas [A] time = 0.96, size = 104, normalized size = 0.59

$$\frac{2(8(6A + 7B) \cos(dx + c)^3 + 4(6A + 7B) \cos(dx + c)^2 + 3(6A + 7B) \cos(dx + c) + 15A) \sqrt{a \cos(dx + c)}}{105(d \cos(dx + c)^5 + d \cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2), x, algorith="fricas")

[Out] 2/105*(8*(6*A + 7*B)*cos(d*x + c)^3 + 4*(6*A + 7*B)*cos(d*x + c)^2 + 3*(6*A + 7*B)*cos(d*x + c) + 15*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2), x, algorith="giac")

[Out] Timed out

maple [A] time = 0.24, size = 108, normalized size = 0.62

$$\frac{2(-1 + \cos(dx + c)) (48A (\cos^3(dx + c)) + 56B (\cos^3(dx + c)) + 24A (\cos^2(dx + c)) + 28B (\cos^2(dx + c)))}{105d \sin(dx + c) \cos(dx + c)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x)`

[Out] $-2/105/d*(-1+\cos(dx+c))*(48A*\cos(dx+c)^3+56B*\cos(dx+c)^3+24A*\cos(dx+c)^2+28B*\cos(dx+c)^2+18A*\cos(dx+c)+21B*\cos(dx+c)+15A)*(a*(1+\cos(dx+c)))^{1/2}/\sin(dx+c)/\cos(dx+c)^{7/2}$

maxima [B] time = 1.04, size = 522, normalized size = 2.98

$$2 \frac{\left(7B \left(\frac{15\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{25\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{17\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{7\sqrt{2}\sqrt{a}\sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^3 + 3A \left(\frac{35\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{70\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^2 \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^7 \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^7 \left(\frac{3\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right)} + \frac{3A \left(\frac{35\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{70\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^2 \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^9 \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} \right)}$$

105 d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="maxima")`

[Out] $2/105*(7*B*(15*\sqrt{2}*\sqrt{a}*\sin(dx+c))/(\cos(dx+c)+1) - 25*\sqrt{2}*\sqrt{a}*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 17*\sqrt{2}*\sqrt{a}*\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 7*\sqrt{2}*\sqrt{a}*\sin(dx+c)^7/(\cos(dx+c)+1)^7)*(\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 1)^3 / ((\sin(dx+c)/(\cos(dx+c)+1) + 1)^{7/2}*(-\sin(dx+c)/(\cos(dx+c)+1) + 1)^{7/2}*(3*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 3*\sin(dx+c)^4/(\cos(dx+c)+1)^4 + \sin(dx+c)^6/(\cos(dx+c)+1)^6 + 1)) + 3*A*(35*\sqrt{2}*\sqrt{a}*\sin(dx+c))/(\cos(dx+c)+1) - 70*\sqrt{2}*\sqrt{a}*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 84*\sqrt{2}*\sqrt{a}*\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 58*\sqrt{2}*\sqrt{a}*\sin(dx+c)^7/(\cos(dx+c)+1)^7 + 9*\sqrt{2}*\sqrt{a}*\sin(dx+c)^9/(\cos(dx+c)+1)^9*(\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 1)^4 / ((\sin(dx+c)/(\cos(dx+c)+1) + 1)^{9/2}*(-\sin(dx+c)/(\cos(dx+c)+1) + 1)^{9/2}*(4*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 6*\sin(dx+c)^4/(\cos(dx+c)+1)^4 + 4*\sin(dx+c)^6/(\cos(dx+c)+1)^6 + \sin(dx+c)^8/(\cos(dx+c)+1)^8 + 1))) / d$

mupad [B] time = 6.23, size = 479, normalized size = 2.74

$$\sqrt{a + a \left(\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2} \right)} \left(\frac{(96A+112B)1i}{105d} - \frac{Be^{c3i}}{3} \right) \sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}} + e^{c1i+dx1i} \sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}} + 3e^{c2i+dx2i} \sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}} + 3e^{c3i+dx3i} \sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/cos(c + d*x)^(9/2),x)`

[Out] $((a + a*(\exp(-c1i - dx1i)/2 + \exp(c1i + dx1i)/2))^{1/2} * (((96A + 112B)*1i)/(105*d) - (B*\exp(c3i + dx3i)*8i)/(3*d) + (B*\exp(c4i + dx4i)*8i)/(3*d) - (\exp(c7i + dx7i)*(96A + 112B)*1i)/(105*d) + (\exp(c2i + dx2i)*(336A + 392B)*1i)/(105*d) - (\exp(c5i + dx5i)*(336A + 392B)*1i)/(105*d))) / ((\exp(-c1i - dx1i)/2 + \exp(c1i + dx1i)/2)^{1/2} + \exp(c1i + dx1i)*(\exp(-c1i - dx1i)/2 + \exp(c1i + dx1i)/2)^{1/2} + 3*\exp(c2i + dx2i)*(\exp(-c1i - dx1i)/2 + \exp(c1i + dx1i)/2)^{1/2} + 3*\exp(c3i + dx3i)*(\exp(-c1i - dx1i)/2 + \exp(c1i + dx1i)/2)^{1/2} + 3*\exp(c4i + dx4i)*(\exp(-c1i - dx1i)/2 + \exp(c1i + dx1i)/2)^{1/2} + 3*\exp(c5i + dx5i)*(\exp(-c1i - dx1i)/2 + \exp(c1i + dx1i)/2)^{1/2} + \exp(c6i + dx6i)*(\exp(-c1i - dx1i)/2 + \exp(c1i + dx1i)/2)^{1/2} + \exp(c7i + dx7i)*(\exp(-c1i - dx1i)/2 + \exp(c1i + dx1i)/2)^{1/2})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

$$3.174 \quad \int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=227

$$\frac{a^{3/2}(88A + 75B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{a^2(8A + 9B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(88A + 75B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{96d\sqrt{a \cos(c + dx) + a}}$$

[Out] $1/64*a^{(3/2)}*(88*A+75*B)*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+1/96*a^2*(88*A+75*B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/24*a^2*(8*A+9*B)*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/64*a^2*(88*A+75*B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}+1/4*a*B*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.50, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2976, 2981, 2770, 2774, 216}

$$\frac{a^2(8A + 9B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(88A + 75B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{96d\sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(88A + 75B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]

[Out] $(a^{(3/2)}*(88*A + 75*B)*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/(64*d) + (a^2*(88*A + 75*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(64*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a^2*(88*A + 75*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(96*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a^2*(8*A + 9*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(24*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a*B*\text{Cos}[c + d*x]^{(5/2)}*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(4*d)$

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1) - (a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)]/f, x]


```

1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2981

```

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}(A + B \cos(c + dx)) dx &= \frac{aB \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{a^2(8A + 9B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} + \frac{aB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d} \\
&= \frac{a^2(88A + 75B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} + \frac{a^2(88A + 75B) \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} \\
&= \frac{a^2(88A + 75B) \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{a^2(88A + 75B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{64d} + \frac{a^2(88A + 75B)}{384d}
\end{aligned}$$

Mathematica [A] time = 1.12, size = 136, normalized size = 0.60

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(88A + 75B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}\right)}{384d}$$

Antiderivative was successfully verified.

```

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]
),x]

```

```

[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*(88*A + 75*B)*Arc
Sin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(296*A + 285*B + 2*(88
*A + 93*B)*Cos[c + d*x] + 4*(8*A + 15*B)*Cos[2*(c + d*x)] + 12*B*Cos[3*(c +
d*x)])*Sin[(c + d*x)/2]))/(384*d)

```

fricas [A] time = 1.17, size = 162, normalized size = 0.71

$$(48Ba \cos(dx + c)^3 + 8(8A + 15B)a \cos(dx + c)^2 + 2(88A + 75B)a \cos(dx + c) + 3(88A + 75B)a) \sqrt{a \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/192*((48*B*a*cos(d*x + c)^3 + 8*(8*A + 15*B)*a*cos(d*x + c)^2 + 2*(88*A + 75*B)*a*cos(d*x + c) + 3*(88*A + 75*B)*a)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 3*((88*A + 75*B)*a*cos(d*x + c) + (88*A + 75*B)*a)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*x + c) + d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2), x)

maple [B] time = 0.25, size = 429, normalized size = 1.89

$$a(-1 + \cos(dx + c))^3 \left(64A \sin(dx + c) (\cos^3(dx + c)) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} + 240A \sin(dx + c) (\cos^2(dx + c)) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)

[Out] -1/192/d*a*(-1+cos(d*x+c))^3*(64*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+240*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+48*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+440*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+120*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+264*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+150*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+225*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+264*A*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+225*B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)))*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^(3/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)/sin(d*x+c)^6

maxima [B] time = 3.18, size = 8904, normalized size = 39.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/768*(8*(4*(a*cos(3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))*sin(3*d*x + 3*c) - (a*cos(3*d*x + 3*c) - a)*sin(3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)))*(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 +

$$\begin{aligned}
& \frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)) \Big)^2 + 2 \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) + 1 \Big)^{3/4} \Big((9a \cos(4dx + 4c))^2 \sin(4dx + 4c) + 9a \sin(4dx + 4c)^3 + 36(a \sin(4dx + 4c))^3 + (a \cos(4dx + 4c))^2 - 2a \cos(4dx + 4c) + a \Big) \sin(4dx + 4c) \Big) \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^2 + 36(a \sin(4dx + 4c))^3 + (a \cos(4dx + 4c))^2 + 2a \cos(4dx + 4c) + a \Big) \sin(4dx + 4c) \Big) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^2 + 9(2a \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \sin(4dx + 4c) + a \sin(4dx + 4c) - 2(a \cos(4dx + 4c) + a) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right)) \cos\left(\frac{3}{4} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) + 36(a \sin(4dx + 4c))^3 + (a \cos(4dx + 4c))^2 - a \cos(4dx + 4c) \Big) \sin(4dx + 4c) \Big) \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) + (8a \cos(4dx + 4c))^2 + 32(a \cos(4dx + 4c))^2 + a \sin(4dx + 4c)^2 - 2a \cos(4dx + 4c) + a \Big) \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^2 + 8a \sin(4dx + 4c)^2 + 32(a \cos(4dx + 4c))^2 + a \sin(4dx + 4c)^2 + 2a \cos(4dx + 4c) + a \Big) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^2 - 9a \cos(4dx + 4c) + 2(16a \cos(4dx + 4c))^2 + 16a \sin(4dx + 4c)^2 - 25a \cos(4dx + 4c) + 9a \Big) \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) - 2(64a \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \sin(4dx + 4c) + 25a \sin(4dx + 4c)) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big) \sin\left(\frac{3}{4} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) - 36(4a \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \sin(4dx + 4c)^2 + a \sin(4dx + 4c)^2) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big) \cos\left(\frac{3}{2} \arctan^2(\sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right), \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) + 1\right) - (9a \cos(4dx + 4c))^3 - 8a \cos(4dx + 4c)^2 + 4(9a \cos(4dx + 4c))^3 - 26a \cos(4dx + 4c)^2 + (9a \cos(4dx + 4c) - 8a) \sin(4dx + 4c)^2 + 25a \cos(4dx + 4c) - 8a \Big) \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^2 + (9a \cos(4dx + 4c) - 8a) \sin(4dx + 4c)^2 + 4(9a \cos(4dx + 4c))^3 + 10a \cos(4dx + 4c)^2 + (9a \cos(4dx + 4c) - 8a) \sin(4dx + 4c)^2 - 7a \cos(4dx + 4c) - 8a \Big) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^2 + (8a \cos(4dx + 4c))^2 + 32(a \cos(4dx + 4c))^2 + a \sin(4dx + 4c)^2 - 2a \cos(4dx + 4c) + a \Big) \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^2 + 8a \sin(4dx + 4c)^2 + 32(a \cos(4dx + 4c))^2 + a \sin(4dx + 4c)^2 + 2a \cos(4dx + 4c) + a \Big) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^2 - 9a \cos(4dx + 4c) + 2(16a \cos(4dx + 4c))^2 + 16a \sin(4dx + 4c)^2 - 25a \cos(4dx + 4c) + 9a \Big) \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) - 2(64a \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \sin(4dx + 4c) + 25a \sin(4dx + 4c)) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big) \cos\left(\frac{3}{4} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) + 4(9a \cos(4dx + 4c))^3 - 17a \cos(4dx + 4c)^2 + (9a \cos(4dx + 4c) - 8a) \sin(4dx + 4c)^2 + 8a \cos(4dx + 4c) \Big) \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) - 9(2a \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \sin(4dx + 4c) + a \sin(4dx + 4c) - 2(a \cos(4dx + 4c) + a) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right)) \sin\left(\frac{3}{4} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) - 4(4(9a \cos(4dx + 4c) - 8a) \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \sin(4dx + 4c) + (9a \cos(4dx + 4c) - 8a) \sin(4dx + 4c)) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big) \sin\left(\frac{3}{2} \arctan^2(\sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right), \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) + 1\right) \Big) \sqrt{a} - 2(\cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^2 + \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^2 + 2 \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) + 1 \Big)^{1/4} \Big((7a \cos(4dx + 4c))^2 \sin(4dx + 4c) + 7a \sin(4dx + 4c)^3 - 48(a \cos(4dx + 4c))^2 + a \sin(4dx + 4c)^2 + 2a \cos(4dx + 4c) + a \Big) \sin\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)^3 + 4(7a \sin(4dx + 4c))^3 + 7(a \cos(4dx + 4c))^2 - 2a \cos(4dx + 4c) + a \Big) \sin(4dx + 4c) - 68(a \cos(4dx + 4c))^2 + a \sin(4dx + 4c)^2 - 2a \cos(4dx + 4c) + a \Big) \sin\left(\frac{1}{4} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big) \cos\left(\frac{1}{2} \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))\right) \Big)
\end{aligned}$$

$$\begin{aligned}
& x + 4*c), \cos(4*d*x + 4*c)))^2 + 7*a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 4*(7*a*\sin(4*d*x + 4*c)^3 + 48*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + (7*a*\cos(4*d*x + 4*c)^2 + 14*a*\cos(4*d*x + 4*c) + 19*a)*\sin(4*d*x + 4*c) - 68*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(14*a*\sin(4*d*x + 4*c)^3 + 7*a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 14*(a*\cos(4*d*x + 4*c)^2 - a*\cos(4*d*x + 4*c)) * \sin(4*d*x + 4*c) - (136*a*\cos(4*d*x + 4*c)^2 + 136*a*\sin(4*d*x + 4*c)^2 - 129*a*\cos(4*d*x + 4*c) - 7*a)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(6*a*\cos(4*d*x + 4*c)^2 + 24*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 20*a*\sin(4*d*x + 4*c)^2 - 129*a*\sin(4*d*x + 4*c) * \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 8*(3*a*\cos(4*d*x + 4*c)^2 + 10*a*\sin(4*d*x + 4*c)^2 - 68*a*\sin(4*d*x + 4*c) * \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) - 3*a*\cos(4*d*x + 4*c) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 7*(a*\cos(4*d*x + 4*c) + a) * \cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - (68*a*\cos(4*d*x + 4*c)^2 + 68*a*\sin(4*d*x + 4*c)^2 + 7*a*\cos(4*d*x + 4*c)) * \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) - (7*a*\cos(4*d*x + 4*c)^3 - 48*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 56*a*\cos(4*d*x + 4*c)^2 + 4*(7*a*\cos(4*d*x + 4*c)^3 + 30*a*\cos(4*d*x + 4*c)^2 + (7*a*\cos(4*d*x + 4*c) + 44*a)*\sin(4*d*x + 4*c)^2 - 93*a*\cos(4*d*x + 4*c) - 44*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a) * \cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 56*a) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 7*(a*\cos(4*d*x + 4*c) + 8*a) * \sin(4*d*x + 4*c)^2 + 4*(7*a*\cos(4*d*x + 4*c)^3 + 70*a*\cos(4*d*x + 4*c)^2 + 7*(a*\cos(4*d*x + 4*c) + 8*a) * \sin(4*d*x + 4*c)^2 + 119*a*\cos(4*d*x + 4*c) - 12*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 44*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a) * \cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 56*a) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 - 7*a*\sin(4*d*x + 4*c) * \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 2*(14*a*\cos(4*d*x + 4*c)^3 + 92*a*\cos(4*d*x + 4*c)^2 + 2*(7*a*\cos(4*d*x + 4*c) + 53*a) * \sin(4*d*x + 4*c)^2 - 7*a*\sin(4*d*x + 4*c) * \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 112*a*\cos(4*d*x + 4*c) - (88*a*\cos(4*d*x + 4*c)^2 + 88*a*\sin(4*d*x + 4*c)^2 - 81*a*\cos(4*d*x + 4*c) - 7*a) * \cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - (44*a*\cos(4*d*x + 4*c)^2 + 44*a*\sin(4*d*x + 4*c)^2 + 7*a*\cos(4*d*x + 4*c)) * \cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 2*(96*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 * \sin(4*d*x + 4*c) + 81*a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 8*(44*a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) - (7*a*\cos(4*d*x + 4*c) + 53*a) * \sin(4*d*x + 4*c)) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 14*(a*\cos(4*d*x + 4*c) + 8*a) * \sin(4*d*x + 4*c) + 7*(a*\cos(4*d*x + 4*c) + a) * \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) * \sqrt{a} + 75*((a*\cos(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + a*\sin(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - a*\cos(4*d*x + 4*c)) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))
\end{aligned}$$

$$\begin{aligned}
& *c))) - 4*(4*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d \\
& *x + 4*c) + a*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))))*\arctan2(-(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 \\
& + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arcta \\
& n2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(1/2 \\
& *\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c))) + 1))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))) - \cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2*\arc \\
& tan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\\
& \sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))), (\cos(1/2*\arctan2(\sin(4*d*x + 4 \\
& *c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)} \\
& *(\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\cos(1/2*\arctan2(\sin(\\
& 1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c))) + 1)) + \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4 \\
& *d*x + 4*c)))*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))) + 1) - \\
& (a*\cos(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2 \\
& *a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
&))^2 + a*\sin(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 \\
& + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c)))^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - a*\cos(4*d*x + \\
& 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a*\cos(1/2 \\
& *\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a*\sin(4*d* \\
& x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\arctan2(-(c \\
& os(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), c \\
& os(4*d*x + 4*c))) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4 \\
& *c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
&)) + 1))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \cos(1/4*\arc \\
& tan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2*\arctan2(\sin(1/2*\arctan2(s \\
& in(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(\\
& 4*d*x + 4*c))) + 1))), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)) \\
&)^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\ar \\
& ctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)}*(\cos(1/4*\arctan2(\sin(\\
& 4*d*x + 4*c), \cos(4*d*x + 4*c)))*\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c))) + 1)) + \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2* \\
& arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arcta \\
& n2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))) - 1) - (a*\cos(4*d*x + 4*c)^2 \\
& + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + \\
& a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + a*\sin(4*d*x + 4 \\
& *c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4* \\
& c) + a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 4*(a*\cos(4 \\
& *d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - a*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\\
& \sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a*\cos(1/2*\arctan2(\sin(4*d*x + 4 \\
& *c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a*\sin(4*d*x + 4*c))*\sin(1/2*\arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\arctan2((\cos(1/2*\arctan2(\sin(4*d* \\
& x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^ \\
& (1/4)*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \\
& \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)), (\cos(1/2*\arcta \\
& n2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c \\
&), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c))) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) + 1) \\
& + (a*\cos(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - \\
& 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4* \\
& c)))^2 + a*\sin(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)
\end{aligned}$$

```

)^2 + 2*a*cos(4*d*x + 4*c) + a)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x
+ 4*c)))^2 + 4*(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 - a*cos(4*d*x
+ 4*c))*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) - 4*(4*a*cos(1
/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + a*sin(4*
d*x + 4*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*)*arctan2((
cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(si
n(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c),
cos(4*d*x + 4*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4
*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)
)) + 1)), (cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2
*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d
*x + 4*c), cos(4*d*x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(si
n(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4
*d*x + 4*c))) + 1)) - 1))*sqrt(a))*B/(4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4
*c)^2 - 2*cos(4*d*x + 4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x
+ 4*c)))^2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*
c) + 1)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x
+ 4*c)^2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*
cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 -
4*(4*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c)
+ sin(4*d*x + 4*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))))/
d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^{3/2} (A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2), x)

[Out] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)), x)

[Out] Timed out

$$3.175 \quad \int \sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$$

Optimal. Leaf size=180

$$\frac{a^{3/2}(14A+11B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(6A+7B) \sin(c+dx) \cos^2(c+dx)}{12d\sqrt{a \cos(c+dx)+a}} + \frac{a^2(14A+11B) \sin(c+dx) \sqrt{\cos(c+dx)}}{8d\sqrt{a \cos(c+dx)+a}}$$

[Out] 1/8*a^(3/2)*(14*A+11*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d + 1/12*a^2*(6*A+7*B)*cos(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+ 1/8*a^2*(14*A+11*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)+ 1/3*a*B*cos(d*x+c)^(3/2)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d

Rubi [A] time = 0.41, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2976, 2981, 2770, 2774, 216}

$$\frac{a^2(6A+7B) \sin(c+dx) \cos^2(c+dx)}{12d\sqrt{a \cos(c+dx)+a}} + \frac{a^{3/2}(14A+11B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(14A+11B) \sin(c+dx) \sqrt{\cos(c+dx)}}{8d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]

[Out] (a^(3/2)*(14*A + 11*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(8*d) + (a^2*(14*A + 11*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(8*d*Sqrt[a + a*Cos[c + d*x]]) + (a^2*(6*A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Cos[c + d*x]]) + (a*B*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +


```
b*d*(n + 1) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Ssin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx &= \frac{aB \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{a^2(6A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} + \frac{aB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\ &= \frac{a^2(14A + 11B) \sqrt{\cos(c + dx)} \sin(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} + \frac{a^2(14A + 11B) \sqrt{\cos(c + dx)} \sin(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^2(14A + 11B) \sqrt{\cos(c + dx)} \sin(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} + \frac{a^2(14A + 11B) \sqrt{\cos(c + dx)} \sin(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^{3/2}(14A + 11B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{a^2(14A + 11B) \sqrt{\cos(c + dx)} \sin(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.69, size = 119, normalized size = 0.66

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(14A + 11B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}\right)}{48d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^(3/2)*(A + B*cos[c + d*x]), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*(14*A + 11*B)*Arc
Sin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(42*A + 37*B + 2*(6*A
+ 11*B)*Cos[c + d*x] + 4*B*cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d)
```

fricas [A] time = 1.35, size = 144, normalized size = 0.80

$$\frac{(8Ba \cos(dx + c)^2 + 2(6A + 11B)a \cos(dx + c) + 3(14A + 11B)a) \sqrt{a \cos(dx + c)} \sqrt{\cos(dx + c)} \sin(dx + c)}{24(d \cos(dx + c) + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)), x, algor
ithm="fricas")
```

```
[Out] 1/24*((8*B*a*cos(d*x + c)^2 + 2*(6*A + 11*B)*a*cos(d*x + c) + 3*(14*A + 11*B)*a)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 3*((14*A + 11*B)*a*cos(d*x + c) + (14*A + 11*B)*a)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*x + c) + d)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c)), x)
```

maple [B] time = 0.35, size = 357, normalized size = 1.98

$$a(-1 + \cos(dx + c))^2 \left(12A \sin(dx + c) (\cos^2(dx + c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} + 54A \sin(dx + c) \cos(dx + c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] 1/24/d*a*(-1+cos(d*x+c))^2*(12*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+54*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+8*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+42*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+22*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+33*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+42*A*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+33*B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)))*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/sin(d*x+c)^4
```

maxima [B] time = 2.09, size = 3023, normalized size = 16.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/96*(6*(2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(2*d*x + 2*c) + a*sin(2*d*x + 2*c) - (a*cos(2*d*x + 2*c) - 6*a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (a*sin(2*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - a*cos(2*d*x + 2*c) + (a*cos(2*d*x + 2*c) - 6*a)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + 6*a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(a) + 7*(a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(si
```



```

s(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x +
3*c)))*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))
, cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + sin(1/3*arct
an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))) + 1))) - 1) - a*arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), co
s(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2
+ 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/
2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x
+ 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(
1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))),
cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + 1) + a*arctan2
((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(
sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c)
, cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*
c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2
/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3
*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(
sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos
(3*d*x + 3*c))) + 1)) - 1))*sqrt(a)*B)/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\cos(c + dx)} (A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2), x)

[Out] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)), x)

[Out] Timed out

$$3.176 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=133

$$\frac{a^{3/2}(12A + 7B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{4d} + \frac{a^2(4A + 5B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d \sqrt{a \cos(c+dx)+a}} + \frac{aB \sin(c+dx) \sqrt{\cos(c+dx)}}{2d} \sqrt{a}$$

[Out] 1/4*a^(3/2)*(12*A+7*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d+1/4*a^2*(4*A+5*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)+1/2*a*B*sin(d*x+c)*cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(1/2)/d

Rubi [A] time = 0.33, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2976, 2981, 2774, 216}

$$\frac{a^{3/2}(12A + 7B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{4d} + \frac{a^2(4A + 5B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d \sqrt{a \cos(c+dx)+a}} + \frac{aB \sin(c+dx) \sqrt{\cos(c+dx)}}{2d} \sqrt{a}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] (a^(3/2)*(12*A + 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]/(4*d) + (a^2*(4*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]) + (a*B*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2976

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]

/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{aB \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{a^2(4A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)}} + \frac{aB \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}{4d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^2(4A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)}} + \frac{aB \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}{4d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^{3/2}(12A + 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4d} + \frac{a^2(4A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.38, size = 101, normalized size = 0.76

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(12A + 7B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(Sqrt[2]*(12*A + 7*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(4*A + 7*B + 2*B*Cos[c + d*x])*Sin[(c + d*x)/2]))/(8*d)

fricas [A] time = 1.24, size = 125, normalized size = 0.94

$$\frac{(2Ba \cos(dx + c) + (4A + 7B)a) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - ((12A + 7B)a \cos(dx + c) + (12A + 7B)a)}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] 1/4*((2*B*a*cos(d*x + c) + (4*A + 7*B)*a)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - ((12*A + 7*B)*a*cos(d*x + c) + (12*A + 7*B)*a)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(d*cos(d*x + c) + d)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.31, size = 283, normalized size = 2.13

$$a(-1 + \cos(dx + c)) \left(4A \sin(dx + c) \cos(dx + c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} + 4A \sin(dx + c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} + 2B \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x)

[Out] $-1/4/d*a*(-1+\cos(d*x+c))*(4*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+4*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+2*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+7*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+12*A*\cos(d*x+c)*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+7*B*\cos(d*x+c)*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))*(a*(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c)^{1/2}/\sin(d*x+c)^2/(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}$

maxima [B] time = 1.68, size = 1884, normalized size = 14.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorith="maxima")

[Out] $1/16*(4*(2*(a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - (a*\cos(d*x + c) - a)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))))*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sqrt{a} + 3*(a*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) + 1) - a*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) - 1) - a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))*\sqrt{a})*A + (2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*((a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))\sin(2*d*x + 2*c) + a*\sin(2*d*x + 2*c) - (a*\cos(2*d*x + 2*c) - 6*a)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + (a*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - a*\cos(2*d*x + 2*c) + (a*\cos(2*d*x + 2*c) - 6*a)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 6*a)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))$

```
*c), cos(2*d*x + 2*c) + 1))*sqrt(a) + 7*(a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a))*B)/d
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^(1/2), x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a(\cos(c + dx) + 1))^{3/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2), x)
```

```
[Out] Integral((a*(cos(c + d*x) + 1))**(3/2)*(A + B*cos(c + d*x))/sqrt(cos(c + d*x)), x)
```


$$3.177 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=126

$$\frac{a^{3/2}(2A+3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^2(2A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx) \sqrt{a \cos(c+dx)}}{d \sqrt{\cos(c+dx)}}$$

[Out] a^(3/2)*(2*A+3*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d-a^2*(2*A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)+2*a*A*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(1/2)

Rubi [A] time = 0.33, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2975, 2981, 2774, 216}

$$\frac{a^{3/2}(2A+3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^2(2A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx) \sqrt{a \cos(c+dx)}}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (a^(3/2)*(2*A + 3*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/d - (a^2*(2*A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*A*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2975

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(b*c + a*d)), x] - Dist[b/(d*(n+1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1)*Simp[A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n+1))/(d*f*(2*n+3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1))]/(b

```
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos(c + dx)} dx \\ &= -\frac{a^2(2A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} \\ &= -\frac{a^2(2A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} \\ &= \frac{a^{3/2}(2A + 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} - \frac{a^2(2A - B)\sqrt{\cos(c + dx)}}{d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.33, size = 107, normalized size = 0.85

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(2A + 3B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + 2 \sin\left(\frac{1}{2}(c + dx)\right)}{2d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])] * Sec[(c + d*x)/2] * (Sqrt[2]*(2*A + 3*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] * Sqrt[Cos[c + d*x]] + 2*(2*A + B*Cos[c + d*x])*Sin[(c + d*x)/2])) / (2*d*Sqrt[Cos[c + d*x]])
```

fricas [A] time = 1.15, size = 135, normalized size = 1.07

$$\frac{(Ba \cos(dx + c) + 2Aa)\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - ((2A + 3B)a \cos(dx + c))^2 + (2A + 3B)a \cos(dx + c)}{d \cos(dx + c)^2 + d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2), x, algorithm="fricas")
```

```
[Out] ((B*a*cos(d*x + c) + 2*A*a)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - ((2*A + 3*B)*a*cos(d*x + c)^2 + (2*A + 3*B)*a*cos(d*x + c))*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/((d*cos(d*x + c)^2 + d*cos(d*x + c)))
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2), x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 0.28, size = 300, normalized size = 2.38

$$\sqrt{a(1 + \cos(dx + c))} \left(2A \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + 3B \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)

[Out] $1/d*(a*(1+\cos(d*x+c)))^{1/2}*(2*A*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+3*B*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+2*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+B*\cos(d*x+c)*\sin(d*x+c)+3*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+2*A*\sin(d*x+c)*a/(1+\cos(d*x+c))/\cos(d*x+c)^{1/2}$

maxima [B] time = 1.60, size = 1801, normalized size = 14.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorith="maxima")

[Out] $1/4*((2*(a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - (a*\cos(d*x + c) - a)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sqrt{a} + 3*(a*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 1) - a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 1) - a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))*\sqrt{a})*B + 2*((a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))$

$c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1) - a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 1) - a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) + a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)) (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sqrt{a} + 4(a \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - (a \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) \sqrt{a}) A / (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} / d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2}}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^(3/2), x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a(\cos(c + dx) + 1))^{3/2} (A + B \cos(c + dx))}{\cos^{3/2}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2), x)

[Out] Integral((a*(cos(c + d*x) + 1))**(3/2)*(A + B*cos(c + d*x))/cos(c + d*x)**(3/2), x)

$$3.178 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=125

$$\frac{2a^{3/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2a^2(4A+3B) \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d \cos^2(c+dx)}$$

[Out] 2*a^(3/2)*B*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d+2/3*a^2*(4*A+3*B)*sin(d*x+c)/d/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2)+2/3*a*A*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(3/2)

Rubi [A] time = 0.32, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2975, 2980, 2774, 216}

$$\frac{2a^2(4A+3B) \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2a^{3/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aA \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (2*a^(3/2)*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/d + (2*a^2*(4*A + 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]) + (2*a*A*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2975

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(b*c + a*d)), x] - Dist[b/(d*(n+1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1)*Simp[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2980

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]], x] + Dist[(A*b*d*(2*n+3) - B*(b*c

- 2*a*d*(n + 1))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] & NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^2(c + dx)} dx \\ &= \frac{2a^2(4A + 3B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{3d \cos^2(c + dx)} \\ &= \frac{2a^2(4A + 3B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{3d \cos^2(c + dx)} \\ &= \frac{2a^{3/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{2a^2(4A + 3B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.39, size = 106, normalized size = 0.85

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((5A + 3B) \cos(c + dx) + A) + 3\sqrt{2} B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{3d \cos^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + 2*(A + (5*A + 3*B)*Cos[c + d*x])*Sin[(c + d*x)/2]))/(3*d*Cos[c + d*x]^(3/2))

fricas [A] time = 0.88, size = 133, normalized size = 1.06

$$\frac{2\left(\left((5A + 3B)a \cos(dx + c) + Aa\right)\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 3\left(Ba \cos(dx + c)^3 + Ba \cos(dx + c)\right)\right)}{3\left(d \cos(dx + c)^3 + d \cos(dx + c)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x, algorithm="fricas")

[Out] 2/3*(((5*A + 3*B)*a*cos(d*x + c) + A*a)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 3*(B*a*cos(d*x + c)^3 + B*a*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.29, size = 211, normalized size = 1.69

$$2a\sqrt{a(1+\cos(dx+c))} \left(-3B \cos(dx+c) \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arctan \left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) - 3B \sin(dx+c) \right)$$

3a

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)

[Out] $-2/3/d*a*(a*(1+\cos(d*x+c)))^{1/2}*(-3*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))-3*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+5*A*\cos(d*x+c)^2+3*B*\cos(d*x+c)^2-4*A*\cos(d*x+c)-3*B*\cos(d*x+c)-A)/\sin(d*x+c)/\cos(d*x+c)^{3/2}$

maxima [B] time = 0.96, size = 1124, normalized size = 8.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] $1/6*(3*((a*\arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) - a*\arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 1) - a*\arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + a*\arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1)) * (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sqrt{a} + 4*(a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - (a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) * \sqrt{a} * B / (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} + 8*(3*\sqrt{2}) * a^{3/2} * \sin(d*x + c) / (\cos(d*x + c) + 1) - 5*$

```
sqrt(2)*a^(3/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 2*sqrt(2)*a^(3/2)*sin
(d*x + c)^5/(cos(d*x + c) + 1)^5*A/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^
(5/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(5/2))/d
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2}}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^(5/2), x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^(5/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a(\cos(c + dx) + 1))^{3/2} (A + B \cos(c + dx))}{\cos^{5/2}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2), x)
```

```
[Out] Integral((a*(cos(c + d*x) + 1))**(3/2)*(A + B*cos(c + d*x))/cos(c + d*x)**(
5/2), x)
```


$$3.179 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=134

$$\frac{2a^2(6A+5B) \sin(c+dx)}{15d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2(18A+25B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{5d \cos^2(c+dx)}$$

[Out] $2/15*a^2*(6*A+5*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)+2/15}$
 $5*a^2*(18*A+25*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)+2/5}$
 $a*A*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(5/2)}$

Rubi [A] time = 0.34, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2975, 2980, 2771}

$$\frac{2a^2(6A+5B) \sin(c+dx)}{15d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2(18A+25B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{5d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] $(2*a^2*(6*A + 5*B)*\sin[c + d*x])/(15*d*\cos[c + d*x]^{(3/2)}*\sqrt{a + a*\cos[c + d*x]}) + (2*a^2*(18*A + 25*B)*\sin[c + d*x])/(15*d*\sqrt{\cos[c + d*x]}*\sqrt{a + a*\cos[c + d*x]}) + (2*a*A*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(5*d*\cos[c + d*x]^{(5/2)})$

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2975

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(b*c + a*d)), x] - Dist[b/(d*(n+1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1)*Simp[A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2980

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1)))/(2*d*(n+1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n+1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx = \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2a^2(6A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{5d \cos^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2a^2(6A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(18A + 25B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.33, size = 80, normalized size = 0.60

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} (2(9A + 5B) \cos(c + dx) + (18A + 25B) \cos(2(c + dx)) + 24A + 25B)}{15d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(24*A + 25*B + 2*(9*A + 5*B)*Cos[c + d*x] + (18*A + 25*B)*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/(15*d*Cos[c + d*x]^(5/2))

fricas [A] time = 1.35, size = 88, normalized size = 0.66

$$\frac{2 \left((18A + 25B)a \cos(dx + c)^2 + (9A + 5B)a \cos(dx + c) + 3Aa \right) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{15 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorithm="fricas")

[Out] 2/15*((18*A + 25*B)*a*cos(d*x + c)^2 + (9*A + 5*B)*a*cos(d*x + c) + 3*A*a)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.23, size = 87, normalized size = 0.65

$$\frac{2a(-1 + \cos(dx + c)) \left(18A \left(\cos^2(dx + c) \right) + 25B \left(\cos^2(dx + c) \right) + 9A \cos(dx + c) + 5B \cos(dx + c) + 3A \right) \sqrt{a}}{15d \sin(dx + c) \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x)

[Out] $-2/15/d*a*(-1+\cos(d*x+c))*(18*A*\cos(d*x+c)^2+25*B*\cos(d*x+c)^2+9*A*\cos(d*x+c)+5*B*\cos(d*x+c)+3*A)*(a*(1+\cos(d*x+c)))^{(1/2)}/\sin(d*x+c)/\cos(d*x+c)^{(5/2)}$

maxima [B] time = 0.87, size = 344, normalized size = 2.57

$$4 \frac{\left(5 \left(\frac{3 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{5 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{2 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) B - 3 \left(\frac{5 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{2 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) A \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} + \frac{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(\frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} \right)}}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorith="maxima")

[Out] $4/15*(5*(3*\sqrt{2})*a^{(3/2)}*\sin(d*x+c)/(\cos(d*x+c)+1) - 5*\sqrt{2}*a^{(3/2)}*\sin(d*x+c)^3/(\cos(d*x+c)+1)^3 + 2*\sqrt{2}*a^{(3/2)}*\sin(d*x+c)^5/(\cos(d*x+c)+1)^5)*B/((\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{(5/2)}*(-\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{(5/2)}) + 3*(5*\sqrt{2}*a^{(3/2)}*\sin(d*x+c)/(\cos(d*x+c)+1) - 10*\sqrt{2}*a^{(3/2)}*\sin(d*x+c)^3/(\cos(d*x+c)+1)^3 + 7*\sqrt{2}*a^{(3/2)}*\sin(d*x+c)^5/(\cos(d*x+c)+1)^5 - 2*\sqrt{2}*a^{(3/2)}*\sin(d*x+c)^7/(\cos(d*x+c)+1)^7)*A*(\sin(d*x+c)^2/(\cos(d*x+c)+1)^2 + 1)^2/((\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{(7/2)}*(-\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{(7/2)}*(2*\sin(d*x+c)^2/(\cos(d*x+c)+1)^2 + \sin(d*x+c)^4/(\cos(d*x+c)+1)^4 + 1)))/d$

mapad [B] time = 3.09, size = 195, normalized size = 1.46

$$\frac{2a\sqrt{a(\cos(c+dx)+1)}(48A\sin(c+dx)+50B\sin(c+dx)+36A\sin(2c+2dx)+66A\sin(3c+3dx)+18A\sin(4c+4dx)+18A\sin(5c+5dx)+20B\sin(2c+2dx)+75B\sin(3c+3dx)+10B\sin(4c+4dx)+25B\sin(5c+5dx))}{15d\sqrt{\cos(c+dx)}(10\cos(c+dx)+8\cos(2c+2dx)+5\cos(3c+3dx)+2\cos(4c+4dx)+\cos(5c+5dx)+6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A+B*cos(c+d*x))*(a+a*cos(c+d*x))^(3/2))/cos(c+d*x)^(7/2),x)

[Out] $(2*a*(a*(\cos(c+d*x)+1))^{(1/2)}*(48*A*\sin(c+d*x)+50*B*\sin(c+d*x)+36*A*\sin(2*c+2*d*x)+66*A*\sin(3*c+3*d*x)+18*A*\sin(4*c+4*d*x)+18*A*\sin(5*c+5*d*x)+20*B*\sin(2*c+2*d*x)+75*B*\sin(3*c+3*d*x)+10*B*\sin(4*c+4*d*x)+25*B*\sin(5*c+5*d*x)))/(15*d*\cos(c+d*x)^{(1/2)}*(10*\cos(c+d*x)+8*\cos(2*c+2*d*x)+5*\cos(3*c+3*d*x)+2*\cos(4*c+4*d*x)+\cos(5*c+5*d*x)+6))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)

[Out] Timed out

$$3.180 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

Optimal. Leaf size=181

$$\frac{2a^2(52A + 63B) \sin(c + dx)}{105d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{4a^2(52A + 63B) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}}$$

[Out] 2/35*a^2*(8*A+7*B)*sin(d*x+c)/d/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2)+2/105*a^2*(52*A+63*B)*sin(d*x+c)/d/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+4/105*a^2*(52*A+63*B)*sin(d*x+c)/d/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2)+2/7*a*A*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(7/2)

Rubi [A] time = 0.43, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2975, 2980, 2772, 2771}

$$\frac{2a^2(52A + 63B) \sin(c + dx)}{105d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{4a^2(52A + 63B) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]

[Out] (2*a^2*(8*A + 7*B)*Sin[c + d*x])/(35*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(52*A + 63*B)*Sin[c + d*x])/(105*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) + (4*a^2*(52*A + 63*B)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]) + (2*a*A*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2))

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2975

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2980

```
Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx &= \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{7d \cos^{\frac{7}{2}}(c + dx)} \\ &= \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(52A + 63B)}{105d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(52A + 63B)}{105d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.54, size = 102, normalized size = 0.56

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} (3(78A + 77B) \cos(c + dx) + (52A + 63B) \cos(2(c + dx)) + 52A \cos(3(c + dx)))}{105d \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(82*A + 63*B + 3*(78*A + 77*B)*Cos[c + d*x] + (52*A + 63*B)*Cos[2*(c + d*x)] + 52*A*Cos[3*(c + d*x)] + 63*B*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(105*d*Cos[c + d*x]^(7/2))
```

fricas [A] time = 0.69, size = 107, normalized size = 0.59

$$\frac{2\left(2(52A + 63B)a \cos(dx + c)^3 + (52A + 63B)a \cos(dx + c)^2 + 3(13A + 7B)a \cos(dx + c) + 15Aa\right) \sqrt{a \cos(dx + c)}}{105\left(d \cos(dx + c)^5 + d \cos(dx + c)^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2), x, algorith="fricas")
```

```
[Out] 2/105*(2*(52*A + 63*B)*a*cos(d*x + c)^3 + (52*A + 63*B)*a*cos(d*x + c)^2 + 3*(13*A + 7*B)*a*cos(d*x + c) + 15*A*a)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.24, size = 109, normalized size = 0.60

$$\frac{2a(-1 + \cos(dx + c)) \left(104A \left(\cos^3(dx + c) \right) + 126B \left(\cos^3(dx + c) \right) + 52A \left(\cos^2(dx + c) \right) + 63B \left(\cos^2(dx + c) \right) \right)}{105d \sin(dx + c) \cos(dx + c)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x)

[Out] -2/105/d*a*(-1+cos(d*x+c))*(104*A*cos(d*x+c)^3+126*B*cos(d*x+c)^3+52*A*cos(d*x+c)^2+63*B*cos(d*x+c)^2+39*A*cos(d*x+c)+21*B*cos(d*x+c)+15*A)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)/cos(d*x+c)^(7/2)

maxima [B] time = 0.96, size = 481, normalized size = 2.66

$$4 \frac{\left(21 \left(\frac{5\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)}{\cos(dx+c)+1} - \frac{10\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{2\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) B \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2 + \left(\frac{105\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)}{\cos(dx+c)+1} - \frac{245\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{171\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{38\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) A \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(\frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)} + \frac{\left(\frac{105\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)}{\cos(dx+c)+1} - \frac{245\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{171\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{38\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) A \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left(\frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}$$

105 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="maxima")

[Out] 4/105*(21*(5*sqrt(2)*a^(3/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 10*sqrt(2)*a^(3/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 7*sqrt(2)*a^(3/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 2*sqrt(2)*a^(3/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)*B*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^2/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 1)) + (105*sqrt(2)*a^(3/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 245*sqrt(2)*a^(3/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 273*sqrt(2)*a^(3/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 171*sqrt(2)*a^(3/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 38*sqrt(2)*a^(3/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9)*A*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^3/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(9/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(9/2)*(3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + 1)))/d

mupad [B] time = 6.72, size = 236, normalized size = 1.30

$$\frac{\sqrt{a + a \cos(c + dx)} \left(-\frac{8ae^{\frac{c7i}{2} + \frac{dx7i}{2}} \sin\left(\frac{c}{2} + \frac{dx}{2}\right) (2A+3B)}{3d} + \frac{16ae^{\frac{c7i}{2} + \frac{dx7i}{2}} \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right) (13A+12B)}{15d} \right)}{6\sqrt{\cos(c + dx)} e^{\frac{c7i}{2} + \frac{dx7i}{2}} \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + 6\sqrt{\cos(c + dx)} e^{\frac{c7i}{2} + \frac{dx7i}{2}} \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right) + 2\sqrt{\cos(c + dx)} e^{\frac{c7i}{2} + \frac{dx7i}{2}} \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right) + 2\sqrt{\cos(c + dx)} e^{\frac{c7i}{2} + \frac{dx7i}{2}} \cos\left(\frac{7c}{2} + \frac{7dx}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^(9/2),x)

[Out] ((a + a*cos(c + d*x))^(1/2))*((16*a*exp((c*7i)/2 + (d*x*7i)/2)*sin((3*c)/2 + (3*d*x)/2)*(13*A + 12*B))/(15*d) - (8*a*exp((c*7i)/2 + (d*x*7i)/2)*sin(c/2 + (d*x)/2)*(2*A + 3*B))/(3*d) + (8*a*exp((c*7i)/2 + (d*x*7i)/2)*sin((7*c)/2 + (7*d*x)/2)*(13*A + 12*B))/(15*d)

$$2 + (7*d*x)/2*(52*A + 63*B)/(105*d)))/(6*\cos(c + d*x)^{(1/2)}*\exp((c*7i)/2 + (d*x*7i)/2)*\cos(c/2 + (d*x)/2) + 6*\cos(c + d*x)^{(1/2)}*\exp((c*7i)/2 + (d*x*7i)/2)*\cos((3*c)/2 + (3*d*x)/2) + 2*\cos(c + d*x)^{(1/2)}*\exp((c*7i)/2 + (d*x*7i)/2)*\cos((5*c)/2 + (5*d*x)/2) + 2*\cos(c + d*x)^{(1/2)}*\exp((c*7i)/2 + (d*x*7i)/2)*\cos((7*c)/2 + (7*d*x)/2))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(9/2),x)

[Out] Timed out

$$3.181 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=228

$$\frac{8a^2(34A + 39B) \sin(c + dx)}{315d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(34A + 39B) \sin(c + dx)}{105d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}}$$

[Out] 2/63*a^2*(10*A+9*B)*sin(d*x+c)/d/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2)+2/105*a^2*(34*A+39*B)*sin(d*x+c)/d/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2)+8/315*a^2*(34*A+39*B)*sin(d*x+c)/d/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+16/315*a^2*(34*A+39*B)*sin(d*x+c)/d/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2)+9*a*A*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(9/2)

Rubi [A] time = 0.51, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2975, 2980, 2772, 2771}

$$\frac{8a^2(34A + 39B) \sin(c + dx)}{315d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(34A + 39B) \sin(c + dx)}{105d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2), x]

[Out] (2*a^2*(10*A + 9*B)*Sin[c + d*x])/(63*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(34*A + 39*B)*Sin[c + d*x])/(105*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]) + (8*a^2*(34*A + 39*B)*Sin[c + d*x])/(315*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) + (16*a^2*(34*A + 39*B)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]) + (2*a*A*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(9*d*Cos[c + d*x]^(9/2))

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] :> Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2975

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A

, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2980

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^{11/2}(c + dx)} dx &= \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{9/2}(c + dx)} dx \\ &= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^{7/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{9d \cos^{9/2}(c + dx)} \\ &= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^{7/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(34A + 39B)}{105d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^{7/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(34A + 39B)}{105d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^{7/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(34A + 39B)}{105d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.69, size = 124, normalized size = 0.54

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} ((374A + 324B) \cos(c + dx) + 11(34A + 39B) \cos(2(c + dx)) + 68A \cos(3(c + dx)))}{315d \cos^{9/2}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2), x]

[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(376*A + 351*B + (374*A + 324*B)*Cos[c + d*x] + 11*(34*A + 39*B)*Cos[2*(c + d*x)] + 68*A*Cos[3*(c + d*x)] + 78*B*Cos[3*(c + d*x)] + 68*A*Cos[4*(c + d*x)] + 78*B*Cos[4*(c + d*x)])*Tan[(c + d*x)/2])/(315*d*Cos[c + d*x]^(9/2))

fricas [A] time = 0.85, size = 126, normalized size = 0.55

$$\frac{2(8(34A + 39B)a \cos(dx + c)^4 + 4(34A + 39B)a \cos(dx + c)^3 + 3(34A + 39B)a \cos(dx + c)^2 + 5(17A + 39B)a \cos(dx + c) + 2A^2)}{315(d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2), x, algo rithm="fricas")

[Out] $2/315*(8*(34*A + 39*B)*a*\cos(d*x + c)^4 + 4*(34*A + 39*B)*a*\cos(d*x + c)^3 + 3*(34*A + 39*B)*a*\cos(d*x + c)^2 + 5*(17*A + 9*B)*a*\cos(d*x + c) + 35*A*a)*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^6 + d*\cos(d*x + c)^5)$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algorithm="giac")`

[Out] Timed out

maple [A] time = 0.27, size = 131, normalized size = 0.57

$$\frac{2a(-1 + \cos(dx + c)) \left(272A \left(\cos^4(dx + c) \right) + 312B \left(\cos^4(dx + c) \right) + 136A \left(\cos^3(dx + c) \right) + 156B \left(\cos^3(dx + c) \right) \right)}{315d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x)`

[Out] $-2/315/d*a*(-1+\cos(d*x+c))*(272*A*\cos(d*x+c)^4+312*B*\cos(d*x+c)^4+136*A*\cos(d*x+c)^3+156*B*\cos(d*x+c)^3+102*A*\cos(d*x+c)^2+117*B*\cos(d*x+c)^2+85*A*\cos(d*x+c)+45*B*\cos(d*x+c)+35*A)*(a*(1+\cos(d*x+c)))^(1/2)/\sin(d*x+c)/\cos(d*x+c)^(9/2)$

maxima [B] time = 1.18, size = 573, normalized size = 2.51

$$4 \frac{\left(3 \left(\frac{105 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{245 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{273 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{171 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{38 \sqrt{2} a^2 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} \right) B \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^3 + \left(\frac{315 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left(\frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right)}$$

315 d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algorithm="maxima")`

[Out] $4/315*(3*(105*\sqrt{2}*a^(3/2)*\sin(d*x + c)/(\cos(d*x + c) + 1) - 245*\sqrt{2}*a^(3/2)*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 273*\sqrt{2}*a^(3/2)*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 171*\sqrt{2}*a^(3/2)*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7 + 38*\sqrt{2}*a^(3/2)*\sin(d*x + c)^9/(\cos(d*x + c) + 1)^9)*B*(\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 1)^3 + (315*\sqrt{2}*a^(3/2)*\sin(d*x + c)/(\cos(d*x + c) + 1) - 840*\sqrt{2}*a^(3/2)*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 1344*\sqrt{2}*a^(3/2)*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 1242*\sqrt{2}*a^(3/2)*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7 + 517*\sqrt{2}*a^(3/2)*\sin(d*x + c)^9/(\cos(d*x + c) + 1)^9 - 94*\sqrt{2}*a^(3/2)*\sin(d*x + c)^11/(\cos(d*x + c) + 1)^11)*A*(\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 1)^4/((\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^(11/2))*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^(11/2)*(4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 6*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 4*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + \sin(d*x + c)^8/(\cos(d*x + c) + 1)^8 + 1))/d$

mupad [B] time = 7.02, size = 289, normalized size = 1.27

$$\frac{\sqrt{a + a \cos(c + dx)} \left(-\frac{16 B a e^{\frac{c9i}{2} + \frac{dx9i}{2}} \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right)}{3d} + \frac{16 a e^{\frac{c9i}{2} + \frac{dx9i}{2}} \sin\left(\frac{5c}{2} + \frac{5dx}{2}\right)}{35d} \right)}{12 \sqrt{\cos(c + dx)} e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + 8 \sqrt{\cos(c + dx)} e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right) + 8 \sqrt{\cos(c + dx)} e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/cos(c + d*x)^(11/2), x)

[Out] ((a + a*cos(c + d*x))^(1/2)*((16*a*exp((c*9i)/2 + (d*x*9i)/2)*sin((5*c)/2 + (5*d*x)/2)*(34*A + 39*B))/(35*d) - (16*B*a*exp((c*9i)/2 + (d*x*9i)/2)*sin((3*c)/2 + (3*d*x)/2))/(3*d) + (32*a*exp((c*9i)/2 + (d*x*9i)/2)*sin((9*c)/2 + (9*d*x)/2)*(34*A + 39*B))/(315*d) + (96*a*exp((c*9i)/2 + (d*x*9i)/2)*sin(c/2 + (d*x)/2)*(A + B))/(5*d)))/(12*cos(c + d*x)^(1/2)*exp((c*9i)/2 + (d*x*9i)/2)*cos(c/2 + (d*x)/2) + 8*cos(c + d*x)^(1/2)*exp((c*9i)/2 + (d*x*9i)/2)*cos((3*c)/2 + (3*d*x)/2) + 8*cos(c + d*x)^(1/2)*exp((c*9i)/2 + (d*x*9i)/2)*cos((5*c)/2 + (5*d*x)/2) + 2*cos(c + d*x)^(1/2)*exp((c*9i)/2 + (d*x*9i)/2)*cos((7*c)/2 + (7*d*x)/2) + 2*cos(c + d*x)^(1/2)*exp((c*9i)/2 + (d*x*9i)/2)*cos((9*c)/2 + (9*d*x)/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(11/2), x)

[Out] Timed out

$$3.182 \quad \int \cos^2(c+dx)(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=274

$$\frac{a^{5/2}(326A + 283B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{128d} + \frac{a^3(170A + 157B) \sin(c+dx) \cos^2(c+dx)}{240d\sqrt{a \cos(c+dx)+a}} + \frac{a^3(326A + 283B) \sin(c+dx)}{192d\sqrt{a \cos(c+dx)+a}}$$

[Out] 1/128*a^(5/2)*(326*A+283*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d+1/5*a*B*cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/d+1/192*a^3*(326*A+283*B)*cos(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/240*a^3*(170*A+157*B)*cos(d*x+c)^(5/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+1/128*a^3*(326*A+283*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)+1/40*a^2*(10*A+13*B)*cos(d*x+c)^(5/2)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d

Rubi [A] time = 0.71, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2976, 2981, 2770, 2774, 216}

$$\frac{a^3(170A + 157B) \sin(c+dx) \cos^2(c+dx)}{240d\sqrt{a \cos(c+dx)+a}} + \frac{a^3(326A + 283B) \sin(c+dx) \cos^2(c+dx)}{192d\sqrt{a \cos(c+dx)+a}} + \frac{a^2(10A + 13B) \sin(c+dx)}{192d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]

[Out] (a^(5/2)*(326*A + 283*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(128*d) + (a^3*(326*A + 283*B)*Sqrt[Cos[c + d*x]*Sin[c + d*x]])/(128*d*Sqrt[a + a*Cos[c + d*x]]) + (a^3*(326*A + 283*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Cos[c + d*x]]) + (a^3*(170*A + 157*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(240*d*Sqrt[a + a*Cos[c + d*x]]) + (a^2*(10*A + 13*B)*Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]*Sin[c + d*x])/(40*d) + (a*B*Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx &= \frac{aB \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{a^2(10A + 13B) \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}}{40d} \\ &= \frac{a^3(170A + 157B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)}} + \frac{a^2}{120d} \\ &= \frac{a^3(326A + 283B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{192d \sqrt{a + a \cos(c + dx)}} + \frac{a^2}{120d} \\ &= \frac{a^3(326A + 283B) \sqrt{\cos(c + dx)} \sin(c + dx)}{128d \sqrt{a + a \cos(c + dx)}} + \frac{a^2}{120d} \\ &= \frac{a^3(326A + 283B) \sqrt{\cos(c + dx)} \sin(c + dx)}{128d \sqrt{a + a \cos(c + dx)}} + \frac{a^2}{120d} \\ &= \frac{a^{5/2}(326A + 283B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{128d} + \frac{a^2}{120d} \end{aligned}$$

Mathematica [A] time = 1.98, size = 159, normalized size = 0.58

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(15\sqrt{2}(326A + 283B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)\right)}{120d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]
),x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(15*Sqrt[2]*(326*A + 283*B
)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(5810*A + 5521*B
```

+ (3620*A + 3874*B)*Cos[c + d*x] + 4*(230*A + 331*B)*Cos[2*(c + d*x)] + 120*A*Cos[3*(c + d*x)] + 348*B*Cos[3*(c + d*x)] + 48*B*Cos[4*(c + d*x)]*Sin[(c + d*x)/2]))/(3840*d)

fricas [A] time = 1.20, size = 194, normalized size = 0.71

$$(384 B a^2 \cos(dx + c)^4 + 48(10 A + 29 B) a^2 \cos(dx + c)^3 + 8(230 A + 283 B) a^2 \cos(dx + c)^2 + 10(326 A + 283 B) a^2 \cos(dx + c) + 15(326 A + 283 B) a^2) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 15((326 A + 283 B) a^2 \cos(dx + c) + (326 A + 283 B) a^2) \sqrt{a} \arctan(\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}) / (\sqrt{a} \sin(dx + c)))/ (d \cos(dx + c) + d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/1920*((384*B*a^2*cos(d*x + c)^4 + 48*(10*A + 29*B)*a^2*cos(d*x + c)^3 + 8*(230*A + 283*B)*a^2*cos(d*x + c)^2 + 10*(326*A + 283*B)*a^2*cos(d*x + c) + 15*(326*A + 283*B)*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(dx + c) - 15*((326*A + 283*B)*a^2*cos(d*x + c) + (326*A + 283*B)*a^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c)))/(sqrt(a)*sin(dx + c)))/(d*cos(dx + c) + d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2), x)

maple [B] time = 0.26, size = 503, normalized size = 1.84

$$a^2 (-1 + \cos(dx + c))^3 \left(480 A \sin(dx + c) (\cos^4(dx + c)) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} + 2320 A \sin(dx + c) (\cos^3(dx + c)) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)

[Out] -1/1920/d*a^2*(-1+cos(d*x+c))^3*(480*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+2320*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+384*B*sin(d*x+c)*cos(d*x+c)^5*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+5100*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+1392*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+8150*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+2264*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+4890*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+2830*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+4245*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+4890*A*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+4245*B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)))*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^(3/2)/sin(d*x+c)^6/(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] Timed out
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^{3/2} (A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2),x)
```

```
[Out] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.183 \quad \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx$$

Optimal. Leaf size=227

$$\frac{a^{5/2}(200A + 163B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{a^3(104A + 95B) \sin(c + dx) \cos^2(c + dx)}{96d\sqrt{a \cos(c + dx) + a}} + \frac{a^3(200A + 163B) \sin(c + dx)}{64d\sqrt{a \cos(c + dx) + a}}$$

[Out] $1/64*a^{(5/2)}*(200*A+163*B)*\arcsin(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)}}/d+1/4*a*B*\cos(d*x+c)^{(3/2)}*(a+a*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+1/96*a^3*(104*A+95*B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/64*a^3*(200*A+163*B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}+1/24*a^2*(8*A+11*B)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.71, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2976, 2981, 2770, 2774, 216}

$$\frac{a^3(104A + 95B) \sin(c + dx) \cos^2(c + dx)}{96d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(8A + 11B) \sin(c + dx) \cos^2(c + dx)\sqrt{a \cos(c + dx) + a}}{24d} + \frac{a^{5/2}(200A + 163B) \sin(c + dx)}{64d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]

[Out] $(a^{(5/2)}*(200*A + 163*B)*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/(64*d) + (a^3*(200*A + 163*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/((64*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a^3*(104*A + 95*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/((96*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a^2*(8*A + 11*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/((24*d) + (a*B*\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/((4*d)$

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +


```

1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x]
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2981

```

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx &= \frac{aB \cos^2(c + dx)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{4d} \\
&= \frac{a^2(8A + 11B) \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}}{24d} \\
&= \frac{a^3(104A + 95B) \cos^2(c + dx) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} + \frac{a^2}{96d} \\
&= \frac{a^3(200A + 163B) \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{a^2}{96d} \\
&= \frac{a^3(200A + 163B) \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{a^2}{96d} \\
&= \frac{a^{5/2}(200A + 163B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{64d} + \frac{a^3}{96d}
\end{aligned}$$

Mathematica [A] time = 1.25, size = 137, normalized size = 0.60

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(200A + 163B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)\right)}{384d}$$

38

Antiderivative was successfully verified.

```

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]
), x]

```

```

[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*(200*A + 163*B)
*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(632*A + 581*B + (
272*A + 362*B)*Cos[c + d*x] + 4*(8*A + 23*B)*Cos[2*(c + d*x)] + 12*B*Cos[3*
(c + d*x)]*Sin[(c + d*x)/2])))/(384*d)

```

fricas [A] time = 1.28, size = 174, normalized size = 0.77

$$(48 B a^2 \cos(dx + c)^3 + 8(8 A + 23 B) a^2 \cos(dx + c)^2 + 2(136 A + 163 B) a^2 \cos(dx + c) + 3(200 A + 163 B) a^2) \sqrt{a + a \cos(dx + c)} \sin^{-1}\left(\frac{\sqrt{a} \sin(dx + c)}{\sqrt{a + a \cos(dx + c)}}\right) + \frac{a^3}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/192*((48*B*a^2*cos(d*x + c)^3 + 8*(8*A + 23*B)*a^2*cos(d*x + c)^2 + 2*(13*6*A + 163*B)*a^2*cos(d*x + c) + 3*(200*A + 163*B)*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 3*((200*A + 163*B)*a^2*cos(d*x + c) + (200*A + 163*B)*a^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c)))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*x + c) + d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c)), x)

maple [B] time = 0.20, size = 431, normalized size = 1.90

$$a^2 (-1 + \cos(dx + c))^2 \left(64A \sin(dx + c) (\cos^3(dx + c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} + 336A \sin(dx + c) (\cos^2(dx + c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)

[Out] 1/192/d*a^2*(-1+cos(d*x+c))^2*(64*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+336*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+48*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+872*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+184*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+600*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+326*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+489*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+600*A*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+489*B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)))*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^(1/2)/sin(d*x+c)^4/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)

maxima [B] time = 2.90, size = 9415, normalized size = 41.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/768*(8*(4*(a^2*cos(3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))*sin(3*d*x + 3*c) - (a^2*cos(3*d*x + 3*c) - a^2)*sin(3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))

$$\begin{aligned}
& x + 4*c))^{2} + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + 2*c \\
& \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(3/4)}*((3*a^{2}*\cos(\\
& 4*d*x + 4*c)^{2}*\sin(4*d*x + 4*c) + 3*a^{2}*\sin(4*d*x + 4*c)^{3} + 12*(a^{2}*\sin(4* \\
& d*x + 4*c)^{3} + (a^{2}*\cos(4*d*x + 4*c)^{2} - 2*a^{2}*\cos(4*d*x + 4*c) + a^{2})*\sin(\\
& 4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + 12*(\\
& a^{2}*\sin(4*d*x + 4*c)^{3} + (a^{2}*\cos(4*d*x + 4*c)^{2} + 2*a^{2}*\cos(4*d*x + 4*c) + \\
& a^{2})*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)) \\
&)^{2} + 3*(2*a^{2}*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d \\
& *x + 4*c) + a^{2}*\sin(4*d*x + 4*c) - 2*(a^{2}*\cos(4*d*x + 4*c) + a^{2})*\sin(1/2*a \\
& rctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(3/4*\arctan2(\sin(4*d*x + 4* \\
& c), \cos(4*d*x + 4*c))) + 12*(a^{2}*\sin(4*d*x + 4*c)^{3} + (a^{2}*\cos(4*d*x + 4*c) \\
& ^{2} - a^{2}*\cos(4*d*x + 4*c))*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4* \\
& c), \cos(4*d*x + 4*c))) + (8*a^{2}*\cos(4*d*x + 4*c)^{2} + 8*a^{2}*\sin(4*d*x + 4*c) \\
& ^{2} - 3*a^{2}*\cos(4*d*x + 4*c) + 32*(a^{2}*\cos(4*d*x + 4*c)^{2} + a^{2}*\sin(4*d*x + \\
& 4*c)^{2} - 2*a^{2}*\cos(4*d*x + 4*c) + a^{2})*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), co \\
& s(4*d*x + 4*c)))^{2} + 32*(a^{2}*\cos(4*d*x + 4*c)^{2} + a^{2}*\sin(4*d*x + 4*c)^{2} + \\
& 2*a^{2}*\cos(4*d*x + 4*c) + a^{2})*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c)))^{2} + 2*(16*a^{2}*\cos(4*d*x + 4*c)^{2} + 16*a^{2}*\sin(4*d*x + 4*c)^{2} - 19*a \\
& ^{2}*\cos(4*d*x + 4*c) + 3*a^{2})*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c))) - 2*(64*a^{2}*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin \\
& (4*d*x + 4*c) + 19*a^{2}*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \\
& 12*(4*a^{2}*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + \\
& 4*c)^{2} + a^{2}*\sin(4*d*x + 4*c)^{2})*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c)))*\cos(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) - (3*a^{2}* \\
& \cos(4*d*x + 4*c)^{3} - 8*a^{2}*\cos(4*d*x + 4*c)^{2} + 4*(3*a^{2}*\cos(4*d*x + 4*c)^{3} \\
& - 14*a^{2}*\cos(4*d*x + 4*c)^{2} + 19*a^{2}*\cos(4*d*x + 4*c) + (3*a^{2}*\cos(4*d*x + \\
& 4*c) - 8*a^{2})*\sin(4*d*x + 4*c)^{2} - 8*a^{2})*\cos(1/2*\arctan2(\sin(4*d*x + 4*c) \\
& , \cos(4*d*x + 4*c)))^{2} + (3*a^{2}*\cos(4*d*x + 4*c) - 8*a^{2})*\sin(4*d*x + 4*c)^{2} \\
& + 4*(3*a^{2}*\cos(4*d*x + 4*c)^{3} - 2*a^{2}*\cos(4*d*x + 4*c)^{2} - 13*a^{2}*\cos(4*d \\
& *x + 4*c) + (3*a^{2}*\cos(4*d*x + 4*c) - 8*a^{2})*\sin(4*d*x + 4*c)^{2} - 8*a^{2})*\si \\
& n(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + (8*a^{2}*\cos(4*d*x + 4 \\
& *c)^{2} + 8*a^{2}*\sin(4*d*x + 4*c)^{2} - 3*a^{2}*\cos(4*d*x + 4*c) + 32*(a^{2}*\cos(4*d \\
& *x + 4*c)^{2} + a^{2}*\sin(4*d*x + 4*c)^{2} - 2*a^{2}*\cos(4*d*x + 4*c) + a^{2})*\cos(1/ \\
& 2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + 32*(a^{2}*\cos(4*d*x + 4*c) \\
& ^{2} + a^{2}*\sin(4*d*x + 4*c)^{2} + 2*a^{2}*\cos(4*d*x + 4*c) + a^{2})*\sin(1/2*\arctan2 \\
& (\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + 2*(16*a^{2}*\cos(4*d*x + 4*c)^{2} + 16 \\
& *a^{2}*\sin(4*d*x + 4*c)^{2} - 19*a^{2}*\cos(4*d*x + 4*c) + 3*a^{2})*\cos(1/2*\arctan2(\\
& \sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(64*a^{2}*\cos(1/2*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 19*a^{2}*\sin(4*d*x + 4*c))*\sin(\\
& 1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\cos(3/4*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c))) + 4*(3*a^{2}*\cos(4*d*x + 4*c)^{3} - 11*a^{2}*\cos(4*d* \\
& x + 4*c)^{2} + 8*a^{2}*\cos(4*d*x + 4*c) + (3*a^{2}*\cos(4*d*x + 4*c) - 8*a^{2})*\sin(\\
& 4*d*x + 4*c)^{2})*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 3*(2 \\
& *a^{2}*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) \\
& + a^{2}*\sin(4*d*x + 4*c) - 2*(a^{2}*\cos(4*d*x + 4*c) + a^{2})*\sin(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4* \\
& d*x + 4*c))) - 4*(4*(3*a^{2}*\cos(4*d*x + 4*c) - 8*a^{2})*\cos(1/2*\arctan2(\sin(4* \\
& d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + (3*a^{2}*\cos(4*d*x + 4*c) - \\
& 8*a^{2})*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c \\
&)))*\sin(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \\
& \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)))*\sqrt{a} - 6*(co \\
& s(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + \sin(1/2*\arctan2(\sin(\\
& 4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), co \\
& s(4*d*x + 4*c))) + 1)^{(1/4)}*((3*a^{2}*\cos(4*d*x + 4*c)^{2}*\sin(4*d*x + 4*c) + 3 \\
& *a^{2}*\sin(4*d*x + 4*c)^{3} + 3*a^{2}*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))*\sin(4*d*x + 4*c) - 160*(a^{2}*\cos(4*d*x + 4*c)^{2} + a^{2}*\sin(4*d*x + \\
& 4*c)^{2} + 2*a^{2}*\cos(4*d*x + 4*c) + a^{2})*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), co
\end{aligned}$$

$$\begin{aligned}
& s(4*d*x + 4*c))\wedge 3 + 4*(3*a^2*\sin(4*d*x + 4*c)\wedge 3 + 3*(a^2*\cos(4*d*x + 4*c)\wedge \\
& 2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(4*d*x + 4*c) - 160*(a^2*\cos(4*d*x + 4* \\
& *c)\wedge 2 + a^2*\sin(4*d*x + 4*c)\wedge 2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/4*\arct \\
& \text{an2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2 + 4*(3*a^2*\sin(4*d*x + 4*c)\wedge 3 + 160*a^2*\cos(1/2*\arcta \\
& \text{n2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2 + 6*a^2*\cos(4*d*x + 4*c) + 43*a^2)*\sin(4*d*x + 4*c) - 160*(a^2*\co \\
& s(4*d*x + 4*c)\wedge 2 + a^2*\sin(4*d*x + 4*c)\wedge 2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*s \\
& \text{in}(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2 + 2*(6*a^2*\sin(4*d*x + 4*c)\wedge 3 + 3*a^2*\cos(\\
& 1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2 + 6*(a^2*\cos(4*d*x + 4*c)\wedge 2 - a^2*\cos(4*d*x + 4*c))*\sin(4*d*x + 4*c) - (320*a^2*\cos(\\
& 4*d*x + 4*c)\wedge 2 + 320*a^2*\sin(4*d*x + 4*c)\wedge 2 - 317*a^2*\cos(4*d*x + 4*c) - 3* \\
& a^2)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2 + 80*(a^2*\cos(4*d*x + 4*c)\wedge 2 + a^2*\sin(4*d*x + 4* \\
& c)\wedge 2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(\\
& 4*d*x + 4*c)))\wedge 2 + 8*(10*a^2*\cos(4*d*x + 4*c)\wedge 2 + 13*a^2*\sin(4*d*x + 4*c)\wedge 2 \\
& - 160*a^2*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4* \\
& *c))) - 10*a^2*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c))) + 3*(a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c) \\
&), \cos(4*d*x + 4*c)))\wedge 2 + 160*a^2*\cos(4*d*x + 4*c)\wedge 2 + 160*a^2*\sin(4*d*x + 4*c)\wedge 2 + 3*a^2*\cos(4*d \\
& *x + 4*c))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2 + 160*a^2*\cos(1/2*\ar \\
& \text{ctan2}(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2 \\
& (\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1) - (3*a^2*\cos(4*d*x + 4*c)\wedge 3 + 1 \\
& 20*a^2*\cos(4*d*x + 4*c)\wedge 2 - 160*(a^2*\cos(4*d*x + 4*c)\wedge 2 + a^2*\sin(4*d*x + 4* \\
& *c)\wedge 2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c)))\wedge 3 - 3*a^2*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c) \\
& , \cos(4*d*x + 4*c))) + 4*(3*a^2*\cos(4*d*x + 4*c)\wedge 3 + 74*a^2*\cos(4*d*x + 4*c) \\
&)\wedge 2 - 197*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) + 80*a^2)*\sin(4*d* \\
& x + 4*c)\wedge 2 + 120*a^2 - 80*(a^2*\cos(4*d*x + 4*c)\wedge 2 + a^2*\sin(4*d*x + 4*c)\wedge 2 \\
& - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))\wedge 2 + 3*(a^2*\cos(4*d*x + 4*c) + 40*a^2)*\sin(4*d*x + 4*c)\wedge 2 + 4*(3*a^2*\cos(4*d*x + 4*c)\wedge 3 \\
& + 126*a^2*\cos(4*d*x + 4*c)\wedge 2 + 243*a^2*\cos(4*d*x + 4*c) + 3*(a^2*\cos(4*d*x \\
& + 4*c) + 40*a^2)*\sin(4*d*x + 4*c)\wedge 2 + 120*a^2 - 40*(a^2*\cos(4*d*x + 4*c)\wedge 2 \\
& + a^2*\sin(4*d*x + 4*c)\wedge 2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(s \\
& \text{in}(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 80*(a^2*\cos(4*d*x + 4*c)\wedge 2 + a^2*\sin(\\
& 4*d*x + 4*c)\wedge 2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/4*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c)))\wedge 2 + 2*(6*a^2*\cos(4*d*x + 4*c)\wedge 3 + 214*a^2*\cos(4*d*x + 4*c)\wedge 2 - 3*a^2*\si \\
& \text{n}(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 240*a \\
& ^2*\cos(4*d*x + 4*c) + 2*(3*a^2*\cos(4*d*x + 4*c) + 110*a^2)*\sin(4*d*x + 4*c) \\
& \wedge 2 - (160*a^2*\cos(4*d*x + 4*c)\wedge 2 + 160*a^2*\sin(4*d*x + 4*c)\wedge 2 - 157*a^2*\cos \\
& (4*d*x + 4*c) - 3*a^2)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
&)\wedge 2 + 80*(a^2*\cos(4*d*x + 4*c)\wedge 2 + a^2*\sin(4*d*x + 4*c)\wedge 2 - 157*a^2*\cos \\
& (4*d*x + 4*c) - 3*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - (80*a^2*\cos(4*d*x \\
& + 4*c)\wedge 2 + 80*a^2*\sin(4*d*x + 4*c)\wedge 2 + 3*a^2*\cos(4*d*x + 4*c))*\cos(1/4*\arct \\
& \text{an2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 2*(320*a^2*\cos(1/2*\arctan2(\sin(4 \\
& *d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2*\sin(4*d*x + 4*c) + 157*a^2*\cos(1/4*\arctan \\
& 2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2*\sin(4*d*x + 4*c) + 8*(80*a^2*\cos(1/4 \\
& *\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2*\sin(4*d*x + 4*c) - (3*a^2*\cos \\
& (4*d*x + 4*c) + 110*a^2)*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c) \\
& , \cos(4*d*x + 4*c))) - 6*(a^2*\cos(4*d*x + 4*c) + 40*a^2)*\sin(4*d*x + 4*c) + \\
& 3*(a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))\wedge 2 + 2*(320*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2 \\
& (\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1))\wedge 2 + \sqrt{a} + 489*((a^2*\cos(4*d*x
\end{aligned}$$

$$\begin{aligned} & + 4c)^2 + a^2 \sin(4dx + 4c)^2 + 4(a^2 \cos(4dx + 4c)^2 + a^2 \sin(4dx \\ & * x + 4c)^2 - 2a^2 \cos(4dx + 4c) + a^2) \cos(1/2 \arctan 2(\sin(4dx + 4c), \\ & \cos(4dx + 4c)))^2 + 4(a^2 \cos(4dx + 4c)^2 + a^2 \sin(4dx + 4c)^2 \\ & + 2a^2 \cos(4dx + 4c) + a^2) \sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx \\ & * x + 4c)))^2 + 4(a^2 \cos(4dx + 4c)^2 + a^2 \sin(4dx + 4c)^2 - a^2 \cos \\ & (4dx + 4c)) \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) - 4(4 \\ & * a^2 \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) \sin(4dx + 4c) \\ & + a^2 \sin(4dx + 4c)) \sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) \\ &) \arctan 2(-(\cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + \sin(1 \\ & /2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2 \cos(1/2 \arctan 2(\sin(4 \\ & * dx + 4c), \cos(4dx + 4c))) + 1)^{1/4} (\cos(1/2 \arctan 2(\sin(1/2 \arctan 2 \\ & (\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos \\ & (4dx + 4c))) + 1)) \sin(1/4 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) \\ & - \cos(1/4 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) \sin(1/2 \arctan 2(\sin \\ & (1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \arctan 2(\sin(4dx \\ & * x + 4c), \cos(4dx + 4c))) + 1)), (\cos(1/2 \arctan 2(\sin(4dx + 4c), \cos \\ & (4dx + 4c)))^2 + \sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 \\ & + 2 \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4} (\cos(1/ \\ & 4 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) \cos(1/2 \arctan 2(\sin(1/2 \arctan \\ & 2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \arctan 2(\sin(4dx + 4c), \\ & \cos(4dx + 4c))) + 1)) + \sin(1/4 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4 \\ & * c))) \sin(1/2 \arctan 2(\sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))), \\ & \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)) + 1) - (a^2 \cos \\ & (4dx + 4c)^2 + a^2 \sin(4dx + 4c)^2 + 4(a^2 \cos(4dx + 4c)^2 + a^2 \\ & * \sin(4dx + 4c)^2 - 2a^2 \cos(4dx + 4c) + a^2) \cos(1/2 \arctan 2(\sin(4dx \\ & * x + 4c), \cos(4dx + 4c)))^2 + 4(a^2 \cos(4dx + 4c)^2 + a^2 \sin(4dx \\ & + 4c)^2 + 2a^2 \cos(4dx + 4c) + a^2) \sin(1/2 \arctan 2(\sin(4dx + 4c), \\ & \cos(4dx + 4c)))^2 + 4(a^2 \cos(4dx + 4c)^2 + a^2 \sin(4dx + 4c)^2 \\ & - a^2 \cos(4dx + 4c)) \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) \\ &) - 4(4a^2 \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) \sin(4dx \\ & + 4c) + a^2 \sin(4dx + 4c)) \sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx \\ & + 4c))) \arctan 2(-(\cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 \\ & + \sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2 \cos(1/2 \arcta \\ & n 2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4} (\cos(1/2 \arctan 2(\sin(1/2 \\ & * \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \arctan 2(\sin(4dx + \\ & 4c), \cos(4dx + 4c))) + 1)) \sin(1/4 \arctan 2(\sin(4dx + 4c), \cos(4dx \\ & + 4c))) - \cos(1/4 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) \sin(1/2 \arctan \\ & 2(\sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \arctan 2(\\ & \sin(4dx + 4c), \cos(4dx + 4c))) + 1))), (\cos(1/2 \arctan 2(\sin(4dx + 4 \\ & * c), \cos(4dx + 4c)))^2 + \sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4 \\ & * c)))^2 + 2 \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4} \\ & * (\cos(1/4 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) \cos(1/2 \arctan 2(\sin(\\ & 1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \arctan 2(\sin(4dx \\ & + 4c), \cos(4dx + 4c))) + 1)) + \sin(1/4 \arctan 2(\sin(4dx + 4c), \cos(4 \\ & * dx + 4c))) \sin(1/2 \arctan 2(\sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + \\ & 4c))), \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1))) - 1) - \\ & (a^2 \cos(4dx + 4c)^2 + a^2 \sin(4dx + 4c)^2 + 4(a^2 \cos(4dx + 4c) \\ & ^2 + a^2 \sin(4dx + 4c)^2 - 2a^2 \cos(4dx + 4c) + a^2) \cos(1/2 \arctan 2 \\ & (\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 4(a^2 \cos(4dx + 4c)^2 + a^2 \sin \\ & (4dx + 4c)^2 + 2a^2 \cos(4dx + 4c) + a^2) \sin(1/2 \arctan 2(\sin(4dx \\ & + 4c), \cos(4dx + 4c)))^2 + 4(a^2 \cos(4dx + 4c)^2 + a^2 \sin(4dx + \\ & 4c)^2 - a^2 \cos(4dx + 4c)) \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx \\ & + 4c))) - 4(4a^2 \cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) \sin \\ & (4dx + 4c) + a^2 \sin(4dx + 4c)) \sin(1/2 \arctan 2(\sin(4dx + 4c), \cos \\ & (4dx + 4c))) \arctan 2((\cos(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4 \\ & * c)))^2 + \sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2 \cos(1/ \\ & 2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4} \sin(1/2 \arctan 2(s \\ & \sin(1/2 \arctan 2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \arctan 2(\sin(4 \\ & * dx + 4c), \cos(4dx + 4c))) + 1)), (\cos(1/2 \arctan 2(\sin(4dx + 4c), \cos \\ & (4dx + 4c), \cos(4dx + 4c))) + 1), (\cos(1/2 \arctan 2(\sin(4dx + 4c), \cos \\ & (4dx + 4c), \cos(4dx + 4c))) + 1) \\ & \end{aligned}$$

```

s(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2
+ 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)^(1/4)*cos(1/
2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arc
tan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)) + 1) + (a^2*cos(4*d*x + 4*c
)^2 + a^2*sin(4*d*x + 4*c)^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x +
4*c)^2 - 2*a^2*cos(4*d*x + 4*c) + a^2)*cos(1/2*arctan2(sin(4*d*x + 4*c), co
s(4*d*x + 4*c)))^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 + 2
*a^2*cos(4*d*x + 4*c) + a^2)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x +
4*c)))^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 - a^2*cos(4*d
*x + 4*c))*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) - 4*(4*a^2*
cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + a^2
*sin(4*d*x + 4*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*ar
ctan2((cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arc
tan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x +
4*c), cos(4*d*x + 4*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*
d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x
+ 4*c))) + 1)), (cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 +
sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(
sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arc
tan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c)
, cos(4*d*x + 4*c))) + 1)) - 1))*sqrt(a))*B/(4*(cos(4*d*x + 4*c)^2 + sin(4*
d*x + 4*c)^2 - 2*cos(4*d*x + 4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), co
s(4*d*x + 4*c)))^2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d
*x + 4*c) + 1)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos
(4*d*x + 4*c)^2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x +
4*c))*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*
c)^2 - 4*(4*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x
+ 4*c) + sin(4*d*x + 4*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*
c)))))))/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{\cos(c + dx)} (A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2), x)

[Out] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)), x)

[Out] Timed out

$$3.184 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=180

$$\frac{a^{5/2}(38A + 25B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^3(54A + 49B) \sin(c + dx) \sqrt{\cos(c + dx)}}{24d \sqrt{a \cos(c + dx) + a}} + \frac{a^2(2A + 3B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d}$$

[Out] 1/8*a^(5/2)*(38*A+25*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d + 1/3*a*B*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)*cos(d*x+c)^(1/2)/d + 1/24*a^3*(54*A+49*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2) + 1/4*a^2*(2*A+3*B)*sin(d*x+c)*cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(1/2)/d

Rubi [A] time = 0.55, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2976, 2981, 2774, 216}

$$\frac{a^{5/2}(38A + 25B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^3(54A + 49B) \sin(c + dx) \sqrt{\cos(c + dx)}}{24d \sqrt{a \cos(c + dx) + a}} + \frac{a^2(2A + 3B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] (a^(5/2)*(38*A + 25*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]])/(8*d) + (a^3*(54*A + 49*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[a + a*Cos[c + d*x]]) + (a^2*(2*A + 3*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +


```
b*Sin[e + f*x]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{aB \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} \sin(c + dx)}{3d} + \frac{1}{3} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{a^2 (2A + 3B) \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d} + \frac{1}{3} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{a^3 (54A + 49B) \sqrt{\cos(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 (2A + 3B) \sqrt{\cos(c + dx)} \sin(c + dx)}{4d} \\ &= \frac{a^3 (54A + 49B) \sqrt{\cos(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 (2A + 3B) \sqrt{\cos(c + dx)} \sin(c + dx)}{4d} \\ &= \frac{a^{5/2} (38A + 25B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{8d} + \frac{a^3 (54A + 49B) \sqrt{\cos(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.78, size = 121, normalized size = 0.67

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2} (38A + 25B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{a}\right)}{48d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*
x]], x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*(38*A + 25*B)*A
rcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(66*A + 79*B + 2*(6*
A + 17*B)*Cos[c + d*x] + 4*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d)
```

fricas [A] time = 1.13, size = 154, normalized size = 0.86

$$\frac{(8Ba^2 \cos(dx + c)^2 + 2(6A + 17B)a^2 \cos(dx + c) + 3(22A + 25B)a^2) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{24(d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x, algor
ithm="fricas")
```

```
[Out] 1/24*((8*B*a^2*cos(d*x + c)^2 + 2*(6*A + 17*B)*a^2*cos(d*x + c) + 3*(22*A +
25*B)*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 3*((
38*A + 25*B)*a^2*cos(d*x + c) + (38*A + 25*B)*a^2)*sqrt(a)*arctan(sqrt(a*co
s(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*x + c)
+ d)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.34, size = 357, normalized size = 1.98

$$a^2 (-1 + \cos(dx + c)) \left(12A \sin(dx + c) (\cos^2(dx + c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^2 + 78A \sin(dx + c) \cos(dx + c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x)

[Out] -1/24/d*a^2*(-1+cos(d*x+c))*(12*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+78*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+8*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+66*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+34*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+75*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+114*A*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+75*B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)^2/cos(d*x+c)^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)

maxima [B] time = 2.09, size = 3071, normalized size = 17.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/96*(6*(2*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((a^2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(2*d*x + 2*c) + a^2*sin(2*d*x + 2*c) - (a^2*cos(2*d*x + 2*c) - 10*a^2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (a^2*sin(2*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - a^2*cos(2*d*x + 2*c) + 10*a^2 + (a^2*cos(2*d*x + 2*c) - 10*a^2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(a) + 19*(a^2*arctan2((cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1 - a^2*arctan2((cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))))


```

3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/
3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))) + 1)) + 1) + a^2*arctan2((cos(2/3*arctan2(sin(3*d
*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d
*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)
^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
, cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arct
an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*
c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x +
3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d
*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) - 1
))*sqrt(a))*B)/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(1/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(1/2), x
)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.185 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=178

$$\frac{a^{5/2}(20A + 19B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{4d} - \frac{a^3(4A - 9B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d \sqrt{a \cos(c + dx) + a}} - \frac{a^2(4A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{2d}$$

[Out] 1/4*a^(5/2)*(20*A+19*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d +2*a*A*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/d/cos(d*x+c)^(1/2)-1/4*a^3*(4*A-9*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)-1/2*a^2*(4*A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(1/2)/d

Rubi [A] time = 0.55, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2975, 2976, 2981, 2774, 216}

$$\frac{a^{5/2}(20A + 19B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{4d} - \frac{a^3(4A - 9B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d \sqrt{a \cos(c + dx) + a}} - \frac{a^2(4A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{2d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (a^(5/2)*(20*A + 19*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]/(4*d) - (a^3*(4*A - 9*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]) - (a^2*(4*A - B)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(2*d) + (2*a*A*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2975

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2976

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp

```
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx))}{\cos^3(c + dx)} dx = \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{(a + a \cos(c + dx))^{5/2} B \cos(c + dx)}{\cos^3(c + dx)} dx$$

$$= -\frac{a^2(4A - B)\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d} + \frac{2a^2 B \int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^3(c + dx)} dx}{2d}$$

$$= -\frac{a^3(4A - 9B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} - \frac{a^2(4A - B)\sqrt{\cos(c + dx)}}{4d\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{a^3(4A - 9B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} - \frac{a^2(4A - B)\sqrt{\cos(c + dx)}}{4d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{a^{5/2}(20A + 19B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4d} - \frac{a^3(4A - 9B)\sqrt{\cos(c + dx)}}{4d\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.69, size = 126, normalized size = 0.71

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(20A + 19B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + 2 \sin\left(\frac{1}{2}(c + dx)\right)}{8d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(Sqrt[2]*(20*A + 19*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(8*A + B + (4*A + 11*B)*Cos[c + d*x] + B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(8*d*Sqrt[Cos[c + d*x]])
```

fricas [A] time = 0.88, size = 164, normalized size = 0.92

$$\frac{(2Ba^2 \cos(dx + c)^2 + (4A + 11B)a^2 \cos(dx + c) + 8Aa^2)\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - ((20A + 19B)a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(dx + c)}{\sqrt{a + a \cos(dx + c)}}\right) - a^3(4A - 9B)\sqrt{\cos(dx + c)})}{4(d \cos(dx + c)^2 + d \cos(dx + c))\sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] 1/4*((2*B*a^2*cos(d*x + c)^2 + (4*A + 11*B)*a^2*cos(d*x + c) + 8*A*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - ((20*A + 19*B)*a^2*cos(d*x + c)^2 + (20*A + 19*B)*a^2*cos(d*x + c))*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(d*cos(d*x + c)^2 + d*cos(d*x + c))
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.31, size = 336, normalized size = 1.89

$$\frac{\sqrt{a(1 + \cos(dx + c))} \left(20A \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + 2B \sin(dx + c) (\cos^2(dx + c) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)
```

```
[Out] 1/4/d*(a*(1+cos(d*x+c)))^(1/2)*(20*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+2*B*sin(d*x+c)*cos(d*x+c)^2+19*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+4*A*cos(d*x+c)*sin(d*x+c)+20*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+11*B*cos(d*x+c)*sin(d*x+c)+19*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+8*A*sin(d*x+c))*a^2/(1+cos(d*x+c))/cos(d*x+c)^(1/2)
```

maxima [B] time = 1.89, size = 2080, normalized size = 11.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] 1/16*((2*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((a^2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(2*d*x + 2*c) + a^2*sin(2*d*x + 2*c) - (a^2*cos(2*d*x + 2*c) - 10*a^2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (a^2*sin(2*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - a^2*cos(2*d*x + 2*c) + 10*a^2 + (a^2*cos(2*d*x + 2*c) - 10*a^2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sqrt(a) + 19*(a^2*arctan2((cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))
```

```

, cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/
4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan
2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))
) + 1) - a^2*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x
+ 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*si
n(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x +
2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*
cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + sin(1/2*arctan2(sin(
2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c)))) - 1) - a^2*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2
+ 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*
c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1)
+ a^2*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c
) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos
(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/
2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a)*B + 4*(2*
(a^2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c)
- (a^2*cos(d*x + c) - a^2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c) + 1)))*sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c)
+ 1)*sqrt(a) + 5*(a^2*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 +
2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2
*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d
*x + 2*c) + 1)))) + 1) - a^2*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)
^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*
cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c) + 1)))) - 1) - a^2*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x +
2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*
x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)
) + 1) + a^2*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x
+ 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))
, (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*
cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*(cos(2*d*x +
2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + 8*(a
^2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) -
(a^2*cos(d*x + c) - a^2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
+ 1)))*sqrt(a))*A/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x +
2*c) + 1)^(1/4))/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(3/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)

[Out] Timed out

$$3.186 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=173

$$\frac{a^{5/2}(2A+5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^3(14A+3B) \sin(c+dx) \sqrt{\cos(c+dx)}}{3d \sqrt{a \cos(c+dx)+a}} + \frac{2a^2(2A+B) \sin(c+dx) \sqrt{a \cos(c+dx)}}{d \sqrt{\cos(c+dx)}}$$

[Out] a^(5/2)*(2*A+5*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d+2/3*a*A*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/d/cos(d*x+c)^(3/2)-1/3*a^3*(14*A+3*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)+2*a^2*(2*A+B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(1/2)

Rubi [A] time = 0.53, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2975, 2981, 2774, 216}

$$\frac{a^{5/2}(2A+5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^3(14A+3B) \sin(c+dx) \sqrt{\cos(c+dx)}}{3d \sqrt{a \cos(c+dx)+a}} + \frac{2a^2(2A+B) \sin(c+dx) \sqrt{a \cos(c+dx)}}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (a^(5/2)*(2*A + 5*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/d - (a^3*(14*A + 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(2*A + B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*a*A*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2975

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(b*c + a*d)), x] - Dist[b/(d*(n+1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1)*Simp[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp

```
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2a^2(2A + B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\ &= -\frac{a^3(14A + 3B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(2A + B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d} \\ &= -\frac{a^3(14A + 3B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(2A + B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d} \\ &= \frac{a^{5/2}(2A + 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} - \frac{a^3(14A + 3B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.71, size = 130, normalized size = 0.75

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(2A + 5B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \cos^{\frac{3}{2}}(c + dx) + \sin\left(\frac{1}{2}(c + dx)\right)}{6d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*(2*A + 5*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + (4*A + 3*B + 4*(8*A + 3*B)*Cos[c + d*x] + 3*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(6*d*Cos[c + d*x]^(3/2))
```

fricas [A] time = 1.01, size = 169, normalized size = 0.98

$$\frac{(3Ba^2 \cos(dx + c)^2 + 2(8A + 3B)a^2 \cos(dx + c) + 2Aa^2)\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 3a^3 \cos(dx + c)}{3(d \cos(dx + c))^3 + d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x, algorith="fricas")
```

```
[Out] 1/3*((3*B*a^2*cos(d*x + c)^2 + 2*(8*A + 3*B)*a^2*cos(d*x + c) + 2*A*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 3*((2*A + 5*B)*a^2*cos(d*x + c)^3 + (2*A + 5*B)*a^2*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)/sqrt(cos(d*x + c)))
```

$(dx + c) + a) \sqrt{\cos(dx + c)} / (\sqrt{a} \sin(dx + c)) / (d \cos(dx + c)^3 + d \cos(dx + c)^2)$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(dx+c))^(5/2)*(A+B*cos(dx+c))/cos(dx+c)^(5/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.28, size = 484, normalized size = 2.80

$$\frac{\sqrt{a(1 + \cos(dx + c))} (\sin^2(dx + c)) \left(6A (\cos^2(dx + c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arctan \left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) + 15B (\cos^2(dx + c)) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(dx+c))^(5/2)*(A+B*cos(dx+c))/cos(dx+c)^(5/2),x)

[Out] $-1/3/d*(a*(1+\cos(dx+c)))^{1/2}*\sin(dx+c)^2*(6*A*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+15*B*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+12*A*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+30*B*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+6*A*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+15*B*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+3*B*\sin(dx+c)*\cos(dx+c)^2+16*A*\cos(dx+c)*\sin(dx+c)+6*B*\cos(dx+c)*\sin(dx+c)+2*A*\sin(dx+c))*a^2/(-1+\cos(dx+c))/(1+\cos(dx+c))^2/\cos(dx+c)^{3/2}$

maxima [B] time = 1.68, size = 2370, normalized size = 13.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(dx+c))^(5/2)*(A+B*cos(dx+c))/cos(dx+c)^(5/2),x, algorithm="maxima")

[Out] $1/12*(3*(2*(a^2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sin(dx + c) - (a^2*\cos(dx + c) - a^2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2} + 2*\cos(2*d*x + 2*c) + 1)*\sqrt{a} + 5*(a^2*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sin(dx + c) - \cos(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(dx + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) + 1 - a^2*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sin(dx + c) - \cos(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(dx + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) + 1$

$d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 1) - a^2*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + 1) + a^2*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 1))*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sqrt{a} + 8*(a^2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sin(d*x + c) - (a^2*\cos(d*x + c) - a^2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{a})*B/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} + 2*(30*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{3/4}*a^{5/2}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*((12*a^2*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sin(2*d*x + 2*c) - 3*a^2*\sin(2*d*x + 2*c) - 4*(3*a^2*\cos(2*d*x + 2*c) + 4*a^2)*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + (12*a^2*\sin(2*d*x + 2*c) * \sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + 3*a^2*\cos(2*d*x + 2*c) - a^2 + 4*(3*a^2*\cos(2*d*x + 2*c) + 4*a^2)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sqrt{a} + 3*((a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 1) - (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + 1) + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 1))*\sqrt{a})*A/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1))/d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(5/2),x)
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(5/2), x
)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)
[Out] Timed out
```

$$3.187 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=172

$$\frac{2a^{5/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2a^3(32A+35B) \sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2a^2(8A+5B) \sin(c+dx)\sqrt{a \cos(c+dx)}}{15d \cos^2(c+dx)}$$

[Out] $2*a^{(5/2)}*B*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+2/5*a*A*(a+a*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+2/15*a^3*(32*A+35*B)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}+2/15*a^2*(8*A+5*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(3/2)}$

Rubi [A] time = 0.51, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2975, 2980, 2774, 216}

$$\frac{2a^2(8A+5B) \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{15d \cos^2(c+dx)} + \frac{2a^3(32A+35B) \sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2a^{5/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(5/2)}*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(7/2)}, x]$

[Out] $(2*a^{(5/2)}*B*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/d + (2*a^3*(32*A + 35*B)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(8*A + 5*B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*A*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)})$

Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /;$ FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/\text{Sqrt}[(d_)*\sin[(e_) + (f_)*(x_)]], x_Symbol] \rightarrow \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\text{Sqrt}[1 - x^2/a], x], x, (b*\text{Cos}[e + f*x])/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2975

$\text{Int}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\text{Sin}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2980

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow -\text{Sim}$

$p[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] & & NeQ[b*c - a*d, 0] & & EqQ[a^2 - b^2, 0] & & NeQ[c^2 - d^2, 0] & & LtQ[n, -1]$

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx = \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2a^2(8A + 5B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2a^3(32A + 35B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(8A + 5B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2a^3(32A + 35B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(8A + 5B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2a^{5/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{2a^3(32A + 35B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.78, size = 130, normalized size = 0.76

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (2(14A + 5B) \cos(c + dx) + (43A + 40B) \cos(2(c + dx)))\right)}{30d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(30*Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(5/2) + 2*(49*A + 40*B + 2*(14*A + 5*B)*Cos[c + d*x] + (43*A + 40*B)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(30*d*Cos[c + d*x]^(5/2))

fricas [A] time = 0.99, size = 161, normalized size = 0.94

$$\frac{2\left(\left((43A + 40B)a^2 \cos(dx + c)^2 + (14A + 5B)a^2 \cos(dx + c) + 3Aa^2\right)\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 15(Ba^2 \cos(dx + c)^4 + d \cos(dx + c))\right)}{15\left(d \cos(dx + c)^4 + d \cos(dx + c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorithm="fricas")

[Out] 2/15*(((43*A + 40*B)*a^2*cos(d*x + c)^2 + (14*A + 5*B)*a^2*cos(d*x + c) + 3*A*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 15*(B*a^2*cos(d*x + c)^4 + B*a^2*cos(d*x + c)^3)*sqrt(a)*arctan(sqrt(a*cos(d*x + c)))

+ a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.39, size = 306, normalized size = 1.78

$$2a^2\sqrt{a(1+\cos(dx+c))}\left(-15B(\cos^2(dx+c))\sin(dx+c)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}\arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right)-30B\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)

[Out]
$$\begin{aligned} & -2/15/d*a^2*(a*(1+\cos(d*x+c)))^{1/2}*(-15*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))))^{1/2}/\cos(d*x+c)-30*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))))^{1/2}/\cos(d*x+c)-15*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))))^{1/2}/\cos(d*x+c)+43*A*\cos(d*x+c)^3+40*B*\cos(d*x+c)^3-29*A*\cos(d*x+c)^2-35*B*\cos(d*x+c)^2-11*A*\cos(d*x+c)-5*B*\cos(d*x+c)-3*A)/\sin(d*x+c)/\cos(d*x+c)^{5/2} \end{aligned}$$

maxima [B] time = 1.18, size = 1548, normalized size = 9.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")

[Out]
$$\begin{aligned} & 1/30*(5*(30*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{3/4}*a^{5/2}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) \\ & - 2*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} \\ & *((12*a^2*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(2*d*x + 2*c) \\ & - 3*a^2*\sin(2*d*x + 2*c) - 4*(3*a^2*\cos(2*d*x + 2*c) + 4*a^2)*\sin(3/2 \\ & *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \\ & \cos(2*d*x + 2*c) + 1)) + (12*a^2*\sin(2*d*x + 2*c)*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \\ & \cos(2*d*x + 2*c))) + 3*a^2*\cos(2*d*x + 2*c) - a^2 + 4*(3*a^2 \\ & *\cos(2*d*x + 2*c) + 4*a^2)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\ & c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{a} + 3 \\ & *((a^2*\cos(2*d*x + 2*c))^2 + a^2*\sin(2*d*x + 2*c))^2 + 2*a^2*\cos(2*d*x + 2*c) \\ & + a^2)*\arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) \\ & + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(1/2 \\ & *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d \\ & *x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d \\ & *x + 2*c))))), (\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) \\ & + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\cos(1 \\ & /2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(1/2*\arctan2(\sin(2*d*x \end{aligned}$$

```

+ 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c)))) + 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*
cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 +
2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*
cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*a
rctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c)))) - 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x +
2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2
*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*c
os(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c) + 1)) + 1) + (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*co
s(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*
cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2
*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqr
t(a)*B/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
+ 16*(15*sqrt(2)*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sqrt(2)*a^(5/
2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 28*sqrt(2)*a^(5/2)*sin(d*x + c)^5/
(cos(d*x + c) + 1)^5 - 8*sqrt(2)*a^(5/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^
7)*A/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(-sin(d*x + c)/(cos(d*x +
c) + 1) + 1)^(7/2)))/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(7/2), x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(7/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2), x)
```

```
[Out] Timed out
```

$$3.188 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=181

$$\frac{2a^3(10A + 11B) \sin(c + dx)}{15d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(230A + 301B) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(10A + 7B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{35d \cos^2(c + dx)}$$

[Out] $2/7*a*A*(a+a*\cos(d*x+c))^{3/2}*\sin(d*x+c)/d/\cos(d*x+c)^{7/2}+2/15*a^3*(10*A+11*B)*\sin(d*x+c)/d/\cos(d*x+c)^{3/2}/(a+a*\cos(d*x+c))^{1/2}+2/105*a^3*(230*A+301*B)*\sin(d*x+c)/d/\cos(d*x+c)^{1/2}/(a+a*\cos(d*x+c))^{1/2}+2/35*a^2*(10*A+7*B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{1/2}/d/\cos(d*x+c)^{5/2}$

Rubi [A] time = 0.55, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2975, 2980, 2771}

$$\frac{2a^3(10A + 11B) \sin(c + dx)}{15d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(10A + 7B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{35d \cos^2(c + dx)} + \frac{2a^3(230A + 301B)}{105d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^{5/2}*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{9/2}, x]$

[Out] $(2*a^3*(10*A + 11*B)*\text{Sin}[c + d*x])/(15*d*\text{Cos}[c + d*x]^{3/2}*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^3*(230*A + 301*B)*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(10*A + 7*B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(35*d*\text{Cos}[c + d*x]^{5/2}) + (2*a*A*(a + a*\text{Cos}[c + d*x])^{3/2}*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{7/2})$

Rule 2771

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{3/2}, x_Symbol] \rightarrow \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2975

$\text{Int}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)])^m*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^n/((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{n_1}, x_Symbol] \rightarrow -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1}*\text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \mid \mid \text{EqQ}[c, 0])$

Rule 2980

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^n/((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{n_1}, x_Symbol] \rightarrow -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1))]/(2*d*(n+1)*(b*c + a*d)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2}{7} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx \\
&= \frac{2a^2(10A + 7B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{35d \cos^2(c + dx)} + \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{7d \cos^2(c + dx)} \\
&= \frac{2a^3(10A + 11B) \sin(c + dx)}{15d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(10A + 7B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{35d \cos^2(c + dx)} \\
&= \frac{2a^3(10A + 11B) \sin(c + dx)}{15d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^3(230A + 301B)}{105d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.63, size = 104, normalized size = 0.57

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} ((930A + 987B) \cos(c + dx) + 2(115A + 98B) \cos(2(c + dx)) + 230A \cos(3(c + dx)))}{210d \cos^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]

[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(290*A + 196*B + (930*A + 987*B)*Cos[c + d*x] + 2*(115*A + 98*B)*Cos[2*(c + d*x)] + 230*A*Cos[3*(c + d*x)] + 301*B*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(210*d*Cos[c + d*x]^(7/2))

fricas [A] time = 0.99, size = 114, normalized size = 0.63

$$\frac{2((230A + 301B)a^2 \cos(dx + c)^3 + (115A + 98B)a^2 \cos(dx + c)^2 + 3(20A + 7B)a^2 \cos(dx + c) + 15Aa^2) \sqrt{a \cos(dx + c)}}{105(d \cos(dx + c)^5 + d \cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2), x, algorithm="fricas")

[Out] 2/105*((230*A + 301*B)*a^2*cos(d*x + c)^3 + (115*A + 98*B)*a^2*cos(d*x + c)^2 + 3*(20*A + 7*B)*a^2*cos(d*x + c) + 15*A*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.23, size = 111, normalized size = 0.61

$$\frac{2a^2(-1 + \cos(dx + c)) (230A (\cos^3(dx + c)) + 301B (\cos^3(dx + c)) + 115A (\cos^2(dx + c)) + 98B (\cos^2(dx + c)))}{105d \sin(dx + c) \cos(dx + c)^{7/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x)`

[Out]
$$-2/105/d*a^2*(-1+\cos(dx+c))*(230*A*\cos(dx+c)^3+301*B*\cos(dx+c)^3+115*A*\cos(dx+c)^2+98*B*\cos(dx+c)^2+60*A*\cos(dx+c)+21*B*\cos(dx+c)+15*A)*(a*(1+\cos(dx+c)))^{1/2}/\sin(dx+c)/\cos(dx+c)^{7/2}$$

maxima [B] time = 1.31, size = 396, normalized size = 2.19

$$8 \frac{\left(\frac{15 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{28 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{8 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) B}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}}} + \frac{5 \left(\frac{21 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{56 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}}}$$

105 d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x,algor
ithm="maxima")`

[Out]
$$\frac{8}{105} * \left(7 * \left(15 * \sqrt{2} * a^{5/2} * \sin(dx+c) / (\cos(dx+c)+1) - 35 * \sqrt{2} * a^{5/2} * \sin(dx+c)^3 / (\cos(dx+c)+1)^3 + 28 * \sqrt{2} * a^{5/2} * \sin(dx+c)^5 / (\cos(dx+c)+1)^5 - 8 * \sqrt{2} * a^{5/2} * \sin(dx+c)^7 / (\cos(dx+c)+1)^7 \right) * B / \left(\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{7/2} * \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{7/2} \right) + 5 * \left(21 * \sqrt{2} * a^{5/2} * \sin(dx+c) / (\cos(dx+c)+1) - 56 * \sqrt{2} * a^{5/2} * \sin(dx+c)^3 / (\cos(dx+c)+1)^3 + 63 * \sqrt{2} * a^{5/2} * \sin(dx+c)^5 / (\cos(dx+c)+1)^5 - 36 * \sqrt{2} * a^{5/2} * \sin(dx+c)^7 / (\cos(dx+c)+1)^7 + 8 * \sqrt{2} * a^{5/2} * \sin(dx+c)^9 / (\cos(dx+c)+1)^9 \right) * A * \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2 + 1} \right)^{2/2} / \left(\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{9/2} * \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{9/2} * \left(2 * \sin(dx+c)^2 / (\cos(dx+c)+1)^2 + \sin(dx+c)^4 / (\cos(dx+c)+1)^4 + 1 \right) \right) \right) / d$$

mupad [B] time = 6.86, size = 551, normalized size = 3.04

$$\frac{\sqrt{a + a \left(\frac{e^{-c \operatorname{li}-dx \operatorname{li}}}{2} + \frac{e^{c \operatorname{li}+dx \operatorname{li}}}{2} \right)} \left(\frac{a^2 (230 A + 301 B) 2i}{105 d} - \frac{a^2 e^{c 3i+dx 3i} (10 A + 17 B) 2i}{3 d} + \frac{a^2 e^{c 4i+dx 4i}}{3 d} \right)}{\sqrt{\frac{e^{-c \operatorname{li}-dx \operatorname{li}}}{2} + \frac{e^{c \operatorname{li}+dx \operatorname{li}}}{2}} + e^{c \operatorname{li}+dx \operatorname{li}} \sqrt{\frac{e^{-c \operatorname{li}-dx \operatorname{li}}}{2} + \frac{e^{c \operatorname{li}+dx \operatorname{li}}}{2}} + 3 e^{c 2i+dx 2i} \sqrt{\frac{e^{-c \operatorname{li}-dx \operatorname{li}}}{2} + \frac{e^{c \operatorname{li}+dx \operatorname{li}}}{2}} + 3 e^{c 3i+dx 3i} \sqrt{\frac{e^{-c \operatorname{li}-dx \operatorname{li}}}{2} + \frac{e^{c \operatorname{li}+dx \operatorname{li}}}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(9/2),x)`

[Out]
$$\left(\frac{a + a * (\exp(-c \operatorname{li} - dx \operatorname{li}) / 2 + \exp(c \operatorname{li} + dx \operatorname{li}) / 2)}{2} \right)^{1/2} * \left(\frac{a^2 * (230 * A + 301 * B) * 2i}{105 * d} - \frac{a^2 * \exp(c * 3i + dx * 3i) * (10 * A + 17 * B) * 2i}{3 * d} + \frac{a^2 * \exp(c * 4i + dx * 4i) * (10 * A + 17 * B) * 2i}{3 * d} + \frac{a^2 * \exp(c * 2i + dx * 2i) * (100 * A + 113 * B) * 2i}{15 * d} - \frac{a^2 * \exp(c * 5i + dx * 5i) * (100 * A + 113 * B) * 2i}{15 * d} - \frac{a^2 * \exp(c * 7i + dx * 7i) * (230 * A + 301 * B) * 2i}{105 * d} - \frac{B * a^2 * \exp(c * 1i + dx * 1i) * 2i}{d} + \frac{B * a^2 * \exp(c * 6i + dx * 6i) * 2i}{d} \right) / \left(\frac{\exp(-c \operatorname{li} - dx \operatorname{li}) / 2 + \exp(c * 1i + dx * 1i) / 2}{2} \right)^{1/2} + \frac{\exp(c * 1i + dx * 1i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 2i + dx * 2i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 3i + dx * 3i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 4i + dx * 4i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 5i + dx * 5i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + \exp(c * 6i + dx * 6i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + \exp(c * 7i + dx * 7i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2}}{\left(\frac{\exp(-c \operatorname{li} - dx \operatorname{li}) / 2 + \exp(c * 1i + dx * 1i) / 2}{2} \right)^{1/2} + \frac{\exp(c * 1i + dx * 1i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 2i + dx * 2i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 3i + dx * 3i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 4i + dx * 4i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 5i + dx * 5i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + \exp(c * 6i + dx * 6i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + \exp(c * 7i + dx * 7i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2}}{\left(\frac{\exp(-c \operatorname{li} - dx \operatorname{li}) / 2 + \exp(c * 1i + dx * 1i) / 2}{2} \right)^{1/2} + \frac{\exp(c * 1i + dx * 1i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 2i + dx * 2i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 3i + dx * 3i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 4i + dx * 4i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + 3 * \exp(c * 5i + dx * 5i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + \exp(c * 6i + dx * 6i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2} + \exp(c * 7i + dx * 7i) * (\exp(-c \operatorname{li} - dx * 1i) / 2 + \exp(c * 1i + dx * 1i) / 2)^{1/2}}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

$$3.189 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=228

$$\frac{2a^3(292A + 345B) \sin(c + dx)}{315d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{4a^3(292A + 345B) \sin(c + dx)}{315d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}}$$

[Out] 2/9*a*A*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/d/cos(d*x+c)^(9/2)+2/315*a^3*(124*A+135*B)*sin(d*x+c)/d/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2)+2/315*a^3*(92*A+345*B)*sin(d*x+c)/d/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+4/315*a^3*(292*A+345*B)*sin(d*x+c)/d/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2)+2/21*a^2*(4*A+3*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(7/2)

Rubi [A] time = 0.70, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2975, 2980, 2772, 2771}

$$\frac{2a^3(292A + 345B) \sin(c + dx)}{315d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \cos^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(4A + 3B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{21d \cos^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2), x]

[Out] (2*a^3*(124*A + 135*B)*Sin[c + d*x])/(315*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]) + (2*a^3*(292*A + 345*B)*Sin[c + d*x])/(315*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) + (4*a^3*(292*A + 345*B)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(4*A + 3*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(21*d*Cos[c + d*x]^(7/2)) + (2*a*A*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Cos[c + d*x]^(9/2))

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2975

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A}

, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{11/2}(c + dx)} dx = \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2}{9} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{11/2}(c + dx)} dx$$

$$= \frac{2a^2(4A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(4A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)}$$

$$= \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(292A + 345B) \sin(c + dx)}{315d \cos^{3/2}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(292A + 345B) \sin(c + dx)}{315d \cos^{3/2}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.86, size = 126, normalized size = 0.55

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} ((1396A + 1215B) \cos(c + dx) + 2(803A + 870B) \cos(2(c + dx)) + 292A)}{630d \cos^{9/2}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2), x]

[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(1454*A + 1395*B + (1396*A + 1215*B)*Cos[c + d*x] + 2*(803*A + 870*B)*Cos[2*(c + d*x)] + 292*A*Cos[3*(c + d*x)] + 345*B*Cos[3*(c + d*x)] + 292*A*Cos[4*(c + d*x)] + 345*B*Cos[4*(c + d*x)])*Tan[(c + d*x)/2])/(630*d*Cos[c + d*x]^(9/2))

fricas [A] time = 1.03, size = 135, normalized size = 0.59

$$\frac{2\left(2(292A + 345B)a^2 \cos(dx + c)^4 + (292A + 345B)a^2 \cos(dx + c)^3 + 3(73A + 60B)a^2 \cos(dx + c)^2 + 5(26A + 345B)a^2 \cos(dx + c) + 292A\right)}{315(d \cos(dx + c))^6 + d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2), x, algorithm="fricas")

[Out] $2/315*(2*(292*A + 345*B))*a^2*\cos(d*x + c)^4 + (292*A + 345*B)*a^2*\cos(d*x + c)^3 + 3*(73*A + 60*B)*a^2*\cos(d*x + c)^2 + 5*(26*A + 9*B)*a^2*\cos(d*x + c) + 35*A*a^2*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^6 + d*\cos(d*x + c)^5)$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algorith="giac")`

[Out] Timed out

maple [A] time = 0.28, size = 133, normalized size = 0.58

$$\frac{2a^2(-1 + \cos(dx + c)) \left(584A \left(\cos^4(dx + c) \right) + 690B \left(\cos^4(dx + c) \right) + 292A \left(\cos^3(dx + c) \right) + 345B \left(\cos^3(dx + c) \right) \right)}{315d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x)`

[Out] $-2/315/d*a^2*(-1+\cos(d*x+c))*(584*A*\cos(d*x+c)^4+690*B*\cos(d*x+c)^4+292*A*\cos(d*x+c)^3+345*B*\cos(d*x+c)^3+219*A*\cos(d*x+c)^2+180*B*\cos(d*x+c)^2+130*A*\cos(d*x+c)+45*B*\cos(d*x+c)+35*A)*(a*(1+\cos(d*x+c)))^(1/2)/\sin(d*x+c)/\cos(d*x+c)^(9/2)$

maxima [B] time = 0.96, size = 533, normalized size = 2.34

$$8 \frac{\left(15 \left(\frac{21 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{56 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{36 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{8 \sqrt{2} a^2 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} \right) B \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2 + \left(\frac{315 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left(\frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}$$

315d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algorith="maxima")`

[Out] $8/315*(15*(21*\sqrt{2})*a^(5/2)*\sin(d*x + c)/(\cos(d*x + c) + 1) - 56*\sqrt{2})*a^(5/2)*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 63*\sqrt{2})*a^(5/2)*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 36*\sqrt{2})*a^(5/2)*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7 + 8*\sqrt{2})*a^(5/2)*\sin(d*x + c)^9/(\cos(d*x + c) + 1)^9)*B*((\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 1)^(9/2)*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^(9/2)*(2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + \sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 1)) + (315*\sqrt{2})*a^(5/2)*\sin(d*x + c)/(\cos(d*x + c) + 1) - 945*\sqrt{2})*a^(5/2)*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 1449*\sqrt{2})*a^(5/2)*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 1287*\sqrt{2})*a^(5/2)*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7 + 572*\sqrt{2})*a^(5/2)*\sin(d*x + c)^9/(\cos(d*x + c) + 1)^9 - 104*\sqrt{2})*a^(5/2)*\sin(d*x + c)^11/(\cos(d*x + c) + 1)^11)*A*((\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 1)^(11/2)*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^(11/2)*(3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + \sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + 1)))/d$

mupad [B] time = 8.24, size = 647, normalized size = 2.84

$$\frac{\sqrt{a + a \left(\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2} \right)} \left(\frac{a^2 (292A+345B)4i}{315d} - \frac{a^2 e^c}{2} \right)}{\sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}} + e^{c1i+dx1i} \sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}} + 4e^{c2i+dx2i} \sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}} + 4e^{c3i+dx3i} \sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(11/2),x)

[Out] ((a + a*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*((a^2*(292*A + 345*B)*4i)/(315*d) - (a^2*exp(c*3i + d*x*3i)*(2*A + 5*B)*4i)/(3*d) + (a^2*exp(c*6i + d*x*6i)*(2*A + 5*B)*4i)/(3*d) + (a^2*exp(c*4i + d*x*4i)*(24*A + 25*B)*4i)/(5*d) - (a^2*exp(c*5i + d*x*5i)*(24*A + 25*B)*4i)/(5*d) + (a^2*exp(c*2i + d*x*2i)*(146*A + 155*B)*4i)/(35*d) - (a^2*exp(c*7i + d*x*7i)*(146*A + 155*B)*4i)/(35*d) - (a^2*exp(c*9i + d*x*9i)*(292*A + 345*B)*4i)/(315*d)))/((exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2)^(1/2) + exp(c*1i + d*x*1i)*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2)^(1/2) + 4*exp(c*2i + d*x*2i)*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2)^(1/2) + 4*exp(c*3i + d*x*3i)*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2)^(1/2) + 6*exp(c*4i + d*x*4i)*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2)^(1/2) + 6*exp(c*5i + d*x*5i)*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2)^(1/2) + 4*exp(c*6i + d*x*6i)*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2)^(1/2) + 4*exp(c*7i + d*x*7i)*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2)^(1/2) + exp(c*8i + d*x*8i)*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2)^(1/2) + exp(c*9i + d*x*9i)*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(11/2),x)

[Out] Timed out

$$3.190 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{13/2}(c+dx)} dx$$

Optimal. Leaf size=275

$$\frac{8a^3(710A + 803B) \sin(c + dx)}{3465d \cos^{3/2}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \cos^{5/2}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^{7/2}(c + dx) \sqrt{a \cos(c + dx) + a}}$$

[Out] 2/11*a*A*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/d/cos(d*x+c)^(11/2)+2/693*a^3*(194*A+209*B)*sin(d*x+c)/d/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2)+2/1155*a^3*(710*A+803*B)*sin(d*x+c)/d/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2)+8/3465*a^3*(710*A+803*B)*sin(d*x+c)/d/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+16/3465*a^3*(710*A+803*B)*sin(d*x+c)/d/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2)+2/99*a^2*(14*A+11*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(9/2)

Rubi [A] time = 0.71, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2975, 2980, 2772, 2771}

$$\frac{8a^3(710A + 803B) \sin(c + dx)}{3465d \cos^{3/2}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \cos^{5/2}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^{7/2}(c + dx) \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(13/2), x]

[Out] (2*a^3*(194*A + 209*B)*Sin[c + d*x])/(693*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Cos[c + d*x]]) + (2*a^3*(710*A + 803*B)*Sin[c + d*x])/(1155*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]) + (8*a^3*(710*A + 803*B)*Sin[c + d*x])/(3465*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) + (16*a^3*(710*A + 803*B)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(14*A + 11*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(99*d*Cos[c + d*x]^(9/2)) + (2*a*A*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Cos[c + d*x]^(11/2))

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] :> Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2975

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol]

```
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Sim
p[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*
(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c
- 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(
c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &
& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{\frac{13}{2}}(c + dx)} dx = \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} + \frac{2}{11} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{\frac{13}{2}}(c + dx)} dx$$

$$= \frac{2a^2(14A + 11B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)}$$

$$= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(14A + 11B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{99d \cos^{\frac{11}{2}}(c + dx)}$$

$$= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.99, size = 147, normalized size = 0.53

$$a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} ((25070A + 24827B) \cos(c + dx) + (9230A + 9284B) \cos(2(c + dx)) + 9230A + 9284B)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(1
3/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(9070*A + 7678*B + (25070*A + 24827*B)*Cos[
c + d*x] + (9230*A + 9284*B)*Cos[2*(c + d*x)] + 9230*A*Cos[3*(c + d*x)] + 1
0439*B*Cos[3*(c + d*x)] + 1420*A*Cos[4*(c + d*x)] + 1606*B*Cos[4*(c + d*x)]
+ 1420*A*Cos[5*(c + d*x)] + 1606*B*Cos[5*(c + d*x)])*Tan[(c + d*x)/2])/(69
30*d*Cos[c + d*x]^(11/2))
```

fricas [A] time = 0.95, size = 156, normalized size = 0.57

$$\frac{2 \left(8(710 A + 803 B) a^2 \cos(dx + c)^5 + 4(710 A + 803 B) a^2 \cos(dx + c)^4 + 3(710 A + 803 B) a^2 \cos(dx + c)^3 + 3465(d \cos(dx + c))^2 \right)}{3465(d \cos(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(13/2),x, algorithm="fricas")

[Out] 2/3465*(8*(710*A + 803*B))*a^2*cos(d*x + c)^5 + 4*(710*A + 803*B))*a^2*cos(d*x + c)^4 + 3*(710*A + 803*B))*a^2*cos(d*x + c)^3 + 5*(355*A + 286*B))*a^2*cos(d*x + c)^2 + 35*(32*A + 11*B))*a^2*cos(d*x + c) + 315*A*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^7 + d*cos(d*x + c)^6)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(13/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.31, size = 155, normalized size = 0.56

$$\frac{2a^2(-1 + \cos(dx + c)) \left(5680A(\cos^5(dx + c)) + 6424B(\cos^5(dx + c)) + 2840A(\cos^4(dx + c)) + 3212B(\cos^4(dx + c)) \right)}{3465(d \cos(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(13/2),x)

[Out] -2/3465/d*a^2*(-1+cos(d*x+c))*(5680*A*cos(d*x+c)^5+6424*B*cos(d*x+c)^5+2840*A*cos(d*x+c)^4+3212*B*cos(d*x+c)^4+2130*A*cos(d*x+c)^3+2409*B*cos(d*x+c)^3+1775*A*cos(d*x+c)^2+1430*B*cos(d*x+c)^2+1120*A*cos(d*x+c)+385*B*cos(d*x+c)+315*A)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)/cos(d*x+c)^(11/2)

maxima [B] time = 0.99, size = 626, normalized size = 2.28

$$8 \frac{11 \left(\frac{315 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)}{\cos(dx+c)+1} - \frac{945 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{1449 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{1287 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{572 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^9}{(\cos(dx+c)+1)^9} - \frac{104 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^{11}}{(\cos(dx+c)+1)^{11}} \right) B \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{11}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{11}{2}} \left(\frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(13/2),x, algorithm="maxima")

[Out] 8/3465*(11*(315*sqrt(2))*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 945*sqrt(2))*a^(5/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 1449*sqrt(2))*a^(5/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 1287*sqrt(2))*a^(5/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 572*sqrt(2))*a^(5/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9 - 104*sqrt(2))*a^(5/2)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11)*B*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^3/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2))*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^3/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2))*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2))

$$\begin{aligned} & c) + 1)^2 + 3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + \sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + 1)) + 5*(693*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)/(\cos(d*x + c) + 1) \\ &) - 2310*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 4620*\sqrt{2} \\ & *a^{(5/2)}*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 5478*\sqrt{2}*a^{(5/2)}*\sin(d*x \\ & + c)^7/(\cos(d*x + c) + 1)^7 + 3575*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)^9/(\cos(d*x \\ & + c) + 1)^9 - 1300*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)^{11}/(\cos(d*x + c) + 1)^{11} + \\ & 200*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)^{13}/(\cos(d*x + c) + 1)^{13})*A*(\sin(d*x + c) \\ & ^2/(\cos(d*x + c) + 1)^2 + 1)^4/((\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(13/2)} \\ &)*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(13/2)}*(4*\sin(d*x + c)^2/(\cos(d*x \\ & + c) + 1)^2 + 6*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 4*\sin(d*x + c)^6/(\cos \\ & (d*x + c) + 1)^6 + \sin(d*x + c)^8/(\cos(d*x + c) + 1)^8 + 1))) / d \end{aligned}$$

mupad [B] time = 7.32, size = 773, normalized size = 2.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/cos(c + d*x)^(13/2), x)`

[Out] $((a + a*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)}*((a^2*(710*A + 803*B)*16i)/(3465*d) - (a^2*\exp(c*5i + d*x*5i)*(30*A + 41*B)*8i)/(15*d) + (a^2*\exp(c*6i + d*x*6i)*(30*A + 41*B)*8i)/(15*d) + (a^2*\exp(c*4i + d*x*4i)*(160*A + 157*B)*8i)/(35*d) - (a^2*\exp(c*7i + d*x*7i)*(160*A + 157*B)*8i)/(35*d) + (a^2*\exp(c*2i + d*x*2i)*(710*A + 803*B)*8i)/(315*d) - (a^2*\exp(c*9i + d*x*9i)*(710*A + 803*B)*8i)/(315*d) - (a^2*\exp(c*11i + d*x*11i)*(710*A + 803*B)*16i)/(3465*d) - (B*a^2*\exp(c*3i + d*x*3i)*8i)/(3*d) + (B*a^2*\exp(c*8i + d*x*8i)*8i)/(3*d)))/((\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + \exp(c*1i + d*x*1i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + 5*\exp(c*2i + d*x*2i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + 5*\exp(c*3i + d*x*3i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + 10*\exp(c*4i + d*x*4i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + 10*\exp(c*5i + d*x*5i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + 10*\exp(c*6i + d*x*6i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + 10*\exp(c*7i + d*x*7i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + 5*\exp(c*8i + d*x*8i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + 5*\exp(c*9i + d*x*9i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + \exp(c*10i + d*x*10i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)} + \exp(c*11i + d*x*11i)*(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{(1/2)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(13/2), x)`

[Out] Timed out

$$3.191 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=190

$$-\frac{(4A-7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{a}d} + \frac{(4A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d}$$

[Out] $-1/4*(4*A-7*B)*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d/a^{(1/2)}+(A-B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}/d/a^{(1/2)}+1/2*B*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/4*(4*A-B)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.59, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2983, 2982, 2782, 205, 2774, 216}

$$-\frac{(4A-7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{a}d} + \frac{(4A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[a + a*Cos[c + d*x]], x]

[Out] $-((4*A - 7*B)*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/\text{Sqrt}[a + a*\text{Cos}[c + d*x]])/(4*\text{Sqrt}[a]*d) + (\text{Sqrt}[2]*(A - B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(2*\text{Sqrt}[a]*\text{Cos}[c + d*x])])/(2*\text{Sqrt}[a]*d) + ((4*A - B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(4*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (B*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Ssin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2982

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx = \frac{B \cos^3(c + dx) \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{\sqrt{\cos(c+dx)} \left(\frac{3aB}{2} + \frac{1}{2}a(4A-B) \cos(c+dx)\right)}{\sqrt{a+a \cos(c+dx)}} dx}{2a}$$

$$= \frac{(4A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{B \cos^3(c + dx) \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{1}{4} dx}{\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(4A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{B \cos^3(c + dx) \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} - \frac{(4A - B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{4\sqrt{a} d} + \frac{\sqrt{2} (A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d}$$

Mathematica [C] time = 1.97, size = 348, normalized size = 1.83

$$\cos\left(\frac{1}{2}(c + dx)\right) \left(\frac{4 \sin\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)} (4A+2B \cos(c+dx)-B)}{d} + \frac{\sqrt{2} e^{\frac{1}{2}i(c+dx)} \sqrt{e^{-i(c+dx)}(1+e^{2i(c+dx)})} (-8i\sqrt{2}(A-B) \log(1+e^{i(c+dx)})+i(4A-B))}{\sqrt{a} d} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[a + a*Cos[c + d*x]], x]
```

```
[Out] (Cos[(c + d*x)/2]*((Sqrt[2]*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))]/E^(I*(c + d*x)))*(-4*A*d*x + 7*B*d*x + I*(4*A - 7*B)*ArcSinh[E^(I*(c + d*x))]) - (8*I)*Sqrt[2]*(A - B)*Log[1 + E^(I*(c + d*x))] - (4*I)*A*Log[1 + Sqrt[1 + E^((2*I)*(c + d*x))]]) + (7*I)*B*Log[1 + Sqrt[1 + E^((2*I)*(c + d*x))]]) + (8*I)*Sqrt[2]*A*Log[1 - E^(I*(c + d*x))] + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]) - (8*I)*Sqrt[2]*B*Log[1 - E^(I*(c + d*x))] + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))])
```


$((2*I)*(c + d*x))]])))/(d*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] + (4*\text{Sqrt}[\text{Cos}[c + d*x]])*(4*A - B + 2*B*\text{Cos}[c + d*x])*Sin[(c + d*x)/2])/d)/(8*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])])$

fricas [A] time = 8.76, size = 184, normalized size = 0.97

$$\frac{(2B \cos(dx + c) + 4A - B)\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) + ((4A - 7B) \cos(dx + c) + 4A - 7B)\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)}\right) - 4\sqrt{2} * ((A - B) * a * \cos(dx + c) + (A - B) * a) * \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)}\right) / \sqrt{a}}{4(ad \cos(dx + c) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorith="fricas")

[Out] 1/4*((2*B*cos(d*x + c) + 4*A - B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) + ((4*A - 7*B)*cos(d*x + c) + 4*A - 7*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 4*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a)/(a*d*cos(d*x + c) + a*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(a*cos(d*x + c) + a), x)

maple [B] time = 0.32, size = 346, normalized size = 1.82

$$\left(\cos^{\frac{3}{2}}(dx + c)\right) \sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^3 \left(-4A \sin(dx + c) \cos(dx + c) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{\frac{3}{2}} - 4A \sin(dx + c) \cos(dx + c) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{\frac{3}{2}} - 4A \sin(dx + c) \cos(dx + c) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{\frac{3}{2}} - 4A \sin(dx + c) \cos(dx + c) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{\frac{3}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x)

[Out] 1/4/d*cos(d*x+c)^(3/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^3*(-4*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-4*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-2*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+4*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*2^(1/2)-4*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*2^(1/2)+B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+4*A*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))-7*B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)))/sin(d*x+c)^6/(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)/a

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(a*cos(d*x + c) + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(1/2),x)
```

```
[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(1/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.192 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=141

$$\frac{(2A - B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d} - \frac{\sqrt{2} (A - B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d} + \frac{B \sin(c + dx) \sqrt{\cos(c + dx)}}{d \sqrt{a \cos(c + dx) + a}}$$

[Out] (2*A-B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d/a^(1/2)-(A-B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)/d/a^(1/2)+B*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.40, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A - B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d} - \frac{\sqrt{2} (A - B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d} + \frac{B \sin(c + dx) \sqrt{\cos(c + dx)}}{d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[a + a*Cos[c + d*x]],x]

[Out] ((2*A - B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(Sqrt[a]*d) + (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]]))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2982

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x]

x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2983

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rubi steps

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx = \frac{B\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{\frac{aB}{2} + \frac{1}{2}a(2A - B) \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx}{a}$$

$$= \frac{B\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{(2A - B) \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx}{2a} + (-A + B)$$

$$= \frac{B\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{(2a(A - B)) \text{Subst}\left(\int \frac{1}{2a^2 + ax^2} dx, x, -\frac{\sqrt{a} \sin(c + dx)}{\sqrt{\cos(c + dx)}}\right)}{d}$$

$$= \frac{(2A - B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{a} d} - \frac{\sqrt{2} (A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{a} d}$$

Mathematica [C] time = 1.27, size = 222, normalized size = 1.57

$$\cos\left(\frac{1}{2}(c + dx)\right) \left(\frac{4B \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}}{d} - \frac{i\sqrt{2} e^{\frac{1}{2}i(c + dx)} \sqrt{e^{-i(c + dx)}(1 + e^{2i(c + dx)})} \left((2A - B) \sinh^{-1}(e^{i(c + dx)}) + 2\sqrt{2} (A - B) \tanh^{-1}\left(\frac{1 - e^{i(c + dx)}}{\sqrt{2} \sqrt{1 + e^{2i(c + dx)}}}\right) \right)}{d\sqrt{1 + e^{2i(c + dx)}}} \right) / (2\sqrt{a(\cos(c + dx) + 1)})$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[a + a*Cos[c + d*x]], x]

[Out] (Cos[(c + d*x)/2]*((-I)*Sqrt[2]*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))]/E^(I*(c + d*x)))*((2*A - B)*ArcSinh[E^(I*(c + d*x))] + 2*Sqrt[2]*(A - B)*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + (-2*A + B)*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])/(d*Sqrt[1 + E^((2*I)*(c + d*x))]) + (4*B*Sqrt[Cos[c + d*x]]*Sin[(c + d*x)/2])/d)/(2*Sqrt[a*(1 + Cos[c + d*x])])

fricas [A] time = 4.16, size = 168, normalized size = 1.19

$$\frac{\sqrt{a \cos(dx + c) + a} B \sqrt{\cos(dx + c)} \sin(dx + c) - ((2A - B) \cos(dx + c) + 2A - B) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)}\right)}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] (sqrt(a*cos(d*x + c) + a)*B*sqrt(cos(d*x + c))*sin(d*x + c) - ((2*A - B)*cos(d*x + c) + 2*A - B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/sqrt(a*cos(d*x + c) + a), x)

maple [A] time = 0.26, size = 216, normalized size = 1.53

$$\frac{\left(\cos^2(dx + c)\right)\sqrt{a(1 + \cos(dx + c))}(-1 + \cos(dx + c))^2 \left(A \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right)\sqrt{2} + B \sin(dx + c)\sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)}{d \sin(dx + c)^4 \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x)

[Out] 1/d*cos(d*x+c)^(3/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^2*(A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)+B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)+2*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))-B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)))/sin(d*x+c)^4/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/a

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(1/2),x)`

[Out] `int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\cos(c + dx)}}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(1/2),x)`

[Out] `Integral((A + B*cos(c + d*x))*sqrt(cos(c + d*x))/sqrt(a*(cos(c + d*x) + 1)), x)`

$$3.193 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=100

$$\frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out] 2*B*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/d/a^(1/2)+(A-B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)/d/a^(1/2)

Rubi [A] time = 0.24, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2982, 2782, 205, 2774, 216}

$$\frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]),x]

[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])])/(Sqrt[a]*d)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2982

Int[((A_) + (B_.)*sin[(e_) + (f_.)*(x_)])/(Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_) + (f_.)*(x_)]]), x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^

$2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx = (A - B) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx + \frac{B \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx}{a}$$

$$= \frac{(2a(A - B)) \text{Subst}\left(\int \frac{1}{2a^2 + ax^2} dx, x, -\frac{a \sin(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{d} \quad (2B)$$

$$= \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{a} d} + \frac{\sqrt{2} (A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{a} d}$$

Mathematica [A] time = 0.15, size = 82, normalized size = 0.82

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((A - B) \tan^{-1}\left(\frac{\sin\left(\frac{1}{2}(c + dx)\right)}{\sqrt{\cos(c + dx)}}\right) + \sqrt{2} B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{d \sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]), x]

[Out] (2*(Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + (A - B)*ArcTan[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]])*Cos[(c + d*x)/2]/(d*Sqrt[a*(1 + Cos[c + d*x])])

fricas [A] time = 3.88, size = 96, normalized size = 0.96

$$\frac{\sqrt{2} (A - B) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) + 2 B \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] -(sqrt(2)*(A - B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*B*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(a*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)

maple [A] time = 0.23, size = 149, normalized size = 1.49

$$\frac{\sqrt{a(1+\cos(dx+c))}(\sqrt{\cos(dx+c)}(-1+\cos(dx+c)))\left(A\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\sqrt{2}-B\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\right)}{d\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}a\sin(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x)

[Out] 1/d*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^(1/2)*(-1+cos(d*x+c))*(A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)-B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)-2*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^(1/2)/cos(d*x+c))/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/a/sin(d*x+c)^2

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(1/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(1/2)),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a(\cos(c + dx) + 1)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))/(sqrt(a*(cos(c + d*x) + 1))*sqrt(cos(c + d*x))),x)

$$3.194 \quad \int \frac{A+B \cos(c+dx)}{\cos^3(c+dx) \sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=99

$$\frac{2A \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out] $-(A-B) \arctan(1/2 \sin(dx+c) a^{1/2} 2^{1/2} / \cos(dx+c)^{1/2} / (a+a \cos(dx+c))^{1/2}) * 2^{1/2} / d / a^{1/2} + 2A \sin(dx+c) / d / \cos(dx+c)^{1/2} / (a+a \cos(dx+c))^{1/2}$

Rubi [A] time = 0.19, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2984, 12, 2782, 205}

$$\frac{2A \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]),x]`

[Out] $-\left(\frac{\sqrt{2}(A-B) \operatorname{ArcTan}\left[\frac{\sqrt{a} \sin[c+dx]}{\sqrt{2} \sqrt{\cos[c+dx]} \sqrt{a \cos[c+dx]+a}}\right]}{\sqrt{a} d} + \frac{2A \sin[c+dx]}{d \sqrt{\cos[c+dx]} \sqrt{a \cos[c+dx]+a}}\right)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 2782

`Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rule 2984

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1))/(f*(n+1)*(c^2 - d^2)), x] + Dist[1/(b*(n+1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1)*Simp[A*(a*d*m + b*c*(n+1)) - B*(a*c*m + b*d*(n+1)) + b*(B*c - A*d)*(m+n+2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])`

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx &= \frac{2A \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2 \int -\frac{a(A-B)}{2 \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} d}{a} \\
&= \frac{2A \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + (-A + B) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx \\
&= \frac{2A \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{(2a(A - B)) \text{Subst}\left(\int \frac{1}{2a^2 + ax^2} d\right)}{a} \\
&= -\frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} + \frac{2A \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 1.64, size = 203, normalized size = 2.05

$$2 \sin\left(\frac{1}{2}(c + dx)\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(10B \cos(c + dx) - (A - B) \left(\frac{1}{2} \sin(c + dx) \tan(c + dx) {}_2F_1\left(2, \frac{5}{2}; \frac{7}{2}; -\sec(c + dx)\right)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]), x]

[Out] (2*Cos[(c + d*x)/2]*Sin[(c + d*x)/2]*(10*B*Cos[c + d*x] - (A - B)*((-5*(1 + 4*Cos[c + d*x] + Cos[2*(c + d*x)])*Csc[(c + d*x)/2]^4*(1 - Cos[c + d*x] + ArcTanh[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)])*Cos[c + d*x]*Sqrt[2 - 2*Sec[c + d*x]]))/4 + (Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]*Sin[c + d*x]*Tan[(c + d*x)/2]))/(5*d*Cos[c + d*x]^(3/2)*Sqrt[a*(1 + Cos[c + d*x]))])

fricas [A] time = 1.18, size = 143, normalized size = 1.44

$$2 \sqrt{a \cos(dx + c) + a} A \sqrt{\cos(dx + c)} \sin(dx + c) - \frac{\sqrt{2}((A-B)a \cos(dx+c)^2 + (A-B)a \cos(dx+c)) \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{2(\cos(dx+c)^2 + \cos(dx+c))}\right)}{\sqrt{a}}$$

$$ad \cos(dx + c)^2 + ad \cos(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] (2*sqrt(a*cos(d*x + c) + a)*A*sqrt(cos(d*x + c))*sin(d*x + c) - sqrt(2)*((A - B)*a*cos(d*x + c)^2 + (A - B)*a*cos(d*x + c))*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/((cos(d*x + c)^2 + cos(d*x + c))*sqrt(a)))/sqrt(a))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \cos^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(a*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.26, size = 230, normalized size = 2.32

$$\frac{\sqrt{a(1 + \cos(dx + c))} \left(A \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \cos(dx + c) - B \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)}{da(1 + \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2), x)

[Out] 1/d*(a*(1+cos(d*x+c)))^(1/2)*(A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+2*A*sin(d*x+c)/a/(1+cos(d*x+c))/cos(d*x+c)^(1/2)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

mapad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(1/2)), x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a(\cos(c + dx) + 1)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(1/2), x)

[Out] Integral((A + B*cos(c + d*x))/(sqrt(a*(cos(c + d*x) + 1))*cos(c + d*x)**(3/2)), x)

$$3.195 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=142

$$\frac{2(A-3B) \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{2A \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)}}$$

[Out] (A-B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)/d/a^(1/2)+2/3*A*sin(d*x+c)/d/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)-2/3*(A-3*B)*sin(d*x+c)/d/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.34, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2984, 12, 2782, 205}

$$\frac{2(A-3B) \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{2A \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]),x]

[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) - (2*(A - 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2984

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1))/(f*(n+1)*(c^2 - d^2)), x] + Dist[1/(b*(n+1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1)*Simp[A*(a*d*m + b*c*(n+1)) - B*(a*c*m + b*d*(n+1)) + b*(B*c - A*d)*(m+n+2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m

+ 1/2, 0])

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx = \frac{2A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2 \int \frac{-\frac{1}{2}a(A-3B)+aA \cos(c+dx)}{\cos^2(c+dx) \sqrt{a+a \cos(c+dx)}} dx}{3a}$$

$$= \frac{2A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} + \frac{2A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}}$$

Mathematica [C] time = 6.81, size = 627, normalized size = 4.42

$$2(A - B) \cot\left(\frac{c}{2} + \frac{dx}{2}\right) \csc^4\left(\frac{c}{2} + \frac{dx}{2}\right) \left(-12 \sin^8\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^4\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(2, 2, \frac{7}{2}; 1, \frac{9}{2}; -\frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{1 - 2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) - 12\left(3\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]), x]

[Out] (4*B*Cos[c/2 + (d*x)/2]*Sin[c/2 + (d*x)/2])/(3*d*Sqrt[a*(1 + Cos[c + d*x])])*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(3/2) + (8*B*Cos[c/2 + (d*x)/2]*Sin[c/2 + (d*x)/2])/(3*d*Sqrt[a*(1 + Cos[c + d*x])])*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2] + (2*(A - B)*Cot[c/2 + (d*x)/2]*Csc[c/2 + (d*x)/2]^4*(-12*Cos[(c + d*x)/2]^4*HypergeometricPFQ[{2, 2, 7/2}, {1, 9/2}, -(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]*Sin[c/2 + (d*x)/2]^8 - 12*Hypergeometric2F1[2, 7/2, 9/2, -(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]*Sin[c/2 + (d*x)/2]^8*(4 - 7*Sin[c/2 + (d*x)/2]^2 + 3*Sin[c/2 + (d*x)/2]^4) + 7*Sqrt[-(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]*(1 - 2*Sin[c/2 + (d*x)/2]^2)^3*(15 - 20*Sin[c/2 + (d*x)/2]^2 + 8*Sin[c/2 + (d*x)/2]^4)*((3 - 7*Sin[c/2 + (d*x)/2]^2)*Sqrt[-(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]) - 3*ArcTanh[Sqrt[-(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]]*(1 - 2*Sin[c/2 + (d*x)/2]^2)))/(63*d*Sqrt[a*(1 + Cos[c + d*x])]*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(7/2))

fricas [A] time = 0.75, size = 163, normalized size = 1.15

$$\frac{2((A - 3B) \cos(dx + c) - A) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - \frac{3 \sqrt{2}((A-B)a \cos(dx+c)^3 + (A-B)a \cos(dx+c))}{3(ad \cos(dx + c)^3 + ad \cos(dx + c)^2)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out]
$$-1/3*(2*((A - 3*B)*\cos(dx + c) - A)*\sqrt{a*\cos(dx + c) + a}*\sqrt{\cos(dx + c)}*\sin(dx + c) - 3*\sqrt{2}*((A - B)*a*\cos(dx + c)^3 + (A - B)*a*\cos(dx + c)^2)*\arctan(1/2*\sqrt{2}*\sqrt{a*\cos(dx + c) + a}*\sqrt{\cos(dx + c)}*\sin(dx + c)/((\cos(dx + c)^2 + \cos(dx + c))*\sqrt{a}))/\sqrt{a})/(a*d*\cos(dx + c)^3 + a*d*\cos(dx + c)^2)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(a*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

maple [B] time = 0.34, size = 383, normalized size = 2.70

$$\left(\sin^2(dx + c)\right) \sqrt{a(1 + \cos(dx + c))} \left(3A \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) (\cos^2(dx + c)) \sqrt{2} \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{\frac{3}{2}} - 3B \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x)

[Out]
$$1/3/d*\sin(dx+c)^2*(a*(1+\cos(dx+c)))^{1/2}*(3*A*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^2*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}-3*B*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^2*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}+6*A*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}-6*B*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}+3*A*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}-3*B*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}+2*A*\cos(dx+c)*\sin(dx+c)-6*B*\cos(dx+c)*\sin(dx+c)-2*A*\sin(dx+c))/a/(-1+\cos(dx+c))/(1+\cos(dx+c))^{2/\cos(dx+c)^{3/2}}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^(1/2)),x)
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^(1/2)), x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(1/2),x)
[Out] Timed out
```


$$3.196 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=187

$$-\frac{2(A-5B) \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2(13A-5B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)}}\right)}{\sqrt{a} d}$$

[Out] $-(A-B) \arctan(1/2 \sin(d*x+c) * a^{(1/2)} * 2^{(1/2)} / \cos(d*x+c)^{(1/2)} / (a+a \cos(d*x+c))^{(1/2)}) * 2^{(1/2)} / d / a^{(1/2)} + 2/5 * A * \sin(d*x+c) / d / \cos(d*x+c)^{(5/2)} / (a+a \cos(d*x+c))^{(1/2)} - 2/15 * (A-5*B) * \sin(d*x+c) / d / \cos(d*x+c)^{(3/2)} / (a+a \cos(d*x+c))^{(1/2)} + 2/15 * (13*A-5*B) * \sin(d*x+c) / d / \cos(d*x+c)^{(1/2)} / (a+a \cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.61, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2984, 12, 2782, 205}

$$-\frac{2(A-5B) \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2(13A-5B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(7/2)*Sqrt[a + a*Cos[c + d*x]]),x]

[Out] $-\left(\frac{\sqrt{2}(A-B) \arctan\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)}}\right)}{\sqrt{a} d} + \frac{2A \sin(c+dx)}{5d \cos(c+dx)^{(5/2)} \sqrt{a \cos(c+dx)+a}} - \frac{2(A-5B) \sin(c+dx)}{15d \cos(c+dx)^{(3/2)} \sqrt{a \cos(c+dx)+a}} + \frac{2(13A-5B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2984

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^n, x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1))/(f*(n+1)*(c^2 - d^2)), x] + Dist[1/(b*(n+1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n+1)*Simp[A*(a*d*m + b*c*(n+1)) - B*(a*c*m + b*d*(n+1)) + b*(B*c - A*d)*(m+n+2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m

+ 1/2, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{\cos^{7/2}(c + dx)\sqrt{a + a \cos(c + dx)}} dx &= \frac{2A \sin(c + dx)}{5d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2 \int \frac{-\frac{1}{2}a(A-5B)+2aA \cos(c+dx)}{\cos^2(c+dx)\sqrt{a+a \cos(c+dx)}} dx}{5a} \\
 &= \frac{2A \sin(c + dx)}{5d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \cos^{3/2}(c + dx)\sqrt{a + a \cos(c + dx)}} \\
 &= \frac{2A \sin(c + dx)}{5d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \cos^{3/2}(c + dx)\sqrt{a + a \cos(c + dx)}} \\
 &= \frac{2A \sin(c + dx)}{5d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \cos^{3/2}(c + dx)\sqrt{a + a \cos(c + dx)}} \\
 &= \frac{2A \sin(c + dx)}{5d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \cos^{3/2}(c + dx)\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} + \frac{2A \sin(c + dx)}{5d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 7.82, size = 1728, normalized size = 9.24

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(7/2)*Sqrt[a + a*Cos[c + d*x]]),x]

[Out] (4*B*Cos[c/2 + (d*x)/2]*Sin[c/2 + (d*x)/2])/(5*d*Sqrt[a*(1 + Cos[c + d*x])])*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(5/2) + (16*B*Cos[c/2 + (d*x)/2]*(Sin[c/2 + (d*x)/2]/(1 - 2*Sin[c/2 + (d*x)/2]^2)^(3/2) + (2*Sin[c/2 + (d*x)/2])/Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]))/(15*d*Sqrt[a*(1 + Cos[c + d*x])]) - (2*(A - B)*Cot[c/2 + (d*x)/2]*Csc[c/2 + (d*x)/2]^6*(4725*Sin[c/2 + (d*x)/2]^2 - 48825*Sin[c/2 + (d*x)/2]^4 + 210105*Sin[c/2 + (d*x)/2]^6 - 486630*Sin[c/2 + (d*x)/2]^8 + 655812*Sin[c/2 + (d*x)/2]^10 - 710*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 40*Cos[(c + d*x)/2]^6*HypergeometricPFQ[{2, 2, 2, 9/2}, {1, 1, 11/2}, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 518760*Sin[c/2 + (d*x)/2]^12 + 1770*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^12 + 226656*Sin[c/2 + (d*x)/2]^14 - 1500*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^14 - 42048*Sin[c/2 + (d*x)/2]^16 + 440*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^16 + 4725*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]]*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)] - 56700*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^2*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)] + 291060*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^4*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]

2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)] - 833760*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)]*Sin[c/2 + (d*x)/2]⁶*Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)] + 1458000*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)]*Sin[c/2 + (d*x)/2]⁸*Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)] - 1598400*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)]*Sin[c/2 + (d*x)/2]¹⁰*Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)] + 1080000*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)]*Sin[c/2 + (d*x)/2]¹²*Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)] - 414720*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)]*Sin[c/2 + (d*x)/2]¹⁴*Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)] + 69120*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)]*Sin[c/2 + (d*x)/2]¹⁶*Sqrt[Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)] + 60*Cos[(c + d*x)/2]⁴*HypergeometricPFQ[{2, 2, 9/2}, {1, 11/2}, Sin[c/2 + (d*x)/2]²/(-1 + 2*Sin[c/2 + (d*x)/2]²)]*Sin[c/2 + (d*x)/2]¹⁰*(-5 + 4*Sin[c/2 + (d*x)/2]²))/(675*d*Sqrt[a*(1 + Cos[c + d*x])]*(1 - 2*Sin[c/2 + (d*x)/2]²)^(7/2)*(-1 + 2*Sin[c/2 + (d*x)/2]²))

fricas [A] time = 1.17, size = 180, normalized size = 0.96

$$\frac{2 \left((13A - 5B) \cos(dx + c)^2 - (A - 5B) \cos(dx + c) + 3A \right) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 15 \left(ad \cos(dx + c)^4 + ad \cos(dx + c)^3 \right)}{15 \left(ad \cos(dx + c)^4 + ad \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x, algorith="fricas")

[Out] 1/15*(2*((13*A - 5*B)*cos(d*x + c)² - (A - 5*B)*cos(d*x + c) + 3*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 15*sqrt(2)*((A - B)*a*cos(d*x + c)⁴ + (A - B)*a*cos(d*x + c)³)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/((cos(d*x + c)² + cos(d*x + c))*sqrt(a)))/sqrt(a))/(a*d*cos(d*x + c)⁴ + a*d*cos(d*x + c)³)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(a*cos(d*x + c) + a)*cos(d*x + c)^(7/2)), x)

maple [B] time = 0.36, size = 519, normalized size = 2.78

$$\sqrt{a(1 + \cos(dx + c))} \left(\sin^4(dx + c) \right) \left(15A \left(\cos^3(dx + c) \right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{5}{2}} \sqrt{2} \arcsin \left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) - 15B \left(\cos^3 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x)

[Out] 1/15/d*(a*(1+cos(d*x+c)))^(1/2)*sin(d*x+c)⁴*(15*A*cos(d*x+c)³*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-15*B*cos(

```
d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+45*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-45*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+45*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-45*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+15*A*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-15*B*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+26*A*cos(d*x+c)^2*sin(d*x+c)-10*B*sin(d*x+c)*cos(d*x+c)^2-2*A*cos(d*x+c)*sin(d*x+c)+10*B*cos(d*x+c)*sin(d*x+c)+6*A*sin(d*x+c))/a/(-1+cos(d*x+c))^2/(1+cos(d*x+c))^3/cos(d*x+c)^(5/2)
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{7/2} \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(7/2)*(a + a*cos(c + d*x))^(1/2)),x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(7/2)*(a + a*cos(c + d*x))^(1/2)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(7/2)/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.197 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=197

$$\frac{(2A-3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(5A-9B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} + \frac{(A-B) \sin(c+dx) \cos^3(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] (2*A-3*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d+1/2*(A-B)*cos(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(3/2)-1/4*(5*A-9*B)*arc tan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d*2^(1/2)-1/2*(A-3*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.64, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A-3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(5A-9B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} + \frac{(A-B) \sin(c+dx) \cos^3(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] ((2*A - 3*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(a^(3/2)*d) - ((5*A - 9*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) - ((A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Cos[c + d*x]])

Rule 205

Int[(a_) + (b_.)*(x_)^2]^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Ssin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])]*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx = \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\sqrt{\cos(c+dx)} \left(\frac{3}{2}a(A-B) - a(A-3B) \cos(c+dx) \right)}{\sqrt{a+a \cos(c+dx)}}}{2a^2}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(A - 3B) \sqrt{\cos(c + dx)} \sin(c + dx)}{2ad \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(A - 3B) \sqrt{\cos(c + dx)} \sin(c + dx)}{2ad \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(A - 3B) \sqrt{\cos(c + dx)} \sin(c + dx)}{2ad \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(2A - 3B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}} \right)}{a^{3/2}d} - \frac{(5A - 9B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \right)}{2\sqrt{2} a^{3/2}d}$$

Mathematica [C] time = 2.20, size = 362, normalized size = 1.84

$$\cos^3 \left(\frac{1}{2}(c + dx) \right) \left(\frac{2\sqrt{\cos(c+dx)} \tan\left(\frac{1}{2}(c+dx)\right) \sec\left(\frac{1}{2}(c+dx)\right) (-A+2B \cos(c+dx)+3B)}{d} + \frac{\sqrt{2} e^{\frac{1}{2}i(c+dx)} \sqrt{e^{-i(c+dx)} (1+e^{2i(c+dx)})} (i\sqrt{2} (5A-9B) \log(\dots))}{2\sqrt{2} a^{3/2}d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*cos[c + d*x])^(3/2), x]

[Out] (Cos[(c + d*x)/2]^3*((Sqrt[2]*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))]/E^(I*(c + d*x)))*(4*A*d*x - 6*B*d*x - (2*I)*(2*A - 3*B)*ArcSinh[E^(I*(c + d*x))] + I*Sqrt[2]*(5*A - 9*B)*Log[1 + E^(I*(c + d*x))] + (4*I)*A*Log[1 + Sqrt[1 + E^((2*I)*(c + d*x))]]] - (6*I)*B*Log[1 + Sqrt[1 + E^((2*I)*(c + d*x))]] - (5*I)*Sqrt[2]*A*Log[1 - E^(I*(c + d*x)) + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] + (9*I)*Sqrt[2]*B*Log[1 - E^(I*(c + d*x)) + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]))/(d*Sqrt[1 + E^((2*I)*(c + d*x))]) + (2*Sqrt[Cos[c + d*x]]*(-A + 3*B + 2*B*Cos[c + d*x])*Sec[(c + d*x)/2]*Tan[(c + d*x)/2])/d)/(2*(a*(1 + Cos[c + d*x]))^(3/2))

fricas [A] time = 15.06, size = 237, normalized size = 1.20

$$\frac{\sqrt{2} \left((5A - 9B) \cos(dx + c)^2 + 2(5A - 9B) \cos(dx + c) + 5A - 9B \right) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{2(a(1 + \cos(dx+c)))^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/4*(sqrt(2)*((5*A - 9*B)*cos(d*x + c)^2 + 2*(5*A - 9*B)*cos(d*x + c) + 5*A - 9*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*(2*B*cos(d*x + c) - A + 3*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 4*((2*A - 3*B)*cos(d*x + c)^2 + 2*(2*A - 3*B)*cos(d*x + c) + 2*A - 3*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 0.30, size = 379, normalized size = 1.92

$$\frac{\left(\cos^{\frac{3}{2}}(dx + c)\right) \sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^3 \left(2A \left(\cos^2(dx + c)\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} + 5A \arcsin\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}\right)\right)}{2(a(1 + \cos(dx+c)))^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2), x)

[Out] -1/4/d*cos(d*x+c)^(3/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^(3/2)*(2*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+5*A*arcsin((-1+cos(d*x+c))/sin(dx+c)))/d

$d*x+c)) * \sin(d*x+c) * \cos(d*x+c) * 2^{1/2} - 9*B * \arcsin((-1+\cos(d*x+c))/\sin(d*x+c)) * \sin(d*x+c) * \cos(d*x+c) * 2^{1/2} - 4*B * \cos(d*x+c)^3 * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} + 8*A * \sin(d*x+c) * \cos(d*x+c) * \arctan(\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c))))^{1/2} / \cos(d*x+c) - 2*A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2} - 12*B * \sin(d*x+c) * \cos(d*x+c) * \arctan(\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} / \cos(d*x+c)) - 2*B * \cos(d*x+c)^2 * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} + 6*B * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} / \sin(d*x+c)^7 / (\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2} / a^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(3/2),x)

[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.198 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=145

$$\frac{(A-5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2} d} + \frac{(A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{2d(a \cos(c+dx) + a)^{3/2}}$$

[Out] 2*B*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d+1/4*(A-5*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d*2^(1/2)+1/2*(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(3/2)

Rubi [A] time = 0.40, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2977, 2982, 2782, 205, 2774, 216}

$$\frac{(A-5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2} d} + \frac{(A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{2d(a \cos(c+dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(a^(3/2)*d) + ((A - 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Ssin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2977

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n/

```
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2982

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c + dx)}(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx = \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(A-B)+2aB \cos(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} dx}{2a^2}$$

$$= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(A - 5B) \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}}{4a}$$

$$= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(A - 5B) \text{Subst}\left(\int \frac{1}{2a^2+ax^2} dx, x, -\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{2d}$$

$$= \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{3/2}d} + \frac{(A - 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2} a^{3/2}d}$$

Mathematica [C] time = 1.91, size = 226, normalized size = 1.56

$$\frac{\cos^3\left(\frac{1}{2}(c + dx)\right) \left(\frac{(A-B)\sqrt{\cos(c+dx)} \tan\left(\frac{1}{2}(c+dx)\right) \sec\left(\frac{1}{2}(c+dx)\right)}{d} - \frac{ie^{\frac{1}{2}i(c+dx)} \sqrt{e^{-i(c+dx)}(1+e^{2i(c+dx)})} \left(-\sqrt{2}(A-5B) \tanh^{-1}\left(\frac{1-e^{i(c+dx)}}{\sqrt{2} \sqrt{1+e^{2i(c+dx)}}}\right)\right)}{\sqrt{2} d \sqrt{1+e^{2i(c+dx)}}} \right)}{(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2), x]
```

```
[Out] (Cos[(c + d*x)/2]^3*(((-I)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*(4*B*ArcSinh[E^(I*(c + d*x))] - Sqrt[2]*(A - 5*B)*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) - 4*B*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]]))/(Sqrt[2]*d*Sqrt[1 + E^((2*I)*(c + d*x))])) + ((A - B)*Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Tan[(c + d*x)/2])/d)/(a*(1 + Cos[c + d*x]))^(3/2)
```

fricas [A] time = 10.31, size = 203, normalized size = 1.40

$$\frac{\sqrt{2} \left((A - 5B) \cos(dx + c)^2 + 2(A - 5B) \cos(dx + c) + A - 5B \right) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - 2 \sqrt{a}}{4(a^2 d \cos(dx + c))^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$-1/4*(\sqrt{2})*((A - 5*B)*\cos(dx + c)^2 + 2*(A - 5*B)*\cos(dx + c) + A - 5*B)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(dx + c) + a}*\sqrt{\cos(dx + c)})/(\sqrt{a}*\sin(dx + c))) - 2*\sqrt{a*\cos(dx + c) + a}*(A - B)*\sqrt{\cos(dx + c)}*\sin(dx + c) + 8*(B*\cos(dx + c)^2 + 2*B*\cos(dx + c) + B)*\sqrt{a}*\arctan(\sqrt{a*\cos(dx + c) + a}*\sqrt{\cos(dx + c)})/(\sqrt{a}*\sin(dx + c)))/(a^2*d*\cos(dx + c)^2 + 2*a^2*d*\cos(dx + c) + a^2*d)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 0.28, size = 298, normalized size = 2.06

$$\left(\sqrt{\cos(dx + c)}\sqrt{a(1 + \cos(dx + c))}(-1 + \cos(dx + c))^2\right) \left(2A(\cos^2(dx + c))\left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{\frac{3}{2}} + A \arcsin\left(\frac{-1}{\dots}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x)

[Out]
$$-1/4/d*\cos(dx+c)^(1/2)*(a*(1+\cos(dx+c)))^(1/2)*(-1+\cos(dx+c))^2*(2*A*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^(3/2)+A*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)*2^(1/2)-5*B*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)*2^(1/2)-2*A*(\cos(dx+c)/(1+\cos(dx+c)))^(3/2)-8*B*\sin(dx+c)*\cos(dx+c)*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2)/\cos(dx+c))-2*B*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2)+2*B*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2))/\sin(dx+c)^5/(\cos(dx+c)/(1+\cos(dx+c)))^(3/2)/a^2$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)}(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(3/2), x)`

[Out] `int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\cos(c + dx)}}{(a(\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2), x)`

[Out] `Integral((A + B*cos(c + d*x))*sqrt(cos(c + d*x))/(a*(cos(c + d*x) + 1))**(3/2), x)`

$$3.199 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=107

$$\frac{(3A+B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{(A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] 1/4*(3*A+B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(3/2)/d*2^(1/2)-1/2*(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(3/2)

Rubi [A] time = 0.22, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2978, 12, 2782, 205}

$$\frac{(3A+B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{(A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(3/2)), x]

[Out] ((3*A + B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{a(3A+B)}{2\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} dx}{2a^2} \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(3A + B) \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}}{4a} \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(3A + B) \operatorname{Subst}\left(\int \frac{1}{2a^2+ax^2} dx, x, \sqrt{\cos(c+dx)}\right)}{2d} \\
&= \frac{(3A + B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 1.15, size = 212, normalized size = 1.98

$$\frac{\frac{1}{2}i(A - B)e^{-\frac{1}{2}i(c+dx)}(-1 + e^{i(c+dx)})\sqrt{1 + e^{2i(c+dx)}}\sqrt{\cos(c + dx)}\cos\left(\frac{1}{2}(c + dx)\right) + i(3A + B)e^{\frac{1}{2}i(c+dx)}\sqrt{e^{-i(c+dx)}(1 + e^{i(c+dx)})}}{d\sqrt{1 + e^{2i(c+dx)}}(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(3/2)), x]

[Out] (I*(3*A + B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[(c + d*x)/2]^3 + ((I/2)*(A - B)*(-1 + E^(I*(c + d*x)))*Sqrt[1 + E^((2*I)*(c + d*x))])*Cos[(c + d*x)/2]*Sqrt[Cos[c + d*x]]/E^((I/2)*(c + d*x)))/(d*Sqrt[1 + E^((2*I)*(c + d*x))]*(a*(1 + Cos[c + d*x]))^(3/2))

fricas [A] time = 0.92, size = 164, normalized size = 1.53

$$\frac{\sqrt{2}((3A + B)\cos(dx + c)^2 + 2(3A + B)\cos(dx + c) + 3A + B)\sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)+a\sqrt{a}\sqrt{\cos(dx+c)}\sin(dx+c)}{2(a\cos(dx+c)^2+a\cos(dx+c))}\right)}{4(a^2d\cos(dx + c)^2 + 2a^2d\cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/4*(sqrt(2)*((3*A + B)*cos(d*x + c)^2 + 2*(3*A + B)*cos(d*x + c) + 3*A + B)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*sqrt(a*cos(d*x + c) + a)*(A - B)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)

maple [B] time = 0.26, size = 246, normalized size = 2.30

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c)) \left(-2A (\cos^2(dx + c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} + 3A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2), x)

[Out] 1/4/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))*(-2*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+3*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)+B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)+2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+2*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-2*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/a^2/cos(d*x+c)^(1/2)/sin(d*x+c)^3

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(3/2)), x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(3/2), x)

[Out] Integral((A + B*cos(c + d*x))/((a*(cos(c + d*x) + 1))**(3/2)*sqrt(cos(c + d*x))), x)

$$3.200 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=156

$$\frac{(7A-3B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(5A-B) \sin(c+dx)}{2ad \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{(A-B) \sin(c+dx)}{2d \sqrt{\cos(c+dx)} (a \cos(c+dx)+a)}$$

[Out] $-1/4*(7*A-3*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)*2^{(1/2)}/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2))}/a^{(3/2)/d*2^{(1/2)}-1/2*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)/\cos(d*x+c)^{(1/2)+1/2*(5*A-B)*\sin(d*x+c)/a/d/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)}}$

Rubi [A] time = 0.38, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(7A-3B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(5A-B) \sin(c+dx)}{2ad \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{(A-B) \sin(c+dx)}{2d \sqrt{\cos(c+dx)} (a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(3/2)),x]

[Out] $-((7*A - 3*B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/(2*\text{Sqrt}[2]*a^{(3/2)*d}) - ((A - B)*\text{Sin}[c + d*x])/((2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((5*A - B)*\text{Sin}[c + d*x])/((2*a*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2984

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} dx = -\frac{(A - B) \sin(c + dx)}{2d \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(5A - B) - a(A - B) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} + \frac{(5A - B) \sin(c + dx)}{2ad \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} + \frac{(5A - B) \sin(c + dx)}{2ad \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} + \frac{(5A - B) \sin(c + dx)}{2ad \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(7A - 3B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{(A - B) \sin(c + dx)}{2d \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}}$$

Mathematica [C] time = 3.87, size = 423, normalized size = 2.71

$$\cos^3\left(\frac{1}{2}(c + dx)\right) \left(\frac{(A + 3B) \csc^3\left(\frac{1}{2}(c + dx)\right) \left(5(4 \cos(c + dx) + \cos(2(c + dx))) + 1\right) \left(-\cos(c + dx) + \cos(c + dx) \sqrt{2 - 2 \sec(c + dx)}\right) \tanh^{-1}\left(\sqrt{\sin^2\left(\frac{1}{2}(c + dx)\right)}\right)}{2 \cos^{\frac{3}{2}}(c + dx)} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/((Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(3/2)), x]
```

```
[Out] (Cos[(c + d*x)/2]^3*(30*(A - B)*ArcTan[(1 - 2*Sin[(c + d*x)/2])/Sqrt[Cos[c + d*x]]] - 30*(A - B)*ArcTan[(1 + 2*Sin[(c + d*x)/2])/Sqrt[Cos[c + d*x]]] - (20*(A - B)*Sqrt[Cos[c + d*x]]/(-1 + Sin[(c + d*x)/2]) - (20*(A - B)*Sqrt[Cos[c + d*x]]/(1 + Sin[(c + d*x)/2]) + (5*(A - B)*(-1 + 2*Sin[(c + d*x)/2]))/(Sqrt[Cos[c + d*x]]*(Cos[(c + d*x)/4] + Sin[(c + d*x)/4])^2) - (5*(A - B)*(1 + 2*Sin[(c + d*x)/2]))/(Sqrt[Cos[c + d*x]]*(-1 + Sin[(c + d*x)/2])) + ((A + 3*B)*Csc[(c + d*x)/2]^3*(5*(1 + 4*Cos[c + d*x] + Cos[2*(c + d*x)])*(1 - Cos[c + d*x] + ArcTanh[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]*Cos[c + d*x]*Sqrt[2 - 2*Sec[c + d*x]]) - 2*Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^4*Sin[c + d*x]*Tan[c + d*x]))/(2*Cos[c + d*x]^(3/2)))/(10*d*(a*(1 + Cos[c + d*x]))^(3/2))
```

fricas [A] time = 1.06, size = 201, normalized size = 1.29

$$\frac{\sqrt{2} \left((7A - 3B) \cos(dx + c)^3 + 2(7A - 3B) \cos(dx + c)^2 + (7A - 3B) \cos(dx + c) \right) \sqrt{a} \arctan \left(\frac{\sqrt{2} \sqrt{a \cos(dx + c)}}{2(a \cos(dx + c) + a)} \right)}{4 \left(a^2 d \cos(dx + c) \right)^3 + 2 a^2 d \cos(dx + c)^2 + a^2 d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out] -1/4*(sqrt(2)*((7*A - 3*B)*cos(d*x + c)^3 + 2*(7*A - 3*B)*cos(d*x + c)^2 + (7*A - 3*B)*cos(d*x + c))*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((5*A - B)*cos(d*x + c) + 4*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.28, size = 299, normalized size = 1.92

$$\frac{\sqrt{a(1 + \cos(dx + c))} \left(-7A \cos(dx + c) \sin(dx + c) \arcsin \left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + 3B \cos(dx + c) \sin(dx + c) \right)}{4 \left(a^2 d \cos(dx + c) \right)^3 + 2 a^2 d \cos(dx + c)^2 + a^2 d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x)

[Out] -1/4/d*(a*(1+cos(d*x+c)))^(1/2)*(-7*A*cos(d*x+c)*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+3*B*cos(d*x+c)*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-7*A*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+3*B*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+10*A*cos(d*x+c)^2-2*B*cos(d*x+c)^2-2*A*cos(d*x+c)+2*B*cos(d*x+c)-8*A)/a^2/sin(d*x+c)/(1+cos(d*x+c))/cos(d*x+c)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(3/2)), x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(3/2), x)

[Out] Integral((A + B*cos(c + d*x))/((a*(cos(c + d*x) + 1))**(3/2)*cos(c + d*x)**(3/2)), x)

3.201
$$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{3}{2}}} dx$$

Optimal. Leaf size=203

$$\frac{(11A - 7B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^{\frac{3}{2}}(c + dx)\sqrt{a \cos(c + dx) + a}} - \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a \cos(c + dx) + a)}$$

[Out] $-1/2*(A-B)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(3/2)}+1/4*(11*A-7*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(3/2)}/d*2^{(1/2)}+1/6*(7*A-3*B)*\sin(d*x+c)/a/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}-1/6*(19*A-15*B)*\sin(d*x+c)/a/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.56, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(11A - 7B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^{\frac{3}{2}}(c + dx)\sqrt{a \cos(c + dx) + a}} - \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^(3/2)),x]`

[Out] `((11*A - 7*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(3/2)) + ((7*A - 3*B)*Sin[c + d*x])/(6*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) - ((19*A - 15*B)*Sin[c + d*x])/(6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])`

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 2782

`Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rule 2978

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[`

$b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$
 $\&\& !\text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \mid\mid \text{EqQ}[c, 0])$

Rule 2984

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)*(x_)])^{(m_.)} * ((A_.) + (B_.)\sin[(e_.) + (f_.)*(x_)] * ((c_.) + (d_.)\sin[(e_.) + (f_.)*(x_)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(B*c - A*d)\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^m * (c + d*\text{Sin}[e + f*x])^{n+1} / (f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(b*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m * (c + d*\text{Sin}[e + f*x])^{n+1} * \text{Simp}[A*(a*d*m + b*c*(n+1)) - B*(a*c*m + b*d*(n+1)) + b*(B*c - A*d)*(m+n+2)*\text{Sin}[e + f*x], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[n] \mid\mid \text{EqQ}[m + 1/2, 0])$

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} dx = -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(7A-3B)-2a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a \cos(c+dx)}} dx}{2a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(11A - 7B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}}$$

Mathematica [C] time = 6.81, size = 1054, normalized size = 5.19

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^(3/2)), x]

[Out] $-1/6*((A - B)\text{Cos}[c/2 + (d*x)/2]^3*(1 - 2*\text{Sin}[c/2 + (d*x)/2]))/(d*(a*(1 + \text{Cos}[c + d*x])^(3/2)*(1 + \text{Sin}[c/2 + (d*x)/2])*(1 - 2*\text{Sin}[c/2 + (d*x)/2]^2)^(3/2)) + ((A - B)\text{Cos}[c/2 + (d*x)/2]^3*(1 + 2*\text{Sin}[c/2 + (d*x)/2]))/(6*d*(a*(1 + \text{Cos}[c + d*x])^(3/2)*(1 - \text{Sin}[c/2 + (d*x)/2])*(1 - 2*\text{Sin}[c/2 + (d*x)/2]^2)^(3/2)) - ((A - B)\text{Cos}[c/2 + (d*x)/2]^3*(5*\text{ArcTan}[(1 - 2*\text{Sin}[c/2 + (d*x)/2])/\text{Sqrt}[1 - 2*\text{Sin}[c/2 + (d*x)/2]^2]] + (1 + \text{Sin}[c/2 + (d*x)/2])/((1 - \text{Sin}[c/2 + (d*x)/2])*\text{Sqrt}[1 - 2*\text{Sin}[c/2 + (d*x)/2]^2]) + (3*\text{Sqrt}[1 - 2*\text{Sin}[c/2 + (d*x)/2]^2])/(1 - \text{Sin}[c/2 + (d*x)/2]))/(d*(a*(1 + \text{Cos}[c + d*x])^(3/2))$

+ ((A - B)*Cos[c/2 + (d*x)/2]^3*(5*ArcTan[(1 + 2*Sin[c/2 + (d*x)/2])/Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]] + (1 - Sin[c/2 + (d*x)/2])/((1 + Sin[c/2 + (d*x)/2])*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]) + (3*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2])/((1 + Sin[c/2 + (d*x)/2])))/(d*(a*(1 + Cos[c + d*x]))^(3/2)) + ((A + 3*B)*Cot[c/2 + (d*x)/2]^3*Csc[c/2 + (d*x)/2]^2*(-12*Cos[(c + d*x)/2]^4*HypergeometricPFQ[{2, 2, 7/2}, {1, 9/2}, -(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]*Sin[c/2 + (d*x)/2]^8 - 12*Hypergeometric2F1[2, 7/2, 9/2, -(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]*Sin[c/2 + (d*x)/2]^8*(4 - 7*Sin[c/2 + (d*x)/2]^2 + 3*Sin[c/2 + (d*x)/2]^4) + 7*Sqrt[-(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]*(1 - 2*Sin[c/2 + (d*x)/2]^2)^3*(15 - 20*Sin[c/2 + (d*x)/2]^2 + 8*Sin[c/2 + (d*x)/2]^4)*((3 - 7*Sin[c/2 + (d*x)/2]^2)*Sqrt[-(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))] - 3*ArcTanh[Sqrt[-(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]]*(1 - 2*Sin[c/2 + (d*x)/2]^2)))/(63*d*(a*(1 + Cos[c + d*x]))^(3/2)*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(7/2))

fricas [A] time = 0.98, size = 221, normalized size = 1.09

$$\frac{3\sqrt{2}\left((11A - 7B)\cos(dx + c)^4 + 2(11A - 7B)\cos(dx + c)^3 + (11A - 7B)\cos(dx + c)^2\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx + c)}{2(a\cos(dx + c) + a)}\right)}{12\left(a^2d\cos(dx + c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(3/2),x, algorith="fricas")

[Out] 1/12*(3*sqrt(2)*((11*A - 7*B)*cos(d*x + c)^4 + 2*(11*A - 7*B)*cos(d*x + c)^3 + (11*A - 7*B)*cos(d*x + c)^2)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((19*A - 15*B)*cos(d*x + c)^2 + 12*(A - B)*cos(d*x + c) - 4*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(3/2),x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2)), x)

maple [B] time = 0.34, size = 443, normalized size = 2.18

$$\sqrt{a(1 + \cos(dx + c))} \sin(dx + c) \left(33A \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sin(dx + c) (\cos^2(dx + c)) \sqrt{2} \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{\frac{3}{2}} - 21B \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(3/2),x)

[Out] 1/12/d*(a*(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*(33*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2) - 21*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2*2^(1/2)*(co

$s(d*x+c)/(1+\cos(d*x+c))^{3/2}+66*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}-42*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+33*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}-21*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}-38*A*\cos(d*x+c)^3+30*B*\cos(d*x+c)^3+14*A*\cos(d*x+c)^2-6*B*\cos(d*x+c)^2+32*A*\cos(d*x+c)-24*B*\cos(d*x+c)-8*A)/a^2/(-1+\cos(d*x+c))/(1+\cos(d*x+c))^2/\cos(d*x+c)^{3/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(3/2), x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^(3/2)), x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(3/2), x)

[Out] Timed out

$$3.202 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=246

$$\frac{(2A - 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(43A - 115B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{(11A - 35B) \sin(c+dx) \sqrt{\cos(c+dx)}}{16a^2 d \sqrt{a \cos(c+dx)} + a}$$

[Out] (2*A-5*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d+1/4*(A-B)*cos(d*x+c)^(5/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(5/2)+1/16*(7*A-15*B)*cos(d*x+c)^(3/2)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(3/2)-1/32*(43*A-115*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d*2^(1/2)-1/16*(11*A-35*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a^2/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.84, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A - 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A - 35B) \sin(c+dx) \sqrt{\cos(c+dx)}}{16a^2 d \sqrt{a \cos(c+dx)} + a} - \frac{(43A - 115B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] ((2*A - 5*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(a^(5/2)*d) - ((43*A - 115*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x]/(4*d*(a + a*Cos[c + d*x])^(5/2)) + ((7*A - 15*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x]/(16*a*d*(a + a*Cos[c + d*x])^(3/2)) - ((11*A - 35*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Cos[c + d*x]]))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Ssin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) +
(f_)*(x_)])]*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n
+ 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m
+ n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{\frac{5}{2}}} dx = \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} + \frac{\int \frac{\cos^{\frac{3}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-a(A-5B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{\frac{3}{2}}} dx}{4a^2}$$

$$= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} + \frac{(7A-15B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}}$$

$$= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} + \frac{(7A-15B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}}$$

$$= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} + \frac{(7A-15B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}}$$

$$= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} + \frac{(7A-15B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}}$$

$$= \frac{(2A-5B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{\frac{5}{2}}d} - \frac{(43A-115B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{\frac{5}{2}}d}$$

Mathematica [C] time = 3.53, size = 376, normalized size = 1.53

$$\cos^5\left(\frac{1}{2}(c+dx)\right)\left(\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec^3\left(\frac{1}{2}(c+dx)\right)\left((55B-15A)\cos(c+dx)-11A+8B\cos(2(c+dx))\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2),x]

[Out] (Cos[(c + d*x)/2]^5*((Sqrt[2]*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))]/E^(I*(c + d*x)))*(32*A*d*x - 80*B*d*x - (16*I)*(2*A - 5*B)*ArcSinh[E^(I*(c + d*x))] + I*Sqrt[2]*(43*A - 115*B)*Log[1 + E^(I*(c + d*x))] + (32*I)*A*Log[1 + Sqrt[1 + E^((2*I)*(c + d*x))]] - (80*I)*B*Log[1 + Sqrt[1 + E^((2*I)*(c + d*x))]] - (43*I)*Sqrt[2]*A*Log[1 - E^(I*(c + d*x))] + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]] + (115*I)*Sqrt[2]*B*Log[1 - E^(I*(c + d*x))] + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]))/Sqrt[1 + E^((2*I)*(c + d*x))] + Sqrt[Cos[c + d*x]]*(-11*A + 43*B + (-15*A + 55*B)*Cos[c + d*x] + 8*B*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^3*Tan[(c + d*x)/2))/(8*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 28.56, size = 302, normalized size = 1.23

$$\sqrt{2}\left((43A - 115B)\cos(dx + c)^3 + 3(43A - 115B)\cos(dx + c)^2 + 3(43A - 115B)\cos(dx + c) + 43A - 115B\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] 1/32*(sqrt(2)*((43*A - 115*B)*cos(d*x + c)^3 + 3*(43*A - 115*B)*cos(d*x + c)^2 + 3*(43*A - 115*B)*cos(d*x + c) + 43*A - 115*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*(16*B*cos(d*x + c)^2 - 5*(3*A - 11*B)*cos(d*x + c) - 11*A + 35*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 32*((2*A - 5*B)*cos(d*x + c)^3 + 3*(2*A - 5*B)*cos(d*x + c)^2 + 3*(2*A - 5*B)*cos(d*x + c) + 2*A - 5*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 0.34, size = 647, normalized size = 2.63

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^5 \left(\cos^{\frac{5}{2}}(dx + c) \right) \left(30A \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} (\cos^3(dx + c)) + 43A \arcsin \left(\frac{-1 + \cos(dx+c)}{\cos(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x)

[Out] -1/32/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^5*cos(d*x+c)^(5/2)*(30*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^3+43*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+22*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-115*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-32*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^4+43*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-30*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)+64*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-115*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-78*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-160*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-22*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+64*A*sin(d*x+c)*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+40*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-160*B*sin(d*x+c)*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+70*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/sin(d*x+c)^11/(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)/a^3

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{5/2} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(5/2),x)

[Out] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.203 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=194

$$\frac{(3A - 43B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2} d} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}} + \frac{(3A - 43B) \sin(c + dx) \cos^3(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}}$$

[Out] 2*B*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d+1/4*(A-B)*cos(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(5/2)+1/32*(3*A-43*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d*2^(1/2)+1/16*(3*A-11*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a/d/(a+a*cos(d*x+c))^(3/2)

Rubi [A] time = 0.58, antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2977, 2982, 2782, 205, 2774, 216}

$$\frac{(3A - 43B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2} d} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}} + \frac{(3A - 43B) \sin(c + dx) \cos^3(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]])/(a^(5/2)*d) + ((3*A - 43*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) + ((3*A - 11*B)*Sqrt[Cos[c + d*x]*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Ssin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])
*sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*sqrt[c + d*Sin[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/sqrt[c + d*Sin[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx = \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{\sqrt{\cos(c + dx)} \left(\frac{3}{2}a(A - B) + 4aB \cos(c + dx)\right)}{(a + a \cos(c + dx))^{3/2}}}{4a^2}$$

$$= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A - 11B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}$$

$$= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A - 11B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}$$

$$= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A - 11B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}$$

$$= \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{a^{5/2}d} + \frac{(3A - 43B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2} a^{5/2}d}$$

Mathematica [C] time = 2.17, size = 246, normalized size = 1.27

$$\cos^5\left(\frac{1}{2}(c + dx)\right) \left(\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec^3\left(\frac{1}{2}(c + dx)\right) ((7A - 15B) \cos(c + dx) + 3A - 11B) - \frac{i\sqrt{2}e^{\frac{1}{2}(c + dx)}}{8d(a(\cos(c + dx) + 1)} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] (Cos[(c + d*x)/2]^5*(((-1)*Sqrt[2]*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))])*(32*B*ArcSinh[E^(I*(c + d*x))] - Sqrt[2]*(3*A - 43*B)*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) - 32*B*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]]))/Sqrt[1 + E^((2*I)*(c + d*x))])
```

*x))] + Sqrt[Cos[c + d*x]]*(3*A - 11*B + (7*A - 15*B)*Cos[c + d*x])*Sec[(c + d*x)/2]^3*Tan[(c + d*x)/2)]/(8*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 24.44, size = 267, normalized size = 1.38

$$\sqrt{2} \left((3A - 43B) \cos(dx + c)^3 + 3(3A - 43B) \cos(dx + c)^2 + 3(3A - 43B) \cos(dx + c) + 3A - 43B \right) \sqrt{a} \arcsin\left(\frac{\cos(dx + c)}{\sqrt{a}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] -1/32*(sqrt(2)*((3*A - 43*B)*cos(d*x + c)^3 + 3*(3*A - 43*B)*cos(d*x + c)^2 + 3*(3*A - 43*B)*cos(d*x + c) + 3*A - 43*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*((7*A - 15*B)*cos(d*x + c) + 3*A - 11*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) + 64*(B*cos(d*x + c)^3 + 3*B*cos(d*x + c)^2 + 3*B*cos(d*x + c) + B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 0.31, size = 515, normalized size = 2.65

$$\left(\cos^{\frac{3}{2}}(dx + c)\right) \sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^4 \left(14A \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} (\cos^3(dx + c)) + 3A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x)

[Out] -1/32/d*cos(d*x+c)^(3/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^4*(14*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^3+3*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+6*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-43*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+3*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-14*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)-43*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-64*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-30*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-6*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-64*B*sin(d*x+c)*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+8*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+22*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/sin(d*x+c)^9/(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)/a^3

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{\frac{3}{2}} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(5/2), x)

[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \cos^{\frac{3}{2}}(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2),x)

[Out] Integral((A + B*cos(c + d*x))*cos(c + d*x)**(3/2)/(a*(cos(c + d*x) + 1))**(5/2), x)

$$3.204 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=154

$$\frac{(5A + 3B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} + \frac{(A + 7B) \sin(c + dx) \sqrt{\cos(c + dx)}}{16ad(a \cos(c + dx) + a)^{3/2}} + \frac{(A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d(a \cos(c + dx) + a)^{5/2}}$$

[Out] 1/32*(5*A+3*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d*2^(1/2)+1/4*(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(5/2)+1/16*(A+7*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a/d/(a+a*cos(d*x+c))^(3/2)

Rubi [A] time = 0.38, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2977, 2978, 12, 2782, 205}

$$\frac{(5A + 3B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} + \frac{(A + 7B) \sin(c + dx) \sqrt{\cos(c + dx)}}{16ad(a \cos(c + dx) + a)^{3/2}} + \frac{(A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d(a \cos(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2),x]

[Out] ((5*A + 3*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x]/(4*d*(a + a*Cos[c + d*x])^(5/2)) + ((A + 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2977

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{5/2}} dx &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(A-B)+a(A+3B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(A+7B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\
&= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(A+7B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\
&= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(A+7B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \\
&= \frac{(5A+3B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}}
\end{aligned}$$

Mathematica [C] time = 1.51, size = 198, normalized size = 1.29

$$\frac{\cos^5\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{2}\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec^3\left(\frac{1}{2}(c+dx)\right)\left((A+7B)\cos(c+dx)+5A+3B\right)+\frac{i(5A+3B)}{4d(a(\cos(c+dx)+1))^{5/2}}\right)}{4d(a(\cos(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] (Cos[(c + d*x)/2])^5*((I*(5*A + 3*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/Sqrt[1 + E^((2*I)*(c + d*x))] + (Sqrt[Cos[c + d*x]]*(5*A + 3*B + (A + 7*B)*Cos[c + d*x])*Sec[(c + d*x)/2]^3*Tan[(c + d*x)/2])/2)/(4*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 0.89, size = 215, normalized size = 1.40

$$\frac{\sqrt{2}\left((5A+3B)\cos(dx+c)^3+3(5A+3B)\cos(dx+c)^2+3(5A+3B)\cos(dx+c)+5A+3B\right)\sqrt{a}\arctan\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{32\left(a^3d\cos(dx+c)^3+3a^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] 1/32*(sqrt(2)*((5*A + 3*B)*cos(d*x + c)^3 + 3*(5*A + 3*B)*cos(d*x + c)^2 + 3*(5*A + 3*B)*cos(d*x + c) + 5*A + 3*B)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) + 2*((A + 7*B)*cos(d*x + c) + 5*A + 3*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 0.32, size = 413, normalized size = 2.68

$$\left(\sqrt{\cos(dx + c)}\right) \sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^3 \left(2A \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} (\cos^3(dx + c)) + 10A (\cos^2(dx + c) + \dots)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x)

[Out] 1/32/d*cos(d*x+c)^(1/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^3*(2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^3+10*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+5*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+3*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)+5*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)+14*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+3*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-10*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-8*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-6*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/sin(d*x+c)^7/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/a^3

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(5/2), x)
```

```
[Out] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(5/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\cos(c + dx)}}{(a(\cos(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2), x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sqrt(cos(c + d*x))/(a*(cos(c + d*x) + 1))**(5/2), x)
```

$$3.205 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=156

$$\frac{(19A + 5B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(9A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{16ad(a \cos(c + dx) + a)^{3/2}} - \frac{(A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d(a \cos(c + dx) + a)^{5/2}}$$

[Out] 1/32*(19*A+5*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(5/2)/d*2^(1/2)-1/4*(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(5/2)-1/16*(9*A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a/d/(a+a*cos(d*x+c))^(3/2)

Rubi [A] time = 0.44, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2978, 12, 2782, 205}

$$\frac{(19A + 5B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(9A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{16ad(a \cos(c + dx) + a)^{3/2}} - \frac{(A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d(a \cos(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(5/2)),x]

[Out] ((19*A + 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) - ((9*A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2}} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(7A+B)-a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{3/2}} a}{4a^2} \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(9A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(9A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(9A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(19A + 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [C] time = 1.47, size = 200, normalized size = 1.28

$$\frac{\cos^5\left(\frac{1}{2}(c + dx)\right) \left(-\frac{1}{2}\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec^3\left(\frac{1}{2}(c + dx)\right) ((9A - B) \cos(c + dx) + 13A - 5B) + \frac{i(19A + 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2} a^{5/2} d} \right)}{4d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(5/2)), x]

[Out] (Cos[(c + d*x)/2]^5*((I*(19*A + 5*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])/Sqrt[1 + E^((2*I)*(c + d*x))]) - (Sqrt[Cos[c + d*x]]*(13*A - 5*B + (9*A - B)*Cos[c + d*x])*Sec[(c + d*x)/2]^3*Tan[(c + d*x)/2])/2)/(4*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 1.13, size = 217, normalized size = 1.39

$$\frac{\sqrt{2} \left((19A + 5B) \cos(dx + c)^3 + 3(19A + 5B) \cos(dx + c)^2 + 3(19A + 5B) \cos(dx + c) + 19A + 5B \right) \sqrt{a} \arctan\left(\frac{1}{2}\sqrt{2}\sqrt{a}\sqrt{\cos(dx + c)}\right)}{32 \left(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(5/2), x, algorith="fricas")

[Out] 1/32*(sqrt(2)*((19*A + 5*B)*cos(d*x + c)^3 + 3*(19*A + 5*B)*cos(d*x + c)^2 + 3*(19*A + 5*B)*cos(d*x + c) + 19*A + 5*B)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((9*A - B)*cos(d*x + c) + 13*A - 5*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)

maple [B] time = 0.27, size = 413, normalized size = 2.65

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^2 \left(18A \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} (\cos^3(dx + c)) + 26A (\cos^2(dx + c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(5/2),x)

[Out] 1/32/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^2*(18*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^3+26*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-19*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-5*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-18*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)-19*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-2*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-5*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-26*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-8*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+10*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/a^3/cos(d*x+c)^(1/2)/sin(d*x+c)^5

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(5/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.206 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=203

$$\frac{(75A - 19B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} + \frac{(49A - 9B) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} - \frac{(13A - 5B)}{16ad \sqrt{\cos(c + dx)}} \quad (13A - 5B)$$

[Out] $-1/32*(75*A-19*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(5/2)}/d*2^{(1/2)}-1/4*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}/\cos(d*x+c)^{(1/2)}-1/16*(13*A-5*B)*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}/\cos(d*x+c)^{(1/2)}+1/16*(49*A-9*B)*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.57, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(49A - 9B) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} - \frac{(75A - 19B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(13A - 5B)}{16ad \sqrt{\cos(c + dx)}} \quad (13A - 5B)$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(5/2)), x]

[Out] $-((75*A - 19*B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])])/(16*\text{Sqrt}[2]*a^{(5/2)}*d) - ((A - B)*\text{Sin}[c + d*x])/((4*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - ((13*A - 5*B)*\text{Sin}[c + d*x])/(16*a*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((49*A - 9*B)*\text{Sin}[c + d*x])/(16*a^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[

b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx = -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(9A-B)-2a(A-B) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{3/2}} dx}{4a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(75A - 19B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}}$$

Mathematica [C] time = 2.77, size = 217, normalized size = 1.07

$$\frac{\cos^5\left(\frac{1}{2}(c + dx)\right) \left(\frac{\tan\left(\frac{1}{2}(c+dx)\right) \sec^3\left(\frac{1}{2}(c+dx)\right) (2(85A-13B) \cos(c+dx) + (49A-9B) \cos(2(c+dx)) + 113A-9B)}{4\sqrt{\cos(c+dx)}} - \frac{i(75A-19B)e^{\frac{1}{2}i(c+dx)} \sqrt{e^{-i(c+dx)}}}{\sqrt{1}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(5/2)), x]

[Out] (Cos[(c + d*x)/2]^5*(((-1)*(75*A - 19*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])/Sqrt[1 + E^((2*I)*(c + d*x))] + ((113*A - 9*B + 2*(85*A - 13*B)*Cos[c + d*x] + (49*A - 9*B)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^3*Tan[(c + d*x)/2])/(4*Sqrt[Cos[c + d*x]])))/(4*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 0.84, size = 248, normalized size = 1.22

$$\sqrt{2} \left((75A - 19B) \cos(dx + c)^4 + 3(75A - 19B) \cos(dx + c)^3 + 3(75A - 19B) \cos(dx + c)^2 + (75A - 19B) \cos(dx + c) \right)$$

$$32(a^3 \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] -1/32*(sqrt(2)*((75*A - 19*B)*cos(d*x + c)^4 + 3*(75*A - 19*B)*cos(d*x + c)^3 + 3*(75*A - 19*B)*cos(d*x + c)^2 + (75*A - 19*B)*cos(d*x + c))*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((49*A - 9*B)*cos(d*x + c)^2 + (85*A - 13*B)*cos(d*x + c) + 32*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.30, size = 443, normalized size = 2.18

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c)) \left(75A \sin(dx + c) (\cos^2(dx + c)) \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(5/2),x)

[Out] -1/32/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))*(75*A*sin(d*x+c)*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-19*B*sin(d*x+c)*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+150*A*cos(d*x+c)*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-38*B*cos(d*x+c)*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+75*A*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-19*B*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-98*A*cos(d*x+c)^3+18*B*cos(d*x+c)^3-72*A*cos(d*x+c)^2+8*B*cos(d*x+c)^2+106*A*cos(d*x+c)-26*B*cos(d*x+c)+64*A)/a^3/sin(d*x+c)^3/(1+cos(d*x+c))/cos(d*x+c)^(1/2)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(5/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.207 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=250

$$\frac{(163A - 75B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(95A - 39B) \sin(c+dx)}{48a^2 d \cos^3(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{(299A - 147B) \sin(c+dx)}{48a^2 d \sqrt{\cos(c+dx)}}$$

[Out] $-1/4*(A-B)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(5/2)}-1/16*(17*A-9*B)*\sin(d*x+c)/a/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(3/2)}+1/32*(163*A-75*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(5/2)}/d*2^{(1/2)}+1/48*(95*A-39*B)*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}-1/48*(299*A-147*B)*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.75, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(95A - 39B) \sin(c+dx)}{48a^2 d \cos^3(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{(299A - 147B) \sin(c+dx)}{48a^2 d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{(163A - 75B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^(5/2)), x]

[Out] $((163*A - 75*B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])])/(16*\text{Sqrt}[2]*a^{(5/2)}*d) - ((A - B)*\text{Sin}[c + d*x])/(4*d*\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - ((17*A - 9*B)*\text{Sin}[c + d*x])/(16*a*d*\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((95*A - 39*B)*\text{Sin}[c + d*x])/(48*a^2*d*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - ((299*A - 147*B)*\text{Sin}[c + d*x])/(48*a^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),

```
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx = -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(11A-3B)-3a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{3/2}} dx}{4a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{(163A - 75B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

Mathematica [C] time = 3.58, size = 239, normalized size = 0.96

$$\cos^5\left(\frac{1}{2}(c + dx)\right) \left(-\frac{\tan\left(\frac{1}{2}(c+dx)\right) \sec^3\left(\frac{1}{2}(c+dx)\right) ((1537A-825B) \cos(c+dx)+2(503A-255B) \cos(2(c+dx))+299A \cos(3(c+dx))+878A-147B \cos(4(c+dx)))}{8 \cos^{\frac{3}{2}}(c+dx)} \right)$$

$$12d(a(\cos(c + dx) + 1))^{5/2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*cos[c + d*x])^(5/2)), x]

[Out] (Cos[(c + d*x)/2]^5*((3*I)*(163*A - 75*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/Sqrt[1 + E^((2*I)*(c + d*x))] - ((878*A - 510*B + (1537*A - 825*B)*Cos[c + d*x] + 2*(503*A - 255*B)*Cos[2*(c + d*x)] + 299*A*cos[3*(c + d*x)] - 147*B*cos[3*(c + d*x)])*Sec[(c + d*x)/2]^3*Tan[(c + d*x)/2])/(8*cos[c + d*x]^(3/2)))/(12*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 1.01, size = 270, normalized size = 1.08

$$3\sqrt{2}\left((163A - 75B)\cos(dx + c)^5 + 3(163A - 75B)\cos(dx + c)^4 + 3(163A - 75B)\cos(dx + c)^3 + (163A - 75B)\cos(dx + c)^2 + 3(163A - 75B)\cos(dx + c) + 163A - 75B\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/96*(3*sqrt(2)*((163*A - 75*B)*cos(d*x + c)^5 + 3*(163*A - 75*B)*cos(d*x + c)^4 + 3*(163*A - 75*B)*cos(d*x + c)^3 + (163*A - 75*B)*cos(d*x + c)^2)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((299*A - 147*B)*cos(d*x + c)^3 + (503*A - 255*B)*cos(d*x + c)^2 + 32*(5*A - 3*B)*cos(d*x + c) - 32*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + a^3*d*cos(d*x + c)^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2)), x)

maple [B] time = 0.24, size = 571, normalized size = 2.28

$$\sqrt{a(1 + \cos(dx + c))} \left(-489A \left(\cos^3(dx + c) \right) \sin(dx + c) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \sqrt{2} + 225B \left(\cos(dx + c) \right)^{\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2), x)

[Out] 1/96/d*(a*(1+cos(d*x+c)))^(1/2)*(-489*A*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)+225*B*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)-1467*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+675*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-1467*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)

)²^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+675*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-489*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+225*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+598*A*cos(d*x+c)^4-294*B*cos(d*x+c)^4+408*A*cos(d*x+c)^3-216*B*cos(d*x+c)^3-686*A*cos(d*x+c)^2+318*B*cos(d*x+c)^2-384*A*cos(d*x+c)+192*B*cos(d*x+c)+64*A)/a^3/sin(d*x+c)/(1+cos(d*x+c))^2/cos(d*x+c)^(3/2)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^(5/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.208 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$$

Optimal. Leaf size=293

$$\frac{(2A - 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} - \frac{(177A - 637B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d} - \frac{7(7A - 27B) \sin(c+dx) \sqrt{\cos(c+dx)}}{64a^3 d \sqrt{a \cos(c+dx)+a}}$$

[Out] (2*A-7*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(7/2)/d+1/6*(A-B)*cos(d*x+c)^(7/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(7/2)+1/16*(3*A-7*B)*cos(d*x+c)^(5/2)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(5/2)+1/192*(79*A-259*B)*cos(d*x+c)^(3/2)*sin(d*x+c)/a^2/d/(a+a*cos(d*x+c))^(3/2)-1/128*(177*A-637*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(7/2)/d*2^(1/2)-7/64*(7*A-27*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a^3/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 1.04, antiderivative size = 293, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(79A - 259B) \sin(c+dx) \cos^2(c+dx)}{192a^2 d (a \cos(c+dx) + a)^{3/2}} + \frac{(2A - 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} - \frac{7(7A - 27B) \sin(c+dx) \sqrt{\cos(c+dx)}}{64a^3 d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(7/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(7/2), x]

[Out] ((2*A - 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(a^(7/2)*d) - ((177*A - 637*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Cos[c + d*x]^(7/2)*Sin[c + d*x]/(6*d*(a + a*Cos[c + d*x])^(7/2)) + ((3*A - 7*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x]/(16*a*d*(a + a*Cos[c + d*x])^(5/2)) + ((79*A - 259*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x]/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2)) - (7*(7*A - 27*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(64*a^3*d*Sqrt[a + a*Cos[c + d*x]]))

Rule 205

Int[(a_) + (b_.)*(x_)^2]^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Ssin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b^2 - (a*c - b*d), 0]

```
in[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) +
(f_)*(x_)])]*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Si
mp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n
+ 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m +
n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{\frac{7}{2}}} dx &= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{\int \frac{\cos^{\frac{5}{2}}(c+dx)\left(\frac{7}{2}a(A-B)-a(A-7B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{\frac{5}{2}}} dx}{6a^2} \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= \frac{(2A-7B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{\frac{7}{2}}d} - \frac{(177A-637B)\tan^{-1}\left(\frac{\sqrt{a}}{\sqrt{2}\sqrt{\cos(c+dx)}}\right)}{64\sqrt{2}a^{\frac{7}{2}}d}
\end{aligned}$$

Mathematica [C] time = 5.82, size = 396, normalized size = 1.35

$$\cos^7\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{4}\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left((3172B-724A)\cos(c+dx)+(1099B-24A)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(7/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(7/2), x]

[Out] (Cos[(c + d*x)/2]^7*((3*Sqrt[2]*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))])*(128*A*d*x - 448*B*d*x - (64*I)*(2*A - 7*B)*ArcSin[h[E^(I*(c + d*x))] + I*Sqrt[2]*(177*A - 637*B)*Log[1 + E^(I*(c + d*x))] + (128*I)*A*Log[1 + Sqrt[1 + E^((2*I)*(c + d*x))]]] - (448*I)*B*Log[1 + Sqrt[1 + E^((2*I)*(c + d*x))]]] - (177*I)*Sqrt[2]*A*Log[1 - E^(I*(c + d*x))] + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))] + (637*I)*Sqrt[2]*B*Log[1 - E^(I*(c + d*x))] + Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]))/Sqrt[1 + E^((2*I)*(c + d*x))] + (Sqrt[Cos[c + d*x]]*(-541*A + 2233*B + (-724*A + 3172*B)*Cos[c + d*x] + (-247*A + 1099*B)*Cos[2*(c + d*x)] + 96*B*Cos[3*(c + d*x)])*Sec[(c + d*x)/2]^5*Tan[(c + d*x)/2])/4)/(48*d*(a*(1 + Cos[c + d*x]))^(7/2))

fricas [A] time = 43.47, size = 368, normalized size = 1.26

$$3\sqrt{2}\left((177A-637B)\cos(dx+c)^4+4(177A-637B)\cos(dx+c)^3+6(177A-637B)\cos(dx+c)^2+4(177A-637B)\cos(dx+c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")

[Out] 1/384*(3*sqrt(2)*((177*A - 637*B)*cos(d*x + c)^4 + 4*(177*A - 637*B)*cos(d*x + c)^3 + 6*(177*A - 637*B)*cos(d*x + c)^2 + 4*(177*A - 637*B)*cos(d*x + c) + 177*A - 637*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*(192*B*cos(d*x + c)^3 - (247*A - 1099*B)*cos(d*x + c)^2 - 2*(181*A - 721*B)*cos(d*x + c) - 147*A + 567*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 384*((2*A - 7*B)*cos(d*x + c)^4 + 4*(2*A - 7*B)*cos(d*x + c)^3 + 6*(2*A - 7*B)*cos(d*x + c)^2 + 4*(2*A - 7*B)*cos(d*x + c) + 2*A - 7*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(7/2)/(a*cos(d*x + c) + a)^(7/2), x)

maple [B] time = 0.38, size = 887, normalized size = 3.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x)

[Out] -1/384/d*cos(d*x+c)^(7/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^7*(494*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^4+531*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)+724*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^3-1911*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)-384*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^5+1062*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+768*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^3*sin(d*x+c)-200*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-3822*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-1814*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^4-2688*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^3*sin(d*x+c)+531*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)+1536*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-724*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)-1911*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-686*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-5376*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^2*sin(d*x+c)+768*A*sin(d*x+c)*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))-294*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+1750*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-2688*B*sin(d*x+c)*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+1134*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/sin(d*x+c)^15/(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)/a^4

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(7/2)/(a*cos(d*x + c) + a)^(7/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{7/2} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^(7/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(7/2),x)
```

```
[Out] int((cos(c + d*x)^(7/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(7/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

$$3.209 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{\frac{7}{2}}} dx$$

Optimal. Leaf size=241

$$\frac{(5A - 177B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2} d} + \frac{(5A - 49B) \sin(c+dx) \sqrt{\cos(c+dx)}}{64a^2 d (a \cos(c+dx) + a)^{3/2}}$$

[Out] 2*B*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(7/2)/d+1/6*(A-B)*cos(d*x+c)^(5/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(7/2)+1/48*(5*A-17*B)*cos(d*x+c)^(3/2)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(5/2)+1/128*(5*A-177*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(7/2)/d*2^(1/2)+1/64*(5*A-49*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a^2/d/(a+a*cos(d*x+c))^(3/2)

Rubi [A] time = 0.77, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2977, 2982, 2782, 205, 2774, 216}

$$\frac{(5A - 49B) \sin(c+dx) \sqrt{\cos(c+dx)}}{64a^2 d (a \cos(c+dx) + a)^{3/2}} + \frac{(5A - 177B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2} d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(7/2),x]

[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]/(a^(7/2)*d) + ((5*A - 177*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^(7/2)) + ((5*A - 17*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(48*a*d*(a + a*Cos[c + d*x])^(5/2)) + ((5*A - 49*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(64*a^2*d*(a + a*Cos[c + d*x])^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Ssin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) +
(f_)*(x_)])]*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{7/2}} dx &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \int \frac{\cos^{\frac{3}{2}}(c+dx)\left(\frac{5}{2}a(A-B)+6aB\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx \\ &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(5A-17B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} \\ &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(5A-17B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} \\ &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(5A-17B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} \\ &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(5A-17B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} \\ &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(5A-17B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} \\ &= \frac{2B\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{7/2}d} + \frac{(5A-17B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} \end{aligned}$$

Mathematica [C] time = 3.24, size = 266, normalized size = 1.10

$$\cos^7\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{4}\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec^5\left(\frac{1}{2}(c+dx)\right)(4(25A-181B)\cos(c+dx)+(67A-247B)\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(7/2), x]
```

```
[Out] (Cos[(c + d*x)/2]^7*((-3*I)*Sqrt[2]*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*(128*B*ArcSinh[E^(I*(c + d*x))] - Sqrt[2]*(5*A - 177*B)*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]))] - 128*B*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])/Sqrt[1 + E^((2*I)*(c + d*x))] + (Sqrt[Cos[c + d*x]]*(97*A - 541*B + 4*(25*A - 181*B)*Cos[c + d*x] + (67*A - 247*B)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^5*Tan[(c + d*x)/2])/4)/(48*d*(a*(1 + Cos[c + d*x]))^(7/2))
```

fricas [A] time = 24.59, size = 327, normalized size = 1.36

$$3\sqrt{2}\left((5A - 177B)\cos(dx + c)^4 + 4(5A - 177B)\cos(dx + c)^3 + 6(5A - 177B)\cos(dx + c)^2 + 4(5A - 177B)\cos(dx + c) + 5A - 177B\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)}}{\sqrt{a}\sin(dx + c)}\right) - 2((67A - 247B)\cos(dx + c)^2 + 2(25A - 181B)\cos(dx + c) + 15A - 147B)\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)}\sin(dx + c) + 768(B\cos(dx + c)^4 + 4B\cos(dx + c)^3 + 6B\cos(dx + c)^2 + 4B\cos(dx + c) + B)\sqrt{a}\arctan\left(\frac{\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)}}{\sqrt{a}\sin(dx + c)}\right) / (a^4d\cos(dx + c)^4 + 4a^4d\cos(dx + c)^3 + 6a^4d\cos(dx + c)^2 + 4a^4d\cos(dx + c) + a^4d)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")
```

```
[Out] -1/384*(3*sqrt(2)*((5*A - 177*B)*cos(d*x + c)^4 + 4*(5*A - 177*B)*cos(d*x + c)^3 + 6*(5*A - 177*B)*cos(d*x + c)^2 + 4*(5*A - 177*B)*cos(d*x + c) + 5*A - 177*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*((67*A - 247*B)*cos(d*x + c)^2 + 2*(25*A - 181*B)*cos(d*x + c) + 15*A - 147*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) + 768*(B*cos(d*x + c)^4 + 4*B*cos(d*x + c)^3 + 6*B*cos(d*x + c)^2 + 4*B*cos(d*x + c) + B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^(7/2), x)
```

maple [B] time = 0.37, size = 703, normalized size = 2.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x)
```

```
[Out] -1/384/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^6*cos(d*x+c)^(5/2)*(134*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^4+15*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)+100*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^3-531*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)+30*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-104*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-768*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^3*sin(d*x+c)-1062*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-494*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^4+15*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-100*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)-1536*B*arctan(sin(d*x+c)*(cos(d*x+c)/
```

$(1+\cos(dx+c))^{1/2}/\cos(dx+c)*\cos(dx+c)^2*\sin(dx+c)-531*B*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)*\cos(dx+c)*2^{1/2}-230*B*\cos(dx+c)^3*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}-30*A*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}-768*B*\sin(dx+c)*\cos(dx+c)*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+430*B*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}+294*B*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2})/\sin(dx+c)^{13}/(\cos(dx+c)/(1+\cos(dx+c)))^{7/2}/a^4$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^{5/2}}{(a \cos(dx+c) + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(5/2)*(A+B*cos(dx+c))/(a+a*cos(dx+c))^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*cos(dx+c)^(5/2)/(a*cos(dx+c) + a)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{5/2} (A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c+d*x)^(5/2)*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x))^(7/2),x)

[Out] int((cos(c+d*x)^(5/2)*(A+B*cos(c+d*x)))/(a+a*cos(c+d*x))^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**(5/2)*(A+B*cos(dx+c))/(a+a*cos(dx+c))**(7/2),x)

[Out] Timed out

$$3.210 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$$

Optimal. Leaf size=201

$$\frac{(7A + 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d} + \frac{(17A + 67B) \sin(c + dx) \sqrt{\cos(c + dx)}}{192a^2d(a \cos(c + dx) + a)^{3/2}} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{6d(a \cos(c + dx) + a)^{3/2}}$$

[Out] 1/6*(A-B)*cos(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(7/2)+1/128*(7*A+5*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(7/2)/d*2^(1/2)+1/48*(A-13*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a/d/(a+a*cos(d*x+c))^(5/2)+1/192*(17*A+67*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a^2/d/(a+a*cos(d*x+c))^(3/2)

Rubi [A] time = 0.59, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2977, 2978, 12, 2782, 205}

$$\frac{(17A + 67B) \sin(c + dx) \sqrt{\cos(c + dx)}}{192a^2d(a \cos(c + dx) + a)^{3/2}} + \frac{(7A + 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{6d(a \cos(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(7/2), x]

[Out] ((7*A + 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x]/(6*d*(a + a*Cos[c + d*x])^(7/2)) + ((A - 13*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(48*a*d*(a + a*Cos[c + d*x])^(5/2)) + ((17*A + 67*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2977

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&

NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2978

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx = \frac{(A - B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{\int \frac{\sqrt{\cos(c+dx)} \left(\frac{3}{2}a(A-B)+a(A+5B) \cos(c+dx)\right)}{(a+a \cos(c+dx))^{5/2}}}{6a^2}$$

$$= \frac{(A - B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{(A - 13B)\sqrt{\cos(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{(A - B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{(A - 13B)\sqrt{\cos(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{(A - B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{(A - 13B)\sqrt{\cos(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{(A - B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{(A - 13B)\sqrt{\cos(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{(7A + 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{64\sqrt{2} a^{7/2}d} + \frac{(A - B) \cos^{\frac{3}{2}}(c + dx)}{6d(a + a \cos(c + dx))^{7/2}}$$

Mathematica [C] time = 2.36, size = 217, normalized size = 1.08

$$\frac{\cos^7\left(\frac{1}{2}(c + dx)\right) \left(\frac{1}{8}\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec^5\left(\frac{1}{2}(c + dx)\right) (20(7A + 5B) \cos(c + dx) + (17A + 67B) \cos^2(c + dx))\right)}{24d(a(\cos(c + dx) + 1))^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(7/2), x]

[Out] (Cos[(c + d*x)/2]^7*(((3*I)*(7*A + 5*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))])*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]))/Sqrt[1 + E^((2*I)*(c + d*x))] + (Sqrt[Cos[c + d*x]]*(59*A + 97*B + 20*(7*A + 5*B)*Cos[c + d*x] + (17*A + 67*B)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^5*Tan[(c + d*x)/2])/8)/(24*d*(a*(1 + Cos[c + d*x]))^(7/2))

fricas [A] time = 0.60, size = 266, normalized size = 1.32

$$3\sqrt{2}\left((7A + 5B)\cos(dx + c)^4 + 4(7A + 5B)\cos(dx + c)^3 + 6(7A + 5B)\cos(dx + c)^2 + 4(7A + 5B)\cos(dx + c)\right)$$

$$384\left(a^4\cos(dx + c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")

[Out] 1/384*(3*sqrt(2)*((7*A + 5*B)*cos(d*x + c)^4 + 4*(7*A + 5*B)*cos(d*x + c)^3 + 6*(7*A + 5*B)*cos(d*x + c)^2 + 4*(7*A + 5*B)*cos(d*x + c) + 7*A + 5*B)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) + 2*((17*A + 67*B)*cos(d*x + c)^2 + 10*(7*A + 5*B)*cos(d*x + c) + 21*A + 15*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(7/2), x)

maple [B] time = 0.34, size = 549, normalized size = 2.73

$$\left(\cos^{\frac{3}{2}}(dx + c)\right) \sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^5 \left(34A \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} (\cos^4(dx + c)) + 140A \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x)

[Out] 1/384/d*cos(d*x+c)^(3/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^5*(34*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^4+140*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^3+21*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)+15*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)+8*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+42*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+134*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^4+30*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-140*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)+21*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-34*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+15*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)-42*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-70*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-30*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/sin(d*x+c)^11/(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)/a^4

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(7/2),x)

[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(7/2),x)

[Out] Timed out

$$3.211 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$$

Optimal. Leaf size=201

$$\frac{(13A + 7B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{64\sqrt{2} a^{7/2} d} - \frac{(5A - 17B) \sin(c + dx) \sqrt{\cos(c + dx)}}{192a^2 d (a \cos(c + dx) + a)^{3/2}} + \frac{(A + 3B) \sin(c + dx) \sqrt{\cos(c + dx)}}{16ad (a \cos(c + dx) + a)^{3/2}}$$

[Out] 1/128*(13*A+7*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(7/2)/d*2^(1/2)+1/6*(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(7/2)+1/16*(A+3*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a/d/(a+a*cos(d*x+c))^(5/2)-1/192*(5*A-17*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a^2/d/(a+a*cos(d*x+c))^(3/2)

Rubi [A] time = 0.58, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2977, 2978, 12, 2782, 205}

$$-\frac{(5A - 17B) \sin(c + dx) \sqrt{\cos(c + dx)}}{192a^2 d (a \cos(c + dx) + a)^{3/2}} + \frac{(13A + 7B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{64\sqrt{2} a^{7/2} d} + \frac{(A + 3B) \sin(c + dx) \sqrt{\cos(c + dx)}}{16ad (a \cos(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(7/2),x]

[Out] ((13*A + 7*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^(7/2)) + ((A + 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(5/2)) - ((5*A - 17*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2977

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int

egerQ[2*n] || EqQ[c, 0])

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{7/2}} dx &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{\int \frac{\frac{1}{2}a(A-B)+2a(A+2B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} \\ &= \frac{(13A+7B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} \end{aligned}$$

Mathematica [C] time = 2.14, size = 215, normalized size = 1.07

$$\cos^7\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{8}\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec^5\left(\frac{1}{2}(c+dx)\right)(4(A+35B)\cos(c+dx)+(17B-5A)\cos(c+dx))\right)$$

$$24d(a(\cos(c+dx)+1))^{7/2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(7/2), x]
```

```
[Out] (Cos[(c + d*x)/2]^7*(((3*I)*(13*A + 7*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]])/Sqrt[1 + E^((2*I)*(c + d*x))]) + (Sqrt[Cos[c + d*x]]*(73*A + 59*B + 4*(A + 35*B)*Cos[c + d*x] + (-5*A + 17*B)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^5*Tan[(c + d*x)/2])/8)/(24*d*(a*(1 + Cos[c + d*x]))^(7/2))
```

fricas [A] time = 1.75, size = 264, normalized size = 1.31

$$3\sqrt{2}\left((13A+7B)\cos(dx+c)^4+4(13A+7B)\cos(dx+c)^3+6(13A+7B)\cos(dx+c)^2+4(13A+7B)\cos(dx+c)\right)$$

384(a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")

[Out] 1/384*(3*sqrt(2)*((13*A + 7*B)*cos(d*x + c)^4 + 4*(13*A + 7*B)*cos(d*x + c)^3 + 6*(13*A + 7*B)*cos(d*x + c)^2 + 4*(13*A + 7*B)*cos(d*x + c) + 13*A + 7*B)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((5*A - 17*B)*cos(d*x + c)^2 - 2*(A + 35*B)*cos(d*x + c) - 39*A - 21*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(7/2), x)

maple [B] time = 0.34, size = 549, normalized size = 2.73

$$\left(\sqrt{\cos(dx+c)}\right)\sqrt{a(1+\cos(dx+c))}(-1+\cos(dx+c))^4\left(10A\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}(\cos^4(dx+c))-39A\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x)

[Out] 1/384/d*cos(d*x+c)^(1/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^4*(10*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^4-39*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)-4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^3-21*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)-78*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-88*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-34*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^4-42*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-39*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)+4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)-106*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-21*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)+78*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+98*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+42*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/sin(d*x+c)^9/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/a^4

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(7/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(7/2),x)
```

```
[Out] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + a*cos(c + d*x))^(7/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

$$3.212 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{7/2}} dx$$

Optimal. Leaf size=203

$$\frac{(63A + 13B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{64\sqrt{2} a^{7/2} d} - \frac{(103A + 5B) \sin(c + dx) \sqrt{\cos(c + dx)}}{192a^2 d (a \cos(c + dx) + a)^{3/2}} - \frac{(5A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{16ad(a \cos(c + dx) + a)^{3/2}}$$

[Out] 1/128*(63*A+13*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))/a^(7/2)/d*2^(1/2)-1/6*(A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(7/2)-1/16*(5*A-B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a/d/(a+a*cos(d*x+c))^(5/2)-1/192*(103*A+5*B)*sin(d*x+c)*cos(d*x+c)^(1/2)/a^2/d/(a+a*cos(d*x+c))^(3/2)

Rubi [A] time = 0.59, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2978, 12, 2782, 205}

$$-\frac{(103A + 5B) \sin(c + dx) \sqrt{\cos(c + dx)}}{192a^2 d (a \cos(c + dx) + a)^{3/2}} + \frac{(63A + 13B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{64\sqrt{2} a^{7/2} d} - \frac{(5A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{16ad(a \cos(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(7/2)),x]

[Out] ((63*A + 13*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^(7/2)*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x]/(6*d*(a + a*Cos[c + d*x])^(7/2)) - ((5*A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x]/(16*a*d*(a + a*Cos[c + d*x])^(5/2)) - ((103*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x]/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2)))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{7/2}} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{\int \frac{\frac{1}{2}a(11A+B) - 2a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{5/2}}}{6a^2} \\
 &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(5A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{7/2}} \\
 &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(5A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{7/2}} \\
 &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(5A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{7/2}} \\
 &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(5A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{7/2}} \\
 &= \frac{(63A + 13B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}}
 \end{aligned}$$

Mathematica [C] time = 2.16, size = 216, normalized size = 1.06

$$\frac{\cos^7\left(\frac{1}{2}(c + dx)\right) \left(-\frac{1}{8}\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec^5\left(\frac{1}{2}(c + dx)\right) ((532A - 4B) \cos(c + dx) + (103A + 5B) \cos^2(c + dx))\right)}{24d(a(\cos(c + dx) + 1))^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(7/2)), x]

[Out] (Cos[(c + d*x)/2]^7*((3*I)*(63*A + 13*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/Sqrt[1 + E^((2*I)*(c + d*x))] - (Sqrt[Cos[c + d*x]]*(493*A - 73*B + (532*A - 4*B)*Cos[c + d*x] + (103*A + 5*B)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^5*Tan[(c + d*x)/2])/8)/(24*d*(a*(1 + Cos[c + d*x]))^(7/2))

fricas [A] time = 1.05, size = 266, normalized size = 1.31

$$\frac{3\sqrt{2}((63A + 13B) \cos(dx + c)^4 + 4(63A + 13B) \cos(dx + c)^3 + 6(63A + 13B) \cos(dx + c)^2 + 4(63A + 13B) \cos(dx + c) + 63A + 13B) \arctan\left(\frac{1}{2}\sqrt{2}\sqrt{a \cos(dx + c) + a}\right) \sqrt{a} \sqrt{a \cos(dx + c)}}{64\sqrt{2} a^{7/2} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(7/2), x, algorithm="fricas")

[Out] 1/384*(3*sqrt(2))*((63*A + 13*B)*cos(d*x + c)^4 + 4*(63*A + 13*B)*cos(d*x + c)^3 + 6*(63*A + 13*B)*cos(d*x + c)^2 + 4*(63*A + 13*B)*cos(d*x + c) + 63*A + 13*B)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a))*sqrt(a)*sqrt(c

$\cos(dx + c) \sin(dx + c) / (a \cos(dx + c)^2 + a \cos(dx + c)) - 2 * ((103 * A + 5 * B) \cos(dx + c)^2 + 2 * (133 * A - B) \cos(dx + c) + 195 * A - 39 * B) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c) \sin(dx + c)} / (a^4 d \cos(dx + c)^4 + 4 * a^4 d \cos(dx + c)^3 + 6 * a^4 d \cos(dx + c)^2 + 4 * a^4 d \cos(dx + c) + a^4 * d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*sqrt(cos(d*x + c))), x)

maple [B] time = 0.33, size = 549, normalized size = 2.70

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^3 \left(-206A \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} (\cos^4(dx + c)) + 189A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \right) \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(7/2),x)

[Out] 1/384/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^3*(-206*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^4+189*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)-532*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^3+39*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^3*sin(d*x+c)+378*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-184*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+78*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)-10*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^4+189*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)+532*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)+39*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)+14*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+390*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+74*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-78*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/a^4/cos(d*x+c)^(1/2)/sin(d*x+c)^7

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(7/2)),x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(7/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

3.213
$$\int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^{7/2}} dx$$

Optimal. Leaf size=250

$$\frac{3(121A - 21B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d} + \frac{(691A - 103B) \sin(c + dx)}{192a^3d\sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} - \frac{(199A - 43B) \sin(c + dx)}{192a^2d\sqrt{\cos(c + dx)} (a \cos(c + dx) + a)^{3/2}} - \frac{3(121A - 21B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d}$$

[Out] $-3/128*(121*A-21*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(7/2)}/d*2^{(1/2)}-1/6*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(7/2)}/\cos(d*x+c)^{(1/2)}-1/48*(19*A-7*B)*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(5/2)}/\cos(d*x+c)^{(1/2)}-1/192*(199*A-43*B)*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}/\cos(d*x+c)^{(1/2)}+1/192*(691*A-103*B)*\sin(d*x+c)/a^3/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.80, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(691A - 103B) \sin(c + dx)}{192a^3d\sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} - \frac{(199A - 43B) \sin(c + dx)}{192a^2d\sqrt{\cos(c + dx)} (a \cos(c + dx) + a)^{3/2}} - \frac{3(121A - 21B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(7/2)),x]`

[Out] $(-3*(121*A - 21*B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - ((A - B)*\text{Sin}[c + d*x])/((6*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x])^{(7/2)}) - ((19*A - 7*B)*\text{Sin}[c + d*x])/(48*a*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - ((199*A - 43*B)*\text{Sin}[c + d*x])/(192*a^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((691*A - 103*B)*\text{Sin}[c + d*x])/(192*a^3*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]))$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 2782

`Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*SIN[e + f*x]]*Sqrt[c + d*SIN[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rule 2978

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),`

```
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} dx = -\frac{(A - B) \sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} + \frac{\int \frac{\frac{1}{2}a(13A-B)-3a(A-B) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} dx}{6a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{3(121A - 21B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{(A - B) \sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

Mathematica [C] time = 2.92, size = 240, normalized size = 0.96

$$\cos^7\left(\frac{1}{2}(c + dx)\right) \left(\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^5\left(\frac{1}{2}(c + dx)\right) (9(941A - 121B) \cos(c + dx) + 4(937A - 133B) \cos(2(c + dx)) + 691A \cos(3(c + dx)) + 5284A - 103B)}{16\sqrt{\cos(c + dx)}} \right) / 24d(a(\cos(c + dx) + 1))^{7/2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(7/2)), x]
```

```
[Out] (Cos[(c + d*x)/2]^7*((-9*I)*(121*A - 21*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/Sqrt[1 + E^((2*I)*(c + d*x))] + ((5284*A - 532*B + 9*(941*A - 121*B)*Cos[c + d*x] + 4*(937*A - 133*B)*Cos[2*(c + d*x)] + 691*A*Cos[3*(c + d*x)] - 103*B*Cos[3*(c + d*x)])*Sec[(c + d*x)/2]^5*Tan[(c + d*x)/2]/(16*Sqrt[Cos[c + d*x]]))/(24*d*(a*(1 + Cos[c + d*x]))^(7/2))
```

fricas [A] time = 0.82, size = 298, normalized size = 1.19

$$9\sqrt{2}\left((121A - 21B)\cos(dx + c)^5 + 4(121A - 21B)\cos(dx + c)^4 + 6(121A - 21B)\cos(dx + c)^3 + 4(121A - 21B)\cos(dx + c)^2 + (121A - 21B)\cos(dx + c)\right)\sqrt{a}\arctan\left(\frac{1}{2}\sqrt{2}\sqrt{a\cos(dx + c) + a}\right) - 2\left((691A - 103B)\cos(dx + c)^3 + 2(937A - 133B)\cos(dx + c)^2 + 39(41A - 5B)\cos(dx + c) + 384A\right)\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)\sin(dx + c)} - 4\left(a^4d\cos(dx + c)^5 + 4a^4d\cos(dx + c)^4 + 6a^4d\cos(dx + c)^3 + 4a^4d\cos(dx + c)^2 + a^4d\cos(dx + c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")
```

```
[Out] -1/384*(9*sqrt(2)*((121*A - 21*B)*cos(d*x + c)^5 + 4*(121*A - 21*B)*cos(d*x + c)^4 + 6*(121*A - 21*B)*cos(d*x + c)^3 + 4*(121*A - 21*B)*cos(d*x + c)^2 + (121*A - 21*B)*cos(d*x + c))*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a))*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c)) - 2*((691*A - 103*B)*cos(d*x + c)^3 + 2*(937*A - 133*B)*cos(d*x + c)^2 + 39*(41*A - 5*B)*cos(d*x + c) + 384*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^4*d*cos(d*x + c)^5 + 4*a^4*d*cos(d*x + c)^4 + 6*a^4*d*cos(d*x + c)^3 + 4*a^4*d*cos(d*x + c)^2 + a^4*d*cos(d*x + c))
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*cos(d*x + c)^(3/2)), x)
```

maple [B] time = 0.38, size = 581, normalized size = 2.32

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^2 \left(-1089A (\cos^3(dx + c)) \sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x)
```

```
[Out] -1/384/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^2*(-1089*A*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)+189*B*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)-3267*A*sin(d*x+c)*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+567*B*sin(d*x+c)*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-3267*A*cos(d*x+c)*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+567*B*cos(d*x+c)*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+1382*A*cos(d*x+c)^4-1089*A*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
```

```
x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-206*B*cos(d*x+c)
)^4+189*B*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)
)/(1+cos(d*x+c)))^(1/2)+2366*A*cos(d*x+c)^3-326*B*cos(d*x+c)^3-550*A*cos(d*x
+c)^2+142*B*cos(d*x+c)^2-2430*A*cos(d*x+c)+390*B*cos(d*x+c)-768*A)/a^4/sin(
d*x+c)^5/(1+cos(d*x+c))/cos(d*x+c)^(1/2)
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algo
rithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(7/2)),x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(7/2)), x
)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(7/2),x)
```

[Out] Timed out

$$3.214 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{7/2}} dx$$

Optimal. Leaf size=297

$$\frac{(1015A - 363B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{(579A - 199B) \sin(c+dx)}{192a^3 d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{(1887A - 691B) \sin(c+dx)}{192a^3 d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out] $-1/6*(A-B)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(7/2)}-1/48*(23*A-11*B)*\sin(d*x+c)/a/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(5/2)}-1/64*(109*A-41*B)*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(3/2)}+1/128*(1015*A-363*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(7/2)}/d*2^{(1/2)}+1/192*(579*A-199*B)*\sin(d*x+c)/a^3/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}-1/192*(1887*A-691*B)*\sin(d*x+c)/a^3/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 1.03, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(579A - 199B) \sin(c+dx)}{192a^3 d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{(109A - 41B) \sin(c+dx)}{64a^2 d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)^{3/2}} - \frac{(1887A - 691B) \sin(c+dx)}{192a^3 d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^(7/2)),x]

[Out] $((1015*A - 363*B)*\text{ArcTan}[\frac{\text{Sqrt}[a]*\text{Sin}[c + d*x]}{\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]}])/ (64*\text{Sqrt}[2]*a^{(7/2)}*d) - ((A - B)*\text{Sin}[c + d*x]) / (6*d*\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^{(7/2)}) - ((23*A - 11*B)*\text{Sin}[c + d*x]) / (48*a*d*\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - ((109*A - 41*B)*\text{Sin}[c + d*x]) / (64*a^2*d*\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((579*A - 199*B)*\text{Sin}[c + d*x]) / (192*a^3*d*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - ((1887*A - 691*B)*\text{Sin}[c + d*x]) / (192*a^3*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*SIN[e + f*x]]*Sqrt[c + d*SIN[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Sim


```
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} dx = -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} + \frac{\int \frac{\frac{3}{2}a(5A-B)-4a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{5/2}} dx}{6a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= \frac{(1015A - 363B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

Mathematica [C] time = 5.40, size = 262, normalized size = 0.88

$$\cos^7\left(\frac{1}{2}(c+dx)\right) \left(-\frac{\tan\left(\frac{1}{2}(c+dx)\right) \sec^5\left(\frac{1}{2}(c+dx)\right) (4(9415A-3579B) \cos(c+dx) + 8(3069A-1145B) \cos(2(c+dx)) + 10164A \cos(3(c+dx)) + 1887A \cos(4(c+dx)) - 691B \cos(5(c+dx)))}{32 \cos^3\left(\frac{1}{2}(c+dx)\right)} \right)$$

$$24d(a(\cos(c+dx)))^7$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^(7/2)), x]

[Out] (Cos[(c + d*x)/2]^7*((3*I)*(1015*A - 363*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])/Sqrt[1 + E^((2*I)*(c + d*x))] - ((21641*A - 8469*B + 4*(9415*A - 3579*B)*Cos[c + d*x] + 8*(3069*A - 1145*B)*Cos[2*(c + d*x)] + 10164*A*Cos[3*(c + d*x)] - 3748*B*Cos[3*(c + d*x)] + 1887*A*Cos[4*(c + d*x)] - 691*B*Cos[4*(c + d*x)])*Sec[(c + d*x)/2]^5*Tan[(c + d*x)/2])/(32*Cos[c + d*x]^(3/2)))/(24*d*(a*(1 + Cos[c + d*x]))^(7/2))

fricas [A] time = 0.83, size = 319, normalized size = 1.07

$$3\sqrt{2} \left((1015A - 363B) \cos(dx + c)^6 + 4(1015A - 363B) \cos(dx + c)^5 + 6(1015A - 363B) \cos(dx + c)^4 + 4(1015A - 363B) \cos(dx + c)^3 + (1015A - 363B) \cos(dx + c)^2 \sqrt{a} \arctan\left(\frac{1}{2}\sqrt{2} \sqrt{a \cos(dx + c) + a} \sqrt{a \cos(dx + c)} \sin(dx + c) / (a \cos(dx + c)^2 + a \cos(dx + c))\right) - 2((1887A - 691B) \cos(dx + c)^4 + 2(2541A - 937B) \cos(dx + c)^3 + 39(109A - 41B) \cos(dx + c)^2 + 128(7A - 3B) \cos(dx + c) - 128A) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) \right) / (a^4 d \cos(dx + c)^6 + 4a^4 d \cos(dx + c)^5 + 6a^4 d \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + a^4 d \cos(dx + c)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2), x, algorithm="fricas")

[Out] 1/384*(3*sqrt(2))*((1015*A - 363*B)*cos(d*x + c)^6 + 4*(1015*A - 363*B)*cos(d*x + c)^5 + 6*(1015*A - 363*B)*cos(d*x + c)^4 + 4*(1015*A - 363*B)*cos(d*x + c)^3 + (1015*A - 363*B)*cos(d*x + c)^2)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((1887*A - 691*B)*cos(d*x + c)^4 + 2*(2541*A - 937*B)*cos(d*x + c)^3 + 39*(109*A - 41*B)*cos(d*x + c)^2 + 128*(7*A - 3*B)*cos(d*x + c) - 128*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^4*d*cos(d*x + c)^6 + 4*a^4*d*cos(d*x + c)^5 + 6*a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + a^4*d*cos(d*x + c)^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \cos^{\frac{5}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*cos(d*x + c)^(5/2)), x)

maple [B] time = 0.24, size = 715, normalized size = 2.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2), x)

```
[Out] -1/384/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))*(-3045*A*cos(d*x+c)^4*2^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+1089*B*cos(d*x+c)^4*2^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-12180*A*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)+4356*B*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)-18270*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+6534*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-12180*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+4356*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-3045*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+1089*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+3774*A*cos(d*x+c)^5-1382*B*cos(d*x+c)^5+6390*A*cos(d*x+c)^4-2366*B*cos(d*x+c)^4-1662*A*cos(d*x+c)^3+550*B*cos(d*x+c)^3-6710*A*cos(d*x+c)^2+2430*B*cos(d*x+c)^2-2048*A*cos(d*x+c)+768*B*cos(d*x+c)+256*A)/a^4/sin(d*x+c)^3/(1+cos(d*x+c))^2/cos(d*x+c)^(3/2)
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^(7/2)),x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^(7/2)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

3.215 $\int \cos^2(c+dx)(a+b \cos(c+dx))(A+B \cos(c+dx)) dx$

Optimal. Leaf size=105

$$-\frac{(aB + Ab) \sin^3(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx)}{d} + \frac{(4aA + 3bB) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(4aA + 3bB) + \frac{bB \sin(c + dx)}{8d}$$

[Out] $1/8*(4*A*a+3*B*b)*x+(A*b+B*a)*\sin(d*x+c)/d+1/8*(4*A*a+3*B*b)*\cos(d*x+c)*\sin(d*x+c)/d+1/4*b*B*\cos(d*x+c)^3*\sin(d*x+c)/d-1/3*(A*b+B*a)*\sin(d*x+c)^3/d$

Rubi [A] time = 0.17, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2968, 3023, 2748, 2635, 8, 2633}

$$-\frac{(aB + Ab) \sin^3(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx)}{d} + \frac{(4aA + 3bB) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(4aA + 3bB) + \frac{bB \sin(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] $((4*a*A + 3*b*B)*x)/8 + ((A*b + a*B)*\text{Sin}[c + d*x])/d + ((4*a*A + 3*b*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (b*B*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - ((A*b + a*B)*\text{Sin}[c + d*x]^3)/(3*d)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos

$[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^2(c + dx) (aA + (Ab + aB) \cos(c + dx) + bB) dx \\ &= \frac{bB \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{1}{4} \int \cos^2(c + dx)(4aA + 3bB) dx \\ &= \frac{bB \cos^3(c + dx) \sin(c + dx)}{4d} + (Ab + aB) \int \cos^2(c + dx) dx \\ &= \frac{(4aA + 3bB) \cos(c + dx) \sin(c + dx)}{8d} + \frac{bB \cos^3(c + dx)}{4d} \\ &= \frac{1}{8}(4aA + 3bB)x + \frac{(Ab + aB) \sin(c + dx)}{d} + \frac{(4aA + 3bB) \cos^3(c + dx)}{4d} \end{aligned}$$

Mathematica [A] time = 0.22, size = 91, normalized size = 0.87

$$\frac{-32(aB + Ab) \sin^3(c + dx) + 96(aB + Ab) \sin(c + dx) + 24(aA + bB) \sin(2(c + dx)) + 48aAc + 48aAdx + 3bB \cos^3(c + dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]), x]
 [Out] (48*a*A*c + 36*b*B*c + 48*a*A*d*x + 36*b*B*d*x + 96*(A*b + a*B)*Sin[c + d*x] - 32*(A*b + a*B)*Sin[c + d*x]^3 + 24*(a*A + b*B)*Sin[2*(c + d*x)] + 3*b*B*Ssin[4*(c + d*x)])/(96*d)

fricas [A] time = 1.00, size = 81, normalized size = 0.77

$$\frac{3(4Aa + 3Bb)dx + (6Bb \cos(dx + c)^3 + 8(Ba + Ab) \cos(dx + c)^2 + 16Ba + 16Ab + 3(4Aa + 3Bb) \cos(dx + c)) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)), x, algorithm="fricas")
 [Out] 1/24*(3*(4*A*a + 3*B*b)*d*x + (6*B*b*cos(d*x + c)^3 + 8*(B*a + A*b)*cos(d*x + c)^2 + 16*B*a + 16*A*b + 3*(4*A*a + 3*B*b)*cos(d*x + c))*sin(d*x + c)/d

giac [A] time = 0.41, size = 89, normalized size = 0.85

$$\frac{1}{8}(4Aa + 3Bb)x + \frac{Bb \sin(4dx + 4c)}{32d} + \frac{(Ba + Ab) \sin(3dx + 3c)}{12d} + \frac{(Aa + Bb) \sin(2dx + 2c)}{4d} + \frac{3(Ba + Ab) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)), x, algorithm="giac")
 [Out] 1/8*(4*A*a + 3*B*b)*x + 1/32*B*b*sin(4*d*x + 4*c)/d + 1/12*(B*a + A*b)*sin(3*d*x + 3*c)/d + 1/4*(A*a + B*b)*sin(2*d*x + 2*c)/d + 3/4*(B*a + A*b)*sin(d*x + c)/d

maple [A] time = 0.05, size = 107, normalized size = 1.02

$$\frac{Bb \left(\frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Ab(2+\cos^2(dx+c)) \sin(dx+c)}{3} + \frac{aB(2+\cos^2(dx+c)) \sin(dx+c)}{3} + aA \left(\frac{\cos(dx+c) \sin(dx+c)}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)), x)

[Out] 1/d*(B*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*A*b*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a*B*(2+cos(d*x+c)^2)*sin(d*x+c)+a*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

maxima [A] time = 1.37, size = 101, normalized size = 0.96

$$\frac{24(2dx + 2c + \sin(2dx + 2c))Aa - 32(\sin(dx + c)^3 - 3\sin(dx + c))Ba - 32(\sin(dx + c)^3 - 3\sin(dx + c))Aa}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)), x, algorithm="maxima")

[Out] 1/96*(24*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*b + 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*b)/d

mupad [B] time = 0.47, size = 117, normalized size = 1.11

$$\frac{Aax}{2} + \frac{3Bbx}{8} + \frac{3Ab \sin(c+dx)}{4d} + \frac{3Ba \sin(c+dx)}{4d} + \frac{Aa \sin(2c+2dx)}{4d} + \frac{Ab \sin(3c+3dx)}{12d} + \frac{Ba \sin(3c+3dx)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + b*cos(c + d*x)), x)

[Out] (A*a*x)/2 + (3*B*b*x)/8 + (3*A*b*sin(c + d*x))/(4*d) + (3*B*a*sin(c + d*x))/(4*d) + (A*a*sin(2*c + 2*d*x))/(4*d) + (A*b*sin(3*c + 3*d*x))/(12*d) + (B*a*sin(3*c + 3*d*x))/(12*d) + (B*b*sin(2*c + 2*d*x))/(4*d) + (B*b*sin(4*c + 4*d*x))/(32*d)

sympy [A] time = 1.04, size = 252, normalized size = 2.40

$$\left\{ \begin{array}{l} \frac{Aax \sin^2(c+dx)}{2} + \frac{Aax \cos^2(c+dx)}{2} + \frac{Aa \sin(c+dx) \cos(c+dx)}{2d} + \frac{2Ab \sin^3(c+dx)}{3d} + \frac{Ab \sin(c+dx) \cos^2(c+dx)}{d} + \frac{2Ba \sin^3(c+dx)}{3d} + \frac{Ba \sin(c+dx) \cos^2(c+dx)}{d} \\ x(A + B \cos(c))(a + b \cos(c)) \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)), x)

[Out] Piecewise((A*a*x*sin(c + d*x)**2/2 + A*a*x*cos(c + d*x)**2/2 + A*a*sin(c + d*x)*cos(c + d*x)/(2*d) + 2*A*b*sin(c + d*x)**3/(3*d) + A*b*sin(c + d*x)*cos(c + d*x)**2/d + 2*B*a*sin(c + d*x)**3/(3*d) + B*a*sin(c + d*x)*cos(c + d*x)**2/d + 3*B*b*x*sin(c + d*x)**4/8 + 3*B*b*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*B*b*x*cos(c + d*x)**4/8 + 3*B*b*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5*B*b*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))*cos(c)**2, True))

3.216 $\int \cos(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx$

Optimal. Leaf size=84

$$\frac{(3aA + 2bB) \sin(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}x(aB + Ab) + \frac{bB \sin(c + dx) \cos^2(c + dx)}{3d}$$

[Out] $\frac{1}{2}(A*b+B*a)*x + \frac{1}{3}(3*A*a+2*B*b)*\sin(d*x+c)/d + \frac{1}{2}(A*b+B*a)*\cos(d*x+c)*\sin(d*x+c)/d + \frac{1}{3}*b*B*\cos(d*x+c)^2*\sin(d*x+c)/d$

Rubi [A] time = 0.09, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2968, 3023, 2734}

$$\frac{(3aA + 2bB) \sin(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}x(aB + Ab) + \frac{bB \sin(c + dx) \cos^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] $((A*b + a*B)*x)/2 + ((3*a*A + 2*b*B)*Sin[c + d*x])/(3*d) + ((A*b + a*B)*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (b*B*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*COS[e + f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*SIN[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*SIN[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos(c + dx) (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) dx \\ &= \frac{bB \cos^2(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \int \cos(c + dx) (3aA + 2bB) dx \\ &= \frac{1}{2} (Ab + aB)x + \frac{(3aA + 2bB) \sin(c + dx)}{3d} + \frac{(Ab + aB) \cos(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.16, size = 75, normalized size = 0.89

$$\frac{3(4aA + 3bB) \sin(c + dx) + 3(aB + Ab) \sin(2(c + dx)) + 6aBc + 6aBdx + 6Abc + 6Abdx + bB \sin(3(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] (6*A*b*c + 6*a*B*c + 6*A*b*d*x + 6*a*B*d*x + 3*(4*a*A + 3*b*B)*Sin[c + d*x] + 3*(A*b + a*B)*Sin[2*(c + d*x)] + b*B*Ssin[3*(c + d*x)])/(12*d)

fricas [A] time = 1.03, size = 60, normalized size = 0.71

$$\frac{3(Ba + Ab)dx + (2Bb \cos(dx + c)^2 + 6Aa + 4Bb + 3(Ba + Ab) \cos(dx + c)) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/6*(3*(B*a + A*b)*d*x + (2*B*b*cos(d*x + c)^2 + 6*A*a + 4*B*b + 3*(B*a + A*b)*cos(d*x + c))*sin(d*x + c))/d

giac [A] time = 0.31, size = 68, normalized size = 0.81

$$\frac{1}{2}(Ba + Ab)x + \frac{Bb \sin(3dx + 3c)}{12d} + \frac{(Ba + Ab) \sin(2dx + 2c)}{4d} + \frac{(4Aa + 3Bb) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/2*(B*a + A*b)*x + 1/12*B*b*sin(3*d*x + 3*c)/d + 1/4*(B*a + A*b)*sin(2*d*x + 2*c)/d + 1/4*(4*A*a + 3*B*b)*sin(d*x + c)/d

maple [A] time = 0.05, size = 85, normalized size = 1.01

$$\frac{\frac{Bb(2+\cos^2(dx+c))\sin(dx+c)}{3} + Ab\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + aB\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + aA \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] 1/d*(1/3*B*b*(2+cos(d*x+c)^2)*sin(d*x+c)+A*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a*B*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a*A*sin(d*x+c))

maxima [A] time = 0.31, size = 79, normalized size = 0.94

$$\frac{3(2dx + 2c + \sin(2dx + 2c))Ba + 3(2dx + 2c + \sin(2dx + 2c))Ab - 4(\sin(dx + c)^3 - 3\sin(dx + c))Bb + 12Aa \sin(dx + c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/12*(3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a + 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*b - 4*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*b + 12*A*a*sin(d*x + c))/d

mupad [B] time = 0.40, size = 84, normalized size = 1.00

$$\frac{A b x}{2} + \frac{B a x}{2} + \frac{A a \sin(c + d x)}{d} + \frac{3 B b \sin(c + d x)}{4 d} + \frac{A b \sin(2 c + 2 d x)}{4 d} + \frac{B a \sin(2 c + 2 d x)}{4 d} + \frac{B b \sin(3 c + 3 d x)}{12 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x)),x)

[Out] (A*b*x)/2 + (B*a*x)/2 + (A*a*sin(c + d*x))/d + (3*B*b*sin(c + d*x))/(4*d) + (A*b*sin(2*c + 2*d*x))/(4*d) + (B*a*sin(2*c + 2*d*x))/(4*d) + (B*b*sin(3*c + 3*d*x))/(12*d)

sympy [A] time = 0.51, size = 168, normalized size = 2.00

$$\left\{ \begin{array}{l} \frac{A a \sin(c+d x)}{d} + \frac{A b x \sin^2(c+d x)}{2} + \frac{A b x \cos^2(c+d x)}{2} + \frac{A b \sin(c+d x) \cos(c+d x)}{2 d} + \frac{B a x \sin^2(c+d x)}{2} + \frac{B a x \cos^2(c+d x)}{2} + \frac{B a \sin(c+d x) \cos(c+d x)}{2 d} \\ x(A + B \cos(c))(a + b \cos(c)) \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] Piecewise((A*a*sin(c + d*x)/d + A*b*x*sin(c + d*x)**2/2 + A*b*x*cos(c + d*x)**2/2 + A*b*sin(c + d*x)*cos(c + d*x)/(2*d) + B*a*x*sin(c + d*x)**2/2 + B*a*x*cos(c + d*x)**2/2 + B*a*sin(c + d*x)*cos(c + d*x)/(2*d) + 2*B*b*sin(c + d*x)**3/(3*d) + B*b*sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))*cos(c), True))

3.217 $\int (a + b \cos(c + dx))(A + B \cos(c + dx)) dx$

Optimal. Leaf size=52

$$\frac{(aB + Ab) \sin(c + dx)}{d} + \frac{1}{2}x(2aA + bB) + \frac{bB \sin(c + dx) \cos(c + dx)}{2d}$$

[Out] $1/2*(2*A*a+B*b)*x+(A*b+B*a)*\sin(d*x+c)/d+1/2*b*B*\cos(d*x+c)*\sin(d*x+c)/d$

Rubi [A] time = 0.02, antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {2734}

$$\frac{(aB + Ab) \sin(c + dx)}{d} + \frac{1}{2}x(2aA + bB) + \frac{bB \sin(c + dx) \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] $((2*a*A + b*B)*x)/2 + ((A*b + a*B)*\sin[c + d*x])/d + (b*B*\cos[c + d*x]*\sin[c + d*x])/(2*d)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rubi steps

$$\int (a + b \cos(c + dx))(A + B \cos(c + dx)) dx = \frac{1}{2}(2aA + bB)x + \frac{(Ab + aB) \sin(c + dx)}{d} + \frac{bB \cos(c + dx) \sin(c + dx)}{2d}$$

Mathematica [A] time = 0.09, size = 51, normalized size = 0.98

$$\frac{4(aB + Ab) \sin(c + dx) + 4aAdx + bB \sin(2(c + dx)) + 2bBc + 2bBdx}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] $(2*b*B*c + 4*a*A*d*x + 2*b*B*d*x + 4*(A*b + a*B)*\sin[c + d*x] + b*B*\sin[2*(c + d*x)])/(4*d)$

fricas [A] time = 0.79, size = 42, normalized size = 0.81

$$\frac{(2Aa + Bb)dx + (Bb \cos(dx + c) + 2Ba + 2Ab) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] $1/2*((2*A*a + B*b)*d*x + (B*b*\cos(d*x + c) + 2*B*a + 2*A*b)*\sin(d*x + c))/d$

giac [A] time = 0.30, size = 45, normalized size = 0.87

$$\frac{1}{2}(2Aa + Bb)x + \frac{Bb \sin(2dx + 2c)}{4d} + \frac{(Ba + Ab) \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] $1/2*(2*A*a + B*b)*x + 1/4*B*b*\sin(2*d*x + 2*c)/d + (B*a + A*b)*\sin(d*x + c)/d$

maple [A] time = 0.05, size = 57, normalized size = 1.10

$$\frac{Bb \left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + Ab \sin(dx+c) + aB \sin(dx+c) + aA(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] $1/d*(B*b*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+A*b*\sin(d*x+c)+a*B*\sin(d*x+c)+a*A*(d*x+c))$

maxima [A] time = 0.60, size = 55, normalized size = 1.06

$$\frac{4(dx+c)Aa + (2dx+2c+\sin(2dx+2c))Bb + 4Ba \sin(dx+c) + 4Ab \sin(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] $1/4*(4*(d*x+c)*A*a + (2*d*x+2*c+\sin(2*d*x+2*c))*B*b + 4*B*a*\sin(d*x+c) + 4*A*b*\sin(d*x+c))/d$

mupad [B] time = 0.36, size = 50, normalized size = 0.96

$$Aax + \frac{Bbx}{2} + \frac{Ab \sin(c+dx)}{d} + \frac{Ba \sin(c+dx)}{d} + \frac{Bb \sin(2c+2dx)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(c+d*x))*(a+b*cos(c+d*x)),x)

[Out] $A*a*x + (B*b*x)/2 + (A*b*\sin(c+d*x))/d + (B*a*\sin(c+d*x))/d + (B*b*\sin(2*c+2*d*x))/(4*d)$

sympy [A] time = 0.25, size = 94, normalized size = 1.81

$$\begin{cases} Aax + \frac{Ab \sin(c+dx)}{d} + \frac{Ba \sin(c+dx)}{d} + \frac{Bbx \sin^2(c+dx)}{2} + \frac{Bbx \cos^2(c+dx)}{2} + \frac{Bb \sin(c+dx)\cos(c+dx)}{2d} & \text{for } d \neq 0 \\ x(A+B \cos(c))(a+b \cos(c)) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] $\text{Piecewise}((A*a*x + A*b*\sin(c+d*x)/d + B*a*\sin(c+d*x)/d + B*b*x*\sin(c+d*x)**2/2 + B*b*x*\cos(c+d*x)**2/2 + B*b*\sin(c+d*x)*\cos(c+d*x)/(2*d), \text{Ne}(d, 0)), (x*(A+B*\cos(c))*(a+b*\cos(c)), \text{True}))$

$$3.218 \quad \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec(c + dx) dx$$

Optimal. Leaf size=35

$$x(aB + Ab) + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{bB \sin(c + dx)}{d}$$

[Out] (A*b+B*a)*x+a*A*arctanh(sin(d*x+c))/d+b*B*sin(d*x+c)/d

Rubi [A] time = 0.11, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {2968, 3023, 2735, 3770}

$$x(aB + Ab) + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{bB \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x],x]

[Out] (A*b + a*B)*x + (a*A*ArcTanh[Sin[c + d*x]])/d + (b*B*Sin[c + d*x])/d

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec(c + dx) dx &= \int (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \\
&= \frac{bB \sin(c + dx)}{d} + \int (aA + (Ab + aB) \cos(c + dx)) \sec(c + dx) dx \\
&= (Ab + aB)x + \frac{bB \sin(c + dx)}{d} + (aA) \int \sec(c + dx) dx \\
&= (Ab + aB)x + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{bB \sin(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 46, normalized size = 1.31

$$\frac{aA \tanh^{-1}(\sin(c + dx))}{d} + aBx + Abx + \frac{bB \sin(c) \cos(dx)}{d} + \frac{bB \cos(c) \sin(dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x],x]

[Out] A*b*x + a*B*x + (a*A*ArcTanh[Sin[c + d*x]])/d + (b*B*Cos[d*x]*Sin[c])/d + (b*B*Cos[c]*Sin[d*x])/d

fricas [A] time = 1.23, size = 54, normalized size = 1.54

$$\frac{2(Ba + Ab)dx + Aa \log(\sin(dx + c) + 1) - Aa \log(-\sin(dx + c) + 1) + 2Bb \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="fricas")

[Out] 1/2*(2*(B*a + A*b)*d*x + A*a*log(sin(d*x + c) + 1) - A*a*log(-sin(d*x + c) + 1) + 2*B*b*sin(d*x + c))/d

giac [B] time = 0.67, size = 79, normalized size = 2.26

$$\frac{Aa \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - Aa \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (Ba + Ab)(dx + c) + \frac{2Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")

[Out] (A*a*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - A*a*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (B*a + A*b)*(d*x + c) + 2*B*b*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1))/d

maple [A] time = 0.09, size = 56, normalized size = 1.60

$$Abx + aBx + \frac{aA \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Abc}{d} + \frac{bB \sin(dx + c)}{d} + \frac{Bac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] A*b*x+a*B*x+1/d*a*A*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*b*c+b*B*sin(d*x+c)/d+1/d*B*a*c

maxima [A] time = 0.30, size = 47, normalized size = 1.34

$$\frac{(dx + c)Ba + (dx + c)Ab + Aa \log(\sec(dx + c) + \tan(dx + c)) + Bb \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")

[Out] ((d*x + c)*B*a + (d*x + c)*A*b + A*a*log(sec(d*x + c) + tan(d*x + c)) + B*b*sin(d*x + c))/d

mupad [B] time = 0.48, size = 100, normalized size = 2.86

$$\frac{Bb \sin(c + dx)}{d} + \frac{2Aa \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2Ab \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2Ba \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/cos(c + d*x),x)

[Out] (B*b*sin(c + d*x))/d + (2*A*a*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (2*A*b*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (2*B*a*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))*sec(c + d*x), x)

$$3.219 \quad \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=35

$$\frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d} + bBx$$

[Out] b*B*x+(A*b+B*a)*arctanh(sin(d*x+c))/d+a*A*tan(d*x+c)/d

Rubi [A] time = 0.11, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2968, 3021, 2735, 3770}

$$\frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d} + bBx$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] b*B*x + ((A*b + a*B)*ArcTanh[Sin[c + d*x]])/d + (a*A*Tan[c + d*x])/d

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx &= \int (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sec^2(c + dx) dx \\
&= \frac{aA \tan(c + dx)}{d} + \int (Ab + aB + bB \cos(c + dx)) \sec(c + dx) dx \\
&= bBx + \frac{aA \tan(c + dx)}{d} - (-Ab - aB) \int \sec(c + dx) dx \\
&= bBx + \frac{(Ab + aB) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 43, normalized size = 1.23

$$\frac{aA \tan(c + dx)}{d} + \frac{aB \tanh^{-1}(\sin(c + dx))}{d} + \frac{Ab \tanh^{-1}(\sin(c + dx))}{d} + bBx$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] b*B*x + (A*b*ArcTanh[Sin[c + d*x]])/d + (a*B*ArcTanh[Sin[c + d*x]])/d + (a*A*Tan[c + d*x])/d

fricas [B] time = 0.62, size = 85, normalized size = 2.43

$$\frac{2 B b d x \cos(dx + c) + (Ba + Ab) \cos(dx + c) \log(\sin(dx + c) + 1) - (Ba + Ab) \cos(dx + c) \log(-\sin(dx + c) + 1)}{2 d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")

[Out] 1/2*(2*B*b*d*x*cos(d*x + c) + (B*a + A*b)*cos(d*x + c)*log(sin(d*x + c) + 1) - (B*a + A*b)*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*A*a*sin(d*x + c))/(d*cos(d*x + c))

giac [B] time = 0.43, size = 84, normalized size = 2.40

$$\frac{(dx + c)Bb + (Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - (Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2 A a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")

[Out] ((d*x + c)*B*b + (B*a + A*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (B*a + A*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*A*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1))/d

maple [A] time = 0.10, size = 65, normalized size = 1.86

$$bBx + \frac{aA \tan(dx + c)}{d} + \frac{Ab \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aB \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bbc}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)

[Out] $b*B*x+a*A*\tan(d*x+c)/d+1/d*A*b*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*a*B*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*B*b*c$

maxima [B] time = 0.31, size = 73, normalized size = 2.09

$$\frac{2(dx+c)Bb + Ba(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + Ab(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")

[Out] $1/2*(2*(d*x+c)*B*b + B*a*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + A*b*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 2*A*a*\tan(d*x+c))/d$

mupad [B] time = 0.48, size = 114, normalized size = 3.26

$$\frac{2Bb \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{Aa \sin(c+dx)}{d \cos(c+dx)} - \frac{Ab \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) 1i}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) 2i}{d} - \frac{Ba \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) 1i}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) 2i}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/cos(c + d*x)^2,x)

[Out] $(2*B*b*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d - (B*a*\operatorname{atan}((\sin(c/2 + (d*x)/2)*1i)/\cos(c/2 + (d*x)/2))*2i)/d - (A*b*\operatorname{atan}((\sin(c/2 + (d*x)/2)*1i)/\cos(c/2 + (d*x)/2))*2i)/d + (A*a*\sin(c + d*x))/(d*\cos(c + d*x))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))*sec(c + d*x)**2, x)

3.220 $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^3(c+dx) dx$

Optimal. Leaf size=61

$$\frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(aA + 2bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] $1/2*(A*a+2*B*b)*\arctanh(\sin(d*x+c))/d+(A*b+B*a)*\tan(d*x+c)/d+1/2*a*A*\sec(d*x+c)*\tan(d*x+c)/d$

Rubi [A] time = 0.15, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2968, 3021, 2748, 3767, 8, 3770}

$$\frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(aA + 2bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^3, x]$

[Out] $((a*A + 2*b*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + ((A*b + a*B)*\text{Tan}[c + d*x])/d + (a*A*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3021

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)] + (C_*)*\sin[(e_*) + (f_*)*(x_)]^2), x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}]/(b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m + 1)*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C)*(m + 1))*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3767

$\text{Int}[\text{csc}[(c_*) + (d_*)*(x_)]^{(n_)}, x_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
 /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^3(c + dx) dx &= \int (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \\ &= \frac{aA \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (2(Ab + aB) + (Ab + aB) \cos^2(c + dx)) \sec^2(c + dx) dx \\ &= \frac{aA \sec(c + dx) \tan(c + dx)}{2d} + (Ab + aB) \int \sec^2(c + dx) dx \\ &= \frac{(aA + 2bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{(aA + 2bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(Ab + aB) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.02, size = 75, normalized size = 1.23

$$\frac{aA \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d} + \frac{aB \tan(c + dx)}{d} + \frac{Ab \tan(c + dx)}{d} + \frac{bB \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

[Out] (a*A*ArcTanh[Sin[c + d*x]])/(2*d) + (b*B*ArcTanh[Sin[c + d*x]])/d + (A*b*Tan[c + d*x])/d + (a*B*Tan[c + d*x])/d + (a*A*Sec[c + d*x]*Tan[c + d*x])/(2*d)

fricas [A] time = 0.53, size = 96, normalized size = 1.57

$$\frac{(Aa + 2Bb) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (Aa + 2Bb) \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(Aa + 2Bb) \cos(dx + c) \sin(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")

[Out] 1/4*((A*a + 2*B*b)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (A*a + 2*B*b)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(A*a + 2*(B*a + A*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2)

giac [B] time = 0.46, size = 151, normalized size = 2.48

$$\frac{(Aa + 2Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Aa + 2Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{2d}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")

[Out] 1/2*((A*a + 2*B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (A*a + 2*B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c)))/d

$$\frac{1/2*d*x + 1/2*c)^3 - 2*A*b*tan(1/2*d*x + 1/2*c)^3 + A*a*tan(1/2*d*x + 1/2*c) + 2*B*a*tan(1/2*d*x + 1/2*c) + 2*A*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d$$

maple [A] time = 0.11, size = 86, normalized size = 1.41

$$\frac{aA \sec(dx+c) \tan(dx+c)}{2d} + \frac{aA \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{aB \tan(dx+c)}{d} + \frac{Ab \tan(dx+c)}{d} + \frac{Bb \ln(\sec(dx+c) + \tan(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)

[Out] 1/2*a*A*sec(d*x+c)*tan(d*x+c)/d+1/2/d*a*A*ln(sec(d*x+c)+tan(d*x+c))+1/d*a*B*tan(d*x+c)+1/d*A*b*tan(d*x+c)+1/d*B*b*ln(sec(d*x+c)+tan(d*x+c))

maxima [A] time = 0.47, size = 95, normalized size = 1.56

$$\frac{Aa \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) - 2Bb(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] -1/4*(A*a*(2*sin(d*x+c)/(sin(d*x+c)^2-1) - log(sin(d*x+c)+1) + log(sin(d*x+c)-1)) - 2*B*b*(log(sin(d*x+c)+1) - log(sin(d*x+c)-1)) - 4*B*a*tan(d*x+c) - 4*A*b*tan(d*x+c))/d

mupad [B] time = 1.27, size = 104, normalized size = 1.70

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (Aa + 2Ab + 2Ba) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (2Ab - Aa + 2Ba) \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (Aa + 2Bb)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right) + \frac{\operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (Aa + 2Bb)}{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/cos(c + d*x)^3,x)

[Out] (tan(c/2 + (d*x)/2)*(A*a + 2*A*b + 2*B*a) - tan(c/2 + (d*x)/2)^3*(2*A*b - A*a + 2*B*a))/(d*(tan(c/2 + (d*x)/2)^4 - 2*tan(c/2 + (d*x)/2)^2 + 1)) + (atanh(tan(c/2 + (d*x)/2))*(A*a + 2*B*b))/d

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx)) \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))*sec(c + d*x)**3, x)

3.221 $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^4(c+dx) dx$

Optimal. Leaf size=93

$$\frac{(2aA + 3bB) \tan(c + dx)}{3d} + \frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(aB + Ab) \tan(c + dx) \sec(c + dx)}{2d} + \frac{aA \tan(c + dx)}{3d}$$

[Out] $1/2*(A*b+B*a)*\arctanh(\sin(d*x+c))/d+1/3*(2*A*a+3*B*b)*\tan(d*x+c)/d+1/2*(A*b+B*a)*\sec(d*x+c)*\tan(d*x+c)/d+1/3*a*A*\sec(d*x+c)^2*\tan(d*x+c)/d$

Rubi [A] time = 0.16, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {2968, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{(2aA + 3bB) \tan(c + dx)}{3d} + \frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(aB + Ab) \tan(c + dx) \sec(c + dx)}{2d} + \frac{aA \tan(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^4, x]$

[Out] $((A*b + a*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + ((2*a*A + 3*b*B)*\text{Tan}[c + d*x])/(3*d) + ((A*b + a*B)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d) + (a*A*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*d)$

Rule 8

$\text{Int}[a_, x_Symbol] \text{ :> Simp}[a*x, x] \text{ /; FreeQ}[a, x]$

Rule 2748

$\text{Int}[(b_*)\sin[(e_*) + (f_*)(x_)]^{(m_*)}((c_*) + (d_*)\sin[(e_*) + (f_*)(x_)]), x_Symbol] \text{ :> Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] \text{ /; FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\text{Int}[(a_*) + (b_*)\sin[(e_*) + (f_*)(x_)]^{(m_*)}((A_*) + (B_*)\sin[(e_*) + (f_*)(x_)]), x_Symbol] \text{ :> Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] \text{ /; FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 3021

$\text{Int}[(a_*) + (b_*)\sin[(e_*) + (f_*)(x_)]^{(m_*)}((A_*) + (B_*)\sin[(e_*) + (f_*)(x_)] + (C_*)\sin[(e_*) + (f_*)(x_)]^2), x_Symbol] \text{ :> -Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*\text{Sin}[e + f*x], x], x], x] \text{ /; FreeQ}\{a, b, e, f, A, B, C\}, x] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 3767

$\text{Int}[\text{csc}[(c_*) + (d_*)(x_)]^{(n_*)}, x_Symbol] \text{ :> -Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] \text{ /; FreeQ}\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^4(c + dx) dx &= \int (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sec^4(c + dx) dx \\ &= \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (3(Ab + aB) + 2bB \cos(c + dx)) \sec^3(c + dx) dx \\ &= \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} + (Ab + aB) \int \sec^3(c + dx) dx + \frac{2bB}{3} \int \sec(c + dx) dx \\ &= \frac{(Ab + aB) \sec(c + dx) \tan(c + dx)}{2d} + \frac{aA \sec^2(c + dx)}{3d} + \frac{2bB}{3} \ln|\sec(c + dx) + \tan(c + dx)| \\ &= \frac{(Ab + aB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(2aA + 3bB) \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.28, size = 67, normalized size = 0.72

$$\frac{3(aB + Ab) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (3(aB + Ab) \sec(c + dx) + 2aA \tan^2(c + dx) + 6aA + 6bB)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^4, x]
```

```
[Out] (3*(A*b + a*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(6*a*A + 6*b*B + 3*(A*b + a*B)*Sec[c + d*x] + 2*a*A*Tan[c + d*x]^2))/(6*d)
```

fricas [A] time = 0.99, size = 115, normalized size = 1.24

$$\frac{3(Ba + Ab) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(Ba + Ab) \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(2(2Aa + 3Ab) \cos(dx + c)^2 + 2Aa + 3Ab) \sin(dx + c)}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")
```

```
[Out] 1/12*(3*(B*a + A*b)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(B*a + A*b)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*(2*A*a + 3*B*b)*cos(d*x + c)^2 + 2*A*a + 3*(B*a + A*b)*cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^3)
```

giac [B] time = 0.41, size = 210, normalized size = 2.26

$$3(Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 3(Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2\left(6Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 3Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")

[Out] $\frac{1}{6}*(3*(B*a + A*b)*\log(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) + 1)) - 3*(B*a + A*b)*\log(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) - 1)) - 2*(6*A*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^5 - 3*B*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^5 - 3*A*b*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^5 + 6*B*b*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^5 - 4*A*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^3 - 12*B*b*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^3 + 6*A*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) + 3*B*a*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) + 3*A*b*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) + 6*B*b*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c))/(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^2 - 1)^3/d$

maple [A] time = 0.12, size = 128, normalized size = 1.38

$$\frac{2aA \tan(dx+c)}{3d} + \frac{aA (\sec^2(dx+c)) \tan(dx+c)}{3d} + \frac{aB \sec(dx+c) \tan(dx+c)}{2d} + \frac{aB \ln(\sec(dx+c) + \tan(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)

[Out] $\frac{2}{3}*a*A*\tan(d*x+c)/d + \frac{1}{3}*a*A*\sec(d*x+c)^2*\tan(d*x+c)/d + \frac{1}{2}/d*a*B*\sec(d*x+c)*\tan(d*x+c) + \frac{1}{2}/d*a*B*\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{1}{2}/d*A*b*\sec(d*x+c)*\tan(d*x+c) + \frac{1}{2}/d*A*b*\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{1}{d}*B*b*\tan(d*x+c)$

maxima [A] time = 0.47, size = 127, normalized size = 1.37

$$\frac{4(\tan(dx+c)^3 + 3 \tan(dx+c))Aa - 3Ba \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) - 3Aa}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] $\frac{1}{12}*(4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a - 3*B*a*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 3*A*b*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 12*B*b*\tan(d*x + c))/d$

mupad [B] time = 2.57, size = 145, normalized size = 1.56

$$\frac{\operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (Ab + Ba) (2Aa - Ab - Ba + 2Bb) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(-\frac{4Aa}{3} - 4Bb\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/cos(c + d*x)^4,x)

[Out] $(\operatorname{atanh}(\tan(c/2 + (d*x)/2))*(A*b + B*a))/d - (\tan(c/2 + (d*x)/2)*(2*A*a + A*b + B*a + 2*B*b) - \tan(c/2 + (d*x)/2)^3*((4*A*a)/3 + 4*B*b) + \tan(c/2 + (d*x)/2)^5*(2*A*a - A*b - B*a + 2*B*b))/(d*(3*\tan(c/2 + (d*x)/2)^2 - 3*\tan(c/2 + (d*x)/2)^4 + \tan(c/2 + (d*x)/2)^6 - 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx)) \sec^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))*sec(c + d*x)**4, x)

3.222 $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^5(c+dx) dx$

Optimal. Leaf size=114

$$\frac{(aB + Ab) \tan^3(c + dx)}{3d} + \frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(3aA + 4bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(3aA + 4bB) \tan(c + dx) \sec^3(c + dx)}{8d}$$

[Out] 1/8*(3*A*a+4*B*b)*arctanh(sin(d*x+c))/d+(A*b+B*a)*tan(d*x+c)/d+1/8*(3*A*a+4*B*b)*sec(d*x+c)*tan(d*x+c)/d+1/4*a*A*sec(d*x+c)^3*tan(d*x+c)/d+1/3*(A*b+B*a)*tan(d*x+c)^3/d

Rubi [A] time = 0.18, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2968, 3021, 2748, 3767, 3768, 3770}

$$\frac{(aB + Ab) \tan^3(c + dx)}{3d} + \frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(3aA + 4bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(3aA + 4bB) \tan(c + dx) \sec^3(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]

[Out] ((3*a*A + 4*b*B)*ArcTanh[Sin[c + d*x]]/(8*d) + ((A*b + a*B)*Tan[c + d*x])/d + ((3*a*A + 4*b*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*A*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + ((A*b + a*B)*Tan[c + d*x]^3)/(3*d)

Rule 2748

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3767

Int[csc[(c_) + (d_)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I

Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^5(c + dx) dx &= \int (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sec^5(c + dx) dx \\ &= \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (4(Ab + aB) \cos(c + dx) + 4bB \cos^2(c + dx)) \sec^4(c + dx) dx \\ &= \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} + (Ab + aB) \int \sec^4(c + dx) dx + bB \int \sec^2(c + dx) dx \\ &= \frac{(3aA + 4bB) \sec(c + dx) \tan(c + dx)}{8d} + \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{bB \tan(c + dx)}{d} \\ &= \frac{(3aA + 4bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(Ab + aB) \tan(c + dx) \sec^2(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.62, size = 85, normalized size = 0.75

$$\frac{3(3aA + 4bB) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \sec(c + dx) (8(aB + Ab)(\cos(2(c + dx)) + 2) \sec(c + dx) + 6aA \sec^3(c + dx))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]

[Out] (3*(3*a*A + 4*b*B)*ArcTanh[Sin[c + d*x]] + Sec[c + d*x]*(9*a*A + 12*b*B + 8*(A*b + a*B)*(2 + Cos[2*(c + d*x)]))*Sec[c + d*x] + 6*a*A*Sec[c + d*x]^2)*Tan[c + d*x]/(24*d)

fricas [A] time = 0.65, size = 136, normalized size = 1.19

$$\frac{3(3Aa + 4Bb) \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(3Aa + 4Bb) \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(15Aa \tan(\frac{1}{2}dx + \frac{1}{2}c))^7}{48d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")

[Out] 1/48*(3*(3*A*a + 4*B*b)*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(3*A*a + 4*B*b)*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(16*(B*a + A*b)*cos(d*x + c)^3 + 3*(3*A*a + 4*B*b)*cos(d*x + c)^2 + 6*A*a + 8*(B*a + A*b)*cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^4)

giac [B] time = 0.51, size = 304, normalized size = 2.67

$$3(3Aa + 4Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(3Aa + 4Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(15Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^7}{48d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")

[Out] $\frac{1}{24}*(3*(3*A*a + 4*B*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(3*A*a + 4*B*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 2*(15*A*a*\tan(1/2*d*x + 1/2*c)^7 - 24*B*a*\tan(1/2*d*x + 1/2*c)^7 - 24*A*b*\tan(1/2*d*x + 1/2*c)^7 + 12*B*b*\tan(1/2*d*x + 1/2*c)^7 + 9*A*a*\tan(1/2*d*x + 1/2*c)^5 + 40*B*a*\tan(1/2*d*x + 1/2*c)^5 + 40*A*b*\tan(1/2*d*x + 1/2*c)^5 - 12*B*b*\tan(1/2*d*x + 1/2*c)^5 + 9*A*a*\tan(1/2*d*x + 1/2*c)^3 - 40*B*a*\tan(1/2*d*x + 1/2*c)^3 - 40*A*b*\tan(1/2*d*x + 1/2*c)^3 - 12*B*b*\tan(1/2*d*x + 1/2*c)^3 + 15*A*a*\tan(1/2*d*x + 1/2*c) + 24*B*a*\tan(1/2*d*x + 1/2*c) + 24*A*b*\tan(1/2*d*x + 1/2*c) + 12*B*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$

maple [A] time = 0.14, size = 171, normalized size = 1.50

$$\frac{aA(\sec^3(dx+c))\tan(dx+c)}{4d} + \frac{3aA\sec(dx+c)\tan(dx+c)}{8d} + \frac{3aA\ln(\sec(dx+c)+\tan(dx+c))}{8d} + \frac{2aB\tan(dx+c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^5,x)

[Out] $\frac{1}{4}*a*A*\sec(d*x+c)^3*\tan(d*x+c)/d + \frac{3}{8}*a*A*\sec(d*x+c)*\tan(d*x+c)/d + \frac{3}{8}/d*a*A*\ln(\sec(d*x+c)+\tan(d*x+c)) + \frac{2}{3}/d*a*B*\tan(d*x+c) + \frac{1}{3}/d*a*B*\tan(d*x+c)*\sec(d*x+c)^2 + \frac{2}{3}/d*A*b*\tan(d*x+c) + \frac{1}{3}/d*A*b*\tan(d*x+c)*\sec(d*x+c)^2 + \frac{1}{2}/d*B*b*\tan(d*x+c)*\sec(d*x+c) + \frac{1}{2}/d*B*b*\ln(\sec(d*x+c)+\tan(d*x+c))$

maxima [A] time = 1.30, size = 163, normalized size = 1.43

$$\frac{16(\tan(dx+c)^3 + 3\tan(dx+c))Ba + 16(\tan(dx+c)^3 + 3\tan(dx+c))Ab - 3Aa\left(\frac{2(3\sin(dx+c)^3 - 5\sin(dx+c))}{\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1} - 3\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="maxima")

[Out] $\frac{1}{48}*(16*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*B*a + 16*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*b - 3*A*a*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 12*B*b*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)))/d$

mupad [B] time = 3.86, size = 194, normalized size = 1.70

$$\frac{\left(\frac{5Aa}{4} - 2Ab - 2Ba + Bb\right)\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{3Aa}{4} + \frac{10Ab}{3} + \frac{10Ba}{3} - Bb\right)\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{3Aa}{4} - \frac{10Ab}{3} - \frac{10Ba}{3} - Bb\right)\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{3Aa}{4} + \frac{10Ab}{3} + \frac{10Ba}{3} - Bb\right)\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/cos(c + d*x)^5,x)

[Out] $\frac{(\tan(c/2 + (d*x)/2)*((5*A*a)/4 + 2*A*b + 2*B*a + B*b) + \tan(c/2 + (d*x)/2)^7*((5*A*a)/4 - 2*A*b - 2*B*a + B*b) - \tan(c/2 + (d*x)/2)^3*((10*A*b)/3 - (3*A*a)/4 + (10*B*a)/3 + B*b) + \tan(c/2 + (d*x)/2)^5*((3*A*a)/4 + (10*A*b)/3 + (10*B*a)/3 - B*b))/(d*(6*\tan(c/2 + (d*x)/2)^4 - 4*\tan(c/2 + (d*x)/2)^2 - 4*\tan(c/2 + (d*x)/2)^6 + \tan(c/2 + (d*x)/2)^8 + 1)) + (\text{atanh}(\tan(c/2 + (d*x)/2)))*((3*A*a)/4 + B*b))/d$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)

[Out] Timed out

3.223 $\int \cos^2(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx$

Optimal. Leaf size=189

$$\frac{(4a^2A + 6abB + 3Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(4a^2A + 6abB + 3Ab^2) - \frac{(5a(aB + 2Ab) + 4b^2B) \sin^3(c + dx)}{15d}$$

[Out] 1/8*(4*A*a^2+3*A*b^2+6*B*a*b)*x+1/5*(4*b^2*B+5*a*(2*A*b+B*a))*sin(d*x+c)/d+1/8*(4*A*a^2+3*A*b^2+6*B*a*b)*cos(d*x+c)*sin(d*x+c)/d+1/20*b*(5*A*b+6*B*a)*cos(d*x+c)^3*sin(d*x+c)/d+1/5*b*B*cos(d*x+c)^3*(a+b*cos(d*x+c))*sin(d*x+c)/d-1/15*(4*b^2*B+5*a*(2*A*b+B*a))*sin(d*x+c)^3/d

Rubi [A] time = 0.31, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2990, 3023, 2748, 2635, 8, 2633}

$$\frac{(4a^2A + 6abB + 3Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(4a^2A + 6abB + 3Ab^2) - \frac{(5a(aB + 2Ab) + 4b^2B) \sin^3(c + dx)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]), x]

[Out] ((4*a^2*A + 3*A*b^2 + 6*a*b*B)*x)/8 + ((4*b^2*B + 5*a*(2*A*b + a*B))*Sin[c + d*x])/(5*d) + ((4*a^2*A + 3*A*b^2 + 6*a*b*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (b*(5*A*b + 6*a*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(20*d) + (b*B*Cos[c + d*x]^3*(a + b*Cos[c + d*x])*Sin[c + d*x])/(5*d) - ((4*b^2*B + 5*a*(2*A*b + a*B))*Sin[c + d*x]^3)/(15*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Ssin[c + d*x])^(n - 1)]/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1)]/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -

1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n))) * Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n))) * Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx &= \frac{bB \cos^3(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{5d} + \\ &= \frac{b(5Ab + 6aB) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{bB \cos^3(c + dx) \sin(c + dx)}{20d} + \\ &= \frac{b(5Ab + 6aB) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{bB \cos^3(c + dx) \sin(c + dx)}{20d} + \\ &= \frac{(4a^2A + 3Ab^2 + 6abB) \cos(c + dx) \sin(c + dx)}{8d} + \\ &= \frac{1}{8} (4a^2A + 3Ab^2 + 6abB) x + \frac{(4b^2B + 5a(2Ab + 6aB)) \sin(c + dx)}{5d} \end{aligned}$$

Mathematica [A] time = 0.48, size = 146, normalized size = 0.77

$$\frac{60(c + dx)(4a^2A + 6abB + 3Ab^2) + 60(6a^2B + 12aAb + 5b^2B) \sin(c + dx) + 120(a^2A + 2abB + Ab^2) \sin(2(c + dx))}{480ad}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]), x]
 [Out] (60*(4*a^2*A + 3*A*b^2 + 6*a*b*B)*(c + d*x) + 60*(12*a*A*b + 6*a^2*B + 5*b^2*B)*Sin[c + d*x] + 120*(a^2*A + A*b^2 + 2*a*b*B)*Sin[2*(c + d*x)] + 10*(8*a*A*b + 4*a^2*B + 5*b^2*B)*Sin[3*(c + d*x)] + 15*b*(A*b + 2*a*B)*Sin[4*(c + d*x)] + 6*b^2*B*Sin[5*(c + d*x)])/(480*d)

fricas [A] time = 0.65, size = 142, normalized size = 0.75

$$\frac{15(4Aa^2 + 6Bab + 3Ab^2)dx + (24Bb^2 \cos(dx + c)^4 + 30(2Bab + Ab^2) \cos(dx + c)^3 + 80Ba^2 + 160Aab + 120a^2B) \sin(dx + c)}{480ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)), x, algorithm="fricas")
 [Out] 1/120*(15*(4*A*a^2 + 6*B*a*b + 3*A*b^2)*d*x + (24*B*b^2*cos(d*x + c)^4 + 30*(2*B*a*b + A*b^2)*cos(d*x + c)^3 + 80*B*a^2 + 160*A*a*b + 64*B*b^2 + 8*(5*B*a^2 + 10*A*a*b + 4*B*b^2)*cos(d*x + c)^2 + 15*(4*A*a^2 + 6*B*a*b + 3*A*b^2)*cos(d*x + c))*sin(d*x + c))/d

giac [A] time = 0.40, size = 156, normalized size = 0.83

$$\frac{Bb^2 \sin(5dx + 5c)}{80d} + \frac{1}{8} (4Aa^2 + 6Bab + 3Ab^2)x + \frac{(2Bab + Ab^2) \sin(4dx + 4c)}{32d} + \frac{(4Ba^2 + 8Aab + 5Bb^2) \sin(3dx + 3c)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/80*B*b^2*sin(5*d*x + 5*c)/d + 1/8*(4*A*a^2 + 6*B*a*b + 3*A*b^2)*x + 1/32*(2*B*a*b + A*b^2)*sin(4*d*x + 4*c)/d + 1/48*(4*B*a^2 + 8*A*a*b + 5*B*b^2)*sin(3*d*x + 3*c)/d + 1/4*(A*a^2 + 2*B*a*b + A*b^2)*sin(2*d*x + 2*c)/d + 1/8*(6*B*a^2 + 12*A*a*b + 5*B*b^2)*sin(d*x + c)/d

maple [A] time = 0.05, size = 184, normalized size = 0.97

$$\frac{a^2 A \left(\frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + \frac{B a^2 (2 + \cos^2(dx+c)) \sin(dx+c)}{3} + \frac{2Aab(2 + \cos^2(dx+c)) \sin(dx+c)}{3} + 2Bab \left(\frac{\cos^3(dx+c) + \frac{3 \cos(dx+c)}{2}}{4} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)

[Out] 1/d*(a^2*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+1/3*B*a^2*(2+cos(d*x+c))^2)*sin(d*x+c)+2/3*A*a*b*(2+cos(d*x+c)^2)*sin(d*x+c)+2*B*a*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+A*b^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/5*b^2*B*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c))

maxima [A] time = 0.83, size = 176, normalized size = 0.93

$$\frac{120(2dx + 2c + \sin(2dx + 2c))Aa^2 - 160(\sin(dx + c)^3 - 3\sin(dx + c))Ba^2 - 320(\sin(dx + c)^3 - 3\sin(dx + c))Aab + 30(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Bab + 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^2 + 32(3\sin(dx + c)^5 - 10\sin(dx + c)^3 + 15\sin(dx + c))Bb^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/480*(120*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2 - 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 - 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a*b + 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a*b + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 + 32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*b^2)/d

mupad [B] time = 3.93, size = 307, normalized size = 1.62

$$\frac{x \left(A a^2 + \frac{3Bab}{2} + \frac{3Ab^2}{4} \right) + \left(2B a^2 - \frac{5A b^2}{4} - A a^2 + 2B b^2 + 4A a b - \frac{5B a b}{2} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(\frac{16B a^2}{3} - \frac{A b^2}{2} - 2A a b \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2,x)

[Out] (x*(A*a^2 + (3*A*b^2)/4 + (3*B*a*b)/2))/2 + (tan(c/2 + (d*x)/2)^5*((20*B*a^2)/3 + (116*B*b^2)/15 + (40*A*a*b)/3) - tan(c/2 + (d*x)/2)^9*(A*a^2 + (5*A*b^2)/4 - 2*B*a^2 - 2*B*b^2 - 4*A*a*b + (5*B*a*b)/2) + tan(c/2 + (d*x)/2)^3*

$$\begin{aligned} & (2Aa^2 + (Ab^2)/2 + (16Ba^2)/3 + (8Bb^2)/3 + (32Aab)/3 + B*a*b) - \\ & \tan(c/2 + (d*x)/2)^7 * (2Aa^2 + (Ab^2)/2 - (16Ba^2)/3 - (8Bb^2)/3 - (\\ & 32Aab)/3 + B*a*b) + \tan(c/2 + (d*x)/2) * (Aa^2 + (5Ab^2)/4 + 2Ba^2 + \\ & 2Bb^2 + 4Aab + (5Bab)/2) / (d * (5 \tan(c/2 + (d*x)/2)^2 + 10 \tan(c/2 + \\ & (d*x)/2)^4 + 10 \tan(c/2 + (d*x)/2)^6 + 5 \tan(c/2 + (d*x)/2)^8 + \tan(c/2 + \\ & (d*x)/2)^{10} + 1) \end{aligned}$$

sympy [A] time = 2.47, size = 459, normalized size = 2.43

$$\left\{ \begin{array}{l} \frac{Aa^2x \sin^2(c+dx)}{2} + \frac{Aa^2x \cos^2(c+dx)}{2} + \frac{Aa^2 \sin(c+dx) \cos(c+dx)}{2d} + \frac{4Aab \sin^3(c+dx)}{3d} + \frac{2Aab \sin(c+dx) \cos^2(c+dx)}{d} + \frac{3Ab^2x \sin^4(c+dx)}{8} \\ x(A+B \cos(c))(a+b \cos(c))^2 \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)

[Out] Piecewise((A*a**2*x*sin(c + d*x)**2/2 + A*a**2*x*cos(c + d*x)**2/2 + A*a**2*
*sin(c + d*x)*cos(c + d*x)/(2*d) + 4*A*a*b*sin(c + d*x)**3/(3*d) + 2*A*a*b*
sin(c + d*x)*cos(c + d*x)**2/d + 3*A*b**2*x*sin(c + d*x)**4/8 + 3*A*b**2*x*
sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*A*b**2*x*cos(c + d*x)**4/8 + 3*A*b**2*
*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5*A*b**2*sin(c + d*x)*cos(c + d*x)**3
/(8*d) + 2*B*a**2*sin(c + d*x)**3/(3*d) + B*a**2*sin(c + d*x)*cos(c + d*x)*
*2/d + 3*B*a*b*x*sin(c + d*x)**4/4 + 3*B*a*b*x*sin(c + d*x)**2*cos(c + d*x)
2/2 + 3*B*a*b*x*cos(c + d*x)4/4 + 3*B*a*b*sin(c + d*x)**3*cos(c + d*x)/
(4*d) + 5*B*a*b*sin(c + d*x)*cos(c + d*x)**3/(4*d) + 8*B*b**2*sin(c + d*x)*
*5/(15*d) + 4*B*b**2*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + B*b**2*sin(c +
d*x)*cos(c + d*x)**4/d, Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))**2*cos
(c)**2, True))

3.224 $\int \cos(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx$

Optimal. Leaf size=170

$$\frac{(-2a^2B + 8aAb + 9b^2B) \sin(c+dx) \cos(c+dx)}{24d} + \frac{1}{8}x(4a^2B + 8aAb + 3b^2B) + \frac{(a^3(-B) + 4a^2Ab + 8ab^2B + 4Ab^3)}{6bd}$$

[Out] $\frac{1}{8}*(8*A*a*b+4*B*a^2+3*B*b^2)*x+\frac{1}{6}*(4*A*a^2*b+4*A*b^3-B*a^3+8*B*a*b^2)*\sin(d*x+c)/b/d+\frac{1}{24}*(8*A*a*b-2*B*a^2+9*B*b^2)*\cos(d*x+c)*\sin(d*x+c)/d+\frac{1}{12}*(4*A*b-B*a)*(a+b*\cos(d*x+c))^2*\sin(d*x+c)/b/d+\frac{1}{4*B}*(a+b*\cos(d*x+c))^3*\sin(d*x+c)/b/d$

Rubi [A] time = 0.23, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2968, 3023, 2753, 2734}

$$\frac{(4a^2Ab + a^3(-B) + 8ab^2B + 4Ab^3) \sin(c+dx)}{6bd} + \frac{(-2a^2B + 8aAb + 9b^2B) \sin(c+dx) \cos(c+dx)}{24d} + \frac{1}{8}x(4a^2B + 8aAb + 3b^2B)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]

[Out] $((8*a*A*b + 4*a^2*B + 3*b^2*B)*x)/8 + ((4*a^2*A*b + 4*A*b^3 - a^3*B + 8*a*b^2*B)*\text{Sin}[c + d*x])/(6*b*d) + ((8*a*A*b - 2*a^2*B + 9*b^2*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(24*d) + ((4*A*b - a*B)*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(12*b*d) + (B*(a + b*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(4*b*d)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2753

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Ssin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a + b*Ssin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Ssin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \cos(c+dx)(a+b\cos(c+dx))^2(A+B\cos(c+dx))dx &= \int (a+b\cos(c+dx))^2(A\cos(c+dx)+B\cos^2(c+dx))dx \\
&= \frac{B(a+b\cos(c+dx))^3\sin(c+dx)}{4bd} + \int (a+b\cos(c+dx))^2(A\cos(c+dx))dx \\
&= \frac{(4Ab-aB)(a+b\cos(c+dx))^2\sin(c+dx)}{12bd} + \frac{B(a+b\cos(c+dx))^3\sin(c+dx)}{4bd} \\
&= \frac{1}{8}(8aAb+4a^2B+3b^2B)x + \frac{(4a^2Ab+4Ab^3-a^3B)\sin(c+dx)}{8bd}
\end{aligned}$$

Mathematica [A] time = 0.46, size = 118, normalized size = 0.69

$$\frac{12(c+dx)(4a^2B+8aAb+3b^2B)+24(a^2A+6abB+3Ab^2)\sin(c+dx)+24(a^2B+2aAb+b^2B)\sin(2(c+dx))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d*x]*(a+b*Cos[c+d*x])^2*(A+B*Cos[c+d*x]),x]

```
[Out] (12*(8*a*A*b + 4*a^2*B + 3*b^2*B)*(c + d*x) + 24*(4*a^2*A + 3*A*b^2 + 6*a*b*B)*Sin[c + d*x] + 24*(2*a*A*b + a^2*B + b^2*B)*Sin[2*(c + d*x)] + 8*b*(A*b + 2*a*B)*Sin[3*(c + d*x)] + 3*b^2*B*Ssin[4*(c + d*x)])/(96*d)
```

fricas [A] time = 0.75, size = 114, normalized size = 0.67

$$\frac{3(4Ba^2+8Aab+3Bb^2)dx+(6Bb^2\cos(dx+c)^3+24Aa^2+32Bab+16Ab^2+8(2Bab+Ab^2)\cos(dx+c))\sin(dx+c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")

```
[Out] 1/24*(3*(4*B*a^2 + 8*A*a*b + 3*B*b^2)*d*x + (6*B*b^2*cos(d*x + c)^3 + 24*A*a^2 + 32*B*a*b + 16*A*b^2 + 8*(2*B*a*b + A*b^2)*cos(d*x + c)^2 + 3*(4*B*a^2 + 8*A*a*b + 3*B*b^2)*cos(d*x + c))*sin(d*x + c)/d
```

giac [A] time = 0.38, size = 124, normalized size = 0.73

$$\frac{Bb^2\sin(4dx+4c)}{32d} + \frac{1}{8}(4Ba^2+8Aab+3Bb^2)x + \frac{(2Bab+Ab^2)\sin(3dx+3c)}{12d} + \frac{(Ba^2+2Aab+Bb^2)\sin(2dx+2c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")

```
[Out] 1/32*B*b^2*sin(4*d*x + 4*c)/d + 1/8*(4*B*a^2 + 8*A*a*b + 3*B*b^2)*x + 1/12*(2*B*a*b + A*b^2)*sin(3*d*x + 3*c)/d + 1/4*(B*a^2 + 2*A*a*b + B*b^2)*sin(2*d*x + 2*c)/d + 1/4*(4*A*a^2 + 6*B*a*b + 3*A*b^2)*sin(d*x + c)/d
```

maple [A] time = 0.05, size = 152, normalized size = 0.89

$$\frac{a^2A\sin(dx+c)+Ba^2\left(\frac{\cos(dx+c)\sin(dx+c)}{2}+\frac{dx}{2}+\frac{c}{2}\right)+2Aab\left(\frac{\cos(dx+c)\sin(dx+c)}{2}+\frac{dx}{2}+\frac{c}{2}\right)+\frac{2Bab(2+\cos^2(dx+c))\sin(dx+c)}{3}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)`

[Out] $1/d*(a^2*A*\sin(d*x+c)+B*a^2*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+2*A*a*b*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+2/3*B*a*b*(2+\cos(d*x+c)^2)*\sin(d*x+c)+1/3*A*b^2*(2+\cos(d*x+c)^2)*\sin(d*x+c)+b^2*B*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c))$

maxima [A] time = 0.53, size = 142, normalized size = 0.84

$24(2dx + 2c + \sin(2dx + 2c))Ba^2 + 48(2dx + 2c + \sin(2dx + 2c))Aab - 64(\sin(dx + c)^3 - 3\sin(dx + c))B$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] $1/96*(24*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^2 + 48*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a*b - 64*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a*b - 32*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*A*b^2 + 3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*b^2 + 96*A*a^2*\sin(d*x + c))/d$

mupad [B] time = 0.51, size = 169, normalized size = 0.99

$\frac{B a^2 x}{2} + \frac{3 B b^2 x}{8} + \frac{A a^2 \sin(c + dx)}{d} + \frac{3 A b^2 \sin(c + dx)}{4 d} + A a b x + \frac{B a^2 \sin(2 c + 2 d x)}{4 d} + \frac{A b^2 \sin(3 c + 3 d x)}{12 d} + \dots$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2,x)`

[Out] $(B*a^2*x)/2 + (3*B*b^2*x)/8 + (A*a^2*\sin(c + d*x))/d + (3*A*b^2*\sin(c + d*x))/(4*d) + A*a*b*x + (B*a^2*\sin(2*c + 2*d*x))/(4*d) + (A*b^2*\sin(3*c + 3*d*x))/(12*d) + (B*b^2*\sin(2*c + 2*d*x))/(4*d) + (B*b^2*\sin(4*c + 4*d*x))/(32*d) + (3*B*a*b*\sin(c + d*x))/(2*d) + (A*a*b*\sin(2*c + 2*d*x))/(2*d) + (B*a*b*\sin(3*c + 3*d*x))/(6*d)$

sympy [A] time = 1.19, size = 338, normalized size = 1.99

$\left\{ \begin{array}{l} \frac{Aa^2 \sin(c+dx)}{d} + Aabx \sin^2(c + dx) + Aabx \cos^2(c + dx) + \frac{Aab \sin(c+dx) \cos(c+dx)}{d} + \frac{2Ab^2 \sin^3(c+dx)}{3d} + \frac{Ab^2 \sin(c+dx) \cos^2(c+dx)}{d} \\ x(A + B \cos(c))(a + b \cos(c))^2 \cos(c) \end{array} \right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise((A*a**2*sin(c + d*x)/d + A*a*b*x*sin(c + d*x)**2 + A*a*b*x*cos(c + d*x)**2 + A*a*b*sin(c + d*x)*cos(c + d*x)/d + 2*A*b**2*sin(c + d*x)**3/(3*d) + A*b**2*sin(c + d*x)*cos(c + d*x)**2/d + B*a**2*x*sin(c + d*x)**2/2 + B*a**2*x*cos(c + d*x)**2/2 + B*a**2*sin(c + d*x)*cos(c + d*x)/(2*d) + 4*B*a*b*sin(c + d*x)**3/(3*d) + 2*B*a*b*sin(c + d*x)*cos(c + d*x)**2/d + 3*B*b**2*x*sin(c + d*x)**4/8 + 3*B*b**2*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*B*b**2*x*cos(c + d*x)**4/8 + 3*B*b**2*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5*B*b**2*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))**2*cos(c), True))`

3.225 $\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) dx$

Optimal. Leaf size=107

$$\frac{2(a^2B + 3aAb + b^2B) \sin(c + dx)}{3d} + \frac{1}{2}x(2a^2A + 2abB + Ab^2) + \frac{b(2aB + 3Ab) \sin(c + dx) \cos(c + dx)}{6d} + \frac{B \sin(c + dx)}{3d}$$

[Out] $\frac{1}{2}(2Aa^2 + Ab^2 + 2Bab)x + \frac{2}{3}(3Aab + Ba^2 + Bb^2)\sin(dx+c)/d + \frac{1}{6}b(3Ab + 2Ba)\cos(dx+c)\sin(dx+c)/d + \frac{1}{3}B(a+b\cos(dx+c))^2\sin(dx+c)/d$

Rubi [A] time = 0.09, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {2753, 2734}

$$\frac{2(a^2B + 3aAb + b^2B) \sin(c + dx)}{3d} + \frac{1}{2}x(2a^2A + 2abB + Ab^2) + \frac{b(2aB + 3Ab) \sin(c + dx) \cos(c + dx)}{6d} + \frac{B \sin(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]

[Out] $((2a^2A + Ab^2 + 2a*b*B)x)/2 + (2*(3a*A*b + a^2*B + b^2*B)*Sin[c + d*x])/(3*d) + (b*(3*A*b + 2*a*B)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (B*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(3*d)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[(b*c + a*d)*Cos[e + f*x]/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2753

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) dx &= \frac{B(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int (a + b \cos(c + dx))(3aAb + a^2B + b^2B) \sin(c + dx) dx \\ &= \frac{1}{2} (2a^2A + Ab^2 + 2abB)x + \frac{2(3aAb + a^2B + b^2B) \sin(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.23, size = 90, normalized size = 0.84

$$\frac{6(c + dx)(2a^2A + 2abB + Ab^2) + 3(4a^2B + 8aAb + 3b^2B) \sin(c + dx) + 3b(2aB + Ab) \sin(2(c + dx)) + b^2B \sin^2(c + dx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]

[Out] $(6*(2*a^2*A + A*b^2 + 2*a*b*B)*(c + d*x) + 3*(8*a*A*b + 4*a^2*B + 3*b^2*B)*\sin[c + d*x] + 3*b*(A*b + 2*a*B)*\sin[2*(c + d*x)] + b^2*B*\sin[3*(c + d*x)])/(12*d)$

fricas [A] time = 0.66, size = 85, normalized size = 0.79

$$\frac{3(2Aa^2 + 2Bab + Ab^2)dx + (2Bb^2 \cos(dx + c)^2 + 6Ba^2 + 12Aab + 4Bb^2 + 3(2Bab + Ab^2) \cos(dx + c)) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out] $1/6*(3*(2*A*a^2 + 2*B*a*b + A*b^2)*d*x + (2*B*b^2*\cos(d*x + c)^2 + 6*B*a^2 + 12*A*a*b + 4*B*b^2 + 3*(2*B*a*b + A*b^2)*\cos(d*x + c))*\sin(d*x + c))/d$

giac [A] time = 0.47, size = 93, normalized size = 0.87

$$\frac{Bb^2 \sin(3dx + 3c)}{12d} + \frac{1}{2}(2Aa^2 + 2Bab + Ab^2)x + \frac{(2Bab + Ab^2) \sin(2dx + 2c)}{4d} + \frac{(4Ba^2 + 8Aab + 3Bb^2) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")`

[Out] $1/12*B*b^2*\sin(3*d*x + 3*c)/d + 1/2*(2*A*a^2 + 2*B*a*b + A*b^2)*x + 1/4*(2*B*a*b + A*b^2)*\sin(2*d*x + 2*c)/d + 1/4*(4*B*a^2 + 8*A*a*b + 3*B*b^2)*\sin(d*x + c)/d$

maple [A] time = 0.05, size = 114, normalized size = 1.07

$$\frac{b^2B(2+\cos^2(dx+c))\sin(dx+c)}{3} + Ab^2 \left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 2Bab \left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 2Aab \sin(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)`

[Out] $1/d*(1/3*b^2*B*(2+\cos(d*x+c)^2)*\sin(d*x+c)+A*b^2*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+2*B*a*b*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+2*A*a*b*\sin(d*x+c)+B*a^2*\sin(d*x+c)+a^2*A*(d*x+c))$

maxima [A] time = 0.31, size = 108, normalized size = 1.01

$$\frac{12(dx + c)Aa^2 + 6(2dx + 2c + \sin(2dx + 2c))Bab + 3(2dx + 2c + \sin(2dx + 2c))Ab^2 - 4(\sin(dx + c)^3 - 3\sin(dx + c))}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] $1/12*(12*(d*x + c)*A*a^2 + 6*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a*b + 3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*b^2 - 4*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*b^2 + 12*B*a^2*\sin(d*x + c) + 24*A*a*b*\sin(d*x + c))/d$

mupad [B] time = 0.45, size = 115, normalized size = 1.07

$$Aa^2x + \frac{Ab^2x}{2} + \frac{Ba^2 \sin(c + dx)}{d} + \frac{3Bb^2 \sin(c + dx)}{4d} + Babx + \frac{Ab^2 \sin(2c + 2dx)}{4d} + \frac{Bb^2 \sin(3c + 3dx)}{12d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2,x)`

```
[Out] A*a^2*x + (A*b^2*x)/2 + (B*a^2*sin(c + d*x))/d + (3*B*b^2*sin(c + d*x))/(4*d) + B*a*b*x + (A*b^2*sin(2*c + 2*d*x))/(4*d) + (B*b^2*sin(3*c + 3*d*x))/(12*d) + (2*A*a*b*sin(c + d*x))/d + (B*a*b*sin(2*c + 2*d*x))/(2*d)
```

```
sympy [A] time = 0.59, size = 199, normalized size = 1.86
```

$$\left\{ \begin{array}{l} Aa^2x + \frac{2Aab \sin(c+dx)}{d} + \frac{Ab^2x \sin^2(c+dx)}{2} + \frac{Ab^2x \cos^2(c+dx)}{2} + \frac{Ab^2 \sin(c+dx) \cos(c+dx)}{2d} + \frac{Ba^2 \sin(c+dx)}{d} + Babx \sin^2(c + d) \\ x(A + B \cos(c))(a + b \cos(c))^2 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)
```

```
[Out] Piecewise((A*a**2*x + 2*A*a*b*sin(c + d*x)/d + A*b**2*x*sin(c + d*x)**2/2 + A*b**2*x*cos(c + d*x)**2/2 + A*b**2*sin(c + d*x)*cos(c + d*x)/(2*d) + B*a**2*sin(c + d*x)/d + B*a*b*x*sin(c + d*x)**2 + B*a*b*x*cos(c + d*x)**2 + B*a*b*sin(c + d*x)*cos(c + d*x)/d + 2*B*b**2*sin(c + d*x)**3/(3*d) + B*b**2*sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))**2, True))
```

3.226 $\int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec(c+dx) dx$

Optimal. Leaf size=86

$$\frac{1}{2}x(2a^2B + 4aAb + b^2B) + \frac{a^2A \tanh^{-1}(\sin(c+dx))}{d} + \frac{b(3aB + 2Ab) \sin(c+dx)}{2d} + \frac{bB \sin(c+dx)(a+b \cos(c+dx))}{2d}$$

[Out] $1/2*(4*A*a*b+2*B*a^2+B*b^2)*x+a^2*A*\arctanh(\sin(d*x+c))/d+1/2*b*(2*A*b+3*B*a)*\sin(d*x+c)/d+1/2*b*B*(a+b*\cos(d*x+c))*\sin(d*x+c)/d$

Rubi [A] time = 0.18, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2990, 3023, 2735, 3770}

$$\frac{1}{2}x(2a^2B + 4aAb + b^2B) + \frac{a^2A \tanh^{-1}(\sin(c+dx))}{d} + \frac{b(3aB + 2Ab) \sin(c+dx)}{2d} + \frac{bB \sin(c+dx)(a+b \cos(c+dx))}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x], x]$

[Out] $((4*a*A*b + 2*a^2*B + b^2*B)*x)/2 + (a^2*A*\text{ArcTanh}[\text{Sin}[c + d*x]])/d + (b*(2*A*b + 3*a*B)*\text{Sin}[c + d*x])/(2*d) + (b*B*(a + b*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/(2*d)$

Rule 2735

$\text{Int}[(a + b*\sin[e + f*x])^2*(A + B*\sin[e + f*x])*\text{Sec}[e + f*x], x] \text{ :> } \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 2990

$\text{Int}[(a + b*\sin[e + f*x])^m*(A + B*\sin[e + f*x])*(c + d*\sin[e + f*x])^n, x] \text{ :> } -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-2}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^2*A*d*(m+n+1) + b*B*(b*c*(m-1) + a*d*(n+1)) + (a*d*(2*A*b + a*B)*(m+n+1) - b*B*(a*c - b*d*(m+n)))*\text{Sin}[e + f*x] + b*(A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ !(\text{IGtQ}[n, 1] \ \&\& \ (!\text{IntegerQ}[m] \ || \ (\text{EqQ}[a, 0] \ \&\& \ \text{NeQ}[c, 0])))$

Rule 3023

$\text{Int}[(a + b*\sin[e + f*x])^m*(A + B*\sin[e + f*x])*(c + d*\sin[e + f*x])^2, x] \text{ :> } -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m+1})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \ \&\& \ !\text{LtQ}[m, -1]$

Rule 3770

$\text{Int}[\text{csc}[c + d*x], x] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{bB(a + b \cos(c + dx)) \sin(c + dx)}{2d} + \frac{1}{2} \int (2a^2 A + \\ &= \frac{b(2Ab + 3aB) \sin(c + dx)}{2d} + \frac{bB(a + b \cos(c + dx))}{2d} \\ &= \frac{1}{2} (4aAb + 2a^2 B + b^2 B) x + \frac{b(2Ab + 3aB) \sin(c + dx)}{2d} \\ &= \frac{1}{2} (4aAb + 2a^2 B + b^2 B) x + \frac{a^2 A \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.23, size = 120, normalized size = 1.40

$$\frac{2(c + dx)(2a^2 B + 4aAb + b^2 B) - 4a^2 A \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 4a^2 A \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x], x]

[Out] (2*(4*a*A*b + 2*a^2*B + b^2*B)*(c + d*x) - 4*a^2*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*a^2*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 4*b*(A*b + 2*a*B)*Sin[c + d*x] + b^2*B*Sin[2*(c + d*x)])/(4*d)

fricas [A] time = 0.73, size = 87, normalized size = 1.01

$$\frac{Aa^2 \log(\sin(dx + c) + 1) - Aa^2 \log(-\sin(dx + c) + 1) + (2Ba^2 + 4Aab + Bb^2)dx + (Bb^2 \cos(dx + c) + 4Bab \sin(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="fricas")

[Out] 1/2*(A*a^2*log(sin(d*x + c) + 1) - A*a^2*log(-sin(d*x + c) + 1) + (2*B*a^2 + 4*A*a*b + B*b^2)*d*x + (B*b^2*cos(d*x + c) + 4*B*a*b + 2*A*b^2)*sin(d*x + c))/d

giac [B] time = 0.45, size = 178, normalized size = 2.07

$$\frac{2Aa^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2Aa^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (2Ba^2 + 4Aab + Bb^2)(dx + c) + \frac{2(4Bab \sin(dx + c) + Bb^2 \cos(dx + c))}{2d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="giac")

[Out] 1/2*(2*A*a^2*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 2*A*a^2*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (2*B*a^2 + 4*A*a*b + B*b^2)*(d*x + c) + 2*(4*B*a*b*tan(1/2*d*x + 1/2*c)^3 + 2*A*b^2*tan(1/2*d*x + 1/2*c)^3 - B*b^2*tan(1/2*d*x + 1/2*c)^3 + 4*B*a*b*tan(1/2*d*x + 1/2*c) + 2*A*b^2*tan(1/2*d*x + 1/2*c) + B*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d

maple [A] time = 0.10, size = 120, normalized size = 1.40

$$\frac{a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{d} + a^2 B x + \frac{B a^2 c}{d} + 2Aabx + \frac{2Aabc}{d} + \frac{2Bab \sin(dx + c)}{d} + \frac{A b^2 \sin(dx + c)}{d} + \frac{b^2 B \cos(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c),x)`

[Out] $1/d*a^2*A*\ln(\sec(d*x+c)+\tan(d*x+c))+a^2*B*x+1/d*B*a^2*c+2*A*a*b*x+2/d*A*a*b*c+2/d*B*a*b*\sin(d*x+c)+1/d*A*b^2*\sin(d*x+c)+1/2/d*b^2*B*\cos(d*x+c)*\sin(d*x+c)+1/2*b^2*B*x+1/2/d*b^2*B*c$

maxima [A] time = 1.21, size = 92, normalized size = 1.07

$$\frac{4(dx+c)Ba^2 + 8(dx+c)Aab + (2dx+2c+\sin(2dx+2c))Bb^2 + 4Aa^2 \log(\sec(dx+c) + \tan(dx+c)) + 8Ba^2}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")`

[Out] $1/4*(4*(d*x+c)*B*a^2 + 8*(d*x+c)*A*a*b + (2*d*x+2*c+\sin(2*d*x+2*c))*B*b^2 + 4*A*a^2*\log(\sec(d*x+c) + \tan(d*x+c)) + 8*B*a*b*\sin(d*x+c) + 4*A*b^2*\sin(d*x+c))/d$

mupad [B] time = 0.69, size = 169, normalized size = 1.97

$$\frac{A b^2 \sin(c + d x)}{d} + \frac{2 A a^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d} + \frac{2 B a^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d} + \frac{B b^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{d x}{2}\right)}{\cos\left(\frac{c}{2} + \frac{d x}{2}\right)}\right)}{d} + \frac{B b^2 \sin(2 c + 2 d x)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2)/cos(c + d*x),x)`

[Out] $(A*b^2*\sin(c+d*x))/d + (2*A*a^2*\operatorname{atanh}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d + (2*B*a^2*\operatorname{atan}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d + (B*b^2*a*\operatorname{atan}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d + (B*b^2*\sin(2*c+2*d*x))/(4*d) + (2*B*a*b*\sin(c+d*x))/d + (4*A*a*b*\operatorname{atan}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx))^2 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c),x)`

[Out] `Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2*sec(c + d*x), x)`

3.227 $\int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^2(c+dx) dx$

Optimal. Leaf size=60

$$\frac{a^2 A \tan(c+dx)}{d} + \frac{a(aB+2Ab) \tanh^{-1}(\sin(c+dx))}{d} + bx(2aB+Ab) + \frac{b^2 B \sin(c+dx)}{d}$$

[Out] b*(A*b+2*B*a)*x+a*(2*A*b+B*a)*arctanh(sin(d*x+c))/d+b^2*B*sin(d*x+c)/d+a^2*A*tan(d*x+c)/d

Rubi [A] time = 0.17, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {2988, 3023, 2735, 3770}

$$\frac{a^2 A \tan(c+dx)}{d} + \frac{a(aB+2Ab) \tanh^{-1}(\sin(c+dx))}{d} + bx(2aB+Ab) + \frac{b^2 B \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] b*(A*b + 2*a*B)*x + (a*(2*A*b + a*B)*ArcTanh[Sin[c + d*x]])/d + (b^2*B*Sin[c + d*x])/d + (a^2*A*Tan[c + d*x])/d

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2988

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^n, x_Symbol] :> Simp[((B*c - A*d)*(b*c - a*d)^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n+1))/(f*d^2*(n+1)*(c^2 - d^2)), x] - Dist[1/(d^2*(n+1)*(c^2 - d^2)), Int[(c + d*Sin[e + f*x])^(n+1)*Simp[d*(n+1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d) - ((B*c - A*d)*(a^2*d^2*(n+2) + b^2*(c^2 + d^2*(n+1))) + 2*a*b*d*(A*c*d*(n+2) - B*(c^2 + d^2*(n+1)))]*Sin[e + f*x] - b^2*B*d*(n+1)*(c^2 - d^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m+1))/(b*f*(m+2)), x] + Dist[1/(b*(m+2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{a^2 A \tan(c + dx)}{d} - \int (-a(2Ab + aB) - b(Ab + 2aB)) \sec^2(c + dx) dx \\
&= \frac{b^2 B \sin(c + dx)}{d} + \frac{a^2 A \tan(c + dx)}{d} - \int (-a(2Ab + aB) - b(Ab + 2aB)) \sec^2(c + dx) dx \\
&= b(Ab + 2aB)x + \frac{b^2 B \sin(c + dx)}{d} + \frac{a^2 A \tan(c + dx)}{d} \\
&= b(Ab + 2aB)x + \frac{a(2Ab + aB) \tanh^{-1}(\sin(c + dx))}{d} + \dots
\end{aligned}$$

Mathematica [A] time = 0.50, size = 109, normalized size = 1.82

$$\frac{a^2 A \tan(c + dx) + b(c + dx)(2aB + Ab) - a(aB + 2Ab) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + a(aB + 2Ab) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] (b*(A*b + 2*a*B)*(c + d*x) - a*(2*A*b + a*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + a*(2*A*b + a*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + b^2*B*Sin[c + d*x] + a^2*A*Tan[c + d*x])/d

fricas [A] time = 0.61, size = 117, normalized size = 1.95

$$\frac{2(2Bab + Ab^2)dx \cos(dx + c) + (Ba^2 + 2Aab) \cos(dx + c) \log(\sin(dx + c) + 1) - (Ba^2 + 2Aab) \cos(dx + c) \log(\sin(dx + c) - 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")

[Out] 1/2*(2*(2*B*a*b + A*b^2)*d*x*cos(d*x + c) + (B*a^2 + 2*A*a*b)*cos(d*x + c)*log(sin(d*x + c) + 1) - (B*a^2 + 2*A*a*b)*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*(B*b^2*cos(d*x + c) + A*a^2)*sin(d*x + c))/(d*cos(d*x + c))

giac [B] time = 0.73, size = 152, normalized size = 2.53

$$\frac{(2Bab + Ab^2)(dx + c) + (Ba^2 + 2Aab) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Ba^2 + 2Aab) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")

[Out] ((2*B*a*b + A*b^2)*(d*x + c) + (B*a^2 + 2*A*a*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (B*a^2 + 2*A*a*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(A*a^2*tan(1/2*d*x + 1/2*c)^3 - B*b^2*tan(1/2*d*x + 1/2*c)^3 + A*a^2*tan(1/2*d*x + 1/2*c) + B*b^2*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^4 - 1)/d

maple [A] time = 0.12, size = 104, normalized size = 1.73

$$Ab^2x + 2Babx + \frac{a^2 A \tan(dx + c)}{d} + \frac{2Aab \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Ab^2c}{d} + \frac{b^2 B \sin(dx + c)}{d} + \frac{B a^2 \ln(\sec(dx + c) - \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)`

[Out] $A*b^2*x+2*B*a*b*x+a^2*A*\tan(d*x+c)/d+2/d*A*a*b*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*A*b^2*c+b^2*B*\sin(d*x+c)/d+1/d*B*a^2*\ln(\sec(d*x+c)+\tan(d*x+c))+2/d*B*a*b*c$

maxima [A] time = 0.55, size = 103, normalized size = 1.72

$$\frac{4(dx+c)Bab + 2(dx+c)Ab^2 + Ba^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2Aab(\log(\sin(dx+c) - 1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")`

[Out] $1/2*(4*(d*x+c)*B*a*b + 2*(d*x+c)*A*b^2 + B*a^2*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 2*A*a*b*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 2*B*b^2*\sin(d*x+c) + 2*A*a^2*\tan(d*x+c))/d$

mupad [B] time = 0.88, size = 169, normalized size = 2.82

$$\frac{Aa^2 \tan(c+dx)}{d} + \frac{2Ab^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2}+\frac{dx}{2}\right)}{\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}\right)}{d} + \frac{Bb^2 \sin(2c+2dx)}{2d \cos(c+dx)} + \frac{4Bab \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2}+\frac{dx}{2}\right)}{\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}\right)}{d} - \frac{Ba^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2}+\frac{dx}{2}\right)}{\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A+B*cos(c+d*x))*(a+b*cos(c+d*x))^2)/cos(c+d*x)^2,x)`

[Out] $(A*a^2*\tan(c+d*x))/d + (2*A*b^2*\operatorname{atan}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d - (B*a^2*\operatorname{atan}((\sin(c/2+(d*x)/2)*1i)/\cos(c/2+(d*x)/2))*2i)/d + (B*b^2*\sin(2*c+2*d*x))/(2*d*\cos(c+d*x)) - (A*a*b*\operatorname{atan}((\sin(c/2+(d*x)/2)*1i)/\cos(c/2+(d*x)/2))*4i)/d + (4*B*a*b*\operatorname{atan}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx))^2 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)`

[Out] `Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))**2*sec(c + d*x)**2, x)`

3.228 $\int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^3(c+dx) dx$

Optimal. Leaf size=80

$$\frac{(a^2 A + 4abB + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 A \tan(c + dx) \sec(c + dx)}{2d} + \frac{a(aB + 2Ab) \tan(c + dx)}{d} + b^2 Bx$$

[Out] $b^2 B x + 1/2 (A a^2 + 2 A a b + 4 B a b) \operatorname{arctanh}(\sin(dx+c))/d + a(2 A b + B a) \tan(dx+c)/d + 1/2 a^2 A \sec(dx+c) \tan(dx+c)/d$

Rubi [A] time = 0.20, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {2988, 3021, 2735, 3770}

$$\frac{(a^2 A + 4abB + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 A \tan(c + dx) \sec(c + dx)}{2d} + \frac{a(aB + 2Ab) \tan(c + dx)}{d} + b^2 Bx$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \cos[c + d*x])^2 (A + B \cos[c + d*x]) \sec[c + d*x]^3, x]$

[Out] $b^2 B x + ((a^2 A + 2 A a b + 4 a b B) \operatorname{ArcTanh}[\sin[c + d*x]])/(2*d) + (a(2 A b + a B) \tan[c + d*x])/d + (a^2 A \sec[c + d*x] \tan[c + d*x])/(2*d)$

Rule 2735

$\text{Int}[(a + b \sin[e + f*x])^2 ((c + d \sin[e + f*x])^2 (A + B \sin[e + f*x])^2 (C + D \sin[e + f*x])^2), x]$ $\rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d \sin[e + f*x]), x], x]$ /; $\text{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 2988

$\text{Int}[(a + b \sin[e + f*x])^2 ((c + d \sin[e + f*x])^2 (A + B \sin[e + f*x])^2 (C + D \sin[e + f*x])^2), x]$ $\rightarrow \text{Simp}[(B*c - A*d) \cos[e + f*x] (c + d \sin[e + f*x])^{n+1} / (f*d^{2*(n+1)} (c^2 - d^2)), x] - \text{Dist}[1/(d^{2*(n+1)} (c^2 - d^2)), \text{Int}[(c + d \sin[e + f*x])^{n+1} \text{Simp}[d*(n+1) (B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d) - ((B*c - A*d) (a^2*d^{2*(n+2)} + b^2*(c^2 + d^2*(n+1))) + 2*a*b*d*(A*c*d*(n+2) - B*(c^2 + d^2*(n+1))) \sin[e + f*x] - b^2*B*d*(n+1) (c^2 - d^2) \sin[e + f*x]^2, x], x], x]$ /; $\text{FreeQ}\{a, b, c, d, e, f, A, B, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[n, -1]$

Rule 3021

$\text{Int}[(a + b \sin[e + f*x])^m ((c + d \sin[e + f*x])^2 (A + B \sin[e + f*x])^2 (C + D \sin[e + f*x])^2), x]$ $\rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C) \cos[e + f*x] (a + b \sin[e + f*x])^{m+1} / (b*f*(m+1) (a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1) (a^2 - b^2)), \text{Int}[(a + b \sin[e + f*x])^{m+1} \text{Simp}[b*(a*A - b*B + a*C) (m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C) (m+1)) \sin[e + f*x], x], x]$ /; $\text{FreeQ}\{a, b, e, f, A, B, C, x\} \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 3770

$\text{Int}[\csc[c + d*x], x]$ $\rightarrow -\text{Simp}[\operatorname{ArcTanh}[\cos[c + d*x]]/d, x]$ /; $\text{FreeQ}\{c, d, x\}$

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{a^2 A \sec(c + dx) \tan(c + dx)}{2d} - \frac{1}{2} \int (-2a(2Ab + aB) \sec^2(c + dx) \tan(c + dx) + a^2 A \sec^3(c + dx)) dx \\
&= \frac{a(2Ab + aB) \tan(c + dx)}{d} + \frac{a^2 A \sec(c + dx) \tan(c + dx)}{2d} \\
&= b^2 Bx + \frac{a(2Ab + aB) \tan(c + dx)}{d} + \frac{a^2 A \sec(c + dx) \tan(c + dx)}{2d} \\
&= b^2 Bx + \frac{(a^2 A + 2Ab^2 + 4abB) \tanh^{-1}(\sin(c + dx))}{2d}
\end{aligned}$$

Mathematica [A] time = 0.27, size = 67, normalized size = 0.84

$$\frac{(a^2 A + 4abB + 2Ab^2) \tanh^{-1}(\sin(c + dx)) + a \tan(c + dx)(aA \sec(c + dx) + 2aB + 4Ab) + 2b^2 Bdx}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

[Out] (2*b^2*B*d*x + (a^2*A + 2*A*b^2 + 4*a*b*B)*ArcTanh[Sin[c + d*x]] + a*(4*A*b + 2*a*B + a*A*Sec[c + d*x])*Tan[c + d*x])/(2*d)

fricas [A] time = 0.61, size = 136, normalized size = 1.70

$$\frac{4Bb^2 dx \cos(dx + c)^2 + (Aa^2 + 4Bab + 2Ab^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (Aa^2 + 4Bab + 2Ab^2) \cos(dx + c)^2 \log(\sin(dx + c) - 1)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")

[Out] 1/4*(4*B*b^2*d*x*cos(d*x + c)^2 + (A*a^2 + 4*B*a*b + 2*A*b^2)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (A*a^2 + 4*B*a*b + 2*A*b^2)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(A*a^2 + 2*(B*a^2 + 2*A*a*b)*cos(d*x + c))*sin(d*x + c))/d*cos(d*x + c)^2

giac [B] time = 0.52, size = 190, normalized size = 2.38

$$2(dx + c)Bb^2 + (Aa^2 + 4Bab + 2Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Aa^2 + 4Bab + 2Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")

[Out] 1/2*(2*(d*x + c)*B*b^2 + (A*a^2 + 4*B*a*b + 2*A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (A*a^2 + 4*B*a*b + 2*A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a^2*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 4*A*a*b*tan(1/2*d*x + 1/2*c)^3 + A*a^2*tan(1/2*d*x + 1/2*c) + 2*B*a^2*tan(1/2*d*x + 1/2*c) + 4*A*a*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2/d

maple [A] time = 0.12, size = 133, normalized size = 1.66

$$\frac{a^2 A \sec(dx+c) \tan(dx+c)}{2d} + \frac{a^2 A \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{B a^2 \tan(dx+c)}{d} + \frac{2Aab \tan(dx+c)}{d} + \frac{2Bab}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)

[Out] 1/2*a^2*A*sec(d*x+c)*tan(d*x+c)/d+1/2/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^2*tan(d*x+c)+2/d*A*a*b*tan(d*x+c)+2/d*B*a*b*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*b^2*ln(sec(d*x+c)+tan(d*x+c))+b^2*B*x+1/d*b^2*B*c

maxima [A] time = 0.41, size = 140, normalized size = 1.75

$$\frac{4(dx+c)Bb^2 - Aa^2\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) + 4Bab(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] 1/4*(4*(d*x+c)*B*b^2 - A*a^2*(2*sin(d*x+c)/(sin(d*x+c)^2-1) - log(sin(d*x+c)+1) + log(sin(d*x+c)-1)) + 4*B*a*b*(log(sin(d*x+c)+1) - log(sin(d*x+c)-1)) + 2*A*b^2*(log(sin(d*x+c)+1) - log(sin(d*x+c)-1)) + 4*B*a^2*tan(d*x+c) + 8*A*a*b*tan(d*x+c))/d

mupad [B] time = 0.98, size = 176, normalized size = 2.20

$$\frac{2 \left(\frac{A a^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{2} + A b^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) + B b^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) + 2 B a b \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) \right)}{d} + \frac{B a^2 \sin(2c+2dx)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2)/cos(c + d*x)^3,x)

[Out] (2*((A*a^2*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/2 + A*b^2*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)) + B*b^2*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)) + 2*B*a*b*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + ((B*a^2*sin(2*c + 2*d*x))/2 + (A*a^2*sin(c + d*x))/2 + A*a*b*sin(2*c + 2*d*x))/(d*(cos(2*c + 2*d*x)/2 + 1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx))^2 \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2*sec(c + d*x)**3, x)

$$3.229 \quad \int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^4(c+dx) dx$$

Optimal. Leaf size=116

$$\frac{(2a^2A + 6abB + 3Ab^2) \tan(c + dx)}{3d} + \frac{(a^2B + 2aAb + 2b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2A \tan(c + dx) \sec^2(c + dx)}{3d}$$

[Out] 1/2*(2*A*a*b+B*a^2+2*B*b^2)*arctanh(sin(d*x+c))/d+1/3*(2*A*a^2+3*A*b^2+6*B*a*b)*tan(d*x+c)/d+1/2*a*(2*A*b+B*a)*sec(d*x+c)*tan(d*x+c)/d+1/3*a^2*A*sec(d*x+c)^2*tan(d*x+c)/d

Rubi [A] time = 0.27, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2988, 3021, 2748, 3767, 8, 3770}

$$\frac{(2a^2A + 6abB + 3Ab^2) \tan(c + dx)}{3d} + \frac{(a^2B + 2aAb + 2b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2A \tan(c + dx) \sec^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]

[Out] ((2*a*A*b + a^2*B + 2*b^2*B)*ArcTanh[Sin[c + d*x]]/(2*d) + ((2*a^2*A + 3*A*b^2 + 6*a*b*B)*Tan[c + d*x])/(3*d) + (a*(2*A*b + a*B)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a^2*A*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2748

Int[((b_)*sin[(e_.) + (f_)*(x_)])^(m_)*((c_.) + (d_)*sin[(e_.) + (f_)*(x_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2988

Int[((a_.) + (b_)*sin[(e_.) + (f_)*(x_)])^2*((A_.) + (B_)*sin[(e_.) + (f_)*(x_)])*((c_.) + (d_)*sin[(e_.) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*(b*c - a*d)^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 - d^2)), x] - Dist[1/(d^2*(n + 1)*(c^2 - d^2)), Int[(c + d*Sin[e + f*x])^(n + 1)*Simp[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))*Sin[e + f*x] - b^2*B*d*(n + 1)*(c^2 - d^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rule 3021

Int[((a_.) + (b_)*sin[(e_.) + (f_)*(x_)])^(m_)*((A_.) + (B_)*sin[(e_.) + (f_)*(x_)]) + (C_)*sin[(e_.) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{a^2 A \sec^2(c + dx) \tan(c + dx)}{3d} - \frac{1}{3} \int (-3a(2Ab + aB) \sec^2(c + dx) \tan(c + dx) + a^2 A \sec^2(c + dx)) dx \\ &= \frac{a(2Ab + aB) \sec(c + dx) \tan(c + dx)}{2d} + \frac{a^2 A \sec^2(c + dx)}{2d} \\ &= \frac{a(2Ab + aB) \sec(c + dx) \tan(c + dx)}{2d} + \frac{a^2 A \sec^2(c + dx)}{2d} \\ &= \frac{(2aAb + a^2 B + 2b^2 B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(2Ab + a^2 A)}{2d} \\ &= \frac{(2aAb + a^2 B + 2b^2 B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(2a^2 A + 6abB + 3Ab^2) \tan(c + dx)}{6d} \end{aligned}$$

Mathematica [A] time = 0.47, size = 92, normalized size = 0.79

$$\frac{3(a^2 B + 2aAb + 2b^2 B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (2(a^2 A \tan^2(c + dx) + 3a^2 A + 6abB + 3Ab^2) + 3a(a^2 A + 6abB + 3Ab^2) \tan(c + dx))}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] (3*(2*a*A*b + a^2*B + 2*b^2*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(3*a*(2*A*b + a*B)*Sec[c + d*x] + 2*(3*a^2*A + 3*A*b^2 + 6*a*b*B + a^2*A*Tan[c + d*x]^2)))/(6*d)
```

fricas [A] time = 1.06, size = 150, normalized size = 1.29

$$\frac{3(Ba^2 + 2Aab + 2Bb^2) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(Ba^2 + 2Aab + 2Bb^2) \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2*(2*A*a^2 + 2*(2*A*a^2 + 6*B*a*b + 3*A*b^2)*\cos(dx + c)^2 + 3*(B*a^2 + 2*A*a*b)*\cos(dx + c))*\sin(dx + c)}{12d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")
```

```
[Out] 1/12*(3*(B*a^2 + 2*A*a*b + 2*B*b^2)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(B*a^2 + 2*A*a*b + 2*B*b^2)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*A*a^2 + 2*(2*A*a^2 + 6*B*a*b + 3*A*b^2)*cos(d*x + c)^2 + 3*(B*a^2 + 2*A*a*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3)
```

giac [B] time = 0.82, size = 294, normalized size = 2.53

$$3(Ba^2 + 2Aab + 2Bb^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 3(Ba^2 + 2Aab + 2Bb^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2(6a^2 A + 6abB + 3Ab^2) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")

[Out] $\frac{1}{6}*(3*(B*a^2 + 2*A*a*b + 2*B*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(B*a^2 + 2*A*a*b + 2*B*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*A*a^2*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^2*\tan(1/2*d*x + 1/2*c)^5 - 6*A*a*b*\tan(1/2*d*x + 1/2*c)^5 + 12*B*a*b*\tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*\tan(1/2*d*x + 1/2*c)^5 - 4*A*a^2*\tan(1/2*d*x + 1/2*c)^3 - 24*B*a*b*\tan(1/2*d*x + 1/2*c)^3 - 12*A*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*A*a^2*\tan(1/2*d*x + 1/2*c) + 3*B*a^2*\tan(1/2*d*x + 1/2*c) + 6*A*a*b*\tan(1/2*d*x + 1/2*c) + 12*B*a*b*\tan(1/2*d*x + 1/2*c) + 6*A*b^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^3/d$

maple [A] time = 0.13, size = 174, normalized size = 1.50

$$\frac{2a^2 A \tan(dx+c)}{3d} + \frac{a^2 A (\sec^2(dx+c)) \tan(dx+c)}{3d} + \frac{B a^2 \sec(dx+c) \tan(dx+c)}{2d} + \frac{B a^2 \ln(\sec(dx+c) + \tan(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)

[Out] $\frac{2}{3}a^2 A \tan(dx+c)/d + \frac{1}{3}a^2 A \sec(dx+c)^2 \tan(dx+c)/d + \frac{1}{2}d B a^2 \sec(dx+c) \tan(dx+c) + \frac{1}{2}d B a^2 \ln(\sec(dx+c) + \tan(dx+c)) + \frac{1}{d} A a b \sec(dx+c) \tan(dx+c) + \frac{1}{d} A a b \ln(\sec(dx+c) + \tan(dx+c)) + \frac{2}{d} B a b \tan(dx+c) + \frac{1}{d} A b^2 \tan(dx+c) + \frac{1}{d} b^2 B \ln(\sec(dx+c) + \tan(dx+c))$

maxima [A] time = 0.44, size = 172, normalized size = 1.48

$$\frac{4(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^2 - 3Ba^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) - 6Ba^2 \log(\sin(dx+c) + 1) + 6Ba^2 \log(\sin(dx+c) - 1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] $\frac{1}{12}*(4*(\tan(dx+c)^3 + 3*\tan(dx+c))*A*a^2 - 3*B*a^2*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 6*A*a*b*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 6*B*b^2*(\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)) + 24*B*a*b*\tan(dx+c) + 12*A*b^2*\tan(dx+c))/d$

mupad [B] time = 3.66, size = 227, normalized size = 1.96

$$\frac{\operatorname{atanh}\left(\frac{4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{Ba^2}{2} + Aab + Bb^2\right)}{2Ba^2 + 4Aab + 4Bb^2}\right) (Ba^2 + 2Aab + 2Bb^2) (2Aa^2 + 2Ab^2 - Ba^2 - 2Aab + 4Bab) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2)/cos(c + d*x)^4,x)

[Out] $(\operatorname{atanh}\left(\frac{4*\tan(c/2 + (d*x)/2)*((B*a^2)/2 + B*b^2 + A*a*b)}{(2*B*a^2 + 4*B*b^2 + 4*A*a*b)}\right)*(B*a^2 + 2*B*b^2 + 2*A*a*b))/d - (\tan(c/2 + (d*x)/2)*(2*A*a^2 + 2*A*b^2 + B*a^2 + 2*A*a*b + 4*B*a*b) - \tan(c/2 + (d*x)/2)^3*((4*A*a^2)/3 + 4*A*b^2 + 8*B*a*b) + \tan(c/2 + (d*x)/2)^5*(2*A*a^2 + 2*A*b^2 - B*a^2 - 2*A*a*b + 4*B*a*b))/(d*(3*\tan(c/2 + (d*x)/2)^2 - 3*\tan(c/2 + (d*x)/2)^4 + \tan(c/2 + (d*x)/2)^6 - 1))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)

[Out] Timed out

3.230 $\int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^5(c+dx) dx$

Optimal. Leaf size=156

$$\frac{(2a^2B + 4aAb + 3b^2B) \tan(c + dx)}{3d} + \frac{(3a^2A + 8abB + 4Ab^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(3a^2A + 8abB + 4Ab^2) \tan(c + dx)}{8d}$$

[Out] $1/8*(3*A*a^2+4*A*b^2+8*B*a*b)*\operatorname{arctanh}(\sin(d*x+c))/d+1/3*(4*A*a*b+2*B*a^2+3*B*b^2)*\tan(d*x+c)/d+1/8*(3*A*a^2+4*A*b^2+8*B*a*b)*\sec(d*x+c)*\tan(d*x+c)/d+1/3*a*(2*A*b+B*a)*\sec(d*x+c)^2*\tan(d*x+c)/d+1/4*a^2*A*\sec(d*x+c)^3*\tan(d*x+c)/d$

Rubi [A] time = 0.29, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2988, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{(2a^2B + 4aAb + 3b^2B) \tan(c + dx)}{3d} + \frac{(3a^2A + 8abB + 4Ab^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(3a^2A + 8abB + 4Ab^2) \tan(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])^2*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^5, x]$

[Out] $((3*a^2*A + 4*A*b^2 + 8*a*b*B)*\operatorname{ArcTanH}[\operatorname{Sin}[c + d*x]])/(8*d) + ((4*a*A*b + 2*a^2*B + 3*b^2*B)*\operatorname{Tan}[c + d*x])/(3*d) + ((3*a^2*A + 4*A*b^2 + 8*a*b*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(8*d) + (a*(2*A*b + a*B)*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/(3*d) + (a^2*A*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(4*d)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}[(b_* \sin[e_*] + (f_*)(x_*))^m * ((c_*) + (d_*) \sin[e_*] + (f_*)(x_*))], x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b_* \sin[e_*] + (f_*)(x_*))^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b_* \sin[e_*] + (f_*)(x_*))^{m+1}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2988

$\operatorname{Int}[(a_* + (b_*) \sin[e_*] + (f_*)(x_*))^2 * ((A_*) + (B_*) \sin[e_*] + (f_*)(x_*)) * ((c_*) + (d_*) \sin[e_*] + (f_*)(x_*))^{n_*}], x_Symbol] \rightarrow \operatorname{Simp}[(B*c - A*d)*(b*c - a*d)^2*\operatorname{Cos}[e + f*x]*(c + d*\operatorname{Sin}[e + f*x])^{n+1})/(f*d^2*(n+1)*(c^2 - d^2)), x] - \operatorname{Dist}[1/(d^2*(n+1)*(c^2 - d^2)), \operatorname{Int}[(c + d*\operatorname{Sin}[e + f*x])^{n+1}*\operatorname{Simp}[d*(n+1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d) - ((B*c - A*d)*(a^2*d^2*(n+2) + b^2*(c^2 + d^2*(n+1))) + 2*a*b*d*(A*c*d*(n+2) - B*(c^2 + d^2*(n+1)))*)*\operatorname{Sin}[e + f*x] - b^2*B*d*(n+1)*(c^2 - d^2)*\operatorname{Sin}[e + f*x]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{LtQ}[n, -1]$

Rule 3021

$\operatorname{Int}[(a_* + (b_*) \sin[e_*] + (f_*)(x_*))^m * ((A_*) + (B_*) \sin[e_*] + (f_*)(x_*)) + (C_*) \sin[e_*] + (f_*)(x_*)^2], x_Symbol] \rightarrow -\operatorname{Simp}[(A*b^2 - a*b*B + a^2*C)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{m+1})/(b*f*(m+1)*(a^2 - b^2)), x] + \operatorname{Dist}[1/(b*(m+1)*(a^2 - b^2)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{m+1}*\operatorname{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1))*\operatorname{Sin}[e + f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B,$

C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{a^2 A \sec^3(c + dx) \tan(c + dx)}{4d} - \frac{1}{4} \int (-4a(2Ab + aB) \sec^2(c + dx) \tan(c + dx) \\ &= \frac{a(2Ab + aB) \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{a^2 A \sec^3(c + dx)}{3d} \\ &= \frac{a(2Ab + aB) \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{a^2 A \sec^3(c + dx)}{3d} \\ &= \frac{(3a^2 A + 4Ab^2 + 8abB) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^2 A \sec^3(c + dx)}{3d} \\ &= \frac{(3a^2 A + 4Ab^2 + 8abB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4a^2 A + 8abB) \sec^3(c + dx)}{24d} \end{aligned}$$

Mathematica [A] time = 0.72, size = 120, normalized size = 0.77

$$\frac{3(3a^2 A + 8abB + 4Ab^2) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (3(3a^2 A + 8abB + 4Ab^2) \sec(c + dx) + 24(a^2 B + 2a^2 A))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*cos[c + d*x])^2*(A + B*cos[c + d*x])*Sec[c + d*x]^5,x]

[Out] (3*(3*a^2*A + 4*A*b^2 + 8*a*b*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(24*(2*a*A*b + a^2*B + b^2*B) + 3*(3*a^2*A + 4*A*b^2 + 8*a*b*B)*Sec[c + d*x] + 6*a^2*A*Sec[c + d*x]^3 + 8*a*(2*A*b + a*B)*Tan[c + d*x]^2))/(24*d)

fricas [A] time = 0.92, size = 180, normalized size = 1.15

$$\frac{3(3Aa^2 + 8Bab + 4Ab^2) \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(3Aa^2 + 8Bab + 4Ab^2) \cos(dx + c)^4 \log(-\sin(dx + c))}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")

[Out] $\frac{1}{48} \cdot (3 \cdot (3Aa^2 + 8Bab + 4Ab^2) \cdot \cos(dx + c)^4 \cdot \log(\sin(dx + c) + 1) - 3 \cdot (3Aa^2 + 8Bab + 4Ab^2) \cdot \cos(dx + c)^4 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (8 \cdot (2Ba^2 + 4Aab + 3Bb^2) \cdot \cos(dx + c)^3 + 6Aa^2 + 3 \cdot (3Aa^2 + 8Bab + 4Ab^2) \cdot \cos(dx + c)^2 + 8 \cdot (Ba^2 + 2Aab) \cdot \cos(dx + c)) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^4)$

giac [B] time = 0.55, size = 478, normalized size = 3.06

$$3(3Aa^2 + 8Bab + 4Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(3Aa^2 + 8Bab + 4Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^2*(A+B*cos(dx+c))*sec(dx+c)^5,x, algorithm="giac")

[Out] $\frac{1}{24} \cdot (3 \cdot (3Aa^2 + 8Bab + 4Ab^2) \cdot \log(\text{abs}(\tan(1/2dx + 1/2c) + 1)) - 3 \cdot (3Aa^2 + 8Bab + 4Ab^2) \cdot \log(\text{abs}(\tan(1/2dx + 1/2c) - 1)) + 2 \cdot (15Aa^2 \cdot \tan(1/2dx + 1/2c)^7 - 24Ba^2 \cdot \tan(1/2dx + 1/2c)^7 - 48Aab \cdot \tan(1/2dx + 1/2c)^7 + 24Bab \cdot \tan(1/2dx + 1/2c)^7 + 12Ab^2 \cdot \tan(1/2dx + 1/2c)^7 - 24Bb^2 \cdot \tan(1/2dx + 1/2c)^7 + 9Aa^2 \cdot \tan(1/2dx + 1/2c)^5 + 40Ba^2 \cdot \tan(1/2dx + 1/2c)^5 + 80Aab \cdot \tan(1/2dx + 1/2c)^5 - 24Bab \cdot \tan(1/2dx + 1/2c)^5 - 12Ab^2 \cdot \tan(1/2dx + 1/2c)^5 + 72Bb^2 \cdot \tan(1/2dx + 1/2c)^5 + 9Aa^2 \cdot \tan(1/2dx + 1/2c)^3 - 40Ba^2 \cdot \tan(1/2dx + 1/2c)^3 - 80Aab \cdot \tan(1/2dx + 1/2c)^3 - 24Bab \cdot \tan(1/2dx + 1/2c)^3 - 12Ab^2 \cdot \tan(1/2dx + 1/2c)^3 - 72Bb^2 \cdot \tan(1/2dx + 1/2c)^3 + 15Aa^2 \cdot \tan(1/2dx + 1/2c) + 24Ba^2 \cdot \tan(1/2dx + 1/2c) + 48Aab \cdot \tan(1/2dx + 1/2c) + 24Bab \cdot \tan(1/2dx + 1/2c) + 12Ab^2 \cdot \tan(1/2dx + 1/2c) + 24Bb^2 \cdot \tan(1/2dx + 1/2c)) / (\tan(1/2dx + 1/2c)^2 - 1)^4 / d$

maple [A] time = 0.13, size = 241, normalized size = 1.54

$$\frac{a^2 A (\sec^3(dx + c)) \tan(dx + c)}{4d} + \frac{3a^2 A \sec(dx + c) \tan(dx + c)}{8d} + \frac{3a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{2B a^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(dx+c))^2*(A+B*cos(dx+c))*sec(dx+c)^5,x)

[Out] $\frac{1}{4} \cdot a^2 \cdot A \cdot \sec(dx + c)^3 \cdot \tan(dx + c) / d + \frac{3}{8} \cdot a^2 \cdot A \cdot \sec(dx + c) \cdot \tan(dx + c) / d + \frac{3}{8} \cdot d \cdot a^2 \cdot A \cdot \ln(\sec(dx + c) + \tan(dx + c)) + \frac{2}{3} \cdot d \cdot B \cdot a^2 \cdot \tan(dx + c) + \frac{1}{3} \cdot d \cdot B \cdot a^2 \cdot \tan(dx + c) \cdot \sec(dx + c)^2 + \frac{4}{3} \cdot d \cdot A \cdot a \cdot b \cdot \tan(dx + c) + \frac{2}{3} \cdot d \cdot A \cdot a \cdot b \cdot \tan(dx + c) \cdot \sec(dx + c)^2 + \frac{1}{d} \cdot B \cdot a \cdot b \cdot \tan(dx + c) \cdot \sec(dx + c) + \frac{1}{d} \cdot B \cdot a \cdot b \cdot \ln(\sec(dx + c) + \tan(dx + c)) + \frac{1}{2} \cdot d \cdot A \cdot b^2 \cdot \tan(dx + c) \cdot \sec(dx + c) + \frac{1}{2} \cdot d \cdot A \cdot b^2 \cdot \ln(\sec(dx + c) + \tan(dx + c)) + \frac{1}{d} \cdot b^2 \cdot B \cdot \tan(dx + c)$

maxima [A] time = 0.58, size = 228, normalized size = 1.46

$$16(\tan(dx + c)^3 + 3 \tan(dx + c))Ba^2 + 32(\tan(dx + c)^3 + 3 \tan(dx + c))Aab - 3Aa^2 \left(\frac{2(3 \sin(dx + c)^3 - 5 \sin(dx + c))}{\sin(dx + c)^4 - 2 \sin(dx + c)^2} + \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^2*(A+B*cos(dx+c))*sec(dx+c)^5,x, algorithm="maxima")

[Out] $\frac{1}{48} \cdot (16 \cdot (\tan(dx + c)^3 + 3 \tan(dx + c)) \cdot B \cdot a^2 + 32 \cdot (\tan(dx + c)^3 + 3 \tan(dx + c)) \cdot A \cdot a \cdot b - 3 \cdot A \cdot a^2 \cdot (2 \cdot (3 \sin(dx + c)^3 - 5 \sin(dx + c)) / (\sin(dx + c)^4 - 2 \sin(dx + c)^2) +$

$x + c)^4 - 2\sin(dx + c)^2 + 1) - 3\log(\sin(dx + c) + 1) + 3\log(\sin(dx + c) - 1) - 24Bab(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 12A^2b^2(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 48B^2b^2\tan(dx + c))/d$

mupad [B] time = 3.87, size = 314, normalized size = 2.01

$$\frac{\operatorname{atanh}\left(\frac{4\tan\left(\frac{c}{2}+\frac{dx}{2}\right)\left(\frac{3Aa^2}{8}+Bab+\frac{Ab^2}{2}\right)}{\frac{3Aa^2}{2}+4Bab+2Ab^2}\right)\left(\frac{3Aa^2}{4}+2Bab+Ab^2\right)}{d} + \left(\frac{5Aa^2}{4}+Ab^2-2Ba^2-2Bb^2-4Aab+2Bab\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2)/cos(c + d*x)^5,x)

[Out] (atanh((4*tan(c/2 + (d*x)/2)*((3*A*a^2)/8 + (A*b^2)/2 + B*a*b))/((3*A*a^2)/2 + 2*A*b^2 + 4*B*a*b))*((3*A*a^2)/4 + A*b^2 + 2*B*a*b))/d + (tan(c/2 + (d*x)/2)^7*((5*A*a^2)/4 + A*b^2 - 2*B*a^2 - 2*B*b^2 - 4*A*a*b + 2*B*a*b) - tan(c/2 + (d*x)/2)^3*(A*b^2 - (3*A*a^2)/4 + (10*B*a^2)/3 + 6*B*b^2 + (20*A*a*b)/3 + 2*B*a*b) + tan(c/2 + (d*x)/2)^5*((3*A*a^2)/4 - A*b^2 + (10*B*a^2)/3 + 6*B*b^2 + (20*A*a*b)/3 - 2*B*a*b) + tan(c/2 + (d*x)/2)*((5*A*a^2)/4 + A*b^2 + 2*B*a^2 + 2*B*b^2 + 4*A*a*b + 2*B*a*b))/(d*(6*tan(c/2 + (d*x)/2)^4 - 4*tan(c/2 + (d*x)/2)^2 - 4*tan(c/2 + (d*x)/2)^6 + tan(c/2 + (d*x)/2)^8 + 1))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)

[Out] Timed out

$$3.231 \quad \int \cos^2(c+dx)(a+b \cos(c+dx))^3(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=269

$$\frac{b(14a^2B + 18aAb + 5b^2B) \sin(c + dx) \cos^3(c + dx)}{24d} - \frac{(5a^3B + 15a^2Ab + 12ab^2B + 4Ab^3) \sin^3(c + dx)}{15d} + \frac{(5a^3B + 15a^2Ab + 12ab^2B + 4Ab^3) \sin^3(c + dx)}{15d}$$

[Out] 1/16*(8*A*a^3+18*A*a*b^2+18*B*a^2*b+5*B*b^3)*x+1/5*(15*A*a^2*b+4*A*b^3+5*B*a^3+12*B*a*b^2)*sin(d*x+c)/d+1/16*(8*A*a^3+18*A*a*b^2+18*B*a^2*b+5*B*b^3)*cos(d*x+c)*sin(d*x+c)/d+1/24*b*(18*A*a*b+14*B*a^2+5*B*b^2)*cos(d*x+c)^3*sin(d*x+c)/d+1/15*b^2*(3*A*b+4*B*a)*cos(d*x+c)^4*sin(d*x+c)/d+1/6*b*B*cos(d*x+c)^3*(a+b*cos(d*x+c))^2*sin(d*x+c)/d-1/15*(15*A*a^2*b+4*A*b^3+5*B*a^3+12*B*a*b^2)*sin(d*x+c)^3/d

Rubi [A] time = 0.51, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2990, 3033, 3023, 2748, 2635, 8, 2633}

$$-\frac{(15a^2Ab + 5a^3B + 12ab^2B + 4Ab^3) \sin^3(c + dx)}{15d} + \frac{(15a^2Ab + 5a^3B + 12ab^2B + 4Ab^3) \sin(c + dx)}{5d} + \frac{b(14a^2B + 18aAb + 5b^2B) \sin(c + dx) \cos^3(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]),x]

[Out] ((8*a^3*A + 18*a*A*b^2 + 18*a^2*b*B + 5*b^3*B)*x)/16 + ((15*a^2*A*b + 4*A*b^3 + 5*a^3*B + 12*a*b^2*B)*Sin[c + d*x])/(5*d) + ((8*a^3*A + 18*a*A*b^2 + 18*a^2*b*B + 5*b^3*B)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (b*(18*a*A*b + 14*a^2*B + 5*b^2*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(24*d) + (b^2*(3*A*b + 4*a*B)*Cos[c + d*x]^4*Ssin[c + d*x])/(15*d) + (b*B*Cos[c + d*x]^3*(a + b*Cos[c + d*x])^2*Ssin[c + d*x])/(6*d) - ((15*a^2*A*b + 4*A*b^3 + 5*a^3*B + 12*a*b^2*B)*Sin[c + d*x]^3)/(15*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^(n - 1)/2], x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rubi steps

$$\int \cos^2(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx = \frac{bB \cos^3(c + dx)(a + b \cos(c + dx))^2 \sin(c + dx)}{6d} + \frac{1}{6} = \frac{b^2(3Ab + 4aB) \cos^4(c + dx) \sin(c + dx)}{15d} + \frac{bB \cos^3(c + dx)}{6} = \frac{b(18aAb + 14a^2B + 5b^2B) \cos^3(c + dx) \sin(c + dx)}{24d} = \frac{b(18aAb + 14a^2B + 5b^2B) \cos^3(c + dx) \sin(c + dx)}{24d} = \frac{(8a^3A + 18aAb^2 + 18a^2bB + 5b^3B) \cos(c + dx) \sin(c + dx)}{16d} = \frac{1}{16} (8a^3A + 18aAb^2 + 18a^2bB + 5b^3B) x + \frac{(15a^2Ab + 5b^3B)}{16}$$

Mathematica [A] time = 0.69, size = 289, normalized size = 1.07

$$480a^3Ac + 480a^3Adx + 80a^3B \sin(3(c + dx)) + 240a^2Ab \sin(3(c + dx)) + 90a^2bB \sin(4(c + dx)) + 1080a^2bBc +$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]),x]
```


[Out] $(480*a^3*A*c + 1080*a*A*b^2*c + 1080*a^2*b*B*c + 300*b^3*B*c + 480*a^3*A*d*x + 1080*a*A*b^2*d*x + 1080*a^2*b*B*d*x + 300*b^3*B*d*x + 120*(18*a^2*A*b + 5*A*b^3 + 6*a^3*B + 15*a*b^2*B)*\text{Sin}[c + d*x] + 15*(16*a^3*A + 48*a*A*b^2 + 48*a^2*b*B + 15*b^3*B)*\text{Sin}[2*(c + d*x)] + 240*a^2*A*b*\text{Sin}[3*(c + d*x)] + 100*A*b^3*\text{Sin}[3*(c + d*x)] + 80*a^3*B*\text{Sin}[3*(c + d*x)] + 300*a*b^2*B*\text{Sin}[3*(c + d*x)] + 90*a*A*b^2*\text{Sin}[4*(c + d*x)] + 90*a^2*b*B*\text{Sin}[4*(c + d*x)] + 45*b^3*B*\text{Sin}[4*(c + d*x)] + 12*A*b^3*\text{Sin}[5*(c + d*x)] + 36*a*b^2*B*\text{Sin}[5*(c + d*x)] + 5*b^3*B*\text{Sin}[6*(c + d*x)])/(960*d)$

fricas [A] time = 0.96, size = 211, normalized size = 0.78

$$15(8Aa^3 + 18Ba^2b + 18Aab^2 + 5Bb^3)dx + (40Bb^3 \cos(dx + c))^5 + 48(3Bab^2 + Ab^3) \cos(dx + c)^4 + 160Ba$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out] $1/240*(15*(8*A*a^3 + 18*B*a^2*b + 18*A*a*b^2 + 5*B*b^3)*d*x + (40*B*b^3*\cos(d*x + c)^5 + 48*(3*B*a*b^2 + A*b^3)*\cos(d*x + c)^4 + 160*B*a^3 + 480*A*a^2*b + 384*B*a*b^2 + 128*A*b^3 + 10*(18*B*a^2*b + 18*A*a*b^2 + 5*B*b^3)*\cos(d*x + c)^3 + 16*(5*B*a^3 + 15*A*a^2*b + 12*B*a*b^2 + 4*A*b^3)*\cos(d*x + c)^2 + 15*(8*A*a^3 + 18*B*a^2*b + 18*A*a*b^2 + 5*B*b^3)*\cos(d*x + c))*\sin(d*x + c))/d$

giac [A] time = 0.47, size = 230, normalized size = 0.86

$$\frac{Bb^3 \sin(6dx + 6c)}{192d} + \frac{1}{16}(8Aa^3 + 18Ba^2b + 18Aab^2 + 5Bb^3)x + \frac{(3Bab^2 + Ab^3) \sin(5dx + 5c)}{80d} + \frac{3(2Ba^2b + 18Aa^2b + 18Aab^2 + 5Bb^3) \sin(dx + c)}{192d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="giac")`

[Out] $1/192*B*b^3*\sin(6*d*x + 6*c)/d + 1/16*(8*A*a^3 + 18*B*a^2*b + 18*A*a*b^2 + 5*B*b^3)*x + 1/80*(3*B*a*b^2 + A*b^3)*\sin(5*d*x + 5*c)/d + 3/64*(2*B*a^2*b + 2*A*a*b^2 + B*b^3)*\sin(4*d*x + 4*c)/d + 1/48*(4*B*a^3 + 12*A*a^2*b + 15*B*a*b^2 + 5*A*b^3)*\sin(3*d*x + 3*c)/d + 1/64*(16*A*a^3 + 48*B*a^2*b + 48*A*a*b^2 + 15*B*b^3)*\sin(2*d*x + 2*c)/d + 1/8*(6*B*a^3 + 18*A*a^2*b + 15*B*a*b^2 + 5*A*b^3)*\sin(d*x + c)/d$

maple [A] time = 0.10, size = 270, normalized size = 1.00

$$A a^3 \left(\frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + \frac{a^3 B (2 + \cos^2(dx+c)) \sin(dx+c)}{3} + A a^2 b (2 + \cos^2(dx+c)) \sin(dx+c) + 3a^2 b B \left(\frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x)`

[Out] $1/d*(A*a^3*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+1/3*a^3*B*(2+\cos(d*x+c))^2*\sin(d*x+c)+A*a^2*b*(2+\cos(d*x+c))^2*\sin(d*x+c)+3*a^2*b*B*(1/4*(\cos(d*x+c))^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+3*A*a*b^2*(1/4*(\cos(d*x+c))^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+3/5*B*a*b^2*(8/3+\cos(d*x+c))^4+4/3*\cos(d*x+c)^2*\sin(d*x+c)+1/5*A*b^3*(8/3+\cos(d*x+c))^4+4/3*\cos(d*x+c)^2*\sin(d*x+c)+b^3*B*(1/6*(\cos(d*x+c))^5+5/4*\cos(d*x+c)^3+15/8*\cos(d*x+c))*\sin(d*x+c)+5/16*d*x+5/16*c)$

maxima [A] time = 0.57, size = 266, normalized size = 0.99

$$\frac{240(2dx + 2c + \sin(2dx + 2c))Aa^3 - 320(\sin(dx + c)^3 - 3\sin(dx + c))Ba^3 - 960(\sin(dx + c)^3 - 3\sin(dx + c))Aa^2b + 90(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))B^2a^2b + 90(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^2b^2 + 192(3\sin(dx + c)^5 - 10\sin(dx + c)^3 + 15\sin(dx + c))B^2a^2b^2 + 64(3\sin(dx + c)^5 - 10\sin(dx + c)^3 + 15\sin(dx + c))Aa^2b^3 - 5(4\sin(2dx + 2c)^3 - 60dx - 60c - 9\sin(4dx + 4c) - 48\sin(2dx + 2c))B^2b^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/960*(240*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 - 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^3 - 960*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2*b + 90*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B^2*a^2*b + 90*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2*b^2 + 192*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B^2*a^2*b^2 + 64*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2*b^3 - 5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*B^2*b^3)/d

mpad [B] time = 1.11, size = 352, normalized size = 1.31

$$\frac{Aa^3x}{2} + \frac{5Bb^3x}{16} + \frac{9Aab^2x}{8} + \frac{9Ba^2bx}{8} + \frac{5Aa^3\sin(c+dx)}{8d} + \frac{3Ba^3\sin(c+dx)}{4d} + \frac{Aa^3\sin(2c+2dx)}{4d} + \frac{5Aa^3\sin^2(c+dx)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3,x)

[Out] (A*a^3*x)/2 + (5*B*b^3*x)/16 + (9*A*a*b^2*x)/8 + (9*B*a^2*b*x)/8 + (5*A*b^3*sin(c + d*x))/(8*d) + (3*B*a^3*sin(c + d*x))/(4*d) + (A*a^3*sin(2*c + 2*d*x))/(4*d) + (5*A*b^3*sin(3*c + 3*d*x))/(48*d) + (B*a^3*sin(3*c + 3*d*x))/(12*d) + (A*b^3*sin(5*c + 5*d*x))/(80*d) + (15*B*b^3*sin(2*c + 2*d*x))/(64*d) + (3*B*b^3*sin(4*c + 4*d*x))/(64*d) + (B*b^3*sin(6*c + 6*d*x))/(192*d) + (3*A*a*b^2*sin(2*c + 2*d*x))/(4*d) + (A*a^2*b*sin(3*c + 3*d*x))/(4*d) + (3*A*a*b^2*sin(4*c + 4*d*x))/(32*d) + (3*B*a^2*b*sin(2*c + 2*d*x))/(4*d) + (5*B*a*b^2*sin(3*c + 3*d*x))/(16*d) + (3*B*a^2*b*sin(4*c + 4*d*x))/(32*d) + (3*B*a*b^2*sin(5*c + 5*d*x))/(80*d) + (9*A*a^2*b*sin(c + d*x))/(4*d) + (15*B*a*b^2*sin(c + d*x))/(8*d)

sympy [A] time = 4.62, size = 721, normalized size = 2.68

$$\left\{ \begin{array}{l} \frac{Aa^3x\sin^2(c+dx)}{2} + \frac{Aa^3x\cos^2(c+dx)}{2} + \frac{Aa^3\sin(c+dx)\cos(c+dx)}{2d} + \frac{2Aa^2b\sin^3(c+dx)}{d} + \frac{3Aa^2b\sin(c+dx)\cos^2(c+dx)}{d} + \frac{9Aab^2x\sin^4(c+dx)}{8} \\ x(A + B\cos(c))(a + b\cos(c))^3\cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**3*(A+B*cos(d*x+c)),x)

[Out] Piecewise((A*a**3*x*sin(c + d*x)**2/2 + A*a**3*x*cos(c + d*x)**2/2 + A*a**3*sin(c + d*x)*cos(c + d*x)/(2*d) + 2*A*a**2*b*sin(c + d*x)**3/d + 3*A*a**2*b*sin(c + d*x)*cos(c + d*x)**2/d + 9*A*a*b**2*x*sin(c + d*x)**4/8 + 9*A*a*b**2*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 9*A*a*b**2*x*cos(c + d*x)**4/8 + 9*A*a*b**2*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 15*A*a*b**2*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 8*A*b**3*sin(c + d*x)**5/(15*d) + 4*A*b**3*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + A*b**3*sin(c + d*x)*cos(c + d*x)**4/d + 2*B*a**3*sin(c + d*x)**3/(3*d) + B*a**3*sin(c + d*x)*cos(c + d*x)**2/d + 9*B*a**2*b*x*sin(c + d*x)**4/8 + 9*B*a**2*b*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 9*B*a**2*b*x*cos(c + d*x)**4/8 + 9*B*a**2*b*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 15*B*a**2*b*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 8*B*a*b**2*sin(c + d*x)**5/(5*d) + 4*B*a*b**2*sin(c + d*x)**3*cos(c + d*x)**2/d + 3*B*a*b**2*sin(c + d*x)*cos(c + d*x)**4/d + 5*B*b**3*x*sin(c + d*x)**6/16 + 15*B*b**3*x*cos(c + d*x)**5/16)

```
sin(c + d*x)**4*cos(c + d*x)**2/16 + 15*B*b**3*x*sin(c + d*x)**2*cos(c + d*
x)**4/16 + 5*B*b**3*x*cos(c + d*x)**6/16 + 5*B*b**3*sin(c + d*x)**5*cos(c +
d*x)/(16*d) + 5*B*b**3*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 11*B*b**3*s
in(c + d*x)*cos(c + d*x)**5/(16*d), Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos
(c))**3*cos(c)**2, True))
```

3.232 $\int \cos(c+dx)(a+b \cos(c+dx))^3(A+B \cos(c+dx)) dx$

Optimal. Leaf size=243

$$\frac{(-3a^2B + 15aAb + 16b^2B) \sin(c+dx)(a+b \cos(c+dx))^2}{60bd} + \frac{(-6a^3B + 30a^2Ab + 71ab^2B + 45Ab^3) \sin(c+dx)}{120d}$$

[Out] $\frac{1}{8}*(12*A*a^2*b+3*A*b^3+4*B*a^3+9*B*a*b^2)*x+\frac{1}{30}*(15*A*a^3*b+60*A*a*b^3-3*B*a^4+52*B*a^2*b^2+16*B*b^4)*\sin(d*x+c)/b/d+\frac{1}{120}*(30*A*a^2*b+45*A*b^3-6*B*a^3+71*B*a*b^2)*\cos(d*x+c)*\sin(d*x+c)/d+\frac{1}{60}*(15*A*a*b-3*B*a^2+16*B*b^2)*(a+b*\cos(d*x+c))^2*\sin(d*x+c)/b/d+\frac{1}{20}*(5*A*b-B*a)*(a+b*\cos(d*x+c))^3*\sin(d*x+c)/b/d+\frac{1}{5}*B*(a+b*\cos(d*x+c))^4*\sin(d*x+c)/b/d$

Rubi [A] time = 0.33, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2968, 3023, 2753, 2734}

$$\frac{(15a^3Ab + 52a^2b^2B - 3a^4B + 60aAb^3 + 16b^4B) \sin(c+dx)}{30bd} + \frac{(-3a^2B + 15aAb + 16b^2B) \sin(c+dx)(a+b \cos(c+dx))}{60bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]),x]

[Out] $((12*a^2*A*b + 3*A*b^3 + 4*a^3*B + 9*a*b^2*B)*x)/8 + ((15*a^3*A*b + 60*a*A*b^3 - 3*a^4*B + 52*a^2*b^2*B + 16*b^4*B)*\text{Sin}[c + d*x])/(30*b*d) + ((30*a^2*A*b + 45*A*b^3 - 6*a^3*B + 71*a*b^2*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(120*d) + ((15*a*A*b - 3*a^2*B + 16*b^2*B)*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(60*b*d) + ((5*A*b - a*B)*(a + b*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(20*b*d) + (B*(a + b*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(5*b*d)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2753

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Ssin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Int[(a + b*Ssin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Ssin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +

[Out] $\frac{1}{80}Bb^3\sin(5dx + 5c)/d + \frac{1}{8}(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Aa^3)x + \frac{1}{32}(3Bab^2 + Ab^3)\sin(4dx + 4c)/d + \frac{1}{48}(12Ba^2b + 12Aa^2b^2 + 5Bb^3)\sin(3dx + 3c)/d + \frac{1}{4}(Ba^3 + 3Aa^2b + 3Bab^2 + Ab^3)\sin(2dx + 2c)/d + \frac{1}{8}(8Aa^3 + 18Ba^2b + 18Aa^2b^2 + 5Bb^3)\sin(dx + c)/d$

maple [A] time = 0.05, size = 227, normalized size = 0.93

$$Aa^3 \sin(dx + c) + a^3B \left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 3Aa^2b \left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + a^2bB \left(2 + \cos^2(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x)`

[Out] $\frac{1}{d}(Aa^3\sin(dx+c) + a^3B(\frac{1}{2}\cos(dx+c)\sin(dx+c) + \frac{1}{2}dx + \frac{1}{2}c) + 3Aa^2b(\frac{1}{2}\cos(dx+c)\sin(dx+c) + \frac{1}{2}dx + \frac{1}{2}c) + a^2bB(2 + \cos^2(dx+c))\sin(dx+c) + Ab^3\sin(dx+c) + 3Bab^2(\frac{1}{4}(\cos(dx+c))^3 + \frac{3}{2}\cos(dx+c))\sin(dx+c) + \frac{3}{8}dx + \frac{3}{8}c) + Ab^3(\frac{1}{4}(\cos(dx+c))^3 + \frac{3}{2}\cos(dx+c))\sin(dx+c) + \frac{3}{8}dx + \frac{3}{8}c) + \frac{1}{5}b^3B(\frac{8}{3} + \cos(dx+c)^4 + \frac{4}{3}\cos(dx+c)^2)\sin(dx+c)$

maxima [A] time = 0.32, size = 217, normalized size = 0.89

$$120(2dx + 2c + \sin(2dx + 2c))Ba^3 + 360(2dx + 2c + \sin(2dx + 2c))Aa^2b - 480(\sin(dx + c)^3 - 3\sin(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{480}(120(2dx + 2c + \sin(2dx + 2c))Ba^3 + 360(2dx + 2c + \sin(2dx + 2c))Aa^2b - 480(\sin(dx + c)^3 - 3\sin(dx + c))Ba^2b - 480(\sin(dx + c)^3 - 3\sin(dx + c))Aa^2b^2 + 45(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Bab^2 + 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aab^3 + 32(3\sin(dx + c)^5 - 10\sin(dx + c)^3 + 15\sin(dx + c))Bb^3 + 480Aa^3\sin(dx + c))/d$

mupad [B] time = 0.78, size = 277, normalized size = 1.14

$$\frac{3Ab^3x}{8} + \frac{Ba^3x}{2} + \frac{3Aa^2bx}{2} + \frac{9Bab^2x}{8} + \frac{Aa^3\sin(c+dx)}{d} + \frac{5Bb^3\sin(c+dx)}{8d} + \frac{Ab^3\sin(2c+2dx)}{4d} + \frac{Ba^3\sin(c+dx)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3,x)`

[Out] $\frac{(3Aa^3x)/8 + (Ba^3x)/2 + (3Aa^2bx)/2 + (9Bab^2x)/8 + (Aa^3\sin(c + dx))/d + (5Bb^3\sin(c + dx))/(8d) + (Aa^3\sin(2c + 2dx))/(4d) + (Ba^3\sin(2c + 2dx))/(4d) + (Aa^3\sin(4c + 4dx))/(32d) + (5Bb^3\sin(3c + 3dx))/(48d) + (Bb^3\sin(5c + 5dx))/(80d) + (3Aa^2b\sin(2c + 2dx))/(4d) + (Aa^2b\sin(3c + 3dx))/(4d) + (3Bab^2\sin(2c + 2dx))/(4d) + (Ba^2b\sin(3c + 3dx))/(4d) + (3Bab^2\sin(4c + 4dx))/(32d) + (9Aa^2b\sin(c + dx))/(4d) + (9Bab^2\sin(c + dx))/(4d)$

sympy [A] time = 2.76, size = 551, normalized size = 2.27

$$\left\{ \begin{array}{l} \frac{Aa^3\sin(c+dx)}{d} + \frac{3Aa^2bx\sin^2(c+dx)}{2} + \frac{3Aa^2bx\cos^2(c+dx)}{2} + \frac{3Aa^2b\sin(c+dx)\cos(c+dx)}{2d} + \frac{2Aab^2\sin^3(c+dx)}{d} + \frac{3Aab^2\sin(c+dx)\cos^2(c+dx)}{d} \\ x(A + B\cos(c))(a + b\cos(c))^3\cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))**3*(A+B*cos(d*x+c)),x)
```

```
[Out] Piecewise((A*a**3*sin(c + d*x)/d + 3*A*a**2*b*x*sin(c + d*x)**2/2 + 3*A*a**2*b*x*cos(c + d*x)**2/2 + 3*A*a**2*b*sin(c + d*x)*cos(c + d*x)/(2*d) + 2*A*a*b**2*sin(c + d*x)**3/d + 3*A*a*b**2*sin(c + d*x)*cos(c + d*x)**2/d + 3*A*b**3*x*sin(c + d*x)**4/8 + 3*A*b**3*x*cos(c + d*x)**4/8 + 3*A*b**3*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5*A*b**3*sin(c + d*x)*cos(c + d*x)**3/(8*d) + B*a**3*x*sin(c + d*x)**2/2 + B*a**3*x*cos(c + d*x)**2/2 + B*a**3*sin(c + d*x)*cos(c + d*x)/(2*d) + 2*B*a**2*b*sin(c + d*x)**3/d + 3*B*a**2*b*sin(c + d*x)*cos(c + d*x)**2/d + 9*B*a*b**2*x*sin(c + d*x)**4/8 + 9*B*a*b**2*x*cos(c + d*x)**4/8 + 9*B*a*b**2*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 15*B*a*b**2*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 8*B*b**3*sin(c + d*x)**5/(15*d) + 4*B*b**3*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + B*b**3*sin(c + d*x)*cos(c + d*x)**4/d, Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))**3*cos(c), True))
```

3.233 $\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) dx$

Optimal. Leaf size=171

$$\frac{b(6a^2B + 20aAb + 9b^2B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{(3a^3B + 16a^2Ab + 12ab^2B + 4Ab^3) \sin(c + dx)}{6d} + \frac{1}{8}x(8a^3A +$$

[Out] $\frac{1}{8}(8Aa^3 + 12Aab^2 + 12Ba^2b + 3Bb^3)x + \frac{1}{6}(16Aa^2b + 4Ab^3 + 3Ba^3 + 12Bab^2) \sin(dx+c)/d + \frac{1}{24}b(20Aab + 6Ba^2 + 9Bb^2) \cos(dx+c) \sin(dx+c)/d + \frac{1}{12}(4Ab + 3Ba)(a+b \cos(dx+c))^2 \sin(dx+c)/d + \frac{1}{4}B(a+b \cos(dx+c))^3 \sin(dx+c)/d$

Rubi [A] time = 0.20, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {2753, 2734}

$$\frac{(16a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) \sin(c + dx)}{6d} + \frac{b(6a^2B + 20aAb + 9b^2B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(8a^3A +$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]), x]

[Out] $((8a^3A + 12aAb^2 + 12a^2bB + 3b^3B)x)/8 + ((16a^2Ab + 4Ab^3 + 3a^3B + 12a^2bB) \sin[c + dx])/(6d) + (b(20aAb + 6a^2B + 9b^2B) \cos[c + dx] \sin[c + dx])/(24d) + ((4Ab + 3aB)(a + b \cos[c + dx])^2 \sin[c + dx])/(12d) + (B(a + b \cos[c + dx])^3 \sin[c + dx])/(4d)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[(b*c + a*d)*Cos[e + f*x]/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2753

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m]/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) dx &= \frac{B(a + b \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4} \int (a + b \cos(c + dx))^2 (4A + B \cos(c + dx)) dx \\ &= \frac{(4Ab + 3aB)(a + b \cos(c + dx))^2 \sin(c + dx)}{12d} + \frac{B(a + b \cos(c + dx)) \sin(c + dx)}{4d} \\ &= \frac{1}{8} (8a^3A + 12aAb^2 + 12a^2bB + 3b^3B)x + \frac{(16a^2Ab + 4Ab^3 + 3a^3B) \sin(c + dx)}{6d} \end{aligned}$$

Mathematica [A] time = 0.42, size = 140, normalized size = 0.82

$$\frac{24b(3a^2B + 3aAb + b^2B) \sin(2(c + dx)) + 12(c + dx)(8a^3A + 12a^2bB + 12aAb^2 + 3b^3B) + 24(4a^3B + 12a^2Ab + 12ab^2B + 3b^3B) \sin(c + dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*cos[c + d*x])^3*(A + B*cos[c + d*x]),x]

[Out] (12*(8*a^3*A + 12*a*A*b^2 + 12*a^2*b*B + 3*b^3*B)*(c + d*x) + 24*(12*a^2*A*b + 3*A*b^3 + 4*a^3*B + 9*a*b^2*B)*Sin[c + d*x] + 24*b*(3*a*A*b + 3*a^2*B + b^2*B)*Sin[2*(c + d*x)] + 8*b^2*(A*b + 3*a*B)*Sin[3*(c + d*x)] + 3*b^3*B*Sin[4*(c + d*x)])/(96*d)

fricas [A] time = 1.16, size = 136, normalized size = 0.80

$$\frac{3(8Aa^3 + 12Ba^2b + 12Aab^2 + 3Bb^3)dx + (6Bb^3 \cos(dx + c))^3 + 24Ba^3 + 72Aa^2b + 48Bab^2 + 16Ab^3 + 8(3Ba^2b + 3Aab^2 + 3Bb^3)\sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/24*(3*(8*A*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 3*B*b^3)*d*x + (6*B*b^3*cos(d*x + c))^3 + 24*B*a^3 + 72*A*a^2*b + 48*B*a*b^2 + 16*A*b^3 + 8*(3*B*a*b^2 + A*b^3)*cos(d*x + c)^2 + 9*(4*B*a^2*b + 4*A*a*b^2 + B*b^3)*cos(d*x + c))*sin(d*x + c))/d

giac [A] time = 0.59, size = 148, normalized size = 0.87

$$\frac{Bb^3 \sin(4dx + 4c)}{32d} + \frac{1}{8}(8Aa^3 + 12Ba^2b + 12Aab^2 + 3Bb^3)x + \frac{(3Bab^2 + Ab^3) \sin(3dx + 3c)}{12d} + \frac{(3Ba^2b + 3Aab^2 + 3Bb^3) \sin(dx + c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/32*B*b^3*sin(4*d*x + 4*c)/d + 1/8*(8*A*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 3*B*b^3)*x + 1/12*(3*B*a*b^2 + A*b^3)*sin(3*d*x + 3*c)/d + 1/4*(3*B*a^2*b + 3*A*a*b^2 + B*b^3)*sin(2*d*x + 2*c)/d + 1/4*(4*B*a^3 + 12*A*a^2*b + 9*B*a*b^2 + 3*A*b^3)*sin(d*x + c)/d

maple [A] time = 0.06, size = 180, normalized size = 1.05

$$b^3B \left(\frac{\left(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Ab^3(2+\cos^2(dx+c))\sin(dx+c)}{3} + Bab^2(2+\cos^2(dx+c))\sin(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x)

[Out] 1/d*(b^3*B*(1/4*(cos(d*x+c))^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*A*b^3*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a*b^2*(2+cos(d*x+c)^2)*sin(d*x+c)+3*A*a*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+3*a^2*b*B*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+3*A*a^2*b*sin(d*x+c)+a^3*B*sin(d*x+c)+A*a^3*(d*x+c))

maxima [A] time = 0.65, size = 171, normalized size = 1.00

$$\frac{96(dx+c)Aa^3 + 72(2dx+2c+\sin(2dx+2c))Ba^2b + 72(2dx+2c+\sin(2dx+2c))Aab^2 - 96(\sin(dx+c) + \cos(dx+c))Bb^3}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="maxima")

```
[Out] 1/96*(96*(d*x + c)*A*a^3 + 72*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2*b + 72
*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a*b^2 - 96*(sin(d*x + c)^3 - 3*sin(d*x
+ c))*B*a*b^2 - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*b^3 + 3*(12*d*x + 12
*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*b^3 + 96*B*a^3*sin(d*x + c) +
288*A*a^2*b*sin(d*x + c))/d
```

mupad [B] time = 0.57, size = 202, normalized size = 1.18

$$Aa^3x + \frac{3Bb^3x}{8} + \frac{3Aab^2x}{2} + \frac{3Ba^2bx}{2} + \frac{3Ab^3\sin(c+dx)}{4d} + \frac{Ba^3\sin(c+dx)}{d} + \frac{Ab^3\sin(3c+3dx)}{12d} + \frac{Bb^3\sin(c+dx)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3,x)
```

```
[Out] A*a^3*x + (3*B*b^3*x)/8 + (3*A*a*b^2*x)/2 + (3*B*a^2*b*x)/2 + (3*A*b^3*sin(c
+ d*x))/(4*d) + (B*a^3*sin(c + d*x))/d + (A*b^3*sin(3*c + 3*d*x))/(12*d)
+ (B*b^3*sin(2*c + 2*d*x))/(4*d) + (B*b^3*sin(4*c + 4*d*x))/(32*d) + (3*A*a
*b^2*sin(2*c + 2*d*x))/(4*d) + (3*B*a^2*b*sin(2*c + 2*d*x))/(4*d) + (B*a*b^
2*sin(3*c + 3*d*x))/(4*d) + (3*A*a^2*b*sin(c + d*x))/d + (9*B*a*b^2*sin(c +
d*x))/(4*d)
```

sympy [A] time = 1.32, size = 386, normalized size = 2.26

$$\left\{ \begin{array}{l} Aa^3x + \frac{3Aa^2b\sin(c+dx)}{d} + \frac{3Aab^2x\sin^2(c+dx)}{2} + \frac{3Aab^2x\cos^2(c+dx)}{2} + \frac{3Aab^2\sin(c+dx)\cos(c+dx)}{2d} + \frac{2Ab^3\sin^3(c+dx)}{3d} + \frac{Ab^3\sin(c+dx)}{d} \\ x(A + B\cos(c))(a + b\cos(c))^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c)),x)
```

```
[Out] Piecewise((A*a**3*x + 3*A*a**2*b*sin(c + d*x)/d + 3*A*a*b**2*x*sin(c + d*x)
**2/2 + 3*A*a*b**2*x*cos(c + d*x)**2/2 + 3*A*a*b**2*sin(c + d*x)*cos(c + d*
x)/(2*d) + 2*A*b**3*sin(c + d*x)**3/(3*d) + A*b**3*sin(c + d*x)*cos(c + d*x)
**2/d + B*a**3*sin(c + d*x)/d + 3*B*a**2*b*x*sin(c + d*x)**2/2 + 3*B*a**2*
b*x*cos(c + d*x)**2/2 + 3*B*a**2*b*sin(c + d*x)*cos(c + d*x)/(2*d) + 2*B*a*
b**2*sin(c + d*x)**3/d + 3*B*a*b**2*sin(c + d*x)*cos(c + d*x)**2/d + 3*B*b*
*3*x*sin(c + d*x)**4/8 + 3*B*b**3*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*B
*b**3*x*cos(c + d*x)**4/8 + 3*B*b**3*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5
*B*b**3*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(A + B*cos(c))*(a
+ b*cos(c))**3, True))
```

3.234 $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec(c+dx) dx$

Optimal. Leaf size=137

$$\frac{a^3 A \tanh^{-1}(\sin(c+dx))}{d} + \frac{b(8a^2 B + 9aAb + 2b^2 B) \sin(c+dx)}{3d} + \frac{1}{2} x (2a^3 B + 6a^2 Ab + 3ab^2 B + Ab^3) + \frac{b^2(5aB}{d}$$

[Out] 1/2*(6*A*a^2*b+A*b^3+2*B*a^3+3*B*a*b^2)*x+a^3*A*arctanh(sin(d*x+c))/d+1/3*b*(9*A*a*b+8*B*a^2+2*B*b^2)*sin(d*x+c)/d+1/6*b^2*(3*A*b+5*B*a)*cos(d*x+c)*sin(d*x+c)/d+1/3*b*B*(a+b*cos(d*x+c))^2*sin(d*x+c)/d

Rubi [A] time = 0.32, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {2990, 3033, 3023, 2735, 3770}

$$\frac{b(8a^2 B + 9aAb + 2b^2 B) \sin(c+dx)}{3d} + \frac{1}{2} x (6a^2 Ab + 2a^3 B + 3ab^2 B + Ab^3) + \frac{a^3 A \tanh^{-1}(\sin(c+dx))}{d} + \frac{b^2(5aB}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x],x]

[Out] ((6*a^2*A*b + A*b^3 + 2*a^3*B + 3*a*b^2*B)*x)/2 + (a^3*A*ArcTanh[Sin[c + d*x]])/d + (b*(9*a*A*b + 8*a^2*B + 2*b^2*B)*Sin[c + d*x])/(3*d) + (b^2*(3*A*b + 5*a*B)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (b*B*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(3*d)

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1))/(d*f*(m+n+1)), x] + Dist[1/(d*(m+n+1)), Int[(a + b*Sin[e + f*x])^(m-2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m+n+1) + b*B*(b*c*(m-1) + a*d*(n+1)) + (a*d*(2*A*b + a*B)*(m+n+1) - b*B*(a*c - b*d*(m+n)))*Sin[e + f*x] + b*(A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2, x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m+1))/(b*f*(m+2)), x] + Dist[1/(b*(m+2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2, x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m+1))/(b*f*(m+2)), x] + Dist[1/(b*(m+2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

```

_.)*(x_)^2), x_Symbol] := -Simp[(C*d*cos[e + f*x]*sin[e + f*x]*(a + b*sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{bB(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx \\
&= \frac{b^2(3Ab + 5aB) \cos(c + dx) \sin(c + dx)}{6d} + \frac{bB(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{b(9aAb + 8a^2B + 2b^2B) \sin(c + dx)}{3d} + \frac{b^2(3Ab + 5aB) \cos(c + dx) \sin(c + dx)}{6d} \\
&= \frac{1}{2} (6a^2Ab + Ab^3 + 2a^3B + 3ab^2B) x + \frac{b(9aAb + 8a^2B) \sin^2(c + dx)}{2d} \\
&= \frac{1}{2} (6a^2Ab + Ab^3 + 2a^3B + 3ab^2B) x + \frac{a^3 A \tanh^{-1}(\sin(c + dx))}{d}
\end{aligned}$$

Mathematica [A] time = 0.40, size = 159, normalized size = 1.16

$$\frac{-12a^3 A \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 12a^3 A \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) + 9b(4a^2B + 4aAb + b^2B) \sin^2\left(\frac{1}{2}(c + dx)\right)}{6d}$$

Antiderivative was successfully verified.

```

[In] Integrate[(a + b*cos[c + d*x])^3*(A + B*cos[c + d*x])*Sec[c + d*x], x]

```

```

[Out] (6*(6*a^2*A*b + A*b^3 + 2*a^3*B + 3*a*b^2*B)*(c + d*x) - 12*a^3*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*a^3*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*b*(4*a*A*b + 4*a^2*B + b^2*B)*Sin[c + d*x] + 3*b^2*(A*b + 3*a*B)*Sin[2*(c + d*x)] + b^3*B*Sin[3*(c + d*x)])/(12*d)

```

fricas [A] time = 0.54, size = 131, normalized size = 0.96

$$\frac{3 A a^3 \log(\sin(dx + c) + 1) - 3 A a^3 \log(-\sin(dx + c) + 1) + 3(2 B a^3 + 6 A a^2 b + 3 B a b^2 + A b^3) dx + (2 B b^3 \cos^2(c + dx) + 18 A a^2 b + 18 A a b^2 + 4 B b^3 + 3(3 B a b^2 + A b^3) \cos(c + dx)) \sin(dx + c)}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="fricas")

```

```

[Out] 1/6*(3*A*a^3*log(sin(d*x + c) + 1) - 3*A*a^3*log(-sin(d*x + c) + 1) + 3*(2*B*a^3 + 6*A*a^2*b + 3*B*a*b^2 + A*b^3)*d*x + (2*B*b^3*cos(d*x + c)^2 + 18*B*a^2*b + 18*A*a*b^2 + 4*B*b^3 + 3*(3*B*a*b^2 + A*b^3)*cos(d*x + c))*sin(d*x + c))/d

```

giac [B] time = 0.65, size = 314, normalized size = 2.29

$$6 Aa^3 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 6 Aa^3 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) + 3(2Ba^3 + 6Aa^2b + 3Bab^2 + Ab^3)(d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")

[Out] 1/6*(6*A*a^3*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 6*A*a^3*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 3*(2*B*a^3 + 6*A*a^2*b + 3*B*a*b^2 + A*b^3)*(d*x + c) + 2*(18*B*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 18*A*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 9*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 3*A*b^3*tan(1/2*d*x + 1/2*c)^5 + 6*B*b^3*tan(1/2*d*x + 1/2*c)^5 + 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 + 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 4*B*b^3*tan(1/2*d*x + 1/2*c)^3 + 18*B*a^2*b*tan(1/2*d*x + 1/2*c) + 18*A*a*b^2*tan(1/2*d*x + 1/2*c) + 9*B*a*b^2*tan(1/2*d*x + 1/2*c) + 3*A*b^3*tan(1/2*d*x + 1/2*c) + 6*B*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3/d

maple [A] time = 0.11, size = 207, normalized size = 1.51

$$\frac{Aa^3 \ln(\sec(dx+c) + \tan(dx+c))}{d} + a^3 Bx + \frac{a^3 Bc}{d} + 3Aa^2bx + \frac{3Aa^2bc}{d} + \frac{3a^2bB \sin(dx+c)}{d} + \frac{3Ab^2a \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] 1/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+a^3*B*x+1/d*a^3*B*c+3*A*a^2*b*x+3/d*A*a^2*b*c+3/d*a^2*b*B*sin(d*x+c)+3/d*A*b^2*a*sin(d*x+c)+3/2/d*B*a*b^2*cos(d*x+c)*sin(d*x+c)+3/2*B*a*b^2*x+3/2/d*B*a*b^2*c+1/2/d*A*b^3*cos(d*x+c)*sin(d*x+c)+1/2*A*b^3*x+1/2/d*A*b^3*c+1/3/d*B*sin(d*x+c)*cos(d*x+c)^2*b^3+2/3/d*b^3*B*sin(d*x+c)

maxima [A] time = 0.32, size = 145, normalized size = 1.06

$$\frac{12(dx+c)Ba^3 + 36(dx+c)Aa^2b + 9(2dx+2c+\sin(2dx+2c))Bab^2 + 3(2dx+2c+\sin(2dx+2c))Ab^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")

[Out] 1/12*(12*(d*x + c)*B*a^3 + 36*(d*x + c)*A*a^2*b + 9*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a*b^2 + 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*b^3 - 4*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*b^3 + 12*A*a^3*log(sec(d*x + c) + tan(d*x + c)) + 36*B*a^2*b*sin(d*x + c) + 36*A*a*b^2*sin(d*x + c))/d

mupad [B] time = 1.91, size = 1924, normalized size = 14.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/cos(c + d*x),x)

[Out] (tan(c/2 + (d*x)/2)*(A*b^3 + 2*B*b^3 + 6*A*a*b^2 + 3*B*a*b^2 + 6*B*a^2*b) + tan(c/2 + (d*x)/2)^3*((4*B*b^3)/3 + 12*A*a*b^2 + 12*B*a^2*b) + tan(c/2 + (

3.235 $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^2(c+dx) dx$

Optimal. Leaf size=131

$$\frac{b(2a^2A - 3abB - Ab^2) \sin(c + dx)}{d} + \frac{1}{2}bx(6a^2B + 6aAb + b^2B) + \frac{a^2(aB + 3Ab) \tanh^{-1}(\sin(c + dx))}{d} - \frac{b^2(2aA}{d}$$

[Out] $\frac{1}{2}bx(6a^2B + 6aAb + b^2B) + \frac{a^2(aB + 3Ab) \operatorname{arctanh}(\sin(dx+c))}{d} - \frac{b^2(2aA + a^2 - A^2 - 3B^2 - 3B^2a^2 - 3B^2a^2b) \sin(dx+c)}{d} - \frac{1}{2}bx(2a^2A - b^2B) \cos(dx+c) \sin(dx+c) / d + \frac{a^2A(a+b \cos(dx+c))^2 \tan(dx+c)}{d}$

Rubi [A] time = 0.33, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2989, 3033, 3023, 2735, 3770}

$$\frac{b(2a^2A - 3abB - Ab^2) \sin(c + dx)}{d} + \frac{1}{2}bx(6a^2B + 6aAb + b^2B) + \frac{a^2(aB + 3Ab) \tanh^{-1}(\sin(c + dx))}{d} - \frac{b^2(2aA}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \cos[c + dx])^3 (A + B \cos[c + dx]) \sec^2[c + dx], x]$

[Out] $\frac{b(6a^2A^2b + 6a^2B^2 + b^2B^2)x}{2} + \frac{a^2(3A^2b + a^2B) \operatorname{ArcTanh}[\sin[c + dx]]}{d} - \frac{b(2a^2A^2 - A^2b^2 - 3a^2b^2B) \sin[c + dx]}{d} - \frac{b^2(2a^2A - b^2B) \cos[c + dx] \sin[c + dx]}{2d} + \frac{a^2A(a + b \cos[c + dx])^2 \tan[c + dx]}{d}$

Rule 2735

$\text{Int}[(a + b \sin[e + f x])^m ((c + d \sin[e + f x])^n) (x)] / ((c + d \sin[e + f x])^n) \text{, } x \text{ Symbol] } \rightarrow \text{Simp}[(b x) / d, x] - \text{Dist}[(b c - a d) / d, \text{Int}[1 / (c + d \sin[e + f x]), x], x] / ; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b c - a d, 0]$

Rule 2989

$\text{Int}[(a + b \sin[e + f x])^m ((c + d \sin[e + f x])^n) (x)] / ((c + d \sin[e + f x])^n) \text{, } x \text{ Symbol] } \rightarrow -\text{Simp}[(b c - a d) (B c - A d) \cos[e + f x] (a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1} / (d f (n+1) (c^2 - d^2)), x] + \text{Dist}[1 / (d (n+1) (c^2 - d^2)), \text{Int}[(a + b \sin[e + f x])^{m-2} (c + d \sin[e + f x])^{n+1}] \text{, } x] + \text{Simp}[b (b c - a d) (B c - A d) (m-1) + a d (a^2 c + b^2 B c - (A b + a^2 B) d) (n+1) + (b (b d (B c - A d) + a (A c d + B (c^2 - 2 d^2))) (n+1) - a (b c - a d) (B c - A d) (n+2)) \sin[e + f x] + b (d (A b c + a^2 B c - a^2 A d) (m+n+1) - b^2 B (c^2 m + d^2 (n+1))) \sin^2[e + f x], x], x] / ; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3023

$\text{Int}[(a + b \sin[e + f x])^m ((c + d \sin[e + f x])^n) (x)] / ((c + d \sin[e + f x])^n) \text{, } x \text{ Symbol] } \rightarrow -\text{Simp}[(C \cos[e + f x] (a + b \sin[e + f x])^{m+1} / (b f (m+2)), x] + \text{Dist}[1 / (b (m+2)), \text{Int}[(a + b \sin[e + f x])^m \text{Simp}[A b (m+2) + b C (m+1) + (b^2 B (m+2) - a C) \sin[e + f x], x], x], x] / ; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& \text{!LtQ}[m, -1]$

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2, x_Symbol] :> -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^2 \tan(c + dx)}{d} + \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= -\frac{b^2(2aA - bB) \cos(c + dx) \sin(c + dx)}{2d} + \frac{aA(a + b \cos(c + dx))^2 \tan(c + dx)}{d} \\ &= -\frac{b(2a^2A - Ab^2 - 3abB) \sin(c + dx)}{d} - \frac{b^2(2aA - bB) \cos(c + dx) \sin(c + dx)}{2d} \\ &= \frac{1}{2}b(6aAb + 6a^2B + b^2B)x - \frac{b(2a^2A - Ab^2 - 3abB)}{d} \tan^{-1}(\sin(c + dx)) \\ &= \frac{1}{2}b(6aAb + 6a^2B + b^2B)x + \frac{a^2(3Ab + aB) \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.68, size = 217, normalized size = 1.66

$$\frac{4a^3A \sin\left(\frac{1}{2}(c+dx)\right)}{\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)} + \frac{4a^3A \sin\left(\frac{1}{2}(c+dx)\right)}{\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)} + 2b(c + dx) \left(6a^2B + 6aAb + b^2B\right) - 4a^2(aB + 3Ab) \log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
```

```
[Out] (2*b*(6*a*A*b + 6*a^2*B + b^2*B)*(c + d*x) - 4*a^2*(3*A*b + a*B)*Log[Cos[(c
+ d*x)/2] - Sin[(c + d*x)/2]] + 4*a^2*(3*A*b + a*B)*Log[Cos[(c + d*x)/2] +
Sin[(c + d*x)/2]] + (4*a^3*A*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c
+ d*x)/2]) + (4*a^3*A*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2
]) + 4*b^2*(A*b + 3*a*B)*Sin[c + d*x] + b^3*B*Sin[2*(c + d*x)]/(4*d)
```

fricas [A] time = 0.97, size = 152, normalized size = 1.16

$$\frac{(6Ba^2b + 6Aab^2 + Bb^3)dx \cos(dx + c) + (Ba^3 + 3Aa^2b) \cos(dx + c) \log(\sin(dx + c) + 1) - (Ba^3 + 3Aa^2b) \cos(dx + c) \log(\sin(dx + c) - 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fr
icas")
```

```
[Out] 1/2*((6*B*a^2*b + 6*A*a*b^2 + B*b^3)*d*x*cos(d*x + c) + (B*a^3 + 3*A*a^2*b)
*cos(d*x + c)*log(sin(d*x + c) + 1) - (B*a^3 + 3*A*a^2*b)*cos(d*x + c)*log(
```


$-\sin(dx + c) + 1) + (B*b^3*\cos(dx + c)^2 + 2*A*a^3 + 2*(3*B*a*b^2 + A*b^3)*\cos(dx + c))*\sin(dx + c))/(d*\cos(dx + c))$

giac [A] time = 1.29, size = 234, normalized size = 1.79

$$\frac{4Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - (6Ba^2b + 6Aab^2 + Bb^3)(dx + c) - 2(Ba^3 + 3Aa^2b) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 2(Ba^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^3*(A+B*cos(dx+c))*sec(dx+c)^2,x, algorithm="giac")

[Out] $-1/2*(4*A*a^3*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) - (6*B*a^2*b + 6*A*a*b^2 + B*b^3)*(d*x + c) - 2*(B*a^3 + 3*A*a^2*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) + 2*(B*a^3 + 3*A*a^2*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*B*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + 2*A*b^3*\tan(1/2*d*x + 1/2*c)^3 - B*b^3*\tan(1/2*d*x + 1/2*c)^3 + 6*B*a*b^2*\tan(1/2*d*x + 1/2*c) + 2*A*b^3*\tan(1/2*d*x + 1/2*c) + B*b^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d$

maple [A] time = 0.13, size = 168, normalized size = 1.28

$$\frac{A a^3 \tan(dx + c)}{d} + \frac{a^3 B \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{3A a^2 b \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3a^2 b B x + \frac{3B a^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(dx+c))^3*(A+B*cos(dx+c))*sec(dx+c)^2,x)

[Out] $1/d*A*a^3*\tan(dx+c)+1/d*a^3*B*\ln(\sec(dx+c)+\tan(dx+c))+3/d*A*a^2*b*\ln(\sec(dx+c)+\tan(dx+c))+3*a^2*b*B*x+3/d*B*a^2*b*c+3*A*b^2*a*x+3/d*A*a*b^2*c+3/d*B*b^2*a*\sin(dx+c)+1/d*A*b^3*\sin(dx+c)+1/2/d*b^3*B*\cos(dx+c)*\sin(dx+c)+1/2*b^3*B*x+1/2/d*b^3*B*c$

maxima [A] time = 0.32, size = 144, normalized size = 1.10

$$12(dx + c)Ba^2b + 12(dx + c)Aab^2 + (2dx + 2c + \sin(2dx + 2c))Bb^3 + 2Ba^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^3*(A+B*cos(dx+c))*sec(dx+c)^2,x, algorithm="maxima")

[Out] $1/4*(12*(dx + c)*B*a^2*b + 12*(dx + c)*A*a*b^2 + (2*dx + 2*c + \sin(2*d*x + 2*c))*B*b^3 + 2*B*a^3*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 6*A*a^2*b*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 12*B*a*b^2*\sin(dx + c) + 4*A*b^3*\sin(dx + c) + 4*A*a^3*\tan(dx + c))/d$

mupad [B] time = 1.35, size = 236, normalized size = 1.80

$$\frac{B b^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) + 6 A a b^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) + 6 B a^2 b \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) - B a^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) 2i - A a^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^3)/cos(c + dx)^2,x)

```
[Out] (B*b^3*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)) - B*a^3*atan((sin(c/2 +
(d*x)/2)*1i)/cos(c/2 + (d*x)/2))*2i + 6*A*a*b^2*atan(sin(c/2 + (d*x)/2)/cos
(c/2 + (d*x)/2)) - A*a^2*b*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))
*6i + 6*B*a^2*b*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + ((A*b^3*si
n(2*c + 2*d*x))/2 + (B*b^3*sin(3*c + 3*d*x))/8 + A*a^3*sin(c + d*x) + (B*b^
3*sin(c + d*x))/8 + (3*B*a*b^2*sin(2*c + 2*d*x))/2)/(d*cos(c + d*x))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx))^3 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*3*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)
```

```
[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))*3*sec(c + d*x)**2, x)
```

3.236 $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^3(c+dx) dx$

Optimal. Leaf size=124

$$\frac{a(a^2A + 6abB + 6Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(aB + 2Ab) \tan(c + dx)}{d} - \frac{b^2(aA - 2bB) \sin(c + dx)}{2d} + b^2x(3aB -$$

[Out] $b^2*(A*b+3*B*a)*x+1/2*a*(A*a^2+6*A*b^2+6*B*a*b)*\operatorname{arctanh}(\sin(d*x+c))/d-1/2*b^2*(A*a-2*B*b)*\sin(d*x+c)/d+a^2*(2*A*b+B*a)*\tan(d*x+c)/d+1/2*a*A*(a+b*\cos(d*x+c))^2*\sec(d*x+c)*\tan(d*x+c)/d$

Rubi [A] time = 0.34, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2989, 3031, 3023, 2735, 3770}

$$\frac{a(a^2A + 6abB + 6Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(aB + 2Ab) \tan(c + dx)}{d} - \frac{b^2(aA - 2bB) \sin(c + dx)}{2d} + b^2x(3aB -$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])^3*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^3, x]$

[Out] $b^2*(A*b + 3*a*B)*x + (a*(a^2*A + 6*A*b^2 + 6*a*b*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(2*d) - (b^2*(a*A - 2*b*B)*\operatorname{Sin}[c + d*x])/(2*d) + (a^2*(2*A*b + a*B)*\operatorname{Tan}[c + d*x])/d + (a*A*(a + b*\operatorname{Cos}[c + d*x])^2*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*d)$

Rule 2735

$\operatorname{Int}[(a + b*\sin[(e + f*x)])^m*((c + d*\sin[(e + f*x)])^n*(x))], x_Symbol] \rightarrow \operatorname{Simp}[(b*x)/d, x] - \operatorname{Dist}[(b*c - a*d)/d, \operatorname{Int}[1/(c + d*\sin[e + f*x]), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2989

$\operatorname{Int}[(a + b*\sin[(e + f*x)])^m*((c + d*\sin[(e + f*x)])^n*(x))], x_Symbol] \rightarrow -\operatorname{Simp}[(b*c - a*d)*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}]/(d*f*(n+1)*(c^2 - d^2)), x] + \operatorname{Dist}[1/(d*(n+1)*(c^2 - d^2)), \operatorname{Int}[(a + b*\sin[e + f*x])^{m-2}*(c + d*\sin[e + f*x])^{n+1}]*\operatorname{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n+1) - a*(b*c - a*d)*(B*c - A*d)*(n+2))*\operatorname{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m+n+1) - b*B*(c^2*m + d^2*(n+1)))*\operatorname{Sin}[e + f*x]^2, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, x\} \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{NeQ}[a^2 - b^2, 0] \ \&\& \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \operatorname{GtQ}[m, 1] \ \&\& \operatorname{LtQ}[n, -1]$

Rule 3023

$\operatorname{Int}[(a + b*\sin[(e + f*x)])^m*((c + d*\sin[(e + f*x)])^n*(x))], x_Symbol] \rightarrow -\operatorname{Simp}[(C*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m+1})/(b*f*(m+2)), x] + \operatorname{Dist}[1/(b*(m+2)), \operatorname{Int}[(a + b*\sin[e + f*x])^m*\operatorname{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\operatorname{Sin}[e + f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, C, m, x\} \ \&\& \operatorname{LtQ}[m, -1]$

Rule 3031

$\operatorname{Int}[(a + b*\sin[(e + f*x)])^m*((c + d*\sin[(e + f*x)])^n*(x))], x_Symbol] \rightarrow -\operatorname{Simp}[(C*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m+1})/(b*f*(m+2)), x] + \operatorname{Dist}[1/(b*(m+2)), \operatorname{Int}[(a + b*\sin[e + f*x])^m*\operatorname{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\operatorname{Sin}[e + f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, C, m, x\} \ \&\& \operatorname{LtQ}[m, -1]$

```

_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \\
 &= \frac{a^2(2Ab + aB) \tan(c + dx)}{d} + \frac{aA(a + b \cos(c + dx))^2}{2d} \\
 &= -\frac{b^2(aA - 2bB) \sin(c + dx)}{2d} + \frac{a^2(2Ab + aB) \tan(c + dx)}{d} \\
 &= b^2(Ab + 3aB)x - \frac{b^2(aA - 2bB) \sin(c + dx)}{2d} + \frac{a^2(2Ab + aB) \tan(c + dx)}{d} \\
 &= b^2(Ab + 3aB)x + \frac{a(a^2A + 6Ab^2 + 6abB) \tanh^{-1}(\sin(\frac{1}{2}(c + dx)))}{2d}
 \end{aligned}$$

Mathematica [B] time = 2.10, size = 277, normalized size = 2.23

$$\frac{a^3A}{\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)^2} - \frac{a^3A}{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)^2} - 2a\left(a^2A + 6abB + 6Ab^2\right) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

```

[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

```

```

[Out] (4*b^2*(A*b + 3*a*B)*(c + d*x) - 2*a*(a^2*A + 6*A*b^2 + 6*a*b*B)*Log[Cos[(c
+ d*x)/2] - Sin[(c + d*x)/2]] + 2*a*(a^2*A + 6*A*b^2 + 6*a*b*B)*Log[Cos[(c
+ d*x)/2] + Sin[(c + d*x)/2]] + (a^3*A)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/
2])^2 + (4*a^2*(3*A*b + a*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c +
d*x)/2]) - (a^3*A)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*a^2*(3*A*b
+ a*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 4*b^3*B*Sin
in[c + d*x])/(4*d)

```

fricas [A] time = 0.90, size = 167, normalized size = 1.35

$$\frac{4(3 Bab^2 + Ab^3)dx \cos(dx + c)^2 + (Aa^3 + 6 Ba^2b + 6 Aab^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (Aa^3 + 6 Ba^2b + 6 Aab^2) \cos(dx + c)^2}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fr
icas")

```


Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/cos(c + d*x)^3,x)
```

```
[Out] ((B*a^3*sin(2*c + 2*d*x))/2 + (B*b^3*sin(3*c + 3*d*x))/4 + (A*a^3*sin(c + d
*x))/2 + (B*b^3*sin(c + d*x))/4 + (3*A*a^2*b*sin(2*c + 2*d*x))/2)/(d*(cos(2
*c + 2*d*x)/2 + 1/2)) - (2*((A*a^3*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (
d*x)/2))*1i)/2 - A*b^3*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)) + A*a*b^
2*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*3i - 3*B*a*b^2*atan(sin(
c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)) + B*a^2*b*atan((sin(c/2 + (d*x)/2)*1i)/c
os(c/2 + (d*x)/2))*3i))/d
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)
```

```
[Out] Timed out
```

3.237 $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^4(c+dx) dx$

Optimal. Leaf size=145

$$\frac{a(2a^2A + 9abB + 8Ab^2) \tan(c + dx)}{3d} + \frac{a^2(3aB + 5Ab) \tan(c + dx) \sec(c + dx)}{6d} + \frac{(a^3B + 3a^2Ab + 6ab^2B + 2Ab^3) \tan^3(c + dx)}{2d}$$

[Out] $b^3Bx + 1/2(3Aa^2b + 2Ab^3 + Ba^3 + 6Bab^2) \operatorname{arctanh}(\sin(dx+c))/d + 1/3a(2Aa^2 + 8Ab^2 + 9Bab) \tan(dx+c)/d + 1/6a^2(5Ab + 3Ba) \sec(dx+c) \tan(dx+c)/d + 1/3aA(a+b\cos(dx+c))^2 \sec(dx+c)^2 \tan(dx+c)/d$

Rubi [A] time = 0.35, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2989, 3031, 3021, 2735, 3770}

$$\frac{a(2a^2A + 9abB + 8Ab^2) \tan(c + dx)}{3d} + \frac{(3a^2Ab + a^3B + 6ab^2B + 2Ab^3) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(3aB + 5Ab) \tan^3(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \cos[c + dx])^3 (A + B \cos[c + dx]) \sec^4[c + dx], x]$

[Out] $b^3Bx + ((3a^2Ab + 2Ab^3 + a^3B + 6a^2bB) \operatorname{ArcTanh}[\sin[c + dx]])/(2d) + (a(2a^2A + 8Ab^2 + 9a^2bB) \tan[c + dx])/(3d) + (a^2(5Ab + 3a^2B) \sec[c + dx] \tan[c + dx])/(6d) + (aA(a + b \cos[c + dx])^2 \sec[c + dx]^2 \tan[c + dx])/(3d)$

Rule 2735

$\text{Int}[(a + b \sin[e + fx])^m ((c + d \sin[e + fx])^n) (A + B \sin[e + fx])^p], x] \rightarrow \text{Simp}[(b^m x)/d, x] - \text{Dist}[(b^m c - a^m d)/d, \text{Int}[1/(c + d \sin[e + fx])^n], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x \} \&\& \text{NeQ}[b^m c - a^m d, 0]$

Rule 2989

$\text{Int}[(a + b \sin[e + fx])^m ((c + d \sin[e + fx])^n) (A + B \sin[e + fx])^p], x] \rightarrow -\text{Simp}[(b^m c - a^m d) (B^m c - A^m d) \cos[e + fx] (a + b \sin[e + fx])^{m-1} (c + d \sin[e + fx])^{n+1}]/(d f (n+1) (c^2 - d^2)), x] + \text{Dist}[1/(d (n+1) (c^2 - d^2)), \text{Int}[(a + b \sin[e + fx])^{m-2} (c + d \sin[e + fx])^{n+1}] \text{Simp}[b^m (b^m c - a^m d) (B^m c - A^m d) (m-1) + a^m d (a^m A^m c + b^m B^m c - (A^m b + a^m B) d) (n+1) + (b^m (b^m d (B^m c - A^m d) + a^m (A^m c d + B^m (c^2 - 2d^2))) (n+1) - a^m (b^m c - a^m d) (B^m c - A^m d) (n+2)) \sin[e + fx] + b^m (d (A^m b^m c + a^m B^m c - a^m A^m d) (m+n+1) - b^m B^m (c^2 m + d^2 (n+1))) \sin[e + fx]^2], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \} \&\& \text{NeQ}[b^m c - a^m d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 3021

$\text{Int}[(a + b \sin[e + fx])^m ((c + d \sin[e + fx])^n) (A + B \sin[e + fx])^p], x] \rightarrow -\text{Simp}[(A^m b^2 - a^m b B + a^2 c) \cos[e + fx] (a + b \sin[e + fx])^{m+1}]/(b f (m+1) (a^2 - b^2)), x] + \text{Dist}[1/(b (m+1) (a^2 - b^2)), \text{Int}[(a + b \sin[e + fx])^{m+1}] \text{Simp}[b^m (a^m A - b^m B + a^m c) (m+1) - (A^m b^2 - a^m b B + a^2 c + b^m (A^m b - a^m B + b^m c)) (m+1)) \sin[e + fx], x], x] /;$ $\text{FreeQ}\{a, b, e, f, A, B, C\}, x \} \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3031

$$3 + 9Ba^2b + 9Aab^2) \cos(dx + c)^2 + 3(Ba^3 + 3Aa^2b) \cos(dx + c) \sin(dx + c) / (d \cos(dx + c))^3$$

giac [B] time = 0.44, size = 336, normalized size = 2.32

$$6(dx + c)Bb^3 + 3(Ba^3 + 3Aa^2b + 6Bab^2 + 2Ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(Ba^3 + 3Aa^2b + 6Bab^2 + 2Ab^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^3*(A+B*cos(dx+c))*sec(dx+c)^4,x, algorithm="giac")

[Out] 1/6*(6*(dx + c)*B*b^3 + 3*(Ba^3 + 3Aa^2b + 6B*a*b^2 + 2A*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(Ba^3 + 3Aa^2b + 6B*a*b^2 + 2A*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*Aa^3*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^3*tan(1/2*d*x + 1/2*c)^5 - 9*Aa^2*b*tan(1/2*d*x + 1/2*c)^5 + 18*B*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 18*Aa*b^2*tan(1/2*d*x + 1/2*c)^5 - 4*Aa^3*tan(1/2*d*x + 1/2*c)^3 - 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 36*Aa*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*Aa^3*tan(1/2*d*x + 1/2*c) + 3*B*a^3*tan(1/2*d*x + 1/2*c) + 9*Aa^2*b*tan(1/2*d*x + 1/2*c) + 18*B*a^2*b*tan(1/2*d*x + 1/2*c) + 18*Aa*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3/d

maple [A] time = 0.14, size = 223, normalized size = 1.54

$$\frac{2Aa^3 \tan(dx + c)}{3d} + \frac{Aa^3 \tan(dx + c) (\sec^2(dx + c))}{3d} + \frac{a^3B \sec(dx + c) \tan(dx + c)}{2d} + \frac{a^3B \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(dx+c))^3*(A+B*cos(dx+c))*sec(dx+c)^4,x)

[Out] 2/3/d*Aa^3*tan(dx+c)+1/3/d*Aa^3*tan(dx+c)*sec(dx+c)^2+1/2/d*a^3*B*sec(dx+c)*tan(dx+c)+1/2/d*a^3*B*ln(sec(dx+c)+tan(dx+c))+3/2/d*Aa^2*b*sec(dx+c)*tan(dx+c)+3/2/d*Aa^2*b*ln(sec(dx+c)+tan(dx+c))+3/d*a^2*b*B*tan(dx+c)+3/d*A*b^2*a*tan(dx+c)+3/d*B*b^2*a*ln(sec(dx+c)+tan(dx+c))+1/d*A*b^3*ln(sec(dx+c)+tan(dx+c))+b^3*B*x+1/d*b^3*B*c

maxima [A] time = 0.65, size = 216, normalized size = 1.49

$$4(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^3 + 12(dx + c)Bb^3 - 3Ba^3 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^3*(A+B*cos(dx+c))*sec(dx+c)^4,x, algorithm="maxima")

[Out] 1/12*(4*(tan(dx + c)^3 + 3*tan(dx + c))*Aa^3 + 12*(dx + c)*B*b^3 - 3*B*a^3*(2*sin(dx + c)/(sin(dx + c)^2 - 1) - log(sin(dx + c) + 1) + log(sin(dx + c) - 1)) - 9*Aa^2*b*(2*sin(dx + c)/(sin(dx + c)^2 - 1) - log(sin(dx + c) + 1) + log(sin(dx + c) - 1)) + 18*B*a*b^2*(log(sin(dx + c) + 1) - log(sin(dx + c) - 1)) + 6*A*b^3*(log(sin(dx + c) + 1) - log(sin(dx + c) - 1)) + 36*B*a^2*b*tan(dx + c) + 36*Aa*b^2*tan(dx + c))/d

mupad [B] time = 1.95, size = 526, normalized size = 3.63

$$\frac{Aa^3 \sin(3c+3dx)}{6} + \frac{Ba^3 \sin(2c+2dx)}{4} + \frac{Aa^3 \sin(c+dx)}{2} + \frac{3Aab^2 \sin(c+dx)}{4} + \frac{3Ba^2b \sin(c+dx)}{4} - \frac{Ab^3 \cos(c+dx) \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/cos(c + d*x)^4,x)
```

```
[Out] ((A*a^3*sin(3*c + 3*d*x))/6 + (B*a^3*sin(2*c + 2*d*x))/4 + (A*a^3*sin(c + d*x))/2 + (3*A*a*b^2*sin(c + d*x))/4 + (3*B*a^2*b*sin(c + d*x))/4 - (A*b^3*cos(c + d*x)*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*3i)/2 - (B*a^3*cos(c + d*x)*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*3i)/4 + (3*B*b^3*cos(c + d*x)*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/2 + (3*A*a^2*b*sin(2*c + 2*d*x))/4 + (3*A*a*b^2*sin(3*c + 3*d*x))/4 + (3*B*a^2*b*sin(3*c + 3*d*x))/4 - (A*b^3*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*cos(3*c + 3*d*x)*1i)/2 - (B*a^3*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*cos(3*c + 3*d*x)*1i)/4 + (B*b^3*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2))*cos(3*c + 3*d*x))/2 - (A*a^2*b*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*cos(3*c + 3*d*x)*3i)/4 - (B*a*b^2*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*cos(3*c + 3*d*x)*3i)/2 - (A*a^2*b*cos(c + d*x)*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*9i)/4 - (B*a*b^2*cos(c + d*x)*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*9i)/2)/(d*((3*cos(c + d*x))/4 + cos(3*c + 3*d*x)/4))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)
```

```
[Out] Timed out
```

3.238 $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^5(c+dx) dx$

Optimal. Leaf size=188

$$\frac{a(3a^2A + 12abB + 10Ab^2) \tan(c + dx) \sec(c + dx)}{8d} + \frac{a^2(2aB + 3Ab) \tan(c + dx) \sec^2(c + dx)}{6d} + \frac{(2a^3B + 6a^2Ab)}{d}$$

[Out] $1/8*(3*A*a^3+12*A*a*b^2+12*B*a^2*b+8*B*b^3)*\operatorname{arctanh}(\sin(d*x+c))/d+1/3*(6*A*a^2*b+3*A*b^3+2*B*a^3+9*B*a*b^2)*\tan(d*x+c)/d+1/8*a*(3*A*a^2+10*A*b^2+12*B*a*b)*\sec(d*x+c)*\tan(d*x+c)/d+1/6*a^2*(3*A*b+2*B*a)*\sec(d*x+c)^2*\tan(d*x+c)/d+1/4*a*A*(a+b*\cos(d*x+c))^2*\sec(d*x+c)^3*\tan(d*x+c)/d$

Rubi [A] time = 0.46, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2989, 3031, 3021, 2748, 3767, 8, 3770}

$$\frac{(6a^2Ab + 2a^3B + 9ab^2B + 3Ab^3) \tan(c + dx)}{3d} + \frac{(3a^3A + 12a^2bB + 12aAb^2 + 8b^3B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(3a^2A + 10Ab^2 + 12Ab^2)}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])^3*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^5, x]$

[Out] $((3*a^3*A + 12*a*A*b^2 + 12*a^2*b*B + 8*b^3*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(8*d) + ((6*a^2*A*b + 3*A*b^3 + 2*a^3*B + 9*a*b^2*B)*\operatorname{Tan}[c + d*x])/(3*d) + (a*(3*a^2*A + 10*A*b^2 + 12*a*b*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(8*d) + (a^2*(3*A*b + 2*a*B)*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/(6*d) + (a*A*(a + b*\operatorname{Cos}[c + d*x])^2*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(4*d)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]]^m*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\sin[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\sin[e + f*x])^{m+1}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2989

$\operatorname{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]]^m*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)])*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)])^n, x_Symbol] \rightarrow -\operatorname{Simp}[(b*c - a*d)*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1})/(d*f*(n+1)*(c^2 - d^2)), x] + \operatorname{Dist}[1/(d*(n+1)*(c^2 - d^2)), \operatorname{Int}[(a + b*\sin[e + f*x])^{m-2}*(c + d*\sin[e + f*x])^{n+1})*\operatorname{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n+1) - a*(b*c - a*d)*(B*c - A*d)*(n+2))*\sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m+n+1) - b*B*(c^2*m + d^2*(n+1)))*\sin[e + f*x]^2, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{LtQ}[n, -1]$

Rule 3021

$\operatorname{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]]^m*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)] + (C_*)*\sin[(e_*) + (f_*)*(x_)]^2), x_Symbol] \rightarrow -\operatorname{Simp}[(A*b^2 - a*b*B + a^2*C)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m+1})/(b*f*(m+1)*(a^2 - b^2)), x] + \operatorname{Dist}[1/(b*(m+1)*(a^2 - b^2)), \operatorname{Int}[(a + b*\sin[e + f*x])^m, x], x]$

$(m + 1) \text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)]*\text{Sin}[e + f*x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3031

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -\text{Simp}[(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b^2*f*(m + 1)*(a^2 - b^2)), x] - \text{Dist}[1/(b^2*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*\text{Simp}[b*(m + 1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*\text{Sin}[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*\text{Sin}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] := -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /;$ FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] := -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^2 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \\ &= \frac{a^2(3Ab + 2aB) \sec^2(c + dx) \tan(c + dx)}{6d} + \frac{aA(a + b \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{8d} \\ &= \frac{a(3a^2A + 10Ab^2 + 12abB) \sec(c + dx) \tan(c + dx)}{8d} \\ &= \frac{a(3a^2A + 10Ab^2 + 12abB) \sec(c + dx) \tan(c + dx)}{8d} \\ &= \frac{(3a^3A + 12aAb^2 + 12a^2bB + 8b^3B) \tanh^{-1}(\sin(c + dx))}{8d} \\ &= \frac{(3a^3A + 12aAb^2 + 12a^2bB + 8b^3B) \tanh^{-1}(\sin(c + dx))}{8d} \end{aligned}$$

Mathematica [A] time = 0.84, size = 140, normalized size = 0.74

$$\frac{3(3a^3A + 12a^2bB + 12aAb^2 + 8b^3B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (6a^3A \sec^3(c + dx) + 9a(a^2A + 4abB + 4a^2B))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
 [Out] (3*(3*a^3*A + 12*a*A*b^2 + 12*a^2*b*B + 8*b^3*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(24*(3*a^2*A*b + A*b^3 + a^3*B + 3*a*b^2*B) + 9*a*(a^2*A + 4*A*B

$$\frac{(a^2 + 4abB)\sec[c + dx] + 6a^3A\sec[c + dx]^3 + 8a^2(3Ab + aB)\tan[c + dx]^2}{24d}$$

fricas [A] time = 0.90, size = 211, normalized size = 1.12

$$\frac{3(3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3)\cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3)\cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(6Aa^3 + 8(2Ba^3 + 6Aa^2b + 9Bab^2 + 3Ab^3))\cos(dx + c)^3 + 9(Aa^3 + 4Ba^2b + 4Aab^2)\cos(dx + c)^2 + 8(Ba^3 + 3Aa^2b)\cos(dx + c)\sin(dx + c)}{(d\cos(dx + c))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")

[Out] 1/48*(3*(3*A*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 8*B*b^3)*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(3*A*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 8*B*b^3)*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(6*A*a^3 + 8*(2*B*a^3 + 6*A*a^2*b + 9*B*a*b^2 + 3*A*b^3))*cos(d*x + c)^3 + 9*(A*a^3 + 4*B*a^2*b + 4*A*a*b^2)*cos(d*x + c)^2 + 8*(B*a^3 + 3*A*a^2*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^4)

giac [B] time = 0.69, size = 586, normalized size = 3.12

$$3(3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")

[Out] 1/24*(3*(3*A*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 8*B*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(3*A*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 8*B*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(15*A*a^3*tan(1/2*d*x + 1/2*c)^7 - 24*B*a^3*tan(1/2*d*x + 1/2*c)^7 - 72*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 72*B*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 24*A*b^3*tan(1/2*d*x + 1/2*c)^7 + 9*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 40*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 120*A*a^2*b*tan(1/2*d*x + 1/2*c)^5 - 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^5 - 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 216*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 72*A*b^3*tan(1/2*d*x + 1/2*c)^5 + 9*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 120*A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 216*B*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 72*A*b^3*tan(1/2*d*x + 1/2*c)^3 + 15*A*a^3*tan(1/2*d*x + 1/2*c) + 24*B*a^3*tan(1/2*d*x + 1/2*c) + 72*A*a^2*b*tan(1/2*d*x + 1/2*c) + 36*B*a^2*b*tan(1/2*d*x + 1/2*c) + 36*A*a*b^2*tan(1/2*d*x + 1/2*c) + 72*B*a*b^2*tan(1/2*d*x + 1/2*c) + 24*A*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d

maple [A] time = 0.14, size = 290, normalized size = 1.54

$$\frac{Aa^3 \tan(dx + c) (\sec^3(dx + c))}{4d} + \frac{3Aa^3 \sec(dx + c) \tan(dx + c)}{8d} + \frac{3Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{2a^3 B \tan(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^5,x)

[Out] 1/4/d*A*a^3*tan(d*x+c)*sec(d*x+c)^3+3/8/d*A*a^3*sec(d*x+c)*tan(d*x+c)+3/8/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*a^3*B*tan(d*x+c)+1/3/d*a^3*B*tan(d*x+c)*sec(d*x+c)^2+2/d*A*a^2*b*tan(d*x+c)+1/d*A*a^2*b*tan(d*x+c)*sec(d*x+c)^2

+3/2/d*a^2*b*B*tan(d*x+c)*sec(d*x+c)+3/2/d*a^2*b*B*ln(sec(d*x+c)+tan(d*x+c))
)+3/2/d*A*a*b^2*tan(d*x+c)*sec(d*x+c)+3/2/d*A*b^2*a*ln(sec(d*x+c)+tan(d*x+c))
))+3/d*B*a*b^2*tan(d*x+c)+1/d*A*b^3*tan(d*x+c)+1/d*b^3*B*ln(sec(d*x+c)+tan(d*x+c))

maxima [A] time = 0.35, size = 273, normalized size = 1.45

$$16 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba^3 + 48 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Aa^2b - 3Aa^3 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="maxima")

[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a^3 + 48*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^2*b - 3*A*a^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 36*B*a^2*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 36*A*a*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 24*B*b^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 144*B*a*b^2*tan(d*x + c) + 48*A*b^3*tan(d*x + c))/d

mupad [B] time = 3.95, size = 395, normalized size = 2.10

$$\frac{\operatorname{atanh}\left(\frac{4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{3Aa^3}{8} + \frac{3Ba^2b}{2} + \frac{3Aab^2}{2} + Bb^3\right)}{\frac{3Aa^3}{2} + 6Ba^2b + 6Aab^2 + 4Bb^3}\right) \left(\frac{3Aa^3}{4} + 3Ba^2b + 3Aab^2 + 2Bb^3\right)}{d} \left(2Ab^3 - \frac{5Aa^3}{4} + 2Ba^3 - 3Aa^3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/cos(c + d*x)^5,x)

[Out] (atanh((4*tan(c/2 + (d*x)/2)*((3*A*a^3)/8 + B*b^3 + (3*A*a*b^2)/2 + (3*B*a^2*b)/2)))/((3*A*a^3)/2 + 4*B*b^3 + 6*A*a*b^2 + 6*B*a^2*b))*((3*A*a^3)/4 + 2*B*b^3 + 3*A*a*b^2 + 3*B*a^2*b))/d - (tan(c/2 + (d*x)/2)^7*(2*A*b^3 - (5*A*a^3)/4 + 2*B*a^3 - 3*A*a*b^2 + 6*A*a^2*b + 6*B*a*b^2 - 3*B*a^2*b) + tan(c/2 + (d*x)/2)^3*(6*A*b^3 - (3*A*a^3)/4 + (10*B*a^3)/3 + 3*A*a*b^2 + 10*A*a^2*b + 18*B*a*b^2 + 3*B*a^2*b) - tan(c/2 + (d*x)/2)^5*((3*A*a^3)/4 + 6*A*b^3 + (10*B*a^3)/3 - 3*A*a*b^2 + 10*A*a^2*b + 18*B*a*b^2 - 3*B*a^2*b) - tan(c/2 + (d*x)/2)*((5*A*a^3)/4 + 2*A*b^3 + 2*B*a^3 + 3*A*a*b^2 + 6*A*a^2*b + 6*B*a*b^2 + 3*B*a^2*b))/(d*(6*tan(c/2 + (d*x)/2)^4 - 4*tan(c/2 + (d*x)/2)^2 - 4*tan(c/2 + (d*x)/2)^6 + tan(c/2 + (d*x)/2)^8 + 1))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)

[Out] Timed out

3.239 $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^6(c+dx) dx$

Optimal. Leaf size=236

$$\frac{a(4a^2A + 15abB + 12Ab^2) \tan(c + dx) \sec^2(c + dx)}{15d} + \frac{a^2(5aB + 7Ab) \tan(c + dx) \sec^3(c + dx)}{20d} + \frac{(8a^3A + 30a^2bB + 30aAb^2 + 15b^3B) \tan(c + dx)}{15d} + \frac{(9a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(8a^3A + 30a^2bB + 30aAb^2 + 15b^3B) \tan(c + dx)}{15d}$$

[Out] $1/8*(9*A*a^2*b+4*A*b^3+3*B*a^3+12*B*a*b^2)*\operatorname{arctanh}(\sin(d*x+c))/d+1/15*(8*A*a^3+30*A*a*b^2+30*B*a^2*b+15*B*b^3)*\tan(d*x+c)/d+1/8*(9*A*a^2*b+4*A*b^3+3*B*a^3+12*B*a*b^2)*\sec(d*x+c)*\tan(d*x+c)/d+1/15*a*(4*A*a^2+12*A*b^2+15*B*a*b)*\sec(d*x+c)^2*\tan(d*x+c)/d+1/20*a^2*(7*A*b+5*B*a)*\sec(d*x+c)^3*\tan(d*x+c)/d+1/5*a*A*(a+b*\cos(d*x+c))^2*\sec(d*x+c)^4*\tan(d*x+c)/d$

Rubi [A] time = 0.49, antiderivative size = 236, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {2989, 3031, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{(8a^3A + 30a^2bB + 30aAb^2 + 15b^3B) \tan(c + dx)}{15d} + \frac{(9a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(8a^3A + 30a^2bB + 30aAb^2 + 15b^3B) \tan(c + dx)}{15d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])^3*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^6, x]$

[Out] $((9*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(8*d) + ((8*a^3*A + 30*a*A*b^2 + 30*a^2*b*B + 15*b^3*B)*\operatorname{Tan}[c + d*x])/(15*d) + ((9*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(8*d) + (a*(4*a^2*A + 12*A*b^2 + 15*a*b*B)*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/(15*d) + (a^2*(7*A*b + 5*a*B)*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(20*d) + (a*A*(a + b*\operatorname{Cos}[c + d*x])^2*\operatorname{Sec}[c + d*x]^4*\operatorname{Tan}[c + d*x])/(5*d)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}[(b_*)*\sin[(e_*) + (f_*)(x_)]^{(m_)*((c_*) + (d_*)*\sin[(e_*) + (f_*)(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m + 1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2989

$\operatorname{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)(x_)]^{(m_)*((A_*) + (B_*)*\sin[(e_*) + (f_*)(x_)]), x_Symbol] \rightarrow -\operatorname{Simp}[(b*c - a*d)*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m - 1)*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)}}/(d*f*(n + 1)*(c^2 - d^2)), x] + \operatorname{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m - 2)*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)}}*\operatorname{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*\operatorname{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*\operatorname{Sin}[e + f*x]^2, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{LtQ}[n, -1]$

Rule 3021

$\operatorname{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)(x_)]^{(m_)*((A_*) + (B_*)*\sin[(e_*) + (f_*)(x_)] + (C_*)*\sin[(e_*) + (f_*)(x_)]^2), x_Symbol] \rightarrow -\operatorname{Simp}[(A*b^2$

```
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^6(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^2 \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \\
&= \frac{a^2(7Ab + 5aB) \sec^3(c + dx) \tan(c + dx)}{20d} + \frac{aA(a + b \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{15d} \\
&= \frac{a(4a^2A + 12Ab^2 + 15abB) \sec^2(c + dx) \tan(c + dx)}{15d} \\
&= \frac{a(4a^2A + 12Ab^2 + 15abB) \sec^2(c + dx) \tan(c + dx)}{15d} \\
&= \frac{(9a^2Ab + 4Ab^3 + 3a^3B + 12ab^2B) \sec(c + dx) \tan(c + dx)}{8d} \\
&= \frac{(9a^2Ab + 4Ab^3 + 3a^3B + 12ab^2B) \tanh^{-1}(\sin(c + dx))}{8d}
\end{aligned}$$

Mathematica [A] time = 3.26, size = 181, normalized size = 0.77

$$15(3a^3B + 9a^2Ab + 12ab^2B + 4Ab^3) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (30a^2(aB + 3Ab) \sec^3(c + dx) + 8(3a^3A$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*cos[c + d*x])^3*(A + B*cos[c + d*x])*Sec[c + d*x]^6,x]

[Out] (15*(9*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(15*(9*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*Sec[c + d*x] + 30*a^2*(3*A*b + a*B)*Sec[c + d*x]^3 + 8*(15*(a^3*A + 3*a*A*b^2 + 3*a^2*b*B + b^3*B) + 5*a*(2*a^2*A + 3*A*b^2 + 3*a*b*B)*Tan[c + d*x]^2 + 3*a^3*A*Tan[c + d*x]^4)))/(120*d)

fricas [A] time = 0.86, size = 249, normalized size = 1.06

$$\frac{15(3Ba^3 + 9Aa^2b + 12Bab^2 + 4Ab^3)\cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(3Ba^3 + 9Aa^2b + 12Bab^2 + 4Ab^3)\cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(8(8Aa^3 + 30Ba^2b + 30Aa^2b^2 + 15Bb^3)\cos(dx + c)^4 + 24Aa^3 + 15(3Ba^3 + 9Aa^2b + 12Bab^2 + 4Ab^3)\cos(dx + c)^3 + 8(4Aa^3 + 15Ba^2b + 15Aa^2b^2)\cos(dx + c)^2 + 30(Ba^3 + 3Aa^2b)\cos(dx + c))\sin(dx + c)}{(d\cos(dx + c))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="fricas")

[Out] 1/240*(15*(3*B*a^3 + 9*A*a^2*b + 12*B*a*b^2 + 4*A*b^3)*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(3*B*a^3 + 9*A*a^2*b + 12*B*a*b^2 + 4*A*b^3)*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(8*(8*A*a^3 + 30*B*a^2*b + 30*A*a^2*b^2 + 15*B*b^3)*cos(d*x + c)^4 + 24*A*a^3 + 15*(3*B*a^3 + 9*A*a^2*b + 12*B*a*b^2 + 4*A*b^3)*cos(d*x + c)^3 + 8*(4*A*a^3 + 15*B*a^2*b + 15*A*a^2*b^2)*cos(d*x + c)^2 + 30*(B*a^3 + 3*A*a^2*b)*cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5)

giac [B] time = 0.89, size = 722, normalized size = 3.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="giac")

[Out] 1/120*(15*(3*B*a^3 + 9*A*a^2*b + 12*B*a*b^2 + 4*A*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(3*B*a^3 + 9*A*a^2*b + 12*B*a*b^2 + 4*A*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(120*A*a^3*tan(1/2*d*x + 1/2*c)^9 - 75*B*a^3*tan(1/2*d*x + 1/2*c)^9 - 225*A*a^2*b*tan(1/2*d*x + 1/2*c)^9 + 360*B*a^2*b*tan(1/2*d*x + 1/2*c)^9 + 360*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 - 180*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 - 60*A*b^3*tan(1/2*d*x + 1/2*c)^9 + 120*B*b^3*tan(1/2*d*x + 1/2*c)^9 - 160*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 30*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 90*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 - 960*B*a^2*b*tan(1/2*d*x + 1/2*c)^7 - 960*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 + 360*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 + 120*A*b^3*tan(1/2*d*x + 1/2*c)^7 - 480*B*b^3*tan(1/2*d*x + 1/2*c)^7 + 464*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 1200*B*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 1200*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 + 720*B*b^3*tan(1/2*d*x + 1/2*c)^5 - 160*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 30*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 90*A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 960*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 960*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 - 360*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 - 120*A*b^3*tan(1/2*d*x + 1/2*c)^3 - 480*B*b^3*tan(1/2*d*x + 1/2*c)^3 + 120*A*a^3*tan(1/2*d*x + 1/2*c) + 75*B*a^3*tan(1/2*d*x + 1/2*c) + 225*A*a^2*b*tan(1/2*d*x + 1/2*c) + 360*B*a^2*b*tan(1/2*d*x + 1/2*c) + 360*A*a^2*b^2*tan(1/2*d*x + 1/2*c) + 180*B*a^2*b^2*tan(1/2*d*x + 1/2*c) + 60*A*b^3*tan(1/2*d*x + 1/2*c) + 120*B*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5/d

maple [A] time = 0.15, size = 382, normalized size = 1.62

$$\frac{8Aa^3 \tan(dx + c)}{15d} + \frac{Aa^3 \tan(dx + c) (\sec^4(dx + c))}{5d} + \frac{4Aa^3 \tan(dx + c) (\sec^2(dx + c))}{15d} + \frac{a^3B \tan(dx + c) (\sec^2(dx + c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^6,x)`

[Out] $8/15/d*A*a^3*\tan(d*x+c)+1/5/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^4+4/15/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^2+1/4/d*a^3*B*\tan(d*x+c)*\sec(d*x+c)^3+3/8/d*a^3*B*\sec(d*x+c)*\tan(d*x+c)+3/8/d*a^3*B*\ln(\sec(d*x+c)+\tan(d*x+c))+3/4/d*A*a^2*b*\tan(d*x+c)*\sec(d*x+c)^3+9/8/d*A*a^2*b*\sec(d*x+c)*\tan(d*x+c)+9/8/d*A*a^2*b*\ln(\sec(d*x+c)+\tan(d*x+c))+2/d*a^2*b*B*\tan(d*x+c)+1/d*a^2*b*B*\tan(d*x+c)*\sec(d*x+c)^2+2/d*A*b^2*a*\tan(d*x+c)+1/d*A*a*b^2*\tan(d*x+c)*\sec(d*x+c)^2+3/2/d*B*a*b^2*\tan(d*x+c)*\sec(d*x+c)+3/2/d*B*b^2*a*\ln(\sec(d*x+c)+\tan(d*x+c))+1/2/d*A*b^3*\tan(d*x+c)*\sec(d*x+c)+1/2/d*A*b^3*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*b^3*B*\tan(d*x+c)$

maxima [A] time = 0.51, size = 341, normalized size = 1.44

$$16 \left(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right) Aa^3 + 240 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Ba^2b + 240 \left(\tan(dx + c) \right) Ab^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="maxima")`

[Out] $1/240*(16*(3*\tan(dx + c)^5 + 10*\tan(dx + c)^3 + 15*\tan(dx + c))*A*a^3 + 240*(\tan(dx + c)^3 + 3*\tan(dx + c))*B*a^2*b + 240*(\tan(dx + c)^3 + 3*\tan(dx + c))*A*a*b^2 - 15*B*a^3*(2*(3*\sin(dx + c)^3 - 5*\sin(dx + c)))/(\sin(dx + c)^4 - 2*\sin(dx + c)^2 + 1) - 3*\log(\sin(dx + c) + 1) + 3*\log(\sin(dx + c) - 1)) - 45*A*a^2*b*(2*(3*\sin(dx + c)^3 - 5*\sin(dx + c)))/(\sin(dx + c)^4 - 2*\sin(dx + c)^2 + 1) - 3*\log(\sin(dx + c) + 1) + 3*\log(\sin(dx + c) - 1)) - 180*B*a*b^2*(2*\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 60*A*b^3*(2*\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 240*B*b^3*\tan(dx + c))/d$

mupad [B] time = 3.89, size = 470, normalized size = 1.99

$$\frac{\operatorname{atanh}\left(\frac{4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\left(\frac{3Ba^3}{8} + \frac{9Aa^2b}{8} + \frac{3Bab^2}{2} + \frac{Ab^3}{2}\right)}{\frac{3Ba^3}{2} + \frac{9Aa^2b}{2} + 6Bab^2 + 2Ab^3}\right)\left(\frac{3Ba^3}{4} + \frac{9Aa^2b}{4} + 3Bab^2 + Ab^3\right)}{d} \left(2Aa^3 - Ab^3 - \frac{5Ba^3}{4} + 2Bb^3 + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/cos(c + d*x)^6,x)`

[Out] $(\operatorname{atanh}((4*\tan(c/2 + (d*x)/2))*((A*b^3)/2 + (3*B*a^3)/8 + (9*A*a^2*b)/8 + (3*B*a*b^2)/2)))/(2*A*b^3 + (3*B*a^3)/2 + (9*A*a^2*b)/2 + 6*B*a*b^2))*((A*b^3 + (3*B*a^3)/4 + (9*A*a^2*b)/4 + 3*B*a*b^2))/d - (\tan(c/2 + (d*x)/2)*(2*A*a^3 + A*b^3 + (5*B*a^3)/4 + 2*B*b^3 + 6*A*a*b^2 + (15*A*a^2*b)/4 + 3*B*a*b^2 + 6*B*a^2*b) + \tan(c/2 + (d*x)/2)^5*((116*A*a^3)/15 + 12*B*b^3 + 20*A*a*b^2 + 20*B*a^2*b) + \tan(c/2 + (d*x)/2)^9*(2*A*a^3 - A*b^3 - (5*B*a^3)/4 + 2*B*b^3 + 6*A*a*b^2 - (15*A*a^2*b)/4 - 3*B*a*b^2 + 6*B*a^2*b) - \tan(c/2 + (d*x)/2)^3*((8*A*a^3)/3 + 2*A*b^3 + (B*a^3)/2 + 8*B*b^3 + 16*A*a*b^2 + (3*A*a^2*b)/2 + 6*B*a*b^2 + 16*B*a^2*b) - \tan(c/2 + (d*x)/2)^7*((8*A*a^3)/3 - 2*A*b^3 - (B*a^3)/2 + 8*B*b^3 + 16*A*a*b^2 - (3*A*a^2*b)/2 - 6*B*a*b^2 + 16*B*a^2*b))/((d*(5*\tan(c/2 + (d*x)/2)^2 - 10*\tan(c/2 + (d*x)/2)^4 + 10*\tan(c/2 + (d*x)/2)^6 - 5*\tan(c/2 + (d*x)/2)^8 + \tan(c/2 + (d*x)/2)^10 - 1))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**6,x)

[Out] Timed out

3.240 $\int \cos^2(c+dx)(a+b \cos(c+dx))^4(A+B \cos(c+dx)) dx$

Optimal. Leaf size=366

$$\frac{b^2(31a^2B + 49aAb + 18b^2B) \sin(c+dx) \cos^4(c+dx)}{105d} + \frac{b(104a^3B + 224a^2Ab + 140ab^2B + 35Ab^3) \sin(c+dx)}{168d}$$

[Out] $\frac{1}{16}(8Aa^4 + 36Aa^2b^2 + 5Ab^4 + 24Ba^3b + 20Bab^3)x + \frac{1}{35}(140Aa^3b + 112Aa^2b^3 + 35Ba^4 + 168Ba^2b^2 + 24Bb^4) \sin(dx+c) / d + \frac{1}{16}(8Aa^4 + 36Aa^2b^2 + 5Ab^4 + 24Ba^3b + 20Bab^3) \cos(dx+c) \sin(dx+c) / d + \frac{1}{168}b(224Aa^2b + 35Ab^3 + 104Ba^3 + 140Bab^2) \cos(dx+c)^3 \sin(dx+c) / d + \frac{1}{105}b^2(49Aa^2b + 31Ba^2 + 18Bb^2) \cos(dx+c)^4 \sin(dx+c) / d + \frac{1}{42}b(7Ab + 10Ba) \cos(dx+c)^3 (a+b \cos(dx+c))^2 \sin(dx+c) / d + \frac{1}{7}bB \cos(dx+c)^3 (a+b \cos(dx+c))^3 \sin(dx+c) / d - \frac{1}{105}(140Aa^3b + 112Aa^2b^3 + 35Ba^4 + 168Ba^2b^2 + 24Bb^4) \sin(dx+c)^3 / d$

Rubi [A] time = 0.84, antiderivative size = 366, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {2990, 3049, 3033, 3023, 2748, 2635, 8, 2633}

$$\frac{(140a^3Ab + 168a^2b^2B + 35a^4B + 112aAb^3 + 24b^4B) \sin^3(c+dx)}{105d} + \frac{(140a^3Ab + 168a^2b^2B + 35a^4B + 112aAb^3)}{35d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + dx]^2(a + b \text{Cos}[c + dx])^4(A + B \text{Cos}[c + dx]), x]$

[Out] $((8a^4A + 36a^2Ab^2 + 5Ab^4 + 24a^3bB + 20ab^3B)x) / 16 + ((140a^3Ab + 112a^2b^3 + 35a^4B + 168a^2b^2B + 24b^4B) \text{Sin}[c + dx]) / (35d) + ((8a^4A + 36a^2Ab^2 + 5Ab^4 + 24a^3bB + 20ab^3B) \text{Cos}[c + dx] \text{Sin}[c + dx]) / (16d) + (b(224a^2Ab + 35Ab^3 + 104a^3B + 140ab^2B) \text{Cos}[c + dx]^3 \text{Sin}[c + dx]) / (168d) + (b^2(49a^2Ab + 31a^2B + 18b^2B) \text{Cos}[c + dx]^4 \text{Sin}[c + dx]) / (105d) + (b(7Ab + 10Ba) \text{Cos}[c + dx]^3 (a + b \text{Cos}[c + dx])^2 \text{Sin}[c + dx]) / (42d) + (bB \text{Cos}[c + dx]^3 (a + b \text{Cos}[c + dx])^3 \text{Sin}[c + dx]) / (7d) - ((140a^3Ab + 112a^2b^3 + 35a^4B + 168a^2b^2B + 24b^4B) \text{Sin}[c + dx]^3) / (105d)$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)(x_)]^{(n_)}, x_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{((n-1)/2)}, x], x], x, \text{Cos}[c + dx]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[(n-1)/2, 0]$

Rule 2635

$\text{Int}[(b_.) \sin[(c_.) + (d_.)(x_)]^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b \text{Cos}[c + dx]) (b \text{Sin}[c + dx])^{(n-1)}] / (d*n), x] + \text{Dist}[(b^2(n-1)) / n, \text{Int}[(b \text{Sin}[c + dx])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 2748

$\text{Int}[(b_.) \sin[(e_.) + (f_.)(x_)]^{(m_)}((c_.) + (d_.) \sin[(e_.) + (f_.)(x_)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b \text{Sin}[e + f*x])^m], x] + \text{Dist}[d/b, \text{Int}[($

$b \sin[e + f x]^{m+1}, x, x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2990

$\text{Int}[(a_.) + (b_.) \sin[(e_.) + (f_.)(x_.)]^{(m_.)} * ((A_.) + (B_.) \sin[(e_.) + (f_.)(x_.)]) * ((c_.) + (d_.) \sin[(e_.) + (f_.)(x_.)]^{(n_.)}), x_Symbol] :> -\text{Simp}[(b*B \cos[e + f x] * (a + b \sin[e + f x])^{(m-1)} * (c + d \sin[e + f x])^{(n+1)}) / (d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b \sin[e + f x])^{(m-2)} * (c + d \sin[e + f x])^n * \text{Simp}[a^2*A*d*(m+n+1) + b*B*(b*c*(m-1) + a*d*(n+1)) + (a*d*(2*A*b + a*B)*(m+n+1) - b*B*(a*c - b*d*(m+n)))*\sin[e + f x] + b*(A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*\sin[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !(\text{IGtQ}[n, 1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]))))$

Rule 3023

$\text{Int}[(a_.) + (b_.) \sin[(e_.) + (f_.)(x_.)]^{(m_.)} * ((A_.) + (B_.) \sin[(e_.) + (f_.)(x_.)] + (C_.) \sin[(e_.) + (f_.)(x_.)]^2), x_Symbol] :> -\text{Simp}[(C*\cos[e + f x] * (a + b \sin[e + f x])^{(m+1)}) / (b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b \sin[e + f x])^m * \text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\sin[e + f x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

Rule 3033

$\text{Int}[(a_.) + (b_.) \sin[(e_.) + (f_.)(x_.)]^{(m_.)} * ((c_.) + (d_.) \sin[(e_.) + (f_.)(x_.)] * ((A_.) + (B_.) \sin[(e_.) + (f_.)(x_.)] + (C_.) \sin[(e_.) + (f_.)(x_.)]^2), x_Symbol] :> -\text{Simp}[(C*d*\cos[e + f x] * \sin[e + f x] * (a + b \sin[e + f x])^{(m+1)}) / (b*f*(m+3)), x] + \text{Dist}[1/(b*(m+3)), \text{Int}[(a + b \sin[e + f x])^m * \text{Simp}[a*C*d + A*b*c*(m+3) + b*(B*c*(m+3) + d*(C*(m+2) + A*(m+3)))*\sin[e + f x] - (2*a*C*d - b*(c*C + B*d)*(m+3))*\sin[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -1]$

Rule 3049

$\text{Int}[(a_.) + (b_.) \sin[(e_.) + (f_.)(x_.)]^{(m_.)} * ((c_.) + (d_.) \sin[(e_.) + (f_.)(x_.)]^{(n_.)} * ((A_.) + (B_.) \sin[(e_.) + (f_.)(x_.)] + (C_.) \sin[(e_.) + (f_.)(x_.)]^2), x_Symbol] :> -\text{Simp}[(C*\cos[e + f x] * (a + b \sin[e + f x])^m * (c + d \sin[e + f x])^{(n+1)}) / (d*f*(m+n+2)), x] + \text{Dist}[1/(d*(m+n+2)), \text{Int}[(a + b \sin[e + f x])^{(m-1)} * (c + d \sin[e + f x])^n * \text{Simp}[a*A*d*(m+n+2) + C*(b*c*m + a*d*(n+1)) + (d*(A*b + a*B)*(m+n+2) - C*(a*c - b*d*(m+n+1)))*\sin[e + f x] + (C*(a*d*m - b*c*(m+1)) + b*B*d*(m+n+2))*\sin[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 0] \&\& !(\text{IGtQ}[n, 0] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]))))$

Rubi steps

$$\begin{aligned}
\int \cos^2(c+dx)(a+b\cos(c+dx))^4(A+B\cos(c+dx))dx &= \frac{bB\cos^3(c+dx)(a+b\cos(c+dx))^3\sin(c+dx)}{7d} + \frac{1}{7} \\
&= \frac{b(7Ab+10aB)\cos^3(c+dx)(a+b\cos(c+dx))^2\sin(c+dx)}{42d} \\
&= \frac{b^2(49aAb+31a^2B+18b^2B)\cos^4(c+dx)\sin(c+dx)}{105d} \\
&= \frac{b(224a^2Ab+35Ab^3+104a^3B+140ab^2B)\cos^3(c+dx)}{168d} \\
&= \frac{b(224a^2Ab+35Ab^3+104a^3B+140ab^2B)\cos^3(c+dx)}{168d} \\
&= \frac{(8a^4A+36a^2Ab^2+5Ab^4+24a^3bB+20ab^3B)\cos(c+dx)}{16d} \\
&= \frac{1}{16}(8a^4A+36a^2Ab^2+5Ab^4+24a^3bB+20ab^3B)x
\end{aligned}$$

Mathematica [A] time = 0.88, size = 408, normalized size = 1.11

$$\frac{3360a^4Ac + 3360a^4Adx + 560a^4B\sin(3(c+dx)) + 2240a^3Ab\sin(3(c+dx)) + 840a^3bB\sin(4(c+dx)) + 10080a^3b^2B\sin(5(c+dx))}{6720}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d*x]^2*(a+b*Cos[c+d*x])^4*(A+B*Cos[c+d*x]),x]

[Out] (3360*a^4*A*c + 15120*a^2*A*b^2*c + 2100*A*b^4*c + 10080*a^3*b*B*c + 8400*a*b^3*B*c + 3360*a^4*A*d*x + 15120*a^2*A*b^2*d*x + 2100*A*b^4*d*x + 10080*a^3*b*B*d*x + 8400*a*b^3*B*d*x + 105*(192*a^3*A*b + 160*a*A*b^3 + 48*a^4*B + 240*a^2*b^2*B + 35*b^4*B)*Sin[c+d*x] + 105*(16*a^4*A + 96*a^2*A*b^2 + 15*A*b^4 + 64*a^3*b*B + 60*a*b^3*B)*Sin[2*(c+d*x)] + 2240*a^3*A*b*Ssin[3*(c+d*x)] + 2800*a*A*b^3*Ssin[3*(c+d*x)] + 560*a^4*B*Ssin[3*(c+d*x)] + 4200*a^2*b^2*B*Ssin[3*(c+d*x)] + 735*b^4*B*Ssin[3*(c+d*x)] + 1260*a^2*A*b^2*Ssin[4*(c+d*x)] + 315*A*b^4*Ssin[4*(c+d*x)] + 840*a^3*b*B*Ssin[4*(c+d*x)] + 1260*a*b^3*B*Ssin[4*(c+d*x)] + 336*a*A*b^3*Ssin[5*(c+d*x)] + 504*a^2*b^2*B*Ssin[5*(c+d*x)] + 147*b^4*B*Ssin[5*(c+d*x)] + 35*A*b^4*Ssin[6*(c+d*x)] + 140*a*b^3*B*Ssin[6*(c+d*x)] + 15*b^4*B*Ssin[7*(c+d*x)])/(6720*d)

fricas [A] time = 1.60, size = 289, normalized size = 0.79

$$\frac{105(8Aa^4 + 24Ba^3b + 36Aa^2b^2 + 20Bab^3 + 5Ab^4)dx + (240Bb^4\cos(dx+c)^6 + 280(4Bab^3 + Ab^4)\cos(dx+c)^5 + 1120Bb^4 + 4480Aa^3b + 5376Bb^4 + 3584Aa^2b^2 + 768Bb^4 + 96(21Bb^4 + 14Aa^2b^2 + 14Aa^2b^2 + 3Bb^4)\cos(dx+c)^4 + 70(24Bb^4 + 36Aa^2b^2 + 20Bb^4 + 5Aa^2b^2 + 5Aa^2b^2)\cos(dx+c)^3 + 16(35Bb^4 + 140Aa^3b + 168Bb^4 + 112Aa^2b^2 + 24Bb^4)\cos(dx+c)^2 + 105(8Aa^4 + 24Bb^4 + 36Aa^2b^2 + 20Bb^4 + 5Aa^2b^2)\cos(dx+c))\sin(dx+c)}{6720}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/1680*(105*(8*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 20*B*a*b^3 + 5*A*b^4)*d*x + (240*B*b^4*cos(d*x + c)^6 + 280*(4*B*a*b^3 + A*b^4)*cos(d*x + c)^5 + 1120*B*b^4 + 4480*A*a^3*b + 5376*B*b^4 + 3584*A*a^2*b^2 + 768*B*b^4 + 96*(21*B*b^4 + 14*A*a^2*b^2 + 14*A*a^2*b^2 + 3*B*b^4)*cos(d*x + c)^4 + 70*(24*B*b^4 + 36*A*a^2*b^2 + 20*B*b^4 + 5*A*a^2*b^2 + 5*A*a^2*b^2)*cos(d*x + c)^3 + 16*(35*B*b^4 + 140*A*a^3*b + 168*B*b^4 + 112*A*a^2*b^2 + 24*B*b^4)*cos(d*x + c)^2 + 105*(8*A*a^4 + 24*B*b^4 + 36*A*a^2*b^2 + 20*B*b^4 + 5*A*a^2*b^2)*cos(d*x + c))*sin(d*x + c))/d

giac [A] time = 0.52, size = 313, normalized size = 0.86

$$\frac{Bb^4 \sin(7dx + 7c)}{448d} + \frac{1}{16} (8Aa^4 + 24Ba^3b + 36Aa^2b^2 + 20Bab^3 + 5Ab^4)x + \frac{(4Bab^3 + Ab^4) \sin(6dx + 6c)}{192d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/448*B*b^4*sin(7*d*x + 7*c)/d + 1/16*(8*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 20*B*a*b^3 + 5*A*b^4)*x + 1/192*(4*B*a*b^3 + A*b^4)*sin(6*d*x + 6*c)/d + 1/320*(24*B*a^2*b^2 + 16*A*a*b^3 + 7*B*b^4)*sin(5*d*x + 5*c)/d + 1/64*(8*B*a^3*b + 12*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*sin(4*d*x + 4*c)/d + 1/192*(16*B*a^4 + 64*A*a^3*b + 120*B*a^2*b^2 + 80*A*a*b^3 + 21*B*b^4)*sin(3*d*x + 3*c)/d + 1/64*(16*A*a^4 + 64*B*a^3*b + 96*A*a^2*b^2 + 60*B*a*b^3 + 15*A*b^4)*sin(2*d*x + 2*c)/d + 1/64*(48*B*a^4 + 192*A*a^3*b + 240*B*a^2*b^2 + 160*A*a*b^3 + 35*B*b^4)*sin(d*x + c)/d

maple [A] time = 0.06, size = 368, normalized size = 1.01

$$A a^4 \left(\frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + \frac{a^4 B (2 + \cos^2(dx+c)) \sin(dx+c)}{3} + \frac{4A a^3 b (2 + \cos^2(dx+c)) \sin(dx+c)}{3} + 4B a^3 b \left(\frac{\cos^3(dx+c) + 3\cos(dx+c)}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x)

[Out] 1/d*(A*a^4*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+1/3*a^4*B*(2+cos(d*x+c))^2)*sin(d*x+c)+4/3*A*a^3*b*(2+cos(d*x+c))^2)*sin(d*x+c)+4*B*a^3*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+6*A*a^2*b^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+6/5*B*a^2*b^2*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+4/5*A*a*b^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+4*B*a*b^3*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+A*b^4*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+1/7*B*b^4*(16/5+cos(d*x+c)^6+6/5*cos(d*x+c)^4+8/5*cos(d*x+c)^2)*sin(d*x+c))

maxima [A] time = 0.39, size = 366, normalized size = 1.00

$$1680(2dx + 2c + \sin(2dx + 2c))Aa^4 - 2240(\sin(dx + c)^3 - 3\sin(dx + c))Ba^4 - 8960(\sin(dx + c)^3 - 3\sin(dx + c))Aa^3b + 840(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))B*a^3*b + 1260(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))*A*a^2*b^2 + 2688(3*\sin(dx + c)^5 - 10*\sin(dx + c)^3 + 15*\sin(dx + c))*B*a^2*b^2 + 1792(3*\sin(dx + c)^5 - 10*\sin(dx + c)^3 + 15*\sin(dx + c))*A*a*b^3 - 140(4*\sin(2dx + 2c)^3 - 60*d*x - 60*c - 9*\sin(4dx + 4c) - 48*\sin(2dx + 2c))*B*a*b^3 - 35(4*\sin(2dx + 2c)^3 - 60*d*x - 60*c - 9*\sin(4dx + 4c) - 48*\sin(2dx + 2c))*A*b^4 - 192(5*\sin(dx + c)^7 - 21*\sin(dx + c)^5 + 35*\sin(dx + c)^3 - 35*\sin(dx + c))*B*b^4)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] 1/6720*(1680*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^4 - 2240*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^4 - 8960*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3*b + 840*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^3*b + 1260*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2*b^2 + 2688*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^2*b^2 + 1792*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a*b^3 - 140*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*B*a*b^3 - 35*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*b^4 - 192*(5*sin(d*x + c)^7 - 21*sin(d*x + c)^5 + 35*sin(d*x + c)^3 - 35*sin(d*x + c))*B*b^4)/d

mupad [B] time = 2.64, size = 436, normalized size = 1.19

$$\frac{420 A a^4 \sin(2c + 2dx) + \frac{1575 A b^4 \sin(2c+2dx)}{4} + 140 B a^4 \sin(3c + 3dx) + \frac{315 A b^4 \sin(4c+4dx)}{4} + \frac{35 A b^4 \sin(6c+6dx)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^4,x)`

[Out] `(420*A*a^4*sin(2*c + 2*d*x) + (1575*A*b^4*sin(2*c + 2*d*x))/4 + 140*B*a^4*sin(3*c + 3*d*x) + (315*A*b^4*sin(4*c + 4*d*x))/4 + (35*A*b^4*sin(6*c + 6*d*x))/4 + (735*B*b^4*sin(3*c + 3*d*x))/4 + (147*B*b^4*sin(5*c + 5*d*x))/4 + (15*B*b^4*sin(7*c + 7*d*x))/4 + 1260*B*a^4*sin(c + d*x) + (3675*B*b^4*sin(c + d*x))/4 + 4200*A*a*b^3*sin(c + d*x) + 5040*A*a^3*b*sin(c + d*x) + 840*A*a^4*d*x + 525*A*b^4*d*x + 700*A*a*b^3*sin(3*c + 3*d*x) + 560*A*a^3*b*sin(3*c + 3*d*x) + 84*A*a*b^3*sin(5*c + 5*d*x) + 1575*B*a*b^3*sin(2*c + 2*d*x) + 1680*B*a^3*b*sin(2*c + 2*d*x) + 315*B*a*b^3*sin(4*c + 4*d*x) + 210*B*a^3*b*sin(4*c + 4*d*x) + 35*B*a*b^3*sin(6*c + 6*d*x) + 6300*B*a^2*b^2*sin(c + d*x) + 2520*A*a^2*b^2*sin(2*c + 2*d*x) + 315*A*a^2*b^2*sin(4*c + 4*d*x) + 1050*B*a^2*b^2*sin(3*c + 3*d*x) + 126*B*a^2*b^2*sin(5*c + 5*d*x) + 2100*B*a*b^3*d*x + 2520*B*a^3*b*d*x + 3780*A*a^2*b^2*d*x)/(1680*d)`

sympy [A] time = 8.20, size = 1017, normalized size = 2.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**4*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise((A*a**4*x*sin(c + d*x)**2/2 + A*a**4*x*cos(c + d*x)**2/2 + A*a**4*sin(c + d*x)*cos(c + d*x)/(2*d) + 8*A*a**3*b*sin(c + d*x)**3/(3*d) + 4*A*a**3*b*sin(c + d*x)*cos(c + d*x)**2/d + 9*A*a**2*b**2*x*sin(c + d*x)**4/4 + 9*A*a**2*b**2*x*sin(c + d*x)**2*cos(c + d*x)**2/2 + 9*A*a**2*b**2*x*cos(c + d*x)**4/4 + 9*A*a**2*b**2*sin(c + d*x)**3*cos(c + d*x)/(4*d) + 15*A*a**2*b**2*sin(c + d*x)*cos(c + d*x)**3/(4*d) + 32*A*a*b**3*sin(c + d*x)**5/(15*d) + 16*A*a*b**3*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 4*A*a*b**3*sin(c + d*x)*cos(c + d*x)**4/d + 5*A*b**4*x*sin(c + d*x)**6/16 + 15*A*b**4*x*sin(c + d*x)**4*cos(c + d*x)**2/16 + 15*A*b**4*x*sin(c + d*x)**2*cos(c + d*x)**4/16 + 5*A*b**4*x*cos(c + d*x)**6/16 + 5*A*b**4*sin(c + d*x)**5*cos(c + d*x)/(16*d) + 5*A*b**4*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 11*A*b**4*sin(c + d*x)*cos(c + d*x)**5/(16*d) + 2*B*a**4*sin(c + d*x)**3/(3*d) + B*a**4*sin(c + d*x)*cos(c + d*x)**2/d + 3*B*a**3*b*x*sin(c + d*x)**4/2 + 3*B*a**3*b*x*sin(c + d*x)**2*cos(c + d*x)**2 + 3*B*a**3*b*x*cos(c + d*x)**4/2 + 3*B*a**3*b*sin(c + d*x)**3*cos(c + d*x)/(2*d) + 5*B*a**3*b*sin(c + d*x)*cos(c + d*x)**3/(2*d) + 16*B*a**2*b**2*sin(c + d*x)**5/(5*d) + 8*B*a**2*b**2*sin(c + d*x)**3*cos(c + d*x)**2/d + 6*B*a**2*b**2*sin(c + d*x)*cos(c + d*x)**4/d + 5*B*a*b**3*x*sin(c + d*x)**6/4 + 15*B*a*b**3*x*sin(c + d*x)**4*cos(c + d*x)**2/4 + 15*B*a*b**3*x*sin(c + d*x)**2*cos(c + d*x)**4/4 + 5*B*a*b**3*x*cos(c + d*x)**6/4 + 5*B*a*b**3*sin(c + d*x)**5*cos(c + d*x)/(4*d) + 10*B*a*b**3*sin(c + d*x)**3*cos(c + d*x)**3/(3*d) + 11*B*a*b**3*sin(c + d*x)*cos(c + d*x)**5/(4*d) + 16*B*b**4*sin(c + d*x)**7/(35*d) + 8*B*b**4*sin(c + d*x)**5*cos(c + d*x)**2/(5*d) + 2*B*b**4*sin(c + d*x)**3*cos(c + d*x)**4/d + B*b**4*sin(c + d*x)*cos(c + d*x)**6/d, Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))**4*cos(c)**2, True))`

3.241 $\int \cos(c+dx)(a+b\cos(c+dx))^4(A+B\cos(c+dx)) dx$

Optimal. Leaf size=325

$$\frac{(-4a^2B + 24aAb + 25b^2B) \sin(c+dx)(a+b\cos(c+dx))^3}{120bd} + \frac{(-4a^3B + 24a^2Ab + 53ab^2B + 32Ab^3) \sin(c+dx)}{120bd}$$

[Out] 1/16*(32*A*a^3*b+24*A*a*b^3+8*B*a^4+36*B*a^2*b^2+5*B*b^4)*x+1/60*(24*A*a^4*b+224*A*a^2*b^3+32*A*b^5-4*B*a^5+121*B*a^3*b^2+128*B*a*b^4)*sin(d*x+c)/b/d+1/240*(48*A*a^3*b+232*A*a*b^3-8*B*a^4+178*B*a^2*b^2+75*B*b^4)*cos(d*x+c)*sin(d*x+c)/d+1/120*(24*A*a^2*b+32*A*b^3-4*B*a^3+53*B*a*b^2)*(a+b*cos(d*x+c))^2*sin(d*x+c)/b/d+1/120*(24*A*a*b-4*B*a^2+25*B*b^2)*(a+b*cos(d*x+c))^3*sin(d*x+c)/b/d+1/30*(6*A*b-B*a)*(a+b*cos(d*x+c))^4*sin(d*x+c)/b/d+1/6*B*(a+b*cos(d*x+c))^5*sin(d*x+c)/b/d

Rubi [A] time = 0.51, antiderivative size = 325, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2968, 3023, 2753, 2734}

$$\frac{(224a^2Ab^3 + 24a^4Ab + 121a^3b^2B - 4a^5B + 128ab^4B + 32Ab^5) \sin(c+dx)}{60bd} + \frac{(-4a^2B + 24aAb + 25b^2B) \sin(c+dx)}{120bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x]),x]

[Out] ((32*a^3*A*b + 24*a*A*b^3 + 8*a^4*B + 36*a^2*b^2*B + 5*b^4*B)*x)/16 + ((24*a^4*A*b + 224*a^2*A*b^3 + 32*A*b^5 - 4*a^5*B + 121*a^3*b^2*B + 128*a*b^4*B)*Sin[c + d*x])/(60*b*d) + ((48*a^3*A*b + 232*a*A*b^3 - 8*a^4*B + 178*a^2*b^2*B + 75*b^4*B)*Cos[c + d*x]*Sin[c + d*x])/(240*d) + ((24*a^2*A*b + 32*A*b^3 - 4*a^3*B + 53*a*b^2*B)*(a + b*Cos[c + d*x])^2*Ssin[c + d*x])/(120*b*d) + ((24*a*A*b - 4*a^2*B + 25*b^2*B)*(a + b*Cos[c + d*x])^3*Ssin[c + d*x])/(120*b*d) + ((6*A*b - a*B)*(a + b*Cos[c + d*x])^4*Ssin[c + d*x])/(30*b*d) + (B*(a + b*Cos[c + d*x])^5*Ssin[c + d*x])/(6*b*d)

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2753

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Ssin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Ssin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Ssin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \cos(c + dx))^4(A + B \cos(c + dx)) dx &= \int (a + b \cos(c + dx))^4 (A \cos(c + dx) + B \cos^2(c + dx)) dx \\ &= \frac{B(a + b \cos(c + dx))^5 \sin(c + dx)}{6bd} + \frac{\int (a + b \cos(c + dx))^4 A dx}{6bd} \\ &= \frac{(6Ab - aB)(a + b \cos(c + dx))^4 \sin(c + dx)}{30bd} + \frac{B(a + b \cos(c + dx))^5}{30bd} \\ &= \frac{(24aAb - 4a^2B + 25b^2B)(a + b \cos(c + dx))^3 \sin(c + dx)}{120bd} + \frac{B(a + b \cos(c + dx))^5}{120bd} \\ &= \frac{(24a^2Ab + 32Ab^3 - 4a^3B + 53ab^2B)(a + b \cos(c + dx))^2 \sin(c + dx)}{120bd} + \frac{B(a + b \cos(c + dx))^5}{120bd} \\ &= \frac{1}{16} (32a^3Ab + 24aAb^3 + 8a^4B + 36a^2b^2B + 5b^4B) x - \frac{B(a + b \cos(c + dx))^5}{120bd} \end{aligned}$$

Mathematica [A] time = 1.16, size = 333, normalized size = 1.02

$$\frac{480a^4Bc + 480a^4Bdx + 1920a^3Abc + 1920a^3Abdx + 320a^3bB \sin(3(c + dx)) + 480a^2Ab^2 \sin(3(c + dx)) + 180a^2b^3 \sin(3(c + dx))}{120bd}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x]),x]

[Out] (1920*a^3*A*b*c + 1440*a*A*b^3*c + 480*a^4*B*c + 2160*a^2*b^2*B*c + 300*b^4*B*c + 1920*a^3*A*b*d*x + 1440*a*A*b^3*d*x + 480*a^4*B*d*x + 2160*a^2*b^2*B*d*x + 300*b^4*B*d*x + 120*(8*a^4*A + 36*a^2*A*b^2 + 5*A*b^4 + 24*a^3*b*B + 20*a*b^3*B)*Sin[c + d*x] + 15*(64*a^3*A*b + 64*a*A*b^3 + 16*a^4*B + 96*a^2*b^2*B + 15*b^4*B)*Sin[2*(c + d*x)] + 480*a^2*A*b^2*Ssin[3*(c + d*x)] + 100*A*b^4*Ssin[3*(c + d*x)] + 320*a^3*b*B*Ssin[3*(c + d*x)] + 400*a*b^3*B*Ssin[3*(c + d*x)] + 120*a*A*b^3*Ssin[4*(c + d*x)] + 180*a^2*b^2*B*Ssin[4*(c + d*x)] + 45*b^4*B*Ssin[4*(c + d*x)] + 12*A*b^4*Ssin[5*(c + d*x)] + 48*a*b^3*B*Ssin[5*(c + d*x)] + 5*b^4*B*Ssin[6*(c + d*x)])/(960*d)

fricas [A] time = 0.85, size = 243, normalized size = 0.75

$$\frac{15(8Ba^4 + 32Aa^3b + 36Ba^2b^2 + 24Aab^3 + 5Bb^4)dx + (40Bb^4 \cos(dx + c)^5 + 240Aa^4 + 640Ba^3b + 960Aa^2b^2 + 480Aab^3 + 120Aa^3b^2 + 480Aa^2b^3 + 120Aab^4 + 480Aa^2b^2 + 480Aab^3 + 120Aa^3b^2 + 480Aa^2b^3 + 120Aab^4) \cos(dx + c)^4 + 10(36Bb^4 + 480Aa^3b + 120Aa^2b^2 + 480Aab^3 + 120Aa^3b^2 + 480Aa^2b^3 + 120Aab^4) \cos(dx + c)^3 + 10(36Bb^4 + 480Aa^3b + 120Aa^2b^2 + 480Aab^3 + 120Aa^3b^2 + 480Aa^2b^3 + 120Aab^4) \cos(dx + c)^2 + 10(36Bb^4 + 480Aa^3b + 120Aa^2b^2 + 480Aab^3 + 120Aa^3b^2 + 480Aa^2b^3 + 120Aab^4) \cos(dx + c) + 10(36Bb^4 + 480Aa^3b + 120Aa^2b^2 + 480Aab^3 + 120Aa^3b^2 + 480Aa^2b^3 + 120Aab^4) \cos(dx + c)}{120bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/240*(15*(8*B*a^4 + 32*A*a^3*b + 36*B*a^2*b^2 + 24*A*a*b^3 + 5*B*b^4)*d*x + (40*B*b^4*cos(d*x + c)^5 + 240*A*a^4 + 640*B*a^3*b + 960*A*a^2*b^2 + 512*B*a*b^3 + 128*A*b^4 + 48*(4*B*a*b^3 + A*b^4)*cos(d*x + c)^4 + 10*(36*B*a^2*b^2 + 480*A*a^3*b + 120*A*a^2*b^2 + 480*Aab^3 + 120*Aa^3b^2 + 480*Aa^2b^3 + 120*Aab^4)cos(d*x + c)^3 + 10*(36*Bb^4 + 480Aa^3b + 120Aa^2b^2 + 480Aab^3 + 120Aa^3b^2 + 480Aa^2b^3 + 120Aab^4)cos(d*x + c)^2 + 10*(36*Bb^4 + 480Aa^3b + 120Aa^2b^2 + 480Aab^3 + 120Aa^3b^2 + 480Aa^2b^3 + 120Aab^4)cos(d*x + c) + 10*(36*Bb^4 + 480Aa^3b + 120Aa^2b^2 + 480Aab^3 + 120Aa^3b^2 + 480Aa^2b^3 + 120Aab^4)cos(d*x + c))

$$b^2 + 24Aa^2b^3 + 5Bb^4) \cos(dx + c)^3 + 32(10Ba^3b + 15Aa^2b^2 + 8Ba^2b^3 + 2Aa^2b^4) \cos(dx + c)^2 + 15(8Ba^4 + 32Aa^3b + 36Ba^2b^2 + 24Aa^2b^3 + 5Bb^4) \cos(dx + c) \sin(dx + c) / d$$

giac [A] time = 0.47, size = 263, normalized size = 0.81

$$\frac{Bb^4 \sin(6dx + 6c)}{192d} + \frac{1}{16} (8Ba^4 + 32Aa^3b + 36Ba^2b^2 + 24Aab^3 + 5Bb^4)x + \frac{(4Bab^3 + Ab^4) \sin(5dx + 5c)}{80d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(a+b*cos(dx+c))^4*(A+B*cos(dx+c)),x, algorithm="giac")

[Out] 1/192*B*b^4*sin(6*d*x + 6*c)/d + 1/16*(8*B*a^4 + 32*A*a^3*b + 36*B*a^2*b^2 + 24*A*a*b^3 + 5*B*b^4)*x + 1/80*(4*B*a*b^3 + A*b^4)*sin(5*d*x + 5*c)/d + 1/64*(12*B*a^2*b^2 + 8*A*a*b^3 + 3*B*b^4)*sin(4*d*x + 4*c)/d + 1/48*(16*B*a^3*b + 24*A*a^2*b^2 + 20*B*a*b^3 + 5*A*b^4)*sin(3*d*x + 3*c)/d + 1/64*(16*B*a^4 + 64*A*a^3*b + 96*B*a^2*b^2 + 64*A*a*b^3 + 15*B*b^4)*sin(2*d*x + 2*c)/d + 1/8*(8*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 20*B*a*b^3 + 5*A*b^4)*sin(dx + c)/d

maple [A] time = 0.06, size = 316, normalized size = 0.97

$$A a^4 \sin(dx + c) + a^4 B \left(\frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 4A a^3 b \left(\frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + \frac{4B a^3 b (2 + \cos^2(dx+c)) \sin(dx+c)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)*(a+b*cos(dx+c))^4*(A+B*cos(dx+c)),x)

[Out] 1/d*(A*a^4*sin(dx+c)+a^4*B*(1/2*cos(dx+c)*sin(dx+c)+1/2*d*x+1/2*c)+4*A*a^3*b*(1/2*cos(dx+c)*sin(dx+c)+1/2*d*x+1/2*c)+4/3*B*a^3*b*(2+cos(dx+c)^2)*sin(dx+c)+2*A*a^2*b^2*(2+cos(dx+c)^2)*sin(dx+c)+6*B*a^2*b^2*(1/4*(cos(dx+c)^3+3/2*cos(dx+c))*sin(dx+c)+3/8*d*x+3/8*c)+4*A*a*b^3*(1/4*(cos(dx+c)^3+3/2*cos(dx+c))*sin(dx+c)+3/8*d*x+3/8*c)+4/5*B*a*b^3*(8/3+cos(dx+c)^4+4/3*cos(dx+c)^2)*sin(dx+c)+1/5*A*b^4*(8/3+cos(dx+c)^4+4/3*cos(dx+c)^2)*sin(dx+c)+B*b^4*(1/6*(cos(dx+c)^5+5/4*cos(dx+c)^3+15/8*cos(dx+c))*sin(dx+c)+5/16*d*x+5/16*c))

maxima [A] time = 0.48, size = 307, normalized size = 0.94

$$240(2dx + 2c + \sin(2dx + 2c))Ba^4 + 960(2dx + 2c + \sin(2dx + 2c))Aa^3b - 1280(\sin(dx + c)^3 - 3\sin(dx + c))Bb^4 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(a+b*cos(dx+c))^4*(A+B*cos(dx+c)),x, algorithm="maxima")

[Out] 1/960*(240*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^4 + 960*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3*b - 1280*(sin(dx + c)^3 - 3*sin(dx + c))*B*a^3*b - 1920*(sin(dx + c)^3 - 3*sin(dx + c))*A*a^2*b^2 + 180*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2*b^2 + 120*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a*b^3 + 256*(3*sin(dx + c)^5 - 10*sin(dx + c)^3 + 15*sin(dx + c))*B*a*b^3 + 64*(3*sin(dx + c)^5 - 10*sin(dx + c)^3 + 15*sin(dx + c))*A*b^4 - 5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*B*b^4 + 960*A*a^4*sin(dx + c))/d

mupad [B] time = 1.37, size = 403, normalized size = 1.24

$$\frac{B a^4 x}{2} + \frac{5 B b^4 x}{16} + \frac{3 A a b^3 x}{2} + 2 A a^3 b x + \frac{A a^4 \sin(c + d x)}{d} + \frac{5 A b^4 \sin(c + d x)}{8 d} + \frac{9 B a^2 b^2 x}{4} + \frac{B a^4 \sin(2 c + 2 d x)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^4,x)`

[Out] $(B*a^4*x)/2 + (5*B*b^4*x)/16 + (3*A*a*b^3*x)/2 + 2*A*a^3*b*x + (A*a^4*\sin(c + d*x))/d + (5*A*b^4*\sin(c + d*x))/(8*d) + (9*B*a^2*b^2*x)/4 + (B*a^4*\sin(2*c + 2*d*x))/(4*d) + (5*A*b^4*\sin(3*c + 3*d*x))/(48*d) + (A*b^4*\sin(5*c + 5*d*x))/(80*d) + (15*B*b^4*\sin(2*c + 2*d*x))/(64*d) + (3*B*b^4*\sin(4*c + 4*d*x))/(64*d) + (B*b^4*\sin(6*c + 6*d*x))/(192*d) + (A*a*b^3*\sin(2*c + 2*d*x))/d + (A*a^3*b*\sin(2*c + 2*d*x))/d + (A*a*b^3*\sin(4*c + 4*d*x))/(8*d) + (9*A*a^2*b^2*\sin(c + d*x))/(2*d) + (5*B*a*b^3*\sin(3*c + 3*d*x))/(12*d) + (B*a^3*b*\sin(3*c + 3*d*x))/(3*d) + (B*a*b^3*\sin(5*c + 5*d*x))/(20*d) + (A*a^2*b^2*\sin(3*c + 3*d*x))/(2*d) + (3*B*a^2*b^2*\sin(2*c + 2*d*x))/(2*d) + (3*B*a^2*b^2*\sin(4*c + 4*d*x))/(16*d) + (5*B*a*b^3*\sin(c + d*x))/(2*d) + (3*B*a^3*b*\sin(c + d*x))/d$

sympy [A] time = 4.99, size = 811, normalized size = 2.50

$$\left\{ \begin{array}{l} \frac{A a^4 \sin(c+d x)}{d} + 2 A a^3 b x \sin^2(c+d x) + 2 A a^3 b x \cos^2(c+d x) + \frac{2 A a^3 b \sin(c+d x) \cos(c+d x)}{d} + \frac{4 A a^2 b^2 \sin^3(c+d x)}{d} + \frac{6 A a^2 b^2 \sin^3(c+d x)}{d} \\ x(A+B \cos(c))(a+b \cos(c))^4 \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*cos(d*x+c))**4*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise((A*a**4*sin(c + d*x)/d + 2*A*a**3*b*x*sin(c + d*x)**2 + 2*A*a**3*b*x*cos(c + d*x)**2 + 2*A*a**3*b*sin(c + d*x)*cos(c + d*x)/d + 4*A*a**2*b**2*sin(c + d*x)**3/d + 6*A*a**2*b**2*sin(c + d*x)*cos(c + d*x)**2/d + 3*A*a*b**3*x*sin(c + d*x)**4/2 + 3*A*a*b**3*x*sin(c + d*x)**2*cos(c + d*x)**2 + 3*A*a*b**3*x*cos(c + d*x)**4/2 + 3*A*a*b**3*sin(c + d*x)**3*cos(c + d*x)/(2*d) + 5*A*a*b**3*sin(c + d*x)*cos(c + d*x)**3/(2*d) + 8*A*b**4*sin(c + d*x)**5/(15*d) + 4*A*b**4*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + A*b**4*sin(c + d*x)*cos(c + d*x)**4/d + B*a**4*x*sin(c + d*x)**2/2 + B*a**4*x*cos(c + d*x)**2/2 + B*a**4*sin(c + d*x)*cos(c + d*x)/(2*d) + 8*B*a**3*b*sin(c + d*x)**3/(3*d) + 4*B*a**3*b*sin(c + d*x)*cos(c + d*x)**2/d + 9*B*a**2*b**2*x*sin(c + d*x)**4/4 + 9*B*a**2*b**2*x*sin(c + d*x)**2*cos(c + d*x)**2/2 + 9*B*a**2*b**2*x*cos(c + d*x)**4/4 + 9*B*a**2*b**2*sin(c + d*x)**3*cos(c + d*x)/(4*d) + 15*B*a**2*b**2*sin(c + d*x)*cos(c + d*x)**3/(4*d) + 32*B*a*b**3*sin(c + d*x)**5/(15*d) + 16*B*a*b**3*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 4*B*a*b**3*sin(c + d*x)*cos(c + d*x)**4/d + 5*B*b**4*x*sin(c + d*x)**6/16 + 15*B*b**4*x*sin(c + d*x)**4*cos(c + d*x)**2/16 + 15*B*b**4*x*sin(c + d*x)**2*cos(c + d*x)**4/16 + 5*B*b**4*x*cos(c + d*x)**6/16 + 5*B*b**4*sin(c + d*x)**5*cos(c + d*x)/(16*d) + 5*B*b**4*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 11*B*b**4*sin(c + d*x)*cos(c + d*x)**5/(16*d), Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))**4*cos(c), True))`

3.242 $\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) dx$

Optimal. Leaf size=241

$$\frac{(12a^2B + 35aAb + 16b^2B) \sin(c + dx)(a + b \cos(c + dx))^2}{60d} + \frac{b(24a^3B + 130a^2Ab + 116ab^2B + 45Ab^3) \sin(c + dx)}{120d}$$

[Out] $\frac{1}{8}(8Aa^4 + 24Aa^2b^2 + 3Ab^4 + 16Ba^3b + 12Bab^3)x + \frac{1}{30}(95Aa^3b + 80Aab^3 + 12Ba^4 + 112Ba^2b^2 + 16Bb^4) \sin(dx+c)/d + \frac{1}{120}b(130Aa^2b + 45Ab^3 + 24Ba^3 + 116Bab^2) \cos(dx+c) \sin(dx+c)/d + \frac{1}{60}(35Aa^2b + 12Ba^2 + 16Bb^2)(a+b \cos(dx+c))^2 \sin(dx+c)/d + \frac{1}{20}(5Ab + 4Ba)(a+b \cos(dx+c))^3 \sin(dx+c)/d + \frac{1}{5}B(a+b \cos(dx+c))^4 \sin(dx+c)/d$

Rubi [A] time = 0.34, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {2753, 2734}

$$\frac{(95a^3Ab + 112a^2b^2B + 12a^4B + 80aAb^3 + 16b^4B) \sin(c + dx)}{30d} + \frac{(12a^2B + 35aAb + 16b^2B) \sin(c + dx)(a + b \cos(c + dx))^2}{60d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x]),x]

[Out] $((8a^4A + 24a^2Ab^2 + 3Ab^4 + 16a^3bB + 12ab^3B)x)/8 + ((95a^3Ab + 80a^2Ab^3 + 12a^4B + 112a^2b^2B + 16b^4B) \sin[c + dx])/(30d) + (b(130a^2Ab + 45Ab^3 + 24a^3B + 116ab^2B) \cos[c + dx] \sin[c + dx])/(120d) + ((35a^2Ab + 12a^2B + 16b^2B)(a + b \cos[c + dx])^2 \sin[c + dx])/(60d) + ((5Ab + 4Ba)(a + b \cos[c + dx])^3 \sin[c + dx])/(20d) + (B(a + b \cos[c + dx])^4 \sin[c + dx])/(5d)$

Rule 2734

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2753

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) dx &= \frac{B(a + b \cos(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5} \int (a + b \cos(c + dx))^3 (5Ab + 4aB) \sin(c + dx) dx \\ &= \frac{(5Ab + 4aB)(a + b \cos(c + dx))^3 \sin(c + dx)}{20d} + \frac{B(a + b \cos(c + dx))^4 \sin(c + dx)}{60d} \\ &= \frac{(35aAb + 12a^2B + 16b^2B)(a + b \cos(c + dx))^2 \sin(c + dx)}{60d} + \frac{b(130a^2Ab + 45Ab^3 + 24a^3B + 116ab^2B) \cos(c + dx) \sin(c + dx)}{120d} \\ &= \frac{1}{8} (8a^4A + 24a^2Ab^2 + 3Ab^4 + 16a^3bB + 12ab^3B)x + \frac{(95a^3Ab + 112a^2b^2B + 12a^4B + 80aAb^3 + 16b^4B) \sin(c + dx)}{30d} \end{aligned}$$

Mathematica [A] time = 0.66, size = 263, normalized size = 1.09

$$480a^4Ac + 480a^4Adx + 960a^3bBc + 960a^3bBdx + 1440a^2Ab^2c + 1440a^2Ab^2dx + 240a^2b^2B \sin(3(c + dx)) + 120$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x]),x]

[Out] (480*a^4*A*c + 1440*a^2*A*b^2*c + 180*A*b^4*c + 960*a^3*b*B*c + 720*a*b^3*B*c + 480*a^4*A*d*x + 1440*a^2*A*b^2*d*x + 180*A*b^4*d*x + 960*a^3*b*B*d*x + 720*a*b^3*B*d*x + 60*(32*a^3*A*b + 24*a*A*b^3 + 8*a^4*B + 36*a^2*b^2*B + 5*b^4*B)*Sin[c + d*x] + 120*b*(6*a^2*A*b + A*b^3 + 4*a^3*B + 4*a*b^2*B)*Sin[2*(c + d*x)] + 160*a*A*b^3*Ssin[3*(c + d*x)] + 240*a^2*b^2*B*Ssin[3*(c + d*x)] + 50*b^4*B*Ssin[3*(c + d*x)] + 15*A*b^4*Ssin[4*(c + d*x)] + 60*a*b^3*B*Ssin[4*(c + d*x)] + 6*b^4*B*Ssin[5*(c + d*x)])/(480*d)

fricas [A] time = 1.14, size = 197, normalized size = 0.82

$$15(8Aa^4 + 16Ba^3b + 24Aa^2b^2 + 12Bab^3 + 3Ab^4)dx + (24Bb^4 \cos(dx + c)^4 + 120Ba^4 + 480Aa^3b + 480Ba^2b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/120*(15*(8*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*d*x + (24*B*b^4*cos(d*x + c)^4 + 120*B*a^4 + 480*A*a^3*b + 480*B*a^2*b^2 + 320*A*a*b^3 + 64*B*b^4 + 30*(4*B*a*b^3 + A*b^4)*cos(d*x + c)^3 + 16*(15*B*a^2*b^2 + 10*A*a*b^3 + 2*B*b^4)*cos(d*x + c)^2 + 15*(16*B*a^3*b + 24*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*cos(d*x + c))*sin(d*x + c))/d

giac [A] time = 0.51, size = 212, normalized size = 0.88

$$\frac{Bb^4 \sin(5dx + 5c)}{80d} + \frac{1}{8}(8Aa^4 + 16Ba^3b + 24Aa^2b^2 + 12Bab^3 + 3Ab^4)x + \frac{(4Bab^3 + Ab^4) \sin(4dx + 4c)}{32d} + \frac{(24Aa^3b + 480Ba^2b^2 + 480Aa^3b + 480Ba^2b^2 + 320Aa^2b^3 + 64Bb^4 + 30(4Bab^3 + Ab^4) \cos(dx + c)^3 + 16(15Ba^2b^2 + 10Aab^3 + 2Bb^4) \cos(dx + c)^2 + 15(16Ba^3b + 24Aa^2b^2 + 12Bab^3 + 3Ab^4) \cos(dx + c)) \sin(dx + c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] 1/80*B*b^4*sin(5*d*x + 5*c)/d + 1/8*(8*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*x + 1/32*(4*B*a*b^3 + A*b^4)*sin(4*d*x + 4*c)/d + 1/4*8*(24*B*a^2*b^2 + 16*A*a*b^3 + 5*B*b^4)*sin(3*d*x + 3*c)/d + 1/4*(4*B*a^3*b + 6*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*sin(2*d*x + 2*c)/d + 1/8*(8*B*a^4 + 32*A*a^3*b + 36*B*a^2*b^2 + 24*A*a*b^3 + 5*B*b^4)*sin(d*x + c)/d

maple [A] time = 0.05, size = 258, normalized size = 1.07

$$\frac{Bb^4 \left(\frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + Ab^4 \left(\frac{\left(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + 4Bab^3 \left(\frac{\left(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2} \right) \sin(dx+c)}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x)

[Out] 1/d*(1/5*B*b^4*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+A*b^4*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4*B*a*b^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+4/3*A*a*b^3*(2+cos(d*x+c)^2)*sin(d*x+c)+2*B*a^2*b^2*(2+cos(d*x+c)^2)*sin(d*x+c)+6*A*a^2*b^2*(1/2*cos

$(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+4*B*a^3*b*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+4*A*a^3*b*\sin(d*x+c)+a^4*B*\sin(d*x+c)+A*a^4*(d*x+c))$

maxima [A] time = 0.58, size = 246, normalized size = 1.02

$480(dx+c)Aa^4 + 480(2dx+2c+\sin(2dx+2c))Ba^3b + 720(2dx+2c+\sin(2dx+2c))Aa^2b^2 - 960(\sin$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] $1/480*(480*(d*x+c)*A*a^4 + 480*(2*d*x+2*c+\sin(2*d*x+2*c))*B*a^3*b + 720*(2*d*x+2*c+\sin(2*d*x+2*c))*A*a^2*b^2 - 960*(\sin(d*x+c))^3 - 3*\sin(d*x+c))*B*a^2*b^2 - 640*(\sin(d*x+c))^3 - 3*\sin(d*x+c))*A*a*b^3 + 60*(12*d*x+12*c+\sin(4*d*x+4*c) + 8*\sin(2*d*x+2*c))*B*a*b^3 + 15*(12*d*x+12*c+\sin(4*d*x+4*c) + 8*\sin(2*d*x+2*c))*A*b^4 + 32*(3*\sin(d*x+c))^5 - 10*\sin(d*x+c)^3 + 15*\sin(d*x+c))*B*b^4 + 480*B*a^4*\sin(d*x+c) + 1920*A*a^3*b*\sin(d*x+c))/d$

mupad [B] time = 0.88, size = 307, normalized size = 1.27

$Aa^4x + \frac{3Ab^4x}{8} + \frac{3Bab^3x}{2} + 2Ba^3bx + \frac{Ba^4\sin(c+dx)}{d} + \frac{5Bb^4\sin(c+dx)}{8d} + 3Aa^2b^2x + \frac{Ab^4\sin(2c+2dx)}{4d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^4,x)

[Out] $Aa^4x + (3Aa^3b^4x)/8 + (3Bab^3x)/2 + 2Ba^3bx + (Ba^4*\sin(c+d*x))/d + (5Bb^4*\sin(c+d*x))/(8*d) + 3Aa^2b^2*x + (Ab^4*\sin(2*c+2*d*x))/(4*d) + (A*b^4*\sin(4*c+4*d*x))/(32*d) + (5Bb^4*\sin(3*c+3*d*x))/(48*d) + (Bb^4*\sin(5*c+5*d*x))/(80*d) + (Aa*b^3*\sin(3*c+3*d*x))/(3*d) + (Ba*b^3*\sin(2*c+2*d*x))/d + (Ba^3*b*\sin(2*c+2*d*x))/d + (Ba*b^3*\sin(4*c+4*d*x))/(8*d) + (9Ba^2b^2*\sin(c+d*x))/(2*d) + (3Aa^2b^2*\sin(2*c+2*d*x))/(2*d) + (Ba^2b^2*\sin(3*c+3*d*x))/(2*d) + (3Aa*b^3*\sin(c+d*x))/d + (4Aa^3*b*\sin(c+d*x))/d$

sympy [A] time = 2.83, size = 580, normalized size = 2.41

$\left\{ \begin{array}{l} Aa^4x + \frac{4Aa^3b\sin(c+dx)}{d} + 3Aa^2b^2x\sin^2(c+dx) + 3Aa^2b^2x\cos^2(c+dx) + \frac{3Aa^2b^2\sin(c+dx)\cos(c+dx)}{d} + \frac{8Aab^3\sin^3(c+dx)}{3d} \\ x(A+B\cos(c))(a+b\cos(c))^4 \end{array} \right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c)),x)

[Out] Piecewise((Aa**4*x + 4Aa**3*b*sin(c+d*x)/d + 3Aa**2*b**2*x*sin(c+d*x)**2 + 3Aa**2*b**2*x*cos(c+d*x)**2 + 3Aa**2*b**2*sin(c+d*x)*cos(c+d*x)/d + 8Aa*b**3*sin(c+d*x)**3/(3*d) + 4Aa*b**3*sin(c+d*x)*cos(c+d*x)**2/d + 3A*b**4*x*sin(c+d*x)**4/8 + 3A*b**4*x*sin(c+d*x)**2*cos(c+d*x)**2/4 + 3A*b**4*x*cos(c+d*x)**4/8 + 3A*b**4*sin(c+d*x)**3*cos(c+d*x)/(8*d) + 5A*b**4*sin(c+d*x)*cos(c+d*x)**3/(8*d) + Ba**4*sin(c+d*x)/d + 2Ba**3*b*x*sin(c+d*x)**2 + 2Ba**3*b*x*cos(c+d*x)**2 + 2Ba**3*b*sin(c+d*x)*cos(c+d*x)/d + 4Ba**2*b**2*sin(c+d*x)**3/d + 6Ba**2*b**2*sin(c+d*x)*cos(c+d*x)**2/d + 3Ba*b**3*x*sin(c+d*x)**4/2 + 3Ba*b**3*x*sin(c+d*x)**2*cos(c+d*x)**2 + 3Ba*b**3*x*cos(c+d*x)**4/2 + 3Ba*b**3*sin(c+d*x)**3*cos(c+d*x)/(2*d) + 5Ba*b**3*sin(c+d*x)*cos(c+d*x)**3/(2*d) + 8Bb**4*sin(c+d*x)**5/(15*d) + 4Bb**4*sin(c+d*x)**3*cos(c+d*x)**2/(3*d) + Bb**4*sin(c+d*x)*cos(c+d*x)**4/d, Ne(d, 0)), (x*(A+B*cos(c))*(a+b*cos(c))**4, True))

3.243 $\int (a+b \cos(c+dx))^4 (A+B \cos(c+dx)) \sec(c+dx) dx$

Optimal. Leaf size=200

$$\frac{a^4 A \tanh^{-1}(\sin(c+dx))}{d} + \frac{b^2 (26a^2 B + 32aAb + 9b^2 B) \sin(c+dx) \cos(c+dx)}{24d} + \frac{b (19a^3 B + 34a^2 Ab + 16ab^2 B + 4Ab^3) \sin(c+dx)}{6d}$$

[Out] 1/8*(32*A*a^3*b+16*A*a*b^3+8*B*a^4+24*B*a^2*b^2+3*B*b^4)*x+a^4*A*arctanh(sin(d*x+c))/d+1/6*b*(34*A*a^2*b+4*A*b^3+19*B*a^3+16*B*a*b^2)*sin(d*x+c)/d+1/24*b^2*(32*A*a*b+26*B*a^2+9*B*b^2)*cos(d*x+c)*sin(d*x+c)/d+1/12*b*(4*A*b+7*B*a)*(a+b*cos(d*x+c))^2*sin(d*x+c)/d+1/4*b*B*(a+b*cos(d*x+c))^3*sin(d*x+c)/d

Rubi [A] time = 0.55, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2990, 3049, 3033, 3023, 2735, 3770}

$$\frac{b (34a^2 Ab + 19a^3 B + 16ab^2 B + 4Ab^3) \sin(c+dx)}{6d} + \frac{b^2 (26a^2 B + 32aAb + 9b^2 B) \sin(c+dx) \cos(c+dx)}{24d} + \frac{1}{8} x (32Aa^4 + 16Ab^4 + 8Ba^4 + 24Bab^2 + 3Bb^4)$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x],x]

[Out] ((32*a^3*A*b + 16*a*A*b^3 + 8*a^4*B + 24*a^2*b^2*B + 3*b^4*B)*x)/8 + (a^4*A*ArcTanh[Sin[c + d*x]])/d + (b*(34*a^2*A*b + 4*A*b^3 + 19*a^3*B + 16*a*b^2*B)*Sin[c + d*x])/(6*d) + (b^2*(32*a*A*b + 26*a^2*B + 9*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + (b*(4*A*b + 7*a*B)*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(12*d) + (b*B*(a + b*Cos[c + d*x])^3*Sin[c + d*x])/(4*d)

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/(c_. + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1))/(d*f*(m+n+1)), x] + Dist[1/(d*(m+n+1)), Int[(a + b*Sin[e + f*x])^(m-2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m+n+1) + b*B*(b*c*(m-1) + a*d*(n+1)) + (a*d*(2*A*b + a*B)*(m+n+1) - b*B*(a*c - b*d*(m+n)))*Sin[e + f*x] + b*(A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m+1))/(b*f*(m+2)), x] + Dist[1/(b*(m+2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3033


```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{bB(a + b \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4} \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx \\ &= \frac{b(4Ab + 7aB)(a + b \cos(c + dx))^2 \sin(c + dx)}{12d} + \frac{b^2(32a^3Ab + 16aAb^3 + 8a^4B + 24a^2b^2B + 3b^4B) \sin(c + dx)}{24d} \\ &= \frac{b^2(32a^3Ab + 16aAb^3 + 8a^4B + 24a^2b^2B + 3b^4B) \cos(c + dx) \sin(c + dx)}{24d} \\ &= \frac{b(34a^2Ab + 4Ab^3 + 19a^3B + 16ab^2B) \sin(c + dx)}{6d} \\ &= \frac{1}{8} (32a^3Ab + 16aAb^3 + 8a^4B + 24a^2b^2B + 3b^4B) \sin(c + dx) \\ &= \frac{1}{8} (32a^3Ab + 16aAb^3 + 8a^4B + 24a^2b^2B + 3b^4B) \sin(c + dx) \end{aligned}$$

Mathematica [A] time = 0.61, size = 210, normalized size = 1.05

$$-96a^4A \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 96a^4A \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) + 24b^2(6a^2A + 3aAb + 3a^2B) \sin(c + dx)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x], x]
[Out] (12*(32*a^3*A*b + 16*a*A*b^3 + 8*a^4*B + 24*a^2*b^2*B + 3*b^4*B)*(c + d*x) - 96*a^4*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 96*a^4*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 24*b*(24*a^2*A*b + 3*A*b^3 + 16*a^3*B + 12*a
```

$*b^2*B)*\sin[c + d*x] + 24*b^2*(4*a*A*b + 6*a^2*B + b^2*B)*\sin[2*(c + d*x)]$
 $+ 8*b^3*(A*b + 4*a*B)*\sin[3*(c + d*x)] + 3*b^4*B*\sin[4*(c + d*x)]/(96*d)$

fricas [A] time = 1.52, size = 183, normalized size = 0.92

$12 Aa^4 \log(\sin(dx + c) + 1) - 12 Aa^4 \log(-\sin(dx + c) + 1) + 3(8Ba^4 + 32Aa^3b + 24Ba^2b^2 + 16Aab^3 + 3Bb^4)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="fricas")

[Out] $1/24*(12*A*a^4*\log(\sin(d*x + c) + 1) - 12*A*a^4*\log(-\sin(d*x + c) + 1) + 3*(8*B*a^4 + 32*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 3*B*b^4)*d*x + (6*B*b^4*\cos(d*x + c)^3 + 96*B*a^3*b + 144*A*a^2*b^2 + 64*B*a*b^3 + 16*A*b^4 + 8*(4*B*a*b^3 + A*b^4)*\cos(d*x + c)^2 + 3*(24*B*a^2*b^2 + 16*A*a*b^3 + 3*B*b^4)*\cos(d*x + c))*\sin(d*x + c))/d$

giac [B] time = 0.64, size = 603, normalized size = 3.02

$24 Aa^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 24 Aa^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(8Ba^4 + 32Aa^3b + 24Ba^2b^2 + 16Aa^2b^2)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")

[Out] $1/24*(24*A*a^4*\log(\abs(\tan(1/2*d*x + 1/2*c) + 1)) - 24*A*a^4*\log(\abs(\tan(1/2*d*x + 1/2*c) - 1)) + 3*(8*B*a^4 + 32*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 3*B*b^4)*(d*x + c) + 2*(96*B*a^3*b*\tan(1/2*d*x + 1/2*c)^7 + 144*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 - 72*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 - 48*A*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 96*B*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 24*A*b^4*\tan(1/2*d*x + 1/2*c)^7 - 15*B*b^4*\tan(1/2*d*x + 1/2*c)^7 + 288*B*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 432*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 - 72*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 - 48*A*a*b^3*\tan(1/2*d*x + 1/2*c)^5 + 160*B*a*b^3*\tan(1/2*d*x + 1/2*c)^5 + 40*A*b^4*\tan(1/2*d*x + 1/2*c)^5 + 9*B*b^4*\tan(1/2*d*x + 1/2*c)^5 + 288*B*a^3*b*\tan(1/2*d*x + 1/2*c)^3 + 432*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 72*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 48*A*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 160*B*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 40*A*b^4*\tan(1/2*d*x + 1/2*c)^3 - 9*B*b^4*\tan(1/2*d*x + 1/2*c)^3 + 96*B*a^3*b*\tan(1/2*d*x + 1/2*c) + 144*A*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 72*B*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 48*A*a*b^3*\tan(1/2*d*x + 1/2*c) + 96*B*a*b^3*\tan(1/2*d*x + 1/2*c) + 24*A*b^4*\tan(1/2*d*x + 1/2*c) + 15*B*b^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^4/d$

maple [A] time = 0.12, size = 319, normalized size = 1.60

$\frac{A a^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} + a^4 B x + \frac{a^4 B c}{d} + 4 A a^3 b x + \frac{4 A a^3 b c}{d} + \frac{4 B a^3 b \sin(dx + c)}{d} + \frac{6 A a^2 b^2 \sin(dx + c)}{d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] $1/d*A*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+a^4*B*x+1/d*a^4*B*c+4*A*a^3*b*x+4/d*A*a^3*b*c+4/d*B*a^3*b*\sin(d*x+c)+6/d*A*a^2*b^2*\sin(d*x+c)+3/d*B*a^2*b^2*\cos(d*x+c)*\sin(d*x+c)+3*B*a^2*b^2*x+3/d*B*a^2*b^2*c+2/d*A*a*b^3*\cos(d*x+c)*\sin(d*x+c)$

$x+c)+2*A*a*b^3*x+2/d*A*a*b^3*c+4/3/d*B*\sin(d*x+c)*\cos(d*x+c)^2*a*b^3+8/3/d*B*a*b^3*\sin(d*x+c)+1/3/d*A*\sin(d*x+c)*\cos(d*x+c)^2*b^4+2/3/d*A*b^4*\sin(d*x+c)+1/4/d*B*b^4*\sin(d*x+c)*\cos(d*x+c)^3+3/8/d*B*b^4*\cos(d*x+c)*\sin(d*x+c)+3/8*b^4*B*x+3/8/d*B*b^4*c$

maxima [A] time = 0.34, size = 208, normalized size = 1.04

$96(dx+c)Ba^4 + 384(dx+c)Aa^3b + 144(2dx+2c+\sin(2dx+2c))Ba^2b^2 + 96(2dx+2c+\sin(2dx+2c))$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")

[Out] $1/96*(96*(d*x+c)*B*a^4 + 384*(d*x+c)*A*a^3*b + 144*(2*d*x+2*c+\sin(2*d*x+2*c))*B*a^2*b^2 + 96*(2*d*x+2*c+\sin(2*d*x+2*c))*A*a*b^3 - 128*(\sin(d*x+c)^3 - 3*\sin(d*x+c))*B*a*b^3 - 32*(\sin(d*x+c)^3 - 3*\sin(d*x+c))*A*b^4 + 3*(12*d*x+12*c+\sin(4*d*x+4*c) + 8*\sin(2*d*x+2*c))*B*b^4 + 96*A*a^4*\log(\sec(d*x+c) + \tan(d*x+c)) + 384*B*a^3*b*\sin(d*x+c) + 576*A*a^2*b^2*\sin(d*x+c))/d$

mupad [B] time = 1.42, size = 369, normalized size = 1.84

$$\frac{3Ab^4\sin(c+dx)}{4d} + \frac{2Aa^4\operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2}+\frac{dx}{2}\right)}{\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}\right)}{d} + \frac{2Ba^4\operatorname{atan}\left(\frac{\sin\left(\frac{c}{2}+\frac{dx}{2}\right)}{\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}\right)}{d} + \frac{3Bb^4\operatorname{atan}\left(\frac{\sin\left(\frac{c}{2}+\frac{dx}{2}\right)}{\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}\right)}{4d} + \frac{Ab^4\sin(3c+3dx)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A+B*cos(c+d*x))*(a+b*cos(c+d*x))^4)/cos(c+d*x),x)

[Out] $(3*A*b^4*\sin(c+d*x))/(4*d) + (2*A*a^4*\operatorname{atanh}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d + (2*B*a^4*\operatorname{atan}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d + (3*B*b^4*\operatorname{atan}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/(4*d) + (A*b^4*\sin(3*c+3*d*x))/(12*d) + (B*b^4*\sin(2*c+2*d*x))/(4*d) + (B*b^4*\sin(4*c+4*d*x))/(32*d) + (4*A*a*b^3*\operatorname{atan}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d + (8*A*a^3*b*\operatorname{atan}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d + (A*a*b^3*\sin(2*c+2*d*x))/d + (6*A*a^2*b^2*\sin(c+d*x))/d + (B*a*b^3*\sin(3*c+3*d*x))/(3*d) + (6*B*a^2*b^2*\operatorname{atan}(\sin(c/2+(d*x)/2)/\cos(c/2+(d*x)/2)))/d + (3*B*a^2*b^2*\sin(2*c+2*d*x))/(2*d) + (3*B*a*b^3*\sin(c+d*x))/d + (4*B*a^3*b*\sin(c+d*x))/d$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx))^4 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))**4*sec(c + d*x), x)

3.244 $\int (a+b \cos(c+dx))^4 (A+B \cos(c+dx)) \sec^2(c+dx) dx$

Optimal. Leaf size=195

$$\frac{a^3(aB + 4Ab) \tanh^{-1}(\sin(c + dx))}{d} - \frac{b^2(6a^2A - 8abB - 3Ab^2) \sin(c + dx) \cos(c + dx)}{6d} - \frac{b(6a^3A - 17a^2bB - 12aAb^2 - 2b^3B) \sin(c + dx)}{3d} + \frac{1}{2}bx(12a^2$$

[Out] $1/2*b*(12*A*a^2*b+A*b^3+8*B*a^3+4*B*a*b^2)*x+a^3*(4*A*b+B*a)*\arctanh(\sin(d*x+c))/d-1/3*b*(6*A*a^3-12*A*a*b^2-17*B*a^2*b-2*B*b^3)*\sin(d*x+c)/d-1/6*b^2*(6*A*a^2-3*A*b^2-8*B*a*b)*\cos(d*x+c)*\sin(d*x+c)/d-1/3*b*(3*A*a-B*b)*(a+b*\cos(d*x+c))^2*\sin(d*x+c)/d+a*A*(a+b*\cos(d*x+c))^3*\tan(d*x+c)/d$

Rubi [A] time = 0.57, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2989, 3049, 3033, 3023, 2735, 3770}

$$\frac{b(6a^3A - 17a^2bB - 12aAb^2 - 2b^3B) \sin(c + dx)}{3d} - \frac{b^2(6a^2A - 8abB - 3Ab^2) \sin(c + dx) \cos(c + dx)}{6d} + \frac{1}{2}bx(12a^2$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] $(b*(12*a^2*A*b + A*b^3 + 8*a^3*B + 4*a*b^2*B)*x)/2 + (a^3*(4*A*b + a*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/d - (b*(6*a^3*A - 12*a*A*b^2 - 17*a^2*b*B - 2*b^3*B)*\text{Sin}[c + d*x])/(3*d) - (b^2*(6*a^2*A - 3*A*b^2 - 8*a*b*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(6*d) - (b*(3*a*A - b*B)*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d) + (a*A*(a + b*\text{Cos}[c + d*x])^3*\text{Tan}[c + d*x])/d$

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/(c_. + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2989

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*d*cos[e + f*x]*sin[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \tan(c + dx)}{d} + \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= -\frac{b(3aA - bB)(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} + \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= -\frac{b^2(6a^2A - 3Ab^2 - 8abB) \cos(c + dx) \sin(c + dx)}{6d} + \int (a + b \cos(c + dx)) (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= -\frac{b(6a^3A - 12aAb^2 - 17a^2bB - 2b^3B) \sin(c + dx)}{3d} + \int (a + b \cos(c + dx)) \sec^2(c + dx) dx \\ &= \frac{1}{2}b(12a^2Ab + Ab^3 + 8a^3B + 4ab^2B)x - \frac{b(6a^3A - 12aAb^2 - 17a^2bB - 2b^3B) \sin(c + dx)}{3d} \\ &= \frac{1}{2}b(12a^2Ab + Ab^3 + 8a^3B + 4ab^2B)x + \frac{a^3(4Ab^2 + 3Bb)}{3d} \end{aligned}$$

Mathematica [A] time = 1.07, size = 257, normalized size = 1.32

$$\frac{12a^4A \sin\left(\frac{1}{2}(c+dx)\right)}{\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)} + \frac{12a^4A \sin\left(\frac{1}{2}(c+dx)\right)}{\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)} - 12a^3(aB + 4Ab) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 12a^3(aB + 4Ab) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*cos[c + d*x])^4*(A + B*cos[c + d*x])*Sec[c + d*x]^2,x]
[Out] (6*b*(12*a^2*A*b + A*b^3 + 8*a^3*B + 4*a*b^2*B)*(c + d*x) - 12*a^3*(4*A*b + a*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*a^3*(4*A*b + a*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])
```

$\cos\left[\frac{c+dx}{2}\right] + \sin\left[\frac{c+dx}{2}\right] + \frac{(12a^4A\sin\left[\frac{c+dx}{2}\right])}{(\cos\left[\frac{c+dx}{2}\right] - \sin\left[\frac{c+dx}{2}\right])} + \frac{(12a^4A\sin\left[\frac{c+dx}{2}\right])}{(\cos\left[\frac{c+dx}{2}\right] + \sin\left[\frac{c+dx}{2}\right])} + 3b^2(16aAb + 24a^2B + 3b^2B)\sin[c+dx] + 3b^3(Ab + 4aB)\sin[2(c+dx)] + b^4B\sin[3(c+dx)]$

fricas [A] time = 1.59, size = 196, normalized size = 1.01

$$\frac{3(8Ba^3b + 12Aa^2b^2 + 4Bab^3 + Ab^4)dx \cos(dx+c) + 3(Ba^4 + 4Aa^3b) \cos(dx+c) \log(\sin(dx+c)+1) - 3(Ba^4 + 4Aa^3b) \cos(dx+c) \log(-\sin(dx+c)+1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^4*(A+B*cos(dx+c))*sec(dx+c)^2,x, algorithm="fricas")

[Out] $\frac{1}{6} * (3 * (8 * B * a^3 * b + 12 * A * a^2 * b^2 + 4 * B * a * b^3 + A * b^4) * dx * \cos(dx+c) + 3 * (B * a^4 + 4 * A * a^3 * b) * \cos(dx+c) * \log(\sin(dx+c)+1) - 3 * (B * a^4 + 4 * A * a^3 * b) * \cos(dx+c) * \log(-\sin(dx+c)+1) + (2 * B * b^4 * \cos(dx+c)^3 + 6 * A * a^4 + 3 * (4 * B * a * b^3 + A * b^4) * \cos(dx+c)^2 + 4 * (9 * B * a^2 * b^2 + 6 * A * a * b^3 + B * b^4) * \cos(dx+c)) * \sin(dx+c)) / (d * \cos(dx+c))$

giac [A] time = 1.23, size = 371, normalized size = 1.90

$$\frac{12Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - 3(8Ba^3b + 12Aa^2b^2 + 4Bab^3 + Ab^4)(dx+c) - 6(Ba^4 + 4Aa^3b) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 6(Ba^4 + 4Aa^3b) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^4*(A+B*cos(dx+c))*sec(dx+c)^2,x, algorithm="giac")

[Out] $-\frac{1}{6} * (12 * A * a^4 * \tan(1/2 * dx + 1/2 * c) / (\tan(1/2 * dx + 1/2 * c)^2 - 1) - 3 * (8 * B * a^3 * b + 12 * A * a^2 * b^2 + 4 * B * a * b^3 + A * b^4) * (dx+c) - 6 * (B * a^4 + 4 * A * a^3 * b) * \log(\text{abs}(\tan(1/2 * dx + 1/2 * c) + 1)) + 6 * (B * a^4 + 4 * A * a^3 * b) * \log(\text{abs}(\tan(1/2 * dx + 1/2 * c) - 1)) - 2 * (36 * B * a^2 * b^2 * \tan(1/2 * dx + 1/2 * c)^5 + 24 * A * a * b^3 * \tan(1/2 * dx + 1/2 * c)^5 - 12 * B * a * b^3 * \tan(1/2 * dx + 1/2 * c)^5 - 3 * A * b^4 * \tan(1/2 * dx + 1/2 * c)^5 + 6 * B * b^4 * \tan(1/2 * dx + 1/2 * c)^5 + 72 * B * a^2 * b^2 * \tan(1/2 * dx + 1/2 * c)^3 + 48 * A * a * b^3 * \tan(1/2 * dx + 1/2 * c)^3 + 4 * B * b^4 * \tan(1/2 * dx + 1/2 * c)^3 + 36 * B * a^2 * b^2 * \tan(1/2 * dx + 1/2 * c) + 24 * A * a * b^3 * \tan(1/2 * dx + 1/2 * c) + 12 * B * a * b^3 * \tan(1/2 * dx + 1/2 * c) + 3 * A * b^4 * \tan(1/2 * dx + 1/2 * c) + 6 * B * b^4 * \tan(1/2 * dx + 1/2 * c)) / (\tan(1/2 * dx + 1/2 * c)^2 + 1)^3 / d$

maple [A] time = 0.13, size = 255, normalized size = 1.31

$$\frac{Aa^4 \tan(dx+c)}{d} + \frac{a^4 B \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{4Aa^3b \ln(\sec(dx+c) + \tan(dx+c))}{d} + 4B a^3 b x + \frac{4B a^3 b c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(dx+c))^4*(A+B*cos(dx+c))*sec(dx+c)^2,x)

[Out] $\frac{1}{d} * A * a^4 * \tan(dx+c) + \frac{1}{d} * a^4 * B * \ln(\sec(dx+c) + \tan(dx+c)) + \frac{4}{d} * A * a^3 * b * \ln(\sec(dx+c) + \tan(dx+c)) + 4 * B * a^3 * b * x + \frac{4}{d} * B * a^3 * b * c + \frac{6}{d} * A * a^2 * b^2 * x + \frac{6}{d} * A * a^2 * b^2 * \sin(dx+c) + \frac{4}{d} * A * a * b^3 * \sin(dx+c) + \frac{2}{d} * B * a * b^3 * \cos(dx+c) * \sin(dx+c) + 2 * B * a * b^3 * x + \frac{2}{d} * B * a * b^3 * c + \frac{1}{2} * d * A * b^4 * \cos(dx+c) * \sin(dx+c) + \frac{1}{2} * A * b^4 * x + \frac{1}{2} * d * A * b^4 * c + \frac{1}{3} * d * B * \sin(dx+c) * \cos(dx+c)^2 * b^4 + \frac{2}{3} * d * B * b^4 * \sin(dx+c)$

maxima [A] time = 0.32, size = 197, normalized size = 1.01

$$48(dx+c)Ba^3b + 72(dx+c)Aa^2b^2 + 12(2dx+2c+\sin(2dx+2c))Bab^3 + 3(2dx+2c+\sin(2dx+2c))A$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")

[Out] $\frac{1}{12} \cdot (48 \cdot (d \cdot x + c) \cdot B \cdot a^3 \cdot b + 72 \cdot (d \cdot x + c) \cdot A \cdot a^2 \cdot b^2 + 12 \cdot (2 \cdot d \cdot x + 2 \cdot c + \sin(2 \cdot d \cdot x + 2 \cdot c)) \cdot B \cdot a \cdot b^3 + 3 \cdot (2 \cdot d \cdot x + 2 \cdot c + \sin(2 \cdot d \cdot x + 2 \cdot c)) \cdot A - 4 \cdot (\sin(d \cdot x + c)^3 - 3 \cdot \sin(d \cdot x + c)) \cdot B \cdot b^4 + 6 \cdot B \cdot a^4 \cdot (\log(\sin(d \cdot x + c) + 1) - \log(\sin(d \cdot x + c) - 1)) + 24 \cdot A \cdot a^3 \cdot b \cdot (\log(\sin(d \cdot x + c) + 1) - \log(\sin(d \cdot x + c) - 1)) + 72 \cdot B \cdot a^2 \cdot b^2 \cdot \sin(d \cdot x + c) + 48 \cdot A \cdot a \cdot b^3 \cdot \sin(d \cdot x + c) + 12 \cdot A \cdot a^4 \cdot \tan(d \cdot x + c)) / d$

mupad [B] time = 2.27, size = 2522, normalized size = 12.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^4)/cos(c + d*x)^2,x)

[Out] $(\tan(c/2 + (d \cdot x)/2) \cdot (2 \cdot A \cdot a^4 + A \cdot b^4 + 2 \cdot B \cdot b^4 + 12 \cdot B \cdot a^2 \cdot b^2 + 8 \cdot A \cdot a \cdot b^3 + 4 \cdot B \cdot a \cdot b^3) + \tan(c/2 + (d \cdot x)/2)^7 \cdot (2 \cdot A \cdot a^4 + A \cdot b^4 - 2 \cdot B \cdot b^4 - 12 \cdot B \cdot a^2 \cdot b^2 - 8 \cdot A \cdot a \cdot b^3 + 4 \cdot B \cdot a \cdot b^3) + \tan(c/2 + (d \cdot x)/2)^3 \cdot (6 \cdot A \cdot a^4 - A \cdot b^4 - (2 \cdot B \cdot b^4)/3 + 12 \cdot B \cdot a^2 \cdot b^2 + 8 \cdot A \cdot a \cdot b^3 - 4 \cdot B \cdot a \cdot b^3) - \tan(c/2 + (d \cdot x)/2)^5 \cdot (A \cdot b^4 - 6 \cdot A \cdot a^4 - (2 \cdot B \cdot b^4)/3 + 12 \cdot B \cdot a^2 \cdot b^2 + 8 \cdot A \cdot a \cdot b^3 + 4 \cdot B \cdot a \cdot b^3)) / (d \cdot (2 \cdot \tan(c/2 + (d \cdot x)/2)^2 - 2 \cdot \tan(c/2 + (d \cdot x)/2)^6 - \tan(c/2 + (d \cdot x)/2)^8 + 1)) - (\operatorname{atan}(((B \cdot a^4 + 4 \cdot A \cdot a^3 \cdot b) \cdot ((B \cdot a^4 + 4 \cdot A \cdot a^3 \cdot b) \cdot (16 \cdot A \cdot b^4 + 32 \cdot B \cdot a^4 + 192 \cdot A \cdot a^2 \cdot b^2 + 128 \cdot A \cdot a^3 \cdot b + 64 \cdot B \cdot a \cdot b^3 + 128 \cdot B \cdot a^3 \cdot b) + \tan(c/2 + (d \cdot x)/2) \cdot (8 \cdot A^2 \cdot b^8 + 32 \cdot B^2 \cdot a^8 + 192 \cdot A^2 \cdot a^2 \cdot b^6 + 1152 \cdot A^2 \cdot a^4 \cdot b^4 + 512 \cdot A^2 \cdot a^6 \cdot b^2 + 128 \cdot B^2 \cdot a^2 \cdot b^6 + 512 \cdot B^2 \cdot a^4 \cdot b^4 + 512 \cdot B^2 \cdot a^6 \cdot b^2 + 64 \cdot A \cdot B \cdot a \cdot b^7 + 256 \cdot A \cdot B \cdot a^7 \cdot b + 896 \cdot A \cdot B \cdot a^3 \cdot b^5 + 1536 \cdot A \cdot B \cdot a^5 \cdot b^3))) \cdot i - (B \cdot a^4 + 4 \cdot A \cdot a^3 \cdot b) \cdot ((B \cdot a^4 + 4 \cdot A \cdot a^3 \cdot b) \cdot (16 \cdot A \cdot b^4 + 32 \cdot B \cdot a^4 + 192 \cdot A \cdot a^2 \cdot b^2 + 128 \cdot A \cdot a^3 \cdot b + 64 \cdot B \cdot a \cdot b^3 + 128 \cdot B \cdot a^3 \cdot b) - \tan(c/2 + (d \cdot x)/2) \cdot (8 \cdot A^2 \cdot b^8 + 32 \cdot B^2 \cdot a^8 + 192 \cdot A^2 \cdot a^2 \cdot b^6 + 1152 \cdot A^2 \cdot a^4 \cdot b^4 + 512 \cdot A^2 \cdot a^6 \cdot b^2 + 128 \cdot B^2 \cdot a^2 \cdot b^6 + 512 \cdot B^2 \cdot a^4 \cdot b^4 + 512 \cdot B^2 \cdot a^6 \cdot b^2 + 64 \cdot A \cdot B \cdot a \cdot b^7 + 256 \cdot A \cdot B \cdot a^7 \cdot b + 896 \cdot A \cdot B \cdot a^3 \cdot b^5 + 1536 \cdot A \cdot B \cdot a^5 \cdot b^3))) \cdot i) / ((B \cdot a^4 + 4 \cdot A \cdot a^3 \cdot b) \cdot ((B \cdot a^4 + 4 \cdot A \cdot a^3 \cdot b) \cdot (16 \cdot A \cdot b^4 + 32 \cdot B \cdot a^4 + 192 \cdot A \cdot a^2 \cdot b^2 + 128 \cdot A \cdot a^3 \cdot b + 64 \cdot B \cdot a \cdot b^3 + 128 \cdot B \cdot a^3 \cdot b) + \tan(c/2 + (d \cdot x)/2) \cdot (8 \cdot A^2 \cdot b^8 + 32 \cdot B^2 \cdot a^8 + 192 \cdot A^2 \cdot a^2 \cdot b^6 + 1152 \cdot A^2 \cdot a^4 \cdot b^4 + 512 \cdot A^2 \cdot a^6 \cdot b^2 + 128 \cdot B^2 \cdot a^2 \cdot b^6 + 512 \cdot B^2 \cdot a^4 \cdot b^4 + 512 \cdot B^2 \cdot a^6 \cdot b^2 + 64 \cdot A \cdot B \cdot a \cdot b^7 + 256 \cdot A \cdot B \cdot a^7 \cdot b + 896 \cdot A \cdot B \cdot a^3 \cdot b^5 + 1536 \cdot A \cdot B \cdot a^5 \cdot b^3))) + (B \cdot a^4 + 4 \cdot A \cdot a^3 \cdot b) \cdot ((B \cdot a^4 + 4 \cdot A \cdot a^3 \cdot b) \cdot (16 \cdot A \cdot b^4 + 32 \cdot B \cdot a^4 + 192 \cdot A \cdot a^2 \cdot b^2 + 128 \cdot A \cdot a^3 \cdot b + 64 \cdot B \cdot a \cdot b^3 + 128 \cdot B \cdot a^3 \cdot b) - \tan(c/2 + (d \cdot x)/2) \cdot (8 \cdot A^2 \cdot b^8 + 32 \cdot B^2 \cdot a^8 + 192 \cdot A^2 \cdot a^2 \cdot b^6 + 1152 \cdot A^2 \cdot a^4 \cdot b^4 + 512 \cdot A^2 \cdot a^6 \cdot b^2 + 128 \cdot B^2 \cdot a^2 \cdot b^6 + 512 \cdot B^2 \cdot a^4 \cdot b^4 + 512 \cdot B^2 \cdot a^6 \cdot b^2 + 64 \cdot A \cdot B \cdot a \cdot b^7 + 256 \cdot A \cdot B \cdot a^7 \cdot b + 896 \cdot A \cdot B \cdot a^3 \cdot b^5 + 1536 \cdot A \cdot B \cdot a^5 \cdot b^3))) - 256 \cdot B^3 \cdot a^{11} \cdot b + 64 \cdot A^3 \cdot a^3 \cdot b^9 + 1536 \cdot A^3 \cdot a^5 \cdot b^7 - 512 \cdot A^3 \cdot a^6 \cdot b^6 + 9216 \cdot A^3 \cdot a^7 \cdot b^5 - 6144 \cdot A^3 \cdot a^8 \cdot b^4 + 256 \cdot B^3 \cdot a^6 \cdot b^6 + 1024 \cdot B^3 \cdot a^8 \cdot b^4 - 128 \cdot B^3 \cdot a^9 \cdot b^3 + 1024 \cdot B^3 \cdot a^{10} \cdot b^2 + 1152 \cdot A \cdot B^2 \cdot a^5 \cdot b^7 + 5888 \cdot A \cdot B^2 \cdot a^7 \cdot b^5 - 1056 \cdot A \cdot B^2 \cdot a^8 \cdot b^4 + 7168 \cdot A \cdot B^2 \cdot a^9 \cdot b^3 - 2432 \cdot A \cdot B^2 \cdot a^{10} \cdot b^2 + 528 \cdot A^2 \cdot B \cdot a^4 \cdot b^8 + 7552 \cdot A^2 \cdot B \cdot a^6 \cdot b^6 - 2304 \cdot A^2 \cdot B \cdot a^7 \cdot b^5 + 14592 \cdot A^2 \cdot B \cdot a^8 \cdot b^4 - 7168 \cdot A^2 \cdot B \cdot a^9 \cdot b^3)) \cdot (B \cdot a^4 \cdot 2i + A \cdot a^3 \cdot b \cdot 8i)) / d - (b \cdot \operatorname{atan}(((b \cdot (\tan(c/2 + (d \cdot x)/2) \cdot (8 \cdot A^2 \cdot b^8 + 32 \cdot B^2 \cdot a^8 + 192 \cdot A^2 \cdot a^2 \cdot b^6 + 1152 \cdot A^2 \cdot a^4 \cdot b^4 + 512 \cdot A^2 \cdot a^6 \cdot b^2 + 128 \cdot B^2 \cdot a^2 \cdot b^6 + 512 \cdot B^2 \cdot a^4 \cdot b^4 + 512 \cdot B^2 \cdot a^6 \cdot b^2 + 64 \cdot A \cdot B \cdot a \cdot b^7 + 256 \cdot A \cdot B \cdot a^7 \cdot b + 896 \cdot A \cdot B \cdot a^3 \cdot b^5 + 1536 \cdot A \cdot B \cdot a^5 \cdot b^3) - (b \cdot (A \cdot b^3 + 8 \cdot B \cdot a^3 + 12 \cdot A \cdot a^2 \cdot b + 4 \cdot B \cdot a \cdot b^2)) \cdot (16 \cdot A \cdot b^4 + 32 \cdot B \cdot a^4 + 192 \cdot A \cdot a^2 \cdot b^2 + 128 \cdot A \cdot a^3 \cdot b + 64 \cdot B \cdot a \cdot b^3 + 128 \cdot B \cdot a^3 \cdot b) \cdot i) / 2) \cdot (A \cdot b^3 + 8 \cdot B \cdot a^3 + 12 \cdot A \cdot a^2 \cdot b + 4 \cdot B \cdot a \cdot b^2)) / 2 + (b \cdot (\tan(c/2 +$

$$\begin{aligned} & (d*x)/2)*(8*A^2*b^8 + 32*B^2*a^8 + 192*A^2*a^2*b^6 + 1152*A^2*a^4*b^4 + 512 \\ & *A^2*a^6*b^2 + 128*B^2*a^2*b^6 + 512*B^2*a^4*b^4 + 512*B^2*a^6*b^2 + 64*A*B \\ & *a*b^7 + 256*A*B*a^7*b + 896*A*B*a^3*b^5 + 1536*A*B*a^5*b^3) + (b*(A*b^3 + \\ & 8*B*a^3 + 12*A*a^2*b + 4*B*a*b^2)*(16*A*b^4 + 32*B*a^4 + 192*A*a^2*b^2 + 12 \\ & 8*A*a^3*b + 64*B*a*b^3 + 128*B*a^3*b)*1i)/2)*(A*b^3 + 8*B*a^3 + 12*A*a^2*b \\ & + 4*B*a*b^2))/2)/(64*A^3*a^3*b^9 - 256*B^3*a^11*b + 1536*A^3*a^5*b^7 - 512* \\ & A^3*a^6*b^6 + 9216*A^3*a^7*b^5 - 6144*A^3*a^8*b^4 + 256*B^3*a^6*b^6 + 1024* \\ & B^3*a^8*b^4 - 128*B^3*a^9*b^3 + 1024*B^3*a^10*b^2 - (b*(tan(c/2 + (d*x)/2)* \\ & (8*A^2*b^8 + 32*B^2*a^8 + 192*A^2*a^2*b^6 + 1152*A^2*a^4*b^4 + 512*A^2*a^6* \\ & b^2 + 128*B^2*a^2*b^6 + 512*B^2*a^4*b^4 + 512*B^2*a^6*b^2 + 64*A*B*a*b^7 + \\ & 256*A*B*a^7*b + 896*A*B*a^3*b^5 + 1536*A*B*a^5*b^3) - (b*(A*b^3 + 8*B*a^3 + \\ & 12*A*a^2*b + 4*B*a*b^2)*(16*A*b^4 + 32*B*a^4 + 192*A*a^2*b^2 + 128*A*a^3*b \\ & + 64*B*a*b^3 + 128*B*a^3*b)*1i)/2)*(A*b^3 + 8*B*a^3 + 12*A*a^2*b + 4*B*a*b \\ & ^2)*1i)/2 + (b*(tan(c/2 + (d*x)/2)*(8*A^2*b^8 + 32*B^2*a^8 + 192*A^2*a^2*b^6 \\ & + 1152*A^2*a^4*b^4 + 512*A^2*a^6*b^2 + 128*B^2*a^2*b^6 + 512*B^2*a^4*b^4 \\ & + 512*B^2*a^6*b^2 + 64*A*B*a*b^7 + 256*A*B*a^7*b + 896*A*B*a^3*b^5 + 1536*A \\ & *B*a^5*b^3) + (b*(A*b^3 + 8*B*a^3 + 12*A*a^2*b + 4*B*a*b^2)*(16*A*b^4 + 32* \\ & B*a^4 + 192*A*a^2*b^2 + 128*A*a^3*b + 64*B*a*b^3 + 128*B*a^3*b)*1i)/2)*(A*b \\ & ^3 + 8*B*a^3 + 12*A*a^2*b + 4*B*a*b^2)*1i)/2 + 1152*A*B^2*a^5*b^7 + 5888*A* \\ & B^2*a^7*b^5 - 1056*A*B^2*a^8*b^4 + 7168*A*B^2*a^9*b^3 - 2432*A*B^2*a^10*b^2 \\ & + 528*A^2*B*a^4*b^8 + 7552*A^2*B*a^6*b^6 - 2304*A^2*B*a^7*b^5 + 14592*A^2* \\ & B*a^8*b^4 - 7168*A^2*B*a^9*b^3))*(A*b^3 + 8*B*a^3 + 12*A*a^2*b + 4*B*a*b^2) \\ &)/d \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)

[Out] Timed out

3.245 $\int (a+b \cos(c+dx))^4 (A+B \cos(c+dx)) \sec^3(c+dx) dx$

Optimal. Leaf size=209

$$\frac{a^2 (a^2 A + 8abB + 12Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^2 (2a^2 B + 6aAb - b^2 B) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2} b^2 x (12a^2 B +$$

[Out] $\frac{1}{2} b^2 x (8 A a b + 12 B a^2 + B b^2) + \frac{1}{2} a^2 (A a^2 + 12 A b^2 + 8 B a b) \operatorname{arctanh}(\sin(dx+c)) / d - \frac{1}{2} b^2 (13 A a^2 b - 2 A b^3 + 4 B a^3 - 8 B a b^2) \sin(dx+c) / d - \frac{1}{2} b^2 (6 A a b + 2 B a^2 - B b^2) \cos(dx+c) \sin(dx+c) / d + \frac{1}{2} a (5 A b + 2 B a) (a + b \cos(dx+c))^2 \tan(dx+c) / d + \frac{1}{2} a A (a + b \cos(dx+c))^3 \sec(dx+c) \tan(dx+c) / d$

Rubi [A] time = 0.62, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2989, 3047, 3033, 3023, 2735, 3770}

$$\frac{b (13 a^2 A b + 4 a^3 B - 8 a b^2 B - 2 A b^3) \sin(c + dx)}{2d} + \frac{a^2 (a^2 A + 8 a b B + 12 A b^2) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^2 (2 a^2 B +$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \cos[c + dx])^4 (A + B \cos[c + dx]) \sec^3[c + dx], x]$

[Out] $\frac{b^2 (8 a A b + 12 a^2 B + b^2 B) x}{2} + \frac{a^2 (a^2 A + 12 A b^2 + 8 a b B) \operatorname{ArcTanh}[\sin[c + dx]]}{(2 d)} - \frac{b (13 a^2 A b - 2 A b^3 + 4 a^3 B - 8 a b^2 B) \sin[c + dx]}{(2 d)} - \frac{b^2 (6 a A b + 2 a^2 B - b^2 B) \cos[c + dx] \sin[c + dx]}{(2 d)} + \frac{a (5 A b + 2 a B) (a + b \cos[c + dx])^2 \tan[c + dx]}{(2 d)} + \frac{a A (a + b \cos[c + dx])^3 \sec[c + dx] \tan[c + dx]}{(2 d)}$

Rule 2735

$\operatorname{Int}[(a + b \sin[e + f x])^m ((c + d \sin[e + f x])^n (x))], x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(b x) / d, x] - \operatorname{Dist}[(b c - a d) / d, \operatorname{Int}[1 / (c + d \sin[e + f x]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b c - a d, 0]

Rule 2989

$\operatorname{Int}[(a + b \sin[e + f x])^m ((c + d \sin[e + f x])^n (x))], x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(b c - a d) (B c - A d) \cos[e + f x] (a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1} / (d f (n+1) (c^2 - d^2)), x] + \operatorname{Dist}[1 / (d (n+1) (c^2 - d^2)), \operatorname{Int}[(a + b \sin[e + f x])^{m-2} (c + d \sin[e + f x])^{n+1}] \operatorname{Simp}[b (b c - a d) (B c - A d) (m-1) + a d (a A c + b B c - (A b + a B) d) (n+1) + (b (b d (B c - A d) + a (A c d + B (c^2 - 2 d^2))) (n+1) - a (b c - a d) (B c - A d) (n+2)) \sin[e + f x] + b (d (A b c + a B c - a A d) (m+n+1) - b B (c^2 m + d^2 (n+1))) \sin[e + f x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b c - a d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3023

$\operatorname{Int}[(a + b \sin[e + f x])^m ((c + d \sin[e + f x])^n (x))], x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(C \cos[e + f x] (a + b \sin[e + f x])^{m+1} / (b f (m+2)), x] + \operatorname{Dist}[1 / (b (m+2)), \operatorname{Int}[(a + b \sin[e + f x])^m \operatorname{Simp}[A b (m+2) + b C (m+1) + (b B (m+2) - a C) \sin[e + f x], x], x] /;$ FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] :> -Simp[(C*d*cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] :> -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \frac{a(5Ab + 2aB)(a + b \cos(c + dx))^2 \tan(c + dx)}{2d} + \frac{aA}{2} \\
&= -\frac{b^2(6aAb + 2a^2B - b^2B) \cos(c + dx) \sin(c + dx)}{2d} + \frac{b(13a^2Ab - 2Ab^3 + 4a^3B - 8ab^2B) \sin(c + dx)}{2d} \\
&= \frac{1}{2} b^2 (8aAb + 12a^2B + b^2B) x - \frac{b(13a^2Ab - 2Ab^3 + 4a^3B - 8ab^2B) \sin(c + dx)}{2d} \\
&= \frac{1}{2} b^2 (8aAb + 12a^2B + b^2B) x + \frac{a^2(a^2A + 12Ab^2 + 8a^3B - 8ab^2B) \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [A] time = 1.85, size = 310, normalized size = 1.48

$$\frac{a^4A}{\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)^2} - \frac{a^4A}{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)^2} + \frac{4a^3(aB+4Ab) \sin\left(\frac{1}{2}(c+dx)\right)}{\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)} + \frac{4a^3(aB+4Ab) \sin\left(\frac{1}{2}(c+dx)\right)}{\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)} + 2b^2(c + dx)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*cos[c + d*x])^4*(A + B*cos[c + d*x])*Sec[c + d*x]^3,x]
```

[Out] $(2b^2(8aAb + 12a^2B + b^2B)(c + dx) - 2a^2(a^2A + 12Ab^2 + 8a^2bB)\text{Log}[\text{Cos}[(c + dx)/2] - \text{Sin}[(c + dx)/2]] + 2a^2(a^2A + 12Ab^2 + 8a^2bB)\text{Log}[\text{Cos}[(c + dx)/2] + \text{Sin}[(c + dx)/2]] + (a^4A)/(\text{Cos}[(c + dx)/2] - \text{Sin}[(c + dx)/2])^2 + (4a^3(4Ab + aB)\text{Sin}[(c + dx)/2])/(\text{Cos}[(c + dx)/2] - \text{Sin}[(c + dx)/2]) - (a^4A)/(\text{Cos}[(c + dx)/2] + \text{Sin}[(c + dx)/2])^2 + (4a^3(4Ab + aB)\text{Sin}[(c + dx)/2])/(\text{Cos}[(c + dx)/2] + \text{Sin}[(c + dx)/2]) + 4b^3(Ab + 4aB)\text{Sin}[c + dx] + b^4B\text{Sin}[2(c + dx)])/(4d)$

fricas [A] time = 0.70, size = 202, normalized size = 0.97

$$\frac{2(12Ba^2b^2 + 8Aab^3 + Bb^4)dx \cos(dx + c)^2 + (Aa^4 + 8Ba^3b + 12Aa^2b^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1)}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")`

[Out] $1/4*(2*(12B*a^2*b^2 + 8A*a*b^3 + B*b^4)*d*x*\cos(d*x + c)^2 + (A*a^4 + 8B*a^3*b + 12A*a^2*b^2)*\cos(d*x + c)^2*\log(\sin(d*x + c) + 1) - (A*a^4 + 8B*a^3*b + 12A*a^2*b^2)*\cos(d*x + c)^2*\log(-\sin(d*x + c) + 1) + 2*(B*b^4*\cos(d*x + c)^3 + A*a^4 + 2*(4B*a*b^3 + A*b^4)*\cos(d*x + c)^2 + 2*(B*a^4 + 4A*a^3*b)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c)^2)$

giac [B] time = 0.69, size = 526, normalized size = 2.52

$$(12Ba^2b^2 + 8Aab^3 + Bb^4)(dx + c) + (Aa^4 + 8Ba^3b + 12Aa^2b^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Aa^4 + 8Ba^3b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")`

[Out] $1/2*((12B*a^2*b^2 + 8A*a*b^3 + B*b^4)*(d*x + c) + (A*a^4 + 8B*a^3*b + 12A*a^2*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (A*a^4 + 8B*a^3*b + 12A*a^2*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a^4*\tan(1/2*d*x + 1/2*c)^7 - 2*B*a^4*\tan(1/2*d*x + 1/2*c)^7 - 8*A*a^3*b*\tan(1/2*d*x + 1/2*c)^7 + 8*B*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 2*A*b^4*\tan(1/2*d*x + 1/2*c)^7 - B*b^4*\tan(1/2*d*x + 1/2*c)^7 + 3*A*a^4*\tan(1/2*d*x + 1/2*c)^5 - 2*B*a^4*\tan(1/2*d*x + 1/2*c)^5 - 8*A*a^3*b*\tan(1/2*d*x + 1/2*c)^5 - 8*B*a*b^3*\tan(1/2*d*x + 1/2*c)^5 - 2*A*b^4*\tan(1/2*d*x + 1/2*c)^5 + 3*B*b^4*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 2*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 8*A*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 8*B*a*b^3*\tan(1/2*d*x + 1/2*c)^3 - 2*A*b^4*\tan(1/2*d*x + 1/2*c)^3 - 3*B*b^4*\tan(1/2*d*x + 1/2*c)^3 + A*a^4*\tan(1/2*d*x + 1/2*c) + 2*B*a^4*\tan(1/2*d*x + 1/2*c) + 8*A*a^3*b*\tan(1/2*d*x + 1/2*c) + 8*B*a*b^3*\tan(1/2*d*x + 1/2*c) + 2*A*b^4*\tan(1/2*d*x + 1/2*c) + B*b^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^4 - 1)^2/d$

maple [A] time = 0.15, size = 236, normalized size = 1.13

$$\frac{Aa^4 \sec(dx + c) \tan(dx + c)}{2d} + \frac{Aa^4 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{a^4 B \tan(dx + c)}{d} + \frac{4Aa^3 b \tan(dx + c)}{d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)`

[Out] $1/2/d*A*a^4*sec(d*x+c)*tan(d*x+c)+1/2/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+1/d*a^4*B*tan(d*x+c)+4/d*A*a^3*b*tan(d*x+c)+4/d*B*a^3*b*ln(sec(d*x+c)+tan(d*x+c))+6/d*A*a^2*b^2*ln(sec(d*x+c)+tan(d*x+c))+6*B*a^2*b^2*x+6/d*B*a^2*b^2*c+4*A*a*b^3*x+4/d*A*a*b^3*c+4/d*B*a*b^3*sin(d*x+c)+1/d*A*b^4*sin(d*x+c)+1/2/d*B*b^4*cos(d*x+c)*sin(d*x+c)+1/2*b^4*B*x+1/2/d*B*b^4*c$

maxima [A] time = 1.21, size = 209, normalized size = 1.00

$$24(dx+c)Ba^2b^2 + 16(dx+c)Aab^3 + (2dx+2c+\sin(2dx+2c))Bb^4 - Aa^4\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] $1/4*(24*(d*x+c)*B*a^2*b^2 + 16*(d*x+c)*A*a*b^3 + (2*d*x+2*c+\sin(2*d*x+2*c))*B*b^4 - A*a^4*(2*\sin(d*x+c)/(\sin(d*x+c)^2-1) - \log(\sin(d*x+c)+1) + \log(\sin(d*x+c)-1)) + 8*B*a^3*b*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 12*A*a^2*b^2*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 16*B*a*b^3*\sin(d*x+c) + 4*A*b^4*\sin(d*x+c) + 4*B*a^4*\tan(d*x+c) + 16*A*a^3*b*\tan(d*x+c))/d$

mupad [B] time = 2.31, size = 330, normalized size = 1.58

$$2 \left[\frac{A a^4 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{2} + \frac{B b^4 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{2} + 4 A a b^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) + 4 B a^3 b \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) + 6 A a^2 b^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) \right] d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^4)/cos(c + d*x)^3,x)

[Out] $(2*((A*a^4*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/2 + (B*b^4*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/2 + 4*A*a*b^3*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)) + 4*B*a^3*b*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)) + 6*A*a^2*b^2*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)) + 6*B*a^2*b^2*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + ((B*a^4*\sin(2*c + 2*d*x))/2 + (A*b^4*\sin(3*c + 3*d*x))/4 + (B*b^4*\sin(2*c + 2*d*x))/8 + (B*b^4*\sin(4*c + 4*d*x))/16 + (A*a^4*\sin(c + d*x))/2 + (A*b^4*\sin(c + d*x))/4 + B*a*b^3*\sin(c + d*x) + 2*A*a^3*b*\sin(2*c + 2*d*x) + B*a*b^3*\sin(3*c + 3*d*x))/(d*(\cos(2*c + 2*d*x)/2 + 1/2))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] Timed out

3.246 $\int (a+b \cos(c+dx))^4 (A+B \cos(c+dx)) \sec^4(c+dx) dx$

Optimal. Leaf size=198

$$\frac{b^2 (3a^2B + 8aAb - 6b^2B) \sin(c + dx)}{6d} + \frac{a^2 (2a^2A + 9abB + 9Ab^2) \tan(c + dx)}{3d} + \frac{a (a^3B + 4a^2Ab + 12ab^2B + 8b^3B) \sec^2(c + dx)}{2d}$$

[Out] $b^3(A*b+4*B*a)*x+1/2*a*(4*A*a^2*b+8*A*b^3+B*a^3+12*B*a*b^2)*\operatorname{arctanh}(\sin(d*x+c))/d-1/6*b^2*(8*A*a*b+3*B*a^2-6*B*b^2)*\sin(d*x+c)/d+1/3*a^2*(2*A*a^2+9*A*b^2+9*B*a*b)*\tan(d*x+c)/d+1/2*a*(2*A*b+B*a)*(a+b*\cos(d*x+c))^2*\sec(d*x+c)*\tan(d*x+c)/d+1/3*a*A*(a+b*\cos(d*x+c))^3*\sec(d*x+c)^2*\tan(d*x+c)/d$

Rubi [A] time = 0.58, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2989, 3047, 3031, 3023, 2735, 3770}

$$\frac{b^2 (3a^2B + 8aAb - 6b^2B) \sin(c + dx)}{6d} + \frac{a^2 (2a^2A + 9abB + 9Ab^2) \tan(c + dx)}{3d} + \frac{a (4a^2Ab + a^3B + 12ab^2B + 8b^3B) \sec^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])^4*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^4, x]$

[Out] $b^3(A*b + 4*a*B)*x + (a*(4*a^2*A*b + 8*A*b^3 + a^3*B + 12*a*b^2*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(2*d) - (b^2*(8*a*A*b + 3*a^2*B - 6*b^2*B)*\operatorname{Sin}[c + d*x])/(6*d) + (a^2*(2*a^2*A + 9*A*b^2 + 9*a*b*B)*\operatorname{Tan}[c + d*x])/(3*d) + (a*(2*A*b + a*B)*(a + b*\operatorname{Cos}[c + d*x])^2*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*d) + (a*A*(a + b*\operatorname{Cos}[c + d*x])^3*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/(3*d)$

Rule 2735

$\operatorname{Int}[(a + b*\sin[e + f*x])^m*(A + B*\sin[e + f*x])^n, x] := \operatorname{Simp}[(b*x)/d, x] - \operatorname{Dist}[(b*c - a*d)/d, \operatorname{Int}[1/(c + d*\sin[e + f*x]), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2989

$\operatorname{Int}[(a + b*\sin[e + f*x])^m*(A + B*\sin[e + f*x])^n, x] := -\operatorname{Simp}[(b*c - a*d)*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}]/(d*f*(n+1)*(c^2 - d^2)), x] + \operatorname{Dist}[1/(d*(n+1)*(c^2 - d^2)), \operatorname{Int}[(a + b*\sin[e + f*x])^{m-2}*(c + d*\sin[e + f*x])^{n+1}]*\operatorname{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n+1) - a*(b*c - a*d)*(B*c - A*d)*(n+2))*\operatorname{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m+n+1) - b*B*(c^2*m + d^2*(n+1)))*\operatorname{Sin}[e + f*x]^2, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{NeQ}[a^2 - b^2, 0] \ \&\& \ \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \ \operatorname{GtQ}[m, 1] \ \&\& \ \operatorname{LtQ}[n, -1]$

Rule 3023

$\operatorname{Int}[(a + b*\sin[e + f*x])^m*(A + B*\sin[e + f*x])^n + (C + D*\sin[e + f*x])^2, x] := -\operatorname{Simp}[(C*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m+1})/(b*f*(m+2)), x] + \operatorname{Dist}[1/(b*(m+2)), \operatorname{Int}[(a + b*\sin[e + f*x])^m*\operatorname{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\operatorname{Sin}[e + f*x], x], x], x] /;$ $\operatorname{FreeQ}\{a, b, e, f, A, B, C, m, x\} \ \&\& \ \operatorname{!LtQ}[m, -1]$

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \\ &= \frac{a(2Ab + aB)(a + b \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{a^2(2a^2A + 9Ab^2 + 9abB) \tan(c + dx)}{3d} + \frac{a(2Ab + aB) \sec^2(c + dx) \tan(c + dx)}{2d} \\ &= -\frac{b^2(8aAb + 3a^2B - 6b^2B) \sin(c + dx)}{6d} + \frac{a^2(2a^2A + 9Ab^2 + 9abB) \tan(c + dx)}{3d} \\ &= b^3(Ab + 4aB)x - \frac{b^2(8aAb + 3a^2B - 6b^2B) \sin(c + dx)}{6d} \\ &= b^3(Ab + 4aB)x + \frac{a(4a^2Ab + 8Ab^3 + a^3B + 12ab^2B) \tan(c + dx)}{2d} \end{aligned}$$

Mathematica [B] time = 5.95, size = 415, normalized size = 2.10

$$\frac{2a^4A \sin\left(\frac{1}{2}(c+dx)\right)}{\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)^3} + \frac{2a^4A \sin\left(\frac{1}{2}(c+dx)\right)}{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)^3} + \frac{a^3(a(A+3B)+12Ab)}{\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)^2} - \frac{a^3(a(A+3B)+12Ab)}{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)^2} + \frac{8a^2B}{\sin(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*cos[c + d*x])^4*(A + B*cos[c + d*x])*Sec[c + d*x]^4,x]
[Out] (12*b^3*(A*b + 4*a*B)*(c + d*x) - 6*a*(4*a^2*A*b + 8*A*b^3 + a^3*B + 12*a*b^2*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 6*a*(4*a^2*A*b + 8*A*b^3 + a^3*B + 12*a*b^2*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a^3*(12*A*b + a*(A + 3*B)))/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (2*a^4*A*SIN[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3 + (8*a^2*(a^2*A + 9*A*b^2 + 6*a*b*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (2*a^4*A*SIN[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3 - (a^3*(12*A*b + a*(A + 3*B)))/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (8*a^2*(a^2*A + 9*A*b^2 + 6*a*b*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 12*b^4*B*SIN[c + d*x])/(12*d)
```

fricas [A] time = 1.62, size = 219, normalized size = 1.11

$$\frac{12(4Bab^3 + Ab^4)dx \cos(dx + c)^3 + 3(Ba^4 + 4Aa^3b + 12Ba^2b^2 + 8Aab^3) \cos(dx + c)^3 \log(\sin(dx + c) + 1)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")
```

```
[Out] 1/12*(12*(4*B*a*b^3 + A*b^4)*d*x*cos(d*x + c)^3 + 3*(B*a^4 + 4*A*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(B*a^4 + 4*A*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(6*B*b^4*cos(d*x + c)^3 + 2*A*a^4 + 4*(A*a^4 + 6*B*a^3*b + 9*A*a^2*b^2)*cos(d*x + c)^2 + 3*(B*a^4 + 4*A*a^3*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3)
```

giac [B] time = 0.68, size = 387, normalized size = 1.95

$$\frac{12Bb^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 6(4Bab^3 + Ab^4)(dx + c) + 3(Ba^4 + 4Aa^3b + 12Ba^2b^2 + 8Aab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 3(Ba^4 + 4Aa^3b + 12Ba^2b^2 + 8Aab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")
```

```
[Out] 1/6*(12*B*b^4*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 6*(4*B*a*b^3 + A*b^4)*(d*x + c) + 3*(B*a^4 + 4*A*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(B*a^4 + 4*A*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*A*a^4*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^4*tan(1/2*d*x + 1/2*c)^5 - 12*A*a^3*b*tan(1/2*d*x + 1/2*c)^5 + 24*B*a^3*b*tan(1/2*d*x + 1/2*c)^5 + 36*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 - 4*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 48*B*a^3*b*tan(1/2*d*x + 1/2*c)^3 - 72*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*A*a^4*tan(1/2*d*x + 1/2*c) + 3*B*a^4*tan(1/2*d*x + 1/2*c) + 12*A*a^3*b*tan(1/2*d*x + 1/2*c) + 24*B*a^3*b*tan(1/2*d*x + 1/2*c) + 36*A*a^2*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3/d
```

maple [A] time = 0.16, size = 262, normalized size = 1.32

$$\frac{2Aa^4 \tan(dx + c)}{3d} + \frac{Aa^4 \tan(dx + c) (\sec^2(dx + c))}{3d} + \frac{a^4 B \sec(dx + c) \tan(dx + c)}{2d} + \frac{a^4 B \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)

[Out] $\frac{2}{3}dAa^4\tan(dx+c)+\frac{1}{3}dAa^4\tan(dx+c)\sec(dx+c)^2+\frac{1}{2}dA^4B\sec(dx+c)\tan(dx+c)+\frac{1}{2}dA^4B\ln(\sec(dx+c)+\tan(dx+c))+\frac{2}{dAa^3b}\sec(dx+c)\tan(dx+c)+\frac{2}{dAa^3b}\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{dBa^3b}\tan(dx+c)+\frac{6}{dAa^2b^2}\tan(dx+c)+\frac{6}{dBa^2b^2}\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{dAa^3b}\ln(\sec(dx+c)+\tan(dx+c))+4Bab^3x+\frac{4}{dBa^3b^3c+A^4b^4x}+\frac{1}{dA^4b^4c}+\frac{1}{dB^4b^4}\sin(dx+c)$

maxima [A] time = 0.91, size = 245, normalized size = 1.24

$4\left(\tan(dx+c)^3+3\tan(dx+c)\right)Aa^4+48(dx+c)Bab^3+12(dx+c)Ab^4-3Ba^4\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1}-\log(\sin(dx+c))\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] $\frac{1}{12}(4(\tan(dx+c)^3+3\tan(dx+c))Aa^4+48(dx+c)Bab^3+12(dx+c)A^4b^4-3Ba^4(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))-12Aa^3b(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))+36Ba^2b^2(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))+24Aa^3b^3(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))+12Bb^4\sin(dx+c)+48Ba^3b^2\tan(dx+c)+72Aa^2b^2\tan(dx+c))/d$

mupad [B] time = 2.83, size = 636, normalized size = 3.21

$\frac{Aa^4\sin(3c+3dx)}{6}+\frac{Ba^4\sin(2c+2dx)}{4}+\frac{Bb^4\sin(2c+2dx)}{4}+\frac{Bb^4\sin(4c+4dx)}{8}+\frac{Aa^4\sin(c+dx)}{2}+Ba^3b\sin(c+dx)+\frac{3Ab^4\cos(c+dx)}{4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A+B*cos(c+d*x))*(a+b*cos(c+d*x))^4)/cos(c+d*x)^4,x)

[Out] $((Aa^4\sin(3c+3dx))/6+(Ba^4\sin(2c+2dx))/4+(Bb^4\sin(2c+2dx))/4+(Bb^4\sin(4c+4dx))/8+(Aa^4\sin(c+dx))/2+B^4a^3b^3\sin(c+dx)+(3Aa^3b^4\cos(c+dx)*\operatorname{atan}(\sin(c/2+(dx)/2)/\cos(c/2+(dx)/2)))/2-(Ba^4\cos(c+dx)*\operatorname{atan}((\sin(c/2+(dx)/2)*i)/\cos(c/2+(dx)/2))*3i)/4+Aa^3b^3\sin(2c+2dx)+(3Aa^2b^2\sin(c+dx))/2+B^4a^3b^3\sin(3c+3dx)+(A^4b^4*\operatorname{atan}(\sin(c/2+(dx)/2)/\cos(c/2+(dx)/2))*\cos(3c+3dx))/2-(Ba^4*\operatorname{atan}((\sin(c/2+(dx)/2)*i)/\cos(c/2+(dx)/2))*\cos(3c+3dx)*i)/4+(3Aa^2b^2\sin(3c+3dx))/2-Aa^3b^3*\operatorname{atan}((\sin(c/2+(dx)/2)*i)/\cos(c/2+(dx)/2))*\cos(3c+3dx)*2i-Aa^3b^3*\operatorname{atan}(\sin(c/2+(dx)/2)/\cos(c/2+(dx)/2))*\cos(3c+3dx)-B^4a^2b^2*\cos(c+dx)*\operatorname{atan}((\sin(c/2+(dx)/2)*i)/\cos(c/2+(dx)/2))*9i-B^4a^2b^2*\operatorname{atan}((\sin(c/2+(dx)/2)*i)/\cos(c/2+(dx)/2))*\cos(3c+3dx)*3i-Aa^3b^3*\cos(c+dx)*\operatorname{atan}((\sin(c/2+(dx)/2)*i)/\cos(c/2+(dx)/2))*6i-Aa^3b^3*\cos(c+dx)*\operatorname{atan}((\sin(c/2+(dx)/2)*i)/\cos(c/2+(dx)/2))*3i+6B^4a^3b^3*\cos(c+dx)*\operatorname{atan}(\sin(c/2+(dx)/2)/\cos(c/2+(dx)/2)))/(d((3*\cos(c+dx))/4+\cos(3c+3dx)/4))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)
```

```
[Out] Timed out
```

$$3.247 \quad \int (a+b \cos(c+dx))^4 (A+B \cos(c+dx)) \sec^5(c+dx) dx$$

Optimal. Leaf size=216

$$\frac{a^2 (9a^2 A + 32abB + 26Ab^2) \tan(c + dx) \sec(c + dx)}{24d} + \frac{a (4a^3 B + 16a^2 Ab + 34ab^2 B + 19Ab^3) \tan(c + dx)}{6d} + \frac{(3a^4 A + 12a^3 B + 12a^2 Ab + 6ab^2 B + 3Ab^3) \tan(c + dx)}{6d}$$

[Out] $b^4 B x + \frac{1}{8} (3 A a^4 + 24 A a^2 b^2 + 8 A b^4 + 16 B a^3 b + 32 B a b^3) \operatorname{arctanh}(\sin(dx+c)) / d + \frac{1}{6} a (16 A a^2 b + 19 A b^3 + 4 B a^3 + 34 B a b^2) \tan(dx+c) / d + \frac{1}{2} 4 a^2 (9 A a^2 + 26 A b^2 + 32 B a b) \sec(dx+c) \tan(dx+c) / d + \frac{1}{12} a (7 A b + 4 B a) (a+b \cos(dx+c))^2 \sec(dx+c)^2 \tan(dx+c) / d + \frac{1}{4} a A (a+b \cos(dx+c))^3 \sec(dx+c)^3 \tan(dx+c) / d$

Rubi [A] time = 0.60, antiderivative size = 216, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2989, 3047, 3031, 3021, 2735, 3770}

$$\frac{a (16a^2 Ab + 4a^3 B + 34ab^2 B + 19Ab^3) \tan(c + dx)}{6d} + \frac{(24a^2 Ab^2 + 3a^4 A + 16a^3 b B + 32ab^3 B + 8Ab^4) \tanh^{-1}(\sin(c + dx))}{8d}$$

Antiderivative was successfully verified.

[In] Int[(a + bCos[c + d*x])^4*(A + B*cos[c + d*x])*Sec[c + d*x]^5,x]

[Out] $b^4 B x + ((3 a^4 A + 24 a^2 A b^2 + 8 A b^4 + 16 a^3 b B + 32 a b^3 B) \operatorname{ArcTanh}[\sin[c + d x]]) / (8 d) + (a (16 a^2 A b + 19 A b^3 + 4 a^3 B + 34 a b^2 B) \tan[c + d x]) / (6 d) + (a^2 (9 a^2 A + 26 A b^2 + 32 a b B) \sec[c + d x] \tan[c + d x]) / (24 d) + (a (7 A b + 4 A B) (a + b \cos[c + d x])^2 \sec[c + d x]^2 \tan[c + d x]) / (12 d) + (a A (a + b \cos[c + d x])^3 \sec[c + d x]^3 \tan[c + d x]) / (4 d)$

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]) / ((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2989

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)) / (d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1) / (b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,

C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \sec^3(c + dx) \tan(c + dx)}{4d} + \dots \\ &= \frac{a(7Ab + 4aB)(a + b \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{12d} \\ &= \frac{a^2(9a^2A + 26Ab^2 + 32abB) \sec(c + dx) \tan(c + dx)}{24d} \\ &= \frac{a(16a^2Ab + 19Ab^3 + 4a^3B + 34ab^2B) \tan(c + dx)}{6d} \\ &= b^4Bx + \frac{a(16a^2Ab + 19Ab^3 + 4a^3B + 34ab^2B) \tan(c + dx)}{6d} \\ &= b^4Bx + \frac{(3a^4A + 24a^2Ab^2 + 8Ab^4 + 16a^3bB + 32a^2b^2B) \sec(c + dx)}{8d} \end{aligned}$$

Mathematica [A] time = 1.08, size = 160, normalized size = 0.74

$$\frac{8a^3(aB + 4Ab) \tan^3(c + dx) + 3a \tan(c + dx) (2a^3A \sec^3(c + dx) + a (3a^2A + 16abB + 24Ab^2) \sec(c + dx) + 8a^2B \tan(c + dx))}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*cos[c + d*x])^4*(A + B*cos[c + d*x])*Sec[c + d*x]^5,x]

[Out] (24*b^4*B*d*x + 3*(3*a^4*A + 24*a^2*A*b^2 + 8*A*b^4 + 16*a^3*b*B + 32*a*b^3*B)*ArcTanh[Sin[c + d*x]] + 3*a*(8*(4*a^2*A*b + 4*A*b^3 + a^3*B + 6*a*b^2*B) + a*(3*a^2*A + 24*A*b^2 + 16*a*b*B)*Sec[c + d*x] + 2*a^3*A*Sec[c + d*x]^3)*Tan[c + d*x] + 8*a^3*(4*A*b + a*B)*Tan[c + d*x]^3)/(24*d)

fricas [A] time = 0.84, size = 250, normalized size = 1.16

$$\frac{48 B b^4 dx \cos(dx + c)^4 + 3 \left(3 A a^4 + 16 B a^3 b + 24 A a^2 b^2 + 32 B a b^3 + 8 A b^4 \right) \cos(dx + c)^4 \log(\sin(dx + c) + 1) - \dots}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")

[Out] 1/48*(48*B*b^4*d*x*cos(d*x + c)^4 + 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(6*A*a^4 + 16*(B*a^4 + 4*A*a^3*b + 9*B*a^2*b^2 + 6*A*a*b^3)*cos(d*x + c)^3 + 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2)*cos(d*x + c)^2 + 8*(B*a^4 + 4*A*a^3*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^4)

giac [B] time = 0.69, size = 635, normalized size = 2.94

$$24(dx + c)Bb^4 + 3 \left(3 A a^4 + 16 B a^3 b + 24 A a^2 b^2 + 32 B a b^3 + 8 A b^4 \right) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3 \left(3 A a^4 + 16 B a^3 b + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")

[Out] 1/24*(24*(d*x + c)*B*b^4 + 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(15*A*a^4*tan(1/2*d*x + 1/2*c)^7 - 24*B*a^4*tan(1/2*d*x + 1/2*c)^7 - 96*A*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 48*B*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 72*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 - 144*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 - 96*A*a*b^3*tan(1/2*d*x + 1/2*c)^7 + 9*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 40*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 160*A*a^3*b*tan(1/2*d*x + 1/2*c)^5 - 48*B*a^3*b*tan(1/2*d*x + 1/2*c)^5 - 72*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 + 432*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 + 288*A*a*b^3*tan(1/2*d*x + 1/2*c)^5 + 9*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^4*tan(1/2*d*x + 1/2*c)^3 - 160*A*a^3*b*tan(1/2*d*x + 1/2*c)^3 - 48*B*a^3*b*tan(1/2*d*x + 1/2*c)^3 - 72*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 - 432*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 - 288*A*a*b^3*tan(1/2*d*x + 1/2*c)^3 + 15*A*a^4*tan(1/2*d*x + 1/2*c) + 24*B*a^4*tan(1/2*d*x + 1/2*c) + 96*A*a^3*b*tan(1/2*d*x + 1/2*c) + 48*B*a^3*b*tan(1/2*d*x + 1/2*c) + 72*A*a^2*b^2*tan(1/2*d*x + 1/2*c) + 144*B*a^2*b^2*tan(1/2*d*x + 1/2*c) + 96*A*a*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d

maple [A] time = 0.16, size = 338, normalized size = 1.56

$$\frac{A a^4 \tan(dx + c) \left(\sec^3(dx + c) \right)}{4d} + \frac{3 A a^4 \sec(dx + c) \tan(dx + c)}{8d} + \frac{3 A a^4 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{2 a^4 B \tan(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned}
& + (d*x)/2) + 64*A^2*b^8*\sin(c/2 + (d*x)/2) + 64*B^2*b^8*\sin(c/2 + (d*x)/2) \\
& + 384*A^2*a^2*b^6*\sin(c/2 + (d*x)/2) + 624*A^2*a^4*b^4*\sin(c/2 + (d*x)/2) \\
& + 144*A^2*a^6*b^2*\sin(c/2 + (d*x)/2) + 1024*B^2*a^2*b^6*\sin(c/2 + (d*x)/2) \\
& + 1024*B^2*a^4*b^4*\sin(c/2 + (d*x)/2) + 256*B^2*a^6*b^2*\sin(c/2 + (d*x)/2) \\
& + 1792*A*B*a^3*b^5*\sin(c/2 + (d*x)/2) + 960*A*B*a^5*b^3*\sin(c/2 + (d*x)/2) \\
& + 512*A*B*a*b^7*\sin(c/2 + (d*x)/2) + 96*A*B*a^7*b*\sin(c/2 + (d*x)/2))/(\cos(\\
& c/2 + (d*x)/2)*(9*A^2*a^8 + 64*A^2*b^8 + 64*B^2*b^8 + 384*A^2*a^2*b^6 + 624 \\
& *A^2*a^4*b^4 + 144*A^2*a^6*b^2 + 1024*B^2*a^2*b^6 + 1024*B^2*a^4*b^4 + 256* \\
& B^2*a^6*b^2 + 512*A*B*a*b^7 + 96*A*B*a^7*b + 1792*A*B*a^3*b^5 + 960*A*B*a^5 \\
& *b^3))) + 6*B*a^3*b*\sin(c + d*x) + 36*B*a*b^3*atanh(\sin(c/2 + (d*x)/2)/\cos(\\
& c/2 + (d*x)/2)) + 18*B*a^3*b*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)) + \\
& 12*A*a*b^3*\sin(2*c + 2*d*x) + 16*A*a^3*b*\sin(2*c + 2*d*x) + 6*A*a*b^3*\sin(\\
& 4*c + 4*d*x) + 4*A*a^3*b*\sin(4*c + 4*d*x) + 9*A*a^2*b^2*\sin(c + d*x) + 6*B* \\
& a^3*b*\sin(3*c + 3*d*x) + (9*A*a^4*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/ \\
& 2))*\cos(2*c + 2*d*x))/2 + (9*A*a^4*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x) \\
& /2))*\cos(4*c + 4*d*x))/8 + 27*A*a^2*b^2*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + \\
& (d*x)/2)) + 12*A*b^4*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2))*\cos(2*c + \\
& 2*d*x) + 3*A*b^4*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2))*\cos(4*c + 4* \\
& d*x) + 9*A*a^2*b^2*\sin(3*c + 3*d*x) + 18*B*a^2*b^2*\sin(2*c + 2*d*x) + 9*B*a \\
& ^2*b^2*\sin(4*c + 4*d*x) + 48*B*a*b^3*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d* \\
& x)/2))*\cos(2*c + 2*d*x) + 24*B*a^3*b*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d* \\
& x)/2))*\cos(2*c + 2*d*x) + 12*B*a*b^3*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d* \\
& x)/2))*\cos(4*c + 4*d*x) + 6*B*a^3*b*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x) \\
& /2))*\cos(4*c + 4*d*x) + 36*A*a^2*b^2*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d \\
& *x)/2))*\cos(2*c + 2*d*x) + 9*A*a^2*b^2*atanh(\sin(c/2 + (d*x)/2)/\cos(c/2 + (\\
& d*x)/2))*\cos(4*c + 4*d*x))/(12*d*(\cos(2*c + 2*d*x)/2 + \cos(4*c + 4*d*x)/8 + \\
& 3/8))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)

[Out] Timed out

3.248 $\int (a+b \cos(c+dx))^4 (A+B \cos(c+dx)) \sec^6(c+dx) dx$

Optimal. Leaf size=267

$$\frac{a^2 (8a^2 A + 25abB + 18Ab^2) \tan(c + dx) \sec^2(c + dx)}{30d} + \frac{a (15a^3 B + 60a^2 Ab + 110ab^2 B + 56Ab^3) \tan(c + dx) \sec^2(c + dx)}{40d}$$

[Out] $\frac{1}{8} (12Aa^3b + 16Aa^2b^2 + 3Ba^4 + 24Ba^2b^2 + 8Bb^4) \operatorname{arctanh}(\sin(dx+c)) / d + \frac{1}{15} (8Aa^4 + 60Aa^2b^2 + 15Aa^3b + 40Ba^3b + 60Ba^2b^3) \tan(dx+c) / d + \frac{1}{40} a (60Aa^2b + 56Aa^3b + 15Ba^3 + 110Ba^2b) \sec(dx+c) \tan(dx+c) / d + \frac{1}{30} a^2 (8Aa^2 + 18Aa^2b + 25Ba^2b) \sec(dx+c)^2 \tan(dx+c) / d + \frac{1}{20} a (8Aa^2b + 5Ba^2) (a+b \cos(dx+c))^2 \sec(dx+c)^3 \tan(dx+c) / d + \frac{1}{5} a^2 (a+b \cos(dx+c))^3 \sec(dx+c)^4 \tan(dx+c) / d$

Rubi [A] time = 0.72, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {2989, 3047, 3031, 3021, 2748, 3767, 8, 3770}

$$\frac{(60a^2 Ab^2 + 8a^4 A + 40a^3 bB + 60ab^3 B + 15Ab^4) \tan(c + dx)}{15d} + \frac{(12a^3 Ab + 24a^2 b^2 B + 3a^4 B + 16aAb^3 + 8b^4 B)}{8d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \cos[c + dx])^4 (A + B \cos[c + dx]) \sec[c + dx]^6, x]$

[Out] $((12a^3 A b + 16a^2 A b^2 + 3a^4 B + 24a^2 b^2 B + 8b^4 B) \operatorname{ArcTanh}[\sin[c + dx]]) / (8d) + ((8a^4 A + 60a^2 A b^2 + 15Aa^3 b + 40a^3 b B + 60a^2 b^3 B) \tan[c + dx]) / (15d) + (a (60a^2 A b + 56Aa^3 b + 15Ba^3 + 110Ba^2 b) \sec[c + dx] \tan[c + dx]) / (40d) + (a^2 (8a^2 A + 18Aa^2 b + 25Ba^2 b) \sec[c + dx]^2 \tan[c + dx]) / (30d) + (a (8Aa^2 b + 5Ba^2) (a + b \cos[c + dx])^2 \sec[c + dx]^3 \tan[c + dx]) / (20d) + (a^2 (a + b \cos[c + dx])^3 \sec[c + dx]^4 \tan[c + dx]) / (5d)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}[(b \sin[e] + f(x))^m ((c) + (d) \sin[e] + f(x))], x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b \sin[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b \sin[e + f*x])^{m+1}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2989

$\operatorname{Int}[(a) + (b \sin[e] + f(x))^m ((A) + (B) \sin[e] + f(x))], x_Symbol] \rightarrow -\operatorname{Simp}[(b*c - a*d) * (B*c - A*d) * \cos[e + f*x] * (a + b \sin[e + f*x])^{m-1} * (c + d \sin[e + f*x])^{n+1} / (d*f*(n+1)*(c^2 - d^2)), x] + \operatorname{Dist}[1/(d*(n+1)*(c^2 - d^2)), \operatorname{Int}[(a + b \sin[e + f*x])^{m-2} * (c + d \sin[e + f*x])^{n+1}], x] * \operatorname{Simp}[b*(b*c - a*d) * (B*c - A*d) * (m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d) * (n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2))) * (n+1) - a*(b*c - a*d) * (B*c - A*d) * (n+2) * \sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d) * (m+n+1) - b*B*(c^2*m + d^2*(n+1))) * \sin[e + f*x]^2, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{LtQ}[n, -1]$

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^6(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \sec^4(c + dx) \tan(c + dx)}{5d} + \\
&= \frac{a(8Ab + 5aB)(a + b \cos(c + dx))^2 \sec^3(c + dx) \tan(c + dx)}{20d} \\
&= \frac{a^2(8a^2A + 18Ab^2 + 25abB) \sec^2(c + dx) \tan(c + dx)}{30d} \\
&= \frac{a(60a^2Ab + 56Ab^3 + 15a^3B + 110ab^2B) \sec(c + dx) \tan(c + dx)}{40d} \\
&= \frac{a(60a^2Ab + 56Ab^3 + 15a^3B + 110ab^2B) \sec(c + dx) \tan(c + dx)}{40d} \\
&= \frac{(12a^3Ab + 16aAb^3 + 3a^4B + 24a^2b^2B + 8b^4B) \tan(c + dx)}{8d} \\
&= \frac{(12a^3Ab + 16aAb^3 + 3a^4B + 24a^2b^2B + 8b^4B) \tan(c + dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 4.25, size = 198, normalized size = 0.74

$$\frac{15(3a^4B + 12a^3Ab + 24a^2b^2B + 16aAb^3 + 8b^4B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (24a^4A \tan^4(c + dx) + 30a^3B \tan^3(c + dx) + 15a^2b^2B \tan^2(c + dx) + 8aAb^3 \tan(c + dx) + 8b^4B)}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^6,x]
[Out] (15*(12*a^3*A*b + 16*a*A*b^3 + 3*a^4*B + 24*a^2*b^2*B + 8*b^4*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(120*(a^4*A + 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B + 4*a*b^3*B) + 15*a*(12*a^2*A*b + 16*A*b^3 + 3*a^3*B + 24*a*b^2*B)*Sec[c + d*x] + 30*a^3*(4*A*b + a*B)*Sec[c + d*x]^3 + 80*a^2*(a^2*A + 3*A*b^2 + 2*a*b*B)*Tan[c + d*x]^2 + 24*a^4*A*Tan[c + d*x]^4))/(120*d)
```

fricas [A] time = 0.66, size = 281, normalized size = 1.05

$$\frac{15(3Ba^4 + 12Aa^3b + 24Ba^2b^2 + 16Aab^3 + 8Bb^4) \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(3Ba^4 + 12Aa^3b + 24Ba^2b^2 + 16Aab^3 + 8Bb^4) \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2*(24Aa^4 + 8*(8Aa^4 + 40Ba^3b + 60Aa^2b^2 + 60Bab^3 + 15Ab^4)*\cos(dx + c)^4 + 15*(3Ba^4 + 12Aa^3b + 24Ba^2b^2 + 16Aab^3)*\cos(dx + c)^3 + 16*(2Aa^4 + 10Ba^3b + 15Aa^2b^2)*\cos(dx + c)^2 + 30*(Ba^4 + 4Aa^3b)*\cos(dx + c))*\sin(dx + c))/(d*\cos(dx + c)^5)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="fricas")
[Out] 1/240*(15*(3*B*a^4 + 12*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 8*B*b^4)*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(3*B*a^4 + 12*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 8*B*b^4)*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(24*A*a^4 + 8*(8*A*a^4 + 40*B*a^3*b + 60*A*a^2*b^2 + 60*B*a*b^3 + 15*A*b^4)*cos(d*x + c)^4 + 15*(3*B*a^4 + 12*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3)*cos(d*x + c)^3 + 16*(2*A*a^4 + 10*B*a^3*b + 15*A*a^2*b^2)*cos(d*x + c)^2 + 30*(B*a^4 + 4*A*a^3*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^5)
```

giac [B] time = 0.54, size = 850, normalized size = 3.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="giac")
```

```
[Out] 1/120*(15*(3*B*a^4 + 12*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 8*B*b^4)*log(
abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(3*B*a^4 + 12*A*a^3*b + 24*B*a^2*b^2 +
16*A*a*b^3 + 8*B*b^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(120*A*a^4*tan
(1/2*d*x + 1/2*c)^9 - 75*B*a^4*tan(1/2*d*x + 1/2*c)^9 - 300*A*a^3*b*tan(1/2
*d*x + 1/2*c)^9 + 480*B*a^3*b*tan(1/2*d*x + 1/2*c)^9 + 720*A*a^2*b^2*tan(1/
2*d*x + 1/2*c)^9 - 360*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 - 240*A*a*b^3*tan(1
/2*d*x + 1/2*c)^9 + 480*B*a*b^3*tan(1/2*d*x + 1/2*c)^9 + 120*A*b^4*tan(1/2*
d*x + 1/2*c)^9 - 160*A*a^4*tan(1/2*d*x + 1/2*c)^7 + 30*B*a^4*tan(1/2*d*x +
1/2*c)^7 + 120*A*a^3*b*tan(1/2*d*x + 1/2*c)^7 - 1280*B*a^3*b*tan(1/2*d*x +
1/2*c)^7 - 1920*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 + 720*B*a^2*b^2*tan(1/2*d*
x + 1/2*c)^7 + 480*A*a*b^3*tan(1/2*d*x + 1/2*c)^7 - 1920*B*a*b^3*tan(1/2*d*
x + 1/2*c)^7 - 480*A*b^4*tan(1/2*d*x + 1/2*c)^7 + 464*A*a^4*tan(1/2*d*x + 1
/2*c)^5 + 1600*B*a^3*b*tan(1/2*d*x + 1/2*c)^5 + 2400*A*a^2*b^2*tan(1/2*d*x
+ 1/2*c)^5 + 2880*B*a*b^3*tan(1/2*d*x + 1/2*c)^5 + 720*A*b^4*tan(1/2*d*x +
1/2*c)^5 - 160*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 30*B*a^4*tan(1/2*d*x + 1/2*c)
^3 - 120*A*a^3*b*tan(1/2*d*x + 1/2*c)^3 - 1280*B*a^3*b*tan(1/2*d*x + 1/2*c)
^3 - 1920*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 - 720*B*a^2*b^2*tan(1/2*d*x + 1/
2*c)^3 - 480*A*a*b^3*tan(1/2*d*x + 1/2*c)^3 - 1920*B*a*b^3*tan(1/2*d*x + 1/
2*c)^3 - 480*A*b^4*tan(1/2*d*x + 1/2*c)^3 + 120*A*a^4*tan(1/2*d*x + 1/2*c)
+ 75*B*a^4*tan(1/2*d*x + 1/2*c) + 300*A*a^3*b*tan(1/2*d*x + 1/2*c) + 480*B*
a^3*b*tan(1/2*d*x + 1/2*c) + 720*A*a^2*b^2*tan(1/2*d*x + 1/2*c) + 360*B*a^2
*b^2*tan(1/2*d*x + 1/2*c) + 240*A*a*b^3*tan(1/2*d*x + 1/2*c) + 480*B*a*b^3*
tan(1/2*d*x + 1/2*c) + 120*A*b^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c
)^2 - 1)^5)/d
```

maple [A] time = 0.15, size = 431, normalized size = 1.61

$$\frac{8Aa^4 \tan(dx+c)}{15d} + \frac{Aa^4 \tan(dx+c) (\sec^4(dx+c))}{5d} + \frac{4Aa^4 \tan(dx+c) (\sec^2(dx+c))}{15d} + \frac{a^4B \tan(dx+c) (\sec^3(dx+c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x)
```

```
[Out] 8/15/d*A*a^4*tan(d*x+c)+1/5/d*A*a^4*tan(d*x+c)*sec(d*x+c)^4+4/15/d*A*a^4*ta
n(d*x+c)*sec(d*x+c)^2+1/4/d*a^4*B*tan(d*x+c)*sec(d*x+c)^3+3/8/d*a^4*B*sec(d
*x+c)*tan(d*x+c)+3/8/d*a^4*B*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a^3*b*tan(d*x+
c)*sec(d*x+c)^3+3/2/d*A*a^3*b*sec(d*x+c)*tan(d*x+c)+3/2/d*A*a^3*b*ln(sec(d*
x+c)+tan(d*x+c))+8/3/d*B*a^3*b*tan(d*x+c)+4/3/d*B*a^3*b*tan(d*x+c)*sec(d*x+
c)^2+4/d*A*a^2*b^2*tan(d*x+c)+2/d*A*a^2*b^2*tan(d*x+c)*sec(d*x+c)^2+3/d*B*a
^2*b^2*tan(d*x+c)*sec(d*x+c)+3/d*B*a^2*b^2*ln(sec(d*x+c)+tan(d*x+c))+2/d*A*
a*b^3*tan(d*x+c)*sec(d*x+c)+2/d*A*a*b^3*ln(sec(d*x+c)+tan(d*x+c))+4/d*B*a*b
^3*tan(d*x+c)+1/d*A*b^4*tan(d*x+c)+1/d*B*b^4*ln(sec(d*x+c)+tan(d*x+c))
```

maxima [A] time = 0.59, size = 386, normalized size = 1.45

$$16 \left(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c) \right) Aa^4 + 320 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba^3b + 480 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba^3b + 480 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba^3b + 480 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba^3b$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="ma
xima")
```

```
[Out] 1/240*(16*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*A*a^4 +
320*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a^3*b + 480*(tan(d*x + c)^3 + 3*tan
(d*x + c))*A*a^2*b^2 - 15*B*a^4*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c)))/(sin
(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d
*x + c) - 1)) - 60*A*a^3*b*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c)))/(sin(d*x
+ c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x +
```

c) - 1)) - 360*B*a^2*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 240*A*a*b^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 120*B*b^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 960*B*a*b^3*tan(d*x + c) + 240*A*b^4*tan(d*x + c))/d

mupad [B] time = 3.88, size = 555, normalized size = 2.08

$$\frac{\operatorname{atanh}\left(\frac{4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\left(\frac{3Ba^4}{8} + \frac{3Aa^3b}{2} + 3Ba^2b^2 + 2Aab^3 + Bb^4\right)}{\frac{3Ba^4}{2} + 6Aa^3b + 12Ba^2b^2 + 8Aab^3 + 4Bb^4}\right)\left(\frac{3Ba^4}{4} + 3Aa^3b + 6Ba^2b^2 + 4Aab^3 + 2Bb^4\right)}{d} - \left(2Aa^4 - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^4)/cos(c + d*x)^6, x)

[Out] (atanh((4*tan(c/2 + (d*x)/2)*((3*B*a^4)/8 + B*b^4 + 3*B*a^2*b^2 + 2*A*a*b^3 + (3*A*a^3*b)/2)))/((3*B*a^4)/2 + 4*B*b^4 + 12*B*a^2*b^2 + 8*A*a*b^3 + 6*A*a^3*b))*((3*B*a^4)/4 + 2*B*b^4 + 6*B*a^2*b^2 + 4*A*a*b^3 + 3*A*a^3*b))/d - (tan(c/2 + (d*x)/2)*(2*A*a^4 + 2*A*b^4 + (5*B*a^4)/4 + 12*A*a^2*b^2 + 6*B*a^2*b^2 + 4*A*a*b^3 + 5*A*a^3*b + 8*B*a*b^3 + 8*B*a^3*b) + tan(c/2 + (d*x)/2)^5*((116*A*a^4)/15 + 12*A*b^4 + 40*A*a^2*b^2 + 48*B*a*b^3 + (80*B*a^3*b)/3) + tan(c/2 + (d*x)/2)^9*(2*A*a^4 + 2*A*b^4 - (5*B*a^4)/4 + 12*A*a^2*b^2 - 6*B*a^2*b^2 - 4*A*a*b^3 - 5*A*a^3*b + 8*B*a*b^3 + 8*B*a^3*b) - tan(c/2 + (d*x)/2)^3*((8*A*a^4)/3 + 8*A*b^4 + (B*a^4)/2 + 32*A*a^2*b^2 + 12*B*a^2*b^2 + 8*A*a*b^3 + 2*A*a^3*b + 32*B*a*b^3 + (64*B*a^3*b)/3) - tan(c/2 + (d*x)/2)^7*((8*A*a^4)/3 + 8*A*b^4 - (B*a^4)/2 + 32*A*a^2*b^2 - 12*B*a^2*b^2 - 8*A*a*b^3 - 2*A*a^3*b + 32*B*a*b^3 + (64*B*a^3*b)/3))/(d*(5*tan(c/2 + (d*x)/2)^2 - 10*tan(c/2 + (d*x)/2)^4 + 10*tan(c/2 + (d*x)/2)^6 - 5*tan(c/2 + (d*x)/2)^8 + tan(c/2 + (d*x)/2)^10 - 1))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**6, x)

[Out] Timed out

$$3.249 \quad \int (a+b \cos(c+dx))^4 (A+B \cos(c+dx)) \sec^7(c+dx) dx$$

Optimal. Leaf size=324

$$\frac{a^2 (25a^2 A + 72abB + 48Ab^2) \tan(c+dx) \sec^3(c+dx)}{120d} + \frac{a (4a^3 B + 16a^2 Ab + 27ab^2 B + 13Ab^3) \tan(c+dx) \sec^2(c+dx)}{15d}$$

[Out] $1/16*(5*A*a^4+36*A*a^2*b^2+8*A*b^4+24*B*a^3*b+32*B*a*b^3)*\operatorname{arctanh}(\sin(d*x+c))/d+1/15*(32*A*a^3*b+40*A*a*b^3+8*B*a^4+60*B*a^2*b^2+15*B*b^4)*\tan(d*x+c)/d+1/16*(5*A*a^4+36*A*a^2*b^2+8*A*b^4+24*B*a^3*b+32*B*a*b^3)*\sec(d*x+c)*\tan(d*x+c)/d+1/15*a*(16*A*a^2*b+13*A*b^3+4*B*a^3+27*B*a*b^2)*\sec(d*x+c)^2*\tan(d*x+c)/d+1/120*a^2*(25*A*a^2+48*A*b^2+72*B*a*b)*\sec(d*x+c)^3*\tan(d*x+c)/d+1/10*a*(3*A*b+2*B*a)*(a+b*\cos(d*x+c))^2*\sec(d*x+c)^4*\tan(d*x+c)/d+1/6*a*A*(a+b*\cos(d*x+c))^3*\sec(d*x+c)^5*\tan(d*x+c)/d$

Rubi [A] time = 0.80, antiderivative size = 324, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.290$, Rules used = {2989, 3047, 3031, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{(32a^3 Ab + 60a^2 b^2 B + 8a^4 B + 40a Ab^3 + 15b^4 B) \tan(c+dx)}{15d} + \frac{(36a^2 Ab^2 + 5a^4 A + 24a^3 b B + 32ab^3 B + 8Ab^4) \tan(c+dx)}{16d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])^4*(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^7, x]$

[Out] $((5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(16*d) + ((32*a^3*A*b + 40*a*A*b^3 + 8*a^4*B + 60*a^2*b^2*B + 15*b^4*B)*\operatorname{Tan}[c + d*x])/(15*d) + ((5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(16*d) + (a*(16*a^2*A*b + 13*A*b^3 + 4*a^3*B + 27*a*b^2*B)*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/(15*d) + (a^2*(25*a^2*A + 48*A*b^2 + 72*a*b*B)*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(120*d) + (a*(3*A*b + 2*a*B)*(a + b*\operatorname{Cos}[c + d*x])^2*\operatorname{Sec}[c + d*x]^4*\operatorname{Tan}[c + d*x])/(10*d) + (a*A*(a + b*\operatorname{Cos}[c + d*x])^3*\operatorname{Sec}[c + d*x]^5*\operatorname{Tan}[c + d*x])/(6*d)$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 2748

$\operatorname{Int}(((b_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m + 1)}, x], x] /; \operatorname{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2989

$\operatorname{Int}(((a_.) + (b_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow -\operatorname{Simp}(((b*c - a*d)*(B*c - A*d)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m - 1)}*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)})/(d*f*(n + 1)*(c^2 - d^2)), x] + \operatorname{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m - 2)}*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)}]*\operatorname{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*\operatorname{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*\operatorname{Sin}[e + f*x]^2, x], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{LtQ}[n, -1]$

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3031

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3047

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^7(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \sec^5(c + dx) \tan(c + dx)}{6d} + \frac{1}{6} \\
&= \frac{a(3Ab + 2aB)(a + b \cos(c + dx))^2 \sec^4(c + dx) \tan(c + dx)}{10d} \\
&= \frac{a^2 (25a^2 A + 48Ab^2 + 72abB) \sec^3(c + dx) \tan(c + dx)}{120d} \\
&= \frac{a (16a^2 Ab + 13Ab^3 + 4a^3 B + 27ab^2 B) \sec^2(c + dx) \tan(c + dx)}{15d} \\
&= \frac{a (16a^2 Ab + 13Ab^3 + 4a^3 B + 27ab^2 B) \sec^2(c + dx) \tan(c + dx)}{15d} \\
&= \frac{(5a^4 A + 36a^2 Ab^2 + 8Ab^4 + 24a^3 bB + 32ab^3 B) \sec(c + dx) \tan(c + dx)}{16d} \\
&= \frac{(5a^4 A + 36a^2 Ab^2 + 8Ab^4 + 24a^3 bB + 32ab^3 B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (40a^4 A \sec^5(c + dx) + 48a^3 B \sec^4(c + dx) \tan(c + dx))}{16d}
\end{aligned}$$

Mathematica [A] time = 2.77, size = 244, normalized size = 0.75

$$\frac{15 (5a^4 A + 24a^3 bB + 36a^2 Ab^2 + 32ab^3 B + 8Ab^4) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (40a^4 A \sec^5(c + dx) + 48a^3 B \sec^4(c + dx) \tan(c + dx))}{16d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^7,x]

[Out] (15*(5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(240*(4*a^3*A*b + 4*a*A*b^3 + a^4*B + 6*a^2*b^2*B + b^4*B) + 15*(5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*Sec[c + d*x] + 10*a^2*(5*a^2*A + 36*A*b^2 + 24*a*b*B)*Sec[c + d*x]^3 + 40*a^4*A*Sec[c + d*x]^5 + 160*a*(4*a^2*A*b + 2*A*b^3 + a^3*B + 3*a*b^2*B)*Tan[c + d*x]^2 + 48*a^3*(4*A*b + a*B)*Tan[c + d*x]^4))/(240*d)

fricas [A] time = 1.10, size = 327, normalized size = 1.01

$$\frac{15 (5 Aa^4 + 24 Ba^3b + 36 Aa^2b^2 + 32 Bab^3 + 8 Ab^4) \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15 (5 Aa^4 + 24 Ba^3b + 36 Aa^2b^2 + 32 Bab^3 + 8 Ab^4) \cos(dx + c)^6 \log(-\sin(dx + c) + 1) + 2*(16*(8*B*a^4 + 32*A*a^3*b + 60*B*a^2*b^2 + 40*A*a*b^3 + 15*B*b^4)*\cos(dx + c)^5 + 40*A*a^4 + 15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*\cos(dx + c)^4 + 32*(2*B*a^4 + 8*A*a^3*b + 15*B*a^2*b^2 + 10*A*a*b^3)*\cos(dx + c)^3 + 10*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2)*\cos(dx + c)^2 + 48*(B*a^4 + 4*A*a^3*b)*\cos(dx + c))*\sin(dx + c))/(d*\cos(dx + c)^6)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^7,x, algorithm="fricas")

[Out] 1/480*(15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*cos(d*x + c)^6*log(sin(d*x + c) + 1) - 15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*cos(d*x + c)^6*log(-sin(d*x + c) + 1) + 2*(16*(8*B*a^4 + 32*A*a^3*b + 60*B*a^2*b^2 + 40*A*a*b^3 + 15*B*b^4)*cos(d*x + c)^5 + 40*A*a^4 + 15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*cos(d*x + c)^4 + 32*(2*B*a^4 + 8*A*a^3*b + 15*B*a^2*b^2 + 10*A*a*b^3)*cos(d*x + c)^3 + 10*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2)*cos(d*x + c)^2 + 48*(B*a^4 + 4*A*a^3*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^6)

giac [B] time = 0.93, size = 1186, normalized size = 3.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^7,x, algorithm="giac")

[Out] $\frac{1}{240} \cdot (15 \cdot (5A^4 + 24B^3b + 36A^2b^2 + 32B^2b^3 + 8Ab^4) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1)) - 15 \cdot (5A^4 + 24B^3b + 36A^2b^2 + 32B^2b^3 + 8Ab^4) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) + 2 \cdot (165A^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 240B^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 960A^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 600B^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 900A^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 1440B^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 960A^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 480B^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 120Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} - 240B^4b^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^{11} + 25A^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 560B^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 2240A^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 - 840B^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 - 1260A^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 5280B^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 3520A^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 - 1440B^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 - 360Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 1200B^4b^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 450A^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 1248B^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 4992A^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 240B^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 360A^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 8640B^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 5760A^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 960B^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 240Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 2400B^4b^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 450A^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 1248B^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 4992A^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 240B^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 360A^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 8640B^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 5760A^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 960B^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 240Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 2400B^4b^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 25A^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 560B^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 2240A^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 840B^3b \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 1260A^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 5280B^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 3520A^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 1440B^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 360Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 1200B^4b^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 165A^4 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 240B^4 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 960A^3b \tan(\frac{1}{2}dx + \frac{1}{2}c) + 600B^3b \tan(\frac{1}{2}dx + \frac{1}{2}c) + 900A^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 1440B^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 960A^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 480B^2b^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 120Ab^4 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 240B^4b^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^6 / d$

maple [A] time = 0.16, size = 550, normalized size = 1.70

$$\frac{A b^4 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{4A a^3 b \tan(dx+c) (\sec^4(dx+c))}{5d} + \frac{2B a b^3 \tan(dx+c) \sec(dx+c)}{d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^7,x)

[Out] $\frac{1}{2} \cdot d \cdot A \cdot b^4 \cdot \ln(\sec(dx+c) + \tan(dx+c)) + \frac{3}{2} \cdot d \cdot A^2 \cdot b^2 \cdot \tan(dx+c) \cdot \sec(dx+c)^3 + \frac{2}{d} \cdot B \cdot a^3 \cdot b^3 \cdot \tan(dx+c) \cdot \sec(dx+c) + \frac{1}{d} \cdot B \cdot b^4 \cdot \tan(dx+c) + \frac{8}{15} \cdot d \cdot a^4 \cdot B \cdot \tan(dx+c) + \frac{1}{2} \cdot d \cdot A \cdot b^4 \cdot \tan(dx+c) \cdot \sec(dx+c) + \frac{1}{6} \cdot d \cdot A^4 \cdot \tan(dx+c) \cdot \sec(dx+c)^5 + \frac{1}{5} \cdot d \cdot a^4 \cdot B \cdot \tan(dx+c) \cdot \sec(dx+c)^4 + \frac{4}{5} \cdot d \cdot A^3 \cdot b \cdot \tan(dx+c) \cdot \sec(dx+c)^4 + \frac{2}{d} \cdot B \cdot a^2 \cdot b^2 \cdot \tan(dx+c) \cdot \sec(dx+c)^2 + \frac{4}{3} \cdot d \cdot A \cdot a \cdot b^3 \cdot \tan(dx+c) \cdot \sec(dx+c)^2 + \frac{5}{16} \cdot d \cdot A^4 \cdot \ln(\sec(dx+c) + \tan(dx+c)) + \frac{1}{d} \cdot B \cdot a^3 \cdot b \cdot \tan(dx+c) \cdot \sec(dx+c)^3 + \frac{32}{15} \cdot d \cdot A^3 \cdot b \cdot \tan(dx+c) + \frac{3}{2} \cdot d \cdot B \cdot a^3 \cdot b \cdot \ln(\sec(dx+c) + \tan(dx+c)) + \frac{9}{4} \cdot d \cdot A^2 \cdot b^2 \cdot \ln(\sec(dx+c) + \tan(dx+c)) + \frac{5}{24} \cdot d \cdot A^4 \cdot \tan(dx+c) \cdot \sec(dx+c)^3 + \frac{4}{15} \cdot d \cdot a^4 \cdot B \cdot \tan(dx+c) \cdot \sec(dx+c)^2 + \frac{16}{15} \cdot d \cdot A^3 \cdot b \cdot \tan(dx+c) \cdot \sec(dx+c)^2 + \frac{3}{2} \cdot d \cdot B \cdot a^3 \cdot b \cdot \tan(dx+c) \cdot \sec(dx+c) + \frac{9}{4} \cdot d \cdot A^2 \cdot b^2 \cdot \tan(dx+c) \cdot \sec(dx+c) + \frac{5}{16} \cdot d \cdot A^4 \cdot \sec(dx+c) \cdot \tan(dx+c) + \frac{4}{d} \cdot B \cdot a^2 \cdot b^2 \cdot \tan(dx+c) + \frac{8}{3} \cdot d \cdot A \cdot a \cdot b^3 \cdot \tan(dx+c) + \frac{2}{d} \cdot B \cdot a \cdot b^3 \cdot \ln(\sec(dx+c) + \tan(dx+c))$

maxima [A] time = 0.44, size = 474, normalized size = 1.46

$$32 \left(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right) Ba^4 + 128 \left(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^7,x, algorithm="maxima")

[Out] $\frac{1}{480} \cdot (32 \cdot (3 \cdot \tan(dx + c)^5 + 10 \cdot \tan(dx + c)^3 + 15 \cdot \tan(dx + c)) \cdot B \cdot a^4 + 128 \cdot (3 \cdot \tan(dx + c)^5 + 10 \cdot \tan(dx + c)^3 + 15 \cdot \tan(dx + c)) \cdot A \cdot a^3 \cdot b + 960 \cdot (\tan(dx + c)^3 + 3 \cdot \tan(dx + c)) \cdot B \cdot a^2 \cdot b^2 + 640 \cdot (\tan(dx + c)^3 + 3 \cdot \tan(dx + c)) \cdot A \cdot a \cdot b^3 - 5 \cdot A \cdot a^4 \cdot (2 \cdot (15 \cdot \sin(dx + c)^5 - 40 \cdot \sin(dx + c)^3 + 33 \cdot \sin(dx + c)) / (\sin(dx + c)^6 - 3 \cdot \sin(dx + c)^4 + 3 \cdot \sin(dx + c)^2 - 1) - 15 \cdot \log(\sin(dx + c) + 1) + 15 \cdot \log(\sin(dx + c) - 1)) - 120 \cdot B \cdot a^3 \cdot b \cdot (2 \cdot (3 \cdot \sin(dx + c)^3 - 5 \cdot \sin(dx + c)) / (\sin(dx + c)^4 - 2 \cdot \sin(dx + c)^2 + 1) - 3 \cdot \log(\sin(dx + c) + 1) + 3 \cdot \log(\sin(dx + c) - 1)) - 180 \cdot A \cdot a^2 \cdot b^2 \cdot (2 \cdot (3 \cdot \sin(dx + c)^3 - 5 \cdot \sin(dx + c)) / (\sin(dx + c)^4 - 2 \cdot \sin(dx + c)^2 + 1) - 3 \cdot \log(\sin(dx + c) + 1) + 3 \cdot \log(\sin(dx + c) - 1)) - 480 \cdot B \cdot a \cdot b^3 \cdot (2 \cdot \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 120 \cdot A \cdot b^4 \cdot (2 \cdot \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 480 \cdot B \cdot b^4 \cdot \tan(dx + c)) / d$

mupad [B] time = 3.75, size = 706, normalized size = 2.18

$$\frac{\operatorname{atanh}\left(\frac{4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{5Aa^4}{16} + \frac{3Ba^3b}{2} + \frac{9Aa^2b^2}{4} + 2Bab^3 + \frac{Ab^4}{2}\right)}{\frac{5Aa^4}{4} + 6Ba^3b + 9Aa^2b^2 + 8Bab^3 + 2Ab^4}\right) \left(\frac{5Aa^4}{8} + 3Ba^3b + \frac{9Aa^2b^2}{2} + 4Bab^3 + Ab^4\right)}{d} + \left(\frac{11Aa^4}{8} + Ab^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^4)/cos(c + d*x)^7,x)

[Out] $(\operatorname{atanh}((4 \cdot \tan(c/2 + (d \cdot x)/2) \cdot ((5 \cdot A \cdot a^4)/16 + (A \cdot b^4)/2 + (9 \cdot A \cdot a^2 \cdot b^2)/4 + 2 \cdot B \cdot a \cdot b^3 + (3 \cdot B \cdot a^3 \cdot b)/2)) / ((5 \cdot A \cdot a^4)/4 + 2 \cdot A \cdot b^4 + 9 \cdot A \cdot a^2 \cdot b^2 + 8 \cdot B \cdot a \cdot b^3 + 6 \cdot B \cdot a^3 \cdot b)) \cdot ((5 \cdot A \cdot a^4)/8 + A \cdot b^4 + (9 \cdot A \cdot a^2 \cdot b^2)/2 + 4 \cdot B \cdot a \cdot b^3 + 3 \cdot B \cdot a^3 \cdot b)) / d + (\tan(c/2 + (d \cdot x)/2) \cdot ((11 \cdot A \cdot a^4)/8 + A \cdot b^4 + 2 \cdot B \cdot a^4 + 2 \cdot B \cdot b^4 + (15 \cdot A \cdot a^2 \cdot b^2)/2 + 12 \cdot B \cdot a^2 \cdot b^2 + 8 \cdot A \cdot a \cdot b^3 + 8 \cdot A \cdot a^3 \cdot b + 4 \cdot B \cdot a \cdot b^3 + 5 \cdot B \cdot a^3 \cdot b) + \tan(c/2 + (d \cdot x)/2)^{11} \cdot ((11 \cdot A \cdot a^4)/8 + A \cdot b^4 - 2 \cdot B \cdot a^4 - 2 \cdot B \cdot b^4 + (15 \cdot A \cdot a^2 \cdot b^2)/2 - 12 \cdot B \cdot a^2 \cdot b^2 - 8 \cdot A \cdot a \cdot b^3 - 8 \cdot A \cdot a^3 \cdot b + 4 \cdot B \cdot a \cdot b^3 + 5 \cdot B \cdot a^3 \cdot b) - \tan(c/2 + (d \cdot x)/2)^3 \cdot (3 \cdot A \cdot b^4 - (5 \cdot A \cdot a^4)/24 + (14 \cdot B \cdot a^4)/3 + 10 \cdot B \cdot b^4 + (21 \cdot A \cdot a^2 \cdot b^2)/2 + 44 \cdot B \cdot a^2 \cdot b^2 + (88 \cdot A \cdot a \cdot b^3)/3 + (56 \cdot A \cdot a^3 \cdot b)/3 + 12 \cdot B \cdot a \cdot b^3 + 7 \cdot B \cdot a^3 \cdot b) + \tan(c/2 + (d \cdot x)/2)^9 \cdot ((5 \cdot A \cdot a^4)/24 - 3 \cdot A \cdot b^4 + (14 \cdot B \cdot a^4)/3 + 10 \cdot B \cdot b^4 - (21 \cdot A \cdot a^2 \cdot b^2)/2 + 44 \cdot B \cdot a^2 \cdot b^2 + (88 \cdot A \cdot a \cdot b^3)/3 + (56 \cdot A \cdot a^3 \cdot b)/3 - 12 \cdot B \cdot a \cdot b^3 - 7 \cdot B \cdot a^3 \cdot b) + \tan(c/2 + (d \cdot x)/2)^5 \cdot ((15 \cdot A \cdot a^4)/4 + 2 \cdot A \cdot b^4 + (52 \cdot B \cdot a^4)/5 + 20 \cdot B \cdot b^4 + 3 \cdot A \cdot a^2 \cdot b^2 + 72 \cdot B \cdot a^2 \cdot b^2 + 48 \cdot A \cdot a \cdot b^3 + (208 \cdot A \cdot a^3 \cdot b)/5 + 8 \cdot B \cdot a \cdot b^3 + 2 \cdot B \cdot a^3 \cdot b) + \tan(c/2 + (d \cdot x)/2)^7 \cdot ((15 \cdot A \cdot a^4)/4 + 2 \cdot A \cdot b^4 - (52 \cdot B \cdot a^4)/5 - 20 \cdot B \cdot b^4 + 3 \cdot A \cdot a^2 \cdot b^2 - 72 \cdot B \cdot a^2 \cdot b^2 - 48 \cdot A \cdot a \cdot b^3 - (208 \cdot A \cdot a^3 \cdot b)/5 + 8 \cdot B \cdot a \cdot b^3 + 2 \cdot B \cdot a^3 \cdot b)) / (d \cdot (15 \cdot \tan(c/2 + (d \cdot x)/2)^4 - 6 \cdot \tan(c/2 + (d \cdot x)/2)^2 - 20 \cdot \tan(c/2 + (d \cdot x)/2)^6 + 15 \cdot \tan(c/2 + (d \cdot x)/2)^8 - 6 \cdot \tan(c/2 + (d \cdot x)/2)^{10} + \tan(c/2 + (d \cdot x)/2)^{12} + 1))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**7,x)
```

```
[Out] Timed out
```

$$3.250 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=178

$$\frac{2a^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(2a^2 + b^2)(Ab - aB)}{2b^4} - \frac{(-3a^2B + 3aAb - 2b^2B) \sin(c + dx)}{3b^3 d} + \frac{(Ab - aB)}{b^4}$$

[Out] $\frac{1}{2}*(2*a^2+b^2)*(A*b-B*a)*x/b^4-1/3*(3*A*a*b-3*B*a^2-2*B*b^2)*\sin(d*x+c)/b^3/d+1/2*(A*b-B*a)*\cos(d*x+c)*\sin(d*x+c)/b^2/d+1/3*B*\cos(d*x+c)^2*\sin(d*x+c)/b/d-2*a^3*(A*b-B*a)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/b^4/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2990, 3049, 3023, 2735, 2659, 205}

$$\frac{(-3a^2B + 3aAb - 2b^2B) \sin(c + dx)}{3b^3 d} - \frac{2a^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(2a^2 + b^2)(Ab - aB)}{2b^4} + \frac{(Ab - aB)}{b^4}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] $((2*a^2 + b^2)*(A*b - a*B)*x)/(2*b^4) - (2*a^3*(A*b - a*B)*\text{ArcTan}[\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]]/\text{Sqrt}[a + b])/(\text{Sqrt}[a - b]*b^4*\text{Sqrt}[a + b]*d) - ((3*a*A*b - 3*a^2*B - 2*b^2*B)*\text{Sin}[c + d*x])/(3*b^3*d) + ((A*b - a*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*b^2*d) + (B*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*b*d)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*(x_), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sine[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sine[e + f*x])^(m - 1)*(c + d*Sine[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sine[e + f*x])^(m - 2)*(c + d*Sine[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sine[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sine[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -

$a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ !(\text{IGtQ}[n, 1] \ \&\& \ (!\text{IntegerQ}[m] \ || \ (\text{EqQ}[a, 0] \ \&\& \ \text{NeQ}[c, 0])))$

Rule 3023

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2\}, x_Symbol] \ :> \ -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Sin}[e + f*x], x], x], x] \ /; \ \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x\} \ \&\& \ !\text{LtQ}[m, -1]$

Rule 3049

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2\}, x_Symbol] \ :> \ -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(m + n + 2)), x] + \text{Dist}[1/(d*(m + n + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*\text{Sin}[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*\text{Sin}[e + f*x]^2, x], x], x] \ /; \ \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 0] \ \&\& \ !(\text{IGtQ}[n, 0] \ \&\& \ (!\text{IntegerQ}[m] \ || \ (\text{EqQ}[a, 0] \ \&\& \ \text{NeQ}[c, 0])))$

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{a + b \cos(c + dx)} dx &= \frac{B \cos^2(c + dx) \sin(c + dx)}{3bd} + \frac{\int \frac{\cos(c+dx)(2aB+2bB \cos(c+dx)+3(Ab-aB) \cos^2(c+dx))}{a+b \cos(c+dx)} dx}{3b} \\ &= \frac{(Ab - aB) \cos(c + dx) \sin(c + dx)}{2b^2d} + \frac{B \cos^2(c + dx) \sin(c + dx)}{3bd} + \frac{\int \frac{\cos(c+dx)(2aB+2bB \cos(c+dx)+3(Ab-aB) \cos^2(c+dx))}{a+b \cos(c+dx)} dx}{3b} \\ &= -\frac{(3aAb - 3a^2B - 2b^2B) \sin(c + dx)}{3b^3d} + \frac{(Ab - aB) \cos(c + dx) \sin(c + dx)}{2b^2d} \\ &= \frac{(2a^2 + b^2)(Ab - aB)x}{2b^4} - \frac{(3aAb - 3a^2B - 2b^2B) \sin(c + dx)}{3b^3d} + \frac{(Ab - aB) \cos(c + dx) \sin(c + dx)}{2b^2d} \\ &= \frac{(2a^2 + b^2)(Ab - aB)x}{2b^4} - \frac{(3aAb - 3a^2B - 2b^2B) \sin(c + dx)}{3b^3d} + \frac{(Ab - aB) \cos(c + dx) \sin(c + dx)}{2b^2d} \\ &= \frac{(2a^2 + b^2)(Ab - aB)x}{2b^4} - \frac{2a^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b^4 \sqrt{a+b} d} - \frac{(3aAb - 3a^2B - 2b^2B) \sin(c + dx)}{3b^3d} \end{aligned}$$

Mathematica [A] time = 0.47, size = 152, normalized size = 0.85

$$\frac{6(2a^2 + b^2)(c + dx)(Ab - aB) + 3b(4a^2B - 4aAb + 3b^2B) \sin(c + dx) - \frac{24a^3(aB - Ab) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + 3b^2}{12b^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] $(6*(2*a^2 + b^2)*(A*b - a*B)*(c + d*x) - (24*a^3*(-(A*b) + a*B)*ArcTanh[(c + d*x)/2])/Sqrt[-a^2 + b^2])/Sqrt[-a^2 + b^2] + 3*b*(-4*a*A*b + 4*a^2*B + 3*b^2*B)*Sin[c + d*x] + 3*b^2*(A*b - a*B)*Sin[2*(c + d*x)] + b^3*B*Ssin[3*(c + d*x)]/(12*b^4*d)$

fricas [A] time = 1.11, size = 541, normalized size = 3.04

$$\frac{3(2Ba^5 - 2Aa^4b - Ba^3b^2 + Aa^2b^3 - Bab^4 + Ab^5)dx - 3(Ba^4 - Aa^3b)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)}{b^2 \cos(dx+c)}\right)}{12b^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] $[-1/6*(3*(2*B*a^5 - 2*A*a^4*b - B*a^3*b^2 + A*a^2*b^3 - B*a*b^4 + A*b^5)*d*x - 3*(B*a^4 - A*a^3*b)*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - (6*B*a^4*b - 6*A*a^3*b^2 - 2*B*a^2*b^3 + 6*A*a*b^4 - 4*B*b^5 + 2*(B*a^2*b^3 - B*b^5)*cos(d*x + c)^2 - 3*(B*a^3*b^2 - A*a^2*b^3 - B*a*b^4 + A*b^5)*cos(d*x + c))*sin(d*x + c)]/((a^2*b^4 - b^6)*d), -1/6*(3*(2*B*a^5 - 2*A*a^4*b - B*a^3*b^2 + A*a^2*b^3 - B*a*b^4 + A*b^5)*d*x - 6*(B*a^4 - A*a^3*b)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (6*B*a^4*b - 6*A*a^3*b^2 - 2*B*a^2*b^3 + 6*A*a*b^4 - 4*B*b^5 + 2*(B*a^2*b^3 - B*b^5)*cos(d*x + c)^2 - 3*(B*a^3*b^2 - A*a^2*b^3 - B*a*b^4 + A*b^5)*cos(d*x + c))*sin(d*x + c)]/((a^2*b^4 - b^6)*d)]$

giac [B] time = 0.49, size = 360, normalized size = 2.02

$$\frac{3(2Ba^3 - 2Aa^2b + Bab^2 - Ab^3)(dx+c)}{b^4} + \frac{12(Ba^4 - Aa^3b)\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)\right)}{\sqrt{a^2 - b^2} b^4} - \frac{2\left(6Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] $-1/6*(3*(2*B*a^3 - 2*A*a^2*b + B*a*b^2 - A*b^3)*(d*x + c)/b^4 + 12*(B*a^4 - A*a^3*b)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/(sqrt(a^2 - b^2)*b^4) - 2*(6*B*a^2*tan(1/2*d*x + 1/2*c)^5 - 6*A*a*b*tan(1/2*d*x + 1/2*c)^5 + 3*B*a*b*tan(1/2*d*x + 1/2*c)^5 - 3*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 6*B*b^2*tan(1/2*d*x + 1/2*c)^5 + 12*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 12*A*a*b*tan(1/2*d*x + 1/2*c)^3 + 4*B*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*B*a^2*tan(1/2*d*x + 1/2*c) - 6*A*a*b*tan(1/2*d*x + 1/2*c) - 3*B*a*b*tan(1/2*d*x + 1/2*c) + 3*A*b^2*tan(1/2*d*x + 1/2*c) + 6*B*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3*b^3)/d$

maple [B] time = 0.09, size = 641, normalized size = 3.60

$$\frac{2a^3 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) A}{db^3 \sqrt{(a-b)(a+b)}} + \frac{2a^4 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) B}{db^4 \sqrt{(a-b)(a+b)}} - \frac{2\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) Aa}{db^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} - \frac{\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) A}{db \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3*(A+B*\cos(dx+c))/(a+b*\cos(dx+c)),x)$

[Out]
$$\begin{aligned} & -2/d*a^3/b^3/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*A+2/d*a^4/b^4/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*B-2/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*A*a-1/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*A+2/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*a^2*B+1/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*B*a+2/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*B-4/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*A*a+4/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*a^2*B+4/3/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*B-2/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)*A*a+2/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)*a^2*B+2/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)*B+1/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)*A-1/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)*B*a+2/d/b^3*\arctan(\tan(1/2*d*x+1/2*c))*A*a^2+1/d/b*\arctan(\tan(1/2*d*x+1/2*c))*A-2/d/b^4*\arctan(\tan(1/2*d*x+1/2*c))*a^3*B-1/d/b^2*\arctan(\tan(1/2*d*x+1/2*c))*B*a \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^3*(A+B*\cos(dx+c))/(a+b*\cos(dx+c)),x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 5.09, size = 4568, normalized size = 25.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((\cos(c+d*x))^3*(A+B*\cos(c+d*x)))/(a+b*\cos(c+d*x)),x)$

[Out]
$$\begin{aligned} & ((\tan(c/2+(d*x)/2)*(A*b^2+2*B*a^2+2*B*b^2-2*A*a*b-B*a*b))/b^3+(\tan(c/2+(d*x)/2)^5*(2*B*a^2-A*b^2+2*B*b^2-2*A*a*b+B*a*b))/b^3+(4*\tan(c/2+(d*x)/2)^3*(3*B*a^2+B*b^2-3*A*a*b))/(3*b^3))/(d*(3*\tan(c/2+(d*x)/2)^2+3*\tan(c/2+(d*x)/2)^4+\tan(c/2+(d*x)/2)^6+1))+(\text{atan}(\frac{((2*a^2+b^2)*(A*b-B*a))*((8*\tan(c/2+(d*x)/2)*(A^2*b^9-8*B^2*a^9-3*A^2*a*b^8+16*B^2*a^8*b+7*A^2*a^2*b^7-13*A^2*a^3*b^6+16*A^2*a^4*b^5-16*A^2*a^5*b^4+16*A^2*a^6*b^3-8*A^2*a^7*b^2+B^2*a^2*b^7-3*B^2*a^3*b^6+7*B^2*a^4*b^5-13*B^2*a^5*b^4+16*B^2*a^6*b^3-16*B^2*a^7*b^2-2*A*B*a*b^8+16*A*B*a^8*b+6*A*B*a^2*b^7-14*A*B*a^3*b^6+26*A*B*a^4*b^5-32*A*B*a^5*b^4+32*A*B*a^6*b^3-32*A*B*a^7*b^2))}{b^6}+(\frac{(2*a^2+b^2)*(A*b-B*a))*((8*(2*A*b^13+2*A*a^2*b^11-6*A*a^3*b^10+4*A*a^4*b^9+2*B*a^2*b^11-2*B*a^3*b^10+6*B*a^4*b^9-4*B*a^5*b^8-2*A*a*b^12-2*B*a*b^12))}{b^9}-(\tan(c/2+(d*x)/2)*(2*a^2+b^2)*(A*b-B*a))*((8*a*b^10-16*a^2*b^9+8*a^3*b^8)*4i)/b^{10}*1i)/(2*b^4)))/(2*b^4))+(\frac{(2*a^2+b^2)*(A*b-B*a))*((8*\tan(c/2+(d*x)/2)*(A^2*b^9-8*B^2*a^9-3*A^2*a*b^8+16*B^2*a^8*b+7*A^2*a^2*b^7-13*A^2*a^3*b^6+16*A^2*a^4*b^5-16*A^2*a^5*b^4+16*A^2*a^6*b^3-8*A^2*a^7*b^2+B^2*a^2*b^7-3*B^2*a^3*b^6+7*B^2*a^4*b^5-13*B^2*a^5*b^4+16*B^2*a^6*b^3-16*B^2*a^7*b^2-2*A*B*a*b^8+16*A*B*a^8*b+6*A*B*a^2*b^7-14*A*B*a^3*b^6+26*A*B*a^4*b^5-32*A*B*a^5*b^4+32*A*B*a^6*b^3-32*A*B*a^7*b^2))}{b^6}-(\frac{(2*a^2+b^2)*(A*b-B*a))*((8*(2*A*b^13+2*A*a^2*b^11-6*A*a^3*b^10+4*A*a^4*b^9+2*B*a^2*b^11-2*B*a^3*b^10+6*B*a^4*b^9-4*B*a^5*b^8-2*A*a*b^12-2*B*a*b^12))}{b^9}-(\tan(c/2+(d*x)/2)*(2*a^2+b^2)*(A*b-B*a))*((8*a*b^10-16*a^2*b^9+8*a^3*b^8)*4i)/b^{10}*1i)/(2*b^4)))/(2*b^4)) \end{aligned}$$

$$\begin{aligned}
& b^{13} + 2Aa^2b^{11} - 6Aa^3b^{10} + 4Aa^4b^9 + 2Ba^2b^{11} - 2Ba^3b^{10} \\
& + 6Ba^4b^9 - 4Ba^5b^8 - 2Aa^2b^{12} - 2Ba^2b^{12})/b^9 + (\tan(c/2 \\
& + (d*x)/2)*(2a^2 + b^2)*(A*b - B*a)*(8a^3b^8 - 16a^2b^9 + 8a^3b^8)*4i \\
&)/b^{10}*1i)/(2b^4))/((16*(4B^3a^{11} - 6B^3a^{10}b + A^3a^3b^8 \\
& - 2A^3a^4b^7 + 5A^3a^5b^6 - 6A^3a^6b^5 + 6A^3a^7b^4 - 4A^3a^8b^3 \\
& - B^3a^6b^5 + 2B^3a^7b^4 - 5B^3a^8b^3 + 6B^3a^9b^2 - 12A \\
& *B^2a^{10}b + 3A*B^2a^5b^6 - 6A*B^2a^6b^5 + 15A*B^2a^7b^4 - 18A*B \\
& ^2a^8b^3 + 18A*B^2a^9b^2 - 3A^2*Ba^4b^7 + 6A^2*Ba^5b^6 - 15A^2* \\
& Ba^6b^5 + 18A^2*Ba^7b^4 - 18A^2*Ba^8b^3 + 12A^2*Ba^9b^2))/b^9 - \\
& ((2a^2 + b^2)*(A*b - B*a)*((8*\tan(c/2 + (d*x)/2)*(A^2b^9 - 8B^2a^9 - 3 \\
& A^2a^2b^8 + 16B^2a^8b + 7A^2a^2b^7 - 13A^2a^3b^6 + 16A^2a^4b^5 \\
& - 16A^2a^5b^4 + 16A^2a^6b^3 - 8A^2a^7b^2 + B^2a^2b^7 - 3B^2a^3 \\
& *b^6 + 7B^2a^4b^5 - 13B^2a^5b^4 + 16B^2a^6b^3 - 16B^2a^7b^2 - 2 \\
& *A*B*a^2b^8 + 16A*B*a^8b + 6A*B*a^2b^7 - 14A*B*a^3b^6 + 26A*B*a^4b^5 \\
& - 32A*B*a^5b^4 + 32A*B*a^6b^3 - 32A*B*a^7b^2))/b^6 + ((2a^2 + b^2)* \\
& (A*b - B*a)*((8*(2A^2b^{13} + 2Aa^2b^{11} - 6Aa^3b^{10} + 4Aa^4b^9 + 2B \\
& a^2b^{11} - 2Ba^3b^{10} + 6Ba^4b^9 - 4Ba^5b^8 - 2Aa^2b^{12} - 2Ba^2b^{12}))/b^9 - \\
& (\tan(c/2 + (d*x)/2)*(2a^2 + b^2)*(A*b - B*a)*(8a^3b^8 - 16a^2b^9 + 8a^3b^8)*4i \\
&)/b^{10}*1i)/(2b^4))*1i)/(2b^4) + ((2a^2 + b^2)*(A*b \\
& - B*a)*((8*\tan(c/2 + (d*x)/2)*(A^2b^9 - 8B^2a^9 - 3A^2a^2b^8 + 16B^2a^8b \\
& + 7A^2a^2b^7 - 13A^2a^3b^6 + 16A^2a^4b^5 - 16A^2a^5b^4 + \\
& 16A^2a^6b^3 - 8A^2a^7b^2 + B^2a^2b^7 - 3B^2a^3b^6 + 7B^2a^4b^5 \\
& - 13B^2a^5b^4 + 16B^2a^6b^3 - 16B^2a^7b^2 - 2A*B*a^2b^8 + 16A*B \\
& a^8b + 6A*B*a^2b^7 - 14A*B*a^3b^6 + 26A*B*a^4b^5 - 32A*B*a^5b^4 + \\
& 32A*B*a^6b^3 - 32A*B*a^7b^2))/b^6 - ((2a^2 + b^2)*(A*b - B*a)*((8*(2 \\
& A^2b^{13} + 2Aa^2b^{11} - 6Aa^3b^{10} + 4Aa^4b^9 + 2Ba^2b^{11} - 2Ba^3b^{10} \\
& + 6Ba^4b^9 - 4Ba^5b^8 - 2Aa^2b^{12} - 2Ba^2b^{12}))/b^9 + (\tan(c/2 \\
& + (d*x)/2)*(2a^2 + b^2)*(A*b - B*a)*(8a^3b^8 - 16a^2b^9 + 8a^3b^8)* \\
& 4i)/b^{10}*1i)/(2b^4))*1i)/(2b^4))*(2a^2 + b^2)*(A*b - B*a))/(b^4*d) + (\\
& a^3*\operatorname{atan}(((a^3*(-(a + b)*(a - b)))^{1/2})*(A*b - B*a)*((8*\tan(c/2 + (d*x)/2)* \\
& (A^2b^9 - 8B^2a^9 - 3A^2a^2b^8 + 16B^2a^8b + 7A^2a^2b^7 - 13A^2a^3b^6 + 16A^2a^4b^5 \\
& - 16A^2a^5b^4 + 16A^2a^6b^3 - 8A^2a^7b^2 \\
& + B^2a^2b^7 - 3B^2a^3b^6 + 7B^2a^4b^5 - 13B^2a^5b^4 + 16B^2a^6b^3 - 16B^2a^7b^2 \\
& - 2A*B*a^2b^8 + 16A*B*a^8b + 6A*B*a^2b^7 - 14A*B \\
& a^3b^6 + 26A*B*a^4b^5 - 32A*B*a^5b^4 + 32A*B*a^6b^3 - 32A*B*a^7b^2 \\
&))/b^6 + (a^3*(-(a + b)*(a - b)))^{1/2})*((8*(2A^2b^{13} + 2Aa^2b^{11} - 6A \\
& a^3b^{10} + 4Aa^4b^9 + 2Ba^2b^{11} - 2Ba^3b^{10} + 6Ba^4b^9 - 4Ba^5b^8 \\
& - 2Aa^2b^{12} - 2Ba^2b^{12}))/b^9 - (8a^3*\tan(c/2 + (d*x)/2)*(-(a + b) \\
& *(a - b))^{1/2})*(A*b - B*a)*(8a^3b^8 - 16a^2b^9 + 8a^3b^8))/(b^6*(b^6 \\
& - a^2b^4)))*(A*b - B*a))/(b^6 - a^2b^4))*1i)/(b^6 - a^2b^4) + (a^3*(-(a \\
& + b)*(a - b))^{1/2})*(A*b - B*a)*((8*\tan(c/2 + (d*x)/2)*(A^2b^9 - 8B^2a^9 \\
& - 3A^2a^2b^8 + 16B^2a^8b + 7A^2a^2b^7 - 13A^2a^3b^6 + 16A^2a^4b^5 \\
& - 16A^2a^5b^4 + 16A^2a^6b^3 - 8A^2a^7b^2 + B^2a^2b^7 - 3B^2a^3b^6 \\
& + 7B^2a^4b^5 - 13B^2a^5b^4 + 16B^2a^6b^3 - 16B^2a^7b^2 \\
& - 2A*B*a^2b^8 + 16A*B*a^8b + 6A*B*a^2b^7 - 14A*B*a^3b^6 + 26A*B*a^4b^5 \\
& - 32A*B*a^5b^4 + 32A*B*a^6b^3 - 32A*B*a^7b^2))/b^6 - (a^3*(-(a \\
& + b)*(a - b))^{1/2})*((8*(2A^2b^{13} + 2Aa^2b^{11} - 6Aa^3b^{10} + 4Aa^4b^9 \\
& + 2Ba^2b^{11} - 2Ba^3b^{10} + 6Ba^4b^9 - 4Ba^5b^8 - 2Aa^2b^{12} - \\
& 2Ba^2b^{12}))/b^9 + (8a^3*\tan(c/2 + (d*x)/2)*(-(a + b)*(a - b))^{1/2})*(A*b \\
& - B*a)*(8a^3b^8 - 16a^2b^9 + 8a^3b^8))/(b^6*(b^6 - a^2b^4)))*(A*b - \\
& B*a))/(b^6 - a^2b^4))*1i)/(b^6 - a^2b^4))/((16*(4B^3a^{11} - 6B^3a^{10}b \\
& + A^3a^3b^8 - 2A^3a^4b^7 + 5A^3a^5b^6 - 6A^3a^6b^5 + 6A^3a^7b^4 - 4A^3a^8b^3 \\
& - B^3a^6b^5 + 2B^3a^7b^4 - 5B^3a^8b^3 + 6B^3a^9b^2 - 12A*B^2a^{10}b + 3A*B^2a^5b^6 \\
& - 6A*B^2a^6b^5 + 15A*B^2a^7b^4 - 18A*B^2a^8b^3 + 18A*B^2a^9b^2 - 3A^2*Ba^4b^7 \\
& + 6A^2*Ba^5b^6 - 15A^2*Ba^6b^5 + 18A^2*Ba^7b^4 - 18A^2*Ba^8b^3 + 12A^2*Ba^9b^2 \\
& *b^2))/b^9 - (a^3*(-(a + b)*(a - b))^{1/2})*(A*b - B*a)*((8*\tan(c/2 + (d*x)/ \\
& 2)*(A^2b^9 - 8B^2a^9 - 3A^2a^2b^8 + 16B^2a^8b + 7A^2a^2b^7 - 13A \\
& ^2a^3b^6 + 16A^2a^4b^5 - 16A^2a^5b^4 + 16A^2a^6b^3 - 8A^2a^7b^2
\end{aligned}$$

$$\begin{aligned}
&^2 + B^2 a^2 b^7 - 3B^2 a^3 b^6 + 7B^2 a^4 b^5 - 13B^2 a^5 b^4 + 16B^2 a^6 b^3 - 16B^2 a^7 b^2 - 2A^2 B a^2 b^8 + 16A^2 B a^3 b^7 - 14A^2 B a^4 b^6 + 26A^2 B a^5 b^5 - 32A^2 B a^6 b^4 + 32A^2 B a^7 b^3 - 32A^2 B a^8 b^2) / b^6 + (a^3 (- (a + b) (a - b))^{1/2} ((8(2A^2 b^{13} + 2A^2 a^2 b^{11} - 6A^2 a^3 b^{10} + 4A^2 a^4 b^9 + 2B^2 a^2 b^{11} - 2B^2 a^3 b^{10} + 6B^2 a^4 b^9 - 4B^2 a^5 b^8 - 2A^2 a^2 b^{12} - 2B^2 a^2 b^{12})) / b^9 - (8a^3 \tan(c/2 + (d*x)/2) (- (a + b) (a - b))^{1/2} (A^2 b - B^2 a) (8a^2 b^{10} - 16a^2 b^9 + 8a^3 b^8)) / (b^6 (b^6 - a^2 b^4))) (A^2 b - B^2 a) / (b^6 - a^2 b^4)) / (b^6 - a^2 b^4) + (a^3 (- (a + b) (a - b))^{1/2} (A^2 b - B^2 a) ((8 \tan(c/2 + (d*x)/2) (A^2 b^9 - 8B^2 a^9 - 3A^2 a^2 b^8 + 16B^2 a^8 b + 7A^2 a^2 b^7 - 13A^2 a^3 b^6 + 16A^2 a^4 b^5 - 16A^2 a^5 b^4 + 16A^2 a^6 b^3 - 8A^2 a^7 b^2 + B^2 a^2 b^7 - 3B^2 a^3 b^6 + 7B^2 a^4 b^5 - 13B^2 a^5 b^4 + 16B^2 a^6 b^3 - 16B^2 a^7 b^2 - 2A^2 B a^2 b^8 + 16A^2 B a^3 b^7 + 6A^2 B a^4 b^6 - 14A^2 B a^5 b^5 - 32A^2 B a^6 b^4 + 32A^2 B a^7 b^3 - 32A^2 B a^8 b^2)) / b^6 - (a^3 (- (a + b) (a - b))^{1/2} ((8(2A^2 b^{13} + 2A^2 a^2 b^{11} - 6A^2 a^3 b^{10} + 4A^2 a^4 b^9 + 2B^2 a^2 b^{11} - 2B^2 a^3 b^{10} + 6B^2 a^4 b^9 - 4B^2 a^5 b^8 - 2A^2 a^2 b^{12} - 2B^2 a^2 b^{12})) / b^9 + (8a^3 \tan(c/2 + (d*x)/2) (- (a + b) (a - b))^{1/2} (A^2 b - B^2 a) (8a^2 b^{10} - 16a^2 b^9 + 8a^3 b^8)) / (b^6 (b^6 - a^2 b^4))) (A^2 b - B^2 a) / (b^6 - a^2 b^4)) / (b^6 - a^2 b^4)) (- (a + b) (a - b))^{1/2} (A^2 b - B^2 a) * 2i) / (d * (b^6 - a^2 b^4))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)), x)

[Out] Timed out

$$3.251 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=134

$$\frac{2a^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3 d \sqrt{a-b} \sqrt{a+b}} - \frac{x(-2a^2B + 2aAb - b^2B)}{2b^3} + \frac{(Ab - aB) \sin(c+dx)}{b^2 d} + \frac{B \sin(c+dx) \cos(c+dx)}{2bd}$$

[Out] $-1/2*(2*A*a*b-2*B*a^2-B*b^2)*x/b^3+(A*b-B*a)*\sin(d*x+c)/b^2/d+1/2*B*\cos(d*x+c)*\sin(d*x+c)/b/d+2*a^2*(A*b-B*a)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/b^3/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2990, 3023, 2735, 2659, 205}

$$\frac{2a^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3 d \sqrt{a-b} \sqrt{a+b}} - \frac{x(-2a^2B + 2aAb - b^2B)}{2b^3} + \frac{(Ab - aB) \sin(c+dx)}{b^2 d} + \frac{B \sin(c+dx) \cos(c+dx)}{2bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] $-((2*a*A*b - 2*a^2*B - b^2*B)*x)/(2*b^3) + (2*a^2*(A*b - a*B)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]/\text{Sqrt}[a + b]])/(\text{Sqrt}[a - b]*b^3*\text{Sqrt}[a + b]*d) + ((A*b - a*B)*\text{Sin}[c + d*x])/(b^2*d) + (B*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*b*d)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{a + b \cos(c + dx)} dx = \frac{B \cos(c + dx) \sin(c + dx)}{2bd} + \frac{\int \frac{aB + bB \cos(c + dx) + 2(Ab - aB) \cos^2(c + dx)}{a + b \cos(c + dx)} dx}{2b}$$

$$= \frac{(Ab - aB) \sin(c + dx)}{b^2d} + \frac{B \cos(c + dx) \sin(c + dx)}{2bd} + \frac{\int \frac{abB - (2aAb - 2a^2B - b^2B) \cos(c + dx)}{a + b \cos(c + dx)} dx}{2b}$$

$$= -\frac{(2aAb - 2a^2B - b^2B)x}{2b^3} + \frac{(Ab - aB) \sin(c + dx)}{b^2d} + \frac{B \cos(c + dx) \sin(c + dx)}{2bd}$$

$$= -\frac{(2aAb - 2a^2B - b^2B)x}{2b^3} + \frac{(Ab - aB) \sin(c + dx)}{b^2d} + \frac{B \cos(c + dx) \sin(c + dx)}{2bd}$$

$$= -\frac{(2aAb - 2a^2B - b^2B)x}{2b^3} + \frac{2a^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b^3 \sqrt{a+b} d} + \dots$$

Mathematica [A] time = 0.31, size = 121, normalized size = 0.90

$$\frac{2(c + dx) (2a^2B - 2aAb + b^2B) + \frac{8a^2(aB - Ab) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + 4b(Ab - aB) \sin(c + dx) + b^2B \sin(2(c + dx))}{4b^3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]
[Out] (2*(-2*a*A*b + 2*a^2*B + b^2*B)*(c + d*x) + (8*a^2*(-(A*b) + a*B)*ArcTanh[(
(a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + 4*b*(A*b -
a*B)*Sin[c + d*x] + b^2*B*Sin[2*(c + d*x)])/(4*b^3*d)
```

fricas [A] time = 1.15, size = 426, normalized size = 3.18

$$\left[\frac{(2Ba^4 - 2Aa^3b - Ba^2b^2 + 2Aab^3 - Bb^4)dx + (Ba^3 - Aa^2b)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} \cos(dx+c)}{b^2 \cos(dx+c)^2 + 2a^2}\right)}{2(a^2 - b^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fric
as")
[Out] [1/2*((2*B*a^4 - 2*A*a^3*b - B*a^2*b^2 + 2*A*a*b^3 - B*b^4)*d*x + (B*a^3 -
A*a^2*b)*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x +
c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)
/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - (2*B*a^3*b - 2*A*a^2*b^
```

```
2 - 2*B*a*b^3 + 2*A*b^4 - (B*a^2*b^2 - B*b^4)*cos(d*x + c))*sin(d*x + c))/
(a^2*b^3 - b^5)*d), 1/2*((2*B*a^4 - 2*A*a^3*b - B*a^2*b^2 + 2*A*a*b^3 - B*b
^4)*d*x - 2*(B*a^3 - A*a^2*b)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/
(sqrt(a^2 - b^2)*sin(d*x + c))) - (2*B*a^3*b - 2*A*a^2*b^2 - 2*B*a*b^3 + 2*
A*b^4 - (B*a^2*b^2 - B*b^4)*cos(d*x + c))*sin(d*x + c))/((a^2*b^3 - b^5)*d
]
```

giac [A] time = 0.49, size = 227, normalized size = 1.69

$$\frac{(2Ba^2 - 2Aab + Bb^2)(dx+c)}{b^3} + \frac{4(Ba^3 - Aa^2b) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{\sqrt{a^2 - b^2} b^3} - \frac{2 \left(2Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] 1/2*((2*B*a^2 - 2*A*a*b + B*b^2)*(d*x + c)/b^3 + 4*(B*a^3 - A*a^2*b)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/sqrt(a^2 - b^2)*b^3) - 2*(2*B*a*tan(1/2*d*x + 1/2*c)^3 - 2*A*b*tan(1/2*d*x + 1/2*c)^3 + B*b*tan(1/2*d*x + 1/2*c)^3 + 2*B*a*tan(1/2*d*x + 1/2*c) - 2*A*b*tan(1/2*d*x + 1/2*c) - B*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*b^2)/d

maple [B] time = 0.08, size = 367, normalized size = 2.74

$$\frac{2a^2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) A}{d b^2 \sqrt{(a-b)(a+b)}} - \frac{2a^3 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) B}{d b^3 \sqrt{(a-b)(a+b)}} + \frac{2 \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right) \right) A}{db \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} - \frac{2 \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right) \right) Ba}{d b^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] 2/d*a^2/b^2/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b)))^(1/2))*A-2/d*a^3/b^3/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b)))^(1/2))*B+2/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*A-2/d/b^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*B*a-1/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*B+2/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)*A-2/d/b^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)*B*a+1/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)*B-2/d/b^2*arctan(tan(1/2*d*x+1/2*c))*A*a+2/d/b^3*arctan(tan(1/2*d*x+1/2*c))*a^2*B+1/d/b*arctan(tan(1/2*d*x+1/2*c))*B

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

$$\begin{aligned}
& 2*a^5*b^2 + 4*A*B*a*b^6 - 16*A*B*a^6*b - 12*A*B*a^2*b^5 + 20*A*B*a^3*b^4 - \\
& 28*A*B*a^4*b^3 + 32*A*B*a^5*b^2)/b^4 - (a^2*(-(a + b)*(a - b))^{(1/2)}*(A*b \\
& - B*a)*((8*(2*B*b^10 + 8*A*a^2*b^8 - 4*A*a^3*b^7 + 2*B*a^2*b^8 - 6*B*a^3*b^7 \\
& + 4*B*a^4*b^6 - 4*A*a*b^9 - 2*B*a*b^9))/b^6 - (8*a^2*\tan(c/2 + (d*x)/2)* \\
& -(a + b)*(a - b))^{(1/2)}*(A*b - B*a)*(8*a*b^8 - 16*a^2*b^7 + 8*a^3*b^6))/(b^4 \\
& 4*(b^5 - a^2*b^3)))/((16*(4*B^3*a^8 \\
& - 6*B^3*a^7*b + 4*A^3*a^4*b^4 - 4*A^3*a^5*b^3 - B^3*a^3*b^5 + 2*B^3*a^4*b^4 \\
& - 5*B^3*a^5*b^3 + 6*B^3*a^6*b^2 - 12*A*B^2*a^7*b + A*B^2*a^2*b^6 - 2*A*B^2 \\
& *a^3*b^5 + 9*A*B^2*a^4*b^4 - 12*A*B^2*a^5*b^3 + 16*A*B^2*a^6*b^2 - 4*A^2*B* \\
& a^3*b^5 + 6*A^2*B*a^4*b^4 - 14*A^2*B*a^5*b^3 + 12*A^2*B*a^6*b^2))/b^6 + (a^2 \\
& *(-(a + b)*(a - b))^{(1/2)}*(A*b - B*a)*((8*\tan(c/2 + (d*x)/2)*(8*B^2*a^7 - \\
& B^2*b^7 + 3*B^2*a*b^6 - 16*B^2*a^6*b - 4*A^2*a^2*b^5 + 12*A^2*a^3*b^4 - 16* \\
& A^2*a^4*b^3 + 8*A^2*a^5*b^2 - 7*B^2*a^2*b^5 + 13*B^2*a^3*b^4 - 16*B^2*a^4*b^3 \\
& + 16*B^2*a^5*b^2 + 4*A*B*a*b^6 - 16*A*B*a^6*b - 12*A*B*a^2*b^5 + 20*A*B* \\
& a^3*b^4 - 28*A*B*a^4*b^3 + 32*A*B*a^5*b^2))/b^4 + (a^2*(-(a + b)*(a - b))^{(1/2)} \\
& *(A*b - B*a)*((8*(2*B*b^10 + 8*A*a^2*b^8 - 4*A*a^3*b^7 + 2*B*a^2*b^8 - \\
& 6*B*a^3*b^7 + 4*B*a^4*b^6 - 4*A*a*b^9 - 2*B*a*b^9))/b^6 + (8*a^2*\tan(c/2 + \\
& (d*x)/2)*(-(a + b)*(a - b))^{(1/2)}*(A*b - B*a)*(8*a*b^8 - 16*a^2*b^7 + 8*a^3 \\
& *b^6))/(b^4*(b^5 - a^2*b^3)))/((b^5 - a^2*b^3)) - (a^2*(-(a + b)*(a - b))^{(1/2)} \\
& *(A*b - B*a)*((8*\tan(c/2 + (d*x)/2)*(8*B^2*a^7 - B^2*b^7 + 3*B^2*a*b^6 - \\
& 16*B^2*a^6*b - 4*A^2*a^2*b^5 + 12*A^2*a^3*b^4 - 16*A^2*a^4*b^3 + 8*A^2*a^5*b^2 \\
& - 7*B^2*a^2*b^5 + 13*B^2*a^3*b^4 - 16*B^2*a^4*b^3 + 16*B^2*a^5*b^2 + 4*A*B*a*b^6 \\
& - 16*A*B*a^6*b - 12*A*B*a^2*b^5 + 20*A*B*a^3*b^4 - 28*A*B*a^4*b^3 + 32*A*B*a^5*b^2))/b^4 \\
& - (a^2*(-(a + b)*(a - b))^{(1/2)}*(A*b - B*a)*((8*(2*B*b^10 + 8*A*a^2*b^8 - 4*A*a^3*b^7 \\
& + 2*B*a^2*b^8 - 6*B*a^3*b^7 + 4*B*a^4*b^6 - 4*A*a*b^9 - 2*B*a*b^9))/b^6 - (8*a^2*\tan(c/2 + (d*x) \\
& /2)*(-(a + b)*(a - b))^{(1/2)}*(A*b - B*a)*(8*a*b^8 - 16*a^2*b^7 + 8*a^3*b^6) \\
&)/(b^4*(b^5 - a^2*b^3)))/((b^5 - a^2*b^3)))/((b^5 - a^2*b^3)))*(-(a + b)*(a \\
& - b))^{(1/2)}*(A*b - B*a)*2i)/(d*(b^5 - a^2*b^3))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] Timed out

$$3.252 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=89

$$-\frac{2a(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(Ab - aB)}{b^2} + \frac{B \sin(c + dx)}{bd}$$

[Out] (A*b-B*a)*x/b^2+B*sin(d*x+c)/b/d-2*a*(A*b-B*a)*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/b^2/d/(a-b)^(1/2)/(a+b)^(1/2)

Rubi [A] time = 0.17, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2968, 3023, 12, 2735, 2659, 205}

$$-\frac{2a(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(Ab - aB)}{b^2} + \frac{B \sin(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] ((A*b - a*B)*x)/b^2 - (2*a*(A*b - a*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^2*Sqrt[a + b]*d) + (B*SIN[c + d*x])/(b*d)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c + dx)(A + B \cos(c + dx))}{a + b \cos(c + dx)} dx &= \int \frac{A \cos(c + dx) + B \cos^2(c + dx)}{a + b \cos(c + dx)} dx \\
&= \frac{B \sin(c + dx)}{bd} + \frac{\int \frac{(Ab - aB) \cos(c + dx)}{a + b \cos(c + dx)} dx}{b} \\
&= \frac{B \sin(c + dx)}{bd} + \frac{(Ab - aB) \int \frac{\cos(c + dx)}{a + b \cos(c + dx)} dx}{b} \\
&= \frac{(Ab - aB)x}{b^2} + \frac{B \sin(c + dx)}{bd} - \frac{(a(Ab - aB)) \int \frac{1}{a + b \cos(c + dx)} dx}{b^2} \\
&= \frac{(Ab - aB)x}{b^2} + \frac{B \sin(c + dx)}{bd} - \frac{(2a(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{a + b + (a - b)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{b^2 d} \\
&= \frac{(Ab - aB)x}{b^2} - \frac{2a(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a - b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a + b}}\right)}{\sqrt{a - b} b^2 \sqrt{a + b} d} + \frac{B \sin(c + dx)}{bd}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 85, normalized size = 0.96

$$\frac{2a(aB - Ab) \tanh^{-1}\left(\frac{(a - b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + \frac{(c + dx)(Ab - aB) + bB \sin(c + dx)}{b^2 d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]
```

```
[Out] ((A*b - a*B)*(c + d*x) - (2*a*(-(A*b) + a*B)*ArcTanh[((a - b)*Tan[(c + d*x)
/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + b*B*Sin[c + d*x])/(b^2*d)
```

fricas [A] time = 0.94, size = 322, normalized size = 3.62

$$\left[\frac{2(Ba^3 - Aa^2b - Bab^2 + Ab^3)dx - (Ba^2 - Aab)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b \cos(dx+c)^2)}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{2(a^2b^2 - b^4)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] [-1/2*(2*(B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*d*x - (B*a^2 - A*a*b)*sqrt(-a^
2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a
^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c
)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(B*a^2*b - B*b^3)*sin(d*x + c)]/((a^2*
```

$b^2 - b^4)d$, $-((B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*d*x - (B*a^2 - A*a*b)*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c))) - (B*a^2*b - B*b^3)*\sin(d*x + c))/((a^2*b^2 - b^4)*d]$

giac [A] time = 0.45, size = 142, normalized size = 1.60

$$\frac{\frac{(Ba-Ab)(dx+c)}{b^2} - \frac{2B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)b} + \frac{2(Ba^2 - Aab)\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right)\right)}{\sqrt{a^2 - b^2} b}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] $-((B*a - A*b)*(d*x + c)/b^2 - 2*B*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 + 1)*b) + 2*(B*a^2 - A*a*b)*(pi*\operatorname{floor}(1/2*(d*x + c)/pi + 1/2)*\operatorname{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/(\sqrt{a^2 - b^2}*b^2))/d$

maple [B] time = 0.08, size = 172, normalized size = 1.93

$$\frac{2a \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)A}{db\sqrt{(a-b)(a+b)}} + \frac{2a^2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)B}{db^2\sqrt{(a-b)(a+b)}} + \frac{2B \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{db\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{db}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] $-2/d*a/b/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*A+2/d*a^2/b^2/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*B+2/d/b*B*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)+2/d/b*\arctan(\tan(1/2*d*x+1/2*c))*A-2/d/b^2*\arctan(\tan(1/2*d*x+1/2*c))*B*a$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 1.12, size = 541, normalized size = 6.08

$$\frac{2Ba \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d(a^2 - b^2)} - \frac{2Ab \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d(a^2 - b^2)} - \frac{Bb \sin(c + dx)}{d(a^2 - b^2)} + \frac{2Aa^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{bd(a^2 - b^2)} - \frac{2Ba^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{b^2d(a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x)),x)

```
[Out] (2*B*a*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/(d*(a^2 - b^2)) - (2*A*
b*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/(d*(a^2 - b^2)) - (B*b*sin(c
+ d*x))/(d*(a^2 - b^2)) + (2*A*a^2*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)
/2)))/(b*d*(a^2 - b^2)) - (2*B*a^3*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/
2)))/(b^2*d*(a^2 - b^2)) + (A*a*log((a*sin(c/2 + (d*x)/2) - b*sin(c/2 + (d*
x)/2) + cos(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2))/cos(c/2 + (d*x)/2)))/(b*d*(b^
2 - a^2)^(1/2)) - (A*a*log((b*sin(c/2 + (d*x)/2) - a*sin(c/2 + (d*x)/2) + c
os(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2))/cos(c/2 + (d*x)/2)))/(b*d*(b^2 - a^2)^
(1/2)) - (B*a^2*log((a*sin(c/2 + (d*x)/2) - b*sin(c/2 + (d*x)/2) + cos(c/2
+ (d*x)/2)*(b^2 - a^2)^(1/2))/cos(c/2 + (d*x)/2)))/(b^2*d*(b^2 - a^2)^(1/2)
) + (B*a^2*log((b*sin(c/2 + (d*x)/2) - a*sin(c/2 + (d*x)/2) + cos(c/2 + (d*
x)/2)*(b^2 - a^2)^(1/2))/cos(c/2 + (d*x)/2)))/(b^2*d*(b^2 - a^2)^(1/2)) + (
B*a^2*sin(c + d*x))/(b*d*(a^2 - b^2))
```

sympy [A] time = 118.45, size = 3225, normalized size = 36.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] Piecewise((zoo*x*(A + B*cos(c)), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (A*d*x*ta
n(c/2 + d*x/2)**3/(b*d*tan(c/2 + d*x/2)**3 + b*d*tan(c/2 + d*x/2)) + A*d*x*
tan(c/2 + d*x/2)/(b*d*tan(c/2 + d*x/2)**3 + b*d*tan(c/2 + d*x/2)) + A*tan(c
/2 + d*x/2)**2/(b*d*tan(c/2 + d*x/2)**3 + b*d*tan(c/2 + d*x/2)) + A/(b*d*ta
n(c/2 + d*x/2)**3 + b*d*tan(c/2 + d*x/2)) + B*d*x*tan(c/2 + d*x/2)**3/(b*d*
tan(c/2 + d*x/2)**3 + b*d*tan(c/2 + d*x/2)) + B*d*x*tan(c/2 + d*x/2)/(b*d*t
an(c/2 + d*x/2)**3 + b*d*tan(c/2 + d*x/2)) + 3*B*tan(c/2 + d*x/2)**2/(b*d*t
an(c/2 + d*x/2)**3 + b*d*tan(c/2 + d*x/2)) + B/(b*d*tan(c/2 + d*x/2)**3 + b
*d*tan(c/2 + d*x/2)), Eq(a, -b)), ((A*sin(c + d*x)/d + B*x*sin(c + d*x)**2/
2 + B*x*cos(c + d*x)**2/2 + B*sin(c + d*x)*cos(c + d*x)/(2*d))/a, Eq(b, 0))
, (x*(A + B*cos(c))*cos(c)/(a + b*cos(c)), Eq(d, 0)), (A*d*x*tan(c/2 + d*x/
2)**2/(b*d*tan(c/2 + d*x/2)**2 + b*d) + A*d*x/(b*d*tan(c/2 + d*x/2)**2 + b*
d) - A*tan(c/2 + d*x/2)**3/(b*d*tan(c/2 + d*x/2)**2 + b*d) - A*tan(c/2 + d*
x/2)/(b*d*tan(c/2 + d*x/2)**2 + b*d) - B*d*x*tan(c/2 + d*x/2)**2/(b*d*tan(c
/2 + d*x/2)**2 + b*d) - B*d*x/(b*d*tan(c/2 + d*x/2)**2 + b*d) + B*tan(c/2 +
d*x/2)**3/(b*d*tan(c/2 + d*x/2)**2 + b*d) + 3*B*tan(c/2 + d*x/2)/(b*d*tan(
c/2 + d*x/2)**2 + b*d), Eq(a, b)), (A*a*b*d*x*sqrt(-a/(a - b) - b/(a - b))*
tan(c/2 + d*x/2)**2/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)
**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a
- b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) + A*a*b*d
*x*sqrt(-a/(a - b) - b/(a - b))/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(
c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a
- b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b)
)) - A*a*b*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))*tan(c/2 +
d*x/2)**2/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b*
**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan
(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) - A*a*b*log(-sqrt(-
a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*b**2*d*sqrt(-a/(a - b) - b/(a
- b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d
*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b)
- b/(a - b))) + A*a*b*log(sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))*
tan(c/2 + d*x/2)**2/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)
**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a
- b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) + A*a*b*1
og(sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*b**2*d*sqrt(-a/(a -
b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)
) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-
a/(a - b) - b/(a - b))) - A*b**2*d*x*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 +
d*x/2)**2/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b*
```



```

*2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan
(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b)) - A*b**2*d*x*sqrt(-
a/(a - b) - b/(a - b))/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x
/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b
/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) - B*a
**2*d*x*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2/(a*b**2*d*sqrt(-a/(
a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a -
b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt
(-a/(a - b) - b/(a - b))) - B*a**2*d*x*sqrt(-a/(a - b) - b/(a - b))/(a*b**
2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a
- b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2
- b**3*d*sqrt(-a/(a - b) - b/(a - b))) + B*a**2*log(-sqrt(-a/(a - b) - b/(
a - b)) + tan(c/2 + d*x/2))*tan(c/2 + d*x/2)**2/(a*b**2*d*sqrt(-a/(a - b) -
b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b
**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a
- b) - b/(a - b))) + B*a**2*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d
*x/2))/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*
d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/
2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) - B*a**2*log(sqrt(-a/(
a - b) - b/(a - b)) + tan(c/2 + d*x/2))*tan(c/2 + d*x/2)**2/(a*b**2*d*sqrt(
-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/
(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d
*sqrt(-a/(a - b) - b/(a - b))) - B*a**2*log(sqrt(-a/(a - b) - b/(a - b)) +
tan(c/2 + d*x/2))/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**
2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a -
b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) + B*a*b*d*x
*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2/(a*b**2*d*sqrt(-a/(a - b)
- b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) -
b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(
a - b) - b/(a - b))) + B*a*b*d*x*sqrt(-a/(a - b) - b/(a - b))/(a*b**2*d*sqrt
(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) -
b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3
*d*sqrt(-a/(a - b) - b/(a - b))) + 2*B*a*b*sqrt(-a/(a - b) - b/(a - b))*tan
(c/2 + d*x/2)/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 +
a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))
*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) - 2*B*b**2*sqrt
(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)/(a*b**2*d*sqrt(-a/(a - b) - b/(a
- b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d
*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) -
b/(a - b))), True))

```

$$3.253 \quad \int \frac{A+B \cos(c+dx)}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=67

$$\frac{2(Ab - aB) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{bd\sqrt{a-b}\sqrt{a+b}} + \frac{Bx}{b}$$

[Out] $B*x/b + 2*(A*b - B*a)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x + 1/2*c)/(a+b)^{(1/2)})/b/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {2735, 2659, 205}

$$\frac{2(Ab - aB) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{bd\sqrt{a-b}\sqrt{a+b}} + \frac{Bx}{b}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x]), x]

[Out] $(B*x)/b + (2*(A*b - a*B)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]]/\text{Sqrt}[a + b]))/(\text{Sqrt}[a - b]*b*\text{Sqrt}[a + b]*d)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{a + b \cos(c + dx)} dx &= \frac{Bx}{b} - \frac{(-Ab + aB) \int \frac{1}{a+b \cos(c+dx)} dx}{b} \\ &= \frac{Bx}{b} + \frac{(2(Ab - aB)) \text{Subst} \left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan \left(\frac{1}{2}(c + dx) \right) \right)}{bd} \\ &= \frac{Bx}{b} + \frac{2(Ab - aB) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} b \sqrt{a+b} d} \end{aligned}$$

Mathematica [A] time = 0.12, size = 68, normalized size = 1.01

$$\frac{2(aB-Ab) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} + B(c+dx)$$

$$bd$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x]),x]

[Out] (B*(c + d*x) + (2*(-(A*b) + a*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]))/Sqrt[-a^2 + b^2])/(b*d)

fricas [A] time = 0.72, size = 242, normalized size = 3.61

$$\frac{2(Ba^2 - Bb^2)dx + (Ba - Ab)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{2(a^2b - b^3)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] [1/2*(2*(B*a^2 - B*b^2)*d*x + (B*a - A*b)*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)))/((a^2*b - b^3)*d), ((B*a^2 - B*b^2)*d*x - (B*a - A*b)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))/((a^2*b - b^3)*d)]

giac [B] time = 0.66, size = 296, normalized size = 4.42

$$\frac{\left(\sqrt{a^2-b^2} B(2a-b)|a-b| - \sqrt{a^2-b^2} Ab|a-b| - \sqrt{a^2-b^2} A|a-b||b| + \sqrt{a^2-b^2} B|a-b||b|\right) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] + \arctan\left(\frac{2\sqrt{\frac{1}{2} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}}{\sqrt{\frac{2a + \sqrt{-4(a+b)(a-b) + 4a^2}}{a-b}}}\right)\right)}{(a^2 - 2ab + b^2)b^2 + (a^3 - 2a^2b + ab^2)|b|} + \frac{(2Ba - Ab - b^2)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] -((sqrt(a^2 - b^2)*B*(2*a - b)*abs(a - b) - sqrt(a^2 - b^2)*A*b*abs(a - b) - sqrt(a^2 - b^2)*A*abs(a - b)*abs(b) + sqrt(a^2 - b^2)*B*abs(a - b)*abs(b))*(pi*floor(1/2*(d*x + c)/pi + 1/2) + arctan(2*sqrt(1/2)*tan(1/2*d*x + 1/2*c)/sqrt((2*a + sqrt(-4*(a + b)*(a - b) + 4*a^2))/(a - b))))/((a^2 - 2*a*b + b^2)*b^2 + (a^3 - 2*a^2*b + a*b^2)*abs(b)) + (2*B*a - A*b - B*b + A*abs(b) - B*abs(b))*(pi*floor(1/2*(d*x + c)/pi + 1/2) + arctan(2*sqrt(1/2)*tan(1/2*d*x + 1/2*c)/sqrt((2*a - sqrt(-4*(a + b)*(a - b) + 4*a^2))/(a - b))))/(b^2 - a*abs(b))/d

maple [A] time = 0.06, size = 113, normalized size = 1.69

$$\frac{2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) A}{d\sqrt{(a-b)(a+b)}} - \frac{2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) aB}{db\sqrt{(a-b)(a+b)}} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B}{db}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
[Out] 2/d/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))
)*A-2/d/b/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))
^(1/2))*a*B+2/d/b*arctan(tan(1/2*d*x+1/2*c))*B
maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for
more details)Is 4*b^2-4*a^2 positive or negative?
mupad [B] time = 1.72, size = 344, normalized size = 5.13
```

$$a \left(B \ln \left(\frac{b \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - a \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2}}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)} \right) \sqrt{-(a+b)(a-b)} - B \ln \left(\frac{a \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - b \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2}}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(a + b*cos(c + d*x)),x)
[Out] (a*(B*log((b*sin(c/2 + (d*x)/2) - a*sin(c/2 + (d*x)/2) + cos(c/2 + (d*x)/2)
*(b^2 - a^2)^(1/2))/cos(c/2 + (d*x)/2))*(-(a + b)*(a - b))^(1/2) - B*log((a
*sin(c/2 + (d*x)/2) - b*sin(c/2 + (d*x)/2) + cos(c/2 + (d*x)/2)*(b^2 - a^2)
^(1/2))/cos(c/2 + (d*x)/2))*(b^2 - a^2)^(1/2)) - A*b*log((b*sin(c/2 + (d*x)
/2) - a*sin(c/2 + (d*x)/2) + cos(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2))/cos(c/2
+ (d*x)/2))*(-(a + b)*(a - b))^(1/2) + A*b*log((a*sin(c/2 + (d*x)/2) - b*si
n(c/2 + (d*x)/2) + cos(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2))/cos(c/2 + (d*x)/2)
)*(b^2 - a^2)^(1/2))/(b*d*(a^2 - b^2)) + (2*B*atan(sin(c/2 + (d*x)/2)/cos(c
/2 + (d*x)/2)))/(b*d)
```

```
sympy [A] time = 24.72, size = 524, normalized size = 7.82
```

$$\left(\frac{\infty x(A+B \cos(c))}{\cos(c)} \right. \\ \left. \frac{A}{bd \tan\left(\frac{c}{2} + \frac{dx}{2}\right)} + \frac{Bx}{b} + \frac{B}{bd \tan\left(\frac{c}{2} + \frac{dx}{2}\right)} \right. \\ \left. \frac{Ax + \frac{B \sin(c+dx)}{d}}{a} \right. \\ \left. \frac{x(A+B \cos(c))}{a+b \cos(c)} \right. \\ \left. \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{bd} + \frac{Bx}{b} - \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{bd} \right. \\ \left. \frac{Ab \log\left(-\sqrt{\frac{a}{a-b} - \frac{b}{a-b}} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{abd \sqrt{\frac{a}{a-b} - \frac{b}{a-b}} - b^2 d \sqrt{\frac{a}{a-b} - \frac{b}{a-b}}} - \frac{Ab \log\left(\sqrt{\frac{a}{a-b} - \frac{b}{a-b}} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{abd \sqrt{\frac{a}{a-b} - \frac{b}{a-b}} - b^2 d \sqrt{\frac{a}{a-b} - \frac{b}{a-b}}} + \frac{Badx \sqrt{\frac{a}{a-b} - \frac{b}{a-b}}}{abd \sqrt{\frac{a}{a-b} - \frac{b}{a-b}} - b^2 d \sqrt{\frac{a}{a-b} - \frac{b}{a-b}}} - \frac{Ba \log\left(-\sqrt{\frac{a}{a-b} - \frac{b}{a-b}} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{abd \sqrt{\frac{a}{a-b} - \frac{b}{a-b}} - b^2 d \sqrt{\frac{a}{a-b} - \frac{b}{a-b}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] Piecewise((zoo*x*(A + B*cos(c))/cos(c), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (A
/(b*d*tan(c/2 + d*x/2)) + B*x/b + B/(b*d*tan(c/2 + d*x/2)), Eq(a, -b)), ((A
*x + B*sin(c + d*x)/d)/a, Eq(b, 0)), (x*(A + B*cos(c))/(a + b*cos(c)), Eq(d
, 0)), (A*tan(c/2 + d*x/2)/(b*d) + B*x/b - B*tan(c/2 + d*x/2)/(b*d), Eq(a,
b)), (A*b*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*b*d*sqrt
(-a/(a - b) - b/(a - b)) - b**2*d*sqrt(-a/(a - b) - b/(a - b))) - A*b*log(s
qrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*b*d*sqrt(-a/(a - b) - b/
(a - b)) - b**2*d*sqrt(-a/(a - b) - b/(a - b))) + B*a*d*x*sqrt(-a/(a - b) -
b/(a - b))/(a*b*d*sqrt(-a/(a - b) - b/(a - b)) - b**2*d*sqrt(-a/(a - b) -
b/(a - b))) - B*a*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*
b*d*sqrt(-a/(a - b) - b/(a - b)) - b**2*d*sqrt(-a/(a - b) - b/(a - b))) + B
*a*log(sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*b*d*sqrt(-a/(a -
b) - b/(a - b)) - b**2*d*sqrt(-a/(a - b) - b/(a - b))) - B*b*d*x*sqrt(-a/(
a - b) - b/(a - b))/(a*b*d*sqrt(-a/(a - b) - b/(a - b)) - b**2*d*sqrt(-a/(a
- b) - b/(a - b))), True))
```

$$3.254 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=76

$$\frac{A \tanh^{-1}(\sin(c+dx))}{ad} - \frac{2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

[Out] A*arctanh(sin(d*x+c))/a/d-2*(A*b-B*a)*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/a/d/(a-b)^(1/2)/(a+b)^(1/2)

Rubi [A] time = 0.12, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3001, 3770, 2659, 205}

$$\frac{A \tanh^{-1}(\sin(c+dx))}{ad} - \frac{2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x]),x]

[Out] (-2*(A*b - a*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]]/(a*Sqrt[a - b]*Sqrt[a + b]*d) + (A*ArcTanh[Sin[c + d*x]])/(a*d)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3001

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx = \frac{A \int \sec(c + dx) dx}{a} + \frac{(-Ab + aB) \int \frac{1}{a + b \cos(c + dx)} dx}{a}$$

$$= \frac{A \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(2(Ab - aB)) \text{Subst}\left(\int \frac{1}{a + b + (a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{ad}$$

$$= -\frac{2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a\sqrt{a-b}\sqrt{a+b}d} + \frac{A \tanh^{-1}(\sin(c + dx))}{ad}$$

Mathematica [A] time = 0.16, size = 112, normalized size = 1.47

$$\frac{2(Ab - aB) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + \frac{A \left(\log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x]),x]

[Out] ((2*(A*b - a*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + A*(-Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/(a*d)

fricas [A] time = 1.91, size = 304, normalized size = 4.00

$$\left[\frac{(Ba - Ab)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) + (Aa^2 - Ab^2) \log(\sin(dx+c) + 1) - (Aa^2 - Ab^2) \log(-\sin(dx+c) + 1)}{2(a^3 - ab^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] [1/2*((B*a - A*b)*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + (A*a^2 - A*b^2)*log(sin(d*x + c) + 1) - (A*a^2 - A*b^2)*log(-sin(d*x + c) + 1)]/((a^3 - a*b^2)*d), 1/2*(2*(B*a - A*b)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) + (A*a^2 - A*b^2)*log(sin(d*x + c) + 1) - (A*a^2 - A*b^2)*log(-sin(d*x + c) + 1))/((a^3 - a*b^2)*d)]

giac [A] time = 0.47, size = 127, normalized size = 1.67

$$\frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} + \frac{2 \left(\pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) (Ba - Ab)}{\sqrt{a^2 - b^2} a} \cdot d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] (A*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - A*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a + 2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(

$(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{(a^2 - b^2)}))*(B*a - A*b)/(s$
 $\sqrt{(a^2 - b^2)*a))/d$

maple [A] time = 0.12, size = 135, normalized size = 1.78

$$\frac{2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) A b}{d a \sqrt{(a-b)(a+b)}} + \frac{2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) B}{d \sqrt{(a-b)(a+b)}} - \frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{a d} + \frac{A \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{a d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c)),x)

[Out] $-2/d/a/((a-b)*(a+b))^{(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})} * A*b + 2/d/((a-b)*(a+b))^{(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})} * B - 1/a/d*A*\ln(\tan(1/2*d*x+1/2*c)-1) + 1/a/d*A*\ln(\tan(1/2*d*x+1/2*c)+1)$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 1.60, size = 342, normalized size = 4.50

$$\frac{2 A \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{a d} + \frac{b \left(A \ln\left(\frac{a \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + b \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2}}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) \sqrt{-(a+b)(a-b)} - A \ln\left(\frac{a \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) \right)}{a d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))),x)

[Out] $(2*A*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/(a*d) + (b*(A*\log((a*\cos(c/2 + (d*x)/2) + b*\cos(c/2 + (d*x)/2) + \sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)})/\cos(c/2 + (d*x)/2))*(-(a+b)*(a-b))^{(1/2)} - A*\log((a*\sin(c/2 + (d*x)/2) - b*\sin(c/2 + (d*x)/2) + \cos(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)})/\cos(c/2 + (d*x)/2))*((b^2 - a^2)^{(1/2)}) - B*a*\log((a*\cos(c/2 + (d*x)/2) + b*\cos(c/2 + (d*x)/2) + \sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)})/\cos(c/2 + (d*x)/2))*(-(a+b)*(a-b))^{(1/2)} + B*a*\log((a*\sin(c/2 + (d*x)/2) - b*\sin(c/2 + (d*x)/2) + \cos(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)})/\cos(c/2 + (d*x)/2))*((b^2 - a^2)^{(1/2)})/(a*d*(a^2 - b^2))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c)),x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)/(a + b*cos(c + d*x)), x)

$$3.255 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=99

$$\frac{2b(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{(Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{A \tan(c + dx)}{ad}$$

[Out] $-(A*b-B*a)*\operatorname{arctanh}(\sin(d*x+c))/a^2/d+2*b*(A*b-B*a)*\operatorname{arctan}((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^2/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}+A*\tan(d*x+c)/a/d$

Rubi [A] time = 0.18, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3000, 12, 2747, 3770, 2659, 205}

$$\frac{2b(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{(Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{A \tan(c + dx)}{ad}$$

Antiderivative was successfully verified.

[In] `Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x]),x]`

[Out] $(2*b*(A*b - a*B)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(c + d*x)/2])/\operatorname{Sqrt}[a + b]])/(a^2*\operatorname{Sqrt}[a - b]*\operatorname{Sqrt}[a + b]*d) - ((A*b - a*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(a^2*d) + (A*\operatorname{Tan}[c + d*x])/(a*d)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 2659

`Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

Rule 2747

`Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]`

Rule 3000

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +`

```
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx &= \frac{A \tan(c + dx)}{ad} + \frac{\int \frac{(-Ab + aB) \sec(c + dx)}{a + b \cos(c + dx)} dx}{a} \\
&= \frac{A \tan(c + dx)}{ad} + \frac{(-Ab + aB) \int \frac{\sec(c + dx)}{a + b \cos(c + dx)} dx}{a} \\
&= \frac{A \tan(c + dx)}{ad} - \frac{(Ab - aB) \int \sec(c + dx) dx}{a^2} + \frac{(b(Ab - aB)) \int \frac{1}{a + b \cos(c + dx)} dx}{a^2} \\
&= -\frac{(Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{A \tan(c + dx)}{ad} + \frac{(2b(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{a + b \cos(u)} du, c + dx, x\right)}{a^2} \\
&= \frac{2b(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^2 \sqrt{a-b} \sqrt{a+b} d} - \frac{(Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^2 d}
\end{aligned}$$

Mathematica [A] time = 0.56, size = 129, normalized size = 1.30

$$\frac{2b(Ab - aB) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + (Ab - aB) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x]),x]
```

```
[Out] ((-2*b*(A*b - a*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + (A*b - a*B)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + a*A*Tan[c + d*x]/(a^2*d)
```

fricas [B] time = 0.95, size = 460, normalized size = 4.65

$$\left[\frac{(Bab - Ab^2) \sqrt{-a^2 + b^2} \cos(dx + c) \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{\dots} \right] + (I)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] [1/2*((B*a*b - A*b^2)*sqrt(-a^2 + b^2)*cos(d*x + c)*log((2*a*b*cos(d*x + c)
+ (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*s
in(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2))
+ (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*cos(d*x + c)*log(sin(d*x + c) + 1) -
(B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*cos(d*x + c)*log(-sin(d*x + c) + 1) +
2*(A*a^3 - A*a*b^2)*sin(d*x + c))/((a^4 - a^2*b^2)*d*cos(d*x + c)), -1/2*(2
*(B*a*b - A*b^2)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b
^2)*sin(d*x + c)))*cos(d*x + c) - (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*cos(d
*x + c)*log(sin(d*x + c) + 1) + (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*cos(d*x
+ c)*log(-sin(d*x + c) + 1) - 2*(A*a^3 - A*a*b^2)*sin(d*x + c))/((a^4 - a^
2*b^2)*d*cos(d*x + c))]
```

giac [A] time = 0.97, size = 175, normalized size = 1.77

$$\frac{(Ba-Ab)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{(Ba-Ab)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} - \frac{2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2-1} + \frac{2(Bab-Ab^2)\left(\pi\left\lfloor\frac{dx+c}{2\pi}+\frac{1}{2}\right\rfloor\operatorname{sgn}(-2a+2b)+\arctan\left(\frac{b}{a}\right)\right)}{\sqrt{a^2-b^2}a}$$

$$d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x, algorithm="giac
")
```

```
[Out] ((B*a - A*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - (B*a - A*b)*log(abs(t
an(1/2*d*x + 1/2*c) - 1))/a^2 - 2*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/
2*c)^2 - 1)*a) + 2*(B*a*b - A*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2
*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(
a^2 - b^2)))/(sqrt(a^2 - b^2)*a^2))/d
```

maple [B] time = 0.15, size = 228, normalized size = 2.30

$$\frac{2b^2 \arctan\left(\frac{\tan\left(\frac{dx}{2}+\frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)A}{d a^2 \sqrt{(a-b)(a+b)}} - \frac{2b \arctan\left(\frac{\tan\left(\frac{dx}{2}+\frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)B}{d a \sqrt{(a-b)(a+b)}} - \frac{A}{a d \left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)} + \frac{\ln\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)Ab}{d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x)
```

```
[Out] 2/d*b^2/a^2/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b
))^(1/2))*A-2/d*b/a/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a
-b)*(a+b))^(1/2))*B-1/a/d*A/(tan(1/2*d*x+1/2*c)-1)+1/d/a^2*ln(tan(1/2*d*x+1
/2*c)-1)*A*b-1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B-1/a/d*A/(tan(1/2*d*x+1/2*c)+1
)-1/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*A*b+1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x, algorithm="maxi
ma")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for
more details)Is 4*b^2-4*a^2 positive or negative?
```

mupad [B] time = 1.99, size = 675, normalized size = 6.82

$$\frac{A b \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) 1i}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) 2i}{d (a^2 - b^2)} - \frac{B a \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) 1i}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) 2i}{d (a^2 - b^2)} + \frac{A a \tan(c + dx)}{d (a^2 - b^2)} - \frac{A b^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) 1i}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) 2i}{a^2 d (a^2 - b^2)} + \frac{B b^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) 1i}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) 2i}{a d (a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + b*cos(c + d*x))),x)`

[Out] $(A*b*\operatorname{atan}((\sin(c/2 + (d*x)/2)*1i)/\cos(c/2 + (d*x)/2))*2i)/(d*(a^2 - b^2)) - (B*a*\operatorname{atan}((\sin(c/2 + (d*x)/2)*1i)/\cos(c/2 + (d*x)/2))*2i)/(d*(a^2 - b^2)) + (A*a*\tan(c + d*x))/(d*(a^2 - b^2)) - (A*b^3*\operatorname{atan}((\sin(c/2 + (d*x)/2)*1i)/\cos(c/2 + (d*x)/2))*2i)/(a^2*d*(a^2 - b^2)) + (B*b^2*\operatorname{atan}((\sin(c/2 + (d*x)/2)*1i)/\cos(c/2 + (d*x)/2))*2i)/(a*d*(a^2 - b^2)) - (A*b^2*\tan(c + d*x))/(a*d*(a^2 - b^2)) - (B*b*\operatorname{atan}(((a^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{1/2} + 2*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{3/2} - 2*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{1/2} + 3*a^2*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{1/2} - a^3*b^2*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{1/2} - a^4*b*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{1/2})*1i)/(\cos(c/2 + (d*x)/2)*(a*b^2 - a^3)^2))*(-(a + b)*(a - b))^{1/2}*2i)/(a*d*(a^2 - b^2)) + (A*b^2*\operatorname{atan}(((a^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{1/2} + 2*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{3/2} - 2*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{1/2} + 3*a^2*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{1/2} - a^3*b^2*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{1/2} - a^4*b*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{1/2})*1i)/(\cos(c/2 + (d*x)/2)*(a*b^2 - a^3)^2))*(-(a + b)*(a - b))^{1/2}*2i)/(a^2*d*(a^2 - b^2))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c)),x)`

[Out] `Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/(a + b*cos(c + d*x)), x)`

$$3.256 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=143

$$\frac{2b^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} - \frac{(Ab - aB) \tan(c + dx)}{a^2 d} + \frac{(a^2 A - 2abB + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2a^3 d} +$$

[Out] $1/2*(A*a^2+2*A*b^2-2*B*a*b)*\text{arctanh}(\sin(d*x+c))/a^3/d-2*b^2*(A*b-B*a)*\text{arctan}((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^3/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}-(A*b-B*a)*\tan(d*x+c)/a^2/d+1/2*A*\sec(d*x+c)*\tan(d*x+c)/a/d$

Rubi [A] time = 0.49, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{(a^2 A - 2abB + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2a^3 d} - \frac{(Ab - aB) \tan(c + dx)}{a^2 d} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^3]/(a + b*\text{Cos}[c + d*x]), x]$

[Out] $(-2*b^2*(A*b - a*B)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])/ \text{Sqrt}[a + b]])/(a^3*\text{Sqrt}[a - b]*\text{Sqrt}[a + b]*d) + ((a^2*A + 2*A*b^2 - 2*a*b*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*a^3*d) - ((A*b - a*B)*\text{Tan}[c + d*x])/(a^2*d) + (A*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a*d)$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

$\text{Int}[(a_ + (b_)*\sin[\text{Pi}/2 + (c_ + (d_)*(x_))])^{-1}, x_Symbol] \rightarrow \text{With}[\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3000

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_)]^{(n_)})), x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(1 + n)})/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*\text{Sin}[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3001

$\text{Int}[(A_ + (B_)*\sin[(e_ + (f_)*(x_))]/((a_ + (b_)*\sin[(e_ + (f_)*(x_)]^{(n_)})), x_Symbol] \rightarrow \text{Dist}[(A*b$

$- a*B)/(b*c - a*d), \text{Int}[1/(a + b*\text{Sin}[e + f*x]), x], x] + \text{Dist}[(B*c - A*d)/(b*c - a*d), \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^(n_.)*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^(m + 1)*(c + d*\text{Sin}[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^(m + 1)*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] := -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx = \frac{A \sec(c + dx) \tan(c + dx)}{2ad} + \frac{\int \frac{(-2(Ab - aB) + aA \cos(c + dx) + Ab \cos^2(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx}{2a}$$

$$= -\frac{(Ab - aB) \tan(c + dx)}{a^2d} + \frac{A \sec(c + dx) \tan(c + dx)}{2ad} + \frac{\int \frac{(a^2A + 2Ab^2 - 2abB)}{a} dx}{2a}$$

$$= -\frac{(Ab - aB) \tan(c + dx)}{a^2d} + \frac{A \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(b^2(Ab - aB))}{a}$$

$$= \frac{(a^2A + 2Ab^2 - 2abB) \tanh^{-1}(\sin(c + dx))}{2a^3d} - \frac{(Ab - aB) \tan(c + dx)}{a^2d} + \dots$$

$$= -\frac{2b^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^3\sqrt{a-b}\sqrt{a+b}d} + \frac{(a^2A + 2Ab^2 - 2abB) \tanh^{-1}(\sin(c + dx))}{2a^3d}$$

Mathematica [B] time = 1.78, size = 300, normalized size = 2.10

$$\frac{8b^2(Ab - aB) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} - 2(a^2A - 2abB + 2Ab^2) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2(a^2A - 2abB)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x]),x]
 [Out] ((8*b^2*(A*b - a*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - 2*(a^2*A + 2*A*b^2 - 2*a*b*B)*Log[Cos[(c + d*x)/2] - Sin[

$$(c + d*x)/2]] + 2*(a^2*A + 2*A*b^2 - 2*a*b*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a^2*A)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (4*a*(-(A*b) + a*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (a^2*A)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*a*(-(A*b) + a*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])/(4*a^3*d)$$

fricas [B] time = 8.21, size = 589, normalized size = 4.12

$$\frac{2(Bab^2 - Ab^3)\sqrt{-a^2 + b^2} \cos(dx + c)^2 \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] [1/4*(2*(B*a*b^2 - A*b^3)*sqrt(-a^2 + b^2)*cos(d*x + c)^2*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + (A*a^4 - 2*B*a^3*b + A*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (A*a^4 - 2*B*a^3*b + A*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(A*a^4 - A*a^2*b^2 + 2*(B*a^4 - A*a^3*b - B*a^2*b^2 + A*a*b^3)*cos(d*x + c))*sin(d*x + c))/((a^5 - a^3*b^2)*d*cos(d*x + c)^2), 1/4*(4*(B*a*b^2 - A*b^3)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^2 + (A*a^4 - 2*B*a^3*b + A*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (A*a^4 - 2*B*a^3*b + A*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(A*a^4 - A*a^2*b^2 + 2*(B*a^4 - A*a^3*b - B*a^2*b^2 + A*a*b^3)*cos(d*x + c))*sin(d*x + c))/((a^5 - a^3*b^2)*d*cos(d*x + c)^2)]

giac [B] time = 0.77, size = 269, normalized size = 1.88

$$\frac{(Aa^2 - 2 Bab + 2 Ab^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^3} - \frac{(Aa^2 - 2 Bab + 2 Ab^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^3} - \frac{4(Bab^2 - Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a+2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + b}{\sqrt{a^2 - b^2}}\right)\right)}{\sqrt{a^2 - b^2} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] 1/2*((A*a^2 - 2*B*a*b + 2*A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - (A*a^2 - 2*B*a*b + 2*A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 - 4*(B*a*b^2 - A*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/(sqrt(a^2 - b^2)*a^3) + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c)^3 + 2*A*b*tan(1/2*d*x + 1/2*c)^3 + A*a*tan(1/2*d*x + 1/2*c) + 2*B*a*tan(1/2*d*x + 1/2*c) - 2*A*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^2))/d

maple [B] time = 0.16, size = 410, normalized size = 2.87

$$\frac{2b^3 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) A}{d a^3 \sqrt{(a-b)(a+b)}} + \frac{2b^2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) B}{d a^2 \sqrt{(a-b)(a+b)}} + \frac{A}{2ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} + \frac{A}{2ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x)
```

```
[Out] -2/d*b^3/a^3/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+2/d*b^2/a^2/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B+1/2/a/d*A/(tan(1/2*d*x+1/2*c)-1)^2+1/2/a/d*A/(tan(1/2*d*x+1/2*c)-1)+1/d/a^2/(tan(1/2*d*x+1/2*c)-1)*A*b-1/a/d/(tan(1/2*d*x+1/2*c)-1)*B-1/2/a/d*A*ln(tan(1/2*d*x+1/2*c)-1)-1/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*A*b^2+1/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*B*b-1/2/a/d*A/(tan(1/2*d*x+1/2*c)+1)^2+1/2/a/d*A/(tan(1/2*d*x+1/2*c)+1)+1/d/a^2/(tan(1/2*d*x+1/2*c)+1)*A*b-1/a/d/(tan(1/2*d*x+1/2*c)+1)*B+1/2/a/d*A*ln(tan(1/2*d*x+1/2*c)+1)+1/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*A*b^2-1/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*B*b
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?
```

mupad [B] time = 4.21, size = 4051, normalized size = 28.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))),x)
```

```
[Out] (B*a*sin(2*c + 2*d*x))/(2*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) - (A*b*sin(2*c + 2*d*x))/(2*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) + (A*a*sin(c + d*x))/(2*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) - (A*a*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*1i)/(2*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) + (B*b*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*1i)/(d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) - (A*b^2*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*1i)/(2*a*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) + (A*b^4*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*1i)/(a^3*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) - (B*b^3*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*1i)/(a^2*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) + (A*b^3*sin(2*c + 2*d*x))/(2*a^2*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) - (B*b^2*sin(2*c + 2*d*x))/(2*a*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) - (A*a*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*cos(2*c + 2*d*x)*1i)/(2*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) + (B*b*atan((sin(c/2 + (d*x)/2)*1i)/cos(c/2 + (d*x)/2))*cos(2*c + 2*d*x)*1i)/(d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) - (A*b^2*sin(c + d*x))/(2*a*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) + (A*b^3*atan(((A^2*a^9*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 8*A^2*b^7*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(3/2) - 8*A^2*b^9*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - A^2*a^8*b*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 8*A^2*a^2*b^7*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 3*A^2*a^4*b^5*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - 3*A^2*a^5*b^4*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - 2*A^2*a^6*b^3*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 2*A^2*a^7*b^2*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 8*B^2*a^2*b^5*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(3/2) - 8*B^2*a^2*b^7*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 12*B^2*a^4*b^5*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - 4*B^2*a^5*b^4*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - 4*B^2*a^6*b^3*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 4*B^2*a^
```


$$\begin{aligned}
& 7*b^2*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 16*A*B*a*b^6*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(3/2)} + 16*A*B*a*b^8*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 4 \\
& *A*B*a^8*b*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 20*A*B*a^3*b^6*\sin(c/2 + \\
& (d*x)/2)*(b^2 - a^2)^{(1/2)} + 4*A*B*a^4*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} \\
& + 4*A*B*a^7*b^2*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2))*1i)/(\cos(c/2 + (d*x)/2) \\
& *(a*b^2 - a^3)*(A^2*a^7 - 3*A^2*a^3*b^4 + 2*A^2*a^5*b^2 - 4*B^2*a^3*b^4 + 4*B^2*a^5*b^2 - \\
& 4*A*B*a^6*b + 4*A*B*a^2*b^5)))*(-(a + b)*(a - b))^{(1/2)}*1i)/(a^3*d*(a^2 - b^2)* \\
& (\cos(2*c + 2*d*x)/2 + 1/2)) - (A*b^2*atan((\sin(c/2 + (d*x)/2)*1i)/\cos(c/2 + (d*x)/2)) \\
& *cos(2*c + 2*d*x)*1i)/(2*a*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) + (A*b^4*atan((\sin(c/2 + (d*x)/2)*1i)/\cos(c/2 + \\
& (d*x)/2))*cos(2*c + 2*d*x)*1i)/(a^3*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) - \\
& (B*b^2*atan((A^2*a^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*A^2*b^7*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(3/2)} - 8*A^2*b^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - A^2*a^8*b*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 8*A^2*a^2*b^7*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 3*A^2*a^4*b^5*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} - 3*A^2*a^5*b^4*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 2*A^2*a^6*b^3*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 2*A^2*a^7*b^2*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*B^2*a^2*b^5*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(3/2)} - 8*B^2*a^2*b^7*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 12*B^2*a^4*b^5*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} - 4*B^2*a^5*b^4*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 4*B^2*a^6*b^3*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 4*B^2*a^7*b^2*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 16*A*B*a*b^6*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(3/2)} + 16*A*B*a*b^8*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 4*A*B*a^8*b*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} - 20*A*B*a^3*b^6*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 4*A*B*a^4*b^5*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 4*A*B*a^7*b^2*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2))*1i)/(\cos(c/2 + (d*x)/2) \\
& *(a*b^2 - a^3)*(A^2*a^7 - 3*A^2*a^3*b^4 + 2*A^2*a^5*b^2 - 4*B^2*a^3*b^4 + 4*B^2*a^5*b^2 - 4*A*B*a^6*b + 4*A*B \\
& *a^2*b^5)))*(-(a + b)*(a - b))^{(1/2)}*1i)/(a^2*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) - (B*b^3*atan((\sin(c/2 + (d*x)/2)*1i)/\cos(c/2 + (d*x)/2)) \\
& *cos(2*c + 2*d*x)*1i)/(a^2*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2)) + (A*b^3*atan((A^2*a^9*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 8*A^2*b^7*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(3/2)} - 8*A^2*b^9*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} - A^2*a^8*b*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*A^2*a^2*b^7*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 3*A^2*a^4*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 3*A^2*a^5*b^4*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} - 2*A^2*a^6*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 2*A^2*a^7*b^2*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 8*B^2*a^2*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(3/2)} - 8*B^2*a^2*b^7*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 12*B^2*a^4*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 4*B^2*a^5*b^4*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} - 4*B^2*a^6*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 4*B^2*a^7*b^2*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} - 16*A*B*a*b^6*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(3/2)} + 16*A*B*a*b^8*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} - 4*A*B*a^8*b*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 20*A*B*a^3*b^6*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 4*A*B*a^4*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 4*A*B*a^7*b^2*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2))*1i)/(\cos(c/2 + (d*x)/2)*(a*b^2 - a^3)*(A^2*a^7 - 3*A^2*a^3*b^4 + 2*A^2*a^5*b^2 - 4*B^2*a^3*b^4 + 4*B^2*a^5*b^2 - \\
& 4*A*B*a^6*b + 4*A*B*a^2*b^5))*cos(2*c + 2*d*x)*(-(a + b)*(a - b))^{(1/2)}*1i)/(a^3*d*(a^2 - b^2) \\
& *(cos(2*c + 2*d*x)/2 + 1/2)) - (B*b^2*atan((A^2*a^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*A^2*b^7*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(3/2)} - 8*A^2*b^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - A^2*a^8*b*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} \\
& + 8*A^2*a^2*b^7*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 3*A^2*a^4*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 3*A^2*a^5*b^4*\sin(c/2 + (d*x) \\
& /2)*(b^2 - a^2)^{(1/2)} - 2*A^2*a^6*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 2*A^2*a^7*b^2*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 8*B^2*a^2*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(3/2)} - 8*B^2*a^2*b^7*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} + 12*B^2*a^4*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 4*B^2*a^5*b^4*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} - 4*B^2*a^6*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 4*B^2*a^7*b^2*\sin(c/2 + (d*x)/2) \\
& *(b^2 - a^2)^{(1/2)} - 1
\end{aligned}$$

```
6*A*B*a*b^6*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(3/2) + 16*A*B*a*b^8*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - 4*A*B*a^8*b*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - 20*A*B*a^3*b^6*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 4*A*B*a^4*b^5*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 4*A*B*a^7*b^2*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2))*1i)/(cos(c/2 + (d*x)/2)*(a*b^2 - a^3)*(A^2*a^7 - 3*A^2*a^3*b^4 + 2*A^2*a^5*b^2 - 4*B^2*a^3*b^4 + 4*B^2*a^5*b^2 - 4*A*B*a^6*b + 4*A*B*a^2*b^5))*cos(2*c + 2*d*x)*(-(a + b)*(a - b))^(1/2)*1i)/(a^2*d*(a^2 - b^2)*cos(2*c + 2*d*x)/2 + 1/2))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c)),x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**3/(a + b*cos(c + d*x)), x)

$$3.257 \quad \int \frac{(A+B \cos(c+dx)) \sec^4(c+dx)}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=187

$$\frac{2b^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d \sqrt{a-b} \sqrt{a+b}} - \frac{(Ab - aB) \tan(c+dx) \sec(c+dx)}{2a^2 d} - \frac{(a^2 + 2b^2)(Ab - aB) \tanh^{-1}(\sin(c+dx))}{2a^4 d}$$

[Out] $-1/2*(a^2+2*b^2)*(A*b-B*a)*\operatorname{arctanh}(\sin(d*x+c))/a^4/d+2*b^3*(A*b-B*a)*\operatorname{arctan}((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^4/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}+1/3*(2*A*a^2+3*A*b^2-3*B*a*b)*\tan(d*x+c)/a^3/d-1/2*(A*b-B*a)*\sec(d*x+c)*\tan(d*x+c)/a^2/d+1/3*A*\sec(d*x+c)^2*\tan(d*x+c)/a/d$

Rubi [A] time = 0.77, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d \sqrt{a-b} \sqrt{a+b}} + \frac{(2a^2A - 3abB + 3Ab^2) \tan(c+dx)}{3a^3 d} - \frac{(a^2 + 2b^2)(Ab - aB) \tanh^{-1}(\sin(c+dx))}{2a^4 d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^4/(a + b*\operatorname{Cos}[c + d*x]), x]$

[Out] $(2*b^3*(A*b - a*B)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(c + d*x)/2])/ \operatorname{Sqrt}[a + b]])/(a^4 * \operatorname{Sqrt}[a - b]* \operatorname{Sqrt}[a + b]*d) - ((a^2 + 2*b^2)*(A*b - a*B)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(2*a^4*d) + ((2*a^2*A + 3*A*b^2 - 3*a*b*B)*\operatorname{Tan}[c + d*x])/(3*a^3*d) - ((A*b - a*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*a^2*d) + (A*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/(3*a*d)$

Rule 205

$\operatorname{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /;$ $\operatorname{FreeQ}\{a, b, x\} \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 2659

$\operatorname{Int}[(a + b*\sin[\operatorname{Pi}/2 + (c + d*x)])^{-1}, x_Symbol] \rightarrow \operatorname{With}[e = \operatorname{FreeFactors}[\operatorname{Tan}[(c + d*x)/2], x], \operatorname{Dist}[(2*e)/d, \operatorname{Subst}[\operatorname{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \operatorname{Tan}[(c + d*x)/2]/e], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, x\} \ \&\& \ \operatorname{NeQ}[a^2 - b^2, 0]$

Rule 3000

$\operatorname{Int}[(a + b*\sin[e + f*x])^{(m)}*((A + B*\sin[e + f*x])^{(n)}), x_Symbol] \rightarrow -\operatorname{Simp}[(A*b^2 - a*b*B)*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^{(1+n)}]/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \operatorname{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^n * \operatorname{Simp}[(a*A - b*B)*(b*c - a*d)*(m+1) + b*d*(A*b - a*B)*(m+n+2) + (A*b - a*B)*(a*d*(m+1) - b*c*(m+2))*\sin[e + f*x] - b*d*(A*b - a*B)*(m+n+3)*\sin[e + f*x]^2, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{NeQ}[a^2 - b^2, 0] \ \&\& \ \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \ \operatorname{RationalQ}[m] \ \&\& \ m < -1 \ \&\& \ ((\operatorname{EqQ}[a, 0] \ \&\& \ \operatorname{IntegerQ}[m] \ \&\& \ !\operatorname{IntegerQ}[n]) \ || \ !(\operatorname{IntegerQ}[2*n] \ \&\& \ \operatorname{LtQ}[n, -1] \ \&\& \ ((\operatorname{IntegerQ}[n] \ \&\& \ !\operatorname{IntegerQ}[m]) \ || \ \operatorname{EqQ}[a, 0])))$

Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^4(c + dx)}{a + b \cos(c + dx)} dx &= \frac{A \sec^2(c + dx) \tan(c + dx)}{3ad} + \int \frac{(-3(Ab - aB) + 2aA \cos(c + dx) + 2Ab \cos^2(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx \\ &= -\frac{(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a^2d} + \frac{A \sec^2(c + dx) \tan(c + dx)}{3ad} + \int \frac{(-3(Ab - aB) + 2aA \cos(c + dx) + 2Ab \cos^2(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx \\ &= \frac{(2a^2A + 3Ab^2 - 3abB) \tan(c + dx)}{3a^3d} - \frac{(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a^2d} \\ &= \frac{(2a^2A + 3Ab^2 - 3abB) \tan(c + dx)}{3a^3d} - \frac{(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a^2d} \\ &= -\frac{(a^2 + 2b^2)(Ab - aB) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(2a^2A + 3Ab^2 - 3abB) \tan(c + dx)}{3a^3d} \\ &= \frac{2b^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^4\sqrt{a-b}\sqrt{a+b}d} - \frac{(a^2 + 2b^2)(Ab - aB) \tanh^{-1}(\sin(c + dx))}{2a^4d} \end{aligned}$$

Mathematica [B] time = 2.27, size = 422, normalized size = 2.26

$$\frac{2a^3A \sin\left(\frac{1}{2}(c + dx)\right)}{\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)^3} + \frac{2a^3A \sin\left(\frac{1}{2}(c + dx)\right)}{\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)^3} + \frac{4a(2a^2A - 3abB + 3Ab^2) \sin\left(\frac{1}{2}(c + dx)\right)}{\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)} + \frac{4a(2a^2A - 3abB + 3Ab^2) \sin\left(\frac{1}{2}(c + dx)\right)}{\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*cos[c + d*x])*Sec[c + d*x]^4)/(a + b*cos[c + d*x]),x]
[Out] ((24*b^3*(-(A*b) + a*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]]/Sqrt[-a^2 + b^2] - 6*(a^2 + 2*b^2)*(-(A*b) + a*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 6*(a^2 + 2*b^2)*(-(A*b) + a*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a^2*(-3*A*b + a*(A + 3*B)))/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (2*a^3*A*Sin[(c + d*x)/2])/((Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3 + (4*a*(2*a^2*A + 3*A*b^2 - 3*a*b*B)*Sin[(c + d*x)/2])/((Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (2*a^3*A*Sin[(c + d*x)/2])/((Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3 - (a^2*(-3*A*b + a*(A + 3*B)))/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*a*(2*a^2*A + 3*A*b^2 - 3*a*b*B)*Sin[(c + d*x)/2])/((Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))/(12*a^4*d)
```

fricas [A] time = 2.72, size = 729, normalized size = 3.90

$$\left[\frac{6(Bab^3 - Ab^4)\sqrt{-a^2 + b^2} \cos(dx + c)^3 \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] [1/12*(6*(B*a*b^3 - A*b^4)*sqrt(-a^2 + b^2)*cos(d*x + c)^3*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + 3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*A*a^5 - 2*A*a^3*b^2 + 2*(2*A*a^5 - 3*B*a^4*b + A*a^3*b^2 + 3*B*a^2*b^3 - 3*A*a*b^4)*cos(d*x + c)^2 + 3*(B*a^5 - A*a^4*b - B*a^3*b^2 + A*a^2*b^3)*cos(d*x + c))*sin(d*x + c))/((a^6 - a^4*b^2)*d*cos(d*x + c)^3), -1/12*(12*(B*a*b^3 - A*b^4)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^3 - 3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*cos(d*x + c)^3*log(sin(d*x + c) + 1) + 3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) - 2*(2*A*a^5 - 2*A*a^3*b^2 + 2*(2*A*a^5 - 3*B*a^4*b + A*a^3*b^2 + 3*B*a^2*b^3 - 3*A*a*b^4)*cos(d*x + c)^2 + 3*(B*a^5 - A*a^4*b - B*a^3*b^2 + A*a^2*b^3)*cos(d*x + c))*sin(d*x + c))/((a^6 - a^4*b^2)*d*cos(d*x + c)^3)]
```

giac [B] time = 0.62, size = 412, normalized size = 2.20

$$\frac{3(Ba^3 - Aa^2b + 2Bab^2 - 2Ab^3) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^4} - \frac{3(Ba^3 - Aa^2b + 2Bab^2 - 2Ab^3) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^4} + \frac{12(Bab^3 - Ab^4) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right)\right)}{\sqrt{a^2 - b^2} a^4} - 2*(6*A*a^2*tan(1/2*d*x + 1/2*c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/6*(3*(B*a^3 - A*a^2*b + 2*B*a*b^2 - 2*A*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - 3*(B*a^3 - A*a^2*b + 2*B*a*b^2 - 2*A*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 + 12*(B*a*b^3 - A*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/(sqrt(a^2 - b^2)*a^4) - 2*(6*A*a^2*tan(1/2*d*x + 1/2*c)
```

$$\begin{aligned} &^5 - 3*B*a^2*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a*b*\tan(1/2*d*x + 1/2*c)^5 - 6*B* \\ &a*b*\tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*\tan(1/2*d*x + 1/2*c)^5 - 4*A*a^2*\tan(1 \\ &/2*d*x + 1/2*c)^3 + 12*B*a*b*\tan(1/2*d*x + 1/2*c)^3 - 12*A*b^2*\tan(1/2*d*x \\ &+ 1/2*c)^3 + 6*A*a^2*\tan(1/2*d*x + 1/2*c) + 3*B*a^2*\tan(1/2*d*x + 1/2*c) - \\ &3*A*a*b*\tan(1/2*d*x + 1/2*c) - 6*B*a*b*\tan(1/2*d*x + 1/2*c) + 6*A*b^2*\tan(1 \\ &/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^3*a^3))/d \end{aligned}$$

maple [B] time = 0.18, size = 688, normalized size = 3.68

$$\frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) A b^3}{d a^4} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) B b^2}{d a^3} - \frac{A b^2}{d a^3 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{B b}{d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{1}{2 d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x)
[Out] 1/d/a^4*ln(tan(1/2*d*x+1/2*c)-1)*A*b^3-1/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*B*b^2-1/d/a^3/(tan(1/2*d*x+1/2*c)-1)*A*b^2+1/d/a^2/(tan(1/2*d*x+1/2*c)-1)*B*b+1/2/d/a^2/(tan(1/2*d*x+1/2*c)+1)^2*A*b-1/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*A*b^3+1/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*B*b^2-1/3/a/d*A/(tan(1/2*d*x+1/2*c)-1)^3+1/2/a/d/(tan(1/2*d*x+1/2*c)-1)^2*B-1/3/a/d*A/(tan(1/2*d*x+1/2*c)+1)^3-1/2/a/d/(tan(1/2*d*x+1/2*c)+1)^2*B+1/2/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*A*b-1/2/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B-1/a/d*A/(tan(1/2*d*x+1/2*c)+1)+1/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B-1/a/d*A/(tan(1/2*d*x+1/2*c)-1)-1/2/d/a^2/(tan(1/2*d*x+1/2*c)-1)^2*A*b-1/d/a^3/(tan(1/2*d*x+1/2*c)+1)*A*b^2+1/d/a^2/(tan(1/2*d*x+1/2*c)+1)*B*b+1/2/a/d/(tan(1/2*d*x+1/2*c)-1)*B+1/2/a/d*A/(tan(1/2*d*x+1/2*c)+1)^2+1/2/a/d/(tan(1/2*d*x+1/2*c)+1)*B-1/2/a/d*A/(tan(1/2*d*x+1/2*c)-1)^2-1/2/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*A*b-1/2/d/a^2/(tan(1/2*d*x+1/2*c)+1)*A*b-1/2/d/a^2/(tan(1/2*d*x+1/2*c)-1)*A*b+2/d*b^4/a^4/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A-2/d*b^3/a^3/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x, algorithm="maxima")
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?
```

mupad [B] time = 4.90, size = 4696, normalized size = 25.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^4*(a + b*cos(c + d*x))),x)
[Out] (atan((((8*tan(c/2 + (d*x)/2)*(8*A^2*b^9 - B^2*a^9 - 16*A^2*a*b^8 + 3*B^2*a^8*b + 16*A^2*a^2*b^7 - 16*A^2*a^3*b^6 + 13*A^2*a^4*b^5 - 7*A^2*a^5*b^4 + 3*A^2*a^6*b^3 - A^2*a^7*b^2 + 8*B^2*a^2*b^7 - 16*B^2*a^3*b^6 + 16*B^2*a^4*b^5 - 16*B^2*a^5*b^4 + 13*B^2*a^6*b^3 - 7*B^2*a^7*b^2 - 16*A*B*a*b^8 + 2*A*B*a^8*b + 32*A*B*a^2*b^7 - 32*A*B*a^3*b^6 + 32*A*B*a^4*b^5 - 26*A*B*a^5*b^4
```

$$\begin{aligned}
& + 14*A*B*a^6*b^3 - 6*A*B*a^7*b^2))/a^6 + (((8*(2*B*a^13 - 4*A*a^8*b^5 + 6*A \\
& *a^9*b^4 - 2*A*a^10*b^3 + 2*A*a^11*b^2 + 4*B*a^9*b^4 - 6*B*a^10*b^3 + 2*B*a \\
& ^11*b^2 - 2*A*a^12*b - 2*B*a^12*b))/a^9 - (4*\tan(c/2 + (d*x)/2)*(8*a^10*b + \\
& 8*a^8*b^3 - 16*a^9*b^2)*(2*A*b^3 - B*a^3 + A*a^2*b - 2*B*a*b^2))/a^10)*(2* \\
& A*b^3 - B*a^3 + A*a^2*b - 2*B*a*b^2))/(2*a^4))*(2*A*b^3 - B*a^3 + A*a^2*b - \\
& 2*B*a*b^2)*1i)/(2*a^4) + (((8*\tan(c/2 + (d*x)/2)*(8*A^2*b^9 - B^2*a^9 - 16 \\
& *A^2*a*b^8 + 3*B^2*a^8*b + 16*A^2*a^2*b^7 - 16*A^2*a^3*b^6 + 13*A^2*a^4*b^5 \\
& - 7*A^2*a^5*b^4 + 3*A^2*a^6*b^3 - A^2*a^7*b^2 + 8*B^2*a^2*b^7 - 16*B^2*a^3 \\
& *b^6 + 16*B^2*a^4*b^5 - 16*B^2*a^5*b^4 + 13*B^2*a^6*b^3 - 7*B^2*a^7*b^2 - 1 \\
& 6*A*B*a*b^8 + 2*A*B*a^8*b + 32*A*B*a^2*b^7 - 32*A*B*a^3*b^6 + 32*A*B*a^4*b^ \\
& 5 - 26*A*B*a^5*b^4 + 14*A*B*a^6*b^3 - 6*A*B*a^7*b^2))/a^6 - (((8*(2*B*a^13 \\
& - 4*A*a^8*b^5 + 6*A*a^9*b^4 - 2*A*a^10*b^3 + 2*A*a^11*b^2 + 4*B*a^9*b^4 - 6 \\
& *B*a^10*b^3 + 2*B*a^11*b^2 - 2*A*a^12*b - 2*B*a^12*b))/a^9 + (4*\tan(c/2 + (\\
& d*x)/2)*(8*a^10*b + 8*a^8*b^3 - 16*a^9*b^2)*(2*A*b^3 - B*a^3 + A*a^2*b - 2* \\
& B*a*b^2))/a^10)*(2*A*b^3 - B*a^3 + A*a^2*b - 2*B*a*b^2))/(2*a^4))*(2*A*b^3 \\
& - B*a^3 + A*a^2*b - 2*B*a*b^2)*1i)/(2*a^4))/((16*(4*A^3*b^11 - 6*A^3*a*b^10 \\
& + 6*A^3*a^2*b^9 - 5*A^3*a^3*b^8 + 2*A^3*a^4*b^7 - A^3*a^5*b^6 - 4*B^3*a^3* \\
& b^8 + 6*B^3*a^4*b^7 - 6*B^3*a^5*b^6 + 5*B^3*a^6*b^5 - 2*B^3*a^7*b^4 + B^3*a \\
& ^8*b^3 - 12*A^2*B*a*b^10 + 12*A*B^2*a^2*b^9 - 18*A*B^2*a^3*b^8 + 18*A*B^2*a \\
& ^4*b^7 - 15*A*B^2*a^5*b^6 + 6*A*B^2*a^6*b^5 - 3*A*B^2*a^7*b^4 + 18*A^2*B*a^ \\
& 2*b^9 - 18*A^2*B*a^3*b^8 + 15*A^2*B*a^4*b^7 - 6*A^2*B*a^5*b^6 + 3*A^2*B*a^6 \\
& *b^5))/a^9 + (((8*\tan(c/2 + (d*x)/2)*(8*A^2*b^9 - B^2*a^9 - 16*A^2*a*b^8 + \\
& 3*B^2*a^8*b + 16*A^2*a^2*b^7 - 16*A^2*a^3*b^6 + 13*A^2*a^4*b^5 - 7*A^2*a^5* \\
& b^4 + 3*A^2*a^6*b^3 - A^2*a^7*b^2 + 8*B^2*a^2*b^7 - 16*B^2*a^3*b^6 + 16*B^2 \\
& *a^4*b^5 - 16*B^2*a^5*b^4 + 13*B^2*a^6*b^3 - 7*B^2*a^7*b^2 - 16*A*B*a*b^8 + \\
& 2*A*B*a^8*b + 32*A*B*a^2*b^7 - 32*A*B*a^3*b^6 + 32*A*B*a^4*b^5 - 26*A*B*a^ \\
& 5*b^4 + 14*A*B*a^6*b^3 - 6*A*B*a^7*b^2))/a^6 + (((8*(2*B*a^13 - 4*A*a^8*b^5 \\
& + 6*A*a^9*b^4 - 2*A*a^10*b^3 + 2*A*a^11*b^2 + 4*B*a^9*b^4 - 6*B*a^10*b^3 + \\
& 2*B*a^11*b^2 - 2*A*a^12*b - 2*B*a^12*b))/a^9 - (4*\tan(c/2 + (d*x)/2)*(8*a^ \\
& 10*b + 8*a^8*b^3 - 16*a^9*b^2)*(2*A*b^3 - B*a^3 + A*a^2*b - 2*B*a*b^2))/a^1 \\
& 0)*(2*A*b^3 - B*a^3 + A*a^2*b - 2*B*a*b^2))/(2*a^4))*(2*A*b^3 - B*a^3 + A*a \\
& ^2*b - 2*B*a*b^2))/(2*a^4) - (((8*\tan(c/2 + (d*x)/2)*(8*A^2*b^9 - B^2*a^9 - \\
& 16*A^2*a*b^8 + 3*B^2*a^8*b + 16*A^2*a^2*b^7 - 16*A^2*a^3*b^6 + 13*A^2*a^4* \\
& b^5 - 7*A^2*a^5*b^4 + 3*A^2*a^6*b^3 - A^2*a^7*b^2 + 8*B^2*a^2*b^7 - 16*B^2*a \\
& ^3*b^6 + 16*B^2*a^4*b^5 - 16*B^2*a^5*b^4 + 13*B^2*a^6*b^3 - 7*B^2*a^7*b^2 \\
& - 16*A*B*a*b^8 + 2*A*B*a^8*b + 32*A*B*a^2*b^7 - 32*A*B*a^3*b^6 + 32*A*B*a^4 \\
& *b^5 - 26*A*B*a^5*b^4 + 14*A*B*a^6*b^3 - 6*A*B*a^7*b^2))/a^6 - (((8*(2*B*a^ \\
& 13 - 4*A*a^8*b^5 + 6*A*a^9*b^4 - 2*A*a^10*b^3 + 2*A*a^11*b^2 + 4*B*a^9*b^4 \\
& - 6*B*a^10*b^3 + 2*B*a^11*b^2 - 2*A*a^12*b - 2*B*a^12*b))/a^9 + (4*\tan(c/2 \\
& + (d*x)/2)*(8*a^10*b + 8*a^8*b^3 - 16*a^9*b^2)*(2*A*b^3 - B*a^3 + A*a^2*b - \\
& 2*B*a*b^2))/a^10)*(2*A*b^3 - B*a^3 + A*a^2*b - 2*B*a*b^2))/(2*a^4))*(2*A*b \\
& ^3 - B*a^3 + A*a^2*b - 2*B*a*b^2))/(2*a^4)))/(a^4*d) - ((\tan(c/2 + (d*x)/2)*(2*A*a^2 \\
& + 2*A*b^2 + B*a^2 - A \\
& *a*b - 2*B*a*b))/a^3 + (\tan(c/2 + (d*x)/2)^5*(2*A*a^2 + 2*A*b^2 - B*a^2 + A \\
& *a*b - 2*B*a*b))/a^3 - (4*\tan(c/2 + (d*x)/2)^3*(A*a^2 + 3*A*b^2 - 3*B*a*b)) \\
& /((3*a^3)))/(d*(3*\tan(c/2 + (d*x)/2)^2 - 3*\tan(c/2 + (d*x)/2)^4 + \tan(c/2 + (\\
& d*x)/2)^6 - 1)) + (b^3*atan(((b^3*(-(a + b)*(a - b))^(1/2)*(A*b - B*a))*((8* \\
& \tan(c/2 + (d*x)/2)*(8*A^2*b^9 - B^2*a^9 - 16*A^2*a*b^8 + 3*B^2*a^8*b + 16*A \\
& ^2*a^2*b^7 - 16*A^2*a^3*b^6 + 13*A^2*a^4*b^5 - 7*A^2*a^5*b^4 + 3*A^2*a^6*b^ \\
& 3 - A^2*a^7*b^2 + 8*B^2*a^2*b^7 - 16*B^2*a^3*b^6 + 16*B^2*a^4*b^5 - 16*B^2* \\
& a^5*b^4 + 13*B^2*a^6*b^3 - 7*B^2*a^7*b^2 - 16*A*B*a*b^8 + 2*A*B*a^8*b + 32* \\
& A*B*a^2*b^7 - 32*A*B*a^3*b^6 + 32*A*B*a^4*b^5 - 26*A*B*a^5*b^4 + 14*A*B*a^6 \\
& *b^3 - 6*A*B*a^7*b^2))/a^6 + (b^3*(-(a + b)*(a - b))^(1/2))*((8*(2*B*a^13 - \\
& 4*A*a^8*b^5 + 6*A*a^9*b^4 - 2*A*a^10*b^3 + 2*A*a^11*b^2 + 4*B*a^9*b^4 - 6*B \\
& *a^10*b^3 + 2*B*a^11*b^2 - 2*A*a^12*b - 2*B*a^12*b))/a^9 - (8*b^3*\tan(c/2 + \\
& (d*x)/2)*(-(a + b)*(a - b))^(1/2)*(A*b - B*a)*(8*a^10*b + 8*a^8*b^3 - 16*a \\
& ^9*b^2))/(a^6*(a^6 - a^4*b^2)))*(A*b - B*a))/(a^6 - a^4*b^2) + (b^3*(-(a + b)*(a - b))^(1/2)*(A*b - B*a))*((8*\tan(c/2 + (d*x)/2)*(\\
& 8*A^2*b^9 - B^2*a^9 - 16*A^2*a*b^8 + 3*B^2*a^8*b + 16*A^2*a^2*b^7 - 16*A^2*
\end{aligned}$$

$$\begin{aligned}
& a^3b^6 + 13A^2a^4b^5 - 7A^2a^5b^4 + 3A^2a^6b^3 - A^2a^7b^2 + 8B^2a^2b^7 - 16B^2a^3b^6 + 16B^2a^4b^5 - 16B^2a^5b^4 + 13B^2a^6b^3 - 7B^2a^7b^2 - 16ABa^8b + 2ABa^8b + 32ABa^2b^7 - 32ABa^3b^6 + 32ABa^4b^5 - 26ABa^5b^4 + 14ABa^6b^3 - 6ABa^7b^2 \\
&)/a^6 - (b^3(-a+b)(a-b))^{1/2}((8(2Ba^{13} - 4Aa^8b^5 + 6Aa^9b^4 - 2Aa^{10}b^3 + 2Aa^{11}b^2 + 4Ba^9b^4 - 6Ba^{10}b^3 + 2Ba^{11}b^2 - 2Aa^{12}b - 2Ba^{12}b))/a^9 + (8b^3\tan(c/2 + (dx)/2)*(-a+b)(a-b))^{1/2}(Ab - Ba)(8a^{10}b + 8a^8b^3 - 16a^9b^2))/(a^6(a^6 - a^4b^2)))(Ab - Ba))/(a^6 - a^4b^2))*1i)/(a^6 - a^4b^2))/((16(4A^3b^{11} - 6A^3a^2b^{10} + 6A^3a^2b^9 - 5A^3a^3b^8 + 2A^3a^4b^7 - A^3a^5b^6 - 4B^3a^3b^8 + 6B^3a^4b^7 - 6B^3a^5b^6 + 5B^3a^6b^5 - 2B^3a^7b^4 + B^3a^8b^3 - 12A^2Bab^{10} + 12AB^2a^2b^9 - 18AB^2a^3b^8 + 18AB^2a^4b^7 - 15AB^2a^5b^6 + 6AB^2a^6b^5 - 3AB^2a^7b^4 + 18A^2Bab^9 - 18A^2Bab^8 + 15A^2Bab^7 - 6A^2Bab^5 + 3A^2Bab^5))/a^9 + (b^3(-a+b)(a-b))^{1/2}(Ab - Ba)(8\tan(c/2 + (dx)/2)(8A^2b^9 - B^2a^9 - 16A^2ab^8 + 3B^2a^8b + 16A^2a^2b^7 - 16A^2a^3b^6 + 13A^2a^4b^5 - 7A^2a^5b^4 + 3A^2a^6b^3 - A^2a^7b^2 + 8B^2a^2b^7 - 16B^2a^3b^6 + 16B^2a^4b^5 - 16B^2a^5b^4 + 13B^2a^6b^3 - 7B^2a^7b^2 - 16ABa^8b + 2ABa^8b + 32ABa^2b^7 - 32ABa^3b^6 + 32ABa^4b^5 - 26ABa^5b^4 + 14ABa^6b^3 - 6ABa^7b^2))/a^6 + (b^3(-a+b)(a-b))^{1/2}((8(2Ba^{13} - 4Aa^8b^5 + 6Aa^9b^4 - 2Aa^{10}b^3 + 2Aa^{11}b^2 + 4Ba^9b^4 - 6Ba^{10}b^3 + 2Ba^{11}b^2 - 2Aa^{12}b - 2Ba^{12}b))/a^9 - (8b^3\tan(c/2 + (dx)/2)*(-a+b)(a-b))^{1/2}(Ab - Ba)(8a^{10}b + 8a^8b^3 - 16a^9b^2))/(a^6(a^6 - a^4b^2)))(Ab - Ba))/(a^6 - a^4b^2)))/(a^6 - a^4b^2) - (b^3(-a+b)(a-b))^{1/2}(Ab - Ba)((8\tan(c/2 + (dx)/2)(8A^2b^9 - B^2a^9 - 16A^2ab^8 + 3B^2a^8b + 16A^2a^2b^7 - 16A^2a^3b^6 + 13A^2a^4b^5 - 7A^2a^5b^4 + 3A^2a^6b^3 - A^2a^7b^2 + 8B^2a^2b^7 - 16B^2a^3b^6 + 16B^2a^4b^5 - 16B^2a^5b^4 + 13B^2a^6b^3 - 7B^2a^7b^2 - 16ABa^8b + 2ABa^8b + 32ABa^2b^7 - 32ABa^3b^6 + 32ABa^4b^5 - 26ABa^5b^4 + 14ABa^6b^3 - 6ABa^7b^2))/a^6 - (b^3(-a+b)(a-b))^{1/2}((8(2Ba^{13} - 4Aa^8b^5 + 6Aa^9b^4 - 2Aa^{10}b^3 + 2Aa^{11}b^2 + 4Ba^9b^4 - 6Ba^{10}b^3 + 2Ba^{11}b^2 - 2Aa^{12}b - 2Ba^{12}b))/a^9 + (8b^3\tan(c/2 + (dx)/2)*(-a+b)(a-b))^{1/2}(Ab - Ba)(8a^{10}b + 8a^8b^3 - 16a^9b^2))/(a^6(a^6 - a^4b^2)))(Ab - Ba))/(a^6 - a^4b^2)))*(-a+b)(a-b))^{1/2}(Ab - Ba)*2i)/(d*(a^6 - a^4b^2))
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^4(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)**4/(a+b*cos(dx+c)),x)

[Out] Integral((A + B*cos(c + dx))*sec(c + dx)**4/(a + b*cos(c + dx)), x)

3.258 $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$

Optimal. Leaf size=263

$$\frac{a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{bd(a^2 - b^2)(a + b \cos(c + dx))} - \frac{(-3a^2B + 2aAb + b^2B) \sin(c + dx) \cos(c + dx)}{2b^2d(a^2 - b^2)} - \frac{x(-6a^2B + 4aAb - b^2B)}{2b^4}$$

```
[Out] -1/2*(4*A*a*b-6*B*a^2-B*b^2)*x/b^4+2*a^2*(2*A*a^2*b-3*A*b^3-3*B*a^3+4*B*a*b^2)*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/(a-b)^(3/2)/b^4/(a+b)^(3/2)/d+(2*A*a^2*b-A*b^3-3*B*a^3+2*B*a*b^2)*sin(d*x+c)/b^3/(a^2-b^2)/d-1/2*(2*A*a*b-3*B*a^2+B*b^2)*cos(d*x+c)*sin(d*x+c)/b^2/(a^2-b^2)/d+a*(A*b-B*a)*cos(d*x+c)^2*sin(d*x+c)/b/(a^2-b^2)/d/(a+b*cos(d*x+c))
```

Rubi [A] time = 0.66, antiderivative size = 263, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2989, 3049, 3023, 2735, 2659, 205}

$$\frac{(2a^2Ab - 3a^3B + 2ab^2B - Ab^3) \sin(c + dx)}{b^3d(a^2 - b^2)} + \frac{2a^2(2a^2Ab - 3a^3B + 4ab^2B - 3Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{3/2}(a+b)^{3/2}} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]
[Out] -((4*a*A*b - 6*a^2*B - b^2*B)*x)/(2*b^4) + (2*a^2*(2*a^2*A*b - 3*A*b^3 - 3*a^3*B + 4*a*b^2*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^4*(a + b)^(3/2)*d) + ((2*a^2*A*b - A*b^3 - 3*a^3*B + 2*a*b^2*B)*Sin[c + d*x])/(b^3*(a^2 - b^2)*d) - (((2*a*A*b - 3*a^2*B + b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(2*b^2*(a^2 - b^2)*d) + (a*(A*b - a*B)*Cos[c + d*x]^2*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Cos[c + d*x])))
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1), x], x]
```

```
) *Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_
.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Ssin[e + f*x]
)^m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx = \frac{a(Ab - aB) \cos^2(c + dx) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} - \int \frac{\cos(c + dx)(-2a(Ab - aB) + b(Ab - aB) \cos(c + dx))}{a + b \cos(c + dx)} dx$$

$$= -\frac{(2aAb - 3a^2B + b^2B) \cos(c + dx) \sin(c + dx)}{2b^2(a^2 - b^2)d} + \frac{a(Ab - aB) \cos^2(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))}$$

$$= \frac{(2a^2Ab - Ab^3 - 3a^3B + 2ab^2B) \sin(c + dx)}{b^3(a^2 - b^2)d} - \frac{(2aAb - 3a^2B + b^2B) \cos(c + dx)}{2b^2(a^2 - b^2)d}$$

$$= -\frac{(4aAb - 6a^2B - b^2B)x}{2b^4} + \frac{(2a^2Ab - Ab^3 - 3a^3B + 2ab^2B) \sin(c + dx)}{b^3(a^2 - b^2)d}$$

$$= -\frac{(4aAb - 6a^2B - b^2B)x}{2b^4} + \frac{(2a^2Ab - Ab^3 - 3a^3B + 2ab^2B) \sin(c + dx)}{b^3(a^2 - b^2)d}$$

$$= -\frac{(4aAb - 6a^2B - b^2B)x}{2b^4} + \frac{2a^2(2a^2Ab - 3Ab^3 - 3a^3B + 4ab^2B) \tan^{-1}\left(\frac{a + b \cos(c + dx)}{a - b \cos(c + dx)}\right)}{(a - b)^{3/2}b^4(a + b)^{3/2}d}$$

Mathematica [A] time = 1.07, size = 184, normalized size = 0.70

$$\frac{4a^3b(Ab-aB)\sin(c+dx)}{(a-b)(a+b)(a+b\cos(c+dx))} + 2(c+dx)(6a^2B-4aAb+b^2B) - \frac{8a^2(3a^3B-2a^2Ab-4ab^2B+3Ab^3)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{3/2}} + 4b(A$$

$$4b^4d$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]
[Out] (2*(-4*a*A*b + 6*a^2*B + b^2*B)*(c + d*x) - (8*a^2*(-2*a^2*A*b + 3*A*b^3 + 3*a^3*B - 4*a*b^2*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + 4*b*(A*b - 2*a*B)*Sin[c + d*x] + (4*a^3*b*(A*b - a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x])) + b^2*B*Ssin[2*(c + d*x)])/ (4*b^4*d)
```

fricas [A] time = 1.57, size = 965, normalized size = 3.67

$$\left[(6Ba^6b - 4Aa^5b^2 - 11Ba^4b^3 + 8Aa^3b^4 + 4Ba^2b^5 - 4Aab^6 + Bb^7)dx \cos(dx + c) + (6Ba^7 - 4Aa^6b - 11Ba^5b^2 + 8Aa^4b^3 + 4Ba^3b^4 - 4Aa^2b^5 + Bb^6)dx \sin(dx + c) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] [1/2*((6*B*a^6*b - 4*A*a^5*b^2 - 11*B*a^4*b^3 + 8*A*a^3*b^4 + 4*B*a^2*b^5 - 4*A*a*b^6 + B*b^7)*d*x*cos(d*x + c) + (6*B*a^7 - 4*A*a^6*b - 11*B*a^5*b^2 + 8*A*a^4*b^3 + 4*B*a^3*b^4 - 4*A*a^2*b^5 + B*a*b^6)*d*x - (3*B*a^6 - 2*A*a^5*b - 4*B*a^4*b^2 + 3*A*a^3*b^3 + (3*B*a^5*b - 2*A*a^4*b^2 - 4*B*a^3*b^3 + 3*A*a^2*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - (6*B*a^6*b - 4*A*a^5*b^2 - 10*B*a^4*b^3 + 6*A*a^3*b^4 + 4*B*a^2*b^5 - 2*A*a*b^6 - (B*a^4*b^3 - 2*B*a^2*b^5 + B*b^7)*cos(d*x + c)^2 + (3*B*a^5*b^2 - 2*A*a^4*b^3 - 6*B*a^3*b^4 + 4*A*a^2*b^5 + 3*B*a*b^6 - 2*A*b^7)*cos(d*x + c))*sin(d*x + c))/((a^4*b^5 - 2*a^2*b^7 + b^9)*d*cos(d*x + c) + (a^5*b^4 - 2*a^3*b^6 + a*b^8)*d), 1/2*((6*B*a^6*b - 4*A*a^5*b^2 - 11*B*a^4*b^3 + 8*A*a^3*b^4 + 4*B*a^2*b^5 - 4*A*a*b^6 + B*b^7)*d*x*cos(d*x + c) + (6*B*a^7 - 4*A*a^6*b - 11*B*a^5*b^2 + 8*A*a^4*b^3 + 4*B*a^3*b^4 - 4*A*a^2*b^5 + B*a*b^6)*d*x - 2*(3*B*a^6 - 2*A*a^5*b - 4*B*a^4*b^2 + 3*A*a^3*b^3 + (3*B*a^5*b - 2*A*a^4*b^2 - 4*B*a^3*b^3 + 3*A*a^2*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (6*B*a^6*b - 4*A*a^5*b^2 - 10*B*a^4*b^3 + 6*A*a^3*b^4 + 4*B*a^2*b^5 - 2*A*a*b^6 - (B*a^4*b^3 - 2*B*a^2*b^5 + B*b^7)*cos(d*x + c)^2 + (3*B*a^5*b^2 - 2*A*a^4*b^3 - 6*B*a^3*b^4 + 4*A*a^2*b^5 + 3*B*a*b^6 - 2*A*b^7)*cos(d*x + c))*sin(d*x + c))/((a^4*b^5 - 2*a^2*b^7 + b^9)*d*cos(d*x + c) + (a^5*b^4 - 2*a^3*b^6 + a*b^8)*d)]
```

giac [A] time = 0.83, size = 338, normalized size = 1.29

$$\frac{4(3Ba^5-2Aa^4b-4Ba^3b^2+3Aa^2b^3)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{a^2-b^2}}\right)\right)}{(a^2b^4-b^6)\sqrt{a^2-b^2}} - \frac{4\left(Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-Aa^3b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{(a^2b^3-b^5)\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] $\frac{1}{2}*(4*(3*B*a^5 - 2*A*a^4*b - 4*B*a^3*b^2 + 3*A*a^2*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^2*b^4 - b^6)*\sqrt{a^2 - b^2}) - 4*(B*a^4*\tan(1/2*d*x + 1/2*c) - A*a^3*b*\tan(1/2*d*x + 1/2*c))/((a^2*b^3 - b^5)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)) + (6*B*a^2 - 4*A*a*b + B*b^2)*(d*x + c)/b^4 - 2*(4*B*a*\tan(1/2*d*x + 1/2*c)^3 - 2*A*b*\tan(1/2*d*x + 1/2*c)^3 + B*b*\tan(1/2*d*x + 1/2*c)^3 + 4*B*a*\tan(1/2*d*x + 1/2*c) - 2*A*b*\tan(1/2*d*x + 1/2*c) - B*b*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^2*b^3)/d$

maple [B] time = 0.09, size = 643, normalized size = 2.44

$$\frac{2a^3 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) A}{db^2 (a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)} - \frac{2a^4 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) B}{db^3 (a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)

[Out] $\frac{2/d*a^3/b^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)*A-2/d*a^4/b^3/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)*B+4/d*a^4/b^3/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*A-6/d*a^2/b/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*A-6/d*a^5/b^4/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*B+8/d*a^3/b^2/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*B+2/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A-4/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B-a-1/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B+2/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*A-4/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*B+a+1/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*B-4/d/b^3*arctan(\tan(1/2*d*x+1/2*c))*A*a+6/d/b^4*arctan(\tan(1/2*d*x+1/2*c))*a^2*B+1/d/b^2*arctan(\tan(1/2*d*x+1/2*c))*B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 9.21, size = 6744, normalized size = 25.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^2,x)

[Out] $(a^2*atan(((a^2*(-(a + b)^3*(a - b)^3)^{1/2})*((8*\tan(c/2 + (d*x)/2)*(72*B^2*a^{10} + B^2*b^{10} - 2*B^2*a*b^9 - 72*B^2*a^9*b + 16*A^2*a^2*b^8 - 32*A^2*a^3$

$$\begin{aligned}
& *b^7 + 20*A^2*a^4*b^6 + 64*A^2*a^5*b^5 - 64*A^2*a^6*b^4 - 32*A^2*a^7*b^3 + \\
& 32*A^2*a^8*b^2 + 11*B^2*a^2*b^8 - 20*B^2*a^3*b^7 + 23*B^2*a^4*b^6 - 26*B^2* \\
& a^5*b^5 + 17*B^2*a^6*b^4 + 120*B^2*a^7*b^3 - 120*B^2*a^8*b^2 - 8*A*B*a*b^9 \\
& - 96*A*B*a^9*b + 16*A*B*a^2*b^8 - 40*A*B*a^3*b^7 + 64*A*B*a^4*b^6 - 40*A*B* \\
& a^5*b^5 - 176*A*B*a^6*b^4 + 176*A*B*a^7*b^3 + 96*A*B*a^8*b^2)) / (a*b^8 + b^9 \\
& - a^2*b^7 - a^3*b^6) + (a^2*((8*(2*B*b^15 + 12*A*a^2*b^13 + 12*A*a^3*b^12 \\
& - 20*A*a^4*b^11 - 4*A*a^5*b^10 + 8*A*a^6*b^9 + 6*B*a^2*b^13 - 16*B*a^3*b^12 \\
& - 14*B*a^4*b^11 + 28*B*a^5*b^10 + 6*B*a^6*b^9 - 12*B*a^7*b^8 - 8*A*a*b^14) \\
&)) / (a*b^11 + b^12 - a^2*b^10 - a^3*b^9) - (8*a^2*\tan(c/2 + (d*x)/2)*(-(a + b \\
&)^3*(a - b)^3)^{(1/2)}*(3*A*b^3 + 3*B*a^3 - 2*A*a^2*b - 4*B*a*b^2)*(8*a*b^13 \\
& - 8*a^2*b^12 - 16*a^3*b^11 + 16*a^4*b^10 + 8*a^5*b^9 - 8*a^6*b^8)) / ((a*b^8 \\
& + b^9 - a^2*b^7 - a^3*b^6)*(b^10 - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4)))*(-(a \\
& + b)^3*(a - b)^3)^{(1/2)}*(3*A*b^3 + 3*B*a^3 - 2*A*a^2*b - 4*B*a*b^2)) / (b^10 \\
& - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4))*(3*A*b^3 + 3*B*a^3 - 2*A*a^2*b - 4*B*a* \\
& b^2)*i) / (b^10 - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4) + (a^2*(-(a + b)^3*(a - b \\
&)^3)^{(1/2)}*((8*\tan(c/2 + (d*x)/2)*(72*B^2*a^10 + B^2*b^10 - 2*B^2*a*b^9 - 7 \\
& 2*B^2*a^9*b + 16*A^2*a^2*b^8 - 32*A^2*a^3*b^7 + 20*A^2*a^4*b^6 + 64*A^2*a^5 \\
& *b^5 - 64*A^2*a^6*b^4 - 32*A^2*a^7*b^3 + 32*A^2*a^8*b^2 + 11*B^2*a^2*b^8 - \\
& 20*B^2*a^3*b^7 + 23*B^2*a^4*b^6 - 26*B^2*a^5*b^5 + 17*B^2*a^6*b^4 + 120*B^2 \\
& *a^7*b^3 - 120*B^2*a^8*b^2 - 8*A*B*a*b^9 - 96*A*B*a^9*b + 16*A*B*a^2*b^8 - \\
& 40*A*B*a^3*b^7 + 64*A*B*a^4*b^6 - 40*A*B*a^5*b^5 - 176*A*B*a^6*b^4 + 176*A* \\
& B*a^7*b^3 + 96*A*B*a^8*b^2)) / (a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (a^2*((8*(\\
& 2*B*b^15 + 12*A*a^2*b^13 + 12*A*a^3*b^12 - 20*A*a^4*b^11 - 4*A*a^5*b^10 + 8 \\
& *A*a^6*b^9 + 6*B*a^2*b^13 - 16*B*a^3*b^12 - 14*B*a^4*b^11 + 28*B*a^5*b^10 + \\
& 6*B*a^6*b^9 - 12*B*a^7*b^8 - 8*A*a*b^14)) / (a*b^11 + b^12 - a^2*b^10 - a^3* \\
& b^9) + (8*a^2*\tan(c/2 + (d*x)/2)*(-(a + b)^3*(a - b)^3)^{(1/2)}*(3*A*b^3 + 3* \\
& B*a^3 - 2*A*a^2*b - 4*B*a*b^2)*(8*a*b^13 - 8*a^2*b^12 - 16*a^3*b^11 + 16*a^ \\
& 4*b^10 + 8*a^5*b^9 - 8*a^6*b^8)) / ((a*b^8 + b^9 - a^2*b^7 - a^3*b^6)*(b^10 - \\
& 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4)))*(-(a + b)^3*(a - b)^3)^{(1/2)}*(3*A*b^3 + \\
& 3*B*a^3 - 2*A*a^2*b - 4*B*a*b^2)) / (b^10 - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4) \\
&)*(3*A*b^3 + 3*B*a^3 - 2*A*a^2*b - 4*B*a*b^2)*i) / (b^10 - 3*a^2*b^8 + 3*a^4 \\
& *b^6 - a^6*b^4) / ((16*(108*B^3*a^11 - 54*B^3*a^10*b - 48*A^3*a^4*b^7 - 24*A \\
& ^3*a^5*b^6 + 80*A^3*a^6*b^5 + 16*A^3*a^7*b^4 - 32*A^3*a^8*b^3 + 4*B^3*a^3*b \\
& ^8 - 4*B^3*a^4*b^7 + 41*B^3*a^5*b^6 - 9*B^3*a^6*b^5 + 63*B^3*a^7*b^4 + 81*B \\
& ^3*a^8*b^3 - 216*B^3*a^9*b^2 - 216*A*B^2*a^10*b - 3*A*B^2*a^2*b^9 + 3*A*B^2 \\
& *a^3*b^8 - 63*A*B^2*a^4*b^7 + 15*A*B^2*a^5*b^6 - 186*A*B^2*a^6*b^5 - 162*A* \\
& B^2*a^7*b^4 + 468*A*B^2*a^8*b^3 + 108*A*B^2*a^9*b^2 + 24*A^2*B*a^3*b^8 - 6* \\
& A^2*B*a^4*b^7 + 168*A^2*B*a^5*b^6 + 108*A^2*B*a^6*b^5 - 336*A^2*B*a^7*b^4 - \\
& 72*A^2*B*a^8*b^3 + 144*A^2*B*a^9*b^2)) / (a*b^11 + b^12 - a^2*b^10 - a^3*b^9 \\
&) - (a^2*(-(a + b)^3*(a - b)^3)^{(1/2)}*((8*\tan(c/2 + (d*x)/2)*(72*B^2*a^10 + \\
& B^2*b^10 - 2*B^2*a*b^9 - 72*B^2*a^9*b + 16*A^2*a^2*b^8 - 32*A^2*a^3*b^7 + \\
& 20*A^2*a^4*b^6 + 64*A^2*a^5*b^5 - 64*A^2*a^6*b^4 - 32*A^2*a^7*b^3 + 32*A^2* \\
& a^8*b^2 + 11*B^2*a^2*b^8 - 20*B^2*a^3*b^7 + 23*B^2*a^4*b^6 - 26*B^2*a^5*b^5 \\
& + 17*B^2*a^6*b^4 + 120*B^2*a^7*b^3 - 120*B^2*a^8*b^2 - 8*A*B*a*b^9 - 96*A* \\
& B*a^9*b + 16*A*B*a^2*b^8 - 40*A*B*a^3*b^7 + 64*A*B*a^4*b^6 - 40*A*B*a^5*b^5 \\
& - 176*A*B*a^6*b^4 + 176*A*B*a^7*b^3 + 96*A*B*a^8*b^2)) / (a*b^8 + b^9 - a^2* \\
& b^7 - a^3*b^6) + (a^2*((8*(2*B*b^15 + 12*A*a^2*b^13 + 12*A*a^3*b^12 - 20*A* \\
& a^4*b^11 - 4*A*a^5*b^10 + 8*A*a^6*b^9 + 6*B*a^2*b^13 - 16*B*a^3*b^12 - 14*B \\
& *a^4*b^11 + 28*B*a^5*b^10 + 6*B*a^6*b^9 - 12*B*a^7*b^8 - 8*A*a*b^14)) / (a*b^ \\
& 11 + b^12 - a^2*b^10 - a^3*b^9) - (8*a^2*\tan(c/2 + (d*x)/2)*(-(a + b)^3*(a \\
& - b)^3)^{(1/2)}*(3*A*b^3 + 3*B*a^3 - 2*A*a^2*b - 4*B*a*b^2)*(8*a*b^13 - 8*a^2 \\
& *b^12 - 16*a^3*b^11 + 16*a^4*b^10 + 8*a^5*b^9 - 8*a^6*b^8)) / ((a*b^8 + b^9 - \\
& a^2*b^7 - a^3*b^6)*(b^10 - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4)))*(-(a + b)^3* \\
& (a - b)^3)^{(1/2)}*(3*A*b^3 + 3*B*a^3 - 2*A*a^2*b - 4*B*a*b^2)) / (b^10 - 3*a^2 \\
& *b^8 + 3*a^4*b^6 - a^6*b^4))*(3*A*b^3 + 3*B*a^3 - 2*A*a^2*b - 4*B*a*b^2)) / (\\
& b^10 - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4) + (a^2*(-(a + b)^3*(a - b)^3)^{(1/2)} \\
& *((8*\tan(c/2 + (d*x)/2)*(72*B^2*a^10 + B^2*b^10 - 2*B^2*a*b^9 - 72*B^2*a^9* \\
& b + 16*A^2*a^2*b^8 - 32*A^2*a^3*b^7 + 20*A^2*a^4*b^6 + 64*A^2*a^5*b^5 - 64* \\
& A^2*a^6*b^4 - 32*A^2*a^7*b^3 + 32*A^2*a^8*b^2 + 11*B^2*a^2*b^8 - 20*B^2*a^3
\end{aligned}$$

$$\begin{aligned}
& *b^7 + 23*B^2*a^4*b^6 - 26*B^2*a^5*b^5 + 17*B^2*a^6*b^4 + 120*B^2*a^7*b^3 - \\
& 120*B^2*a^8*b^2 - 8*A*B*a*b^9 - 96*A*B*a^9*b + 16*A*B*a^2*b^8 - 40*A*B*a^3 \\
& *b^7 + 64*A*B*a^4*b^6 - 40*A*B*a^5*b^5 - 176*A*B*a^6*b^4 + 176*A*B*a^7*b^3 \\
& + 96*A*B*a^8*b^2)/(a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (a^2*((8*(2*B*b^15 + \\
& 12*A*a^2*b^13 + 12*A*a^3*b^12 - 20*A*a^4*b^11 - 4*A*a^5*b^10 + 8*A*a^6*b^9 \\
& + 6*B*a^2*b^13 - 16*B*a^3*b^12 - 14*B*a^4*b^11 + 28*B*a^5*b^10 + 6*B*a^6*b \\
& ^9 - 12*B*a^7*b^8 - 8*A*a*b^14))/(a*b^11 + b^12 - a^2*b^10 - a^3*b^9) + (8* \\
& a^2*\tan(c/2 + (d*x)/2)*(-(a + b)^3*(a - b)^3)^{(1/2)}*(3*A*b^3 + 3*B*a^3 - 2* \\
& A*a^2*b - 4*B*a*b^2)*(8*a*b^13 - 8*a^2*b^12 - 16*a^3*b^11 + 16*a^4*b^10 + 8 \\
& *a^5*b^9 - 8*a^6*b^8))/((a*b^8 + b^9 - a^2*b^7 - a^3*b^6)*(b^10 - 3*a^2*b^8 \\
& + 3*a^4*b^6 - a^6*b^4))*(-(a + b)^3*(a - b)^3)^{(1/2)}*(3*A*b^3 + 3*B*a^3 - \\
& 2*A*a^2*b - 4*B*a*b^2))/(b^10 - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4))*(3*A*b^3 \\
& + 3*B*a^3 - 2*A*a^2*b - 4*B*a*b^2))/(b^10 - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^ \\
& 4))*(-(a + b)^3*(a - b)^3)^{(1/2)}*(3*A*b^3 + 3*B*a^3 - 2*A*a^2*b - 4*B*a*b^ \\
& 2)*2i)/(d*(b^10 - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4)) - (\operatorname{atan}(-(((8*\tan(c/2 \\
& + (d*x)/2)*(72*B^2*a^10 + B^2*b^10 - 2*B^2*a*b^9 - 72*B^2*a^9*b + 16*A^2*a^ \\
& 2*b^8 - 32*A^2*a^3*b^7 + 20*A^2*a^4*b^6 + 64*A^2*a^5*b^5 - 64*A^2*a^6*b^4 - \\
& 32*A^2*a^7*b^3 + 32*A^2*a^8*b^2 + 11*B^2*a^2*b^8 - 20*B^2*a^3*b^7 + 23*B^2 \\
& *a^4*b^6 - 26*B^2*a^5*b^5 + 17*B^2*a^6*b^4 + 120*B^2*a^7*b^3 - 120*B^2*a^8* \\
& b^2 - 8*A*B*a*b^9 - 96*A*B*a^9*b + 16*A*B*a^2*b^8 - 40*A*B*a^3*b^7 + 64*A*B \\
& *a^4*b^6 - 40*A*B*a^5*b^5 - 176*A*B*a^6*b^4 + 176*A*B*a^7*b^3 + 96*A*B*a^8* \\
& b^2))/(a*b^8 + b^9 - a^2*b^7 - a^3*b^6) + (((8*(2*B*b^15 + 12*A*a^2*b^13 + \\
& 12*A*a^3*b^12 - 20*A*a^4*b^11 - 4*A*a^5*b^10 + 8*A*a^6*b^9 + 6*B*a^2*b^13 - \\
& 16*B*a^3*b^12 - 14*B*a^4*b^11 + 28*B*a^5*b^10 + 6*B*a^6*b^9 - 12*B*a^7*b^8 \\
& - 8*A*a*b^14))/(a*b^11 + b^12 - a^2*b^10 - a^3*b^9) - (4*\tan(c/2 + (d*x)/2 \\
&)*(B*a^2*6i + B*b^2*1i - A*a*b*4i)*(8*a*b^13 - 8*a^2*b^12 - 16*a^3*b^11 + 1 \\
& 6*a^4*b^10 + 8*a^5*b^9 - 8*a^6*b^8))/(b^4*(a*b^8 + b^9 - a^2*b^7 - a^3*b^6) \\
&))*(B*a^2*6i + B*b^2*1i - A*a*b*4i))/(2*b^4))*(B*a^2*6i + B*b^2*1i - A*a*b* \\
& 4i)*1i)/(2*b^4) + (((8*\tan(c/2 + (d*x)/2)*(72*B^2*a^10 + B^2*b^10 - 2*B^2*a \\
& *b^9 - 72*B^2*a^9*b + 16*A^2*a^2*b^8 - 32*A^2*a^3*b^7 + 20*A^2*a^4*b^6 + 64 \\
& *A^2*a^5*b^5 - 64*A^2*a^6*b^4 - 32*A^2*a^7*b^3 + 32*A^2*a^8*b^2 + 11*B^2*a^ \\
& 2*b^8 - 20*B^2*a^3*b^7 + 23*B^2*a^4*b^6 - 26*B^2*a^5*b^5 + 17*B^2*a^6*b^4 + \\
& 120*B^2*a^7*b^3 - 120*B^2*a^8*b^2 - 8*A*B*a*b^9 - 96*A*B*a^9*b + 16*A*B*a^ \\
& 2*b^8 - 40*A*B*a^3*b^7 + 64*A*B*a^4*b^6 - 40*A*B*a^5*b^5 - 176*A*B*a^6*b^4 \\
& + 176*A*B*a^7*b^3 + 96*A*B*a^8*b^2))/(a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - ((\\
& (8*(2*B*b^15 + 12*A*a^2*b^13 + 12*A*a^3*b^12 - 20*A*a^4*b^11 - 4*A*a^5*b^10 \\
& + 8*A*a^6*b^9 + 6*B*a^2*b^13 - 16*B*a^3*b^12 - 14*B*a^4*b^11 + 28*B*a^5*b^ \\
& 10 + 6*B*a^6*b^9 - 12*B*a^7*b^8 - 8*A*a*b^14))/(a*b^11 + b^12 - a^2*b^10 - \\
& a^3*b^9) + (4*\tan(c/2 + (d*x)/2)*(B*a^2*6i + B*b^2*1i - A*a*b*4i)*(8*a*b^13 \\
& - 8*a^2*b^12 - 16*a^3*b^11 + 16*a^4*b^10 + 8*a^5*b^9 - 8*a^6*b^8))/(b^4*(a \\
& *b^8 + b^9 - a^2*b^7 - a^3*b^6))*(B*a^2*6i + B*b^2*1i - A*a*b*4i))/(2*b^4) \\
&)*(B*a^2*6i + B*b^2*1i - A*a*b*4i)*1i)/(2*b^4))/((16*(108*B^3*a^11 - 54*B^3 \\
& *a^10*b - 48*A^3*a^4*b^7 - 24*A^3*a^5*b^6 + 80*A^3*a^6*b^5 + 16*A^3*a^7*b^4 \\
& - 32*A^3*a^8*b^3 + 4*B^3*a^3*b^8 - 4*B^3*a^4*b^7 + 41*B^3*a^5*b^6 - 9*B^3* \\
& a^6*b^5 + 63*B^3*a^7*b^4 + 81*B^3*a^8*b^3 - 216*B^3*a^9*b^2 - 216*A*B^2*a^1 \\
& 0*b - 3*A*B^2*a^2*b^9 + 3*A*B^2*a^3*b^8 - 63*A*B^2*a^4*b^7 + 15*A*B^2*a^5*b \\
& ^6 - 186*A*B^2*a^6*b^5 - 162*A*B^2*a^7*b^4 + 468*A*B^2*a^8*b^3 + 108*A*B^2* \\
& a^9*b^2 + 24*A^2*B*a^3*b^8 - 6*A^2*B*a^4*b^7 + 168*A^2*B*a^5*b^6 + 108*A^2* \\
& B*a^6*b^5 - 336*A^2*B*a^7*b^4 - 72*A^2*B*a^8*b^3 + 144*A^2*B*a^9*b^2))/(a*b \\
& ^11 + b^12 - a^2*b^10 - a^3*b^9) - (((8*\tan(c/2 + (d*x)/2)*(72*B^2*a^10 + B \\
& ^2*b^10 - 2*B^2*a*b^9 - 72*B^2*a^9*b + 16*A^2*a^2*b^8 - 32*A^2*a^3*b^7 + 20 \\
& *A^2*a^4*b^6 + 64*A^2*a^5*b^5 - 64*A^2*a^6*b^4 - 32*A^2*a^7*b^3 + 32*A^2*a^ \\
& 8*b^2 + 11*B^2*a^2*b^8 - 20*B^2*a^3*b^7 + 23*B^2*a^4*b^6 - 26*B^2*a^5*b^5 + \\
& 17*B^2*a^6*b^4 + 120*B^2*a^7*b^3 - 120*B^2*a^8*b^2 - 8*A*B*a*b^9 - 96*A*B* \\
& a^9*b + 16*A*B*a^2*b^8 - 40*A*B*a^3*b^7 + 64*A*B*a^4*b^6 - 40*A*B*a^5*b^5 - \\
& 176*A*B*a^6*b^4 + 176*A*B*a^7*b^3 + 96*A*B*a^8*b^2))/(a*b^8 + b^9 - a^2*b^ \\
& 7 - a^3*b^6) + (((8*(2*B*b^15 + 12*A*a^2*b^13 + 12*A*a^3*b^12 - 20*A*a^4*b^ \\
& 11 - 4*A*a^5*b^10 + 8*A*a^6*b^9 + 6*B*a^2*b^13 - 16*B*a^3*b^12 - 14*B*a^4*b \\
& ^11 + 28*B*a^5*b^10 + 6*B*a^6*b^9 - 12*B*a^7*b^8 - 8*A*a*b^14))/(a*b^11 + b
\end{aligned}$$

$$\begin{aligned}
& ^{12} - a^2 b^{10} - a^3 b^9) - (4 \tan(c/2 + (d*x)/2) * (B*a^2*6i + B*b^2*1i - A* \\
& a*b*4i) * (8*a*b^{13} - 8*a^2*b^{12} - 16*a^3*b^{11} + 16*a^4*b^{10} + 8*a^5*b^9 - 8* \\
& a^6*b^8)) / (b^4 * (a*b^8 + b^9 - a^2*b^7 - a^3*b^6))) * (B*a^2*6i + B*b^2*1i - A \\
& *a*b*4i)) / (2*b^4) * (B*a^2*6i + B*b^2*1i - A*a*b*4i)) / (2*b^4) + (((8*\tan(c/2 \\
& + (d*x)/2) * (72*B^2*a^{10} + B^2*b^{10} - 2*B^2*a*b^9 - 72*B^2*a^9*b + 16*A^2*a \\
& ^2*b^8 - 32*A^2*a^3*b^7 + 20*A^2*a^4*b^6 + 64*A^2*a^5*b^5 - 64*A^2*a^6*b^4 \\
& - 32*A^2*a^7*b^3 + 32*A^2*a^8*b^2 + 11*B^2*a^2*b^8 - 20*B^2*a^3*b^7 + 23*B^ \\
& 2*a^4*b^6 - 26*B^2*a^5*b^5 + 17*B^2*a^6*b^4 + 120*B^2*a^7*b^3 - 120*B^2*a^8 \\
& *b^2 - 8*A*B*a*b^9 - 96*A*B*a^9*b + 16*A*B*a^2*b^8 - 40*A*B*a^3*b^7 + 64*A* \\
& B*a^4*b^6 - 40*A*B*a^5*b^5 - 176*A*B*a^6*b^4 + 176*A*B*a^7*b^3 + 96*A*B*a^8 \\
& *b^2)) / (a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (((8*(2*B*b^{15} + 12*A*a^2*b^{13} + \\
& 12*A*a^3*b^{12} - 20*A*a^4*b^{11} - 4*A*a^5*b^{10} + 8*A*a^6*b^9 + 6*B*a^2*b^{13} \\
& - 16*B*a^3*b^{12} - 14*B*a^4*b^{11} + 28*B*a^5*b^{10} + 6*B*a^6*b^9 - 12*B*a^7*b^ \\
& 8 - 8*A*a*b^{14})) / (a*b^{11} + b^{12} - a^2*b^{10} - a^3*b^9) + (4*\tan(c/2 + (d*x)/ \\
& 2) * (B*a^2*6i + B*b^2*1i - A*a*b*4i) * (8*a*b^{13} - 8*a^2*b^{12} - 16*a^3*b^{11} + \\
& 16*a^4*b^{10} + 8*a^5*b^9 - 8*a^6*b^8)) / (b^4 * (a*b^8 + b^9 - a^2*b^7 - a^3*b^6 \\
&))) * (B*a^2*6i + B*b^2*1i - A*a*b*4i)) / (2*b^4) * (B*a^2*6i + B*b^2*1i - A*a*b \\
& *4i)) / (2*b^4) * (B*a^2*6i + B*b^2*1i - A*a*b*4i) * i) / (b^4*d) - ((\tan(c/2 + \\
& (d*x)/2)^5 * (6*B*a^4 - 2*A*b^4 + B*b^4 + 2*A*a^2*b^2 - 5*B*a^2*b^2 + 2*A*a*b \\
& ^3 - 4*A*a^3*b + 3*B*a*b^3 - 3*B*a^3*b)) / ((a*b^3 - b^4) * (a + b)) + (\tan(c/2 + \\
& (d*x)/2) * (2*A*b^4 + 6*B*a^4 + B*b^4 - 2*A*a^2*b^2 - 5*B*a^2*b^2 + 2*A*a* \\
& b^3 - 4*A*a^3*b - 3*B*a*b^3 + 3*B*a^3*b)) / ((a*b^3 - b^4) * (a + b)) - (2*\tan(\\
& c/2 + (d*x)/2)^3 * (B*b^4 - 6*B*a^4 + 3*B*a^2*b^2 - 2*A*a*b^3 + 4*A*a^3*b)) / (\\
& b * (a*b^2 - b^3) * (a + b)) / (d * (a + b + \tan(c/2 + (d*x)/2)^2 * (3*a + b) + \tan(\\
& c/2 + (d*x)/2)^6 * (a - b) + \tan(c/2 + (d*x)/2)^4 * (3*a - b)))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.259 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=155

$$\frac{a^2(Ab - aB) \sin(c + dx)}{b^2d(a^2 - b^2)(a + b \cos(c + dx))} - \frac{2a(-2a^3B + a^2Ab + 3ab^2B - 2Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{x(Ab - 2aB)}{b^3} + \dots$$

[Out] $(A*b-2*B*a)*x/b^3-2*a*(A*a^2*b-2*A*b^3-2*B*a^3+3*B*a*b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/(a-b)^{(3/2)}/b^3/(a+b)^{(3/2)}/d+B*\sin(d*x+c)/b^2/d-a^2*(A*b-B*a)*\sin(d*x+c)/b^2/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.44, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2988, 3023, 2735, 2659, 205}

$$\frac{2a(a^2Ab - 2a^3B + 3ab^2B - 2Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} - \frac{a^2(Ab - aB) \sin(c + dx)}{b^2d(a^2 - b^2)(a + b \cos(c + dx))} + \frac{x(Ab - 2aB)}{b^3} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^2*(A + B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out] $((A*b - 2*a*B)*x)/b^3 - (2*a*(a^2*A*b - 2*A*b^3 - 2*a^3*B + 3*a*b^2*B)*\text{ArcTan}[\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]]/\text{Sqrt}[a + b])/((a - b)^{(3/2)}*b^3*(a + b)^{(3/2)}*d) + (B*\text{Sin}[c + d*x])/(b^2*d) - (a^2*(A*b - a*B)*\text{Sin}[c + d*x])/(b^2*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x]))$

Rule 205

$\text{Int}[(a + (b*x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 2659

$\text{Int}[(a + (b*x)*\sin[\text{Pi}/2 + (c + d*x)])^{-1}, x_Symbol] \rightarrow \text{With}\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] \text{ ; FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 2735

$\text{Int}[(a + (b*x)*\sin[(e + f*x)])/(c + (d*x)*\sin[(e + f*x)])], x_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] \text{ ; FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 2988

$\text{Int}[(a + (b*x)*\sin[(e + f*x)])^2*((A + (B*x)*\sin[(e + f*x)])^n)], x_Symbol] \rightarrow \text{Simp}[(B*c - A*d)*(b*c - a*d)^2*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{n+1})/(f*d^2*(n+1)*(c^2 - d^2)), x] - \text{Dist}[1/(d^2*(n+1)*(c^2 - d^2)), \text{Int}[(c + d*\text{Sin}[e + f*x])^{n+1}*\text{Simp}[d*(n+1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n+2) + b^2*(c^2 + d^2*(n+1))) + 2*a*b*d*(A*c*d*(n+2) - B*(c^2 + d^2*(n+1)))*\text{Sin}[e + f*x] - b^2*B*d*(n+1)*(c^2 - d^2)*\text{Sin}[e + f*x]^2, x], x], x] \text{ ; FreeQ}\{a, b, c, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[n$

, -1]

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx = -\frac{a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{ab(Ab - aB) + (a^2 - b^2)(Ab - aB) \cos(c + dx)}{a + b \cos(c + dx)} dx}{b^2(a^2 - b^2)}$$

$$= \frac{B \sin(c + dx)}{b^2 d} - \frac{a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{ab^2(Ab - aB) + b(a^2 - b^2) \cos(c + dx)}{a + b \cos(c + dx)} dx}{b^3}$$

$$= \frac{(Ab - 2aB)x}{b^3} + \frac{B \sin(c + dx)}{b^2 d} - \frac{a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{\int \frac{ab^2(Ab - aB) + b(a^2 - b^2) \cos(c + dx)}{a + b \cos(c + dx)} dx}{b^3}$$

$$= \frac{(Ab - 2aB)x}{b^3} + \frac{B \sin(c + dx)}{b^2 d} - \frac{a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{\int \frac{ab^2(Ab - aB) + b(a^2 - b^2) \cos(c + dx)}{a + b \cos(c + dx)} dx}{b^3}$$

$$= \frac{(Ab - 2aB)x}{b^3} - \frac{2a(a^2 Ab - 2Ab^3 - 2a^3 B + 3ab^2 B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{(a - b)^{3/2} b^3 (a + b)^{3/2} d}$$

Mathematica [A] time = 0.85, size = 147, normalized size = 0.95

$$\frac{a^2 b(aB - Ab) \sin(c + dx)}{(a - b)(a + b)(a + b \cos(c + dx))} + \frac{2a(2a^3 B - a^2 Ab - 3ab^2 B + 2Ab^3) \tanh^{-1}\left(\frac{(a - b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}} + (c + dx)(Ab - 2aB) + bB \sin(c + dx)$$

$b^3 d$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2, x]
[Out] ((A*b - 2*a*B)*(c + d*x) + (2*a*(-(a^2*A*b) + 2*A*b^3 + 2*a^3*B - 3*a*b^2*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + b*B*Sin[c + d*x] + (a^2*b*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x]))/(b^3*d)
```

fricas [B] time = 1.25, size = 788, normalized size = 5.08

$$\frac{2(2Ba^5b - Aa^4b^2 - 4Ba^3b^3 + 2Aa^2b^4 + 2Bab^5 - Ab^6)dx \cos(dx + c) + 2(2Ba^6 - Aa^5b - 4Ba^4b^2 + 2Aa^3b^3 - 2Aa^2b^4 + 2Bab^5 - Ab^6)dx \sin(dx + c)}{(a + b \cos(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] [-1/2*(2*(2*B*a^5*b - A*a^4*b^2 - 4*B*a^3*b^3 + 2*A*a^2*b^4 + 2*B*a*b^5 - A*b^6)*d*x*cos(d*x + c) + 2*(2*B*a^6 - A*a^5*b - 4*B*a^4*b^2 + 2*A*a^3*b^3 + 2*B*a^2*b^4 - A*a*b^5)*d*x + (2*B*a^5 - A*a^4*b - 3*B*a^3*b^2 + 2*A*a^2*b^3 + (2*B*a^4*b - A*a^3*b^2 - 3*B*a^2*b^3 + 2*A*a*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(2*B*a^5*b - A*a^4*b^2 - 3*B*a^3*b^3 + A*a^2*b^4 + B*a*b^5 + (B*a^4*b^2 - 2*B*a^2*b^4 + B*b^6)*cos(d*x + c))*sin(d*x + c))/((a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x + c) + (a^5*b^3 - 2*a^3*b^5 + a*b^7)*d), -((2*B*a^5*b - A*a^4*b^2 - 4*B*a^3*b^3 + 2*A*a^2*b^4 + 2*B*a*b^5 - A*b^6)*d*x*cos(d*x + c) + (2*B*a^6 - A*a^5*b - 4*B*a^4*b^2 + 2*A*a^3*b^3 + 2*B*a^2*b^4 - A*a*b^5)*d*x - (2*B*a^5 - A*a^4*b - 3*B*a^3*b^2 + 2*A*a^2*b^3 + (2*B*a^4*b - A*a^3*b^2 - 3*B*a^2*b^3 + 2*A*a*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (2*B*a^5*b - A*a^4*b^2 - 3*B*a^3*b^3 + A*a^2*b^4 + B*a*b^5 + (B*a^4*b^2 - 2*B*a^2*b^4 + B*b^6)*cos(d*x + c))*sin(d*x + c))/((a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x + c) + (a^5*b^3 - 2*a^3*b^5 + a*b^7)*d)]

giac [B] time = 3.22, size = 1116, normalized size = 7.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] ((4*B*a^6*b^2 - 2*A*a^5*b^3 - 2*B*a^5*b^3 + A*a^4*b^4 - 9*B*a^4*b^4 + 5*A*a^3*b^5 + 4*B*a^3*b^5 - 2*A*a^2*b^6 + 5*B*a^2*b^6 - 3*A*a*b^7 - 2*B*a*b^7 + A*b^8 + 2*B*a^3*abs(-a^2*b^3 + b^5) - A*a^2*b*abs(-a^2*b^3 + b^5) - B*a^2*b*abs(-a^2*b^3 + b^5) + A*a*b^2*abs(-a^2*b^3 + b^5) - 2*B*a*b^2*abs(-a^2*b^3 + b^5) + A*b^3*abs(-a^2*b^3 + b^5))*(pi*floor(1/2*(d*x + c)/pi + 1/2) + arctan(2*sqrt(1/2)*tan(1/2*d*x + 1/2*c)/sqrt((2*a^3*b^2 - 2*a*b^4 + sqrt(-4*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*(a^3*b^2 - a^2*b^3 - a*b^4 + b^5) + 4*(a^3*b^2 - a*b^4)^2))/(a^3*b^2 - a^2*b^3 - a*b^4 + b^5))))/(a^3*b^2*abs(-a^2*b^3 + b^5) - a*b^4*abs(-a^2*b^3 + b^5) + (a^2*b^3 - b^5)^2) + ((a^2*b - a*b^2 - b^3)*sqrt(a^2 - b^2)*A*abs(-a^2*b^3 + b^5)*abs(-a + b) - (2*a^3 - a^2*b - 2*a*b^2)*sqrt(a^2 - b^2)*B*abs(-a^2*b^3 + b^5)*abs(-a + b) - (2*a^5*b^3 - a^4*b^4 - 5*a^3*b^5 + 2*a^2*b^6 + 3*a*b^7 - b^8)*sqrt(a^2 - b^2)*A*abs(-a + b) + (4*a^6*b^2 - 2*a^5*b^3 - 9*a^4*b^4 + 4*a^3*b^5 + 5*a^2*b^6 - 2*a*b^7)*sqrt(a^2 - b^2)*B*abs(-a + b))*(pi*floor(1/2*(d*x + c)/pi + 1/2) + arctan(2*sqrt(1/2)*tan(1/2*d*x + 1/2*c)/sqrt((2*a^3*b^2 - 2*a*b^4 - sqrt(-4*(a^3*b^2 + a^2*b^3 - a*b^4 - b^5)*(a^3*b^2 - a^2*b^3 - a*b^4 + b^5) + 4*(a^3*b^2 - a*b^4)^2))/(a^3*b^2 - a^2*b^3 - a*b^4 + b^5))))/((a^2*b^3 - b^5)^2*(a^2 - 2*a*b + b^2) - (a^5*b^2 - 2*a^4*b^3 + 2*a^2*b^5 - a*b^6)*abs(-a^2*b^3 + b^5)) + 2*(2*B*a^3*tan(1/2*d*x + 1/2*c)^3 - A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - B*a*b^2*tan(1/2*d*x + 1/2*c)^3 + B*b^3*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^3*tan(1/2*d*x + 1/2*c) - A*a^2*b*tan(1/2*d*x + 1/2*c) + B*a^2*b*tan(1/2*d*x + 1/2*c) - B*a*b^2*tan(1/2*d*x + 1/2*c) - B*b^3*tan(1/2*d*x + 1/2*c))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 + 2*a*tan(1/2*d*x + 1/2*c)^2 + a + b)*(a^2*b^2 - b^4))/d

maple [B] time = 0.10, size = 445, normalized size = 2.87

$$\frac{2a^2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) A}{db(a^2 - b^2)\left(a\left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a + b\right)} + \frac{2a^3 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) B}{db^2(a^2 - b^2)\left(a\left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}$$

$$\begin{aligned}
& 5*b^7 - 3*B*a^2*b^{10} - 3*B*a^3*b^9 + 5*B*a^4*b^8 + B*a^5*b^7 - 2*B*a^6*b^6 \\
& + 2*A*a*b^{11} + 2*B*a*b^{11})/(a*b^8 + b^9 - a^2*b^7 - a^3*b^6) + (32*a*\tan(c \\
& /2 + (d*x)/2)*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*A*b^3 + 2*B*a^3 - A*a^2*b - 3 \\
& *B*a*b^2)*(2*a*b^{11} - 2*a^2*b^{10} - 4*a^3*b^9 + 4*a^4*b^8 + 2*a^5*b^7 - 2*a^ \\
& 6*b^6))/((a*b^6 + b^7 - a^2*b^5 - a^3*b^4)*(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a \\
& ^6*b^3)))*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*A*b^3 + 2*B*a^3 - A*a^2*b - 3*B*a \\
& *b^2))/(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3))*(-(a + b)^3*(a - b)^3)^{(1/2)} \\
&)*(2*A*b^3 + 2*B*a^3 - A*a^2*b - 3*B*a*b^2)*1i)/(b^9 - 3*a^2*b^7 + 3*a^4*b^ \\
& 5 - a^6*b^3))/((64*(8*B^3*a^8 - 2*A^3*a*b^7 - 4*B^3*a^7*b - 2*A^3*a^2*b^6 + \\
& 3*A^3*a^3*b^5 + A^3*a^4*b^4 - A^3*a^5*b^3 + 12*B^3*a^4*b^4 + 6*B^3*a^5*b^3 \\
& - 20*B^3*a^6*b^2 - 12*A*B^2*a^7*b - 20*A*B^2*a^3*b^5 - 13*A*B^2*a^4*b^4 + \\
& 32*A*B^2*a^5*b^3 + 8*A*B^2*a^6*b^2 + 11*A^2*B*a^2*b^6 + 9*A^2*B*a^3*b^5 - 1 \\
& 7*A^2*B*a^4*b^4 - 5*A^2*B*a^5*b^3 + 6*A^2*B*a^6*b^2))/(a*b^8 + b^9 - a^2*b^ \\
& 7 - a^3*b^6) - (a*((32*\tan(c/2 + (d*x)/2)*(A^2*b^8 + 8*B^2*a^8 - 2*A^2*a*b^ \\
& 7 - 8*B^2*a^7*b + 3*A^2*a^2*b^6 + 4*A^2*a^3*b^5 - 5*A^2*a^4*b^4 - 2*A^2*a^5 \\
& *b^3 + 2*A^2*a^6*b^2 + 4*B^2*a^2*b^6 - 8*B^2*a^3*b^5 + 5*B^2*a^4*b^4 + 16*B \\
& ^2*a^5*b^3 - 16*B^2*a^6*b^2 - 4*A*B*a*b^7 - 8*A*B*a^7*b + 8*A*B*a^2*b^6 - 8 \\
& *A*B*a^3*b^5 - 16*A*B*a^4*b^4 + 18*A*B*a^5*b^3 + 8*A*B*a^6*b^2))/(a*b^6 + b \\
& ^7 - a^2*b^5 - a^3*b^4) + (a*((32*(A*a^2*b^{10} - A*b^{12} - 3*A*a^3*b^9 + A*a^ \\
& 5*b^7 - 3*B*a^2*b^{10} - 3*B*a^3*b^9 + 5*B*a^4*b^8 + B*a^5*b^7 - 2*B*a^6*b^6 \\
& + 2*A*a*b^{11} + 2*B*a*b^{11}))/((a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (32*a*\tan(c \\
& /2 + (d*x)/2)*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*A*b^3 + 2*B*a^3 - A*a^2*b - 3 \\
& *B*a*b^2)*(2*a*b^{11} - 2*a^2*b^{10} - 4*a^3*b^9 + 4*a^4*b^8 + 2*a^5*b^7 - 2*a^ \\
& 6*b^6))/((a*b^6 + b^7 - a^2*b^5 - a^3*b^4)*(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a \\
& ^6*b^3)))*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*A*b^3 + 2*B*a^3 - A*a^2*b - 3*B*a \\
& *b^2))/(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3))*(-(a + b)^3*(a - b)^3)^{(1/2)} \\
&)*(2*A*b^3 + 2*B*a^3 - A*a^2*b - 3*B*a*b^2))/(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - \\
& a^6*b^3) + (a*((32*\tan(c/2 + (d*x)/2)*(A^2*b^8 + 8*B^2*a^8 - 2*A^2*a*b^7 - \\
& 8*B^2*a^7*b + 3*A^2*a^2*b^6 + 4*A^2*a^3*b^5 - 5*A^2*a^4*b^4 - 2*A^2*a^5*b^ \\
& 3 + 2*A^2*a^6*b^2 + 4*B^2*a^2*b^6 - 8*B^2*a^3*b^5 + 5*B^2*a^4*b^4 + 16*B^2* \\
& a^5*b^3 - 16*B^2*a^6*b^2 - 4*A*B*a*b^7 - 8*A*B*a^7*b + 8*A*B*a^2*b^6 - 8*A* \\
& B*a^3*b^5 - 16*A*B*a^4*b^4 + 18*A*B*a^5*b^3 + 8*A*B*a^6*b^2))/(a*b^6 + b^7 \\
& - a^2*b^5 - a^3*b^4) - (a*((32*(A*a^2*b^{10} - A*b^{12} - 3*A*a^3*b^9 + A*a^5*b \\
& ^7 - 3*B*a^2*b^{10} - 3*B*a^3*b^9 + 5*B*a^4*b^8 + B*a^5*b^7 - 2*B*a^6*b^6 + 2 \\
& *A*a*b^{11} + 2*B*a*b^{11}))/((a*b^8 + b^9 - a^2*b^7 - a^3*b^6) + (32*a*\tan(c/2 \\
& + (d*x)/2)*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*A*b^3 + 2*B*a^3 - A*a^2*b - 3*B* \\
& a*b^2)*(2*a*b^{11} - 2*a^2*b^{10} - 4*a^3*b^9 + 4*a^4*b^8 + 2*a^5*b^7 - 2*a^6*b \\
& ^6))/((a*b^6 + b^7 - a^2*b^5 - a^3*b^4)*(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6* \\
& b^3)))*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*A*b^3 + 2*B*a^3 - A*a^2*b - 3*B*a*b^ \\
& 2))/(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3))*(-(a + b)^3*(a - b)^3)^{(1/2)}*(\\
& 2*A*b^3 + 2*B*a^3 - A*a^2*b - 3*B*a*b^2))/(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^ \\
& 6*b^3)))*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*A*b^3 + 2*B*a^3 - A*a^2*b - 3*B*a* \\
& b^2)*2i)/(d*(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.260 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=122

$$-\frac{2(a^3B - 2ab^2B + Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(Ab - aB) \sin(c+dx)}{bd(a^2 - b^2)(a+b \cos(c+dx))} + \frac{Bx}{b^2}$$

[Out] B*x/b^2-2*(A*b^3+B*a^3-2*a*b^2*B)*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/(a-b)^(3/2)/b^2/(a+b)^(3/2)/d+a*(A*b-B*a)*sin(d*x+c)/b/(a^2-b^2)/d/(a+b*cos(d*x+c))

Rubi [A] time = 0.24, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {2968, 3021, 2735, 2659, 205}

$$-\frac{2(a^3B - 2ab^2B + Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(Ab - aB) \sin(c+dx)}{bd(a^2 - b^2)(a+b \cos(c+dx))} + \frac{Bx}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]

[Out] (B*x)/b^2 - (2*(A*b^3 + a^3*B - 2*a*b^2*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^2*(a + b)^(3/2)*d) + (a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Cos[c + d*x]))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*

$a^2 - b^2$), $x]$ + Dist[$1/(b*(m + 1)*(a^2 - b^2))$], Int[($a + b*\text{Sin}[e + f*x]$) ^{$m + 1$} *Simp[$b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*\text{Sin}[e + f*x]$], x], $x]$ /; FreeQ[{ a, b, e, f, A, B, C }, x] && LtQ[$m, -1$] && NeQ[$a^2 - b^2, 0$]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx &= \int \frac{A \cos(c + dx) + B \cos^2(c + dx)}{(a + b \cos(c + dx))^2} dx \\ &= \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} - \int \frac{\frac{b(Ab - aB) - (a^2 - b^2)B \cos(c + dx)}{a + b \cos(c + dx)} dx}{b(a^2 - b^2)} \\ &= \frac{Bx}{b^2} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(Ab^3 + a(a^2 - 2b^2)B) \int \frac{1}{a + b \cos(c + dx)} dx}{b^2(a^2 - b^2)} \\ &= \frac{Bx}{b^2} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(2(Ab^3 + a(a^2 - 2b^2)B)) \text{Subst}}{b^2(a^2 - b^2)} \\ &= \frac{Bx}{b^2} - \frac{2(Ab^3 + a^3B - 2ab^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{(a - b)^{3/2}b^2(a + b)^{3/2}d} + \frac{a(Ab - aB)}{b(a^2 - b^2)d(a + b \cos(c + dx))} \end{aligned}$$

Mathematica [A] time = 0.55, size = 119, normalized size = 0.98

$$\frac{2(aB(a^2 - 2b^2) + Ab^3) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right) + \frac{ab(Ab - aB) \sin(c + dx)}{(a-b)(a+b)(a + b \cos(c + dx))} + B(c + dx)}{b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]

[Out] (B*(c + d*x) - (2*(A*b^3 + a*(a^2 - 2*b^2)*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + (a*b*(A*b - a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x]))/(b^2*d)

fricas [B] time = 0.73, size = 552, normalized size = 4.52

$$\frac{2(Ba^4b - 2Ba^2b^3 + Bb^5)dx \cos(dx + c) + 2(Ba^5 - 2Ba^3b^2 + Bab^4)dx - (Ba^4 - 2Ba^2b^2 + Aab^3 + (Ba^3b - 2Ba^2b^2 + Ab^3) \cos(dx + c)) \sqrt{-a^2 + b^2} \log\left(\frac{2a*b*\cos(dx + c) + (2a^2 - b^2)*\cos(dx + c)^2 - 2*\sqrt{-a^2 + b^2}*(a*\cos(dx + c) + b)*\sin(dx + c) - a^2 + 2*b^2}{(b^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + a^2)}\right) - 2*(Ba^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*\sin(dx + c)}{2((a^4b^3 - 2a^2b^5) \cos(dx + c) + (a^5 - 2a^3b^2 + ab^4) dx - (a^4 - 2a^2b^2 + aab^3 + (a^3b - 2a^2b^2 + ab^3) \cos(dx + c)) \sqrt{-a^2 + b^2} \log\left(\frac{2a*b*\cos(dx + c) + (2a^2 - b^2)*\cos(dx + c)^2 - 2*\sqrt{-a^2 + b^2}*(a*\cos(dx + c) + b)*\sin(dx + c) - a^2 + 2*b^2}{(b^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + a^2)}\right) - 2*(Ba^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*\sin(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] [1/2*(2*(B*a^4*b - 2*B*a^2*b^3 + B*b^5)*d*x*cos(d*x + c) + 2*(B*a^5 - 2*B*a^3*b^2 + B*a*b^4)*d*x - (B*a^4 - 2*B*a^2*b^2 + A*a*b^3 + (B*a^3*b - 2*B*a*b^3 + A*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*log(((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(B*a^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*sin(d*x + c))/((a^4*b^3 - 2*a^2*b^5) cos(dx + c) + (a^5 - 2a^3b^2 + ab^4) dx - (a^4 - 2a^2b^2 + aab^3 + (a^3b - 2a^2b^2 + ab^3) cos(dx + c)) sqrt(-a^2 + b^2) log((2a*b*cos(dx + c) + (2a^2 - b^2)*cos(dx + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(dx + c) + b)*sin(dx + c) - a^2 + 2*b^2)/(b^2*cos(dx + c)^2 + 2*a*b*cos(dx + c) + a^2)) - 2*(Ba^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*sin(dx + c))]

+ b⁷)*d*cos(d*x + c) + (a⁵*b² - 2*a³*b⁴ + a*b⁶)*d), ((B*a⁴*b - 2*B*a²*b³ + B*b⁵)*d*x*cos(d*x + c) + (B*a⁵ - 2*B*a³*b² + B*a*b⁴)*d*x - (B*a⁴ - 2*B*a²*b² + A*a*b³ + (B*a³*b - 2*B*a*b³ + A*b⁴)*cos(d*x + c))*sqrt(a² - b²)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a² - b²)*sin(d*x + c))) - (B*a⁴*b - A*a³*b² - B*a²*b³ + A*a*b⁴)*sin(d*x + c))/((a⁴*b³ - 2*a²*b⁵ + b⁷)*d*cos(d*x + c) + (a⁵*b² - 2*a³*b⁴ + a*b⁶)*d)]

giac [A] time = 0.44, size = 199, normalized size = 1.63

$$\frac{2(Ba^3 - 2Bab^2 + Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^2 b^2 - b^4) \sqrt{a^2 - b^2}} + \frac{(dx+c)B}{b^2} - \frac{2(Ba^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Aab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right))}{(a^2 b - b^3) \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a + b \right)}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] (2*(B*a³ - 2*B*a*b² + A*b³)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a² - b²)))/((a²*b² - b⁴)*sqrt(a² - b²)) + (d*x + c)*B/b² - 2*(B*a²*tan(1/2*d*x + 1/2*c) - A*a*b*tan(1/2*d*x + 1/2*c))/((a²*b - b³)*(a*tan(1/2*d*x + 1/2*c)² - b*tan(1/2*d*x + 1/2*c)² + a + b))/d

maple [B] time = 0.08, size = 320, normalized size = 2.62

$$\frac{2a \tan\left(\frac{dx}{2} + \frac{c}{2}\right) A}{d(a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)} - \frac{2a^2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) B}{db(a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)

[Out] 2/d*a/(a²-b²)*tan(1/2*d*x+1/2*c)/(a*tan(1/2*d*x+1/2*c)²-tan(1/2*d*x+1/2*c)²*b+a+b)*A-2/d/b*a²/(a²-b²)*tan(1/2*d*x+1/2*c)/(a*tan(1/2*d*x+1/2*c)²-tan(1/2*d*x+1/2*c)²*b+a+b)*B-2/d*b/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A-2/d*a³/b²/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B+4/d/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a+2/d/b²*arctan(tan(1/2*d*x+1/2*c))*B

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b²-4*a²>0)', see 'assume?' for more details)Is 4*b²-4*a² positive or negative?

mupad [B] time = 7.79, size = 3775, normalized size = 30.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\frac{\cos(c + dx)(A + B\cos(c + dx))}{(a + b\cos(c + dx))^2}, x)$

[Out] $(2*B*\text{atan}(\frac{(B*((B*((32*(A*a^2*b^7 - B*b^9 - A*b^9 - A*a^3*b^6 + B*a^2*b^7 - 3*B*a^3*b^6 + B*a^5*b^4 + A*a*b^8 + 2*B*a*b^8)))/(a*b^5 + b^6 - a^2*b^4 - a^3*b^3) - (B*\tan(c/2 + (d*x)/2)*(2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4)*32i)/(b^2*(a*b^4 + b^5 - a^2*b^3 - a^3*b^2)))*1i)/b^2 + (32*\tan(c/2 + (d*x)/2)*(A^2*b^6 + 2*B^2*a^6 + B^2*b^6 - 2*B^2*a*b^5 - 2*B^2*a^5*b + 3*B^2*a^2*b^4 + 4*B^2*a^3*b^3 - 5*B^2*a^4*b^2 - 4*A*B*a*b^5 + 2*A*B*a^3*b^3))/(a*b^4 + b^5 - a^2*b^3 - a^3*b^2))/b^2 - (B*((B*((32*(A*a^2*b^7 - B*b^9 - A*b^9 - A*a^3*b^6 + B*a^2*b^7 - 3*B*a^3*b^6 + B*a^5*b^4 + A*a*b^8 + 2*B*a*b^8)))/(a*b^5 + b^6 - a^2*b^4 - a^3*b^3) + (B*\tan(c/2 + (d*x)/2)*(2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4)*32i)/(b^2*(a*b^4 + b^5 - a^2*b^3 - a^3*b^2)))*1i)/b^2 - (32*\tan(c/2 + (d*x)/2)*(A^2*b^6 + 2*B^2*a^6 + B^2*b^6 - 2*B^2*a*b^5 - 2*B^2*a^5*b + 3*B^2*a^2*b^4 + 4*B^2*a^3*b^3 - 5*B^2*a^4*b^2 - 4*A*B*a*b^5 + 2*A*B*a^3*b^3))/(a*b^4 + b^5 - a^2*b^3 - a^3*b^2))/((64*(B^3*a^5 - A*B^2*b^5 + A^2*B*b^5 + 2*B^3*a*b^4 - B^3*a^4*b + 2*B^3*a^2*b^3 - 3*B^3*a^3*b^2 - 3*A*B^2*a*b^4 + A*B^2*a^2*b^3 + A*B^2*a^3*b^2))/(a*b^5 + b^6 - a^2*b^4 - a^3*b^3) + (B*((B*((32*(A*a^2*b^7 - B*b^9 - A*b^9 - A*a^3*b^6 + B*a^2*b^7 - 3*B*a^3*b^6 + B*a^5*b^4 + A*a*b^8 + 2*B*a*b^8)))/(a*b^5 + b^6 - a^2*b^4 - a^3*b^3) - (B*\tan(c/2 + (d*x)/2)*(2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4)*32i)/(b^2*(a*b^4 + b^5 - a^2*b^3 - a^3*b^2)))*1i)/b^2 + (32*\tan(c/2 + (d*x)/2)*(A^2*b^6 + 2*B^2*a^6 + B^2*b^6 - 2*B^2*a*b^5 - 2*B^2*a^5*b + 3*B^2*a^2*b^4 + 4*B^2*a^3*b^3 - 5*B^2*a^4*b^2 - 4*A*B*a*b^5 + 2*A*B*a^3*b^3))/(a*b^4 + b^5 - a^2*b^3 - a^3*b^2))*1i)/b^2 + (B*((B*((32*(A*a^2*b^7 - B*b^9 - A*b^9 - A*a^3*b^6 + B*a^2*b^7 - 3*B*a^3*b^6 + B*a^5*b^4 + A*a*b^8 + 2*B*a*b^8)))/(a*b^5 + b^6 - a^2*b^4 - a^3*b^3) + (B*\tan(c/2 + (d*x)/2)*(2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4)*32i)/(b^2*(a*b^4 + b^5 - a^2*b^3 - a^3*b^2)))*1i)/b^2 - (32*\tan(c/2 + (d*x)/2)*(A^2*b^6 + 2*B^2*a^6 + B^2*b^6 - 2*B^2*a*b^5 - 2*B^2*a^5*b + 3*B^2*a^2*b^4 + 4*B^2*a^3*b^3 - 5*B^2*a^4*b^2 - 4*A*B*a*b^5 + 2*A*B*a^3*b^3))/(a*b^4 + b^5 - a^2*b^3 - a^3*b^2))*1i)/b^2 + (B*((B*((32*(A*a^2*b^7 - B*b^9 - A*b^9 - A*a^3*b^6 + B*a^2*b^7 - 3*B*a^3*b^6 + B*a^5*b^4 + A*a*b^8 + 2*B*a*b^8)))/(a*b^5 + b^6 - a^2*b^4 - a^3*b^3) + (B*\tan(c/2 + (d*x)/2)*(2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4)*32i)/(b^2*(a*b^4 + b^5 - a^2*b^3 - a^3*b^2)))*1i)/b^2 - (32*\tan(c/2 + (d*x)/2)*(A^2*b^6 + 2*B^2*a^6 + B^2*b^6 - 2*B^2*a*b^5 - 2*B^2*a^5*b + 3*B^2*a^2*b^4 + 4*B^2*a^3*b^3 - 5*B^2*a^4*b^2 - 4*A*B*a*b^5 + 2*A*B*a^3*b^3))/(a*b^4 + b^5 - a^2*b^3 - a^3*b^2) + ((32*\tan(c/2 + (d*x)/2)*(A^2*b^6 + 2*B^2*a^6 + B^2*b^6 - 2*B^2*a*b^5 - 2*B^2*a^5*b + 3*B^2*a^2*b^4 + 4*B^2*a^3*b^3 - 5*B^2*a^4*b^2 - 4*A*B*a*b^5 + 2*A*B*a^3*b^3))/(a*b^4 + b^5 - a^2*b^3 - a^3*b^2) + (((32*(A*a^2*b^7 - B*b^9 - A*b^9 - A*a^3*b^6 + B*a^2*b^7 - 3*B*a^3*b^6 + B*a^5*b^4 + A*a*b^8 + 2*B*a*b^8)))/(a*b^5 + b^6 - a^2*b^4 - a^3*b^3) - (32*\tan(c/2 + (d*x)/2)*(-(a + b)^3*(a - b)^3)^(1/2)*(A*b^3 + B*a^3 - 2*B*a*b^2)*(2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4))/((a*b^4 + b^5 - a^2*b^3 - a^3*b^2)*(b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2)))*(-(a + b)^3*(a - b)^3)^(1/2)*(A*b^3 + B*a^3 - 2*B*a*b^2))/(b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2))*(-(a + b)^3*(a - b)^3)^(1/2)*(A*b^3 + B*a^3 - 2*B*a*b^2)*1i)/(b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2) + (((32*\tan(c/2 + (d*x)/2)*(A^2*b^6 + 2*B^2*a^6 + B^2*b^6 - 2*B^2*a*b^5 - 2*B^2*a^5*b + 3*B^2*a^2*b^4 + 4*B^2*a^3*b^3 - 5*B^2*a^4*b^2 - 4*A*B*a*b^5 + 2*A*B*a^3*b^3))/(a*b^4 + b^5 - a^2*b^3 - a^3*b^2) - (((32*(A*a^2*b^7 - B*b^9 - A*b^9 - A*a^3*b^6 + B*a^2*b^7 - 3*B*a^3*b^6 + B*a^5*b^4 + A*a*b^8 + 2*B*a*b^8)))/(a*b^5 + b^6 - a^2*b^4 - a^3*b^3) + (32*\tan(c/2 + (d*x)/2)*(-(a + b)^3*(a - b)^3)^(1/2)*(A*b^3 + B*a^3 - 2*B*a*b^2)*(2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4))/((a*b^4 + b^5 - a^2*b^3 - a^3*b^2)*(b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2)))*(-(a + b)^3*(a - b)^3)^(1/2)*(A*b^3 + B*a^3 - 2*B*a*b^2))/(b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2))*(-(a + b)^3*(a - b)^3)^(1/2)*(A*b^3 + B*a^3 - 2*B*a*b^2)*1i)/(b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2))/((64*(B^3*a^5 - A*B^2*b^5 + A^2*B*b^5 + 2*B^3*a*b^4 - B^3*a^4*b + 2*B^3*a^2*b^3 - 3*B^3*a^3*b^2 - 3*A*B^2*a*b^4 + A*B^2*a^2*b^3 + A*B^2*a^3*b^2))/(a*b^5 + b^6 - a^2*b^4 - a^3*b^3) + (((32*\tan(c/2 + (d*x)/2)*(A^2*b^6 + 2*B^2*a^6 + B^2*b^6 - 2*B^2*a*b^5 - 2*B^2*a^5*b + 3*B^2*a^2*b^4 + 4*B^2*a^3*b^3 - 5*B^2*a^4*b^2 - 4*A*B*a*b^5 + 2*A*B*a^3*b^3))/(a*b^4 + b^5 - a^2*b^3 - a^3*b^2) + ((32*(A*a^2*b^7 - B*b^9 - A*b^9 - A*a^3*b^6 + B*a^2*b^7 - 3*B*a^3*b^6 + B*a^5*b^4 + A*a*b^8 + 2*B*a*b^8)))/(a*b^5 + b^6 - a^2*b^4 - a^3*b^3)$

$$\frac{b^7 - 3Ba^3b^6 + B^2a^5b^4 + A^2ab^8 + 2B^2a^3b^8}{(ab^5 + b^6 - a^2b^4 - a^3b^3) - (32\tan(c/2 + (d*x)/2)*(-(a+b)^3*(a-b)^3)^{1/2}*(A^2b^3 + B^2a^3 - 2B^2a^3b^2)*(2a^2b^9 - 2a^2b^8 - 4a^3b^7 + 4a^4b^6 + 2a^5b^5 - 2a^6b^4))} / ((ab^4 + b^5 - a^2b^3 - a^3b^2)*(b^8 - 3a^2b^6 + 3a^4b^4 - a^6b^2)) * (-(a+b)^3*(a-b)^3)^{1/2} * (A^2b^3 + B^2a^3 - 2B^2a^3b^2) / (b^8 - 3a^2b^6 + 3a^4b^4 - a^6b^2) - (((32\tan(c/2 + (d*x)/2)*(A^2b^6 + 2B^2a^6 + B^2b^6 - 2B^2a^3b^5 - 2B^2a^5b^3 + 3B^2a^2b^4 + 4B^2a^3b^3 - 5B^2a^4b^2 - 4AB^2a^3b^5 + 2AB^2a^3b^3)) / (ab^4 + b^5 - a^2b^3 - a^3b^2) - (((32*(A^2b^7 - B^2b^9 - A^2b^9 - A^2a^3b^6 + B^2a^2b^7 - 3B^2a^3b^6 + B^2a^5b^4 + A^2ab^8 + 2B^2a^3b^8)) / (ab^5 + b^6 - a^2b^4 - a^3b^3) + (32\tan(c/2 + (d*x)/2)*(-(a+b)^3*(a-b)^3)^{1/2}*(A^2b^3 + B^2a^3 - 2B^2a^3b^2)*(2a^2b^9 - 2a^2b^8 - 4a^3b^7 + 4a^4b^6 + 2a^5b^5 - 2a^6b^4)) / ((ab^4 + b^5 - a^2b^3 - a^3b^2)*(b^8 - 3a^2b^6 + 3a^4b^4 - a^6b^2))) * (-(a+b)^3*(a-b)^3)^{1/2} * (A^2b^3 + B^2a^3 - 2B^2a^3b^2) / (b^8 - 3a^2b^6 + 3a^4b^4 - a^6b^2)) * (-(a+b)^3*(a-b)^3)^{1/2} * (A^2b^3 + B^2a^3 - 2B^2a^3b^2) * 2i) / (d*(b^8 - 3a^2b^6 + 3a^4b^4 - a^6b^2) - (2\tan(c/2 + (d*x)/2)*(B^2a^2 - A^2ab)) / (d*(a+b)*(ab - b^2)*(a+b + \tan(c/2 + (d*x)/2)^2*(a-b)))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.261 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=100

$$\frac{2(aA - bB) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{3/2}(a+b)^{3/2}} - \frac{(Ab - aB) \sin(c+dx)}{d(a^2 - b^2)(a+b \cos(c+dx))}$$

[Out] $2*(A*a-B*b)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/(a-b)^{(3/2)}/(a+b)^{(3/2)}/d-(A*b-B*a)*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.09, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2754, 12, 2659, 205}

$$\frac{2(aA - bB) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{3/2}(a+b)^{3/2}} - \frac{(Ab - aB) \sin(c+dx)}{d(a^2 - b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^2, x]

[Out] $(2*(a*A - b*B)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]]/\text{Sqrt}[a + b])/(a - b)^{(3/2)}*(a + b)^{(3/2)}*d - ((A*b - a*B)*\text{Sin}[c + d*x])/((a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x]))$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^2} dx &= -\frac{(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))} + \frac{\int \frac{-aA + bB}{a + b \cos(c + dx)} dx}{-a^2 + b^2} \\
&= -\frac{(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))} + \frac{(aA - bB) \int \frac{1}{a + b \cos(c + dx)} dx}{a^2 - b^2} \\
&= -\frac{(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))} + \frac{(2(aA - bB)) \text{Subst} \left(\int \frac{1}{a + b + (a-b)x^2} dx, x, \tan \left(\frac{1}{2} \right. \right.}{(a^2 - b^2) d} \\
&= \frac{2(aA - bB) \tan^{-1} \left(\frac{\sqrt{a-b} \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{a+b}} \right)}{(a-b)^{3/2}(a+b)^{3/2}d} - \frac{(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 97, normalized size = 0.97

$$\frac{2(aA - bB) \tanh^{-1} \left(\frac{(a-b) \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{b^2 - a^2}} \right)}{(b^2 - a^2)^{3/2}} + \frac{(aB - Ab) \sin(c + dx)}{(a-b)(a+b)(a + b \cos(c + dx))}$$

$$d$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^2, x]

[Out] ((2*(a*A - b*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + (((-A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x]))/d

fricas [A] time = 0.78, size = 379, normalized size = 3.79

$$\left[\frac{(Aa^2 - Bab + (Aab - Bb^2) \cos(dx + c)) \sqrt{-a^2 + b^2} \log \left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b)}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2} \right)}{2 \left((a^4b - 2a^2b^3 + b^5) d \cos(dx + c) + (a^5 - 2a^3b^2 + a^2b^4) d \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2, x, algorithm="fricas")

[Out] [-1/2*((A*a^2 - B*a*b + (A*a*b - B*b^2)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*sin(d*x + c))/((a^4*b - 2*a^2*b^3 + b^5)*d*cos(d*x + c) + (a^5 - 2*a^3*b^2 + a^2*b^4)*d), ((A*a^2 - B*a*b + (A*a*b - B*b^2)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))/((a^4*b - 2*a^2*b^3 + b^5)*d*cos(d*x + c) + (a^5 - 2*a^3*b^2 + a^2*b^4)*d)]

giac [A] time = 0.41, size = 159, normalized size = 1.59

$$\frac{2 \left(\left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \text{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{a^2 - b^2}} \right) \right) (Aa - Bb) - \frac{Ba \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - Ab \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)^2 - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a + b} (a^2 - b^2) \right)}{(a^2 - b^2)^3}$$

$$d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] $-2*((\pi*\text{floor}(1/2*(d*x + c)/\pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))* (A*a - B*b)/(a^2 - b^2)^{(3/2)} - (B*a*\tan(1/2*d*x + 1/2*c) - A*b*\tan(1/2*d*x + 1/2*c))/((a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)*(a^2 - b^2)))/d$

maple [B] time = 0.07, size = 234, normalized size = 2.34

$$\frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) Ab}{d(a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)} + \frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) aB}{d(a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)

[Out] $-2/d/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)*A*b+2/d/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)*a*B+2/d*a/(a-b)/(a+b)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A-2/d/(a-b)/(a+b)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B*b$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.73, size = 113, normalized size = 1.13

$$\frac{2 \operatorname{atan}\left(\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)(2a-2b)}{2\sqrt{a+b}\sqrt{a-b}}\right)(Aa - Bb)}{d(a+b)^{3/2}(a-b)^{3/2}} - \frac{2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)(Ab - Ba)}{d(a+b)(a-b)\left((a-b)\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a + b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(a + b*cos(c + d*x))^2,x)

[Out] $(2*\operatorname{atan}((\tan(c/2 + (d*x)/2)*(2*a - 2*b))/(2*(a + b)^{(1/2)}*(a - b)^{(1/2)}))* (A*a - B*b))/(d*(a + b)^{(3/2)}*(a - b)^{(3/2)}) - (2*\tan(c/2 + (d*x)/2)*(A*b - B*a))/(d*(a + b)*(a - b)*(a + b + \tan(c/2 + (d*x)/2)^2*(a - b)))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.262 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=133

$$\frac{b(Ab - aB) \sin(c + dx)}{ad(a^2 - b^2)(a + b \cos(c + dx))} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^2 d} - \frac{2(a^3(-B) + 2a^2Ab - Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d(a-b)^{3/2}(a+b)^{3/2}}$$

[Out] $-2*(2*A*a^2*b - A*b^3 - B*a^3)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^2/(a-b)^{(3/2)/(a+b)^{(3/2)/d+A*\operatorname{arctanh}(\sin(d*x+c))/a^2/d+b*(A*b-B*a)*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))}$

Rubi [A] time = 0.28, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3000, 3001, 3770, 2659, 205}

$$-\frac{2(2a^2Ab + a^3(-B) - Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(Ab - aB) \sin(c + dx)}{ad(a^2 - b^2)(a + b \cos(c + dx))} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^2 d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out] $(-2*(2*a^2*A*b - A*b^3 - a^3*B)*\text{ArcTan}[\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]]/\text{Sqrt}[a + b])/(a^2*(a - b)^{(3/2)*(a + b)^{(3/2)*d} + (A*\text{ArcTanh}[\text{Sin}[c + d*x]])/(a^2*d) + (b*(A*b - a*B)*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x]))}$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]], a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

$\text{Int}[(a_ + (b_)*\sin[\text{Pi}/2 + (c_ + (d_)*(x_))])^{-1}, x_Symbol] \rightarrow \text{With}[e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x], \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3000

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))])^{(m_)*((A_ + (B_)*\sin[(e_ + (f_)*(x_))])^{(n_)}), x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)*(c + d*\text{Sin}[e + f*x])^{(1 + n)}}/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)*(c + d*\text{Sin}[e + f*x])^n}*\text{Simp}[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*\text{Sin}[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3001

$\text{Int}[(A_ + (B_)*\sin[(e_ + (f_)*(x_))])^{(m_)*((a_ + (b_)*\sin[(e_ + (f_)*(x_))])^{(n_)}), x_Symbol] \rightarrow \text{Dist}[(A*b$

$- a*B)/(b*c - a*d)$, $\text{Int}[1/(a + b*\text{Sin}[e + f*x]), x]$, $x] + \text{Dist}[(B*c - A*d)/(b*c - a*d)$, $\text{Int}[1/(c + d*\text{Sin}[e + f*x]), x]$, $x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\}$ && $\text{NeQ}[b*c - a*d, 0]$ && $\text{NeQ}[a^2 - b^2, 0]$ && $\text{NeQ}[c^2 - d^2, 0]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] := -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$ $\text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^2} dx &= \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{(A(a^2 - b^2) - a(Ab - aB) \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx}{a(a^2 - b^2)} \\ &= \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{A \int \sec(c + dx) dx}{a^2} - \frac{(2a^2Ab - Ab^3 - a^3B)}{a^2} \\ &= \frac{A \tanh^{-1}(\sin(c + dx))}{a^2d} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(2(2a^2Ab - Ab^3 - a^3B))}{a^2} \\ &= -\frac{2(2a^2Ab - Ab^3 - a^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^2(a-b)^{3/2}(a+b)^{3/2}d} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^2d} \end{aligned}$$

Mathematica [A] time = 0.63, size = 191, normalized size = 1.44

$$\cos(c + dx)(A \sec(c + dx) + B) \left(\frac{2(a^3B - 2a^2Ab + Ab^3) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}} + \frac{ab(Ab - aB) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))} - A \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) \right) / (a^2d(A + B \cos(c + dx)))$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out] $(\text{Cos}[c + d*x]*(B + A*\text{Sec}[c + d*x])*((2*(-2*a^2*A*b + A*b^3 + a^3*B))*\text{ArcTanh}[\frac{(a-b)*\text{Tan}[(c + d*x)/2]}{\text{Sqrt}[-a^2 + b^2]}])/(-a^2 + b^2)^{(3/2)} - A*\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]] + A*\text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]] + (a*b*(A*b - a*B)*\text{Sin}[c + d*x])/((a-b)*(a+b)*(a + b*\text{Cos}[c + d*x]))) / (a^2*d*(A + B*\text{Cos}[c + d*x]))$

fricas [B] time = 7.69, size = 684, normalized size = 5.14

$$\left[\frac{(Ba^4 - 2Aa^3b + Aab^3 + (Ba^3b - 2Aa^2b^2 + Ab^4) \cos(dx + c)) \sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2} \cos(dx+c)}{b^2 \cos(dx+c)^2 + 2a \cos(dx+c) + a^2}\right)}{a^2d(A + B \cos(c + dx))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\text{cos}(d*x+c))*\text{sec}(d*x+c)/(a+b*\text{cos}(d*x+c))^2, x, \text{algorithm}="fricas")$

[Out] $[1/2*((B*a^4 - 2*A*a^3*b + A*a*b^3 + (B*a^3*b - 2*A*a^2*b^2 + A*b^4)*\text{cos}(d*x + c))*\text{sqrt}(-a^2 + b^2)*\text{log}((2*a*b*\text{cos}(d*x + c) + (2*a^2 - b^2)*\text{cos}(d*x + c)^2 - 2*\text{sqrt}(-a^2 + b^2)*\text{cos}(d*x + c))/(b^2*\text{cos}(d*x + c)^2 + 2*a*\text{cos}(d*x + c) + a^2)))] / (a^2*d*(A + B*\text{cos}(d*x + c)))$

$c)^2 - 2\sqrt{-a^2 + b^2}*(a*\cos(dx + c) + b)*\sin(dx + c) - a^2 + 2*b^2)/$
 $(b^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + a^2)) + (A*a^5 - 2*A*a^3*b^2 + A$
 $*a*b^4 + (A*a^4*b - 2*A*a^2*b^3 + A*b^5)*\cos(dx + c))*\log(\sin(dx + c) + 1$
 $) - (A*a^5 - 2*A*a^3*b^2 + A*a*b^4 + (A*a^4*b - 2*A*a^2*b^3 + A*b^5)*\cos(dx$
 $x + c))*\log(-\sin(dx + c) + 1) - 2*(B*a^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b$
 $^4)*\sin(dx + c))/((a^6*b - 2*a^4*b^3 + a^2*b^5)*d*\cos(dx + c) + (a^7 - 2*$
 $a^5*b^2 + a^3*b^4)*d), 1/2*(2*(B*a^4 - 2*A*a^3*b + A*a*b^3 + (B*a^3*b - 2*A$
 $*a^2*b^2 + A*b^4)*\cos(dx + c))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(dx + c) + b$
 $)/(\sqrt{a^2 - b^2}*\sin(dx + c))) + (A*a^5 - 2*A*a^3*b^2 + A*a*b^4 + (A*a^4$
 $*b - 2*A*a^2*b^3 + A*b^5)*\cos(dx + c))*\log(\sin(dx + c) + 1) - (A*a^5 - 2*$
 $A*a^3*b^2 + A*a*b^4 + (A*a^4*b - 2*A*a^2*b^3 + A*b^5)*\cos(dx + c))*\log(-\sin$
 $(dx + c) + 1) - 2*(B*a^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*\sin(dx + c$
 $))/((a^6*b - 2*a^4*b^3 + a^2*b^5)*d*\cos(dx + c) + (a^7 - 2*a^5*b^2 + a^3*b$
 $^4)*d)]$

giac [A] time = 1.49, size = 223, normalized size = 1.68

$$\frac{2(Ba^3 - 2Aa^2b + Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan(\frac{1}{2} dx + \frac{1}{2} c) - b \tan(\frac{1}{2} dx + \frac{1}{2} c)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4 - a^2b^2) \sqrt{a^2 - b^2}} + \frac{A \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right)}{a^2} - \frac{A \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right)}{a^2}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)/(a+b*cos(dx+c))^2,x, algorithm="giac")

[Out] (2*(B*a^3 - 2*A*a^2*b + A*b^3)*(pi*floor(1/2*(dx + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^4 - a^2*b^2)*sqrt(a^2 - b^2)) + A*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - A*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 - 2*(B*a*b*tan(1/2*d*x + 1/2*c) - A*b^2*tan(1/2*d*x + 1/2*c))/((a^3 - a*b^2)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b))/d

maple [B] time = 0.14, size = 342, normalized size = 2.57

$$\frac{2b^2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) A}{da (a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)} - \frac{2b \tan\left(\frac{dx}{2} + \frac{c}{2}\right) B}{d (a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(dx+c))*sec(dx+c)/(a+b*cos(dx+c))^2,x)

[Out] 2/d/a*b^2/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)*A-2/d*b/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)*B-4/d*b/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+2/d/a^2/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*b^3+2/d/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a-1/d/a^2*A*ln(tan(1/2*d*x+1/2*c)-1)+1/d/a^2*A*ln(tan(1/2*d*x+1/2*c)+1)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 7.81, size = 3763, normalized size = 28.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^2),x)

[Out] - (A*atan(((A*((A*((32*(A*a^4*b^5 - B*a^9 - A*a^9 - 3*A*a^6*b^3 + A*a^7*b^2 - B*a^6*b^3 + B*a^7*b^2 + 2*A*a^8*b + B*a^8*b)))/(a^5*b + a^6 - a^3*b^3 - a^4*b^2) - (32*A*tan(c/2 + (d*x)/2)*(2*a^9*b - 2*a^4*b^6 + 2*a^5*b^5 + 4*a^6*b^4 - 4*a^7*b^3 - 2*a^8*b^2))/(a^2*(a^4*b + a^5 - a^2*b^3 - a^3*b^2)))))/a^2 - (32*tan(c/2 + (d*x)/2)*(A^2*a^6 + 2*A^2*b^6 + B^2*a^6 - 2*A^2*a*b^5 - 2*A^2*a^5*b - 5*A^2*a^2*b^4 + 4*A^2*a^3*b^3 + 3*A^2*a^4*b^2 - 4*A*B*a^5*b + 2*A*B*a^3*b^3))/(a^4*b + a^5 - a^2*b^3 - a^3*b^2))*1i)/a^2 - (A*((A*((32*(A*a^4*b^5 - B*a^9 - A*a^9 - 3*A*a^6*b^3 + A*a^7*b^2 - B*a^6*b^3 + B*a^7*b^2 + 2*A*a^8*b + B*a^8*b)))/(a^5*b + a^6 - a^3*b^3 - a^4*b^2) - (32*A*tan(c/2 + (d*x)/2)*(2*a^9*b - 2*a^4*b^6 + 2*a^5*b^5 + 4*a^6*b^4 - 4*a^7*b^3 - 2*a^8*b^2))/(a^2*(a^4*b + a^5 - a^2*b^3 - a^3*b^2)))))/a^2 + (32*tan(c/2 + (d*x)/2)*(A^2*a^6 + 2*A^2*b^6 + B^2*a^6 - 2*A^2*a*b^5 - 2*A^2*a^5*b - 5*A^2*a^2*b^4 + 4*A^2*a^3*b^3 + 3*A^2*a^4*b^2 - 4*A*B*a^5*b + 2*A*B*a^3*b^3))/(a^4*b + a^5 - a^2*b^3 - a^3*b^2))*1i)/a^2)/((A*((A*((32*(A*a^4*b^5 - B*a^9 - A*a^9 - 3*A*a^6*b^3 + A*a^7*b^2 - B*a^6*b^3 + B*a^7*b^2 + 2*A*a^8*b + B*a^8*b)))/(a^5*b + a^6 - a^3*b^3 - a^4*b^2) - (32*A*tan(c/2 + (d*x)/2)*(2*a^9*b - 2*a^4*b^6 + 2*a^5*b^5 + 4*a^6*b^4 - 4*a^7*b^3 - 2*a^8*b^2))/(a^2*(a^4*b + a^5 - a^2*b^3 - a^3*b^2)))))/a^2 - (32*tan(c/2 + (d*x)/2)*(A^2*a^6 + 2*A^2*b^6 + B^2*a^6 - 2*A^2*a*b^5 - 2*A^2*a^5*b - 5*A^2*a^2*b^4 + 4*A^2*a^3*b^3 + 3*A^2*a^4*b^2 - 4*A*B*a^5*b + 2*A*B*a^3*b^3))/(a^4*b + a^5 - a^2*b^3 - a^3*b^2)))/a^2 - (64*(A^3*b^5 + A*B^2*a^5 - A^2*B*a^5 - A^3*a*b^4 + 2*A^3*a^4*b - 3*A^3*a^2*b^3 + 2*A^3*a^3*b^2 - 3*A^2*B*a^4*b + A^2*B*a^2*b^3 + A^2*B*a^3*b^2))/(a^5*b + a^6 - a^3*b^3 - a^4*b^2) + (A*((A*((32*(A*a^4*b^5 - B*a^9 - A*a^9 - 3*A*a^6*b^3 + A*a^7*b^2 - B*a^6*b^3 + B*a^7*b^2 + 2*A*a^8*b + B*a^8*b)))/(a^5*b + a^6 - a^3*b^3 - a^4*b^2) + (32*A*tan(c/2 + (d*x)/2)*(2*a^9*b - 2*a^4*b^6 + 2*a^5*b^5 + 4*a^6*b^4 - 4*a^7*b^3 - 2*a^8*b^2))/(a^2*(a^4*b + a^5 - a^2*b^3 - a^3*b^2)))))/a^2 + (32*tan(c/2 + (d*x)/2)*(A^2*a^6 + 2*A^2*b^6 + B^2*a^6 - 2*A^2*a*b^5 - 2*A^2*a^5*b - 5*A^2*a^2*b^4 + 4*A^2*a^3*b^3 + 3*A^2*a^4*b^2 - 4*A*B*a^5*b + 2*A*B*a^3*b^3))/(a^4*b + a^5 - a^2*b^3 - a^3*b^2))*2i)/(a^2*d) - (atan((((-(a + b)^3*(a - b)^3)^(1/2))*((32*tan(c/2 + (d*x)/2)*(A^2*a^6 + 2*A^2*b^6 + B^2*a^6 - 2*A^2*a*b^5 - 2*A^2*a^5*b - 5*A^2*a^2*b^4 + 4*A^2*a^3*b^3 + 3*A^2*a^4*b^2 - 4*A*B*a^5*b + 2*A*B*a^3*b^3))/(a^4*b + a^5 - a^2*b^3 - a^3*b^2) + (((32*(A*a^4*b^5 - B*a^9 - A*a^9 - 3*A*a^6*b^3 + A*a^7*b^2 - B*a^6*b^3 + B*a^7*b^2 + 2*A*a^8*b + B*a^8*b)))/(a^5*b + a^6 - a^3*b^3 - a^4*b^2) + (32*tan(c/2 + (d*x)/2)*(-(a + b)^3*(a - b)^3)^(1/2)*(A*b^3 + B*a^3 - 2*A*a^2*b)))/(a^8 - a^2*b^6 + 3*a^4*b^4 - 3*a^6*b^2))*((32*(A*a^4*b^5 - B*a^9 - A*a^9 - 3*A*a^6*b^3 + A*a^7*b^2 - B*a^6*b^3 + B*a^7*b^2 + 2*A*a^8*b + B*a^8*b)))/(a^5*b + a^6 - a^3*b^3 - a^4*b^2) + (32*tan(c/2 + (d*x)/2)*(2*a^9*b - 2*a^4*b^6 + 2*a^5*b^5 + 4*a^6*b^4 - 4*a^7*b^3 - 2*a^8*b^2))/(a^2*(a^4*b + a^5 - a^2*b^3 - a^3*b^2)))))/a^2 + (32*tan(c/2 + (d*x)/2)*(A^2*a^6 + 2*A^2*b^6 + B^2*a^6 - 2*A^2*a*b^5 - 2*A^2*a^5*b - 5*A^2*a^2*b^4 + 4*A^2*a^3*b^3 + 3*A^2*a^4*b^2 - 4*A*B*a^5*b + 2*A*B*a^3*b^3))/(a^4*b + a^5 - a^2*b^3 - a^3*b^2) - (((32*(A*a^4*b^5 - B*a^9 - A*a^9 - 3*A*a^6*b^3 + A*a^7*b^2 - B*a^6*b^3 + B*a^7*b^2 + 2*A*a^8*b + B*a^8*b)))/(a^5*b + a^6 - a^3*b^3 - a^4*b^2) - (32*tan(c/2 + (d*x)/2)*

$$3.263 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=189

$$-\frac{(2Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{(a^2 A + abB - 2Ab^2) \tan(c + dx)}{a^2 d (a^2 - b^2)} + \frac{b(Ab - aB) \tan(c + dx)}{ad (a^2 - b^2) (a + b \cos(c + dx))} + \frac{2b(-2a^3 B)}{a^3 d}$$

[Out] $2*b*(3*A*a^2*b-2*A*b^3-2*B*a^3+B*a*b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^3/(a-b)^{(3/2)/(a+b)^{(3/2)/d}-(2*A*b-B*a)*\operatorname{arctanh}(\sin(d*x+c)))/a^3/d+(A*a^2-2*A*b^2+B*a*b)*\tan(d*x+c)/a^2/(a^2-b^2)/d+b*(A*b-B*a)*\tan(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.67, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{2b(3a^2Ab - 2a^3B + ab^2B - 2Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d (a-b)^{3/2} (a+b)^{3/2}} + \frac{(a^2 A + abB - 2Ab^2) \tan(c + dx)}{a^2 d (a^2 - b^2)} + \frac{b(Ab - aB) \tan(c + dx)}{ad (a^2 - b^2) (a + b \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x]^2, x]

[Out] $(2*b*(3*a^2*A*b - 2*A*b^3 - 2*a^3*B + a*b^2*B)*\operatorname{ArcTan}[\frac{\sqrt{a-b}*\tan[(c+d*x)/2]}{\sqrt{a+b}}]/(a^3*(a-b)^{(3/2)*(a+b)^{(3/2)*d} - ((2*A*b - a*B)*\operatorname{ArcTanh}[\sin[c + d*x]])/(a^3*d) + ((a^2*A - 2*A*b^2 + a*b*B)*\tan[c + d*x])/(a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*\tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*\cos[c + d*x]))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3000

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x] *(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx &= \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{(a^2A - 2Ab^2 + abB - a(Ab - aB) \cos(c + dx) + b^2 \cos^2(c + dx)) \tan(c + dx)}{a + b \cos(c + dx)} dx}{a(a^2 - b^2)} \\ &= \frac{(a^2A - 2Ab^2 + abB) \tan(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} \\ &= \frac{(a^2A - 2Ab^2 + abB) \tan(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} \\ &= -\frac{(2Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^3d} + \frac{(a^2A - 2Ab^2 + abB) \tan(c + dx)}{a^2(a^2 - b^2)d} \\ &= \frac{2b(3a^2Ab - 2Ab^3 - 2a^3B + ab^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3(a-b)^{3/2}(a+b)^{3/2}d} - \frac{(2Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^3d} \end{aligned}$$

Mathematica [A] time = 1.95, size = 240, normalized size = 1.27

$$\frac{2b(2a^3B - 3a^2Ab - ab^2B + 2Ab^3) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}} + \frac{ab^2(aB - Ab) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))} + aA \tan(c + dx) - aB \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*cos[c + d*x])*Sec[c + d*x]^2)/(a + b*cos[c + d*x])^2,x]
[Out] ((-2*b*(-3*a^2*A*b + 2*A*b^3 + 2*a^3*B - a*b^2*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + 2*A*b*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - a*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 2*A*b*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + a*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a*b^2*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*cos[c + d*x])) + a*A*Tan[c + d*x]/(a^3*d)
```

fricas [B] time = 21.47, size = 1088, normalized size = 5.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^2,x, algorithm="fricas")
[Out] [-1/2*(((2*B*a^3*b^2 - 3*A*a^2*b^3 - B*a*b^4 + 2*A*b^5)*cos(d*x + c)^2 + (2*B*a^4*b - 3*A*a^3*b^2 - B*a^2*b^3 + 2*A*a*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - ((B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*cos(d*x + c)^2 + (B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*cos(d*x + c))*log(sin(d*x + c) + 1) + ((B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*cos(d*x + c)^2 + (B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(A*a^6 - 2*A*a^4*b^2 + A*a^2*b^4 + (A*a^5*b + B*a^4*b^2 - 3*A*a^3*b^3 - B*a^2*b^4 + 2*A*a*b^5)*cos(d*x + c))*sin(d*x + c)/((a^7*b - 2*a^5*b^3 + a^3*b^5)*d*cos(d*x + c)^2 + (a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c)), -1/2*(2*((2*B*a^3*b^2 - 3*A*a^2*b^3 - B*a*b^4 + 2*A*b^5)*cos(d*x + c)^2 + (2*B*a^4*b - 3*A*a^3*b^2 - B*a^2*b^3 + 2*A*a*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - ((B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*cos(d*x + c)^2 + (B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*cos(d*x + c))*log(sin(d*x + c) + 1) + ((B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*cos(d*x + c)^2 + (B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(A*a^6 - 2*A*a^4*b^2 + A*a^2*b^4 + (A*a^5*b + B*a^4*b^2 - 3*A*a^3*b^3 - B*a^2*b^4 + 2*A*a*b^5)*cos(d*x + c))*sin(d*x + c)/((a^7*b - 2*a^5*b^3 + a^3*b^5)*d*cos(d*x + c)^2 + (a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c))]
```

giac [B] time = 0.80, size = 404, normalized size = 2.14

$$\frac{2(2Ba^3b-3Aa^2b^2-Bab^3+2Ab^4)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{a^2-b^2}}\right)\right)}{(a^5-a^3b^2)\sqrt{a^2-b^2}} - \frac{2\left(Aa^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-Aa^2b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\sqrt{a^2-b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^2,x, algorithm="giac")
[Out] (2*(2*B*a^3*b - 3*A*a^2*b^2 - B*a*b^3 + 2*A*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2))))/((a^5 - a^3*b^2)*sqrt(a^2 - b^2)) - 2*(A*a^3*tan(1/2*d*x + 1/2*c)^3 - A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - A*a*b^2*tan(1/2*d*x + 1/2*c)^3 - B*a*b^3*tan(1/2*d*x + 1/2*c)^3 + A*a^3*tan(1/2*d*x + 1/2*c) + A*a^2*b*tan(1/2*d*x + 1/2*c) - A*a*b^2*tan(1/2*d*x + 1/2*c))
```

$$\frac{(1/2*d*x + 1/2*c) + B*a*b^2*\tan(1/2*d*x + 1/2*c) - 2*A*b^3*\tan(1/2*d*x + 1/2*c)}{((a*\tan(1/2*d*x + 1/2*c)^4 - b*\tan(1/2*d*x + 1/2*c)^4 + 2*b*\tan(1/2*d*x + 1/2*c)^2 - a - b)*(a^4 - a^2*b^2)} + \frac{(B*a - 2*A*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))}{a^3} - \frac{(B*a - 2*A*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))}{a^3} / d$$

maple [B] time = 0.18, size = 502, normalized size = 2.66

$$\frac{2b^3 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)A}{d a^2 (a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)} + \frac{2b^2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)B}{d a (a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^2,x)
[Out] -2/d*b^3/a^2/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)*A+2/d*b^2/a/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)*B+6/d*b^2/a/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A-4/d*b^4/a^3/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A-4/d/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*b+2/d*b^3/a^2/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B-1/d/a^2*A/(tan(1/2*d*x+1/2*c)-1)+2/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*A*b-1/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*B-1/d/a^2*A/(tan(1/2*d*x+1/2*c)+1)-2/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*A*b+1/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*B
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^2,x, algorithm="maxima")
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?
```

mupad [B] time = 8.52, size = 5464, normalized size = 28.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + b*cos(c + d*x))^2),x)
[Out] (atan((((32*tan(c/2 + (d*x)/2)*(8*A^2*b^8 + B^2*a^8 - 8*A^2*a*b^7 - 2*B^2*a^7*b - 16*A^2*a^2*b^6 + 16*A^2*a^3*b^5 + 5*A^2*a^4*b^4 - 8*A^2*a^5*b^3 + 4*A^2*a^6*b^2 + 2*B^2*a^2*b^6 - 2*B^2*a^3*b^5 - 5*B^2*a^4*b^4 + 4*B^2*a^5*b^3 + 3*B^2*a^6*b^2 - 8*A*B*a*b^7 - 4*A*B*a^7*b + 8*A*B*a^2*b^6 + 18*A*B*a^3*b^5 - 16*A*B*a^4*b^4 - 8*A*B*a^5*b^3 + 8*A*B*a^6*b^2)))/(a^6*b + a^7 - a^4*b^3 - a^5*b^2) + (((32*(A*a^7*b^5 - 2*A*a^6*b^6 - B*a^12 + 5*A*a^8*b^4 - 3*A*a^9*b^3 - 3*A*a^10*b^2 + B*a^7*b^5 - 3*B*a^9*b^3 + B*a^10*b^2 + 2*A*a^11*b + 2*B*a^11*b)))/(a^8*b + a^9 - a^6*b^3 - a^7*b^2) + (32*tan(c/2 + (d*x)/2)*(2*A*b - B*a)*(2*a^11*b - 2*a^6*b^6 + 2*a^7*b^5 + 4*a^8*b^4 - 4*a^9*b^3 - 2*a^10*b^2)))/(a^3*(a^6*b + a^7 - a^4*b^3 - a^5*b^2)))*(2*A*b - B*a))/a^3*(2*A*b - B*a)*1i)/a^3 + (((32*tan(c/2 + (d*x)/2)*(8*A^2*b^8 + B^2*a^8 - 8*A^2
```

$$\begin{aligned}
& *a*b^7 - 2*B^2*a^7*b - 16*A^2*a^2*b^6 + 16*A^2*a^3*b^5 + 5*A^2*a^4*b^4 - 8* \\
& A^2*a^5*b^3 + 4*A^2*a^6*b^2 + 2*B^2*a^2*b^6 - 2*B^2*a^3*b^5 - 5*B^2*a^4*b^4 \\
& + 4*B^2*a^5*b^3 + 3*B^2*a^6*b^2 - 8*A*B*a^7*b - 4*A*B*a^7*b + 8*A*B*a^2*b^6 \\
& + 18*A*B*a^3*b^5 - 16*A*B*a^4*b^4 - 8*A*B*a^5*b^3 + 8*A*B*a^6*b^2)/(a^6* \\
& b + a^7 - a^4*b^3 - a^5*b^2) - (((32*(A*a^7*b^5 - 2*A*a^6*b^6 - B*a^12 + 5* \\
& A*a^8*b^4 - 3*A*a^9*b^3 - 3*A*a^10*b^2 + B*a^7*b^5 - 3*B*a^9*b^3 + B*a^10*b \\
& ^2 + 2*A*a^11*b + 2*B*a^11*b))/(a^8*b + a^9 - a^6*b^3 - a^7*b^2) - (32*\tan(\\
& c/2 + (d*x)/2)*(2*A*b - B*a)*(2*a^11*b - 2*a^6*b^6 + 2*a^7*b^5 + 4*a^8*b^4 \\
& - 4*a^9*b^3 - 2*a^10*b^2))/(a^3*(a^6*b + a^7 - a^4*b^3 - a^5*b^2)))*(2*A*b \\
& - B*a))/a^3*(2*A*b - B*a)*1i)/a^3)/((64*(8*A^3*b^8 - 4*A^3*a*b^7 - 2*B^3*a \\
& ^7*b - 20*A^3*a^2*b^6 + 6*A^3*a^3*b^5 + 12*A^3*a^4*b^4 - B^3*a^3*b^5 + B^3* \\
& a^4*b^4 + 3*B^3*a^5*b^3 - 2*B^3*a^6*b^2 - 12*A^2*B*a*b^7 + 6*A*B^2*a^2*b^6 \\
& - 5*A*B^2*a^3*b^5 - 17*A*B^2*a^4*b^4 + 9*A*B^2*a^5*b^3 + 11*A*B^2*a^6*b^2 + \\
& 8*A^2*B*a^2*b^6 + 32*A^2*B*a^3*b^5 - 13*A^2*B*a^4*b^4 - 20*A^2*B*a^5*b^3)) \\
& /(a^8*b + a^9 - a^6*b^3 - a^7*b^2) + (((32*\tan(c/2 + (d*x)/2)*(8*A^2*b^8 + \\
& B^2*a^8 - 8*A^2*a*b^7 - 2*B^2*a^7*b - 16*A^2*a^2*b^6 + 16*A^2*a^3*b^5 + 5*A \\
& ^2*a^4*b^4 - 8*A^2*a^5*b^3 + 4*A^2*a^6*b^2 + 2*B^2*a^2*b^6 - 2*B^2*a^3*b^5 \\
& - 5*B^2*a^4*b^4 + 4*B^2*a^5*b^3 + 3*B^2*a^6*b^2 - 8*A*B*a^7*b - 4*A*B*a^7*b \\
& + 8*A*B*a^2*b^6 + 18*A*B*a^3*b^5 - 16*A*B*a^4*b^4 - 8*A*B*a^5*b^3 + 8*A*B* \\
& a^6*b^2))/(a^6*b + a^7 - a^4*b^3 - a^5*b^2) + (((32*(A*a^7*b^5 - 2*A*a^6*b^6 \\
& - B*a^12 + 5*A*a^8*b^4 - 3*A*a^9*b^3 - 3*A*a^10*b^2 + B*a^7*b^5 - 3*B*a^9 \\
& *b^3 + B*a^10*b^2 + 2*A*a^11*b + 2*B*a^11*b))/(a^8*b + a^9 - a^6*b^3 - a^7* \\
& b^2) + (32*\tan(c/2 + (d*x)/2)*(2*A*b - B*a)*(2*a^11*b - 2*a^6*b^6 + 2*a^7*b \\
& ^5 + 4*a^8*b^4 - 4*a^9*b^3 - 2*a^10*b^2))/(a^3*(a^6*b + a^7 - a^4*b^3 - a^5 \\
& *b^2)))*(2*A*b - B*a))/a^3*(2*A*b - B*a))/a^3 - (((32*\tan(c/2 + (d*x)/2)*(\\
& 8*A^2*b^8 + B^2*a^8 - 8*A^2*a*b^7 - 2*B^2*a^7*b - 16*A^2*a^2*b^6 + 16*A^2*a \\
& ^3*b^5 + 5*A^2*a^4*b^4 - 8*A^2*a^5*b^3 + 4*A^2*a^6*b^2 + 2*B^2*a^2*b^6 - 2* \\
& B^2*a^3*b^5 - 5*B^2*a^4*b^4 + 4*B^2*a^5*b^3 + 3*B^2*a^6*b^2 - 8*A*B*a^7*b - \\
& 4*A*B*a^7*b + 8*A*B*a^2*b^6 + 18*A*B*a^3*b^5 - 16*A*B*a^4*b^4 - 8*A*B*a^5* \\
& b^3 + 8*A*B*a^6*b^2))/(a^6*b + a^7 - a^4*b^3 - a^5*b^2) - (((32*(A*a^7*b^5 \\
& - 2*A*a^6*b^6 - B*a^12 + 5*A*a^8*b^4 - 3*A*a^9*b^3 - 3*A*a^10*b^2 + B*a^7*b \\
& ^5 - 3*B*a^9*b^3 + B*a^10*b^2 + 2*A*a^11*b + 2*B*a^11*b))/(a^8*b + a^9 - a^ \\
& 6*b^3 - a^7*b^2) - (32*\tan(c/2 + (d*x)/2)*(2*A*b - B*a)*(2*a^11*b - 2*a^6*b \\
& ^6 + 2*a^7*b^5 + 4*a^8*b^4 - 4*a^9*b^3 - 2*a^10*b^2))/(a^3*(a^6*b + a^7 - a \\
& ^4*b^3 - a^5*b^2)))*(2*A*b - B*a))/a^3*(2*A*b - B*a))/a^3))*(2*A*b - B*a)* \\
& 2i)/(a^3*d) - ((2*\tan(c/2 + (d*x)/2)^3*(A*a*b^2 - 2*A*b^3 - A*a^3 + A*a^2*b \\
& + B*a*b^2))/(a^2*(a + b)*(a - b)) - (2*\tan(c/2 + (d*x)/2)*(A*a^3 - 2*A*b^3 \\
& - A*a*b^2 + A*a^2*b + B*a*b^2))/(a^2*(a + b)*(a - b)))/(d*(a + b - \tan(c/2 \\
& + (d*x)/2)^4*(a - b) - 2*b*\tan(c/2 + (d*x)/2)^2)) + (b*atan(((b*((32*\tan(c \\
& /2 + (d*x)/2)*(8*A^2*b^8 + B^2*a^8 - 8*A^2*a*b^7 - 2*B^2*a^7*b - 16*A^2*a^2 \\
& *b^6 + 16*A^2*a^3*b^5 + 5*A^2*a^4*b^4 - 8*A^2*a^5*b^3 + 4*A^2*a^6*b^2 + 2*B \\
& ^2*a^2*b^6 - 2*B^2*a^3*b^5 - 5*B^2*a^4*b^4 + 4*B^2*a^5*b^3 + 3*B^2*a^6*b^2 \\
& - 8*A*B*a^7*b - 4*A*B*a^7*b + 8*A*B*a^2*b^6 + 18*A*B*a^3*b^5 - 16*A*B*a^4*b \\
& ^4 - 8*A*B*a^5*b^3 + 8*A*B*a^6*b^2))/(a^6*b + a^7 - a^4*b^3 - a^5*b^2) + (b \\
& *((32*(A*a^7*b^5 - 2*A*a^6*b^6 - B*a^12 + 5*A*a^8*b^4 - 3*A*a^9*b^3 - 3*A*a \\
& ^10*b^2 + B*a^7*b^5 - 3*B*a^9*b^3 + B*a^10*b^2 + 2*A*a^11*b + 2*B*a^11*b))/ \\
& (a^8*b + a^9 - a^6*b^3 - a^7*b^2) + (32*b*\tan(c/2 + (d*x)/2)*(-(a + b)^3*(a \\
& - b)^3)^(1/2)*(2*A*b^3 + 2*B*a^3 - 3*A*a^2*b - B*a*b^2)*(2*a^11*b - 2*a^6* \\
& b^6 + 2*a^7*b^5 + 4*a^8*b^4 - 4*a^9*b^3 - 2*a^10*b^2))/((a^6*b + a^7 - a^4* \\
& b^3 - a^5*b^2)*(a^9 - a^3*b^6 + 3*a^5*b^4 - 3*a^7*b^2)))*(-(a + b)^3*(a - b \\
&)^3)^(1/2)*(2*A*b^3 + 2*B*a^3 - 3*A*a^2*b - B*a*b^2))/(a^9 - a^3*b^6 + 3*a^ \\
& 5*b^4 - 3*a^7*b^2))*(-(a + b)^3*(a - b)^3)^(1/2)*(2*A*b^3 + 2*B*a^3 - 3*A*a \\
& ^2*b - B*a*b^2)*1i)/(a^9 - a^3*b^6 + 3*a^5*b^4 - 3*a^7*b^2) + (b*((32*\tan(c \\
& /2 + (d*x)/2)*(8*A^2*b^8 + B^2*a^8 - 8*A^2*a*b^7 - 2*B^2*a^7*b - 16*A^2*a^2 \\
& *b^6 + 16*A^2*a^3*b^5 + 5*A^2*a^4*b^4 - 8*A^2*a^5*b^3 + 4*A^2*a^6*b^2 + 2*B \\
& ^2*a^2*b^6 - 2*B^2*a^3*b^5 - 5*B^2*a^4*b^4 + 4*B^2*a^5*b^3 + 3*B^2*a^6*b^2 \\
& - 8*A*B*a^7*b - 4*A*B*a^7*b + 8*A*B*a^2*b^6 + 18*A*B*a^3*b^5 - 16*A*B*a^4*b \\
& ^4 - 8*A*B*a^5*b^3 + 8*A*B*a^6*b^2))/(a^6*b + a^7 - a^4*b^3 - a^5*b^2) - (b \\
& *((32*(A*a^7*b^5 - 2*A*a^6*b^6 - B*a^12 + 5*A*a^8*b^4 - 3*A*a^9*b^3 - 3*A*a
\end{aligned}$$

$$\begin{aligned} & \left(a^{10}b^2 + B a^7 b^5 - 3 B a^9 b^3 + B a^{10} b^2 + 2 A a^{11} b + 2 B a^{11} b \right) / \\ & \left(a^8 b + a^9 - a^6 b^3 - a^7 b^2 \right) - \left(32 b \tan(c/2 + (d*x)/2) * (-a + b)^3 * (a - b)^3 \right)^{(1/2)} * \left(2 A b^3 + 2 B a^3 - 3 A a^2 b - B a b^2 \right) * \left(2 a^{11} b - 2 a^6 b^6 + 2 a^7 b^5 + 4 a^8 b^4 - 4 a^9 b^3 - 2 a^{10} b^2 \right) / \left((a^6 b + a^7 - a^4 b^3 - a^5 b^2) * (a^9 - a^3 b^6 + 3 a^5 b^4 - 3 a^7 b^2) \right) * (-a + b)^3 * (a - b)^3 \right)^{(1/2)} * \left(2 A b^3 + 2 B a^3 - 3 A a^2 b - B a b^2 \right) / \left(a^9 - a^3 b^6 + 3 a^5 b^4 - 3 a^7 b^2 \right) * (-a + b)^3 * (a - b)^3 \right)^{(1/2)} * \left(2 A b^3 + 2 B a^3 - 3 A a^2 b - B a b^2 \right) * i / \left(a^9 - a^3 b^6 + 3 a^5 b^4 - 3 a^7 b^2 \right) / \left((64 * (8 A^3 b^8 - 4 A^3 a b^7 - 2 B^3 a^7 b - 20 A^3 a^2 b^6 + 6 A^3 a^3 b^5 + 12 A^3 a^4 b^4 - B^3 a^3 b^5 + B^3 a^4 b^4 + 3 B^3 a^5 b^3 - 2 B^3 a^6 b^2 - 12 A^2 B a b^7 + 6 A B^2 a^2 b^6 - 5 A B^2 a^3 b^5 - 17 A B^2 a^4 b^4 + 9 A B^2 a^5 b^3 + 11 A B^2 a^6 b^2 + 8 A^2 B a^2 b^6 + 32 A^2 B a^3 b^5 - 13 A^2 B a^4 b^4 - 20 A^2 B a^5 b^3)) / (a^8 b + a^9 - a^6 b^3 - a^7 b^2) + (b * ((32 * \tan(c/2 + (d*x)/2) * (8 A^2 b^8 + B^2 a^8 - 8 A^2 a b^7 - 2 B^2 a^7 b - 16 A^2 a^2 b^6 + 16 A^2 a^3 b^5 + 5 A^2 a^4 b^4 - 8 A^2 a^5 b^3 + 4 A^2 a^6 b^2 + 2 B^2 a^2 b^6 - 2 B^2 a^3 b^5 - 5 B^2 a^4 b^4 + 4 B^2 a^5 b^3 + 3 B^2 a^6 b^2 - 8 A B a b^7 - 4 A B a^7 b + 8 A B a^2 b^6 + 18 A B a^3 b^5 - 16 A B a^4 b^4 - 8 A B a^5 b^3 + 8 A B a^6 b^2)) / (a^6 b + a^7 - a^4 b^3 - a^5 b^2) + (b * ((32 * (A a^7 b^5 - 2 A a^6 b^6 - B a^{12} + 5 A a^8 b^4 - 3 A a^9 b^3 - 3 A a^{10} b^2 + B a^7 b^5 - 3 B a^9 b^3 + B a^{10} b^2 + 2 A a^{11} b + 2 B a^{11} b)) / (a^8 b + a^9 - a^6 b^3 - a^7 b^2) + (32 b \tan(c/2 + (d*x)/2) * (-a + b)^3 * (a - b)^3)^{(1/2)} * (2 A b^3 + 2 B a^3 - 3 A a^2 b - B a b^2) * (2 a^{11} b - 2 a^6 b^6 + 2 a^7 b^5 + 4 a^8 b^4 - 4 a^9 b^3 - 2 a^{10} b^2)) / ((a^6 b + a^7 - a^4 b^3 - a^5 b^2) * (a^9 - a^3 b^6 + 3 a^5 b^4 - 3 a^7 b^2)) * (-a + b)^3 * (a - b)^3 \right)^{(1/2)} * (2 A b^3 + 2 B a^3 - 3 A a^2 b - B a b^2) / (a^9 - a^3 b^6 + 3 a^5 b^4 - 3 a^7 b^2) - (b * ((32 * \tan(c/2 + (d*x)/2) * (8 A^2 b^8 + B^2 a^8 - 8 A^2 a b^7 - 2 B^2 a^7 b - 16 A^2 a^2 b^6 + 16 A^2 a^3 b^5 + 5 A^2 a^4 b^4 - 8 A^2 a^5 b^3 + 4 A^2 a^6 b^2 + 2 B^2 a^2 b^6 - 2 B^2 a^3 b^5 - 5 B^2 a^4 b^4 + 4 B^2 a^5 b^3 + 3 B^2 a^6 b^2 - 8 A B a b^7 - 4 A B a^7 b + 8 A B a^2 b^6 + 18 A B a^3 b^5 - 16 A B a^4 b^4 - 8 A B a^5 b^3 + 8 A B a^6 b^2)) / (a^6 b + a^7 - a^4 b^3 - a^5 b^2) - (b * ((32 * (A a^7 b^5 - 2 A a^6 b^6 - B a^{12} + 5 A a^8 b^4 - 3 A a^9 b^3 - 3 A a^{10} b^2 + B a^7 b^5 - 3 B a^9 b^3 + B a^{10} b^2 + 2 A a^{11} b + 2 B a^{11} b)) / (a^8 b + a^9 - a^6 b^3 - a^7 b^2) - (32 b \tan(c/2 + (d*x)/2) * (-a + b)^3 * (a - b)^3)^{(1/2)} * (2 A b^3 + 2 B a^3 - 3 A a^2 b - B a b^2) * (2 a^{11} b - 2 a^6 b^6 + 2 a^7 b^5 + 4 a^8 b^4 - 4 a^9 b^3 - 2 a^{10} b^2)) / ((a^6 b + a^7 - a^4 b^3 - a^5 b^2) * (a^9 - a^3 b^6 + 3 a^5 b^4 - 3 a^7 b^2)) * (-a + b)^3 * (a - b)^3 \right)^{(1/2)} * (2 A b^3 + 2 B a^3 - 3 A a^2 b - B a b^2) / (a^9 - a^3 b^6 + 3 a^5 b^4 - 3 a^7 b^2)) * (-a + b)^3 * (a - b)^3 \right)^{(1/2)} * (2 A b^3 + 2 B a^3 - 3 A a^2 b - B a b^2) * 2i / (d * (a^9 - a^3 b^6 + 3 a^5 b^4 - 3 a^7 b^2)) \end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c))**2,x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/(a + b*cos(c + d*x))**2, x)

$$3.264 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=270

$$\frac{(a^2 A + 2abB - 3Ab^2) \tan(c + dx) \sec(c + dx)}{2a^2 d (a^2 - b^2)} + \frac{b(Ab - aB) \tan(c + dx) \sec(c + dx)}{ad (a^2 - b^2) (a + b \cos(c + dx))} + \frac{(a^2 A - 4abB + 6Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{2a^4 d}$$

[Out] $-2*b^2*(4*A*a^2*b-3*A*b^3-3*B*a^3+2*B*a*b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^4/(a-b)^{(3/2)}/(a+b)^{(3/2)}/d+1/2*(A*a^2+6*A*b^2-4*B*a*b)*\operatorname{arctanh}(\sin(d*x+c))/a^4/d-(2*A*a^2*b-3*A*b^3-B*a^3+2*B*a*b^2)*\tan(d*x+c)/a^3/(a^2-b^2)/d+1/2*(A*a^2-3*A*b^2+2*B*a*b)*\sec(d*x+c)*\tan(d*x+c)/a^2/(a^2-b^2)/d+b*(A*b-B*a)*\sec(d*x+c)*\tan(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.98, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^2 (4a^2 Ab - 3a^3 B + 2ab^2 B - 3Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d (a-b)^{3/2} (a+b)^{3/2}} - \frac{(2a^2 Ab + a^3(-B) + 2ab^2 B - 3Ab^3) \tan(c + dx)}{a^3 d (a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x]^2, x]

[Out] $(-2*b^2*(4*a^2*A*b - 3*A*b^3 - 3*a^3*B + 2*a*b^2*B)*\operatorname{ArcTan}[\sqrt{a-b}*\tan((c+d*x)/2)]/\sqrt{a+b})/(a^4*(a-b)^{(3/2)}*(a+b)^{(3/2)}*d) + ((a^2*A + 6*A*b^2 - 4*a*b*B)*\operatorname{ArcTanh}[\sin(c+d*x)])/(2*a^4*d) - ((2*a^2*A*b - 3*A*b^3 - a^3*B + 2*a*b^2*B)*\tan(c+d*x))/(a^3*(a^2-b^2)*d) + ((a^2*A - 3*A*b^2 + 2*a*b*B)*\sec(c+d*x)*\tan(c+d*x))/(2*a^2*(a^2-b^2)*d) + (b*(A*b - a*B)*\sec(c+d*x)*\tan(c+d*x))/(a*(a^2-b^2)*d*(a+b*\cos(c+d*x)))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3000

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[m] && IntegerQ[n]))

gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]))

Rule 3001

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x] * (a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^2} dx &= \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{(a^2 A - 3Ab^2 + 2abB - a(Ab - aB) \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx}{a(a^2 - b^2)} \\ &= \frac{(a^2 A - 3Ab^2 + 2abB) \sec(c + dx) \tan(c + dx)}{2a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} \\ &= -\frac{(2a^2 Ab - 3Ab^3 - a^3 B + 2ab^2 B) \tan(c + dx)}{a^3(a^2 - b^2)d} + \frac{(a^2 A - 3Ab^2 + 2abB) \sec(c + dx) \tan(c + dx)}{2a^2} \\ &= -\frac{(2a^2 Ab - 3Ab^3 - a^3 B + 2ab^2 B) \tan(c + dx)}{a^3(a^2 - b^2)d} + \frac{(a^2 A - 3Ab^2 + 2abB) \sec(c + dx) \tan(c + dx)}{2a^2} \\ &= \frac{(a^2 A + 6Ab^2 - 4abB) \tanh^{-1}(\sin(c + dx))}{2a^4 d} - \frac{(2a^2 Ab - 3Ab^3 - a^3 B)}{a^3(a^2 - b^2)} \\ &= -\frac{2b^2(4a^2 Ab - 3Ab^3 - 3a^3 B + 2ab^2 B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{3/2}(a+b)^{3/2}d} + \frac{(a^2 A + 6Ab^2 - 4abB) \tanh^{-1}(\sin(c + dx))}{2a^4 d} \end{aligned}$$

Mathematica [A] time = 6.27, size = 438, normalized size = 1.62

$$\frac{Ab^4 \sin(c + dx) - ab^3 B \sin(c + dx)}{a^3 d (a - b)(a + b)(a + b \cos(c + dx))} + \frac{aB \sin\left(\frac{1}{2}(c + dx)\right) - 2Ab \sin\left(\frac{1}{2}(c + dx)\right)}{a^3 d \left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)} + \frac{aB \sin\left(\frac{1}{2}(c + dx)\right) - 2Ab \sin\left(\frac{1}{2}(c + dx)\right)}{a^3 d \left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^2,x]
[Out] (-2*b^2*(-4*a^2*A*b + 3*A*b^3 + 3*a^3*B - 2*a*b^2*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2]*d + ((-(a^2*A) - 6*A*b^2 + 4*a*b*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/(2*a^4*d) + ((a^2*A + 6*A*b^2 - 4*a*b*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/(2*a^4*d) + A/(4*a^2*d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) - A/(4*a^2*d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (-2*A*b*Sin[(c + d*x)/2] + a*B*Sin[(c + d*x)/2])/(a^3*d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (-2*A*b*Sin[(c + d*x)/2] + a*B*Sin[(c + d*x)/2])/(a^3*d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])) + (A*b^4*Sin[c + d*x] - a*b^3*B*Sin[c + d*x])/(a^3*(a - b)*(a + b)*d*(a + b*Cos[c + d*x]))
```

fricas [B] time = 33.86, size = 1329, normalized size = 4.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x, algorithm="fricas")
[Out] [-1/4*(2*((3*B*a^3*b^3 - 4*A*a^2*b^4 - 2*B*a*b^5 + 3*A*b^6)*cos(d*x + c)^3 + (3*B*a^4*b^2 - 4*A*a^3*b^3 - 2*B*a^2*b^4 + 3*A*a*b^5)*cos(d*x + c)^2)*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - ((A*a^6*b - 4*B*a^5*b^2 + 4*A*a^4*b^3 + 8*B*a^3*b^4 - 11*A*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*cos(d*x + c)^3 + (A*a^7 - 4*B*a^6*b + 4*A*a^5*b^2 + 8*B*a^4*b^3 - 11*A*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) + ((A*a^6*b - 4*B*a^5*b^2 + 4*A*a^4*b^3 + 8*B*a^3*b^4 - 11*A*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*cos(d*x + c)^3 + (A*a^7 - 4*B*a^6*b + 4*A*a^5*b^2 + 8*B*a^4*b^3 - 11*A*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(A*a^7 - 2*A*a^5*b^2 + A*a^3*b^4 + 2*(B*a^6*b - 2*A*a^5*b^2 - 3*B*a^4*b^3 + 5*A*a^3*b^4 + 2*B*a^2*b^5 - 3*A*a*b^6)*cos(d*x + c)^2 + (2*B*a^7 - 3*A*a^6*b - 4*B*a^5*b^2 + 6*A*a^4*b^3 + 2*B*a^3*b^4 - 3*A*a^2*b^5)*cos(d*x + c))*sin(d*x + c))/((a^8*b - 2*a^6*b^3 + a^4*b^5)*d*cos(d*x + c)^3 + (a^9 - 2*a^7*b^2 + a^5*b^4)*d*cos(d*x + c)^2), 1/4*(4*((3*B*a^3*b^3 - 4*A*a^2*b^4 - 2*B*a*b^5 + 3*A*b^6)*cos(d*x + c)^3 + (3*B*a^4*b^2 - 4*A*a^3*b^3 - 2*B*a^2*b^4 + 3*A*a*b^5)*cos(d*x + c)^2)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) + ((A*a^6*b - 4*B*a^5*b^2 + 4*A*a^4*b^3 + 8*B*a^3*b^4 - 11*A*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*cos(d*x + c)^3 + (A*a^7 - 4*B*a^6*b + 4*A*a^5*b^2 + 8*B*a^4*b^3 - 11*A*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - ((A*a^6*b - 4*B*a^5*b^2 + 4*A*a^4*b^3 + 8*B*a^3*b^4 - 11*A*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*cos(d*x + c)^3 + (A*a^7 - 4*B*a^6*b + 4*A*a^5*b^2 + 8*B*a^4*b^3 - 11*A*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) + 2*(A*a^7 - 2*A*a^5*b^2 + A*a^3*b^4 + 2*(B*a^6*b - 2*A*a^5*b^2 - 3*B*a^4*b^3 + 5*A*a^3*b^4 + 2*B*a^2*b^5 - 3*A*a*b^6)*cos(d*x + c)^2 + (2*B*a^7 - 3*A*a^6*b - 4*B*a^5*b^2 + 6*A*a^4*b^3 + 2*B*a^3*b^4 - 3*A*a^2*b^5)*cos(d*x + c))*sin(d*x + c))/((a^8*b - 2*a^6*b^3 + a^4*b^5)*d*cos(d*x + c)^3 + (a^9 - 2*a^7*b^2 + a^5*b^4)*d*cos(d*x + c)^2)]
```

giac [A] time = 1.23, size = 378, normalized size = 1.40

$$\frac{4(3Ba^3b^2 - 4Aa^2b^3 - 2Bab^4 + 3Ab^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^6 - a^4b^2) \sqrt{a^2 - b^2}} + \frac{4(Bab^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - Ab^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))}{(a^5 - a^3b^2) \left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out]
$$-1/2*(4*(3*B*a^3*b^2 - 4*A*a^2*b^3 - 2*B*a*b^4 + 3*A*b^5)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^6 - a^4*b^2)*sqrt(a^2 - b^2)) + 4*(B*a*b^3*tan(1/2*d*x + 1/2*c) - A*b^4*tan(1/2*d*x + 1/2*c))/((a^5 - a^3*b^2)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)) - (A*a^2 - 4*B*a*b + 6*A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 + (A*a^2 - 4*B*a*b + 6*A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 - 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c)^3 + 4*A*b*tan(1/2*d*x + 1/2*c)^3 + A*a*tan(1/2*d*x + 1/2*c) + 2*B*a*tan(1/2*d*x + 1/2*c) - 4*A*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^3))/d$$

maple [B] time = 0.19, size = 690, normalized size = 2.56

$$\frac{2b^4 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) A}{d a^3 (a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)} - \frac{2b^3 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) B}{d a^2 (a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x)

[Out]
$$2/d*b^4/a^3/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)*A-2/d*b^3/a^2/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)*B-8/d/a^2/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*b^3+6/d*b^5/a^4/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+6/d*b^2/a/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B-4/d*b^4/a^3/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B+1/2/d/a^2*A/(tan(1/2*d*x+1/2*c)-1)^2+1/2/d/a^2*A/(tan(1/2*d*x+1/2*c)-1)+2/d/a^3/(tan(1/2*d*x+1/2*c)-1)*A*b-1/d/a^2/(tan(1/2*d*x+1/2*c)-1)*B-1/2/d/a^2*A*ln(tan(1/2*d*x+1/2*c)-1)-3/d/a^4*ln(tan(1/2*d*x+1/2*c)-1)*A*b^2+2/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*B*b-1/2/d/a^2*A/(tan(1/2*d*x+1/2*c)+1)^2+1/2/d/a^2*A/(tan(1/2*d*x+1/2*c)+1)+2/d/a^3/(tan(1/2*d*x+1/2*c)+1)*A*b-1/d/a^2/(tan(1/2*d*x+1/2*c)+1)*B+1/2/d/a^2*A*ln(tan(1/2*d*x+1/2*c)+1)+3/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*A*b^2-2/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*B*b$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* h

$$\begin{aligned}
& A^2a^8b^2 + 32B^2a^2b^8 - 32B^2a^3b^7 - 64B^2a^4b^6 + 64B^2a^5b^5 + 20B^2a^6b^4 - 32B^2a^7b^3 + 16B^2a^8b^2 - 96A^2B^2a^9b - 8A^2B^2a^9b + 96A^2B^2a^2b^8 + 176A^2B^2a^3b^7 - 176A^2B^2a^4b^6 - 40A^2B^2a^5b^5 + 64A^2B^2a^6b^4 - 40A^2B^2a^7b^3 + 16A^2B^2a^8b^2) / (a^8b + a^9 - a^6b^3 - a^7b^2) + (((8(2A^2a^15 - 12A^2a^8b^7 + 6A^2a^9b^6 + 28A^2a^10b^5 - 14A^2a^11b^4 - 16A^2a^12b^3 + 6A^2a^13b^2 + 8B^2a^9b^6 - 4B^2a^10b^5 - 20B^2a^11b^4 + 12B^2a^12b^3 + 12B^2a^13b^2 - 8B^2a^14b)) / (a^11b + a^12 - a^9b^3 - a^10b^2) + (4\tan(c/2 + (d*x)/2) * (A^2a^2 + 6A^2b^2 - 4B^2a*b) * (8a^13b - 8a^8b^6 + 8a^9b^5 + 16a^10b^4 - 16a^11b^3 - 8a^12b^2)) / (a^4(a^8b + a^9 - a^6b^3 - a^7b^2))) * (A^2a^2 + 6A^2b^2 - 4B^2a*b) / (2a^4)) * (A^2a^2 + 6A^2b^2 - 4B^2a*b) * i) / (a^4*d) - ((\tan(c/2 + (d*x)/2)^5 * (A^2a^4 + 6A^2b^4 - 2B^2a^4 - 5A^2a^2b^2 + 2B^2a^2b^2 - 3A^2a*b^3 + 3A^2a^3b - 4B^2a*b^3 + 2B^2a^3b)) / ((a^3b - a^4) * (a + b)) + (\tan(c/2 + (d*x)/2) * (A^2a^4 + 6A^2b^4 + 2B^2a^4 - 5A^2a^2b^2 - 2B^2a^2b^2 + 3A^2a*b^3 - 3A^2a^3b - 4B^2a*b^3 + 2B^2a^3b)) / ((a^3b - a^4) * (a + b)) + (2\tan(c/2 + (d*x)/2)^3 * (A^2a^4 - 6A^2b^4 + 3A^2a^2b^2 + 4B^2a*b^3 - 2B^2a^3b)) / (a * (a^2b - a^3) * (a + b))) / (d * (a + b - \tan(c/2 + (d*x)/2)^2 * (a + 3b) - \tan(c/2 + (d*x)/2)^4 * (a - 3b) + \tan(c/2 + (d*x)/2)^6 * (a - b))) - (b^2 * \operatorname{atan}(((b^2 * (-a + b)^3 * (a - b)^3)^{(1/2)} * ((8\tan(c/2 + (d*x)/2) * (A^2a^10 + 72A^2a^2b^10 - 72A^2a^2a*b^9 - 2A^2a^2a^9b - 120A^2a^2a^2b^8 + 120A^2a^2a^3b^7 + 17A^2a^2a^4b^6 - 26A^2a^2a^5b^5 + 23A^2a^2a^6b^4 - 20A^2a^2a^7b^3 + 11A^2a^2a^8b^2 + 32B^2a^2a^2b^8 - 32B^2a^2a^3b^7 - 64B^2a^2a^4b^6 + 64B^2a^2a^5b^5 + 20B^2a^2a^6b^4 - 32B^2a^2a^7b^3 + 16B^2a^2a^8b^2 - 96A^2B^2a^9b - 8A^2B^2a^9b + 96A^2B^2a^2b^8 + 176A^2B^2a^3b^7 - 176A^2B^2a^4b^6 - 40A^2B^2a^5b^5 + 64A^2B^2a^6b^4 - 40A^2B^2a^7b^3 + 16A^2B^2a^8b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) + (b^2 * ((8(2A^2a^15 - 12A^2a^8b^7 + 6A^2a^9b^6 + 28A^2a^10b^5 - 14A^2a^11b^4 - 16A^2a^12b^3 + 6A^2a^13b^2 + 8B^2a^9b^6 - 4B^2a^10b^5 - 20B^2a^11b^4 + 12B^2a^12b^3 + 12B^2a^13b^2 - 8B^2a^14b)) / (a^11b + a^12 - a^9b^3 - a^10b^2) + (8b^2 * \tan(c/2 + (d*x)/2) * (-a + b)^3 * (a - b)^3)^{(1/2)} * (3A^2b^3 + 3B^2a^3 - 4A^2a^2b - 2B^2a*b^2) * (8a^13b - 8a^8b^6 + 8a^9b^5 + 16a^10b^4 - 16a^11b^3 - 8a^12b^2)) / ((a^8b + a^9 - a^6b^3 - a^7b^2) * (a^10 - a^4b^6 + 3a^6b^4 - 3a^8b^2))) * (-a + b)^3 * (a - b)^3)^{(1/2)} * (3A^2b^3 + 3B^2a^3 - 4A^2a^2b - 2B^2a*b^2)) / (a^10 - a^4b^6 + 3a^6b^4 - 3a^8b^2)) * (3A^2b^3 + 3B^2a^3 - 4A^2a^2b - 2B^2a*b^2) * i) / (a^10 - a^4b^6 + 3a^6b^4 - 3a^8b^2) + (b^2 * (-a + b)^3 * (a - b)^3)^{(1/2)} * ((8\tan(c/2 + (d*x)/2) * (A^2a^10 + 72A^2a^2b^10 - 72A^2a^2a*b^9 - 2A^2a^2a^9b - 120A^2a^2a^2b^8 + 120A^2a^2a^3b^7 + 17A^2a^2a^4b^6 - 26A^2a^2a^5b^5 + 23A^2a^2a^6b^4 - 20A^2a^2a^7b^3 + 11A^2a^2a^8b^2 + 32B^2a^2a^2b^8 - 32B^2a^2a^3b^7 - 64B^2a^2a^4b^6 + 64B^2a^2a^5b^5 + 20B^2a^2a^6b^4 - 32B^2a^2a^7b^3 + 16B^2a^2a^8b^2 - 96A^2B^2a^9b - 8A^2B^2a^9b + 96A^2B^2a^2b^8 + 176A^2B^2a^3b^7 - 176A^2B^2a^4b^6 - 40A^2B^2a^5b^5 + 64A^2B^2a^6b^4 - 40A^2B^2a^7b^3 + 16A^2B^2a^8b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) - (b^2 * ((8(2A^2a^15 - 12A^2a^8b^7 + 6A^2a^9b^6 + 28A^2a^10b^5 - 14A^2a^11b^4 - 16A^2a^12b^3 + 6A^2a^13b^2 + 8B^2a^9b^6 - 4B^2a^10b^5 - 20B^2a^11b^4 + 12B^2a^12b^3 + 12B^2a^13b^2 - 8B^2a^14b)) / (a^11b + a^12 - a^9b^3 - a^10b^2) - (8b^2 * \tan(c/2 + (d*x)/2) * (-a + b)^3 * (a - b)^3)^{(1/2)} * (3A^2b^3 + 3B^2a^3 - 4A^2a^2b - 2B^2a*b^2) * (8a^13b - 8a^8b^6 + 8a^9b^5 + 16a^10b^4 - 16a^11b^3 - 8a^12b^2)) / ((a^8b + a^9 - a^6b^3 - a^7b^2) * (a^10 - a^4b^6 + 3a^6b^4 - 3a^8b^2))) * (-a + b)^3 * (a - b)^3)^{(1/2)} * (3A^2b^3 + 3B^2a^3 - 4A^2a^2b - 2B^2a*b^2)) / (a^10 - a^4b^6 + 3a^6b^4 - 3a^8b^2)) * (3A^2b^3 + 3B^2a^3 - 4A^2a^2b - 2B^2a*b^2) * i) / (a^10 - a^4b^6 + 3a^6b^4 - 3a^8b^2)) / ((16(108A^3b^11 - 54A^3a*b^10 - 216A^3a^2b^9 + 81A^3a^3b^8 + 63A^3a^4b^7 - 9A^3a^5b^6 + 41A^3a^6b^5 - 4A^3a^7b^4 + 4A^3a^8b^3 - 32B^3a^3b^8 + 16B^3a^4b^7 + 80B^3a^5b^6 - 24B^3a^6b^5 - 48B^3a^7b^4 - 216A^2B^2a*b^10 + 144A^2B^2a^2b^9 - 72A^2B^2a^3b^8 - 336A^2B^2a^4b^7 + 108A^2B^2a^5b^6 + 168A^2B^2a^6b^5 - 6A^2B^2a^7b^4 + 24A^2B^2a^8b^3 + 108A^2B^2a^2b^9 + 468A^2B^2a^3b^8 - 162A^2B^2a^4b^7 - 186A^2B^2a^5b^6 + 15A^2B^2a^6b^5 - 63A^2B^2a^7b^4 + 3A^2B^2a^8b^3 - 3A^2B^2a^9b^2)) / (a^11b + a^12 -
\end{aligned}$$

$$\begin{aligned}
& a^9 b^3 - a^{10} b^2) + (b^2 * (-(a + b)^3 * (a - b)^3)^{(1/2)} * ((8 * \tan(c/2 + (d*x) / 2) * (A^2 * a^{10} + 72 * A^2 * b^{10} - 72 * A^2 * a * b^9 - 2 * A^2 * a^9 * b - 120 * A^2 * a^2 * b^8 \\
& + 120 * A^2 * a^3 * b^7 + 17 * A^2 * a^4 * b^6 - 26 * A^2 * a^5 * b^5 + 23 * A^2 * a^6 * b^4 - 20 * A^2 * a^7 * b^3 + 11 * A^2 * a^8 * b^2 + 32 * B^2 * a^2 * b^8 - 32 * B^2 * a^3 * b^7 - 64 * B^2 * a^4 * \\
& b^6 + 64 * B^2 * a^5 * b^5 + 20 * B^2 * a^6 * b^4 - 32 * B^2 * a^7 * b^3 + 16 * B^2 * a^8 * b^2 - 96 * A * B * a * b^9 - 8 * A * B * a^9 * b + 96 * A * B * a^2 * b^8 + 176 * A * B * a^3 * b^7 - 176 * A * B * a^4 * \\
& b^6 - 40 * A * B * a^5 * b^5 + 64 * A * B * a^6 * b^4 - 40 * A * B * a^7 * b^3 + 16 * A * B * a^8 * b^2)) / (\\
& a^8 * b + a^9 - a^6 * b^3 - a^7 * b^2) + (b^2 * ((8 * (2 * A * a^{15} - 12 * A * a^8 * b^7 + 6 * A * \\
& a^9 * b^6 + 28 * A * a^{10} * b^5 - 14 * A * a^{11} * b^4 - 16 * A * a^{12} * b^3 + 6 * A * a^{13} * b^2 + 8 * \\
& B * a^9 * b^6 - 4 * B * a^{10} * b^5 - 20 * B * a^{11} * b^4 + 12 * B * a^{12} * b^3 + 12 * B * a^{13} * b^2 - \\
& 8 * B * a^{14} * b)) / (a^{11} * b + a^{12} - a^9 * b^3 - a^{10} * b^2) + (8 * b^2 * \tan(c/2 + (d*x) / \\
& 2) * (-(a + b)^3 * (a - b)^3)^{(1/2)} * (3 * A * b^3 + 3 * B * a^3 - 4 * A * a^2 * b - 2 * B * a * b^2) \\
& * (8 * a^{13} * b - 8 * a^8 * b^6 + 8 * a^9 * b^5 + 16 * a^{10} * b^4 - 16 * a^{11} * b^3 - 8 * a^{12} * b^2) \\
&)) / ((a^8 * b + a^9 - a^6 * b^3 - a^7 * b^2) * (a^{10} - a^4 * b^6 + 3 * a^6 * b^4 - 3 * a^8 * b^2)) * (-(a + b)^3 * (a - b)^3)^{(1/2)} * (3 * A * b^3 + 3 * B * a^3 - 4 * A * a^2 * b - 2 * B * a * b^2) \\
&)) / (a^{10} - a^4 * b^6 + 3 * a^6 * b^4 - 3 * a^8 * b^2) - (b^2 * (-(a + b)^3 * (a - b)^3)^{(1/2)} * ((8 * \tan(c/2 + (d*x) / 2) * (A^2 * a^{10} + 72 * A^2 * b^{10} - 72 * A^2 * \\
& a * b^9 - 2 * A^2 * a^9 * b - 120 * A^2 * a^2 * b^8 + 120 * A^2 * a^3 * b^7 + 17 * A^2 * a^4 * b^6 - \\
& 26 * A^2 * a^5 * b^5 + 23 * A^2 * a^6 * b^4 - 20 * A^2 * a^7 * b^3 + 11 * A^2 * a^8 * b^2 + 32 * B^2 * \\
& a^2 * b^8 - 32 * B^2 * a^3 * b^7 - 64 * B^2 * a^4 * b^6 + 64 * B^2 * a^5 * b^5 + 20 * B^2 * a^6 * b^4 \\
& - 32 * B^2 * a^7 * b^3 + 16 * B^2 * a^8 * b^2 - 96 * A * B * a * b^9 - 8 * A * B * a^9 * b + 96 * A * B * a^2 * \\
& b^8 + 176 * A * B * a^3 * b^7 - 176 * A * B * a^4 * b^6 - 40 * A * B * a^5 * b^5 + 64 * A * B * a^6 * b^4 \\
& - 40 * A * B * a^7 * b^3 + 16 * A * B * a^8 * b^2)) / (a^8 * b + a^9 - a^6 * b^3 - a^7 * b^2) - (b^2 * ((8 * (2 * A * a^{15} - 12 * A * a^8 * b^7 + 6 * A * a^9 * b^6 + 28 * A * a^{10} * b^5 - 14 * A * a^{11} * b^4 - 16 * A * a^{12} * b^3 + 6 * A * a^{13} * b^2 + 8 * B * a^9 * b^6 - 4 * B * a^{10} * b^5 - 20 * B * a^{11} * b^4 + 12 * B * a^{12} * b^3 + 12 * B * a^{13} * b^2 - 8 * B * a^{14} * b)) / (a^{11} * b + a^{12} - a^9 * b^3 - a^{10} * b^2) - (8 * b^2 * \tan(c/2 + (d*x) / 2) * (-(a + b)^3 * (a - b)^3)^{(1/2)} * (3 * A * b^3 + 3 * B * a^3 - 4 * A * a^2 * b - 2 * B * a * b^2) * (8 * a^{13} * b - 8 * a^8 * b^6 + 8 * a^9 * b^5 + 16 * a^{10} * b^4 - 16 * a^{11} * b^3 - 8 * a^{12} * b^2)) / ((a^8 * b + a^9 - a^6 * b^3 - a^7 * b^2) * (a^{10} - a^4 * b^6 + 3 * a^6 * b^4 - 3 * a^8 * b^2)) * (-(a + b)^3 * (a - b)^3)^{(1/2)} * (3 * A * b^3 + 3 * B * a^3 - 4 * A * a^2 * b - 2 * B * a * b^2) / (a^{10} - a^4 * b^6 + 3 * a^6 * b^4 - 3 * a^8 * b^2)) * (-(a + b)^3 * (a - b)^3)^{(1/2)} * (3 * A * b^3 + 3 * B * a^3 - 4 * A * a^2 * b - 2 * B * a * b^2) * 2i) / (d * (a^{10} - a^4 * b^6 + 3 * a^6 * b^4 - 3 * a^8 * b^2))
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c))**2,x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**3/(a + b*cos(c + d*x))**2, x)

$$3.265 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=398

$$\frac{a(Ab - aB) \sin(c + dx) \cos^3(c + dx)}{2bd(a^2 - b^2)(a + b \cos(c + dx))^2} - \frac{x(-12a^2B + 6aAb - b^2B)}{2b^5} + \frac{a(-4a^3B + 2a^2Ab + 7ab^2B - 5Ab^3) \sin(c + dx)}{2b^2d(a^2 - b^2)^2(a + b \cos(c + dx))}$$

[Out] $-1/2*(6*A*a*b-12*B*a^2-B*b^2)*x/b^5+a^2*(6*A*a^4*b-15*A*a^2*b^3+12*A*b^5-12*B*a^5+29*B*a^3*b^2-20*B*a*b^4)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)))/(a-b)^{(5/2)}/b^5/(a+b)^{(5/2)}/d+1/2*(6*A*a^4*b-11*A*a^2*b^3+2*A*b^5-12*B*a^5+21*B*a^3*b^2-6*B*a*b^4)*\sin(d*x+c)/b^4/(a^2-b^2)^2/d-1/2*(3*A*a^3*b-6*A*a*b^3-6*B*a^4+10*B*a^2*b^2-B*b^4)*\cos(d*x+c)*\sin(d*x+c)/b^3/(a^2-b^2)^2/d+1/2*a*(A*b-B*a)*\cos(d*x+c)^3*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2+1/2*a*(2*A*a^2*b-5*A*b^3-4*B*a^3+7*B*a*b^2)*\cos(d*x+c)^2*\sin(d*x+c)/b^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 1.72, antiderivative size = 398, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2989, 3047, 3049, 3023, 2735, 2659, 205}

$$\frac{(-11a^2Ab^3 + 6a^4Ab + 21a^3b^2B - 12a^5B - 6ab^4B + 2Ab^5) \sin(c + dx)}{2b^4d(a^2 - b^2)^2} + \frac{a^2(-15a^2Ab^3 + 6a^4Ab + 29a^3b^2B - 12a^5B - 6ab^4B + 2Ab^5) \sin(c + dx)}{b^5d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3,x]

[Out] $-((6*a*A*b - 12*a^2*B - b^2*B)*x)/(2*b^5) + (a^2*(6*a^4*A*b - 15*a^2*A*b^3 + 12*A*b^5 - 12*a^5*B + 29*a^3*b^2*B - 20*a*b^4*B)*\text{ArcTan}[\frac{\sqrt{a-b}*\tan((c+d*x)/2)}{\sqrt{a+b}}])/(a-b)^{(5/2)}*b^5*(a+b)^{(5/2)}*d + ((6*a^4*A*b - 11*a^2*A*b^3 + 2*A*b^5 - 12*a^5*B + 21*a^3*b^2*B - 6*a*b^4*B)*\sin[c + d*x])/(2*b^4*(a^2 - b^2)^2*d) - ((3*a^3*A*b - 6*a*A*b^3 - 6*a^4*B + 10*a^2*b^2*B - b^4*B)*\cos[c + d*x]*\sin[c + d*x])/(2*b^3*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*\cos[c + d*x]^3*\sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*\cos[c + d*x])^2) + (a*(2*a^2*A*b - 5*A*b^3 - 4*a^3*B + 7*a*b^2*B)*\cos[c + d*x]^2*\sin[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*\cos[c + d*x]))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_
.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^3} dx &= \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{\int \frac{\cos^2(c+dx)(-3a(Ab-aB)+2b(Ab-aB))}{(a+b\cos(c+dx))^3} dx}{2b} \\
&= \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{a(2a^2Ab-5Ab^3-4a^3B+7a^2B)}{2b^2(a^2-b^2)^2d} \\
&= -\frac{(3a^3Ab-6aAb^3-6a^4B+10a^2b^2B-b^4B)\cos(c+dx)\sin(c+dx)}{2b^3(a^2-b^2)^2d} \\
&= \frac{(6a^4Ab-11a^2Ab^3+2Ab^5-12a^5B+21a^3b^2B-6ab^4B)\sin(c+dx)}{2b^4(a^2-b^2)^2d} \\
&= -\frac{(6aAb-12a^2B-b^2B)x}{2b^5} + \frac{(6a^4Ab-11a^2Ab^3+2Ab^5-12a^5B+21a^3b^2B-6ab^4B)\sin(c+dx)}{2b^4(a^2-b^2)^2} \\
&= -\frac{(6aAb-12a^2B-b^2B)x}{2b^5} + \frac{(6a^4Ab-11a^2Ab^3+2Ab^5-12a^5B+21a^3b^2B-6ab^4B)\sin(c+dx)}{2b^4(a^2-b^2)^2} \\
&= -\frac{(6aAb-12a^2B-b^2B)x}{2b^5} + \frac{a^2(6a^4Ab-15a^2Ab^3+12Ab^5-12a^5B)}{(a-b)^5}
\end{aligned}$$

Mathematica [A] time = 3.60, size = 734, normalized size = 1.84

$$\frac{16a^2(12a^5B-6a^4Ab-29a^3b^2B+15a^2Ab^3+20ab^4B-12Ab^5)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{5/2}} + \frac{96a^8Bc+96a^8Bdx-48a^7Abc-48a^7Abdx-96a^7bB\sin(c+dx)}{(a-b)^5}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3, x]

[Out] ((16*a^2*(-6*a^4*A*b + 15*a^2*A*b^3 - 12*A*b^5 + 12*a^5*B - 29*a^3*b^2*B + 20*a*b^4*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + (-48*a^7*A*b*c + 72*a^5*A*b^3*c - 24*a*A*b^7*c + 96*a^8*B*c - 136*a^6*b^2*B*c - 12*a^4*b^4*B*c + 48*a^2*b^6*B*c + 4*b^8*B*c - 48*a^7*A*b*d*x + 72*a^5*A*b^3*d*x - 24*a*A*b^7*d*x + 96*a^8*B*d*x - 136*a^6*b^2*B*d*x - 12*a^4*b^4*B*d*x + 48*a^2*b^6*B*d*x + 4*b^8*B*d*x + 16*a*b*(a^2 - b^2)^2*(-6*a*A*b + 12*a^2*B + b^2*B)*(c + d*x)*Cos[c + d*x] + 4*(-(a^2*b) + b^3)^2*(-6*a*A*b + 12*a^2*B + b^2*B)*(c + d*x)*Cos[2*(c + d*x)] + 48*a^6*A*b^2*Sin[c + d*x] - 84*a^4*A*b^4*Sin[c + d*x] + 8*a^2*A*b^6*Sin[c + d*x] + 4*A*b^8*Sin[c + d*x] - 96*a^7*b*B*Sin[c + d*x] + 160*a^5*b^3*B*Sin[c + d*x] - 32*a^3*b^5*B*Sin[c + d*x] - 8*a*b^7*B*Sin[c + d*x] + 36*a^5*A*b^3*Sin[2*(c + d*x)] - 64*a^3*A*b^5*Sin[2*(c + d*x)] + 16*a*A*b^7*Sin[2*(c + d*x)] - 72*a^6*b^2*B*Sin[2*(c + d*x)] + 130*a^4*b^4*B*Sin[2*(c + d*x)] - 48*a^2*b^6*B*Sin[2*(c + d*x)] + 2*b^8*B*Sin[2*(c + d*x)] + 4*a^4*A*b^4*Sin[3*(c + d*x)] - 8*a^2*A*b^6*Sin[3*(c + d*x)] + 4*A*b^8*Sin[3*(c + d*x)] - 8*a^5*b^3*B*Sin[3*(c + d*x)] + 16*a^3*b^5*B*Sin[3*(c + d*x)] - 8*a*b^7*B*Sin[3*(c + d*x)] + a^4*b^4*B*Sin[4*(c + d*x)] - 2*a^2*b^6*B*Sin[4*(c + d*x)] + b^8*B*Sin[4*(c + d*x)]))/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2)/(16*b^5*d)

fricas [B] time = 1.23, size = 1812, normalized size = 4.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] [1/4*(2*(12*B*a^8*b^2 - 6*A*a^7*b^3 - 35*B*a^6*b^4 + 18*A*a^5*b^5 + 33*B*a^4*b^6 - 18*A*a^3*b^7 - 9*B*a^2*b^8 + 6*A*a*b^9 - B*b^10)*d*x*cos(d*x + c)^2 + 4*(12*B*a^9*b - 6*A*a^8*b^2 - 35*B*a^7*b^3 + 18*A*a^6*b^4 + 33*B*a^5*b^5 - 18*A*a^4*b^6 - 9*B*a^3*b^7 + 6*A*a^2*b^8 - B*a*b^9)*d*x*cos(d*x + c) + 2*(12*B*a^10 - 6*A*a^9*b - 35*B*a^8*b^2 + 18*A*a^7*b^3 + 33*B*a^6*b^4 - 18*A*a^5*b^5 - 9*B*a^4*b^6 + 6*A*a^3*b^7 - B*a^2*b^8)*d*x + (12*B*a^9 - 6*A*a^8*b - 29*B*a^7*b^2 + 15*A*a^6*b^3 + 20*B*a^5*b^4 - 12*A*a^4*b^5 + (12*B*a^7*b^2 - 6*A*a^6*b^3 - 29*B*a^5*b^4 + 15*A*a^4*b^5 + 20*B*a^3*b^6 - 12*A*a^2*b^7)*cos(d*x + c)^2 + 2*(12*B*a^8*b - 6*A*a^7*b^2 - 29*B*a^6*b^3 + 15*A*a^5*b^4 + 20*B*a^4*b^5 - 12*A*a^3*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(12*B*a^9*b - 6*A*a^8*b^2 - 33*B*a^7*b^3 + 17*A*a^6*b^4 + 27*B*a^5*b^5 - 13*A*a^4*b^6 - 6*B*a^3*b^7 + 2*A*a^2*b^8 - (B*a^6*b^4 - 3*B*a^4*b^6 + 3*B*a^2*b^8 - B*b^10)*cos(d*x + c)^3 + 2*(2*B*a^7*b^3 - A*a^6*b^4 - 6*B*a^5*b^5 + 3*A*a^4*b^6 + 6*B*a^3*b^7 - 3*A*a^2*b^8 - 2*B*a*b^9 + A*b^10)*cos(d*x + c)^2 + (18*B*a^8*b^2 - 9*A*a^7*b^3 - 50*B*a^6*b^4 + 25*A*a^5*b^5 + 43*B*a^4*b^6 - 20*A*a^3*b^7 - 11*B*a^2*b^8 + 4*A*a*b^9)*cos(d*x + c))*sin(d*x + c))/((a^6*b^7 - 3*a^4*b^9 + 3*a^2*b^11 - b^13)*d*cos(d*x + c)^2 + 2*(a^7*b^6 - 3*a^5*b^8 + 3*a^3*b^10 - a*b^12)*d*cos(d*x + c) + (a^8*b^5 - 3*a^6*b^7 + 3*a^4*b^9 - a^2*b^11)*d), 1/2*((12*B*a^8*b^2 - 6*A*a^7*b^3 - 35*B*a^6*b^4 + 18*A*a^5*b^5 + 33*B*a^4*b^6 - 18*A*a^3*b^7 - 9*B*a^2*b^8 + 6*A*a*b^9 - B*b^10)*d*x*cos(d*x + c)^2 + 2*(12*B*a^9*b - 6*A*a^8*b^2 - 35*B*a^7*b^3 + 18*A*a^6*b^4 + 33*B*a^5*b^5 - 18*A*a^4*b^6 - 9*B*a^3*b^7 + 6*A*a^2*b^8 - B*a*b^9)*d*x*cos(d*x + c) + (12*B*a^10 - 6*A*a^9*b - 35*B*a^8*b^2 + 18*A*a^7*b^3 + 33*B*a^6*b^4 - 18*A*a^5*b^5 - 9*B*a^4*b^6 + 6*A*a^3*b^7 - B*a^2*b^8)*d*x - (12*B*a^9 - 6*A*a^8*b - 29*B*a^7*b^2 + 15*A*a^6*b^3 + 20*B*a^5*b^4 - 12*A*a^4*b^5 + (12*B*a^7*b^2 - 6*A*a^6*b^3 - 29*B*a^5*b^4 + 15*A*a^4*b^5 + 20*B*a^3*b^6 - 12*A*a^2*b^7)*cos(d*x + c)^2 + 2*(12*B*a^8*b - 6*A*a^7*b^2 - 29*B*a^6*b^3 + 15*A*a^5*b^4 + 20*B*a^4*b^5 - 12*A*a^3*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (12*B*a^9*b - 6*A*a^8*b^2 - 33*B*a^7*b^3 + 17*A*a^6*b^4 + 27*B*a^5*b^5 - 13*A*a^4*b^6 - 6*B*a^3*b^7 + 2*A*a^2*b^8 - (B*a^6*b^4 - 3*B*a^4*b^6 + 3*B*a^2*b^8 - B*b^10)*cos(d*x + c)^3 + 2*(2*B*a^7*b^3 - A*a^6*b^4 - 6*B*a^5*b^5 + 3*A*a^4*b^6 + 6*B*a^3*b^7 - 3*A*a^2*b^8 - 2*B*a*b^9 + A*b^10)*cos(d*x + c)^2 + (18*B*a^8*b^2 - 9*A*a^7*b^3 - 50*B*a^6*b^4 + 25*A*a^5*b^5 + 43*B*a^4*b^6 - 20*A*a^3*b^7 - 11*B*a^2*b^8 + 4*A*a*b^9)*cos(d*x + c))*sin(d*x + c))/((a^6*b^7 - 3*a^4*b^9 + 3*a^2*b^11 - b^13)*d*cos(d*x + c)^2 + 2*(a^7*b^6 - 3*a^5*b^8 + 3*a^3*b^10 - a*b^12)*d*cos(d*x + c) + (a^8*b^5 - 3*a^6*b^7 + 3*a^4*b^9 - a^2*b^11)*d)]

giac [B] time = 2.32, size = 2712, normalized size = 6.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] 1/2*((3*(2*a^5*b - a^4*b^2 - 4*a^3*b^3 + 2*a^2*b^4 + 2*a*b^5)*sqrt(a^2 - b^2)*A*abs(a^4*b^5 - 2*a^2*b^7 + b^9)*abs(-a + b) - (12*a^6 - 6*a^5*b - 23*a^4

$$\begin{aligned}
& 4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 - a*b^5 + b^6)*\sqrt{a^2 - b^2}*B*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9)*\text{abs}(-a + b) + 3*(4*a^{10}*b^5 - 2*a^9*b^6 - 17*a^8*b^7 + 8*a^7*b^8 + 28*a^6*b^9 - 12*a^5*b^{10} - 21*a^4*b^{11} + 8*a^3*b^{12} + 6*a^2*b^{13} - 2*a*b^{14})*\sqrt{a^2 - b^2}*A*\text{abs}(-a + b) - (24*a^{11}*b^4 - 12*a^{10}*b^5 - 100*a^9*b^6 + 47*a^8*b^7 + 158*a^7*b^8 - 68*a^6*b^9 - 111*a^5*b^{10} + 42*a^4*b^{11} + 28*a^3*b^{12} - 8*a^2*b^{13} + a*b^{14} - b^{15})*\sqrt{a^2 - b^2}*B*\text{abs}(-a + b))*(\pi*\text{floor}(1/2*(d*x + c)/\pi + 1/2) + \arctan(2*\tan(1/2*d*x + 1/2*c)/\sqrt{(4*a^5*b^4 - 8*a^3*b^6 + 4*a*b^8 + \sqrt{-16*(a^5*b^4 + a^4*b^5 - 2*a^3*b^6 - 2*a^2*b^7 + a*b^8 + b^9)*(a^5*b^4 - a^4*b^5 - 2*a^3*b^6 + 2*a^2*b^7 + a*b^8 - b^9) + 16*(a^5*b^4 - 2*a^3*b^6 + a*b^8)^2})/(a^5*b^4 - a^4*b^5 - 2*a^3*b^6 + 2*a^2*b^7 + a*b^8 - b^9))))/((a^4*b^5 - 2*a^2*b^7 + b^9)^2*(a^2 - 2*a*b + b^2) + (a^7*b^4 - 2*a^6*b^5 - a^5*b^6 + 4*a^4*b^7 - a^3*b^8 - 2*a^2*b^9 + a*b^{10})*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9)) + (24*B*a^{11}*b^4 - 12*A*a^{10}*b^5 - 12*B*a^{10}*b^5 + 6*A*a^9*b^6 - 100*B*a^9*b^6 + 51*A*a^8*b^7 + 47*B*a^8*b^7 - 24*A*a^7*b^8 + 158*B*a^7*b^8 - 84*A*a^6*b^9 - 68*B*a^6*b^9 + 36*A*a^5*b^{10} - 111*B*a^5*b^{10} + 63*A*a^4*b^{11} + 42*B*a^4*b^{11} - 24*A*a^3*b^{12} + 28*B*a^3*b^{12} - 18*A*a^2*b^{13} - 8*B*a^2*b^{13} + 6*A*a*b^{14} + B*a*b^{14} - B*b^{15} - 12*B*a^6*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) + 6*A*a^5*b*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) + 6*B*a^5*b*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) - 3*A*a^4*b^2*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) + 23*B*a^4*b^2*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) - 12*A*a^3*b^3*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) - 10*B*a^3*b^3*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) + 6*A*a^2*b^4*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) - 10*B*a^2*b^4*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) + 6*A*a*b^5*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) - B*b^6*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9))*(\pi*\text{floor}(1/2*(d*x + c)/\pi + 1/2) + \arctan(2*\tan(1/2*d*x + 1/2*c)/\sqrt{(4*a^5*b^4 - 8*a^3*b^6 + 4*a*b^8 - \sqrt{-16*(a^5*b^4 + a^4*b^5 - 2*a^3*b^6 - 2*a^2*b^7 + a*b^8 + b^9)*(a^5*b^4 - a^4*b^5 - 2*a^3*b^6 + 2*a^2*b^7 + a*b^8 - b^9) + 16*(a^5*b^4 - 2*a^3*b^6 + a*b^8)^2})/(a^5*b^4*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) - 2*a^3*b^6*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) + a*b^8*\text{abs}(a^4*b^5 - 2*a^2*b^7 + b^9) - (a^4*b^5 - 2*a^2*b^7 + b^9)^2) - 2*(12*B*a^7*\tan(1/2*d*x + 1/2*c)^7 - 6*A*a^6*b*\tan(1/2*d*x + 1/2*c)^7 - 18*B*a^6*b*\tan(1/2*d*x + 1/2*c)^7 + 9*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 - 17*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 + 9*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 + 33*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 - 16*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 - 2*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 + 2*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 - 13*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 + 4*A*a*b^6*\tan(1/2*d*x + 1/2*c)^7 + 4*B*a*b^6*\tan(1/2*d*x + 1/2*c)^7 - 2*A*b^7*\tan(1/2*d*x + 1/2*c)^7 + B*b^7*\tan(1/2*d*x + 1/2*c)^7 + 36*B*a^7*\tan(1/2*d*x + 1/2*c)^5 - 18*A*a^6*b*\tan(1/2*d*x + 1/2*c)^5 - 18*B*a^6*b*\tan(1/2*d*x + 1/2*c)^5 + 9*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 - 67*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 + 35*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 + 29*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 - 16*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 + 26*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 - 10*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 - 5*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 + 4*A*a*b^6*\tan(1/2*d*x + 1/2*c)^5 - 4*B*a*b^6*\tan(1/2*d*x + 1/2*c)^5 + 2*A*b^7*\tan(1/2*d*x + 1/2*c)^5 - 3*B*b^7*\tan(1/2*d*x + 1/2*c)^5 + 36*B*a^7*\tan(1/2*d*x + 1/2*c)^3 - 18*A*a^6*b*\tan(1/2*d*x + 1/2*c)^3 + 18*B*a^6*b*\tan(1/2*d*x + 1/2*c)^3 - 9*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 - 67*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 + 35*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 - 29*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 + 16*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 + 26*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 - 10*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 + 5*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 - 4*A*a*b^6*\tan(1/2*d*x + 1/2*c)^3 - 4*B*a*b^6*\tan(1/2*d*x + 1/2*c)^3 + 2*A*b^7*\tan(1/2*d*x + 1/2*c)^3 + 3*B*b^7*\tan(1/2*d*x + 1/2*c)^3 + 12*B*a^7*\tan(1/2*d*x + 1/2*c) - 6*A*a^6*b*\tan(1/2*d*x + 1/2*c) + 18*B*a^6*b*\tan(1/2*d*x + 1/2*c) - 9*A*a^5*b^2*\tan(1/2*d*x + 1/2*c) - 17*B*a^5*b^2*\tan(1/2*d*x + 1/2*c) + 9*A*a^4*b^3*\tan(1/2*d*x + 1/2*c) - 33*B*a^4*b^3*\tan(1/2*d*x + 1/2*c) + 16*A*a^3*b^4*\tan(1/2*d*x + 1/2*c) - 2*B*a^3*b^4*\tan(1/2*d*x + 1/2*c) + 2*A*a^2*b^5*\tan(1/2*d*x + 1/2*c) + 13*B*a^2*b^5*\tan(1/2*d*x + 1/2*c) - 4*A*a*b^6*\tan(1/2*d*x + 1/2*c) + 4*B*a*b^6*\tan(1/2*d*x + 1/2*c) - 2*A*b^7*\tan(1/2*d*x + 1/2*c) - B*b^7*\tan(1/2*d*x + 1/2*c)
\end{aligned}$$

$2*c))/((a^4*b^4 - 2*a^2*b^6 + b^8)*(a*\tan(1/2*d*x + 1/2*c)^4 - b*\tan(1/2*d*x + 1/2*c)^4 + 2*a*\tan(1/2*d*x + 1/2*c)^2 + a + b)^2))/d$

maple [B] time = 0.10, size = 1504, normalized size = 3.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x)`

[Out]
$$\begin{aligned} & -20/d*a^3/b/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B+6/d*a^6/b^4/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A-15/d*a^4/b^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A-12/d*a^7/b^5/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B+29/d*a^5/b^3/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B+1/d/b^3*\arctan(\tan(1/2*d*x+1/2*c))*B+2/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*A+4/d*a^5/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A+1/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A+4/d*a^5/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-1/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-1/d*a^5/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+10/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-8/d*a^3/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-6/d*a^6/b^4/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-8/d*a^3/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+1/d*a^5/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+10/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-1/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B+2/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A+1/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*B-6/d/b^4*\arctan(\tan(1/2*d*x+1/2*c))*A+a+12/d/b^5*\arctan(\tan(1/2*d*x+1/2*c))*a^2*B+12/d*a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A-6/d/b^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B*a-6/d/b^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*B*a$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 12.01, size = 10598, normalized size = 26.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^3,x)

[Out] ((tan(c/2 + (d*x)/2)^5*(3*B*b^7 - 36*B*a^7 - 2*A*b^7 + 10*A*a^2*b^5 + 16*A*a^3*b^4 - 35*A*a^4*b^3 - 9*A*a^5*b^2 + 5*B*a^2*b^5 - 26*B*a^3*b^4 - 29*B*a^4*b^3 + 67*B*a^5*b^2 - 4*A*a*b^6 + 18*A*a^6*b + 4*B*a*b^6 + 18*B*a^6*b))/((a + b)^2*(b^6 - 2*a*b^5 + a^2*b^4)) - (tan(c/2 + (d*x)/2)^3*(2*A*b^7 + 36*B*a^7 + 3*B*b^7 - 10*A*a^2*b^5 + 16*A*a^3*b^4 + 35*A*a^4*b^3 - 9*A*a^5*b^2 + 5*B*a^2*b^5 + 26*B*a^3*b^4 - 29*B*a^4*b^3 - 67*B*a^5*b^2 - 4*A*a*b^6 - 18*A*a^6*b - 4*B*a*b^6 + 18*B*a^6*b))/((a + b)^2*(b^6 - 2*a*b^5 + a^2*b^4)) + (tan(c/2 + (d*x)/2)^7*(B*b^6 - 12*B*a^6 - 2*A*b^6 + 4*A*a^2*b^4 - 12*A*a^3*b^3 - 3*A*a^4*b^2 - 8*B*a^2*b^4 - 10*B*a^3*b^3 + 23*B*a^4*b^2 + 2*A*a*b^5 + 6*A*a^5*b + 5*B*a*b^5 + 6*B*a^5*b))/((a*b^4 - b^5)*(a + b)^2) + (tan(c/2 + (d*x)/2)*(2*A*b^6 - 12*B*a^6 + B*b^6 - 4*A*a^2*b^4 - 12*A*a^3*b^3 + 3*A*a^4*b^2 - 8*B*a^2*b^4 + 10*B*a^3*b^3 + 23*B*a^4*b^2 + 2*A*a*b^5 + 6*A*a^5*b - 5*B*a*b^5 - 6*B*a^5*b))/((a + b)*(b^6 - 2*a*b^5 + a^2*b^4))/(d*(2*a*b + tan(c/2 + (d*x)/2)^4*(6*a^2 - 2*b^2) + tan(c/2 + (d*x)/2)^2*(4*a*b + 4*a^2) - tan(c/2 + (d*x)/2)^6*(4*a*b - 4*a^2) + tan(c/2 + (d*x)/2)^8*(a^2 - 2*a*b + b^2) + a^2 + b^2)) + (atan((((8*tan(c/2 + (d*x)/2)*(288*B^2*a^14 + B^2*b^14 - 2*B^2*a*b^13 - 288*B^2*a^13*b + 36*A^2*a^2*b^12 - 72*A^2*a^3*b^11 + 36*A^2*a^4*b^10 + 288*A^2*a^5*b^9 - 288*A^2*a^6*b^8 - 432*A^2*a^7*b^7 + 441*A^2*a^8*b^6 + 288*A^2*a^9*b^5 - 288*A^2*a^10*b^4 - 72*A^2*a^11*b^3 + 72*A^2*a^12*b^2 + 21*B^2*a^2*b^12 - 40*B^2*a^3*b^11 + 74*B^2*a^4*b^10 - 108*B^2*a^5*b^9 + 18*B^2*a^6*b^8 + 872*B^2*a^7*b^7 - 827*B^2*a^8*b^6 - 1538*B^2*a^9*b^5 + 1538*B^2*a^10*b^4 + 1104*B^2*a^11*b^3 - 1104*B^2*a^12*b^2 - 12*A*B*a*b^13 - 288*A*B*a^13*b + 24*A*B*a^2*b^12 - 108*A*B*a^3*b^11 + 192*A*B*a^4*b^10 - 72*A*B*a^5*b^9 - 1008*A*B*a^6*b^8 + 984*A*B*a^7*b^7 + 1632*A*B*a^8*b^6 - 1650*A*B*a^9*b^5 - 1128*A*B*a^10*b^4 + 1128*A*B*a^11*b^3 + 288*A*B*a^12*b^2)))/(a*b^14 + b^15 - 3*a^2*b^13 - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8) + (((4*(4*B*b^21 + 48*A*a^2*b^19 + 72*A*a^3*b^18 - 156*A*a^4*b^17 - 84*A*a^5*b^16 + 192*A*a^6*b^15 + 48*A*a^7*b^14 - 108*A*a^8*b^13 - 12*A*a^9*b^12 + 24*A*a^10*b^11 + 28*B*a^2*b^19 - 80*B*a^3*b^18 - 120*B*a^4*b^17 + 276*B*a^5*b^16 + 164*B*a^6*b^15 - 360*B*a^7*b^14 - 100*B*a^8*b^13 + 212*B*a^9*b^12 + 24*B*a^10*b^11 - 48*B*a^11*b^10 - 24*A*a*b^20)))/(a*b^18 + b^19 - 3*a^2*b^17 - 3*a^3*b^16 + 3*a^4*b^15 + 3*a^5*b^14 - a^6*b^13 - a^7*b^12) - (4*tan(c/2 + (d*x)/2)*(B*a^2*12i + B*b^2*1i - A*a*b*6i))*(8*a*b^19 - 8*a^2*b^18 - 32*a^3*b^17 + 32*a^4*b^16 + 48*a^5*b^15 - 48*a^6*b^14 - 32*a^7*b^13 + 32*a^8*b^12 + 8*a^9*b^11 - 8*a^10*b^10))/(b^5*(a*b^14 + b^15 - 3*a^2*b^13 - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8)))*(B*a^2*12i + B*b^2*1i - A*a*b*6i))/(2*b^5)*(B*a^2*12i + B*b^2*1i - A*a*b*6i)*1i)/(2*b^5) + (((8*tan(c/2 + (d*x)/2)*(288*B^2*a^14 + B^2*b^14 - 2*B^2*a*b^13 - 288*B^2*a^13*b + 36*A^2*a^2*b^12 - 72*A^2*a^3*b^11 + 36*A^2*a^4*b^10 + 288*A^2*a^5*b^9 - 288*A^2*a^6*b^8 - 432*A^2*a^7*b^7 + 441*A^2*a^8*b^6 + 288*A^2*a^9*b^5 - 288*A^2*a^10*b^4 - 72*A^2*a^11*b^3 + 72*A^2*a^12*b^2 + 21*B^2*a^2*b^12 - 40*B^2*a^3*b^11 + 74*B^2*a^4*b^10 - 108*B^2*a^5*b^9 + 18*B^2*a^6*b^8 + 872*B^2*a^7*b^7 - 827*B^2*a^8*b^6 - 1538*B^2*a^9*b^5 + 1538*B^2*a^10*b^4 + 1104*B^2*a^11*b^3 - 1104*B^2*a^12*b^2 - 12*A*B*a*b^13 - 288*A*B*a^13*b + 24*A*B*a^2*b^12 - 108*A*B*a^3*b^11 + 192*A*B*a^4*b^10 - 72*A*B*a^5*b^9 - 1008*A*B*a^6*b^8 + 984*A*B*a^7*b^7 + 1632*A*B*a^8*b^6 - 1650*A*B*a^9*b^5 - 1128*A*B*a^10*b^4 + 1128*A*B*a^11*b^3 + 288*A*B*a^12*b^2)))/(a*b^14 + b^15 - 3*a^2*b^13 - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8) - (((4*(4*B*b^21 + 48*A*a^2*b^19 + 72*A*a^3*b^18 - 156*A*a^4*b^17 - 84*A*a^5*b^16 + 192*A*a^6*b^15 + 48*A*a^7*b^14 - 108*A*a^8*b^13 - 12*A*a^9*b^12 + 24*A*a^10*b^11 + 28*B*a^2*b^19 - 80*B*a^3*b^18 - 120*B*a^4*b^17 + 276*B*a^5*b^16 + 164*B*a^6*b^15 - 360*B*a^7*b^14 - 100*B*a^8*b^13 + 212*B*a^9*b^12 + 24*B*a^10*b^11 - 48*B*a^11*b^10 - 24*A*a*b^20)))/(a*b^18 + b^19 - 3*a^2*b^17 - 3*a^3*b^16 + 3*a^4*b^15 + 3*a^5*b^14 - a^6*b^13 - a^7*b^12) + (4*tan(c/2 + (d*x)/2)*(B*a^2*12i + B*b^2*1i - A*a*b*6i))*(8*a*b^19 - 8*a^2*b^18 - 32*a^3*b^17 + 32*a^4*b^16 + 48*a^5*b^15 - 48*a^6*b^14 - 32*a^7*b^13 + 32*a^8*b^12 + 8*a^9*b^11 - 8*a^10*b^10))/(b^5*(a*b^14 + b^15 - 3*a^2*b^13 - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8)))*(B*a^2*12i + B*b^2*1i - A*a*b*6i))/(2*b^5)

$$\begin{aligned}
& (1i - A*a*b*6i))/(2*b^5)*(B*a^2*12i + B*b^2*1i - A*a*b*6i)*1i)/(2*b^5))/((8 \\
& *(1728*B^3*a^15 - 864*B^3*a^14*b - 432*A^3*a^4*b^11 - 432*A^3*a^5*b^10 + 14 \\
& 04*A^3*a^6*b^9 + 756*A^3*a^7*b^8 - 1728*A^3*a^8*b^7 - 486*A^3*a^9*b^6 + 972 \\
& *A^3*a^10*b^5 + 108*A^3*a^11*b^4 - 216*A^3*a^12*b^3 + 20*B^3*a^3*b^12 - 20* \\
& B^3*a^4*b^11 + 411*B^3*a^5*b^10 - 11*B^3*a^6*b^9 + 1314*B^3*a^7*b^8 + 2326* \\
& B^3*a^8*b^7 - 7829*B^3*a^9*b^6 - 4770*B^3*a^10*b^5 + 11700*B^3*a^11*b^4 + 3 \\
& 456*B^3*a^12*b^3 - 7344*B^3*a^13*b^2 - 2592*A*B^2*a^14*b - 12*A*B^2*a^2*b^1 \\
& 3 + 12*A*B^2*a^3*b^12 - 489*A*B^2*a^4*b^11 + 9*A*B^2*a^5*b^10 - 2892*A*B^2* \\
& a^6*b^9 - 3972*A*B^2*a^7*b^8 + 13347*A*B^2*a^8*b^7 + 7767*A*B^2*a^9*b^6 - 1 \\
& 8594*A*B^2*a^10*b^5 - 5400*A*B^2*a^11*b^4 + 11232*A*B^2*a^12*b^3 + 1296*A*B \\
& ^2*a^13*b^2 + 144*A^2*B*a^3*b^12 + 1980*A^2*B*a^5*b^10 + 2268*A^2*B*a^6*b^9 \\
& - 7524*A^2*B*a^7*b^8 - 4203*A^2*B*a^8*b^7 + 9828*A^2*B*a^9*b^6 + 2808*A^2* \\
& B*a^10*b^5 - 5724*A^2*B*a^11*b^4 - 648*A^2*B*a^12*b^3 + 1296*A^2*B*a^13*b^2 \\
&))/(a*b^18 + b^19 - 3*a^2*b^17 - 3*a^3*b^16 + 3*a^4*b^15 + 3*a^5*b^14 - a^6 \\
& *b^13 - a^7*b^12) - (((8*tan(c/2 + (d*x)/2)*(288*B^2*a^14 + B^2*b^14 - 2*B^ \\
& 2*a*b^13 - 288*B^2*a^13*b + 36*A^2*a^2*b^12 - 72*A^2*a^3*b^11 + 36*A^2*a^4* \\
& b^10 + 288*A^2*a^5*b^9 - 288*A^2*a^6*b^8 - 432*A^2*a^7*b^7 + 441*A^2*a^8*b^ \\
& 6 + 288*A^2*a^9*b^5 - 288*A^2*a^10*b^4 - 72*A^2*a^11*b^3 + 72*A^2*a^12*b^2 \\
& + 21*B^2*a^2*b^12 - 40*B^2*a^3*b^11 + 74*B^2*a^4*b^10 - 108*B^2*a^5*b^9 + 1 \\
& 8*B^2*a^6*b^8 + 872*B^2*a^7*b^7 - 827*B^2*a^8*b^6 - 1538*B^2*a^9*b^5 + 1538 \\
& *B^2*a^10*b^4 + 1104*B^2*a^11*b^3 - 1104*B^2*a^12*b^2 - 12*A*B*a*b^13 - 288 \\
& *A*B*a^13*b + 24*A*B*a^2*b^12 - 108*A*B*a^3*b^11 + 192*A*B*a^4*b^10 - 72*A* \\
& B*a^5*b^9 - 1008*A*B*a^6*b^8 + 984*A*B*a^7*b^7 + 1632*A*B*a^8*b^6 - 1650*A* \\
& B*a^9*b^5 - 1128*A*B*a^10*b^4 + 1128*A*B*a^11*b^3 + 288*A*B*a^12*b^2))/(a*b \\
& ^14 + b^15 - 3*a^2*b^13 - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - \\
& a^7*b^8) + (((4*(4*B*b^21 + 48*A*a^2*b^19 + 72*A*a^3*b^18 - 156*A*a^4*b^17 \\
& - 84*A*a^5*b^16 + 192*A*a^6*b^15 + 48*A*a^7*b^14 - 108*A*a^8*b^13 - 12*A*a^ \\
& 9*b^12 + 24*A*a^10*b^11 + 28*B*a^2*b^19 - 80*B*a^3*b^18 - 120*B*a^4*b^17 + \\
& 276*B*a^5*b^16 + 164*B*a^6*b^15 - 360*B*a^7*b^14 - 100*B*a^8*b^13 + 212*B*a \\
& ^9*b^12 + 24*B*a^10*b^11 - 48*B*a^11*b^10 - 24*A*a*b^20))/(a*b^18 + b^19 - \\
& 3*a^2*b^17 - 3*a^3*b^16 + 3*a^4*b^15 + 3*a^5*b^14 - a^6*b^13 - a^7*b^12) - \\
& (4*tan(c/2 + (d*x)/2)*(B*a^2*12i + B*b^2*1i - A*a*b*6i)*(8*a*b^19 - 8*a^2*b \\
& ^18 - 32*a^3*b^17 + 32*a^4*b^16 + 48*a^5*b^15 - 48*a^6*b^14 - 32*a^7*b^13 + \\
& 32*a^8*b^12 + 8*a^9*b^11 - 8*a^10*b^10))/(b^5*(a*b^14 + b^15 - 3*a^2*b^13 \\
& - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8)))*(B*a^2*12i + \\
& B*b^2*1i - A*a*b*6i))/(2*b^5)*(B*a^2*12i + B*b^2*1i - A*a*b*6i))/(2*b^5) + \\
& (((8*tan(c/2 + (d*x)/2)*(288*B^2*a^14 + B^2*b^14 - 2*B^2*a*b^13 - 288*B^2* \\
& a^13*b + 36*A^2*a^2*b^12 - 72*A^2*a^3*b^11 + 36*A^2*a^4*b^10 + 288*A^2*a^5* \\
& b^9 - 288*A^2*a^6*b^8 - 432*A^2*a^7*b^7 + 441*A^2*a^8*b^6 + 288*A^2*a^9*b^5 \\
& - 288*A^2*a^10*b^4 - 72*A^2*a^11*b^3 + 72*A^2*a^12*b^2 + 21*B^2*a^2*b^12 - \\
& 40*B^2*a^3*b^11 + 74*B^2*a^4*b^10 - 108*B^2*a^5*b^9 + 18*B^2*a^6*b^8 + 872 \\
& *B^2*a^7*b^7 - 827*B^2*a^8*b^6 - 1538*B^2*a^9*b^5 + 1538*B^2*a^10*b^4 + 110 \\
& 4*B^2*a^11*b^3 - 1104*B^2*a^12*b^2 - 12*A*B*a*b^13 - 288*A*B*a^13*b + 24*A* \\
& B*a^2*b^12 - 108*A*B*a^3*b^11 + 192*A*B*a^4*b^10 - 72*A*B*a^5*b^9 - 1008*A* \\
& B*a^6*b^8 + 984*A*B*a^7*b^7 + 1632*A*B*a^8*b^6 - 1650*A*B*a^9*b^5 - 1128*A* \\
& B*a^10*b^4 + 1128*A*B*a^11*b^3 + 288*A*B*a^12*b^2))/(a*b^14 + b^15 - 3*a^2* \\
& b^13 - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8) - (((4*(4* \\
& B*b^21 + 48*A*a^2*b^19 + 72*A*a^3*b^18 - 156*A*a^4*b^17 - 84*A*a^5*b^16 + 1 \\
& 92*A*a^6*b^15 + 48*A*a^7*b^14 - 108*A*a^8*b^13 - 12*A*a^9*b^12 + 24*A*a^10* \\
& b^11 + 28*B*a^2*b^19 - 80*B*a^3*b^18 - 120*B*a^4*b^17 + 276*B*a^5*b^16 + 16 \\
& 4*B*a^6*b^15 - 360*B*a^7*b^14 - 100*B*a^8*b^13 + 212*B*a^9*b^12 + 24*B*a^10 \\
& *b^11 - 48*B*a^11*b^10 - 24*A*a*b^20))/(a*b^18 + b^19 - 3*a^2*b^17 - 3*a^3* \\
& b^16 + 3*a^4*b^15 + 3*a^5*b^14 - a^6*b^13 - a^7*b^12) + (4*tan(c/2 + (d*x)/ \\
& 2)*(B*a^2*12i + B*b^2*1i - A*a*b*6i)*(8*a*b^19 - 8*a^2*b^18 - 32*a^3*b^17 + \\
& 32*a^4*b^16 + 48*a^5*b^15 - 48*a^6*b^14 - 32*a^7*b^13 + 32*a^8*b^12 + 8*a^ \\
& 9*b^11 - 8*a^10*b^10))/(b^5*(a*b^14 + b^15 - 3*a^2*b^13 - 3*a^3*b^12 + 3*a^ \\
& 4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8)))*(B*a^2*12i + B*b^2*1i - A*a*b*6i \\
&))/(2*b^5)*(B*a^2*12i + B*b^2*1i - A*a*b*6i))/(2*b^5))*(B*a^2*12i + B*b^2 \\
& *1i - A*a*b*6i)*1i)/(b^5*d) + (a^2*atan(((a^2*(-(a + b)^5*(a - b)^5)^(1/2)*
\end{aligned}$$

$$\begin{aligned}
& ((8*\tan(c/2 + (d*x)/2)*(288*B^2*a^14 + B^2*b^14 - 2*B^2*a*b^13 - 288*B^2*a^13*b + 36*A^2*a^2*b^12 - 72*A^2*a^3*b^11 + 36*A^2*a^4*b^10 + 288*A^2*a^5*b^9 - 288*A^2*a^6*b^8 - 432*A^2*a^7*b^7 + 441*A^2*a^8*b^6 + 288*A^2*a^9*b^5 - 288*A^2*a^10*b^4 - 72*A^2*a^11*b^3 + 72*A^2*a^12*b^2 + 21*B^2*a^2*b^12 - 40*B^2*a^3*b^11 + 74*B^2*a^4*b^10 - 108*B^2*a^5*b^9 + 18*B^2*a^6*b^8 + 872*B^2*a^7*b^7 - 827*B^2*a^8*b^6 - 1538*B^2*a^9*b^5 + 1538*B^2*a^10*b^4 + 1104*B^2*a^11*b^3 - 1104*B^2*a^12*b^2 - 12*A*B*a*b^13 - 288*A*B*a^13*b + 24*A*B*a^2*b^12 - 108*A*B*a^3*b^11 + 192*A*B*a^4*b^10 - 72*A*B*a^5*b^9 - 1008*A*B*a^6*b^8 + 984*A*B*a^7*b^7 + 1632*A*B*a^8*b^6 - 1650*A*B*a^9*b^5 - 1128*A*B*a^10*b^4 + 1128*A*B*a^11*b^3 + 288*A*B*a^12*b^2))/(a*b^14 + b^15 - 3*a^2*b^13 - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8) + (a^2*((4*(4*B*b^21 + 48*A*a^2*b^19 + 72*A*a^3*b^18 - 156*A*a^4*b^17 - 84*A*a^5*b^16 + 192*A*a^6*b^15 + 48*A*a^7*b^14 - 108*A*a^8*b^13 - 12*A*a^9*b^12 + 24*A*a^10*b^11 + 28*B*a^2*b^19 - 80*B*a^3*b^18 - 120*B*a^4*b^17 + 276*B*a^5*b^16 + 164*B*a^6*b^15 - 360*B*a^7*b^14 - 100*B*a^8*b^13 + 212*B*a^9*b^12 + 24*B*a^10*b^11 - 48*B*a^11*b^10 - 24*A*a*b^20))/(a*b^18 + b^19 - 3*a^2*b^17 - 3*a^3*b^16 + 3*a^4*b^15 + 3*a^5*b^14 - a^6*b^13 - a^7*b^12) - (4*a^2*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^(1/2)*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - 20*B*a*b^4)*(8*a*b^19 - 8*a^2*b^18 - 32*a^3*b^17 + 32*a^4*b^16 + 48*a^5*b^15 - 48*a^6*b^14 - 32*a^7*b^13 + 32*a^8*b^12 + 8*a^9*b^11 - 8*a^10*b^10)))/((b^15 - 5*a^2*b^13 + 10*a^4*b^11 - 10*a^6*b^9 + 5*a^8*b^7 - a^10*b^5)*(a*b^14 + b^15 - 3*a^2*b^13 - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8)))*(-(a + b)^5*(a - b)^5)^(1/2)*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - 20*B*a*b^4))/(2*(b^15 - 5*a^2*b^13 + 10*a^4*b^11 - 10*a^6*b^9 + 5*a^8*b^7 - a^10*b^5)))*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - 20*B*a*b^4)*1i)/(2*(b^15 - 5*a^2*b^13 + 10*a^4*b^11 - 10*a^6*b^9 + 5*a^8*b^7 - a^10*b^5)) + (a^2*(-(a + b)^5*(a - b)^5)^(1/2)*((8*tan(c/2 + (d*x)/2)*(288*B^2*a^14 + B^2*b^14 - 2*B^2*a*b^13 - 288*B^2*a^13*b + 36*A^2*a^2*b^12 - 72*A^2*a^3*b^11 + 36*A^2*a^4*b^10 + 288*A^2*a^5*b^9 - 288*A^2*a^6*b^8 - 432*A^2*a^7*b^7 + 441*A^2*a^8*b^6 + 288*A^2*a^9*b^5 - 288*A^2*a^10*b^4 - 72*A^2*a^11*b^3 + 72*A^2*a^12*b^2 + 21*B^2*a^2*b^12 - 40*B^2*a^3*b^11 + 74*B^2*a^4*b^10 - 108*B^2*a^5*b^9 + 18*B^2*a^6*b^8 + 872*B^2*a^7*b^7 - 827*B^2*a^8*b^6 - 1538*B^2*a^9*b^5 + 1538*B^2*a^10*b^4 + 1104*B^2*a^11*b^3 - 1104*B^2*a^12*b^2 - 12*A*B*a*b^13 - 288*A*B*a^13*b + 24*A*B*a^2*b^12 - 108*A*B*a^3*b^11 + 192*A*B*a^4*b^10 - 72*A*B*a^5*b^9 - 1008*A*B*a^6*b^8 + 984*A*B*a^7*b^7 + 1632*A*B*a^8*b^6 - 1650*A*B*a^9*b^5 - 1128*A*B*a^10*b^4 + 1128*A*B*a^11*b^3 + 288*A*B*a^12*b^2))/(a*b^14 + b^15 - 3*a^2*b^13 - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8) - (a^2*((4*(4*B*b^21 + 48*A*a^2*b^19 + 72*A*a^3*b^18 - 156*A*a^4*b^17 - 84*A*a^5*b^16 + 192*A*a^6*b^15 + 48*A*a^7*b^14 - 108*A*a^8*b^13 - 12*A*a^9*b^12 + 24*A*a^10*b^11 + 28*B*a^2*b^19 - 80*B*a^3*b^18 - 120*B*a^4*b^17 + 276*B*a^5*b^16 + 164*B*a^6*b^15 - 360*B*a^7*b^14 - 100*B*a^8*b^13 + 212*B*a^9*b^12 + 24*B*a^10*b^11 - 48*B*a^11*b^10 - 24*A*a*b^20)))/(a*b^18 + b^19 - 3*a^2*b^17 - 3*a^3*b^16 + 3*a^4*b^15 + 3*a^5*b^14 - a^6*b^13 - a^7*b^12) + (4*a^2*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^(1/2)*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - 20*B*a*b^4)*(8*a*b^19 - 8*a^2*b^18 - 32*a^3*b^17 + 32*a^4*b^16 + 48*a^5*b^15 - 48*a^6*b^14 - 32*a^7*b^13 + 32*a^8*b^12 + 8*a^9*b^11 - 8*a^10*b^10)))/((b^15 - 5*a^2*b^13 + 10*a^4*b^11 - 10*a^6*b^9 + 5*a^8*b^7 - a^10*b^5)*(a*b^14 + b^15 - 3*a^2*b^13 - 3*a^3*b^12 + 3*a^4*b^11 + 3*a^5*b^10 - a^6*b^9 - a^7*b^8)))*(-(a + b)^5*(a - b)^5)^(1/2)*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - 20*B*a*b^4))/(2*(b^15 - 5*a^2*b^13 + 10*a^4*b^11 - 10*a^6*b^9 + 5*a^8*b^7 - a^10*b^5)))/((8*(1728*B^3*a^15 - 864*B^3*a^14*b - 432*A^3*a^4*b^11 - 432*A^3*a^5*b^10 + 1404*A^3*a^6*b^9 + 756*A^3*a^7*b^8 - 1728*A^3*a^8*b^7 - 486*A^3*a^9*b^6 + 972*A^3*a^10*b^5 + 108*A^3*a^11*b^4 - 216*A^3*a^12*b^3 + 20*B^3*a^3*b^12 - 20*B^3*a^4*b^11 + 411*B^3*a^5*b^10 - 11*B^3*a^6*b^9 + 1314*B^3*a^7*b^8 + 2326*B^3*a^8*b^7 - 7829*B^3*a^9*b^6 - 4770
\end{aligned}$$

$$\begin{aligned}
& *B^3*a^{10}*b^5 + 11700*B^3*a^{11}*b^4 + 3456*B^3*a^{12}*b^3 - 7344*B^3*a^{13}*b^2 \\
& - 2592*A*B^2*a^{14}*b - 12*A*B^2*a^2*b^{13} + 12*A*B^2*a^3*b^{12} - 489*A*B^2*a^4 \\
& *b^{11} + 9*A*B^2*a^5*b^{10} - 2892*A*B^2*a^6*b^9 - 3972*A*B^2*a^7*b^8 + 13347* \\
& A*B^2*a^8*b^7 + 7767*A*B^2*a^9*b^6 - 18594*A*B^2*a^{10}*b^5 - 5400*A*B^2*a^{11} \\
& *b^4 + 11232*A*B^2*a^{12}*b^3 + 1296*A*B^2*a^{13}*b^2 + 144*A^2*B*a^3*b^{12} + 19 \\
& 80*A^2*B*a^5*b^{10} + 2268*A^2*B*a^6*b^9 - 7524*A^2*B*a^7*b^8 - 4203*A^2*B*a^8 \\
& *b^7 + 9828*A^2*B*a^9*b^6 + 2808*A^2*B*a^{10}*b^5 - 5724*A^2*B*a^{11}*b^4 - 64 \\
& 8*A^2*B*a^{12}*b^3 + 1296*A^2*B*a^{13}*b^2)) / (a*b^{18} + b^{19} - 3*a^2*b^{17} - 3*a^3 \\
& *b^{16} + 3*a^4*b^{15} + 3*a^5*b^{14} - a^6*b^{13} - a^7*b^{12}) - (a^2*(-(a + b)^5*(a - b)^5)^{(1/2)}*((8*\tan(c/2 + (d*x)/2)*(288*B^2*a^{14} + B^2*b^{14} - 2*B^2*a* \\
& b^{13} - 288*B^2*a^{13}*b + 36*A^2*a^2*b^{12} - 72*A^2*a^3*b^{11} + 36*A^2*a^4*b^{10} \\
& + 288*A^2*a^5*b^9 - 288*A^2*a^6*b^8 - 432*A^2*a^7*b^7 + 441*A^2*a^8*b^6 + \\
& 288*A^2*a^9*b^5 - 288*A^2*a^{10}*b^4 - 72*A^2*a^{11}*b^3 + 72*A^2*a^{12}*b^2 + 21 \\
& *B^2*a^2*b^{12} - 40*B^2*a^3*b^{11} + 74*B^2*a^4*b^{10} - 108*B^2*a^5*b^9 + 18*B^2 \\
& *a^6*b^8 + 872*B^2*a^7*b^7 - 827*B^2*a^8*b^6 - 1538*B^2*a^9*b^5 + 1538*B^2 \\
& *a^{10}*b^4 + 1104*B^2*a^{11}*b^3 - 1104*B^2*a^{12}*b^2 - 12*A*B*a*b^{13} - 288*A*B \\
& *a^{13}*b + 24*A*B*a^2*b^{12} - 108*A*B*a^3*b^{11} + 192*A*B*a^4*b^{10} - 72*A*B*a^5 \\
& *b^9 - 1008*A*B*a^6*b^8 + 984*A*B*a^7*b^7 + 1632*A*B*a^8*b^6 - 1650*A*B*a^9 \\
& *b^5 - 1128*A*B*a^{10}*b^4 + 1128*A*B*a^{11}*b^3 + 288*A*B*a^{12}*b^2)) / (a*b^{14} \\
& + b^{15} - 3*a^2*b^{13} - 3*a^3*b^{12} + 3*a^4*b^{11} + 3*a^5*b^{10} - a^6*b^9 - a^7* \\
& b^8) + (a^2*((4*(4*B*b^{21} + 48*A*a^2*b^{19} + 72*A*a^3*b^{18} - 156*A*a^4*b^{17} \\
& - 84*A*a^5*b^{16} + 192*A*a^6*b^{15} + 48*A*a^7*b^{14} - 108*A*a^8*b^{13} - 12*A*a^9 \\
& *b^{12} + 24*A*a^{10}*b^{11} + 28*B*a^2*b^{19} - 80*B*a^3*b^{18} - 120*B*a^4*b^{17} + \\
& 276*B*a^5*b^{16} + 164*B*a^6*b^{15} - 360*B*a^7*b^{14} - 100*B*a^8*b^{13} + 212*B*a^9 \\
& *b^{12} + 24*B*a^{10}*b^{11} - 48*B*a^{11}*b^{10} - 24*A*a*b^{20})) / (a*b^{18} + b^{19} - \\
& 3*a^2*b^{17} - 3*a^3*b^{16} + 3*a^4*b^{15} + 3*a^5*b^{14} - a^6*b^{13} - a^7*b^{12}) - \\
& (4*a^2*\tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^{(1/2)}*(12*A*b^5 - 12*B*a^5 \\
& - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - 20*B*a*b^4)*(8*a*b^{19} - 8*a^2* \\
& b^{18} - 32*a^3*b^{17} + 32*a^4*b^{16} + 48*a^5*b^{15} - 48*a^6*b^{14} - 32*a^7*b^{13} \\
& + 32*a^8*b^{12} + 8*a^9*b^{11} - 8*a^{10}*b^{10})) / ((b^{15} - 5*a^2*b^{13} + 10*a^4*b^{11} \\
& - 10*a^6*b^9 + 5*a^8*b^7 - a^{10}*b^5)*(a*b^{14} + b^{15} - 3*a^2*b^{13} - 3*a^3* \\
& b^{12} + 3*a^4*b^{11} + 3*a^5*b^{10} - a^6*b^9 - a^7*b^8)))*(-(a + b)^5*(a - b)^5 \\
&)^{(1/2)}*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - 20 \\
& *B*a*b^4)) / (2*(b^{15} - 5*a^2*b^{13} + 10*a^4*b^{11} - 10*a^6*b^9 + 5*a^8*b^7 - a \\
& ^{10}*b^5)))*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - \\
& 20*B*a*b^4)) / (2*(b^{15} - 5*a^2*b^{13} + 10*a^4*b^{11} - 10*a^6*b^9 + 5*a^8*b^7 \\
& - a^{10}*b^5)) + (a^2*(-(a + b)^5*(a - b)^5)^{(1/2)}*((8*\tan(c/2 + (d*x)/2)*(28 \\
& 8*B^2*a^{14} + B^2*b^{14} - 2*B^2*a*b^{13} - 288*B^2*a^{13}*b + 36*A^2*a^2*b^{12} - 7 \\
& 2*A^2*a^3*b^{11} + 36*A^2*a^4*b^{10} + 288*A^2*a^5*b^9 - 288*A^2*a^6*b^8 - 432* \\
& A^2*a^7*b^7 + 441*A^2*a^8*b^6 + 288*A^2*a^9*b^5 - 288*A^2*a^{10}*b^4 - 72*A^2 \\
& *a^{11}*b^3 + 72*A^2*a^{12}*b^2 + 21*B^2*a^2*b^{12} - 40*B^2*a^3*b^{11} + 74*B^2*a^4 \\
& *b^{10} - 108*B^2*a^5*b^9 + 18*B^2*a^6*b^8 + 872*B^2*a^7*b^7 - 827*B^2*a^8*b^6 \\
& - 1538*B^2*a^9*b^5 + 1538*B^2*a^{10}*b^4 + 1104*B^2*a^{11}*b^3 - 1104*B^2*a^{12} \\
& *b^2 - 12*A*B*a*b^{13} - 288*A*B*a^{13}*b + 24*A*B*a^2*b^{12} - 108*A*B*a^3*b^{11} \\
& + 192*A*B*a^4*b^{10} - 72*A*B*a^5*b^9 - 1008*A*B*a^6*b^8 + 984*A*B*a^7*b^7 \\
& + 1632*A*B*a^8*b^6 - 1650*A*B*a^9*b^5 - 1128*A*B*a^{10}*b^4 + 1128*A*B*a^{11}*b^3 \\
& + 288*A*B*a^{12}*b^2)) / (a*b^{14} + b^{15} - 3*a^2*b^{13} - 3*a^3*b^{12} + 3*a^4*b^{11} \\
& + 3*a^5*b^{10} - a^6*b^9 - a^7*b^8) - (a^2*((4*(4*B*b^{21} + 48*A*a^2*b^{19} + \\
& 72*A*a^3*b^{18} - 156*A*a^4*b^{17} - 84*A*a^5*b^{16} + 192*A*a^6*b^{15} + 48*A*a^7 \\
& *b^{14} - 108*A*a^8*b^{13} - 12*A*a^9*b^{12} + 24*A*a^{10}*b^{11} + 28*B*a^2*b^{19} - 8 \\
& 0*B*a^3*b^{18} - 120*B*a^4*b^{17} + 276*B*a^5*b^{16} + 164*B*a^6*b^{15} - 360*B*a^7 \\
& *b^{14} - 100*B*a^8*b^{13} + 212*B*a^9*b^{12} + 24*B*a^{10}*b^{11} - 48*B*a^{11}*b^{10} - \\
& 24*A*a*b^{20})) / (a*b^{18} + b^{19} - 3*a^2*b^{17} - 3*a^3*b^{16} + 3*a^4*b^{15} + 3*a^5 \\
& *b^{14} - a^6*b^{13} - a^7*b^{12}) + (4*a^2*\tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^{(1/2)}*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b \\
& - 20*B*a*b^4)*(8*a*b^{19} - 8*a^2*b^{18} - 32*a^3*b^{17} + 32*a^4*b^{16} + 48*a^5*b^{15} \\
& - 48*a^6*b^{14} - 32*a^7*b^{13} + 32*a^8*b^{12} + 8*a^9*b^{11} - 8*a^{10}*b^{10})) / \\
& ((b^{15} - 5*a^2*b^{13} + 10*a^4*b^{11} - 10*a^6*b^9 + 5*a^8*b^7 - a^{10}*b^5)*(a*b^{14} + b^{15} - 3*a^2*b^{13} - 3*a^3*b^{12} + 3*a^4*b^{11} + 3*a^5*b^{10} - a^6*b^9 -
\end{aligned}$$

$$a^7*b^8)))*(-(a + b)^5*(a - b)^5)^{(1/2)}*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - 20*B*a*b^4))/(2*(b^{15} - 5*a^2*b^{13} + 10*a^4*b^{11} - 10*a^6*b^9 + 5*a^8*b^7 - a^{10}*b^5)))*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - 20*B*a*b^4))/(2*(b^{15} - 5*a^2*b^{13} + 10*a^4*b^{11} - 10*a^6*b^9 + 5*a^8*b^7 - a^{10}*b^5)))*(-(a + b)^5*(a - b)^5)^{(1/2)}*(12*A*b^5 - 12*B*a^5 - 15*A*a^2*b^3 + 29*B*a^3*b^2 + 6*A*a^4*b - 20*B*a*b^4)*1i)/(d*(b^{15} - 5*a^2*b^{13} + 10*a^4*b^{11} - 10*a^6*b^9 + 5*a^8*b^7 - a^{10}*b^5))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.266 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=280

$$\frac{a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{2bd(a^2 - b^2)(a + b \cos(c + dx))^2} - \frac{(-3a^2B + aAb + 2b^2B) \sin(c + dx)}{2b^3d(a^2 - b^2)} - \frac{a^2(-3a^3B + a^2Ab + 6ab^2B - 4Ab^3) \sin(c + dx)}{2b^3d(a^2 - b^2)^2(a + b \cos(c + dx))}$$

[Out] (A*b-3*B*a)*x/b^4-a*(2*A*a^4*b-5*A*a^2*b^3+6*A*b^5-6*B*a^5+15*B*a^3*b^2-12*B*a*b^4)*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/(a-b)^(5/2)/b^4/(a+b)^(5/2)/d-1/2*(A*a*b-3*B*a^2+2*B*b^2)*sin(d*x+c)/b^3/(a^2-b^2)/d+1/2*a*(A*b-B*a)*cos(d*x+c)^2*sin(d*x+c)/b/(a^2-b^2)/d/(a+b*cos(d*x+c))^2-1/2*a^2*(A*a^2*b-4*A*b^3-3*B*a^3+6*B*a*b^2)*sin(d*x+c)/b^3/(a^2-b^2)^2/d/(a+b*cos(d*x+c))

Rubi [A] time = 1.22, antiderivative size = 280, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2989, 3031, 3023, 2735, 2659, 205}

$$\frac{(-3a^2B + aAb + 2b^2B) \sin(c + dx)}{2b^3d(a^2 - b^2)} - \frac{a(-5a^2Ab^3 + 2a^4Ab + 15a^3b^2B - 6a^5B - 12ab^4B + 6Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3,x]

[Out] ((A*b - 3*a*B)*x)/b^4 - (a*(2*a^4*A*b - 5*a^2*A*b^3 + 6*A*b^5 - 6*a^5*B + 15*a^3*b^2*B - 12*a*b^4*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a - b)^(5/2)*b^4*(a + b)^(5/2)*d - ((a*A*b - 3*a^2*B + 2*b^2*B)*Sin[c + d*x])/(2*b^3*(a^2 - b^2)*d) + (a*(A*b - a*B)*Cos[c + d*x]^2*Ssin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^2) - (a^2*(a^2*A*b - 4*A*b^3 - 3*a^3*B + 6*a*b^2*B)*Sin[c + d*x])/(2*b^3*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x]))

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2989

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S

```
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)^2], x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^3} dx &= \frac{a(Ab - aB) \cos^2(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{\int \frac{\cos(c + dx)(-2a(Ab - aB) + 2b(Ab - aB))}{(a + b \cos(c + dx))^3} dx}{2b} \\
&= \frac{a(Ab - aB) \cos^2(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{a^2(a^2 Ab - 4Ab^3 - 3a^3 B + 6a^2 B^2)}{2b^3(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\
&= -\frac{(aAb - 3a^2 B + 2b^2 B) \sin(c + dx)}{2b^3(a^2 - b^2)d} + \frac{a(Ab - aB) \cos^2(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))} \\
&= \frac{(Ab - 3aB)x}{b^4} - \frac{(aAb - 3a^2 B + 2b^2 B) \sin(c + dx)}{2b^3(a^2 - b^2)d} + \frac{a(Ab - aB) \cos^2(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))} \\
&= \frac{(Ab - 3aB)x}{b^4} - \frac{(aAb - 3a^2 B + 2b^2 B) \sin(c + dx)}{2b^3(a^2 - b^2)d} + \frac{a(Ab - aB) \cos^2(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))} \\
&= \frac{(Ab - 3aB)x}{b^4} - \frac{a(2a^4 Ab - 5a^2 Ab^3 + 6Ab^5 - 6a^5 B + 15a^3 b^2 B - 12a^2 B^2)}{(a - b)^{5/2} b^4 (a + b)^{5/2} d}
\end{aligned}$$

Mathematica [A] time = 2.16, size = 232, normalized size = 0.83

$$\frac{\frac{a^3 b (Ab - aB) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c+dx))^2} + \frac{a^2 b (5a^3 B - 3a^2 Ab - 8ab^2 B + 6Ab^3) \sin(c+dx)}{(a-b)^2 (a+b)^2 (a+b \cos(c+dx))} - \frac{2a(6a^5 B - 2a^4 Ab - 15a^3 b^2 B + 5a^2 Ab^3 + 12ab^4 B - 6Ab^5) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}}}{2b^4 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3,x]

[Out] (2*(A*b - 3*a*B)*(c + d*x) - (2*a*(-2*a^4*A*b + 5*a^2*A*b^3 - 6*A*b^5 + 6*a^5*B - 15*a^3*b^2*B + 12*a*b^4*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + 2*b*B*Sin[c + d*x] + (a^3*b*(A*b - a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x])^2) + (a^2*b*(-3*a^2*A*b + 6*A*b^3 + 5*a^3*B - 8*a*b^2*B)*Sin[c + d*x])/((a - b)^2*(a + b)^2*(a + b*Cos[c + d*x]))/(2*b^4*d)

fricas [B] time = 0.87, size = 1561, normalized size = 5.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] [-1/4*(4*(3*B*a^7*b^2 - A*a^6*b^3 - 9*B*a^5*b^4 + 3*A*a^4*b^5 + 9*B*a^3*b^6 - 3*A*a^2*b^7 - 3*B*a*b^8 + A*b^9)*d*x*cos(d*x + c)^2 + 8*(3*B*a^8*b - A*a^7*b^2 - 9*B*a^6*b^3 + 3*A*a^5*b^4 + 9*B*a^4*b^5 - 3*A*a^3*b^6 - 3*B*a^2*b^7 + A*a*b^8)*d*x*cos(d*x + c) + 4*(3*B*a^9 - A*a^8*b - 9*B*a^7*b^2 + 3*A*a^6*b^3 + 9*B*a^5*b^4 - 3*A*a^4*b^5 - 3*B*a^3*b^6 + A*a^2*b^7)*d*x - (6*B*a^8 - 2*A*a^7*b - 15*B*a^6*b^2 + 5*A*a^5*b^3 + 12*B*a^4*b^4 - 6*A*a^3*b^5 + (6*B*a^6*b^2 - 2*A*a^5*b^3 - 15*B*a^4*b^4 + 5*A*a^3*b^5 + 12*B*a^2*b^6 - 6*A*a*b^7)*cos(d*x + c)^2 + 2*(6*B*a^7*b - 2*A*a^6*b^2 - 15*B*a^5*b^3 + 5*A*a^4*b^4 + 12*B*a^3*b^5 - 6*A*a^2*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(6*B*a^8*b - 2*A*a^7*b^2 - 17*B*a^6*b^3 + 7*A*a^5*b^4 + 13*B*a^4*b^5 - 5*A*a^3*b^6 - 2*B*a^2*b^7 + 2*(B*a^6*b^3 - 3*B*a^4*b^5 + 3*B*a^2*b^7 - B*b^9)*cos(d*x + c)^2 + (9*B*a^7*b^2 - 3*A*a^6*b^3 - 25*B*a^5*b^4 + 9*A*a^4*b^5 + 20*B*a^3*b^6 - 6*A*a^2*b^7 - 4*B*a*b^8)*cos(d*x + c))*sin(d*x + c))/((a^6*b^6 - 3*a^4*b^8 + 3*a^2*b^10 - b^12)*d*cos(d*x + c)^2 + 2*(a^7*b^5 - 3*a^5*b^7 + 3*a^3*b^9 - a*b^11)*d*cos(d*x + c) + (a^8*b^4 - 3*a^6*b^6 + 3*a^4*b^8 - a^2*b^10)*d), -1/2*(2*(3*B*a^7*b^2 - A*a^6*b^3 - 9*B*a^5*b^4 + 3*A*a^4*b^5 + 9*B*a^3*b^6 - 3*A*a^2*b^7 - 3*B*a*b^8 + A*b^9)*d*x*cos(d*x + c)^2 + 4*(3*B*a^8*b - A*a^7*b^2 - 9*B*a^6*b^3 + 3*A*a^5*b^4 + 9*B*a^4*b^5 - 3*A*a^3*b^6 - 3*B*a^2*b^7 + A*a*b^8)*d*x*cos(d*x + c) + 2*(3*B*a^9 - A*a^8*b - 9*B*a^7*b^2 + 3*A*a^6*b^3 + 9*B*a^5*b^4 - 3*A*a^4*b^5 - 3*B*a^3*b^6 + A*a^2*b^7)*d*x - (6*B*a^8 - 2*A*a^7*b - 15*B*a^6*b^2 + 5*A*a^5*b^3 + 12*B*a^4*b^4 - 6*A*a^3*b^5 + (6*B*a^6*b^2 - 2*A*a^5*b^3 - 15*B*a^4*b^4 + 5*A*a^3*b^5 + 12*B*a^2*b^6 - 6*A*a*b^7)*cos(d*x + c)^2 + 2*(6*B*a^7*b - 2*A*a^6*b^2 - 15*B*a^5*b^3 + 5*A*a^4*b^4 + 12*B*a^3*b^5 - 6*A*a^2*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (6*B*a^8*b - 2*A*a^7*b^2 - 17*B*a^6*b^3 + 7*A*a^5*b^4 + 13*B*a^4*b^5 - 5*A*a^3*b^6 - 2*B*a^2*b^7 + 2*(B*a^6*b^3 - 3*B*a^4*b^5 + 3*B*a^2*b^7 - B*b^9)*cos(d*x + c)^2 + (9*B*a^7*b^2 - 3*A*a^6*b^3 - 25*B*a^5*b^4 + 9*A*a^4*b^5 + 20*B*a^3*b^6 - 6*A*a^2*b^7 - 4*B*a*b^8)*cos(d*x + c))*sin(d*x + c))/((a^6*b^6 - 3*a^4*b^8 + 3*a^2*b^10 - b^12)*d*cos(d*x + c)^2 + 2*(a^7*b^5 - 3*a^5*b^7 + 3*a^3*b^9 - a*b^11)*d*cos(d*x + c) + (a^8*b^4 - 3*a^6*b^6 + 3*a^4*b^8 - a^2*b^10)*d)]

giac [B] time = 1.18, size = 543, normalized size = 1.94

$$\frac{(6Ba^6 - 2Aa^5b - 15Ba^4b^2 + 5Aa^3b^3 + 12Ba^2b^4 - 6Aab^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4b^4 - 2a^2b^6 + b^8) \sqrt{a^2 - b^2}} - 4Ba^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out]
$$-\left((6Ba^6 - 2Aa^5b - 15Ba^4b^2 + 5Aa^3b^3 + 12Ba^2b^4 - 6Aa^2b^5) \left(\pi \left\lfloor \frac{1}{2}(dx+c) \right\rfloor / \pi + \frac{1}{2} \right) \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}} \right) \right) / \left((a^4b^4 - 2a^2b^6 + b^8) \sqrt{a^2 - b^2} \right) - (4Ba^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2Aa^5b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 5Ba^4b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3Aa^3b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 7Ba^2b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 5Aa^2b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 8Ba^2b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 6Aa^2b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 4Ba^2b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2Aa^5b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 5Ba^5b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 3Aa^4b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 7Ba^4b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 5Aa^3b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 8Ba^3b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6Aa^2b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)) / \left((a^4b^3 - 2a^2b^5 + b^7) \left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + (a+b)^2 \right) + (3Ba - Ab) \left(\frac{dx+c}{b^4} - 2B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right) / \left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1 \right) b^3 \right) / d$$

maple [B] time = 0.09, size = 1301, normalized size = 4.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x)

[Out]
$$-2/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+1/d*a^3/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+6/d*a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+4/d*a^5/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-1/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-8/d*a^3/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-2/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-1/d*a^3/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A+6/d*a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A+4/d*a^5/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+1/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-8/d*a^3/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-2/d*a^5/b^3/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+5/d*a^3/b/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A-6/d*a*b/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+6/d*a^6/b^4/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B-15/d*a^4/b^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B+12/d*a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B$$

$$(a+b)^{(1/2)} * B + 2/d/b^3 * B * \tan(1/2*d*x+1/2*c) / (1 + \tan(1/2*d*x+1/2*c)^2) + 2/d/b^3 * A * \arctan(\tan(1/2*d*x+1/2*c)) - 6/d/b^4 * B * \arctan(\tan(1/2*d*x+1/2*c)) * a$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 7.66, size = 5542, normalized size = 19.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^3,x)

[Out]
$$\frac{((\tan(c/2 + (d*x)/2))^5 * (6*B*a^5 - 2*B*b^5 + 6*A*a^2*b^3 + A*a^3*b^2 + 4*B*a^2*b^3 - 12*B*a^3*b^2 - 2*A*a^4*b + 2*B*a*b^4 - 3*B*a^4*b)) / ((a*b^3 - b^4) * (a + b)^2) + (\tan(c/2 + (d*x)/2) * (6*B*a^5 + 2*B*b^5 + 6*A*a^2*b^3 - A*a^3*b^2 - 4*B*a^2*b^3 - 12*B*a^3*b^2 - 2*A*a^4*b + 2*B*a*b^4 + 3*B*a^4*b)) / ((a + b) * (b^5 - 2*a*b^4 + a^2*b^3)) + (2*\tan(c/2 + (d*x)/2)^3 * (6*B*a^6 - 2*B*b^6 + 5*A*a^3*b^3 + 6*B*a^2*b^4 - 13*B*a^4*b^2 - 2*A*a^5*b)) / (b * (a*b^2 - b^3) * (a + b)^2 * (a - b))}{d * (2*a*b + \tan(c/2 + (d*x)/2)^2 * (2*a*b + 3*a^2 - b^2) + \tan(c/2 + (d*x)/2)^6 * (a^2 - 2*a*b + b^2) + a^2 + b^2 - \tan(c/2 + (d*x)/2)^4 * (2*a*b - 3*a^2 + b^2))} + (\log(\tan(c/2 + (d*x)/2) + 1i) * (A*b - 3*B*a) * 1i) / (b^4 * d) - (\log(\tan(c/2 + (d*x)/2) - 1i) * (A*b * 1i - B*a * 3i)) / (b^4 * d) - (a * \tan(((a * ((8*\tan(c/2 + (d*x)/2) * (4*A^2*b^12 + 72*B^2*a^12 - 8*A^2*a*b^11 - 72*B^2*a^11*b + 24*A^2*a^2*b^10 + 32*A^2*a^3*b^9 - 52*A^2*a^4*b^8 - 48*A^2*a^5*b^7 + 57*A^2*a^6*b^6 + 32*A^2*a^7*b^5 - 32*A^2*a^8*b^4 - 8*A^2*a^9*b^3 + 8*A^2*a^10*b^2 + 36*B^2*a^2*b^10 - 72*B^2*a^3*b^9 + 36*B^2*a^4*b^8 + 288*B^2*a^5*b^7 - 288*B^2*a^6*b^6 - 432*B^2*a^7*b^5 + 441*B^2*a^8*b^4 + 288*B^2*a^9*b^3 - 288*B^2*a^10*b^2 - 24*A*B*a*b^11 - 48*A*B*a^11*b + 48*A*B*a^2*b^10 - 72*A*B*a^3*b^9 - 192*A*B*a^4*b^8 + 252*A*B*a^5*b^7 + 288*A*B*a^6*b^6 - 318*A*B*a^7*b^5 - 192*A*B*a^8*b^4 + 192*A*B*a^9*b^3 + 48*A*B*a^10*b^2)) / (a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) + (a * ((8*(4*A*b^18 - 8*A*a^2*b^16 + 34*A*a^3*b^15 + 6*A*a^4*b^14 - 36*A*a^5*b^13 - 4*A*a^6*b^12 + 18*A*a^7*b^11 + 2*A*a^8*b^10 - 4*A*a^9*b^9 + 24*B*a^2*b^16 + 36*B*a^3*b^15 - 78*B*a^4*b^14 - 42*B*a^5*b^13 + 96*B*a^6*b^12 + 24*B*a^7*b^11 - 54*B*a^8*b^10 - 6*B*a^9*b^9 + 12*B*a^10*b^8 - 12*A*a*b^17 - 12*B*a*b^17))) / (a*b^15 + b^16 - 3*a^2*b^14 - 3*a^3*b^13 + 3*a^4*b^12 + 3*a^5*b^11 - a^6*b^10 - a^7*b^9) - (4*a*\tan(c/2 + (d*x)/2) * (-(a + b)^5 * (a - b)^5)^(1/2) * (6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a*b^4) * (8*a*b^17 - 8*a^2*b^16 - 32*a^3*b^15 + 32*a^4*b^14 + 48*a^5*b^13 - 48*a^6*b^12 - 32*a^7*b^11 + 32*a^8*b^10 + 8*a^9*b^9 - 8*a^10*b^8)) / ((b^14 - 5*a^2*b^12 + 10*a^4*b^10 - 10*a^6*b^8 + 5*a^8*b^6 - a^10*b^4) * (a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6))) * (-(a + b)^5 * (a - b)^5)^(1/2) * (6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a*b^4)) / (2*(b^14 - 5*a^2*b^12 + 10*a^4*b^10 - 10*a^6*b^8 + 5*a^8*b^6 - a^10*b^4)) * (-(a + b)^5 * (a - b)^5)^(1/2) * (6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a*b^4) * 1i) / (2*(b^14 - 5*a^2*b^12 + 10*a^4*b^10 - 10*a^6*b^8 + 5*a^8*b^6 - a^10*b^4)) + (a * ((8*\tan(c/2 + (d*x)/2) * (4*A^2*b^12 + 72*B^2*a^12 - 8*A^2*a*b^11 - 72*B^2*a^11*b + 24*A^2*a^2*b^10 + 32*A^2*a^3*b^9 - 52*A^2*a^4*b^8 - 48*A^2*a^5*b^7 + 57$$

$$\begin{aligned}
& *A^2*a^6*b^6 + 32*A^2*a^7*b^5 - 32*A^2*a^8*b^4 - 8*A^2*a^9*b^3 + 8*A^2*a^{10} \\
& *b^2 + 36*B^2*a^2*b^{10} - 72*B^2*a^3*b^9 + 36*B^2*a^4*b^8 + 288*B^2*a^5*b^7 \\
& - 288*B^2*a^6*b^6 - 432*B^2*a^7*b^5 + 441*B^2*a^8*b^4 + 288*B^2*a^9*b^3 - 2 \\
& 88*B^2*a^{10}*b^2 - 24*A*B*a*b^{11} - 48*A*B*a^{11}*b + 48*A*B*a^2*b^{10} - 72*A*B* \\
& a^3*b^9 - 192*A*B*a^4*b^8 + 252*A*B*a^5*b^7 + 288*A*B*a^6*b^6 - 318*A*B*a^7 \\
& *b^5 - 192*A*B*a^8*b^4 + 192*A*B*a^9*b^3 + 48*A*B*a^{10}*b^2)) / (a*b^{12} + b^{13} \\
& - 3*a^2*b^{11} - 3*a^3*b^{10} + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) - (\\
& a*((8*(4*A*b^{18} - 8*A*a^2*b^{16} + 34*A*a^3*b^{15} + 6*A*a^4*b^{14} - 36*A*a^5*b^{13} \\
& - 4*A*a^6*b^{12} + 18*A*a^7*b^{11} + 2*A*a^8*b^{10} - 4*A*a^9*b^9 + 24*B*a^2*b^{16} \\
& + 36*B*a^3*b^{15} - 78*B*a^4*b^{14} - 42*B*a^5*b^{13} + 96*B*a^6*b^{12} + 24*B* \\
& a^7*b^{11} - 54*B*a^8*b^{10} - 6*B*a^9*b^9 + 12*B*a^{10}*b^8 - 12*A*a*b^{17} - 12*B \\
& *a*b^{17}))/ (a*b^{15} + b^{16} - 3*a^2*b^{14} - 3*a^3*b^{13} + 3*a^4*b^{12} + 3*a^5*b^{11} \\
& 1 - a^6*b^{10} - a^7*b^9) + (4*a*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^{(1 \\
& /2)}*(6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a*b^4) \\
& *(8*a*b^{17} - 8*a^2*b^{16} - 32*a^3*b^{15} + 32*a^4*b^{14} + 48*a^5*b^{13} - 48*a^6 \\
& *b^{12} - 32*a^7*b^{11} + 32*a^8*b^{10} + 8*a^9*b^9 - 8*a^{10}*b^8))/((b^{14} - 5*a^2 \\
& *b^{12} + 10*a^4*b^{10} - 10*a^6*b^8 + 5*a^8*b^6 - a^{10}*b^4)*(a*b^{12} + b^{13} - \\
& 3*a^2*b^{11} - 3*a^3*b^{10} + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6)))*(-(a \\
& + b)^5*(a - b)^5)^{(1/2)}*(6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + \\
& 2*A*a^4*b - 12*B*a*b^4))/(2*(b^{14} - 5*a^2*b^{12} + 10*a^4*b^{10} - 10*a^6*b^8 + \\
& 5*a^8*b^6 - a^{10}*b^4)))*(-(a + b)^5*(a - b)^5)^{(1/2)}*(6*A*b^5 - 6*B*a^5 - \\
& 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a*b^4)*1i)/(2*(b^{14} - 5*a^2*b^{12} \\
& + 10*a^4*b^{10} - 10*a^6*b^8 + 5*a^8*b^6 - a^{10}*b^4)))/((16*(108*B^3*a^{12} \\
& - 12*A^3*a*b^{11} - 54*B^3*a^{11}*b - 24*A^3*a^2*b^{10} + 34*A^3*a^3*b^9 + 26*A^3 \\
& *a^4*b^8 - 36*A^3*a^5*b^7 - 13*A^3*a^6*b^6 + 18*A^3*a^7*b^5 + 2*A^3*a^8*b^4 - 4*A^3 \\
& *a^9*b^3 + 216*B^3*a^4*b^8 + 216*B^3*a^5*b^7 - 702*B^3*a^6*b^6 - 3 \\
& 78*B^3*a^7*b^5 + 864*B^3*a^8*b^4 + 243*B^3*a^9*b^3 - 486*B^3*a^{10}*b^2 - 108 \\
& *A*B^2*a^{11}*b - 252*A*B^2*a^3*b^9 - 324*A*B^2*a^4*b^8 + 774*A*B^2*a^5*b^7 + \\
& 486*A*B^2*a^6*b^6 - 900*A*B^2*a^7*b^5 - 279*A*B^2*a^8*b^4 + 486*A*B^2*a^9* \\
& b^3 + 54*A*B^2*a^{10}*b^2 + 96*A^2*B*a^2*b^{10} + 156*A^2*B*a^3*b^9 - 282*A^2*B \\
& *a^4*b^8 - 198*A^2*B*a^5*b^7 + 312*A^2*B*a^6*b^6 + 105*A^2*B*a^7*b^5 - 162* \\
& A^2*B*a^8*b^4 - 18*A^2*B*a^9*b^3 + 36*A^2*B*a^{10}*b^2))/ (a*b^{15} + b^{16} - 3*a^2 \\
& *b^{14} - 3*a^3*b^{13} + 3*a^4*b^{12} + 3*a^5*b^{11} - a^6*b^{10} - a^7*b^9) + (a*(\\
& (8*tan(c/2 + (d*x)/2)*(4*A^2*b^{12} + 72*B^2*a^{12} - 8*A^2*a*b^{11} - 72*B^2*a^{11} \\
& *b + 24*A^2*a^2*b^{10} + 32*A^2*a^3*b^9 - 52*A^2*a^4*b^8 - 48*A^2*a^5*b^7 + \\
& 57*A^2*a^6*b^6 + 32*A^2*a^7*b^5 - 32*A^2*a^8*b^4 - 8*A^2*a^9*b^3 + 8*A^2*a^{10} \\
& *b^2 + 36*B^2*a^2*b^{10} - 72*B^2*a^3*b^9 + 36*B^2*a^4*b^8 + 288*B^2*a^5*b^7 - 288*B^2 \\
& *a^6*b^6 - 432*B^2*a^7*b^5 + 441*B^2*a^8*b^4 + 288*B^2*a^9*b^3 - 288*B^2*a^{10} \\
& *b^2 - 24*A*B*a*b^{11} - 48*A*B*a^{11}*b + 48*A*B*a^2*b^{10} - 72*A*B* \\
& a^3*b^9 - 192*A*B*a^4*b^8 + 252*A*B*a^5*b^7 + 288*A*B*a^6*b^6 - 318*A*B*a^7 \\
& *b^5 - 192*A*B*a^8*b^4 + 192*A*B*a^9*b^3 + 48*A*B*a^{10}*b^2))/ (a*b^{12} + b^{13} \\
& - 3*a^2*b^{11} - 3*a^3*b^{10} + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) + \\
& (a*((8*(4*A*b^{18} - 8*A*a^2*b^{16} + 34*A*a^3*b^{15} + 6*A*a^4*b^{14} - 36*A*a^5* \\
& b^{13} - 4*A*a^6*b^{12} + 18*A*a^7*b^{11} + 2*A*a^8*b^{10} - 4*A*a^9*b^9 + 24*B*a^2 \\
& *b^{16} + 36*B*a^3*b^{15} - 78*B*a^4*b^{14} - 42*B*a^5*b^{13} + 96*B*a^6*b^{12} + 24* \\
& B*a^7*b^{11} - 54*B*a^8*b^{10} - 6*B*a^9*b^9 + 12*B*a^{10}*b^8 - 12*A*a*b^{17} - 12 \\
& *B*a*b^{17}))/ (a*b^{15} + b^{16} - 3*a^2*b^{14} - 3*a^3*b^{13} + 3*a^4*b^{12} + 3*a^5*b^{11} \\
& ^{11} - a^6*b^{10} - a^7*b^9) - (4*a*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^{(1 \\
& /2)}*(6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a* \\
& b^4)*(8*a*b^{17} - 8*a^2*b^{16} - 32*a^3*b^{15} + 32*a^4*b^{14} + 48*a^5*b^{13} - 48* \\
& a^6*b^{12} - 32*a^7*b^{11} + 32*a^8*b^{10} + 8*a^9*b^9 - 8*a^{10}*b^8))/((b^{14} - 5* \\
& a^2*b^{12} + 10*a^4*b^{10} - 10*a^6*b^8 + 5*a^8*b^6 - a^{10}*b^4)*(a*b^{12} + b^{13} - \\
& 3*a^2*b^{11} - 3*a^3*b^{10} + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6)))*(-(a \\
& + b)^5*(a - b)^5)^{(1/2)}*(6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + \\
& 2*A*a^4*b - 12*B*a*b^4))/(2*(b^{14} - 5*a^2*b^{12} + 10*a^4*b^{10} - 10*a^6*b^8 \\
& + 5*a^8*b^6 - a^{10}*b^4)))*(-(a + b)^5*(a - b)^5)^{(1/2)}*(6*A*b^5 - 6*B*a^5 - \\
& 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a*b^4))/(2*(b^{14} - 5*a^2*b^{12} \\
& + 10*a^4*b^{10} - 10*a^6*b^8 + 5*a^8*b^6 - a^{10}*b^4)) - (a*((8*tan(c/2 + (d*x)/2) \\
& *(4*A^2*b^{12} + 72*B^2*a^{12} - 8*A^2*a*b^{11} - 72*B^2*a^{11}*b + 24*A^2*a^2*b^{10} \\
& + 32*A^2*a^3*b^9 - 52*A^2*a^4*b^8 - 48*A^2*a^5*b^7 + 57*A^2*a^6*b^6 + 32*A^2*a^7*b^5 - 32*A^2*a^8*b^4 - 8*A^2*a^9*b^3 + 8*A^2*a^{10} \\
& *b^2 + 36*B^2*a^2*b^{10} - 72*B^2*a^3*b^9 + 36*B^2*a^4*b^8 + 288*B^2*a^5*b^7 - 288*B^2 \\
& *a^6*b^6 - 432*B^2*a^7*b^5 + 441*B^2*a^8*b^4 + 288*B^2*a^9*b^3 - 288*B^2*a^{10} \\
& *b^2 - 24*A*B*a*b^{11} - 48*A*B*a^{11}*b + 48*A*B*a^2*b^{10} - 72*A*B* \\
& a^3*b^9 - 192*A*B*a^4*b^8 + 252*A*B*a^5*b^7 + 288*A*B*a^6*b^6 - 318*A*B*a^7 \\
& *b^5 - 192*A*B*a^8*b^4 + 192*A*B*a^9*b^3 + 48*A*B*a^{10}*b^2))/ (a*b^{12} + b^{13} \\
& - 3*a^2*b^{11} - 3*a^3*b^{10} + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) + \\
& (a*((8*(4*A*b^{18} - 8*A*a^2*b^{16} + 34*A*a^3*b^{15} + 6*A*a^4*b^{14} - 36*A*a^5* \\
& b^{13} - 4*A*a^6*b^{12} + 18*A*a^7*b^{11} + 2*A*a^8*b^{10} - 4*A*a^9*b^9 + 24*B*a^2 \\
& *b^{16} + 36*B*a^3*b^{15} - 78*B*a^4*b^{14} - 42*B*a^5*b^{13} + 96*B*a^6*b^{12} + 24* \\
& B*a^7*b^{11} - 54*B*a^8*b^{10} - 6*B*a^9*b^9 + 12*B*a^{10}*b^8 - 12*A*a*b^{17} - 12 \\
& *B*a*b^{17}))/ (a*b^{15} + b^{16} - 3*a^2*b^{14} - 3*a^3*b^{13} + 3*a^4*b^{12} + 3*a^5*b^{11} \\
& ^{11} - a^6*b^{10} - a^7*b^9) - (4*a*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^{(1 \\
& /2)}*(6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a* \\
& b^4)*(8*a*b^{17} - 8*a^2*b^{16} - 32*a^3*b^{15} + 32*a^4*b^{14} + 48*a^5*b^{13} - 48* \\
& a^6*b^{12} - 32*a^7*b^{11} + 32*a^8*b^{10} + 8*a^9*b^9 - 8*a^{10}*b^8))/((b^{14} - 5* \\
& a^2*b^{12} + 10*a^4*b^{10} - 10*a^6*b^8 + 5*a^8*b^6 - a^{10}*b^4)*(a*b^{12} + b^{13} - \\
& 3*a^2*b^{11} - 3*a^3*b^{10} + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6)))*(-(a \\
& + b)^5*(a - b)^5)^{(1/2)}*(6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + \\
& 2*A*a^4*b - 12*B*a*b^4))/(2*(b^{14} - 5*a^2*b^{12} + 10*a^4*b^{10} - 10*a^6*b^8 \\
& + 5*a^8*b^6 - a^{10}*b^4)) - (a*((8*tan(c/2 + (d*x)/2)
\end{aligned}$$

$$\begin{aligned} & ^2*b^{10} + 32*A^2*a^3*b^9 - 52*A^2*a^4*b^8 - 48*A^2*a^5*b^7 + 57*A^2*a^6*b^6 \\ & + 32*A^2*a^7*b^5 - 32*A^2*a^8*b^4 - 8*A^2*a^9*b^3 + 8*A^2*a^{10}*b^2 + 36*B^2*a^2*b^{10} - 72*B^2*a^3*b^9 + 36*B^2*a^4*b^8 + 288*B^2*a^5*b^7 - 288*B^2*a^6*b^6 - 432*B^2*a^7*b^5 + 441*B^2*a^8*b^4 + 288*B^2*a^9*b^3 - 288*B^2*a^{10}*b^2 - 24*A*B*a*b^{11} - 48*A*B*a^{11}*b + 48*A*B*a^2*b^{10} - 72*A*B*a^3*b^9 - 192*A*B*a^4*b^8 + 252*A*B*a^5*b^7 + 288*A*B*a^6*b^6 - 318*A*B*a^7*b^5 - 192*A*B*a^8*b^4 + 192*A*B*a^9*b^3 + 48*A*B*a^{10}*b^2)/(a*b^{12} + b^{13} - 3*a^2*b^{11} - 3*a^3*b^{10} + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) - (a*((8*(4*A*b^{18} - 8*A*a^2*b^{16} + 34*A*a^3*b^{15} + 6*A*a^4*b^{14} - 36*A*a^5*b^{13} - 4*A*a^6*b^{12} + 18*A*a^7*b^{11} + 2*A*a^8*b^{10} - 4*A*a^9*b^9 + 24*B*a^2*b^{16} + 36*B*a^3*b^{15} - 78*B*a^4*b^{14} - 42*B*a^5*b^{13} + 96*B*a^6*b^{12} + 24*B*a^7*b^{11} - 54*B*a^8*b^{10} - 6*B*a^9*b^9 + 12*B*a^{10}*b^8 - 12*A*a*b^{17} - 12*B*a*b^{17}))/((a*b^{15} + b^{16} - 3*a^2*b^{14} - 3*a^3*b^{13} + 3*a^4*b^{12} + 3*a^5*b^{11} - a^6*b^{10} - a^7*b^9) + (4*a*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^{(1/2)}*(6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a*b^4))*(8*a*b^{17} - 8*a^2*b^{16} - 32*a^3*b^{15} + 32*a^4*b^{14} + 48*a^5*b^{13} - 48*a^6*b^{12} - 32*a^7*b^{11} + 32*a^8*b^{10} + 8*a^9*b^9 - 8*a^{10}*b^8))/((b^{14} - 5*a^2*b^{12} + 10*a^4*b^{10} - 10*a^6*b^8 + 5*a^8*b^6 - a^{10}*b^4))*(a*b^{12} + b^{13} - 3*a^2*b^{11} - 3*a^3*b^{10} + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6)))*(-(a + b)^5*(a - b)^5)^{(1/2)}*(6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a*b^4))/((2*(b^{14} - 5*a^2*b^{12} + 10*a^4*b^{10} - 10*a^6*b^8 + 5*a^8*b^6 - a^{10}*b^4)))*(-(a + b)^5*(a - b)^5)^{(1/2)}*(6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a*b^4))/((2*(b^{14} - 5*a^2*b^{12} + 10*a^4*b^{10} - 10*a^6*b^8 + 5*a^8*b^6 - a^{10}*b^4)))*(-(a + b)^5*(a - b)^5)^{(1/2)}*(6*A*b^5 - 6*B*a^5 - 5*A*a^2*b^3 + 15*B*a^3*b^2 + 2*A*a^4*b - 12*B*a*b^4)*1i)/(d*(b^{14} - 5*a^2*b^{12} + 10*a^4*b^{10} - 10*a^6*b^8 + 5*a^8*b^6 - a^{10}*b^4)) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.267 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=211

$$\frac{a^2(Ab - aB) \sin(c + dx)}{2b^2d(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{a(-3a^3B + a^2Ab + 6ab^2B - 4Ab^3) \sin(c + dx)}{2b^2d(a^2 - b^2)^2(a + b \cos(c + dx))} + \frac{(-2a^5B + 5a^3b^2B + a^2Ab^2)}{2b^2d(a^2 - b^2)(a + b \cos(c + dx))}$$

[Out] $B*x/b^3 + (A*a^2*b^3 + 2*A*b^5 - 2*a^5*B + 5*a^3*b^2*B - 6*a*b^4*B) * \arctan((a-b)^{(1/2)} * \tan(1/2*d*x + 1/2*c) / (a+b)^{(1/2)}) / (a-b)^{(5/2)} / b^3 / (a+b)^{(5/2)} / d - 1/2*a^2*(A*b - B*a) * \sin(d*x+c) / b^2 / (a^2-b^2) / d / (a+b*\cos(d*x+c))^{2+1/2} * a*(A*a^2*b - 4*A*b^3 - 3*B*a^3 + 6*B*a*b^2) * \sin(d*x+c) / b^2 / (a^2-b^2)^{2/d} / (a+b*\cos(d*x+c))$

Rubi [A] time = 0.56, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2988, 3021, 2735, 2659, 205}

$$\frac{(a^2Ab^3 + 5a^3b^2B - 2a^5B - 6ab^4B + 2Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a^2(Ab - aB) \sin(c + dx)}{2b^2d(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{a(a^2Ab^2 + 5a^3b^2B - 2a^5B - 6ab^4B + 2Ab^5)}{2b^2d(a^2 - b^2)(a + b \cos(c + dx))^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])]/(a + b*\text{Cos}[c + d*x])^3, x]$

[Out] $(B*x)/b^3 + ((a^2*A*b^3 + 2*A*b^5 - 2*a^5*B + 5*a^3*b^2*B - 6*a*b^4*B) * \text{ArcTan}[\text{Sqrt}[a - b] * \text{Tan}[(c + d*x)/2]] / \text{Sqrt}[a + b]) / ((a - b)^{(5/2)} * b^3 * (a + b)^{(5/2)} * d) - (a^2*(A*b - a*B) * \text{Sin}[c + d*x]) / (2*b^2*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^2) + (a*(a^2*A*b - 4*A*b^3 - 3*a^3*B + 6*a*b^2*B) * \text{Sin}[c + d*x]) / (2*b^2*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x]))$

Rule 205

$\text{Int}[(a + (b*x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Rt}[a/b, 2] * \text{ArcTan}[x/\text{Rt}[a/b, 2]]/a, x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$

Rule 2659

$\text{Int}[(a + (b*x)*\sin[\text{Pi}/2 + (c + d*x)])^{-1}, x_Symbol] \rightarrow \text{With}[e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x], \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 2735

$\text{Int}[(a + (b*x)*\sin[(e + f*x)]) / ((c + d*x)*\sin[(e + f*x)]), x_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 2988

$\text{Int}[(a + (b*x)*\sin[(e + f*x)])^2 * ((A + B*\sin[(e + f*x)]) * ((c + d*x)*\sin[(e + f*x)])^n), x_Symbol] \rightarrow \text{Simp}[(B*c - A*d) * (b*c - a*d)^2 * \text{Cos}[e + f*x] * (c + d*\text{Sin}[e + f*x])^{n+1} / (f*d^2 * (n+1) * (c^2 - d^2)), x] - \text{Dist}[1/(d^2 * (n+1) * (c^2 - d^2)), \text{Int}[(c + d*\text{Sin}[e + f*x])^{n+1} * \text{Simp}[d*(n+1) * (B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d) - ((B*c - A*d) * (a^2*d^2 * (n+2) + b^2 * (c^2 + d^2 * (n+1))) + 2*a*b*d)], x], x]$

```
*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))*Sin[e + f*x] - b^2*B*d*(n + 1)
)*(c^2 - d^2)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n
, -1]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(
m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^3} dx = -\frac{a^2(Ab - aB) \sin(c + dx)}{2b^2(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{\int \frac{2ab(Ab - aB) + (a^2 - 2b^2)(Ab - aB) \cos(c + dx)}{(a + b \cos(c + dx))^2} dx}{2b^2(a^2 - b^2)}$$

$$= -\frac{a^2(Ab - aB) \sin(c + dx)}{2b^2(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{a(a^2Ab - 4Ab^3 - 3a^3B + 6ab^2B)}{2b^2(a^2 - b^2)^2 d(a + b \cos(c + dx))}$$

$$= \frac{Bx}{b^3} - \frac{a^2(Ab - aB) \sin(c + dx)}{2b^2(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{a(a^2Ab - 4Ab^3 - 3a^3B + 6ab^2B)}{2b^2(a^2 - b^2)^2 d(a + b \cos(c + dx))}$$

$$= \frac{Bx}{b^3} - \frac{a^2(Ab - aB) \sin(c + dx)}{2b^2(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{a(a^2Ab - 4Ab^3 - 3a^3B + 6ab^2B)}{2b^2(a^2 - b^2)^2 d(a + b \cos(c + dx))}$$

$$= \frac{Bx}{b^3} + \frac{(a^2Ab^3 + 2Ab^5 - 2a^5B + 5a^3b^2B - 6ab^4B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}b^3(a+b)^{5/2}d}$$

Mathematica [A] time = 1.36, size = 204, normalized size = 0.97

$$\frac{\frac{a^2b(aB - Ab) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))^2} + \frac{ab(-3a^3B + a^2Ab + 6ab^2B - 4Ab^3) \sin(c + dx)}{(a-b)^2(a+b)^2(a+b \cos(c + dx))} + \frac{2(2a^5B - 5a^3b^2B - a^2Ab^3 + 6ab^4B - 2Ab^5) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}}}{2b^3d} + 2$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3, x]
```

```
[Out] (2*B*(c + d*x) + (2*(-(a^2*A*b^3) - 2*A*b^5 + 2*a^5*B - 5*a^3*b^2*B + 6*a*b
^4*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5
/2) + (a^2*b*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d
*x])^2) + (a*b*(a^2*A*b - 4*A*b^3 - 3*a^3*B + 6*a*b^2*B)*Sin[c + d*x])/((a
- b)^2*(a + b)^2*(a + b*Cos[c + d*x]))/(2*b^3*d)
```

fricas [B] time = 0.89, size = 1152, normalized size = 5.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] [1/4*(4*(B*a^6*b^2 - 3*B*a^4*b^4 + 3*B*a^2*b^6 - B*b^8)*d*x*cos(d*x + c)^2 + 8*(B*a^7*b - 3*B*a^5*b^3 + 3*B*a^3*b^5 - B*a*b^7)*d*x*cos(d*x + c) + 4*(B*a^8 - 3*B*a^6*b^2 + 3*B*a^4*b^4 - B*a^2*b^6)*d*x + (2*B*a^7 - 5*B*a^5*b^2 - A*a^4*b^3 + 6*B*a^3*b^4 - 2*A*a^2*b^5 + (2*B*a^5*b^2 - 5*B*a^3*b^4 - A*a^2*b^5 + 6*B*a*b^6 - 2*A*b^7)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 5*B*a^4*b^3 - A*a^3*b^4 + 6*B*a^2*b^5 - 2*A*a*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(2*B*a^7*b - 7*B*a^5*b^3 + 3*A*a^4*b^4 + 5*B*a^3*b^5 - 3*A*a^2*b^6 + (3*B*a^6*b^2 - A*a^5*b^3 - 9*B*a^4*b^4 + 5*A*a^3*b^5 + 6*B*a^2*b^6 - 4*A*a*b^7)*cos(d*x + c))*sin(d*x + c))/((a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^11)*d*cos(d*x + c)^2 + 2*(a^7*b^4 - 3*a^5*b^6 + 3*a^3*b^8 - a*b^10)*d*cos(d*x + c) + (a^8*b^3 - 3*a^6*b^5 + 3*a^4*b^7 - a^2*b^9)*d), 1/2*(2*(B*a^6*b^2 - 3*B*a^4*b^4 + 3*B*a^2*b^6 - B*b^8)*d*x*cos(d*x + c)^2 + 4*(B*a^7*b - 3*B*a^5*b^3 + 3*B*a^3*b^5 - B*a*b^7)*d*x*cos(d*x + c) + 2*(B*a^8 - 3*B*a^6*b^2 + 3*B*a^4*b^4 - B*a^2*b^6)*d*x - (2*B*a^7 - 5*B*a^5*b^2 - A*a^4*b^3 + 6*B*a^3*b^4 - 2*A*a^2*b^5 + (2*B*a^5*b^2 - 5*B*a^3*b^4 - A*a^2*b^5 + 6*B*a*b^6 - 2*A*b^7)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 5*B*a^4*b^3 - A*a^3*b^4 + 6*B*a^2*b^5 - 2*A*a*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))] - (2*B*a^7*b - 7*B*a^5*b^3 + 3*A*a^4*b^4 + 5*B*a^3*b^5 - 3*A*a^2*b^6 + (3*B*a^6*b^2 - A*a^5*b^3 - 9*B*a^4*b^4 + 5*A*a^3*b^5 + 6*B*a^2*b^6 - 4*A*a*b^7)*cos(d*x + c))*sin(d*x + c))/((a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^11)*d*cos(d*x + c)^2 + 2*(a^7*b^4 - 3*a^5*b^6 + 3*a^3*b^8 - a*b^10)*d*cos(d*x + c) + (a^8*b^3 - 3*a^6*b^5 + 3*a^4*b^7 - a^2*b^9)*d)]

giac [B] time = 1.21, size = 455, normalized size = 2.16

$$\frac{(2Ba^5 - 5Ba^3b^2 - Aa^2b^3 + 6Bab^4 - 2Ab^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4b^3 - 2a^2b^5 + b^7) \sqrt{a^2 - b^2}} - \frac{(dx+c)B}{b^3} + \frac{2Ba^5 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] -((2*B*a^5 - 5*B*a^3*b^2 - A*a^2*b^3 + 6*B*a*b^4 - 2*A*b^5)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^4*b^3 - 2*a^2*b^5 + b^7)*sqrt(a^2 - b^2)) - (d*x + c)*B/b^3 + (2*B*a^5*tan(1/2*d*x + 1/2*c)^3 - 3*B*a^4*b*tan(1/2*d*x + 1/2*c)^3 + A*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 - 5*B*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 + 3*A*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 + 6*B*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 - 4*A*a*b^4*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^5*tan(1/2*d*x + 1/2*c) + 3*B*a^4*b*tan(1/2*d*x + 1/2*c) - A*a^3*b^2*tan(1/2*d*x + 1/2*c) - 5*B*a^3*b^2*tan(1/2*d*x + 1/2*c) + 3*A*a^2*b^3*tan(1/2*d*x + 1/2*c) - 6*B*a^2*b^3*tan(1/2*d*x + 1/2*c) + 4*A*a*b^4*tan(1/2*d*x + 1/2*c)))/((a^4*b^2 - 2*a^2*b^4 + b^6)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)^2))/d

maple [B] time = 0.10, size = 1023, normalized size = 4.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2(A+B\cos(dx+c)))/(a+b\cos(dx+c))^3, x$

[Out]
$$\begin{aligned} & -1/d*a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2 \\ & *a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-4/d*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+ \\ & 1/2*c)^2*b+a+b)^2*a/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-2/d*a^4/b^ \\ & 2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^ \\ & 2)*\tan(1/2*d*x+1/2*c)^3*B+1/d*a^3/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2 \\ & *c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+6/d/(a*\tan(1/2* \\ & d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2*a^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/ \\ & 2*d*x+1/2*c)^3*B+1/d*a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b \\ &)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-4/d*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/ \\ & 2*d*x+1/2*c)^2*b+a+b)^2*a/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-2/d*a^4/b^2/(a \\ & *\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d \\ & *x+1/2*c)*B-1/d*a^3/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2 \\ & /(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+6/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x \\ & +1/2*c)^2*b+a+b)^2*a^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+1/d*a^2/(a^4-2*a^ \\ & 2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b) \\ &)^(1/2))*A+2/d*b^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d \\ & *x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A-2/d*a^5/b^3/(a^4-2*a^2*b^2+b^4)/((a-b) \\ & *(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B+5/d* \\ & a^3/b/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b) \\ &)/((a-b)*(a+b))^(1/2))*B-6/d*b/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\ar \\ & c\tan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a+2/d/b^3*\arctan(\tan(1/ \\ & 2*d*x+1/2*c))*B \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^2(A+B\cos(dx+c)))/(a+b\cos(dx+c))^3, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 9.95, size = 6923, normalized size = 32.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((\cos(c + dx))^2(A + B\cos(c + dx)))/(a + b\cos(c + dx))^3, x$

[Out]
$$\begin{aligned} & (2*B*\text{atan}(-((B*((B*((8*(4*A*b^{15} + 4*B*b^{15} - 6*A*a^2*b^{13} + 6*A*a^3*b^{12} + \\ & 2*A*a^6*b^9 - 2*A*a^7*b^8 - 8*B*a^2*b^{13} + 34*B*a^3*b^{12} + 6*B*a^4*b^{11} - \\ & 36*B*a^5*b^{10} - 4*B*a^6*b^9 + 18*B*a^7*b^8 + 2*B*a^8*b^7 - 4*B*a^9*b^6 - 4* \\ & A*a*b^{14} - 12*B*a*b^{14}))/a*b^{12} + b^{13} - 3*a^2*b^{11} - 3*a^3*b^{10} + 3*a^4*b \\ & ^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) - (B*\tan(c/2 + (dx)/2)*(8*a*b^{15} - 8*a \\ & ^2*b^{14} - 32*a^3*b^{13} + 32*a^4*b^{12} + 48*a^5*b^{11} - 48*a^6*b^{10} - 32*a^7*b^ \\ & 9 + 32*a^8*b^8 + 8*a^9*b^7 - 8*a^{10}*b^6)*8i)/(b^3*(a*b^{10} + b^{11} - 3*a^2*b^ \\ & 9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4)))*1i)/b^3 + (8*t \\ & \text{an}(c/2 + (dx)/2)*(4*A^2*b^{10} + 8*B^2*a^{10} + 4*B^2*b^{10} - 8*B^2*a*b^9 - 8*B \\ & ^2*a^9*b + 4*A^2*a^2*b^8 + A^2*a^4*b^6 + 24*B^2*a^2*b^8 + 32*B^2*a^3*b^7 - \\ & 52*B^2*a^4*b^6 - 48*B^2*a^5*b^5 + 57*B^2*a^6*b^4 + 32*B^2*a^7*b^3 - 32*B^2* \\ & a^8*b^2 - 24*A*B*a*b^9 + 8*A*B*a^3*b^7 + 2*A*B*a^5*b^5 - 4*A*B*a^7*b^3))/(a \\ & *b^{10} + b^{11} - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^ \\ & 7*b^4))/b^3 - (B*((B*((8*(4*A*b^{15} + 4*B*b^{15} - 6*A*a^2*b^{13} + 6*A*a^3*b^{12} \\ & 2 + 2*A*a^6*b^9 - 2*A*a^7*b^8 - 8*B*a^2*b^{13} + 34*B*a^3*b^{12} + 6*B*a^4*b^{11} \end{aligned}$$

$$\begin{aligned}
& - 36B^5a^5b^{10} - 4B^6a^6b^9 + 18B^7a^7b^8 + 2B^8a^8b^7 - 4B^9a^9b^6 - \\
& 4A^4a^4b^{14} - 12B^4a^4b^{14}) / (a^2b^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) + (B \tan(c/2 + (d*x)/2) * (8a^{15}b^{15} - \\
& 8a^2b^{14} - 32a^3b^{13} + 32a^4b^{12} + 48a^5b^{11} - 48a^6b^{10} - 32a^7b^9 + 32a^8b^8 + 8a^9b^7 - 8a^{10}b^6) * 8i) / (b^3(a^2b^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * 1i) / b^3 - (\\
& 8 \tan(c/2 + (d*x)/2) * (4A^2b^{10} + 8B^2a^{10} + 4B^2b^{10} - 8B^2a^9b - 8B^2a^9b + 4A^2a^2b^8 + A^2a^4b^6 + 24B^2a^2b^8 + 32B^2a^3b^7 - 52B^2a^4b^6 - 48B^2a^5b^5 + 57B^2a^6b^4 + 32B^2a^7b^3 - 32B^2a^8b^2 - 24AB^2a^9b + 8AB^2a^3b^7 + 2AB^2a^5b^5 - 4AB^2a^7b^3)) / (a^2b^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) / b^3 / ((B * (B * (8(4A^2b^{15} + 4B^2b^{15} - 6A^2a^2b^{13} + 6A^2a^3b^{12} + 2A^2a^6b^9 - 2A^2a^7b^8 - 8B^2a^2b^{13} + 34B^2a^3b^{12} + 6B^2a^4b^{11} - 36B^2a^5b^{10} - 4B^2a^6b^9 + 18B^2a^7b^8 + 2B^2a^8b^7 - 4B^2a^9b^6 - 4A^2a^4b^9 + 3A^2a^5b^8 - a^6b^7 - a^7b^6) - (B \tan(c/2 + (d*x)/2) * (8a^{15}b^{15} - 8a^2b^{14} - 32a^3b^{13} + 32a^4b^{12} + 48a^5b^{11} - 48a^6b^{10} - 32a^7b^9 + 32a^8b^8 + 8a^9b^7 - 8a^{10}b^6) * 8i) / (b^3(a^2b^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * 1i) / b^3 + (8 \tan(c/2 + (d*x)/2) * (4A^2b^{10} + 8B^2a^{10} + 4B^2b^{10} - 8B^2a^9b - 8B^2a^9b + 4A^2a^2b^8 + A^2a^4b^6 + 24B^2a^2b^8 + 32B^2a^3b^7 - 52B^2a^4b^6 - 48B^2a^5b^5 + 57B^2a^6b^4 + 32B^2a^7b^3 - 32B^2a^8b^2 - 24AB^2a^9b + 8AB^2a^3b^7 + 2AB^2a^5b^5 - 4AB^2a^7b^3)) / (a^2b^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * 1i) / b^3 - (16(4B^3a^9 - 4AB^2b^9 + 4A^2B^3b^9 + 12B^3a^8b - 2B^3a^8b + 24B^3a^2b^7 - 34B^3a^3b^6 - 26B^3a^4b^5 + 36B^3a^5b^4 + 13B^3a^6b^3 - 18B^3a^7b^2 - 20AB^2a^8b + 6AB^2a^2b^7 + 2AB^2a^3b^6 + 2AB^2a^5b^4 - 2AB^2a^6b^3 - 2AB^2a^7b^2 + 4A^2B^2a^2b^7 + A^2B^2a^4b^5)) / (a^2b^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) + (B * (B * (8(4A^2b^{15} + 4B^2b^{15} - 6A^2a^2b^{13} + 6A^2a^3b^{12} + 2A^2a^6b^9 - 2A^2a^7b^8 - 8B^2a^2b^{13} + 34B^2a^3b^{12} + 6B^2a^4b^{11} - 36B^2a^5b^{10} - 4B^2a^6b^9 + 18B^2a^7b^8 + 2B^2a^8b^7 - 4B^2a^9b^6 - 4A^2a^4b^9 + 3A^2a^5b^8 - a^6b^7 - a^7b^6) + (B \tan(c/2 + (d*x)/2) * (8a^{15}b^{15} - 8a^2b^{14} - 32a^3b^{13} + 32a^4b^{12} + 48a^5b^{11} - 48a^6b^{10} - 32a^7b^9 + 32a^8b^8 + 8a^9b^7 - 8a^{10}b^6) * 8i) / (b^3(a^2b^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * 1i) / b^3 - (8 \tan(c/2 + (d*x)/2) * (4A^2b^{10} + 8B^2a^{10} + 4B^2b^{10} - 8B^2a^9b - 8B^2a^9b + 4A^2a^2b^8 + A^2a^4b^6 + 24B^2a^2b^8 + 32B^2a^3b^7 - 52B^2a^4b^6 - 48B^2a^5b^5 + 57B^2a^6b^4 + 32B^2a^7b^3 - 32B^2a^8b^2 - 24AB^2a^9b + 8AB^2a^3b^7 + 2AB^2a^5b^5 - 4AB^2a^7b^3)) / (a^2b^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * 1i) / b^3)) / (b^3*d) - ((\tan(c/2 + (d*x)/2)^3 * (2B^2a^4 + A^2a^2b^2 - 6B^2a^2b^2 + 4A^2a^3b^3 - B^2a^3b^3)) / ((a^2b^2 - b^3)(a + b)^2) + (\tan(c/2 + (d*x)/2) * (2B^2a^4 - A^2a^2b^2 - 6B^2a^2b^2 + 4A^2a^3b^3 + B^2a^3b^3)) / ((a + b)(b^4 - 2a^2b^3 + a^2b^2))) / (d * (2a^2b + \tan(c/2 + (d*x)/2)^2 * (2a^2 - 2b^2) + \tan(c/2 + (d*x)/2)^4 * (a^2 - 2a^2b + b^2) + a^2 + b^2)) + (\operatorname{atan}((((-(a + b)^5 * (a - b)^5)^{(1/2)} * ((8 \tan(c/2 + (d*x)/2) * (4A^2b^{10} + 8B^2a^{10} + 4B^2b^{10} - 8B^2a^9b - 8B^2a^9b + 4A^2a^2b^8 + A^2a^4b^6 + 24B^2a^2b^8 + 32B^2a^3b^7 - 52B^2a^4b^6 - 48B^2a^5b^5 + 57B^2a^6b^4 + 32B^2a^7b^3 - 32B^2a^8b^2 - 24AB^2a^9b + 8AB^2a^3b^7 + 2AB^2a^5b^5 - 4AB^2a^7b^3)) / (a^2b^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4) + (((-(a + b)^5 * (a - b)^5)^{(1/2)} * ((8(4A^2b^{15} + 4B^2b^{15} - 6A^2a^2b^{13} + 6A^2a^3b^{12} + 2A^2a^6b^9 - 2A^2a^7b^8 - 8B^2a^2b^{13} + 34B^2a^3b^{12} + 6B^2a^4b^{11} - 36B^2a^5b^{10} - 4B^2a^6b^9 + 18B^2a^7b^8 + 2B^2a^8b^7 - 4B^2a^9b^6 - 4A^2a^4b^9 + 3A^2a^5b^8 - a^6b^7 - a^7b^6) - (4 \tan(c/2 + (d*x)/2) * (8a^{15}b^{15} - 8a^2b^{14} - 32a^3b^{13} + 32a^4b^{12} + 48a^5b^{11} - 48a^6b^{10} - 32a^7b^9 + 32a^8b^8 + 8a^9b^7 - 8a^{10}b^6) * 8i) / (b^3(a^2b^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * 1i) / b^3 - (8 \tan(c/2 + (d*x)/2) * (4A^2b^{10} + 8B^2a^{10} + 4B^2b^{10} - 8B^2a^9b - 8B^2a^9b + 4A^2a^2b^8 + A^2a^4b^6 + 24B^2a^2b^8 + 32B^2a^3b^7 - 52B^2a^4b^6 - 48B^2a^5b^5 + 57B^2a^6b^4 + 32B^2a^7b^3 - 32B^2a^8b^2 - 24AB^2a^9b + 8AB^2a^3b^7 + 2AB^2a^5b^5 - 4AB^2a^7b^3)) / (a^2b^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * 1i) / b^3 - (16(4B^3a^9 - 4AB^2b^9 + 4A^2B^3b^9 + 12B^3a^8b - 2B^3a^8b + 24B^3a^2b^7 - 34B^3a^3b^6 - 26B^3a^4b^5 + 36B^3a^5b^4 + 13B^3a^6b^3 - 18B^3a^7b^2 - 20AB^2a^8b + 6AB^2a^2b^7 + 2AB^2a^3b^6 + 2AB^2a^5b^4 - 2AB^2a^6b^3 - 2AB^2a^7b^2 + 4A^2B^2a^2b^7 + A^2B^2a^4b^5)) / (a^2b^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) - (4 \tan(c/2 + (d*x)/2) * (-(a + b)^5 * (a - b)^5)^{(1/2)} * (2A^2b^5 - 2B^2a^5 + A^2a^2b^3 + 5B^2a^3b^2
\end{aligned}$$

$$\frac{6Ba^5b^{10} - 4B^2a^6b^9 + 18B^2a^7b^8 + 2B^2a^8b^7 - 4B^2a^9b^6 - 4A^2a^5b^{14} - 12B^2a^6b^{14}}{(ab^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) + (4\tan(c/2 + (d*x)/2)*(-(a+b)^5*(a-b)^5)^{1/2}*(2Ab^5 - 2B^2a^5 + A^2a^2b^3 + 5B^2a^3b^2 - 6B^2a^4b) * (8a^{15}b - 8a^2b^{14} - 32a^3b^{13} + 32a^4b^{12} + 48a^5b^{11} - 48a^6b^{10} - 32a^7b^9 + 32a^8b^8 + 8a^9b^7 - 8a^{10}b^6)) / ((b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3) * (ab^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * (2Ab^5 - 2B^2a^5 + A^2a^2b^3 + 5B^2a^3b^2 - 6B^2a^4b) / (2*(b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3)) * (2Ab^5 - 2B^2a^5 + A^2a^2b^3 + 5B^2a^3b^2 - 6B^2a^4b) / (2*(b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3))) * (-(a+b)^5*(a-b)^5)^{1/2} * (2Ab^5 - 2B^2a^5 + A^2a^2b^3 + 5B^2a^3b^2 - 6B^2a^4b) * i) / (d*(b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.268 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=180

$$\frac{(a^2(-B) + 3aAb - 2b^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} + \frac{a(Ab - aB) \sin(c+dx)}{2bd(a^2 - b^2)(a+b \cos(c+dx))^2} + \frac{(a^3B + a^2Ab - 4ab^2B + a^2b^2)}{2bd(a^2 - b^2)^2(a+b \cos(c+dx))}$$

[Out] $-(3Aa^2b - B^2a^2 - 2B^2b^2) \arctan((a-b)^{1/2} \tan(1/2 dx + 1/2 c)) / (a+b)^{1/2} / (a-b)^{5/2} / (a+b)^{5/2} / d + 1/2 a (Ab - aB) \sin(dx + c) / b / (a^2 - b^2) / d / (a+b \cos(dx + c))^2 + 1/2 (A^2 a^2 b + 2A^2 b^3 + B^2 a^3 - 4B^2 a b^2) \sin(dx + c) / b / (a^2 - b^2)^2 / d / (a+b \cos(dx + c))$

Rubi [A] time = 0.29, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2968, 3021, 2754, 12, 2659, 205}

$$\frac{(a^2(-B) + 3aAb - 2b^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(a^2Ab + a^3B - 4ab^2B + 2Ab^3) \sin(c+dx)}{2bd(a^2 - b^2)^2(a+b \cos(c+dx))} + \frac{a(Ab - aB)}{2bd(a^2 - b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3, x]

[Out] $-\left(\frac{(3a^2b - a^2B - 2b^2B) \text{ArcTan}\left[\frac{\sqrt{a-b} \tan\left[\frac{c+dx}{2}\right]}{\sqrt{a+b}}\right]}{\sqrt{a+b}}\right) / \left((a-b)^{5/2} (a+b)^{5/2} d\right) + \frac{a(Ab - aB) \sin[c+dx]}{2b(a^2 - b^2) d (a+b \cos[c+dx])^2} + \frac{(a^2Ab + 2A^2b^3 + a^3B - 4a^2b^2B) \sin[c+dx]}{2b(a^2 - b^2)^2 d (a+b \cos[c+dx])}$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]

Rule 2968


```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*SIN[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^3} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+b\cos(c+dx))^3} dx \\ &= \frac{a(Ab-aB)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{\int \frac{2b(Ab-aB)-(aAb+a^2B-2b^2B)\cos(c+dx)}{(a+b\cos(c+dx))^2} dx}{2b(a^2-b^2)} \\ &= \frac{a(Ab-aB)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\sin(c+dx)}{2b(a^2-b^2)^2d(a+b\cos(c+dx))} \\ &= \frac{a(Ab-aB)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\sin(c+dx)}{2b(a^2-b^2)^2d(a+b\cos(c+dx))} \\ &= \frac{a(Ab-aB)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\sin(c+dx)}{2b(a^2-b^2)^2d(a+b\cos(c+dx))} \\ &= -\frac{(3aAb-a^2B-2b^2B)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d} + \frac{a(Ab-aB)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.86, size = 172, normalized size = 0.96

$$\frac{2(a^2B-3aAb+2b^2B)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{5/2}} + \frac{(a^3B+a^2Ab-4ab^2B+2Ab^3)\sin(c+dx)}{b(a-b)^2(a+b)^2(a+b\cos(c+dx))} + \frac{a(Ab-aB)\sin(c+dx)}{b(a-b)(a+b)(a+b\cos(c+dx))^2}$$

$$2d$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3, x]
```

```
[Out] ((-2*(-3*a*A*b + a^2*B + 2*b^2*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + (a*(A*b - a*B)*Sin[c + d*x])/((a - b)*b*(a + b)*(a + b*Cos[c + d*x])^2) + ((a^2*A*b + 2*A*b^3 + a^3*B - 4*a*b^2*B)*Sin[c + d*x])/((a - b)^2*b*(a + b)^2*(a + b*Cos[c + d*x]))/(2*d)
```

fricas [B] time = 0.78, size = 740, normalized size = 4.11

$$\left[\frac{(Ba^4 - 3Aa^3b + 2Ba^2b^2 + (Ba^2b^2 - 3Aab^3 + 2Bb^4) \cos(dx + c))^2 + 2(Ba^3b - 3Aa^2b^2 + 2Bab^3) \cos(dx + c)}{4((a^6b^2 - 3a^5b^3 + 2a^4b^4 - 3a^3b^5 + 2a^2b^6 - ab^7) \cos(dx + c) + (a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6)d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] [-1/4*((B*a^4 - 3*A*a^3*b + 2*B*a^2*b^2 + (B*a^2*b^2 - 3*A*a*b^3 + 2*B*b^4) *cos(d*x + c)^2 + 2*(B*a^3*b - 3*A*a^2*b^2 + 2*B*a*b^3)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(2*A*a^5 - 3*B*a^4*b - A*a^3*b^2 + 3*B*a^2*b^3 - A*a*b^4 + (B*a^5 + A*a^4*b - 5*B*a^3*b^2 + A*a^2*b^3 + 4*B*a*b^4 - 2*A*b^5)*cos(d*x + c))*sin(d*x + c))/((a^6*b^2 - 3*a^4*b^4 + 3*a^2*b^6 - b^8)*d*cos(d*x + c)^2 + 2*(a^7*b - 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*d*cos(d*x + c) + (a^8 - 3*a^6*b^2 + 3*a^4*b^4 - a^2*b^6)*d), 1/2*((B*a^4 - 3*A*a^3*b + 2*B*a^2*b^2 + (B*a^2*b^2 - 3*A*a*b^3 + 2*B*b^4)*cos(d*x + c)^2 + 2*(B*a^3*b - 3*A*a^2*b^2 + 2*B*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) + (2*A*a^5 - 3*B*a^4*b - A*a^3*b^2 + 3*B*a^2*b^3 - A*a*b^4 + (B*a^5 + A*a^4*b - 5*B*a^3*b^2 + A*a^2*b^3 + 4*B*a*b^4 - 2*A*b^5)*cos(d*x + c))*sin(d*x + c))/((a^6*b^2 - 3*a^4*b^4 + 3*a^2*b^6 - b^8)*d*cos(d*x + c)^2 + 2*(a^7*b - 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*d*cos(d*x + c) + (a^8 - 3*a^6*b^2 + 3*a^4*b^4 - a^2*b^6)*d)]

giac [B] time = 0.71, size = 391, normalized size = 2.17

$$\frac{(Ba^2 - 3Aab + 2Bb^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}} + \frac{2Aa^3 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 - Ba^3 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 - Aa^2b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 + 3Aab \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 - 3Bb^2 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] ((B*a^2 - 3*A*a*b + 2*B*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2))))/((a^4 - 2*a^2*b^2 + b^4)*sqrt(a^2 - b^2)) + (2*A*a^3*tan(1/2*d*x + 1/2*c)^3 - B*a^3*tan(1/2*d*x + 1/2*c)^3 - A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 3*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 + A*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 4*B*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 2*A*b^3*tan(1/2*d*x + 1/2*c)^3 + 2*A*a^3*tan(1/2*d*x + 1/2*c) + B*a^3*tan(1/2*d*x + 1/2*c) + A*a^2*b*tan(1/2*d*x + 1/2*c) - 3*B*a^2*b*tan(1/2*d*x + 1/2*c) + A*a*b^2*tan(1/2*d*x + 1/2*c) - 4*B*a*b^2*tan(1/2*d*x + 1/2*c) + 2*A*b^3*tan(1/2*d*x + 1/2*c))/((a^4 - 2*a^2*b^2 + b^4)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)^2)/d

maple [B] time = 0.08, size = 886, normalized size = 4.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x)

```
[Out] 2/d*a^2/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*
a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+1/d*b/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1
/2*c)^2*b+a+b)^2*a/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+2/d/(a*tan(
1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/
2*d*x+1/2*c)^3*A*b^2-1/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b
)^2*a^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-4/d/(a*tan(1/2*d*x+1/2
*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c
)^3*B*a*b+2/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(
a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)*a^2*A-1/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2
*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)*A*a*b+2/d/(
a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*
tan(1/2*d*x+1/2*c)*A*b^2+1/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b
+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)*a^2*B-4/d/(a*tan(1/2*d*x+1
/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2
*c)*B*a*b-3/d*a*b/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*
x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+1/d*a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a
+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B+2/d/(a^4-
2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(
a+b))^(1/2))*b^2*B
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="maxi
ma")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for
more details)Is 4*b^2-4*a^2 positive or negative?
```

mupad [B] time = 3.74, size = 248, normalized size = 1.38

$$\frac{\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (2Aa^2 + 2Ab^2 - Ba^2 + Aab - 4Bab)}{(a+b)^2(a-b)} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (2Aa^2 + 2Ab^2 + Ba^2 - Aab - 4Bab)}{(a+b)(a^2 - 2ab + b^2)}}{d \left(2ab + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 (2a^2 - 2b^2) + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 (a^2 - 2ab + b^2) + a^2 + b^2 \right)} + \frac{\operatorname{atan}\left(\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (2a-2b) (a^2 - 2ab + b^2)}{2\sqrt{a+b} (a-b)^{5/2}}\right)}{d(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^3,x)
```

```
[Out] ((tan(c/2 + (d*x)/2)^3*(2*A*a^2 + 2*A*b^2 - B*a^2 + A*a*b - 4*B*a*b))/((a +
b)^2*(a - b)) + (tan(c/2 + (d*x)/2)*(2*A*a^2 + 2*A*b^2 + B*a^2 - A*a*b - 4
*B*a*b))/((a + b)*(a^2 - 2*a*b + b^2)))/(d*(2*a*b + tan(c/2 + (d*x)/2)^2*(2
*a^2 - 2*b^2) + tan(c/2 + (d*x)/2)^4*(a^2 - 2*a*b + b^2) + a^2 + b^2)) + (a
tan((tan(c/2 + (d*x)/2)*(2*a - 2*b)*(a^2 - 2*a*b + b^2))/(2*(a + b)^(1/2)*(
a - b)^(5/2))))*(B*a^2 + 2*B*b^2 - 3*A*a*b))/(d*(a + b)^(5/2)*(a - b)^(5/2))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)))**3,x)
```

```
[Out] Timed out
```

$$3.269 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=164

$$\frac{(2a^2A - 3abB + Ab^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2(-B) + 3aAb - 2b^2B) \sin(c+dx)}{2d(a^2 - b^2)^2(a+b \cos(c+dx))} - \frac{(Ab - aB) \sin(c+dx)}{2d(a^2 - b^2)(a+b \cos(c+dx))}$$

[Out] (2*A*a^2+A*b^2-3*B*a*b)*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/(a-b)^(5/2)/(a+b)^(5/2)/d-1/2*(A*b-B*a)*sin(d*x+c)/(a^2-b^2)/d/(a+b*cos(d*x+c))^2-1/2*(3*A*a*b-B*a^2-2*B*b^2)*sin(d*x+c)/(a^2-b^2)^2/d/(a+b*cos(d*x+c))

Rubi [A] time = 0.19, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2754, 12, 2659, 205}

$$\frac{(2a^2A - 3abB + Ab^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2(-B) + 3aAb - 2b^2B) \sin(c+dx)}{2d(a^2 - b^2)^2(a+b \cos(c+dx))} - \frac{(Ab - aB) \sin(c+dx)}{2d(a^2 - b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^3,x]

[Out] ((2*a^2*A + A*b^2 - 3*a*b*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d) - ((A*b - a*B)*Sin[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^2) - ((3*a*A*b - a^2*B - 2*b^2*B)*Sin[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^3} dx &= -\frac{(Ab - aB) \sin(c + dx)}{2(a^2 - b^2) d(a + b \cos(c + dx))^2} - \frac{\int \frac{-2(aA - bB) + (Ab - aB) \cos(c + dx)}{(a + b \cos(c + dx))^2} dx}{2(a^2 - b^2)} \\
&= -\frac{(Ab - aB) \sin(c + dx)}{2(a^2 - b^2) d(a + b \cos(c + dx))^2} - \frac{(3aAb - a^2B - 2b^2B) \sin(c + dx)}{2(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \frac{\int \frac{2a^2A + a^2B}{a + b \cos(c + dx)} dx}{2(a^2 - b^2)} \\
&= -\frac{(Ab - aB) \sin(c + dx)}{2(a^2 - b^2) d(a + b \cos(c + dx))^2} - \frac{(3aAb - a^2B - 2b^2B) \sin(c + dx)}{2(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \frac{(2a^2A + a^2B) \sin(c + dx)}{2(a^2 - b^2)} \\
&= -\frac{(Ab - aB) \sin(c + dx)}{2(a^2 - b^2) d(a + b \cos(c + dx))^2} - \frac{(3aAb - a^2B - 2b^2B) \sin(c + dx)}{2(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \frac{(2a^2A + a^2B) \sin(c + dx)}{2(a^2 - b^2)} \\
&= \frac{(2a^2A + Ab^2 - 3abB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d} - \frac{(Ab - aB) \sin(c + dx)}{2(a^2 - b^2) d(a + b \cos(c + dx))}
\end{aligned}$$

Mathematica [A] time = 0.67, size = 157, normalized size = 0.96

$$\frac{(a^2B - 3aAb + 2b^2B) \sin(c + dx)}{(a-b)^2(a+b)^2(a+b \cos(c + dx))} - \frac{2(2a^2A - 3abB + Ab^2) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}} + \frac{(aB - Ab) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))^2}$$

$$2d$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^3, x]

[Out] ((-2*(2*a^2*A + A*b^2 - 3*a*b*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + ((-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x])^2) + ((-3*a*A*b + a^2*B + 2*b^2*B)*Sin[c + d*x])/((a - b)^2*(a + b)^2*(a + b*Cos[c + d*x]))/(2*d)

fricas [B] time = 0.68, size = 742, normalized size = 4.52

$$\left[\frac{(2Aa^4 - 3Ba^3b + Aa^2b^2 + (2Aa^2b^2 - 3Bab^3 + Ab^4) \cos(dx + c)^2 + 2(2Aa^3b - 3Ba^2b^2 + Aab^3) \cos(dx + c)) \sqrt{-a^2 + b^2} \operatorname{arctan}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right) + (Ab - aB) \sin(c + dx)}{4((a^6b^2 - \dots))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] [-1/4*((2*A*a^4 - 3*B*a^3*b + A*a^2*b^2 + (2*A*a^2*b^2 - 3*B*a*b^3 + A*b^4) *cos(d*x + c)^2 + 2*(2*A*a^3*b - 3*B*a^2*b^2 + A*a*b^3)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(2*B*a^5 - 4*A*a^4*b - B*a^3*b^2 + 5*A*a^2*b^3 - B*a*b^4 - A*b^5 + (B*a^4*b - 3*A*a^3*b^2 + B*a^2*b^3 + 3*A*a*b^4 - 2*B*b^5)*cos(d*x + c))*sin(d*x + c))/((a^6*b^2 - 3*a^4*b^4 + 3*a^2*b^6 - b^8)*d*cos(d*x + c)^2 + 2*(a^7*b - 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*d*cos(d*x + c) + (a^8 - 3*a^6*b^2 + 3*a^4*b^4 - a^2*b^6)*d), 1/2*((2*A*a^4 - 3*B*a^3*b + A*a^2*b^2 + (2*A*a^2*b^2 - 3*B*a*b^3 + A*b^4)*cos(d*x + c)^2 + 2*(2*A*a^3*b - 3*B*a^2*b^2 + A*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a

$$\frac{\cos(dx + c) + b}{\sqrt{a^2 - b^2} \sin(dx + c)} + (2Ba^5 - 4Aa^4b - Ba^3b^2 + 5Aa^2b^3 - Bb^4 - Ab^5 + (Ba^4b - 3Aa^3b^2 + Ba^2b^3 + 3Aa^2b^4 - 2Bb^5) \cos(dx + c) \sin(dx + c)) / ((a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8) d \cos(dx + c)^2 + 2(a^7b - 3a^5b^3 + 3a^3b^5 - ab^7) d \cos(dx + c) + (a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6) d)$$

giac [B] time = 0.79, size = 390, normalized size = 2.38

$$\frac{(2Aa^2 - 3Bab + Ab^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}} + \frac{2Ba^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 4Aa^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ba^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+b*cos(dx+c))^3,x, algorithm="giac")

[Out] $((2Aa^2 - 3Ba^2b + Ab^2) * (\pi * \operatorname{floor}(1/2 * (dx + c) / \pi + 1/2) * \operatorname{sgn}(2a - 2b) + \arctan((a * \tan(1/2 * dx + 1/2 * c) - b * \tan(1/2 * dx + 1/2 * c)) / \sqrt{a^2 - b^2}))) / ((a^4 - 2a^2b^2 + b^4) * \sqrt{a^2 - b^2}) + (2Ba^3 * \tan(1/2 * dx + 1/2 * c)^3 - 4Aa^2b * \tan(1/2 * dx + 1/2 * c)^3 - Ba^2b * \tan(1/2 * dx + 1/2 * c)^3 + 3Aa^2b^2 * \tan(1/2 * dx + 1/2 * c)^3 + Ba^2b^2 * \tan(1/2 * dx + 1/2 * c)^3 + Ab^3 * \tan(1/2 * dx + 1/2 * c)^3 - 2Bb^3 * \tan(1/2 * dx + 1/2 * c)^3 + 2Ba^3 * \tan(1/2 * dx + 1/2 * c) - 4Aa^2b * \tan(1/2 * dx + 1/2 * c) + Ba^2b * \tan(1/2 * dx + 1/2 * c) - 3Aa^2b^2 * \tan(1/2 * dx + 1/2 * c) + Ba^2b^2 * \tan(1/2 * dx + 1/2 * c) + Ab^3 * \tan(1/2 * dx + 1/2 * c) + 2Bb^3 * \tan(1/2 * dx + 1/2 * c)) / ((a^4 - 2a^2b^2 + b^4) * (a * \tan(1/2 * dx + 1/2 * c)^2 - b * \tan(1/2 * dx + 1/2 * c)^2 + a + b)^2) / d$

maple [B] time = 0.07, size = 886, normalized size = 5.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(dx+c))/(a+b*cos(dx+c))^3,x)

[Out] $-4/d * b / (a * \tan(1/2 * dx + 1/2 * c)^2 - \tan(1/2 * dx + 1/2 * c)^2 * b + a + b)^2 * a / (a - b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * dx + 1/2 * c)^3 * A - 1/d / (a * \tan(1/2 * dx + 1/2 * c)^2 - \tan(1/2 * dx + 1/2 * c)^2 * b + a + b)^2 / (a - b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * dx + 1/2 * c)^3 * A * b^2 + 2/d / (a * \tan(1/2 * dx + 1/2 * c)^2 - \tan(1/2 * dx + 1/2 * c)^2 * b + a + b)^2 * a^2 / (a - b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * dx + 1/2 * c)^3 * B + 1/d / (a * \tan(1/2 * dx + 1/2 * c)^2 - \tan(1/2 * dx + 1/2 * c)^2 * b + a + b)^2 / (a - b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * dx + 1/2 * c)^3 * B * a * b + 2/d / (a * \tan(1/2 * dx + 1/2 * c)^2 - \tan(1/2 * dx + 1/2 * c)^2 * b + a + b)^2 / (a - b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * dx + 1/2 * c)^3 * b^2 * B - 4/d / (a * \tan(1/2 * dx + 1/2 * c)^2 - \tan(1/2 * dx + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * dx + 1/2 * c) * A * a * b + 1/d / (a * \tan(1/2 * dx + 1/2 * c)^2 - \tan(1/2 * dx + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * dx + 1/2 * c) * A * b^2 + 2/d / (a * \tan(1/2 * dx + 1/2 * c)^2 - \tan(1/2 * dx + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * dx + 1/2 * c) * A * b^2 + 2/d / (a * \tan(1/2 * dx + 1/2 * c)^2 - \tan(1/2 * dx + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * dx + 1/2 * c) * b^2 * B + 2/d * a^2 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^(1/2) * \arctan(\tan(1/2 * dx + 1/2 * c) * (a - b) / ((a - b) * (a + b)))^(1/2) * A + 1/d * b^2 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^(1/2) * \arctan(\tan(1/2 * dx + 1/2 * c) * (a - b) / ((a - b) * (a + b)))^(1/2) * A - 3/d * b / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^(1/2) * \arctan(\tan(1/2 * dx + 1/2 * c) * (a - b) / ((a - b) * (a + b)))^(1/2) * B * a$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 3.54, size = 248, normalized size = 1.51

$$\frac{\frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^3 (2B a^2 - A b^2 + 2B b^2 - 4A a b + B a b)}{(a+b)^2 (a-b)} + \frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right) (A b^2 + 2B a^2 + 2B b^2 - 4A a b - B a b)}{(a+b) (a^2 - 2 a b + b^2)}}{d \left(2 a b + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 (2 a^2 - 2 b^2) + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 (a^2 - 2 a b + b^2) + a^2 + b^2 \right)} + \frac{\operatorname{atan}\left(\frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right) (2 a - 2 b) (a^2 - 2 a b + b^2)}{2 \sqrt{a+b} (a-b)^{5/2}}\right)}{d (a + b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(a + b*cos(c + d*x))^3,x)

[Out] ((tan(c/2 + (d*x)/2)^3*(2*B*a^2 - A*b^2 + 2*B*b^2 - 4*A*a*b + B*a*b))/((a + b)^2*(a - b)) + (tan(c/2 + (d*x)/2)*(A*b^2 + 2*B*a^2 + 2*B*b^2 - 4*A*a*b - B*a*b))/((a + b)*(a^2 - 2*a*b + b^2)))/(d*(2*a*b + tan(c/2 + (d*x)/2)^2*(2*a^2 - 2*b^2) + tan(c/2 + (d*x)/2)^4*(a^2 - 2*a*b + b^2) + a^2 + b^2)) + (a*tan((tan(c/2 + (d*x)/2)*(2*a - 2*b)*(a^2 - 2*a*b + b^2))/(2*(a + b)^(1/2)*(a - b)^(5/2))))*(2*A*a^2 + A*b^2 - 3*B*a*b))/(d*(a + b)^(5/2)*(a - b)^(5/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))*3,x)

[Out] Timed out

3.270
$$\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=214

$$\frac{A \tanh^{-1}(\sin(c+dx))}{a^3 d} + \frac{b(Ab - aB) \sin(c+dx)}{2ad(a^2 - b^2)(a + b \cos(c+dx))^2} + \frac{b(-3a^3B + 5a^2Ab - 2Ab^3) \sin(c+dx)}{2a^2d(a^2 - b^2)^2(a + b \cos(c+dx))} - \frac{(-2a^5B + 6a^4Ab - 5a^3b^2B - 2a^2b^3A + 2Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{b(5a^2Ab - 3a^3B - 2Ab^3) \sin(c+dx)}{2a^2d(a^2 - b^2)^2(a + b \cos(c+dx))} + \dots$$

[Out] $-(6Aa^4b - 5Aa^2b^3 + 2Ab^5 - 2Ba^5 - Ba^3b^2) \arctan((a-b)^{1/2} \tan(1/2 dx + 1/2 c)) / (a+b)^{1/2} / a^3 / (a-b)^{5/2} / (a+b)^{5/2} / d + A \operatorname{arctanh}(\sin(dx+c)) / a^3 / d + 1/2 b (Ab - Ba) \sin(dx+c) / a / (a^2 - b^2) / d / (a+b \cos(dx+c))^2 + 1/2 b (5Aa^2b - 2Ab^3 - 3Ba^3) \sin(dx+c) / a^2 / (a^2 - b^2)^2 / d / (a+b \cos(dx+c))$

Rubi [A] time = 0.71, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{(-5a^2Ab^3 + 6a^4Ab - a^3b^2B - 2a^5B + 2Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{b(5a^2Ab - 3a^3B - 2Ab^3) \sin(c+dx)}{2a^2d(a^2 - b^2)^2(a + b \cos(c+dx))} + \dots$$

Antiderivative was successfully verified.

[In] `Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^3,x]`

[Out] $-\left(\left(6a^4Ab - 5a^2Ab^3 + 2Ab^5 - 2a^5B - a^3b^2B\right) \operatorname{ArcTan}\left[\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right]\right) / (a^3(a-b)^{5/2}(a+b)^{5/2}d) + (A \operatorname{ArcTanh}[\sin(c+dx)]) / (a^3d) + (b(Ab - aB) \sin(c+dx)) / (2a(a^2 - b^2)d(a + b \cos(c+dx))^2) + (b(5a^2Ab - 2Ab^3 - 3a^3B) \sin(c+dx)) / (2a^2(a^2 - b^2)^2d(a + b \cos(c+dx)))$

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 2659

`Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

Rule 3000

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))`

Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x] * (a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^3} dx &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{\int \frac{(2A(a^2 - b^2) - 2a(Ab - aB) \cos(c + dx) + b(A - aB)) \sec(c + dx)}{(a + b \cos(c + dx))^3} dx}{2a(a^2 - b^2)} \\ &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(5a^2Ab - 2Ab^3 - 3a^3B) \sin(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\ &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(5a^2Ab - 2Ab^3 - 3a^3B) \sin(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\ &= \frac{A \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(5a^2Ab - 2Ab^3 - 3a^3B) \sin(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\ &= -\frac{(6a^4Ab - 5a^2Ab^3 + 2Ab^5 - 2a^5B - a^3b^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3(a-b)^{5/2}(a+b)^{5/2}d} \end{aligned}$$

Mathematica [A] time = 1.33, size = 269, normalized size = 1.26

$$\cos(c + dx)(A \sec(c + dx) + B) \left(\frac{a^2b(Ab - aB) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))^2} + \frac{ab(-3a^3B + 5a^2Ab - 2Ab^3) \sin(c + dx)}{(a-b)^2(a+b)^2(a+b \cos(c + dx))} - \frac{2(2a^5B - 6a^4Ab + a^3b^2B + 5a^2Ab^3) \sin(c + dx)}{2a^3d(A + B \cos(c + dx))} \right)$$

$2a^3d(A + B \cos(c + dx))$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^3,x]

[Out] (Cos[c + d*x]*(B + A*Sec[c + d*x])*((-2*(-6*a^4*A*b + 5*a^2*A*b^3 - 2*A*b^5 + 2*a^5*B + a^3*b^2*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]))/(-a^2 + b^2)^(5/2) - 2*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a^2*b*(A*b - a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x])^2) + (a*b*(5*a^2*A*b - 2*A*b^3 - 3*a^3*B)*Sin[c + d*x])/((a - b)^2*(a + b)^2*(a + b*Cos[c + d*x]))/(2*a^3*d*(A + B*Cos[c + d*x]))

fricas [B] time = 37.51, size = 1400, normalized size = 6.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] [1/4*((2*B*a^7 - 6*A*a^6*b + B*a^5*b^2 + 5*A*a^4*b^3 - 2*A*a^2*b^5 + (2*B*a^5*b^2 - 6*A*a^4*b^3 + B*a^3*b^4 + 5*A*a^2*b^5 - 2*A*b^7)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 6*A*a^5*b^2 + B*a^4*b^3 + 5*A*a^3*b^4 - 2*A*a*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + 2*(A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6 + (A*a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*cos(d*x + c)^2 + 2*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*cos(d*x + c))*log(sin(d*x + c) + 1) - 2*(A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6 + (A*a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*cos(d*x + c)^2 + 2*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(4*B*a^7*b - 6*A*a^6*b^2 - 5*B*a^5*b^3 + 9*A*a^4*b^4 + B*a^3*b^5 - 3*A*a^2*b^6 + (3*B*a^6*b^2 - 5*A*a^5*b^3 - 3*B*a^4*b^4 + 7*A*a^3*b^5 - 2*A*a*b^7)*cos(d*x + c))*sin(d*x + c))/((a^9*b^2 - 3*a^7*b^4 + 3*a^5*b^6 - a^3*b^8)*d*cos(d*x + c)^2 + 2*(a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - a^4*b^7)*d*cos(d*x + c) + (a^11 - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*d), 1/2*((2*B*a^7 - 6*A*a^6*b + B*a^5*b^2 + 5*A*a^4*b^3 - 2*A*a^2*b^5 + (2*B*a^5*b^2 - 6*A*a^4*b^3 + B*a^3*b^4 + 5*A*a^2*b^5 - 2*A*b^7)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 6*A*a^5*b^2 + B*a^4*b^3 + 5*A*a^3*b^4 - 2*A*a*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) + (A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6 + (A*a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*cos(d*x + c)^2 + 2*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*cos(d*x + c))*log(sin(d*x + c) + 1) - (A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6 + (A*a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*cos(d*x + c)^2 + 2*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*cos(d*x + c))*log(-sin(d*x + c) + 1) - (4*B*a^7*b - 6*A*a^6*b^2 - 5*B*a^5*b^3 + 9*A*a^4*b^4 + B*a^3*b^5 - 3*A*a^2*b^6 + (3*B*a^6*b^2 - 5*A*a^5*b^3 - 3*B*a^4*b^4 + 7*A*a^3*b^5 - 2*A*a*b^7)*cos(d*x + c))*sin(d*x + c))/((a^9*b^2 - 3*a^7*b^4 + 3*a^5*b^6 - a^3*b^8)*d*cos(d*x + c)^2 + 2*(a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - a^4*b^7)*d*cos(d*x + c) + (a^11 - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*d)]

giac [B] time = 1.77, size = 481, normalized size = 2.25

$$\frac{(2Ba^5 - 6Aa^4b + Ba^3b^2 + 5Aa^2b^3 - 2Ab^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^7 - 2a^5b^2 + a^3b^4) \sqrt{a^2 - b^2}} + \frac{A \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right)}{a^3} - \frac{A \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out]
$$\left((2Ba^5 - 6Aa^4b + Ba^3b^2 + 5Aa^2b^3 - 2Ab^5) \left(\pi \operatorname{floor}\left(\frac{1}{2}(dx+c)\right) / \pi + \frac{1}{2} \right) \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right) \right) / \left((a^7 - 2a^5b^2 + a^3b^4) \sqrt{a^2 - b^2} + A \log\left(\frac{\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|}{a^3} - A \log\left(\frac{\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|}{a^3} - (4Ba^4b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 6Aa^3b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 3Ba^3b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 5Aa^2b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^2b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3Aab^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2Ab^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 4Ba^4b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 6Aa^3b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Ba^3b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 5Aa^2b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - Ba^2b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Aab^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2Ab^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))}{(a^6 - 2a^4b^2 + a^2b^4) (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a + b)^2} \right) / d$$

maple [B] time = 0.16, size = 1045, normalized size = 4.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^3,x)

[Out]
$$\frac{6}{d} \frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b}{(a-b)} \frac{1}{(a^2 + 2ab + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A b^2 + 1/d/a}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b} \frac{b^3}{(a-b)} \frac{1}{(a^2 + 2ab + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A - 2/d/a^2}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b} \frac{b^4}{(a-b)} \frac{1}{(a^2 + 2ab + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A - 4/d}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b} \frac{b^2}{(a-b)} \frac{1}{(a^2 + 2ab + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 B a b - 1/d}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b} \frac{b^2}{(a-b)} \frac{1}{(a^2 + 2ab + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 B + 6/d}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b} \frac{b^2}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) A - 1/d/a}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b} \frac{b^3}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) A - 2/d/a^2}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b} \frac{b^4}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) A - 4/d/a}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b} \frac{b}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) B + 1/d}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b} \frac{b^2}{(a+b)} \frac{1}{(a-b)^2} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) B - 6/d/a b}{(a^4 - 2a^2 b^2 + b^4)} \frac{1}{((a-b)(a+b))^{1/2}} \arctan\left(\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)(a-b)}{(a-b)(a+b)}\right)^{1/2} \frac{A + 5/d/a}{(a^4 - 2a^2 b^2 + b^4)} \frac{1}{((a-b)(a+b))^{1/2}} \arctan\left(\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)(a-b)}{(a-b)(a+b)}\right)^{1/2} \frac{A b^3 - 2/d/a^3}{(a^4 - 2a^2 b^2 + b^4)} \frac{1}{(a-b)(a+b)^{1/2}} \arctan\left(\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)(a-b)}{(a-b)(a+b)}\right)^{1/2} \frac{A b^5 + 2/d/a^2}{(a^4 - 2a^2 b^2 + b^4)} \frac{1}{((a-b)(a+b))^{1/2}} \arctan\left(\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)(a-b)}{(a-b)(a+b)}\right)^{1/2} \frac{B + 1/d/a^3}{(a^4 - 2a^2 b^2 + b^4)} \frac{1}{((a-b)(a+b))^{1/2}} \arctan\left(\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)(a-b)}{(a-b)(a+b)}\right)^{1/2} \frac{b^2 B - 1/d/a^3 A \ln\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right) + 1/d/a^3 A \ln\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)}{1}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 9.63, size = 6913, normalized size = 32.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*\cos(c + d*x))/(\cos(c + d*x)*(a + b*\cos(c + d*x))^3), x)$

[Out]
$$\frac{((\tan(c/2 + (d*x)/2)^3*(2*A*b^4 - 6*A*a^2*b^2 + B*a^2*b^2 - A*a*b^3 + 4*B*a^3*b)) / ((a^2*b - a^3)*(a + b)^2) - (\tan(c/2 + (d*x)/2)*(2*A*b^4 - 6*A*a^2*b^2 - B*a^2*b^2 + A*a*b^3 + 4*B*a^3*b)) / ((a + b)*(a^4 - 2*a^3*b + a^2*b^2))) / (d*(2*a*b + \tan(c/2 + (d*x)/2)^2*(2*a^2 - 2*b^2) + \tan(c/2 + (d*x)/2)^4*(a^2 - 2*a*b + b^2) + a^2 + b^2)) - (A*\text{atan}(((A*((8*\tan(c/2 + (d*x)/2)*(4*A^2*a^{10} + 8*A^2*b^{10} + 4*B^2*a^{10} - 8*A^2*a*b^9 - 8*A^2*a^9*b - 32*A^2*a^2*b^8 + 32*A^2*a^3*b^7 + 57*A^2*a^4*b^6 - 48*A^2*a^5*b^5 - 52*A^2*a^6*b^4 + 32*A^2*a^7*b^3 + 24*A^2*a^8*b^2 + B^2*a^6*b^4 + 4*B^2*a^8*b^2 - 24*A*B*a^9*b - 4*A*B*a^3*b^7 + 2*A*B*a^5*b^5 + 8*A*B*a^7*b^3)) / (a^{10}*b + a^{11} - a^4*b^7 - a^5*b^6 + 3*a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2)) + (A*((8*(4*A*a^{15} + 4*B*a^{15} - 4*A*a^6*b^9 + 2*A*a^7*b^8 + 18*A*a^8*b^7 - 4*A*a^9*b^6 - 36*A*a^{10}*b^5 + 6*A*a^{11}*b^4 + 34*A*a^{12}*b^3 - 8*A*a^{13}*b^2 - 2*B*a^8*b^7 + 2*B*a^9*b^6 + 6*B*a^{12}*b^3 - 6*B*a^{13}*b^2 - 12*A*a^{14}*b - 4*B*a^{14}*b)) / (a^{12}*b + a^{13} - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^{10}*b^3 - 3*a^{11}*b^2) + (8*A*\tan(c/2 + (d*x)/2)*(8*a^{15}*b - 8*a^6*b^{10} + 8*a^7*b^9 + 32*a^8*b^8 - 32*a^9*b^7 - 48*a^{10}*b^6 + 48*a^{11}*b^5 + 32*a^{12}*b^4 - 32*a^{13}*b^3 - 8*a^{14}*b^2)) / (a^3*(a^{10}*b + a^{11} - a^4*b^7 - a^5*b^6 + 3*a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2)))) / a^3) * i) / a^3 + (A*((8*\tan(c/2 + (d*x)/2)*(4*A^2*a^{10} + 8*A^2*b^{10} + 4*B^2*a^{10} - 8*A^2*a*b^9 - 8*A^2*a^9*b - 32*A^2*a^2*b^8 + 32*A^2*a^3*b^7 + 57*A^2*a^4*b^6 - 48*A^2*a^5*b^5 - 52*A^2*a^6*b^4 + 32*A^2*a^7*b^3 + 24*A^2*a^8*b^2 + B^2*a^6*b^4 + 4*B^2*a^8*b^2 - 24*A*B*a^9*b - 4*A*B*a^3*b^7 + 2*A*B*a^5*b^5 + 8*A*B*a^7*b^3)) / (a^{10}*b + a^{11} - a^4*b^7 - a^5*b^6 + 3*a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2) - (A*((8*(4*A*a^{15} + 4*B*a^{15} - 4*A*a^6*b^9 + 2*A*a^7*b^8 + 18*A*a^8*b^7 - 4*A*a^9*b^6 - 36*A*a^{10}*b^5 + 6*A*a^{11}*b^4 + 34*A*a^{12}*b^3 - 8*A*a^{13}*b^2 - 2*B*a^8*b^7 + 2*B*a^9*b^6 + 6*B*a^{12}*b^3 - 6*B*a^{13}*b^2 - 12*A*a^{14}*b - 4*B*a^{14}*b)) / (a^{12}*b + a^{13} - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^{10}*b^3 - 3*a^{11}*b^2) - (8*A*\tan(c/2 + (d*x)/2)*(8*a^{15}*b - 8*a^6*b^{10} + 8*a^7*b^9 + 32*a^8*b^8 - 32*a^9*b^7 - 48*a^{10}*b^6 + 48*a^{11}*b^5 + 32*a^{12}*b^4 - 32*a^{13}*b^3 - 8*a^{14}*b^2)) / (a^3*(a^{10}*b + a^{11} - a^4*b^7 - a^5*b^6 + 3*a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2)))) / a^3) * i) / a^3) / ((16*(4*A^3*b^9 + 4*A*B^2*a^9 - 4*A^2*B*a^9 - 2*A^3*a*b^8 + 12*A^3*a^8*b - 18*A^3*a^2*b^7 + 13*A^3*a^3*b^6 + 36*A^3*a^4*b^5 - 26*A^3*a^5*b^4 - 34*A^3*a^6*b^3 + 24*A^3*a^7*b^2 - 20*A^2*B*a^8*b + A*B^2*a^5*b^4 + 4*A*B^2*a^7*b^2 - 2*A^2*B*a^2*b^7 - 2*A^2*B*a^3*b^6 + 2*A^2*B*a^4*b^5 + 2*A^2*B*a^6*b^3 + 6*A^2*B*a^7*b^2)) / (a^{12}*b + a^{13} - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^{10}*b^3 - 3*a^{11}*b^2) + (A*((8*\tan(c/2 + (d*x)/2)*(4*A^2*a^{10} + 8*A^2*b^{10} + 4*B^2*a^{10} - 8*A^2*a*b^9 - 8*A^2*a^9*b - 32*A^2*a^2*b^8 + 32*A^2*a^3*b^7 + 57*A^2*a^4*b^6 - 48*A^2*a^5*b^5 - 52*A^2*a^6*b^4 + 32*A^2*a^7*b^3 + 24*A^2*a^8*b^2 + B^2*a^6*b^4 + 4*B^2*a^8*b^2 - 24*A*B*a^9*b - 4*A*B*a^3*b^7 + 2*A*B*a^5*b^5 + 8*A*B*a^7*b^3)) / (a^{10}*b + a^{11} - a^4*b^7 - a^5*b^6 + 3*a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2) + (A*((8*(4*A*a^{15} + 4*B*a^{15} - 4*A*a^6*b^9 + 2*A*a^7*b^8 + 18*A*a^8*b^7 - 4*A*a^9*b^6 - 36*A*a^{10}*b^5 + 6*A*a^{11}*b^4 + 34*A*a^{12}*b^3 - 8*A*a^{13}*b^2 - 2*B*a^8*b^7 + 2*B*a^9*b^6 + 6*B*a^{12}*b^3 - 6*B*a^{13}*b^2 - 12*A*a^{14}*b - 4*B*a^{14}*b)) / (a^{12}*b + a^{13} - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^{10}*b^3 - 3*a^{11}*b^2) + (8*A*\tan(c/2 + (d*x)/2)*(8*a^{15}*b - 8*a^6*b^{10} + 8*a^7*b^9 + 32*a^8*b^8 - 32*a^9*b^7 - 48*a^{10}*b^6 + 48*a^{11}*b^5 + 32*a^{12}*b^4 - 32*a^{13}*b^3 - 8*a^{14}*b^2)) / (a^3*(a^{10}*b + a^{11} - a^4*b^7 - a^5*b^6 + 3*a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2)))) / a^3) / a^3 - (A*((8*\tan(c/2 + (d*x)/2)*(4*A^2*a^{10} + 8*A^2*b^{10} + 4*B^2*a^{10} - 8*A^2*a*b^9 - 8*A^2*a^9*b - 32*A^2*a^2*b^8 + 32*A^2*a^3*b^7 + 57*A^2*a^4*b^6 - 48*A^2*a^5*b^5 - 52*A^2*a^6*b^4 + 32*A^2*a^7*b^3 + 24*A^2*a^8*b^2 + B^2*a^6*b^4 + 4*B^2*a^8*b^2 - 24*A*B*a^9*b - 4*A*B*a^3*b^7 + 2*A*B*a^5*b^5 + 8*A*B*a^7*b^3)) / (a^{10}*b + a^{11} - a^4*b^7 - a^5*b^6 + 3*a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2) - (A*((8*(4*A*a^{15} + 4*B*a^{15} - 4*A*a^6*b^9 + 2*A*a^7*b^8 + 18*A*a^8*b^7 - 4*A*a^9*b^6 - 36*A*a^{10}*b^5 + 6*A*a^{11}*b^4 + 34*A*a^{12}*b^3$$


```

/(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 -
3*a^11*b^2) - (4*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^(1/2)*(2*B*a^5 -
2*A*b^5 + 5*A*a^2*b^3 + B*a^3*b^2 - 6*A*a^4*b)*(8*a^15*b - 8*a^6*b^10 + 8*
a^7*b^9 + 32*a^8*b^8 - 32*a^9*b^7 - 48*a^10*b^6 + 48*a^11*b^5 + 32*a^12*b^4
- 32*a^13*b^3 - 8*a^14*b^2))/((a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 +
10*a^9*b^4 - 5*a^11*b^2)*(a^10*b + a^11 - a^4*b^7 - a^5*b^6 + 3*a^6*b^5 + 3
*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2))*(2*B*a^5 - 2*A*b^5 + 5*A*a^2*b^3 + B*a^
3*b^2 - 6*A*a^4*b))/(2*(a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 10*a^9*b
^4 - 5*a^11*b^2)))*(2*B*a^5 - 2*A*b^5 + 5*A*a^2*b^3 + B*a^3*b^2 - 6*A*a^4*b
))/(2*(a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 10*a^9*b^4 - 5*a^11*b^2))
+ ((-(a + b)^5*(a - b)^5)^(1/2))*((8*tan(c/2 + (d*x)/2)*(4*A^2*a^10 + 8*A^2
*b^10 + 4*B^2*a^10 - 8*A^2*a*b^9 - 8*A^2*a^9*b - 32*A^2*a^2*b^8 + 32*A^2*a^
3*b^7 + 57*A^2*a^4*b^6 - 48*A^2*a^5*b^5 - 52*A^2*a^6*b^4 + 32*A^2*a^7*b^3 +
24*A^2*a^8*b^2 + B^2*a^6*b^4 + 4*B^2*a^8*b^2 - 24*A*B*a^9*b - 4*A*B*a^3*b^
7 + 2*A*B*a^5*b^5 + 8*A*B*a^7*b^3))/(a^10*b + a^11 - a^4*b^7 - a^5*b^6 + 3*
a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2) + ((-(a + b)^5*(a - b)^5)^(1/2
))*((8*(4*A*a^15 + 4*B*a^15 - 4*A*a^6*b^9 + 2*A*a^7*b^8 + 18*A*a^8*b^7 - 4*A
*a^9*b^6 - 36*A*a^10*b^5 + 6*A*a^11*b^4 + 34*A*a^12*b^3 - 8*A*a^13*b^2 - 2*
B*a^8*b^7 + 2*B*a^9*b^6 + 6*B*a^12*b^3 - 6*B*a^13*b^2 - 12*A*a^14*b - 4*B*a
^14*b))/(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10
*b^3 - 3*a^11*b^2) + (4*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^(1/2)*(2*
B*a^5 - 2*A*b^5 + 5*A*a^2*b^3 + B*a^3*b^2 - 6*A*a^4*b)*(8*a^15*b - 8*a^6*b^
10 + 8*a^7*b^9 + 32*a^8*b^8 - 32*a^9*b^7 - 48*a^10*b^6 + 48*a^11*b^5 + 32*a
^12*b^4 - 32*a^13*b^3 - 8*a^14*b^2))/((a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7
*b^6 + 10*a^9*b^4 - 5*a^11*b^2)*(a^10*b + a^11 - a^4*b^7 - a^5*b^6 + 3*a^6*
b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2))*(2*B*a^5 - 2*A*b^5 + 5*A*a^2*b^3
+ B*a^3*b^2 - 6*A*a^4*b))/(2*(a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 1
0*a^9*b^4 - 5*a^11*b^2)))*(2*B*a^5 - 2*A*b^5 + 5*A*a^2*b^3 + B*a^3*b^2 - 6*
A*a^4*b))/(2*(a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 10*a^9*b^4 - 5*a^1
1*b^2)))*(-(a + b)^5*(a - b)^5)^(1/2)*(2*B*a^5 - 2*A*b^5 + 5*A*a^2*b^3 + B
*a^3*b^2 - 6*A*a^4*b)*1i)/(d*(a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 10
*a^9*b^4 - 5*a^11*b^2))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))**3,x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)/(a + b*cos(c + d*x))**3, x)

$$3.271 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=299

$$-\frac{(3Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^4 d} + \frac{b(Ab - aB) \tan(c + dx)}{2ad(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{b(-4a^3 B + 6a^2 Ab + ab^2 B - 3Ab^3) \tan(c + dx)}{2a^2 d(a^2 - b^2)^2(a + b \cos(c + dx))}$$

[Out] $b(12Aa^4b - 15Aa^2b^3 + 6Ab^5 - 6Ba^5 + 5Ba^3b^2 - 2Bab^4) \arctan\left(\frac{(a-b)^{1/2} \tan(1/2 dx + 1/2 c)}{(a+b)^{1/2}}\right) / a^4 (a-b)^{5/2} (a+b)^{5/2} d - (3Ab - aB) \operatorname{arctanh}(\sin(dx + c)) / a^4 d + 1/2 (2Aa^4 - 11Aa^2b^2 + 6Ab^4 + 5Ba^3b - 2Bab^3) \tan(dx + c) / a^3 (a^2 - b^2)^2 d + 1/2 b (Ab - aB) \tan(dx + c) / a^2 (a^2 - b^2) d + (6Aa^2b - 3Ab^3 - 4Ba^3 + Bb^2) \tan(dx + c) / a^2 (a^2 - b^2)^2 d + (a + b \cos(dx + c))$

Rubi [A] time = 1.76, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{b(-15a^2Ab^3 + 12a^4Ab + 5a^3b^2B - 6a^5B - 2ab^4B + 6Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d (a-b)^{5/2} (a+b)^{5/2}} + \frac{(-11a^2Ab^2 + 2a^4A + 5a^3b^2B - 2a^2b^4B + 6Ab^5) \tan(c+dx)}{2a^3 d (a-b)^{5/2} (a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^3, x]

[Out] $(b(12a^4Ab - 15a^2Ab^3 + 6Ab^5 - 6a^5B + 5a^3b^2B - 2ab^4B) \operatorname{ArcTan}\left[\frac{\sqrt{a-b} \tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right] / \sqrt{a+b}) / (a^4 (a-b)^{5/2} (a+b)^{5/2} d) - ((3Ab - aB) \operatorname{ArcTanh}[\sin[c + d*x]]) / (a^4 d) + ((2a^4A - 11a^2Ab^2 + 6Ab^4 + 5a^3b^2B - 2ab^4B) \tan[c + d*x]) / (2a^3 (a^2 - b^2)^2 d) + (b(Ab - aB) \tan[c + d*x]) / (2a (a^2 - b^2) d (a + b \cos[c + d*x])^2) + (b(6a^2Ab - 3Ab^3 - 4a^3B + ab^2B) \tan[c + d*x]) / (2a^2 (a^2 - b^2)^2 d (a + b \cos[c + d*x]))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3000

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m+1)*(c + d*Sin[e + f*x])^(1+n))/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m+1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m+1) + b*d*(A*b - a*B)*(m+n+2) + (A*b - a*B)*(a*d*(m+1) - b*c*(m+2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m+n+3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},

$x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{RationalQ}[m] \&\& m < -1 \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) \parallel !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) \parallel \text{EqQ}[a, 0])))$

Rule 3001

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]/((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/(b*c - a*d), \text{Int}[1/(a + b*\sin[e + f*x]), x], x] + \text{Dist}[(B*c - A*d)/(b*c - a*d), \text{Int}[1/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 3055

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^{(n+1)}/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^n*\text{Simp}[(m+1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m+n+2) - (c*(A*b^2 - a*b*B + a^2*C) + (m+1)*(b*c - a*d)*(A*b - a*B + b*C))*\sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m+n+3)*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) \parallel !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) \parallel \text{EqQ}[a, 0])))$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\cos[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^3} dx &= \frac{b(Ab - aB) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{\int \frac{(2a^2A - 3Ab^2 + abB - 2a(Ab - aB) \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^3} dx}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} \\
&= \frac{b(Ab - aB) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(6a^2Ab - 3Ab^3 - 4a^3B + ab^2B)}{2a^2(a^2 - b^2)^2d(a + b \cos(c + dx))^2} \\
&= \frac{(2a^4A - 11a^2Ab^2 + 6Ab^4 + 5a^3bB - 2ab^3B) \tan(c + dx)}{2a^3(a^2 - b^2)^2d} + \frac{b(Ab - aB)}{2a(a^2 - b^2)} \\
&= \frac{(2a^4A - 11a^2Ab^2 + 6Ab^4 + 5a^3bB - 2ab^3B) \tan(c + dx)}{2a^3(a^2 - b^2)^2d} + \frac{b(Ab - aB)}{2a(a^2 - b^2)} \\
&= -\frac{(3Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^4d} + \frac{(2a^4A - 11a^2Ab^2 + 6Ab^4 + 5a^3bB - 2ab^3B) \tan(c + dx)}{2a^3(a^2 - b^2)^2d} \\
&= \frac{b(12a^4Ab - 15a^2Ab^3 + 6Ab^5 - 6a^5B + 5a^3b^2B - 2ab^4B) \tan^{-1}\left(\frac{\sqrt{a-b} \sin(c + dx)}{\sqrt{a+b} \cos(c + dx)}\right)}{a^4(a-b)^{5/2}(a+b)^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 5.97, size = 352, normalized size = 1.18

$$\frac{a^2b^2(aB - Ab) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))^2} + \frac{ab^2(5a^3B - 7a^2Ab - 2ab^2B + 4Ab^3) \sin(c + dx)}{(a-b)^2(a+b)^2(a+b \cos(c + dx))} - \frac{2b(-6a^5B + 12a^4Ab + 5a^3b^2B - 15a^2Ab^3 - 2ab^4B + 6Ab^5) \tanh^{-1}\left(\frac{\sqrt{a-b} \sin(c + dx)}{\sqrt{a+b} \cos(c + dx)}\right)}{(b^2 - a^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^3,x]

[Out] ((-2*b*(12*a^4*A*b - 15*a^2*A*b^3 + 6*A*b^5 - 6*a^5*B + 5*a^3*b^2*B - 2*a*b^4*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + 2*(3*A*b - a*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*(-3*A*b + a*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*a*A*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (2*a*A*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + (a^2*b^2*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x])^2) + (a*b^2*(-7*a^2*A*b + 4*A*b^3 + 5*a^3*B - 2*a*b^2*B)*Sin[c + d*x])/((a - b)^2*(a + b)^2*(a + b*Cos[c + d*x]))/(2*a^4*d)

fricas [B] time = 76.80, size = 2100, normalized size = 7.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] [1/4*(((6*B*a^5*b^3 - 12*A*a^4*b^4 - 5*B*a^3*b^5 + 15*A*a^2*b^6 + 2*B*a*b^7 - 6*A*b^8)*cos(d*x + c)^3 + 2*(6*B*a^6*b^2 - 12*A*a^5*b^3 - 5*B*a^4*b^4 + 15*A*a^3*b^5 + 2*B*a^2*b^6 - 6*A*a*b^7)*cos(d*x + c)^2 + (6*B*a^7*b - 12*A*a^6*b^2 - 5*B*a^5*b^3 + 15*A*a^4*b^4 + 2*B*a^3*b^5 - 6*A*a^2*b^6)*cos(d*x + c) + (6*B*a^8 - 12*A*a^7*b + 5*B*a^6*b^2 - 6*A*a^5*b^3 + 15*A*a^4*b^4 - 2*B*a^3*b^5 - 6*A*a^2*b^6)*cos(d*x + c) + (6*B*a^9 - 12*A*a^8*b + 5*B*a^7*b^2 - 6*A*a^6*b^3 + 15*A*a^5*b^4 - 2*B*a^4*b^5 - 6*A*a^3*b^6)*cos(d*x + c) + (6*B*a^10 - 12*A*a^9*b + 5*B*a^8*b^2 - 6*A*a^7*b^3 + 15*A*a^6*b^4 - 2*B*a^5*b^5 - 6*A*a^4*b^6)*cos(d*x + c) + (6*B*a^11 - 12*A*a^10*b + 5*B*a^9*b^2 - 6*A*a^8*b^3 + 15*A*a^7*b^4 - 2*B*a^6*b^5 - 6*A*a^5*b^6)*cos(d*x + c) + (6*B*a^12 - 12*A*a^11*b + 5*B*a^10*b^2 - 6*A*a^9*b^3 + 15*A*a^8*b^4 - 2*B*a^7*b^5 - 6*A*a^6*b^6)*cos(d*x + c) + (6*B*a^13 - 12*A*a^12*b + 5*B*a^11*b^2 - 6*A*a^10*b^3 + 15*A*a^9*b^4 - 2*B*a^8*b^5 - 6*A*a^7*b^6)*cos(d*x + c) + (6*B*a^14 - 12*A*a^13*b + 5*B*a^12*b^2 - 6*A*a^11*b^3 + 15*A*a^10*b^4 - 2*B*a^9*b^5 - 6*A*a^8*b^6)*cos(d*x + c) + (6*B*a^15 - 12*A*a^14*b + 5*B*a^13*b^2 - 6*A*a^12*b^3 + 15*A*a^11*b^4 - 2*B*a^10*b^5 - 6*A*a^9*b^6)*cos(d*x + c) + (6*B*a^16 - 12*A*a^15*b + 5*B*a^14*b^2 - 6*A*a^13*b^3 + 15*A*a^12*b^4 - 2*B*a^11*b^5 - 6*A*a^10*b^6)*cos(d*x + c) + (6*B*a^17 - 12*A*a^16*b + 5*B*a^15*b^2 - 6*A*a^14*b^3 + 15*A*a^13*b^4 - 2*B*a^12*b^5 - 6*A*a^11*b^6)*cos(d*x + c) + (6*B*a^18 - 12*A*a^17*b + 5*B*a^16*b^2 - 6*A*a^15*b^3 + 15*A*a^14*b^4 - 2*B*a^13*b^5 - 6*A*a^12*b^6)*cos(d*x + c) + (6*B*a^19 - 12*A*a^18*b + 5*B*a^17*b^2 - 6*A*a^16*b^3 + 15*A*a^15*b^4 - 2*B*a^14*b^5 - 6*A*a^13*b^6)*cos(d*x + c) + (6*B*a^20 - 12*A*a^19*b + 5*B*a^18*b^2 - 6*A*a^17*b^3 + 15*A*a^16*b^4 - 2*B*a^15*b^5 - 6*A*a^14*b^6)*cos(d*x + c) + (6*B*a^21 - 12*A*a^20*b + 5*B*a^19*b^2 - 6*A*a^18*b^3 + 15*A*a^17*b^4 - 2*B*a^16*b^5 - 6*A*a^15*b^6)*cos(d*x + c) + (6*B*a^22 - 12*A*a^21*b + 5*B*a^20*b^2 - 6*A*a^19*b^3 + 15*A*a^18*b^4 - 2*B*a^17*b^5 - 6*A*a^16*b^6)*cos(d*x + c) + (6*B*a^23 - 12*A*a^22*b + 5*B*a^21*b^2 - 6*A*a^20*b^3 + 15*A*a^19*b^4 - 2*B*a^18*b^5 - 6*A*a^17*b^6)*cos(d*x + c) + (6*B*a^24 - 12*A*a^23*b + 5*B*a^22*b^2 - 6*A*a^21*b^3 + 15*A*a^20*b^4 - 2*B*a^19*b^5 - 6*A*a^18*b^6)*cos(d*x + c) + (6*B*a^25 - 12*A*a^24*b + 5*B*a^23*b^2 - 6*A*a^22*b^3 + 15*A*a^21*b^4 - 2*B*a^20*b^5 - 6*A*a^19*b^6)*cos(d*x + c) + (6*B*a^26 - 12*A*a^25*b + 5*B*a^24*b^2 - 6*A*a^23*b^3 + 15*A*a^22*b^4 - 2*B*a^21*b^5 - 6*A*a^20*b^6)*cos(d*x + c) + (6*B*a^27 - 12*A*a^26*b + 5*B*a^25*b^2 - 6*A*a^24*b^3 + 15*A*a^23*b^4 - 2*B*a^22*b^5 - 6*A*a^21*b^6)*cos(d*x + c) + (6*B*a^28 - 12*A*a^27*b + 5*B*a^26*b^2 - 6*A*a^25*b^3 + 15*A*a^24*b^4 - 2*B*a^23*b^5 - 6*A*a^22*b^6)*cos(d*x + c) + (6*B*a^29 - 12*A*a^28*b + 5*B*a^27*b^2 - 6*A*a^26*b^3 + 15*A*a^25*b^4 - 2*B*a^24*b^5 - 6*A*a^23*b^6)*cos(d*x + c) + (6*B*a^30 - 12*A*a^29*b + 5*B*a^28*b^2 - 6*A*a^27*b^3 + 15*A*a^26*b^4 - 2*B*a^25*b^5 - 6*A*a^24*b^6)*cos(d*x + c) + (6*B*a^31 - 12*A*a^30*b + 5*B*a^29*b^2 - 6*A*a^28*b^3 + 15*A*a^27*b^4 - 2*B*a^26*b^5 - 6*A*a^25*b^6)*cos(d*x + c) + (6*B*a^32 - 12*A*a^31*b + 5*B*a^30*b^2 - 6*A*a^29*b^3 + 15*A*a^28*b^4 - 2*B*a^27*b^5 - 6*A*a^26*b^6)*cos(d*x + c) + (6*B*a^33 - 12*A*a^32*b + 5*B*a^31*b^2 - 6*A*a^30*b^3 + 15*A*a^29*b^4 - 2*B*a^28*b^5 - 6*A*a^27*b^6)*cos(d*x + c) + (6*B*a^34 - 12*A*a^33*b + 5*B*a^32*b^2 - 6*A*a^31*b^3 + 15*A*a^30*b^4 - 2*B*a^29*b^5 - 6*A*a^28*b^6)*cos(d*x + c) + (6*B*a^35 - 12*A*a^34*b + 5*B*a^33*b^2 - 6*A*a^32*b^3 + 15*A*a^31*b^4 - 2*B*a^30*b^5 - 6*A*a^29*b^6)*cos(d*x + c) + (6*B*a^36 - 12*A*a^35*b + 5*B*a^34*b^2 - 6*A*a^33*b^3 + 15*A*a^32*b^4 - 2*B*a^31*b^5 - 6*A*a^30*b^6)*cos(d*x + c) + (6*B*a^37 - 12*A*a^36*b + 5*B*a^35*b^2 - 6*A*a^34*b^3 + 15*A*a^33*b^4 - 2*B*a^32*b^5 - 6*A*a^31*b^6)*cos(d*x + c) + (6*B*a^38 - 12*A*a^37*b + 5*B*a^36*b^2 - 6*A*a^35*b^3 + 15*A*a^34*b^4 - 2*B*a^33*b^5 - 6*A*a^32*b^6)*cos(d*x + c) + (6*B*a^39 - 12*A*a^38*b + 5*B*a^37*b^2 - 6*A*a^36*b^3 + 15*A*a^35*b^4 - 2*B*a^34*b^5 - 6*A*a^33*b^6)*cos(d*x + c) + (6*B*a^40 - 12*A*a^39*b + 5*B*a^38*b^2 - 6*A*a^37*b^3 + 15*A*a^36*b^4 - 2*B*a^35*b^5 - 6*A*a^34*b^6)*cos(d*x + c) + (6*B*a^41 - 12*A*a^40*b + 5*B*a^39*b^2 - 6*A*a^38*b^3 + 15*A*a^37*b^4 - 2*B*a^36*b^5 - 6*A*a^35*b^6)*cos(d*x + c) + (6*B*a^42 - 12*A*a^41*b + 5*B*a^40*b^2 - 6*A*a^39*b^3 + 15*A*a^38*b^4 - 2*B*a^37*b^5 - 6*A*a^36*b^6)*cos(d*x + c) + (6*B*a^43 - 12*A*a^42*b + 5*B*a^41*b^2 - 6*A*a^40*b^3 + 15*A*a^39*b^4 - 2*B*a^38*b^5 - 6*A*a^37*b^6)*cos(d*x + c) + (6*B*a^44 - 12*A*a^43*b + 5*B*a^42*b^2 - 6*A*a^41*b^3 + 15*A*a^40*b^4 - 2*B*a^39*b^5 - 6*A*a^38*b^6)*cos(d*x + c) + (6*B*a^45 - 12*A*a^44*b + 5*B*a^43*b^2 - 6*A*a^42*b^3 + 15*A*a^41*b^4 - 2*B*a^40*b^5 - 6*A*a^39*b^6)*cos(d*x + c) + (6*B*a^46 - 12*A*a^45*b + 5*B*a^44*b^2 - 6*A*a^43*b^3 + 15*A*a^42*b^4 - 2*B*a^41*b^5 - 6*A*a^40*b^6)*cos(d*x + c) + (6*B*a^47 - 12*A*a^46*b + 5*B*a^45*b^2 - 6*A*a^44*b^3 + 15*A*a^43*b^4 - 2*B*a^42*b^5 - 6*A*a^41*b^6)*cos(d*x + c) + (6*B*a^48 - 12*A*a^47*b + 5*B*a^46*b^2 - 6*A*a^45*b^3 + 15*A*a^44*b^4 - 2*B*a^43*b^5 - 6*A*a^42*b^6)*cos(d*x + c) + (6*B*a^49 - 12*A*a^48*b + 5*B*a^47*b^2 - 6*A*a^46*b^3 + 15*A*a^45*b^4 - 2*B*a^44*b^5 - 6*A*a^43*b^6)*cos(d*x + c) + (6*B*a^50 - 12*A*a^49*b + 5*B*a^48*b^2 - 6*A*a^47*b^3 + 15*A*a^46*b^4 - 2*B*a^45*b^5 - 6*A*a^44*b^6)*cos(d*x + c) + (6*B*a^51 - 12*A*a^50*b + 5*B*a^49*b^2 - 6*A*a^48*b^3 + 15*A*a^47*b^4 - 2*B*a^46*b^5 - 6*A*a^45*b^6)*cos(d*x + c) + (6*B*a^52 - 12*A*a^51*b + 5*B*a^50*b^2 - 6*A*a^49*b^3 + 15*A*a^48*b^4 - 2*B*a^47*b^5 - 6*A*a^46*b^6)*cos(d*x + c) + (6*B*a^53 - 12*A*a^52*b + 5*B*a^51*b^2 - 6*A*a^50*b^3 + 15*A*a^49*b^4 - 2*B*a^48*b^5 - 6*A*a^47*b^6)*cos(d*x + c) + (6*B*a^54 - 12*A*a^53*b + 5*B*a^52*b^2 - 6*A*a^51*b^3 + 15*A*a^50*b^4 - 2*B*a^49*b^5 - 6*A*a^48*b^6)*cos(d*x + c) + (6*B*a^55 - 12*A*a^54*b + 5*B*a^53*b^2 - 6*A*a^52*b^3 + 15*A*a^51*b^4 - 2*B*a^50*b^5 - 6*A*a^49*b^6)*cos(d*x + c) + (6*B*a^56 - 12*A*a^55*b + 5*B*a^54*b^2 - 6*A*a^53*b^3 + 15*A*a^52*b^4 - 2*B*a^51*b^5 - 6*A*a^50*b^6)*cos(d*x + c) + (6*B*a^57 - 12*A*a^56*b + 5*B*a^55*b^2 - 6*A*a^54*b^3 + 15*A*a^53*b^4 - 2*B*a^52*b^5 - 6*A*a^51*b^6)*cos(d*x + c) + (6*B*a^58 - 12*A*a^57*b + 5*B*a^56*b^2 - 6*A*a^55*b^3 + 15*A*a^54*b^4 - 2*B*a^53*b^5 - 6*A*a^52*b^6)*cos(d*x + c) + (6*B*a^59 - 12*A*a^58*b + 5*B*a^57*b^2 - 6*A*a^56*b^3 + 15*A*a^55*b^4 - 2*B*a^54*b^5 - 6*A*a^53*b^6)*cos(d*x + c) + (6*B*a^60 - 12*A*a^59*b + 5*B*a^58*b^2 - 6*A*a^57*b^3 + 15*A*a^56*b^4 - 2*B*a^55*b^5 - 6*A*a^54*b^6)*cos(d*x + c) + (6*B*a^61 - 12*A*a^60*b + 5*B*a^59*b^2 - 6*A*a^58*b^3 + 15*A*a^57*b^4 - 2*B*a^56*b^5 - 6*A*a^55*b^6)*cos(d*x + c) + (6*B*a^62 - 12*A*a^61*b + 5*B*a^60*b^2 - 6*A*a^59*b^3 + 15*A*a^58*b^4 - 2*B*a^57*b^5 - 6*A*a^56*b^6)*cos(d*x + c) + (6*B*a^63 - 12*A*a^62*b + 5*B*a^61*b^2 - 6*A*a^60*b^3 + 15*A*a^59*b^4 - 2*B*a^58*b^5 - 6*A*a^57*b^6)*cos(d*x + c) + (6*B*a^64 - 12*A*a^63*b + 5*B*a^62*b^2 - 6*A*a^61*b^3 + 15*A*a^60*b^4 - 2*B*a^59*b^5 - 6*A*a^58*b^6)*cos(d*x + c) + (6*B*a^65 - 12*A*a^64*b + 5*B*a^63*b^2 - 6*A*a^62*b^3 + 15*A*a^61*b^4 - 2*B*a^60*b^5 - 6*A*a^59*b^6)*cos(d*x + c) + (6*B*a^66 - 12*A*a^65*b + 5*B*a^64*b^2 - 6*A*a^63*b^3 + 15*A*a^62*b^4 - 2*B*a^61*b^5 - 6*A*a^60*b^6)*cos(d*x + c) + (6*B*a^67 - 12*A*a^66*b + 5*B*a^65*b^2 - 6*A*a^64*b^3 + 15*A*a^63*b^4 - 2*B*a^62*b^5 - 6*A*a^61*b^6)*cos(d*x + c) + (6*B*a^68 - 12*A*a^67*b + 5*B*a^66*b^2 - 6*A*a^65*b^3 + 15*A*a^64*b^4 - 2*B*a^63*b^5 - 6*A*a^62*b^6)*cos(d*x + c) + (6*B*a^69 - 12*A*a^68*b + 5*B*a^67*b^2 - 6*A*a^66*b^3 + 15*A*a^65*b^4 - 2*B*a^64*b^5 - 6*A*a^63*b^6)*cos(d*x + c) + (6*B*a^70 - 12*A*a^69*b + 5*B*a^68*b^2 - 6*A*a^67*b^3 + 15*A*a^66*b^4 - 2*B*a^65*b^5 - 6*A*a^64*b^6)*cos(d*x + c) + (6*B*a^71 - 12*A*a^70*b + 5*B*a^69*b^2 - 6*A*a^68*b^3 + 15*A*a^67*b^4 - 2*B*a^66*b^5 - 6*A*a^65*b^6)*cos(d*x + c) + (6*B*a^72 - 12*A*a^71*b + 5*B*a^70*b^2 - 6*A*a^69*b^3 + 15*A*a^68*b^4 - 2*B*a^67*b^5 - 6*A*a^66*b^6)*cos(d*x + c) + (6*B*a^73 - 12*A*a^72*b + 5*B*a^71*b^2 - 6*A*a^70*b^3 + 15*A*a^69*b^4 - 2*B*a^68*b^5 - 6*A*a^67*b^6)*cos(d*x + c) + (6*B*a^74 - 12*A*a^73*b + 5*B*a^72*b^2 - 6*A*a^71*b^3 + 15*A*a^70*b^4 - 2*B*a^69*b^5 - 6*A*a^68*b^6)*cos(d*x + c) + (6*B*a^75 - 12*A*a^74*b + 5*B*a^73*b^2 - 6*A*a^72*b^3 + 15*A*a^71*b^4 - 2*B*a^70*b^5 - 6*A*a^69*b^6)*cos(d*x + c) + (6*B*a^76 - 12*A*a^75*b + 5*B*a^74*b^2 - 6*A*a^73*b^3 + 15*A*a^72*b^4 - 2*B*a^71*b^5 - 6*A*a^70*b^6)*cos(d*x + c) + (6*B*a^77 - 12*A*a^76*b + 5*B*a^75*b^2 - 6*A*a^74*b^3 + 15*A*a^73*b^4 - 2*B*a^72*b^5 - 6*A*a^71*b^6)*cos(d*x + c) + (6*B*a^78 - 12*A*a^77*b + 5*B*a^76*b^2 - 6*A*a^75*b^3 + 15*A*a^74*b^4 - 2*B*a^73*b^5 - 6*A*a^72*b^6)*cos(d*x + c) + (6*B*a^79 - 12*A*a^78*b + 5*B*a^77*b^2 - 6*A*a^76*b^3 + 15*A*a^75*b^4 - 2*B*a^74*b^5 - 6*A*a^73*b^6)*cos(d*x + c) + (6*B*a^80 - 12*A*a^79*b + 5*B*a^78*b^2 - 6*A*a^77*b^3 + 15*A*a^76*b^4 - 2*B*a^75*b^5 - 6*A*a^74*b^6)*cos(d*x + c) + (6*B*a^81 - 12*A*a^80*b + 5*B*a^79*b^2 - 6*A*a^78*b^3 + 15*A*a^77*b^4 - 2*B*a^76*b^5 - 6*A*a^75*b^6)*cos(d*x + c) + (6*B*a^82 - 12*A*a^81*b + 5*B*a^80*b^2 - 6*A*a^79*b^3 + 15*A*a^78*b^4 - 2*B*a^77*b^5 - 6*A*a^76*b^6)*cos(d*x + c) + (6*B*a^83 - 12*A*a^82*b + 5*B*a^81*b^2 - 6*A*a^80*b^3 + 15*A*a^79*b^4 - 2*B*a^78*b^5 - 6*A*a^77*b^6)*cos(d*x + c) + (6*B*a^84 - 12*A*a^83*b + 5*B*a^82*b^2 - 6*A*a^81*b^3 + 15*A*a^80*b^4 - 2*B*a^79*b^5 - 6*A*a^78*b^6)*cos(d*x + c) + (6*B*a^85 - 12*A*a^84*b + 5*B*a^83*b^2 - 6*A*a^82*b^3 + 15*A*a^81*b^4 - 2*B*a^80*b^5 - 6*A*a^79*b^6)*cos(d*x + c) + (6*B*a^86 - 12*A*a^85*b + 5*B*a^84*b^2 - 6*A*a^83*b^3 + 15*A*a^82*b^4 - 2*B*a^81*b^5 - 6*A*a^80*b^6)*cos(d*x + c) + (6*B*a^87 - 12*A*a^86*b + 5*B*a^85*b^2 - 6*A*a^84*b^3 + 15*A*a^83*b^4 - 2*B*a^82*b^5 - 6*A*a^81*b^6)*cos(d*x + c) + (6*B*a^88 - 12*A*a^87*b + 5*B*a^86*b^2 - 6*A*a^85*b^3 + 15*A*a^84*b^4 - 2*B*a^83*b^5 - 6*A*a^82*b^6)*cos(d*x + c) + (6*B*a^89 - 12*A*a^88*b + 5*B*a^87*b^2 - 6*A*a^86*b^3 + 15*A*a^85*b^4 - 2*B*a^84*b^5 - 6*A*a^83*b^6)*cos(d*x + c) + (6*B*a^90 - 12*A*a^89*b + 5*B*a^88*b^2 - 6*A*a^87*b^3 + 15*A*a^86*b^4 - 2*B*a^85*b^5 - 6*A*a^84*b^6)*cos(d*x + c) + (6*B*a^91 - 12*A*a^90*b + 5*B*a^89*b^2 - 6*A*a^88*b^3 + 15*A*a^87*b^4 - 2*B*a^86*b^5 - 6*A*a^85*b^6)*cos(d*x + c) + (6*B*a^92 - 12*A*a^91*b + 5*B*a^90*b^2 - 6*A*a^89*b^3 + 15*A*a^88*b^4 - 2*B*a^87*b^5 - 6*A*a^86*b^6)*cos(d*x + c) + (6*B*a^93 - 12*A*a^92*b + 5*B*a^91*b^2 - 6*A*a^90*b^3 + 15*A*a^89*b^4 - 2*B*a^88*b^5 - 6*A*a^87*b^6)*cos(d*x + c) + (6*B*a^94 - 12*A*a^93*b + 5*B*a^92*b^2 - 6*A*a^91*b^3 + 15*A*a^90*b^4 - 2*B*a^89*b^5 - 6*A*a^88*b^6)*cos(d*x + c) + (6*B*a^95 - 12*A*a^94*b + 5*B*a^93*b^2 - 6*A*a^92*b^3 + 15*A*a^91*b^4 - 2*B*a^90*b^5 - 6*A*a^89*b^6)*cos(d*x + c) + (6*B*a^96 - 12*A*a^95*b + 5*B*a^94*b^2 - 6*A*a^93*b^3 + 15*A*a^92*b^4 - 2*B*a^91*b^5 - 6*A*a^90*b^6)*cos(d*x + c) + (6*B*a^97 - 12*A*a^96*b + 5*B*a^95*b^2 - 6*A*a^94*b^3 + 15*A*a^93*b^4 - 2*B*a^92*b^5 - 6*A*a^91*b^6)*cos(d*x + c) + (6*B*a^98 - 12*A*a^97*b + 5*B*a^96*b^2 - 6*A*a^95*b^3 + 15*A*a^94*b^4 - 2*B*a^93*b^5 - 6*A*a^92*b^6)*cos(d*x + c) + (6*B*a^99 - 12*A*a^98*b + 5*B*a^97*b^2 - 6*A*a^96*b^3 + 15*A*a^95*b^4 - 2*B*a^94*b^5 - 6*A*a^93*b^6)*cos(d*x + c) + (6*B*a^100 - 12*A*a^99*b + 5*B*a^98*b^2 - 6*A*a^97*b^3 + 15*A*a^96*b^4 - 2*B*a^95*b^5 - 6*A*a^94*b^6)*cos(d*x + c)

c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + 2*((B*a^7*b^2 - 3*A*a^6*b^3 - 3*B*a^5*b^4 + 9*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7 - B*a*b^8 + 3*A*b^9)*cos(d*x + c)^3 + 2*(B*a^8*b - 3*A*a^7*b^2 - 3*B*a^6*b^3 + 9*A*a^5*b^4 + 3*B*a^4*b^5 - 9*A*a^3*b^6 - B*a^2*b^7 + 3*A*a*b^8)*cos(d*x + c)^2 + (B*a^9 - 3*A*a^8*b - 3*B*a^7*b^2 + 9*A*a^6*b^3 + 3*B*a^5*b^4 - 9*A*a^4*b^5 - B*a^3*b^6 + 3*A*a^2*b^7)*cos(d*x + c))*log(sin(d*x + c) + 1) - 2*((B*a^7*b^2 - 3*A*a^6*b^3 - 3*B*a^5*b^4 + 9*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7 - B*a*b^8 + 3*A*b^9)*cos(d*x + c)^3 + 2*(B*a^8*b - 3*A*a^7*b^2 - 3*B*a^6*b^3 + 9*A*a^5*b^4 + 3*B*a^4*b^5 - 9*A*a^3*b^6 - B*a^2*b^7 + 3*A*a*b^8)*cos(d*x + c)^2 + (B*a^9 - 3*A*a^8*b - 3*B*a^7*b^2 + 9*A*a^6*b^3 + 3*B*a^5*b^4 - 9*A*a^4*b^5 - B*a^3*b^6 + 3*A*a^2*b^7)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(2*A*a^9 - 6*A*a^7*b^2 + 6*A*a^5*b^4 - 2*A*a^3*b^6 + (2*A*a^7*b^2 + 5*B*a^6*b^3 - 13*A*a^5*b^4 - 7*B*a^4*b^5 + 17*A*a^3*b^6 + 2*B*a^2*b^7 - 6*A*a*b^8)*cos(d*x + c)^2 + (4*A*a^8*b + 6*B*a^7*b^2 - 20*A*a^6*b^3 - 9*B*a^5*b^4 + 25*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7)*cos(d*x + c))*sin(d*x + c))/((a^10*b^2 - 3*a^8*b^4 + 3*a^6*b^6 - a^4*b^8)*d*cos(d*x + c)^3 + 2*(a^11*b - 3*a^9*b^3 + 3*a^7*b^5 - a^5*b^7)*d*cos(d*x + c)^2 + (a^12 - 3*a^10*b^2 + 3*a^8*b^4 - a^6*b^6)*d*cos(d*x + c)), -1/2*(((6*B*a^5*b^3 - 12*A*a^4*b^4 - 5*B*a^3*b^5 + 15*A*a^2*b^6 + 2*B*a*b^7 - 6*A*b^8)*cos(d*x + c)^3 + 2*(6*B*a^6*b^2 - 12*A*a^5*b^3 - 5*B*a^4*b^4 + 15*A*a^3*b^5 + 2*B*a^2*b^6 - 6*A*a*b^7)*cos(d*x + c)^2 + (6*B*a^7*b - 12*A*a^6*b^2 - 5*B*a^5*b^3 + 15*A*a^4*b^4 + 2*B*a^3*b^5 - 6*A*a^2*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - ((B*a^7*b^2 - 3*A*a^6*b^3 - 3*B*a^5*b^4 + 9*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7 - B*a*b^8 + 3*A*b^9)*cos(d*x + c)^3 + 2*(B*a^8*b - 3*A*a^7*b^2 - 3*B*a^6*b^3 + 9*A*a^5*b^4 + 3*B*a^4*b^5 - 9*A*a^3*b^6 - B*a^2*b^7 + 3*A*a*b^8)*cos(d*x + c)^2 + (B*a^9 - 3*A*a^8*b - 3*B*a^7*b^2 + 9*A*a^6*b^3 + 3*B*a^5*b^4 - 9*A*a^4*b^5 - B*a^3*b^6 + 3*A*a^2*b^7)*cos(d*x + c))*log(sin(d*x + c) + 1) + ((B*a^7*b^2 - 3*A*a^6*b^3 - 3*B*a^5*b^4 + 9*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7 - B*a*b^8 + 3*A*b^9)*cos(d*x + c)^3 + 2*(B*a^8*b - 3*A*a^7*b^2 - 3*B*a^6*b^3 + 9*A*a^5*b^4 + 3*B*a^4*b^5 - 9*A*a^3*b^6 - B*a^2*b^7 + 3*A*a*b^8)*cos(d*x + c)^2 + (B*a^9 - 3*A*a^8*b - 3*B*a^7*b^2 + 9*A*a^6*b^3 + 3*B*a^5*b^4 - 9*A*a^4*b^5 - B*a^3*b^6 + 3*A*a^2*b^7)*cos(d*x + c))*log(-sin(d*x + c) + 1) - (2*A*a^9 - 6*A*a^7*b^2 + 6*A*a^5*b^4 - 2*A*a^3*b^6 + (2*A*a^7*b^2 + 5*B*a^6*b^3 - 13*A*a^5*b^4 - 7*B*a^4*b^5 + 17*A*a^3*b^6 + 2*B*a^2*b^7 - 6*A*a*b^8)*cos(d*x + c)^2 + (4*A*a^8*b + 6*B*a^7*b^2 - 20*A*a^6*b^3 - 9*B*a^5*b^4 + 25*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7)*cos(d*x + c))*sin(d*x + c))/((a^10*b^2 - 3*a^8*b^4 + 3*a^6*b^6 - a^4*b^8)*d*cos(d*x + c)^3 + 2*(a^11*b - 3*a^9*b^3 + 3*a^7*b^5 - a^5*b^7)*d*cos(d*x + c)^2 + (a^12 - 3*a^10*b^2 + 3*a^8*b^4 - a^6*b^6)*d*cos(d*x + c))]

giac [B] time = 6.99, size = 574, normalized size = 1.92

$$\frac{(6Ba^5b - 12Aa^4b^2 - 5Ba^3b^3 + 15Aa^2b^4 + 2Bab^5 - 6Ab^6) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^8 - 2a^6b^2 + a^4b^4) \sqrt{a^2 - b^2}} + \frac{6Ba^4b^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] ((6*B*a^5*b - 12*A*a^4*b^2 - 5*B*a^3*b^3 + 15*A*a^2*b^4 + 2*B*a*b^5 - 6*A*b^6)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^8 - 2*a^6*b^2 + a^4*b^4)*sqrt(a^2 - b^2)) + (6*B*a^4*b^2*tan(1/2*d*x + 1/2*c)^3 - 8*A*a^3*b^3*tan(1/2*d*x + 1/2*c)^3 - 5*B*a^3*b^3*tan(1/2*d*x + 1/2*c)^3 + 7*A*a^2*

$$\begin{aligned} & b^4 \tan(1/2 dx + 1/2 c)^3 - 3 B a^2 b^4 \tan(1/2 dx + 1/2 c)^3 + 5 A a b^5 \\ & * \tan(1/2 dx + 1/2 c)^3 + 2 B a a b^5 \tan(1/2 dx + 1/2 c)^3 - 4 A b^6 \tan(1/2 dx \\ & + 1/2 c)^3 + 6 B a^4 b^2 \tan(1/2 dx + 1/2 c) - 8 A a^3 b^3 \tan(1/2 dx \\ & * x + 1/2 c) + 5 B a^3 b^3 \tan(1/2 dx + 1/2 c) - 7 A a^2 b^4 \tan(1/2 dx + \\ & 1/2 c) - 3 B a^2 b^4 \tan(1/2 dx + 1/2 c) + 5 A a a b^5 \tan(1/2 dx + 1/2 c) \\ & - 2 B a a b^5 \tan(1/2 dx + 1/2 c) + 4 A b^6 \tan(1/2 dx + 1/2 c) / ((a^7 - 2 a^5 b^2 \\ & + a^3 b^4) * (a \tan(1/2 dx + 1/2 c)^2 - b \tan(1/2 dx + 1/2 c)^2 + a \\ & + b)^2) + (B a - 3 A b) * \log(\text{abs}(\tan(1/2 dx + 1/2 c) + 1)) / a^4 - (B a - 3 A b) \\ & * \log(\text{abs}(\tan(1/2 dx + 1/2 c) - 1)) / a^4 - 2 A \tan(1/2 dx + 1/2 c) / ((\tan(1/2 dx + 1/2 c)^2 - 1) * a^3) / d \end{aligned}$$

maple [B] time = 0.18, size = 1358, normalized size = 4.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^3,x)

[Out]
$$\begin{aligned} & -8/d/a/(a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^2 b + a b)^2 b^3 / (a - b) / (a^2 \\ & + 2 a b + b^2) * \tan(1/2 dx + 1/2 c)^3 A - 1/d/a^2 / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx \\ & + 1/2 c)^2 b + a b)^2 b^4 / (a - b) / (a^2 + 2 a b + b^2) * \tan(1/2 dx + 1/2 c)^3 A + 4/d * \\ & b^5 / a^3 / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^2 b + a b)^2 / (a - b) / (a^2 + 2 a \\ & a b + b^2) * \tan(1/2 dx + 1/2 c)^3 A + 6/d / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 \\ & * c)^2 b + a b)^2 / (a - b) / (a^2 + 2 a a b + b^2) * \tan(1/2 dx + 1/2 c)^3 b^2 B + 1/d b^3 / a / (\\ & a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^2 b + a b)^2 / (a - b) / (a^2 + 2 a a b + b^2) * \\ & \tan(1/2 dx + 1/2 c)^3 B - 2/d b^4 / a^2 / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 * \\ & c)^2 b + a b)^2 / (a - b) / (a^2 + 2 a a b + b^2) * \tan(1/2 dx + 1/2 c)^3 B - 8/d/a / (a \tan(1/2 \\ & * dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^2 b + a b)^2 b^3 / (a + b) / (a - b)^2 * \tan(1/2 dx + 1/2 \\ & / 2 c) * A + 1/d/a^2 / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^2 b + a b)^2 b^4 / (\\ & a + b) / (a - b)^2 * \tan(1/2 dx + 1/2 c) * A + 4/d b^5 / a^3 / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1 \\ & / 2 dx + 1/2 c)^2 b + a b)^2 / (a + b) / (a - b)^2 * \tan(1/2 dx + 1/2 c) * A + 6/d / (a \tan(1/2 * \\ & dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^2 b + a b)^2 b^2 / (a + b) / (a - b)^2 * \tan(1/2 dx + 1/2 \\ & / 2 c) * B - 1/d b^3 / a / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^2 b + a b)^2 / (a + b \\ &) / (a - b)^2 * \tan(1/2 dx + 1/2 c) * B - 2/d b^4 / a^2 / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 * \\ & dx + 1/2 c)^2 b + a b)^2 / (a + b) / (a - b)^2 * \tan(1/2 dx + 1/2 c) * B + 12/d b^2 / (a^4 - 2 a^2 \\ & * b^2 + b^4) / ((a - b) * (a + b))^{(1/2)} * \arctan(\tan(1/2 dx + 1/2 c) * (a - b) / ((a - b) * (a + b) \\ &)^{(1/2)}) * A - 15/d b^4 / a^2 / (a^4 - 2 a^2 b^2 + b^4) / ((a - b) * (a + b))^{(1/2)} * \arctan(\tan(\\ & 1/2 dx + 1/2 c) * (a - b) / ((a - b) * (a + b))^{(1/2)}) * A + 6/d b^6 / a^4 / (a^4 - 2 a^2 b^2 + b^4) \\ & / ((a - b) * (a + b))^{(1/2)} * \arctan(\tan(1/2 dx + 1/2 c) * (a - b) / ((a - b) * (a + b))^{(1/2)}) * A \\ & - 6/d b / (a^4 - 2 a^2 b^2 + b^4) / ((a - b) * (a + b))^{(1/2)} * \arctan(\tan(1/2 dx + 1/2 c) * (a \\ & - b) / ((a - b) * (a + b))^{(1/2)}) * B a + 5/d b^3 / a / (a^4 - 2 a^2 b^2 + b^4) / ((a - b) * (a + b))^{(1 \\ & / 2)} * \arctan(\tan(1/2 dx + 1/2 c) * (a - b) / ((a - b) * (a + b))^{(1/2)}) * B - 2/d b^5 / a^3 / (a^4 \\ & - 2 a^2 b^2 + b^4) / ((a - b) * (a + b))^{(1/2)} * \arctan(\tan(1/2 dx + 1/2 c) * (a - b) / ((a - b) * \\ & (a + b))^{(1/2)}) * B - 1/d/a^3 * A / (\tan(1/2 dx + 1/2 c) - 1) + 3/d/a^4 * \ln(\tan(1/2 dx + 1/2 \\ & * c) - 1) * A b - 1/d/a^3 * \ln(\tan(1/2 dx + 1/2 c) - 1) * B - 1/d/a^3 * A / (\tan(1/2 dx + 1/2 c) \\ & + 1) - 3/d/a^4 * \ln(\tan(1/2 dx + 1/2 c) + 1) * A b + 1/d/a^3 * \ln(\tan(1/2 dx + 1/2 c) + 1) * B \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 12.91, size = 9312, normalized size = 31.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B \cdot \cos(c + d \cdot x)) / (\cos(c + d \cdot x)^2 \cdot (a + b \cdot \cos(c + d \cdot x))^3), x)$

[Out]
$$\frac{((\tan(c/2 + (d \cdot x)/2)^5 \cdot (6 \cdot A \cdot b^5 - 2 \cdot A \cdot a^5 - 12 \cdot A \cdot a^2 \cdot b^3 + 4 \cdot A \cdot a^3 \cdot b^2 + B \cdot a^2 \cdot b^3 + 6 \cdot B \cdot a^3 \cdot b^2 - 3 \cdot A \cdot a \cdot b^4 + 2 \cdot A \cdot a^4 \cdot b - 2 \cdot B \cdot a \cdot b^4)) / ((a^3 \cdot b - a^4) \cdot (a + b)^2) + (\tan(c/2 + (d \cdot x)/2) \cdot (2 \cdot A \cdot a^5 + 6 \cdot A \cdot b^5 - 12 \cdot A \cdot a^2 \cdot b^3 - 4 \cdot A \cdot a^3 \cdot b^2 - B \cdot a^2 \cdot b^3 + 6 \cdot B \cdot a^3 \cdot b^2 + 3 \cdot A \cdot a \cdot b^4 + 2 \cdot A \cdot a^4 \cdot b - 2 \cdot B \cdot a \cdot b^4)) / ((a + b) \cdot (a^5 - 2 \cdot a^4 \cdot b + a^3 \cdot b^2)) - (2 \cdot \tan(c/2 + (d \cdot x)/2)^3 \cdot (2 \cdot A \cdot a^6 - 6 \cdot A \cdot b^6 + 13 \cdot A \cdot a^2 \cdot b^4 - 6 \cdot A \cdot a^4 \cdot b^2 - 5 \cdot B \cdot a^3 \cdot b^3 + 2 \cdot B \cdot a \cdot b^5)) / (a \cdot (a^2 \cdot b - a^3) \cdot (a + b)^2 \cdot (a - b)) / (d \cdot (2 \cdot a \cdot b - \tan(c/2 + (d \cdot x)/2)^2 \cdot (2 \cdot a \cdot b - a^2 + 3 \cdot b^2) - \tan(c/2 + (d \cdot x)/2)^6 \cdot (a^2 - 2 \cdot a \cdot b + b^2) + a^2 + b^2 - \tan(c/2 + (d \cdot x)/2)^4 \cdot (2 \cdot a \cdot b + a^2 - 3 \cdot b^2))) + (\text{atan}(\frac{(8 \cdot \tan(c/2 + (d \cdot x)/2) \cdot (72 \cdot A^2 \cdot b^{12} + 4 \cdot B^2 \cdot a^{12} - 72 \cdot A^2 \cdot a \cdot b^{11} - 8 \cdot B^2 \cdot a^{11} \cdot b - 288 \cdot A^2 \cdot a^2 \cdot b^{10} + 288 \cdot A^2 \cdot a^3 \cdot b^9 + 441 \cdot A^2 \cdot a^4 \cdot b^8 - 432 \cdot A^2 \cdot a^5 \cdot b^7 - 288 \cdot A^2 \cdot a^6 \cdot b^6 + 288 \cdot A^2 \cdot a^7 \cdot b^5 + 36 \cdot A^2 \cdot a^8 \cdot b^4 - 72 \cdot A^2 \cdot a^9 \cdot b^3 + 36 \cdot A^2 \cdot a^{10} \cdot b^2 + 8 \cdot B^2 \cdot a^2 \cdot b^{10} - 8 \cdot B^2 \cdot a^3 \cdot b^9 - 32 \cdot B^2 \cdot a^4 \cdot b^8 + 32 \cdot B^2 \cdot a^5 \cdot b^7 + 57 \cdot B^2 \cdot a^6 \cdot b^6 - 48 \cdot B^2 \cdot a^7 \cdot b^5 - 52 \cdot B^2 \cdot a^8 \cdot b^4 + 32 \cdot B^2 \cdot a^9 \cdot b^3 + 24 \cdot B^2 \cdot a^{10} \cdot b^2 - 48 \cdot A \cdot B \cdot a \cdot b^{11} - 24 \cdot A \cdot B \cdot a^{11} \cdot b + 48 \cdot A \cdot B \cdot a^2 \cdot b^{10} + 192 \cdot A \cdot B \cdot a^3 \cdot b^9 - 192 \cdot A \cdot B \cdot a^4 \cdot b^8 - 318 \cdot A \cdot B \cdot a^5 \cdot b^7 + 288 \cdot A \cdot B \cdot a^6 \cdot b^6 + 252 \cdot A \cdot B \cdot a^7 \cdot b^5 - 192 \cdot A \cdot B \cdot a^8 \cdot b^4 - 72 \cdot A \cdot B \cdot a^9 \cdot b^3 + 48 \cdot A \cdot B \cdot a^{10} \cdot b^2)) / (a^{12} \cdot b + a^{13} - a^6 \cdot b^7 - a^7 \cdot b^6 + 3 \cdot a^8 \cdot b^5 + 3 \cdot a^9 \cdot b^4 - 3 \cdot a^{10} \cdot b^3 - 3 \cdot a^{11} \cdot b^2) + (((8 \cdot (4 \cdot B \cdot a^{18} + 12 \cdot A \cdot a^8 \cdot b^{10} - 6 \cdot A \cdot a^9 \cdot b^9 - 54 \cdot A \cdot a^{10} \cdot b^8 + 24 \cdot A \cdot a^{11} \cdot b^7 + 96 \cdot A \cdot a^{12} \cdot b^6 - 42 \cdot A \cdot a^{13} \cdot b^5 - 78 \cdot A \cdot a^{14} \cdot b^4 + 36 \cdot A \cdot a^{15} \cdot b^3 + 24 \cdot A \cdot a^{16} \cdot b^2 - 4 \cdot B \cdot a^9 \cdot b^9 + 2 \cdot B \cdot a^{10} \cdot b^8 + 18 \cdot B \cdot a^{11} \cdot b^7 - 4 \cdot B \cdot a^{12} \cdot b^6 - 36 \cdot B \cdot a^{13} \cdot b^5 + 6 \cdot B \cdot a^{14} \cdot b^4 + 34 \cdot B \cdot a^{15} \cdot b^3 - 8 \cdot B \cdot a^{16} \cdot b^2 - 12 \cdot A \cdot a^{17} \cdot b - 12 \cdot B \cdot a^{17} \cdot b)) / (a^{15} \cdot b + a^{16} - a^9 \cdot b^7 - a^{10} \cdot b^6 + 3 \cdot a^{11} \cdot b^5 + 3 \cdot a^{12} \cdot b^4 - 3 \cdot a^{13} \cdot b^3 - 3 \cdot a^{14} \cdot b^2) + (8 \cdot \tan(c/2 + (d \cdot x)/2) \cdot (3 \cdot A \cdot b - B \cdot a) \cdot (8 \cdot a^{17} \cdot b - 8 \cdot a^8 \cdot b^{10} + 8 \cdot a^9 \cdot b^9 + 32 \cdot a^{10} \cdot b^8 - 32 \cdot a^{11} \cdot b^7 - 48 \cdot a^{12} \cdot b^6 + 48 \cdot a^{13} \cdot b^5 + 32 \cdot a^{14} \cdot b^4 - 32 \cdot a^{15} \cdot b^3 - 8 \cdot a^{16} \cdot b^2)) / (a^4 \cdot (a^{12} \cdot b + a^{13} - a^6 \cdot b^7 - a^7 \cdot b^6 + 3 \cdot a^8 \cdot b^5 + 3 \cdot a^9 \cdot b^4 - 3 \cdot a^{10} \cdot b^3 - 3 \cdot a^{11} \cdot b^2))) \cdot (3 \cdot A \cdot b - B \cdot a)) / a^4 \cdot (3 \cdot A \cdot b - B \cdot a) \cdot \text{li}) / a^4 + (((8 \cdot \tan(c/2 + (d \cdot x)/2) \cdot (72 \cdot A^2 \cdot b^{12} + 4 \cdot B^2 \cdot a^{12} - 72 \cdot A^2 \cdot a \cdot b^{11} - 8 \cdot B^2 \cdot a^{11} \cdot b - 288 \cdot A^2 \cdot a^2 \cdot b^{10} + 288 \cdot A^2 \cdot a^3 \cdot b^9 + 441 \cdot A^2 \cdot a^4 \cdot b^8 - 432 \cdot A^2 \cdot a^5 \cdot b^7 - 288 \cdot A^2 \cdot a^6 \cdot b^6 + 288 \cdot A^2 \cdot a^7 \cdot b^5 + 36 \cdot A^2 \cdot a^8 \cdot b^4 - 72 \cdot A^2 \cdot a^9 \cdot b^3 + 36 \cdot A^2 \cdot a^{10} \cdot b^2 + 8 \cdot B^2 \cdot a^2 \cdot b^{10} - 8 \cdot B^2 \cdot a^3 \cdot b^9 - 32 \cdot B^2 \cdot a^4 \cdot b^8 + 32 \cdot B^2 \cdot a^5 \cdot b^7 + 57 \cdot B^2 \cdot a^6 \cdot b^6 - 48 \cdot B^2 \cdot a^7 \cdot b^5 - 52 \cdot B^2 \cdot a^8 \cdot b^4 + 32 \cdot B^2 \cdot a^9 \cdot b^3 + 24 \cdot B^2 \cdot a^{10} \cdot b^2 - 48 \cdot A \cdot B \cdot a \cdot b^{11} - 24 \cdot A \cdot B \cdot a^{11} \cdot b + 48 \cdot A \cdot B \cdot a^2 \cdot b^{10} + 192 \cdot A \cdot B \cdot a^3 \cdot b^9 - 192 \cdot A \cdot B \cdot a^4 \cdot b^8 - 318 \cdot A \cdot B \cdot a^5 \cdot b^7 + 288 \cdot A \cdot B \cdot a^6 \cdot b^6 + 252 \cdot A \cdot B \cdot a^7 \cdot b^5 - 192 \cdot A \cdot B \cdot a^8 \cdot b^4 - 72 \cdot A \cdot B \cdot a^9 \cdot b^3 + 48 \cdot A \cdot B \cdot a^{10} \cdot b^2)) / (a^{12} \cdot b + a^{13} - a^6 \cdot b^7 - a^7 \cdot b^6 + 3 \cdot a^8 \cdot b^5 + 3 \cdot a^9 \cdot b^4 - 3 \cdot a^{10} \cdot b^3 - 3 \cdot a^{11} \cdot b^2) - ((8 \cdot (4 \cdot B \cdot a^{18} + 12 \cdot A \cdot a^8 \cdot b^{10} - 6 \cdot A \cdot a^9 \cdot b^9 - 54 \cdot A \cdot a^{10} \cdot b^8 + 24 \cdot A \cdot a^{11} \cdot b^7 + 96 \cdot A \cdot a^{12} \cdot b^6 - 42 \cdot A \cdot a^{13} \cdot b^5 - 78 \cdot A \cdot a^{14} \cdot b^4 + 36 \cdot A \cdot a^{15} \cdot b^3 + 24 \cdot A \cdot a^{16} \cdot b^2 - 4 \cdot B \cdot a^9 \cdot b^9 + 2 \cdot B \cdot a^{10} \cdot b^8 + 18 \cdot B \cdot a^{11} \cdot b^7 - 4 \cdot B \cdot a^{12} \cdot b^6 - 36 \cdot B \cdot a^{13} \cdot b^5 + 6 \cdot B \cdot a^{14} \cdot b^4 + 34 \cdot B \cdot a^{15} \cdot b^3 - 8 \cdot B \cdot a^{16} \cdot b^2 - 12 \cdot A \cdot a^{17} \cdot b - 12 \cdot B \cdot a^{17} \cdot b)) / (a^{15} \cdot b + a^{16} - a^9 \cdot b^7 - a^{10} \cdot b^6 + 3 \cdot a^{11} \cdot b^5 + 3 \cdot a^{12} \cdot b^4 - 3 \cdot a^{13} \cdot b^3 - 3 \cdot a^{14} \cdot b^2) - (8 \cdot \tan(c/2 + (d \cdot x)/2) \cdot (3 \cdot A \cdot b - B \cdot a) \cdot (8 \cdot a^{17} \cdot b - 8 \cdot a^8 \cdot b^{10} + 8 \cdot a^9 \cdot b^9 + 32 \cdot a^{10} \cdot b^8 - 32 \cdot a^{11} \cdot b^7 - 48 \cdot a^{12} \cdot b^6 + 48 \cdot a^{13} \cdot b^5 + 32 \cdot a^{14} \cdot b^4 - 32 \cdot a^{15} \cdot b^3 - 8 \cdot a^{16} \cdot b^2)) / (a^4 \cdot (a^{12} \cdot b + a^{13} - a^6 \cdot b^7 - a^7 \cdot b^6 + 3 \cdot a^8 \cdot b^5 + 3 \cdot a^9 \cdot b^4 - 3 \cdot a^{10} \cdot b^3 - 3 \cdot a^{11} \cdot b^2))) \cdot (3 \cdot A \cdot b - B \cdot a)) / a^4 \cdot (3 \cdot A \cdot b - B \cdot a) \cdot \text{li}) / a^4) / ((16 \cdot (108 \cdot A^3 \cdot b^{12} - 54 \cdot A^3 \cdot a \cdot b^{11} - 12 \cdot B^3 \cdot a^{11} \cdot b - 486 \cdot A^3 \cdot a^2 \cdot b^{10} + 243 \cdot A^3 \cdot a^3 \cdot b^9 + 864 \cdot A^3 \cdot a^4 \cdot b^8 - 378 \cdot A^3 \cdot a^5 \cdot b^7 - 702 \cdot A^3 \cdot a^6 \cdot b^6 + 216 \cdot A^3 \cdot a^7 \cdot b^5 + 216 \cdot A^3 \cdot a^8 \cdot b^4 - 4 \cdot B^3 \cdot a^3 \cdot b^9 + 2 \cdot B^3 \cdot a^4 \cdot b^8 + 18 \cdot B^3 \cdot a^5 \cdot b^7 - 13 \cdot B^3 \cdot a^6 \cdot b^6 - 36 \cdot B^3 \cdot a^7 \cdot b^5 + 26 \cdot B^3 \cdot a^8 \cdot b^4 + 34 \cdot B^3 \cdot a^9 \cdot b^3 - 24 \cdot B^3 \cdot a^{10} \cdot b^2 - 108 \cdot A^2 \cdot B \cdot a \cdot b^{11} + 36 \cdot A \cdot B^2 \cdot a^2 \cdot b^{10} - 18 \cdot A \cdot B^2 \cdot a^3 \cdot b^9 - 162 \cdot A \cdot B^2 \cdot a^4 \cdot b^8 + 105 \cdot A \cdot B^2 \cdot a^5 \cdot b^7 + 312 \cdot A \cdot B^2 \cdot a^6 \cdot b^6 - 198 \cdot A \cdot B^2 \cdot a^7 \cdot b^5 - 282 \cdot A \cdot B^2 \cdot a^8 \cdot b^4 + 156 \cdot A \cdot B^2 \cdot a^9 \cdot b^3 + 96$$

$$\begin{aligned}
& *A^2B^2a^{10}b^2 + 54A^2B^2a^2b^{10} + 486A^2B^2a^3b^9 - 279A^2B^2a^4b^8 \\
& - 900A^2B^2a^5b^7 + 486A^2B^2a^6b^6 + 774A^2B^2a^7b^5 - 324A^2B^2a^8b^4 - 252A^2B^2a^9b^3) / (a^{15}b + a^{16} - a^9b^7 - a^{10}b^6 + 3a^{11}b^5 \\
& + 3a^{12}b^4 - 3a^{13}b^3 - 3a^{14}b^2) - (((8*\tan(c/2 + (d*x)/2)*(72A^2 \\
& *b^{12} + 4B^2a^{12} - 72A^2a*b^{11} - 8B^2a^{11}b - 288A^2a^2b^{10} + 288A^2 \\
& A^2a^3b^9 + 441A^2a^4b^8 - 432A^2a^5b^7 - 288A^2a^6b^6 + 288A^2 \\
& *a^7b^5 + 36A^2a^8b^4 - 72A^2a^9b^3 + 36A^2a^{10}b^2 + 8B^2a^2b^{10} \\
& - 8B^2a^3b^9 - 32B^2a^4b^8 + 32B^2a^5b^7 + 57B^2a^6b^6 - 48B^2a^7b^5 \\
& - 52B^2a^8b^4 + 32B^2a^9b^3 + 24B^2a^{10}b^2 - 48A*B*a^ \\
& b^{11} - 24A*B*a^{11}b + 48A*B*a^2b^{10} + 192A*B*a^3b^9 - 192A*B*a^4b^8 \\
& - 318A*B*a^5b^7 + 288A*B*a^6b^6 + 252A*B*a^7b^5 - 192A*B*a^8b^4 - 7 \\
& 2A*B*a^9b^3 + 48A*B*a^{10}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8 \\
& b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) + (((8*(4B^2a^{18} + 12A^2a^8b^{10} \\
& - 6A^2a^9b^9 - 54A^2a^{10}b^8 + 24A^2a^{11}b^7 + 96A^2a^{12}b^6 - 42A^2a^{13}b^5 \\
& - 78A^2a^{14}b^4 + 36A^2a^{15}b^3 + 24A^2a^{16}b^2 - 4B^2a^9b^9 + 2B^2a^{10}b^8 \\
& + 18B^2a^{11}b^7 - 4B^2a^{12}b^6 - 36B^2a^{13}b^5 + 6B^2a^{14}b^4 + 34B^2a^{15}b^3 \\
& - 8B^2a^{16}b^2 - 12A^2a^{17}b - 12B^2a^{17}b)) / (a^{15}b + a^{16} - a^9b^7 - a^{10}b^6 \\
& + 3a^{11}b^5 + 3a^{12}b^4 - 3a^{13}b^3 - 3a^{14}b^2) + (8*\tan(c/2 + (d*x)/2)*(3A*b - B*a)*(8a^{17}b - 8a^8b^{10} + 8a^9b^9 + 32a^{10}b^8 \\
& - 32a^{11}b^7 - 48a^{12}b^6 + 48a^{13}b^5 + 32a^{14}b^4 - 32a^{15}b^3 - 8a^{16}b^2)) / (a^4*(a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2))) * (3A*b - B*a) / a^4 + \\
& (((8*\tan(c/2 + (d*x)/2)*(72A^2b^{12} + 4B^2a^{12} - 72A^2a*b^{11} - 8B^2a^{11}b - 288A^2a^2b^{10} + 288A^2a^3b^9 + 441A^2a^4b^8 - 432A^2a^5b^7 - 288A^2a^6b^6 + 288A^2a^7b^5 + 36A^2a^8b^4 - 72A^2a^9b^3 \\
& + 36A^2a^{10}b^2 + 8B^2a^2b^{10} - 8B^2a^3b^9 - 32B^2a^4b^8 + 32B^2a^5b^7 + 57B^2a^6b^6 - 48B^2a^7b^5 - 52B^2a^8b^4 + 32B^2a^9b^3 + 24B^2a^{10}b^2 - 48A*B*a^ \\
& b^{11} - 24A*B*a^{11}b + 48A*B*a^2b^{10} + 192A*B*a^3b^9 - 192A*B*a^4b^8 - 318A*B*a^5b^7 + 288A*B*a^6b^6 + 252A*B*a^7b^5 - 192A*B*a^8b^4 - 72A*B*a^9b^3 + 48A*B*a^{10}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) \\
&) - (((8*(4B^2a^{18} + 12A^2a^8b^{10} - 6A^2a^9b^9 - 54A^2a^{10}b^8 + 24A^2a^{11}b^7 + 96A^2a^{12}b^6 - 42A^2a^{13}b^5 - 78A^2a^{14}b^4 + 36A^2a^{15}b^3 + 24A^2a^{16}b^2 - 4B^2a^9b^9 + 2B^2a^{10}b^8 + 18B^2a^{11}b^7 - 4B^2a^{12}b^6 - 36B^2a^{13}b^5 + 6B^2a^{14}b^4 + 34B^2a^{15}b^3 - 8B^2a^{16}b^2 - 12A^2a^{17}b - 12B^2a^{17}b)) / (a^{15}b + a^{16} - a^9b^7 - a^{10}b^6 + 3a^{11}b^5 + 3a^{12}b^4 - 3a^{13}b^3 - 3a^{14}b^2) - (8*\tan(c/2 + (d*x)/2)*(3A*b - B*a)*(8a^{17}b - 8a^8b^{10} + 8a^9b^9 + 32a^{10}b^8 - 32a^{11}b^7 - 48a^{12}b^6 + 48a^{13}b^5 + 32a^{14}b^4 - 32a^{15}b^3 - 8a^{16}b^2)) / (a^4*(a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2))) * (3A*b - B*a) / a^4 * (3A*b - B*a) / a^4 + \\
& (((8*\tan(c/2 + (d*x)/2)*(72A^2b^{12} + 4B^2a^{12} - 72A^2a*b^{11} - 8B^2a^{11}b - 288A^2a^2b^{10} + 288A^2a^3b^9 + 441A^2a^4b^8 - 432A^2a^5b^7 - 288A^2a^6b^6 + 288A^2a^7b^5 + 36A^2a^8b^4 - 72A^2a^9b^3 + 36A^2a^{10}b^2 + 8B^2a^2b^{10} - 8B^2a^3b^9 - 32B^2a^4b^8 + 32B^2a^5b^7 + 57B^2a^6b^6 - 48B^2a^7b^5 - 52B^2a^8b^4 + 32B^2a^9b^3 + 24B^2a^{10}b^2 - 48A*B*a^ \\
& b^{11} - 24A*B*a^{11}b + 48A*B*a^2b^{10} + 192A*B*a^3b^9 - 192A*B*a^4b^8 - 318A*B*a^5b^7 + 288A*B*a^6b^6 + 252A*B*a^7b^5 - 192A*B*a^8b^4 - 72A*B*a^9b^3 + 48A*B*a^{10}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) - \\
& (b*((8*(4B^2a^{18} + 12A^2a^8b^{10} - 6A^2a^9b^9 - 54A^2a^{10}b^8 + 24A^2a^{11}b^7 + 96A^2a^{12}b^6 - 42A^2a^{13}b^5 - 78A^2a^{14}b^4 + 36A^2a^{15}b^3 + 24A^2a^{16}b^2 - 4B^2a^9b^9 + 2B^2a^{10}b^8 + 18B^2a^{11}b^7 - 4B^2a^{12}b^6 - 36B^2a^{13}b^5 + 6B^2a^{14}b^4 + 34B^2a^{15}b^3 - 8B^2a^{16}b^2 - 12A^2a^{17}b - 12B^2a^{17}b)) / (a^{15}b + a^{16} - a^9b^7 - a^{10}b^6 + 3a^{11}b^5 + 3a^{12}b^4 - 3a^{13}b^3 - 3a^{14}b^2) - (4b*\tan(c/2 + (d*x)/2)*(-a + b)^5*(a - b)^5)^(1/2) * (6A*b^5 - 6B*a^5 - 15A^2a^2b^3 + 5B^2a^3b^2 + 12A^2a^4b - 2B^2a^b^4) * (8a^{17}b - 8a^8b^{10} + 8a^9b^9 + 32a^{10}b^8 - 32a^{11}b^7 - 48a^{12}b^6 + 48a^{13}b^5 + 32a^{14}b^4 - 32a^{15}b^3 - 8a^{16}b^2)) / ((a^{14} - a^4
\end{aligned}$$

$$\begin{aligned}
& *b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2) * (a^{12}b + a^{13} - \\
& a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2)) * (- \\
& (a + b)^5 * (a - b)^5)^{(1/2)} * (6A^5b^5 - 6B^5a^5 - 15A^2b^3 + 5B^3a^3b^2 + \\
& 12A^4b - 2B^4a^4b^4)) / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10 \\
& a^{10}b^4 - 5a^{12}b^2)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (6A^5b^5 - 6B^5a^5 - \\
& 15A^2b^3 + 5B^3a^3b^2 + 12A^4b - 2B^4a^4b^4) * i) / (2 * (a^{14} - a^4b^{10} + \\
& 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2)) + (b * ((8 * \tan(c/2 + \\
& (d*x)/2) * (72A^2b^{12} + 4B^2a^{12} - 72A^2a^5b^{11} - 8B^2a^{11}b - 288A^2 \\
& a^2b^{10} + 288A^2a^3b^9 + 441A^2a^4b^8 - 432A^2a^5b^7 - 288A^2a^6b^6 + 288A^2a^7b^5 + \\
& 36A^2a^8b^4 - 72A^2a^9b^3 + 36A^2a^{10}b^2 + 8B^2a^2b^{10} - 8B^2a^3b^9 - 32B^2a^4b^8 + 32B^2a^5b^7 + 57 \\
& B^2a^6b^6 - 48B^2a^7b^5 - 52B^2a^8b^4 + 32B^2a^9b^3 + 24B^2a^{10}b^2 - 48A^2B^2a^5b^{11} - \\
& 24A^2B^2a^{11}b + 48A^2B^2a^2b^{10} + 192A^2B^2a^3b^9 - 192A^2B^2a^4b^8 - 318A^2B^2a^5b^7 + \\
& 288A^2B^2a^6b^6 + 252A^2B^2a^7b^5 - 192A^2B^2a^8b^4 - 72A^2B^2a^9b^3 + 48A^2B^2a^{10}b^2)) / (a^{12}b + a^{13} - \\
& a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) + (b * ((8 * (4B \\
& a^{18} + 12A^8b^{10} - 6A^9b^9 - 54A^{10}b^8 + 24A^{11}b^7 + 96A^{12}b^6 - 42A^{13}b^5 - \\
& 78A^{14}b^4 + 36A^{15}b^3 + 24A^{16}b^2 - 4B^9b^9 + 2B^{10}b^8 + 18B^{11}b^7 - 4B^{12}b^6 - 36B^{13}b^5 + \\
& 6B^{14}b^4 + 34B^{15}b^3 - 8B^{16}b^2 - 12A^{17}b - 12B^{17}b)) / (a^{15}b + a^{16} - a^9b^7 - \\
& a^{10}b^6 + 3a^{11}b^5 + 3a^{12}b^4 - 3a^{13}b^3 - 3a^{14}b^2) + (4 * b * \tan(c/2 + (d*x)/2) * \\
& (- (a + b)^5 * (a - b)^5)^{(1/2)} * (6A^5b^5 - 6B^5a^5 - 15A^2b^3 + 5B^3a^3b^2 + 12A^4b - \\
& 2B^4a^4b^4)) * (8a^{17}b - 8a^8b^{10} + 8a^9b^9 + 32a^{10}b^8 - 32a^{11}b^7 - 48a^{12}b^6 + 48 \\
& a^{13}b^5 + 32a^{14}b^4 - 32a^{15}b^3 - 8a^{16}b^2)) / ((a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + \\
& 10a^{10}b^4 - 5a^{12}b^2) * (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - \\
& 3a^{11}b^2)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (6A^5b^5 - 6B^5a^5 - 15A^2b^3 + 5B^3a^3b^2 + \\
& 12A^4b - 2B^4a^4b^4)) / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - \\
& 5a^{12}b^2)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (6A^5b^5 - 6B^5a^5 - 15A^2b^3 + 5B^3a^3b^2 + \\
& 12A^4b - 2B^4a^4b^4) * i) / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - \\
& 5a^{12}b^2)) / ((16 * (108A^3b^{12} - 54A^3a^5b^{11} - 12B^3a^{11}b - 486A^3a^2b^{10} + 243A^3a^3b^9 + \\
& 864A^3a^4b^8 - 378A^3a^5b^7 - 702A^3a^6b^6 + 216A^3a^7b^5 + 216A^3a^8b^4 - 4B^3a^3b^9 + \\
& 2B^3a^4b^8 + 18B^3a^5b^7 - 13B^3a^6b^6 - 36B^3a^7b^5 + 26B^3a^8b^4 + 34B^3a^9b^3 - 24B^3a^{10}b^2 - \\
& 108A^2B^3a^5b^{11} + 36A^2B^3a^2b^{10} - 18A^2B^3a^3b^9 - 162A^2B^3a^4b^8 + 105A^2B^3a^5b^7 + \\
& 312A^2B^3a^6b^6 - 198A^2B^3a^7b^5 - 282A^2B^3a^8b^4 + 156A^2B^3a^9b^3 + 96A^2B^3a^{10}b^2 + \\
& 54A^2B^3a^2b^{10} + 486A^2B^3a^3b^9 - 279A^2B^3a^4b^8 - 900A^2B^3a^5b^7 + 486A^2B^3a^6b^6 + 774A^2B^3a^7b^5 - \\
& 324A^2B^3a^8b^4 - 252A^2B^3a^9b^3)) / (a^{15}b + a^{16} - a^9b^7 - a^{10}b^6 + 3a^{11}b^5 + 3a^{12}b^4 - \\
& 3a^{13}b^3 - 3a^{14}b^2) + (b * ((8 * \tan(c/2 + (d*x)/2) * (72A^2b^{12} + 4B^2a^{12} - 72A^2a^5b^{11} - \\
& 8B^2a^{11}b - 288A^2a^2b^{10} + 288A^2a^3b^9 + 441A^2a^4b^8 - 432A^2a^5b^7 - 288A^2a^6b^6 + 288A^2a^7b^5 + \\
& 36A^2a^8b^4 - 72A^2a^9b^3 + 36A^2a^{10}b^2 + 8B^2a^2b^{10} - 8B^2a^3b^9 - 32B^2a^4b^8 + 32B^2a^5b^7 + 5 \\
& 7B^2a^6b^6 - 48B^2a^7b^5 - 52B^2a^8b^4 + 32B^2a^9b^3 + 24B^2a^{10}b^2 - 48A^2B^2a^5b^{11} - \\
& 24A^2B^2a^{11}b + 48A^2B^2a^2b^{10} + 192A^2B^2a^3b^9 - 192A^2B^2a^4b^8 - 318A^2B^2a^5b^7 + \\
& 288A^2B^2a^6b^6 + 252A^2B^2a^7b^5 - 192A^2B^2a^8b^4 - 72A^2B^2a^9b^3 + 48A^2B^2a^{10}b^2)) / (a^{12}b + a^{13} - \\
& a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) - (b * ((8 * (4 \\
& B^5a^{18} + 12A^8b^{10} - 6A^9b^9 - 54A^{10}b^8 + 24A^{11}b^7 + 96A^{12}b^6 - 42A^{13}b^5 - \\
& 78A^{14}b^4 + 36A^{15}b^3 + 24A^{16}b^2 - 4B^9b^9 + 2B^{10}b^8 + 18B^{11}b^7 - 4B^{12}b^6 - 36B^{13}b^5 + \\
& 6B^{14}b^4 + 34B^{15}b^3 - 8B^{16}b^2 - 12A^{17}b - 12B^{17}b)) / (a^{15}b + a^{16} - a^9b^7 - a^{10}b^6 + \\
& 3a^{11}b^5 + 3a^{12}b^4 - 3a^{13}b^3 - 3a^{14}b^2) - (4 * b * \tan(c/2 + (d*x)/2) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * \\
& (6A^5b^5 - 6B^5a^5 - 15A^2b^3 + 5B^3a^3b^2 + 12A^4b - 2B^4a^4b^4)) * (8a^{17}b - 8a^8b^{10} + 8a^9b^9 + \\
& 32a^{10}b^8 - 32a^{11}b^7 - 48a^{12}b^6 + 48a^{13}b^5 + 32a^{14}b^4 - 32a^{15}b^3 - 8a^{16}b^2)) / ((a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2) * (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (6A^5b^5 - 6B^5a^5 - 15A^2b^3 + 5B^3a^3b^2 + 12A^4b - 2B^4a^4b^4)) / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (6A^5b^5 - 6B^5a^5 - 15A^2b^3 + 5B^3a^3b^2 + 12A^4b - 2B^4a^4b^4) * i) / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2))
\end{aligned}$$

```

8*a^13*b^5 + 32*a^14*b^4 - 32*a^15*b^3 - 8*a^16*b^2))/((a^14 - a^4*b^10 + 5
*a^6*b^8 - 10*a^8*b^6 + 10*a^10*b^4 - 5*a^12*b^2)*(a^12*b + a^13 - a^6*b^7
- a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2)))*(-(a + b)^5*
(a - b)^5)^(1/2)*(6*A*b^5 - 6*B*a^5 - 15*A*a^2*b^3 + 5*B*a^3*b^2 + 12*A*a^4
*b - 2*B*a*b^4))/(2*(a^14 - a^4*b^10 + 5*a^6*b^8 - 10*a^8*b^6 + 10*a^10*b^4
- 5*a^12*b^2)))*(-(a + b)^5*(a - b)^5)^(1/2)*(6*A*b^5 - 6*B*a^5 - 15*A*a^2
*b^3 + 5*B*a^3*b^2 + 12*A*a^4*b - 2*B*a*b^4))/(2*(a^14 - a^4*b^10 + 5*a^6*b
^8 - 10*a^8*b^6 + 10*a^10*b^4 - 5*a^12*b^2)) - (b*((8*tan(c/2 + (d*x)/2)*(7
2*A^2*b^12 + 4*B^2*a^12 - 72*A^2*a*b^11 - 8*B^2*a^11*b - 288*A^2*a^2*b^10 +
288*A^2*a^3*b^9 + 441*A^2*a^4*b^8 - 432*A^2*a^5*b^7 - 288*A^2*a^6*b^6 + 28
8*A^2*a^7*b^5 + 36*A^2*a^8*b^4 - 72*A^2*a^9*b^3 + 36*A^2*a^10*b^2 + 8*B^2*a
^2*b^10 - 8*B^2*a^3*b^9 - 32*B^2*a^4*b^8 + 32*B^2*a^5*b^7 + 57*B^2*a^6*b^6
- 48*B^2*a^7*b^5 - 52*B^2*a^8*b^4 + 32*B^2*a^9*b^3 + 24*B^2*a^10*b^2 - 48*A
*B*a*b^11 - 24*A*B*a^11*b + 48*A*B*a^2*b^10 + 192*A*B*a^3*b^9 - 192*A*B*a^4
*b^8 - 318*A*B*a^5*b^7 + 288*A*B*a^6*b^6 + 252*A*B*a^7*b^5 - 192*A*B*a^8*b^
4 - 72*A*B*a^9*b^3 + 48*A*B*a^10*b^2))/(a^12*b + a^13 - a^6*b^7 - a^7*b^6 +
3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2) + (b*((8*(4*B*a^18 + 12*A
*a^8*b^10 - 6*A*a^9*b^9 - 54*A*a^10*b^8 + 24*A*a^11*b^7 + 96*A*a^12*b^6 - 4
2*A*a^13*b^5 - 78*A*a^14*b^4 + 36*A*a^15*b^3 + 24*A*a^16*b^2 - 4*B*a^9*b^9
+ 2*B*a^10*b^8 + 18*B*a^11*b^7 - 4*B*a^12*b^6 - 36*B*a^13*b^5 + 6*B*a^14*b^
4 + 34*B*a^15*b^3 - 8*B*a^16*b^2 - 12*A*a^17*b - 12*B*a^17*b)))/(a^15*b + a^
16 - a^9*b^7 - a^10*b^6 + 3*a^11*b^5 + 3*a^12*b^4 - 3*a^13*b^3 - 3*a^14*b^2
) + (4*b*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^(1/2)*(6*A*b^5 - 6*B*a^5
- 15*A*a^2*b^3 + 5*B*a^3*b^2 + 12*A*a^4*b - 2*B*a*b^4)*(8*a^17*b - 8*a^8*b
^10 + 8*a^9*b^9 + 32*a^10*b^8 - 32*a^11*b^7 - 48*a^12*b^6 + 48*a^13*b^5 + 3
2*a^14*b^4 - 32*a^15*b^3 - 8*a^16*b^2))/((a^14 - a^4*b^10 + 5*a^6*b^8 - 10*
a^8*b^6 + 10*a^10*b^4 - 5*a^12*b^2)*(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*
a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2)))*(-(a + b)^5*(a - b)^5)^(1/
2)*(6*A*b^5 - 6*B*a^5 - 15*A*a^2*b^3 + 5*B*a^3*b^2 + 12*A*a^4*b - 2*B*a*b^4
))/(2*(a^14 - a^4*b^10 + 5*a^6*b^8 - 10*a^8*b^6 + 10*a^10*b^4 - 5*a^12*b^2)
))*(-(a + b)^5*(a - b)^5)^(1/2)*(6*A*b^5 - 6*B*a^5 - 15*A*a^2*b^3 + 5*B*a^3
*b^2 + 12*A*a^4*b - 2*B*a*b^4))/(2*(a^14 - a^4*b^10 + 5*a^6*b^8 - 10*a^8*b^
6 + 10*a^10*b^4 - 5*a^12*b^2)))*(-(a + b)^5*(a - b)^5)^(1/2)*(6*A*b^5 - 6*
B*a^5 - 15*A*a^2*b^3 + 5*B*a^3*b^2 + 12*A*a^4*b - 2*B*a*b^4)*1i)/(d*(a^14 -
a^4*b^10 + 5*a^6*b^8 - 10*a^8*b^6 + 10*a^10*b^4 - 5*a^12*b^2))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c))**3,x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/(a + b*cos(c + d*x))**3, x)

$$3.272 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=402

$$\frac{b(Ab - aB) \tan(c + dx) \sec(c + dx)}{2ad(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{(a^2A - 6abB + 12Ab^2) \tanh^{-1}(\sin(c + dx))}{2a^5d} + \frac{b(-5a^3B + 7a^2Ab + 2ab^2B - 6a^2b^2)}{2a^2d(a^2 - b^2)^2}$$

[Out] $-b^2(20Aa^4b - 29Aa^2b^3 + 12Ab^5 - 12B^2a^5 + 15Ba^3b^2 - 6B^2ab^4) \operatorname{arctan}\left(\frac{(a-b)^{1/2} \tan(1/2 dx + 1/2 c)}{(a+b)^{1/2}}\right) / a^5 (a-b)^{5/2} (a+b)^{5/2} / d + 1/2 (Aa^2 + 12Ab^2 - 6B^2a^2) \operatorname{arctanh}(\sin(dx+c)) / a^5 d - 1/2 (6Aa^4b - 21Aa^2b^3 + 12Ab^5 - 2B^2a^5 + 11Ba^3b^2 - 6B^2ab^4) \tan(dx+c) / a^4 (a^2 - b^2)^2 / d + 1/2 (Aa^4 - 10Aa^2b^2 + 6Ab^4 + 6B^2a^3b - 3B^2ab^3) \sec(dx+c) \tan(dx+c) / a^3 (a^2 - b^2)^2 / d + 1/2 b (Ab - Ba) \sec(dx+c) \tan(dx+c) / a (a^2 - b^2) / d + (a+b \cos(dx+c))^2 + 1/2 b (7Aa^2b - 4Ab^3 - 5B^2a^3 + 2B^2ab^2) \sec(dx+c) \tan(dx+c) / a^2 (a^2 - b^2)^2 / d + (a+b \cos(dx+c))$

Rubi [A] time = 2.24, antiderivative size = 402, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{b^2(-29a^2Ab^3 + 20a^4Ab + 15a^3b^2B - 12a^5B - 6ab^4B + 12Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5d(a-b)^{5/2}(a+b)^{5/2}} + (-21a^2Ab^3 + 6a^4Ab + \dots)$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x]^3, x]

[Out] $-((b^2(20a^4Ab - 29a^2Ab^3 + 12Ab^5 - 12a^5B + 15a^3b^2B - 6a^2b^4B) \operatorname{ArcTan}\left[\frac{\sqrt{a-b} \tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right]) / (a^5(a-b)^{5/2}(a+b)^{5/2}d) + ((a^2A + 12Ab^2 - 6a^2bB) \operatorname{ArcTanh}[\sin[c+dx]]) / (2a^5d) - ((6a^4Ab - 21a^2Ab^3 + 12Ab^5 - 2a^5B + 11a^3b^2B - 6a^2b^4B) \tan[c+dx]) / (2a^4(a^2 - b^2)^2d) + ((a^4A - 10a^2Aa^2b^2 + 6Ab^4 + 6a^3bB - 3a^2b^3B) \sec[c+dx] \tan[c+dx]) / (2a^3(a^2 - b^2)^2d) + (b(Ab - aB) \sec[c+dx] \tan[c+dx]) / (2a(a^2 - b^2) d (a + b \cos[c+dx])^2) + (b(7a^2Ab - 4Ab^3 - 5a^3B + 2a^2b^2B) \sec[c+dx] \tan[c+dx]) / (2a^2(a^2 - b^2)^2d (a + b \cos[c+dx]))$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3000

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)Cos[e + f*x]*(a + bSin[e + f*x])^(m+1)*(c + dSin[e + f*x])^(1+n))/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m+1)


```

*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

Rule 3001

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^3} dx &= \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \cos(c + dx))^2} + \frac{\int \frac{(2(a^2A - 2Ab^2 + abB) - 2a(Ab - aB) \cos(c + dx))}{(a + b \cos(c + dx))^2} dx}{2a(a^2 - b^2)} \\
&= \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \cos(c + dx))^2} + \frac{b(7a^2Ab - 4Ab^3 - 5a^3B + 2ab^2B)}{2a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\
&= \frac{(a^4A - 10a^2Ab^2 + 6Ab^4 + 6a^3bB - 3ab^3B) \sec(c + dx) \tan(c + dx)}{2a^3(a^2 - b^2)^2 d} + \frac{b(7a^2Ab - 4Ab^3 - 5a^3B + 2ab^2B)}{2a^2(a^2 - b^2)^2 d} \\
&= -\frac{(6a^4Ab - 21a^2Ab^3 + 12Ab^5 - 2a^5B + 11a^3b^2B - 6ab^4B) \tan(c + dx)}{2a^4(a^2 - b^2)^2 d} \\
&= -\frac{(6a^4Ab - 21a^2Ab^3 + 12Ab^5 - 2a^5B + 11a^3b^2B - 6ab^4B) \tan(c + dx)}{2a^4(a^2 - b^2)^2 d} \\
&= \frac{(a^2A + 12Ab^2 - 6abB) \tanh^{-1}(\sin(c + dx))}{2a^5d} - \frac{(6a^4Ab - 21a^2Ab^3 + 12Ab^5 - 2a^5B + 11a^3b^2B - 6ab^4B) \tan^{-1}\left(\frac{\sin(c + dx)}{a + b \cos(c + dx)}\right)}{a^5(a - b)^{5/2}(a + b)^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 2.96, size = 507, normalized size = 1.26

$$-8(a^2A - 6abB + 12Ab^2) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 8(a^2A - 6abB + 12Ab^2) \log\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^3,x]

[Out] ((16*b^2*(20*a^4*A*b - 29*a^2*A*b^3 + 12*A*b^5 - 12*a^5*B + 15*a^3*b^2*B - 6*a*b^4*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) - 8*(a^2*A + 12*A*b^2 - 6*a*b*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 8*(a^2*A + 12*A*b^2 - 6*a*b*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*a*(4*a^7*A - 30*a^5*A*b^2 + 68*a^3*A*b^4 - 36*a*A*b^6 + 8*a^6*b*B - 32*a^4*b^3*B + 18*a^2*b^5*B + (-16*a^6*A*b + 14*a^4*A*b^3 + 47*a^2*A*b^5 - 36*A*b^7 + 8*a^7*B - 10*a^5*b^2*B - 25*a^3*b^4*B + 18*a*b^6*B)*Cos[c + d*x] + 2*a*b*(-11*a^4*A*b + 32*a^2*A*b^3 - 18*A*b^5 + 4*a^5*B - 16*a^3*b^2*B + 9*a*b^4*B)*Cos[2*(c + d*x)] - 6*a^4*A*b^3*Cos[3*(c + d*x)] + 21*a^2*A*b^5*Cos[3*(c + d*x)] - 12*A*b^7*Cos[3*(c + d*x)] + 2*a^5*b^2*B*Cos[3*(c + d*x)] - 11*a^3*b^4*B*Cos[3*(c + d*x)] + 6*a*b^6*B*Cos[3*(c + d*x)])*Sec[c + d*x]*Tan[c + d*x])/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2)/(16*a^5*d)

fricas [B] time = 121.64, size = 2416, normalized size = 6.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] [1/4*(((12*B*a^5*b^4 - 20*A*a^4*b^5 - 15*B*a^3*b^6 + 29*A*a^2*b^7 + 6*B*a*b^8 - 12*A*b^9)*cos(d*x + c)^4 + 2*(12*B*a^6*b^3 - 20*A*a^5*b^4 - 15*B*a^4*b^5 + 29*A*a^3*b^6 + 6*B*a^2*b^7 - 12*A*a*b^8)*cos(d*x + c)^3 + (12*B*a^7*b^2 - 20*A*a^6*b^3 - 15*B*a^5*b^4 + 29*A*a^4*b^5 + 6*B*a^3*b^6 - 12*A*a^2*b^7)*cos(d*x + c)^2)*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + ((A*a^8*b^2 - 6*B*a^7*b^3 + 9*A*a^6*b^4 + 18*B*a^5*b^5 - 33*A*a^4*b^6 - 18*B*a^3*b^7 + 35*A*a^2*b^8 + 6*B*a*b^9 - 12*A*b^10)*cos(d*x + c)^4 + 2*(A*a^9*b - 6*B*a^8*b^2 + 9*A*a^7*b^3 + 18*B*a^6*b^4 - 33*A*a^5*b^5 - 18*B*a^4*b^6 + 35*A*a^3*b^7 + 6*B*a^2*b^8 - 12*A*a*b^9)*cos(d*x + c)^3 + (A*a^10 - 6*B*a^9*b + 9*A*a^8*b^2 + 18*B*a^7*b^3 - 33*A*a^6*b^4 - 18*B*a^5*b^5 + 35*A*a^4*b^6 + 6*B*a^3*b^7 - 12*A*a^2*b^8)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - ((A*a^8*b^2 - 6*B*a^7*b^3 + 9*A*a^6*b^4 + 18*B*a^5*b^5 - 33*A*a^4*b^6 - 18*B*a^3*b^7 + 35*A*a^2*b^8 + 6*B*a*b^9 - 12*A*b^10)*cos(d*x + c)^4 + 2*(A*a^9*b - 6*B*a^8*b^2 + 9*A*a^7*b^3 + 18*B*a^6*b^4 - 33*A*a^5*b^5 - 18*B*a^4*b^6 + 35*A*a^3*b^7 + 6*B*a^2*b^8 - 12*A*a*b^9)*cos(d*x + c)^3 + (A*a^10 - 6*B*a^9*b + 9*A*a^8*b^2 + 18*B*a^7*b^3 - 33*A*a^6*b^4 - 18*B*a^5*b^5 + 35*A*a^4*b^6 + 6*B*a^3*b^7 - 12*A*a^2*b^8)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) + 2*(A*a^10 - 3*A*a^8*b^2 + 3*A*a^6*b^4 - A*a^4*b^6 + (2*B*a^8*b^2 - 6*A*a^7*b^3 - 13*B*a^6*b^4 + 27*A*a^5*b^5 + 17*B*a^4*b^6 - 33*A*a^3*b^7 - 6*B*a^2*b^8 + 12*A*a*b^9)*cos(d*x + c)^3 + (4*B*a^9*b - 11*A*a^8*b^2 - 20*B*a^7*b^3 + 43*A*a^6*b^4 + 25*B*a^5*b^5 - 50*A*a^4*b^6 - 9*B*a^3*b^7 + 18*A*a^2*b^8)*cos(d*x + c)^2 + 2*(B*a^10 - 2*A*a^9*b - 3*B*a^8*b^2 + 6*A*a^7*b^3 + 3*B*a^6*b^4 - 6*A*a^5*b^5 - B*a^4*b^6 + 2*A*a^3*b^7)*cos(d*x + c))*sin(d*x + c))/((a^11*b^2 - 3*a^9*b^4 + 3*a^7*b^6 - a^5*b^8)*d*cos(d*x + c)^4 + 2*(a^12*b - 3*a^10*b^3 + 3*a^8*b^5 - a^6*b^7)*d*cos(d*x + c)^3 + (a^13 - 3*a^11*b^2 + 3*a^9*b^4 - a^7*b^6)*d*cos(d*x + c)^2), 1/4*(2*(((12*B*a^5*b^4 - 20*A*a^4*b^5 - 15*B*a^3*b^6 + 29*A*a^2*b^7 + 6*B*a*b^8 - 12*A*b^9)*cos(d*x + c)^4 + 2*(12*B*a^6*b^3 - 20*A*a^5*b^4 - 15*B*a^4*b^5 + 29*A*a^3*b^6 + 6*B*a^2*b^7 - 12*A*a*b^8)*cos(d*x + c)^3 + (12*B*a^7*b^2 - 20*A*a^6*b^3 - 15*B*a^5*b^4 + 29*A*a^4*b^5 + 6*B*a^3*b^6 - 12*A*a^2*b^7)*cos(d*x + c)^2)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) + ((A*a^8*b^2 - 6*B*a^7*b^3 + 9*A*a^6*b^4 + 18*B*a^5*b^5 - 33*A*a^4*b^6 - 18*B*a^3*b^7 + 35*A*a^2*b^8 + 6*B*a*b^9 - 12*A*b^10)*cos(d*x + c)^4 + 2*(A*a^9*b - 6*B*a^8*b^2 + 9*A*a^7*b^3 + 18*B*a^6*b^4 - 33*A*a^5*b^5 - 18*B*a^4*b^6 + 35*A*a^3*b^7 + 6*B*a^2*b^8 - 12*A*a*b^9)*cos(d*x + c)^3 + (A*a^10 - 6*B*a^9*b + 9*A*a^8*b^2 + 18*B*a^7*b^3 - 33*A*a^6*b^4 - 18*B*a^5*b^5 + 35*A*a^4*b^6 + 6*B*a^3*b^7 - 12*A*a^2*b^8)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - ((A*a^8*b^2 - 6*B*a^7*b^3 + 9*A*a^6*b^4 + 18*B*a^5*b^5 - 33*A*a^4*b^6 - 18*B*a^3*b^7 + 35*A*a^2*b^8 + 6*B*a*b^9 - 12*A*b^10)*cos(d*x + c)^4 + 2*(A*a^9*b - 6*B*a^8*b^2 + 9*A*a^7*b^3 + 18*B*a^6*b^4 - 33*A*a^5*b^5 - 18*B*a^4*b^6 + 35*A*a^3*b^7 + 6*B*a^2*b^8 - 12*A*a*b^9)*cos(d*x + c)^3 + (A*a^10 - 6*B*a^9*b + 9*A*a^8*b^2 + 18*B*a^7*b^3 - 33*A*a^6*b^4 - 18*B*a^5*b^5 + 35*A*a^4*b^6 + 6*B*a^3*b^7 - 12*A*a^2*b^8)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) + 2*(A*a^10 - 3*A*a^8*b^2 + 3*A*a^6*b^4 - A*a^4*b^6 + (2*B*a^8*b^2 - 6*A*a^7*b^3 - 13*B*a^6*b^4 + 27*A*a^5*b^5 + 17*B*a^4*b^6 - 33*A*a^3*b^7 - 6*B*a^2*b^8 + 12*A*a*b^9)*cos(d*x + c)^3 + (4*B*a^9*b - 11*A*a^8*b^2 - 20*B*a^7*b^3 + 43*A*a^6*b^4 + 25*B*a^5*b^5 - 50*A*a^4*b^6 - 9*B*a^3*b^7 + 18*A*a^2*b^8)*cos(d*x + c)^2 + 2*(B*a^10 - 2*A*a^9*b - 3*B*a^8*b^2 + 6*A*a^7*b^3 + 3*B*a^6*b^4 - 6*A*a^5*b^5 - B*a^4*b^6 + 2*A*a^3*b^7)*cos(d*x + c))*sin(d*x + c))/((a^11*b^2 - 3*a^9*b^4 + 3*a^7*b^6 - a^5*b^8)*d*cos(d*x + c)^4 + 2*(a^12*b - 3*a^10*b^3 + 3*a^8*b^5 - a^6*b^7)*d*cos(d*x + c)^3 + (a^13 - 3*a^11*b^2 + 3*a^9*b^4 - a^7*b^6)*d*cos(d*x + c)^2)]

giac [B] time = 1.92, size = 1395, normalized size = 3.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out]
$$-1/2*(2*(12*B*a^5*b^2 - 20*A*a^4*b^3 - 15*B*a^3*b^4 + 29*A*a^2*b^5 + 6*B*a*b^6 - 12*A*b^7)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + \arctan(-\frac{a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c)}{\sqrt{a^2 - b^2}}))/((a^9 - 2*a^7*b^2 + a^5*b^4)*\sqrt{a^2 - b^2}) - 2*(A*a^7*\tan(1/2*d*x + 1/2*c)^7 - 2*B*a^7*\tan(1/2*d*x + 1/2*c)^7 + 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^7 + 4*B*a^6*b*\tan(1/2*d*x + 1/2*c)^7 - 13*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 + 2*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 - 2*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 - 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 + 33*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 + 9*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 - 17*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 + 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 - 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^7 - 6*B*a*b^6*\tan(1/2*d*x + 1/2*c)^7 + 12*A*b^7*\tan(1/2*d*x + 1/2*c)^7 + 3*A*a^7*\tan(1/2*d*x + 1/2*c)^5 - 2*B*a^7*\tan(1/2*d*x + 1/2*c)^5 + 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^5 - 4*B*a^6*b*\tan(1/2*d*x + 1/2*c)^5 + 5*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 + 10*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 - 26*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 + 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 - 29*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 - 35*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 + 67*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 - 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 + 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^5 + 18*B*a*b^6*\tan(1/2*d*x + 1/2*c)^5 - 36*A*b^7*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a^7*\tan(1/2*d*x + 1/2*c)^3 + 2*B*a^7*\tan(1/2*d*x + 1/2*c)^3 - 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^3 - 4*B*a^6*b*\tan(1/2*d*x + 1/2*c)^3 + 5*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 - 10*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 + 26*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 + 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 - 29*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 + 35*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 - 67*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 - 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 + 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^3 - 18*B*a*b^6*\tan(1/2*d*x + 1/2*c)^3 + 36*A*b^7*\tan(1/2*d*x + 1/2*c)^3 + A*a^7*\tan(1/2*d*x + 1/2*c) + 2*B*a^7*\tan(1/2*d*x + 1/2*c) - 4*A*a^6*b*\tan(1/2*d*x + 1/2*c) + 4*B*a^6*b*\tan(1/2*d*x + 1/2*c) - 13*A*a^5*b^2*\tan(1/2*d*x + 1/2*c) - 2*B*a^5*b^2*\tan(1/2*d*x + 1/2*c) + 2*A*a^4*b^3*\tan(1/2*d*x + 1/2*c) - 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c) + 33*A*a^3*b^4*\tan(1/2*d*x + 1/2*c) - 9*B*a^3*b^4*\tan(1/2*d*x + 1/2*c) + 17*A*a^2*b^5*\tan(1/2*d*x + 1/2*c) + 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c) - 18*A*a*b^6*\tan(1/2*d*x + 1/2*c) + 6*B*a*b^6*\tan(1/2*d*x + 1/2*c) - 12*A*b^7*\tan(1/2*d*x + 1/2*c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*(a*\tan(1/2*d*x + 1/2*c)^4 - b*\tan(1/2*d*x + 1/2*c)^4 + 2*b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^2) - (A*a^2 - 6*B*a*b + 12*A*b^2)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^5 + (A*a^2 - 6*B*a*b + 12*A*b^2)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^5)/d$$

maple [B] time = 0.20, size = 1551, normalized size = 3.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^3,x)

[Out]
$$-1/d/a^3/(\tan(1/2*d*x+1/2*c)-1)*B+1/2/d/a^3*A/(\tan(1/2*d*x+1/2*c)-1)^2-1/d/a^3/(\tan(1/2*d*x+1/2*c)+1)*B-1/2/d/a^3*A/(\tan(1/2*d*x+1/2*c)+1)^2-12/d*b^7/a^5/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*A-15/d*b^4/a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*B+6/d*b^6/a^4/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*B+3/d/a^4/(\tan(1/2*d*x+1/2*c)-1)*A*b+10/d/a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2*b^4/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+10/d/a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2*b^4/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A-8/d*b^3/a/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-1/d$$

$$\begin{aligned} & *b^4/a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2 \\ & *a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+1/d*b^5/a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/ \\ & 2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-20/d/a \\ & /(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((\\ & a-b)*(a+b))^{(1/2)})*A*b^3+29/d/a^3/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*a \\ & rctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A*b^5+4/d*b^5/a^3/(a*\tan \\ & n(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(\\ & 1/2*d*x+1/2*c)^3*B-6/d*b^6/a^4/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2 \\ & *b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A+4/d*b^5/a^3/(a*\tan(1/2*d*x+1/2 \\ & *c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-6/d* \\ & b^6/a^4/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2* \\ & a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-8/d*b^3/a/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d \\ & *x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+1/d*b^4/a^2/(a*\tan(\\ & 1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/ \\ & 2*c)*B-1/d*b^5/a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a \\ & +b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A+12/d/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/ \\ & 2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*b^2*B+1/2/d/a^3*A*ln \\ & n(\tan(1/2*d*x+1/2*c)+1)-1/2/d/a^3*A*ln(\tan(1/2*d*x+1/2*c)-1)-6/d/a^5*ln(\tan \\ & (1/2*d*x+1/2*c)-1)*A*b^2+3/d/a^4*ln(\tan(1/2*d*x+1/2*c)-1)*B*b+3/d/a^4/(tan(\\ & 1/2*d*x+1/2*c)+1)*A*b+6/d/a^5*ln(\tan(1/2*d*x+1/2*c)+1)*A*b^2-3/d/a^4*ln(\tan \\ & (1/2*d*x+1/2*c)+1)*B*b+1/2/d/a^3*A/(tan(1/2*d*x+1/2*c)-1)+1/2/d/a^3*A/(tan(\\ & 1/2*d*x+1/2*c)+1) \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 12.56, size = 10547, normalized size = 26.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))^3),x)

[Out]
$$\begin{aligned} & ((\tan(c/2 + (d*x)/2)^3*(3*A*a^7 + 36*A*b^7 + 2*B*a^7 - 67*A*a^2*b^5 - 29*A* \\ & a^3*b^4 + 26*A*a^4*b^3 + 5*A*a^5*b^2 - 9*B*a^2*b^5 + 35*B*a^3*b^4 + 16*B*a^4 \\ & 4*b^3 - 10*B*a^5*b^2 + 18*A*a*b^6 - 4*A*a^6*b - 18*B*a*b^6 - 4*B*a^6*b))/((\\ & a + b)^2*(a^6 - 2*a^5*b + a^4*b^2)) + (\tan(c/2 + (d*x)/2)^5*(3*A*a^7 - 36*A \\ & *b^7 - 2*B*a^7 + 67*A*a^2*b^5 - 29*A*a^3*b^4 - 26*A*a^4*b^3 + 5*A*a^5*b^2 - \\ & 9*B*a^2*b^5 - 35*B*a^3*b^4 + 16*B*a^4*b^3 + 10*B*a^5*b^2 + 18*A*a*b^6 + 4* \\ & A*a^6*b + 18*B*a*b^6 - 4*B*a^6*b))/((a + b)^2*(a^6 - 2*a^5*b + a^4*b^2)) - \\ & (\tan(c/2 + (d*x)/2)^7*(A*a^6 - 12*A*b^6 - 2*B*a^6 + 23*A*a^2*b^4 - 10*A*a^3 \\ & *b^3 - 8*A*a^4*b^2 - 3*B*a^2*b^4 - 12*B*a^3*b^3 + 4*B*a^4*b^2 + 6*A*a*b^5 + \\ & 5*A*a^5*b + 6*B*a*b^5 + 2*B*a^5*b))/((a^4*b - a^5)*(a + b)^2) + (\tan(c/2 + \\ & (d*x)/2)*(A*a^6 - 12*A*b^6 + 2*B*a^6 + 23*A*a^2*b^4 + 10*A*a^3*b^3 - 8*A*a^4 \\ & ^4*b^2 + 3*B*a^2*b^4 - 12*B*a^3*b^3 - 4*B*a^4*b^2 - 6*A*a*b^5 - 5*A*a^5*b + \\ & 6*B*a*b^5 + 2*B*a^5*b))/((a + b)*(a^6 - 2*a^5*b + a^4*b^2))/(d*(2*a*b - \tan \\ & (c/2 + (d*x)/2)^4*(2*a^2 - 6*b^2) - \tan(c/2 + (d*x)/2)^2*(4*a*b + 4*b^2) \\ & + \tan(c/2 + (d*x)/2)^6*(4*a*b - 4*b^2) + \tan(c/2 + (d*x)/2)^8*(a^2 - 2*a*b \\ & + b^2) + a^2 + b^2)) - (\operatorname{atan}(\tan(c/2 + (d*x)/2)*(A^2*a^14 + 288*A^2*b \\ & ^14 - 288*A^2*a*b^13 - 2*A^2*a^13*b - 1104*A^2*a^2*b^12 + 1104*A^2*a^3*b^11 \end{aligned}$$

$$\begin{aligned}
& + 1538A^2a^4b^{10} - 1538A^2a^5b^9 - 827A^2a^6b^8 + 872A^2a^7b^7 \\
& + 18A^2a^8b^6 - 108A^2a^9b^5 + 74A^2a^{10}b^4 - 40A^2a^{11}b^3 + 2 \\
& 1A^2a^{12}b^2 + 72B^2a^2b^{12} - 72B^2a^3b^{11} - 288B^2a^4b^{10} + 288 \\
& B^2a^5b^9 + 441B^2a^6b^8 - 432B^2a^7b^7 - 288B^2a^8b^6 + 288B^2 \\
& a^9b^5 + 36B^2a^{10}b^4 - 72B^2a^{11}b^3 + 36B^2a^{12}b^2 - 288A^2B^2a \\
& b^{13} - 12A^2B^2a^{13}b + 288A^2B^2a^{12}b^2 + 1128A^2B^2a^{11}b^3 - 1128A^2B^2a^{10} \\
& b^4 - 1650A^2B^2a^9b^5 + 1632A^2B^2a^8b^6 + 984A^2B^2a^7b^7 - 1008A^2B^2a^6 \\
& b^8 - 72A^2B^2a^5b^9 + 192A^2B^2a^4b^{10} - 108A^2B^2a^3b^{11} + 24A^2B^2a^2b^{12} \\
& b^2)) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12} \\
& b^3 - 3a^{13}b^2) - (((4(4A^2a^{21} - 48A^2a^{10}b^{11} + 24A^2a^{11}b^{10} + 212 \\
& A^2a^{12}b^9 - 100A^2a^{13}b^8 - 360A^2a^{14}b^7 + 164A^2a^{15}b^6 + 276A^2a^{16} \\
& b^5 - 120A^2a^{17}b^4 - 80A^2a^{18}b^3 + 28A^2a^{19}b^2 + 24B^2a^{11}b^{10} - 12 \\
& B^2a^{12}b^9 - 108B^2a^{13}b^8 + 48B^2a^{14}b^7 + 192B^2a^{15}b^6 - 84B^2a^{16}b^5 \\
& - 156B^2a^{17}b^4 + 72B^2a^{18}b^3 + 48B^2a^{19}b^2 - 24B^2a^{20}b)) / (a^{18}b \\
& + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17} \\
& b^2) - (4 \tan(c/2 + (d*x)/2) (A^2a^2 + 12A^2ab^2 - 6B^2a^2b) (8a^{19}b - 8 \\
& a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15} \\
& b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / (a^5(a^{14}b + a^{15} - a^8b^7 \\
& - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2))) (A^2a^2 + \\
& 12A^2ab^2 - 6B^2a^2b) / (2a^5) (A^2a^2 + 12A^2ab^2 - 6B^2a^2b) * i) / (2a^5) + (\\
& ((8 \tan(c/2 + (d*x)/2) (A^2a^{14} + 288A^2a^2b^{14} - 288A^2a^2ab^{13} - 2A^2a^2a^{13}b \\
& - 1104A^2a^2a^2b^{12} + 1104A^2a^2a^3b^{11} + 1538A^2a^2a^4b^{10} - 1538A^2 \\
& a^2a^5b^9 - 827A^2a^2a^6b^8 + 872A^2a^2a^7b^7 + 18A^2a^2a^8b^6 - 108A^2a^2a^9 \\
& b^5 + 74A^2a^2a^{10}b^4 - 40A^2a^2a^{11}b^3 + 21A^2a^2a^{12}b^2 + 72B^2a^2a^2b^{12} \\
& - 72B^2a^2a^3b^{11} - 288B^2a^2a^4b^{10} + 288B^2a^2a^5b^9 + 441B^2a^2a^6b^8 \\
& - 432B^2a^2a^7b^7 - 288B^2a^2a^8b^6 + 288B^2a^2a^9b^5 + 36B^2a^2a^{10}b^4 - 7 \\
& 2B^2a^2a^{11}b^3 + 36B^2a^2a^{12}b^2 - 288A^2B^2a^2ab^{13} - 12A^2B^2a^2a^{13}b \\
& + 288A^2B^2a^2a^2b^{12} + 1128A^2B^2a^2a^3b^{11} - 1128A^2B^2a^2a^4b^{10} - 1650A^2B^2a^2a^5 \\
& b^9 + 1632A^2B^2a^2a^6b^8 + 984A^2B^2a^2a^7b^7 - 1008A^2B^2a^2a^8b^6 - 72A^2B^2a^2a^9 \\
& b^5 + 192A^2B^2a^2a^{10}b^4 - 108A^2B^2a^2a^{11}b^3 + 24A^2B^2a^2a^{12}b^2)) / (a^{14}b + a^{15} - a^8b^7 \\
& - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) + (((4(4A^2 \\
& a^{21} - 48A^2a^{10}b^{11} + 24A^2a^{11}b^{10} + 212A^2a^{12}b^9 - 100A^2a^{13}b^8 - \\
& 360A^2a^{14}b^7 + 164A^2a^{15}b^6 + 276A^2a^{16}b^5 - 120A^2a^{17}b^4 - 80A^2a^{18} \\
& b^3 + 28A^2a^{19}b^2 + 24B^2a^{11}b^{10} - 12B^2a^{12}b^9 - 108B^2a^{13}b^8 + \\
& 48B^2a^{14}b^7 + 192B^2a^{15}b^6 - 84B^2a^{16}b^5 - 156B^2a^{17}b^4 + 72B^2a^{18} \\
& b^3 + 48B^2a^{19}b^2 - 24B^2a^{20}b)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + \\
& 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) + (4 \tan(c/2 + (d*x)/2) \\
& (A^2a^2 + 12A^2ab^2 - 6B^2a^2b) (8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12} \\
& b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 \\
& - 8a^{18}b^2)) / (a^5(a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11} \\
& b^4 - 3a^{12}b^3 - 3a^{13}b^2))) (A^2a^2 + 12A^2ab^2 - 6B^2a^2b) / (2a^5) * \\
& (A^2a^2 + 12A^2ab^2 - 6B^2a^2b) * i) / (2a^5) / ((8(1728A^3a^3b^{15} - 864A^3a^3ab^{14} \\
& - 7344A^3a^3a^2b^{13} + 3456A^3a^3a^3b^{12} + 11700A^3a^3a^4b^{11} - 4770A^3a^3 \\
& a^5b^{10} - 7829A^3a^3a^6b^9 + 2326A^3a^3a^7b^8 + 1314A^3a^3a^8b^7 - 11A^3a^3 \\
& a^9b^6 + 411A^3a^3a^{10}b^5 - 20A^3a^3a^{11}b^4 + 20A^3a^3a^{12}b^3 - 216B^3a^3 \\
& a^3b^{12} + 108B^3a^3a^4b^{11} + 972B^3a^3a^5b^{10} - 486B^3a^3a^6b^9 - 1728B^3a^3 \\
& a^7b^8 + 756B^3a^3a^8b^7 + 1404B^3a^3a^9b^6 - 432B^3a^3a^{10}b^5 - 432B^3a^3 \\
& a^{11}b^4 - 2592A^2B^2a^2ab^{14} + 1296A^2B^2a^2a^2b^{13} - 648A^2B^2a^2a^3b^{12} - 572 \\
& 4A^2B^2a^2a^4b^{11} + 2808A^2B^2a^2a^5b^{10} + 9828A^2B^2a^2a^6b^9 - 4203A^2B^2a^2 \\
& a^7b^8 - 7524A^2B^2a^2a^8b^7 + 2268A^2B^2a^2a^9b^6 + 1980A^2B^2a^2a^{10}b^5 + 144 \\
& A^2B^2a^2a^{12}b^3 + 1296A^2B^2a^2a^2b^{13} + 11232A^2B^2a^2a^3b^{12} - 5400A^2B^2a^2 \\
& a^4b^{11} - 18594A^2B^2a^2a^5b^{10} + 7767A^2B^2a^2a^6b^9 + 13347A^2B^2a^2a^7b^8 - \\
& 3972A^2B^2a^2a^8b^7 - 2892A^2B^2a^2a^9b^6 + 9A^2B^2a^2a^{10}b^5 - 489A^2B^2a^2a^{11} \\
& b^4 + 12A^2B^2a^2a^{12}b^3 - 12A^2B^2a^2a^{13}b^2)) / (a^{18}b + a^{19} - a^{12}b^7 - \\
& a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) - (((8 \tan(c \\
& /2 + (d*x)/2) (A^2a^{14} + 288A^2a^2b^{14} - 288A^2a^2ab^{13} - 2A^2a^2a^{13}b \\
& - 1104A^2a^2a^2b^{12} + 1104A^2a^2a^3b^{11} + 1538A^2a^2a^4b^{10} - 1538A^2a^2a^5 \\
& b^9 - 827A^2a^2a^6b^8 + 872A^2a^2a^7b^7 + 18A^2a^2a^8b^6 - 108A^2a^2a^9b^5 + 74 \\
& A^2a^2a^{10}b^4 - 40A^2a^2a^{11}b^3 + 21A^2a^2a^{12}b^2 + 72B^2a^2a^2b^{12} - 72B^2
\end{aligned}$$

$$\begin{aligned}
& 2a^3b^{11} - 288B^2a^4b^{10} + 288B^2a^5b^9 + 441B^2a^6b^8 - 432B^2 \\
& a^7b^7 - 288B^2a^8b^6 + 288B^2a^9b^5 + 36B^2a^{10}b^4 - 72B^2a^{11} \\
& b^3 + 36B^2a^{12}b^2 - 288A^2B^2a^3b^{13} - 12A^2B^2a^{13}b + 288A^2B^2a^{12}b^2 \\
& + 1128A^2B^2a^3b^{11} - 1128A^2B^2a^4b^{10} - 1650A^2B^2a^5b^9 + 1632A^2B^2a^6b^8 \\
& + 984A^2B^2a^7b^7 - 1008A^2B^2a^8b^6 - 72A^2B^2a^9b^5 + 192A^2B^2a^{10}b^4 \\
& - 108A^2B^2a^{11}b^3 + 24A^2B^2a^{12}b^2) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 \\
& + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) - (((4(4A^2a^{21} - 48 \\
& A^2a^{10}b^{11} + 24A^2a^{11}b^{10} + 212A^2a^{12}b^9 - 100A^2a^{13}b^8 - 360A^2a^{14} \\
& b^7 + 164A^2a^{15}b^6 + 276A^2a^{16}b^5 - 120A^2a^{17}b^4 - 80A^2a^{18}b^3 + \\
& 28A^2a^{19}b^2 + 24B^2a^{11}b^{10} - 12B^2a^{12}b^9 - 108B^2a^{13}b^8 + 48B^2a^{14} \\
& b^7 + 192B^2a^{15}b^6 - 84B^2a^{16}b^5 - 156B^2a^{17}b^4 + 72B^2a^{18}b^3 + 48 \\
& B^2a^{19}b^2 - 24B^2a^{20}b)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 \\
& + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) - (4\tan(c/2 + (dx)/2)(A^2a^2 + \\
& 12A^2b^2 - 6B^2a^2b)(8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 3 \\
& 2a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18} \\
& b^2)) / (a^5(a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - \\
& 3a^{12}b^3 - 3a^{13}b^2)))(A^2a^2 + 12A^2b^2 - 6B^2a^2b) / (2a^5))(A^2a^2 + \\
& 12A^2b^2 - 6B^2a^2b) / (2a^5) + (((8\tan(c/2 + (dx)/2)(A^2a^{14} + 288A^2a^2 \\
& b^{14} - 288A^2a^2a^3b^{13} - 2A^2a^{13}b - 1104A^2a^2a^2b^{12} + 1104A^2a^2a^3b^{11} \\
& + 1538A^2a^2a^4b^{10} - 1538A^2a^2a^5b^9 - 827A^2a^2a^6b^8 + 872A^2a^2a^7b^7 \\
& + 18A^2a^2a^8b^6 - 108A^2a^2a^9b^5 + 74A^2a^2a^{10}b^4 - 40A^2a^2a^{11}b^3 + \\
& 21A^2a^2a^{12}b^2 + 72B^2a^2a^2b^{12} - 72B^2a^2a^3b^{11} - 288B^2a^2a^4b^{10} + 28 \\
& 8B^2a^2a^5b^9 + 441B^2a^2a^6b^8 - 432B^2a^2a^7b^7 - 288B^2a^2a^8b^6 + 288B \\
& ^2a^2a^9b^5 + 36B^2a^2a^{10}b^4 - 72B^2a^2a^{11}b^3 + 36B^2a^2a^{12}b^2 - 288A^2B^2 \\
& a^2a^3b^{13} - 12A^2B^2a^{13}b + 288A^2B^2a^2a^2b^{12} + 1128A^2B^2a^3a^3b^{11} - 1128A^2B^2a^4 \\
& a^4b^{10} - 1650A^2B^2a^5a^5b^9 + 1632A^2B^2a^6a^6b^8 + 984A^2B^2a^7a^7b^7 - 1008A^2B^2a^8 \\
& a^8b^6 - 72A^2B^2a^9a^9b^5 + 192A^2B^2a^{10}a^{10}b^4 - 108A^2B^2a^{11}a^{11}b^3 + 24A^2B^2a^{12} \\
& a^{12}b^2) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12} \\
& b^3 - 3a^{13}b^2) + (((4(4A^2a^{21} - 48A^2a^{10}b^{11} + 24A^2a^{11}b^{10} + 21 \\
& 2A^2a^{12}b^9 - 100A^2a^{13}b^8 - 360A^2a^{14}b^7 + 164A^2a^{15}b^6 + 276A^2a^{16} \\
& b^5 - 120A^2a^{17}b^4 - 80A^2a^{18}b^3 + 28A^2a^{19}b^2 + 24B^2a^{11}b^{10} - 1 \\
& 2B^2a^{12}b^9 - 108B^2a^{13}b^8 + 48B^2a^{14}b^7 + 192B^2a^{15}b^6 - 84B^2a^{16} \\
& b^5 - 156B^2a^{17}b^4 + 72B^2a^{18}b^3 + 48B^2a^{19}b^2 - 24B^2a^{20}b)) / (a^{18} \\
& b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a \\
& ^{17}b^2) + (4\tan(c/2 + (dx)/2)(A^2a^2 + 12A^2b^2 - 6B^2a^2b)(8a^{19}b - 8 \\
& a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15} \\
& b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / (a^5(a^{14}b + a^{15} - a^8b^7 \\
& - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2)))(A^2a^2 \\
& + 12A^2b^2 - 6B^2a^2b) / (2a^5))(A^2a^2 + 12A^2b^2 - 6B^2a^2b) / (2a^5))(A^2 \\
& a^2 + 12A^2b^2 - 6B^2a^2b) * i) / (a^5d) - (b^2 * \operatorname{atan}(((b^2 * (-a + b)^5 * (a - b) \\
& ^5)^{1/2}) * ((8\tan(c/2 + (dx)/2)(A^2a^{14} + 288A^2a^2b^{14} - 288A^2a^2a^3b^{13} \\
& - 2A^2a^{13}b - 1104A^2a^2a^2b^{12} + 1104A^2a^2a^3b^{11} + 1538A^2a^2a^4b^{10} \\
& - 1538A^2a^2a^5b^9 - 827A^2a^2a^6b^8 + 872A^2a^2a^7b^7 + 18A^2a^2a^8b^6 - 1 \\
& 08A^2a^2a^9b^5 + 74A^2a^2a^{10}b^4 - 40A^2a^2a^{11}b^3 + 21A^2a^2a^{12}b^2 + 72B \\
& ^2a^2a^2b^{12} - 72B^2a^2a^3b^{11} - 288B^2a^2a^4b^{10} + 288B^2a^2a^5b^9 + 441B^2 \\
& a^2a^6b^8 - 432B^2a^2a^7b^7 - 288B^2a^2a^8b^6 + 288B^2a^2a^9b^5 + 36B^2a^2a^{10} \\
& b^4 - 72B^2a^2a^{11}b^3 + 36B^2a^2a^{12}b^2 - 288A^2B^2a^2a^3b^{13} - 12A^2B^2a^{13}b \\
& + 288A^2B^2a^2a^2b^{12} + 1128A^2B^2a^3a^3b^{11} - 1128A^2B^2a^4a^4b^{10} - 1650A^2B^2a^5 \\
& a^5b^9 + 1632A^2B^2a^6a^6b^8 + 984A^2B^2a^7a^7b^7 - 1008A^2B^2a^8a^8b^6 - 72A^2B^2a^9 \\
& a^9b^5 + 192A^2B^2a^{10}a^{10}b^4 - 108A^2B^2a^{11}a^{11}b^3 + 24A^2B^2a^{12}a^{12}b^2) / (a^{14}b + a^{15} \\
& - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) - \\
& (b^2 * ((4(4A^2a^{21} - 48A^2a^{10}b^{11} + 24A^2a^{11}b^{10} + 212A^2a^{12}b^9 - 100 \\
& A^2a^{13}b^8 - 360A^2a^{14}b^7 + 164A^2a^{15}b^6 + 276A^2a^{16}b^5 - 120A^2a^{17} \\
& b^4 - 80A^2a^{18}b^3 + 28A^2a^{19}b^2 + 24B^2a^{11}b^{10} - 12B^2a^{12}b^9 - 108 \\
& B^2a^{13}b^8 + 48B^2a^{14}b^7 + 192B^2a^{15}b^6 - 84B^2a^{16}b^5 - 156B^2a^{17}b^4 \\
& + 72B^2a^{18}b^3 + 48B^2a^{19}b^2 - 24B^2a^{20}b)) / (a^{18}b + a^{19} - a^{12}b^7 \\
& - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) - (4b^2 * \\
& \tan(c/2 + (dx)/2) * (-a + b)^5 * (a - b)^5)^{1/2} * (12A^2b^5 - 12B^2a^5 - 29A^2 \\
& a^2b^3 + 15B^2a^3b^2 + 20A^2a^4b - 6B^2a^2b^4) * (8a^{19}b - 8a^{10}b^{10} +
\end{aligned}$$

$$\begin{aligned}
& 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2) / ((a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2)(a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2))) * (- (a + b)^5 (a - b)^5)^{(1/2)} \\
& * (12A^5b^5 - 12B^5a^5 - 29A^2b^3 + 15B^3a^3b^2 + 20A^4a^4b - 6B^2a^2b^4) / (2(a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2))) * (12A^5b^5 - 12B^5a^5 - 29A^2b^3 + 15B^3a^3b^2 + 20A^4a^4b - 6B^2a^2b^4) * i) / (2(a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2))) + (b^2 * (- (a + b)^5 (a - b)^5)^{(1/2)} * ((8 \tan(c/2 + (d*x)/2) * (A^2a^{14} + 288A^2b^{14} - 288A^2a^2b^{13} - 2A^2a^{13}b - 1104A^2a^2b^{12} + 1104A^2a^3b^{11} + 1538A^2a^4b^{10} - 1538A^2a^5b^9 - 827A^2a^6b^8 + 872A^2a^7b^7 + 18A^2a^8b^6 - 108A^2a^9b^5 + 74A^2a^{10}b^4 - 40A^2a^{11}b^3 + 21A^2a^{12}b^2 + 72B^2a^2b^{12} - 72B^2a^3b^{11} - 288B^2a^4b^{10} + 288B^2a^5b^9 + 441B^2a^6b^8 - 432B^2a^7b^7 - 288B^2a^8b^6 + 288B^2a^9b^5 + 36B^2a^{10}b^4 - 72B^2a^{11}b^3 + 36B^2a^{12}b^2 - 288A^2B^2a^2b^{13} - 12A^2B^2a^{13}b + 288A^2B^2a^2b^{12} + 1128A^2B^2a^3b^{11} - 1128A^2B^2a^4b^{10} - 1650A^2B^2a^5b^9 + 1632A^2B^2a^6b^8 + 984A^2B^2a^7b^7 - 1008A^2B^2a^8b^6 - 72A^2B^2a^9b^5 + 192A^2B^2a^{10}b^4 - 108A^2B^2a^{11}b^3 + 24A^2B^2a^{12}b^2)) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) + (b^2 * ((4 * (4A^{21} - 48A^{10}b^{11} + 24A^{11}b^{10} + 212A^{12}b^9 - 100A^{13}b^8 - 360A^{14}b^7 + 164A^{15}b^6 + 276A^{16}b^5 - 120A^{17}b^4 - 80A^{18}b^3 + 28A^{19}b^2 + 24B^{11}b^{10} - 12B^{12}b^9 - 108B^{13}b^8 + 48B^{14}b^7 + 192B^{15}b^6 - 84B^{16}b^5 - 156B^{17}b^4 + 72B^{18}b^3 + 48B^{19}b^2 - 24B^{20}b)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) + (4b^2 * \tan(c/2 + (d*x)/2) * (- (a + b)^5 (a - b)^5)^{(1/2)} * (12A^5b^5 - 12B^5a^5 - 29A^2b^3 + 15B^3a^3b^2 + 20A^4a^4b - 6B^2a^2b^4) * (8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / ((a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2)(a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2))) * (- (a + b)^5 (a - b)^5)^{(1/2)} * (12A^5b^5 - 12B^5a^5 - 29A^2b^3 + 15B^3a^3b^2 + 20A^4a^4b - 6B^2a^2b^4) / (2(a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2))) * (12A^5b^5 - 12B^5a^5 - 29A^2b^3 + 15B^3a^3b^2 + 20A^4a^4b - 6B^2a^2b^4) * i) / (2(a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2))) / ((8 * (1728A^3b^{15} - 864A^3a^2b^{14} - 7344A^3a^2b^{13} + 3456A^3a^3b^{12} + 11700A^3a^4b^{11} - 4770A^3a^5b^{10} - 7829A^3a^6b^9 + 2326A^3a^7b^8 + 1314A^3a^8b^7 - 11A^3a^9b^6 + 411A^3a^{10}b^5 - 20A^3a^{11}b^4 + 20A^3a^{12}b^3 - 216B^3a^3b^{12} + 108B^3a^4b^{11} + 972B^3a^5b^{10} - 486B^3a^6b^9 - 1728B^3a^7b^8 + 756B^3a^8b^7 + 1404B^3a^9b^6 - 432B^3a^{10}b^5 - 432B^3a^{11}b^4 - 2592A^2B^2a^2b^{14} + 1296A^2B^2a^2b^{13} - 648A^2B^2a^3b^{12} - 5724A^2B^2a^4b^{11} + 2808A^2B^2a^5b^{10} + 9828A^2B^2a^6b^9 - 4203A^2B^2a^7b^8 - 7524A^2B^2a^8b^7 + 2268A^2B^2a^9b^6 + 1980A^2B^2a^{10}b^5 + 144A^2B^2a^{12}b^3 + 1296A^2B^2a^2b^{13} + 11232A^2B^2a^3b^{12} - 5400A^2B^2a^4b^{11} - 18594A^2B^2a^5b^{10} + 7767A^2B^2a^6b^9 + 13347A^2B^2a^7b^8 - 3972A^2B^2a^8b^7 - 2892A^2B^2a^9b^6 + 9A^2B^2a^{10}b^5 - 489A^2B^2a^{11}b^4 + 12A^2B^2a^{12}b^3 - 12A^2B^2a^{13}b^2)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) - (b^2 * (- (a + b)^5 (a - b)^5)^{(1/2)} * ((8 \tan(c/2 + (d*x)/2) * (A^2a^{14} + 288A^2b^{14} - 288A^2a^2b^{13} - 2A^2a^{13}b - 1104A^2a^2b^{12} + 1104A^2a^3b^{11} + 1538A^2a^4b^{10} - 1538A^2a^5b^9 - 827A^2a^6b^8 + 872A^2a^7b^7 + 18A^2a^8b^6 - 108A^2a^9b^5 + 74A^2a^{10}b^4 - 40A^2a^{11}b^3 + 21A^2a^{12}b^2 + 72B^2a^2b^{12} - 72B^2a^3b^{11} - 288B^2a^4b^{10} + 288B^2a^5b^9 + 441B^2a^6b^8 - 432B^2a^7b^7 - 288B^2a^8b^6 + 288B^2a^9b^5 + 36B^2a^{10}b^4 - 72B^2a^{11}b^3 + 36B^2a^{12}b^2 - 288A^2B^2a^2b^{13} - 12A^2B^2a^{13}b + 288A^2B^2a^2b^{12} + 1128A^2B^2a^3b^{11} - 1128A^2B^2a^4b^{10} - 1650A^2B^2a^5b^9 + 1632A^2B^2a^6b^8 + 984A^2B^2a^7b^7 - 1008A^2B^2a^8b^6 - 72A^2B^2a^9b^5 + 192A^2B^2a^{10}b^4 - 108A^2B^2a^{11}b^3 + 24A^2B^2a^{12}b^2)
\end{aligned}$$


```

)/(a^14*b + a^15 - a^8*b^7 - a^9*b^6 + 3*a^10*b^5 + 3*a^11*b^4 - 3*a^12*b^3
- 3*a^13*b^2) - (b^2*((4*(4*A*a^21 - 48*A*a^10*b^11 + 24*A*a^11*b^10 + 212
*A*a^12*b^9 - 100*A*a^13*b^8 - 360*A*a^14*b^7 + 164*A*a^15*b^6 + 276*A*a^16
*b^5 - 120*A*a^17*b^4 - 80*A*a^18*b^3 + 28*A*a^19*b^2 + 24*B*a^11*b^10 - 12
*B*a^12*b^9 - 108*B*a^13*b^8 + 48*B*a^14*b^7 + 192*B*a^15*b^6 - 84*B*a^16*b
^5 - 156*B*a^17*b^4 + 72*B*a^18*b^3 + 48*B*a^19*b^2 - 24*B*a^20*b))/ (a^18*b
+ a^19 - a^12*b^7 - a^13*b^6 + 3*a^14*b^5 + 3*a^15*b^4 - 3*a^16*b^3 - 3*a^
17*b^2) - (4*b^2*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^(1/2)*(12*A*b^5
- 12*B*a^5 - 29*A*a^2*b^3 + 15*B*a^3*b^2 + 20*A*a^4*b - 6*B*a*b^4)*(8*a^19*b
b - 8*a^10*b^10 + 8*a^11*b^9 + 32*a^12*b^8 - 32*a^13*b^7 - 48*a^14*b^6 + 48
*a^15*b^5 + 32*a^16*b^4 - 32*a^17*b^3 - 8*a^18*b^2))/((a^15 - a^5*b^10 + 5*
a^7*b^8 - 10*a^9*b^6 + 10*a^11*b^4 - 5*a^13*b^2)*(a^14*b + a^15 - a^8*b^7 -
a^9*b^6 + 3*a^10*b^5 + 3*a^11*b^4 - 3*a^12*b^3 - 3*a^13*b^2)))*(-(a + b)^5
*(a - b)^5)^(1/2)*(12*A*b^5 - 12*B*a^5 - 29*A*a^2*b^3 + 15*B*a^3*b^2 + 20*A
*a^4*b - 6*B*a*b^4))/(2*(a^15 - a^5*b^10 + 5*a^7*b^8 - 10*a^9*b^6 + 10*a^11
*b^4 - 5*a^13*b^2)))*(12*A*b^5 - 12*B*a^5 - 29*A*a^2*b^3 + 15*B*a^3*b^2 + 2
0*A*a^4*b - 6*B*a*b^4))/(2*(a^15 - a^5*b^10 + 5*a^7*b^8 - 10*a^9*b^6 + 10*a
^11*b^4 - 5*a^13*b^2)) + (b^2*(-(a + b)^5*(a - b)^5)^(1/2))*((8*tan(c/2 + (d
*x)/2)*(A^2*a^14 + 288*A^2*b^14 - 288*A^2*a*b^13 - 2*A^2*a^13*b - 1104*A^2*
a^2*b^12 + 1104*A^2*a^3*b^11 + 1538*A^2*a^4*b^10 - 1538*A^2*a^5*b^9 - 827*A
^2*a^6*b^8 + 872*A^2*a^7*b^7 + 18*A^2*a^8*b^6 - 108*A^2*a^9*b^5 + 74*A^2*a^
10*b^4 - 40*A^2*a^11*b^3 + 21*A^2*a^12*b^2 + 72*B^2*a^2*b^12 - 72*B^2*a^3*b
^11 - 288*B^2*a^4*b^10 + 288*B^2*a^5*b^9 + 441*B^2*a^6*b^8 - 432*B^2*a^7*b^
7 - 288*B^2*a^8*b^6 + 288*B^2*a^9*b^5 + 36*B^2*a^10*b^4 - 72*B^2*a^11*b^3 +
36*B^2*a^12*b^2 - 288*A*B*a*b^13 - 12*A*B*a^13*b + 288*A*B*a^2*b^12 + 1128
*A*B*a^3*b^11 - 1128*A*B*a^4*b^10 - 1650*A*B*a^5*b^9 + 1632*A*B*a^6*b^8 + 9
84*A*B*a^7*b^7 - 1008*A*B*a^8*b^6 - 72*A*B*a^9*b^5 + 192*A*B*a^10*b^4 - 108
*A*B*a^11*b^3 + 24*A*B*a^12*b^2))/ (a^14*b + a^15 - a^8*b^7 - a^9*b^6 + 3*a^
10*b^5 + 3*a^11*b^4 - 3*a^12*b^3 - 3*a^13*b^2) + (b^2*((4*(4*A*a^21 - 48*A*
a^10*b^11 + 24*A*a^11*b^10 + 212*A*a^12*b^9 - 100*A*a^13*b^8 - 360*A*a^14*b
^7 + 164*A*a^15*b^6 + 276*A*a^16*b^5 - 120*A*a^17*b^4 - 80*A*a^18*b^3 + 28*
A*a^19*b^2 + 24*B*a^11*b^10 - 12*B*a^12*b^9 - 108*B*a^13*b^8 + 48*B*a^14*b^
7 + 192*B*a^15*b^6 - 84*B*a^16*b^5 - 156*B*a^17*b^4 + 72*B*a^18*b^3 + 48*B*
a^19*b^2 - 24*B*a^20*b))/ (a^18*b + a^19 - a^12*b^7 - a^13*b^6 + 3*a^14*b^5
+ 3*a^15*b^4 - 3*a^16*b^3 - 3*a^17*b^2) + (4*b^2*tan(c/2 + (d*x)/2)*(-(a +
b)^5*(a - b)^5)^(1/2)*(12*A*b^5 - 12*B*a^5 - 29*A*a^2*b^3 + 15*B*a^3*b^2 +
20*A*a^4*b - 6*B*a*b^4)*(8*a^19*b - 8*a^10*b^10 + 8*a^11*b^9 + 32*a^12*b^8
- 32*a^13*b^7 - 48*a^14*b^6 + 48*a^15*b^5 + 32*a^16*b^4 - 32*a^17*b^3 - 8*a
^18*b^2))/((a^15 - a^5*b^10 + 5*a^7*b^8 - 10*a^9*b^6 + 10*a^11*b^4 - 5*a^13
*b^2)*(a^14*b + a^15 - a^8*b^7 - a^9*b^6 + 3*a^10*b^5 + 3*a^11*b^4 - 3*a^12
*b^3 - 3*a^13*b^2)))*(-(a + b)^5*(a - b)^5)^(1/2)*(12*A*b^5 - 12*B*a^5 - 29
*A*a^2*b^3 + 15*B*a^3*b^2 + 20*A*a^4*b - 6*B*a*b^4))/(2*(a^15 - a^5*b^10 +
5*a^7*b^8 - 10*a^9*b^6 + 10*a^11*b^4 - 5*a^13*b^2)))*(12*A*b^5 - 12*B*a^5 -
29*A*a^2*b^3 + 15*B*a^3*b^2 + 20*A*a^4*b - 6*B*a*b^4))/(2*(a^15 - a^5*b^10
+ 5*a^7*b^8 - 10*a^9*b^6 + 10*a^11*b^4 - 5*a^13*b^2)))*(-(a + b)^5*(a - b
)^5)^(1/2)*(12*A*b^5 - 12*B*a^5 - 29*A*a^2*b^3 + 15*B*a^3*b^2 + 20*A*a^4*b
- 6*B*a*b^4)*1i)/(d*(a^15 - a^5*b^10 + 5*a^7*b^8 - 10*a^9*b^6 + 10*a^11*b^4
- 5*a^13*b^2))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c))**3,x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**3/(a + b*cos(c + d*x))**3, x)

$$3.273 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$$

Optimal. Leaf size=409

$$\frac{a(Ab - aB) \sin(c + dx) \cos^3(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^3} + \frac{a(-4a^3B + a^2Ab + 9ab^2B - 6Ab^3) \sin(c + dx) \cos^2(c + dx)}{6b^2d(a^2 - b^2)^2(a + b \cos(c + dx))^2} - \frac{(-12a^4B + 3a^3b^2B - 12a^2b^4B + 12ab^6B - 6b^8B) \sin(c + dx) \cos(c + dx)}{b^5d(a - b)^7}$$

[Out] $(A*b-4*B*a)*x/b^5-a*(2*A*a^6*b-7*A*a^4*b^3+8*A*a^2*b^5-8*A*b^7-8*B*a^7+28*B*a^5*b^2-35*B*a^3*b^4+20*B*a*b^6)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/(a-b)^{(7/2)}/b^5/(a+b)^{(7/2)}/d-1/6*(3*A*a^3*b-8*A*a*b^3-12*B*a^4+23*B*a^2*b^2-6*B*b^4)*\sin(d*x+c)/b^4/(a^2-b^2)^2/d+1/3*a*(A*b-B*a)*\cos(d*x+c)^3*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^3+1/6*a*(A*a^2*b-6*A*b^3-4*B*a^3+9*B*a*b^2)*\cos(d*x+c)^2*\sin(d*x+c)/b^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^2-1/2*a^2*(A*a^4*b-2*A*a^2*b^3+6*A*b^5-4*B*a^5+11*B*a^3*b^2-12*B*a*b^4)*\sin(d*x+c)/b^4/(a^2-b^2)^3/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 5.17, antiderivative size = 409, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2989, 3047, 3031, 3023, 2735, 2659, 205}

$$\frac{(3a^3Ab + 23a^2b^2B - 12a^4B - 8aAb^3 - 6b^4B) \sin(c + dx)}{6b^4d(a^2 - b^2)^2} - \frac{a(-7a^4Ab^3 + 8a^2Ab^5 + 2a^6Ab + 28a^5b^2B - 35a^3b^4B + 12a^2b^6B - 6b^8B) \sin(c + dx) \cos(c + dx)}{b^5d(a - b)^7}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]^4,x]

[Out] $((A*b - 4*a*B)*x)/b^5 - (a*(2*a^6*A*b - 7*a^4*A*b^3 + 8*a^2*A*b^5 - 8*A*b^7 - 8*a^7*B + 28*a^5*b^2*B - 35*a^3*b^4*B + 20*a*b^6*B)*\text{ArcTan}[\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]]/\text{Sqrt}[a + b])/((a - b)^{(7/2)}*b^5*(a + b)^{(7/2)}*d) - ((3*a^3*A*b - 8*a*A*b^3 - 12*a^4*B + 23*a^2*b^2*B - 6*b^4*B)*\text{Sin}[c + d*x])/(6*b^4*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^3) + (a*(a^2*A*b - 6*A*b^3 - 4*a^3*B + 9*a*b^2*B)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x])^2) - (a^2*(a^4*A*b - 2*a^2*A*b^3 + 6*A*b^5 - 4*a^5*B + 11*a^3*b^2*B - 12*a*b^4*B)*\text{Sin}[c + d*x])/(2*b^4*(a^2 - b^2)^3*d*(a + b*\text{Cos}[c + d*x]))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sine[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1))))*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^4} dx &= \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{\int \frac{\cos^2(c+dx)(-3a(Ab-aB)+3b(Ab-aB)\cos(c+dx))}{(a+b\cos(c+dx))^3} dx}{3b(a^2-b^2)d} \\
&= \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)}{6b^2(a^2-b^2)^2d(a+b\cos(c+dx))} \\
&= \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)}{6b^2(a^2-b^2)^2d(a+b\cos(c+dx))} \\
&= -\frac{(3a^3Ab-8aAb^3-12a^4B+23a^2b^2B-6b^4B)\sin(c+dx)}{6b^4(a^2-b^2)^2d} + \frac{a(Ab-aB)}{3b(a^2-b^2)} \\
&= \frac{(Ab-4aB)x}{b^5} - \frac{(3a^3Ab-8aAb^3-12a^4B+23a^2b^2B-6b^4B)\sin(c+dx)}{6b^4(a^2-b^2)^2d} \\
&= \frac{(Ab-4aB)x}{b^5} - \frac{(3a^3Ab-8aAb^3-12a^4B+23a^2b^2B-6b^4B)\sin(c+dx)}{6b^4(a^2-b^2)^2d} \\
&= \frac{(Ab-4aB)x}{b^5} - \frac{a(2a^6Ab-7a^4Ab^3+8a^2Ab^5-8Ab^7-8a^7B+28a^5b^2B)}{(a-b)^{7/2}b^5(a+b\cos(c+dx))}
\end{aligned}$$

Mathematica [B] time = 6.65, size = 1278, normalized size = 3.12

$$\frac{96B(c+dx)a^{10} - 24Ab(c+dx)a^9 + 288bB(c+dx)\cos(c+dx)a^9 - 96bB\sin(c+dx)a^9 - 144b^2B(c+dx)a^8 - 72Aa^7b^2B(c+dx) + 72Ab^2B(c+dx)a^7 - 144Ab^2B(c+dx)a^6 + 144Ab^2B(c+dx)a^5 - 144Ab^2B(c+dx)a^4 + 144Ab^2B(c+dx)a^3 - 144Ab^2B(c+dx)a^2 + 144Ab^2B(c+dx)a - 144Ab^2B(c+dx)}{(a-b)^{7/2}b^5(a+b\cos(c+dx))}$$

Antiderivative was successfully verified.

```

[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^4, x]
[Out] -((a*(-2*a^6*A*b + 7*a^4*A*b^3 - 8*a^2*A*b^5 + 8*A*b^7 + 8*a^7*B - 28*a^5*b^2*B + 35*a^3*b^4*B - 20*a*b^6*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(b^5*(a^2 - b^2)^3*Sqrt[-a^2 + b^2]*d) + (-24*a^9*A*b*(c + d*x) + 36*a^7*A*b^3*(c + d*x) + 36*a^5*A*b^5*(c + d*x) - 84*a^3*A*b^7*(c + d*x) + 36*a*A*b^9*(c + d*x) + 96*a^10*B*(c + d*x) - 144*a^8*b^2*B*(c + d*x) - 144*a^6*b^4*B*(c + d*x) + 336*a^4*b^6*B*(c + d*x) - 144*a^2*b^8*B*(c + d*x) - 72*a^8*A*b^2*(c + d*x)*Cos[c + d*x] + 198*a^6*A*b^4*(c + d*x)*Cos[c + d*x] - 162*a^4*A*b^6*(c + d*x)*Cos[c + d*x] + 18*a^2*A*b^8*(c + d*x)*Cos[c + d*x] + 18*A*b^10*(c + d*x)*Cos[c + d*x] + 288*a^9*b*B*(c + d*x)*Cos[c + d*x] - 792*a^7*b^3*B*(c + d*x)*Cos[c + d*x] + 648*a^5*b^5*B*(c + d*x)*Cos[c + d*x] - 72*a^3*b^7*B*(c + d*x)*Cos[c + d*x] - 72*a*b^9*B*(c + d*x)*Cos[c + d*x] - 36*a^7*A*b^3*(c + d*x)*Cos[2*(c + d*x)] + 108*a^5*A*b^5*(c + d*x)*Cos[2*(c + d*x)] - 108*a^3*A*b^7*(c + d*x)*Cos[2*(c + d*x)] + 36*a*A*b^9*(c + d*x)*Cos[2*(c + d*x)] + 144*a^8*b^2*B*(c + d*x)*Cos[2*(c + d*x)] - 432*a^6*b^4*B*(c + d*x)*Cos[2*(c + d*x)] + 432*a^4*b^6*B*(c + d*x)*Cos[2*(c + d*x)] - 144*a^2*b^8*B*(c + d*x)*Cos[2*(c + d*x)] - 6*a^6*A*b^4*(c + d*x)*Cos[3*(c + d*x)] + 18*a^4*A*b^6*(c + d*x)*Cos[3*(c + d*x)] - 18*a^2*A*b^8*(c + d*x)*Cos[3*(c + d*x)] + 6*A*b^10*(c + d*x)*Cos[3*(c + d*x)] + 24*a^7*b^3*B*(c + d*x)*Cos[3*(c + d*x)] - 72*a^5*b^5*B*(c + d*x)*Cos[3*(c + d*x)] + 72*a^3

```

$$\begin{aligned} & *b^7*B*(c + d*x)*\text{Cos}[3*(c + d*x)] - 24*a*b^9*B*(c + d*x)*\text{Cos}[3*(c + d*x)] + \\ & 24*a^8*A*b^2*\text{Sin}[c + d*x] - 57*a^6*A*b^4*\text{Sin}[c + d*x] + 72*a^4*A*b^6*\text{Sin}[c \\ & + d*x] + 36*a^2*A*b^8*\text{Sin}[c + d*x] - 96*a^9*b*B*\text{Sin}[c + d*x] + 228*a^7*b^3 \\ & *B*\text{Sin}[c + d*x] - 135*a^5*b^5*B*\text{Sin}[c + d*x] - 90*a^3*b^7*B*\text{Sin}[c + d*x] + \\ & 18*a*b^9*B*\text{Sin}[c + d*x] + 30*a^7*A*b^3*\text{Sin}[2*(c + d*x)] - 90*a^5*A*b^5*\text{Sin}[\\ & 2*(c + d*x)] + 120*a^3*A*b^7*\text{Sin}[2*(c + d*x)] - 120*a^8*b^2*B*\text{Sin}[2*(c + d* \\ & x)] + 336*a^6*b^4*B*\text{Sin}[2*(c + d*x)] - 300*a^4*b^6*B*\text{Sin}[2*(c + d*x)] + 18* \\ & a^2*b^8*B*\text{Sin}[2*(c + d*x)] + 6*b^10*B*\text{Sin}[2*(c + d*x)] + 11*a^6*A*b^4*\text{Sin}[3 \\ & *(c + d*x)] - 32*a^4*A*b^6*\text{Sin}[3*(c + d*x)] + 36*a^2*A*b^8*\text{Sin}[3*(c + d*x)] \\ & - 44*a^7*b^3*B*\text{Sin}[3*(c + d*x)] + 125*a^5*b^5*B*\text{Sin}[3*(c + d*x)] - 114*a^3 \\ & *b^7*B*\text{Sin}[3*(c + d*x)] + 18*a*b^9*B*\text{Sin}[3*(c + d*x)] - 3*a^6*b^4*B*\text{Sin}[4*(\\ & c + d*x)] + 9*a^4*b^6*B*\text{Sin}[4*(c + d*x)] - 9*a^2*b^8*B*\text{Sin}[4*(c + d*x)] + 3 \\ & *b^10*B*\text{Sin}[4*(c + d*x)]/(24*b^5*(-a^2 + b^2)^3*d*(a + b*\text{Cos}[c + d*x])^3) \end{aligned}$$

fricas [B] time = 1.40, size = 2567, normalized size = 6.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="fricas")

[Out] [-1/12*(12*(4*B*a^9*b^3 - A*a^8*b^4 - 16*B*a^7*b^5 + 4*A*a^6*b^6 + 24*B*a^5*b^7 - 6*A*a^4*b^8 - 16*B*a^3*b^9 + 4*A*a^2*b^10 + 4*B*a*b^11 - A*b^12)*d*x*cos(d*x + c)^3 + 36*(4*B*a^10*b^2 - A*a^9*b^3 - 16*B*a^8*b^4 + 4*A*a^7*b^5 + 24*B*a^6*b^6 - 6*A*a^5*b^7 - 16*B*a^4*b^8 + 4*A*a^3*b^9 + 4*B*a^2*b^10 - A*a*b^11)*d*x*cos(d*x + c)^2 + 36*(4*B*a^11*b - A*a^10*b^2 - 16*B*a^9*b^3 + 4*A*a^8*b^4 + 24*B*a^7*b^5 - 6*A*a^6*b^6 - 16*B*a^5*b^7 + 4*A*a^4*b^8 + 4*B*a^3*b^9 - A*a^2*b^10)*d*x*cos(d*x + c) + 12*(4*B*a^12 - A*a^11*b - 16*B*a^10*b^2 + 4*A*a^9*b^3 + 24*B*a^8*b^4 - 6*A*a^7*b^5 - 16*B*a^6*b^6 + 4*A*a^5*b^7 + 4*B*a^4*b^8 - A*a^3*b^9)*d*x - 3*(8*B*a^11 - 2*A*a^10*b - 28*B*a^9*b^2 + 7*A*a^8*b^3 + 35*B*a^7*b^4 - 8*A*a^6*b^5 - 20*B*a^5*b^6 + 8*A*a^4*b^7 + (8*B*a^8*b^3 - 2*A*a^7*b^4 - 28*B*a^6*b^5 + 7*A*a^5*b^6 + 35*B*a^4*b^7 - 8*A*a^3*b^8 - 20*B*a^2*b^9 + 8*A*a*b^10)*cos(d*x + c)^3 + 3*(8*B*a^9*b^2 - 2*A*a^8*b^3 - 28*B*a^7*b^4 + 7*A*a^6*b^5 + 35*B*a^5*b^6 - 8*A*a^4*b^7 - 20*B*a^3*b^8 + 8*A*a^2*b^9)*cos(d*x + c)^2 + 3*(8*B*a^10*b - 2*A*a^9*b^2 - 28*B*a^8*b^3 + 7*A*a^7*b^4 + 35*B*a^6*b^5 - 8*A*a^5*b^6 - 20*B*a^4*b^7 + 8*A*a^3*b^8)*cos(d*x + c)*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(24*B*a^11*b - 6*A*a^10*b^2 - 92*B*a^9*b^3 + 23*A*a^8*b^4 + 133*B*a^7*b^5 - 43*A*a^6*b^6 - 71*B*a^5*b^7 + 26*A*a^4*b^8 + 6*B*a^3*b^9 + 6*(B*a^8*b^4 - 4*B*a^6*b^6 + 6*B*a^4*b^8 - 4*B*a^2*b^10 + B*b^12)*cos(d*x + c)^3 + (44*B*a^9*b^3 - 11*A*a^8*b^4 - 169*B*a^7*b^5 + 43*A*a^6*b^6 + 239*B*a^5*b^7 - 68*A*a^4*b^8 - 132*B*a^3*b^9 + 36*A*a^2*b^10 + 18*B*a*b^11)*cos(d*x + c)^2 + 3*(20*B*a^10*b^2 - 5*A*a^9*b^3 - 77*B*a^8*b^4 + 20*A*a^7*b^5 + 110*B*a^6*b^6 - 35*A*a^5*b^7 - 59*B*a^4*b^8 + 20*A*a^3*b^9 + 6*B*a^2*b^10)*cos(d*x + c))*sin(d*x + c))/((a^8*b^8 - 4*a^6*b^10 + 6*a^4*b^12 - 4*a^2*b^14 + b^16)*d*cos(d*x + c)^3 + 3*(a^9*b^7 - 4*a^7*b^9 + 6*a^5*b^11 - 4*a^3*b^13 + a*b^15)*d*cos(d*x + c)^2 + 3*(a^10*b^6 - 4*a^8*b^8 + 6*a^6*b^10 - 4*a^4*b^12 + a^2*b^14)*d*cos(d*x + c) + (a^11*b^5 - 4*a^9*b^7 + 6*a^7*b^9 - 4*a^5*b^11 + a^3*b^13)*d), -1/6*(6*(4*B*a^9*b^3 - A*a^8*b^4 - 16*B*a^7*b^5 + 4*A*a^6*b^6 + 24*B*a^5*b^7 - 6*A*a^4*b^8 - 16*B*a^3*b^9 + 4*A*a^2*b^10 + 4*B*a*b^11 - A*b^12)*d*x*cos(d*x + c)^3 + 18*(4*B*a^10*b^2 - A*a^9*b^3 - 16*B*a^8*b^4 + 4*A*a^7*b^5 + 24*B*a^6*b^6 - 6*A*a^5*b^7 - 16*B*a^4*b^8 + 4*A*a^3*b^9 + 4*B*a^2*b^10 - A*a*b^11)*d*x*cos(d*x + c)^2 + 18*(4*B*a^11*b - A*a^10*b^2 - 16*B*a^9*b^3 + 4*A*a^8*b^4 + 24*B*a^7*b^5 - 6*A*a^6*b^6 - 16*B*a^5*b^7 + 4*A*a^4*b^8 + 4*B*a^3*b^9 - A*a^2*b^10)*d*x*cos(d*x + c) + 6*(4*B*a^12 - A*a^11*b - 16*B*a^10*b^2 + 4*A*a^9*b^3 + 24*B*a^8*b^4 - 6*A*a^7*b^5 - 16*B*a^6*b^6 + 4*A*a^5*b^7 + 4*B*a^4*b^8 - A*a^3*b^9)*d*x - 3*(8*B*a^11 - 2*A*a^10*b - 28*B*a^9*b^2

$$\begin{aligned} &^2 + 7Aa^8b^3 + 35Ba^7b^4 - 8Aa^6b^5 - 20Ba^5b^6 + 8Aa^4b^7 \\ &+ (8Ba^8b^3 - 2Aa^7b^4 - 28Ba^6b^5 + 7Aa^5b^6 + 35Ba^4b^7 - \\ &8Aa^3b^8 - 20Ba^2b^9 + 8Aa^*b^{10})\cos(dx + c)^3 + 3*(8Ba^9b^2 - \\ &2Aa^8b^3 - 28Ba^7b^4 + 7Aa^6b^5 + 35Ba^5b^6 - 8Aa^4b^7 - 20* \\ &Ba^3b^8 + 8Aa^2b^9)\cos(dx + c)^2 + 3*(8Ba^{10}b - 2Aa^9b^2 - 28* \\ &Ba^8b^3 + 7Aa^7b^4 + 35Ba^6b^5 - 8Aa^5b^6 - 20Ba^4b^7 + 8Aa^ \\ &^3b^8)\cos(dx + c)\sqrt{a^2 - b^2}\arctan(-(a\cos(dx + c) + b)/(\sqrt{a^ \\ &2 - b^2})\sin(dx + c)) - (24Ba^{11}b - 6Aa^{10}b^2 - 92Ba^9b^3 + 23A \\ &a^8b^4 + 133Ba^7b^5 - 43Aa^6b^6 - 71Ba^5b^7 + 26Aa^4b^8 + 6B \\ &a^3b^9 + 6*(Ba^8b^4 - 4Ba^6b^6 + 6Ba^4b^8 - 4Ba^2b^{10} + Bb^{12} \\ &)\cos(dx + c)^3 + (44Ba^9b^3 - 11Aa^8b^4 - 169Ba^7b^5 + 43Aa^6* \\ &b^6 + 239Ba^5b^7 - 68Aa^4b^8 - 132Ba^3b^9 + 36Aa^2b^{10} + 18Ba \\ &a^*b^{11})\cos(dx + c)^2 + 3*(20Ba^{10}b^2 - 5Aa^9b^3 - 77Ba^8b^4 + 20* \\ &Aa^7b^5 + 110Ba^6b^6 - 35Aa^5b^7 - 59Ba^4b^8 + 20Aa^3b^9 + 6* \\ &Ba^2b^{10})\cos(dx + c)\sin(dx + c)/((a^8b^8 - 4a^6b^{10} + 6a^4b^{12} \\ &- 4a^2b^{14} + b^{16})d\cos(dx + c)^3 + 3*(a^9b^7 - 4a^7b^9 + 6a^5b^1 \\ &1 - 4a^3b^{13} + ab^{15})d\cos(dx + c)^2 + 3*(a^{10}b^6 - 4a^8b^8 + 6a^6 \\ &*b^{10} - 4a^4b^{12} + a^2b^{14})d\cos(dx + c) + (a^{11}b^5 - 4a^9b^7 + 6a \\ &^7b^9 - 4a^5b^{11} + a^3b^{13})d] \end{aligned}$$

giac [B] time = 3.43, size = 966, normalized size = 2.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4*(A+B*cos(dx+c))/(a+b*cos(dx+c))^4,x, algorithm="giac")

[Out]
$$\begin{aligned} &-1/3*(3*(8Ba^8 - 2Aa^7b - 28Ba^6b^2 + 7Aa^5b^3 + 35Ba^4b^4 - \\ &8Aa^3b^5 - 20Ba^2b^6 + 8Aa^*b^7)*(pi*\text{floor}(1/2*(dx + c)/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*dx + 1/2*c) - b*\tan(1/2*dx + 1/2*c))/\sqrt{a^2 - b^2}))/((a^6b^5 - 3a^4b^7 + 3a^2b^9 - b^{11})\sqrt{a^2 - b^2}) - (18Ba^9*\tan(1/2*dx + 1/2*c)^5 - 6Aa^8b*\tan(1/2*dx + 1/2*c)^5 - 42Ba^8b*\tan(1/2*dx + 1/2*c)^5 + 15Aa^7b^2*\tan(1/2*dx + 1/2*c)^5 - 24Ba^7b^2*\tan(1/2*dx + 1/2*c)^5 + 6Aa^6b^3*\tan(1/2*dx + 1/2*c)^5 + 117Ba^6b^3*\tan(1/2*dx + 1/2*c)^5 - 45Aa^5b^4*\tan(1/2*dx + 1/2*c)^5 - 24Ba^5b^4*\tan(1/2*dx + 1/2*c)^5 + 6Aa^4b^5*\tan(1/2*dx + 1/2*c)^5 - 105Ba^4b^5*\tan(1/2*dx + 1/2*c)^5 + 60Aa^3b^6*\tan(1/2*dx + 1/2*c)^5 + 60Ba^3b^6*\tan(1/2*dx + 1/2*c)^5 - 36Aa^2b^7*\tan(1/2*dx + 1/2*c)^5 + 36Ba^9*\tan(1/2*dx + 1/2*c)^3 - 12Aa^8b*\tan(1/2*dx + 1/2*c)^3 - 152Ba^7b^2*\tan(1/2*dx + 1/2*c)^3 + 56Aa^6b^3*\tan(1/2*dx + 1/2*c)^3 + 236Ba^5b^4*\tan(1/2*dx + 1/2*c)^3 - 116Aa^4b^5*\tan(1/2*dx + 1/2*c)^3 - 120Ba^3b^6*\tan(1/2*dx + 1/2*c)^3 + 72Aa^2b^7*\tan(1/2*dx + 1/2*c)^3 + 18Ba^9*\tan(1/2*dx + 1/2*c) - 6Aa^8b*\tan(1/2*dx + 1/2*c) + 42Ba^8b*\tan(1/2*dx + 1/2*c) - 15Aa^7b^2*\tan(1/2*dx + 1/2*c) - 24Ba^7b^2*\tan(1/2*dx + 1/2*c) + 6Aa^6b^3*\tan(1/2*dx + 1/2*c) - 117Ba^6b^3*\tan(1/2*dx + 1/2*c) + 45Aa^5b^4*\tan(1/2*dx + 1/2*c) - 24Ba^5b^4*\tan(1/2*dx + 1/2*c) + 6Aa^4b^5*\tan(1/2*dx + 1/2*c) + 105Ba^4b^5*\tan(1/2*dx + 1/2*c) - 60Aa^3b^6*\tan(1/2*dx + 1/2*c) + 60Ba^3b^6*\tan(1/2*dx + 1/2*c) - 36Aa^2b^7*\tan(1/2*dx + 1/2*c))/((a^6b^4 - 3a^4b^6 + 3a^2b^8 - b^{10})*(a*\tan(1/2*dx + 1/2*c)^2 - b*\tan(1/2*dx + 1/2*c)^2 + a + b)^3) + 3*(4Ba - Ab)*(dx + c)/b^5 - 6B*\tan(1/2*dx + 1/2*c)/((\tan(1/2*dx + 1/2*c)^2 + 1)*b^4))/d \end{aligned}$$

maple [B] time = 0.10, size = 2787, normalized size = 6.81

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 12.51, size = 7823, normalized size = 19.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^4,x)

[Out] $(\log(\tan(c/2 + (d*x)/2) + 1i)*(A*b - 4*B*a)*1i)/(b^5*d) - ((\tan(c/2 + (d*x)/2)^7*(12*A*a^2*b^5 - 2*B*b^7 - 8*B*a^7 + 4*A*a^3*b^4 - 6*A*a^4*b^3 - A*a^5*b^2 + 6*B*a^2*b^5 - 26*B*a^3*b^4 - 11*B*a^4*b^3 + 24*B*a^5*b^2 + 2*A*a^6*b + 2*B*a*b^6 + 4*B*a^6*b))/(b^4*(a + b)^3*(a - b)) - (\tan(c/2 + (d*x)/2)^3*(72*B*a^8 + 18*B*b^8 + 36*A*a^2*b^6 - 96*A*a^3*b^5 - 14*A*a^4*b^4 + 59*A*a^5*b^3 + 3*A*a^6*b^2 - 72*B*a^2*b^6 - 60*B*a^3*b^5 + 273*B*a^4*b^4 + 47*B*a^5*b^3 - 236*B*a^6*b^2 - 18*A*a^7*b - 12*B*a^7*b))/(3*b^4*(a + b)^2*(a - b)^3) - (\tan(c/2 + (d*x)/2)^5*(72*B*a^8 + 18*B*b^8 - 36*A*a^2*b^6 - 96*A*a^3*b^5 + 14*A*a^4*b^4 + 59*A*a^5*b^3 - 3*A*a^6*b^2 - 72*B*a^2*b^6 + 60*B*a^3*b^5 + 273*B*a^4*b^4 - 47*B*a^5*b^3 - 236*B*a^6*b^2 - 18*A*a^7*b + 12*B*a^7*b))/(3*b^4*(a + b)^3*(a - b)^2) + (\tan(c/2 + (d*x)/2)*(2*B*b^7 - 8*B*a^7 + 12*A*a^2*b^5 - 4*A*a^3*b^4 - 6*A*a^4*b^3 + A*a^5*b^2 - 6*B*a^2*b^5 - 26*B*a^3*b^4 + 11*B*a^4*b^3 + 24*B*a^5*b^2 + 2*A*a^6*b + 2*B*a*b^6 - 4*B*a^6*b))/(b^4*(a + b)*(a - b)^3)/(d*(3*a*b^2 + 3*a^2*b - \tan(c/2 + (d*x)/2)^4*(6*a*b^2 - 6*a^3) + \tan(c/2 + (d*x)/2)^2*(6*a^2*b + 4*a^3 - 2*b^3) + \tan(c/2 + (d*x)/2)^6*(4*a^3 - 6*a^2*b + 2*b^3) + a^3 + b^3 + \tan(c/2 + (d*x)/2)^8*(3*a*b^2 - 3*a^2*b + a^3 - b^3))) - (\log(\tan(c/2 + (d*x)/2) - 1i)*(A*b*1i - B*a*4i))/(b^5*d) - (a*atan(((a*((8*\tan(c/2 + (d*x)/2)*(4*A^2*b^16 + 128*B^2*a^16 - 8*A^2*a*b^15 - 128*B^2*a^15*b + 44*A^2*a^2*b^14 + 48*A^2*a^3*b^13 - 92*A^2*a^4*b^12 - 120*A^2*a^5*b^11 + 156*A^2*a^6*b^10 + 160*A^2*a^7*b^9 - 164*A^2*a^8*b^8 - 120*A^2*a^9*b^7 + 117*A^2*a^10*b^6 + 48*A^2*a^11*b^5 - 48*A^2*a^12*b^4 - 8*A^2*a^13*b^3 + 8*A^2*a^14*b^2 + 64*B^2*a^2*b^14 - 128*B^2*a^3*b^13 + 80*B^2*a^4*b^12 + 768*B^2*a^5*b^11 - 824*B^2*a^6*b^10 - 1920*B^2*a^7*b^9 + 2025*B^2*a^8*b^8 + 2560*B^2*a^9*b^7 - 2600*B^2*a^10*b^6 - 1920*B^2*a^11*b^5 + 1920*B^2*a^12*b^4 + 768*B^2*a^13*b^3 - 768*B^2*a^14*b^2 - 32*A*B*a*b^15 - 64*A*B*a^15*b + 64*A*B*a^2*b^14 - 160*A*B*a^3*b^13 - 384*A*B*a^4*b^12 + 592*A*B*a^5*b^11 + 960*A*B*a^6*b^10 - 1128*A*B*a^7*b^9 - 1280*A*B*a^8*b^8 + 1306*A*B*a^9*b^7 + 960*A*B*a^10*b^6 - 948*A*B*a^11*b^5 - 384*A*B*a^12*b^4 + 384*A*B*a^13*b^3 + 64*A*B*a^14*b^2)))/(a*b^18 + b^19 - 5*a^2*b^17 - 5*a^3*b^16 + 10*a^4*b^15 + 10*a^5*b^14 - 10*a^6*b^13 - 10*a^7*b^12 + 5*a^8*b^11 + 5*a^9*b^10 - a^10*b^9 - a^11*b^8) + (a*(-(a + b)^7*(a - b)^7)^(1/2)*((8*(4*A*b^24 - 12*A*a^2*b^22 + 64*A*a^3*b^21 + 20*A*a^4*b^20 - 110*A*a^5*b^19 - 30*A*a^6*b^18 + 110*A*a^7*b^17 + 30*A*a^8*b^16 - 70*A*a^9*b^15 - 14*A*a^10*b^14 + 26*A*a^11*b^13 + 2*A*a^12*b^12 - 4*A*a^13*b^11 + 40*B*a^2*b^22 + 72*B*a^3*b^21 - 190*B*a^4*b^20 - 146*B*a^5*b^19 + 386*B*a^6*b^18 + 174*B*a^7*b^17 - 434*B*a^8*b^16 - 126*B*a^9*b^15 + 286*B*a^10*b^14 + 50*B*a^11*b^13 - 104*B*a^12*b^12 - 8*B*a^13*b^11 + 16*B*a^14*b^10 - 16*A*a*b^23 - 16*B*a*b^23)))/(a*b^22 + b^23 - 5*a^2*b^21 - 5*a^3*b^20 + 10*a^4*b^19 + 10*a^5*b^18 - 10*a^6*b^17 - 10*a^7*b^16 + 5*a^8*b^15 + 5*a^9*b^14 - a^10*b^13 - a^11$

$$\begin{aligned}
& 1*b^{12}) - (4*a*\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(8*A*b^7 + 8 \\
& *B*a^7 - 8*A*a^2*b^5 + 7*A*a^4*b^3 + 35*B*a^3*b^4 - 28*B*a^5*b^2 - 2*A*a^6*b \\
& b - 20*B*a*b^6)*(8*a*b^{23} - 8*a^2*b^{22} - 48*a^3*b^{21} + 48*a^4*b^{20} + 120*a^5*b^{19} \\
& - 120*a^6*b^{18} - 160*a^7*b^{17} + 160*a^8*b^{16} + 120*a^9*b^{15} - 120*a^{10}*b^{14} \\
& - 48*a^{11}*b^{13} + 48*a^{12}*b^{12} + 8*a^{13}*b^{11} - 8*a^{14}*b^{10}))/((b^{19} \\
& - 7*a^2*b^{17} + 21*a^4*b^{15} - 35*a^6*b^{13} + 35*a^8*b^{11} - 21*a^{10}*b^9 + 7*a^{12}*b^7 \\
& - a^{14}*b^5)*(a*b^{18} + b^{19} - 5*a^2*b^{17} - 5*a^3*b^{16} + 10*a^4*b^{15} + \\
& 10*a^5*b^{14} - 10*a^6*b^{13} - 10*a^7*b^{12} + 5*a^8*b^{11} + 5*a^9*b^{10} - a^{10}*b^9 \\
& - a^{11}*b^8)))*(8*A*b^7 + 8*B*a^7 - 8*A*a^2*b^5 + 7*A*a^4*b^3 + 35*B*a^3*b^4 \\
& b^4 - 28*B*a^5*b^2 - 2*A*a^6*b - 20*B*a*b^6))/(2*(b^{19} - 7*a^2*b^{17} + 21*a^4*b^{15} \\
& - 35*a^6*b^{13} + 35*a^8*b^{11} - 21*a^{10}*b^9 + 7*a^{12}*b^7 - a^{14}*b^5))) \\
& *(-(a + b)^7*(a - b)^7)^{(1/2)}*(8*A*b^7 + 8*B*a^7 - 8*A*a^2*b^5 + 7*A*a^4*b^3 \\
& + 35*B*a^3*b^4 - 28*B*a^5*b^2 - 2*A*a^6*b - 20*B*a*b^6)*i)/(2*(b^{19} - 7*a^2*b^{17} \\
& + 21*a^4*b^{15} - 35*a^6*b^{13} + 35*a^8*b^{11} - 21*a^{10}*b^9 + 7*a^{12}*b^7 - a^{14}*b^5)) \\
& + (a*((8*\tan(c/2 + (d*x)/2)*(4*A^2*b^{16} + 128*B^2*a^{16} - 8*A^2*a*b^{15} \\
& - 128*B^2*a^{15}*b + 44*A^2*a^2*b^{14} + 48*A^2*a^3*b^{13} - 92*A^2*a^4*b^{12} \\
& - 120*A^2*a^5*b^{11} + 156*A^2*a^6*b^{10} + 160*A^2*a^7*b^9 - 164*A^2*a^8*b^8 \\
& - 120*A^2*a^9*b^7 + 117*A^2*a^{10}*b^6 + 48*A^2*a^{11}*b^5 - 48*A^2*a^{12}*b^4 \\
& - 8*A^2*a^{13}*b^3 + 8*A^2*a^{14}*b^2 + 64*B^2*a^2*b^{14} - 128*B^2*a^3*b^{13} \\
& + 80*B^2*a^4*b^{12} + 768*B^2*a^5*b^{11} - 824*B^2*a^6*b^{10} - 1920*B^2*a^7*b^9 \\
& + 2025*B^2*a^8*b^8 + 2560*B^2*a^9*b^7 - 2600*B^2*a^{10}*b^6 - 1920*B^2*a^{11}*b^5 \\
& + 1920*B^2*a^{12}*b^4 + 768*B^2*a^{13}*b^3 - 768*B^2*a^{14}*b^2 - 32*A*B*a*b^{15} \\
& - 64*A*B*a^{15}*b + 64*A*B*a^2*b^{14} - 160*A*B*a^3*b^{13} - 384*A*B*a^4*b^{12} + \\
& 592*A*B*a^5*b^{11} + 960*A*B*a^6*b^{10} - 1128*A*B*a^7*b^9 - 1280*A*B*a^8*b^8 \\
& + 1306*A*B*a^9*b^7 + 960*A*B*a^{10}*b^6 - 948*A*B*a^{11}*b^5 - 384*A*B*a^{12}*b^4 \\
& + 384*A*B*a^{13}*b^3 + 64*A*B*a^{14}*b^2))/(a*b^{18} + b^{19} - 5*a^2*b^{17} - 5*a^3*b^{16} \\
& + 10*a^4*b^{15} + 10*a^5*b^{14} - 10*a^6*b^{13} - 10*a^7*b^{12} + 5*a^8*b^{11} \\
& + 5*a^9*b^{10} - a^{10}*b^9 - a^{11}*b^8) - (a*(-(a + b)^7*(a - b)^7)^{(1/2)}*((8*(\\
& 4*A*b^{24} - 12*A*a^2*b^{22} + 64*A*a^3*b^{21} + 20*A*a^4*b^{20} - 110*A*a^5*b^{19} - \\
& 30*A*a^6*b^{18} + 110*A*a^7*b^{17} + 30*A*a^8*b^{16} - 70*A*a^9*b^{15} - 14*A*a^{10} \\
& *b^{14} + 26*A*a^{11}*b^{13} + 2*A*a^{12}*b^{12} - 4*A*a^{13}*b^{11} + 40*B*a^2*b^{22} + 72 \\
& *B*a^3*b^{21} - 190*B*a^4*b^{20} - 146*B*a^5*b^{19} + 386*B*a^6*b^{18} + 174*B*a^7*b^{17} \\
& - 434*B*a^8*b^{16} - 126*B*a^9*b^{15} + 286*B*a^{10}*b^{14} + 50*B*a^{11}*b^{13} - \\
& 104*B*a^{12}*b^{12} - 8*B*a^{13}*b^{11} + 16*B*a^{14}*b^{10} - 16*A*a*b^{23} - 16*B*a*b^{23} \\
& 23))/(a*b^{22} + b^{23} - 5*a^2*b^{21} - 5*a^3*b^{20} + 10*a^4*b^{19} + 10*a^5*b^{18} - \\
& 10*a^6*b^{17} - 10*a^7*b^{16} + 5*a^8*b^{15} + 5*a^9*b^{14} - a^{10}*b^{13} - a^{11}*b^{12} \\
& 2) + (4*a*\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(8*A*b^7 + 8*B*a^7 \\
& - 8*A*a^2*b^5 + 7*A*a^4*b^3 + 35*B*a^3*b^4 - 28*B*a^5*b^2 - 2*A*a^6*b - 2 \\
& 0*B*a*b^6)*(8*a*b^{23} - 8*a^2*b^{22} - 48*a^3*b^{21} + 48*a^4*b^{20} + 120*a^5*b^{19} \\
& - 120*a^6*b^{18} - 160*a^7*b^{17} + 160*a^8*b^{16} + 120*a^9*b^{15} - 120*a^{10}*b^{14} \\
& - 48*a^{11}*b^{13} + 48*a^{12}*b^{12} + 8*a^{13}*b^{11} - 8*a^{14}*b^{10}))/((b^{19} - 7*a^2*b^{17} \\
& + 21*a^4*b^{15} - 35*a^6*b^{13} + 35*a^8*b^{11} - 21*a^{10}*b^9 + 7*a^{12}*b^7 - a^{14}*b^5) \\
& *(a*b^{18} + b^{19} - 5*a^2*b^{17} - 5*a^3*b^{16} + 10*a^4*b^{15} + 10*a^5*b^{14} - 10*a^6*b^{13} \\
& - 10*a^7*b^{12} + 5*a^8*b^{11} + 5*a^9*b^{10} - a^{10}*b^9 - a^{11}*b^8)))*(8*A*b^7 + 8*B*a^7 \\
& - 8*A*a^2*b^5 + 7*A*a^4*b^3 + 35*B*a^3*b^4 - 28*B*a^5*b^2 - 2*A*a^6*b - 20*B*a*b^6) \\
& /((2*(b^{19} - 7*a^2*b^{17} + 21*a^4*b^{15} - 35*a^6*b^{13} + 35*a^8*b^{11} - 21*a^{10}*b^9 + 7*a^{12}*b^7 \\
& - a^{14}*b^5)))/((16*(256*B^3*a^{16} - 16*A^3*a*b^{15} - 128*B^3*a^{15}*b - 48*A^3*a^2*b^{14} \\
& + 64*A^3*a^3*b^{13} + 64*A^3*a^4*b^{12} - 110*A^3*a^5*b^{11} - 66*A^3*a^6*b^{10} + 110*A^3*a^7*b^9 \\
& + 34*A^3*a^8*b^8 - 70*A^3*a^9*b^7 - 11*A^3*a^{10}*b^6 + 26*A^3*a^{11}*b^5 + 2*A^3*a^{12}*b^4 \\
& - 4*A^3*a^{13}*b^3 + 640*B^3*a^4*b^{12} + 960*B^3*a^5*b^{11} - 3040*B^3*a^6*b^{10} - 2560*B^3*a^7*b^9 \\
& + 6176*B^3*a^8*b^8 + 3204*B^3*a^9*b^7 - 6944*B^3*a^{10}*b^6 - 2176*B^3*a^{11}*b^5 + 4576*B^3*a^{12}*b^4 \\
& + 800*B^3*a^{13}*b^3 - 1664*B^3*a^{14}*b^2 - 192*A*B^2*a^{15}*b - 576*A*B^2*a^3*b^{13} \\
& - 1104*A*B^2*a^4*b^{12} + 2544*A*B^2*a^5*b^{11} + 2376*A*B^2*a^6*b^{10} - 4848*A*B^2*a^7*b^9 \\
& - 2649*A*B^2*a^8*b^8 + 5232*A*B^2*a^9*b^7 + 1632*A*B^2*a^
\end{aligned}$$

$$\begin{aligned}
& 10*b^6 - 3408*A*B^2*a^{11}*b^5 - 576*A*B^2*a^{12}*b^4 + 1248*A*B^2*a^{13}*b^3 + 9 \\
& 6*A*B^2*a^{14}*b^2 + 168*A^2*B*a^2*b^{14} + 408*A^2*B*a^3*b^{13} - 702*A^2*B*a^4* \\
& b^{12} - 690*A^2*B*a^5*b^{11} + 1266*A^2*B*a^6*b^{10} + 726*A^2*B*a^7*b^9 - 1314* \\
& A^2*B*a^8*b^8 - 408*A^2*B*a^9*b^7 + 846*A^2*B*a^{10}*b^6 + 138*A^2*B*a^{11}*b^5 \\
& - 312*A^2*B*a^{12}*b^4 - 24*A^2*B*a^{13}*b^3 + 48*A^2*B*a^{14}*b^2)/(a*b^{22} + b \\
& ^{23} - 5*a^2*b^{21} - 5*a^3*b^{20} + 10*a^4*b^{19} + 10*a^5*b^{18} - 10*a^6*b^{17} - 1 \\
& 0*a^7*b^{16} + 5*a^8*b^{15} + 5*a^9*b^{14} - a^{10}*b^{13} - a^{11}*b^{12}) + (a*((8*\tan(\\
& c/2 + (d*x)/2)*(4*A^2*b^{16} + 128*B^2*a^{16} - 8*A^2*a*b^{15} - 128*B^2*a^{15}*b + \\
& 44*A^2*a^2*b^{14} + 48*A^2*a^3*b^{13} - 92*A^2*a^4*b^{12} - 120*A^2*a^5*b^{11} + 1 \\
& 56*A^2*a^6*b^{10} + 160*A^2*a^7*b^9 - 164*A^2*a^8*b^8 - 120*A^2*a^9*b^7 + 117 \\
& *A^2*a^{10}*b^6 + 48*A^2*a^{11}*b^5 - 48*A^2*a^{12}*b^4 - 8*A^2*a^{13}*b^3 + 8*A^2* \\
& a^{14}*b^2 + 64*B^2*a^2*b^{14} - 128*B^2*a^3*b^{13} + 80*B^2*a^4*b^{12} + 768*B^2*a \\
& ^5*b^{11} - 824*B^2*a^6*b^{10} - 1920*B^2*a^7*b^9 + 2025*B^2*a^8*b^8 + 2560*B^2 \\
& *a^9*b^7 - 2600*B^2*a^{10}*b^6 - 1920*B^2*a^{11}*b^5 + 1920*B^2*a^{12}*b^4 + 768* \\
& B^2*a^{13}*b^3 - 768*B^2*a^{14}*b^2 - 32*A*B*a*b^{15} - 64*A*B*a^{15}*b + 64*A*B*a^ \\
& 2*b^{14} - 160*A*B*a^3*b^{13} - 384*A*B*a^4*b^{12} + 592*A*B*a^5*b^{11} + 960*A*B*a \\
& ^6*b^{10} - 1128*A*B*a^7*b^9 - 1280*A*B*a^8*b^8 + 1306*A*B*a^9*b^7 + 960*A*B* \\
& a^{10}*b^6 - 948*A*B*a^{11}*b^5 - 384*A*B*a^{12}*b^4 + 384*A*B*a^{13}*b^3 + 64*A*B* \\
& a^{14}*b^2))/(a*b^{18} + b^{19} - 5*a^2*b^{17} - 5*a^3*b^{16} + 10*a^4*b^{15} + 10*a^5* \\
& b^{14} - 10*a^6*b^{13} - 10*a^7*b^{12} + 5*a^8*b^{11} + 5*a^9*b^{10} - a^{10}*b^9 - a^{1 \\
& 1}*b^8) + (a*(-(a + b)^7*(a - b)^7)^{(1/2)}*((8*(4*A*b^{24} - 12*A*a^2*b^{22} + 64 \\
& *A*a^3*b^{21} + 20*A*a^4*b^{20} - 110*A*a^5*b^{19} - 30*A*a^6*b^{18} + 110*A*a^7*b^{ \\
& 17} + 30*A*a^8*b^{16} - 70*A*a^9*b^{15} - 14*A*a^{10}*b^{14} + 26*A*a^{11}*b^{13} + 2*A \\
& a^{12}*b^{12} - 4*A*a^{13}*b^{11} + 40*B*a^2*b^{22} + 72*B*a^3*b^{21} - 190*B*a^4*b^{20} \\
& - 146*B*a^5*b^{19} + 386*B*a^6*b^{18} + 174*B*a^7*b^{17} - 434*B*a^8*b^{16} - 126*B \\
& *a^9*b^{15} + 286*B*a^{10}*b^{14} + 50*B*a^{11}*b^{13} - 104*B*a^{12}*b^{12} - 8*B*a^{13}*b \\
& ^{11} + 16*B*a^{14}*b^{10} - 16*A*a*b^{23} - 16*B*a*b^{23}))/((b^{19} - 7*a^2*b^{17} + 21*a^4*b^{15} - 35*a^ \\
& 6*b^{13} + 35*a^8*b^{11} - 21*a^{10}*b^9 + 7*a^{12}*b^7 - a^{14}*b^5)*(a*b^{18} + b^{19} \\
& - 5*a^2*b^{17} - 5*a^3*b^{16} + 10*a^4*b^{15} + 10*a^5*b^{14} - 10*a^6*b^{13} - 10*a^ \\
& 7*b^{12} + 5*a^8*b^{11} + 5*a^9*b^{10} - a^{10}*b^9 - a^{11}*b^8)))*(8*A*b^7 + 8*B*a^ \\
& 7 - 8*A*a^2*b^5 + 7*A*a^4*b^3 + 35*B*a^3*b^4 - 28*B*a^5*b^2 - 2*A*a^6*b - 2 \\
& 0*B*a*b^6))/(2*(b^{19} - 7*a^2*b^{17} + 21*a^4*b^{15} - 35*a^6*b^{13} + 35*a^8*b^{11} \\
& - 21*a^{10}*b^9 + 7*a^{12}*b^7 - a^{14}*b^5)))*(-(a + b)^7*(a - b)^7)^{(1/2)}*(8*A \\
& *b^7 + 8*B*a^7 - 8*A*a^2*b^5 + 7*A*a^4*b^3 + 35*B*a^3*b^4 - 28*B*a^5*b^2 - \\
& 2*A*a^6*b - 20*B*a*b^6))/(2*(b^{19} - 7*a^2*b^{17} + 21*a^4*b^{15} - 35*a^6*b^{13} \\
& + 35*a^8*b^{11} - 21*a^{10}*b^9 + 7*a^{12}*b^7 - a^{14}*b^5)) - (a*((8*\tan(c/2 + (d \\
& *x)/2)*(4*A^2*b^{16} + 128*B^2*a^{16} - 8*A^2*a*b^{15} - 128*B^2*a^{15}*b + 44*A^2* \\
& a^2*b^{14} + 48*A^2*a^3*b^{13} - 92*A^2*a^4*b^{12} - 120*A^2*a^5*b^{11} + 156*A^2*a \\
& ^6*b^{10} + 160*A^2*a^7*b^9 - 164*A^2*a^8*b^8 - 120*A^2*a^9*b^7 + 117*A^2*a^1 \\
& 0*b^6 + 48*A^2*a^{11}*b^5 - 48*A^2*a^{12}*b^4 - 8*A^2*a^{13}*b^3 + 8*A^2*a^{14}*b^2 \\
& + 64*B^2*a^2*b^{14} - 128*B^2*a^3*b^{13} + 80*B^2*a^4*b^{12} + 768*B^2*a^5*b^{11} \\
& - 824*B^2*a^6*b^{10} - 1920*B^2*a^7*b^9 + 2025*B^2*a^8*b^8 + 2560*B^2*a^9*b^7 \\
& - 2600*B^2*a^{10}*b^6 - 1920*B^2*a^{11}*b^5 + 1920*B^2*a^{12}*b^4 + 768*B^2*a^{13} \\
& *b^3 - 768*B^2*a^{14}*b^2 - 32*A*B*a*b^{15} - 64*A*B*a^{15}*b + 64*A*B*a^2*b^{14} - \\
& 160*A*B*a^3*b^{13} - 384*A*B*a^4*b^{12} + 592*A*B*a^5*b^{11} + 960*A*B*a^6*b^{10} \\
& - 1128*A*B*a^7*b^9 - 1280*A*B*a^8*b^8 + 1306*A*B*a^9*b^7 + 960*A*B*a^{10}*b^6 \\
& - 948*A*B*a^{11}*b^5 - 384*A*B*a^{12}*b^4 + 384*A*B*a^{13}*b^3 + 64*A*B*a^{14}*b^2 \\
&))/(a*b^{18} + b^{19} - 5*a^2*b^{17} - 5*a^3*b^{16} + 10*a^4*b^{15} + 10*a^5*b^{14} - 1 \\
& 0*a^6*b^{13} - 10*a^7*b^{12} + 5*a^8*b^{11} + 5*a^9*b^{10} - a^{10}*b^9 - a^{11}*b^8) - \\
& (a*(-(a + b)^7*(a - b)^7)^{(1/2)}*((8*(4*A*b^{24} - 12*A*a^2*b^{22} + 64*A*a^3*b \\
& ^{21} + 20*A*a^4*b^{20} - 110*A*a^5*b^{19} - 30*A*a^6*b^{18} + 110*A*a^7*b^{17} + 30* \\
& A*a^8*b^{16} - 70*A*a^9*b^{15} - 14*A*a^{10}*b^{14} + 26*A*a^{11}*b^{13} + 2*A*a^{12}*b^{1
\end{aligned}$$

$$\begin{aligned} & 2 - 4Aa^{13}b^{11} + 40B^2a^{22}b^{22} + 72B^3a^{321}b^{21} - 190B^4a^{420}b^{20} - 146B^5a^{519}b^{19} + 386B^6a^{618}b^{18} + 174B^7a^{717}b^{17} - 434B^8a^{816}b^{16} - 126B^9a^{915}b^{15} \\ & + 286B^{10}a^{1014}b^{14} + 50B^{11}a^{1113}b^{13} - 104B^{12}a^{1212}b^{12} - 8B^{13}a^{1311}b^{11} + 16B^{14}a^{1410}b^{10} - 16A^2a^{23}b^{23} - 16B^2a^{23}b^{23}) / (ab^{22} + b^{23} - 5a^2b^{21} - 5a^3b^{20} \\ & + 10a^4b^{19} + 10a^5b^{18} - 10a^6b^{17} - 10a^7b^{16} + 5a^8b^{15} + 5a^9b^{14} - a^{10}b^{13} - a^{11}b^{12}) + (4a \tan(c/2 + (d*x)/2) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (8A^2b^7 + 8B^2a^7 - 8A^2a^2b^5 + 7A^2a^4b^3 + 35B^2a^3b^4 \\ & - 28B^2a^5b^2 - 2A^2a^6b - 20B^2a^6b^6) * (8a^2b^{23} - 8a^2b^{22} - 48a^3b^{21} + 48a^4b^{20} + 120a^5b^{19} - 120a^6b^{18} - 160a^7b^{17} + 160a^8b^{16} \\ & + 120a^9b^{15} - 120a^{10}b^{14} - 48a^{11}b^{13} + 48a^{12}b^{12} + 8a^{13}b^{11} - 8a^{14}b^{10})) / ((b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5) * (ab^{18} + b^{19} - 5a^2b^{17} \\ & - 5a^3b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 10a^7b^{12} + 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8)) * (8A^2b^7 + 8B^2a^7 - 8A^2a^2b^5 + 7A^2a^4b^3 + 35B^2a^3b^4 - 28B^2a^5b^2 - 2A^2a^6b - 20B^2a^6b^6) / (2 * (b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5)) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (8A^2b^7 + 8B^2a^7 - 8A^2a^2b^5 + 7A^2a^4b^3 + 35B^2a^3b^4 - 28B^2a^5b^2 - 2A^2a^6b - 20B^2a^6b^6) / (2 * (b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5))) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (8A^2b^7 + 8B^2a^7 - 8A^2a^2b^5 + 7A^2a^4b^3 + 35B^2a^3b^4 - 28B^2a^5b^2 - 2A^2a^6b - 20B^2a^6b^6) * i) / (d * (b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5)) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**4,x)

[Out] Timed out

$$3.274 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$$

Optimal. Leaf size=301

$$\frac{a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^3} + \frac{a^2(3a^3B - 8ab^2B + 5Ab^3) \sin(c + dx)}{6b^3d(a^2 - b^2)^2(a + b \cos(c + dx))^2} - \frac{a(9a^5B - 28a^3b^2B + a^2Ab^3 + 34ab^4) \sin(c + dx)}{6b^3d(a^2 - b^2)^3(a + b \cos(c + dx))}$$

[Out] $B*x/b^4 - (3*A*a^2*b^5 + 2*A*b^7 + 2*B*a^7 - 7*B*a^5*b^2 + 8*B*a^3*b^4 - 8*B*a*b^6) * \arctan((a-b)^{1/2} * \tan(1/2*d*x + 1/2*c) / (a+b)^{1/2}) / (a-b)^{7/2} / b^4 / (a+b)^{7/2} / d + 1/3*a*(A*b - B*a) * \cos(d*x+c)^2 * \sin(d*x+c) / b / (a^2 - b^2) / d / (a+b*\cos(d*x+c))^3 + 1/6*a^2*(5*A*b^3 + 3*B*a^3 - 8*B*a*b^2) * \sin(d*x+c) / b^3 / (a^2 - b^2)^2 / d / (a+b*\cos(d*x+c))^2 - 1/6*a*(A*a^2*b^3 - 16*A*b^5 + 9*B*a^5 - 28*B*a^3*b^2 + 34*B*a*b^4) * \sin(d*x+c) / b^3 / (a^2 - b^2)^3 / d / (a+b*\cos(d*x+c))$

Rubi [A] time = 1.21, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2989, 3031, 3021, 2735, 2659, 205}

$$\frac{(3a^2Ab^5 - 7a^5b^2B + 8a^3b^4B + 2a^7B - 8ab^6B + 2Ab^7) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]^4, x]

[Out] $(B*x)/b^4 - ((3*a^2*A*b^5 + 2*A*b^7 + 2*a^7*B - 7*a^5*b^2*B + 8*a^3*b^4*B - 8*a*b^6*B) * \text{ArcTan}[\text{Sqrt}[a - b] * \text{Tan}[(c + d*x)/2]] / \text{Sqrt}[a + b]) / ((a - b)^{7/2} * b^4 * (a + b)^{7/2} * d) + (a*(A*b - a*B) * \cos[c + d*x]^2 * \sin[c + d*x]) / (3*b*(a^2 - b^2) * d * (a + b * \cos[c + d*x])^3) + (a^2*(5*A*b^3 + 3*a^3*B - 8*a*b^2*B) * \sin[c + d*x]) / (6*b^3*(a^2 - b^2)^2 * d * (a + b * \cos[c + d*x])^2) - (a*(a^2*A*b^3 - 16*A*b^5 + 9*a^5*B - 28*a^3*b^2*B + 34*a*b^4*B) * \sin[c + d*x]) / (6*b^3*(a^2 - b^2)^3 * d * (a + b * \cos[c + d*x]))$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)]) / ((c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sine[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2989

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^n, x_Symbol] := -S

```
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)^2], x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1))))*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^4} dx &= \frac{a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{\int \frac{\cos(c+dx)(-2a(Ab-aB)+3b(Ab-aB)\cos(c+dx))}{(a+b\cos(c+dx))^3} dx}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} \\
&= \frac{a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\sin(c+dx)}{6b^3(a^2-b^2)^2d(a+b\cos(c+dx))^3} \\
&= \frac{a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\sin(c+dx)}{6b^3(a^2-b^2)^2d(a+b\cos(c+dx))^3} \\
&= \frac{Bx}{b^4} + \frac{a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\sin(c+dx)}{6b^3(a^2-b^2)^2d(a+b\cos(c+dx))^3} \\
&= \frac{Bx}{b^4} + \frac{a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\sin(c+dx)}{6b^3(a^2-b^2)^2d(a+b\cos(c+dx))^3} \\
&= \frac{Bx}{b^4} - \frac{(3a^2Ab^5+2Ab^7+2a^7B-7a^5b^2B+8a^3b^4B-8ab^6B)\tan^{-1}\left(\frac{\sqrt{a-b}\sin(c+dx)}{a+b\cos(c+dx)}\right)}{(a-b)^{7/2}b^4(a+b)^{7/2}d}
\end{aligned}$$

Mathematica [B] time = 3.31, size = 717, normalized size = 2.38

$$24a^9Bc+24a^9Bdx-24a^8bB\sin(c+dx)-30a^7b^2B\sin(2(c+dx))-36a^7b^2Bc-36a^7b^2Bdx+57a^6b^3B\sin(c+dx)-11a^6b^3B\sin(3(c+dx))+6a^6b^3Bc\cos(3(c+dx))+$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^4, x]
[Out] ((-24*(3*a^2*A*b^5 + 2*A*b^7 + 2*a^7*B - 7*a^5*b^2*B + 8*a^3*b^4*B - 8*a*b^6*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]]/(-a^2 + b^2)^(7/2) + (24*a^9*B*c - 36*a^7*b^2*B*c - 36*a^5*b^4*B*c + 84*a^3*b^6*B*c - 36*a*b^8*B*c + 24*a^9*B*d*x - 36*a^7*b^2*B*d*x - 36*a^5*b^4*B*d*x + 84*a^3*b^6*B*d*x - 36*a*b^8*B*d*x + 18*b*(a^2 - b^2)^3*(4*a^2 + b^2)*B*(c + d*x)*Cos[c + d*x] + 36*a*b^2*(a^2 - b^2)^3*B*(c + d*x)*Cos[2*(c + d*x)] + 6*a^6*b^3*B*c*Cos[3*(c + d*x)] - 18*a^4*b^5*B*c*Cos[3*(c + d*x)] + 18*a^2*b^7*B*c*Cos[3*(c + d*x)] - 6*b^9*B*c*Cos[3*(c + d*x)] + 6*a^6*b^3*B*d*x*Cos[3*(c + d*x)] - 18*a^4*b^5*B*d*x*Cos[3*(c + d*x)] + 18*a^2*b^7*B*d*x*Cos[3*(c + d*x)] - 6*b^9*B*d*x*Cos[3*(c + d*x)] + 18*a^5*A*b^4*Sin[c + d*x] + 39*a^3*A*b^6*Sin[c + d*x] + 18*a*A*b^8*Sin[c + d*x] - 24*a^8*b*B*Sin[c + d*x] + 57*a^6*b^3*B*Sin[c + d*x] - 72*a^4*b^5*B*Sin[c + d*x] - 36*a^2*b^7*B*Sin[c + d*x] + 6*a^4*A*b^5*Sin[2*(c + d*x)] + 54*a^2*A*b^7*Sin[2*(c + d*x)] - 30*a^7*b^2*B*Sin[2*(c + d*x)] + 90*a^5*b^4*B*Sin[2*(c + d*x)] - 120*a^3*b^6*B*Sin[2*(c + d*x)] + 2*a^5*A*b^4*Sin[3*(c + d*x)] - 5*a^3*A*b^6*Sin[3*(c + d*x)] + 18*a*A*b^8*Sin[3*(c + d*x)] - 11*a^6*b^3*B*Sin[3*(c + d*x)] + 32*a^4*b^5*B*Sin[3*(c + d*x)] - 36*a^2*b^7*B*Sin[3*(c + d*x)]/((a^2 - b^2)^3*(a + b*Cos[c + d*x])^3))/(24*b^4*d)
```

fricas [B] time = 1.31, size = 1857, normalized size = 6.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="fricas")
```

```
[Out] [1/12*(12*(B*a^8*b^3 - 4*B*a^6*b^5 + 6*B*a^4*b^7 - 4*B*a^2*b^9 + B*b^11)*d*x*cos(d*x + c)^3 + 36*(B*a^9*b^2 - 4*B*a^7*b^4 + 6*B*a^5*b^6 - 4*B*a^3*b^8 + B*a*b^10)*d*x*cos(d*x + c)^2 + 36*(B*a^10*b - 4*B*a^8*b^3 + 6*B*a^6*b^5 - 4*B*a^4*b^7 + B*a^2*b^9)*d*x*cos(d*x + c) + 12*(B*a^11 - 4*B*a^9*b^2 + 6*B*a^7*b^4 - 4*B*a^5*b^6 + B*a^3*b^8)*d*x + 3*(2*B*a^10 - 7*B*a^8*b^2 + 8*B*a^6*b^4 + 3*A*a^5*b^5 - 8*B*a^4*b^6 + 2*A*a^3*b^7 + (2*B*a^7*b^3 - 7*B*a^5*b^5 + 8*B*a^3*b^7 + 3*A*a^2*b^8 - 8*B*a*b^9 + 2*A*b^10)*cos(d*x + c)^3 + 3*(2*B*a^8*b^2 - 7*B*a^6*b^4 + 8*B*a^4*b^6 + 3*A*a^3*b^7 - 8*B*a^2*b^8 + 2*A*a*b^9)*cos(d*x + c)^2 + 3*(2*B*a^9*b - 7*B*a^7*b^3 + 8*B*a^5*b^5 + 3*A*a^4*b^6 - 8*B*a^3*b^7 + 2*A*a^2*b^8)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(6*B*a^10*b - 23*B*a^8*b^3 - 4*A*a^7*b^4 + 43*B*a^6*b^5 - 7*A*a^5*b^6 - 26*B*a^4*b^7 + 11*A*a^3*b^8 + (11*B*a^8*b^3 - 2*A*a^7*b^4 - 43*B*a^6*b^5 + 7*A*a^5*b^6 + 68*B*a^4*b^7 - 23*A*a^3*b^8 - 36*B*a^2*b^9 + 18*A*a*b^10)*cos(d*x + c)^2 + 3*(5*B*a^9*b^2 - 20*B*a^7*b^4 - A*a^6*b^5 + 35*B*a^5*b^6 - 8*A*a^4*b^7 - 20*B*a^3*b^8 + 9*A*a^2*b^9)*cos(d*x + c))*sin(d*x + c))/((a^8*b^7 - 4*a^6*b^9 + 6*a^4*b^11 - 4*a^2*b^13 + b^15)*d*cos(d*x + c)^3 + 3*(a^9*b^6 - 4*a^7*b^8 + 6*a^5*b^10 - 4*a^3*b^12 + a*b^14)*d*cos(d*x + c)^2 + 3*(a^10*b^5 - 4*a^8*b^7 + 6*a^6*b^9 - 4*a^4*b^11 + a^2*b^13)*d*cos(d*x + c) + (a^11*b^4 - 4*a^9*b^6 + 6*a^7*b^8 - 4*a^5*b^10 + a^3*b^12)*d), 1/6*(6*(B*a^8*b^3 - 4*B*a^6*b^5 + 6*B*a^4*b^7 - 4*B*a^2*b^9 + B*b^11)*d*x*cos(d*x + c)^3 + 18*(B*a^9*b^2 - 4*B*a^7*b^4 + 6*B*a^5*b^6 - 4*B*a^3*b^8 + B*a*b^10)*d*x*cos(d*x + c)^2 + 18*(B*a^10*b - 4*B*a^8*b^3 + 6*B*a^6*b^5 - 4*B*a^4*b^7 + B*a^2*b^9)*d*x*cos(d*x + c) + 6*(B*a^11 - 4*B*a^9*b^2 + 6*B*a^7*b^4 - 4*B*a^5*b^6 + B*a^3*b^8)*d*x - 3*(2*B*a^10 - 7*B*a^8*b^2 + 8*B*a^6*b^4 + 3*A*a^5*b^5 - 8*B*a^4*b^6 + 2*A*a^3*b^7 + (2*B*a^7*b^3 - 7*B*a^5*b^5 + 8*B*a^3*b^7 + 3*A*a^2*b^8 - 8*B*a*b^9 + 2*A*b^10)*cos(d*x + c)^3 + 3*(2*B*a^8*b^2 - 7*B*a^6*b^4 + 8*B*a^4*b^6 + 3*A*a^3*b^7 - 8*B*a^2*b^8 + 2*A*a*b^9)*cos(d*x + c)^2 + 3*(2*B*a^9*b - 7*B*a^7*b^3 + 8*B*a^5*b^5 + 3*A*a^4*b^6 - 8*B*a^3*b^7 + 2*A*a^2*b^8)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (6*B*a^10*b - 23*B*a^8*b^3 - 4*A*a^7*b^4 + 43*B*a^6*b^5 - 7*A*a^5*b^6 - 26*B*a^4*b^7 + 11*A*a^3*b^8 + (11*B*a^8*b^3 - 2*A*a^7*b^4 - 43*B*a^6*b^5 + 7*A*a^5*b^6 + 68*B*a^4*b^7 - 23*A*a^3*b^8 - 36*B*a^2*b^9 + 18*A*a*b^10)*cos(d*x + c)^2 + 3*(5*B*a^9*b^2 - 20*B*a^7*b^4 - A*a^6*b^5 + 35*B*a^5*b^6 - 8*A*a^4*b^7 - 20*B*a^3*b^8 + 9*A*a^2*b^9)*cos(d*x + c))*sin(d*x + c))/((a^8*b^7 - 4*a^6*b^9 + 6*a^4*b^11 - 4*a^2*b^13 + b^15)*d*cos(d*x + c)^3 + 3*(a^9*b^6 - 4*a^7*b^8 + 6*a^5*b^10 - 4*a^3*b^12 + a*b^14)*d*cos(d*x + c)^2 + 3*(a^10*b^5 - 4*a^8*b^7 + 6*a^6*b^9 - 4*a^4*b^11 + a^2*b^13)*d*cos(d*x + c) + (a^11*b^4 - 4*a^9*b^6 + 6*a^7*b^8 - 4*a^5*b^10 + a^3*b^12)*d)]
```

giac [B] time = 2.19, size = 813, normalized size = 2.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] 1/3*(3*(2*B*a^7 - 7*B*a^5*b^2 + 8*B*a^3*b^4 + 3*A*a^2*b^5 - 8*B*a*b^6 + 2*A*b^7)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^10)*sqrt(a^2 - b^2)) + 3*(d*x + c)*B/b^4 - (6*B*a^8*tan(1/2*d*x + 1/2*c)^5 - 15*B*a^7*b*tan(1/2*d*x + 1/2*c)^5 - 6*B*a^6*b^2*tan
```

$$\begin{aligned} & (1/2*d*x + 1/2*c)^5 - 6*A*a^5*b^3*\tan(1/2*d*x + 1/2*c)^5 + 45*B*a^5*b^3*\tan \\ & (1/2*d*x + 1/2*c)^5 + 3*A*a^4*b^4*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^4*b^4*\tan(\\ & 1/2*d*x + 1/2*c)^5 - 6*A*a^3*b^5*\tan(1/2*d*x + 1/2*c)^5 - 60*B*a^3*b^5*\tan(\\ & 1/2*d*x + 1/2*c)^5 + 27*A*a^2*b^6*\tan(1/2*d*x + 1/2*c)^5 + 36*B*a^2*b^6*\tan \\ & (1/2*d*x + 1/2*c)^5 - 18*A*a*b^7*\tan(1/2*d*x + 1/2*c)^5 + 12*B*a^8*\tan(1/2* \\ & d*x + 1/2*c)^3 - 56*B*a^6*b^2*\tan(1/2*d*x + 1/2*c)^3 - 4*A*a^5*b^3*\tan(1/2* \\ & d*x + 1/2*c)^3 + 116*B*a^4*b^4*\tan(1/2*d*x + 1/2*c)^3 - 32*A*a^3*b^5*\tan(1/ \\ & 2*d*x + 1/2*c)^3 - 72*B*a^2*b^6*\tan(1/2*d*x + 1/2*c)^3 + 36*A*a*b^7*\tan(1/2 \\ & *d*x + 1/2*c)^3 + 6*B*a^8*\tan(1/2*d*x + 1/2*c) + 15*B*a^7*b*\tan(1/2*d*x + 1 \\ & /2*c) - 6*B*a^6*b^2*\tan(1/2*d*x + 1/2*c) - 6*A*a^5*b^3*\tan(1/2*d*x + 1/2*c) \\ & - 45*B*a^5*b^3*\tan(1/2*d*x + 1/2*c) - 3*A*a^4*b^4*\tan(1/2*d*x + 1/2*c) - 6 \\ & *B*a^4*b^4*\tan(1/2*d*x + 1/2*c) - 6*A*a^3*b^5*\tan(1/2*d*x + 1/2*c) + 60*B*a \\ & ^3*b^5*\tan(1/2*d*x + 1/2*c) - 27*A*a^2*b^6*\tan(1/2*d*x + 1/2*c) + 36*B*a^2* \\ & b^6*\tan(1/2*d*x + 1/2*c) - 18*A*a*b^7*\tan(1/2*d*x + 1/2*c))/((a^6*b^3 - 3*a \\ & ^4*b^5 + 3*a^2*b^7 - b^9)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c) \\ &)^2 + a + b)^3)/d \end{aligned}$$

maple [B] time = 0.10, size = 2158, normalized size = 7.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^3*(A+B*\cos(d*x+c))/(a+b*\cos(d*x+c))^4, x)$

[Out]
$$\begin{aligned} & 2/d*B/b^4*\arctan(\tan(1/2*d*x+1/2*c))-2/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/ \\ & ((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*A- \\ & 8/d/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/ \\ & 2*c)*(a-b)/((a-b)*(a+b))^{1/2})*B*a^3+2/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1 \\ & /2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c) \\ & ^5*A+6/d*b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a+b)/ \\ & (a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+6/d*a^4/b/(a*\tan(1/2*d*x+1/2 \\ & *c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2 \\ & *d*x+1/2*c)^5*B-2/d*a^6/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+ \\ & a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-1/d*a^5/b^2/(a* \\ & \tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b \\ & ^2-b^3)*\tan(1/2*d*x+1/2*c)*B+1/d*a^5/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d* \\ & x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+ \\ & 6/d*a^4/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3- \\ & 3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-3/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2 \\ & -\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+ \\ & 1/2*c)*A+3/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a \\ & -b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-2/d*a^6/b^3/(a*\tan(1/2 \\ & *d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3) \\ & *\tan(1/2*d*x+1/2*c)^5*B+12/d*b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c) \\ & ^2*b+a+b)^3*a/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-4/d/b^ \\ & 3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^6/(a^2+2*a*b+b^2) \\ & /(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+6/d*b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan \\ & (1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/ \\ & 2*c)^5*A+44/3/d/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^4 \\ & /(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-24/d*b/(a*\tan(1/2*d \\ & *x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^ \\ & 2)*\tan(1/2*d*x+1/2*c)^3*B-12/d*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c) \\ & ^2*b+a+b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-12/d*b \\ & /(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a-b)/(a^3+3*a^2 \\ & *b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+4/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(\\ & 1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c) \\ &)*B+2/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^ \\ & 3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-4/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2 \\ & -\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+ \\ & 1/2*c)^5*B+4/3/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^3/ \end{aligned}$$

$$\frac{(a^2+2ab+b^2)/(a^2-2ab+b^2) \cdot \tan(1/2dx+1/2c)^3 A - 3/d \cdot b / (a^6-3a^4b^2+3a^2b^4-b^6) / ((a-b)(a+b))^{1/2} \cdot \arctan(\tan(1/2dx+1/2c) \cdot (a-b) / ((a-b)(a+b))^{1/2}) \cdot A \cdot a^2 + 7/d \cdot b^2 / (a^6-3a^4b^2+3a^2b^4-b^6) / ((a-b)(a+b))^{1/2} \cdot \arctan(\tan(1/2dx+1/2c) \cdot (a-b) / ((a-b)(a+b))^{1/2}) \cdot B \cdot a^5 + 8/d \cdot b^2 / (a^6-3a^4b^2+3a^2b^4-b^6) / ((a-b)(a+b))^{1/2} \cdot \arctan(\tan(1/2dx+1/2c) \cdot (a-b) / ((a-b)(a+b))^{1/2}) \cdot B \cdot a - 2/d \cdot b^4 / (a^6-3a^4b^2+3a^2b^4-b^6) / ((a-b)(a+b))^{1/2} \cdot \arctan(\tan(1/2dx+1/2c) \cdot (a-b) / ((a-b)(a+b))^{1/2}) \cdot B \cdot a^7$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(A+B*cos(dx+c))/(a+b*cos(dx+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 12.58, size = 9733, normalized size = 32.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + dx))^3*(A + B*cos(c + dx)))/(a + b*cos(c + dx))^4,x)

[Out]
$$\frac{((\tan(c/2 + (dx)/2))^5 \cdot (3Aa^2b^4 - 2Ba^6 + 2Aa^3b^3 - 12Ba^2b^4 - 4Ba^3b^3 + 6Ba^4b^2 + 6Aa^5b + Ba^5b)) / ((a^3b^3 - b^4)(a + b)^3) - (\tan(c/2 + (dx)/2) \cdot (2Ba^6 + 3Aa^2b^4 - 2Aa^3b^3 + 12Ba^2b^4 - 4Ba^3b^3 - 6Ba^4b^2 - 6Aa^5b + Ba^5b)) / ((a + b) \cdot (3a^5b^5 - b^6 - 3a^2b^4 + a^3b^3)) + (4 \cdot \tan(c/2 + (dx)/2)^3 \cdot (Aa^3b^3 - 3Ba^6 - 18Ba^2b^4 + 11Ba^4b^2 + 9Aa^5b)) / (3(a + b)^2 \cdot (b^5 - 2a^2b^4 + a^2b^3))}{(d \cdot (3a^5b^2 - \tan(c/2 + (dx)/2)^4 \cdot (3a^5b^2 + 3a^2b - 3a^3 - 3b^3) - \tan(c/2 + (dx)/2)^2 \cdot (3a^5b^2 - 3a^2b - 3a^3 + 3b^3) + 3a^2b + a^3 + b^3 + \tan(c/2 + (dx)/2)^6 \cdot (3a^5b^2 - 3a^2b + a^3 - b^3))} + (2B \cdot \operatorname{atan}(((B \cdot ((8 \cdot \tan(c/2 + (dx)/2) \cdot (4A^2b^{14} + 8B^2a^{14} + 4B^2b^{14} - 8B^2a^2b^{13} - 8B^2a^{13}b + 12A^2a^2b^{12} + 9A^2a^4b^{10} + 44B^2a^2b^{12} + 48B^2a^3b^{11} - 92B^2a^4b^{10} - 120B^2a^5b^9 + 156B^2a^6b^8 + 160B^2a^7b^7 - 164B^2a^8b^6 - 120B^2a^9b^5 + 117B^2a^{10}b^4 + 48B^2a^{11}b^3 - 48B^2a^{12}b^2 - 32ABa^2b^{13} - 16ABa^3b^{11} + 20ABa^5b^9 - 34ABa^7b^7 + 12ABa^9b^5)) / (a^{16} + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6) + (B \cdot ((8 \cdot (4A^2b^{21} + 4B^2b^{21} - 6A^2a^2b^{19} + 6A^2a^3b^{18} - 6A^2a^4b^{17} + 6A^2a^5b^{16} + 14A^2a^6b^{15} - 14A^2a^7b^{14} - 6A^2a^8b^{13} + 6A^2a^9b^{12} - 12B^2a^2b^{19} + 64B^2a^3b^{18} + 20B^2a^4b^{17} - 110B^2a^5b^{16} - 30B^2a^6b^{15} + 110B^2a^7b^{14} + 30B^2a^8b^{13} - 70B^2a^9b^{12} - 14B^2a^{10}b^{11} + 26B^2a^{11}b^{10} + 2B^2a^{12}b^9 - 4B^2a^{13}b^8 - 4A^2a^2b^{20} - 16B^2a^2b^{20}))) / (a^{19} + b^{20} - 5a^2b^{18} - 5a^3b^{17} + 10a^4b^{16} + 10a^5b^{15} - 10a^6b^{14} - 10a^7b^{13} + 5a^8b^{12} + 5a^9b^{11} - a^{10}b^{10} - a^{11}b^9) - (B \cdot \tan(c/2 + (dx)/2) \cdot (8a^2b^{20} - 48a^3b^{19} + 48a^4b^{18} + 120a^5b^{17} - 120a^6b^{16} - 160a^7b^{15} + 160a^8b^{14} + 120a^9b^{13} - 120a^{10}b^{12} - 48a^{11}b^{11} + 48a^{12}b^{10} + 8a^{13}b^9 - 8a^{14}b^8) \cdot 8i) / (b^4 \cdot (a^{16} + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6))) \cdot i) / b^4 + (B \cdot ((8 \cdot \tan(c/2 + (dx)/2) \cdot (4A^2b^{14} + 8B^2a^{14} + 4B^2b^{14} - 8B^2a^2b^{13} - 8B^2a^{13}b + 12A^2a^2b^{12} + 9A^2a^4b^{10} + 44B^2a^2b^{12} + 48B^2a^3b^{11} - 92B^2a^4b^{10} - 120B^2a^5b^9 + 156B^2a^6b^8 + 160B^2a^7b^7 - 164B$$

$$\begin{aligned}
& ^2a^8b^6 - 120B^2a^9b^5 + 117B^2a^{10}b^4 + 48B^2a^{11}b^3 - 48B^2a^{12}b^2 - 32ABa^3b^{13} - 16ABa^3b^{11} + 20ABa^5b^9 - 34ABa^7b^7 + 12ABa^9b^5) / (a^2b^{16} + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6) - (B((8(4A^2b^{21} + 4B^2b^{21} - 6A^2a^2b^{19} + 6A^2a^3b^{18} - 6A^2a^4b^{17} + 6A^2a^5b^{16} + 14A^2a^6b^{15} - 14A^2a^7b^{14} - 6A^2a^8b^{13} + 6A^2a^9b^{12} - 12B^2a^2b^{19} + 64B^2a^3b^{18} + 20B^2a^4b^{17} - 110B^2a^5b^{16} - 30B^2a^6b^{15} + 110B^2a^7b^{14} + 30B^2a^8b^{13} - 70B^2a^9b^{12} - 14B^2a^{10}b^{11} + 26B^2a^{11}b^{10} + 2B^2a^{12}b^9 - 4B^2a^{13}b^8 - 4A^2a^2b^{20} - 16B^2a^3b^{20}))) / (a^2b^{19} + b^{20} - 5a^2b^{18} - 5a^3b^{17} + 10a^4b^{16} + 10a^5b^{15} - 10a^6b^{14} - 10a^7b^{13} + 5a^8b^{12} + 5a^9b^{11} - a^{10}b^{10} - a^{11}b^9) + (B \tan(c/2 + (d*x)/2) * (8a^2b^{21} - 8a^2b^{20} - 48a^3b^{19} + 48a^4b^{18} + 120a^5b^{17} - 120a^6b^{16} - 160a^7b^{15} + 160a^8b^{14} + 120a^9b^{13} - 120a^{10}b^{12} - 48a^{11}b^{11} + 48a^{12}b^{10} + 8a^{13}b^9 - 8a^{14}b^8) * 8i) / (b^4 * (a^2b^{16} + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6))) * 1i) / b^4) / ((16(4B^3a^{13} - 4AB^2b^{13} + 4A^2B^2b^{13} + 16B^3a^4b^9 + 110B^3a^5b^8 + 66B^3a^6b^7 - 110B^3a^7b^6 - 34B^3a^8b^5 + 70B^3a^9b^4 + 11B^3a^{10}b^3 - 26B^3a^{11}b^2 - 28AB^2a^2b^12 + 6AB^2a^2b^{11} - 22AB^2a^3b^{10} + 6AB^2a^4b^9 + 14AB^2a^5b^8 - 14AB^2a^6b^7 - 20AB^2a^7b^6 + 6AB^2a^8b^5 + 6AB^2a^9b^4 + 12A^2B^2a^2b^{11} + 9A^2B^2a^4b^9)) / (a^2b^{19} + b^{20} - 5a^2b^{18} - 5a^3b^{17} + 10a^4b^{16} + 10a^5b^{15} - 10a^6b^{14} - 10a^7b^{13} + 5a^8b^{12} + 5a^9b^{11} - a^{10}b^{10} - a^{11}b^9) - (B((8 \tan(c/2 + (d*x)/2) * (4A^2b^{14} + 8B^2a^{14} + 4B^2b^{14} - 8B^2a^2b^{13} - 8B^2a^{13}b + 12A^2a^2b^{12} + 9A^2a^4b^{10} + 44B^2a^2b^{12} + 48B^2a^3b^{11} - 92B^2a^4b^{10} - 120B^2a^5b^9 + 156B^2a^6b^8 + 160B^2a^7b^7 - 164B^2a^8b^6 - 120B^2a^9b^5 + 117B^2a^{10}b^4 + 48B^2a^{11}b^3 - 48B^2a^{12}b^2 - 32ABa^3b^{13} - 16ABa^3b^{11} + 20ABa^5b^9 - 34ABa^7b^7 + 12ABa^9b^5)) / (a^2b^{16} + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6) + (B((8(4A^2b^{21} + 4B^2b^{21} - 6A^2a^2b^{19} + 6A^2a^3b^{18} - 6A^2a^4b^{17} + 6A^2a^5b^{16} + 14A^2a^6b^{15} - 14A^2a^7b^{14} - 6A^2a^8b^{13} + 6A^2a^9b^{12} - 12B^2a^2b^{19} + 64B^2a^3b^{18} + 20B^2a^4b^{17} - 110B^2a^5b^{16} - 30B^2a^6b^{15} + 110B^2a^7b^{14} + 30B^2a^8b^{13} - 70B^2a^9b^{12} - 14B^2a^{10}b^{11} + 26B^2a^{11}b^{10} + 2B^2a^{12}b^9 - 4B^2a^{13}b^8 - 4A^2a^2b^{20} - 16B^2a^3b^{20}))) / (a^2b^{19} + b^{20} - 5a^2b^{18} - 5a^3b^{17} + 10a^4b^{16} + 10a^5b^{15} - 10a^6b^{14} - 10a^7b^{13} + 5a^8b^{12} + 5a^9b^{11} - a^{10}b^{10} - a^{11}b^9) + (B \tan(c/2 + (d*x)/2) * (
\end{aligned}$$

$$\begin{aligned}
& 8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8) * 8i) / (b^4 * (a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6))) * 1i) / b^4) / (b^4 * d) + (\operatorname{atan}(\frac{((8*\tan(c/2 + (d*x)/2)*(4*A^2*b^{14} + 8*B^2*a^{14} + 4*B^2*b^{14} - 8*B^2*a*b^{13} - 8*B^2*a^{13}*b + 12*A^2*a^2*b^{12} + 9*A^2*a^4*b^{10} + 44*B^2*a^2*b^{12} + 48*B^2*a^3*b^{11} - 92*B^2*a^4*b^{10} - 120*B^2*a^5*b^9 + 156*B^2*a^6*b^8 + 160*B^2*a^7*b^7 - 164*B^2*a^8*b^6 - 120*B^2*a^9*b^5 + 117*B^2*a^{10}*b^4 + 48*B^2*a^{11}*b^3 - 48*B^2*a^{12}*b^2 - 32*A*B*a*b^{13} - 16*A*B*a^3*b^{11} + 20*A*B*a^5*b^9 - 34*A*B*a^7*b^7 + 12*A*B*a^9*b^5)) / (a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6) + (((8*(4*A*b^{21} + 4*B*b^{21} - 6*A*a^2*b^{19} + 6*A*a^3*b^{18} - 6*A*a^4*b^{17} + 6*A*a^5*b^{16} + 14*A*a^6*b^{15} - 14*A*a^7*b^{14} - 6*A*a^8*b^{13} + 6*A*a^9*b^{12} - 12*B*a^2*b^{19} + 64*B*a^3*b^{18} + 20*B*a^4*b^{17} - 110*B*a^5*b^{16} - 30*B*a^6*b^{15} + 110*B*a^7*b^{14} + 30*B*a^8*b^{13} - 70*B*a^9*b^{12} - 14*B*a^{10}*b^{11} + 26*B*a^{11}*b^{10} + 2*B*a^{12}*b^9 - 4*B*a^{13}*b^8 - 4*A*a*b^{20} - 16*B*a*b^{20})) / (a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) - (4*\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6))*(8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8)) / ((b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4)*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6))) * (-(a + b)^7*(a - b)^7)^{(1/2)}*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6)) / (2*(b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4))) * (-(a + b)^7*(a - b)^7)^{(1/2)}*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6) * 1i) / (2*(b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4)) + (((8*\tan(c/2 + (d*x)/2)*(4*A^2*b^{14} + 8*B^2*a^{14} + 4*B^2*b^{14} - 8*B^2*a*b^{13} - 8*B^2*a^{13}*b + 12*A^2*a^2*b^{12} + 9*A^2*a^4*b^{10} + 44*B^2*a^2*b^{12} + 48*B^2*a^3*b^{11} - 92*B^2*a^4*b^{10} - 120*B^2*a^5*b^9 + 156*B^2*a^6*b^8 + 160*B^2*a^7*b^7 - 164*B^2*a^8*b^6 - 120*B^2*a^9*b^5 + 117*B^2*a^{10}*b^4 + 48*B^2*a^{11}*b^3 - 48*B^2*a^{12}*b^2 - 32*A*B*a*b^{13} - 16*A*B*a^3*b^{11} + 20*A*B*a^5*b^9 - 34*A*B*a^7*b^7 + 12*A*B*a^9*b^5)) / (a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6) - (((8*(4*A*b^{21} + 4*B*b^{21} - 6*A*a^2*b^{19} + 6*A*a^3*b^{18} - 6*A*a^4*b^{17} + 6*A*a^5*b^{16} + 14*A*a^6*b^{15} - 14*A*a^7*b^{14} - 6*A*a^8*b^{13} + 6*A*a^9*b^{12} - 12*B*a^2*b^{19} + 64*B*a^3*b^{18} + 20*B*a^4*b^{17} - 110*B*a^5*b^{16} - 30*B*a^6*b^{15} + 110*B*a^7*b^{14} + 30*B*a^8*b^{13} - 70*B*a^9*b^{12} - 14*B*a^{10}*b^{11} + 26*B*a^{11}*b^{10} + 2*B*a^{12}*b^9 - 4*B*a^{13}*b^8 - 4*A*a*b^{20} - 16*B*a*b^{20})) / (a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) + (4*\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6))*(8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8)) / ((b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4)*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6))) * (-(a + b)^7*(a - b)^7)^{(1/2)}*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6)) / (2*(b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4))) * (-(a + b)^7*(a - b)^7)^{(1/2)}*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6)
\end{aligned}$$

$$\begin{aligned}
& *1i)/(2*(b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4))/((16*(4*B^3*a^{13} - 4*A*B^2*b^{13} + 4*A^2*B*b^{13} + 16*B^3*a*b^{12} - 2*B^3*a^{12}*b + 48*B^3*a^2*b^{11} - 64*B^3*a^3*b^{10} - 64*B^3*a^4*b^9 + 110*B^3*a^5*b^8 + 66*B^3*a^6*b^7 - 110*B^3*a^7*b^6 - 34*B^3*a^8*b^5 + 70*B^3*a^9*b^4 + 11*B^3*a^{10}*b^3 - 26*B^3*a^{11}*b^2 - 28*A*B^2*a*b^{12} + 6*A*B^2*a^2*b^{11} - 22*A*B^2*a^3*b^{10} + 6*A*B^2*a^4*b^9 + 14*A*B^2*a^5*b^8 - 14*A*B^2*a^6*b^7 - 20*A*B^2*a^7*b^6 + 6*A*B^2*a^8*b^5 + 6*A*B^2*a^9*b^4 + 12*A^2*B*a^2*b^{11} + 9*A^2*B*a^4*b^9))/(a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) - (((8*\tan(c/2 + (d*x)/2)*(4*A^2*b^{14} + 8*B^2*a^{14} + 4*B^2*b^{14} - 8*B^2*a*b^{13} - 8*B^2*a^{13}*b + 12*A^2*a^2*b^{12} + 9*A^2*a^4*b^{10} + 44*B^2*a^2*b^{12} + 48*B^2*a^3*b^{11} - 92*B^2*a^4*b^{10} - 120*B^2*a^5*b^9 + 156*B^2*a^6*b^8 + 160*B^2*a^7*b^7 - 164*B^2*a^8*b^6 - 120*B^2*a^9*b^5 + 117*B^2*a^{10}*b^4 + 48*B^2*a^{11}*b^3 - 48*B^2*a^{12}*b^2 - 32*A*B*a*b^{13} - 16*A*B*a^3*b^{11} + 20*A*B*a^5*b^9 - 34*A*B*a^7*b^7 + 12*A*B*a^9*b^5)))/(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6) + (((8*(4*A*b^{21} + 4*B*b^{21} - 6*A*a^2*b^{19} + 6*A*a^3*b^{18} - 6*A*a^4*b^{17} + 6*A*a^5*b^{16} + 14*A*a^6*b^{15} - 14*A*a^7*b^{14} - 6*A*a^8*b^{13} + 6*A*a^9*b^{12} - 12*B*a^2*b^{19} + 64*B*a^3*b^{18} + 20*B*a^4*b^{17} - 110*B*a^5*b^{16} - 30*B*a^6*b^{15} + 110*B*a^7*b^{14} + 30*B*a^8*b^{13} - 70*B*a^9*b^{12} - 14*B*a^{10}*b^{11} + 26*B*a^{11}*b^{10} + 2*B*a^{12}*b^9 - 4*B*a^{13}*b^8 - 4*A*a*b^{20} - 16*B*a*b^{20}))/((a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) - (4*\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6)*(8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8))/((b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4)*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6)))*(-(a + b)^7*(a - b)^7)^{(1/2)}*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6))/((2*(b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4)))*(-(a + b)^7*(a - b)^7)^{(1/2)}*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6))/((2*(b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4)) + (((8*\tan(c/2 + (d*x)/2)*(4*A^2*b^{14} + 8*B^2*a^{14} + 4*B^2*b^{14} - 8*B^2*a*b^{13} - 8*B^2*a^{13}*b + 12*A^2*a^2*b^{12} + 9*A^2*a^4*b^{10} + 44*B^2*a^2*b^{12} + 48*B^2*a^3*b^{11} - 92*B^2*a^4*b^{10} - 120*B^2*a^5*b^9 + 156*B^2*a^6*b^8 + 160*B^2*a^7*b^7 - 164*B^2*a^8*b^6 - 120*B^2*a^9*b^5 + 117*B^2*a^{10}*b^4 + 48*B^2*a^{11}*b^3 - 48*B^2*a^{12}*b^2 - 32*A*B*a*b^{13} - 16*A*B*a^3*b^{11} + 20*A*B*a^5*b^9 - 34*A*B*a^7*b^7 + 12*A*B*a^9*b^5)))/(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6) - (((8*(4*A*b^{21} + 4*B*b^{21} - 6*A*a^2*b^{19} + 6*A*a^3*b^{18} - 6*A*a^4*b^{17} + 6*A*a^5*b^{16} + 14*A*a^6*b^{15} - 14*A*a^7*b^{14} - 6*A*a^8*b^{13} + 6*A*a^9*b^{12} - 12*B*a^2*b^{19} + 64*B*a^3*b^{18} + 20*B*a^4*b^{17} - 110*B*a^5*b^{16} - 30*B*a^6*b^{15} + 110*B*a^7*b^{14} + 30*B*a^8*b^{13} - 70*B*a^9*b^{12} - 14*B*a^{10}*b^{11} + 26*B*a^{11}*b^{10} + 2*B*a^{12}*b^9 - 4*B*a^{13}*b^8 - 4*A*a*b^{20} - 16*B*a*b^{20}))/((a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) + (4*\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6)*(8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8))/((b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4)*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6)
\end{aligned}$$

```

^7 - a^11*b^6)))*(-(a + b)^7*(a - b)^7)^(1/2)*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*
b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2 - 8*B*a*b^6))/(2*(b^18 - 7*a^2*b^16 + 21*a^
4*b^14 - 35*a^6*b^12 + 35*a^8*b^10 - 21*a^10*b^8 + 7*a^12*b^6 - a^14*b^4)))
*(-(a + b)^7*(a - b)^7)^(1/2)*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^
4 - 7*B*a^5*b^2 - 8*B*a*b^6))/(2*(b^18 - 7*a^2*b^16 + 21*a^4*b^14 - 35*a^6*
b^12 + 35*a^8*b^10 - 21*a^10*b^8 + 7*a^12*b^6 - a^14*b^4))))*(-(a + b)^7*(a
- b)^7)^(1/2)*(2*A*b^7 + 2*B*a^7 + 3*A*a^2*b^5 + 8*B*a^3*b^4 - 7*B*a^5*b^2
- 8*B*a*b^6)*1i)/(d*(b^18 - 7*a^2*b^16 + 21*a^4*b^14 - 35*a^6*b^12 + 35*a^
8*b^10 - 21*a^10*b^8 + 7*a^12*b^6 - a^14*b^4))

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**4,x)

[Out] Timed out

$$3.275 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$$

Optimal. Leaf size=274

$$\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2d(a^2 - b^2)(a + b \cos(c + dx))^3} + \frac{(a^3A - 3a^2bB + 4aAb^2 - 2b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{a(-4a^3B + a^2Ab)}{6b^2d(a^2 - b^2)}$$

[Out] (A*a^3+4*A*a*b^2-3*B*a^2*b-2*B*b^3)*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/(a-b)^(7/2)/(a+b)^(7/2)/d-1/3*a^2*(A*b-B*a)*sin(d*x+c)/b^2/(a^2-b^2)/d/(a+b*cos(d*x+c))^3+1/6*a*(A*a^2*b-6*A*b^3-4*B*a^3+9*B*a*b^2)*sin(d*x+c)/b^2/(a^2-b^2)^2/d/(a+b*cos(d*x+c))^2+1/6*(A*a^4*b-10*A*a^2*b^3-6*A*b^5+2*B*a^5-5*B*a^3*b^2+18*B*a*b^4)*sin(d*x+c)/b^2/(a^2-b^2)^3/d/(a+b*cos(d*x+c))

Rubi [A] time = 0.64, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2988, 3021, 2754, 12, 2659, 205}

$$\frac{(a^3A - 3a^2bB + 4aAb^2 - 2b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2(Ab - aB) \sin(c + dx)}{3b^2d(a^2 - b^2)(a + b \cos(c + dx))^3} + \frac{a(a^2Ab - 4a^3B + a^2Ab)}{6b^2d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^4, x]

[Out] ((a^3*A + 4*a*A*b^2 - 3*a^2*b*B - 2*b^3*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d) - (a^2*(A*b - a*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^3) + (a*(a^2*A*b - 6*A*b^3 - 4*a^3*B + 9*a*b^2*B)*Sin[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x])^2) + ((a^4*A*b - 10*a^2*A*b^3 - 6*A*b^5 + 2*a^5*B - 5*a^3*b^2*B + 18*a*b^4*B)*Sin[c + d*x])/(6*b^2*(a^2 - b^2)^3*d*(a + b*Cos[c + d*x]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 1)]

2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]

Rule 2988

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*(b*c - a*d)^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 - d^2)), x] - Dist[1/(d^2*(n + 1)*(c^2 - d^2)), Int[(c + d*Sin[e + f*x])^(n + 1)*Simp[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] - b^2*B*d*(n + 1)*(c^2 - d^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)]*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^4} dx = -\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{\int \frac{3ab(Ab - aB) + (a^2 - 3b^2)(Ab - aB) \cos(c + dx)}{(a + b \cos(c + dx))^3} dx}{3b^2(a^2 - b^2)}$$

$$= -\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2Ab - 6Ab^3 - 4a^3B + 9ab^2)}{6b^2(a^2 - b^2)^2d(a + b \cos(c + dx))}$$

$$= -\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2Ab - 6Ab^3 - 4a^3B + 9ab^2)}{6b^2(a^2 - b^2)^2d(a + b \cos(c + dx))}$$

$$= -\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2Ab - 6Ab^3 - 4a^3B + 9ab^2)}{6b^2(a^2 - b^2)^2d(a + b \cos(c + dx))}$$

$$= -\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2Ab - 6Ab^3 - 4a^3B + 9ab^2)}{6b^2(a^2 - b^2)^2d(a + b \cos(c + dx))}$$

$$= \frac{(a^3A + 4aAb^2 - 3a^2bB - 2b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} - \frac{a^2(Ab - aB)}{3b^2(a^2 - b^2)}$$

Mathematica [A] time = 1.32, size = 251, normalized size = 0.92

$$\frac{2 \sin(c+dx)(10a^5B - 25a^4Ab + 17a^3b^2B - 14a^2Ab^3 + 6a(a^4A + a^3bB - 9a^2Ab^2 + 9ab^3B - 2Ab^4) \cos(c+dx) + (2a^5B + a^4Ab - 5a^3b^2B - 10a^2Ab^3 + 18ab^4B - 6Ab^5) \sin(c+dx))}{(a+b \cos(c+dx))^3} - \frac{a^2(Ab - aB)}{3b^2(a^2 - b^2)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^4,x]
[Out] ((-24*(a^3*A + 4*a*A*b^2 - 3*a^2*b*B - 2*b^3*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + (2*(-25*a^4*A*b - 14*a^2*A*b^3 - 6*A*b^5 + 10*a^5*B + 17*a^3*b^2*B + 18*a*b^4*B + 6*a*(a^4*A - 9*a^2*A*b^2 - 2*A*b^4 + a^3*b*B + 9*a*b^3*B)*Cos[c + d*x] + (a^4*A*b - 10*a^2*A*b^3 - 6*A*b^5 + 2*a^5*B - 5*a^3*b^2*B + 18*a*b^4*B)*Cos[2*(c + d*x)])*Sin[c + d*x])/(a + b*Cos[c + d*x])^3/(24*(a^2 - b^2)^3*d)
```

fricas [B] time = 0.87, size = 1220, normalized size = 4.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="fricas")
```

```
[Out] [-1/12*(3*(A*a^6 - 3*B*a^5*b + 4*A*a^4*b^2 - 2*B*a^3*b^3 + (A*a^3*b^3 - 3*B*a^2*b^4 + 4*A*a*b^5 - 2*B*b^6)*cos(d*x + c)^3 + 3*(A*a^4*b^2 - 3*B*a^3*b^3 + 4*A*a^2*b^4 - 2*B*a*b^5)*cos(d*x + c)^2 + 3*(A*a^5*b - 3*B*a^4*b^2 + 4*A*a^3*b^3 - 2*B*a^2*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(4*B*a^7 - 13*A*a^6*b + 7*B*a^5*b^2 + 11*A*a^4*b^3 - 11*B*a^3*b^4 + 2*A*a^2*b^5 + (2*B*a^7 + A*a^6*b - 7*B*a^5*b^2 - 11*A*a^4*b^3 + 23*B*a^3*b^4 + 4*A*a^2*b^5 - 18*B*a*b^6 + 6*A*b^7)*cos(d*x + c)^2 + 3*(A*a^7 + B*a^6*b - 10*A*a^5*b^2 + 8*B*a^4*b^3 + 7*A*a^3*b^4 - 9*B*a^2*b^5 + 2*A*a*b^6)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d), 1/6*(3*(A*a^6 - 3*B*a^5*b + 4*A*a^4*b^2 - 2*B*a^3*b^3 + (A*a^3*b^3 - 3*B*a^2*b^4 + 4*A*a*b^5 - 2*B*b^6)*cos(d*x + c)^3 + 3*(A*a^4*b^2 - 3*B*a^3*b^3 + 4*A*a^2*b^4 - 2*B*a*b^5)*cos(d*x + c)^2 + 3*(A*a^5*b - 3*B*a^4*b^2 + 4*A*a^3*b^3 - 2*B*a^2*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) + (4*B*a^7 - 13*A*a^6*b + 7*B*a^5*b^2 + 11*A*a^4*b^3 - 11*B*a^3*b^4 + 2*A*a^2*b^5 + (2*B*a^7 + A*a^6*b - 7*B*a^5*b^2 - 11*A*a^4*b^3 + 23*B*a^3*b^4 + 4*A*a^2*b^5 - 18*B*a*b^6 + 6*A*b^7)*cos(d*x + c)^2 + 3*(A*a^7 + B*a^6*b - 10*A*a^5*b^2 + 8*B*a^4*b^3 + 7*A*a^3*b^4 - 9*B*a^2*b^5 + 2*A*a*b^6)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d)]
```

giac [B] time = 1.03, size = 689, normalized size = 2.51

$$\frac{3(Aa^3 - 3Ba^2b + 4Aab^2 - 2Bb^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^6 - 3a^4b^2 + 3a^2b^4 - b^6) \sqrt{a^2 - b^2}} + \frac{3Aa^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 6Ba^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] -1/3*(3*(A*a^3 - 3*B*a^2*b + 4*A*a*b^2 - 2*B*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x
```


$$\begin{aligned} & + 1/2*c)) / \sqrt{a^2 - b^2}) / ((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) * \sqrt{a^2 - b^2}) + (3*A*a^5*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^5*\tan(1/2*d*x + 1/2*c)^5 + \\ & 12*A*a^4*b*\tan(1/2*d*x + 1/2*c)^5 + 3*B*a^4*b*\tan(1/2*d*x + 1/2*c)^5 - 27* \\ & A*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 + 12* \\ & A*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 + 27*B*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 - 6* \\ & A*a*b^4*\tan(1/2*d*x + 1/2*c)^5 - 18*B*a*b^4*\tan(1/2*d*x + 1/2*c)^5 + 6*A*b^5* \\ & \tan(1/2*d*x + 1/2*c)^5 - 4*B*a^5*\tan(1/2*d*x + 1/2*c)^3 + 28*A*a^4*b*\tan(\\ & 1/2*d*x + 1/2*c)^3 - 32*B*a^3*b^2*\tan(1/2*d*x + 1/2*c)^3 - 16*A*a^2*b^3*\tan(\\ & 1/2*d*x + 1/2*c)^3 + 36*B*a*b^4*\tan(1/2*d*x + 1/2*c)^3 - 12*A*b^5*\tan(1/2* \\ & d*x + 1/2*c)^3 - 3*A*a^5*\tan(1/2*d*x + 1/2*c) - 6*B*a^5*\tan(1/2*d*x + 1/2*c) \\ &) + 12*A*a^4*b*\tan(1/2*d*x + 1/2*c) - 3*B*a^4*b*\tan(1/2*d*x + 1/2*c) + 27*A \\ & *a^3*b^2*\tan(1/2*d*x + 1/2*c) - 6*B*a^3*b^2*\tan(1/2*d*x + 1/2*c) + 12*A*a^2 \\ & *b^3*\tan(1/2*d*x + 1/2*c) - 27*B*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 6*A*a*b^4*\tan(\\ & 1/2*d*x + 1/2*c) - 18*B*a*b^4*\tan(1/2*d*x + 1/2*c) + 6*A*b^5*\tan(1/2*d*x \\ & + 1/2*c)) / ((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) * (a*\tan(1/2*d*x + 1/2*c)^2 - \\ & b*\tan(1/2*d*x + 1/2*c)^2 + a + b)^3) / d \end{aligned}$$

maple [B] time = 0.08, size = 1726, normalized size = 6.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c))^2 * (A+B*\cos(dx+c)) / (a+b*\cos(dx+c))^4, x$

[Out]
$$\begin{aligned} & -1/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3 \\ & *a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-6/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^ \\ & 2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x \\ & +1/2*c)^5*A-2/d*b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a \\ & / (a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-2/d/(a*\tan(1/2*d*x+ \\ & 1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(\\ & 1/2*d*x+1/2*c)^5*A*b^3+2/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2 \\ & *b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+3/d*b/(a*t \\ & an(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a-b)/(a^3+3*a^2*b+3* \\ & a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+6/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1 \\ & /2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B*a*b \\ & ^2-28/3/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2+ \\ & 2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-4/d/(a*\tan(1/2*d*x+1/2*c) \\ & ^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d* \\ & x+1/2*c)^3*A*b^3+4/3/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a \\ & +b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+12/d/(a*\tan(1/ \\ & 2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2 \\ &)*\tan(1/2*d*x+1/2*c)^3*B*a*b^2+1/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+ \\ & 1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-6/d* \\ & a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^ \\ & 2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+2/d*b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1 \\ & /2*d*x+1/2*c)^2*b+a+b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2* \\ & c)*A-2/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3 \\ & *a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^3+2/d*a^3/(a*\tan(1/2*d*x+1/2*c)^ \\ & 2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x \\ & +1/2*c)*B-3/d*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(\\ & a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+6/d/(a*\tan(1/2*d*x+1/2* \\ & c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2* \\ & d*x+1/2*c)*B*a*b^2+1/d*a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2) \\ &)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+4/d*a*b^2/(a^6-3*a \\ & ^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/ \\ & (a-b)*(a+b))^(1/2))*A-3/d*a^2*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b)) \\ & ^{(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B-2/d/(a^6-3*a^ \\ & 4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((\\ & a-b)*(a+b))^(1/2))*b^3*B \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 4.15, size = 440, normalized size = 1.61

$$\frac{\operatorname{atan}\left(\frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)(2a-2b)(a^3-3a^2b+3ab^2-b^3)}{2\sqrt{a+b}(a-b)^{7/2}}\right)\left(Aa^3-3Ba^2b+4Aab^2-2Bb^3\right)}{d(a+b)^{7/2}(a-b)^{7/2}} - \frac{4\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^3(-Ba^3+7Aa^2b-9Aab^2+3Bb^3)}{3(a+b)^2(a^2-2ab+b^2)} - \frac{d\left(3ab^2-\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^4(-3a^3+3a^2b+3ab^2-3b^3)\right)}{d\left(3ab^2-\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^4(-3a^3+3a^2b+3ab^2-3b^3)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^4,x)

[Out] (atan((tan(c/2 + (d*x)/2)*(2*a - 2*b)*(3*a*b^2 - 3*a^2*b + a^3 - b^3))/(2*(a + b)^(1/2)*(a - b)^(7/2)))*(A*a^3 - 2*B*b^3 + 4*A*a*b^2 - 3*B*a^2*b))/(d*(a + b)^(7/2)*(a - b)^(7/2)) - ((4*tan(c/2 + (d*x)/2)^3*(3*A*b^3 - B*a^3 + 7*A*a^2*b - 9*B*a*b^2))/(3*(a + b)^2*(a^2 - 2*a*b + b^2)) + (tan(c/2 + (d*x)/2)^5*(A*a^3 + 2*A*b^3 - 2*B*a^3 + 2*A*a*b^2 + 6*A*a^2*b - 6*B*a*b^2 - 3*B*a^2*b)))/((a + b)^3*(a - b)) - (tan(c/2 + (d*x)/2)*(A*a^3 - 2*A*b^3 + 2*B*a^3 + 2*A*a*b^2 - 6*A*a^2*b + 6*B*a*b^2 - 3*B*a^2*b))/((a + b)*(3*a*b^2 - 3*a^2*b + a^3 - b^3)))/(d*(3*a*b^2 - tan(c/2 + (d*x)/2)^4*(3*a*b^2 + 3*a^2*b - 3*a^3 - 3*b^3) - tan(c/2 + (d*x)/2)^2*(3*a*b^2 - 3*a^2*b - 3*a^3 + 3*b^3) + 3*a^2*b + a^3 + b^3 + tan(c/2 + (d*x)/2)^6*(3*a*b^2 - 3*a^2*b + a^3 - b^3)))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**4,x)

[Out] Timed out

$$3.276 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$$

Optimal. Leaf size=263

$$\frac{a(Ab - aB) \sin(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^3} - \frac{(a^3(-B) + 4a^2Ab - 4ab^2B + Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(a^3B + 2a^2Ab - 2aB^2 - b^3)}{6bd(a^2 - b^2)(a + b \cos(c + dx))}$$

[Out] $-(4Aa^2b + Ab^3 - B^2a^3 - 4Ab^2B) \arctan((a-b)^{1/2} \tan(1/2 dx + 1/2 c)) / (a+b)^{1/2} / (a-b)^{7/2} / (a+b)^{7/2} / d + 1/3 a (A^2b - B^2a) \sin(dx+c) / b / (a^2-b^2) / d / (a+b \cos(dx+c))^3 + 1/6 (2A^2a^2b + 3A^2b^3 + B^2a^3 - 6Ab^2B) \sin(dx+c) / b / (a^2-b^2)^2 / d / (a+b \cos(dx+c))^2 + 1/6 (2A^2a^3b + 13A^2ab^3 + B^2a^4 - 10Ab^2B) \sin(dx+c) / b / (a^2-b^2)^3 / d / (a+b \cos(dx+c))$

Rubi [A] time = 0.53, antiderivative size = 263, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2968, 3021, 2754, 12, 2659, 205}

$$\frac{(4a^2Ab + a^3(-B) - 4ab^2B + Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(2a^3Ab - 10a^2b^2B + a^4B + 13aAb^3 - 6b^4B) \sin(c + dx)}{6bd(a^2 - b^2)^3(a + b \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^4,x]

[Out] $-(((4a^2Ab + Ab^3 - a^3B - 4ab^2B) \text{ArcTan}[\text{Sqrt}[a-b] \text{Tan}[(c + dx)/2]] / \text{Sqrt}[a+b]) / ((a-b)^{7/2} (a+b)^{7/2} d)) + (a(A^2b - B^2a) \text{Sin}[c + dx]) / (3b(a^2 - b^2) d (a + b \text{Cos}[c + dx])^3) + ((2a^2Ab + 3A^2b^3 + a^3B - 6Ab^2B) \text{Sin}[c + dx]) / (6b(a^2 - b^2)^2 d (a + b \text{Cos}[c + dx])^2) + ((2a^3Ab + 13a^2Ab^3 + a^4B - 10a^2b^2B - 6b^4B) \text{Sin}[c + dx]) / (6b(a^2 - b^2)^3 d (a + b \text{Cos}[c + dx]))$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)) / (f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a

*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1)/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*SIN[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*SIN[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^4} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+b\cos(c+dx))^4} dx \\
 &= \frac{a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \int \frac{3b(Ab-aB)-(2aAb+a^2B-3b^2B)\cos(c+dx)}{(a+b\cos(c+dx))^3} dx \\
 &= \frac{a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{(2a^2Ab+3Ab^3+a^3B-6ab^2B)\sin(c+dx)}{6b(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
 &= \frac{a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{(2a^2Ab+3Ab^3+a^3B-6ab^2B)\sin(c+dx)}{6b(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
 &= \frac{a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{(2a^2Ab+3Ab^3+a^3B-6ab^2B)\sin(c+dx)}{6b(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
 &= \frac{a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{(2a^2Ab+3Ab^3+a^3B-6ab^2B)\sin(c+dx)}{6b(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
 &= -\frac{(4a^2Ab+Ab^3-a^3B-4ab^2B)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} + \frac{a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d}
 \end{aligned}$$

Mathematica [A] time = 1.16, size = 252, normalized size = 0.96

$$\frac{2\sin(c+dx)(12a^5A-25a^4bB+22a^3Ab^2-14a^2b^3B+b(a^4B+2a^3Ab-10a^2b^2B+13aAb^3-6b^4B))\cos(2(c+dx))+6(a^5B+2a^4Ab-9a^3b^2B+9a^2Ab^3-2ab^4B-Ab^5)}{(a+b\cos(c+dx))^3}$$

$$24d(a^2-b^2)^3$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^4, x]

```
[Out] ((-24*(-4*a^2*A*b - A*b^3 + a^3*B + 4*a*b^2*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + (2*(12*a^5*A + 22*a^3*A*b^2 + 11*a*A*b^4 - 25*a^4*b*B - 14*a^2*b^3*B - 6*b^5*B + 6*(2*a^4*A*b + 9*a^2*A*b^3 - A*b^5 + a^5*B - 9*a^3*b^2*B - 2*a*b^4*B)*Cos[c + d*x] + b*(2*a^3*A*b + 13*a*A*b^3 + a^4*B - 10*a^2*b^2*B - 6*b^4*B)*Cos[2*(c + d*x)])*Sin[c + d*x])/(a + b*Cos[c + d*x])^3/(24*(a^2 - b^2)^3*d)
```

fricas [B] time = 1.44, size = 1232, normalized size = 4.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="fricas")
```

```
[Out] [-1/12*(3*(B*a^6 - 4*A*a^5*b + 4*B*a^4*b^2 - A*a^3*b^3 + (B*a^3*b^3 - 4*A*a^2*b^4 + 4*B*a*b^5 - A*b^6)*cos(d*x + c)^3 + 3*(B*a^4*b^2 - 4*A*a^3*b^3 + 4*B*a^2*b^4 - A*a*b^5)*cos(d*x + c)^2 + 3*(B*a^5*b - 4*A*a^4*b^2 + 4*B*a^3*b^3 - A*a^2*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(6*A*a^7 - 13*B*a^6*b + 4*A*a^5*b^2 + 11*B*a^4*b^3 - 11*A*a^3*b^4 + 2*B*a^2*b^5 + A*a*b^6 + (B*a^6*b + 2*A*a^5*b^2 - 11*B*a^4*b^3 + 11*A*a^3*b^4 + 4*B*a^2*b^5 - 13*A*a*b^6 + 6*B*b^7)*cos(d*x + c)^2 + 3*(B*a^7 + 2*A*a^6*b - 10*B*a^5*b^2 + 7*A*a^4*b^3 + 7*B*a^3*b^4 - 10*A*a^2*b^5 + 2*B*a*b^6 + A*b^7)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d), 1/6*(3*(B*a^6 - 4*A*a^5*b + 4*B*a^4*b^2 - A*a^3*b^3 + (B*a^3*b^3 - 4*A*a^2*b^4 + 4*B*a*b^5 - A*b^6)*cos(d*x + c)^3 + 3*(B*a^4*b^2 - 4*A*a^3*b^3 + 4*B*a^2*b^4 - A*a*b^5)*cos(d*x + c)^2 + 3*(B*a^5*b - 4*A*a^4*b^2 + 4*B*a^3*b^3 - A*a^2*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) + (6*A*a^7 - 13*B*a^6*b + 4*A*a^5*b^2 + 11*B*a^4*b^3 - 11*A*a^3*b^4 + 2*B*a^2*b^5 + A*a*b^6 + (B*a^6*b + 2*A*a^5*b^2 - 11*B*a^4*b^3 + 11*A*a^3*b^4 + 4*B*a^2*b^5 - 13*A*a*b^6 + 6*B*b^7)*cos(d*x + c)^2 + 3*(B*a^7 + 2*A*a^6*b - 10*B*a^5*b^2 + 7*A*a^4*b^3 + 7*B*a^3*b^4 - 10*A*a^2*b^5 + 2*B*a*b^6 + A*b^7)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d)]
```

giac [B] time = 1.89, size = 722, normalized size = 2.75

$$\frac{3(Ba^3 - 4Aa^2b + 4Bab^2 - Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^6 - 3a^4b^2 + 3a^2b^4 - b^6) \sqrt{a^2 - b^2}} - 6Aa^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 3Ba^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] -1/3*(3*(B*a^3 - 4*A*a^2*b + 4*B*a*b^2 - A*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*sqrt(a^2 - b^2)) - (6*A*a^5*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^5*tan(1/2*d*x + 1/2*c)^5 - 6
```

$$\begin{aligned} & *A*a^4*b*\tan(1/2*d*x + 1/2*c)^5 - 12*B*a^4*b*\tan(1/2*d*x + 1/2*c)^5 + 12*A* \\ & a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 + 27*B*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 - 27*A \\ & *a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 - 12*B*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 + 12* \\ & A*a*b^4*\tan(1/2*d*x + 1/2*c)^5 + 6*B*a*b^4*\tan(1/2*d*x + 1/2*c)^5 + 3*A*b^5 \\ & *\tan(1/2*d*x + 1/2*c)^5 - 6*B*b^5*\tan(1/2*d*x + 1/2*c)^5 + 12*A*a^5*\tan(1/2 \\ & *d*x + 1/2*c)^3 - 28*B*a^4*b*\tan(1/2*d*x + 1/2*c)^3 + 16*A*a^3*b^2*\tan(1/2* \\ & d*x + 1/2*c)^3 + 16*B*a^2*b^3*\tan(1/2*d*x + 1/2*c)^3 - 28*A*a*b^4*\tan(1/2*d \\ & *x + 1/2*c)^3 + 12*B*b^5*\tan(1/2*d*x + 1/2*c)^3 + 6*A*a^5*\tan(1/2*d*x + 1/2 \\ & *c) + 3*B*a^5*\tan(1/2*d*x + 1/2*c) + 6*A*a^4*b*\tan(1/2*d*x + 1/2*c) - 12*B* \\ & a^4*b*\tan(1/2*d*x + 1/2*c) + 12*A*a^3*b^2*\tan(1/2*d*x + 1/2*c) - 27*B*a^3*b \\ & ^2*\tan(1/2*d*x + 1/2*c) + 27*A*a^2*b^3*\tan(1/2*d*x + 1/2*c) - 12*B*a^2*b^3* \\ & \tan(1/2*d*x + 1/2*c) + 12*A*a*b^4*\tan(1/2*d*x + 1/2*c) - 6*B*a*b^4*\tan(1/2* \\ & d*x + 1/2*c) - 3*A*b^5*\tan(1/2*d*x + 1/2*c) - 6*B*b^5*\tan(1/2*d*x + 1/2*c) \\ & /((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2 \\ & *d*x + 1/2*c)^2 + a + b)^3)/d \end{aligned}$$

maple [B] time = 0.08, size = 1883, normalized size = 7.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x)`

[Out]
$$\begin{aligned} & 2/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3* \\ & a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+2/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2 \\ & -\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+ \\ & 1/2*c)^5*A+6/d*b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/ \\ & (a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+1/d/(a*\tan(1/2*d*x+1 \\ & /2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1 \\ & /2*d*x+1/2*c)^5*A*b^3-1/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2* \\ & b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-6/d*b/(a*ta \\ & n(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a-b)/(a^3+3*a^2*b+3*a \\ & *b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-2/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/ \\ & 2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B*a*b^ \\ & 2-2/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^ \\ & 2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*b^3*B+4/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan \\ & (1/2*d*x+1/2*c)^2*b+a+b)^3*a^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+ \\ & 1/2*c)^3*A+28/3/d*b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3 \\ & *a/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-28/3/d*b/(a*\tan(1 \\ & /2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a^2+2*a*b+b^2)/(a^2-2*a* \\ & b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-4/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c \\ &)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*b^3*B+2/d \\ & *a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2 \\ & *b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-2/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(\\ & 1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c \\ &)*A+6/d*b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a+b)/(\\ & a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-1/d/(a*\tan(1/2*d*x+1/2*c)^2-t \\ & an(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/ \\ & 2*c)*A*b^3+1/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a \\ & +b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-6/d*b/(a*\tan(1/2*d*x+1/2 \\ & *c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan \\ & (1/2*d*x+1/2*c)*B+2/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3 \\ & /((a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B*a*b^2-2/d/(a*\tan(1/2* \\ & d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)* \\ & \tan(1/2*d*x+1/2*c)*b^3*B-4/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(\\ & (1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*a^2-1/d*b^3/(a \\ & ^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(\\ & a-b)/((a-b)*(a+b))^(1/2))*A+1/d/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b)) \\ & ^{(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a^3+4/d*b^2/(\end{aligned}$$

$a^6 - 3a^4b^2 + 3a^2b^4 - b^6 / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c)) * (a-b) / ((a-b)(a+b))^{1/2} * B * a$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 4.03, size = 451, normalized size = 1.71

$$\frac{4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (3Aa^3 - 7Ba^2b + 7Aab^2 - 3Bb^3)}{3(a+b)^2(a^2 - 2ab + b^2)} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (2Aa^3 - Ab^3 + Ba^3 - 2Bb^3 + 6Aab^2 - 2Aa^2b + 2Bab^2 - 6Ba^2b)}{(a+b)(a^3 - 3a^2b + 3ab^2 - b^3)} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}$$

$$d \left(3ab^2 - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 (-3a^3 + 3a^2b + 3ab^2 - 3b^3) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 (-3a^3 - 3a^2b + 3ab^2 + 3b^3) + 3a^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^4,x)

[Out] $((4 \tan(c/2 + (d*x)/2)^3 (3Aa^3 - 3Bb^3 + 7Aa^2b - 7Ba^2b)) / (3(a+b)^2(a^2 - 2ab + b^2)) + (\tan(c/2 + (d*x)/2) (2Aa^3 - Ab^3 + Ba^3 - 2Bb^3 + 6Aa^2b - 2Aa^2b + 2Bab^2 - 6Ba^2b)) / ((a+b)(3a^3b^2 - 3a^2b + a^3 - b^3)) + (\tan(c/2 + (d*x)/2)^5 (2Aa^3 + Ab^3 - Ba^3 - 2Bb^3 + 6Aa^2b + 2Aa^2b - 2Bab^2 - 6Ba^2b)) / ((a+b)^3(a-b))) / (d(3a^2b^2 - \tan(c/2 + (d*x)/2)^4(3a^2b^2 + 3a^2b - 3a^3 - 3b^3) - \tan(c/2 + (d*x)/2)^2(3a^2b^2 - 3a^2b - 3a^3 + 3b^3) + 3a^2b + a^3 + b^3 + \tan(c/2 + (d*x)/2)^6(3a^2b^2 - 3a^2b + a^3 - b^3))) - (\operatorname{atan}(\tan(c/2 + (d*x)/2) (2a - 2b) (3a^2b^2 - 3a^2b + a^3 - b^3)) / (2(a+b)^{1/2} (a-b)^{7/2})) * (Ab^3 - Ba^3 + 4Aa^2b - 4Bab^2)) / (d(a+b)^{7/2} (a-b)^{7/2})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x)

[Out] Timed out

$$3.277 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^4} dx$$

Optimal. Leaf size=237

$$\frac{(-2a^2B + 5aAb - 3b^2B) \sin(c + dx)}{6d(a^2 - b^2)^2 (a + b \cos(c + dx))^2} - \frac{(Ab - aB) \sin(c + dx)}{3d(a^2 - b^2) (a + b \cos(c + dx))^3} + \frac{(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{7/2}(a+b)^{7/2}}$$

[Out] (2*A*a^3+3*A*a*b^2-4*B*a^2*b-B*b^3)*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/(a-b)^(7/2)/(a+b)^(7/2)/d-1/3*(A*b-B*a)*sin(d*x+c)/(a^2-b^2)/d/(a+b*cos(d*x+c))^3-1/6*(5*A*a*b-2*B*a^2-3*B*b^2)*sin(d*x+c)/(a^2-b^2)^2/d/(a+b*cos(d*x+c))^2-1/6*(11*A*a^2*b+4*A*b^3-2*B*a^3-13*B*a*b^2)*sin(d*x+c)/(a^2-b^2)^3/d/(a+b*cos(d*x+c))

Rubi [A] time = 0.48, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2754, 12, 2659, 205}

$$\frac{(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{(11a^2Ab - 2a^3B - 13ab^2B + 4Ab^3) \sin(c + dx)}{6d(a^2 - b^2)^3 (a + b \cos(c + dx))} - \frac{(-2a^2B + 5aAb - 3b^2B) \sin(c + dx)}{6d(a^2 - b^2)^2 (a + b \cos(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^4, x]

[Out] ((2*a^3*A + 3*a*A*b^2 - 4*a^2*b*B - b^3*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a - b)^(7/2)*(a + b)^(7/2)*d - ((A*b - a*B)*Sin[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^3) - ((5*a*A*b - 2*a^2*B - 3*b^2*B)*Sin[c + d*x])/(6*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x])^2) - ((11*a^2*A*b + 4*A*b^3 - 2*a^3*B - 13*a*b^2*B)*Sin[c + d*x])/(6*(a^2 - b^2)^3*d*(a + b*Cos[c + d*x]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a

*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^4} dx &= -\frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{\int \frac{-3(aA - bB) + 2(Ab - aB) \cos(c + dx)}{(a + b \cos(c + dx))^3} dx}{3(a^2 - b^2)} \\ &= -\frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{(5aAb - 2a^2B - 3b^2B) \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{\int \frac{2(3a^2}{(a + b \cos(c + dx))^3} dx}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} \\ &= -\frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{(5aAb - 2a^2B - 3b^2B) \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{(11a^2A - 11a^2B)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} \\ &= -\frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{(5aAb - 2a^2B - 3b^2B) \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{(11a^2A - 11a^2B)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} \\ &= -\frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{(5aAb - 2a^2B - 3b^2B) \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{(11a^2A - 11a^2B)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} \\ &= \frac{(2a^3A + 3aAb^2 - 4a^2bB - b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} - \frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} \end{aligned}$$

Mathematica [A] time = 2.37, size = 227, normalized size = 0.96

$$\frac{(2a^2B - 5aAb + 3b^2B) \sin(c + dx)}{(a-b)^2(a+b)^2(a+b \cos(c + dx))^2} + \frac{(2a^3B - 11a^2Ab + 13ab^2B - 4Ab^3) \sin(c + dx)}{(a-b)^3(a+b)^3(a+b \cos(c + dx))} + \frac{6(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{7/2}} + \frac{2}{(a-b)}$$

$6d$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^4, x]

[Out] ((6*(2*a^3*A + 3*a*A*b^2 - 4*a^2*b*B - b^3*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(7/2) + (2*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x])^3) + ((-5*a*A*b + 2*a^2*B + 3*b^2*B)*Sin[c + d*x])/((a - b)^2*(a + b)^2*(a + b*Cos[c + d*x])^2) + ((-11*a^2*A*b - 4*A*b^3 + 2*a^3*B + 13*a*b^2*B)*Sin[c + d*x])/((a - b)^3*(a + b)^3*(a + b*Cos[c + d*x]))/(6*d)

fricas [B] time = 1.13, size = 1228, normalized size = 5.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4, x, algorithm="fricas")

[Out] [-1/12*(3*(2*A*a^6 - 4*B*a^5*b + 3*A*a^4*b^2 - B*a^3*b^3 + (2*A*a^3*b^3 - 4*B*a^2*b^4 + 3*A*a*b^5 - B*b^6)*cos(d*x + c)^3 + 3*(2*A*a^4*b^2 - 4*B*a^3*b^3 + 3*A*a^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + 3*(2*A*a^5*b - 4*B*a^4*b^2 + 3*A*a^3*b^3 - B*a^2*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) +

c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2) - 2*(6*B*a^7 - 18*A*a^6*b + 4*B*a^5*b^2 + 23*A*a^4*b^3 - 11*B*a^3*b^4 - 7*A*a^2*b^5 + B*a*b^6 + 2*A*b^7 + (2*B*a^5*b^2 - 11*A*a^4*b^3 + 11*B*a^3*b^4 + 7*A*a^2*b^5 - 13*B*a*b^6 + 4*A*b^7)*cos(d*x + c)^2 + 3*(2*B*a^6*b - 9*A*a^5*b^2 + 7*B*a^4*b^3 + 8*A*a^3*b^4 - 10*B*a^2*b^5 + A*a*b^6 + B*b^7)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d), 1/6*(3*(2*A*a^6 - 4*B*a^5*b + 3*A*a^4*b^2 - B*a^3*b^3 + (2*A*a^3*b^3 - 4*B*a^2*b^4 + 3*A*a*b^5 - B*b^6)*cos(d*x + c)^3 + 3*(2*A*a^4*b^2 - 4*B*a^3*b^3 + 3*A*a^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + 3*(2*A*a^5*b - 4*B*a^4*b^2 + 3*A*a^3*b^3 - B*a^2*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) + (6*B*a^7 - 18*A*a^6*b + 4*B*a^5*b^2 + 23*A*a^4*b^3 - 11*B*a^3*b^4 - 7*A*a^2*b^5 + B*a*b^6 + 2*A*b^7 + (2*B*a^5*b^2 - 11*A*a^4*b^3 + 11*B*a^3*b^4 + 7*A*a^2*b^5 - 13*B*a*b^6 + 4*A*b^7)*cos(d*x + c)^2 + 3*(2*B*a^6*b - 9*A*a^5*b^2 + 7*B*a^4*b^3 + 8*A*a^3*b^4 - 10*B*a^2*b^5 + A*a*b^6 + B*b^7)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d)]

giac [B] time = 1.22, size = 691, normalized size = 2.92

$$\frac{3(2Aa^3 - 4Ba^2b + 3Aab^2 - Bb^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^6 - 3a^4b^2 + 3a^2b^4 - b^6) \sqrt{a^2 - b^2}} - \frac{6Ba^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 18Aa^4b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="giac")

[Out] -1/3*(3*(2*A*a^3 - 4*B*a^2*b + 3*A*a*b^2 - B*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*sqrt(a^2 - b^2)) - (6*B*a^5*tan(1/2*d*x + 1/2*c)^5 - 18*A*a^4*b*tan(1/2*d*x + 1/2*c)^5 - 6*B*a^4*b*tan(1/2*d*x + 1/2*c)^5 + 27*A*a^3*b^2*tan(1/2*d*x + 1/2*c)^5 + 12*B*a^3*b^2*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^2*b^3*tan(1/2*d*x + 1/2*c)^5 - 27*B*a^2*b^3*tan(1/2*d*x + 1/2*c)^5 + 3*A*a*b^4*tan(1/2*d*x + 1/2*c)^5 + 12*B*a*b^4*tan(1/2*d*x + 1/2*c)^5 - 6*A*b^5*tan(1/2*d*x + 1/2*c)^5 + 3*B*b^5*tan(1/2*d*x + 1/2*c)^5 + 12*B*a^5*tan(1/2*d*x + 1/2*c)^3 - 36*A*a^4*b*tan(1/2*d*x + 1/2*c)^3 + 16*B*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 + 32*A*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 - 28*B*a*b^4*tan(1/2*d*x + 1/2*c)^3 + 4*A*b^5*tan(1/2*d*x + 1/2*c)^3 + 6*B*a^5*tan(1/2*d*x + 1/2*c) - 18*A*a^4*b*tan(1/2*d*x + 1/2*c) + 6*B*a^4*b*tan(1/2*d*x + 1/2*c) - 27*A*a^3*b^2*tan(1/2*d*x + 1/2*c) + 12*B*a^3*b^2*tan(1/2*d*x + 1/2*c) - 6*A*a^2*b^3*tan(1/2*d*x + 1/2*c) + 27*B*a^2*b^3*tan(1/2*d*x + 1/2*c) - 3*A*a*b^4*tan(1/2*d*x + 1/2*c) + 12*B*a*b^4*tan(1/2*d*x + 1/2*c) - 6*A*b^5*tan(1/2*d*x + 1/2*c) - 3*B*b^5*tan(1/2*d*x + 1/2*c))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)^3))/d

maple [B] time = 0.08, size = 1727, normalized size = 7.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x)

[Out]
$$-6/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-3/d*b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-2/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^3+2/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+2/d*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+6/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B*a*b^2+1/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*b^3*B-12/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-4/3/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*b^3+4/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+28/3/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B*a*b^2-6/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+3/d*b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-2/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^3+2/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-2/d*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+6/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B*a*b^2-1/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*b^3*B+2/d*a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+3/d*a*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A-4/d*a^2*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B-1/d/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*b^3*B$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 4.00, size = 440, normalized size = 1.86

$$\frac{\operatorname{atan}\left(\frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)(2a-2b)(a^3-3a^2b+3ab^2-b^3)}{2\sqrt{a+b}(a-b)^{7/2}}\right)(2Aa^3-4Ba^2b+3Aab^2-Bb^3)}{d(a+b)^{7/2}(a-b)^{7/2}} - \frac{4\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^3(-3Ba^3+9Aa^2b-3Aab^2+Bb^3)}{3(a+b)^2(a^2-2ab+b^2)} - \frac{d\left(3ab^2-\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^4(-3a^3+3a^2b-3ab^2+Bb^3)\right)}{d\left(3ab^2-\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^4(-3a^3+3a^2b-3ab^2+Bb^3)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(a + b*cos(c + d*x))^4,x)

```
[Out] (atan((tan(c/2 + (d*x)/2)*(2*a - 2*b)*(3*a*b^2 - 3*a^2*b + a^3 - b^3))/(2*(a + b)^(1/2)*(a - b)^(7/2)))*(2*A*a^3 - B*b^3 + 3*A*a*b^2 - 4*B*a^2*b))/(d*(a + b)^(7/2)*(a - b)^(7/2)) - ((4*tan(c/2 + (d*x)/2)^3*(A*b^3 - 3*B*a^3 + 9*A*a^2*b - 7*B*a*b^2))/(3*(a + b)^2*(a^2 - 2*a*b + b^2)) - (tan(c/2 + (d*x)/2)^5*(2*B*a^3 - 2*A*b^3 + B*b^3 - 3*A*a*b^2 - 6*A*a^2*b + 6*B*a*b^2 + 2*B*a^2*b))/((a + b)^3*(a - b)) + (tan(c/2 + (d*x)/2)*(2*A*b^3 - 2*B*a^3 + B*b^3 - 3*A*a*b^2 + 6*A*a^2*b - 6*B*a*b^2 + 2*B*a^2*b))/((a + b)*(3*a*b^2 - 3*a^2*b + a^3 - b^3)))/(d*(3*a*b^2 - tan(c/2 + (d*x)/2)^4*(3*a*b^2 + 3*a^2*b - 3*a^3 - 3*b^3) - tan(c/2 + (d*x)/2)^2*(3*a*b^2 - 3*a^2*b - 3*a^3 + 3*b^3) + 3*a^2*b + a^3 + b^3 + tan(c/2 + (d*x)/2)^6*(3*a*b^2 - 3*a^2*b + a^3 - b^3)))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**4,x)
```

```
[Out] Timed out
```

$$3.278 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^4} dx$$

Optimal. Leaf size=301

$$\frac{A \tanh^{-1}(\sin(c+dx))}{a^4 d} + \frac{b(Ab - aB) \sin(c+dx)}{3ad(a^2 - b^2)(a+b \cos(c+dx))^3} + \frac{b(-5a^3 B + 8a^2 Ab - 3Ab^3) \sin(c+dx)}{6a^2 d(a^2 - b^2)^2 (a+b \cos(c+dx))^2} + \frac{b(-11a^5 B + 15a^4 Ab - 6a^3 Ab^2 + 3a^2 Ab^3 - 3aAb^4 + b^5)}{6a^3 d(a^2 - b^2)^3 (a+b \cos(c+dx))}$$

[Out] $-(8Aa^6b - 8Aa^4b^3 + 7Aa^2b^5 - 2Ab^7 - 2B^2a^7 - 3B^2a^5b^2) \arctan\left(\frac{(a-b)^{1/2} \tan(1/2 dx + 1/2 c)}{(a+b)^{1/2}}\right) / a^4 (a-b)^{7/2} (a+b)^{7/2} / d + A \operatorname{arctanh}(\sin(dx+c)) / a^4 / d + 1/3 b (A^2 - B^2) \sin(dx+c) / a (a^2 - b^2) / d + (a+b \cos(dx+c))^3 + 1/6 b (8Aa^2b - 3A^2b^3 - 5B^2a^3) \sin(dx+c) / a^2 (a^2 - b^2)^2 / d + (a+b \cos(dx+c))^2 + 1/6 b (26Aa^4b - 17Aa^2b^3 + 6A^2b^5 - 11B^2a^5 - 4B^2a^3b^2) \sin(dx+c) / a^3 (a^2 - b^2)^3 / d + (a+b \cos(dx+c))$

Rubi [A] time = 1.51, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{(-8a^4 Ab^3 + 7a^2 Ab^5 + 8a^6 Ab - 3a^5 b^2 B - 2a^7 B - 2Ab^7) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d (a-b)^{7/2} (a+b)^{7/2}} + \frac{b(-17a^2 Ab^3 + 26a^4 Ab - 6a^3 b^2 B + 3a^5 B - 3a^3 b^2 B^2 + b^5)}{6a^3 d (a^2 - b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^4, x]

[Out] $-\left(\frac{(8a^6Ab - 8a^4A^2b^3 + 7a^2A^2b^5 - 2Ab^7 - 2a^7B - 3a^5b^2B) \operatorname{ArcTan}\left[\frac{\sqrt{a-b} \tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right]}{a^4 (a-b)^{7/2} (a+b)^{7/2} d} + \frac{A \operatorname{ArcTanh}[\sin[c+dx]]}{a^4 d} + \frac{b(A^2 - B^2) \sin[c+dx]}{3a^2 (a^2 - b^2) d (a+b \cos[c+dx])^3} + \frac{b(8a^2Ab - 3A^2b^3 - 5a^3B) \sin[c+dx]}{6a^2 (a^2 - b^2)^2 d (a+b \cos[c+dx])^2} + \frac{b(26a^4Ab - 17a^2A^2b^3 + 6A^2b^5 - 11a^5B - 4a^3b^2B) \sin[c+dx]}{6a^3 (a^2 - b^2)^3 d (a+b \cos[c+dx])}\right)$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3000

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m+1)*(c + d*Sin[e + f*x])^(1+n))/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m+1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m+1) + b*d*(A*b - a*B)*(m+n+2) + (A*b - a*B)*(a*d*(m+1) - b*c*(m+2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m+n+3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration

alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3001

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] :> Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^4} dx &= \frac{b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{\int \frac{(3A(a^2 - b^2) - 3a(Ab - aB) \cos(c + dx) + 2b(Ab - aB) \sin(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^3} dx}{3a(a^2 - b^2)} \\ &= \frac{b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\ &= \frac{b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\ &= \frac{b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\ &= \frac{A \tanh^{-1}(\sin(c + dx))}{a^4 d} + \frac{b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\ &= -\frac{(8a^6Ab - 8a^4Ab^3 + 7a^2Ab^5 - 2Ab^7 - 2a^7B - 3a^5b^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{c + dx}{2}\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{7/2}(a+b)^{7/2}d} \end{aligned}$$

Mathematica [A] time = 1.73, size = 368, normalized size = 1.22

$$\cos(c + dx)(A \sec(c + dx) + B) \left(\frac{24(2a^7B - 8a^6Ab + 3a^5b^2B + 8a^4Ab^3 - 7a^2Ab^5 + 2Ab^7) \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{7/2}} - \frac{2ab \sin(c+dx)(36a^7B}{\right.$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^4,x]

[Out] (Cos[c + d*x]*(B + A*Sec[c + d*x])*((24*(-8*a^6*A*b + 8*a^4*A*b^3 - 7*a^2*A*b^5 + 2*A*b^7 + 2*a^7*B + 3*a^5*b^2*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(7/2) - 24*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 24*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - (2*a*b*(-72*a^6*A*b + 38*a^4*A*b^3 - 5*a^2*A*b^5 - 6*A*b^7 + 36*a^7*B + a^5*b^2*B + 8*a^3*b^4*B + 6*a*b*(-20*a^4*A*b + 15*a^2*A*b^3 - 5*A*b^5 + 9*a^5*B + a^3*b^2*B)*Cos[c + d*x] + b^2*(-26*a^4*A*b + 17*a^2*A*b^3 - 6*A*b^5 + 11*a^5*B + 4*a^3*b^2*B)*Cos[2*(c + d*x)]*Sin[c + d*x])/((a^2 - b^2)^3*(a + b*Cos[c + d*x])^3)))/(24*a^4*d*(A + B*Cos[c + d*x]))

fricas [B] time = 136.53, size = 2269, normalized size = 7.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^4,x, algorithm="fricas")

[Out] [1/12*(3*(2*B*a^10 - 8*A*a^9*b + 3*B*a^8*b^2 + 8*A*a^7*b^3 - 7*A*a^5*b^5 + 2*A*a^3*b^7 + (2*B*a^7*b^3 - 8*A*a^6*b^4 + 3*B*a^5*b^5 + 8*A*a^4*b^6 - 7*A*a^2*b^8 + 2*A*b^10)*cos(d*x + c)^3 + 3*(2*B*a^8*b^2 - 8*A*a^7*b^3 + 3*B*a^6*b^4 + 8*A*a^5*b^5 - 7*A*a^3*b^7 + 2*A*a*b^9)*cos(d*x + c)^2 + 3*(2*B*a^9*b - 8*A*a^8*b^2 + 3*B*a^7*b^3 + 8*A*a^6*b^4 - 7*A*a^4*b^6 + 2*A*a^2*b^8)*cos(d*x + c)*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + 6*(A*a^11 - 4*A*a^9*b^2 + 6*A*a^7*b^4 - 4*A*a^5*b^6 + A*a^3*b^8 + (A*a^8*b^3 - 4*A*a^6*b^5 + 6*A*a^4*b^7 - 4*A*a^2*b^9 + A*b^11)*cos(d*x + c)^3 + 3*(A*a^9*b^2 - 4*A*a^7*b^4 + 6*A*a^5*b^6 - 4*A*a^3*b^8 + A*a*b^10)*cos(d*x + c)^2 + 3*(A*a^10*b - 4*A*a^8*b^3 + 6*A*a^6*b^5 - 4*A*a^4*b^7 + A*a^2*b^9)*cos(d*x + c))*log(sin(d*x + c) + 1) - 6*(A*a^11 - 4*A*a^9*b^2 + 6*A*a^7*b^4 - 4*A*a^5*b^6 + A*a^3*b^8 + (A*a^8*b^3 - 4*A*a^6*b^5 + 6*A*a^4*b^7 - 4*A*a^2*b^9 + A*b^11)*cos(d*x + c)^3 + 3*(A*a^9*b^2 - 4*A*a^7*b^4 + 6*A*a^5*b^6 - 4*A*a^3*b^8 + A*a*b^10)*cos(d*x + c)^2 + 3*(A*a^10*b - 4*A*a^8*b^3 + 6*A*a^6*b^5 - 4*A*a^4*b^7 + A*a^2*b^9)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(18*B*a^10*b - 36*A*a^9*b^2 - 23*B*a^8*b^3 + 68*A*a^7*b^4 + 7*B*a^6*b^5 - 43*A*a^5*b^6 - 2*B*a^4*b^7 + 11*A*a^3*b^8 + (11*B*a^8*b^3 - 26*A*a^7*b^4 - 7*B*a^6*b^5 + 43*A*a^5*b^6 - 4*B*a^4*b^7 - 23*A*a^3*b^8 + 6*A*a*b^10)*cos(d*x + c)^2 + 3*(9*B*a^9*b^2 - 20*A*a^8*b^3 - 8*B*a^7*b^4 + 35*A*a^6*b^5 - B*a^5*b^6 - 20*A*a^4*b^7 + 5*A*a^2*b^9)*cos(d*x + c))*sin(d*x + c))/((a^12*b^3 - 4*a^10*b^5 + 6*a^8*b^7 - 4*a^6*b^9 + a^4*b^11)*d*cos(d*x + c)^3 + 3*(a^13*b^2 - 4*a^11*b^4 + 6*a^9*b^6 - 4*a^7*b^8 + a^5*b^10)*d*cos(d*x + c)^2 + 3*(a^14*b - 4*a^12*b^3 + 6*a^10*b^5 - 4*a^8*b^7 + a^6*b^9)*d*cos(d*x + c) + (a^15 - 4*a^13*b^2 + 6*a^11*b^4 - 4*a^9*b^6 + a^7*b^8)*d), 1/6*(3*(2*B*a^10 - 8*A*a^9*b + 3*B*a^8*b^2 + 8*A*a^7*b^3 - 7*A*a^5*b^5 + 2*A*a^3*b^7 + (2*B*a^7*b^3 - 8*A*a^6*b^4 + 3*B*a^5*b^5 + 8*A*a^4*b^6 - 7*A*a^2*b^8 + 2*A*b^10)*cos(d*x + c)^3 + 3*(2*B*a^8*b^2 - 8*A*a^7*b^3 + 3*B*a^6*b^4 + 8*A*a^5*b^5 - 7*A*a^3*b^7 + 2*A*a*b^9)*cos(d*x + c)^2 + 3*(2*B*a^9*b - 8*A*a^8*b^2 + 3*B*a^7*b^3 + 8*A*a^6*b^

$$4 - 7Aa^4b^6 + 2Aa^2b^8) \cos(dx + c) \sqrt{a^2 - b^2} \arctan\left(\frac{-a \cos(dx + c) + b}{\sqrt{a^2 - b^2} \sin(dx + c)}\right) + 3(Aa^{11} - 4Aa^9b^2 + 6Aa^7b^4 - 4Aa^5b^6 + Aa^3b^8 + (Aa^8b^3 - 4Aa^6b^5 + 6Aa^4b^7 - 4Aa^2b^9 + Ab^{11}) \cos(dx + c)^3 + 3(Aa^9b^2 - 4Aa^7b^4 + 6Aa^5b^6 - 4Aa^3b^8 + Aa^2b^{10}) \cos(dx + c)^2 + 3(Aa^{10}b - 4Aa^8b^3 + 6Aa^6b^5 - 4Aa^4b^7 + Aa^2b^9) \cos(dx + c)) \log(\sin(dx + c) + 1) - 3(Aa^{11} - 4Aa^9b^2 + 6Aa^7b^4 - 4Aa^5b^6 + Aa^3b^8 + (Aa^8b^3 - 4Aa^6b^5 + 6Aa^4b^7 - 4Aa^2b^9 + Ab^{11}) \cos(dx + c)^3 + 3(Aa^9b^2 - 4Aa^7b^4 + 6Aa^5b^6 - 4Aa^3b^8 + Aa^2b^{10}) \cos(dx + c)^2 + 3(Aa^{10}b - 4Aa^8b^3 + 6Aa^6b^5 - 4Aa^4b^7 + Aa^2b^9) \cos(dx + c)) \log(-\sin(dx + c) + 1) - (18Ba^{10}b - 36Aa^9b^2 - 23Ba^8b^3 + 68Aa^7b^4 + 7Ba^6b^5 - 43Aa^5b^6 - 2Ba^4b^7 + 11Aa^3b^8 + (11Ba^8b^3 - 26Aa^7b^4 - 7Ba^6b^5 + 43Aa^5b^6 - 4Ba^4b^7 - 23Aa^3b^8 + 6Aa^2b^{10}) \cos(dx + c)^2 + 3(9Ba^9b^2 - 20Aa^8b^3 - 8Ba^7b^4 + 35Aa^6b^5 - Ba^5b^6 - 20Aa^4b^7 + 5Aa^2b^9) \cos(dx + c)) \sin(dx + c) / ((a^{12}b^3 - 4a^{10}b^5 + 6a^8b^7 - 4a^6b^9 + a^4b^{11}) d \cos(dx + c)^3 + 3(a^{13}b^2 - 4a^{11}b^4 + 6a^9b^6 - 4a^7b^8 + a^5b^{10}) d \cos(dx + c)^2 + 3(a^{14}b - 4a^{12}b^3 + 6a^{10}b^5 - 4a^8b^7 + a^6b^9) d \cos(dx + c) + (a^{15} - 4a^{13}b^2 + 6a^{11}b^4 - 4a^9b^6 + a^7b^8) d)$$

giac [B] time = 2.40, size = 837, normalized size = 2.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)/(a+b*cos(dx+c))^4,x, algorithm="giac")

[Out] $\frac{1}{3} \left(3(2Ba^7 - 8Aa^6b + 3Ba^5b^2 + 8Aa^4b^3 - 7Aa^2b^5 + 2Ab^7) (\pi \operatorname{floor}(1/2(dx+c)/\pi) + 1/2) \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan(1/2(dx+c)) - b \tan(1/2(dx+c))}{\sqrt{a^2 - b^2}}\right) / ((a^{10} - 3a^8b^2 + 3a^6b^4 - a^4b^6) \sqrt{a^2 - b^2}) + 3A \log(\operatorname{abs}(\tan(1/2(dx+c)) + 1)) / a^4 - 3A \log(\operatorname{abs}(\tan(1/2(dx+c)) - 1)) / a^4 - (18Ba^7b \tan(1/2(dx+c))^5 - 36Aa^6b^2 \tan(1/2(dx+c))^5 - 27Ba^6b^2 \tan(1/2(dx+c))^5 + 60Aa^5b^3 \tan(1/2(dx+c))^5 + 6Ba^5b^3 \tan(1/2(dx+c))^5 + 6Aa^4b^4 \tan(1/2(dx+c))^5 - 3Ba^4b^4 \tan(1/2(dx+c))^5 - 45Aa^3b^5 \tan(1/2(dx+c))^5 + 6Ba^3b^5 \tan(1/2(dx+c))^5 + 6Aa^2b^6 \tan(1/2(dx+c))^5 + 15Aa^2b^6 \tan(1/2(dx+c))^5 - 6Ab^8 \tan(1/2(dx+c))^5 + 36Ba^7b \tan(1/2(dx+c))^3 - 72Aa^6b^2 \tan(1/2(dx+c))^3 - 32Ba^5b^3 \tan(1/2(dx+c))^3 + 116Aa^4b^4 \tan(1/2(dx+c))^3 - 4Ba^3b^5 \tan(1/2(dx+c))^3 - 56Aa^2b^6 \tan(1/2(dx+c))^3 + 12Ab^8 \tan(1/2(dx+c))^3 + 18Ba^7b \tan(1/2(dx+c)) - 36Aa^6b^2 \tan(1/2(dx+c)) + 27Ba^6b^2 \tan(1/2(dx+c)) - 60Aa^5b^3 \tan(1/2(dx+c)) + 6Ba^5b^3 \tan(1/2(dx+c)) + 6Aa^4b^4 \tan(1/2(dx+c)) + 3Ba^4b^4 \tan(1/2(dx+c)) + 45Aa^3b^5 \tan(1/2(dx+c)) + 6Ba^3b^5 \tan(1/2(dx+c)) + 6Aa^2b^6 \tan(1/2(dx+c)) - 15Aa^2b^6 \tan(1/2(dx+c)) - 6Ab^8 \tan(1/2(dx+c)) / ((a^9 - 3a^7b^2 + 3a^5b^4 - a^3b^6) (a \tan(1/2(dx+c))^2 - b \tan(1/2(dx+c))^2 + a + b)^3) \right) / d$

maple [B] time = 0.21, size = 2180, normalized size = 7.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(dx+c))*sec(dx+c)/(a+b*cos(dx+c))^4,x)


```
[Out] 8/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+2/d/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a^3-6/d/a/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^4/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A+1/d/a^2/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^5/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A+2/d/a^3/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^6/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A+3/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*B*a*b^2-3/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*B*a*b^2+12/d*b^2/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A-6/d/a/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^4/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A-1/d/a^2/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^5/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A+2/d/a^3/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^6/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A-44/3/d/a/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^4/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+4/d/a^3/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^6/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+24/d*b^2/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+12/d*b^2/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A-12/d*b/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-6/d*b/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*B-6/d*b/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*B+1/d/a^4*A*ln(tan(1/2*d*x+1/2*c)+1)-1/d/a^4*A*ln(tan(1/2*d*x+1/2*c)-1)-2/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*b^3*B+4/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A*b^3-4/3/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*b^3*B-4/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A*b^3-2/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*b^3*B+2/d/a^4/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*b^7-7/d/a^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*b^5-8/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*a^2+3/d*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^4,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?
```

mupad [B] time = 12.81, size = 9727, normalized size = 32.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B\cos(c + dx))/(\cos(c + dx)*(a + b\cos(c + dx))^4), x)$

[Out] $(A\text{atan}(-((A*((8*\tan(c/2 + (dx)/2)*(4*A^2*a^{14} + 8*A^2*b^{14} + 4*B^2*a^{14} - 8*A^2*a*b^{13} - 8*A^2*a^{13}*b - 48*A^2*a^2*b^{12} + 48*A^2*a^3*b^{11} + 117*A^2*a^4*b^{10} - 120*A^2*a^5*b^9 - 164*A^2*a^6*b^8 + 160*A^2*a^7*b^7 + 156*A^2*a^8*b^6 - 120*A^2*a^9*b^5 - 92*A^2*a^{10}*b^4 + 48*A^2*a^{11}*b^3 + 44*A^2*a^{12}*b^2 + 9*B^2*a^{10}*b^4 + 12*B^2*a^{12}*b^2 - 32*A*B*a^{13}*b + 12*A*B*a^5*b^9 - 34*A*B*a^7*b^7 + 20*A*B*a^9*b^5 - 16*A*B*a^{11}*b^3)))/(a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2) + (A*((8*(4*A*a^{21} + 4*B*a^{21} - 4*A*a^8*b^{13} + 2*A*a^9*b^{12} + 26*A*a^{10}*b^{11} - 14*A*a^{11}*b^{10} - 70*A*a^{12}*b^9 + 30*A*a^{13}*b^8 + 110*A*a^{14}*b^7 - 30*A*a^{15}*b^6 - 110*A*a^{16}*b^5 + 20*A*a^{17}*b^4 + 64*A*a^{18}*b^3 - 12*A*a^{19}*b^2 + 6*B*a^{12}*b^9 - 6*B*a^{13}*b^8 - 14*B*a^{14}*b^7 + 14*B*a^{15}*b^6 + 6*B*a^{16}*b^5 - 6*B*a^{17}*b^4 + 6*B*a^{18}*b^3 - 6*B*a^{19}*b^2 - 16*A*a^{20}*b - 4*B*a^{20}*b)))/(a^{19}*b + a^{20} - a^9*b^{11} - a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b^6 + 10*a^{15}*b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) + (8*A*\tan(c/2 + (dx)/2)*(8*a^{21}*b - 8*a^8*b^{14} + 8*a^9*b^{13} + 48*a^{10}*b^{12} - 48*a^{11}*b^{11} - 120*a^{12}*b^{10} + 120*a^{13}*b^9 + 160*a^{14}*b^8 - 160*a^{15}*b^7 - 120*a^{16}*b^6 + 120*a^{17}*b^5 + 48*a^{18}*b^4 - 48*a^{19}*b^3 - 8*a^{20}*b^2)))/(a^4*(a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2))))/a^4)*1i)/a^4 + (A*((8*\tan(c/2 + (dx)/2)*(4*A^2*a^{14} + 8*A^2*b^{14} + 4*B^2*a^{14} - 8*A^2*a*b^{13} - 8*A^2*a^{13}*b - 48*A^2*a^2*b^{12} + 48*A^2*a^3*b^{11} + 117*A^2*a^4*b^{10} - 120*A^2*a^5*b^9 - 164*A^2*a^6*b^8 + 160*A^2*a^7*b^7 + 156*A^2*a^8*b^6 - 120*A^2*a^9*b^5 - 92*A^2*a^{10}*b^4 + 48*A^2*a^{11}*b^3 + 44*A^2*a^{12}*b^2 + 9*B^2*a^{10}*b^4 + 12*B^2*a^{12}*b^2 - 32*A*B*a^{13}*b + 12*A*B*a^5*b^9 - 34*A*B*a^7*b^7 + 20*A*B*a^9*b^5 - 16*A*B*a^{11}*b^3)))/(a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2) - (A*((8*(4*A*a^{21} + 4*B*a^{21} - 4*A*a^8*b^{13} + 2*A*a^9*b^{12} + 26*A*a^{10}*b^{11} - 14*A*a^{11}*b^{10} - 70*A*a^{12}*b^9 + 30*A*a^{13}*b^8 + 110*A*a^{14}*b^7 - 30*A*a^{15}*b^6 - 110*A*a^{16}*b^5 + 20*A*a^{17}*b^4 + 64*A*a^{18}*b^3 - 12*A*a^{19}*b^2 + 6*B*a^{12}*b^9 - 6*B*a^{13}*b^8 - 14*B*a^{14}*b^7 + 14*B*a^{15}*b^6 + 6*B*a^{16}*b^5 - 6*B*a^{17}*b^4 + 6*B*a^{18}*b^3 - 6*B*a^{19}*b^2 - 16*A*a^{20}*b - 4*B*a^{20}*b)))/(a^{19}*b + a^{20} - a^9*b^{11} - a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b^6 + 10*a^{15}*b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) - (8*A*\tan(c/2 + (dx)/2)*(8*a^{21}*b - 8*a^8*b^{14} + 8*a^9*b^{13} + 48*a^{10}*b^{12} - 48*a^{11}*b^{11} - 120*a^{12}*b^{10} + 120*a^{13}*b^9 + 160*a^{14}*b^8 - 160*a^{15}*b^7 - 120*a^{16}*b^6 + 120*a^{17}*b^5 + 48*a^{18}*b^4 - 48*a^{19}*b^3 - 8*a^{20}*b^2)))/(a^4*(a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2))))/a^4)*1i)/a^4)/((16*(4*A^3*b^{13} + 4*A*B^2*a^{13} - 4*A^2*B*a^{13} - 2*A^3*a*b^{12} + 16*A^3*a^{12}*b - 26*A^3*a^2*b^{11} + 11*A^3*a^3*b^{10} + 70*A^3*a^4*b^9 - 34*A^3*a^5*b^8 - 110*A^3*a^6*b^7 + 66*A^3*a^7*b^6 + 110*A^3*a^8*b^5 - 64*A^3*a^9*b^4 - 64*A^3*a^{10}*b^3 + 48*A^3*a^{11}*b^2 - 28*A^2*B*a^{12}*b + 9*A*B^2*a^9*b^4 + 12*A*B^2*a^{11}*b^2 + 6*A^2*B*a^4*b^9 + 6*A^2*B*a^5*b^8 - 20*A^2*B*a^6*b^7 - 14*A^2*B*a^7*b^6 + 14*A^2*B*a^8*b^5 + 6*A^2*B*a^9*b^4 - 22*A^2*B*a^{10}*b^3 + 6*A^2*B*a^{11}*b^2)))/(a^{19}*b + a^{20} - a^9*b^{11} - a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b^6 + 10*a^{15}*b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) + (A*((8*\tan(c/2 + (dx)/2)*(4*A^2*a^{14} + 8*A^2*b^{14} + 4*B^2*a^{14} - 8*A^2*a*b^{13} - 8*A^2*a^{13}*b - 48*A^2*a^2*b^{12} + 48*A^2*a^3*b^{11} + 117*A^2*a^4*b^{10} - 120*A^2*a^5*b^9 - 164*A^2*a^6*b^8 + 160*A^2*a^7*b^7 + 156*A^2*a^8*b^6 - 120*A^2*a^9*b^5 - 92*A^2*a^{10}*b^4 + 48*A^2*a^{11}*b^3 + 44*A^2*a^{12}*b^2 + 9*B^2*a^{10}*b^4 + 12*B^2*a^{12}*b^2 - 32*A*B*a^{13}*b + 12*A*B*a^5*b^9 - 34*A*B*a^7*b^7 + 20*A*B*a^9*b^5 - 16*A*B*a^{11}*b^3)))/(a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2) + (A*((8*(4*A*a^{21} + 4*B*a^{21} - 4*A*a^8*b^{13} + 2*A*a^9*b^{12} + 26*A*a^{10}*b^{11} + 110*A*a^{14}*b^7 - 30*A*a^{15}*b^6 - 110*A*a^{16}*b^5 + 20*A*a^{17}*b^4 + 64*A*a^{18}*b^3 - 12*A*a^{19}*b^2 + 6*B*a^{12}*b^9 - 6*B*a^{13}*b^8 - 14*B*a^{14}*b^7 + 14*B*a^{15}*b^6 + 6*B*a^{16}*b^5 - 6*B*a^{17}*b^4 + 6*B*a^{18}*b^3 - 6*B*a^{19}*b^2 - 16*A*a^{20}*b - 4*B*a^{20}*b)))/(a^{19}*b + a^{20} - a^9*b^{11} - a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b^6 + 10*a^{15}*b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) - (8*A*\tan(c/2 + (dx)/2)*(8*a^{21}*b - 8*a^8*b^{14} + 8*a^9*b^{13} + 48*a^{10}*b^{12} - 48*a^{11}*b^{11} - 120*a^{12}*b^{10} + 120*a^{13}*b^9 + 160*a^{14}*b^8 - 160*a^{15}*b^7 - 120*a^{16}*b^6 + 120*a^{17}*b^5 + 48*a^{18}*b^4 - 48*a^{19}*b^3 - 8*a^{20}*b^2)))/(a^4*(a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2))))/a^4)*1i)/a^4)$

$$\begin{aligned}
& ^{11} - 14Aa^{11}b^{10} - 70Aa^{12}b^9 + 30Aa^{13}b^8 + 110Aa^{14}b^7 - 30Aa^{15}b^6 - 110Aa^{16}b^5 + 20Aa^{17}b^4 + 64Aa^{18}b^3 - 12Aa^{19}b^2 \\
& + 6Ba^{12}b^9 - 6Ba^{13}b^8 - 14Ba^{14}b^7 + 14Ba^{15}b^6 + 6Ba^{16}b^5 - 6Ba^{17}b^4 + 6Ba^{18}b^3 - 6Ba^{19}b^2 - 16Aa^{20}b - 4Ba^{20}b) \\
&)/(a^{19}b + a^{20} - a^9b^{11} - a^{10}b^{10} + 5a^{11}b^9 + 5a^{12}b^8 - 10a^{13}b^7 - 10a^{14}b^6 + 10a^{15}b^5 + 10a^{16}b^4 - 5a^{17}b^3 - 5a^{18}b^2) + \\
& (8A\tan(c/2 + (d*x)/2)*(8a^{21}b - 8a^8b^{14} + 8a^9b^{13} + 48a^{10}b^{12} - 48a^{11}b^{11} - 120a^{12}b^{10} + 120a^{13}b^9 + 160a^{14}b^8 - 160a^{15}b^7 - 120a^{16}b^6 + 120a^{17}b^5 + 48a^{18}b^4 - 48a^{19}b^3 - 8a^{20}b^2))/ \\
& (a^4*(a^{16}b + a^{17} - a^6b^{11} - a^7b^{10} + 5a^8b^9 + 5a^9b^8 - 10a^{10}b^7 - 10a^{11}b^6 + 10a^{12}b^5 + 10a^{13}b^4 - 5a^{14}b^3 - 5a^{15}b^2))) \\
&)/a^4) - (A*((8\tan(c/2 + (d*x)/2)*(4A^2a^{14} + 8A^2b^{14} + 4B^2a^{14} - 8A^2a^8b^{13} - 8A^2a^{13}b - 48A^2a^2b^{12} + 48A^2a^3b^{11} + 117A^2a^4b^{10} - 120A^2a^5b^9 - 164A^2a^6b^8 + 160A^2a^7b^7 + 156A^2a^8b^6 - 120A^2a^9b^5 - 92A^2a^{10}b^4 + 48A^2a^{11}b^3 + 44A^2a^{12}b^2 + 9B^2a^{10}b^4 + 12B^2a^{12}b^2 - 32A^2Ba^{13}b + 12A^2Ba^5b^9 - 34A^2Ba^7b^7 + 20A^2Ba^9b^5 - 16A^2Ba^{11}b^3)))/(a^{16}b + a^{17} - a^6b^{11} - a^7b^{10} + 5a^8b^9 + 5a^9b^8 - 10a^{10}b^7 - 10a^{11}b^6 + 10a^{12}b^5 + 10a^{13}b^4 - 5a^{14}b^3 - 5a^{15}b^2) - (A*((8*(4Aa^{21} + 4Ba^{21} - 4Aa^8b^{13} + 2Aa^9b^{12} + 26Aa^{10}b^{11} - 14Aa^{11}b^{10} - 70Aa^{12}b^9 + 30Aa^{13}b^8 + 110Aa^{14}b^7 - 30Aa^{15}b^6 - 110Aa^{16}b^5 + 20Aa^{17}b^4 + 64Aa^{18}b^3 - 12Aa^{19}b^2 + 6Ba^{12}b^9 - 6Ba^{13}b^8 - 14Ba^{14}b^7 + 14Ba^{15}b^6 + 6Ba^{16}b^5 - 6Ba^{17}b^4 + 6Ba^{18}b^3 - 6Ba^{19}b^2 - 16Aa^{20}b - 4Ba^{20}b)))/(a^{19}b + a^{20} - a^9b^{11} - a^{10}b^{10} + 5a^{11}b^9 + 5a^{12}b^8 - 10a^{13}b^7 - 10a^{14}b^6 + 10a^{15}b^5 + 10a^{16}b^4 - 5a^{17}b^3 - 5a^{18}b^2) - (8A\tan(c/2 + (d*x)/2)*(8a^{21}b - 8a^8b^{14} + 8a^9b^{13} + 48a^{10}b^{12} - 48a^{11}b^{11} - 120a^{12}b^{10} + 120a^{13}b^9 + 160a^{14}b^8 - 160a^{15}b^7 - 120a^{16}b^6 + 120a^{17}b^5 + 48a^{18}b^4 - 48a^{19}b^3 - 8a^{20}b^2))/(a^4*(a^{16}b + a^{17} - a^6b^{11} - a^7b^{10} + 5a^8b^9 + 5a^9b^8 - 10a^{10}b^7 - 10a^{11}b^6 + 10a^{12}b^5 + 10a^{13}b^4 - 5a^{14}b^3 - 5a^{15}b^2))))/a^4)/a^4)*2i)/(a^4*d) - (\\
& (\tan(c/2 + (d*x)/2)*(2A^2b^6 - 6A^2a^2b^4 - 4A^2a^3b^3 + 12A^2a^4b^2 - 2Ba^3b^3 + 3Ba^4b^2 + A^2a^5b - 6Ba^5b)))/((a + b)*(3a^5b - a^6 + a^3b^3 - 3a^4b^2)) - (\tan(c/2 + (d*x)/2)^5*(6A^2a^2b^4 - 2A^2b^6 - 4A^2a^3b^3 - 12A^2a^4b^2 + 2Ba^3b^3 + 3Ba^4b^2 + A^2a^5b + 6Ba^5b)))/ \\
& ((a^3b - a^4)*(a + b)^3) + (4\tan(c/2 + (d*x)/2)^3*(11A^2a^2b^4 - 3A^2b^6 - 18A^2a^4b^2 + Ba^3b^3 + 9Ba^5b)))/(3*(a + b)^2*(a^5 - 2a^4b + a^3b^2)))/(d*(3a^2b^2 - \tan(c/2 + (d*x)/2)^4*(3a^2b^2 + 3a^2b - 3a^3 - 3b^3) - \tan(c/2 + (d*x)/2)^2*(3a^2b^2 - 3a^2b - 3a^3 + 3b^3) + 3a^2b + a^3 + b^3 + \tan(c/2 + (d*x)/2)^6*(3a^2b^2 - 3a^2b + a^3 - b^3))) - (atan(\\
& (((8\tan(c/2 + (d*x)/2)*(4A^2a^{14} + 8A^2b^{14} + 4B^2a^{14} - 8A^2a^8b^{13} - 8A^2a^{13}b - 48A^2a^2b^{12} + 48A^2a^3b^{11} + 117A^2a^4b^{10} - 120A^2a^5b^9 - 164A^2a^6b^8 + 160A^2a^7b^7 + 156A^2a^8b^6 - 120A^2a^9b^5 - 92A^2a^{10}b^4 + 48A^2a^{11}b^3 + 44A^2a^{12}b^2 + 9B^2a^{10}b^4 + 12B^2a^{12}b^2 - 32A^2Ba^{13}b + 12A^2Ba^5b^9 - 34A^2Ba^7b^7 + 20A^2Ba^9b^5 - 16A^2Ba^{11}b^3)))/(a^{16}b + a^{17} - a^6b^{11} - a^7b^{10} + 5a^8b^9 + 5a^9b^8 - 10a^{10}b^7 - 10a^{11}b^6 + 10a^{12}b^5 + 10a^{13}b^4 - 5a^{14}b^3 - 5a^{15}b^2) - (((8*(4Aa^{21} + 4Ba^{21} - 4Aa^8b^{13} + 2Aa^9b^{12} + 26Aa^{10}b^{11} - 14Aa^{11}b^{10} - 70Aa^{12}b^9 + 30Aa^{13}b^8 + 110Aa^{14}b^7 - 30Aa^{15}b^6 - 110Aa^{16}b^5 + 20Aa^{17}b^4 + 64Aa^{18}b^3 - 12Aa^{19}b^2 + 6Ba^{12}b^9 - 6Ba^{13}b^8 - 14Ba^{14}b^7 + 14Ba^{15}b^6 + 6Ba^{16}b^5 - 6Ba^{17}b^4 + 6Ba^{18}b^3 - 6Ba^{19}b^2 - 16Aa^{20}b - 4Ba^{20}b)))/(a^{19}b + a^{20} - a^9b^{11} - a^{10}b^{10} + 5a^{11}b^9 + 5a^{12}b^8 - 10a^{13}b^7 - 10a^{14}b^6 + 10a^{15}b^5 + 10a^{16}b^4 - 5a^{17}b^3 - 5a^{18}b^2) - (4\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^(1/2)*(2A^2b^7 + 2B^2a^7 - 7A^2a^2b^5 + 8A^2a^4b^3 + 3B^2a^5b^2 - 8A^2a^6b))*(8a^{21}b - 8a^8b^{14} + 8a^9b^{13} + 48a^{10}b^{12} - 48a^{11}b^{11} - 120a^{12}b^{10} + 120a^{13}b^9 + 160a^{14}b^8 - 160a^{15}b^7 - 120a^{16}b^6 + 120a^{17}b^5 + 48a^{18}b^4 - 48a^{19}b^3 - 8a^{20}b^2)))/((a^{18} - a^4b^{14} +
\end{aligned}$$

$$\begin{aligned}
& 7a^6b^{12} - 21a^8b^{10} + 35a^{10}b^8 - 35a^{12}b^6 + 21a^{14}b^4 - 7a^{16} \\
& *b^2)(a^{16}b + a^{17} - a^6b^{11} - a^7b^{10} + 5a^8b^9 + 5a^9b^8 - 10a^{10}b^7 - 10a^{11}b^6 + 10a^{12}b^5 + 10a^{13}b^4 - 5a^{14}b^3 - 5a^{15}b^2)) \\
&)*(-(a + b)^7(a - b)^7)^{(1/2)}*(2A*b^7 + 2B*a^7 - 7A*a^2*b^5 + 8A*a^4*b^3 + 3B*a^5*b^2 - 8A*a^6*b) \\
& ^3 + 3B*a^5*b^2 - 8A*a^6*b))/((2*(a^{18} - a^4*b^{14} + 7a^6*b^{12} - 21a^8*b^{10} + 35a^{10}b^8 - 35a^{12}b^6 + 21a^{14}b^4 - 7a^{16}b^2))) \\
&)*(-(a + b)^7(a - b)^7)^{(1/2)}*(2A*b^7 + 2B*a^7 - 7A*a^2*b^5 + 8A*a^4*b^3 + 3B*a^5*b^2 - 8A*a^6*b)*i) \\
&)/(2*(a^{18} - a^4*b^{14} + 7a^6*b^{12} - 21a^8*b^{10} + 35a^{10}b^8 - 35a^{12}b^6 + 21a^{14}b^4 - 7a^{16}b^2)) + (((8*\tan(c/2 + (d*x)/2)*(4 \\
& *A^2*a^{14} + 8A^2*b^{14} + 4B^2*a^{14} - 8A^2*a*b^{13} - 8A^2*a^{13}b - 48A^2*a^2*b^{12} + 48A^2*a^3*b^{11} + 117A^2*a^4*b^{10} - 120A^2*a^5*b^9 - 164A^2*a^6*b^8 + 160A^2*a^7*b^7 + 156A^2*a^8*b^6 - 120A^2*a^9*b^5 - 92A^2*a^{10}b^4 + 48A^2*a^{11}b^3 + 44A^2*a^{12}b^2 + 9B^2*a^{10}b^4 + 12B^2*a^{12}b^2 - 32A*B*a^{13}b + 12A*B*a^5*b^9 - 34A*B*a^7*b^7 + 20A*B*a^9*b^5 - 16A*B*a^{11}b^3)))/(a^{16}b + a^{17} - a^6b^{11} - a^7b^{10} + 5a^8b^9 + 5a^9b^8 - 10a^{10}b^7 - 10a^{11}b^6 + 10a^{12}b^5 + 10a^{13}b^4 - 5a^{14}b^3 - 5a^{15}b^2) + (((8*(4A*a^{21} + 4B*a^{21} - 4A*a^8*b^{13} + 2A*a^9*b^{12} + 26A*a^{10}b^{11} - 14A*a^{11}b^{10} - 70A*a^{12}b^9 + 30A*a^{13}b^8 + 110A*a^{14}b^7 - 30A*a^{15}b^6 - 110A*a^{16}b^5 + 20A*a^{17}b^4 + 64A*a^{18}b^3 - 12A*a^{19}b^2 + 6B*a^{12}b^9 - 6B*a^{13}b^8 - 14B*a^{14}b^7 + 14B*a^{15}b^6 + 6B*a^{16}b^5 - 6B*a^{17}b^4 + 6B*a^{18}b^3 - 6B*a^{19}b^2 - 16A*a^{20}b - 4B*a^{20}b)))/(a^{19}b + a^{20} - a^9b^{11} - a^{10}b^{10} + 5a^{11}b^9 + 5a^{12}b^8 - 10a^{13}b^7 - 10a^{14}b^6 + 10a^{15}b^5 + 10a^{16}b^4 - 5a^{17}b^3 - 5a^{18}b^2) + (4*\tan(c/2 + (d*x)/2)*(-(a + b)^7(a - b)^7)^{(1/2)}*(2A*b^7 + 2B*a^7 - 7A*a^2*b^5 + 8A*a^4*b^3 + 3B*a^5*b^2 - 8A*a^6*b)*(8a^{21}b - 8a^8b^{14} + 8a^9b^{13} + 48a^{10}b^{12} - 48a^{11}b^{11} - 120a^{12}b^{10} + 120a^{13}b^9 + 160a^{14}b^8 - 160a^{15}b^7 - 120a^{16}b^6 + 120a^{17}b^5 + 48a^{18}b^4 - 48a^{19}b^3 - 8a^{20}b^2)))/((a^{18} - a^4*b^{14} + 7a^6*b^{12} - 21a^8*b^{10} + 35a^{10}b^8 - 35a^{12}b^6 + 21a^{14}b^4 - 7a^{16}b^2))*(a^{16}b + a^{17} - a^6b^{11} - a^7b^{10} + 5a^8b^9 + 5a^9b^8 - 10a^{10}b^7 - 10a^{11}b^6 + 10a^{12}b^5 + 10a^{13}b^4 - 5a^{14}b^3 - 5a^{15}b^2)))*(-(a + b)^7(a - b)^7)^{(1/2)}*(2A*b^7 + 2B*a^7 - 7A*a^2*b^5 + 8A*a^4*b^3 + 3B*a^5*b^2 - 8A*a^6*b))/((2*(a^{18} - a^4*b^{14} + 7a^6*b^{12} - 21a^8*b^{10} + 35a^{10}b^8 - 35a^{12}b^6 + 21a^{14}b^4 - 7a^{16}b^2)))*(-(a + b)^7(a - b)^7)^{(1/2)}*(2A*b^7 + 2B*a^7 - 7A*a^2*b^5 + 8A*a^4*b^3 + 3B*a^5*b^2 - 8A*a^6*b)*i) \\
&)/(2*(a^{18} - a^4*b^{14} + 7a^6*b^{12} - 21a^8*b^{10} + 35a^{10}b^8 - 35a^{12}b^6 + 21a^{14}b^4 - 7a^{16}b^2)))/((16*(4A^3*b^{13} + 4A*B^2*a^{13} - 4A^2*B*a^{13} - 2A^3*a*b^{12} + 16A^3*a^{12}b - 26A^3*a^2*b^{11} + 11A^3*a^3*b^{10} + 70A^3*a^4*b^9 - 34A^3*a^5*b^8 - 110A^3*a^6*b^7 + 66A^3*a^7*b^6 + 110A^3*a^8*b^5 - 64A^3*a^9*b^4 - 64A^3*a^{10}b^3 + 48A^3*a^{11}b^2 - 28A^2*B*a^{12}b + 9A*B^2*a^9*b^4 + 12A*B^2*a^{11}b^2 + 6A^2*B*a^4*b^9 + 6A^2*B*a^5*b^8 - 20A^2*B*a^6*b^7 - 14A^2*B*a^7*b^6 + 14A^2*B*a^8*b^5 + 6A^2*B*a^9*b^4 - 22A^2*B*a^{10}b^3 + 6A^2*B*a^{11}b^2)))/(a^{19}b + a^{20} - a^9b^{11} - a^{10}b^{10} + 5a^{11}b^9 + 5a^{12}b^8 - 10a^{13}b^7 - 10a^{14}b^6 + 10a^{15}b^5 + 10a^{16}b^4 - 5a^{17}b^3 - 5a^{18}b^2) - (((8*\tan(c/2 + (d*x)/2)*(4A^2*a^{14} + 8A^2*b^{14} + 4B^2*a^{14} - 8A^2*a*b^{13} - 8A^2*a^{13}b - 48A^2*a^2*b^{12} + 48A^2*a^3*b^{11} + 117A^2*a^4*b^{10} - 120A^2*a^5*b^9 - 164A^2*a^6*b^8 + 160A^2*a^7*b^7 + 156A^2*a^8*b^6 - 120A^2*a^9*b^5 - 92A^2*a^{10}b^4 + 48A^2*a^{11}b^3 + 44A^2*a^{12}b^2 + 9B^2*a^{10}b^4 + 12B^2*a^{12}b^2 - 32A*B*a^{13}b + 12A*B*a^5*b^9 - 34A*B*a^7*b^7 + 20A*B*a^9*b^5 - 16A*B*a^{11}b^3)))/(a^{16}b + a^{17} - a^6b^{11} - a^7b^{10} + 5a^8b^9 + 5a^9b^8 - 10a^{10}b^7 - 10a^{11}b^6 + 10a^{12}b^5 + 10a^{13}b^4 - 5a^{14}b^3 - 5a^{15}b^2) - (((8*(4A*a^{21} + 4B*a^{21} - 4A*a^8*b^{13} + 2A*a^9*b^{12} + 26A*a^{10}b^{11} - 14A*a^{11}b^{10} - 70A*a^{12}b^9 + 30A*a^{13}b^8 + 110A*a^{14}b^7 - 30A*a^{15}b^6 - 110A*a^{16}b^5 + 20A*a^{17}b^4 + 64A*a^{18}b^3 - 12A*a^{19}b^2 + 6B*a^{12}b^9 - 6B*a^{13}b^8 - 14B*a^{14}b^7 + 14B*a^{15}b^6 + 6B*a^{16}b^5 - 6B*a^{17}b^4 + 6B*a^{18}b^3 - 6B*a^{19}b^2 - 16A*a^{20}b - 4B*a^{20}b)))/(a^{19}b + a^{20} - a^9b^{11} - a^{10}b^{10} + 5a^{11}b^9 + 5a^{12}b^8 - 10a^{13}b^7 - 10a^{14}b^6 + 10a^{15}b^5 + 10a^{16}b^4 - 5a^{17}b^3 - 5a^{18}b^2) - (4*\tan(c/2 + (
\end{aligned}$$

```

d*x)/2)*(-(a + b)^7*(a - b)^7)^(1/2)*(2*A*b^7 + 2*B*a^7 - 7*A*a^2*b^5 + 8*A
*a^4*b^3 + 3*B*a^5*b^2 - 8*A*a^6*b)*(8*a^21*b - 8*a^8*b^14 + 8*a^9*b^13 + 4
8*a^10*b^12 - 48*a^11*b^11 - 120*a^12*b^10 + 120*a^13*b^9 + 160*a^14*b^8 -
160*a^15*b^7 - 120*a^16*b^6 + 120*a^17*b^5 + 48*a^18*b^4 - 48*a^19*b^3 - 8*
a^20*b^2))/((a^18 - a^4*b^14 + 7*a^6*b^12 - 21*a^8*b^10 + 35*a^10*b^8 - 35*
a^12*b^6 + 21*a^14*b^4 - 7*a^16*b^2)*(a^16*b + a^17 - a^6*b^11 - a^7*b^10 +
5*a^8*b^9 + 5*a^9*b^8 - 10*a^10*b^7 - 10*a^11*b^6 + 10*a^12*b^5 + 10*a^13*
b^4 - 5*a^14*b^3 - 5*a^15*b^2)))*(-(a + b)^7*(a - b)^7)^(1/2)*(2*A*b^7 + 2*
B*a^7 - 7*A*a^2*b^5 + 8*A*a^4*b^3 + 3*B*a^5*b^2 - 8*A*a^6*b))/(2*(a^18 - a^
4*b^14 + 7*a^6*b^12 - 21*a^8*b^10 + 35*a^10*b^8 - 35*a^12*b^6 + 21*a^14*b^4
- 7*a^16*b^2)))*(-(a + b)^7*(a - b)^7)^(1/2)*(2*A*b^7 + 2*B*a^7 - 7*A*a^2*
b^5 + 8*A*a^4*b^3 + 3*B*a^5*b^2 - 8*A*a^6*b))/(2*(a^18 - a^4*b^14 + 7*a^6*b
^12 - 21*a^8*b^10 + 35*a^10*b^8 - 35*a^12*b^6 + 21*a^14*b^4 - 7*a^16*b^2))
+ (((8*tan(c/2 + (d*x)/2)*(4*A^2*a^14 + 8*A^2*b^14 + 4*B^2*a^14 - 8*A^2*a*b
^13 - 8*A^2*a^13*b - 48*A^2*a^2*b^12 + 48*A^2*a^3*b^11 + 117*A^2*a^4*b^10 -
120*A^2*a^5*b^9 - 164*A^2*a^6*b^8 + 160*A^2*a^7*b^7 + 156*A^2*a^8*b^6 - 12
0*A^2*a^9*b^5 - 92*A^2*a^10*b^4 + 48*A^2*a^11*b^3 + 44*A^2*a^12*b^2 + 9*B^2
*a^10*b^4 + 12*B^2*a^12*b^2 - 32*A*B*a^13*b + 12*A*B*a^5*b^9 - 34*A*B*a^7*b
^7 + 20*A*B*a^9*b^5 - 16*A*B*a^11*b^3)))/(a^16*b + a^17 - a^6*b^11 - a^7*b^1
0 + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^10*b^7 - 10*a^11*b^6 + 10*a^12*b^5 + 10*a^
13*b^4 - 5*a^14*b^3 - 5*a^15*b^2) + (((8*(4*A*a^21 + 4*B*a^21 - 4*A*a^8*b^1
3 + 2*A*a^9*b^12 + 26*A*a^10*b^11 - 14*A*a^11*b^10 - 70*A*a^12*b^9 + 30*A*a
^13*b^8 + 110*A*a^14*b^7 - 30*A*a^15*b^6 - 110*A*a^16*b^5 + 20*A*a^17*b^4 +
64*A*a^18*b^3 - 12*A*a^19*b^2 + 6*B*a^12*b^9 - 6*B*a^13*b^8 - 14*B*a^14*b^
7 + 14*B*a^15*b^6 + 6*B*a^16*b^5 - 6*B*a^17*b^4 + 6*B*a^18*b^3 - 6*B*a^19*b
^2 - 16*A*a^20*b - 4*B*a^20*b)))/(a^19*b + a^20 - a^9*b^11 - a^10*b^10 + 5*a
^11*b^9 + 5*a^12*b^8 - 10*a^13*b^7 - 10*a^14*b^6 + 10*a^15*b^5 + 10*a^16*b^
4 - 5*a^17*b^3 - 5*a^18*b^2) + (4*tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)
^(1/2)*(2*A*b^7 + 2*B*a^7 - 7*A*a^2*b^5 + 8*A*a^4*b^3 + 3*B*a^5*b^2 - 8*A*a
^6*b)*(8*a^21*b - 8*a^8*b^14 + 8*a^9*b^13 + 48*a^10*b^12 - 48*a^11*b^11 - 1
20*a^12*b^10 + 120*a^13*b^9 + 160*a^14*b^8 - 160*a^15*b^7 - 120*a^16*b^6 +
120*a^17*b^5 + 48*a^18*b^4 - 48*a^19*b^3 - 8*a^20*b^2))/((a^18 - a^4*b^14 +
7*a^6*b^12 - 21*a^8*b^10 + 35*a^10*b^8 - 35*a^12*b^6 + 21*a^14*b^4 - 7*a^1
6*b^2)*(a^16*b + a^17 - a^6*b^11 - a^7*b^10 + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^
10*b^7 - 10*a^11*b^6 + 10*a^12*b^5 + 10*a^13*b^4 - 5*a^14*b^3 - 5*a^15*b^2)
)))*(-(a + b)^7*(a - b)^7)^(1/2)*(2*A*b^7 + 2*B*a^7 - 7*A*a^2*b^5 + 8*A*a^4*
b^3 + 3*B*a^5*b^2 - 8*A*a^6*b))/(2*(a^18 - a^4*b^14 + 7*a^6*b^12 - 21*a^8*b
^10 + 35*a^10*b^8 - 35*a^12*b^6 + 21*a^14*b^4 - 7*a^16*b^2)))*(-(a + b)^7*(
a - b)^7)^(1/2)*(2*A*b^7 + 2*B*a^7 - 7*A*a^2*b^5 + 8*A*a^4*b^3 + 3*B*a^5*b^
2 - 8*A*a^6*b))/(2*(a^18 - a^4*b^14 + 7*a^6*b^12 - 21*a^8*b^10 + 35*a^10*b^
8 - 35*a^12*b^6 + 21*a^14*b^4 - 7*a^16*b^2)))*(-(a + b)^7*(a - b)^7)^(1/2)
*(2*A*b^7 + 2*B*a^7 - 7*A*a^2*b^5 + 8*A*a^4*b^3 + 3*B*a^5*b^2 - 8*A*a^6*b)*
1i)/(d*(a^18 - a^4*b^14 + 7*a^6*b^12 - 21*a^8*b^10 + 35*a^10*b^8 - 35*a^12*
b^6 + 21*a^14*b^4 - 7*a^16*b^2))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))**4,x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)/(a + b*cos(c + d*x))**4, x)

$$3.279 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^4} dx$$

Optimal. Leaf size=420

$$-\frac{(4Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^5 d} + \frac{b(Ab - aB) \tan(c + dx)}{3ad(a^2 - b^2)(a + b \cos(c + dx))^3} + \frac{b(-6a^3 B + 9a^2 Ab + ab^2 B - 4Ab^3) \tan(c + dx)}{6a^2 d(a^2 - b^2)^2 (a + b \cos(c + dx))^2}$$

[Out] b*(20*A*a^6*b-35*A*a^4*b^3+28*A*a^2*b^5-8*A*b^7-8*B*a^7+8*B*a^5*b^2-7*B*a^3*b^4+2*B*a*b^6)*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/a^5/(a-b)^(7/2)/(a+b)^(7/2)/d-(4*A*b-B*a)*arctanh(sin(d*x+c))/a^5/d+1/6*(6*A*a^6-65*A*a^4*b^2+68*A*a^2*b^4-24*A*b^6+26*B*a^5*b-17*B*a^3*b^3+6*B*a*b^5)*tan(d*x+c)/a^4/(a^2-b^2)^3/d+1/3*b*(A*b-B*a)*tan(d*x+c)/a/(a^2-b^2)/d/(a+b*cos(d*x+c))^3+1/6*b*(9*A*a^2*b-4*A*b^3-6*B*a^3+B*a*b^2)*tan(d*x+c)/a^2/(a^2-b^2)^2/d/(a+b*cos(d*x+c))^2+1/2*b*(12*A*a^4*b-11*A*a^2*b^3+4*A*b^5-6*B*a^5+2*B*a^3*b^2-B*a*b^4)*tan(d*x+c)/a^3/(a^2-b^2)^3/d/(a+b*cos(d*x+c))

Rubi [A] time = 6.22, antiderivative size = 420, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{b(-35a^4Ab^3 + 28a^2Ab^5 + 20a^6Ab + 8a^5b^2B - 7a^3b^4B - 8a^7B + 2ab^6B - 8Ab^7) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5 d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(-65a^3 B + 9a^2 Ab + ab^2 B - 4Ab^3) \tan(c + dx)}{6a^2 d(a^2 - b^2)^2 (a + b \cos(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x]^4, x]

[Out] (b*(20*a^6*A*b - 35*a^4*A*b^3 + 28*a^2*A*b^5 - 8*A*b^7 - 8*a^7*B + 8*a^5*b^2*B - 7*a^3*b^4*B + 2*a*b^6*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(7/2)*(a + b)^(7/2)*d) - ((4*A*b - a*B)*ArcTanh[Sin[c + d*x]])/(a^5*d) + ((6*a^6*A - 65*a^4*A*b^2 + 68*a^2*A*b^4 - 24*A*b^6 + 26*a^5*b*B - 17*a^3*b^3*B + 6*a*b^5*B)*Tan[c + d*x])/(6*a^4*(a^2 - b^2)^3*d) + (b*(A*b - a*B)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^3) + (b*(9*a^2*A*b - 4*A*b^3 - 6*a^3*B + a*b^2*B)*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x])^2) + (b*(12*a^4*A*b - 11*a^2*A*b^3 + 4*A*b^5 - 6*a^5*B + 2*a^3*b^2*B - a*b^4*B)*Tan[c + d*x])/(2*a^3*(a^2 - b^2)^3*d*(a + b*Cos[c + d*x]))

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3000

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e

```

+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

Rule 3001

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_.)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.)
+ (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^4} dx &= \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{\int \frac{(3a^2A - 4Ab^2 + abB - 3a(Ab - aB) \cos(c + dx) + (a + b \cos(c + dx))^2)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} dx}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} \\
&= \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(9a^2Ab - 4Ab^3 - 6a^3B + ab^2B) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^3} \\
&= \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(9a^2Ab - 4Ab^3 - 6a^3B + ab^2B) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^3} \\
&= \frac{(6a^6A - 65a^4Ab^2 + 68a^2Ab^4 - 24Ab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B) \tan(c + dx)}{6a^4(a^2 - b^2)^3 d} \\
&= \frac{(6a^6A - 65a^4Ab^2 + 68a^2Ab^4 - 24Ab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B) \tan(c + dx)}{6a^4(a^2 - b^2)^3 d} \\
&= -\frac{(4Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^5d} + \frac{(6a^6A - 65a^4Ab^2 + 68a^2Ab^4 - 24Ab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B) \tan(c + dx)}{6a^4(a^2 - b^2)^3 d} \\
&= \frac{b(20a^6Ab - 35a^4Ab^3 + 28a^2Ab^5 - 8Ab^7 - 8a^7B + 8a^5b^2B - 7a^3b^4B + 6ab^6B)}{a^5(a - b)^{7/2}(a + b)^{7/2}d}
\end{aligned}$$

Mathematica [A] time = 3.27, size = 549, normalized size = 1.31

$$\frac{48b(8a^7B - 20a^6Ab - 8a^5b^2B + 35a^4Ab^3 + 7a^3b^4B - 28a^2Ab^5 - 2ab^6B + 8Ab^7) \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{7/2}} + \frac{2a \tan(c+dx)(24a^9A - 36a^7Ab^2 + 6a^6Ab^3 \cos(c+dx) + \dots)}{6a^4(a^2 - b^2)^3 d}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^4, x]

[Out] ((-48*b*(-20*a^6*A*b + 35*a^4*A*b^3 - 28*a^2*A*b^5 + 8*A*b^7 + 8*a^7*B - 8*a^5*b^2*B + 7*a^3*b^4*B - 2*a*b^6*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(7/2) + 48*(4*A*b - a*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 48*(-4*A*b + a*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*a*(24*a^9*A - 36*a^7*A*b^2 - 246*a^5*A*b^4 + 318*a^3*A*b^6 - 120*a*A*b^8 + 120*a^6*b^3*B - 90*a^4*b^5*B + 30*a^2*b^7*B + b*(72*a^8*A - 438*a^6*A*b^2 + 305*a^4*A*b^4 + 28*a^2*A*b^6 - 72*A*b^8 + 144*a^7*b*B - 50*a^5*b^3*B - 7*a^3*b^5*B + 18*a*b^7*B)*Cos[c + d*x] + 6*a*b^2*(6*a^6*A - 53*a^4*A*b^2 + 57*a^2*A*b^4 - 20*A*b^6 + 20*a^5*b*B - 15*a^3*b^3*B + 5*a*b^5*B)*Cos[2*(c + d*x)] + 6*a^6*A*b^3*Cos[3*(c + d*x)] - 65*a^4*A*b^5*Cos[3*(c + d*x)] + 68*a^2*A*b^7*Cos[3*(c + d*x)] - 24*A*b^9*Cos[3*(c + d*x)] + 26*a^5*b^4*B*Cos[3*(c + d*x)] - 17*a^3*b^6*B*Cos[3*(c + d*x)] + 6*a*b^8*B*Cos[3*(c + d*x)]))*Tan[c + d*x])/((a^2 - b^2)^3*(a + b*Cos[c + d*x])^3)/(48*a^5*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 6.39, size = 996, normalized size = 2.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{1}{3} \cdot (3 \cdot (8 \cdot B \cdot a^7 \cdot b - 20 \cdot A \cdot a^6 \cdot b^2 - 8 \cdot B \cdot a^5 \cdot b^3 + 35 \cdot A \cdot a^4 \cdot b^4 + 7 \cdot B \cdot a^3 \cdot b^5 - 28 \cdot A \cdot a^2 \cdot b^6 - 2 \cdot B \cdot a \cdot b^7 + 8 \cdot A \cdot b^8) \cdot (\pi \cdot \text{floor}(1/2 \cdot (d \cdot x + c)) / \pi + 1/2) \cdot \text{sgn}(-2 \cdot a + 2 \cdot b) + \arctan(-(\frac{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)}{\sqrt{a^2 - b^2}})) / ((a^{11} - 3 \cdot a^9 \cdot b^2 + 3 \cdot a^7 \cdot b^4 - a^5 \cdot b^6) \cdot \sqrt{a^2 - b^2})) + (36 \cdot B \cdot a^7 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 60 \cdot A \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 60 \cdot B \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 105 \cdot A \cdot a^5 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 6 \cdot B \cdot a^5 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 24 \cdot A \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 45 \cdot B \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 117 \cdot A \cdot a^3 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 6 \cdot B \cdot a^3 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 24 \cdot A \cdot a^2 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 15 \cdot B \cdot a^2 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 42 \cdot A \cdot a \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 6 \cdot B \cdot a \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 18 \cdot A \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 72 \cdot B \cdot a^7 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 120 \cdot A \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 116 \cdot B \cdot a^5 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 236 \cdot A \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 56 \cdot B \cdot a^3 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 152 \cdot A \cdot a^2 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 12 \cdot B \cdot a \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 36 \cdot A \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 36 \cdot B \cdot a^7 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 60 \cdot A \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 60 \cdot B \cdot a^6 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 105 \cdot A \cdot a^5 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 6 \cdot B \cdot a^5 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 24 \cdot A \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 45 \cdot B \cdot a^4 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 117 \cdot A \cdot a^3 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 6 \cdot B \cdot a^3 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 24 \cdot A \cdot a^2 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 15 \cdot B \cdot a^2 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 42 \cdot A \cdot a \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 6 \cdot B \cdot a \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 18 \cdot A \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / ((a^{10} - 3 \cdot a^8 \cdot b^2 + 3 \cdot a^6 \cdot b^4 - a^4 \cdot b^6) \cdot (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a + b)^3) + 3 \cdot (B \cdot a - 4 \cdot A \cdot b) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1)) / a^5 - 3 \cdot (B \cdot a - 4 \cdot A \cdot b) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1)) / a^5 - 6 \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1) \cdot a^4)) / d$$

maple [B] time = 0.21, size = 2844, normalized size = 6.77

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^4,x)

[Out]
$$-1/d/a^4 \cdot \ln(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1) \cdot B - 1/d/a^4 \cdot A / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1) + 1/d/a^4 \cdot \ln(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1) \cdot B - 1/d/a^4 \cdot A / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1) + 4/d/a^5 \cdot \ln(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1) \cdot A \cdot b - 6/d \cdot b^4/a / (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b + a + b)^3 / (a + b) / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot B - 6/d \cdot b^7/a^4 / (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b + a + b)^3 / (a + b) / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A + 5/d/a / (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b + a + b)^3 \cdot b^4 / (a + b) / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A + 18/d/a^2 / (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b + a + b)^3 \cdot b^5 / (a + b) / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A - 2/d/a^3 / (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b + a + b)^3 \cdot b^6 / (a + b) / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A - 12/d \cdot b^7/a^4 / (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b + a + b)^3 / (a^2 + 2 \cdot a \cdot b + b^2) / (a^2 - 2 \cdot a \cdot b + b^2) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot A - 6/d \cdot b^7/a^4 / (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b + a + b)^3 / (a - b) / (a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3)$$

$$\begin{aligned}
& a^2b^2 + b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 A + 12/d / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a + b) / (a^3 - 3a^2b + 3ab^2 - b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) B * a^2b^2 + 12/d / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3ab^2 + b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 B * a^2b^2 + 24/d / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a^2 - 2ab + b^2) / (a^2 + 2ab + b^2) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 B * a^2b^2 - 5/d / a / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 b^4 / (a - b) / (a^3 + 3a^2b + 3ab^2 + b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 A + 18/d / a^2 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 b^5 / (a - b) / (a^3 + 3a^2b + 3ab^2 + b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 A + 2/d / a^3 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 b^6 / (a - b) / (a^3 + 3a^2b + 3ab^2 + b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 A + 2/d * b^6 / a^3 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a + b) / (a^3 - 3a^2b + 3ab^2 - b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) B - 6/d * b^4 / a / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3ab^2 + b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 B - 1/d * b^5 / a^2 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3ab^2 + b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 B + 2/d * b^6 / a^3 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3ab^2 + b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 B + 116/3 / d * b^5 / a^2 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a^2 + 2ab + b^2) / (a^2 - 2ab + b^2) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A - 44/3 / d * b^4 / a / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a^2 + 2ab + b^2) / (a^2 - 2ab + b^2) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 B + 4/d * b^6 / a^3 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a^2 + 2ab + b^2) / (a^2 - 2ab + b^2) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 B + 1/d * b^5 / a^2 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a + b) / (a^3 - 3a^2b + 3ab^2 - b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) B - 4/d / a^5 * \ln(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1) * A * b + 20/d * a * b^2 / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) * (a + b))^{1/2} * \arctan(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * (a - b) / ((a - b) * (a + b))^{1/2}) * A - 8/d * a^2 * b / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) * (a + b))^{1/2} * \arctan(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * (a - b) / ((a - b) * (a + b))^{1/2}) * B + 4/d / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3ab^2 + b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 * b^3 * B - 20/d / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3ab^2 + b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 * A * b^3 - 40/d / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a^2 - 2ab + b^2) / (a^2 + 2ab + b^2) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 * A * b^3 - 20/d / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a + b) / (a^3 - 3a^2b + 3ab^2 - b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * A * b^3 - 4/d / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b + a + b)^3 / (a + b) / (a^3 - 3a^2b + 3ab^2 - b^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * b^3 * B + 8/d / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) * (a + b))^{1/2} * \arctan(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * (a - b) / ((a - b) * (a + b))^{1/2}) * b^3 * B - 8/d * b^8 / a^5 / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) * (a + b))^{1/2} * \arctan(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * (a - b) / ((a - b) * (a + b))^{1/2}) * A - 35/d * b^4 / a / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) * (a + b))^{1/2} * \arctan(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * (a - b) / ((a - b) * (a + b))^{1/2}) * A + 28/d * b^6 / a^3 / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) * (a + b))^{1/2} * \arctan(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * (a - b) / ((a - b) * (a + b))^{1/2}) * A - 7/d * b^5 / a^2 / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) * (a + b))^{1/2} * \arctan(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * (a - b) / ((a - b) * (a + b))^{1/2}) * B + 2/d * b^7 / a^4 / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) * (a + b))^{1/2} * \arctan(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) * (a - b) / ((a - b) * (a + b))^{1/2}) * B
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)^2/(a+b*cos(dx+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 18.11, size = 13119, normalized size = 31.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B \cos(c + dx))/(\cos(c + dx)^2(a + b \cos(c + dx))^4), x)$

[Out]
$$\frac{\begin{aligned} & ((\tan(c/2 + (dx)/2))^3(18A^8 + 72A^7b - 236A^6b^2 + 47A^5b^3 + 273A^4b^4 - 60A^3b^5 - 72A^2b^6 + 3B^2a^6 + 59B^2a^3b^5 \\ & - 14B^2a^4b^4 - 96B^2a^5b^3 + 36B^2a^6b^2 - 12A^2ab^7 - 18B^2ab^7)) / (3a^4(a+b)^2(a-b)^3) - (\tan(c/2 + (dx)/2))^7(24A^2b^5 - 8A^2b^7 - 2A^2a^7 - 11A^3b^4 - 26A^4b^3 + 6A^5b^2 - B^2a^2b^5 - 6B^2a^3b^4 \\ & + 4B^2a^4b^3 + 12B^2a^5b^2 + 4A^2ab^6 + 2A^2a^6b + 2B^2ab^6)) / (a^4(a+b)^3(a-b)) + (\tan(c/2 + (dx)/2))^5(18A^8 + 72A^7b - 236A^6b^2 - 47A^5b^3 + 273A^4b^4 + 60A^3b^5 - 72A^2b^6 - 3B^2a^6 + 59B^2a^3b^5 \\ & + 14B^2a^4b^4 - 96B^2a^5b^3 - 36B^2a^6b^2 + 12A^2ab^7 - 18B^2ab^7)) / (3a^4(a+b)^3(a-b)^2) + (\tan(c/2 + (dx)/2))(2A^7b - 8A^2b^7 + 24A^2a^2b^5 + 11A^3b^4 - 26A^4b^3 - 6A^5b^2 + B^2a^2b^5 - 6B^2a^3b^4 - 4B^2a^4b^3 \\ & + 12B^2a^5b^2 - 4A^2ab^6 + 2A^2a^6b + 2B^2ab^6)) / (a^4(a+b)(a-b)^3) / (d(3a^2b^2 + 3a^2b - \tan(c/2 + (dx)/2)^4(6a^2b - 6b^3) - \tan(c/2 + (dx)/2)^2(6a^2b^2 - 2a^3 + 4b^3) \\ & - \tan(c/2 + (dx)/2)^6(2a^3 - 6a^2b^2 + 4b^3) + a^3 + b^3 - \tan(c/2 + (dx)/2)^8(3a^2b^2 - 3a^2b + a^3 - b^3)) + (\text{atan}(\frac{(4Ab - Ba)((8(4B^2a^{24} + 16A^10b^{14} - 8A^11b^{13} - 104A^12b^{12} + 50A^13b^{11} + 286A^14b^{10} - 126A^15b^9 - 434A^16b^8 + 174A^17b^7 + 386A^18b^6 - 146A^19b^5 - 190A^20b^4 + 72A^21b^3 + 40A^22b^2 - 4B^11b^{13} + 2B^12b^{12} + 26B^13b^{11} - 14B^14b^{10} - 70B^15b^9 + 30B^16b^8 + 110B^17b^7 - 30B^18b^6 - 110B^19b^5 + 20B^20b^4 + 64B^21b^3 - 12B^22b^2 - 16A^23b - 16B^23b))}{a^{22}b + a^{23} - a^{12}b^{11} - a^{13}b^{10} + 5a^{14}b^9 + 5a^{15}b^8 - 10a^{16}b^7 - 10a^{17}b^6 + 10a^{18}b^5 + 10a^{19}b^4 - 5a^{20}b^3 - 5a^{21}b^2) - (8\tan(c/2 + (dx)/2)(4Ab - Ba)(8a^{23}b - 8a^{10}b^{14} + 8a^{11}b^{13} + 48a^{12}b^{12} - 48a^{13}b^{11} - 120a^{14}b^{10} + 120a^{15}b^9 + 160a^{16}b^8 - 160a^{17}b^7 - 120a^{18}b^6 + 120a^{19}b^5 + 48a^{20}b^4 - 48a^{21}b^3 - 8a^{22}b^2))}{a^5(a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2)})))/a^5 - (8\tan(c/2 + (dx)/2)(128A^2b^{16} + 4B^2a^{16} - 128A^2a^2b^{15} - 8B^2a^{15}b - 768A^2a^2b^{14} + 768A^2a^3b^{13} + 1920A^2a^4b^{12} - 1920A^2a^5b^{11} - 2600A^2a^6b^{10} + 2560A^2a^7b^9 + 2025A^2a^8b^8 - 1920A^2a^9b^7 - 824A^2a^{10}b^6 + 768A^2a^{11}b^5 + 80A^2a^{12}b^4 - 128A^2a^{13}b^3 + 64A^2a^{14}b^2 + 8B^2a^2b^{14} - 8B^2a^3b^{13} - 48B^2a^4b^{12} + 48B^2a^5b^{11} + 117B^2a^6b^{10} - 120B^2a^7b^9 - 164B^2a^8b^8 + 160B^2a^9b^7 + 156B^2a^{10}b^6 - 120B^2a^{11}b^5 - 92B^2a^{12}b^4 + 48B^2a^{13}b^3 + 44B^2a^{14}b^2 - 64A^2B^2ab^{15} - 32A^2B^2a^{15}b + 64A^2B^2a^{14}b^2 + 384A^2B^2a^{13}b^3 - 384A^2B^2a^{12}b^4 - 948A^2B^2a^{11}b^5 + 960A^2B^2a^{10}b^6 + 1306A^2B^2a^9b^7 - 1280A^2B^2a^8b^8 - 1128A^2B^2a^7b^9 + 960A^2B^2a^6b^{10} + 592A^2B^2a^5b^{11} - 384A^2B^2a^4b^{12} - 160A^2B^2a^3b^{13} + 64A^2B^2a^2b^{14})) / (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2)) * (4Ab - Ba) * i) / a^5 - (((4Ab - Ba)((8(4B^2a^{24} + 16A^10b^{14} - 8A^11b^{13} - 104A^12b^{12} + 50A^13b^{11} + 286A^14b^{10} - 126A^15b^9 - 434A^16b^8 + 174A^17b^7 + 386A^18b^6 - 146A^19b^5 - 190A^20b^4 + 72A^21b^3 + 40A^22b^2 - 4B^11b^{13} + 2B^12b^{12} + 26B^13b^{11} - 14B^14b^{10} - 70B^15b^9 + 30B^16b^8 + 110B^17b^7 - 30B^18b^6 - 110B^19b^5 + 20B^20b^4 + 64B^21b^3 - 12B^22b^2 - 16A^23b - 16B^23b)) / (a^{22}b + a^{23} - a^{12}b^{11} - a^{13}b^{10} + 5a^{14}b^9 + 5a^{15}b^8 - 10a^{16}b^7 - 10a^{17}b^6 + 10a^{18}b^5 + 10a^{19}b^4 - 5a^{20}b^3 - 5a^{21}b^2) + (8\tan(c/2 + (dx)/2)(4Ab - Ba)(8a^{23}b - 8a^{10}b^{14} + 8a^{11}b^{13} + 48a^{12}b^{12} - 48a^{13}b^{11} - 120a^{14}b^{10} + 120a^{15}b^9 + 160a^{16}b^8 - 160a^{17}b^7 - 120a^{18}b^6 + 120a^{19}b^5 + 48a^{20}b^4 - 48a^{21}b^3 - 8a^{22}b^2)) / (a^5(a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2)))) / a^5$$

$$\begin{aligned}
& 15*b^4 - 5*a^{16}*b^3 - 5*a^{17}*b^2)))/a^5 + (8*\tan(c/2 + (d*x)/2)*(128*A^2*b^{16} + 4*B^2*a^{16} - 128*A^2*a*b^{15} - 8*B^2*a^{15}*b - 768*A^2*a^2*b^{14} + 768*A^2*a^3*b^{13} + 1920*A^2*a^4*b^{12} - 1920*A^2*a^5*b^{11} - 2600*A^2*a^6*b^{10} + 2560*A^2*a^7*b^9 + 2025*A^2*a^8*b^8 - 1920*A^2*a^9*b^7 - 824*A^2*a^{10}*b^6 + 768*A^2*a^{11}*b^5 + 80*A^2*a^{12}*b^4 - 128*A^2*a^{13}*b^3 + 64*A^2*a^{14}*b^2 + 8*B^2*a^2*b^{14} - 8*B^2*a^3*b^{13} - 48*B^2*a^4*b^{12} + 48*B^2*a^5*b^{11} + 117*B^2*a^6*b^{10} - 120*B^2*a^7*b^9 - 164*B^2*a^8*b^8 + 160*B^2*a^9*b^7 + 156*B^2*a^{10}*b^6 - 120*B^2*a^{11}*b^5 - 92*B^2*a^{12}*b^4 + 48*B^2*a^{13}*b^3 + 44*B^2*a^{14}*b^2 - 64*A*B*a*b^{15} - 32*A*B*a^{15}*b + 64*A*B*a^2*b^{14} + 384*A*B*a^3*b^{13} - 384*A*B*a^4*b^{12} - 948*A*B*a^5*b^{11} + 960*A*B*a^6*b^{10} + 1306*A*B*a^7*b^9 - 1280*A*B*a^8*b^8 - 1128*A*B*a^9*b^7 + 960*A*B*a^{10}*b^6 + 592*A*B*a^{11}*b^5 - 384*A*B*a^{12}*b^4 - 160*A*B*a^{13}*b^3 + 64*A*B*a^{14}*b^2))/(a^{18}*b + a^{19} - a^8*b^{11} - a^9*b^{10} + 5*a^{10}*b^9 + 5*a^{11}*b^8 - 10*a^{12}*b^7 - 10*a^{13}*b^6 + 10*a^{14}*b^5 + 10*a^{15}*b^4 - 5*a^{16}*b^3 - 5*a^{17}*b^2))*(4*A*b - B*a)*i)/a^5)/((((4*A*b - B*a)*((8*(4*B*a^{24} + 16*A*a^{10}*b^{14} - 8*A*a^{11}*b^{13} - 10*4*A*a^{12}*b^{12} + 50*A*a^{13}*b^{11} + 286*A*a^{14}*b^{10} - 126*A*a^{15}*b^9 - 434*A*a^{16}*b^8 + 174*A*a^{17}*b^7 + 386*A*a^{18}*b^6 - 146*A*a^{19}*b^5 - 190*A*a^{20}*b^4 + 72*A*a^{21}*b^3 + 40*A*a^{22}*b^2 - 4*B*a^{11}*b^{13} + 2*B*a^{12}*b^{12} + 26*B*a^{13}*b^{11} - 14*B*a^{14}*b^{10} - 70*B*a^{15}*b^9 + 30*B*a^{16}*b^8 + 110*B*a^{17}*b^7 - 30*B*a^{18}*b^6 - 110*B*a^{19}*b^5 + 20*B*a^{20}*b^4 + 64*B*a^{21}*b^3 - 12*B*a^{22}*b^2 - 16*A*a^{23}*b - 16*B*a^{23}*b)))/(a^{22}*b + a^{23} - a^{12}*b^{11} - a^{13}*b^{10} + 5*a^{14}*b^9 + 5*a^{15}*b^8 - 10*a^{16}*b^7 - 10*a^{17}*b^6 + 10*a^{18}*b^5 + 10*a^{19}*b^4 - 5*a^{20}*b^3 - 5*a^{21}*b^2) - (8*\tan(c/2 + (d*x)/2)*(4*A*b - B*a)*(8*a^{23}*b - 8*a^{10}*b^{14} + 8*a^{11}*b^{13} + 48*a^{12}*b^{12} - 48*a^{13}*b^{11} - 120*a^{14}*b^{10} + 120*a^{15}*b^9 + 160*a^{16}*b^8 - 160*a^{17}*b^7 - 120*a^{18}*b^6 + 120*a^{19}*b^5 + 48*a^{20}*b^4 - 48*a^{21}*b^3 - 8*a^{22}*b^2))/(a^5*(a^{18}*b + a^{19} - a^8*b^{11} - a^9*b^{10} + 5*a^{10}*b^9 + 5*a^{11}*b^8 - 10*a^{12}*b^7 - 10*a^{13}*b^6 + 10*a^{14}*b^5 + 10*a^{15}*b^4 - 5*a^{16}*b^3 - 5*a^{17}*b^2)))))/a^5 - (8*\tan(c/2 + (d*x)/2)*(128*A^2*b^{16} + 4*B^2*a^{16} - 128*A^2*a*b^{15} - 8*B^2*a^{15}*b - 768*A^2*a^2*b^{14} + 768*A^2*a^3*b^{13} + 1920*A^2*a^4*b^{12} - 1920*A^2*a^5*b^{11} - 2600*A^2*a^6*b^{10} + 2560*A^2*a^7*b^9 + 2025*A^2*a^8*b^8 - 1920*A^2*a^9*b^7 - 824*A^2*a^{10}*b^6 + 768*A^2*a^{11}*b^5 + 80*A^2*a^{12}*b^4 - 128*A^2*a^{13}*b^3 + 64*A^2*a^{14}*b^2 + 8*B^2*a^2*b^{14} - 8*B^2*a^3*b^{13} - 48*B^2*a^4*b^{12} + 48*B^2*a^5*b^{11} + 117*B^2*a^6*b^{10} - 120*B^2*a^7*b^9 - 164*B^2*a^8*b^8 + 160*B^2*a^9*b^7 + 156*B^2*a^{10}*b^6 - 120*B^2*a^{11}*b^5 - 92*B^2*a^{12}*b^4 + 48*B^2*a^{13}*b^3 + 44*B^2*a^{14}*b^2 - 64*A*B*a*b^{15} - 32*A*B*a^{15}*b + 64*A*B*a^2*b^{14} + 384*A*B*a^3*b^{13} - 384*A*B*a^4*b^{12} - 948*A*B*a^5*b^{11} + 960*A*B*a^6*b^{10} + 1306*A*B*a^7*b^9 - 1280*A*B*a^8*b^8 - 1128*A*B*a^9*b^7 + 960*A*B*a^{10}*b^6 + 592*A*B*a^{11}*b^5 - 384*A*B*a^{12}*b^4 - 160*A*B*a^{13}*b^3 + 64*A*B*a^{14}*b^2))/(a^{18}*b + a^{19} - a^8*b^{11} - a^9*b^{10} + 5*a^{10}*b^9 + 5*a^{11}*b^8 - 10*a^{12}*b^7 - 10*a^{13}*b^6 + 10*a^{14}*b^5 + 10*a^{15}*b^4 - 5*a^{16}*b^3 - 5*a^{17}*b^2))*(4*A*b - B*a))/a^5 - (16*(256*A^3*b^{16} - 128*A^3*a*b^{15} - 16*B^3*a^{15}*b - 1664*A^3*a^2*b^{14} + 800*A^3*a^3*b^{13} + 4576*A^3*a^4*b^{12} - 2176*A^3*a^5*b^{11} - 6944*A^3*a^6*b^{10} + 3204*A^3*a^7*b^9 + 6176*A^3*a^8*b^8 - 2560*A^3*a^9*b^7 - 3040*A^3*a^{10}*b^6 + 960*A^3*a^{11}*b^5 + 640*A^3*a^{12}*b^4 - 4*B^3*a^3*b^{13} + 2*B^3*a^4*b^{12} + 26*B^3*a^5*b^{11} - 11*B^3*a^6*b^{10} - 70*B^3*a^7*b^9 + 34*B^3*a^8*b^8 + 110*B^3*a^9*b^7 - 66*B^3*a^{10}*b^6 - 110*B^3*a^{11}*b^5 + 64*B^3*a^{12}*b^4 + 64*B^3*a^{13}*b^3 - 48*B^3*a^{14}*b^2 - 192*A^2*B*a*b^{15} + 48*A*B^2*a^2*b^{14} - 24*A*B^2*a^3*b^{13} - 312*A*B^2*a^4*b^{12} + 138*A*B^2*a^5*b^{11} + 846*A*B^2*a^6*b^{10} - 408*A*B^2*a^7*b^9 - 1314*A*B^2*a^8*b^8 + 726*A*B^2*a^9*b^7 + 1266*A*B^2*a^{10}*b^6 - 690*A*B^2*a^{11}*b^5 - 702*A*B^2*a^{12}*b^4 + 408*A*B^2*a^{13}*b^3 + 168*A*B^2*a^{14}*b^2 + 96*A^2*B*a^2*b^{14} + 1248*A^2*B*a^3*b^{13} - 576*A^2*B*a^4*b^{12} - 3408*A^2*B*a^5*b^{11} + 1632*A^2*B*a^6*b^{10} + 5232*A^2*B*a^7*b^9 - 2649*A^2*B*a^8*b^8 - 4848*A^2*B*a^9*b^7 + 2376*A^2*B*a^{10}*b^6 + 2544*A^2*B*a^{11}*b^5 - 1104*A^2*B*a^{12}*b^4 - 576*A^2*B*a^{13}*b^3))/(a^{22}*b + a^{23} - a^{12}*b^{11} - a^{13}*b^{10} + 5*a^{14}*b^9 + 5*a^{15}*b^8 - 10*a^{16}*b^7 - 10*a^{17}*b^6 + 10*a^{18}*b^5 + 10*a^{19}*b^4 - 5*a^{20}*b^3 - 5*a^{21}*b^2) + (((4*A*b - B*a)*((8*(4*B*a^{24} + 16*A*a^{10}*b^{14} - 8*A*a^{11}*b^{13} - 104*A*a^{12}*b^{12} + 50*A*a^{13}*b^{11} + 286*A*a^{14}*b^{10} - 126*A*a^{15}*b^9 - 434*A*a^{16}*b^8 + 174
\end{aligned}$$

$$\begin{aligned}
& *A*a^{17}*b^7 + 386*A*a^{18}*b^6 - 146*A*a^{19}*b^5 - 190*A*a^{20}*b^4 + 72*A*a^{21}* \\
& b^3 + 40*A*a^{22}*b^2 - 4*B*a^{11}*b^{13} + 2*B*a^{12}*b^{12} + 26*B*a^{13}*b^{11} - 14*B \\
& *a^{14}*b^{10} - 70*B*a^{15}*b^9 + 30*B*a^{16}*b^8 + 110*B*a^{17}*b^7 - 30*B*a^{18}*b^6 \\
& - 110*B*a^{19}*b^5 + 20*B*a^{20}*b^4 + 64*B*a^{21}*b^3 - 12*B*a^{22}*b^2 - 16*A*a^{23}*b \\
& - 16*B*a^{23}*b))/ (a^{22}*b + a^{23} - a^{12}*b^{11} - a^{13}*b^{10} + 5*a^{14}*b^9 + \\
& 5*a^{15}*b^8 - 10*a^{16}*b^7 - 10*a^{17}*b^6 + 10*a^{18}*b^5 + 10*a^{19}*b^4 - 5*a^{20} \\
& *b^3 - 5*a^{21}*b^2) + (8*\tan(c/2 + (d*x)/2)*(4*A*b - B*a)*(8*a^{23}*b - 8*a^{10} \\
& *b^{14} + 8*a^{11}*b^{13} + 48*a^{12}*b^{12} - 48*a^{13}*b^{11} - 120*a^{14}*b^{10} + 120*a^{15} \\
& *b^9 + 160*a^{16}*b^8 - 160*a^{17}*b^7 - 120*a^{18}*b^6 + 120*a^{19}*b^5 + 48*a^{20} \\
& *b^4 - 48*a^{21}*b^3 - 8*a^{22}*b^2))/ (a^5*(a^{18}*b + a^{19} - a^8*b^{11} - a^9*b^{10} \\
& + 5*a^{10}*b^9 + 5*a^{11}*b^8 - 10*a^{12}*b^7 - 10*a^{13}*b^6 + 10*a^{14}*b^5 + 10*a \\
& ^{15}*b^4 - 5*a^{16}*b^3 - 5*a^{17}*b^2)))/a^5 + (8*\tan(c/2 + (d*x)/2)*(128*A^2* \\
& b^{16} + 4*B^2*a^{16} - 128*A^2*a*b^{15} - 8*B^2*a^{15}*b - 768*A^2*a^2*b^{14} + 768* \\
& A^2*a^3*b^{13} + 1920*A^2*a^4*b^{12} - 1920*A^2*a^5*b^{11} - 2600*A^2*a^6*b^{10} + \\
& 2560*A^2*a^7*b^9 + 2025*A^2*a^8*b^8 - 1920*A^2*a^9*b^7 - 824*A^2*a^{10}*b^6 + \\
& 768*A^2*a^{11}*b^5 + 80*A^2*a^{12}*b^4 - 128*A^2*a^{13}*b^3 + 64*A^2*a^{14}*b^2 + \\
& 8*B^2*a^2*b^{14} - 8*B^2*a^3*b^{13} - 48*B^2*a^4*b^{12} + 48*B^2*a^5*b^{11} + 117*B \\
& ^2*a^6*b^{10} - 120*B^2*a^7*b^9 - 164*B^2*a^8*b^8 + 160*B^2*a^9*b^7 + 156*B^2 \\
& *a^{10}*b^6 - 120*B^2*a^{11}*b^5 - 92*B^2*a^{12}*b^4 + 48*B^2*a^{13}*b^3 + 44*B^2*a \\
& ^{14}*b^2 - 64*A*B*a*b^{15} - 32*A*B*a^{15}*b + 64*A*B*a^2*b^{14} + 384*A*B*a^3*b^{13} \\
& - 384*A*B*a^4*b^{12} - 948*A*B*a^5*b^{11} + 960*A*B*a^6*b^{10} + 1306*A*B*a^7*b \\
& ^9 - 1280*A*B*a^8*b^8 - 1128*A*B*a^9*b^7 + 960*A*B*a^{10}*b^6 + 592*A*B*a^{11}* \\
& b^5 - 384*A*B*a^{12}*b^4 - 160*A*B*a^{13}*b^3 + 64*A*B*a^{14}*b^2))/ (a^{18}*b + a^{19} \\
& - a^8*b^{11} - a^9*b^{10} + 5*a^{10}*b^9 + 5*a^{11}*b^8 - 10*a^{12}*b^7 - 10*a^{13}*b \\
& ^6 + 10*a^{14}*b^5 + 10*a^{15}*b^4 - 5*a^{16}*b^3 - 5*a^{17}*b^2))*(4*A*b - B*a))/a \\
& ^5))*(4*A*b - B*a)*2i)/ (a^5*d) + (b*atan(((b*((8*\tan(c/2 + (d*x)/2)*(128*A^ \\
& 2*b^{16} + 4*B^2*a^{16} - 128*A^2*a*b^{15} - 8*B^2*a^{15}*b - 768*A^2*a^2*b^{14} + 76 \\
& 8*A^2*a^3*b^{13} + 1920*A^2*a^4*b^{12} - 1920*A^2*a^5*b^{11} - 2600*A^2*a^6*b^{10} \\
& + 2560*A^2*a^7*b^9 + 2025*A^2*a^8*b^8 - 1920*A^2*a^9*b^7 - 824*A^2*a^{10}*b^6 \\
& + 768*A^2*a^{11}*b^5 + 80*A^2*a^{12}*b^4 - 128*A^2*a^{13}*b^3 + 64*A^2*a^{14}*b^2 \\
& + 8*B^2*a^2*b^{14} - 8*B^2*a^3*b^{13} - 48*B^2*a^4*b^{12} + 48*B^2*a^5*b^{11} + 117 \\
& *B^2*a^6*b^{10} - 120*B^2*a^7*b^9 - 164*B^2*a^8*b^8 + 160*B^2*a^9*b^7 + 156*B \\
& ^2*a^{10}*b^6 - 120*B^2*a^{11}*b^5 - 92*B^2*a^{12}*b^4 + 48*B^2*a^{13}*b^3 + 44*B^2 \\
& *a^{14}*b^2 - 64*A*B*a*b^{15} - 32*A*B*a^{15}*b + 64*A*B*a^2*b^{14} + 384*A*B*a^3*b \\
& ^{13} - 384*A*B*a^4*b^{12} - 948*A*B*a^5*b^{11} + 960*A*B*a^6*b^{10} + 1306*A*B*a^7 \\
& *b^9 - 1280*A*B*a^8*b^8 - 1128*A*B*a^9*b^7 + 960*A*B*a^{10}*b^6 + 592*A*B*a^{11} \\
& *b^5 - 384*A*B*a^{12}*b^4 - 160*A*B*a^{13}*b^3 + 64*A*B*a^{14}*b^2))/ (a^{18}*b + a \\
& ^{19} - a^8*b^{11} - a^9*b^{10} + 5*a^{10}*b^9 + 5*a^{11}*b^8 - 10*a^{12}*b^7 - 10*a^{13} \\
& *b^6 + 10*a^{14}*b^5 + 10*a^{15}*b^4 - 5*a^{16}*b^3 - 5*a^{17}*b^2) - (b*(-(a + b)^ \\
& 7*(a - b)^7))^{(1/2)*((8*(4*B*a^{24} + 16*A*a^{10}*b^{14} - 8*A*a^{11}*b^{13} - 104*A*a \\
& ^{12}*b^{12} + 50*A*a^{13}*b^{11} + 286*A*a^{14}*b^{10} - 126*A*a^{15}*b^9 - 434*A*a^{16}*b \\
& ^8 + 174*A*a^{17}*b^7 + 386*A*a^{18}*b^6 - 146*A*a^{19}*b^5 - 190*A*a^{20}*b^4 + 72 \\
& *A*a^{21}*b^3 + 40*A*a^{22}*b^2 - 4*B*a^{11}*b^{13} + 2*B*a^{12}*b^{12} + 26*B*a^{13}*b^{11} \\
& - 14*B*a^{14}*b^{10} - 70*B*a^{15}*b^9 + 30*B*a^{16}*b^8 + 110*B*a^{17}*b^7 - 30*B* \\
& a^{18}*b^6 - 110*B*a^{19}*b^5 + 20*B*a^{20}*b^4 + 64*B*a^{21}*b^3 - 12*B*a^{22}*b^2 - \\
& 16*A*a^{23}*b - 16*B*a^{23}*b))/ (a^{22}*b + a^{23} - a^{12}*b^{11} - a^{13}*b^{10} + 5*a^{14} \\
& *b^9 + 5*a^{15}*b^8 - 10*a^{16}*b^7 - 10*a^{17}*b^6 + 10*a^{18}*b^5 + 10*a^{19}*b^4 \\
& - 5*a^{20}*b^3 - 5*a^{21}*b^2) - (4*b*\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7) \\
& ^{(1/2)*(8*A*b^7 + 8*B*a^7 - 28*A*a^2*b^5 + 35*A*a^4*b^3 + 7*B*a^3*b^4 - 8*B \\
& *a^5*b^2 - 20*A*a^6*b - 2*B*a*b^6))*(8*a^{23}*b - 8*a^{10}*b^{14} + 8*a^{11}*b^{13} + \\
& 48*a^{12}*b^{12} - 48*a^{13}*b^{11} - 120*a^{14}*b^{10} + 120*a^{15}*b^9 + 160*a^{16}*b^8 - \\
& 160*a^{17}*b^7 - 120*a^{18}*b^6 + 120*a^{19}*b^5 + 48*a^{20}*b^4 - 48*a^{21}*b^3 - 8 \\
& *a^{22}*b^2))/ ((a^{19} - a^5*b^{14} + 7*a^7*b^{12} - 21*a^9*b^{10} + 35*a^{11}*b^8 - 35 \\
& *a^{13}*b^6 + 21*a^{15}*b^4 - 7*a^{17}*b^2)*(a^{18}*b + a^{19} - a^8*b^{11} - a^9*b^{10} \\
& + 5*a^{10}*b^9 + 5*a^{11}*b^8 - 10*a^{12}*b^7 - 10*a^{13}*b^6 + 10*a^{14}*b^5 + 10*a^{15} \\
& *b^4 - 5*a^{16}*b^3 - 5*a^{17}*b^2))*(8*A*b^7 + 8*B*a^7 - 28*A*a^2*b^5 + 35* \\
& A*a^4*b^3 + 7*B*a^3*b^4 - 8*B*a^5*b^2 - 20*A*a^6*b - 2*B*a*b^6))/ (2*(a^{19} - \\
& a^5*b^{14} + 7*a^7*b^{12} - 21*a^9*b^{10} + 35*a^{11}*b^8 - 35*a^{13}*b^6 + 21*a^{15} \\
& *b^4 - 7*a^{17}*b^2))*(-(a + b)^7*(a - b)^7)^{(1/2)*(8*A*b^7 + 8*B*a^7 - 28*A*
\end{aligned}$$

$$\begin{aligned}
& a^2b^5 + 35Aa^4b^3 + 7Bb^3a^4 - 8Bb^5a^2 - 20Aa^6b - 2Bb^6a^2) \cdot i) / (2(a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)) + (b((8\tan(c/2 + (d*x)/2)*(128A^2b^{16} + 4B^2a^{16} - 128A^2a^2b^{15} - 8B^2a^{15}b - 768A^2a^2b^{14} + 768A^2a^3b^{13} + 1920A^2a^4b^{12} - 1920A^2a^5b^{11} - 2600A^2a^6b^{10} + 2560A^2a^7b^9 + 2025A^2a^8b^8 - 1920A^2a^9b^7 - 824A^2a^{10}b^6 + 768A^2a^{11}b^5 + 80A^2a^{12}b^4 - 128A^2a^{13}b^3 + 64A^2a^{14}b^2 + 8B^2a^2b^{14} - 8B^2a^3b^{13} - 48B^2a^4b^{12} + 48B^2a^5b^{11} + 117B^2a^6b^{10} - 120B^2a^7b^9 - 164B^2a^8b^8 + 160B^2a^9b^7 + 156B^2a^{10}b^6 - 120B^2a^{11}b^5 - 92B^2a^{12}b^4 + 48B^2a^{13}b^3 + 44B^2a^{14}b^2 - 64A^2Bb^15 - 32A^2Bb^15b + 64A^2Bb^2b^{14} + 384A^2Bb^3b^{13} - 384A^2Bb^4b^{12} - 948A^2Bb^5b^{11} + 960A^2Bb^6b^{10} + 1306A^2Bb^7b^9 - 1280A^2Bb^8b^8 - 1128A^2Bb^9b^7 + 960A^2Bb^{10}b^6 + 592A^2Bb^{11}b^5 - 384A^2Bb^{12}b^4 - 160A^2Bb^{13}b^3 + 64A^2Bb^{14}b^2)) / (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2) + (b(-(a + b)^7(a - b)^7)^{(1/2)}((8(4Bb^{24} + 16Aa^{10}b^{14} - 8Aa^{11}b^{13} - 104Aa^{12}b^{12} + 50Aa^{13}b^{11} + 286Aa^{14}b^{10} - 126Aa^{15}b^9 - 434Aa^{16}b^8 + 174Aa^{17}b^7 + 386Aa^{18}b^6 - 146Aa^{19}b^5 - 190Aa^{20}b^4 + 72Aa^{21}b^3 + 40Aa^{22}b^2 - 4Bb^{11}b^{13} + 2Bb^{12}b^{12} + 26Bb^{13}b^{11} - 14Bb^{14}b^{10} - 70Bb^{15}b^9 + 30Bb^{16}b^8 + 110Bb^{17}b^7 - 30Bb^{18}b^6 - 110Bb^{19}b^5 + 20Bb^{20}b^4 + 64Bb^{21}b^3 - 12Bb^{22}b^2 - 16Aa^{23}b - 16Bb^{23}b)) / (a^{22}b + a^{23} - a^{12}b^{11} - a^{13}b^{10} + 5a^{14}b^9 + 5a^{15}b^8 - 10a^{16}b^7 - 10a^{17}b^6 + 10a^{18}b^5 + 10a^{19}b^4 - 5a^{20}b^3 - 5a^{21}b^2) + (4b*\tan(c/2 + (d*x)/2)*(-(a + b)^7(a - b)^7)^{(1/2)}*(8Ab^7 + 8Bb^7 - 28Aa^2b^5 + 35Aa^4b^3 + 7Bb^3a^4 - 8Bb^5a^2 - 20Aa^6b - 2Bb^6a^2)*(8a^{23}b - 8a^{10}b^{14} + 8a^{11}b^{13} + 48a^{12}b^{12} - 48a^{13}b^{11} - 120a^{14}b^{10} + 120a^{15}b^9 + 160a^{16}b^8 - 160a^{17}b^7 - 120a^{18}b^6 + 120a^{19}b^5 + 48a^{20}b^4 - 48a^{21}b^3 - 8a^{22}b^2)) / ((a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)*(a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2))*(8Ab^7 + 8Bb^7 - 28Aa^2b^5 + 35Aa^4b^3 + 7Bb^3a^4 - 8Bb^5a^2 - 20Aa^6b - 2Bb^6a^2) / (2(a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)))*(-(a + b)^7(a - b)^7)^{(1/2)}*(8Ab^7 + 8Bb^7 - 28Aa^2b^5 + 35Aa^4b^3 + 7Bb^3a^4 - 8Bb^5a^2 - 20Aa^6b - 2Bb^6a^2) \cdot i) / (2(a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)) / ((16*(256A^3b^{16} - 128A^3a^2b^{15} - 16B^3a^15b - 1664A^3a^2b^{14} + 800A^3a^3b^{13} + 4576A^3a^4b^{12} - 2176A^3a^5b^{11} - 6944A^3a^6b^{10} + 3204A^3a^7b^9 + 6176A^3a^8b^8 - 2560A^3a^9b^7 - 3040A^3a^{10}b^6 + 960A^3a^{11}b^5 + 640A^3a^{12}b^4 - 4B^3a^3b^{13} + 2B^3a^4b^{12} + 26B^3a^5b^{11} - 11B^3a^6b^{10} - 70B^3a^7b^9 + 34B^3a^8b^8 + 110B^3a^9b^7 - 66B^3a^{10}b^6 - 110B^3a^{11}b^5 + 64B^3a^{12}b^4 + 64B^3a^{13}b^3 - 48B^3a^{14}b^2 - 192A^2Bb^15 + 48A^2B^2a^2b^{14} - 24A^2B^2a^3b^{13} - 312A^2B^2a^4b^{12} + 138A^2B^2a^5b^{11} + 846A^2B^2a^6b^{10} - 408A^2B^2a^7b^9 - 1314A^2B^2a^8b^8 + 726A^2B^2a^9b^7 + 1266A^2B^2a^{10}b^6 - 690A^2B^2a^{11}b^5 - 702A^2B^2a^{12}b^4 + 408A^2B^2a^{13}b^3 + 168A^2B^2a^{14}b^2 + 96A^2B^2a^{15}b + 1248A^2B^2a^{16}b - 576A^2B^2a^{17}b - 3408A^2B^2a^{18}b + 1632A^2B^2a^{19}b - 5232A^2B^2a^{20}b + 2649A^2B^2a^{21}b - 4848A^2B^2a^{22}b + 2376A^2B^2a^{23}b - 2544A^2B^2a^{24}b + 1104A^2B^2a^{25}b - 576A^2B^2a^{26}b + 124A^2B^2a^{27}b - 12A^2B^2a^{28}b)) / (a^{22}b + a^{23} - a^{12}b^{11} - a^{13}b^{10} + 5a^{14}b^9 + 5a^{15}b^8 - 10a^{16}b^7 - 10a^{17}b^6 + 10a^{18}b^5 + 10a^{19}b^4 - 5a^{20}b^3 - 5a^{21}b^2) + (b((8\tan(c/2 + (d*x)/2)*(128A^2b^{16} + 4B^2a^{16} - 128A^2a^2b^{15} - 8B^2a^{15}b - 768A^2a^2b^{14} + 768A^2a^3b^{13} + 1920A^2a^4b^{12} - 1920A^2a^5b^{11} - 2600A^2a^6b^{10} + 2560A^2a^7b^9 + 2025A^2a^8b^8 - 1920A^2a^9b^7 - 824A^2a^{10}b^6 + 768A^2a^{11}b^5 + 80A^2a^{12}b^4 - 128A^2a^{13}b^3 + 64A^2a^{14}b^2 + 8B^2a^2b^{14} - 8B^2a^3b^{13}
\end{aligned}$$

$$\begin{aligned}
& - 48*B^2*a^4*b^12 + 48*B^2*a^5*b^11 + 117*B^2*a^6*b^10 - 120*B^2*a^7*b^9 - \\
& 164*B^2*a^8*b^8 + 160*B^2*a^9*b^7 + 156*B^2*a^10*b^6 - 120*B^2*a^11*b^5 - 9 \\
& 2*B^2*a^12*b^4 + 48*B^2*a^13*b^3 + 44*B^2*a^14*b^2 - 64*A*B*a*b^15 - 32*A*B \\
& *a^15*b + 64*A*B*a^2*b^14 + 384*A*B*a^3*b^13 - 384*A*B*a^4*b^12 - 948*A*B*a \\
& ^5*b^11 + 960*A*B*a^6*b^10 + 1306*A*B*a^7*b^9 - 1280*A*B*a^8*b^8 - 1128*A*B \\
& *a^9*b^7 + 960*A*B*a^10*b^6 + 592*A*B*a^11*b^5 - 384*A*B*a^12*b^4 - 160*A*B \\
& *a^13*b^3 + 64*A*B*a^14*b^2)) / (a^18*b + a^19 - a^8*b^11 - a^9*b^10 + 5*a^10 \\
& *b^9 + 5*a^11*b^8 - 10*a^12*b^7 - 10*a^13*b^6 + 10*a^14*b^5 + 10*a^15*b^4 - \\
& 5*a^16*b^3 - 5*a^17*b^2) - (b*(-(a + b)^7*(a - b)^7)^(1/2))*((8*(4*B*a^24 + \\
& 16*A*a^10*b^14 - 8*A*a^11*b^13 - 104*A*a^12*b^12 + 50*A*a^13*b^11 + 286*A* \\
& a^14*b^10 - 126*A*a^15*b^9 - 434*A*a^16*b^8 + 174*A*a^17*b^7 + 386*A*a^18*b \\
& ^6 - 146*A*a^19*b^5 - 190*A*a^20*b^4 + 72*A*a^21*b^3 + 40*A*a^22*b^2 - 4*B* \\
& a^11*b^13 + 2*B*a^12*b^12 + 26*B*a^13*b^11 - 14*B*a^14*b^10 - 70*B*a^15*b^9 \\
& + 30*B*a^16*b^8 + 110*B*a^17*b^7 - 30*B*a^18*b^6 - 110*B*a^19*b^5 + 20*B*a \\
& ^20*b^4 + 64*B*a^21*b^3 - 12*B*a^22*b^2 - 16*A*a^23*b - 16*B*a^23*b)) / (a^22 \\
& *b + a^23 - a^12*b^11 - a^13*b^10 + 5*a^14*b^9 + 5*a^15*b^8 - 10*a^16*b^7 - \\
& 10*a^17*b^6 + 10*a^18*b^5 + 10*a^19*b^4 - 5*a^20*b^3 - 5*a^21*b^2) - (4*b* \\
& \tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^(1/2)*(8*A*b^7 + 8*B*a^7 - 28*A*a \\
& ^2*b^5 + 35*A*a^4*b^3 + 7*B*a^3*b^4 - 8*B*a^5*b^2 - 20*A*a^6*b - 2*B*a*b^6) \\
& *(8*a^23*b - 8*a^10*b^14 + 8*a^11*b^13 + 48*a^12*b^12 - 48*a^13*b^11 - 120* \\
& a^14*b^10 + 120*a^15*b^9 + 160*a^16*b^8 - 160*a^17*b^7 - 120*a^18*b^6 + 120 \\
& *a^19*b^5 + 48*a^20*b^4 - 48*a^21*b^3 - 8*a^22*b^2)) / ((a^19 - a^5*b^14 + 7* \\
& a^7*b^12 - 21*a^9*b^10 + 35*a^11*b^8 - 35*a^13*b^6 + 21*a^15*b^4 - 7*a^17*b \\
& ^2)*(a^18*b + a^19 - a^8*b^11 - a^9*b^10 + 5*a^10*b^9 + 5*a^11*b^8 - 10*a^1 \\
& 2*b^7 - 10*a^13*b^6 + 10*a^14*b^5 + 10*a^15*b^4 - 5*a^16*b^3 - 5*a^17*b^2)) \\
&)*(8*A*b^7 + 8*B*a^7 - 28*A*a^2*b^5 + 35*A*a^4*b^3 + 7*B*a^3*b^4 - 8*B*a^5* \\
& b^2 - 20*A*a^6*b - 2*B*a*b^6)) / (2*(a^19 - a^5*b^14 + 7*a^7*b^12 - 21*a^9*b^ \\
& 10 + 35*a^11*b^8 - 35*a^13*b^6 + 21*a^15*b^4 - 7*a^17*b^2)))*(-(a + b)^7*(a \\
& - b)^7)^(1/2)*(8*A*b^7 + 8*B*a^7 - 28*A*a^2*b^5 + 35*A*a^4*b^3 + 7*B*a^3*b \\
& ^4 - 8*B*a^5*b^2 - 20*A*a^6*b - 2*B*a*b^6)) / (2*(a^19 - a^5*b^14 + 7*a^7*b^1 \\
& 2 - 21*a^9*b^10 + 35*a^11*b^8 - 35*a^13*b^6 + 21*a^15*b^4 - 7*a^17*b^2)) - \\
& (b*((8*\tan(c/2 + (d*x)/2)*(128*A^2*b^16 + 4*B^2*a^16 - 128*A^2*a*b^15 - 8*B \\
& ^2*a^15*b - 768*A^2*a^2*b^14 + 768*A^2*a^3*b^13 + 1920*A^2*a^4*b^12 - 1920* \\
& A^2*a^5*b^11 - 2600*A^2*a^6*b^10 + 2560*A^2*a^7*b^9 + 2025*A^2*a^8*b^8 - 19 \\
& 20*A^2*a^9*b^7 - 824*A^2*a^10*b^6 + 768*A^2*a^11*b^5 + 80*A^2*a^12*b^4 - 12 \\
& 8*A^2*a^13*b^3 + 64*A^2*a^14*b^2 + 8*B^2*a^2*b^14 - 8*B^2*a^3*b^13 - 48*B^2 \\
& *a^4*b^12 + 48*B^2*a^5*b^11 + 117*B^2*a^6*b^10 - 120*B^2*a^7*b^9 - 164*B^2* \\
& a^8*b^8 + 160*B^2*a^9*b^7 + 156*B^2*a^10*b^6 - 120*B^2*a^11*b^5 - 92*B^2*a^ \\
& 12*b^4 + 48*B^2*a^13*b^3 + 44*B^2*a^14*b^2 - 64*A*B*a*b^15 - 32*A*B*a^15*b \\
& + 64*A*B*a^2*b^14 + 384*A*B*a^3*b^13 - 384*A*B*a^4*b^12 - 948*A*B*a^5*b^11 \\
& + 960*A*B*a^6*b^10 + 1306*A*B*a^7*b^9 - 1280*A*B*a^8*b^8 - 1128*A*B*a^9*b^7 \\
& + 960*A*B*a^10*b^6 + 592*A*B*a^11*b^5 - 384*A*B*a^12*b^4 - 160*A*B*a^13*b^ \\
& 3 + 64*A*B*a^14*b^2)) / (a^18*b + a^19 - a^8*b^11 - a^9*b^10 + 5*a^10*b^9 + 5 \\
& *a^11*b^8 - 10*a^12*b^7 - 10*a^13*b^6 + 10*a^14*b^5 + 10*a^15*b^4 - 5*a^16* \\
& b^3 - 5*a^17*b^2) + (b*(-(a + b)^7*(a - b)^7)^(1/2))*((8*(4*B*a^24 + 16*A*a^ \\
& 10*b^14 - 8*A*a^11*b^13 - 104*A*a^12*b^12 + 50*A*a^13*b^11 + 286*A*a^14*b^1 \\
& 0 - 126*A*a^15*b^9 - 434*A*a^16*b^8 + 174*A*a^17*b^7 + 386*A*a^18*b^6 - 146 \\
& *A*a^19*b^5 - 190*A*a^20*b^4 + 72*A*a^21*b^3 + 40*A*a^22*b^2 - 4*B*a^11*b^1 \\
& 3 + 2*B*a^12*b^12 + 26*B*a^13*b^11 - 14*B*a^14*b^10 - 70*B*a^15*b^9 + 30*B* \\
& a^16*b^8 + 110*B*a^17*b^7 - 30*B*a^18*b^6 - 110*B*a^19*b^5 + 20*B*a^20*b^4 \\
& + 64*B*a^21*b^3 - 12*B*a^22*b^2 - 16*A*a^23*b - 16*B*a^23*b)) / (a^22*b + a^2 \\
& 3 - a^12*b^11 - a^13*b^10 + 5*a^14*b^9 + 5*a^15*b^8 - 10*a^16*b^7 - 10*a^17 \\
& *b^6 + 10*a^18*b^5 + 10*a^19*b^4 - 5*a^20*b^3 - 5*a^21*b^2) + (4*b*\tan(c/2 \\
& + (d*x)/2)*(-(a + b)^7*(a - b)^7)^(1/2)*(8*A*b^7 + 8*B*a^7 - 28*A*a^2*b^5 + \\
& 35*A*a^4*b^3 + 7*B*a^3*b^4 - 8*B*a^5*b^2 - 20*A*a^6*b - 2*B*a*b^6)*(8*a^23 \\
& *b - 8*a^10*b^14 + 8*a^11*b^13 + 48*a^12*b^12 - 48*a^13*b^11 - 120*a^14*b^1 \\
& 0 + 120*a^15*b^9 + 160*a^16*b^8 - 160*a^17*b^7 - 120*a^18*b^6 + 120*a^19*b^ \\
& 5 + 48*a^20*b^4 - 48*a^21*b^3 - 8*a^22*b^2)) / ((a^19 - a^5*b^14 + 7*a^7*b^12 \\
& - 21*a^9*b^10 + 35*a^11*b^8 - 35*a^13*b^6 + 21*a^15*b^4 - 7*a^17*b^2)*(a^1
\end{aligned}$$

```

8*b + a^19 - a^8*b^11 - a^9*b^10 + 5*a^10*b^9 + 5*a^11*b^8 - 10*a^12*b^7 -
10*a^13*b^6 + 10*a^14*b^5 + 10*a^15*b^4 - 5*a^16*b^3 - 5*a^17*b^2)))*(8*A*b
^7 + 8*B*a^7 - 28*A*a^2*b^5 + 35*A*a^4*b^3 + 7*B*a^3*b^4 - 8*B*a^5*b^2 - 20
*A*a^6*b - 2*B*a*b^6))/(2*(a^19 - a^5*b^14 + 7*a^7*b^12 - 21*a^9*b^10 + 35*
a^11*b^8 - 35*a^13*b^6 + 21*a^15*b^4 - 7*a^17*b^2)))*(-(a + b)^7*(a - b)^7)
^(1/2)*(8*A*b^7 + 8*B*a^7 - 28*A*a^2*b^5 + 35*A*a^4*b^3 + 7*B*a^3*b^4 - 8*B
*a^5*b^2 - 20*A*a^6*b - 2*B*a*b^6))/(2*(a^19 - a^5*b^14 + 7*a^7*b^12 - 21*a
^9*b^10 + 35*a^11*b^8 - 35*a^13*b^6 + 21*a^15*b^4 - 7*a^17*b^2)))*(-(a + b
)^7*(a - b)^7)^(1/2)*(8*A*b^7 + 8*B*a^7 - 28*A*a^2*b^5 + 35*A*a^4*b^3 + 7*B
*a^3*b^4 - 8*B*a^5*b^2 - 20*A*a^6*b - 2*B*a*b^6)*1i)/(d*(a^19 - a^5*b^14 +
7*a^7*b^12 - 21*a^9*b^10 + 35*a^11*b^8 - 35*a^13*b^6 + 21*a^15*b^4 - 7*a^17
*b^2))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c))**4,x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/(a + b*cos(c + d*x))**4, x)

$$3.280 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^4} dx$$

Optimal. Leaf size=547

$$\frac{b(Ab - aB) \tan(c + dx) \sec(c + dx)}{3ad(a^2 - b^2)(a + b \cos(c + dx))^3} + \frac{(a^2A - 8abB + 20Ab^2) \tanh^{-1}(\sin(c + dx))}{2a^6d} + \frac{b(-7a^3B + 10a^2Ab + 2ab^2)}{6a^2d(a^2 - b^2)}$$

[Out] $-b^2(40Aa^6b - 84Aa^4b^3 + 69Aa^2b^5 - 20Ab^7 - 20B^2a^7 + 35B^2a^5b^2 - 28B^2a^3b^4 + 8B^2a^2b^6) \arctan((a-b)^{1/2} \tan(1/2 dx + 1/2 c) / (a+b)^{1/2}) / a^6 / (a-b)^{7/2} / (a+b)^{7/2} / d + 1/2(Aa^2 + 20Ab^2 - 8B^2a^2) \operatorname{arctanh}(\sin(dx + c)) / a^6 / d - 1/6(24Aa^6b - 146Aa^4b^3 + 167Aa^2b^5 - 60Ab^7 - 6B^2a^7 + 65B^2a^5b^2 - 68B^2a^3b^4 + 24B^2a^2b^6) \tan(dx + c) / a^5 / (a^2 - b^2)^3 / d + 1/2(Aa^6 - 23Aa^4b^2 + 27Aa^2b^4 - 10Ab^6 + 12B^2a^5b - 11B^2a^3b^3 + 4B^2a^2b^5) \sec(dx + c) \tan(dx + c) / a^4 / (a^2 - b^2)^3 / d + 1/3b(Ab - Ba) \sec(dx + c) \tan(dx + c) / a / (a^2 - b^2) / d / (a + b \cos(dx + c))^3 + 1/6b(10Aa^2b - 5Ab^3 - 7B^2a^3 + 2B^2a^2b^2) \sec(dx + c) \tan(dx + c) / a^2 / (a^2 - b^2)^2 / d / (a + b \cos(dx + c))^2 + 1/6b(48Aa^4b - 53Aa^2b^3 + 20Ab^5 - 27B^2a^5 + 20B^2a^3b^2 - 8B^2a^2b^4) \sec(dx + c) \tan(dx + c) / a^3 / (a^2 - b^2)^3 / d / (a + b \cos(dx + c))$

Rubi [A] time = 7.30, antiderivative size = 547, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{b^2(-84a^4Ab^3 + 69a^2Ab^5 + 40a^6Ab + 35a^5b^2B - 28a^3b^4B - 20a^7B + 8ab^6B - 20Ab^7) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^6d(a-b)^{7/2}(a+b)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x]^4, x]

[Out] $-((b^2(40a^6Ab - 84a^4A^2b^3 + 69a^2A^2b^5 - 20Ab^7 - 20a^7B + 35a^5b^2B - 28a^3b^4B + 8a^2b^6B) \operatorname{ArcTan}[\operatorname{Sqrt}[a-b] \tan[(c + dx)/2]] / \operatorname{Sqrt}[a+b]) / (a^6(a-b)^{7/2}(a+b)^{7/2}d) + ((a^2A + 20Ab^2 - 8a^2bB) \operatorname{ArcTanh}[\sin[c + dx]]) / (2a^6d) - ((24a^6Ab - 146a^4A^2b^3 + 167a^2A^2b^5 - 60Ab^7 - 6a^7B + 65a^5b^2B - 68a^3b^4B + 24a^2b^6B) \tan[c + dx]) / (6a^5(a^2 - b^2)^3d) + ((a^6A - 23a^4A^2b^2 + 27a^2A^2b^4 - 10Ab^6 + 12a^5bB - 11a^3b^3B + 4a^2b^5B) \sec[c + dx] \tan[c + dx]) / (2a^4(a^2 - b^2)^3d) + (b(Ab - aB) \sec[c + dx] \tan[c + dx]) / (3a(a^2 - b^2)d(a + b \cos[c + d*x])^3) + (b(10a^2Ab - 5Ab^3 - 7a^3B + 2a^2bB) \sec[c + dx] \tan[c + dx]) / (6a^2(a^2 - b^2)^2d(a + b \cos[c + d*x])^2) + (b(48a^4Ab - 53a^2A^2b^3 + 20Ab^5 - 27a^5B + 20a^3b^2B - 8a^2b^4B) \sec[c + dx] \tan[c + dx]) / (6a^3(a^2 - b^2)^3d(a + b \cos[c + d*x]))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + dx)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + dx)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^4} dx &= \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{\int \frac{(3a^2A - 5Ab^2 + 2abB - 3a(Ab - aB) \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^4} dx}{3a} \\
&= \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(10a^2Ab - 5Ab^3 - 7a^3B + 2a^2bB)}{6a^2(a^2 - b^2)^2d(a + b \cos(c + dx))^2} \\
&= \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(10a^2Ab - 5Ab^3 - 7a^3B + 2a^2bB)}{6a^2(a^2 - b^2)^2d(a + b \cos(c + dx))^2} \\
&= \frac{(a^6A - 23a^4Ab^2 + 27a^2Ab^4 - 10Ab^6 + 12a^5bB - 11a^3b^3B + 4ab^5B)}{2a^4(a^2 - b^2)^3d} \\
&= -\frac{(24a^6Ab - 146a^4Ab^3 + 167a^2Ab^5 - 60Ab^7 - 6a^7B + 65a^5b^2B - 6a^6b^3B)}{6a^5(a^2 - b^2)^3d} \\
&= -\frac{(24a^6Ab - 146a^4Ab^3 + 167a^2Ab^5 - 60Ab^7 - 6a^7B + 65a^5b^2B - 6a^6b^3B)}{6a^5(a^2 - b^2)^3d} \\
&= \frac{(a^2A + 20Ab^2 - 8abB) \tanh^{-1}(\sin(c + dx))}{2a^6d} - \frac{(24a^6Ab - 146a^4Ab^3 + 167a^2Ab^5 - 60Ab^7 - 6a^7B + 65a^5b^2B - 6a^6b^3B)}{2a^6d} \\
&= -\frac{b^2(40a^6Ab - 84a^4Ab^3 + 69a^2Ab^5 - 20Ab^7 - 20a^7B + 35a^5b^2B - 6a^6b^3B)}{a^6(a - b)^{7/2}(a + b)^{7/2}d}
\end{aligned}$$

Mathematica [A] time = 5.29, size = 781, normalized size = 1.43

$$-48(a^2A - 8abB + 20Ab^2) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 48(a^2A - 8abB + 20Ab^2) \log\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^4, x]

[Out] ((96*b^2*(-40*a^6*A*b + 84*a^4*A*b^3 - 69*a^2*A*b^5 + 20*A*b^7 + 20*a^7*B - 35*a^5*b^2*B + 28*a^3*b^4*B - 8*a*b^6*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(7/2) - 48*(a^2*A + 20*A*b^2 - 8*a*b*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 48*(a^2*A + 20*A*b^2 - 8*a*b*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*a*(24*a^10*A - 324*a^8*A*b^2 + 1116*a^6*A*b^4 - 830*a^4*A*b^6 - 61*a^2*A*b^8 + 180*A*b^10 + 72*a^9*b*B - 438*a^7*b^3*B + 305*a^5*b^5*B + 28*a^3*b^7*B - 72*a*b^9*B + 6*a*(-20*a^8*A*b - 9*a^6*A*b^3 + 309*a^4*A*b^5 - 400*a^2*A*b^7 + 150*A*b^9 + 8*a^9*B - 6*a^7*b^2*B - 135*a^5*b^4*B + 163*a^3*b^6*B - 60*a*b^8*B)*Cos[c + d*x] + 12*b*(-21*a^8*A*b + 85*a^6*A*b^3 - 55*a^4*A*b^5 - 19*a^2*A*b^7 + 20*A*b^9 + 6*a^9*B - 36*a^7*b^2*B + 20*a^5*b^4*B + 8*a^3*b^6*B - 8*a*b^8*B)*Cos[2*(c + d*x)]) - 138*a^7*A*b^3*Cos[3*(c + d*x)] + 738*a^5*A*b^5*Cos[3*(c + d*x)] - 840*a^3*A*b^7*Cos[3*(c + d*x)] + 300*a*A*b^9*Cos[3*(c + d*x)] + 36*a^8*b^2*B*Cos[3*(c + d*x)] - 318*a^6*b^4*B*Cos[3*(c + d*x)] + 342*a^4*b^6*B*Cos[3*(c + d*x)] - 120*a^2*b^8*B*Cos[3*(c + d*x)] - 24*a^6*A*b^4*Cos[4*(c + d*x)] + 14

$$6*a^4*A*b^6*\cos[4*(c + d*x)] - 167*a^2*A*b^8*\cos[4*(c + d*x)] + 60*A*b^10*\cos[4*(c + d*x)] + 6*a^7*b^3*B*\cos[4*(c + d*x)] - 65*a^5*b^5*B*\cos[4*(c + d*x)] + 68*a^3*b^7*B*\cos[4*(c + d*x)] - 24*a*b^9*B*\cos[4*(c + d*x)]*Sec[c + d*x]*Tan[c + d*x]/((a^2 - b^2)^3*(a + b*\cos[c + d*x])^3)/(96*a^6*d)$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 1.83, size = 1090, normalized size = 1.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^4,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(6*(20*B*a^7*b^2 - 40*A*a^6*b^3 - 35*B*a^5*b^4 + 84*A*a^4*b^5 + 28*B*a^3*b^6 - 69*A*a^2*b^7 - 8*B*a*b^8 + 20*A*b^9)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^{12} - 3*a^{10}*b^2 + 3*a^8*b^4 - a^6*b^6)*\sqrt{a^2 - b^2}) \\ & + 2*(60*B*a^7*b^3*\tan(1/2*d*x + 1/2*c)^5 - 90*A*a^6*b^4*\tan(1/2*d*x + 1/2*c)^5 - 105*B*a^6*b^4*\tan(1/2*d*x + 1/2*c)^5 + 162*A*a^5*b^5*\tan(1/2*d*x + 1/2*c)^5 \\ & - 24*B*a^5*b^5*\tan(1/2*d*x + 1/2*c)^5 + 48*A*a^4*b^6*\tan(1/2*d*x + 1/2*c)^5 + 117*B*a^4*b^6*\tan(1/2*d*x + 1/2*c)^5 - 213*A*a^3*b^7*\tan(1/2*d*x + 1/2*c)^5 \\ & - 24*B*a^3*b^7*\tan(1/2*d*x + 1/2*c)^5 + 48*A*a^2*b^8*\tan(1/2*d*x + 1/2*c)^5 - 42*B*a^2*b^8*\tan(1/2*d*x + 1/2*c)^5 + 81*A*a*b^9*\tan(1/2*d*x + 1/2*c)^5 \\ & + 18*B*a*b^9*\tan(1/2*d*x + 1/2*c)^5 - 36*A*b^10*\tan(1/2*d*x + 1/2*c)^5 + 120*B*a^7*b^3*\tan(1/2*d*x + 1/2*c)^3 - 180*A*a^6*b^4*\tan(1/2*d*x + 1/2*c)^3 \\ & - 236*B*a^5*b^5*\tan(1/2*d*x + 1/2*c)^3 + 392*A*a^4*b^6*\tan(1/2*d*x + 1/2*c)^3 + 152*B*a^3*b^7*\tan(1/2*d*x + 1/2*c)^3 - 284*A*a^2*b^8*\tan(1/2*d*x + 1/2*c)^3 \\ & - 36*B*a*b^9*\tan(1/2*d*x + 1/2*c)^3 + 72*A*b^10*\tan(1/2*d*x + 1/2*c)^3 + 60*B*a^7*b^3*\tan(1/2*d*x + 1/2*c) - 90*A*a^6*b^4*\tan(1/2*d*x + 1/2*c) \\ & + 105*B*a^6*b^4*\tan(1/2*d*x + 1/2*c) - 162*A*a^5*b^5*\tan(1/2*d*x + 1/2*c) - 24*B*a^5*b^5*\tan(1/2*d*x + 1/2*c) + 48*A*a^4*b^6*\tan(1/2*d*x + 1/2*c) \\ & - 117*B*a^4*b^6*\tan(1/2*d*x + 1/2*c) + 213*A*a^3*b^7*\tan(1/2*d*x + 1/2*c) - 24*B*a^3*b^7*\tan(1/2*d*x + 1/2*c) + 48*A*a^2*b^8*\tan(1/2*d*x + 1/2*c) \\ & + 42*B*a^2*b^8*\tan(1/2*d*x + 1/2*c) - 81*A*a*b^9*\tan(1/2*d*x + 1/2*c) + 18*B*a*b^9*\tan(1/2*d*x + 1/2*c) - 36*A*b^10*\tan(1/2*d*x + 1/2*c))/((a^{11} - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)^3 \\ & - 3*(A*a^2 - 8*B*a*b + 20*A*b^2)*\log(\abs(\tan(1/2*d*x + 1/2*c) + 1))/a^6 + 3*(A*a^2 - 8*B*a*b + 20*A*b^2)*\log(\abs(\tan(1/2*d*x + 1/2*c) - 1))/a^6 \\ & - 6*(A*a*\tan(1/2*d*x + 1/2*c)^3 - 2*B*a*\tan(1/2*d*x + 1/2*c)^3 + 8*A*b*\tan(1/2*d*x + 1/2*c)^3 + A*a*\tan(1/2*d*x + 1/2*c) + 2*B*a*\tan(1/2*d*x + 1/2*c) - 8*A*b*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c))^2 - 1)^2*a^5)/d \end{aligned}$$

maple [B] time = 0.26, size = 3042, normalized size = 5.56

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^4,x)

$$\begin{aligned}
& [Out] \frac{1}{2} \frac{d}{a^4} \frac{A}{(\tan(1/2 dx + 1/2 c) - 1)} + \frac{1}{2} \frac{d}{a^4} \frac{A}{(\tan(1/2 dx + 1/2 c) + 1)} - \frac{40}{d} \frac{b^3}{(a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6)} / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c) * (a-b) / ((a-b)(a+b))^{1/2}) * A - \frac{6}{d} \frac{b^7}{a^4} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * B + \frac{5}{d} \frac{b^4}{a} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * B + \frac{3}{d} \frac{b^7}{a^4} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * A + \frac{30}{d} \frac{b^4}{a} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 * b^4 / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * A - \frac{6}{d} \frac{b^4}{a^2} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 * b^5 / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * A - \frac{34}{d} \frac{b^3}{a^3} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 * b^6 / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * A - \frac{3}{d} \frac{b^7}{a^4} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a-b) / (a^3 + 3a^2 b + 3a b^2 + b^3) * \tan(1/2 dx + 1/2 c)^5 * A + \frac{12}{d} \frac{b^8}{a^5} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a-b) / (a^3 + 3a^2 b + 3a b^2 + b^3) * \tan(1/2 dx + 1/2 c)^5 * A - \frac{6}{d} \frac{b^7}{a^4} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a-b) / (a^3 + 3a^2 b + 3a b^2 + b^3) * \tan(1/2 dx + 1/2 c)^5 * B + \frac{24}{d} \frac{b^8}{a^5} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a^2 + 2a b + b^2) / (a^2 - 2a b + b^2) * \tan(1/2 dx + 1/2 c)^3 * A + \frac{116}{3} \frac{b^5}{d} \frac{1}{a^2} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a^2 + 2a b + b^2) / (a^2 - 2a b + b^2) * \tan(1/2 dx + 1/2 c)^3 * B - \frac{12}{d} \frac{b^7}{a^4} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a^2 + 2a b + b^2) / (a^2 - 2a b + b^2) * \tan(1/2 dx + 1/2 c)^3 * B + \frac{12}{d} \frac{b^8}{a^5} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * A + \frac{30}{d} \frac{b^4}{a} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 * b^4 / (a-b) / (a^3 + 3a^2 b + 3a b^2 + b^3) * \tan(1/2 dx + 1/2 c)^5 * A + \frac{6}{d} \frac{b^2}{a^2} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 * b^5 / (a-b) / (a^3 + 3a^2 b + 3a b^2 + b^3) * \tan(1/2 dx + 1/2 c)^5 * A - \frac{34}{d} \frac{b^3}{a^3} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 * b^6 / (a-b) / (a^3 + 3a^2 b + 3a b^2 + b^3) * \tan(1/2 dx + 1/2 c)^5 * A + \frac{60}{d} \frac{b^4}{a} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 * b^4 / (a^2 + 2a b + b^2) / (a^2 - 2a b + b^2) * \tan(1/2 dx + 1/2 c)^3 * A - \frac{212}{3} \frac{b^6}{d} \frac{1}{a^3} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 * b^6 / (a^2 + 2a b + b^2) / (a^2 - 2a b + b^2) * \tan(1/2 dx + 1/2 c)^3 * A - \frac{2}{d} \frac{b^6}{a^3} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * B - \frac{5}{d} \frac{b^4}{a} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a-b) / (a^3 + 3a^2 b + 3a b^2 + b^3) * \tan(1/2 dx + 1/2 c)^5 * B + \frac{18}{d} \frac{b^5}{a^2} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a-b) / (a^3 + 3a^2 b + 3a b^2 + b^3) * \tan(1/2 dx + 1/2 c)^5 * B + \frac{2}{d} \frac{b^6}{a^3} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * B + \frac{18}{d} \frac{b^5}{a^2} / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3 / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * B + \frac{1}{2} \frac{d}{a^4} \frac{A}{\ln(\tan(1/2 dx + 1/2 c) - 1)} - \frac{20}{d} \frac{1}{(a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3} / (a-b) / (a^3 + 3a^2 b + 3a b^2 + b^3) * \tan(1/2 dx + 1/2 c)^5 * b^3 * B - \frac{40}{d} \frac{1}{(a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3} / (a^2 + 2a b + b^2) * \tan(1/2 dx + 1/2 c)^3 * b^3 * B - \frac{20}{d} \frac{1}{(a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^{2b+a+b})^3} / (a+b) / (a^3 - 3a^2 b + 3a b^2 - b^3) * \tan(1/2 dx + 1/2 c) * b^3 * B - \frac{10}{d} \frac{1}{a^6} \ln(\tan(1/2 dx + 1/2 c) - 1) * A * b^2 + \frac{4}{d} \frac{1}{a^5} \ln(\tan(1/2 dx + 1/2 c) - 1) * B * b + \frac{4}{d} \frac{1}{a^5} (\tan(1/2 dx + 1/2 c) + 1) * A * b + \frac{10}{d} \frac{1}{a^6} \ln(\tan(1/2 dx + 1/2 c) + 1) * A * b^2 + \frac{4}{d} \frac{1}{a^5} (\tan(1/2 dx + 1/2 c) - 1) * A * b - \frac{4}{d} \frac{1}{a^5} \ln(\tan(1/2 dx + 1/2 c) + 1) * B * b - \frac{1}{d} \frac{1}{a^4} (\tan(1/2 dx + 1/2 c) + 1) * B - \frac{1}{2} \frac{d}{a^4} \frac{A}{(\tan(1/2 dx + 1/2 c) - 1)}^2 - \frac{69}{d} \frac{1}{a^4} / (a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c) * (a-b) / ((a-b)(a+b))^{1/2}) * A * b^7 + \frac{84}{d} \frac{1}{a^2} / (a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c) * (a-b) / ((a-b)(a+b))^{1/2}) * A * b^5 + \frac{20}{d} \frac{b^2}{a^2} / (a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c) * (a-b) / ((a-b)(a+b))^{1/2}) * B * a + \frac{20}{d} \frac{b^9}{a^6} / (a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c) * (a-b) / ((a-b)(a+b))^{1/2}) * A - \frac{35}{d} \frac{b^4}{a} / (a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c) * (a-b) / ((a-b)(a+b))^{1/2}) * B + \frac{28}{d} \frac{b^6}{a^3} / (a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c) * (a-b) / ((a-b)(a+b))^{1/2}) * A
\end{aligned}$$

$$-b)/((a-b)*(a+b))^{(1/2)}*B-8/d*b^8/a^5/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 13.94, size = 14398, normalized size = 26.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))^4),x)

[Out]
$$\frac{((\tan(c/2 + (d*x)/2)*(A*a^8 + 20*A*b^8 + 2*B*a^8 - 59*A*a^2*b^6 - 27*A*a^3*b^5 + 57*A*a^4*b^4 + 21*A*a^5*b^3 - 11*A*a^6*b^2 - 4*B*a^2*b^6 + 24*B*a^3*b^5 + 11*B*a^4*b^4 - 26*B*a^5*b^3 - 6*B*a^6*b^2 + 10*A*a*b^7 - 7*A*a^7*b - 8*B*a*b^7 + 2*B*a^7*b))/(a^5*(a + b)*(a - b)^3) + (2*\tan(c/2 + (d*x)/2)^5*(9*A*a^{10} + 180*A*b^{10} - 611*A*a^2*b^8 + 740*A*a^4*b^6 - 324*A*a^6*b^4 + 36*A*a^8*b^2 + 248*B*a^3*b^7 - 320*B*a^5*b^5 + 132*B*a^7*b^3 - 72*B*a*b^9 - 18*B*a^9*b))/(3*a^5*(a + b)^3*(a - b)^3) + (\tan(c/2 + (d*x)/2)^9*(A*a^8 + 20*A*b^8 - 2*B*a^8 - 59*A*a^2*b^6 + 27*A*a^3*b^5 + 57*A*a^4*b^4 - 21*A*a^5*b^3 - 11*A*a^6*b^2 + 4*B*a^2*b^6 + 24*B*a^3*b^5 - 11*B*a^4*b^4 - 26*B*a^5*b^3 + 6*B*a^6*b^2 - 10*A*a*b^7 + 7*A*a^7*b - 8*B*a*b^7 + 2*B*a^7*b))/(a^5*(a + b)^3*(a - b)) + (2*\tan(c/2 + (d*x)/2)^3*(6*A*a^9 - 120*A*b^9 + 6*B*a^9 + 364*A*a^2*b^7 + 71*A*a^3*b^6 - 369*A*a^4*b^5 - 45*A*a^5*b^4 + 111*A*a^6*b^3 + 3*A*a^7*b^2 + 12*B*a^2*b^7 - 148*B*a^3*b^6 - 29*B*a^4*b^5 + 159*B*a^5*b^4 + 18*B*a^6*b^3 - 30*B*a^7*b^2 - 30*A*a*b^8 - 21*A*a^8*b + 48*B*a*b^8 - 6*B*a^8*b))/(3*a^5*(a + b)^2*(a - b)^3) + (2*\tan(c/2 + (d*x)/2)^7*(6*A*a^9 + 120*A*b^9 - 6*B*a^9 - 364*A*a^2*b^7 + 71*A*a^3*b^6 + 369*A*a^4*b^5 - 45*A*a^5*b^4 - 111*A*a^6*b^3 + 3*A*a^7*b^2 + 12*B*a^2*b^7 + 148*B*a^3*b^6 - 29*B*a^4*b^5 - 159*B*a^5*b^4 + 18*B*a^6*b^3 + 30*B*a^7*b^2 - 30*A*a*b^8 + 21*A*a^8*b - 48*B*a*b^8 - 6*B*a^8*b))/(3*a^5*(a + b)^3*(a - b)^2))/(d*(\tan(c/2 + (d*x)/2)^4*(6*a*b^2 - 6*a^2*b - 2*a^3 + 10*b^3) - \tan(c/2 + (d*x)/2)^2*(9*a*b^2 + 3*a^2*b - a^3 + 5*b^3) + \tan(c/2 + (d*x)/2)^6*(6*a*b^2 + 6*a^2*b - 2*a^3 - 10*b^3) + 3*a*b^2 + 3*a^2*b + a^3 + b^3 + \tan(c/2 + (d*x)/2)^10*(3*a*b^2 - 3*a^2*b + a^3 - b^3) + \tan(c/2 + (d*x)/2)^8*(3*a^2*b - 9*a*b^2 + a^3 + 5*b^3))) + (\operatorname{atan}((((8*\tan(c/2 + (d*x)/2)*(800*A^2*a*b^{17} - 800*A^2*b^{18} - A^2*a^{18} + 2*A^2*a^{17}*b + 4720*A^2*a^2*b^{16} - 4720*A^2*a^3*b^{15} - 11522*A^2*a^4*b^{14} + 11522*A^2*a^5*b^{13} + 14837*A^2*a^6*b^{12} - 14812*A^2*a^7*b^{11} - 10385*A^2*a^8*b^{10} + 10430*A^2*a^9*b^9 + 3325*A^2*a^{10}*b^8 - 3640*A^2*a^{11}*b^7 + 45*A^2*a^{12}*b^6 + 350*A^2*a^{13}*b^5 - 209*A^2*a^{14}*b^4 + 68*A^2*a^{15}*b^3 - 35*A^2*a^{16}*b^2 - 128*B^2*a^2*b^{16} + 128*B^2*a^3*b^{15} + 768*B^2*a^4*b^{14} - 768*B^2*a^5*b^{13} - 1920*B^2*a^6*b^{12} + 1920*B^2*a^7*b^{11} + 2600*B^2*a^8*b^{10} - 2560*B^2*a^9*b^9 - 2025*B^2*a^{10}*b^8 + 1920*B^2*a^{11}*b^7 + 824*B^2*a^{12}*b^6 - 768*B^2*a^{13}*b^5 - 80*B^2*a^{14}*b^4 + 128*B^2*a^{15}*b^3 - 64*B^2*a^{16}*b^2 + 640*A*B*a*b^{17} + 16*A*B*a^{17}*b - 640*A*B*a^2*b^{16} - 3808*A*B*a^3*b^{15} + 3808*A*B*a^4*b^{14} + 9408*A*B*a^5*b^{13} - 9408*A*B*a^6*b^{12} - 12430*A*B*a^7*b^{11} + 12320*A*B*a^8*b^{10} + 9200*A*B*a^9*b^9 - 8960*A*B*a^{10}*b^8 - 3360*A*B*a^{11}*b^7 + 3360*A*B*a^{12}*b^6 + 144*A*B*a^{13}*b^5 - 448*A*B*a^{14}*b^4 + 240*A*B*a^{15}*b^3 - 32*A*B*a^{16}*b^2)))/(a^{20}*b + a^{21} - a^{10}*b^{11} - a^{11}*b^$$

$$\begin{aligned}
& 10 + 5a^{12}b^9 + 5a^{13}b^8 - 10a^{14}b^7 - 10a^{15}b^6 + 10a^{16}b^5 + 10 \\
& a^{17}b^4 - 5a^{18}b^3 - 5a^{19}b^2) + (((4*(4Aa^{27} - 80Aa^{12}b^{15} + 40 \\
& Aa^{13}b^{14} + 516Aa^{14}b^{13} - 248Aa^{15}b^{12} - 1404Aa^{16}b^{11} + 640Aa \\
& a^{17}b^{10} + 2076Aa^{18}b^9 - 896Aa^{19}b^8 - 1764Aa^{20}b^7 + 724Aa^{21} \\
& 1b^6 + 816Aa^{22}b^5 - 316Aa^{23}b^4 - 160Aa^{24}b^3 + 52Aa^{25}b^2 + \\
& 32Ba^{13}b^{14} - 16Ba^{14}b^{13} - 208Ba^{15}b^{12} + 100Ba^{16}b^{11} + 572B \\
& a^{17}b^{10} - 252Ba^{18}b^9 - 868Ba^{19}b^8 + 348Ba^{20}b^7 + 772Ba^{21} \\
& b^6 - 292Ba^{22}b^5 - 380Ba^{23}b^4 + 144Ba^{24}b^3 + 80Ba^{25}b^2 - 32 \\
& *Ba^{26}b)) / (a^{25}b + a^{26} - a^{15}b^{11} - a^{16}b^{10} + 5a^{17}b^9 + 5a^{18}b^8 \\
& - 10a^{19}b^7 - 10a^{20}b^6 + 10a^{21}b^5 + 10a^{22}b^4 - 5a^{23}b^3 - 5a \\
& a^{24}b^2) - (4*\tan(c/2 + (d*x)/2)*(Aa^2 + 20A*b^2 - 8B*a*b)*(8a^{25}b - \\
& 8a^{12}b^{14} + 8a^{13}b^{13} + 48a^{14}b^{12} - 48a^{15}b^{11} - 120a^{16}b^{10} + 1 \\
& 20a^{17}b^9 + 160a^{18}b^8 - 160a^{19}b^7 - 120a^{20}b^6 + 120a^{21}b^5 + 4 \\
& 8a^{22}b^4 - 48a^{23}b^3 - 8a^{24}b^2)) / (a^6*(a^{20}b + a^{21} - a^{10}b^{11} - a \\
& ^{11}b^{10} + 5a^{12}b^9 + 5a^{13}b^8 - 10a^{14}b^7 - 10a^{15}b^6 + 10a^{16}b^5 \\
& + 10a^{17}b^4 - 5a^{18}b^3 - 5a^{19}b^2))) * (Aa^2 + 20A*b^2 - 8B*a*b)) / \\
& (2a^6)) * (Aa^2 + 20A*b^2 - 8B*a*b) * i) / (2a^6) + (((8*\tan(c/2 + (d*x)/2) \\
& *(800A^2*a*b^{17} - 800A^2*b^{18} - A^2*a^{18} + 2A^2*a^{17}b + 4720A^2*a^2*b^{16} \\
& - 4720A^2*a^3*b^{15} - 11522A^2*a^4*b^{14} + 11522A^2*a^5*b^{13} + 14837A^2 \\
& a^6*b^{12} - 14812A^2*a^7*b^{11} - 10385A^2*a^8*b^{10} + 10430A^2*a^9*b^9 + \\
& 3325A^2*a^{10}b^8 - 3640A^2*a^{11}b^7 + 45A^2*a^{12}b^6 + 350A^2*a^{13}b^5 \\
& - 209A^2*a^{14}b^4 + 68A^2*a^{15}b^3 - 35A^2*a^{16}b^2 - 128B^2*a^2*b^{16} + \\
& 128B^2*a^3*b^{15} + 768B^2*a^4*b^{14} - 768B^2*a^5*b^{13} - 1920B^2*a^6*b^{12} \\
& + 1920B^2*a^7*b^{11} + 2600B^2*a^8*b^{10} - 2560B^2*a^9*b^9 - 2025B^2*a^{10} \\
& *b^8 + 1920B^2*a^{11}b^7 + 824B^2*a^{12}b^6 - 768B^2*a^{13}b^5 - 80B^2*a^{14} \\
& b^4 + 128B^2*a^{15}b^3 - 64B^2*a^{16}b^2 + 640A*B*a*b^{17} + 16A*B*a^{17}b \\
& - 640A*B*a^2*b^{16} - 3808A*B*a^3*b^{15} + 3808A*B*a^4*b^{14} + 9408A*B*a^5 \\
& b^{13} - 9408A*B*a^6*b^{12} - 12430A*B*a^7*b^{11} + 12320A*B*a^8*b^{10} + 9200A \\
& *B*a^9*b^9 - 8960A*B*a^{10}b^8 - 3360A*B*a^{11}b^7 + 3360A*B*a^{12}b^6 + 14 \\
& 4A*B*a^{13}b^5 - 448A*B*a^{14}b^4 + 240A*B*a^{15}b^3 - 32A*B*a^{16}b^2)) / (a \\
& ^{20}b + a^{21} - a^{10}b^{11} - a^{11}b^{10} + 5a^{12}b^9 + 5a^{13}b^8 - 10a^{14}b^7 \\
& - 10a^{15}b^6 + 10a^{16}b^5 + 10a^{17}b^4 - 5a^{18}b^3 - 5a^{19}b^2) - ((\\
& (4*(4Aa^{27} - 80Aa^{12}b^{15} + 40Aa^{13}b^{14} + 516Aa^{14}b^{13} - 248Aa^{15} \\
& b^{12} - 1404Aa^{16}b^{11} + 640Aa^{17}b^{10} + 2076Aa^{18}b^9 - 896Aa^{19} \\
& *b^8 - 1764Aa^{20}b^7 + 724Aa^{21}b^6 + 816Aa^{22}b^5 - 316Aa^{23}b^4 - \\
& 160Aa^{24}b^3 + 52Aa^{25}b^2 + 32Ba^{13}b^{14} - 16Ba^{14}b^{13} - 208Ba^{15} \\
& b^{12} + 100Ba^{16}b^{11} + 572Ba^{17}b^{10} - 252Ba^{18}b^9 - 868Ba^{19} \\
& b^8 + 348Ba^{20}b^7 + 772Ba^{21}b^6 - 292Ba^{22}b^5 - 380Ba^{23}b^4 + 1 \\
& 44Ba^{24}b^3 + 80Ba^{25}b^2 - 32Ba^{26}b)) / (a^{25}b + a^{26} - a^{15}b^{11} - \\
& a^{16}b^{10} + 5a^{17}b^9 + 5a^{18}b^8 - 10a^{19}b^7 - 10a^{20}b^6 + 10a^{21}b^5 \\
& + 10a^{22}b^4 - 5a^{23}b^3 - 5a^{24}b^2) + (4*\tan(c/2 + (d*x)/2)*(Aa^2 \\
& + 20A*b^2 - 8B*a*b)*(8a^{25}b - 8a^{12}b^{14} + 8a^{13}b^{13} + 48a^{14}b^{12} \\
& - 48a^{15}b^{11} - 120a^{16}b^{10} + 120a^{17}b^9 + 160a^{18}b^8 - 160a^{19}b^7 \\
& - 120a^{20}b^6 + 120a^{21}b^5 + 48a^{22}b^4 - 48a^{23}b^3 - 8a^{24}b^2)) / (\\
& a^6*(a^{20}b + a^{21} - a^{10}b^{11} - a^{11}b^{10} + 5a^{12}b^9 + 5a^{13}b^8 - 10a \\
& ^{14}b^7 - 10a^{15}b^6 + 10a^{16}b^5 + 10a^{17}b^4 - 5a^{18}b^3 - 5a^{19}b^2) \\
&)) * (Aa^2 + 20A*b^2 - 8B*a*b)) / (2a^6)) * (Aa^2 + 20A*b^2 - 8B*a*b) * i) \\
& / (2a^6)) / ((8*(8000A^3*b^{19} - 4000A^3*a*b^{18} - 50800A^3*a^2*b^{17} + 24400 \\
& *A^3*a^3*b^{16} + 135260A^3*a^4*b^{15} - 62030A^3*a^5*b^{14} - 193689A^3*a^6*b \\
& ^{13} + 82337A^3*a^7*b^{12} + 155991A^3*a^8*b^{11} - 57345A^3*a^9*b^{10} - 64479 \\
& *A^3*a^{10}b^9 + 16999A^3*a^{11}b^8 + 8281A^3*a^{12}b^7 + 204A^3*a^{13}b^6 + \\
& 1396A^3*a^{14}b^5 - 40A^3*a^{15}b^4 + 40A^3*a^{16}b^3 - 512B^3*a^3*b^{16} + \\
& 256B^3*a^4*b^{15} + 3328B^3*a^5*b^{14} - 1600B^3*a^6*b^{13} - 9152B^3*a^7*b^{12} \\
& + 4352B^3*a^8*b^{11} + 13888B^3*a^9*b^{10} - 6408B^3*a^{10}b^9 - 12352B^3 \\
& *a^{11}b^8 + 5120B^3*a^{12}b^7 + 6080B^3*a^{13}b^6 - 1920B^3*a^{14}b^5 - 128 \\
& 0B^3*a^{15}b^4 - 9600A^2*B*a*b^{18} + 3840A*B^2*a^2*b^{17} - 1920A*B^2*a^3*b \\
& ^{16} - 24768A*B^2*a^4*b^{15} + 11904A*B^2*a^5*b^{14} + 67392A*B^2*a^6*b^{13} - \\
& 31680A*B^2*a^7*b^{12} - 100368A*B^2*a^8*b^{11} + 45148A*B^2*a^9*b^{10} + 86512 \\
& *A*B^2*a^{10}b^9 - 34567A*B^2*a^{11}b^8 - 40368A*B^2*a^{12}b^7 + 11960A*B^2
\end{aligned}$$

$$\begin{aligned}
& *a^{13}b^6 + 7440*A*B^2*a^{14}b^5 + 80*A*B^2*a^{15}b^4 + 320*A*B^2*a^{16}b^3 + \\
& 4800*A^2*B*a^2*b^{17} + 61440*A^2*B*a^3*b^{16} - 29520*A^2*B*a^4*b^{15} - 165384* \\
& A^2*B*a^5*b^{14} + 76812*A^2*B*a^6*b^{13} + 241596*A^2*B*a^7*b^{12} - 105755*A^2* \\
& B*a^8*b^{11} - 201479*A^2*B*a^9*b^{10} + 77359*A^2*B*a^{10}b^9 + 88721*A^2*B*a^{11} \\
& 1*b^8 - 24711*A^2*B*a^{12}b^7 - 13929*A^2*B*a^{13}b^6 - 255*A^2*B*a^{14}b^5 - \\
& 1345*A^2*B*a^{15}b^4 + 20*A^2*B*a^{16}b^3 - 20*A^2*B*a^{17}b^2)) / (a^{25}b + a^{26} \\
& - a^{15}b^{11} - a^{16}b^{10} + 5*a^{17}b^9 + 5*a^{18}b^8 - 10*a^{19}b^7 - 10*a^{20} \\
& *b^6 + 10*a^{21}b^5 + 10*a^{22}b^4 - 5*a^{23}b^3 - 5*a^{24}b^2) + (((8*\tan(c/2 \\
& + (d*x)/2)*(800*A^2*a*b^{17} - 800*A^2*b^{18} - A^2*a^{18} + 2*A^2*a^{17}b + 4720* \\
& A^2*a^2*b^{16} - 4720*A^2*a^3*b^{15} - 11522*A^2*a^4*b^{14} + 11522*A^2*a^5*b^{13} \\
& + 14837*A^2*a^6*b^{12} - 14812*A^2*a^7*b^{11} - 10385*A^2*a^8*b^{10} + 10430*A^2* \\
& a^9*b^9 + 3325*A^2*a^{10}b^8 - 3640*A^2*a^{11}b^7 + 45*A^2*a^{12}b^6 + 350*A^2 \\
& *a^{13}b^5 - 209*A^2*a^{14}b^4 + 68*A^2*a^{15}b^3 - 35*A^2*a^{16}b^2 - 128*B^2* \\
& a^2*b^{16} + 128*B^2*a^3*b^{15} + 768*B^2*a^4*b^{14} - 768*B^2*a^5*b^{13} - 1920*B^ \\
& 2*a^6*b^{12} + 1920*B^2*a^7*b^{11} + 2600*B^2*a^8*b^{10} - 2560*B^2*a^9*b^9 - 202 \\
& 5*B^2*a^{10}b^8 + 1920*B^2*a^{11}b^7 + 824*B^2*a^{12}b^6 - 768*B^2*a^{13}b^5 - \\
& 80*B^2*a^{14}b^4 + 128*B^2*a^{15}b^3 - 64*B^2*a^{16}b^2 + 640*A*B*a*b^{17} + 16* \\
& A*B*a^{17}b - 640*A*B*a^2*b^{16} - 3808*A*B*a^3*b^{15} + 3808*A*B*a^4*b^{14} + 940 \\
& 8*A*B*a^5*b^{13} - 9408*A*B*a^6*b^{12} - 12430*A*B*a^7*b^{11} + 12320*A*B*a^8*b^{10} \\
& + 9200*A*B*a^9*b^9 - 8960*A*B*a^{10}b^8 - 3360*A*B*a^{11}b^7 + 3360*A*B*a^{12} \\
& 2*b^6 + 144*A*B*a^{13}b^5 - 448*A*B*a^{14}b^4 + 240*A*B*a^{15}b^3 - 32*A*B*a^{16} \\
& 6*b^2)) / (a^{20}b + a^{21} - a^{10}b^{11} - a^{11}b^{10} + 5*a^{12}b^9 + 5*a^{13}b^8 - \\
& 10*a^{14}b^7 - 10*a^{15}b^6 + 10*a^{16}b^5 + 10*a^{17}b^4 - 5*a^{18}b^3 - 5*a^{19} \\
& *b^2) + (((4*(4*A*a^{27} - 80*A*a^{12}b^{15} + 40*A*a^{13}b^{14} + 516*A*a^{14}b^{13} \\
& - 248*A*a^{15}b^{12} - 1404*A*a^{16}b^{11} + 640*A*a^{17}b^{10} + 2076*A*a^{18}b^9 - \\
& 896*A*a^{19}b^8 - 1764*A*a^{20}b^7 + 724*A*a^{21}b^6 + 816*A*a^{22}b^5 - 316*A* \\
& a^{23}b^4 - 160*A*a^{24}b^3 + 52*A*a^{25}b^2 + 32*B*a^{13}b^{14} - 16*B*a^{14}b^{13} \\
& - 208*B*a^{15}b^{12} + 100*B*a^{16}b^{11} + 572*B*a^{17}b^{10} - 252*B*a^{18}b^9 - 8 \\
& 68*B*a^{19}b^8 + 348*B*a^{20}b^7 + 772*B*a^{21}b^6 - 292*B*a^{22}b^5 - 380*B*a^{23} \\
& b^4 + 144*B*a^{24}b^3 + 80*B*a^{25}b^2 - 32*B*a^{26}b)) / (a^{25}b + a^{26} - a^{15} \\
& b^{11} - a^{16}b^{10} + 5*a^{17}b^9 + 5*a^{18}b^8 - 10*a^{19}b^7 - 10*a^{20}b^6 + \\
& 10*a^{21}b^5 + 10*a^{22}b^4 - 5*a^{23}b^3 - 5*a^{24}b^2) - (4*\tan(c/2 + (d*x)/ \\
& 2)*(A*a^2 + 20*A*b^2 - 8*B*a*b))*(8*a^{25}b - 8*a^{12}b^{14} + 8*a^{13}b^{13} + 48* \\
& a^{14}b^{12} - 48*a^{15}b^{11} - 120*a^{16}b^{10} + 120*a^{17}b^9 + 160*a^{18}b^8 - 16 \\
& 0*a^{19}b^7 - 120*a^{20}b^6 + 120*a^{21}b^5 + 48*a^{22}b^4 - 48*a^{23}b^3 - 8*a^{24} \\
& b^2)) / (a^6*(a^{20}b + a^{21} - a^{10}b^{11} - a^{11}b^{10} + 5*a^{12}b^9 + 5*a^{13}b^8 - \\
& 10*a^{14}b^7 - 10*a^{15}b^6 + 10*a^{16}b^5 + 10*a^{17}b^4 - 5*a^{18}b^3 - \\
& 5*a^{19}b^2)))*(A*a^2 + 20*A*b^2 - 8*B*a*b)) / (2*a^6))*(A*a^2 + 20*A*b^2 - 8* \\
& B*a*b)) / (2*a^6) - (((8*\tan(c/2 + (d*x)/2)*(800*A^2*a*b^{17} - 800*A^2*b^{18} - \\
& A^2*a^{18} + 2*A^2*a^{17}b + 4720*A^2*a^2*b^{16} - 4720*A^2*a^3*b^{15} - 11522*A^2 \\
& *a^4*b^{14} + 11522*A^2*a^5*b^{13} + 14837*A^2*a^6*b^{12} - 14812*A^2*a^7*b^{11} - \\
& 10385*A^2*a^8*b^{10} + 10430*A^2*a^9*b^9 + 3325*A^2*a^{10}b^8 - 3640*A^2*a^{11} \\
& b^7 + 45*A^2*a^{12}b^6 + 350*A^2*a^{13}b^5 - 209*A^2*a^{14}b^4 + 68*A^2*a^{15}b^3 - \\
& 35*A^2*a^{16}b^2 - 128*B^2*a^2*b^{16} + 128*B^2*a^3*b^{15} + 768*B^2*a^4*b^{14} - \\
& 768*B^2*a^5*b^{13} - 1920*B^2*a^6*b^{12} + 1920*B^2*a^7*b^{11} + 2600*B^2*a^8 \\
& *b^{10} - 2560*B^2*a^9*b^9 - 2025*B^2*a^{10}b^8 + 1920*B^2*a^{11}b^7 + 824*B^2 \\
& *a^{12}b^6 - 768*B^2*a^{13}b^5 - 80*B^2*a^{14}b^4 + 128*B^2*a^{15}b^3 - 64*B^2* \\
& a^{16}b^2 + 640*A*B*a*b^{17} + 16*A*B*a^{17}b - 640*A*B*a^2*b^{16} - 3808*A*B*a^3 \\
& *b^{15} + 3808*A*B*a^4*b^{14} + 9408*A*B*a^5*b^{13} - 9408*A*B*a^6*b^{12} - 12430*A \\
& *B*a^7*b^{11} + 12320*A*B*a^8*b^{10} + 9200*A*B*a^9*b^9 - 8960*A*B*a^{10}b^8 - 3 \\
& 360*A*B*a^{11}b^7 + 3360*A*B*a^{12}b^6 + 144*A*B*a^{13}b^5 - 448*A*B*a^{14}b^4 \\
& + 240*A*B*a^{15}b^3 - 32*A*B*a^{16}b^2)) / (a^{20}b + a^{21} - a^{10}b^{11} - a^{11}b^{10} \\
& + 5*a^{12}b^9 + 5*a^{13}b^8 - 10*a^{14}b^7 - 10*a^{15}b^6 + 10*a^{16}b^5 + 10 \\
& *a^{17}b^4 - 5*a^{18}b^3 - 5*a^{19}b^2) - (((4*(4*A*a^{27} - 80*A*a^{12}b^{15} + 40 \\
& *A*a^{13}b^{14} + 516*A*a^{14}b^{13} - 248*A*a^{15}b^{12} - 1404*A*a^{16}b^{11} + 640*A \\
& *a^{17}b^{10} + 2076*A*a^{18}b^9 - 896*A*a^{19}b^8 - 1764*A*a^{20}b^7 + 724*A*a^{21} \\
& 1*b^6 + 816*A*a^{22}b^5 - 316*A*a^{23}b^4 - 160*A*a^{24}b^3 + 52*A*a^{25}b^2 + \\
& 32*B*a^{13}b^{14} - 16*B*a^{14}b^{13} - 208*B*a^{15}b^{12} + 100*B*a^{16}b^{11} + 572*B \\
& *a^{17}b^{10} - 252*B*a^{18}b^9 - 868*B*a^{19}b^8 + 348*B*a^{20}b^7 + 772*B*a^{21}
\end{aligned}$$

$$\begin{aligned}
& b^6 - 292*B*a^{22}*b^5 - 380*B*a^{23}*b^4 + 144*B*a^{24}*b^3 + 80*B*a^{25}*b^2 - 32 \\
& *B*a^{26}*b)) / (a^{25}*b + a^{26} - a^{15}*b^{11} - a^{16}*b^{10} + 5*a^{17}*b^9 + 5*a^{18}*b^8 \\
& - 10*a^{19}*b^7 - 10*a^{20}*b^6 + 10*a^{21}*b^5 + 10*a^{22}*b^4 - 5*a^{23}*b^3 - 5* \\
& a^{24}*b^2) + (4*\tan(c/2 + (d*x)/2)*(A*a^2 + 20*A*b^2 - 8*B*a*b)*(8*a^{25}*b - \\
& 8*a^{12}*b^{14} + 8*a^{13}*b^{13} + 48*a^{14}*b^{12} - 48*a^{15}*b^{11} - 120*a^{16}*b^{10} + 1 \\
& 20*a^{17}*b^9 + 160*a^{18}*b^8 - 160*a^{19}*b^7 - 120*a^{20}*b^6 + 120*a^{21}*b^5 + 4 \\
& 8*a^{22}*b^4 - 48*a^{23}*b^3 - 8*a^{24}*b^2)) / (a^6*(a^{20}*b + a^{21} - a^{10}*b^{11} - a \\
& ^{11}*b^{10} + 5*a^{12}*b^9 + 5*a^{13}*b^8 - 10*a^{14}*b^7 - 10*a^{15}*b^6 + 10*a^{16}*b^5 \\
& + 10*a^{17}*b^4 - 5*a^{18}*b^3 - 5*a^{19}*b^2)))*(A*a^2 + 20*A*b^2 - 8*B*a*b)) / \\
& (2*a^6)*(A*a^2 + 20*A*b^2 - 8*B*a*b)) / (2*a^6)))*(A*a^2 + 20*A*b^2 - 8*B*a* \\
& b)*i) / (a^6*d) + (b^2*atan(((b^2*((8*\tan(c/2 + (d*x)/2)*(800*A^2*a*b^{17} - 8 \\
& 00*A^2*b^{18} - A^2*a^{18} + 2*A^2*a^{17}*b + 4720*A^2*a^2*b^{16} - 4720*A^2*a^3*b^{15} \\
& - 11522*A^2*a^4*b^{14} + 11522*A^2*a^5*b^{13} + 14837*A^2*a^6*b^{12} - 14812*A^2*a^7*b^{11} - 10385*A^2*a^8*b^{10} + 10430*A^2*a^9*b^9 + 3325*A^2*a^{10}*b^8 - \\
& 3640*A^2*a^{11}*b^7 + 45*A^2*a^{12}*b^6 + 350*A^2*a^{13}*b^5 - 209*A^2*a^{14}*b^4 + \\
& 68*A^2*a^{15}*b^3 - 35*A^2*a^{16}*b^2 - 128*B^2*a^2*b^{16} + 128*B^2*a^3*b^{15} + \\
& 768*B^2*a^4*b^{14} - 768*B^2*a^5*b^{13} - 1920*B^2*a^6*b^{12} + 1920*B^2*a^7*b^{11} \\
& + 2600*B^2*a^8*b^{10} - 2560*B^2*a^9*b^9 - 2025*B^2*a^{10}*b^8 + 1920*B^2*a^{11} \\
& *b^7 + 824*B^2*a^{12}*b^6 - 768*B^2*a^{13}*b^5 - 80*B^2*a^{14}*b^4 + 128*B^2*a^{15} \\
& *b^3 - 64*B^2*a^{16}*b^2 + 640*A*B*a*b^{17} + 16*A*B*a^{17}*b - 640*A*B*a^2*b^{16} \\
& - 3808*A*B*a^3*b^{15} + 3808*A*B*a^4*b^{14} + 9408*A*B*a^5*b^{13} - 9408*A*B*a^6* \\
& b^{12} - 12430*A*B*a^7*b^{11} + 12320*A*B*a^8*b^{10} + 9200*A*B*a^9*b^9 - 8960*A* \\
& B*a^{10}*b^8 - 3360*A*B*a^{11}*b^7 + 3360*A*B*a^{12}*b^6 + 144*A*B*a^{13}*b^5 - 448 \\
& *A*B*a^{14}*b^4 + 240*A*B*a^{15}*b^3 - 32*A*B*a^{16}*b^2)) / (a^{20}*b + a^{21} - a^{10}* \\
& b^{11} - a^{11}*b^{10} + 5*a^{12}*b^9 + 5*a^{13}*b^8 - 10*a^{14}*b^7 - 10*a^{15}*b^6 + 10 \\
& *a^{16}*b^5 + 10*a^{17}*b^4 - 5*a^{18}*b^3 - 5*a^{19}*b^2) + (b^2*(-(a + b)^7*(a - \\
& b)^7)^{(1/2)}*((4*(4*A*a^{27} - 80*A*a^{12}*b^{15} + 40*A*a^{13}*b^{14} + 516*A*a^{14}*b^9 \\
& - 248*A*a^{15}*b^{12} - 1404*A*a^{16}*b^{11} + 640*A*a^{17}*b^{10} + 2076*A*a^{18}*b^9 \\
& - 896*A*a^{19}*b^8 - 1764*A*a^{20}*b^7 + 724*A*a^{21}*b^6 + 816*A*a^{22}*b^5 - 316 \\
& *A*a^{23}*b^4 - 160*A*a^{24}*b^3 + 52*A*a^{25}*b^2 + 32*B*a^{13}*b^{14} - 16*B*a^{14}*b^{13} \\
& - 208*B*a^{15}*b^{12} + 100*B*a^{16}*b^{11} + 572*B*a^{17}*b^{10} - 252*B*a^{18}*b^9 \\
& - 868*B*a^{19}*b^8 + 348*B*a^{20}*b^7 + 772*B*a^{21}*b^6 - 292*B*a^{22}*b^5 - 380*B \\
& *a^{23}*b^4 + 144*B*a^{24}*b^3 + 80*B*a^{25}*b^2 - 32*B*a^{26}*b)) / (a^{25}*b + a^{26} - \\
& a^{15}*b^{11} - a^{16}*b^{10} + 5*a^{17}*b^9 + 5*a^{18}*b^8 - 10*a^{19}*b^7 - 10*a^{20}*b^6 \\
& + 10*a^{21}*b^5 + 10*a^{22}*b^4 - 5*a^{23}*b^3 - 5*a^{24}*b^2) - (4*b^2*\tan(c/2 + \\
& (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 \\
& + 84*A*a^4*b^3 + 28*B*a^3*b^4 - 35*B*a^5*b^2 - 40*A*a^6*b - 8*B*a*b^6)*(8*a^{25}*b - \\
& 8*a^{12}*b^{14} + 8*a^{13}*b^{13} + 48*a^{14}*b^{12} - 48*a^{15}*b^{11} - 120*a^{16}* \\
& b^{10} + 120*a^{17}*b^9 + 160*a^{18}*b^8 - 160*a^{19}*b^7 - 120*a^{20}*b^6 + 120*a^{21} \\
& *b^5 + 48*a^{22}*b^4 - 48*a^{23}*b^3 - 8*a^{24}*b^2)) / ((a^{20} - a^6*b^{14} + 7*a^8*b^{12} \\
& - 21*a^{10}*b^{10} + 35*a^{12}*b^8 - 35*a^{14}*b^6 + 21*a^{16}*b^4 - 7*a^{18}*b^2))* \\
& (a^{20}*b + a^{21} - a^{10}*b^{11} - a^{11}*b^{10} + 5*a^{12}*b^9 + 5*a^{13}*b^8 - 10*a^{14}* \\
& b^7 - 10*a^{15}*b^6 + 10*a^{16}*b^5 + 10*a^{17}*b^4 - 5*a^{18}*b^3 - 5*a^{19}*b^2)))* \\
& (20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + 28*B*a^3*b^4 - 35*B*a^5 \\
& *b^2 - 40*A*a^6*b - 8*B*a*b^6)) / (2*(a^{20} - a^6*b^{14} + 7*a^8*b^{12} - 21*a^{10} \\
& *b^{10} + 35*a^{12}*b^8 - 35*a^{14}*b^6 + 21*a^{16}*b^4 - 7*a^{18}*b^2))*(-(a + b)^7 \\
& *(a - b)^7)^{(1/2)}*(20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + 28*B \\
& *a^3*b^4 - 35*B*a^5*b^2 - 40*A*a^6*b - 8*B*a*b^6)*i) / (2*(a^{20} - a^6*b^{14} + \\
& 7*a^8*b^{12} - 21*a^{10}*b^{10} + 35*a^{12}*b^8 - 35*a^{14}*b^6 + 21*a^{16}*b^4 - 7*a^{18} \\
& *b^2) + (b^2*((8*\tan(c/2 + (d*x)/2)*(800*A^2*a*b^{17} - 800*A^2*b^{18} - A^2 \\
& *a^{18} + 2*A^2*a^{17}*b + 4720*A^2*a^2*b^{16} - 4720*A^2*a^3*b^{15} - 11522*A^2*a^4 \\
& *b^{14} + 11522*A^2*a^5*b^{13} + 14837*A^2*a^6*b^{12} - 14812*A^2*a^7*b^{11} - 103 \\
& 85*A^2*a^8*b^{10} + 10430*A^2*a^9*b^9 + 3325*A^2*a^{10}*b^8 - 3640*A^2*a^{11}*b^7 \\
& + 45*A^2*a^{12}*b^6 + 350*A^2*a^{13}*b^5 - 209*A^2*a^{14}*b^4 + 68*A^2*a^{15}*b^3 \\
& - 35*A^2*a^{16}*b^2 - 128*B^2*a^2*b^{16} + 128*B^2*a^3*b^{15} + 768*B^2*a^4*b^{14} \\
& - 768*B^2*a^5*b^{13} - 1920*B^2*a^6*b^{12} + 1920*B^2*a^7*b^{11} + 2600*B^2*a^8*b^{10} \\
& - 2560*B^2*a^9*b^9 - 2025*B^2*a^{10}*b^8 + 1920*B^2*a^{11}*b^7 + 824*B^2*a^{12} \\
& *b^6 - 768*B^2*a^{13}*b^5 - 80*B^2*a^{14}*b^4 + 128*B^2*a^{15}*b^3 - 64*B^2*a^{16} \\
& *b^2 + 640*A*B*a*b^{17} + 16*A*B*a^{17}*b - 640*A*B*a^2*b^{16} - 3808*A*B*a^3*b^
\end{aligned}$$

$$\begin{aligned}
& 15 + 3808*A*B*a^4*b^14 + 9408*A*B*a^5*b^13 - 9408*A*B*a^6*b^12 - 12430*A*B* \\
& a^7*b^11 + 12320*A*B*a^8*b^10 + 9200*A*B*a^9*b^9 - 8960*A*B*a^10*b^8 - 3360 \\
& *A*B*a^11*b^7 + 3360*A*B*a^12*b^6 + 144*A*B*a^13*b^5 - 448*A*B*a^14*b^4 + 2 \\
& 40*A*B*a^15*b^3 - 32*A*B*a^16*b^2)/(a^20*b + a^21 - a^10*b^11 - a^11*b^10 \\
& + 5*a^12*b^9 + 5*a^13*b^8 - 10*a^14*b^7 - 10*a^15*b^6 + 10*a^16*b^5 + 10*a^ \\
& 17*b^4 - 5*a^18*b^3 - 5*a^19*b^2) - (b^2*(-(a + b)^7*(a - b)^7)^(1/2))*((4*(\\
& 4*A*a^27 - 80*A*a^12*b^15 + 40*A*a^13*b^14 + 516*A*a^14*b^13 - 248*A*a^15*b \\
& ^12 - 1404*A*a^16*b^11 + 640*A*a^17*b^10 + 2076*A*a^18*b^9 - 896*A*a^19*b^8 \\
& - 1764*A*a^20*b^7 + 724*A*a^21*b^6 + 816*A*a^22*b^5 - 316*A*a^23*b^4 - 160 \\
& *A*a^24*b^3 + 52*A*a^25*b^2 + 32*B*a^13*b^14 - 16*B*a^14*b^13 - 208*B*a^15* \\
& b^12 + 100*B*a^16*b^11 + 572*B*a^17*b^10 - 252*B*a^18*b^9 - 868*B*a^19*b^8 \\
& + 348*B*a^20*b^7 + 772*B*a^21*b^6 - 292*B*a^22*b^5 - 380*B*a^23*b^4 + 144*B \\
& *a^24*b^3 + 80*B*a^25*b^2 - 32*B*a^26*b))/((a^25*b + a^26 - a^15*b^11 - a^16 \\
& *b^10 + 5*a^17*b^9 + 5*a^18*b^8 - 10*a^19*b^7 - 10*a^20*b^6 + 10*a^21*b^5 + \\
& 10*a^22*b^4 - 5*a^23*b^3 - 5*a^24*b^2) + (4*b^2*tan(c/2 + (d*x)/2)*(-(a + \\
& b)^7*(a - b)^7)^(1/2)*(20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + \\
& 28*B*a^3*b^4 - 35*B*a^5*b^2 - 40*A*a^6*b - 8*B*a*b^6)*(8*a^25*b - 8*a^12*b^ \\
& 14 + 8*a^13*b^13 + 48*a^14*b^12 - 48*a^15*b^11 - 120*a^16*b^10 + 120*a^17*b^ \\
& ^9 + 160*a^18*b^8 - 160*a^19*b^7 - 120*a^20*b^6 + 120*a^21*b^5 + 48*a^22*b^ \\
& 4 - 48*a^23*b^3 - 8*a^24*b^2))/((a^20 - a^6*b^14 + 7*a^8*b^12 - 21*a^10*b^1 \\
& 0 + 35*a^12*b^8 - 35*a^14*b^6 + 21*a^16*b^4 - 7*a^18*b^2)*(a^20*b + a^21 - \\
& a^10*b^11 - a^11*b^10 + 5*a^12*b^9 + 5*a^13*b^8 - 10*a^14*b^7 - 10*a^15*b^6 \\
& + 10*a^16*b^5 + 10*a^17*b^4 - 5*a^18*b^3 - 5*a^19*b^2)))*(20*A*b^7 + 20*B* \\
& a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + 28*B*a^3*b^4 - 35*B*a^5*b^2 - 40*A*a^6* \\
& b - 8*B*a*b^6))/((2*(a^20 - a^6*b^14 + 7*a^8*b^12 - 21*a^10*b^10 + 35*a^12*b \\
& ^8 - 35*a^14*b^6 + 21*a^16*b^4 - 7*a^18*b^2)))*(-(a + b)^7*(a - b)^7)^(1/2) \\
& *(20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + 28*B*a^3*b^4 - 35*B*a \\
& ^5*b^2 - 40*A*a^6*b - 8*B*a*b^6)*i)/((2*(a^20 - a^6*b^14 + 7*a^8*b^12 - 21* \\
& a^10*b^10 + 35*a^12*b^8 - 35*a^14*b^6 + 21*a^16*b^4 - 7*a^18*b^2)))/((8*(80 \\
& 00*A^3*b^19 - 4000*A^3*a*b^18 - 50800*A^3*a^2*b^17 + 24400*A^3*a^3*b^16 + 1 \\
& 35260*A^3*a^4*b^15 - 62030*A^3*a^5*b^14 - 193689*A^3*a^6*b^13 + 82337*A^3*a \\
& ^7*b^12 + 155991*A^3*a^8*b^11 - 57345*A^3*a^9*b^10 - 64479*A^3*a^10*b^9 + 1 \\
& 6999*A^3*a^11*b^8 + 8281*A^3*a^12*b^7 + 204*A^3*a^13*b^6 + 1396*A^3*a^14*b^ \\
& 5 - 40*A^3*a^15*b^4 + 40*A^3*a^16*b^3 - 512*B^3*a^3*b^16 + 256*B^3*a^4*b^15 \\
& + 3328*B^3*a^5*b^14 - 1600*B^3*a^6*b^13 - 9152*B^3*a^7*b^12 + 4352*B^3*a^8 \\
& *b^11 + 13888*B^3*a^9*b^10 - 6408*B^3*a^10*b^9 - 12352*B^3*a^11*b^8 + 5120* \\
& B^3*a^12*b^7 + 6080*B^3*a^13*b^6 - 1920*B^3*a^14*b^5 - 1280*B^3*a^15*b^4 - \\
& 9600*A^2*B*a*b^18 + 3840*A*B^2*a^2*b^17 - 1920*A*B^2*a^3*b^16 - 24768*A*B^2 \\
& *a^4*b^15 + 11904*A*B^2*a^5*b^14 + 67392*A*B^2*a^6*b^13 - 31680*A*B^2*a^7*b \\
& ^12 - 100368*A*B^2*a^8*b^11 + 45148*A*B^2*a^9*b^10 + 86512*A*B^2*a^10*b^9 - \\
& 34567*A*B^2*a^11*b^8 - 40368*A*B^2*a^12*b^7 + 11960*A*B^2*a^13*b^6 + 7440* \\
& A*B^2*a^14*b^5 + 80*A*B^2*a^15*b^4 + 320*A*B^2*a^16*b^3 + 4800*A^2*B*a^2*b^ \\
& 17 + 61440*A^2*B*a^3*b^16 - 29520*A^2*B*a^4*b^15 - 165384*A^2*B*a^5*b^14 + \\
& 76812*A^2*B*a^6*b^13 + 241596*A^2*B*a^7*b^12 - 105755*A^2*B*a^8*b^11 - 2014 \\
& 79*A^2*B*a^9*b^10 + 77359*A^2*B*a^10*b^9 + 88721*A^2*B*a^11*b^8 - 24711*A^2 \\
& *B*a^12*b^7 - 13929*A^2*B*a^13*b^6 - 255*A^2*B*a^14*b^5 - 1345*A^2*B*a^15*b \\
& ^4 + 20*A^2*B*a^16*b^3 - 20*A^2*B*a^17*b^2))/(a^25*b + a^26 - a^15*b^11 - a \\
& ^16*b^10 + 5*a^17*b^9 + 5*a^18*b^8 - 10*a^19*b^7 - 10*a^20*b^6 + 10*a^21*b^ \\
& 5 + 10*a^22*b^4 - 5*a^23*b^3 - 5*a^24*b^2) + (b^2*((8*tan(c/2 + (d*x)/2)*(8 \\
& 00*A^2*a*b^17 - 800*A^2*b^18 - A^2*a^18 + 2*A^2*a^17*b + 4720*A^2*a^2*b^16 \\
& - 4720*A^2*a^3*b^15 - 11522*A^2*a^4*b^14 + 11522*A^2*a^5*b^13 + 14837*A^2*a \\
& ^6*b^12 - 14812*A^2*a^7*b^11 - 10385*A^2*a^8*b^10 + 10430*A^2*a^9*b^9 + 332 \\
& 5*A^2*a^10*b^8 - 3640*A^2*a^11*b^7 + 45*A^2*a^12*b^6 + 350*A^2*a^13*b^5 - 2 \\
& 09*A^2*a^14*b^4 + 68*A^2*a^15*b^3 - 35*A^2*a^16*b^2 - 128*B^2*a^2*b^16 + 12 \\
& 8*B^2*a^3*b^15 + 768*B^2*a^4*b^14 - 768*B^2*a^5*b^13 - 1920*B^2*a^6*b^12 + \\
& 1920*B^2*a^7*b^11 + 2600*B^2*a^8*b^10 - 2560*B^2*a^9*b^9 - 2025*B^2*a^10*b^ \\
& 8 + 1920*B^2*a^11*b^7 + 824*B^2*a^12*b^6 - 768*B^2*a^13*b^5 - 80*B^2*a^14*b \\
& ^4 + 128*B^2*a^15*b^3 - 64*B^2*a^16*b^2 + 640*A*B*a*b^17 + 16*A*B*a^17*b - \\
& 640*A*B*a^2*b^16 - 3808*A*B*a^3*b^15 + 3808*A*B*a^4*b^14 + 9408*A*B*a^5*b^1
\end{aligned}$$

$$\begin{aligned}
& 3 - 9408*A*B*a^6*b^12 - 12430*A*B*a^7*b^11 + 12320*A*B*a^8*b^10 + 9200*A*B*a^9*b^9 - 8960*A*B*a^10*b^8 - 3360*A*B*a^11*b^7 + 3360*A*B*a^12*b^6 + 144*A*B*a^13*b^5 - 448*A*B*a^14*b^4 + 240*A*B*a^15*b^3 - 32*A*B*a^16*b^2)/(a^20*b + a^21 - a^10*b^11 - a^11*b^10 + 5*a^12*b^9 + 5*a^13*b^8 - 10*a^14*b^7 - 10*a^15*b^6 + 10*a^16*b^5 + 10*a^17*b^4 - 5*a^18*b^3 - 5*a^19*b^2) + (b^2*(-(a + b)^7*(a - b)^7)^(1/2)*((4*(4*A*a^27 - 80*A*a^12*b^15 + 40*A*a^13*b^14 + 516*A*a^14*b^13 - 248*A*a^15*b^12 - 1404*A*a^16*b^11 + 640*A*a^17*b^10 + 2076*A*a^18*b^9 - 896*A*a^19*b^8 - 1764*A*a^20*b^7 + 724*A*a^21*b^6 + 816*A*a^22*b^5 - 316*A*a^23*b^4 - 160*A*a^24*b^3 + 52*A*a^25*b^2 + 32*B*a^13*b^14 - 16*B*a^14*b^13 - 208*B*a^15*b^12 + 100*B*a^16*b^11 + 572*B*a^17*b^10 - 252*B*a^18*b^9 - 868*B*a^19*b^8 + 348*B*a^20*b^7 + 772*B*a^21*b^6 - 292*B*a^22*b^5 - 380*B*a^23*b^4 + 144*B*a^24*b^3 + 80*B*a^25*b^2 - 32*B*a^26*b)))/(a^25*b + a^26 - a^15*b^11 - a^16*b^10 + 5*a^17*b^9 + 5*a^18*b^8 - 10*a^19*b^7 - 10*a^20*b^6 + 10*a^21*b^5 + 10*a^22*b^4 - 5*a^23*b^3 - 5*a^24*b^2) - (4*b^2*tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^(1/2)*(20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + 28*B*a^3*b^4 - 35*B*a^5*b^2 - 40*A*a^6*b - 8*B*a*b^6)*(8*a^25*b - 8*a^12*b^14 + 8*a^13*b^13 + 48*a^14*b^12 - 48*a^15*b^11 - 120*a^16*b^10 + 120*a^17*b^9 + 160*a^18*b^8 - 160*a^19*b^7 - 120*a^20*b^6 + 120*a^21*b^5 + 48*a^22*b^4 - 48*a^23*b^3 - 8*a^24*b^2))/((a^20 - a^6*b^14 + 7*a^8*b^12 - 21*a^10*b^10 + 35*a^12*b^8 - 35*a^14*b^6 + 21*a^16*b^4 - 7*a^18*b^2)*(a^20*b + a^21 - a^10*b^11 - a^11*b^10 + 5*a^12*b^9 + 5*a^13*b^8 - 10*a^14*b^7 - 10*a^15*b^6 + 10*a^16*b^5 + 10*a^17*b^4 - 5*a^18*b^3 - 5*a^19*b^2)))*(20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + 28*B*a^3*b^4 - 35*B*a^5*b^2 - 40*A*a^6*b - 8*B*a*b^6))/(2*(a^20 - a^6*b^14 + 7*a^8*b^12 - 21*a^10*b^10 + 35*a^12*b^8 - 35*a^14*b^6 + 21*a^16*b^4 - 7*a^18*b^2)))*(-(a + b)^7*(a - b)^7)^(1/2)*(20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + 28*B*a^3*b^4 - 35*B*a^5*b^2 - 40*A*a^6*b - 8*B*a*b^6))/(2*(a^20 - a^6*b^14 + 7*a^8*b^12 - 21*a^10*b^10 + 35*a^12*b^8 - 35*a^14*b^6 + 21*a^16*b^4 - 7*a^18*b^2)) - (b^2*((8*tan(c/2 + (d*x)/2)*(800*A^2*a*b^17 - 800*A^2*b^18 - A^2*a^18 + 2*A^2*a^17*b + 4720*A^2*a^2*b^16 - 4720*A^2*a^3*b^15 - 11522*A^2*a^4*b^14 + 11522*A^2*a^5*b^13 + 14837*A^2*a^6*b^12 - 14812*A^2*a^7*b^11 - 10385*A^2*a^8*b^10 + 10430*A^2*a^9*b^9 + 3325*A^2*a^10*b^8 - 3640*A^2*a^11*b^7 + 45*A^2*a^12*b^6 + 350*A^2*a^13*b^5 - 209*A^2*a^14*b^4 + 68*A^2*a^15*b^3 - 35*A^2*a^16*b^2 - 128*B^2*a^2*b^16 + 128*B^2*a^3*b^15 + 768*B^2*a^4*b^14 - 768*B^2*a^5*b^13 - 1920*B^2*a^6*b^12 + 1920*B^2*a^7*b^11 + 2600*B^2*a^8*b^10 - 2560*B^2*a^9*b^9 - 2025*B^2*a^10*b^8 + 1920*B^2*a^11*b^7 + 824*B^2*a^12*b^6 - 768*B^2*a^13*b^5 - 80*B^2*a^14*b^4 + 128*B^2*a^15*b^3 - 64*B^2*a^16*b^2 + 640*A*B*a*b^17 + 16*A*B*a^17*b - 640*A*B*a^2*b^16 - 3808*A*B*a^3*b^15 + 3808*A*B*a^4*b^14 + 9408*A*B*a^5*b^13 - 9408*A*B*a^6*b^12 - 12430*A*B*a^7*b^11 + 12320*A*B*a^8*b^10 + 9200*A*B*a^9*b^9 - 8960*A*B*a^10*b^8 - 3360*A*B*a^11*b^7 + 3360*A*B*a^12*b^6 + 144*A*B*a^13*b^5 - 448*A*B*a^14*b^4 + 240*A*B*a^15*b^3 - 32*A*B*a^16*b^2))/(a^20*b + a^21 - a^10*b^11 - a^11*b^10 + 5*a^12*b^9 + 5*a^13*b^8 - 10*a^14*b^7 - 10*a^15*b^6 + 10*a^16*b^5 + 10*a^17*b^4 - 5*a^18*b^3 - 5*a^19*b^2) - (b^2*(-(a + b)^7*(a - b)^7)^(1/2)*((4*(4*A*a^27 - 80*A*a^12*b^15 + 40*A*a^13*b^14 + 516*A*a^14*b^13 - 248*A*a^15*b^12 - 1404*A*a^16*b^11 + 640*A*a^17*b^10 + 2076*A*a^18*b^9 - 896*A*a^19*b^8 - 1764*A*a^20*b^7 + 724*A*a^21*b^6 + 816*A*a^22*b^5 - 316*A*a^23*b^4 - 160*A*a^24*b^3 + 52*A*a^25*b^2 + 32*B*a^13*b^14 - 16*B*a^14*b^13 - 208*B*a^15*b^12 + 100*B*a^16*b^11 + 572*B*a^17*b^10 - 252*B*a^18*b^9 - 868*B*a^19*b^8 + 348*B*a^20*b^7 + 772*B*a^21*b^6 - 292*B*a^22*b^5 - 380*B*a^23*b^4 + 144*B*a^24*b^3 + 80*B*a^25*b^2 - 32*B*a^26*b)))/(a^25*b + a^26 - a^15*b^11 - a^16*b^10 + 5*a^17*b^9 + 5*a^18*b^8 - 10*a^19*b^7 - 10*a^20*b^6 + 10*a^21*b^5 + 10*a^22*b^4 - 5*a^23*b^3 - 5*a^24*b^2) + (4*b^2*tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^(1/2)*(20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + 28*B*a^3*b^4 - 35*B*a^5*b^2 - 40*A*a^6*b - 8*B*a*b^6)*(8*a^25*b - 8*a^12*b^14 + 8*a^13*b^13 + 48*a^14*b^12 - 48*a^15*b^11 - 120*a^16*b^10 + 120*a^17*b^9 + 160*a^18*b^8 - 160*a^19*b^7 - 120*a^20*b^6 + 120*a^21*b^5 + 48*a^22*b^4 - 48*a^23*b^3 - 8*a^24*b^2))/((a^20 - a^6*b^14 + 7*a^8*b^12 - 21*a^10*b^10 + 35*a^12*b^8 - 35*a^14*b^6 + 21*a^16*b^4 - 7*a^18*b^2)*(a^
\end{aligned}$$

$$\begin{aligned}
& (20*b + a^{21} - a^{10}*b^{11} - a^{11}*b^{10} + 5*a^{12}*b^9 + 5*a^{13}*b^8 - 10*a^{14}*b^7 \\
& - 10*a^{15}*b^6 + 10*a^{16}*b^5 + 10*a^{17}*b^4 - 5*a^{18}*b^3 - 5*a^{19}*b^2)) * (20 \\
& *A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + 28*B*a^3*b^4 - 35*B*a^5*b^2 \\
& - 40*A*a^6*b - 8*B*a*b^6)) / (2*(a^{20} - a^6*b^{14} + 7*a^8*b^{12} - 21*a^{10}*b^{10} \\
& + 35*a^{12}*b^8 - 35*a^{14}*b^6 + 21*a^{16}*b^4 - 7*a^{18}*b^2)) * (- (a + b)^7 * (a \\
& - b)^7)^{(1/2)} * (20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A*a^4*b^3 + 28*B*a^3*b^4 \\
& - 35*B*a^5*b^2 - 40*A*a^6*b - 8*B*a*b^6)) / (2*(a^{20} - a^6*b^{14} + 7*a^8*b^{12} - 21*a^{10}*b^{10} \\
& + 35*a^{12}*b^8 - 35*a^{14}*b^6 + 21*a^{16}*b^4 - 7*a^{18}*b^2)) * (- (a + b)^7 * (a - b)^7)^{(1/2)} * (20*A*b^7 + 20*B*a^7 - 69*A*a^2*b^5 + 84*A \\
& *a^4*b^3 + 28*B*a^3*b^4 - 35*B*a^5*b^2 - 40*A*a^6*b - 8*B*a*b^6) * 1i) / (d*(a^{20} - a^6*b^{14} + 7*a^8*b^{12} - 21*a^{10}*b^{10} + 35*a^{12}*b^8 - 35*a^{14}*b^6 + 21 \\
& *a^{16}*b^4 - 7*a^{18}*b^2))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c))**4,x)

[Out] Timed out

$$3.281 \quad \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=28

$$\frac{B \sin(c+dx)}{d} - \frac{B \sin^3(c+dx)}{3d}$$

[Out] B*sin(d*x+c)/d-1/3*B*sin(d*x+c)^3/d

Rubi [A] time = 0.02, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {21, 2633}

$$\frac{B \sin(c+dx)}{d} - \frac{B \sin^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] (B*Sin[c + d*x])/d - (B*Sin[c + d*x]^3)/(3*d)

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx &= B \int \cos^3(c+dx) dx \\ &= -\frac{B \text{Subst}\left(\int (1-x^2) dx, x, -\sin(c+dx)\right)}{d} \\ &= \frac{B \sin(c+dx)}{d} - \frac{B \sin^3(c+dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.01, size = 28, normalized size = 1.00

$$B \left(\frac{\sin(c+dx)}{d} - \frac{\sin^3(c+dx)}{3d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] B*(Sin[c + d*x]/d - Sin[c + d*x]^3/(3*d))

fricas [A] time = 0.69, size = 25, normalized size = 0.89

$$\frac{(B \cos(dx+c)^2 + 2B) \sin(dx+c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/3*(B*cos(d*x + c)^2 + 2*B)*sin(d*x + c)/d

giac [A] time = 0.42, size = 25, normalized size = 0.89

$$-\frac{B \sin(dx + c)^3 - 3 B \sin(dx + c)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] -1/3*(B*sin(d*x + c)^3 - 3*B*sin(d*x + c))/d

maple [A] time = 0.08, size = 23, normalized size = 0.82

$$\frac{B(2 + \cos^2(dx + c)) \sin(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] 1/3/d*B*(2+cos(d*x+c)^2)*sin(d*x+c)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.48, size = 24, normalized size = 0.86

$$\frac{B(9 \sin(c + dx) + \sin(3c + 3dx))}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^3*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)),x)

[Out] (B*(9*sin(c + d*x) + sin(3*c + 3*d*x)))/(12*d)

sympy [A] time = 1.26, size = 56, normalized size = 2.00

$$\begin{cases} \frac{2B \sin^3(c+dx)}{3d} + \frac{B \sin(c+dx) \cos^2(c+dx)}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \cos^3(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] Piecewise((2*B*sin(c + d*x)**3/(3*d) + B*sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(B*a + B*b*cos(c))*cos(c)**3/(a + b*cos(c)), True))

$$3.282 \quad \int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=27

$$\frac{B \sin(c+dx) \cos(c+dx)}{2d} + \frac{Bx}{2}$$

[Out] 1/2*B*x+1/2*B*cos(d*x+c)*sin(d*x+c)/d

Rubi [A] time = 0.01, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {21, 2635, 8}

$$\frac{B \sin(c+dx) \cos(c+dx)}{2d} + \frac{Bx}{2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] (B*x)/2 + (B*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx &= B \int \cos^2(c+dx) dx \\ &= \frac{B \cos(c+dx) \sin(c+dx)}{2d} + \frac{1}{2}B \int 1 dx \\ &= \frac{Bx}{2} + \frac{B \cos(c+dx) \sin(c+dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.02, size = 24, normalized size = 0.89

$$\frac{B(2(c+dx) + \sin(2(c+dx)))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] (B*(2*(c + d*x) + Sin[2*(c + d*x)]))/(4*d)

fricas [A] time = 0.84, size = 24, normalized size = 0.89

$$\frac{Bdx + B \cos(dx + c) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(B*d*x + B*cos(d*x + c)*sin(d*x + c))/d

giac [A] time = 0.37, size = 33, normalized size = 1.22

$$\frac{(dx + c)B + \frac{B \tan(dx+c)}{\tan(dx+c)^2+1}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] 1/2*((d*x + c)*B + B*tan(d*x + c)/(tan(d*x + c)^2 + 1))/d

maple [A] time = 0.08, size = 28, normalized size = 1.04

$$\frac{B \left(\frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] 1/d*B*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.87, size = 50, normalized size = 1.85

$$\frac{Bx}{2} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right) - B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^2*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)),x)

[Out] (B*x)/2 + (B*tan(c/2 + (d*x)/2) - B*tan(c/2 + (d*x)/2)^3)/(d*(tan(c/2 + (d*x)/2)^2 + 1)^2)

sympy [A] time = 0.89, size = 68, normalized size = 2.52

$$\begin{cases} \frac{Bx \sin^2(c+dx)}{2} + \frac{Bx \cos^2(c+dx)}{2} + \frac{B \sin(c+dx) \cos(c+dx)}{2d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \cos^2(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] Piecewise((B*x*sin(c + d*x)**2/2 + B*x*cos(c + d*x)**2/2 + B*sin(c + d*x)*cos(c + d*x)/(2*d), Ne(d, 0)), (x*(B*a + B*b*cos(c))*cos(c)**2/(a + b*cos(c)), True))

$$3.283 \quad \int \frac{\cos(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=11

$$\frac{B \sin(c + dx)}{d}$$

[Out] B*sin(d*x+c)/d

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {21, 2637}

$$\frac{B \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] (B*Sin[c + d*x])/d

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\cos(c + dx)(aB + bB \cos(c + dx))}{a + b \cos(c + dx)} dx = B \int \cos(c + dx) dx = \frac{B \sin(c + dx)}{d}$$

Mathematica [B] time = 0.01, size = 23, normalized size = 2.09

$$B \left(\frac{\sin(c) \cos(dx)}{d} + \frac{\cos(c) \sin(dx)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] B*((Cos[d*x]*Sin[c])/d + (Cos[c]*Sin[d*x])/d)

fricas [A] time = 0.93, size = 11, normalized size = 1.00

$$\frac{B \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] B*sin(d*x + c)/d

giac [A] time = 0.35, size = 11, normalized size = 1.00

$$\frac{B \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] B*sin(d*x + c)/d

maple [A] time = 0.06, size = 12, normalized size = 1.09

$$\frac{B \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] B*sin(d*x+c)/d

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.47, size = 11, normalized size = 1.00

$$\frac{B \sin(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)),x)

[Out] (B*sin(c + d*x))/d

sympy [A] time = 0.60, size = 31, normalized size = 2.82

$$\begin{cases} \frac{B \sin(c+dx)}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \cos(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] Piecewise((B*sin(c + d*x)/d, Ne(d, 0)), (x*(B*a + B*b*cos(c))*cos(c)/(a + b*cos(c)), True))

$$3.284 \quad \int \frac{aB + bB \cos(c + dx)}{a + b \cos(c + dx)} dx$$

Optimal. Leaf size=3

$$Bx$$

[Out] B*x

Rubi [A] time = 0.00, antiderivative size = 3, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {21, 8}

$$Bx$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Cos[c + d*x])/(a + b*Cos[c + d*x]),x]

[Out] B*x

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rubi steps

$$\int \frac{aB + bB \cos(c + dx)}{a + b \cos(c + dx)} dx = B \int 1 dx = Bx$$

Mathematica [A] time = 0.00, size = 3, normalized size = 1.00

$$Bx$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/(a + b*Cos[c + d*x]),x]

[Out] B*x

fricas [A] time = 0.51, size = 3, normalized size = 1.00

$$Bx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] B*x

giac [C] time = 0.33, size = 10, normalized size = 3.33

$$\frac{(dx + c)B}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] (d*x + c)*B/d
```

maple [A] time = 0.00, size = 4, normalized size = 1.33

$$Bx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] B*x
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for
more details)Is 4*b^2-4*a^2 positive or negative?
```

mupad [B] time = 0.45, size = 3, normalized size = 1.00

$$Bx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*a + B*b*cos(c + d*x))/(a + b*cos(c + d*x)),x)
```

```
[Out] B*x
```

sympy [A] time = 0.13, size = 2, normalized size = 0.67

$$Bx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] B*x
```

$$3.285 \quad \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx$$

Optimal. Leaf size=12

$$\frac{B \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] B*arctanh(sin(d*x+c))/d

Rubi [A] time = 0.01, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {21, 3770}

$$\frac{B \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x]),x]

[Out] (B*ArcTanh[Sin[c + d*x]])/d

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec(c + dx) dx \\ &= \frac{B \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

Mathematica [A] time = 0.00, size = 12, normalized size = 1.00

$$\frac{B \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x]),x]

[Out] (B*ArcTanh[Sin[c + d*x]])/d

fricas [B] time = 1.09, size = 31, normalized size = 2.58

$$\frac{B \log(\sin(dx + c) + 1) - B \log(-\sin(dx + c) + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] $1/2*(B*\log(\sin(dx + c) + 1) - B*\log(-\sin(dx + c) + 1))/d$

giac [B] time = 0.45, size = 47, normalized size = 3.92

$$\frac{B \log\left(\left|\frac{1}{\sin(dx+c)} + \sin(dx+c) + 2\right|\right) - B \log\left(\left|\frac{1}{\sin(dx+c)} + \sin(dx+c) - 2\right|\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] $1/4*(B*\log(\text{abs}(1/\sin(dx + c) + \sin(dx + c) + 2)) - B*\log(\text{abs}(1/\sin(dx + c) + \sin(dx + c) - 2)))/d$

maple [A] time = 0.07, size = 20, normalized size = 1.67

$$\frac{B \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c)),x)

[Out] $1/d*B*\ln(\sec(dx+c)+\tan(dx+c))$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.49, size = 16, normalized size = 1.33

$$\frac{2B \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))),x)

[Out] $(2*B*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/d$

sympy [A] time = 3.81, size = 39, normalized size = 3.25

$$\begin{cases} \frac{B \log(\tan(c+dx)+\sec(c+dx))}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \sec(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c)),x)

[Out] Piecewise((B*log(tan(c + d*x) + sec(c + d*x))/d, Ne(d, 0)), (x*(B*a + B*b*cos(c))*sec(c)/(a + b*cos(c)), True))

$$3.286 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx$$

Optimal. Leaf size=11

$$\frac{B \tan(c + dx)}{d}$$

[Out] B*tan(d*x+c)/d

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {21, 3767, 8}

$$\frac{B \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x]),x]

[Out] (B*Tan[c + d*x])/d

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec^2(c + dx) dx \\ &= \frac{B \text{Subst}(\int 1 dx, x, -\tan(c + dx))}{d} \\ &= \frac{B \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.00, size = 11, normalized size = 1.00

$$\frac{B \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x]),x]

[Out] (B*Tan[c + d*x])/d

fricas [A] time = 0.69, size = 19, normalized size = 1.73

$$\frac{B \sin(dx + c)}{d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] B*sin(d*x + c)/(d*cos(d*x + c))

giac [A] time = 0.42, size = 11, normalized size = 1.00

$$\frac{B \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] B*tan(d*x + c)/d

maple [A] time = 0.08, size = 12, normalized size = 1.09

$$\frac{B \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x)

[Out] B*tan(d*x+c)/d

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.47, size = 30, normalized size = 2.73

$$-\frac{2B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^2*(a + b*cos(c + d*x))),x)

[Out] -(2*B*tan(c/2 + (d*x)/2))/(d*(tan(c/2 + (d*x)/2)^2 - 1))

sympy [A] time = 3.10, size = 32, normalized size = 2.91

$$\begin{cases} \frac{B \tan(c+dx)}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \sec^2(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c)),x)

[Out] Piecewise((B*tan(c + d*x)/d, Ne(d, 0)), (x*(B*a + B*b*cos(c))*sec(c)**2/(a + b*cos(c)), True))

$$3.287 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx$$

Optimal. Leaf size=36

$$\frac{B \tanh^{-1}(\sin(c + dx))}{2d} + \frac{B \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] 1/2*B*arctanh(sin(d*x+c))/d+1/2*B*sec(d*x+c)*tan(d*x+c)/d

Rubi [A] time = 0.02, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {21, 3768, 3770}

$$\frac{B \tanh^{-1}(\sin(c + dx))}{2d} + \frac{B \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x]),x]

[Out] (B*ArcTanh[Sin[c + d*x]])/(2*d) + (B*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x] * (b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec^3(c + dx) dx \\ &= \frac{B \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} B \int \sec(c + dx) dx \\ &= \frac{B \tanh^{-1}(\sin(c + dx))}{2d} + \frac{B \sec(c + dx) \tan(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.01, size = 36, normalized size = 1.00

$$B \left(\frac{\tanh^{-1}(\sin(c + dx))}{2d} + \frac{\tan(c + dx) \sec(c + dx)}{2d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x]),x]

[Out] B*(ArcTanh[Sin[c + d*x]]/(2*d) + (Sec[c + d*x]*Tan[c + d*x])/(2*d))

fricas [A] time = 0.65, size = 64, normalized size = 1.78

$$\frac{B \cos(dx + c)^2 \log(\sin(dx + c) + 1) - B \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2B \sin(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] 1/4*(B*cos(d*x + c)^2*log(sin(d*x + c) + 1) - B*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*B*sin(d*x + c))/(d*cos(d*x + c)^2)

giac [A] time = 0.59, size = 52, normalized size = 1.44

$$\frac{B \log(|\sin(dx + c) + 1|) - B \log(|\sin(dx + c) - 1|) - \frac{2B \sin(dx+c)}{\sin(dx+c)^2-1}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] 1/4*(B*log(abs(sin(d*x + c) + 1)) - B*log(abs(sin(d*x + c) - 1)) - 2*B*sin(d*x + c)/(sin(d*x + c)^2 - 1))/d

maple [A] time = 0.09, size = 40, normalized size = 1.11

$$\frac{B \sec(dx + c) \tan(dx + c)}{2d} + \frac{B \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x)

[Out] 1/2*B*sec(d*x+c)*tan(d*x+c)/d+1/2/d*B*ln(sec(d*x+c)+tan(d*x+c))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.86, size = 73, normalized size = 2.03

$$\frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)} + \frac{B \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))),x)
```

```
[Out] (B*tan(c/2 + (d*x)/2) + B*tan(c/2 + (d*x)/2)^3)/(d*(tan(c/2 + (d*x)/2)^4 -
2*tan(c/2 + (d*x)/2)^2 + 1)) + (B*atanh(tan(c/2 + (d*x)/2)))/d
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$B \int \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c)),x)
```

```
[Out] B*Integral(sec(c + d*x)**3, x)
```

$$3.288 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^4(c + dx)}{a + b \cos(c + dx)} dx$$

Optimal. Leaf size=28

$$\frac{B \tan^3(c + dx)}{3d} + \frac{B \tan(c + dx)}{d}$$

[Out] B*tan(d*x+c)/d+1/3*B*tan(d*x+c)^3/d

Rubi [A] time = 0.02, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {21, 3767}

$$\frac{B \tan^3(c + dx)}{3d} + \frac{B \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^4)/(a + b*Cos[c + d*x]),x]

[Out] (B*Tan[c + d*x])/d + (B*Tan[c + d*x]^3)/(3*d)

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec^4(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec^4(c + dx) dx \\ &= \frac{B \text{Subst}\left(\int (1 + x^2) dx, x, -\tan(c + dx)\right)}{d} \\ &= \frac{B \tan(c + dx)}{d} + \frac{B \tan^3(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.04, size = 24, normalized size = 0.86

$$\frac{B \left(\frac{1}{3} \tan^3(c + dx) + \tan(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^4)/(a + b*Cos[c + d*x]),x]

[Out] (B*(Tan[c + d*x] + Tan[c + d*x]^3/3))/d

fricas [A] time = 1.15, size = 32, normalized size = 1.14

$$\frac{(2B \cos(dx + c)^2 + B) \sin(dx + c)}{3d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] $1/3*(2*B*\cos(dx + c)^2 + B)*\sin(dx + c)/(d*\cos(dx + c)^3)$

giac [A] time = 0.57, size = 25, normalized size = 0.89

$$\frac{B \tan(dx + c)^3 + 3 B \tan(dx + c)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] $1/3*(B*\tan(dx + c)^3 + 3*B*\tan(dx + c))/d$

maple [A] time = 0.10, size = 25, normalized size = 0.89

$$\frac{B \left(-\frac{2}{3} - \frac{\sec^2(dx+c)}{3} \right) \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x)

[Out] $-1/d*B*(-2/3-1/3*\sec(dx+c)^2)*\tan(dx+c)$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.52, size = 39, normalized size = 1.39

$$\frac{2 B \sin(c + dx) \cos(c + dx)^2 + B \sin(c + dx)}{3 d \cos(c + dx)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^4*(a + b*cos(c + d*x))),x)

[Out] $(B*\sin(c + d*x) + 2*B*\cos(c + d*x)^2*\sin(c + d*x))/(3*d*\cos(c + d*x)^3)$

sympy [A] time = 17.65, size = 42, normalized size = 1.50

$$\begin{cases} \frac{B \left(\frac{\tan^3(c+dx)}{3} + \tan(c+dx) \right)}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \sec^4(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**4/(a+b*cos(d*x+c)),x)
```

```
[Out] Piecewise((B*(tan(c + d*x)**3/3 + tan(c + d*x))/d, Ne(d, 0)), (x*(B*a + B*b*cos(c))*sec(c)**4/(a + b*cos(c)), True))
```


$$3.289 \quad \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=114

$$-\frac{2a^3B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} + \frac{Bx(2a^2+b^2)}{2b^3} - \frac{aB \sin(c+dx)}{b^2d} + \frac{B \sin(c+dx) \cos(c+dx)}{2bd}$$

[Out] $1/2*(2*a^2+b^2)*B*x/b^3-a*B*\sin(d*x+c)/b^2/d+1/2*B*\cos(d*x+c)*\sin(d*x+c)/b/d-2*a^3*B*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/b^3/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {21, 2793, 3023, 2735, 2659, 205}

$$-\frac{2a^3B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} + \frac{Bx(2a^2+b^2)}{2b^3} - \frac{aB \sin(c+dx)}{b^2d} + \frac{B \sin(c+dx) \cos(c+dx)}{2bd}$$

Antiderivative was successfully verified.

[In] `Int[(Cos[c + d*x]^3*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]`

[Out] `((2*a^2 + b^2)*B*x)/(2*b^3) - (2*a^3*B*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^3*Sqrt[a + b]*d) - (a*B*Sin[c + d*x])/(b^2*d) + (B*Cos[c + d*x]*Sin[c + d*x])/(2*b*d)`

Rule 21

`Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

Rule 205

`Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 2659

`Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

Rule 2735

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]`

Rule 2793

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m +`

```

n)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^n*Simp[a^3*d*(m
+ n) + b^2*(b*c*(m - 2) + a*d*(n + 1)) - b*(a*b*c - b^2*d*(m + n - 1) - 3*
a^2*d*(m + n))*Sin[e + f*x] - b^2*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] |
| IntegerQ[2*m, 2*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] &&
NeQ[c, 0])))

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c + dx)(aB + bB \cos(c + dx))}{(a + b \cos(c + dx))^2} dx &= B \int \frac{\cos^3(c + dx)}{a + b \cos(c + dx)} dx \\
&= \frac{B \cos(c + dx) \sin(c + dx)}{2bd} + \frac{B \int \frac{a+b \cos(c+dx)-2a \cos^2(c+dx)}{a+b \cos(c+dx)} dx}{2b} \\
&= -\frac{aB \sin(c + dx)}{b^2d} + \frac{B \cos(c + dx) \sin(c + dx)}{2bd} + \frac{B \int \frac{ab+(2a^2+b^2) \cos(c+dx)}{a+b \cos(c+dx)} dx}{2b^2} \\
&= \frac{(2a^2 + b^2) Bx}{2b^3} - \frac{aB \sin(c + dx)}{b^2d} + \frac{B \cos(c + dx) \sin(c + dx)}{2bd} - \frac{(a^3 B)}{2b^2} \\
&= \frac{(2a^2 + b^2) Bx}{2b^3} - \frac{aB \sin(c + dx)}{b^2d} + \frac{B \cos(c + dx) \sin(c + dx)}{2bd} - \frac{(2a^3 B)}{2b^2} \\
&= \frac{(2a^2 + b^2) Bx}{2b^3} - \frac{2a^3 B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b^3 \sqrt{a+b} d} - \frac{aB \sin(c + dx)}{b^2d} + \frac{B}{2b}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 98, normalized size = 0.86

$$\frac{B \left(2(2a^2 + b^2)(c + dx) + \frac{8a^3 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - 4ab \sin(c + dx) + b^2 \sin(2(c + dx)) \right)}{4b^3d}$$

Antiderivative was successfully verified.

```

[In] Integrate[(Cos[c + d*x]^3*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,
x]

```

```

[Out] (B*(2*(2*a^2 + b^2)*(c + d*x) + (8*a^3*ArcTanh[((a - b)*Tan[(c + d*x)/2])/S
qrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - 4*a*b*Sin[c + d*x] + b^2*Sin[2*(c + d*
x)])/(4*b^3*d)

```

fricas [A] time = 0.59, size = 350, normalized size = 3.07

$$\frac{\sqrt{-a^2 + b^2} Ba^3 \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) - (2Ba^4 - Ba^2b^2 - E)}{2(a^2b^3 - b^5)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] [-1/2*(sqrt(-a^2 + b^2)*B*a^3*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - (2*B*a^4 - B*a^2*b^2 - B*b^4)*d*x + (2*B*a^3*b - 2*B*a*b^3 - (B*a^2*b^2 - B*b^4)*cos(d*x + c))*sin(d*x + c))/((a^2*b^3 - b^5)*d), -1/2*(2*sqrt(a^2 - b^2)*B*a^3*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (2*B*a^4 - B*a^2*b^2 - B*b^4)*d*x + (2*B*a^3*b - 2*B*a*b^3 - (B*a^2*b^2 - B*b^4)*cos(d*x + c))*sin(d*x + c))/((a^2*b^3 - b^5)*d)]

giac [A] time = 0.42, size = 185, normalized size = 1.62

$$\frac{4 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right) Ba^3}{\sqrt{a^2 - b^2} b^3} - \frac{(2Ba^2 + Bb^2)(dx+c)}{b^3} + \frac{2 \left(2Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + Bb \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + \left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^3 \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] -1/2*(4*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))*B*a^3/(sqrt(a^2 - b^2)*b^3) - (2*B*a^2 + B*b^2)*(d*x + c)/b^3 + 2*(2*B*a*tan(1/2*d*x + 1/2*c)^3 + B*b*tan(1/2*d*x + 1/2*c)^3 + 2*B*a*tan(1/2*d*x + 1/2*c) - B*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*b^2)/d

maple [B] time = 0.10, size = 229, normalized size = 2.01

$$\frac{2a^3 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) B}{db^3 \sqrt{(a-b)(a+b)}} - \frac{2 \left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right) \right) Ba}{db^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} - \frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right) \right) B}{db \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} - \frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) Ba}{db^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)

[Out] -2/d*a^3/b^3/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B-2/d/b^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*B*a-1/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*B-2/d/b^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)*B*a+1/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)*B+2/d/b^3*arctan(tan(1/2*d*x+1/2*c))*a^2*B+1/d/b*arctan(tan(1/2*d*x+1/2*c))*B

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 1.17, size = 173, normalized size = 1.52

$$\frac{B \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{bd} + \frac{B \sin(2c + 2dx)}{4bd} + \frac{2Ba^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{b^3d} - \frac{Ba \sin(c + dx)}{b^2d} - \frac{Ba^3 \operatorname{atan}\left(\frac{\left(a \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - b \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2}}\right)}{b^3d \sqrt{b^2 - a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^3*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^2,x)

[Out] (B*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/(b*d) + (B*sin(2*c + 2*d*x))/(4*b*d) + (2*B*a^2*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/(b^3*d) - (B*a*sin(c + d*x))/(b^2*d) - (B*a^3*atan((a*sin(c/2 + (d*x)/2) - b*sin(c/2 + (d*x)/2))*1i)/(cos(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2))*2i)/(b^3*d*(b^2 - a^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.290 \quad \int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=79

$$\frac{2a^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d\sqrt{a-b}\sqrt{a+b}} - \frac{aBx}{b^2} + \frac{B \sin(c+dx)}{bd}$$

[Out] $-a*B*x/b^2+B*\sin(d*x+c)/b/d+2*a^2*B*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2}))/b^2/d/(a-b)^{(1/2)/(a+b)^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {21, 2746, 12, 2735, 2659, 205}

$$\frac{2a^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d\sqrt{a-b}\sqrt{a+b}} - \frac{aBx}{b^2} + \frac{B \sin(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^2*(a*B + b*B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out] $-(a*B*x)/b^2 + (2*a^2*B*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])/(\text{Sqrt}[a + b])]/(\text{Sqrt}[a - b]*b^2*\text{Sqrt}[a + b]*d) + (B*\text{Sin}[c + d*x])/(b*d)$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 21

$\text{Int}[(u_*)((a_) + (b_*)(v_))^{(m_)}*((c_) + (d_*)(v_))^{(n_)}], x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \ \&\& \ \text{EqQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ (!\text{IntegerQ}[n] \ || \ \text{SimplerQ}[c + d*x, a + b*x])$

Rule 205

$\text{Int}[(a_*) + (b_*)(x_*)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 2659

$\text{Int}[(a_*) + (b_*)*\sin[\text{Pi}/2 + (c_*) + (d_*)(x_*)]^{-1}, x_Symbol] \rightarrow \text{With}[\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 2735

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)(x_*)]/((c_*) + (d_*)*\sin[(e_*) + (f_*)(x_*)]), x_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 2746

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> -Simp[(b^2*Cos[e + f*x])/(d*f), x] + Dist[1/d, Int[Simp[a^2*d - b*(b*c - 2*a*d)*Sin[e + f*x], x]/(c + d*Sin[e + f*x]), x], x]
/; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(aB + bB \cos(c + dx))}{(a + b \cos(c + dx))^2} dx &= B \int \frac{\cos^2(c + dx)}{a + b \cos(c + dx)} dx \\ &= \frac{B \sin(c + dx)}{bd} - \frac{B \int \frac{a \cos(c + dx)}{a + b \cos(c + dx)} dx}{b} \\ &= \frac{B \sin(c + dx)}{bd} - \frac{(aB) \int \frac{\cos(c + dx)}{a + b \cos(c + dx)} dx}{b} \\ &= -\frac{aBx}{b^2} + \frac{B \sin(c + dx)}{bd} + \frac{(a^2B) \int \frac{1}{a + b \cos(c + dx)} dx}{b^2} \\ &= -\frac{aBx}{b^2} + \frac{B \sin(c + dx)}{bd} + \frac{(2a^2B) \operatorname{Subst}\left(\int \frac{1}{a + b + (a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{b^2d} \\ &= -\frac{aBx}{b^2} + \frac{2a^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b^2 \sqrt{a+b} d} + \frac{B \sin(c + dx)}{bd} \end{aligned}$$

Mathematica [A] time = 0.14, size = 73, normalized size = 0.92

$$\frac{B \left(-\frac{2a^2 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - a(c+dx) + b \sin(c+dx) \right)}{b^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2, x]
```

```
[Out] (B*(-(a*(c + d*x)) - (2*a^2*ArcTanh[((a - b)*Tan[(c + d*x)/2]])/Sqrt[-a^2 + b^2]))/Sqrt[-a^2 + b^2] + b*Sin[c + d*x))/(b^2*d)
```

fricas [A] time = 0.65, size = 281, normalized size = 3.56

$$\left[\frac{\sqrt{-a^2 + b^2} Ba^2 \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) + 2(Ba^3 - Bab^2)dx - 2}{2(a^2b^2 - b^4)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] [-1/2*(sqrt(-a^2 + b^2)*B*a^2*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + 2*(B*a^3 - B*a*b^2)*d*x - 2*(B*a^2*b - B*b^3)*sin(d*x + c)]/((a^2*b^2 - b^4)*d), (sqrt(a^2 - b
```

$\wedge 2) * B * a^2 * \arctan(- (a * \cos(dx + c) + b) / (\sqrt{a^2 - b^2} * \sin(dx + c))) - (B * a^3 - B * a * b^2) * dx + (B * a^2 * b - B * b^3) * \sin(dx + c) / ((a^2 * b^2 - b^4) * d)]$

giac [A] time = 0.46, size = 128, normalized size = 1.62

$$\frac{2 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{a^2 - b^2}} \right) \right) B a^2}{\sqrt{a^2 - b^2} b^2} - \frac{(dx+c) B a}{b^2} + \frac{2 B \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right) b}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(a*B+b*B*cos(dx+c))/(a+b*cos(dx+c))^2,x, algorithm="giac")

[Out] $(2 * (\pi * \operatorname{floor}(1/2 * (dx + c) / \pi + 1/2) * \operatorname{sgn}(2 * a - 2 * b) + \arctan((a * \tan(1/2 * dx + 1/2 * c) - b * \tan(1/2 * dx + 1/2 * c)) / \sqrt{a^2 - b^2}))) * B * a^2 / (\sqrt{a^2 - b^2} * b^2) - (dx + c) * B * a / b^2 + 2 * B * \tan(1/2 * dx + 1/2 * c) / ((\tan(1/2 * dx + 1/2 * c)^2 + 1) * b) / d$

maple [A] time = 0.09, size = 105, normalized size = 1.33

$$\frac{2a^2 \arctan \left(\frac{\tan \left(\frac{dx}{2} + \frac{c}{2} \right) (a-b)}{\sqrt{(a-b)(a+b)}} \right) B}{db^2 \sqrt{(a-b)(a+b)}} + \frac{2B \tan \left(\frac{dx}{2} + \frac{c}{2} \right)}{db \left(1 + \tan^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} - \frac{2 \arctan \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right) B a}{db^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^2*(a*B+b*B*cos(dx+c))/(a+b*cos(dx+c))^2,x)

[Out] $2/d * a^2 / b^2 / ((a-b) * (a+b))^{1/2} * \arctan(\tan(1/2 * dx + 1/2 * c) * (a-b) / ((a-b) * (a+b))^{1/2}) * B + 2/d / b * B * \tan(1/2 * dx + 1/2 * c) / (1 + \tan(1/2 * dx + 1/2 * c)^2) - 2/d / b^2 * \arctan(\tan(1/2 * dx + 1/2 * c)) * B * a$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(a*B+b*B*cos(dx+c))/(a+b*cos(dx+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.89, size = 193, normalized size = 2.44

$$\frac{B \sin(c + dx)}{bd} - \frac{2 B a \operatorname{atan} \left(\frac{\sin \left(\frac{c}{2} + \frac{dx}{2} \right)}{\cos \left(\frac{c}{2} + \frac{dx}{2} \right)} \right)}{b^2 d} - \frac{B a^2 \operatorname{atan} \left(\frac{1i \sin \left(\frac{c}{2} + \frac{dx}{2} \right) a^2 b - 2i \sin \left(\frac{c}{2} + \frac{dx}{2} \right) a b^2 + 1i \sin \left(\frac{c}{2} + \frac{dx}{2} \right) b^3}{\cos \left(\frac{c}{2} + \frac{dx}{2} \right) (b^2 - a^2)^{3/2} + a^2 \cos \left(\frac{c}{2} + \frac{dx}{2} \right) \sqrt{b^2 - a^2} - a b \cos \left(\frac{c}{2} + \frac{dx}{2} \right) \sqrt{b^2 - a^2}} \right)}{b^2 d \sqrt{b^2 - a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + dx)^2*(B*a + B*b*cos(c + dx)))/(a + b*cos(c + dx))^2,x)

[Out] $(B * \sin(c + dx)) / (b * d) - (2 * B * a * \operatorname{atan}(\sin(c/2 + (dx)/2) / \cos(c/2 + (dx)/2)) / (b^2 * d) - (B * a^2 * \operatorname{atan}((b^3 * \sin(c/2 + (dx)/2) * 1i - a * b^2 * \sin(c/2 + (dx)/2) /$

$$2) * 2i + a^2 * b * \sin(c/2 + (d*x)/2) * 1i) / (\cos(c/2 + (d*x)/2) * (b^2 - a^2)^{(3/2)} + a^2 * \cos(c/2 + (d*x)/2) * (b^2 - a^2)^{(1/2)} - a * b * \cos(c/2 + (d*x)/2) * (b^2 - a^2)^{(1/2)}) * 2i) / (b^2 * d * (b^2 - a^2)^{(1/2)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.291 \quad \int \frac{\cos(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=61

$$\frac{Bx}{b} - \frac{2aB \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{bd\sqrt{a-b}\sqrt{a+b}}$$

[Out] B*x/b-2*a*B*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/b/d/(a-b)^(1/2)/(a+b)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {21, 2735, 2659, 205}

$$\frac{Bx}{b} - \frac{2aB \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{bd\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]

[Out] (B*x)/b - (2*a*B*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b*Sqrt[a + b]*d)

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(aB+bB\cos(c+dx))}{(a+b\cos(c+dx))^2} dx &= B \int \frac{\cos(c+dx)}{a+b\cos(c+dx)} dx \\
&= \frac{Bx}{b} - \frac{(aB) \int \frac{1}{a+b\cos(c+dx)} dx}{b} \\
&= \frac{Bx}{b} - \frac{(2aB) \operatorname{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{bd} \\
&= \frac{Bx}{b} - \frac{2aB \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b \sqrt{a+b} d}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 59, normalized size = 0.97

$$\frac{B \left(\frac{2a \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} + c + dx \right)}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]

[Out] (B*(c + d*x + (2*a*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2]))/(b*d)

fricas [A] time = 0.87, size = 231, normalized size = 3.79

$$\left[\frac{\sqrt{-a^2 + b^2} Ba \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) - 2(Ba^2 - Bb^2)dx}{2(a^2b - b^3)d}, \dots \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] [-1/2*(sqrt(-a^2 + b^2)*B*a*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(B*a^2 - B*b^2)*d*x)/((a^2*b - b^3)*d), -(sqrt(a^2 - b^2)*B*a*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (B*a^2 - B*b^2)*d*x)/((a^2*b - b^3)*d)]

giac [B] time = 0.65, size = 245, normalized size = 4.02

$$\frac{\left(\sqrt{a^2-b^2} B(2(a-b)|a-b| + \sqrt{a^2-b^2} B|a-b||b|)\right) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] + \arctan\left(\frac{2\sqrt{\frac{1}{2}} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{\frac{2a + \sqrt{-4(a+b)(a-b) + 4a^2}}{a-b}}}\right)\right)}{(a^2 - 2ab + b^2)b^2 + (a^3 - 2a^2b + ab^2)|b|} + \frac{(2Ba - Bb - B|b|) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] + \arctan\left(\frac{2\sqrt{\frac{1}{2}} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{\frac{2a - \sqrt{-4(a+b)(a-b) + 4a^2}}{a-b}}}\right)\right)}{b^2 - a|b|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

```
[Out] -((sqrt(a^2 - b^2)*B*(2*a - b)*abs(a - b) + sqrt(a^2 - b^2)*B*abs(a - b)*abs(b))*
(pi*floor(1/2*(d*x + c)/pi + 1/2) + arctan(2*sqrt(1/2)*tan(1/2*d*x + 1/2*c)/sqrt((2*a + sqrt(-4*(a + b)*(a - b) + 4*a^2))/(a - b))))/((a^2 - 2*a*b + b^2)*b^2 + (a^3 - 2*a^2*b + a*b^2)*abs(b)) + (2*B*a - B*b - B*abs(b))*
(pi*floor(1/2*(d*x + c)/pi + 1/2) + arctan(2*sqrt(1/2)*tan(1/2*d*x + 1/2*c)/sqrt((2*a - sqrt(-4*(a + b)*(a - b) + 4*a^2))/(a - b))))/(b^2 - a*abs(b))
/d
```

maple [A] time = 0.08, size = 69, normalized size = 1.13

$$-\frac{2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) a B}{db \sqrt{(a-b)(a+b)}} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B}{db}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)
```

```
[Out] -2/d/b/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*a*B+2/d/b*arctan(tan(1/2*d*x+1/2*c))*B
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?
```

mupad [B] time = 0.80, size = 101, normalized size = 1.66

$$\frac{2 B \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{b d} + \frac{2 B a \operatorname{atanh}\left(\frac{a \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - b \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2}}\right)}{b d \sqrt{b^2 - a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^2,x)
```

```
[Out] (2*B*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/(b*d) + (2*B*a*atanh((a*sin(c/2 + (d*x)/2) - b*sin(c/2 + (d*x)/2))/(cos(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2))))/(b*d*(b^2 - a^2)^(1/2))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)
```

```
[Out] Timed out
```

$$3.292 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Optimal. Leaf size=50

$$\frac{2B \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d\sqrt{a-b}\sqrt{a+b}}$$

[Out] 2*B*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/d/(a-b)^(1/2)/(a+b)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {21, 2659, 205}

$$\frac{2B \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Cos[c + d*x])/(a + b*Cos[c + d*x])^2,x]

[Out] (2*B*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*Sqrt[a + b]*d)

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^2} dx &= B \int \frac{1}{a + b \cos(c + dx)} dx \\ &= \frac{(2B) \text{Subst} \left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right) \right)}{d} \\ &= \frac{2B \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b}\sqrt{a+b}d} \end{aligned}$$

Mathematica [A] time = 0.04, size = 49, normalized size = 0.98

$$\frac{2B \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{d\sqrt{b^2-a^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/(a + b*Cos[c + d*x])^2, x]

[Out] (-2*B*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(Sqrt[-a^2 + b^2]*d)

fricas [A] time = 0.72, size = 177, normalized size = 3.54

$$\left[\frac{\sqrt{-a^2 + b^2} B \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{2(a^2 - b^2)d}, \frac{B \arctan\left(-\frac{a \cos(dx+c)}{\sqrt{a^2 - b^2} \sin(dx+c)}\right)}{\sqrt{a^2 - b^2} d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] [-1/2*sqrt(-a^2 + b^2)*B*log(((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)))/((a^2 - b^2)*d), B*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))/(sqrt(a^2 - b^2)*d)]

giac [A] time = 0.52, size = 78, normalized size = 1.56

$$\frac{2\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(2a - 2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)\right) B}{\sqrt{a^2 - b^2} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] 2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))*B/(sqrt(a^2 - b^2)*d)

maple [A] time = 0.05, size = 45, normalized size = 0.90

$$\frac{2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) B}{d\sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2, x)

[Out] 2/d/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.50, size = 44, normalized size = 0.88

$$\frac{2B \operatorname{atan}\left(\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)(a-b)}{\sqrt{a^2-b^2}}\right)}{d\sqrt{a^2-b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(a + b*cos(c + d*x))^2,x)

[Out] (2*B*atan((tan(c/2 + (d*x)/2)*(a - b))/(a^2 - b^2)^(1/2)))/(d*(a^2 - b^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.293 \quad \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Optimal. Leaf size=70

$$\frac{B \tanh^{-1}(\sin(c + dx))}{ad} - \frac{2bB \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

[Out] B*arctanh(sin(d*x+c))/a/d-2*b*B*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/a/d/(a-b)^(1/2)/(a+b)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {21, 2747, 3770, 2659, 205}

$$\frac{B \tanh^{-1}(\sin(c + dx))}{ad} - \frac{2bB \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^2,x]

[Out] (-2*b*B*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d) + (B*ArcTanh[Sin[c + d*x]])/(a*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2747

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] :> Dist[b/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^2} dx &= B \int \frac{\sec(c + dx)}{a + b \cos(c + dx)} dx \\
&= \frac{B \int \sec(c + dx) dx}{a} - \frac{(bB) \int \frac{1}{a + b \cos(c + dx)} dx}{a} \\
&= \frac{B \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(2bB) \operatorname{Subst}\left(\int \frac{1}{a + b + (a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{ad} \\
&= -\frac{2bB \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a\sqrt{a-b}\sqrt{a+b}d} + \frac{B \tanh^{-1}(\sin(c + dx))}{ad}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 103, normalized size = 1.47

$$\frac{B \left(\frac{2b \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) + \log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) \right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^2,x]

[Out] (B*((2*b*ArcTanh[((a - b)*Tan[(c + d*x)/2]])/Sqrt[-a^2 + b^2]))/Sqrt[-a^2 + b^2] - Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/(a*d)

fricas [A] time = 0.94, size = 292, normalized size = 4.17

$$\frac{\sqrt{-a^2 + b^2} B b \log\left(\frac{2 ab \cos(dx+c) + (2 a^2 - b^2) \cos(dx+c)^2 - 2 \sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2 b^2}{b^2 \cos(dx+c)^2 + 2 ab \cos(dx+c) + a^2}\right) - (B a^2 - B b^2) \log(\sin(dx+c))}{2(a^3 - ab^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] [-1/2*(sqrt(-a^2 + b^2)*B*b*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c))^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - (B*a^2 - B*b^2)*log(sin(d*x + c) + 1) + (B*a^2 - B*b^2)*log(-sin(d*x + c) + 1))/((a^3 - a*b^2)*d), -1/2*(2*sqrt(a^2 - b^2)*B*b*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (B*a^2 - B*b^2)*log(sin(d*x + c) + 1) + (B*a^2 - B*b^2)*log(-sin(d*x + c) + 1))/((a^3 - a*b^2)*d)]

giac [A] time = 0.50, size = 122, normalized size = 1.74

$$\frac{2 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) B b}{\sqrt{a^2 - b^2} a} - \frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} + \frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] $-(2*(\pi*\text{floor}(1/2*(d*x + c)/\pi + 1/2)*\text{sgn}(2*a - 2*b) + \arctan((a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))*B*b/(\sqrt{a^2 - b^2})*a - B*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a + B*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a)/d$

maple [A] time = 0.09, size = 91, normalized size = 1.30

$$-\frac{2b \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)B}{da\sqrt{(a-b)(a+b)}} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)B}{ad} + \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)B}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^2,x)

[Out] $-2/d*b/a/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B-1/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*B+1/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)*B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.76, size = 101, normalized size = 1.44

$$\frac{2B \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{ad} + \frac{2Bb \operatorname{atanh}\left(\frac{a \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - b \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2}}\right)}{ad\sqrt{b^2 - a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^2),x)

[Out] $(2*B*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/(a*d) + (2*B*b*\operatorname{atanh}((a*\sin(c/2 + (d*x)/2) - b*\sin(c/2 + (d*x)/2))/(\cos(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)})))/(a*d*(b^2 - a^2)^{(1/2)})$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{\sec(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^2,x)

[Out] B*Integral(sec(c + d*x)/(a + b*cos(c + d*x)), x)

$$3.294 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Optimal. Leaf size=88

$$\frac{2b^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d\sqrt{a-b}\sqrt{a+b}} - \frac{bB \tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{B \tan(c+dx)}{ad}$$

[Out] $-b*B*\operatorname{arctanh}(\sin(d*x+c))/a^2/d+2*b^2*B*\operatorname{arctan}((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c))/(a+b)^{(1/2)}/a^2/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}+B*\tan(d*x+c)/a/d$

Rubi [A] time = 0.14, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {21, 2802, 12, 2747, 3770, 2659, 205}

$$\frac{2b^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d\sqrt{a-b}\sqrt{a+b}} - \frac{bB \tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{B \tan(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a*B + b*B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^2]/(a + b*\operatorname{Cos}[c + d*x])^2, x]$

[Out] $(2*b^2*B*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(c + d*x)/2])/ \operatorname{Sqrt}[a + b]])/(a^2*\operatorname{Sqrt}[a - b]*\operatorname{Sqrt}[a + b]*d) - (b*B*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(a^2*d) + (B*\operatorname{Tan}[c + d*x])/(a*d)$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match} Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 21

$\operatorname{Int}[(u_*)((a_*) + (b_*)(v_))^{(m_*)}((c_*) + (d_*)(v_))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[(b/d)^m, \operatorname{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n\}, x] \ \&\& \ \operatorname{EqQ}[b*c - a*d, 0] \ \&\& \ \operatorname{IntegerQ}[m] \ \&\& \ (!\operatorname{IntegerQ}[n] \ || \ \operatorname{SimplerQ}[c + d*x, a + b*x])$

Rule 205

$\operatorname{Int}[(a_*) + (b_*)(x_*)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 2659

$\operatorname{Int}[(a_*) + (b_*)*\sin[\operatorname{Pi}/2 + (c_*) + (d_*)(x_*)]^{-1}, x_Symbol] \rightarrow \operatorname{With}\{e = \operatorname{FreeFactors}[\operatorname{Tan}[(c + d*x)/2], x]\}, \operatorname{Dist}[(2*e)/d, \operatorname{Subst}[\operatorname{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \operatorname{Tan}[(c + d*x)/2]/e], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \operatorname{NeQ}[a^2 - b^2, 0]$

Rule 2747

$\operatorname{Int}[1/(((a_*) + (b_*)*\sin[(e_*) + (f_*)(x_*)])*((c_*) + (d_*)*\sin[(e_*) + (f_*)(x_*)])), x_Symbol] \rightarrow \operatorname{Dist}[b/(b*c - a*d), \operatorname{Int}[1/(a + b*\sin[e + f*x]), x], x] - \operatorname{Dist}[d/(b*c - a*d), \operatorname{Int}[1/(c + d*\sin[e + f*x]), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0]$

Rule 2802

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x
])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)
), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(
m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n +
2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2*m
, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n]
&& LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx &= B \int \frac{\sec^2(c + dx)}{a + b \cos(c + dx)} dx \\
&= \frac{B \tan(c + dx)}{ad} - \frac{B \int \frac{b \sec(c + dx)}{a + b \cos(c + dx)} dx}{a} \\
&= \frac{B \tan(c + dx)}{ad} - \frac{(bB) \int \frac{\sec(c + dx)}{a + b \cos(c + dx)} dx}{a} \\
&= \frac{B \tan(c + dx)}{ad} - \frac{(bB) \int \sec(c + dx) dx}{a^2} + \frac{(b^2B) \int \frac{1}{a + b \cos(c + dx)} dx}{a^2} \\
&= -\frac{bB \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{B \tan(c + dx)}{ad} + \frac{(2b^2B) \text{Subst}\left(\int \frac{1}{a + b \cos(c + dx)} dx\right)}{a^2} \\
&= \frac{2b^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^2 \sqrt{a-b} \sqrt{a+b} d} - \frac{bB \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{B \tan(c + dx)}{ad}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 116, normalized size = 1.32

$$B \frac{\left(\frac{2b^2 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} + a \tan(c + dx) + b \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right) \right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{a^2 d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^2,
x]
```

```
[Out] (B*((-2*b^2*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2
+ b^2] + b*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2
] + Sin[(c + d*x)/2]]) + a*Tan[c + d*x]))/(a^2*d)
```

fricas [B] time = 1.10, size = 398, normalized size = 4.52

$$\left[\frac{\sqrt{-a^2 + b^2} B b^2 \cos(dx + c) \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) + (Ba^2b - B^2b^3) \cos(dx+c) \log(\sin(dx+c) + 1) - (Ba^2b - B^2b^3) \cos(dx+c) \log(-\sin(dx+c) + 1) - 2(Ba^3 - Ba^2b^2) \sin(dx+c) / ((a^4 - a^2b^2) d \cos(dx+c)) + 1/2(2\sqrt{a^2 - b^2} B b^2 \arctan(-(a \cos(dx+c) + b) / (\sqrt{a^2 - b^2} \sin(dx+c))) \cos(dx+c) - (Ba^2b - B^2b^3) \cos(dx+c) \log(\sin(dx+c) + 1) + (Ba^2b - B^2b^3) \cos(dx+c) \log(-\sin(dx+c) + 1) + 2(Ba^3 - Ba^2b^2) \sin(dx+c) / ((a^4 - a^2b^2) d \cos(dx+c)))}{2(a^4 - a^2b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] [-1/2*(sqrt(-a^2 + b^2)*B*b^2*cos(d*x + c)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + (B*a^2*b - B*b^3)*cos(d*x + c)*log(sin(d*x + c) + 1) - (B*a^2*b - B*b^3)*cos(d*x + c)*log(-sin(d*x + c) + 1) - 2*(B*a^3 - B*a*b^2)*sin(d*x + c)/((a^4 - a^2*b^2)*d*cos(d*x + c)), 1/2*(2*sqrt(a^2 - b^2)*B*b^2*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))*cos(d*x + c) - (B*a^2*b - B*b^3)*cos(d*x + c)*log(sin(d*x + c) + 1) + (B*a^2*b - B*b^3)*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*(B*a^3 - B*a*b^2)*sin(d*x + c)/((a^4 - a^2*b^2)*d*cos(d*x + c)))]

giac [A] time = 0.79, size = 155, normalized size = 1.76

$$\frac{2\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right)\right) B b^2}{\sqrt{a^2 - b^2} a^2} - \frac{B b \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} + \frac{B b \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} - \frac{2B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] (2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))*B*b^2/(sqrt(a^2 - b^2)*a^2) - B*b*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 + B*b*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 - 2*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a))/d

maple [A] time = 0.11, size = 139, normalized size = 1.58

$$\frac{2b^2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) B}{d a^2 \sqrt{(a-b)(a+b)}} - \frac{B}{ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) B b}{d a^2} - \frac{B}{ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) B b}{d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^2,x)

[Out] 2/d*b^2/a^2/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B-1/a/d/(tan(1/2*d*x+1/2*c)-1)*B+1/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*B*b-1/a/d/(tan(1/2*d*x+1/2*c)+1)*B-1/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*B*b

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 1.06, size = 326, normalized size = 3.70

$$\frac{2B \left(\frac{a^3 \sin(c+dx)}{2} - \frac{ab^2 \sin(c+dx)}{2} \right)}{a^2 d \cos(c+dx) (a^2 - b^2)} - \frac{2B \left(a^2 b \operatorname{atanh} \left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)} \right) - b^3 \operatorname{atanh} \left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)} \right) + b^2 \operatorname{atanh} \left(\frac{a^5 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)} \right)}{a^2 d \cos(c+dx) (a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^2*(a + b*cos(c + d*x))^2),x)

[Out] (2*B*((a^3*sin(c + d*x))/2 - (a*b^2*sin(c + d*x))/2))/(a^2*d*cos(c + d*x)*(a^2 - b^2)) - (2*B*(a^2*b*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)) - b^3*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)) + b^2*atanh((a^5*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 2*b^3*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(3/2) - 2*b^5*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 3*a^2*b^3*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - a^3*b^2*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - a^4*b*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2))/(cos(c/2 + (d*x)/2)*(a*b^2 - a^3)^2))*(b^2 - a^2)^(1/2)))/(a^2*d*(a^2 - b^2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{\sec^2(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c))**2,x)

[Out] B*Integral(sec(c + d*x)**2/(a + b*cos(c + d*x)), x)

$$3.295 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Optimal. Leaf size=123

$$\frac{2b^3 B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} - \frac{bB \tan(c+dx)}{a^2 d} + \frac{B(a^2 + 2b^2) \tanh^{-1}(\sin(c+dx))}{2a^3 d} + \frac{B \tan(c+dx) \sec(c+dx)}{2ad}$$

[Out] 1/2*(a^2+2*b^2)*B*arctanh(sin(d*x+c))/a^3/d-2*b^3*B*arctan((a-b)^(1/2)*tan(1/2*d*x+1/2*c)/(a+b)^(1/2))/a^3/d/(a-b)^(1/2)/(a+b)^(1/2)-b*B*tan(d*x+c)/a^2/d+1/2*B*sec(d*x+c)*tan(d*x+c)/a/d

Rubi [A] time = 0.35, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {21, 2802, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^3 B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{B(a^2 + 2b^2) \tanh^{-1}(\sin(c+dx))}{2a^3 d} - \frac{bB \tan(c+dx)}{a^2 d} + \frac{B \tan(c+dx) \sec(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x]^2,x]

[Out] (-2*b^3*B*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*Sqrt[a - b]*Sqrt[a + b]*d) + ((a^2 + 2*b^2)*B*ArcTanh[Sin[c + d*x]])/(2*a^3*d) - (b*B*Tan[c + d*x])/(a^2*d) + (B*Sec[c + d*x]*Tan[c + d*x])/(2*a*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2802

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n + 2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2*m, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n]

&& LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]))

Rule 3001

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x] * (a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(aB + bB \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^2} dx &= B \int \frac{\sec^3(c + dx)}{a + b \cos(c + dx)} dx \\
 &= \frac{B \sec(c + dx) \tan(c + dx)}{2ad} + \frac{B \int \frac{(-2b + a \cos(c + dx) + b \cos^2(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx}{2a} \\
 &= -\frac{bB \tan(c + dx)}{a^2d} + \frac{B \sec(c + dx) \tan(c + dx)}{2ad} + \frac{B \int \frac{(a^2 + 2b^2 + ab \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx}{2a^2} \\
 &= -\frac{bB \tan(c + dx)}{a^2d} + \frac{B \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(b^3B) \int \frac{1}{a + b \cos(c + dx)} dx}{a^3} \\
 &= \frac{(a^2 + 2b^2) B \tanh^{-1}(\sin(c + dx))}{2a^3d} - \frac{bB \tan(c + dx)}{a^2d} + \frac{B \sec(c + dx)}{2a} \\
 &= -\frac{2b^3B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3\sqrt{a-b}\sqrt{a+b}d} + \frac{(a^2 + 2b^2) B \tanh^{-1}(\sin(c + dx))}{2a^3d}
 \end{aligned}$$

Mathematica [A] time = 1.05, size = 239, normalized size = 1.94

$$B \left[\frac{8b^3 \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} + \frac{a^2}{\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)^2} - \frac{a^2}{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)^2} - 2a^2 \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) - \sin\left(\frac{1}{2}(c+dx)\right) \right]$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^2, x]

[Out] (B*((8*b^3*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - 2*a^2*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 4*b^2*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*a^2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 4*b^2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + a^2/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - a^2/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 - 4*a*b*Tan[c + d*x]))/(4*a^3*d)

fricas [A] time = 0.89, size = 487, normalized size = 3.96

$$\left[\frac{2\sqrt{-a^2 + b^2} B b^3 \cos(dx + c)^2 \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) - (Ba^4 + \dots)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] [-1/4*(2*sqrt(-a^2 + b^2)*B*b^3*cos(d*x + c)^2*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - (B*a^4 + B*a^2*b^2 - 2*B*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) + (B*a^4 + B*a^2*b^2 - 2*B*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(B*a^4 - B*a^2*b^2 - 2*(B*a^3*b - B*a*b^3)*cos(d*x + c))*sin(d*x + c))/((a^5 - a^3*b^2)*d*cos(d*x + c)^2), -1/4*(4*sqrt(a^2 - b^2)*B*b^3*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^2 - (B*a^4 + B*a^2*b^2 - 2*B*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) + (B*a^4 + B*a^2*b^2 - 2*B*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(B*a^4 - B*a^2*b^2 - 2*(B*a^3*b - B*a*b^3)*cos(d*x + c))*sin(d*x + c))/((a^5 - a^3*b^2)*d*cos(d*x + c)^2)]

giac [B] time = 0.75, size = 221, normalized size = 1.80

$$\frac{4 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) B b^3}{\sqrt{a^2 - b^2} a^3} - \frac{(Ba^2 + 2Bb^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^3} + \frac{(Ba^2 + 2Bb^2) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^3}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] -1/2*(4*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))*B*b^3/(sqrt(a^2 - b^2)*a^3) - (B*a^2 + 2*B*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 + (B

$*a^2 + 2*B*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^3 - 2*(B*a*\tan(1/2*d*x + 1/2*c)^3 + 2*B*b*\tan(1/2*d*x + 1/2*c)^3 + B*a*\tan(1/2*d*x + 1/2*c) - 2*B*b*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^2))/d$

maple [B] time = 0.13, size = 273, normalized size = 2.22

$$\frac{2b^3 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)B}{da^3\sqrt{(a-b)(a+b)}} + \frac{B}{2ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} + \frac{B}{2ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{Bb}{da^2\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} \ln$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x)

[Out] $-2/d*b^3/a^3/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B+1/2/a/d/(\tan(1/2*d*x+1/2*c)-1)^2*B+1/2/a/d/(\tan(1/2*d*x+1/2*c)-1)*B+1/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*B*b-1/2/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)*B-1/d/a^3*\ln(\tan(1/2*d*x+1/2*c)-1)*B*b^2-1/2/a/d/(\tan(1/2*d*x+1/2*c)+1)^2*B+1/2/a/d/(\tan(1/2*d*x+1/2*c)+1)*B+1/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*B*b+1/2/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)*B+1/d/a^3*\ln(\tan(1/2*d*x+1/2*c)+1)*B*b^2$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 1.83, size = 1099, normalized size = 8.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))^2),x)

[Out] $((B*b^2*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/2 - (B*b^2*\sin(c + d*x))/2 + (B*b^2*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2))*\cos(2*c + 2*d*x))/2)/(a*d*(a^2 - b^2)*(\cos(2*c + 2*d*x)/2 + 1/2)) + (a*((B*\sin(c + d*x))/2 + (B*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/2 + (B*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2))*\cos(2*c + 2*d*x))/2))/(d*(a^2 - b^2)*(\cos(2*c + 2*d*x)/2 + 1/2)) - (B*b*\sin(2*c + 2*d*x))/(2*d*(a^2 - b^2)*(\cos(2*c + 2*d*x)/2 + 1/2)) - (B*b^4*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/(a^3*d*(a^2 - b^2)*(\cos(2*c + 2*d*x)/2 + 1/2)) + (B*b^3*\sin(2*c + 2*d*x))/(2*a^2*d*(a^2 - b^2)*(\cos(2*c + 2*d*x)/2 + 1/2)) - (B*b^3*\operatorname{atan}(((a^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*b^7*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(3/2)} - 8*b^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*a^2*b^7*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 3*a^4*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 3*a^5*b^4*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 2*a^6*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 2*a^7*b^2*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - a^8*b*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2))*1i)/(\cos(c/2 + (d*x)/2)*(a*b^2 - a^3)*(a^7 - 3*a^3*b^4 + 2*a^5*b^2))*1i)/(a^3*d*(b^2 - a^2)^{(1/2)*(\cos(2*c + 2*d*x)/2 + 1/2)) - (B*b^3*\operatorname{atan}(((a^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*b^7*\sin$

```
(c/2 + (d*x)/2)*(b^2 - a^2)^(3/2) - 8*b^9*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 8*a^2*b^7*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 3*a^4*b^5*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - 3*a^5*b^4*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - 2*a^6*b^3*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) + 2*a^7*b^2*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2) - a^8*b*sin(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2))*1i)/(cos(c/2 + (d*x)/2)*(a*b^2 - a^3)*(a^7 - 3*a^3*b^4 + 2*a^5*b^2))*cos(2*c + 2*d*x)*1i)/(a^3*d*(b^2 - a^2)^(1/2)*(cos(2*c + 2*d*x)/2 + 1/2)) - (B*b^4*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2))*cos(2*c + 2*d*x))/(a^3*d*(a^2 - b^2)*(cos(2*c + 2*d*x)/2 + 1/2))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{\sec^3(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c))**2,x)

[Out] B*Integral(sec(c + d*x)**3/(a + b*cos(c + d*x)), x)

$$3.296 \quad \int \cos^3(c+dx) \sqrt{a + b \cos(c + dx)} (A+B \cos(c+dx)) dx$$

Optimal. Leaf size=386

$$\frac{2(-24a^2B + 36aAb - 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^3d} + \frac{2(-16a^3B + 24a^2Ab - 36ab^2B + 75Ab^3) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^3d}$$

[Out] $-2/315*(36*A*a*b-24*B*a^2-49*B*b^2)*(a+b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b^3/d$
 $+2/21*(3*A*b-2*B*a)*\cos(d*x+c)*(a+b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b^2/d+2/9*$
 $B*\cos(d*x+c)^2*(a+b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b/d+2/315*(24*A*a^2*b+75*A$
 $*b^3-16*B*a^3-36*B*a*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^3/d+2/315*(24$
 $*A*a^3*b+57*A*a*b^3-16*B*a^4-24*B*a^2*b^2+147*B*b^4)*(cos(1/2*d*x+1/2*c))^{(1/2)}$
 $/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})$
 $*(a+b*\cos(d*x+c))^{(1/2)}/b^4/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-2/315*(a^2$
 $-b^2)*(24*A*a^2*b+75*A*b^3-16*B*a^3-36*B*a*b^2)*(cos(1/2*d*x+1/2*c))^{(1/2)}$
 $/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})$
 $((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^4/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.79, antiderivative size = 386, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2990, 3049, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-24a^2B + 36aAb - 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^3d} + \frac{2(24a^2Ab - 16a^3B - 36ab^2B + 75Ab^3) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] $(2*(24*a^3*A*b + 57*a*A*b^3 - 16*a^4*B - 24*a^2*b^2*B + 147*b^4*B)*Sqrt[a +$
 $b*\cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(315*b^4*d*Sqrt[(a$
 $+ b*\cos[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(24*a^2*A*b + 75*A*b^3 - 16*a^$
 $3*B - 36*a*b^2*B)*Sqrt[(a + b*\cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2,$
 $(2*b)/(a + b)]/(315*b^4*d*Sqrt[a + b*\cos[c + d*x]]) + (2*(24*a^2*A*b + 75$
 $*A*b^3 - 16*a^3*B - 36*a*b^2*B)*Sqrt[a + b*\cos[c + d*x]]*Sin[c + d*x]/(315$
 $*b^3*d) - (2*(36*a*A*b - 24*a^2*B - 49*b^2*B)*(a + b*\cos[c + d*x])^{(3/2)}*Si$
 $n[c + d*x]/(315*b^3*d) + (2*(3*A*b - 2*a*B)*\cos[c + d*x]*(a + b*\cos[c + d$
 $x))^{(3/2)}*\sin[c + d*x]/(21*b^2*d) + (2*B*\cos[c + d*x]^2*(a + b*\cos[c + d$
 $x))^{(3/2)}*\sin[c + d*x]/(9*b*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b *Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]
```

Rule 2990

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3049

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
```

] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx) \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{2B \cos^2(c + dx)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{9bd} \\
 &= \frac{2(3Ab - 2aB) \cos(c + dx)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{21b^2d} \\
 &= -\frac{2(36aAb - 24a^2B - 49b^2B)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{315b^3d} \\
 &= \frac{2(24a^2Ab + 75Ab^3 - 16a^3B - 36ab^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{315b^3d} \\
 &= \frac{2(24a^2Ab + 75Ab^3 - 16a^3B - 36ab^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{315b^3d} \\
 &= \frac{2(24a^2Ab + 75Ab^3 - 16a^3B - 36ab^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{315b^3d} \\
 &= \frac{2(24a^3Ab + 57aAb^3 - 16a^4B - 24a^2b^2B + 147b^4B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{315b^4d}
 \end{aligned}$$

Mathematica [A] time = 1.57, size = 292, normalized size = 0.76

$$8 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left(b^2 (-4a^3B + 6a^2Ab + 111ab^2B + 75Ab^3) F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + (-16a^4B + 24a^3Ab - 24a^2b^2B + \dots) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]), x]

[Out] (8*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*(b^2*(6*a^2*A*b + 75*A*b^3 - 4*a^3*B + 111*a*b^2*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (24*a^3*A*b + 57*a*A*b^3 - 16*a^4*B - 24*a^2*b^2*B + 147*b^4*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])) - b*(a + b*Cos[c + d*x])*(-2*(-48*a^2*A*b + 345*A*b^3 + 32*a^3*B + 57*a*b^2*B)*Sin[c + d*x] - b*((36*a*A*b - 24*a^2*B + 266*b^2*B)*Sin[2*(c + d*x)] + 5*b*(2*(9*A*b + a*B)*Sin[3*(c + d*x)] + 7*b*B*Ssin[4*(c + d*x)])))/(1260*b^4*d*Sqrt[a + b*Cos[c + d*x]])

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}((B \cos(dx + c)^4 + A \cos(dx + c)^3) \sqrt{b \cos(dx + c) + a}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^4 + A*cos(d*x + c)^3)*sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^3, x)

maple [B] time = 1.58, size = 1635, normalized size = 4.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -2/315 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-1120 * B \\ & * b ^ 5 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 10 + (720 * A * b ^ 5 + 640 * B * a * b ^ 4 + 2240 * B \\ & * b ^ 5) * \sin(1/2 * d * x + 1/2 * c) ^ 8 * \cos(1/2 * d * x + 1/2 * c) + (-432 * A * a * b ^ 4 - 1080 * A * b ^ 5 + 8 * B * \\ & a ^ 2 * b ^ 3 - 960 * B * a * b ^ 4 - 2072 * B * b ^ 5) * \sin(1/2 * d * x + 1/2 * c) ^ 6 * \cos(1/2 * d * x + 1/2 * c) + (-1 \\ & 2 * A * a ^ 2 * b ^ 3 + 432 * A * a * b ^ 4 + 840 * A * b ^ 5 + 8 * B * a ^ 3 * b ^ 2 - 8 * B * a ^ 2 * b ^ 3 + 728 * B * a * b ^ 4 + 952 * B \\ & * b ^ 5) * \sin(1/2 * d * x + 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) + (24 * A * a ^ 3 * b ^ 2 + 6 * A * a ^ 2 * b ^ 3 - 258 \\ & * A * a * b ^ 4 - 240 * A * b ^ 5 - 16 * B * a ^ 4 * b - 4 * B * a ^ 3 * b ^ 2 - 24 * B * a ^ 2 * b ^ 3 - 204 * B * a * b ^ 4 - 168 * B * b ^ \\ & 5) * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c) - 24 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) \\ &) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x \\ & + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 4 * b - 51 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (\\ & a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (\\ & -2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b ^ 3 + 75 * A * b ^ 5 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) \\ &) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * \\ & b / (a - b)) ^ (1/2)) + 24 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + \\ & 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) \\ &) * a ^ 4 * b - 24 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (\\ & a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 3 * b ^ 2 + \\ & 57 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a \\ & - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b ^ 3 - 57 * A * (\sin \\ & (1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1 \\ & / 2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 4 + 16 * B * (\sin(1/2 * d * \\ & x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{Ellip \\ & ticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 5 + 20 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) \\ & ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/ \\ & 2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 3 * b ^ 2 - 36 * a * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) \\ &) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x \\ & + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * b ^ 4 - 16 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - \\ & b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 \\ & * b / (a - b)) ^ (1/2)) * a ^ 5 + 16 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * \\ & d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (\\ & 1/2)) * a ^ 4 * b - 24 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c \\ &) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 3 \\ & * b ^ 2 + 24 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + \\ & b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b ^ 3 + 14 \\ & 7 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - \\ & b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 4 - 147 * B * (\sin \\ & (1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) \\ &) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * b ^ 5 / b ^ 4 / (-2 * \sin(1/2 * d * x \\ & + 1/2 * c) ^ 4 * b + (a + b) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/ \\ & 2 * d * x + 1/2 * c) ^ 2 * b + a + b) ^ (1/2) / d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^3 (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^3*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2),x)

[Out] int(cos(c + d*x)^3*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.297 \quad \int \cos^2(c+dx) \sqrt{a + b \cos(c + dx)} (A+B \cos(c+dx)) dx$$

Optimal. Leaf size=303

$$\frac{2(-8a^2B + 14aAb - 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105b^2d} + \frac{2(a^2 - b^2)(-8a^2B + 14aAb - 25b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{105b^3d \sqrt{a + b \cos(c + dx)}}$$

[Out] $\frac{2}{35} (7A^2b - 4B^2a) (a + b \cos(dx + c))^{3/2} \sin(dx + c) / b^{2/d} + 2/7 B \cos(dx + c) (a + b \cos(dx + c))^{3/2} \sin(dx + c) / b^{d-2} + 105 (14A^2a^2b - 8B^2a^2 - 25B^2b^2) \sin(dx + c) (a + b \cos(dx + c))^{1/2} / b^{2/d} - 2/105 (14A^2a^2b - 63A^2b^3 - 8B^2a^3 - 19B^2a^2b^2) (\cos(1/2 dx + 1/2 c))^{1/2} / \cos(1/2 dx + 1/2 c) \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) (a + b \cos(dx + c))^{1/2} / b^{3/d} / ((a + b \cos(dx + c)) / (a + b))^{1/2} + 2/105 (a^2 - b^2) (14A^2a^2b - 8B^2a^2 - 25B^2b^2) (\cos(1/2 dx + 1/2 c))^{1/2} / \cos(1/2 dx + 1/2 c) \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) ((a + b \cos(dx + c)) / (a + b))^{1/2} / b^{3/d} / (a + b \cos(dx + c))^{1/2}$

Rubi [A] time = 0.54, antiderivative size = 303, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2990, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-8a^2B + 14aAb - 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105b^2d} + \frac{2(a^2 - b^2)(-8a^2B + 14aAb - 25b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{105b^3d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] $(-2(14a^2A^2b - 63A^2b^3 - 8a^3B - 19a^2b^2B) \text{Sqrt}[a + b \text{Cos}[c + d*x]] \text{EllipticE}[(c + d*x)/2, (2b)/(a + b)]) / (105b^3d \text{Sqrt}[(a + b \text{Cos}[c + d*x]) / (a + b)]) + (2(a^2 - b^2)(14a^2A^2b - 8a^2B - 25b^2B) \text{Sqrt}[(a + b \text{Cos}[c + d*x]) / (a + b)] \text{EllipticF}[(c + d*x)/2, (2b)/(a + b)]) / (105b^3d \text{Sqrt}[a + b \text{Cos}[c + d*x]]) - (2(14a^2A^2b - 8a^2B - 25b^2B) \text{Sqrt}[a + b \text{Cos}[c + d*x]] \text{Sin}[c + d*x]) / (105b^2d) + (2(7A^2b - 4a^2B) (a + b \text{Cos}[c + d*x])^{3/2} \text{Sin}[c + d*x]) / (35b^2d) + (2B \text{Cos}[c + d*x] (a + b \text{Cos}[c + d*x])^{3/2} \text{Sin}[c + d*x]) / (7b^2d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*SIN[c + d*x]]/Sqrt[(a + b*SIN[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*SIN[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

Rule 2990

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B))*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx) \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{2B \cos(c + dx)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{7bd} + \frac{2}{7bd} \\
&= \frac{2(7Ab - 4aB)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35b^2d} + \frac{2B}{35b^2d} \\
&= -\frac{2(14aAb - 8a^2B - 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105b^2d} \\
&= -\frac{2(14aAb - 8a^2B - 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105b^2d} \\
&= -\frac{2(14aAb - 8a^2B - 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105b^2d} \\
&= -\frac{2(14a^2Ab - 63Ab^3 - 8a^3B - 19ab^2B) \sqrt{a + b \cos(c + dx)}}{105b^3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [A] time = 1.01, size = 232, normalized size = 0.77

$$b(a + b \cos(c + dx)) \left((-16a^2B + 28aAb + 115b^2B) \sin(c + dx) + 3b(2(aB + 7Ab) \sin(2(c + dx)) + 5bB \sin(3(c + dx))) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
[Out] (4*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*(b^2*(49*a*A*b + 2*a^2*B + 25*b^2*B)*
EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (-14*a^2*A*b + 63*A*b^3 + 8*a^3*B +
19*a*b^2*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])) + b*(a + b*Cos[c + d*x])*((28*a*A*b - 16*a^2*B + 115*b^2*B)*Sin[c + d*x] + 3*b*(2*(7*A*b + a*B)*Sin[2*(c + d*x)] + 5*b*B*Sin[3*(c + d*x)])))/(210*b^3*d*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral} \left((B \cos(dx + c))^3 + A \cos(dx + c)^2 \right) \sqrt{b \cos(dx + c) + a}, x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a), x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
[Out] Timed out
```

maple [B] time = 1.64, size = 1305, normalized size = 4.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2(a+b\cos(dx+c))^{1/2}(A+B\cos(dx+c)), x)$

[Out]
$$\begin{aligned} & -2/105*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(240*B*b^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A*b^4-144*B*a*b^3-360*B*b^4)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(112*A*a*b^3+168*A*b^4-4*B*a^2*b^2+144*B*a*b^3+280*B*b^4)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-14*A*a^2*b^2-56*A*a*b^3-42*A*b^4+8*B*a^3*b+2*B*a^2*b^2-86*B*a*b^3-80*B*b^4)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+14*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})*a^3*b-14*a*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})*b^3-14*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))*a^3*b+14*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))*a^2*b^2+63*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))*a*b^3-63*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))*b^4-8*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))*a^4-17*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))*a^2*b^2+25*B*b^4*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))+8*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))*a^4-8*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))*a^3*b+19*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))*a^2*b^2-19*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))*a*b^3/b^3/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{1/2}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2(a+b\cos(dx+c))^{1/2}(A+B\cos(dx+c)), x, \text{algorithm} = "maxima")$

[Out] $\int (B*\cos(dx + c) + A)*\sqrt{b*\cos(dx + c) + a}*\cos(dx + c)^2, x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^2 (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(c + d*x)^2*(A + B*\cos(c + d*x))*(a + b*\cos(c + d*x))^{1/2}, x)$

[Out] $\int (\cos(c + d*x)^2*(A + B*\cos(c + d*x))*(a + b*\cos(c + d*x))^{1/2}, x)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.298 \quad \int \cos(c+dx) \sqrt{a + b \cos(c + dx)} (A+B \cos(c+dx)) dx$$

Optimal. Leaf size=231

$$\frac{2(a^2 - b^2)(5Ab - 2aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^2 d \sqrt{a + b \cos(c + dx)}} + \frac{2(-2a^2B + 5aAb + 9b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] $\frac{2}{5} B (a+b \cos(dx+c))^{3/2} \sin(dx+c) / b/d + \frac{2}{15} (5A*b - 2B*a) \sin(dx+c) (a+b \cos(dx+c))^{1/2} / b/d + \frac{2}{15} (5A*a*b - 2B*a^2 + 9B*b^2) (\cos(1/2*d*x + 1/2*c))^2)^{1/2} / \cos(1/2*d*x + 1/2*c) * \text{EllipticE}(\sin(1/2*d*x + 1/2*c), 2^{1/2} * (b/(a+b)))^{1/2} * (a+b \cos(dx+c))^{1/2} / b^2/d / ((a+b \cos(dx+c))/(a+b))^{1/2} - \frac{2}{15} (a^2 - b^2) (5A*b - 2B*a) (\cos(1/2*d*x + 1/2*c))^2)^{1/2} / \cos(1/2*d*x + 1/2*c) * \text{EllipticF}(\sin(1/2*d*x + 1/2*c), 2^{1/2} * (b/(a+b)))^{1/2} * ((a+b \cos(dx+c))/(a+b))^{1/2} / b^2/d / (a+b \cos(dx+c))^{1/2}$

Rubi [A] time = 0.41, antiderivative size = 231, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {2968, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2 - b^2)(5Ab - 2aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^2 d \sqrt{a + b \cos(c + dx)}} + \frac{2(-2a^2B + 5aAb + 9b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] $(2*(5*a*A*b - 2*a^2*B + 9*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(15*b^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(5*A*b - 2*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(15*b^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(5*A*b - 2*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*b*d) + (2*B*(a + b*\text{Cos}[c + d*x])^{3/2}*\text{Sin}[c + d*x])/(5*b*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)

+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2753

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) dx &= \int \sqrt{a + b \cos(c + dx)}(A \cos(c + dx) + B \cos^2(c + dx)) dx \\
 &= \frac{2B(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} + \frac{2 \int \sqrt{a + b \cos(c + dx)} \cos(c + dx) dx}{5bd} \\
 &= \frac{2(5Ab - 2aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15bd} + \frac{2B(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} \\
 &= \frac{2(5Ab - 2aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15bd} + \frac{2B(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} \\
 &= \frac{2(5Ab - 2aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15bd} + \frac{2B(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} \\
 &= \frac{2(5aAb - 2a^2B + 9b^2B)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{15b^2d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
 \end{aligned}$$

Mathematica [A] time = 0.89, size = 179, normalized size = 0.77

$$\frac{2\sqrt{\frac{a+b\cos(c+dx)}{a+b}} \left((-2a^2B + 5aAb + 9b^2B) \left((a+b)E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) - aF\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) \right) + b^2(7aB + 5Ab)F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) \right)}{15b^2d\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
[Out] (2*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*(b^2*(5*A*b + 7*a*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (5*a*A*b - 2*a^2*B + 9*b^2*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])) + 2*b*(a + b*Cos[c + d*x])*(5*A*b + a*B + 3*b*B*Cos[c + d*x])*Sin[c + d*x]/(15*b^2*d*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(dx + c)^2 + A \cos(dx + c)\right)\sqrt{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(b*cos(d*x + c) + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*cos(d*x + c), x)
```

maple [B] time = 1.64, size = 993, normalized size = 4.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(20*A*b^3+16*B*a*b^2+24*B*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-10*A*a*b^2-10*A*b^3-2*B*a^2*b-8*B*a*b^2-6*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a^2*b+5*A*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))+5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b))*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a^2*b-5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a*b^2+2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a^3-2*a*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b^2-2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*
```

$\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}) * a^3 + 2*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}) * a^2 * b + 9*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}) * a * b^2 - 9*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}) * b^3 / b^2 / (-2 * \sin(1/2*d*x+1/2*c)^4 * b + (a+b) * \sin(1/2*d*x+1/2*c)^2)^{1/2} / \sin(1/2*d*x+1/2*c) / (-2 * \sin(1/2*d*x+1/2*c)^2 * b + a + b)^{1/2} / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*cos(d*x + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx) (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2),x)

[Out] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x))*cos(c + d*x), x)

3.299 $\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx$

Optimal. Leaf size=171

$$\frac{2B(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd\sqrt{a+b \cos(c+dx)}} + \frac{2(aB + 3Ab)\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sin(c+dx)}{3bd}$$

[Out] $\frac{2}{3} B \sin(dx+c) (a+b \cos(dx+c))^{1/2} / d + \frac{2}{3} (3A*b+B*a) (\cos(1/2*d*x+1/2*c))^2)^{1/2} / \cos(1/2*d*x+1/2*c) * \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{1/2} * (b/(a+b)))^{1/2} * (a+b \cos(dx+c))^{1/2} / b/d / ((a+b \cos(dx+c)) / (a+b))^{1/2} - \frac{2}{3} (a^2 - b^2) * B * (\cos(1/2*d*x+1/2*c))^2)^{1/2} / \cos(1/2*d*x+1/2*c) * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{1/2} * (b/(a+b)))^{1/2} * ((a+b \cos(dx+c)) / (a+b))^{1/2} / b/d / (a+b \cos(dx+c))^{1/2}$

Rubi [A] time = 0.22, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2B(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd\sqrt{a+b \cos(c+dx)}} + \frac{2(aB + 3Ab)\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sin(c+dx)}{3bd}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] $(2*(3*A*b + a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)] / (3*b*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x]) / (a + b)]) - (2*(a^2 - b^2)*B*\text{Sqrt}[(a + b*\text{Cos}[c + d*x]) / (a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]) / (3*b*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]) / (3*d)$

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2753

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]
```

Rubi steps

$$\begin{aligned} \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{2B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}(3aA + bB) + \frac{1}{2}(3Ab)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} - \frac{\left((a^2 - b^2)B\right) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{3b} \\ &= \frac{2B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{\left((3Ab + aB)\sqrt{a + b \cos(c + dx)}\right)}{3b\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2(3Ab + aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2(a^2 - b^2) E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

Mathematica [A] time = 0.59, size = 146, normalized size = 0.85

$$\frac{-2B(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + 2(a + b)(aB + 3Ab) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + 2bB \sin(c + dx)}{3bd\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*(a + b)*(3*A*b + a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - 2*(a^2 - b^2)*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + 2*b*B*(a + b*Cos[c + d*x])*Sin[(c + d*x)]/(3*b*d*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F] time = 0.90, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a), x)

maple [B] time = 1.65, size = 600, normalized size = 3.51

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(4B\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^2 + 3A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a-b}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)

[Out]
$$-2/3*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*B*\cos(1/2*d*x+1/2*c)^5*b^2+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^2+2*B*\cos(1/2*d*x+1/2*c)^3*a*b-6*B*\cos(1/2*d*x+1/2*c)^3*b^2-B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2+B*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2-B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b-2*B*\cos(1/2*d*x+1/2*c)*a*b+2*B*\cos(1/2*d*x+1/2*c)*b^2)/b/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2),x)

[Out] int((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x)), x)
```

3.300 $\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec(c + dx) dx$

Optimal. Leaf size=178

$$\frac{2Ab\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{2aA\sqrt{\frac{a+b\cos(c+dx)}{a+b}} \Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{2B\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

[Out] $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+2*A*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+2*a*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.36, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {3002, 2655, 2653, 2803, 2663, 2661, 2807, 2805}

$$\frac{2Ab\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{2aA\sqrt{\frac{a+b\cos(c+dx)}{a+b}} \Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{2B\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x], x]`

[Out] $(2*B*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*A*b*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*a*A*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2653

`Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2655

`Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

Rule 2661

`Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2663

`Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -`

b^2, 0] && !GtQ[a + b, 0]

Rule 2803

```
Int[Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]/((a_.) + (b_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Dist[d/b, Int[1/Sqrt[c + d*Sin[e + f*x]], x], x]
+ Dist[(b*c - a*d)/b, Int[1/((a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x])],
x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec(c + dx) dx = A \int \sqrt{a + b \cos(c + dx)} \sec(c + dx) dx + B \int \sqrt{a + b \cos(c + dx)} \cos(c + dx) \sec(c + dx) dx$$

$$= (aA) \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx + (Ab) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2B\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(aA\sqrt{a+b \cos(c+dx)})}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

$$= \frac{2B\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2Ab\sqrt{a+b \cos(c+dx)}}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Mathematica [A] time = 2.40, size = 107, normalized size = 0.60

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left(A \left(bF\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + a\Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \right) + B(a + b)E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \right)}{d\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x],x]
[Out] (2*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*((a + b)*B*EllipticE[(c + d*x)/2, (2*b)/(a + b)] + A*(b*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + a*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)])))/(d*Sqrt[a + b*Cos[c + d*x]])
fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="fricas")
[Out] Timed out
giac [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c), x)
maple [A] time = 1.21, size = 247, normalized size = 1.39
```

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b}{a - b}}\left(Ab \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2}\right)\right)\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a + b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)
[Out] -2*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)*(A*b*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-a*A*EllipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^(1/2))+B*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a-B*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a-b)^(1/2)/d
maxima [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x), x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))*sec(d*x+c), x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x))*sec(c + d*x), x)

3.301 $\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx$

Optimal. Leaf size=213

$$\frac{(aA + 2bB)\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{(2aB + Ab)\sqrt{\frac{a+b\cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{A \tan(c+dx)\sqrt{a+b\cos(c+dx)}}{d}$$

[Out] $-A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)*(b/(a+b))}^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+(A*a+2*B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)*(b/(a+b))}^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+(A*b+2*B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)*(b/(a+b))}^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+A*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 0.61, antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2999, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(aA + 2bB)\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{(2aB + Ab)\sqrt{\frac{a+b\cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{A \tan(c+dx)\sqrt{a+b\cos(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]`

[Out] $-((A*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)])) + ((a*A + 2*b*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])) + ((A*b + 2*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (A*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/d$

Rule 2653

`Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2655

`Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

Rule 2661

`Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2999

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Si
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*
x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a +
b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m
+ 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*S
in[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 3002

```
Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3059

```
Int(((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^
2)/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x]), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \int \frac{\left(\frac{1}{2}(Ab + 2aB)\right)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} - \frac{1}{2}A \int \sqrt{a + b \cos(c + dx)} dx \\
&= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} - \frac{1}{2}(-Ab - 2aB) \sqrt{a + b \cos(c + dx)} \\
&= -\frac{A\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{A\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} \\
&= -\frac{A\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(aA + 2aB)}{\sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 10.52, size = 372, normalized size = 1.75

$$\frac{2(4aB+Ab)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4A \tan(c + dx) \sqrt{a + b \cos(c + dx)} - \frac{2iA \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{b-a}}}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```

[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
[Out] ((8*b*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(A*b + 4*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*A*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))/(a*b*Sqrt[-(a + b)^(-1)] + 4*A*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(4*d)

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")
[Out] Timed out

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^2, x)

maple [B] time = 2.25, size = 746, normalized size = 3.50

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-2*(A*b+B*a)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})+2*a*A*(-1/a*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^2,x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x))*sec(c + d*x)**2, x)

$$3.302 \quad \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^3(c + dx) dx$$

Optimal. Leaf size=292

$$\frac{(4a^2A + 4abB - Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4ad\sqrt{a+b \cos(c+dx)}} + \frac{(4aB + Ab) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4ad} + \frac{(4aB + Ab) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4ad}$$

[Out] $-1/4*(A*b+4*B*a)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*cos(d*x+c))^{(1/2)}/a/d/((a+b*cos(d*x+c))/(a+b))^{(1/2)}+1/4*(3*A*b+4*B*a)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*cos(d*x+c))^{(1/2)}+1/4*(4*A*a^2-A*b^2+4*B*a*b)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticPi(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*cos(d*x+c))^{(1/2)}+1/4*(A*b+4*B*a)*(a+b*cos(d*x+c))^{(1/2)}*tan(d*x+c)/a/d+1/2*A*sec(d*x+c)*(a+b*cos(d*x+c))^{(1/2)}*tan(d*x+c)/d$

Rubi [A] time = 0.95, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2999, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(4a^2A + 4abB - Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4ad\sqrt{a+b \cos(c+dx)}} + \frac{(4aB + Ab) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4ad} + \frac{(4aB + Ab) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4ad}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

[Out] $-((A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(4*a*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((3*A*b + 4*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(4*d*Sqrt[a + b*Cos[c + d*x]]) + ((4*a^2*A - A*b^2 + 4*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(4*a*d*Sqrt[a + b*Cos[c + d*x]]) + ((A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(4*a*d) + (A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x])/(2*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2999

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Si
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*
x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a +
b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m
+ 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*S
in[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 3002

```
Int[(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^3(c + dx) dx = \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} + \frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4ad} + \frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4ad} + \frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4ad} + \frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Mathematica [C] time = 4.26, size = 420, normalized size = 1.44

$$\frac{2(8a^2A+4abB-3Ab^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{a\sqrt{a+b \cos(c+dx)}} - \frac{2i(4aB+Ab) \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{b-a}} \left(b \left(b \Pi\left(\frac{a+b}{a}; i \sinh^{-1}\left(\sqrt{\frac{1}{a+b}}\right)\right)\right)\right)}{a\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
[Out] ((8*A*b*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^2*A - 3*A*b^2 + 4*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(a*Sqrt[a + b*Cos[c + d*x]]) - ((2*I)*(A*b + 4*a*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)]))/(a^2*b*Sqrt[-(a + b)^(-1)]) + (4*Sqrt[a + b*Cos[c + d*x]]*(2*a*A + (A*b + 4*a*B)*Cos[c + d*x])*Sec[c + d*x]*Tan[c + d*x])/a)/(16*d)
```


$/2*c), 2, (-2*b/(a-b))^{(1/2)}*b^2)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^3,x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x))*sec(c + d*x)**3, x)

$$3.303 \quad \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^4(c + dx) dx$$

Optimal. Leaf size=378

$$\frac{(16a^2A + 6abB - 3Ab^2) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{24a^2d} + \frac{(16a^2A + 18abB - Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{24ad \sqrt{a + b \cos(c + dx)}}$$

[Out] $-1/24*(16*A*a^2-3*A*b^2+6*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/a^2/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+1/24*(16*A*a^2-A*b^2+18*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*\cos(d*x+c))^{(1/2)}+1/8*(4*A*a^2*b+A*b^3+8*B*a^3-2*B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a^2/d/(a+b*\cos(d*x+c))^{(1/2)}+1/24*(16*A*a^2-3*A*b^2+6*B*a*b)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/a^2/d+1/12*(A*b+6*B*a)*\sec(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/a/d+1/3*A*\sec(d*x+c)^2*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 1.34, antiderivative size = 378, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2999, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(16a^2A + 6abB - 3Ab^2) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{24a^2d} + \frac{(16a^2A + 18abB - Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{24ad \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]

[Out] $-((16*a^2*A - 3*A*b^2 + 6*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(24*a^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/a + b]) + ((16*a^2*A - A*b^2 + 18*a*b*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/a + b]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(24*a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((4*a^2*A*b + A*b^3 + 8*a^3*B - 2*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/a + b]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(8*a^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((16*a^2*A - 3*A*b^2 + 6*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(24*a^2*d) + ((A*b + 6*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(12*a*d) + (A*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2999

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_)), x_Symbol] := Simp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m + 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*Sin[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 3002

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ

$[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) \|\ !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) \|\ \text{EqQ}[a, 0])))$

Rule 3059

$\text{Int}[(A + B \sin[e + f x] + C) \sqrt{a + b \sin[e + f x]} \sec^2(c + dx) \tan(c + dx), x] \text{ :> } \text{Dist}[C/(b*d), \text{Int}[\sqrt{a + b \sin[e + f x]}, x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\text{Sin}[e + f*x], x]/(\sqrt{a + b \sin[e + f x]}*(c + d*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rubi steps

$$\begin{aligned} \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{A\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \frac{(Ab + 6aB)\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{12ad} dx \\ &= \frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24a^2d} \\ &= \frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24a^2d} \\ &= \frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24a^2d} \\ &= -\frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right)}{24a^2d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\ &= -\frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right)}{24a^2d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

Mathematica [C] time = 6.55, size = 635, normalized size = 1.68

$$\frac{\sqrt{a + b \cos(c + dx)} \left(\frac{\sec(c+dx)(16a^2A \sin(c+dx) + 6abB \sin(c+dx) - 3Ab^2 \sin(c+dx))}{24a^2} + \frac{\sec^2(c+dx)(6aB \sin(c+dx) + Ab \sin(c+dx))}{12a} + \frac{1}{3}A \tan(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]

[Out] ((2*(4*a*A*b^2 + 24*a^2*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^2*A*b + 9*A*b^3 + 48*a^3*B - 18*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[

2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(-16*a^2*A*b + 3*A*b^3 - 6*a*b^2*B)*Sqrt[(b - b*Cos[c + d*x])/(a + b)]*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))*Sin[c + d*x]/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2)))/(96*a^2*d) + (Sqrt[a + b*Cos[c + d*x]]*((Sec[c + d*x]^2*(A*b*Sin[c + d*x] + 6*a*B*Sin[c + d*x]))/(12*a) + (Sec[c + d*x]*(16*a^2*A*Sin[c + d*x] - 3*A*b^2*Sin[c + d*x] + 6*a*b*B*Sin[c + d*x]))/(24*a^2) + (A*Sec[c + d*x]^2*Tan[c + d*x])/3))/d

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^4, x)

maple [B] time = 4.47, size = 2213, normalized size = 5.85

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*a*A*(-1/3/a*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^3+5/12*b/a^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^2-1/24*(16*a^2+15*b^2)/a^3*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)+5/48*b^2/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-5/16*b^2/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)

)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))+5/16/a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b^3+1/4/a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^(1/2))+5/16*b^3/a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^(1/2))+2*B*b*(-1/a*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)+1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))+1/2/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))+1/2/a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^(1/2))+2*(A*b+B*a)*(-1/2/a*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^2+3/4*b/a^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)-1/8*b/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))+3/8/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-3/8*b^2/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^(1/2))-3/8/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^(1/2))*b^2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a-b)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^4,x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)

[Out] Timed out

3.304 $\int \cos^2(c+dx)(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) dx$

Optimal. Leaf size=378

$$\frac{2(-8a^2B + 18aAb - 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^2d} - \frac{2(-8a^3B + 18a^2Ab - 39ab^2B - 75Ab^3) \sin(c + dx)}{315b^2d}$$

[Out] $-2/315*(18*A*a*b-8*B*a^2-49*B*b^2)*(a+b*\cos(d*x+c))^{3/2}*\sin(d*x+c)/b^2/d+2/63*(9*A*b-4*B*a)*(a+b*\cos(d*x+c))^{5/2}*\sin(d*x+c)/b^2/d+2/9*B*\cos(d*x+c)*(a+b*\cos(d*x+c))^{5/2}*\sin(d*x+c)/b/d-2/315*(18*A*a^2*b-75*A*b^3-8*B*a^3-39*B*a*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/b^2/d-2/315*(18*A*a^3*b-246*A*a*b^3-8*B*a^4-33*B*a^2*b^2-147*B*b^4)*(cos(1/2*d*x+1/2*c))^{1/2}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*(a+b*\cos(d*x+c))^{1/2}/b^3/d/((a+b*\cos(d*x+c))/(a+b))^{1/2}+2/315*(a^2-b^2)*(18*A*a^2*b-75*A*b^3-8*B*a^3-39*B*a*b^2)*(cos(1/2*d*x+1/2*c))^{1/2}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/b^3/d/(a+b*\cos(d*x+c))^{1/2}$

Rubi [A] time = 0.73, antiderivative size = 378, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2990, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-8a^2B + 18aAb - 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^2d} - \frac{2(18a^2Ab - 8a^3B - 39ab^2B - 75Ab^3) \sin(c + dx)}{315b^2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]

[Out] $(-2*(18*a^3*A*b - 246*a*A*b^3 - 8*a^4*B - 33*a^2*b^2*B - 147*b^4*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(315*b^3*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/ (a + b)]) + (2*(a^2 - b^2)*(18*a^2*A*b - 75*A*b^3 - 8*a^3*B - 39*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/ (a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(315*b^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*(18*a^2*A*b - 75*A*b^3 - 8*a^3*B - 39*a*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(315*b^2*d) - (2*(18*a*A*b - 8*a^2*B - 49*b^2*B)*(a + b*\text{Cos}[c + d*x])^{3/2}*\text{Sin}[c + d*x])/(315*b^2*d) + (2*(9*A*b - 4*a*B)*(a + b*\text{Cos}[c + d*x])^{5/2}*\text{Sin}[c + d*x])/(63*b^2*d) + (2*B*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])^{5/2}*\text{Sin}[c + d*x])/(9*b*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661


```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]
```

Rule 2990

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx &= \frac{2B \cos(c + dx)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{9bd} + \\
&= \frac{2(9Ab - 4aB)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{63b^2d} + \\
&= -\frac{2(18aAb - 8a^2B - 49b^2B)(a + b \cos(c + dx))^{3/2}}{315b^2d} \\
&= -\frac{2(18a^2Ab - 75Ab^3 - 8a^3B - 39ab^2B) \sqrt{a + b \cos(c + dx)}}{315b^2d} \\
&= -\frac{2(18a^2Ab - 75Ab^3 - 8a^3B - 39ab^2B) \sqrt{a + b \cos(c + dx)}}{315b^2d} \\
&= -\frac{2(18a^2Ab - 75Ab^3 - 8a^3B - 39ab^2B) \sqrt{a + b \cos(c + dx)}}{315b^2d} \\
&= -\frac{2(18a^3Ab - 246aAb^3 - 8a^4B - 33a^2b^2B - 147b^4B)}{315b^3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [A] time = 1.53, size = 291, normalized size = 0.77

$$b(a + b \cos(c + dx)) \left(b \left(2 \left(6a^2B + 144aAb + 133b^2B \right) \sin(2(c + dx)) + 5b(2(10aB + 9Ab) \sin(3(c + dx)) + 7bB \sin(4(c + dx))) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]
[Out] (8*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*(b^2*(153*a^2*A*b + 75*A*b^3 + 2*a^3*B + 186*a*b^2*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (-18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])) + b*(a + b*Cos[c + d*x])*((72*a^2*A*b + 690*A*b^3 - 32*a^3*B + 804*a*b^2*B)*Sin[c + d*x] + b*(2*(144*a*A*b + 6*a^2*B + 133*b^2*B)*Sin[2*(c + d*x)] + 5*b*(2*(9*A*b + 10*a*B)*Sin[3*(c + d*x)] + 7*b*B*Ssin[4*(c + d*x)])))/(1260*b^3*d*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F] time = 1.04, size = 0, normalized size = 0.00

$$\text{integral} \left((Bb \cos(dx + c))^4 + Aa \cos(dx + c)^2 + (Ba + Ab) \cos(dx + c)^3 \right) \sqrt{b \cos(dx + c) + a}, x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
[Out] integral((B*b*cos(d*x + c)^4 + A*a*cos(d*x + c)^2 + (B*a + A*b)*cos(d*x + c)^3)*sqrt(b*cos(d*x + c) + a), x)
giac [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x
)
```

maple [B] time = 1.98, size = 1635, normalized size = 4.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] -2/315*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-1120*B
*b^5*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(720*A*b^5+1360*B*a*b^4+2240*
B*b^5)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-936*A*a*b^4-1080*A*b^5-424
*B*a^2*b^3-2040*B*a*b^4-2072*B*b^5)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)
+(324*A*a^2*b^3+936*A*a*b^4+840*A*b^5-4*B*a^3*b^2+424*B*a^2*b^3+1568*B*a*b^
4+952*B*b^5)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-18*A*a^3*b^2-162*A*a
^2*b^3-384*A*a*b^4-240*A*b^5+8*B*a^4*b+2*B*a^3*b^2-282*B*a^2*b^3-444*B*a*b^
4-168*B*b^5)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+18*A*(sin(1/2*d*x+1/2*
c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(c
os(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^4*b-93*A*(sin(1/2*d*x+1/2*c)^2)^(1/
2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*
x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b^3+75*A*b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*
(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1
/2*c),(-2*b/(a-b))^(1/2))-18*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin
(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-
b))^(1/2))*a^4*b+18*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+
1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2)
)*a^3*b^2+246*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)
^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*
b^3-246*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+
b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^4-8*B*
(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(
1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^5-31*B*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*Ellip
ticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3*b^2+39*a*B*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(
cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^4+8*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)
*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+
1/2*c),(-2*b/(a-b))^(1/2))*a^5-8*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)
*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b
/(a-b))^(1/2))*a^4*b+33*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*
d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(
1/2))*a^3*b^2-33*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2
*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a
^2*b^3+147*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+
(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^4-1
47*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a
-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^5/b^3/(-2*si
n(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(
-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^2 (A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2),x)

[Out] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

3.305 $\int \cos(c+dx)(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) dx$

Optimal. Leaf size=297

$$\frac{2(-6a^2B + 21aAb + 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105bd} - \frac{2(a^2 - b^2)(-6a^2B + 21aAb + 25b^2B) \sqrt{\frac{a+b \cos(c)}{a+b}}}{105b^2d \sqrt{a + b \cos(c + dx)}}$$

[Out] $\frac{2}{35} * (7 * A * b - 2 * B * a) * (a + b * \cos(d * x + c))^{3/2} * \sin(d * x + c) / b / d + 2 / 7 * B * (a + b * \cos(d * x + c))^{5/2} * \sin(d * x + c) / b / d + 2 / 105 * (21 * A * a * b - 6 * B * a^2 + 25 * B * b^2) * \sin(d * x + c) * (a + b * \cos(d * x + c))^{1/2} / b / d + 2 / 105 * (21 * A * a^2 * b + 63 * A * b^3 - 6 * B * a^3 + 82 * B * a * b^2) * (\cos(1/2 * d * x + 1/2 * c))^2)^{1/2} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticE}(\sin(1/2 * d * x + 1/2 * c), 2^{1/2} * (b / (a + b))^{1/2}) * (a + b * \cos(d * x + c))^{1/2} / b^2 / d / ((a + b * \cos(d * x + c)) / (a + b))^{1/2} - 2 / 105 * (a^2 - b^2) * (21 * A * a * b - 6 * B * a^2 + 25 * B * b^2) * (\cos(1/2 * d * x + 1/2 * c))^2)^{1/2} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticF}(\sin(1/2 * d * x + 1/2 * c), 2^{1/2} * (b / (a + b))^{1/2}) * ((a + b * \cos(d * x + c)) / (a + b))^{1/2} / b^2 / d / (a + b * \cos(d * x + c))^{1/2}$

Rubi [A] time = 0.53, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {2968, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-6a^2B + 21aAb + 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105bd} - \frac{2(a^2 - b^2)(-6a^2B + 21aAb + 25b^2B) \sqrt{\frac{a+b \cos(c)}{a+b}}}{105b^2d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]

[Out] $(2 * (21 * a^2 * A * b + 63 * A * b^3 - 6 * a^3 * B + 82 * a * b^2 * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]]) * \text{EllipticE}[(c + d * x) / 2, (2 * b) / (a + b)] / ((105 * b^2 * d * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / (a + b)]) - (2 * (a^2 - b^2) * (21 * a * A * b - 6 * a^2 * B + 25 * b^2 * B) * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / (a + b)] * \text{EllipticF}[(c + d * x) / 2, (2 * b) / (a + b)] / (105 * b^2 * d * \text{Sqrt}[a + b * \text{Cos}[c + d * x]]) + (2 * (21 * a * A * b - 6 * a^2 * B + 25 * b^2 * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sin}[c + d * x]) / (105 * b * d) + (2 * (7 * A * b - 2 * a * B) * (a + b * \text{Cos}[c + d * x])^{3/2} * \text{Sin}[c + d * x]) / (35 * b * d) + (2 * B * (a + b * \text{Cos}[c + d * x])^{5/2} * \text{Sin}[c + d * x]) / (7 * b * d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b * Sin[c + d * x]] / Sqrt[(a + b * Sin[c + d * x]) / (a + b)], Int[Sqrt[a / (a + b) + (b * Sin[c + d * x]) / (a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)] / (d * Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \cos(c+dx)(a+b\cos(c+dx))^{3/2}(A+B\cos(c+dx))dx &= \int (a+b\cos(c+dx))^{3/2}(A\cos(c+dx)+B\cos^2(c+dx))dx \\
&= \frac{2B(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{7bd} + \frac{2\int(a+b\cos(c+dx))^{3/2}\sin(c+dx)dx}{7bd} \\
&= \frac{2(7Ab-2aB)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{35bd} + \frac{2\int(a+b\cos(c+dx))^{3/2}\sin(c+dx)dx}{35bd} \\
&= \frac{2(21aAb-6a^2B+25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105bd} + \frac{2\int(a+b\cos(c+dx))^{3/2}\sin(c+dx)dx}{105bd} \\
&= \frac{2(21aAb-6a^2B+25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105bd} + \frac{2\int(a+b\cos(c+dx))^{3/2}\sin(c+dx)dx}{105bd} \\
&= \frac{2(21aAb-6a^2B+25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105bd} + \frac{2\int(a+b\cos(c+dx))^{3/2}\sin(c+dx)dx}{105bd} \\
&= \frac{2(21a^2Ab+63Ab^3-6a^3B+82ab^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^2d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [A] time = 1.07, size = 233, normalized size = 0.78

$$b(a+b\cos(c+dx))\left(\left(12a^2B+168aAb+115b^2B\right)\sin(c+dx)+3b(2(8aB+7Ab)\sin(2(c+dx))+5bB\sin(3(c+dx)))\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]
[Out] (4*sqrt[(a + b*cos(c + d*x))/(a + b)]*(b^2*(84*a*A*b + 51*a^2*B + 25*b^2*B)
*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (21*a^2*A*b + 63*A*b^3 - 6*a^3*B +
82*a*b^2*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])) + b*(a + b*cos(c + d*x))*((168*a*A*b + 12*a^2*B + 115*b^2*B)*Sin[c + d*x] + 3*b*(2*(7*A*b + 8*a*B)*Sin[2*(c + d*x)] + 5*b*B*Ssin[3*(c + d*x)])))/(210*b^2*d*sqrt[a + b*cos[c + d*x]])
```

fricas [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb\cos(dx+c)^3 + Aa\cos(dx+c) + (Ba+Ab)\cos(dx+c)^2\right)\sqrt{b\cos(dx+c)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)), x, algorithm="fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^3 + A*a*cos(d*x + c) + (B*a + A*b)*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a), x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.58, size = 1305, normalized size = 4.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -2/105*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*B*b^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A*b^4-312*B*a*b^3-360*B*b^4)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(252*A*a*b^3+168*A*b^4+108*B*a^2*b^2+312*B*a*b^3+280*B*b^4)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-84*A*a^2*b^2-126*A*a*b^3-42*A*b^4-6*B*a^3*b-54*B*a^2*b^2-128*B*a*b^3-80*B*b^4)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-21*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b+21*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^3+21*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b-21*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^2+63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^3-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^4+6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4-31*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^2+25*B*b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4+6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b+82*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^2-82*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^3/b^2/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*cos(d*x + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx) (A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2),x)
```

```
[Out] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

3.306 $\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx$

Optimal. Leaf size=225

$$\frac{2(a^2 - b^2)(3aB + 5Ab)\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{15bd\sqrt{a+b\cos(c+dx)}} + \frac{2(3a^2B + 20aAb + 9b^2B)\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{15bd\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

[Out] $2/5*B*(a+b*\cos(d*x+c))^(3/2)*\sin(d*x+c)/d+2/15*(5*A*b+3*B*a)*\sin(d*x+c)*(a+b*\cos(d*x+c))^(1/2)/d+2/15*(20*A*a*b+3*B*a^2+9*B*b^2)*(\cos(1/2*d*x+1/2*c))^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b))^(1/2))*(a+b*\cos(d*x+c))^(1/2)/b/d/((a+b*\cos(d*x+c))/(a+b))^(1/2)-2/15*(a^2-b^2)*(5*A*b+3*B*a)*(\cos(1/2*d*x+1/2*c))^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b))^(1/2))*((a+b*\cos(d*x+c))/(a+b))^(1/2)/b/d/(a+b*\cos(d*x+c))^(1/2)$

Rubi [A] time = 0.35, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2 - b^2)(3aB + 5Ab)\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{15bd\sqrt{a+b\cos(c+dx)}} + \frac{2(3a^2B + 20aAb + 9b^2B)\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{15bd\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]`

[Out] $(2*(20*a*A*b + 3*a^2*B + 9*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(15*b*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(5*A*b + 3*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(15*b*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(5*A*b + 3*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*B*(a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(5*d)$

Rule 2653

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2655

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

Rule 2661

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2663

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -`

$b^2, 0] \ \&\& \ !GtQ[a + b, 0]$

Rule 2752

$\text{Int}[\frac{(c_.) + (d_.)\sin[(e_.) + (f_.)x]}{\sqrt{(a_.) + (b_.)\sin[(e_.) + (f_.)x]}}, x_Symbol] \rightarrow \text{Dist}[\frac{b*c - a*d}{b}, \text{Int}[\frac{1}{\sqrt{a + b*\sin[e + f*x]}}, x], x] + \text{Dist}[\frac{d}{b}, \text{Int}[\sqrt{a + b*\sin[e + f*x]}, x], x] \ /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 2753

$\text{Int}[\frac{(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((c_.) + (d_.)\sin[(e_.) + (f_.)x])}{(f_.)x}, x_Symbol] \rightarrow -\text{Simp}[\frac{d*\cos[e + f*x]*(a + b*\sin[e + f*x])^m}{(m + 1)}, x] + \text{Dist}[\frac{1}{(m + 1)}, \text{Int}[(a + b*\sin[e + f*x])^{m-1} * \text{Simp}[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*\sin[e + f*x], x], x], x] \ /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ GtQ[m, 0] \ \&\& \ \text{IntegerQ}[2*m]$

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx &= \frac{2B(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{a + b \cos(c + dx)} dx \\ &= \frac{2(5Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B(a + b \cos(c + dx))^{3/2}}{5d} \\ &= \frac{2(5Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B(a + b \cos(c + dx))^{3/2}}{5d} \\ &= \frac{2(5Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B(a + b \cos(c + dx))^{3/2}}{5d} \\ &= \frac{2(20aAb + 3a^2B + 9b^2B)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2}{a+b}\right)}{15bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

Mathematica [A] time = 0.78, size = 203, normalized size = 0.90

$$\frac{2 \left(b(15a^2A + 12abB + 5Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + (3a^2B + 20aAb + 9b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left((a + b \cos(c + dx))^{3/2} \right) \right)}{15bd\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*cos[c + d*x])^(3/2)*(A + B*cos[c + d*x]),x]

[Out] (2*(b*(15*a^2*A + 5*A*b^2 + 12*a*b*B)*Sqrt[(a + b*cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (20*a*A*b + 3*a^2*B + 9*b^2*B)*Sqrt[(a + b*cos[c + d*x])/(a + b)]*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)]) + b*(a + b*cos[c + d*x])*(5*A*b + 6*a*B + 3*b*B*cos[c + d*x])*Sin[c + d*x))/(15*b*d*Sqrt[a + b*cos[c + d*x]])

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 1.65, size = 993, normalized size = 4.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -2/15 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-24 * B * b ^ 3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 6 + (20 * A * b ^ 3 + 36 * B * a * b ^ 2 + 24 * B * b ^ 3) * \sin(1/2 * d * x + 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) + (-10 * A * a * b ^ 2 - 10 * A * b ^ 3 - 12 * B * a ^ 2 * b - 18 * B * a * b ^ 2 - 6 * B * b ^ 3) * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c) - 5 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b + 5 * A * b ^ 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) + 20 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b - 20 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 2 - 3 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 3 + 3 * a * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * b ^ 2 + 3 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 3 - 3 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b + 9 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 2 - 9 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * b ^ 3) / b / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 * b + (a + b) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 * b + a + b) ^ (1/2) / d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2), x)`

[Out] `int((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)), x)`

[Out] `Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))**(3/2), x)`

3.307 $\int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec(c+dx) dx$

Optimal. Leaf size=236

$$\frac{2(a^2(-B) + 3aAb + b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{a+b \cos(c+dx)}} + \frac{2a^2A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2(4aB + 3A^2)}{3d\sqrt{a+b \cos(c+dx)}}$$

[Out] $\frac{2}{3} b B \sin(dx+c) (a+b \cos(dx+c))^{1/2} / d + \frac{2}{3} (3A^2 b + 4B^2 a) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) \operatorname{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) (a+b \cos(dx+c))^{1/2} / d + \frac{2}{3} (3A^2 a^2 b - B^2 a^2 + B^2 b^2) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) \operatorname{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) ((a+b \cos(dx+c)) / (a+b))^{1/2} / d + \frac{2}{3} a^2 A (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) \operatorname{EllipticPi}(\sin(1/2 dx + 1/2 c), 2, 2^{1/2} (b/(a+b))^{1/2}) ((a+b \cos(dx+c)) / (a+b))^{1/2} / d + \frac{2(4aB + 3A^2)}{3d\sqrt{a+b \cos(dx+c)}}$

Rubi [A] time = 0.71, antiderivative size = 236, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.290$, Rules used = {2990, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{2(a^2(-B) + 3aAb + b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{a+b \cos(c+dx)}} + \frac{2a^2A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2(4aB + 3A^2)}{3d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \cos[c + dx])^{3/2} (A + B \cos[c + dx]) \sec[c + dx], x]$

[Out] $(2(3A^2 b + 4a^2 B) \sqrt{a + b \cos[c + dx]} \operatorname{EllipticE}[(c + dx)/2, (2b)/(a + b)]) / (3d \sqrt{a + b \cos[c + dx]} / (a + b)) + (2(3a^2 A^2 b - a^2 B^2 + b^2 B) \sqrt{a + b \cos[c + dx]} / (a + b) \operatorname{EllipticF}[(c + dx)/2, (2b)/(a + b)]) / (3d \sqrt{a + b \cos[c + dx]}) + (2a^2 A^2 \sqrt{a + b \cos[c + dx]} / (a + b) \operatorname{EllipticPi}[2, (c + dx)/2, (2b)/(a + b)]) / (d \sqrt{a + b \cos[c + dx]}) + (2b B \sqrt{a + b \cos[c + dx]} \sin[c + dx]) / (3d)$

Rule 2653

$\operatorname{Int}[\sqrt{(a_) + (b_) \sin[(c_) + (d_)(x_)]}, x_Symbol] \rightarrow \operatorname{Simp}[(2 \sqrt{a + b} \operatorname{EllipticE}[(1(c - \pi/2 + dx))/2, (2b)/(a + b)]) / d, x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

$\operatorname{Int}[\sqrt{(a_) + (b_) \sin[(c_) + (d_)(x_)]}, x_Symbol] \rightarrow \operatorname{Dist}[\sqrt{a + b \sin[c + dx]} / \sqrt{a + b \sin[c + dx]} / (a + b), \operatorname{Int}[\sqrt{a/(a + b) + (b \sin[c + dx]) / (a + b)}, x], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

$\operatorname{Int}[1/\sqrt{(a_) + (b_) \sin[(c_) + (d_)(x_)]}, x_Symbol] \rightarrow \operatorname{Simp}[(2 \operatorname{EllipticF}[(1(c - \pi/2 + dx))/2, (2b)/(a + b)]) / (d \sqrt{a + b}), x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2990

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_)), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3002

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])^n), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3059

Int(((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)])^2/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^n), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{2bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\left(\frac{3a^2A}{2} + \right.}{\sqrt{a + b \cos(c + dx)}} \\
&= \frac{2bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} - \frac{2 \int \frac{\left(-\frac{3}{2}a^2Ab - \frac{1}{2}\right)}{\sqrt{a + b \cos(c + dx)}}}{3d} \\
&= \frac{2bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + (a^2A) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} \\
&= \frac{2(3Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\
&= \frac{2(3Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [C] time = 2.58, size = 406, normalized size = 1.72

$$\frac{4(3a^2B+6aAb+b^2B)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2(6a^2A+4abB+3Ab^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2i(4aB+3Ab) \csc(c+dx) \sqrt{-\frac{b \cos(c+dx)}{a+b}}}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```

[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x],x]
[Out] ((4*(6*a*A*b + 3*a^2*B + b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*Elliptic
F[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(6*a^2*A + 3*A
*b^2 + 4*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/
2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*(3*A*b + 4*a*B)*Sqrt[-
((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Cs
c[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b
*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a +
b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)
/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b
))))/(a*b*Sqrt[-(a + b)^(-1)]) + 4*b*B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*
x])/(6*d)

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="
fricas")

```

```

[Out] Timed out

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{3/2} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c), x)

maple [B] time = 1.52, size = 738, normalized size = 3.13

$$2\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b}\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(4B\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^2 + 3Aab\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a-b}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out]
$$-2/3*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*B*\cos(1/2*d*x+1/2*c)^5*b^2+3*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^2-3*a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})+2*B*\cos(1/2*d*x+1/2*c)^3*a*b-6*B*\cos(1/2*d*x+1/2*c)^3*b^2-B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2+B*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+4*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2-4*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b-2*B*\cos(1/2*d*x+1/2*c)*a*b+2*B*\cos(1/2*d*x+1/2*c)*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a-b)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{3/2} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x),x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)
```

```
[Out] Timed out
```

3.308 $\int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$

Optimal. Leaf size=232

$$\frac{(a^2 A + 2abB + 2Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) (aA - 2bB) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) a(2a+b) \sqrt{a+b \cos(c+dx)}}{d \sqrt{a+b \cos(c+dx)} d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] $-(A*a-2*B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+(A*a^2+2*A*b^2+2*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+a*(3*A*b+2*B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+a*A*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 0.69, antiderivative size = 232, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2989, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(a^2 A + 2abB + 2Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) (aA - 2bB) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) a(2a+b) \sqrt{a+b \cos(c+dx)}}{d \sqrt{a+b \cos(c+dx)} d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^2, x]$

[Out] $-\left(\frac{(aA - 2*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]}{d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]}\right) + \left(\frac{(a^2*A + 2*A*b^2 + 2*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]}{d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]}\right) + \left(\frac{a*(3*A*b + 2*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]}{d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]}\right) + \frac{a*A*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x]}{d}$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /;$ $\text{FreeQ}\{a, b, c, d\}, x$ && $\text{NeQ}[a^2 - b^2, 0]$ && $\text{GtQ}[a + b, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x$ && $\text{NeQ}[a^2 - b^2, 0]$ && $!\text{GtQ}[a + b, 0]$

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b]), x] /;$ $\text{FreeQ}\{a, b, c, d\}, x$ && $\text{NeQ}[a^2 - b^2, 0]$ && $\text{GtQ}[a + b, 0]$

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2989

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3002

```
Int[(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3059

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^
2)/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x]), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \int \frac{\left(\frac{1}{2}a(3A + B)\sqrt{a + b \cos(c + dx)}\right)}{d} dx \\
&= \frac{aA\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} - \frac{\int \frac{\left(-\frac{1}{2}ab(3A + B)\sqrt{a + b \cos(c + dx)}\right)}{d} dx}{d} \\
&= \frac{aA\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \frac{1}{2}(a(3A + B) - ab(3A + B)) \frac{\sqrt{a + b \cos(c + dx)}}{d} \\
&= -\frac{(aA - 2bB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\
&= -\frac{(aA - 2bB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [C] time = 2.54, size = 398, normalized size = 1.72

$$\frac{2(4a^2B + 5aAb + 2b^2B)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{8b(2aB + Ab)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2i(2bB - aA) \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}}}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```

[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
[Out] ((8*b*(A*b + 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(5*a*A*b + 4*a^2*B + 2*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*(-a*A) + 2*b*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))/(a*b*Sqrt[-(a + b)^(-1)]) + 4*a*A*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x]/(4*d)

```

fricas [F] time = 8.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")

```

```

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^2, x)

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{3/2} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^2, x)

maple [B] time = 1.60, size = 1167, normalized size = 5.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)

[Out]
$$-\left(2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2b+a-b\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\left(4Aa*b\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+(-2Aa^2-2Aa*b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)-2(-2b/(a-b))\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(A\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)a^2+2A\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)b^2-A\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)a^2+A\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)a*b-3A\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2,(-2b/(a-b))^{1/2}\right)a*b+2B\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)a*b+2B\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)a*b-2B\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)b^2-2B\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2,(-2b/(a-b))^{1/2}\right)a^2\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+A\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)a^2+2A*b^2\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)-A\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)a^2+A\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)a*b-3A\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2,(-2b/(a-b))^{1/2}\right)a*b+2B*a*b\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)+2B\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)a*b-2B\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2b/(a-b))^{1/2}\right)b^2-2B\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2,(-2b/(a-b))^{1/2}\right)a^2\right)/\left(2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4b+(a+b)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2b+a+b\right)^{1/2}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{3/2} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^2, x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**2, x)
```

```
[Out] Timed out
```

3.309 $\int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^3(c+dx) dx$

Optimal. Leaf size=295

$$\frac{(4a^2B + 7aAb + 8b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + \frac{(4a^2A + 12abB + 3Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}}$$

```
[Out] -1/4*(5*A*b+4*B*a)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*Elliptic
E(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*(a+b*cos(d*x+c))^(1/2)/d/((a+
b*cos(d*x+c))/(a+b))^(1/2)+1/4*(7*A*a*b+4*B*a^2+8*B*b^2)*(cos(1/2*d*x+1/2*c
)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b)
)^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/d/(a+b*cos(d*x+c))^(1/2)+1/4*(4*A*a
^2+3*A*b^2+12*B*a*b)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*Ellipt
icPi(sin(1/2*d*x+1/2*c),2,2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))
^(1/2)/d/(a+b*cos(d*x+c))^(1/2)+1/4*(5*A*b+4*B*a)*(a+b*cos(d*x+c))^(1/2)*ta
n(d*x+c)/d+1/2*a*A*sec(d*x+c)*(a+b*cos(d*x+c))^(1/2)*tan(d*x+c)/d
```

Rubi [A] time = 1.06, antiderivative size = 295, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2989, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(4a^2B + 7aAb + 8b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + \frac{(4a^2A + 12abB + 3Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] -((5*A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a
+ b)]/(4*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((7*a*A*b + 4*a^2*B + 8*b
^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a +
b)]/(4*d*Sqrt[a + b*Cos[c + d*x]]) + ((4*a^2*A + 3*A*b^2 + 12*a*b*B)*Sqrt[
(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(4
*d*Sqrt[a + b*Cos[c + d*x]]) + ((5*A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*Ta
n[c + d*x])/(4*d) + (a*A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x]
)/(2*d)
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
```


{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2989

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3002

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])^n), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ

[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx = \frac{aA\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} + \frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA}{2} = \frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA}{2} = \frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA}{2} = -\frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} = -\frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Mathematica [C] time = 4.95, size = 422, normalized size = 1.43

$$\frac{2(8a^2A + 20abB + Ab^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{8b(aA + 4bB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4 \tan(c + dx) \sec(c + dx) \sqrt{a + b}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
 [Out] ((8*b*(a*A + 4*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^2*A + A*b^2 + 20*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(5*A*b + 4*a*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt

$$\frac{1}{2}dx + \frac{1}{2}c)^{4b+(a+b)\sin(1/2dx+1/2c)^2}^{1/2} * b * \text{EllipticE}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2}) - 3/8 * b^2/a^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * ((2\cos(1/2dx+1/2c)^{2b+a-b}/(a-b))^{1/2}) / (-2\sin(1/2dx+1/2c)^{4b+(a+b)\sin(1/2dx+1/2c)^2}^{1/2} * \text{EllipticE}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2}) - 1/2 * (\sin(1/2dx+1/2c)^2)^{1/2} * ((2\cos(1/2dx+1/2c)^{2b+a-b}/(a-b))^{1/2}) / (-2\sin(1/2dx+1/2c)^{4b+(a+b)\sin(1/2dx+1/2c)^2}^{1/2} * \text{EllipticPi}(\cos(1/2dx+1/2c), 2, (-2b/(a-b))^{1/2}) - 3/8/a^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * ((2\cos(1/2dx+1/2c)^{2b+a-b}/(a-b))^{1/2}) / (-2\sin(1/2dx+1/2c)^{4b+(a+b)\sin(1/2dx+1/2c)^2}^{1/2} * \text{EllipticPi}(\cos(1/2dx+1/2c), 2, (-2b/(a-b))^{1/2})) * b^2) / \sin(1/2dx+1/2c) / (-2\sin(1/2dx+1/2c)^{2b+a-b})^{1/2} / d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{3}{2}}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^3,x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] Timed out

$$3.310 \quad \int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^4(c+dx) dx$$

Optimal. Leaf size=375

$$\frac{(16a^2A + 30abB + 3Ab^2) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{24ad} + \frac{(16a^2A + 42abB + 17Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right)}{24d \sqrt{a + b \cos(c + dx)}}$$

[Out] $-1/24*(16*A*a^2+3*A*b^2+30*B*a*b)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/a/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+1/24*(16*A*a^2+17*A*b^2+42*B*a*b)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+1/8*(12*A*a^2*b-A*b^3+8*B*a^3+6*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*\cos(d*x+c))^{(1/2)}+1/24*(16*A*a^2+3*A*b^2+30*B*a*b)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/a/d+1/12*(7*A*b+6*B*a)*\sec(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d+1/3*a*A*\sec(d*x+c)^2*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 1.45, antiderivative size = 375, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2989, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(16a^2A + 30abB + 3Ab^2) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{24ad} + \frac{(16a^2A + 42abB + 17Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right)}{24d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]

[Out] $-((16*a^2*A + 3*A*b^2 + 30*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(24*a*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + ((16*a^2*A + 17*A*b^2 + 42*a*b*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(24*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((12*a^2*A*b - A*b^3 + 8*a^3*B + 6*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(8*a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((16*a^2*A + 3*A*b^2 + 30*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(24*a*d) + ((7*A*b + 6*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(12*d) + (a*A*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2989

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3002

```
Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2
```

2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx = \frac{aA\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d}$$

$$= \frac{(7Ab + 6aB)\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{12d}$$

$$= \frac{(16a^2A + 3Ab^2 + 30abB) \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24ad}$$

$$= \frac{(16a^2A + 3Ab^2 + 30abB) \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24ad}$$

$$= \frac{(16a^2A + 3Ab^2 + 30abB) \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24ad}$$

$$= -\frac{(16a^2A + 3Ab^2 + 30abB) \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24ad \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

$$= -\frac{(16a^2A + 3Ab^2 + 30abB) \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24ad \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Mathematica [C] time = 6.71, size = 634, normalized size = 1.69

$$\frac{\sqrt{a + b \cos(c + dx)} \left(\frac{\sec(c+dx)(16a^2A \sin(c+dx)+30abB \sin(c+dx)+3Ab^2 \sin(c+dx))}{24a} + \frac{1}{12} \sec^2(c + dx)(6aB \sin(c + dx) + 7A) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
 [Out] ((2*(28*a*A*b^2 + 24*a^2*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(56*a^2*A*b - 9*

```
A*b^3 + 48*a^3*B + 6*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi
[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(-16*a^2
*A*b - 3*A*b^3 - 30*a*b^2*B)*Sqrt[(b - b*Cos[c + d*x])/(a + b)]*Sqrt[-((b +
b*Cos[c + d*x])/(a - b))] * Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSin
h[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*
EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/
(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b
*Cos[c + d*x]]], (a + b)/(a - b)))*Sin[c + d*x])/(a*Sqrt[-(a + b)^(-1)]*Sqr
rt[1 - Cos[c + d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a +
b*Cos[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b
*Cos[c + d*x])^2)))/(96*a*d) + (Sqrt[a + b*Cos[c + d*x]]*((Sec[c + d*x]^2*(
7*A*b*Sin[c + d*x] + 6*a*B*Sin[c + d*x]))/12 + (Sec[c + d*x]*(16*a^2*A*Sin[
c + d*x] + 3*A*b^2*Sin[c + d*x] + 30*a*b*B*Sin[c + d*x]))/(24*a) + (a*A*Sec
[c + d*x]^2*Tan[c + d*x])/3))/d
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm
="fricas")
```

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^4, x
)
```

maple [B] time = 4.81, size = 2327, normalized size = 6.21

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b^2*B*(s
in(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2
*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/
2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))+2*a^2*A*(-1/3/a*cos(1/2*d*x+1/2*c)*(-2*s
in(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2
*c)^2-1)^3+5/12*b/a^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*si
n(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^2-1/24*(16*a^2+15*b^2)
/a^3*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)
^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)+5/48*b^2/a^2*(sin(1/2*d*x+1/2*c)^2)^(1
/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b
+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b)
)^(1/2))+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(
a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*El
lipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-1/3*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*
```


$$b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/3/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-5/16*b^2/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+5/16/a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^3+1/4/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})+5/16*b^3/a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)}))+2*b*(A*b+2*B*a)*(-1/a*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)}))+2*a*(2*A*b+B*a)*(-1/2/a*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^2+3/4*b/a^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)-1/8*b/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+3/8/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-3/8*b^2/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})-3/8/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})*b^2))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^4,x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^4, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)
```

```
[Out] Timed out
```

$$3.311 \quad \int \cos^2(c+dx)(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=462

$$\frac{2(-8a^2B + 22aAb - 81b^2B) \sin(c + dx)(a + b \cos(c + dx))^{5/2}}{693b^2d} - \frac{2(-40a^3B + 110a^2Ab - 335ab^2B - 539Ab^3)}{3465b^2d}$$

[Out] $-2/3465*(110*A*a^2*b-539*A*b^3-40*B*a^3-335*B*a*b^2)*(a+b*\cos(d*x+c))^{(3/2)}$
 $*\sin(d*x+c)/b^2/d-2/693*(22*A*a*b-8*B*a^2-81*B*b^2)*(a+b*\cos(d*x+c))^{(5/2)}$
 $\sin(d*x+c)/b^2/d+2/99*(11*A*b-4*B*a)*(a+b*\cos(d*x+c))^{(7/2)*\sin(d*x+c)/b^2/$
 $d+2/11*B*\cos(d*x+c)*(a+b*\cos(d*x+c))^{(7/2)*\sin(d*x+c)/b/d-2/3465*(110*A*a^3$
 $*b-1254*A*a*b^3-40*B*a^4-285*B*a^2*b^2-675*B*b^4)*\sin(d*x+c)*(a+b*\cos(d*x+c$
 $)^{(1/2)/b^2/d-2/3465*(110*A*a^4*b-3069*A*a^2*b^3-1617*A*b^5-40*B*a^5-255*B$
 $*a^3*b^2-3705*B*a*b^4)*(cos(1/2*d*x+1/2*c))^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*Elli$
 $pticE(\sin(1/2*d*x+1/2*c),2^{(1/2)*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^$
 $3/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)+2/3465*(a^2-b^2)*(110*A*a^3*b-1254*A*a*b$
 $^3-40*B*a^4-285*B*a^2*b^2-675*B*b^4)*(cos(1/2*d*x+1/2*c))^2)^{(1/2)}/cos(1/2*d$
 $*x+1/2*c)*EllipticF(\sin(1/2*d*x+1/2*c),2^{(1/2)*(b/(a+b))^{(1/2)})*((a+b*\cos(d$
 $*x+c))/(a+b))^{(1/2)}/b^3/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.93, antiderivative size = 462, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2990, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-8a^2B + 22aAb - 81b^2B) \sin(c + dx)(a + b \cos(c + dx))^{5/2}}{693b^2d} - \frac{2(110a^2Ab - 40a^3B - 335ab^2B - 539Ab^3)}{3465b^2d} \sin(c + dx)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]

[Out] $(-2*(110*a^4*A*b - 3069*a^2*A*b^3 - 1617*A*b^5 - 40*a^5*B - 255*a^3*b^2*B - 3705*a*b^4*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(3465*b^3*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(a^2 - b^2)*(110*a^3*A*b - 1254*a*A*b^3 - 40*a^4*B - 285*a^2*b^2*B - 675*b^4*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(3465*b^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*(110*a^3*A*b - 1254*a*A*b^3 - 40*a^4*B - 285*a^2*b^2*B - 675*b^4*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3465*b^2*d) - (2*(110*a^2*A*b - 539*A*b^3 - 40*a^3*B - 335*a*b^2*B)*(a + b*\text{Cos}[c + d*x])^{(3/2)*\text{Sin}[c + d*x]}/(3465*b^2*d) - (2*(22*a*A*b - 8*a^2*B - 81*b^2*B)*(a + b*\text{Cos}[c + d*x])^{(5/2)*\text{Sin}[c + d*x]}/(693*b^2*d) + (2*(11*A*b - 4*a*B)*(a + b*\text{Cos}[c + d*x])^{(7/2)*\text{Sin}[c + d*x]}/(99*b^2*d) + (2*B*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])^{(7/2)*\text{Sin}[c + d*x]}/(11*b*d)$

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,

0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2753

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]

Rule 2990

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx &= \frac{2B \cos(c + dx)(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{11bd} \\
&= \frac{2(11Ab - 4aB)(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{99b^2d} \\
&= -\frac{2(22aAb - 8a^2B - 81b^2B)(a + b \cos(c + dx))}{693b^2d} \\
&= -\frac{2(110a^2Ab - 539Ab^3 - 40a^3B - 335ab^2B)(a + b \cos(c + dx))}{3465b^2d} \\
&= -\frac{2(110a^3Ab - 1254aAb^3 - 40a^4B - 285a^2b^2B)}{3465b^2d} \\
&= -\frac{2(110a^3Ab - 1254aAb^3 - 40a^4B - 285a^2b^2B)}{3465b^2d} \\
&= -\frac{2(110a^3Ab - 1254aAb^3 - 40a^4B - 285a^2b^2B)}{3465b^2d} \\
&= -\frac{2(110a^4Ab - 3069a^2Ab^3 - 1617Ab^5 - 40a^5B)}{3465b^2d}
\end{aligned}$$

Mathematica [A] time = 2.12, size = 357, normalized size = 0.77

$$b(a + b \cos(c + dx)) \left(b \left(5b \left((452a^2B + 836aAb + 513b^2B) \sin(3(c + dx)) + 7b((46aB + 22Ab) \sin(4(c + dx)) + \right. \right. \right.$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
[Out] (16*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*(b^2*(1705*a^3*A*b + 2871*a*A*b^3 + 10*a^4*B + 3315*a^2*b^2*B + 675*b^4*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])) + b*(a + b*Cos[c + d*x])*((880*a^3*A*b + 32868*a*A*b^3 - 320*a^4*B + 18660*a^2*b^2*B + 13050*b^4*B)*Sin[c + d*x] + b*(4*(1650*a^2*A*b + 1463*A*b^3 + 30*a^3*B + 3095*a*b^2*B)*Sin[2*(c + d*x)] + 5*b*((836*a*A*b + 452*a^2*B + 513*b^2*B)*Sin[3*(c + d*x)] + 7*b*((22*A*b + 46*a*B)*Sin[4*(c + d*x)] + 9*b*B*Ssin[5*(c + d*x)])))))/(27720*b^3*d*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F] time = 1.11, size = 0, normalized size = 0.00

$$\text{integral} \left((Bb^2 \cos(dx + c))^5 + Aa^2 \cos(dx + c)^2 + (2Bab + Ab^2) \cos(dx + c)^4 + (Ba^2 + 2Aab) \cos(dx + c)^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

[Out] integral((B*b^2*cos(d*x + c)^5 + A*a^2*cos(d*x + c)^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^4 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^3)*sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^2, x)

maple [B] time = 1.88, size = 1983, normalized size = 4.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -2/3465*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-245*B \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b)) \\ & ^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b^2-3069*A*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ &)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^4+110*A*(\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE} \\ & (\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b^2-110*A*(\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE} \\ & (\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5*b+110*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2* \\ & d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5*b-1364*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x \\ & +1/2*c),(-2*b/(a-b))^{(1/2)})*b^3+1254*A*a*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/ \\ & 2*c),(-2*b/(a-b))^{(1/2)})+255*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin \\ & (1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a- \\ & b))^{(1/2)})*a^4*b^2+3069*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2* \\ & d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)} \\ &)*a^3*b^3+1617*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1 \\ & /2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)}) \\ &)*a*b^5-40*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(\\ & a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5*b-25 \\ & 5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a- \\ & b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^3+3705*B*(\\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ &)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^4-3705*B*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}* \\ & \text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^5-390*a^2*b^4*B*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}* \\ & \text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+20160*B*b^6*\cos(1/2*d*x+1/ \\ & 2*c)*\sin(1/2*d*x+1/2*c)^{12}+(-12320*A*b^6-35840*B*a*b^5-50400*B*b^6)*\sin(1/2 \\ & *d*x+1/2*c)^{10}*\cos(1/2*d*x+1/2*c)+(22880*A*a*b^5+24640*A*b^6+21920*B*a^2*b^ \\ & 4+71680*B*a*b^5+56880*B*b^6)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-1496 \\ & 0*A*a^2*b^4-34320*A*a*b^5-22792*A*b^6-4640*B*a^3*b^3-32880*B*a^2*b^4-66160* \\ & B*a*b^5-34920*B*b^6)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(3520*A*a^3*b^ \\ & 3+14960*A*a^2*b^4+26488*A*a*b^5+10472*A*b^6-20*B*a^4*b^2+4640*B*a^3*b^3+251 \\ & 20*B*a^2*b^4+30320*B*a*b^5+13860*B*b^6)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/ \end{aligned}$$

$2*c)+(-110*A*a^4*b^2-1760*A*a^3*b^3-7326*A*a^2*b^4-7524*A*a*b^5-1848*A*b^6+40*B*a^5*b+10*B*a^4*b^2-3210*B*a^3*b^3-7080*B*a^2*b^4-6690*B*a*b^5-2790*B*b^6)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-40*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^6-1617*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^6+675*b^6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+40*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^6/b^3/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{5/2} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^2 (A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2),x)

[Out] int(cos(c + d*x)^2*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

3.312 $\int \cos(c+dx)(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) dx$

Optimal. Leaf size=372

$$\frac{2(-10a^2B + 45aAb + 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315bd} + \frac{2(-10a^3B + 45a^2Ab + 114ab^2B + 75Ab^3) \sin(c + dx)}{315bd}$$

[Out] $\frac{2}{315} * (45 * A * a * b - 10 * B * a^2 + 49 * B * b^2) * (a + b * \cos(d * x + c))^{3/2} * \sin(d * x + c) / b / d + 2 / 63 * (9 * A * b - 2 * B * a) * (a + b * \cos(d * x + c))^{5/2} * \sin(d * x + c) / b / d + 2 / 9 * B * (a + b * \cos(d * x + c))^{7/2} * \sin(d * x + c) / b / d + 2 / 315 * (45 * A * a^2 * b + 75 * A * b^3 - 10 * B * a^3 + 114 * B * a * b^2) * \sin(d * x + c) * (a + b * \cos(d * x + c))^{1/2} / b / d + 2 / 315 * (45 * A * a^3 * b + 435 * A * a * b^3 - 10 * B * a^4 + 279 * B * a^2 * b^2 + 147 * B * b^4) * (\cos(1/2 * d * x + 1/2 * c))^{1/2} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticE}(\sin(1/2 * d * x + 1/2 * c), 2^{1/2} * (b / (a + b))^{1/2}) * (a + b * \cos(d * x + c))^{1/2} / b^2 / d / ((a + b * \cos(d * x + c)) / (a + b))^{1/2} - 2 / 315 * (a^2 - b^2) * (45 * A * a^2 * b + 75 * A * b^3 - 10 * B * a^3 + 114 * B * a * b^2) * (\cos(1/2 * d * x + 1/2 * c))^{1/2} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticF}(\sin(1/2 * d * x + 1/2 * c), 2^{1/2} * (b / (a + b))^{1/2}) * ((a + b * \cos(d * x + c)) / (a + b))^{1/2} / b^2 / d / (a + b * \cos(d * x + c))^{1/2}$

Rubi [A] time = 0.80, antiderivative size = 372, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {2968, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-10a^2B + 45aAb + 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315bd} + \frac{2(45a^2Ab - 10a^3B + 114ab^2B + 75Ab^3) \sin(c + dx)}{315bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]

[Out] $(2 * (45 * a^3 * A * b + 435 * a * A * b^3 - 10 * a^4 * B + 279 * a^2 * b^2 * B + 147 * b^4 * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{EllipticE}[(c + d * x) / 2, (2 * b) / (a + b)]) / (315 * b^2 * d * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / (a + b)]) - (2 * (a^2 - b^2) * (45 * a^2 * A * b + 75 * A * b^3 - 10 * a^3 * B + 114 * a * b^2 * B) * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / (a + b)] * \text{EllipticF}[(c + d * x) / 2, (2 * b) / (a + b)]) / (315 * b^2 * d * \text{Sqrt}[a + b * \text{Cos}[c + d * x]]) + (2 * (45 * a^2 * A * b + 75 * A * b^3 - 10 * a^3 * B + 114 * a * b^2 * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sin}[c + d * x]) / (315 * b * d) + (2 * (45 * a * A * b - 10 * a^2 * B + 49 * b^2 * B) * (a + b * \text{Cos}[c + d * x])^{3/2} * \text{Sin}[c + d * x]) / (315 * b * d) + (2 * (9 * A * b - 2 * a * B) * (a + b * \text{Cos}[c + d * x])^{5/2} * \text{Sin}[c + d * x]) / (63 * b * d) + (2 * B * (a + b * \text{Cos}[c + d * x])^{7/2} * \text{Sin}[c + d * x]) / (9 * b * d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[

{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2753

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx &= \int (a + b \cos(c + dx))^{5/2} (A \cos(c + dx) + B \cos^2(c + dx)) dx \\
&= \frac{2B(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{9bd} + \frac{2 \int (a + b \cos(c + dx))^{5/2} A \cos(c + dx) dx}{9bd} \\
&= \frac{2(9Ab - 2aB)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{63bd} + \frac{2 \int (a + b \cos(c + dx))^{5/2} A \cos(c + dx) dx}{63bd} \\
&= \frac{2(45aAb - 10a^2B + 49b^2B)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{315bd} + \frac{2 \int (a + b \cos(c + dx))^{5/2} A \cos(c + dx) dx}{315bd} \\
&= \frac{2(45a^2Ab + 75Ab^3 - 10a^3B + 114ab^2B) \sqrt{a + b \cos(c + dx)}}{315bd} + \frac{2 \int (a + b \cos(c + dx))^{5/2} A \cos(c + dx) dx}{315bd} \\
&= \frac{2(45a^2Ab + 75Ab^3 - 10a^3B + 114ab^2B) \sqrt{a + b \cos(c + dx)}}{315bd} + \frac{2 \int (a + b \cos(c + dx))^{5/2} A \cos(c + dx) dx}{315bd} \\
&= \frac{2(45a^2Ab + 75Ab^3 - 10a^3B + 114ab^2B) \sqrt{a + b \cos(c + dx)}}{315bd} + \frac{2 \int (a + b \cos(c + dx))^{5/2} A \cos(c + dx) dx}{315bd} \\
&= \frac{2(45a^3Ab + 435aAb^3 - 10a^4B + 279a^2b^2B + 147b^4B) \sqrt{a + b \cos(c + dx)}}{315b^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2 \int (a + b \cos(c + dx))^{5/2} A \cos(c + dx) dx}{315bd}
\end{aligned}$$

Mathematica [A] time = 1.60, size = 291, normalized size = 0.78

$$b(a + b \cos(c + dx)) \left(b \left((300a^2B + 540aAb + 266b^2B) \sin(2(c + dx)) + 5b(2(19aB + 9Ab) \sin(3(c + dx))) + 7bB \sin(4(c + dx)) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]

[Out] (8*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*(b^2*(405*a^2*A*b + 75*A*b^3 + 155*a^3*B + 261*a*b^2*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (45*a^3*A*b + 435*a^2*A*b^3 - 10*a^4*B + 279*a^2*b^2*B + 147*b^4*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])) + b*(a + b*Cos[c + d*x])*(2*(540*a^2*A*b + 345*A*b^3 + 20*a^3*B + 747*a*b^2*B)*Sin[c + d*x] + b*((540*a*A*b + 300*a^2*B + 266*b^2*B)*Sin[2*(c + d*x)] + 5*b*(2*(9*A*b + 19*a*B)*Sin[3*(c + d*x)] + 7*b*B*Sin[4*(c + d*x)])))/(1260*b^2*d*Sqrt[a + b*Cos[c + d*x]])

fricas [F] time = 1.37, size = 0, normalized size = 0.00

$$\text{integral} \left((Bb^2 \cos(dx + c)^4 + Aa^2 \cos(dx + c) + (2Bab + Ab^2) \cos(dx + c)^3 + (Ba^2 + 2Aab) \cos(dx + c)^2) \sqrt{b \cos(dx + c) + a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^4 + A*a^2*cos(d*x + c) + (2*B*a*b + A*b^2)*cos(d*x + c)^3 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.81, size = 1635, normalized size = 4.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -2/315*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*B \\ & *b^5*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(720*A*b^5+2080*B*a*b^4+2240* \\ & B*b^5)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-1440*A*a*b^4-1080*A*b^5-13 \\ & 60*B*a^2*b^3-3120*B*a*b^4-2072*B*b^5)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2* \\ & c)+(1080*A*a^2*b^3+1440*A*a*b^4+840*A*b^5+320*B*a^3*b^2+1360*B*a^2*b^3+2408 \\ & *B*a*b^4+952*B*b^5)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-270*A*a^3*b^2 \\ & -540*A*a^2*b^3-510*A*a*b^4-240*A*b^5-10*B*a^4*b-160*B*a^3*b^2-666*B*a^2*b^3 \\ & -684*B*a*b^4-168*B*b^5)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+45*A*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}* \\ & \text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b-45*A*(\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE} \\ & (\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2+435*A*(\sin(1/2*d*x+1/2*c)^2 \\ &)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1 \\ & /2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^3-435*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x \\ & +1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^4-45*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(\\ & a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), \\ & (-2*b/(a-b))^{(1/2)})*a^4*b-30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(\\ & 1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b) \\ &))^{(1/2)})*a^2*b^3+75*A*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2 \\ & *d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)}) \\ &)-10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(\\ & a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5+10*B \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b) \\ &)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b+279*B*(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*E \\ & llipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2-279*B*(\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{Ellipti} \\ & cE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^3+147*B*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos \\ & (1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^4-147*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x \\ & +1/2*c),(-2*b/(a-b))^{(1/2)})*b^5+10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a- \\ & b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2 \\ & *b/(a-b))^{(1/2)})*a^5-124*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2 \\ & *d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)}) \\ &)*a^3*b^2+114*a*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x \\ & +1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)} \\ &))*b^4)/b^2/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin \\ & (1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \cos^5(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*cos(d*x + c), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx) (A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2),x)
```

```
[Out] int(cos(c + d*x)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

3.313 $\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx$

Optimal. Leaf size=288

$$\frac{2(15a^2B + 56aAb + 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105d} - \frac{2(a^2 - b^2)(15a^2B + 56aAb + 25b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{105bd \sqrt{a + b \cos(c + dx)}}$$

```
[Out] 2/35*(7*A*b+5*B*a)*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/d+2/7*B*(a+b*cos(d*x+c))^(5/2)*sin(d*x+c)/d+2/105*(56*A*a*b+15*B*a^2+25*B*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d+2/105*(161*A*a^2*b+63*A*b^3+15*B*a^3+145*B*a*b^2)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*(a+b*cos(d*x+c))^(1/2)/b/d/((a+b*cos(d*x+c))/(a+b))^(1/2)-2/105*(a^2-b^2)*(56*A*a*b+15*B*a^2+25*B*b^2)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/b/d/(a+b*cos(d*x+c))^(1/2)
```

Rubi [A] time = 0.52, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(15a^2B + 56aAb + 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105d} - \frac{2(a^2 - b^2)(15a^2B + 56aAb + 25b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{105bd \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*(161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]])*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(105*b*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(56*a*A*b + 15*a^2*B + 25*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(105*b*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(56*a*A*b + 15*a^2*B + 25*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*(7*A*b + 5*a*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*B*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*SIN[c + d*x]]/Sqrt[(a + b*SIN[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*SIN[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx &= \frac{2B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{2}{7} \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx \\
&= \frac{2(7Ab + 5aB)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35d} + \frac{2B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} \\
&= \frac{2(56aAb + 15a^2B + 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105d} + \frac{2B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} \\
&= \frac{2(56aAb + 15a^2B + 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105d} + \frac{2B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} \\
&= \frac{2(56aAb + 15a^2B + 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105d} + \frac{2B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} \\
&= \frac{2(161a^2Ab + 63Ab^3 + 15a^3B + 145ab^2B) \sqrt{a + b \cos(c + dx)} E}{105bd \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [A] time = 1.08, size = 254, normalized size = 0.88

$$b \sin(c + dx)(a + b \cos(c + dx)) \left(90a^2B + 6b(15aB + 7Ab) \cos(c + dx) + 154aAb + 15b^2B \cos(2(c + dx)) + 65b^2E \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*b*(105*a^3*A + 119*a*A*b^2 + 135*a^2*b*B + 25*b^3*B)*Sqrt[(a + b*Cos[c +
d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + 2*(161*a^2*A*b + 63
*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*((a + b
)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a
+ b)]) + b*(a + b*Cos[c + d*x])*(154*a*A*b + 90*a^2*B + 65*b^2*B + 6*b*(7*
```

$A*b + 15*a*B)*\text{Cos}[c + d*x] + 15*b^2*B*\text{Cos}[2*(c + d*x)]*\text{Sin}[c + d*x]/(105*b*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

fricas [F] time = 1.19, size = 0, normalized size = 0.00

$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2 Aab) \cos(dx + c)\right) \sqrt{b \cos(dx + c)}\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a), x)`

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")`

[Out] Timed out

maple [B] time = 1.47, size = 1305, normalized size = 4.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)`

[Out]
$$\begin{aligned} & -2/105*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*B*b^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A*b^4-480*B*a*b^3-360*B*b^4)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(392*A*a*b^3+168*A*b^4+360*B*a^2*b^2+480*B*a*b^3+280*B*b^4)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-154*A*a^2*b^2-196*A*a*b^3-42*A*b^4-90*B*a^3*b-180*B*a^2*b^2-170*B*a*b^3-80*B*b^4)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-56*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^3*b+56*a*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^3+161*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^3*b-161*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2+63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^4-15*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4-10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2+25*B*b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+15*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4-15*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^3*b+145*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2-145*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b^2 \end{aligned}$$

3)/b/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2),x)

[Out] int((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.314 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec(c+dx) dx$$

Optimal. Leaf size=292

$$\frac{2a^3 A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}} + \frac{2(23a^2 B + 35aAb + 9b^2 B) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] $2/5*b*B*(a+b*\cos(d*x+c))^{3/2}*\sin(d*x+c)/d+2/15*b*(5*A*b+8*B*a)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d+2/15*(35*A*a*b+23*B*a^2+9*B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*(a+b*\cos(d*x+c))^{1/2}/d/((a+b*\cos(d*x+c))/(a+b))^{1/2}+2/15*(10*A*a^2*b+5*A*b^3-8*B*a^3+8*B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/d/(a+b*\cos(d*x+c))^{1/2}+2*a^3*A*(\cos(1/2*d*x+1/2*c)^2)^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/d/(a+b*\cos(d*x+c))^{1/2}$

Rubi [A] time = 1.01, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$, Rules used = {2990, 3049, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{2(10a^2 Ab - 8a^3 B + 8ab^2 B + 5Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15d \sqrt{a+b \cos(c+dx)}} + \frac{2(23a^2 B + 35aAb + 9b^2 B) \sqrt{a+b \cos(c+dx)}}{15d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x], x]

[Out] $(2*(35*a*A*b + 23*a^2*B + 9*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(15*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(10*a^2*A*b + 5*A*b^3 - 8*a^3*B + 8*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(15*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*a^3*A*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*b*(5*A*b + 8*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*b*B*(a + b*\text{Cos}[c + d*x])^{3/2}*\text{Sin}[c + d*x])/(5*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[

{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2990

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(GtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3002

Int[(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3049

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(GtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx = \frac{2bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{a + b \cos(c + dx)} \sin(c + dx) dx$$

$$= \frac{2b(5Ab + 8aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2b(5Ab + 8aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2b(5Ab + 8aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2(35aAb + 23a^2B + 9b^2B)\sqrt{a + b \cos(c + dx)} E}{15d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(35aAb + 23a^2B + 9b^2B)\sqrt{a + b \cos(c + dx)} E}{15d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Mathematica [C] time = 2.91, size = 453, normalized size = 1.55

$$\frac{2i(23a^2B + 35aAb + 9b^2B) \csc(c + dx) \sqrt{-\frac{b(\cos(c + dx) - 1)}{a + b}} \sqrt{-\frac{b(\cos(c + dx) + 1)}{a - b}} \left(b \Pi\left(\frac{a + b}{a}; i \sinh^{-1}\left(\sqrt{-\frac{1}{a + b}} \sqrt{a + b \cos(c + dx)}\right) \middle| \frac{a + b}{a - b}\right) - 2aF\left(i \sinh^{-1}\left(\sqrt{-\frac{1}{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \right)}{ab\sqrt{-\frac{1}{a + b}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x], x]
[Out] ((4*(45*a^2*A*b + 5*A*b^3 + 15*a^3*B + 17*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])
]/(a + b))*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]]
+ (2*(30*a^3*A + 35*a*A*b^2 + 23*a^2*b*B + 9*b^3*B)*Sqrt[(a + b*Cos[c + d*x]
)]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d
*x]] + ((2*I)*(35*a*A*b + 23*a^2*B + 9*b^2*B)*Sqrt[-((b*(-1 + Cos[c + d*x])
))/(a + b))]*Sqrt[-((b*(1 + Cos[c + d*x]))/(a - b))]*Csc[c + d*x]*(-2*a*(a -
b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a +
b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*C
os[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(
a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))/(a*b*Sqrt[-(a +
b)^(-1)]) + 4*b*Sqrt[a + b*Cos[c + d*x]]*(5*A*b + 11*a*B + 3*b*B*Cos[c + d
*x])*Sin[c + d*x]/(30*d)
```

fricas [F] time = 3.34, size = 0, normalized size = 0.00

integral((Bb² cos(dx + c)³ + Aa² + (2 Bab + Ab²) cos(dx + c)² + (Ba² + 2 Aab) cos(dx + c))sqrt(b cos(dx + c) +

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="fricas")

[Out] integral((B*b²*cos(d*x + c)³ + A*a² + (2*B*a*b + A*b²)*cos(d*x + c)² + (B*a² + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c), x)

maple [B] time = 1.47, size = 1067, normalized size = 3.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(20*A*b^3+56*B*a*b^2+24*B*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-10*A*a*b^2-10*A*b^3-22*B*a^2*b-28*B*a*b^2-6*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b+5*A*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+35*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b-35*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2-15*A*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))-8*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3+8*a*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^2+23*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3-23*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b+9*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2-9*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^3)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x),x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)

[Out] Timed out

$$3.315 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=296

$$\frac{(3a^2A - 14abB - 6Ab^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + a^2(2aB + 5Ab) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}} + d \sqrt{a+b \cos(c+dx)}}$$

[Out] $-1/3*b*(3*A*a-2*B*b)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d-1/3*(3*A*a^2-6*A*b^2-14*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+1/3*(3*A*a^3+12*A*a*b^2+4*B*a^2*b+2*B*b^3)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+a^2*(5*A*b+2*B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+a*A*(a+b*\cos(d*x+c))^{(3/2)}*\tan(d*x+c)/d$

Rubi [A] time = 1.11, antiderivative size = 296, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2989, 3049, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(3a^3A + 4a^2bB + 12aAb^2 + 2b^3B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + (3a^2A - 14abB - 6Ab^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d \sqrt{a+b \cos(c+dx)} + 3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]

[Out] $-((3*a^2*A - 6*A*b^2 - 14*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(3*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + ((3*a^3*A + 12*a*A*b^2 + 4*a^2*b*B + 2*b^3*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (a^2*(5*A*b + 2*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (b*(3*a*A - 2*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (a*A*(a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Tan}[c + d*x])/d$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[

{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2989

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3002

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3049

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B))*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx = \frac{aA(a + b \cos(c + dx))^{3/2} \tan(c + dx)}{d} + \int \sqrt{a + b \cos(c + dx)} dx$$

$$= -\frac{b(3aA - 2bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{aA(a + b \cos(c + dx))^{3/2} \tan(c + dx)}{d}$$

$$= -\frac{b(3aA - 2bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{aA(a + b \cos(c + dx))^{3/2} \tan(c + dx)}{d}$$

$$= -\frac{b(3aA - 2bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{aA(a + b \cos(c + dx))^{3/2} \tan(c + dx)}{d}$$

$$= -\frac{(3a^2A - 6Ab^2 - 14abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{a+b \cos(c+dx)}{a+b}\right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

$$= -\frac{(3a^2A - 6Ab^2 - 14abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{a+b \cos(c+dx)}{a+b}\right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Mathematica [C] time = 3.94, size = 442, normalized size = 1.49

$$4 \tan(c + dx) \sqrt{a + b \cos(c + dx)} (3a^2A + 2b^2B \cos(c + dx)) + \frac{8b(9a^2B + 9aAb + b^2B)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2i(-3a^2A + 2b^2B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
[Out] ((8*b*(9*a*A*b + 9*a^2*B + b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(27*a^2*A*b + 6*A*b^3 + 12*a^3*B + 14*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*(-3*a^2*A + 6*A*b^2 + 14*a*b*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)]))/ (a*b*Sqrt[-(a + b)^(-1)]) + 4*Sqrt[a + b*Cos[c + d*x]]*(3*a^2*A + 2*b^2*B*Cos[c + d*x])*Tan[c + d*x])/(12*d)
```


fricas [F] time = 6.42, size = 0, normalized size = 0.00

integral((Bb² cos(dx + c)³ + Aa² + (2 Bab + Ab²) cos(dx + c)² + (Ba² + 2 Aab) cos(dx + c))sqrt(b cos(dx + c) + a)sec(dx + c)², x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^2, x)

maple [B] time = 1.79, size = 1563, normalized size = 5.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)

[Out] -1/3*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-16*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(12*A*a^2*b+8*B*a*b^2+16*B*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-6*A*a^3-6*A*a^2*b-4*B*a*b^2-4*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*(3*A*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3+12*A*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2-3*A*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3+3*A*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b+6*A*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2-6*A*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^3-15*A*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))*a^2*b+4*B*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b+2*B*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^3+14*B*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b-14*B*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2-6*B*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))*a^3)*sin(1/2*d*x+1/2*c)^2+3*A*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3+12*A*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-3*A*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3+3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b+6*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2-6*A*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*b^3-15*A*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*b+4*a^2*b*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*

$$-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+2*b^3*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+14*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})*a^2*b-14*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})*a*b^2-6*B*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2})*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^3)/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{1/2}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{5}{2}}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^2,x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)

[Out] Timed out

3.316 $\int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^3(c+dx) dx$

Optimal. Leaf size=315

$$\frac{(4a^2B + 9aAb - 8b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + a(4a^2A + 20abB + 15Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2, \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] $-1/4*(9*A*a*b+4*B*a^2-8*B*b^2)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+1/4*(11*A*a^2*b+8*A*b^3+4*B*a^3+16*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+1/4*a*(4*A*a^2+15*A*b^2+20*B*a*b)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+1/2*a*A*(a+b*\cos(d*x+c))^{(3/2)}*\sec(d*x+c)*\tan(d*x+c)/d+1/4*a*(7*A*b+4*B*a)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 1.06, antiderivative size = 315, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2989, 3047, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(11a^2Ab + 4a^3B + 16ab^2B + 8Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + (4a^2B + 9aAb - 8b^2B) \sqrt{a + b \cos(c + dx)}}{4d \sqrt{a + b \cos(c + dx)}} + \frac{a(4a^2A + 20abB + 15Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2, \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]

[Out] $-((9*a*A*b + 4*a^2*B - 8*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(4*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + ((11*a^2*A*b + 8*A*b^3 + 4*a^3*B + 16*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (a*(4*a^2*A + 15*A*b^2 + 20*a*b*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (a*(7*A*b + 4*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(4*d) + (a*A*(a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]] , x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]] , x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]] , x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[

{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2989

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3002

Int[(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3047

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]

] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx = \frac{aA(a + b \cos(c + dx))^{3/2} \sec(c + dx) \tan(c + dx)}{2d}$$

$$= \frac{a(7Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} +$$

$$= \frac{a(7Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} +$$

$$= \frac{a(7Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} +$$

$$= -\frac{(9aAb + 4a^2B - 8b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{a+b \cos(c+dx)}{a+b}\right)}{4d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

$$= -\frac{(9aAb + 4a^2B - 8b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{a+b \cos(c+dx)}{a+b}\right)}{4d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Mathematica [C] time = 5.88, size = 451, normalized size = 1.43

$$\frac{8b(a^2A+12abB+4Ab^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2i(-4a^2B-9aAb+8b^2B) \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{b-a}} \left(b \left(b \Pi\left(\frac{a+b}{a}; i \sinh^{-1}\right)\right.\right)}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
[Out] ((8*b*(a^2*A + 4*A*b^2 + 12*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^3*A + 21*a*A*b^2 + 36*a^2*b*B + 8*b^3*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*(-9*a*A*b - 4*a^2*B + 8*b^2*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b))))/(a*b*Sqrt[-(a + b)^(-1)]) + 4*a*Sqr
```

$t[a + b \cos[c + dx]] \cdot (2aA + (9Ab + 4aB) \cos[c + dx]) \cdot \sec[c + dx] \cdot \tan[c + dx] / (16d)$

fricas [F] time = 8.15, size = 0, normalized size = 0.00

$\text{integral} \left((Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)) \sqrt{b \cos(dx + c)} + \right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")`

[Out] `integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^3, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^3, x)`

maple [B] time = 3.89, size = 1742, normalized size = 5.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)`

[Out] `-((-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b^2*B*(a-b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2)))+2*A*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+6*B*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-2*b^3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-6*a*b*(A*b+B*a)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))+2*a^2*(3*A*b+B*a)*(-1/a*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)+1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)`

$$\frac{(-2\sin(1/2dx+1/2c)^{4b+(a+b)}\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticPi}(\cos(1/2dx+1/2c), 2, (-2b/(a-b))^{1/2})+2Aa^3(-1/2/a\cos(1/2dx+1/2c))(-2\sin(1/2dx+1/2c)^{4b+(a+b)}\sin(1/2dx+1/2c)^2)^{1/2}/(2\cos(1/2dx+1/2c)^2-1)^2+3/4b/a^2\cos(1/2dx+1/2c)(-2\sin(1/2dx+1/2c)^{4b+(a+b)}\sin(1/2dx+1/2c)^2)^{1/2}/(2\cos(1/2dx+1/2c)^2-1)-1/8b/a(\sin(1/2dx+1/2c)^2)^{1/2}((2\cos(1/2dx+1/2c)^2b+a-b)/(a-b))^{1/2}/(-2\sin(1/2dx+1/2c)^{4b+(a+b)}\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticF}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})+3/8/a(\sin(1/2dx+1/2c)^2)^{1/2}((2\cos(1/2dx+1/2c)^2b+a-b)/(a-b))^{1/2}/(-2\sin(1/2dx+1/2c)^{4b+(a+b)}\sin(1/2dx+1/2c)^2)^{1/2}b\text{EllipticE}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})-3/8b^2/a^2(\sin(1/2dx+1/2c)^2)^{1/2}((2\cos(1/2dx+1/2c)^2b+a-b)/(a-b))^{1/2}/(-2\sin(1/2dx+1/2c)^{4b+(a+b)}\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticE}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})-1/2(\sin(1/2dx+1/2c)^2)^{1/2}((2\cos(1/2dx+1/2c)^2b+a-b)/(a-b))^{1/2}/(-2\sin(1/2dx+1/2c)^{4b+(a+b)}\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticPi}(\cos(1/2dx+1/2c), 2, (-2b/(a-b))^{1/2})-3/8/a^2(\sin(1/2dx+1/2c)^2)^{1/2}((2\cos(1/2dx+1/2c)^2b+a-b)/(a-b))^{1/2}/(-2\sin(1/2dx+1/2c)^{4b+(a+b)}\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticPi}(\cos(1/2dx+1/2c), 2, (-2b/(a-b))^{1/2})b^2)/\sin(1/2dx+1/2c)/(-2\sin(1/2dx+1/2c)^2b+a-b)^{1/2}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{5/2} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^3,x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)

[Out] Timed out

$$3.317 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^4(c+dx) dx$$

Optimal. Leaf size=376

$$\frac{(16a^2 A + 54abB + 33Ab^2) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{24d} - \frac{(16a^2 A + 54abB + 33Ab^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{24d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] $-1/24*(16*A*a^2+33*A*b^2+54*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+1/24*(16*A*a^3+59*A*a*b^2+66*B*a^2*b+48*B*b^3)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+1/8*(20*A*a^2*b+5*A*b^3+8*B*a^3+30*B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+1/3*a*A*(a+b*\cos(d*x+c))^{(3/2)}*\sec(d*x+c)^2*\tan(d*x+c)/d+1/24*(16*A*a^2+33*A*b^2+54*B*a*b)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d+1/4*a*(3*A*b+2*B*a)*\sec(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 1.43, antiderivative size = 376, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {2989, 3047, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(16a^2 A + 54abB + 33Ab^2) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{24d} + \frac{(16a^3 A + 66a^2 bB + 59aAb^2 + 48b^3 B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{24d \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^{(5/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^4, x]$

[Out] $-((16*a^2*A + 33*A*b^2 + 54*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(24*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + ((16*a^3*A + 59*a*A*b^2 + 66*a^2*b*B + 48*b^3*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(24*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((20*a^2*A*b + 5*A*b^3 + 8*a^3*B + 30*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(8*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((16*a^2*A + 33*A*b^2 + 54*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(24*d) + (a*(3*A*b + 2*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(4*d) + (a*A*(a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*d)$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ !\text{GtQ}[a + b, 0]$

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2989

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3002

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3047

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +

b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx = \frac{aA(a + b \cos(c + dx))^{3/2} \sec^2(c + dx) \tan(c + dx)}{3d} + \dots$$

$$= \frac{a(3Ab + 2aB)\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{4d}$$

$$= \frac{(16a^2A + 33Ab^2 + 54abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d}$$

$$= \frac{(16a^2A + 33Ab^2 + 54abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d}$$

$$= \frac{(16a^2A + 33Ab^2 + 54abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d}$$

$$= -\frac{(16a^2A + 33Ab^2 + 54abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{a+b \cos(c+dx)}{a+b}\right)}{24d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

$$= -\frac{(16a^2A + 33Ab^2 + 54abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{a+b \cos(c+dx)}{a+b}\right)}{24d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Mathematica [C] time = 6.05, size = 486, normalized size = 1.29

$$\frac{8b(6a^2B+13aAb+24b^2B)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{\sqrt{a+b\cos(c+dx)}} + 4\sec^2(c+dx)\sqrt{a+b\cos(c+dx)}\left(\left(8a^2A+27abB+\frac{33Ab^2}{2}\right)\sin\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
[Out] ((8*b*(13*a*A*b + 6*a^2*B + 24*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(104*a^2*A*b - 3*A*b^3 + 48*a^3*B + 126*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(16*a^2*A + 33*A*b^2 + 54*a*b*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))] *Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)]))/ (a*b*Sqrt[-(a + b)^(-1)]) + 4*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^2*(2*a*(13*A*b + 6*a*B)*Sin[c + d*x] + (8*a^2*A + (33*A*b^2)/2 + 27*a*b*B)*Sin[2*(c + d*x)] + 8*a^2*A*Tan[c + d*x]))/(96*d)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^4, x)
```

maple [B] time = 4.61, size = 2438, normalized size = 6.48

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*b^3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-2*b^2*(A*b+3*B*a)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-
```

```

b))^(1/2))+2*a^2*(3*A*b+B*a)*(-1/2/a*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2
*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^2+3/4*
b/a^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c
)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)-1/8*b/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*
((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+
b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1
/2))+3/8/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-
b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*El
lipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-3/8*b^2/a^2*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-
2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2
*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2
)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))-3/8/a^2*(sin(1/2
*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1
/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+
1/2*c),2,(-2*b/(a-b))^(1/2))*b^2)+2*A*a^3*(-1/3/a*cos(1/2*d*x+1/2*c)*(-2*si
n(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c
)^2-1)^3+5/12*b/a^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin
(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^2-1/24*(16*a^2+15*b^2)/
a^3*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^
2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)+5/48*b^2/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/
2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+
(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))
^(1/2))+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a
-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*Ell
ipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-1/3*(sin(1/2*d*x+1/2*c)^2)^(1
/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b
+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b)
)^(1/2))+1/3/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)
/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*
b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-5/16*b^2/a^2*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*
d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*
c),(-2*b/(a-b))^(1/2))+5/16/a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*
x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x
+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^3+1/4/a
*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2
)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(c
os(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))+5/16*b^3/a^3*(sin(1/2*d*x+1/2*c)^2
)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^
4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b
/(a-b))^(1/2)))+6*a*b*(A*b+B*a)*(-1/a*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/
2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)+1/2*(
sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-
2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/
2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1
/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/
2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/
a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)
/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(c
os(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*
((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+
b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))
^(1/2))))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^4,x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)

[Out] Timed out

$$3.318 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^5(c+dx) dx$$

Optimal. Leaf size=465

$$\frac{(36a^2A + 104abB + 59Ab^2) \tan(c+dx) \sec(c+dx) \sqrt{a+b \cos(c+dx)}}{96d} + \frac{(128a^3B + 284a^2Ab + 264ab^2B + 15Ab^3) \tan(c+dx) \sec(c+dx) \sqrt{a+b \cos(c+dx)}}{192ad}$$

[Out] $-1/192*(284*A*a^2*b+15*A*b^3+128*B*a^3+264*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/a/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+1/192*(356*A*a^2*b+133*A*b^3+128*B*a^3+472*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+1/64*(48*A*a^4+120*A*a^2*b^2-5*A*b^4+160*B*a^3*b+40*B*a*b^3)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*\cos(d*x+c))^{(1/2)}+1/4*a*A*(a+b*\cos(d*x+c))^{(3/2)})*\sec(d*x+c)^3*\tan(d*x+c)/d+1/192*(284*A*a^2*b+15*A*b^3+128*B*a^3+264*B*a*b^2)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/a/d+1/96*(36*A*a^2+59*A*b^2+104*B*a*b)*\sec(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d+1/24*a*(11*A*b+8*B*a)*\sec(d*x+c)^2*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

Rubi [A] time = 1.85, antiderivative size = 465, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {2989, 3047, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(284a^2Ab + 128a^3B + 264ab^2B + 15Ab^3) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{192ad} + \frac{(356a^2Ab + 128a^3B + 472ab^2B + 133Ab^3) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{192d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^5, x]

[Out] $-((284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(192*a*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + ((356*a^2*A*b + 133*A*b^3 + 128*a^3*B + 472*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)])*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(192*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((48*a^4*A + 120*a^2*A*b^2 - 5*A*b^4 + 160*a^3*b*B + 40*a*b^3*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)])*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(64*a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])*\text{Tan}[c + d*x]/(192*a*d) + ((36*a^2*A + 59*A*b^2 + 104*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]/(96*d) + (a*(11*A*b + 8*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]/(24*d) + (a*A*(a + b*\text{Cos}[c + d*x]))^{(3/2)}*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x]/(4*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b

*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*SIN[c + d*x])/(a + b)]/Sqrt[a + b*SIN[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*SIN[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*SIN[e + f*x])/(c + d)]/Sqrt[c + d*SIN[e + f*x]], Int[1/((a + b*SIN[e + f*x])*Sqrt[c/(c + d) + (d*SIN[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2989

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*SIN[e + f*x])^(m - 2)*(c + d*SIN[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3002

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*SIN[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*SIN[e + f*x])^m/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3047

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)^2), x_Symbol] := -Simp[(c^2*C - B*c*d + A*d^2)*Cos[e + f*x]

```

*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))]*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x])], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^{3/2} \sec^3(c + dx) \tan(c + dx)}{4d} \\
&= \frac{a(11Ab + 8aB)\sqrt{a + b \cos(c + dx)} \sec^2(c + dx)}{24d} \\
&= \frac{(36a^2A + 59Ab^2 + 104abB)\sqrt{a + b \cos(c + dx)}}{96d} \\
&= \frac{(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)\sqrt{a + b \cos(c + dx)}}{192ad} \\
&= \frac{(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)\sqrt{a + b \cos(c + dx)}}{192ad} \\
&= \frac{(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)\sqrt{a + b \cos(c + dx)}}{192ad} \\
&= -\frac{(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)\sqrt{a + b \cos(c + dx)}}{192ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\
&= -\frac{(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)\sqrt{a + b \cos(c + dx)}}{192ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [C] time = 6.77, size = 729, normalized size = 1.57

$$\frac{\sqrt{a + b \cos(c + dx)} \left(\frac{1}{96} \sec^2(c + dx) (36a^2A \sin(c + dx) + 104abB \sin(c + dx) + 59Ab^2 \sin(c + dx)) + \frac{1}{24} \sec^3(c + dx) \right)}{1}$$

Warning: Unable to verify antiderivative.

```

[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
[Out] ((2*(144*a^3*A*b + 236*a*A*b^3 + 416*a^2*b^2*B)*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(288*a^4*A + 436*a^2*A*b^2 - 45*A*b^4 + 832*a^3*b*B - 24*a*b^3*B)*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(-284*a^2*A*b^2 - 15*A*b^4 - 128*a^3*b*B - 264*a*b^3*B)*Sqrt[(b - b*Cos[c + d*x])]/(a + b))*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b))) * Sin[c + d*x]) / (a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2)) / (768*a*d) + (Sqrt[a + b*Cos[c + d*x]]*((Sec[c + d*x]^3*(17*a*A*b*Sin[c + d*x] + 8*a^2*B*Sin[c + d*x]))/24 + (Sec[c + d*x]^2*(36*a^2*A*Sin[c + d*x] + 59*A*b^2*Sin[c + d*x] + 104*a*b*B*Sin[c + d*x]))/96 + (Sec[c + d*x]*(284*a^2*A*b*Sin[c + d*x] + 15*A*b^3*Sin[c + d*x] + 128*a^3*B*Sin[c + d*x] + 264*a*b^2*B*Sin[c + d*x]))/(192*a) + (a^2*A*Sec[c + d*x]^3*Tan[c + d*x])/4))/d

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^5, x)

maple [B] time = 6.83, size = 3548, normalized size = 7.63

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b^3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})+6*a*b*(A*b+B*a)*(-1/2/a*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^2+3/4*b/a^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)-1/8*b/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+3/8/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-3/8*b^2/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})-3/8/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})*b^2)+2*a^2*(3*A*b+B*a)*(-1/3/a*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^3+5/12*b/a^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^2-1/24*(16*a^2+15*b^2)/a^3*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+5/48*b^2/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^5, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{5}{2}}}{\cos(c + dx)^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^5,x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^5, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)

[Out] Timed out

$$3.319 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=320

$$\frac{2(-24a^2B + 28aAb - 25b^2B) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105b^3d} + \frac{2(-48a^3B + 56a^2Ab - 44ab^2B + 63Ab^3) \sqrt{a+b \cos(c+dx)}}{105b^4d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] $-2/105*(28*A*a*b-24*B*a^2-25*B*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^3/d$
 $+2/35*(7*A*b-6*B*a)*\cos(d*x+c)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^2/d+2/7*$
 $B*\cos(d*x+c)^2*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b/d+2/105*(56*A*a^2*b+63*A$
 $*b^3-48*B*a^3-44*B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*E$
 $llipticE(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}$
 $/b^4/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-2/105*(56*A*a^3*b+49*A*a*b^3-48*B*a^4$
 $-32*B*a^2*b^2-25*B*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*E11$
 $ipticF(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))$
 $^{(1/2)}/b^4/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.62, antiderivative size = 320, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2990, 3049, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-24a^2B + 28aAb - 25b^2B) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105b^3d} - \frac{2(56a^3Ab - 32a^2b^2B - 48a^4B + 49aAb^3 - 25b^4B) \sqrt{a+b \cos(c+dx)}}{105b^4d \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^3*(A + B*\text{Cos}[c + d*x]))/\text{Sqrt}[a + b*\text{Cos}[c + d*x]], x]$
 [Out] $(2*(56*a^2*A*b + 63*A*b^3 - 48*a^3*B - 44*a*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]$
 $*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(105*b^4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]$
 $)/(a + b)) - (2*(56*a^3*A*b + 49*a*A*b^3 - 48*a^4*B - 32*a^2*b^2*B - 25*b^4$
 $*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(a + b)*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b$
 $)]/(105*b^4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*(28*a*A*b - 24*a^2*B - 25*b^2$
 $*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(105*b^3*d) + (2*(7*A*b - 6*a*B)$
 $*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(35*b^2*d) + (2*B*\text{Cos}[$
 $c + d*x]^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(7*b*d)$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] := \text{Simp}[(2*\text{Sqrt}[a$
 $+ b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; \text{FreeQ}\{a,$
 $b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] := \text{Dist}[\text{Sqrt}[a +$
 $b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b$
 $*\text{Sin}[c + d*x])/(a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2,$
 $0] \ \&\& \ !\text{GtQ}[a + b, 0]$

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] := \text{Simp}[(2*\text{Elli}$
 $\text{pticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b]), x] /; \text{FreeQ}$
 $\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2990

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3049

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_)
+ (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^(m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{\sqrt{a+b\cos(c+dx)}} dx &= \frac{2B\cos^2(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{7bd} + \frac{2\int \frac{\cos(c+dx)(2aB+\frac{5}{2}}{}}{\sqrt{a+b\cos(c+dx)}} dx}{7bd} \\
&= \frac{2(7Ab-6aB)\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{35b^2d} + \frac{2B\cos^2(c+dx)}{7bd} \\
&= -\frac{2(28aAb-24a^2B-25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^3d} + \frac{2(7Ab-6aB)\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{35b^2d} \\
&= -\frac{2(28aAb-24a^2B-25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^3d} + \frac{2(7Ab-6aB)\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{35b^2d} \\
&= -\frac{2(28aAb-24a^2B-25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^3d} + \frac{2(7Ab-6aB)\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{35b^2d} \\
&= \frac{2(56a^2Ab+63Ab^3-48a^3B-44ab^2B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{105b^4d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [A] time = 1.06, size = 230, normalized size = 0.72

$$2b\sin(c+dx)(a+b\cos(c+dx))(48a^2B+6b(7Ab-6aB)\cos(c+dx)-56aAb+15b^2B\cos(2(c+dx))+65b^3B) + \frac{2(56a^2Ab+63Ab^3-48a^3B-44ab^2B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{105b^4d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]], x]
[Out] (4*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*(b^2*(14*a*A*b - 12*a^2*B + 25*b^2*B)
*EllipticF[(c + d*x)/2, (2*b)/(a + b)] - (-56*a^2*A*b - 63*A*b^3 + 48*a^3*B
+ 44*a*b^2*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF
[(c + d*x)/2, (2*b)/(a + b)])) + 2*b*(a + b*Cos[c + d*x])*(-56*a*A*b + 48*a
^2*B + 65*b^2*B + 6*b*(7*A*b - 6*a*B)*Cos[c + d*x] + 15*b^2*B*Cos[2*(c + d*
x)])*Sin[c + d*x])/(210*b^4*d*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F] time = 0.96, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B\cos(dx+c)^4 + A\cos(dx+c)^3}{\sqrt{b\cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2), x, algorithm
="fricas")
[Out] integral((B*cos(d*x + c)^4 + A*cos(d*x + c)^3)/sqrt(b*cos(d*x + c) + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c) + A)\cos(dx+c)^3}{\sqrt{b\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^3/sqrt(b*cos(d*x + c) + a), x)

maple [B] time = 1.65, size = 1305, normalized size = 4.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x)

[Out]
$$\begin{aligned} & -2/105*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*B*b^4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A*b^4+24*B*a*b^3-360*B*b^4) \\ & *\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(-28*A*a*b^3+168*A*b^4+24*B*a^2*b^2-24*B*a*b^3+280*B*b^4)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c) \\ & +(56*A*a^2*b^2+14*A*a*b^3-42*A*b^4-48*B*a^3*b-12*B*a^2*b^2-44*B*a*b^3-80*B*b^4)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) \\ & -56*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), \\ & (-2*b/(a-b))^{(1/2)})*a^3*b-49*a*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^3+56*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^3*b-56*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2+63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b^3-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^4+48*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4+32*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2+25*B*b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-48*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4+48*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^3*b-44*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2+44*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b^3/b^4/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/ \\ & (-2*\sin(1/2*d*x+1/2*c)^2*b+a*b)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^3/sqrt(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^3 (A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(1/2), x)
```

```
[Out] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(1/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(1/2), x)
```

```
[Out] Timed out
```

$$3.320 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=246

$$\frac{2(-8a^2B + 10aAb - 9b^2B) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^3 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(-8a^3B + 10a^2Ab - 7ab^2B + 5Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{15b^3 d \sqrt{a+b \cos(c+dx)}}$$

[Out] $2/15*(5*A*b-4*B*a)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^2/d+2/5*B*\cos(d*x+c)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b/d-2/15*(10*A*a*b-8*B*a^2-9*B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/b^3/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+2/15*(10*A*a^2*b+5*A*b^3-8*B*a^3-7*B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^3/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.43, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2990, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(10a^2Ab - 8a^3B - 7ab^2B + 5Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^3 d \sqrt{a+b \cos(c+dx)}} - \frac{2(-8a^2B + 10aAb - 9b^2B) \sqrt{a+b \cos(c+dx)}}{15b^3 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] `Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]], x]`

[Out] $(-2*(10*a*A*b - 8*a^2*B - 9*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(15*b^3*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(10*a^2*A*b + 5*A*b^3 - 8*a^3*B - 7*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(15*b^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(5*A*b - 4*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*b^2*d) + (2*B*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*b*d)$

Rule 2653

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2655

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

Rule 2661

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2663

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -`

$b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2752

$\text{Int}[\frac{(c_.) + (d_.)\sin[(e_.) + (f_.)x]}{\sqrt{(a_.) + (b_.)\sin[(e_.) + (f_.)x]}}, x_Symbol] := \text{Dist}[\frac{b*c - a*d}{b}, \text{Int}[\frac{1}{\sqrt{a + b\sin[e + f*x]}}, x], x] + \text{Dist}[\frac{d}{b}, \text{Int}[\sqrt{a + b\sin[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2990

$\text{Int}[\frac{(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((A_.) + (B_.)\sin[(e_.) + (f_.)x])^n}{(c_.) + (d_.)\sin[(e_.) + (f_.)x]}, x_Symbol] := -\text{Simp}[\frac{b*B*\cos[e + f*x]*(a + b\sin[e + f*x])^{m-1}*(c + d\sin[e + f*x])^{n+1}}{d*f*(m + n + 1)}, x] + \text{Dist}[\frac{1}{d*(m + n + 1)}, \text{Int}[(a + b\sin[e + f*x])^{m-2}*(c + d\sin[e + f*x])^n * \text{Simp}[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*\sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]))]$

Rule 3023

$\text{Int}[\frac{(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((A_.) + (B_.)\sin[(e_.) + (f_.)x]) + (C_.)\sin[(e_.) + (f_.)x]^2}{(c_.) + (d_.)\sin[(e_.) + (f_.)x]}, x_Symbol] := -\text{Simp}[\frac{C*\cos[e + f*x]*(a + b\sin[e + f*x])^{m+1}}{b*f*(m + 2)}, x] + \text{Dist}[\frac{1}{b*(m + 2)}, \text{Int}[(a + b\sin[e + f*x])^m * \text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx &= \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5bd} + \frac{2 \int \frac{aB + \frac{3}{2}bB \cos(c + dx) + \frac{1}{2}b^2 \cos^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2(5Ab - 4aB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15b^2d} + \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{15b^2d} \\ &= \frac{2(5Ab - 4aB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15b^2d} + \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{15b^2d} \\ &= \frac{2(5Ab - 4aB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15b^2d} + \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{15b^2d} \\ &= -\frac{2(10aAb - 8a^2B - 9b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15b^3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \dots \end{aligned}$$

Mathematica [A] time = 0.91, size = 180, normalized size = 0.73

$$\frac{2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left((8a^2B - 10aAb + 9b^2B) \left((a+b) E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - a F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) \right) + b^2(2aB + 5Ab) F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) \right)}{15b^3d \sqrt{a + b \cos(c + dx)}}$$

$x+1/2*c), (-2*b/(a-b))^{(1/2)}*a*b^2-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}*b^3/b^3/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^2/sqrt(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^2 (A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(1/2),x)

[Out] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(1/2),x)

[Out] Timed out

$$3.321 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=183

$$\frac{2(-2a^2B + 3aAb - b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2d \sqrt{a+b \cos(c+dx)}} + \frac{2(3Ab - 2aB) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] $2/3*B*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b/d+2/3*(3*A*b-2*B*a)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^2/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-2/3*(3*A*a*b-2*B*a^2-B*b^2)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^2/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2968, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-2a^2B + 3aAb - b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2d \sqrt{a+b \cos(c+dx)}} + \frac{2(3Ab - 2aB) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]], x]

[Out] $(2*(3*A*b - 2*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(3*b^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*(3*a*A*b - 2*a^2*B - b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(3*b^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx &= \int \frac{A \cos(c + dx) + B \cos^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3bd} + \frac{2 \int \frac{\frac{bB}{2} + \frac{1}{2}(3Ab - 2aB) \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{3b} \\ &= \frac{2B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3bd} + \frac{(3Ab - 2aB) \int \sqrt{a + b \cos(c + dx)}}{3b^2} \\ &= \frac{2B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3bd} + \frac{((3Ab - 2aB)\sqrt{a + b \cos(c + dx)})}{3b^2 \sqrt{\frac{a+b \cos(c+dx)}{a+}}} \\ &= \frac{2(3Ab - 2aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2(3aAb - 2a^2B)}{3b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

Mathematica [A] time = 0.69, size = 154, normalized size = 0.84

$$\frac{2(2a^2B - 3aAb + b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2(a + b)(2aB - 3Ab) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^2 d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] (-2*(a + b)*(-3*A*b + 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] + 2*(-3*a*A*b + 2*a^2*B + b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + 2*b*B*(a + b*Cos[c + d*x])*Sin[c + d*x]/(3*b^2*d*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx+c)^2 + A \cos(dx+c)}{\sqrt{b \cos(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))/sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)/sqrt(b*cos(d*x + c) + a), x)

maple [B] time = 1.75, size = 671, normalized size = 3.67

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-4B\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^2 + 3Aab\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b}{a-b}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x)

[Out] $\frac{2}{3} \left((2 \cos(1/2 d x + 1/2 c))^{2 b + a - b} \sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(-4 B \cos(1/2 d x + 1/2 c)^{5 b^2 + 3 A a b} \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left((2 \cos(1/2 d x + 1/2 c))^{2 b + a - b} / (a - b) \right)^{1/2} \text{EllipticF}\left(\cos(1/2 d x + 1/2 c), (-2 b / (a - b))^{1/2}\right) - 3 A \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left((2 \cos(1/2 d x + 1/2 c))^{2 b + a - b} / (a - b) \right)^{1/2} \text{EllipticE}\left(\cos(1/2 d x + 1/2 c), (-2 b / (a - b))^{1/2}\right) a b + 3 A \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left((2 \cos(1/2 d x + 1/2 c))^{2 b + a - b} / (a - b) \right)^{1/2} \text{EllipticE}\left(\cos(1/2 d x + 1/2 c), (-2 b / (a - b))^{1/2}\right) b^2 - 2 B \cos(1/2 d x + 1/2 c)^3 a b + 6 B \cos(1/2 d x + 1/2 c)^3 b^2 - 2 B \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left((2 \cos(1/2 d x + 1/2 c))^{2 b + a - b} / (a - b) \right)^{1/2} \text{EllipticF}\left(\cos(1/2 d x + 1/2 c), (-2 b / (a - b))^{1/2}\right) a^2 - 2 B b^2 \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left((2 \cos(1/2 d x + 1/2 c))^{2 b + a - b} / (a - b) \right)^{1/2} \text{EllipticF}\left(\cos(1/2 d x + 1/2 c), (-2 b / (a - b))^{1/2}\right) + 2 B \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left((2 \cos(1/2 d x + 1/2 c))^{2 b + a - b} / (a - b) \right)^{1/2} \text{EllipticE}\left(\cos(1/2 d x + 1/2 c), (-2 b / (a - b))^{1/2}\right) a b + 2 B \cos(1/2 d x + 1/2 c) a b - 2 B \cos(1/2 d x + 1/2 c) b^2 / b^2 / (-2 \sin(1/2 d x + 1/2 c)^4 b + (a + b) \sin(1/2 d x + 1/2 c)^2 \right)^{1/2} / \sin(1/2 d x + 1/2 c) / (-2 \sin(1/2 d x + 1/2 c)^{2 b + a + b})^{1/2} / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)/sqrt(b*cos(d*x + c) + a), x)

mupad [B] time = 0.80, size = 199, normalized size = 1.09

$$\frac{2 B \sin (c+d x) \sqrt{a+b \cos (c+d x)}}{3 b d} + \frac{2 A \left(E\left(\frac{c}{2} + \frac{d x}{2} \middle| \frac{2 b}{a+b}\right) (a+b) - a F\left(\frac{c}{2} + \frac{d x}{2} \middle| \frac{2 b}{a+b}\right) \right) \sqrt{\frac{a+b \cos (c+d x)}{a+b}}}{b d \sqrt{a+b \cos (c+d x)}} + \frac{2 B \sin (c+d x) \sqrt{a+b \cos (c+d x)}}{3 b d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(1/2),x)

[Out] (2*B*sin(c + d*x)*(a + b*cos(c + d*x))^(1/2))/(3*b*d) + (2*A*(ellipticE(c/2 + (d*x)/2, (2*b)/(a + b))*(a + b) - a*ellipticF(c/2 + (d*x)/2, (2*b)/(a + b)))*((a + b*cos(c + d*x))/(a + b))^(1/2))/(b*d*(a + b*cos(c + d*x))^(1/2)) + (2*B*((a + b*cos(c + d*x))/(a + b))^(1/2)*ellipticF(c/2 + (d*x)/2, (2*b)/(a + b)))/(a + b)*(2*a^2 + b^2) - 2*a*ellipticE(c/2 + (d*x)/2, (2*b)/(a + b))*(a + b))/(3*b^2*d*(a + b*cos(c + d*x))^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos (c + d x)) \cos (c + d x)}{\sqrt{a + b \cos (c + d x)}} d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*cos(c + d*x)/sqrt(a + b*cos(c + d*x)), x)

$$3.322 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=130

$$\frac{2(Ab - aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{a+b \cos(c+dx)}} + \frac{2B\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+2*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2752, 2663, 2661, 2655, 2653}

$$\frac{2(Ab - aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{a+b \cos(c+dx)}} + \frac{2B\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/Sqrt[a + b*Cos[c + d*x]], x]

[Out] $(2*B*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(b*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(A*b - a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(b*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx = \frac{B \int \sqrt{a + b \cos(c + dx)} dx}{b} + \frac{(Ab - aB) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{b}$$

$$= \frac{(B\sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}} dx}{b\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{\left((Ab - aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \int \frac{1}{\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} dx}{b\sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2B\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(Ab - aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd\sqrt{a + b \cos(c + dx)}}$$

Mathematica [A] time = 3.29, size = 93, normalized size = 0.72

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left((Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + B(a + b)E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \right)}{bd\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/Sqrt[a + b*Cos[c + d*x]],x]
[Out] (2*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*((a + b)*B*EllipticE[(c + d*x)/2, (2*b)/(a + b)] + (A*b - a*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)]))/(b*d*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")
[Out] integral((B*cos(d*x + c) + A)/sqrt(b*cos(d*x + c) + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
[Out] integrate((B*cos(d*x + c) + A)/sqrt(b*cos(d*x + c) + a), x)
```

maple [A] time = 1.22, size = 249, normalized size = 1.92

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b}{a - b}}\left(Ab \text{EllipticF}\left(\cos\left(\frac{dx}{2}\right)\right) - \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a + b)}\left(\sin\left(\frac{dx}{2}\right) - \cos\left(\frac{dx}{2}\right)\right)\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a + b)}\left(\sin\left(\frac{dx}{2}\right) - \cos\left(\frac{dx}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x)`

[Out] $-2*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b}/(a-b))^{(1/2)}*(A*b*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a+B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b)/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/b/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^{2*b+a+b})^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/sqrt(b*cos(d*x + c) + a), x)`

mupad [B] time = 0.89, size = 135, normalized size = 1.04

$$\frac{2 A F\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{2b}{a+b}\right) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{d \sqrt{a+b \cos(c+dx)}} + \frac{2 B \left(E\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{2b}{a+b}\right) (a+b) - a F\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{2b}{a+b}\right)\right) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{b d \sqrt{a+b \cos(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(a + b*cos(c + d*x))^(1/2),x)`

[Out] $(2*A*\text{ellipticF}(c/2 + (d*x)/2, (2*b)/(a + b))*((a + b*\cos(c + d*x))/(a + b))^{(1/2)})/(d*(a + b*\cos(c + d*x))^{(1/2)}) + (2*B*(\text{ellipticE}(c/2 + (d*x)/2, (2*b)/(a + b))*(a + b) - a*\text{ellipticF}(c/2 + (d*x)/2, (2*b)/(a + b)))*((a + b*\cos(c + d*x))/(a + b))^{(1/2)})/(b*d*(a + b*\cos(c + d*x))^{(1/2)})$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(1/2),x)`

[Out] `Integral((A + B*cos(c + d*x))/sqrt(a + b*cos(c + d*x)), x)`

$$3.323 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=118

$$\frac{2A\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2B\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

[Out] $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3002, 2663, 2661, 2807, 2805}

$$\frac{2A\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2B\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/Sqrt[a + b*Cos[c + d*x]],x]

[Out] $(2*B*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*A*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= A \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx + B \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{\left(A \sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \int \frac{\sec(c+dx)}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} + \frac{\left(B \sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \int \frac{1}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}} + \frac{2A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.20, size = 81, normalized size = 0.69

$$\frac{2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left(A \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + B F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \right)}{d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/Sqrt[a + b*Cos[c + d*x]],x]
[Out] (2*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*(B*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + A*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]))/(d*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)/sqrt(b*cos(d*x + c) + a), x)
```

maple [A] time = 1.19, size = 194, normalized size = 1.64

$$\frac{2 \sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a - b\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{\frac{2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a - b}{a - b}}}{\sqrt{-2 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + (a + b) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(1/2),x)`

[Out] $2*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b}/(a-b))^{(1/2)}*(A*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^{2*b+a+b})^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sec(d*x + c)/sqrt(b*cos(d*x + c) + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^(1/2)),x)`

[Out] `int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(1/2),x)`

[Out] `Integral((A + B*cos(c + d*x))*sec(c + d*x)/sqrt(a + b*cos(c + d*x)), x)`

$$3.324 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=216

$$\frac{(Ab - 2aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{ad\sqrt{a+b \cos(c+dx)}} + \frac{A \tan(c+dx)\sqrt{a+b \cos(c+dx)}}{ad} + \frac{A\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\right)}{d\sqrt{a+b \cos(c+dx)}}$$

[Out] $-A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/a/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}-(A*b-2*B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*\cos(d*x+c))^{(1/2)}+A*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/a/d$

Rubi [A] time = 0.66, antiderivative size = 216, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3000, 3060, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(Ab - 2aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{ad\sqrt{a+b \cos(c+dx)}} + \frac{A \tan(c+dx)\sqrt{a+b \cos(c+dx)}}{ad} + \frac{A\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\right)}{d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/Sqrt[a + b*Cos[c + d*x]], x]`

[Out] $-((A*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(a*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (A*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - ((A*b - 2*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (A*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(a*d)$

Rule 2653

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2655

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

Rule 2661

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2663

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)`

+ (b*SIN[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*SIN[e + f*x])/(c + d)]/Sqrt[c + d*SIN[e + f*x]], Int[1/((a + b*SIN[e + f*x])*Sqrt[c/(c + d) + (d*SIN[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 3000

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*SIN[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*SIN[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3002

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])) / ((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*SIN[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*SIN[e + f*x])^m/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3060

Int[((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*SIN[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C + a*C*d)*SIN[e + f*x], x]/(Sqrt[a + b*SIN[e + f*x])*(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{ad} + \frac{\int \frac{\left(\frac{1}{2}(-Ab+2aB)-\frac{1}{2}Ab \cos^2(c+dx)\right) \sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx}{a} \\
&= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{ad} - \frac{A \int \sqrt{a + b \cos(c + dx)} dx}{2a} - \frac{\int \frac{\left(\frac{1}{2}(-Ab+2aB)-\frac{1}{2}Ab \cos^2(c+dx)\right) \sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx}{a} \\
&= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{ad} + \frac{1}{2}A \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx - \frac{\int \frac{\left(\frac{1}{2}(-Ab+2aB)-\frac{1}{2}Ab \cos^2(c+dx)\right) \sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx}{a} \\
&= -\frac{A\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{ad} \\
&= -\frac{A\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{A\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.53, size = 320, normalized size = 1.48

$$\frac{2(4aB-3Ab)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4A \tan(c + dx) \sqrt{a + b \cos(c + dx)} - \frac{2iA \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{b-a}}}{b}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/Sqrt[a + b*Cos[c + d*x]],x]

[Out] ((2*(-3*A*b + 4*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*A*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))/(a*b*Sqrt[-(a + b)^(-1)]) + 4*A*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x]/(4*a*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^2/sqrt(b*cos(d*x + c) + a), x)

maple [B] time = 1.94, size = 639, normalized size = 2.96

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b - a + b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\frac{2B\sqrt{\frac{1-\cos(dx+c)}{2}} \sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{b+a-b}}{a-b}} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2, \sqrt{-\frac{2}{a}}\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{b+(a+b)}\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(1/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^{2*b-a+b}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b})/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}))+2*A*(-1/a*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b})/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b})/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b})/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b})/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^{2*b+a+b})^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^2/sqrt(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^2 \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + b*cos(c + d*x))^(1/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + b*cos(c + d*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/sqrt(a + b*cos(c + d*x)), x)
```

$$3.325 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=299

$$\frac{(4a^2A - 4abB + 3Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4a^2d\sqrt{a+b \cos(c+dx)}} - \frac{(3Ab - 4aB) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4a^2d} + \dots \quad (3A)$$

[Out] $\frac{1}{4}*(3*A*b-4*B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/a^2/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-1/4*(A*b-4*B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*\cos(d*x+c))^{(1/2)}+1/4*(4*A*a^2+3*A*b^2-4*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a^2/d/(a+b*\cos(d*x+c))^{(1/2)}-1/4*(3*A*b-4*B*a)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/a^2/d+1/2*A*\sec(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/a/d$

Rubi [A] time = 0.95, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3000, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(4a^2A - 4abB + 3Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4a^2d\sqrt{a+b \cos(c+dx)}} - \frac{(3Ab - 4aB) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4a^2d} + \dots \quad (3A)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^3/\text{Sqrt}[a + b*\text{Cos}[c + d*x]], x]$

[Out] $((3*A*b - 4*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x])* \text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(4*a^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - ((A*b - 4*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(4*a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((4*a^2*A + 3*A*b^2 - 4*a*b*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(4*a^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - ((3*A*b - 4*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(4*a^2*d) + (A*\text{Sqrt}[a + b*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a*d)$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]] , x_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]] , x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\sin[c + d*x]]/\text{Sqrt}[(a + b*\sin[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\sin[c + d*x])/(a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]] , x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 3000

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3002

```
Int[(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
```

qQ[a, 0]))))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2ad} + \int \frac{\left(\frac{1}{2}(-3Ab + 4aB) + aA \cos(c + dx)\right) \sec^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= -\frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4a^2d} + \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2ad} \\ &= -\frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4a^2d} + \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2ad} \\ &= -\frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4a^2d} + \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2ad} \\ &= \frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2ad} \\ &= \frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{(Ab - 4aB)\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{4ad} \end{aligned}$$

Mathematica [C] time = 6.02, size = 420, normalized size = 1.40

$$\frac{2(8a^2A - 12abB + 9Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4 \tan(c + dx) \sec(c + dx) \sqrt{a + b \cos(c + dx)} ((4aB - 3Ab) \cos(c + dx) + A)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/Sqrt[a + b*Cos[c + d*x]], x]

[Out] ((8*a*A*b*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^2*A + 9*A*b^2 - 12*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*(3*A*b - 4*a*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)]))/a*b*Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)))]/Sqrt[a + b*Cos[c + d*x]]

b)⁽⁻¹⁾]] + 4*sqrt[a + b*cos[c + d*x]]*(2*a*A + (-3*A*b + 4*a*B)*cos[c + d*x])*sec[c + d*x]*tan[c + d*x]/(16*a^2*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^3/sqrt(b*cos(d*x + c) + a), x)

maple [B] time = 3.28, size = 1182, normalized size = 3.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(1/2),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*(-1/2/a*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^2+3/4*b/a^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)-1/8*b/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+3/8/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-3/8*b^2/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))-3/8/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))*b^2+2*B*(-1/a*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)+1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)

*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2)))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^3/sqrt(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^3 \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))^(1/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**3/sqrt(a + b*cos(c + d*x)), x)

$$3.326 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=387

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-6a^2B + 5aAb + b^2B) \sin(c + dx) \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{5b^2d(a^2 - b^2)} + \frac{2(-6a^2B + 5aAb + b^2B) \sin(c + dx) \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{5b^2d(a^2 - b^2)}$$

[Out] 2*a*(A*b-B*a)*cos(d*x+c)^2*sin(d*x+c)/b/(a^2-b^2)/d/(a+b*cos(d*x+c))^(1/2)+
2/15*(20*A*a^2*b-5*A*b^3-24*B*a^3+9*B*a*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b^3/(a^2-b^2)/d-2/5*(5*A*a*b-6*B*a^2+B*b^2)*cos(d*x+c)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b^2/(a^2-b^2)/d-2/15*(40*A*a^3*b-25*A*a*b^3-48*B*a^4+24*B*a^2*b^2+9*B*b^4)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b))^(1/2))*(a+b*cos(d*x+c))^(1/2)/b^4/(a^2-b^2)/d/((a+b*cos(d*x+c))/(a+b))^(1/2)+2/15*(40*A*a^2*b+5*A*b^3-48*B*a^3-12*B*a*b^2)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/b^4/d/(a+b*cos(d*x+c))^(1/2)

Rubi [A] time = 0.73, antiderivative size = 387, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2989, 3049, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-6a^2B + 5aAb + b^2B) \sin(c + dx) \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{5b^2d(a^2 - b^2)} + \frac{2(-6a^2B + 5aAb + b^2B) \sin(c + dx) \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{5b^2d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (-2*(40*a^3*A*b - 25*a*A*b^3 - 48*a^4*B + 24*a^2*b^2*B + 9*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(15*b^4*(a^2 - b^2)*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(40*a^2*A*b + 5*A*b^3 - 48*a^3*B - 12*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(15*b^4*d*Sqrt[a + b*Cos[c + d*x]]) + (2*a*(A*b - a*B)*Cos[c + d*x]^2*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(20*a^2*A*b - 5*A*b^3 - 24*a^3*B + 9*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(15*b^3*(a^2 - b^2)*d) - (2*(5*a*A*b - 6*a^2*B + b^2*B)*Cos[c + d*x]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(5*b^2*(a^2 - b^2)*d)

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[

{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2989

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3049

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(GtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{3/2}} dx &= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2\int \frac{\cos(c+dx)\left(-2a(Ab-aB)+\frac{1}{2}b(Ab-aB)\right)}{\sqrt{a+b\cos(c+dx)}} dx}{b} \\
&= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2(5aAb-6a^2B+b^2B)\cos(c+dx)}{5b^2\sqrt{a+b\cos(c+dx)}} \\
&= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2(20a^2Ab-5Ab^3-24a^3B+9b^3B)}{15b^3\sqrt{a+b\cos(c+dx)}} \\
&= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2(20a^2Ab-5Ab^3-24a^3B+9b^3B)}{15b^3\sqrt{a+b\cos(c+dx)}} \\
&= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2(20a^2Ab-5Ab^3-24a^3B+9b^3B)}{15b^3\sqrt{a+b\cos(c+dx)}} \\
&= \frac{2(40a^3Ab-25aAb^3-48a^4B+24a^2b^2B+9b^4B)\sqrt{a+b\cos(c+dx)}}{15b^4(a^2-b^2)d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [A] time = 1.86, size = 304, normalized size = 0.79

$$\frac{30a^3b(aB-Ab)\sin(c+dx)}{b^2-a^2} + \frac{2b^2(12a^3B-10a^2Ab+3ab^2B-5Ab^3)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{(a-b)(a+b)} + \frac{2(48a^4B-40a^3Ab-24a^2b^2B+25aAb^3-9b^4B)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}{(a-b)\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] ((2*b^2*(-10*a^2*A*b - 5*A*b^3 + 12*a^3*B + 3*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)])/((a - b)*(a + b)) + (2*(-40*a^3*A*b + 25*a*A*b^3 + 48*a^4*B - 24*a^2*b^2*B - 9*b^4*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)]))/((a - b)*(a + b)) + (30*a^3*b*(-(A*b) + a*B)*Sin[c + d*x])/(-a^2 + b^2) + 2*b*(5*A*b - 9*a*B)*(a + b*Cos[c + d*x])*Sin[c + d*x] + 3*b^2*B*(a + b*Cos[c + d*x])*Sin[2*(c + d*x)]/(15*b^4*d*Sqrt[a + b*Cos[c + d*x]])

fricas [F] time = 1.20, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c)^4 + A\cos(dx+c)^3)\sqrt{b\cos(dx+c)+a}}{b^2\cos(dx+c)^2 + 2ab\cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^4 + A*cos(d*x + c)^3)*sqrt(b*cos(d*x + c) + a)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^3/(b*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 5.10, size = 1308, normalized size = 3.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(16/b*B*(-1/10/b*\cos(1/2*d*x+1/2*c)^3*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-1/60/b^2*(-4*a+12*b)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/60/b^2*(-4*a+12*b)*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/60*(4*a^2-15*a*b+27*b^2)/b^3*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}))) + 8/b^2*(A*b-B*a-3*B*b)*(-1/6/b*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/6/b*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/12/b^2*(-2*a+6*b)*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}))) + 2/b^4*(A*a*b+2*A*b^2-B*a^2-2*B*a*b-3*B*b^2)*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}))) + 2*(A*a^2*b+A*a*b^2+A*b^3-B*a^3-B*a^2*b-B*a*b^2-B*b^3)/b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-2*a^3*(A*b-B*a)/b^4/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^3/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^3 (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2),x)

[Out] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.327 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=262

$$\frac{2a^2(Ab - aB) \sin(c + dx)}{b^2 d (a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-8a^2B + 6aAb - b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^3 d \sqrt{a + b \cos(c + dx)}} + \frac{2(-8a^3B + 6a^2Ab - b^3B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^3 d \sqrt{a + b \cos(c + dx)}}$$

[Out] $-2*a^2*(A*b-B*a)*\sin(d*x+c)/b^2/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2/3*B*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^2/d+2/3*(6*A*a^2*b-3*A*b^3-8*B*a^3+5*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^3/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-2/3*(6*A*a*b-8*B*a^2-B*b^2)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^3/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2988, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a^2(Ab - aB) \sin(c + dx)}{b^2 d (a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-8a^2B + 6aAb - b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^3 d \sqrt{a + b \cos(c + dx)}} + \frac{2(6a^2Ab - 8a^3B - b^3B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^3 d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] $(2*(6*a^2*A*b - 3*A*b^3 - 8*a^3*B + 5*a*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(3*b^3*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*(6*a*A*b - 8*a^2*B - b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(3*b^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*a^2*(A*b - a*B)*\text{Sin}[c + d*x])/(b^2*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b^2*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]]], x_Symbol] := Dist[Sqrt[a + b*SIN[c + d*x]]/Sqrt[(a + b*SIN[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*SIN[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]]], x_Symbol] := Dist[Sqrt[(a + b*SIN[c + d*x])/(a + b)]/Sqrt[a + b*SIN[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*SIN[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

$b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2752

$\text{Int}[\frac{(c_.) + (d_.)\sin[e_.] + (f_.)x}{\sqrt{a_. + (b_.)\sin[e_.] + (f_.)x}}, x_Symbol] \rightarrow \text{Dist}[(b*c - a*d)/b, \text{Int}[1/\sqrt{a + b*\sin[e + f*x]}, x], x] + \text{Dist}[d/b, \text{Int}[\sqrt{a + b*\sin[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2988

$\text{Int}[(a_.) + (b_.)\sin[e_.] + (f_.)x]^2 * ((A_.) + (B_.)\sin[e_.] + (f_.)x)^n, x_Symbol] \rightarrow \text{Simp}[(B*c - A*d)*(b*c - a*d)^2 * \cos[e + f*x] * (c + d*\sin[e + f*x])^{n+1} / (f*d^2*(n+1)*(c^2 - d^2)), x] - \text{Dist}[1/(d^2*(n+1)*(c^2 - d^2)), \text{Int}[(c + d*\sin[e + f*x])^{n+1} * \text{Simp}[d*(n+1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d) - ((B*c - A*d)*(a^2*d^2*(n+2) + b^2*(c^2 + d^2*(n+1))) + 2*a*b*d*(A*c*d*(n+2) - B*(c^2 + d^2*(n+1))) * \sin[e + f*x] - b^2*B*d*(n+1)*(c^2 - d^2)*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1]$

Rule 3023

$\text{Int}[(a_.) + (b_.)\sin[e_.] + (f_.)x]^m * ((A_.) + (B_.)\sin[e_.] + (f_.)x) + (C_.)\sin[e_.] + (f_.)x)^2, x_Symbol] \rightarrow -\text{Simp}[(C*\cos[e + f*x]*(a + b*\sin[e + f*x])^{m+1}) / (b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\sin[e + f*x])^m * \text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx &= -\frac{2a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}ab(Ab - aB) + \frac{1}{2}(2a^2 - b^2)(Ab - aB) \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{b^2(a^2 - b^2)} \\ &= -\frac{2a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3b^2 d} \\ &= -\frac{2a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3b^2 d} \\ &= -\frac{2a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3b^2 d} \\ &= \frac{2(6a^2Ab - 3Ab^3 - 8a^3B + 5ab^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^3(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

Mathematica [A] time = 1.51, size = 189, normalized size = 0.72

$$2 \left(b \sin(c + dx) \left(\frac{a(-4a^2B + 3aAb + b^2B)}{b^2 - a^2} + bB \cos(c + dx) \right) + \frac{\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left((a-b)(8a^2B - 6aAb + b^2B) F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + (-8a^3B + 6a^2A) \right)}{a-b} \right) \\ \hline 3b^3d\sqrt{a + b \cos(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*((Sqrt[(a + b*Cos[c + d*x])/(a + b)]*((6*a^2*A*b - 3*A*b^3 - 8*a^3*B + 5*a*b^2*B)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] + (a - b)*(-6*a*A*b + 8*a^2*B + b^2*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)])))/(a - b) + b*((a*(3*a*A*b - 4*a^2*B + b^2*B))/(-a^2 + b^2) + b*B*Cos[c + d*x]*Sin[c + d*x]))/(3*b^3*d*Sqrt[a + b*Cos[c + d*x]])

fricas [F] time = 1.62, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2) \sqrt{b \cos(dx + c) + a}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^2/(b*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 4.67, size = 954, normalized size = 3.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2/3/b^3*(4*B*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+(-2*B*a*b-2*B*b^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-6*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))+3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a*b-3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b^2+8*a^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)

)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+b^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-5*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2+5*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a^2*(A*b-B*a)/b^3/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^2/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^2 (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2),x)

[Out] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.328 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=204

$$\frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-2a^2B + aAb + b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{b^2d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(Ab - 2aB)}{b^2d}$$

[Out] $2*a*(A*b-B*a)*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^(1/2)-2*(A*a*b-2*B*a^2+B*b^2)*(\cos(1/2*d*x+1/2*c))^2^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b))^(1/2))*(a+b*\cos(d*x+c))^(1/2)/b^2/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^(1/2)+2*(A*b-2*B*a)*(\cos(1/2*d*x+1/2*c))^2^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b))^(1/2))*(a+b*\cos(d*x+c))/(a+b))^(1/2)/b^2/d/(a+b*\cos(d*x+c))^(1/2)$

Rubi [A] time = 0.33, antiderivative size = 204, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2968, 3021, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-2a^2B + aAb + b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{b^2d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(Ab - 2aB)}{b^2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]*(A + B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])^(3/2), x]$

[Out] $(-2*(a*A*b - 2*a^2*B + b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(b^2*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(A*b - 2*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(b^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*a*(A*b - a*B)*\text{Sin}[c + d*x])/(b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /;$ $\text{FreeQ}\{a, b, c, d\}, x$ && $\text{NeQ}[a^2 - b^2, 0]$ && $\text{GtQ}[a + b, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x$ && $\text{NeQ}[a^2 - b^2, 0]$ && $!\text{GtQ}[a + b, 0]$

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b]), x] /;$ $\text{FreeQ}\{a, b, c, d\}, x$ && $\text{NeQ}[a^2 - b^2, 0]$ && $\text{GtQ}[a + b, 0]$

Rule 2663

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)]/\text{Sqrt}[a + b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x$ && $\text{NeQ}[a^2 - b^2, 0]$ && $!\text{GtQ}[a + b, 0]$

Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2, x_Symbol] := -Simp[(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx &= \int \frac{A \cos(c + dx) + B \cos^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx \\ &= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}b(Ab - aB) + \frac{1}{2}(aAb - 2a^2B + b^2B) \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{b(a^2 - b^2)} \\ &= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{(Ab - 2aB) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{b^2} - \frac{(aAb - 2a^2B + b^2B) \sqrt{a + b \cos(c + dx)}}{b^2(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} \\ &= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{((aAb - 2a^2B + b^2B) \sqrt{a + b \cos(c + dx)})}{b^2(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} \\ &= \frac{2(aAb - 2a^2B + b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{b^2(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(Ab - 2aB) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{b^2} \end{aligned}$$

Mathematica [A] time = 0.82, size = 170, normalized size = 0.83

$$\frac{2 \left((a^2 - b^2) (2aB - Ab) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - ((a + b) (2a^2B - aAb - b^2B)) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \right)}{b^2 d (a - b) (a + b) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (-2*(-((a + b)*(-(a*A*b) + 2*a^2*B - b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]) + (a^2 - b^2)*(-(A*b) + 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + a

b(-(A*b) + a*B)*Sin[c + d*x]))/((a - b)*b^2*(a + b)*d*sqrt[a + b*cos[c + d*x]])

fricas [F] time = 1.20, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{b \cos(dx + c) + a}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)/(b*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 4.19, size = 515, normalized size = 2.52

$$\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b - a + b}\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(\frac{2\sqrt{-\frac{2b\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a-b} + \frac{a+b}{a-b}} \sqrt{\frac{1 - \cos(dx+c)}{2}} \left(Ab \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{-\frac{a-b}{a+b}}\right) \right)}{b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2/b^2/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*b*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-2*B*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a+B*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a-B*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b)-2*a*(A*b-B*a)/b^2/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx) (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2),x)

[Out] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.329 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=185

$$-\frac{2(Ab - aB) \sin(c + dx)}{d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd \sqrt{a + b \cos(c + dx)}}$$

[Out] $-2*(A*b-B*a)*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2*(A*b-B*a)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/b/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+2*B*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)})/b/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.23, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {2754, 2752, 2663, 2661, 2655, 2653}

$$-\frac{2(Ab - aB) \sin(c + dx)}{d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^(3/2), x]

[Out] $(2*(A*b - a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(b*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*B*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(b*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*(A*b - a*B)*\text{Sin}[c + d*x])/((a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2754

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(-aA + bB) - \frac{1}{2}(Ab - aB) \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a^2 - b^2} \\ &= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{B \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{b} + \frac{(Ab - aB) \int \sqrt{a + b \cos(c + dx)}}{b(a^2 - b^2)} \\ &= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{((Ab - aB) \sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c + dx)}{a+b}}}{b(a^2 - b^2) \sqrt{\frac{a + b \cos(c + dx)}{a+b}}} \\ &= \frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{b(a^2 - b^2) d \sqrt{\frac{a + b \cos(c + dx)}{a+b}}} + \frac{2B \sqrt{\frac{a + b \cos(c + dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.56, size = 151, normalized size = 0.82

$$\frac{2 \left(B(a^2 - b^2) \sqrt{\frac{a + b \cos(c + dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + b(aB - Ab) \sin(c + dx) - ((a + b)(aB - Ab) \sqrt{\frac{a + b \cos(c + dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \right)}{bd(a - b)(a + b) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (2*(-((a + b)*(-(A*b) + a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]) + (a^2 - b^2)*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + b*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*b*(a + b)*d*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F] time = 1.16, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")
```


[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/(b*cos(d*x + c) + a)^(3/2), x)

maple [A] time = 3.45, size = 428, normalized size = 2.31

$$\sqrt{-2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) b - a + b} \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) \left(\frac{2B \sqrt{\frac{1 - \cos(dx+c)}{2}} \sqrt{\frac{2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) b + a - b}{a - b}} \operatorname{EllipticF} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{-\frac{2b}{a-b}} \right)}{b \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) b + (a+b) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))+2*(A*b-B*a)/b/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a-b)/(a^2-b^2)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(a + b*cos(c + d*x))^(3/2),x)

[Out] int((A + B*cos(c + d*x))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.330 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=190

$$\frac{2b(Ab - aB) \sin(c + dx)}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{a + b \cos(c + dx)}}$$

[Out] $2*b*(A*b-B*a)*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{1/2}-2*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*(a+b*\cos(d*x+c))^{1/2}/a/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{1/2}+2*A*(\cos(1/2*d*x+1/2*c)^2)^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/a/d/(a+b*\cos(d*x+c))^{1/2}$

Rubi [A] time = 0.51, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {3000, 3059, 2655, 2653, 12, 2807, 2805}

$$\frac{2b(Ab - aB) \sin(c + dx)}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(3/2), x]`

[Out] $(-2*(A*b - a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(a*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*A*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*b*(A*b - a*B)*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 2653

`Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2655

`Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

Rule 2805

`Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]`

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*SimP[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[SimP[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx = \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2 \int \frac{\left(\frac{1}{2}A(a^2 - b^2) - \frac{1}{2}a(Ab - aB) \cos(c + dx) - \frac{1}{2}b(AB) \sin(c + dx)\right) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a(a^2 - b^2)}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{2 \int -\frac{Ab(a^2 - b^2) \sec(c + dx)}{2\sqrt{a + b \cos(c + dx)}} dx}{ab(a^2 - b^2)} - \frac{(Ab - aB) \sqrt{a + b \cos(c + dx)}}{a(a^2 - b^2)}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{A \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a} - \frac{((Ab - aB) \sqrt{a + b \cos(c + dx)})}{a(a^2 - b^2)}$$

$$= -\frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a(a^2 - b^2) d \sqrt{\frac{a + b \cos(c + dx)}{a+b}}} + \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a(a^2 - b^2) d \sqrt{\frac{a + b \cos(c + dx)}{a+b}}} + \frac{2A \sqrt{\frac{a + b \cos(c + dx)}{a+b}} \Pi\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{a + b \cos(c + dx)}}$$

Mathematica [C] time = 3.98, size = 460, normalized size = 2.42

$$\cos(c + dx)(A \sec(c + dx) + B) \left(\frac{4b(Ab - aB) \sin(c + dx)}{(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(2a^2A + abB - 3Ab^2) \sqrt{\frac{a + b \cos(c + dx)}{a + b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a + b}\right) + 4a(aB - Ab) \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}{\sqrt{a + b \cos(c + dx)}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(3/2), x]
[Out] (Cos[c + d*x]*(B + A*Sec[c + d*x])*(-(((4*a*(-(A*b) + a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)])/Sqrt[a + b*Cos[c + d*x]] + (2*(2*a^2*A - 3*A*b^2 + a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)])/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(A*b - a*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))/(a*b*Sqrt[-(a + b)^(-1)])/((-a + b)*(a + b))) + (4*b*(A*b - a*B)*Sin[c + d*x])/((a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]])))/(2*a*d*(A + B*Cos[c + d*x]))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)/(b*cos(d*x + c) + a)^(3/2), x)
```

maple [A] time = 3.07, size = 429, normalized size = 2.26

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b - a + b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\frac{2(-Ab + aB) \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}} \sqrt{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2),x)

[Out]
$$-\left(-\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2*b-a+b\right)*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*(2*(-A*b+B*a)/a/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2/(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2*b+a+b)/(a^2-b^2)*(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4*b+(a+b)*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*((\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{\frac{1}{2}}*(-2*b/(a-b)*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b))^{\frac{1}{2}}*\text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2*b/(a-b))^{\frac{1}{2}}\right)*a-\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*(-2*b/(a-b)*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+(a+b)/(a-b))^{\frac{1}{2}}*\text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),(-2*b/(a-b))^{\frac{1}{2}}\right)*b+2*b*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-2/a*A*\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*((2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2*b+a-b)/(a-b))^{\frac{1}{2}}/(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4*b+(a+b)*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*\text{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2,(-2*b/(a-b))^{\frac{1}{2}}\right))/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)/(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2*b+a+b)^{\frac{1}{2}}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) (a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^(3/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))**(3/2),x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)/(a + b*cos(c + d*x))**(3/2), x)

$$3.331 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=303

$$\frac{b(a^2A + 2abB - 3Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{a^2d(a^2 - b^2) \sqrt{a+b \cos(c+dx)}} - \frac{(a^2A + 2abB - 3Ab^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{a^2d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} (3Ab - 2aB)$$

[Out] $b*(A*a^2-3*A*b^2+2*B*a*b)*\sin(d*x+c)/a^2/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}$
 $-(A*a^2-3*A*b^2+2*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/a^2/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*\cos(d*x+c))^{(1/2)}-(3*A*b-2*B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a^2/d/(a+b*\cos(d*x+c))^{(1/2)}+A*\tan(d*x+c)/a/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.99, antiderivative size = 303, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3000, 3056, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(a^2A + 2abB - 3Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{a^2d(a^2 - b^2) \sqrt{a+b \cos(c+dx)}} - \frac{(a^2A + 2abB - 3Ab^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{a^2d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} (3Ab - 2aB)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^2/(a + b*\text{Cos}[c + d*x])^{(3/2)}, x]$

[Out] $-(((a^2*A - 3*A*b^2 + 2*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(a^2*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (A*\text{Sqrt}[a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - ((3*A*b - 2*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(a^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (b*(a^2*A - 3*A*b^2 + 2*a*b*B)*\text{Sin}[c + d*x])/(a^2*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (A*\text{Tan}[c + d*x])/(a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 3000

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3002

```
Int[(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3056

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :=
-Simp[((A*b^2 + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin
[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m +
1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^n*Simp[a*(m + 1)*(b*c - a*d)*(A + C) + d*(A*b^2 + a^2*C)*(m + n + 2)
- (c*(A*b^2 + a^2*C) + b*(m + 1)*(b*c - a*d)*(A + C))*Sin[e + f*x] - d*(A
*b^2 + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(I
negerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]
)))
```


Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/
(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]),
x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d),
Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[
{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx = \frac{A \tan(c + dx)}{ad\sqrt{a + b \cos(c + dx)}} + \frac{\int \frac{\left(\frac{1}{2}(-3Ab + 2aB) + \frac{1}{2}Ab \cos^2(c + dx)\right) \sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx}{a}$$

$$= \frac{b(a^2A - 3Ab^2 + 2abB) \sin(c + dx)}{a^2(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} + \frac{A \tan(c + dx)}{ad\sqrt{a + b \cos(c + dx)}} + \frac{2 \int \dots}{\dots}$$

$$= \frac{b(a^2A - 3Ab^2 + 2abB) \sin(c + dx)}{a^2(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} + \frac{A \tan(c + dx)}{ad\sqrt{a + b \cos(c + dx)}} - \frac{2 \int \dots}{\dots}$$

$$= \frac{b(a^2A - 3Ab^2 + 2abB) \sin(c + dx)}{a^2(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} + \frac{A \tan(c + dx)}{ad\sqrt{a + b \cos(c + dx)}} + \frac{A \int \dots}{\dots}$$

$$= -\frac{(a^2A - 3Ab^2 + 2abB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a^2(a^2 - b^2)d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{b(a^2A - 3Ab^2 + 2abB)}{a^2}$$

$$= -\frac{(a^2A - 3Ab^2 + 2abB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a^2(a^2 - b^2)d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{A \sqrt{\dots}}{\dots}$$

Mathematica [C] time = 5.74, size = 482, normalized size = 1.59

$$\frac{4 \tan(c + dx) (b(a^2A + 2abB - 3Ab^2) \cos(c + dx) + aA(a^2 - b^2))}{(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2i(a^2A + 2abB - 3Ab^2) \csc(c + dx) \sqrt{-\frac{b(\cos(c + dx) - 1)}{a + b}} \sqrt{-\frac{b(\cos(c + dx) + 1)}{a - b}} (2a(a - b) E(i \sinh^{-1}(\sqrt{-\frac{1}{a + b}})))}{\dots}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^(3/2),
x]
```

```
[Out] (((-8*a*b*(-(A*b) + a*B)*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*EllipticF[(c +
d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(-7*a^2*A*b + 9*A*b^3
+ 4*a^3*B - 6*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c
+ d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*(a^2*A - 3*A*b
^2 + 2*a*b*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[-((b*(1 + Cos[c
+ d*x]))/(a - b))]*Csc[c + d*x]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a
+ b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I
*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] -
```

```
b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))/(a*b*Sqrt[-(a + b)^(-1)])/((a - b)*(a + b)) + (4*(a*A*(a^2 - b^2) + b*(a^2*A - 3*A*b^2 + 2*a*b*B)*Cos[c + d*x])*Tan[c + d*x])/((a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]])/(4*a^2*d)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^2/(b*cos(d*x + c) + a)^(3/2), x)
```

maple [B] time = 4.30, size = 908, normalized size = 3.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(3/2),x)
```

```
[Out] -((-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*(A*b-B*a)*b/a^2/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)-2*(-A*b+B*a)/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))+2*A/a*(-1/a*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)+1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2)))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^2 (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + b*cos(c + d*x))^(3/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + b*cos(c + d*x))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c))**(3/2),x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/(a + b*cos(c + d*x))**(3/2), x)

$$3.332 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=398

$$\frac{(5Ab - 4aB) \tan(c + dx)}{4a^2 d \sqrt{a + b \cos(c + dx)}} - \frac{(5Ab - 4aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^2 d \sqrt{a + b \cos(c + dx)}} + \frac{(4a^2 A - 12abB + 15Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{4a^3 d \sqrt{a + b \cos(c + dx)}}$$

[Out] $-1/4*b*(7*A*a^2*b-15*A*b^3-4*B*a^3+12*B*a*b^2)*\sin(d*x+c)/a^3/(a^2-b^2)/d/((a+b*\cos(d*x+c))^{1/2}+1/4*(7*A*a^2*b-15*A*b^3-4*B*a^3+12*B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*(a+b*\cos(d*x+c))^{1/2}/a^3/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{1/2}-1/4*(5*A*b-4*B*a)*(\cos(1/2*d*x+1/2*c)^2)^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/a^2/d/(a+b*\cos(d*x+c))^{1/2}+1/4*(4*A*a^2+15*A*b^2-12*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/a^3/d/(a+b*\cos(d*x+c))^{1/2}-1/4*(5*A*b-4*B*a)*\tan(d*x+c)/a^2/d/(a+b*\cos(d*x+c))^{1/2}+1/2*A*\sec(d*x+c)*\tan(d*x+c)/a/d/(a+b*\cos(d*x+c))^{1/2}$

Rubi [A] time = 1.43, antiderivative size = 398, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3000, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(7a^2Ab - 4a^3B + 12ab^2B - 15Ab^3) \sin(c + dx)}{4a^3 d (a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{(7a^2Ab - 4a^3B + 12ab^2B - 15Ab^3) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^3 d (a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^(3/2), x]

[Out] $((7*a^2*A*b - 15*A*b^3 - 4*a^3*B + 12*a*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(4*a^3*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - ((5*A*b - 4*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(4*a^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((4*a^2*A + 15*A*b^2 - 12*a*b*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(4*a^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (b*(7*a^2*A*b - 15*A*b^3 - 4*a^3*B + 12*a*b^2*B)*\text{Sin}[c + d*x])/(4*a^3*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - ((5*A*b - 4*a*B)*\text{Tan}[c + d*x])/(4*a^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (A*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 3000

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3002

```
Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])))/(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
```

2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx = \frac{A \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + b \cos(c + dx)}} + \frac{\int \frac{(\frac{1}{2}(-5Ab + 4aB) + aA \cos(c + dx) + \frac{3}{2}Ab \cos^2(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx}{2a}$$

$$= -\frac{(5Ab - 4aB) \tan(c + dx)}{4a^2d\sqrt{a + b \cos(c + dx)}} + \frac{A \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + b \cos(c + dx)}} + \frac{\int \frac{(\frac{1}{4}(4a^2A + 15Ab^2) \cos^2(c + dx) + (aA \cos(c + dx) + Ab)) \sec^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx}{2a}$$

$$= -\frac{b(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \sin(c + dx)}{4a^3(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} - \frac{(5Ab - 4aB) \tan(c + dx)}{4a^2d\sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{b(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \sin(c + dx)}{4a^3(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} - \frac{(5Ab - 4aB) \tan(c + dx)}{4a^2d\sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{b(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \sin(c + dx)}{4a^3(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} - \frac{(5Ab - 4aB) \tan(c + dx)}{4a^2d\sqrt{a + b \cos(c + dx)}}$$

$$= \frac{(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^3(a^2 - b^2)d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

$$= \frac{(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^3(a^2 - b^2)d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Mathematica [C] time = 6.94, size = 678, normalized size = 1.70

$$\frac{\sqrt{a + b \cos(c + dx)} \left(\frac{\sec(c+dx)(4aB \sin(c+dx) - 7Ab \sin(c+dx))}{4a^3} + \frac{A \tan(c+dx) \sec(c+dx)}{2a^2} - \frac{2(ab^3B \sin(c+dx) - Ab^4 \sin(c+dx))}{a^3(a^2 - b^2)(a + b \cos(c+dx))} \right)}{d} - \frac{2(4a^3Ab + \dots)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^(3/2), x]

```
[Out] -1/16*((2*(4*a^3*A*b - 20*a*A*b^3 + 16*a^2*b^2*B)*Sqrt[(a + b*Cos[c + d*x])
/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] +
(2*(8*a^4*A + 29*a^2*A*b^2 - 45*A*b^4 - 28*a^3*b*B + 36*a*b^3*B)*Sqrt[(a +
b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a
+ b*Cos[c + d*x]] - ((2*I)*(7*a^2*A*b^2 - 15*A*b^4 - 4*a^3*b*B + 12*a*b^3*
B)*Sqrt[(b - b*Cos[c + d*x])/(a + b)]*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]
*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt
[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-
(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a
+ b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(
a - b))))*Sin[c + d*x])/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqr
t[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(
2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2)))/(a^3*(
-a + b)*(a + b)*d) + (Sqrt[a + b*Cos[c + d*x]]*((Sec[c + d*x]*(-7*A*b*Sin[c
+ d*x] + 4*a*B*Sin[c + d*x]))/(4*a^3) - (2*(-(A*b^4*Sin[c + d*x]) + a*b^3*
B*Sin[c + d*x]))/(a^3*(a^2 - b^2)*(a + b*Cos[c + d*x])) + (A*Sec[c + d*x]*T
an[c + d*x])/(2*a^2)))/d
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(3/2),x, algorithm
="fricas")
```

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(3/2),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^3/(b*cos(d*x + c) + a)^(3/2), x
)
```

maple [B] time = 5.08, size = 1564, normalized size = 3.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(3/2),x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*(A*b-B*a
)*b^2/a^3/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-
2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/
2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE
(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*
b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c
),(-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)-2*(A*b
-B*a)/a^3*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a
-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*Ell
ipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))+2*A/a*(-1/2/a*cos(1/2*d*x+
1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(
1/2*d*x+1/2*c)^2-1)^2+3/4*b/a^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4
```

```

*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)-1/8*b/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+3/8/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-3/8*b^2/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))-3/8/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))*b^2)+2*(-A*B+a)/a^2*(-1/a*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)+1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2)))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a-b)^(1/2)/d

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^3 (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))^(3/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c))**(3/2),x)

[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**3/(a + b*cos(c + d*x))**(3/2), x)

$$3.333 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=550

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^3(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(-8a^3B + 5a^2Ab + 12ab^2B - 9Ab^3) \sin(c + dx) \cos^2(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(-4$$

[Out] $\frac{2}{3}a*(A*b-B*a)*\cos(d*x+c)^3*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)}$
 $+2/3*a*(5*A*a^2*b-9*A*b^3-8*B*a^3+12*B*a*b^2)*\cos(d*x+c)^2*\sin(d*x+c)/b^2/$
 $(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{(1/2)}+2/15*(40*A*a^4*b-65*A*a^2*b^3+5*A*b^5-$
 $64*B*a^5+98*B*a^3*b^2-14*B*a*b^4)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^4/(a^2-$
 $b^2)^2/d-2/15*(30*A*a^3*b-50*A*a*b^3-48*B*a^4+71*B*a^2*b^2-3*B*b^4)*\cos(d$
 $*x+c)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^3/(a^2-b^2)^2/d-2/15*(80*A*a^5*b-$
 $140*A*a^3*b^3+40*A*a*b^5-128*B*a^6+212*B*a^4*b^2-55*B*a^2*b^4-9*B*b^6)*($
 $\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}$
 $*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^5/(a^2-b^2)^2/d/((a+b*\cos(d$
 $*x+c))/(a+b))^{(1/2)}+2/15*(80*A*a^4*b-80*A*a^2*b^3-5*A*b^5-128*B*a^5+116*B*a$
 $^3*b^2+17*B*a*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{Elliptic}$
 $F(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}$
 $/b^5/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 1.19, antiderivative size = 550, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2989, 3047, 3049, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^3(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 8a^3B + 12ab^2B - 9Ab^3) \sin(c + dx) \cos^2(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(30a^3$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]

[Out] $(-2*(80*a^5*A*b - 140*a^3*A*b^3 + 40*a*A*b^5 - 128*a^6*B + 212*a^4*b^2*B - 55*a^2*b^4*B - 9*b^6*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(15*b^5*(a^2 - b^2)^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(80*a^4*A*b - 80*a^2*A*b^3 - 5*A*b^5 - 128*a^5*B + 116*a^3*b^2*B + 17*a*b^4*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(15*b^5*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*a*(A*b - a*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{(3/2)}) + (2*a*(5*a^2*A*b - 9*A*b^3 - 8*a^3*B + 12*a*b^2*B)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(40*a^4*A*b - 65*a^2*A*b^3 + 5*A*b^5 - 64*a^5*B + 98*a^3*b^2*B - 14*a*b^4*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*b^4*(a^2 - b^2)^2*d) - (2*(30*a^3*A*b - 50*a*A*b^3 - 48*a^4*B + 71*a^2*b^2*B - 3*b^4*B)*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*b^3*(a^2 - b^2)^2*d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b]*Sin[c + d*x]/Sqrt[(a + b*Sine[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sine[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,

0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2989

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3047

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rubi steps

$$\int \frac{\cos^4(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx = \frac{2a(Ab - aB) \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{\cos^2(c + dx) \left(-3a(Ab - aB) + \frac{3}{2}b(A + B \cos(c + dx)) \right)}{(a + b \cos(c + dx))^{5/2}} dx}{15b^5(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

$$= \frac{2a(Ab - aB) \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 9Ab^3 - 8a^3B + 3b^2(a^2 - b^2)^2)}{3b^2(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

$$= \frac{2a(Ab - aB) \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 9Ab^3 - 8a^3B + 3b^2(a^2 - b^2)^2)}{3b^2(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

$$= \frac{2a(Ab - aB) \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 9Ab^3 - 8a^3B + 3b^2(a^2 - b^2)^2)}{3b^2(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

$$= \frac{2a(Ab - aB) \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 9Ab^3 - 8a^3B + 3b^2(a^2 - b^2)^2)}{3b^2(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

$$= \frac{2(80a^5Ab - 140a^3Ab^3 + 40aAb^5 - 128a^6B + 212a^4b^2B - 55a^2b^4B)}{15b^5(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

Mathematica [A] time = 4.43, size = 372, normalized size = 0.68

$$b \left(\frac{10a^4(aB - Ab) \sin(c + dx)}{a^2 - b^2} - \frac{10a^3(11a^3B - 8a^2Ab - 15ab^2B + 12Ab^3) \sin(c + dx)(a + b \cos(c + dx))}{(a^2 - b^2)^2} + 2(5Ab - 14aB) \sin(c + dx)(a + b \cos(c + dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]

[Out] ((-2*((a + b*Cos[c + d*x]))/(a + b))^(3/2)*(b^2*(20*a^4*A*b - 35*a^2*A*b^3 - 5*A*b^5 - 32*a^5*B + 44*a^3*b^2*B + 8*a*b^4*B)*EllipticF[(c + d*x)/2, (2*b

)/(a + b)] - (-80*a^5*A*b + 140*a^3*A*b^3 - 40*a*A*b^5 + 128*a^6*B - 212*a^4*b^2*B + 55*a^2*b^4*B + 9*b^6*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])))/((a - b)^2*(a + b)) + b*((10*a^4*(-(A*b) + a*B)*Sin[c + d*x])/(a^2 - b^2) - (10*a^3*(-8*a^2*A*b + 12*A*b^3 + 11*a^3*B - 15*a*b^2*B)*(a + b*Cos[c + d*x])*Sin[c + d*x])/(a^2 - b^2)^2 + 2*(5*A*b - 14*a*B)*(a + b*Cos[c + d*x])^2*Sin[c + d*x] + 3*b*B*(a + b*Cos[c + d*x])^2*Sin[2*(c + d*x)]))/(15*b^5*d*(a + b*Cos[c + d*x])^(3/2))

fricas [F] time = 1.63, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c)^5 + A \cos(dx + c)^4) \sqrt{b \cos(dx + c) + a}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^5 + A*cos(d*x + c)^4)*sqrt(b*cos(d*x + c) + a)/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^4}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^4/(b*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 8.74, size = 1746, normalized size = 3.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(16/b^2*B*(-1/10/b*cos(1/2*d*x+1/2*c)^3*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)-1/60/b^2*(-4*a+12*b)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+1/60/b^2*(-4*a+12*b)*(a-b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-1/60*(4*a^2-15*a*b+27*b^2)/b^3*(a-b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))))+8/b^3*(A*b-2*B*a-3*B*b)*(-1/6/b*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+1/6/b*(a-b)*(sin(1/2*d*x+1/2*c)^2)^(1/2))*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-1/12/b^2*(-2*a+6*b)*(a-b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))))+2/b^5*(2*A*a*b+2*A*b^2-3*B*a^2-

```

4*B*a*b-3*B*b^2)*(a-b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^
2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2
)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-EllipticE(cos(1/2
*d*x+1/2*c),(-2*b/(a-b))^(1/2)))+2*(3*A*a^2*b+2*A*a*b^2+A*b^3-4*B*a^3-3*B*a
^2*b-2*B*a*b^2-B*b^3)/b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*
c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c
)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-2*a^3/b^5*(4*A*
b-5*B*a)/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2
*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2
*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(
cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b
/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c)
,(-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)+2*a^4*(
A*b-B*a)/b^5*(1/6/b/(a-b)/(a+b)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4
*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2+1/2/b*(a-b))^2+8
/3*b*sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*cos(1/2*d*x+1/2*c)*a/(-(-2*cos(1/
2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+(3*a-b)/(3*a^3+3*a^2*b-3*
a*b^2-3*b^3)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(
a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*El
lipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-4/3*a/(a-b)/(a+b)^2*(sin(1/2
*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1
/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+
1/2*c),(-2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))
))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^4}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^4/(b*cos(d*x + c) + a)^(5/2), x
)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^4 (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2),x)
```

```
[Out] int((cos(c + d*x)^4*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

$$3.334 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=413

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(-2a^2B + aAb + b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{3b^3d(a^2 - b^2)} - \frac{2a^2(-6a^3B + 3a^2B)}{3b^3d(a^2 - b^2)}$$

[Out] $\frac{2}{3} a^* (A*b - B*a) * \cos(d*x+c)^2 * \sin(d*x+c) / b / (a^2 - b^2) / d / (a + b * \cos(d*x+c))^{3/2} - \frac{2}{3} a^2 * (3*A*a^2*b - 7*A*b^3 - 6*B*a^3 + 10*B*a*b^2) * \sin(d*x+c) / b^3 / (a^2 - b^2)^2 / d / (a + b * \cos(d*x+c))^{1/2} - \frac{2}{3} * (A*a*b - 2*B*a^2 + B*b^2) * \sin(d*x+c) * (a + b * \cos(d*x+c))^{1/2} / b^3 / (a^2 - b^2) / d + \frac{2}{3} * (8*A*a^4*b - 15*A*a^2*b^3 + 3*A*b^5 - 16*B*a^5 + 28*B*a^3*b^2 - 8*B*a*b^4) * (\cos(1/2*d*x + 1/2*c))^2 / \cos(1/2*d*x + 1/2*c) * \text{EllipticE}(\sin(1/2*d*x + 1/2*c), 2^{1/2} * (b/(a+b))^{1/2}) * (a + b * \cos(d*x+c))^{1/2} / b^4 / (a^2 - b^2)^2 / d / ((a + b * \cos(d*x+c)) / (a+b))^{1/2} - \frac{2}{3} * (8*A*a^3*b - 9*A*a*b^3 - 16*B*a^4 + 16*B*a^2*b^2 + B*b^4) * (\cos(1/2*d*x + 1/2*c))^2 / \cos(1/2*d*x + 1/2*c) * \text{EllipticF}(\sin(1/2*d*x + 1/2*c), 2^{1/2} * (b/(a+b))^{1/2}) * ((a + b * \cos(d*x+c)) / (a+b))^{1/2} / b^4 / (a^2 - b^2) / d / (a + b * \cos(d*x+c))^{1/2}$

Rubi [A] time = 0.80, antiderivative size = 413, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2989, 3031, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2a^2(3a^2Ab - 6a^3B + 10ab^2B - 7Ab^3) \sin(c + dx)}{3b^3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(-2a^2B + aAb + b^2B)}{3b^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]

[Out] $(2*(8*a^4*A*b - 15*a^2*A*b^3 + 3*A*b^5 - 16*a^5*B + 28*a^3*b^2*B - 8*a*b^4*B) * \text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]) / (3*b^4 * (a^2 - b^2)^2 * d * \text{Sqrt}[(a + b * \text{Cos}[c + d*x]) / (a + b)]) - (2*(8*a^3*A*b - 9*a*A*b^3 - 16*a^4*B + 16*a^2*b^2*B + b^4*B) * \text{Sqrt}[(a + b * \text{Cos}[c + d*x]) / (a + b)] * \text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]) / (3*b^4 * (a^2 - b^2) * d * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) + (2*a*(A*b - a*B) * \text{Cos}[c + d*x]^2 * \text{Sin}[c + d*x]) / (3*b*(a^2 - b^2) * d * (a + b * \text{Cos}[c + d*x])^{3/2}) - (2*a^2*(3*a^2*A*b - 7*A*b^3 - 6*a^3*B + 10*a*b^2*B) * \text{Sin}[c + d*x]) / (3*b^3*(a^2 - b^2)^2 * d * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) - (2*(a*A*b - 2*a^2*B + b^2*B) * \text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{Sin}[c + d*x]) / (3*b^3 * (a^2 - b^2) * d)$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[

{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2989

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3023

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3031

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx = \frac{2a(Ab - aB) \cos^2(c + dx) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{\cos(c+dx) \left(-2a(Ab - aB) + \frac{3}{2} b(Ab - aB) \right)}{(a+b) \dots}}{3b} \dots$$

Mathematica [A] time = 2.89, size = 334, normalized size = 0.81

$$2 \left(\frac{\left(\frac{a+b \cos(c+dx)}{a+b} \right)^{3/2} \left(b^2(-4a^4B+2a^3Ab+7a^2b^2B-6aAb^3+b^4B) F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - (16a^5B-8a^4Ab-28a^3b^2B+15a^2Ab^3+8ab^4B-3Ab^5) \left((a+b) E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) \right) \right)}{(a-b)^2(a+b)} \right) \dots$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*(((a + b*Cos[c + d*x])/(a + b))^(3/2)*(b^2*(2*a^3*A*b - 6*a*A*b^3 - 4*a^4*B + 7*a^2*b^2*B + b^4*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] - (-8*a^4*A*b + 15*a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])))/((a - b)^2*(a + b)) + (b*(-8*a^5*A*b + 16*a^3*A*b^3 + 16*a^6*B - 25*a^4*b^2*B + b^6*B + 2*a*b*(-5*a^3*A*b + 9*a*A*b^3 + 10*a^4*B - 16*a^2*b^2*B + 2*b^4*B)*Cos[c + d*x] + (-a^2*b) + b^3)^2*B*Cos[2*(c + d*x)])*Sin[c + d*x])/((2*(a^2 - b^2)^2))/((3*b^4*d*(a + b*Cos[c + d*x])^(3/2))
```

fricas [F] time = 1.47, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c)^4 + A \cos(dx + c)^3) \sqrt{b \cos(dx + c) + a}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c)^4 + A*cos(d*x + c)^3)*sqrt(b*cos(d*x + c) + a)/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)
```


giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^3/(b*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 7.26, size = 1389, normalized size = 3.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/3/b^4*(4*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+(-2*B*a*b-2*B*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-9*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^2+17*a^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-8*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2+8*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b)/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a^2/b^4*(3*A*b-4*B*a)/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)-2*a^3*(A*b-B*a)/b^4*(1/6/b/(a-b)/(a+b)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2+1/2/b*(a-b)^2+8/3*b*\sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-4/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^3/(b*cos(d*x + c) + a)^(5/2), x
)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^3 (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2),x)
```

```
[Out] int((cos(c + d*x)^3*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

$$3.335 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=331

$$\frac{2a^2(Ab - aB) \sin(c + dx)}{3b^2d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(-5a^3B + 2a^2Ab + 9ab^2B - 6Ab^3) \sin(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2(-8a^3B + 2a^2Ab + 9ab^2B - 6Ab^3) \sin(c + dx)}{3b^3d \sqrt{a + b \cos(c + dx)}}$$

```
[Out] -2/3*a^2*(A*b-B*a)*sin(d*x+c)/b^2/(a^2-b^2)/d/(a+b*cos(d*x+c))^(3/2)+2/3*a*(2*A*a^2*b-6*A*b^3-5*B*a^3+9*B*a*b^2)*sin(d*x+c)/b^2/(a^2-b^2)^2/d/(a+b*cos(d*x+c))^(1/2)-2/3*(2*A*a^3*b-6*A*a*b^3-8*B*a^4+15*B*a^2*b^2-3*B*b^4)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*(a+b*cos(d*x+c))^(1/2)/b^3/(a^2-b^2)^2/d/((a+b*cos(d*x+c))/(a+b))^(1/2)+2/3*(2*A*a^2*b-3*A*b^3-8*B*a^3+9*B*a*b^2)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*(a+b*cos(d*x+c))/(a+b))^(1/2)/b^3/(a^2-b^2)/d/(a+b*cos(d*x+c))^(1/2)
```

Rubi [A] time = 0.55, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2988, 3021, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a^2(Ab - aB) \sin(c + dx)}{3b^2d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(2a^2Ab - 5a^3B + 9ab^2B - 6Ab^3) \sin(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2(2a^2Ab - 8a^3B + 9ab^2B - 6Ab^3) \sin(c + dx)}{3b^3d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (-2*(2*a^3*A*b - 6*a*A*b^3 - 8*a^4*B + 15*a^2*b^2*B - 3*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(3*b^3*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(2*a^2*A*b - 3*A*b^3 - 8*a^3*B + 9*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(3*b^3*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - (2*a^2*(A*b - a*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (2*a*(2*a^2*A*b - 6*A*b^3 - 5*a^3*B + 9*a*b^2*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*SIN[c + d*x]]/Sqrt[(a + b*SIN[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*SIN[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2988

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^2*((A_) + (B_)*sin[(e_) + (f
_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[
((B*c - A*d)*(b*c - a*d)^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*d^
2*(n + 1)*(c^2 - d^2)), x] - Dist[1/(d^2*(n + 1)*(c^2 - d^2)), Int[(c + d*S
in[e + f*x])^(n + 1)*Simp[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c -
2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a
*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))*Sin[e + f*x] - b^2*B*d*(n + 1
)*(c^2 - d^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n
, -1]
```

Rule 3021

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C))*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{5/2}} dx &= -\frac{2a^2(Ab-aB)\sin(c+dx)}{3b^2(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2\int \frac{\frac{3}{2}ab(Ab-aB)+\frac{1}{2}(2a^2-3b^2)(Ab-a^2)}{(a+b\cos(c+dx))^{3/2}} dx}{3b^2} \\
&= -\frac{2a^2(Ab-aB)\sin(c+dx)}{3b^2(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2a(2a^2Ab-6Ab^3-5a^3B+6a^2b^2)}{3b^2(a^2-b^2)^2d\sqrt{a+b\cos(c+dx)}} \\
&= -\frac{2a^2(Ab-aB)\sin(c+dx)}{3b^2(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2a(2a^2Ab-6Ab^3-5a^3B+6a^2b^2)}{3b^2(a^2-b^2)^2d\sqrt{a+b\cos(c+dx)}} \\
&= -\frac{2a^2(Ab-aB)\sin(c+dx)}{3b^2(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2a(2a^2Ab-6Ab^3-5a^3B+6a^2b^2)}{3b^2(a^2-b^2)^2d\sqrt{a+b\cos(c+dx)}} \\
&= -\frac{2(2a^3Ab-6aAb^3-8a^4B+15a^2b^2B-3b^4B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3b^3(a^2-b^2)^2d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [A] time = 2.33, size = 274, normalized size = 0.83

$$2 \left(\frac{\left(\frac{a+b\cos(c+dx)}{a+b}\right)^{3/2} \left(b^2(2a^3B+a^2Ab-6ab^2B+3Ab^3)F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) + (8a^4B-2a^3Ab-15a^2b^2B+6aAb^3+3b^4B) \left((a+b)E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) - aF\left(\frac{1}{2}(c+dx)\right) \right) \right)}{(a-b)^2(a+b)} \right)$$

$$3b^3d(a+b\cos(c+dx))^{3/2}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]

[Out] (2*(((a + b*Cos[c + d*x])/(a + b))^(3/2)*(b^2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])))/((a - b)^2*(a + b)) - (a*b*(a*(-a^2*A*b) + 5*A*b^3 + 4*a^3*B - 8*a*b^2*B) + b*(-2*a^2*A*b + 6*A*b^3 + 5*a^3*B - 9*a*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(a^2 - b^2)^2)/(3*b^3*d*(a + b*Cos[c + d*x])^(3/2))

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx+c)^3 + A \cos(dx+c)^2) \sqrt{b \cos(dx+c) + a}}{b^3 \cos(dx+c)^3 + 3ab^2 \cos(dx+c)^2 + 3a^2b \cos(dx+c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a)/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^2}{(b \cos(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^2/(b*cos(d*x + c) + a)^(5/2), x)
```

maple [B] time = 5.83, size = 950, normalized size = 2.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2/b^3/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*(A*b*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-3*B*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a+B*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a-B*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b)-2*a/b^3*(2*A*b-3*B*a)/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+2*a^2*(A*b-B*a)/b^3*(1/6/b/(a-b)/(a+b)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2+1/2/b*(a-b))^2+8/3*b*sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*cos(1/2*d*x+1/2*c)*a/(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-4/3*a/(a-b)/(a+b)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^2/(b*cos(d*x + c) + a)^(5/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^2 (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2),x)
```

```
[Out] int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2), x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```

$$3.336 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=307

$$\frac{2a(Ab - aB) \sin(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2(2a^2B + aAb - 3b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^2d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(2a^3B + a^2Ab - 6ab^2B + 3Ab^3) \sin(c + dx)}{3bd(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2(2a^2B + aAb - 3b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{3b^2d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

[Out] $\frac{2}{3} a (A b - B a) \sin(d x + c) / b (a^2 - b^2) / d (a + b \cos(d x + c))^{3/2} + \frac{2}{3} (A a^2 b + 3 A a b^3 + 2 B a^3 - 6 B a b^2) \sin(d x + c) / b (a^2 - b^2)^{3/2} / d (a + b \cos(d x + c))^{3/2} - \frac{2}{3} (A a^2 b + 3 A a b^3 + 2 B a^3 - 6 B a b^2) (\cos(1/2 d x + 1/2 c))^2 / \cos(1/2 d x + 1/2 c) \operatorname{EllipticE}(\sin(1/2 d x + 1/2 c), 2^{1/2} (b / (a + b))^{1/2}) (a + b \cos(d x + c))^{1/2} / b^2 (a^2 - b^2)^{3/2} / d ((a + b \cos(d x + c)) / (a + b))^{1/2} + \frac{2}{3} (A a b + 2 B a^2 - 3 B b^2) (\cos(1/2 d x + 1/2 c))^2 / \cos(1/2 d x + 1/2 c) \operatorname{EllipticF}(\sin(1/2 d x + 1/2 c), 2^{1/2} (b / (a + b))^{1/2}) ((a + b \cos(d x + c)) / (a + b))^{1/2} / b^2 (a^2 - b^2) / d (a + b \cos(d x + c))^{1/2}$

Rubi [A] time = 0.47, antiderivative size = 307, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {2968, 3021, 2754, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2Ab + 2a^3B - 6ab^2B + 3Ab^3) \sin(c + dx)}{3bd(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2a(Ab - aB) \sin(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2(2a^2B + aAb - 3b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{3b^2d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]`

[Out] $(-2(a^2Ab + 3Ab^3 + 2a^3B - 6ab^2B) \operatorname{Sqrt}[a + b \operatorname{Cos}[c + dx]] \operatorname{EllipticE}[(c + dx)/2, (2b)/(a + b)]) / (3b^2(a^2 - b^2)^2 d \operatorname{Sqrt}[a + b \operatorname{Cos}[c + dx]] / (a + b)) + (2(aAb + 2a^2B - 3b^2B) \operatorname{Sqrt}[a + b \operatorname{Cos}[c + dx]] / (a + b)) \operatorname{EllipticF}[(c + dx)/2, (2b)/(a + b)] / (3b^2(a^2 - b^2) d \operatorname{Sqrt}[a + b \operatorname{Cos}[c + dx]]) + (2a(Ab - aB) \operatorname{Sin}[c + dx]) / (3b(a^2 - b^2) d (a + b \operatorname{Cos}[c + dx])^{3/2}) + (2(a^2Ab + 3Ab^3 + 2a^3B - 6ab^2B) \operatorname{Sin}[c + dx]) / (3b(a^2 - b^2)^2 d \operatorname{Sqrt}[a + b \operatorname{Cos}[c + dx]])$

Rule 2653

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2655

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b]*Sin[c + d*x]/Sqrt[(a + b)*Sin[c + d*x]]/(a + b), Int[Sqrt[a/(a + b) + (b)*Sin[c + d*x]]/(a + b), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

Rule 2661

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]

Rule 2968

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{5/2}} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx \\
&= \frac{2a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2\int \frac{\frac{3}{2}b(Ab-aB)-\frac{1}{2}(aAb+2a^2B-3b^2B)\cos(c+dx)}{(a+b\cos(c+dx))^{3/2}}}{3b(a^2-b^2)} \\
&= \frac{2a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)}{3b(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} \\
&= \frac{2a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)}{3b(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} \\
&= \frac{2a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)}{3b(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} \\
&= -\frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3b^2(a^2-b^2)^2 d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [A] time = 2.03, size = 224, normalized size = 0.73

$$\frac{2\left(\frac{b\sin(c+dx)(b(2a^3B+a^2Ab-6ab^2B+3Ab^3)\cos(c+dx)+a(a^3B+2a^2Ab-5ab^2B+2Ab^3))}{(a^2-b^2)^2} - \frac{\left(\frac{a+b\cos(c+dx)}{a+b}\right)^{3/2}\left((2a^3B+a^2Ab-6ab^2B+3Ab^3)E\left(\frac{1}{2}(c+dx)\right)\right)}{(a-b)^2}\right)}{3b^2d(a+b\cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
[Out] (2*(-(((a + b*Cos[c + d*x])/(a + b))^(3/2)*((a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - (a - b)*(a*A*b + 2*a^2*B - 3*b^2*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)]))/(a - b)^2) + (b*(a*(2*a^2*A*b + 2*A*b^3 + a^3*B - 5*a*b^2*B) + b*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*Cos[c + d*x]*Sin[c + d*x]))/(a^2 - b^2)^2))/(3*b^2*d*(a + b*Cos[c + d*x])^(3/2))
```

fricas [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c)^2 + A\cos(dx+c))\sqrt{b\cos(dx+c)+a}}{b^3\cos(dx+c)^3 + 3ab^2\cos(dx+c)^2 + 3a^2b\cos(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="fricas")
[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c) + A)\cos(dx+c)}{(b\cos(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)/(b*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 5.28, size = 860, normalized size = 2.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x)

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+2/b^2*(A*b-2*B*a)/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)-2*a*(A*b-B*a)/b^2*(1/6/b/(a-b)/(a+b)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(\cos(1/2*d*x+1/2*c)^2+1/2/b*(a-b))^{(1/2)}+8/3*b*\sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-4/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)/(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx) (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2),x)

[Out] int((cos(c + d*x)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

$$3.337 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=275

$$\frac{2(a^2(-B) + 4aAb - 3b^2B) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sin(c + dx)}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(Ab - aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right)}{3bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

[Out] $-2/3*(A*b-B*a)*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{3/2}-2/3*(4*A*a*b-B*a^2-3*B*b^2)*\sin(d*x+c)/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{1/2}+2/3*(4*A*a*b-B*a^2-3*B*b^2)*(\cos(1/2*d*x+1/2*c))^2^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*(a+b*\cos(d*x+c))^{1/2}/b/(a^2-b^2)^2/d/((a+b*\cos(d*x+c))/(a+b))^{1/2}-2/3*(A*b-B*a)*(\cos(1/2*d*x+1/2*c))^2^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{1/2}$

Rubi [A] time = 0.37, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {2754, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2(-B) + 4aAb - 3b^2B) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sin(c + dx)}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(Ab - aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right)}{3bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])/(a + b*\text{Cos}[c + d*x])^{5/2}, x]$

[Out] $(2*(4*a*A*b - a^2*B - 3*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(3*b*(a^2 - b^2)^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*(A*b - a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(3*b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*(A*b - a*B)*\text{Sin}[c + d*x])/(3*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{3/2}) - (2*(4*a*A*b - a^2*B - 3*b^2*B)*\text{Sin}[c + d*x])/(3*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] := \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] := \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 2663

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x_Symbol] := \text{Dist}[\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)]/\text{Sqrt}[a + b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[a/(a + b)$

+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx = -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}(aA - bB) + \frac{1}{2}(Ab - aB) \cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx}{3(a^2 - b^2)}$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2(4aAb - a^2B - 3b^2B) \sin(c + dx)}{3(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}} + \frac{4 \int \frac{1}{4} dx}{3(a^2 - b^2)}$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2(4aAb - a^2B - 3b^2B) \sin(c + dx)}{3(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}} - \frac{(Ab - aB)}{3(a^2 - b^2)}$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2(4aAb - a^2B - 3b^2B) \sin(c + dx)}{3(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}} + \frac{((4aAb - a^2B - 3b^2B) \sqrt{a + b \cos(c + dx)} E(\frac{1}{2}(c + dx) | \frac{2b}{a+b})) - 2(Ab - aB) \sqrt{\frac{a+b \cos(c+dx)}{a}}}{3b(a^2 - b^2)^2 d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Mathematica [A] time = 1.65, size = 193, normalized size = 0.70

$$2 \left(\frac{\sin(c+dx)(2a^3B+b(a^2B-4aAb+3b^2B)\cos(c+dx)-5a^2Ab+2ab^2B+Ab^3)}{(a^2-b^2)^2} - \frac{\left(\frac{a+b \cos(c+dx)}{a+b}\right)^{3/2} \left((a^2B-4aAb+3b^2B) E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - (a-b)(aB-Ab) F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) \right)}{b(a-b)^2} \right) / (3d(a + b \cos(c + dx))^{3/2})$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]

[Out] (2*(-((((a + b*Cos[c + d*x])/(a + b))^(3/2)*((-4*a*A*b + a^2*B + 3*b^2*B)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - (a - b)*(-(A*b) + a*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)])))/((a - b)^2*b)) + ((-5*a^2*A*b + A*b^3 + 2*a^3*B + 2*a*b^2*B + b*(-4*a*A*b + a^2*B + 3*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/(a^2 - b^2)^2)/(3*d*(a + b*Cos[c + d*x])^(3/2))

fricas [F] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx+c) + A)\sqrt{b \cos(dx+c) + a}}{b^3 \cos(dx+c)^3 + 3ab^2 \cos(dx+c)^2 + 3a^2b \cos(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/(b*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 5.00, size = 750, normalized size = 2.73

$$\frac{\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b - a + b}\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{2B\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\left(\sqrt{\frac{1-\cos(dx+c)}{2}}\sqrt{-\frac{2b\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B/b/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)+2*(A*b-B*a)/b*(1/6/b/(a-b)/(a+b)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2+1/2/b*(a-b))^2+8/3*b*sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*cos(1/2*d*x+1/2*c)*a/(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-4/3*a/(a-b)/(a+b)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(a + b*cos(c + d*x))^(5/2),x)

[Out] int((A + B*cos(c + d*x))/(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.338 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=349

$$\frac{2b(Ab - aB) \sin(c + dx)}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2(Ab - aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a^2 d \sqrt{a + b \cos(c + dx)}}$$

[Out] $\frac{2}{3} b (A b - B a) \sin(d x + c) / a / (a^2 - b^2) / d / (a + b \cos(d x + c))^{3/2} + \frac{2}{3} b (7 A a^2 b - 3 A a b^3 - 4 B a^3) \sin(d x + c) / a^2 / (a^2 - b^2)^2 / d / (a + b \cos(d x + c))^{1/2} - \frac{2}{3} (7 A a^2 b - 3 A a b^3 - 4 B a^3) (\cos(1/2 d x + 1/2 c))^{1/2} / \cos(1/2 d x + 1/2 c) * \text{EllipticE}(\sin(1/2 d x + 1/2 c), 2^{1/2} (b / (a + b))^{1/2}) * (a + b \cos(d x + c))^{1/2} / a^2 / (a^2 - b^2)^2 / d / ((a + b \cos(d x + c)) / (a + b))^{1/2} + \frac{2}{3} (A b - B a) (\cos(1/2 d x + 1/2 c))^{1/2} / \cos(1/2 d x + 1/2 c) * \text{EllipticF}(\sin(1/2 d x + 1/2 c), 2^{1/2} (b / (a + b))^{1/2}) * ((a + b \cos(d x + c)) / (a + b))^{1/2} / a / (a^2 - b^2) / d / (a + b \cos(d x + c))^{1/2} + 2 A (\cos(1/2 d x + 1/2 c))^{1/2} / \cos(1/2 d x + 1/2 c) * \text{EllipticPi}(\sin(1/2 d x + 1/2 c), 2, 2^{1/2} (b / (a + b))^{1/2}) * ((a + b \cos(d x + c)) / (a + b))^{1/2} / a^2 / d / (a + b \cos(d x + c))^{1/2}$

Rubi [A] time = 1.10, antiderivative size = 349, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$, Rules used = {3000, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{2b(7a^2Ab - 4a^3B - 3Ab^3) \sin(c + dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2b(Ab - aB) \sin(c + dx)}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2(Ab - aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]

[Out] $(-2*(7*a^2*A*b - 3*A*b^3 - 4*a^3*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(A*b - a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(3*a*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*A*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(a^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*b*(A*b - a*B)*\text{Sin}[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{3/2}) + (2*b*(7*a^2*A*b - 3*A*b^3 - 4*a^3*B)*\text{Sin}[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[

{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 3000

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3002

Int[(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ

[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx = \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2 \int \frac{(\frac{3}{2}A(a^2 - b^2) - \frac{3}{2}a(Ab - aB) \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx}{3a(a^2 - b^2)}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2b(7a^2Ab - 3Ab^3 - 4a^3B) \sin(c + dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2b(7a^2Ab - 3Ab^3 - 4a^3B) \sin(c + dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2b(7a^2Ab - 3Ab^3 - 4a^3B) \sin(c + dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2(7a^2Ab - 3Ab^3 - 4a^3B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3a^2(a^2 - b^2)^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}}$$

$$= -\frac{2(7a^2Ab - 3Ab^3 - 4a^3B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3a^2(a^2 - b^2)^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}}$$

Mathematica [C] time = 6.81, size = 743, normalized size = 2.13

$$\frac{\cos(c + dx) \sqrt{a + b \cos(c + dx)} (A \sec(c + dx) + B) \left(-\frac{2(abB \sin(c + dx) - Ab^2 \sin(c + dx))}{3a(a^2 - b^2)(a + b \cos(c + dx))^2} - \frac{2(4a^3bB \sin(c + dx) - 7a^2Ab^2 \sin(c + dx))}{3a^2(a^2 - b^2)^2(a + b \cos(c + dx))} \right)}{d(A + B \cos(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]
 [Out] (Cos[c + d*x]*(B + A*Sec[c + d*x])*((2*(-12*a^3*A*b + 4*a*A*b^3 + 6*a^4*B + 2*a^2*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(6*a^4*A - 19*a^2*A*b^2 + 9*A*b^4 + 4*a^3*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(-7*a^2*A*b^2 + 3*A*b^4

```

+ 4*a^3*b*B)*Sqrt[(b - b*cos[c + d*x])/(a + b)]*Sqrt[-((b + b*cos[c + d*x])
)/(a - b))] * Cos[2*(c + d*x)] * (2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)
]^(-1)]*Sqrt[a + b*cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*Arc
Sinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*cos[c + d*x]]], (a + b)/(a - b)] - b*El
lipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*cos[c + d*x]]]
, (a + b)/(a - b)]) * Sin[c + d*x]) / (a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c +
d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*cos[c + d*x]) + (a + b*cos[c + d*x])
^2)/b^2)] * (2*a^2 - b^2 - 4*a*(a + b*cos[c + d*x]) + 2*(a + b*cos[c + d*x])^
2))) / (6*a^2*(a - b)^2*(a + b)^2*d*(A + B*cos[c + d*x])) + (Cos[c + d*x]*Sq
rt[a + b*cos[c + d*x]]*(B + A*Sec[c + d*x])) * ((-2*(-(A*b^2*Sin[c + d*x]) +
a*b*B*Sin[c + d*x])) / (3*a*(a^2 - b^2)*(a + b*cos[c + d*x])^2) - (2*(-7*a^2*A
*b^2*Sin[c + d*x] + 3*A*b^4*Sin[c + d*x] + 4*a^3*b*B*Sin[c + d*x])) / (3*a^2*
(a^2 - b^2)^2*(a + b*cos[c + d*x])))) / (d*(A + B*cos[c + d*x]))

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x, algorithm="
fricas")
```

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x, algorithm="
giac")
```

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)/(b*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 5.60, size = 854, normalized size = 2.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x)
```

```
[Out] -((-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*A*b/a^2/
sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*sin(1/2*
d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1
/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d
*x+1/2*c),(-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*si
n(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a
-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-2*A/a^2*(sin(1/2
*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1
/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+
1/2*c),2,(-2*b/(a-b))^(1/2))+2*(-A*b+B*a)/a*(1/6/b/(a-b)/(a+b)*cos(1/2*d*x+
1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/
2*d*x+1/2*c)^2+1/2/b*(a-b))^2+8/3*b*sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*co
s(1/2*d*x+1/2*c)*a/(-(-2*cos(1/2*d*x+1/2*c)^2*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(
1/2)+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((
2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)
*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2
))-4/3*a/(a-b)/(a+b)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^

```

$$\frac{2*b+a-b}{(a-b)}^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c))^{4*b+(a+b)*\sin(1/2*d*x+1/2*c)}^{(1/2)} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2*c))^{2*b+a+b}^{(1/2)} / d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)/(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^(5/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x)

[Out] Timed out

$$3.339 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=437

$$\frac{(5Ab - 2aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{a^3 d \sqrt{a+b \cos(c+dx)}} + \frac{b(3a^2 A + 2abB - 5Ab^2) \sin(c+dx)}{3a^2 d (a^2 - b^2) (a+b \cos(c+dx))^{3/2}} + \frac{(3a^2 A + 2abB - 5Ab^2)}{3a^2 d (a^2 - b^2)}$$

[Out] $\frac{1}{3} b^3 (3Aa^2 - 5Ab^2 + 2Bab) \sin(dx+c) / a^2 (a^2 - b^2) / d (a+b \cos(dx+c))^{3/2} + \frac{1}{3} b^3 (3Aa^4 - 26Aa^2 b^2 + 15Ab^4 + 14Bab^3 - 6Bab^3) \sin(dx+c) / a^3 (a^2 - b^2)^2 / d (a+b \cos(dx+c))^{1/2} - \frac{1}{3} (3Aa^4 - 26Aa^2 b^2 + 15Ab^4 + 14Bab^3 - 6Bab^3) (\cos(1/2 dx + 1/2 c))^2 / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) * (a+b \cos(dx+c))^{1/2} / a^3 (a^2 - b^2)^2 / d ((a+b \cos(dx+c)) / (a+b))^{1/2} + \frac{1}{3} (3Aa^2 - 5Ab^2 + 2Bab) (\cos(1/2 dx + 1/2 c))^2 / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) * ((a+b \cos(dx+c)) / (a+b))^{1/2} / a^2 (a^2 - b^2) / d (a+b \cos(dx+c))^{1/2} - (5Ab - 2Ba) (\cos(1/2 dx + 1/2 c))^2 / \cos(1/2 dx + 1/2 c) * \text{EllipticPi}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) * ((a+b \cos(dx+c)) / (a+b))^{1/2} / a^3 / d (a+b \cos(dx+c))^{1/2} + A \tan(dx+c) / a / d (a+b \cos(dx+c))^{3/2}$

Rubi [A] time = 1.48, antiderivative size = 437, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3000, 3056, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(-26a^2 Ab^2 + 3a^4 A + 14a^3 bB - 6ab^3 B + 15Ab^4) \sin(c+dx)}{3a^3 d (a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{b(3a^2 A + 2abB - 5Ab^2) \sin(c+dx)}{3a^2 d (a^2 - b^2) (a+b \cos(c+dx))^{3/2}} + \frac{(3a^2 A + 2abB - 5Ab^2)}{3a^2 d (a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^(5/2), x]

[Out] $-\frac{((3a^4 A - 26a^2 A b^2 + 15A b^4 + 14a^3 b B - 6a b^3 B) \sqrt{a + b \cos[c + d x]} * \text{EllipticE}[(c + d x)/2, (2b)/(a + b)]) / (3a^3 (a^2 - b^2)^2 d \sqrt{(a + b \cos[c + d x]) / (a + b)}) + ((3a^2 A - 5A b^2 + 2a b B) \sqrt{(a + b \cos[c + d x]) / (a + b)}) * \text{EllipticF}[(c + d x)/2, (2b)/(a + b)] / (3a^2 (a^2 - b^2) d \sqrt{a + b \cos[c + d x]}) - ((5A b - 2a B) \sqrt{(a + b \cos[c + d x]) / (a + b)}) * \text{EllipticPi}[2, (c + d x)/2, (2b)/(a + b)] / (a^3 d \sqrt{a + b \cos[c + d x]}) + (b(3a^2 A - 5A b^2 + 2a b B) \sin[c + d x]) / (3a^2 (a^2 - b^2) d (a + b \cos[c + d x])^{3/2}) + (b(3a^4 A - 26a^2 A b^2 + 15A b^4 + 14a^3 b B - 6a b^3 B) \sin[c + d x]) / (3a^3 (a^2 - b^2)^2 d \sqrt{a + b \cos[c + d x]}) + (A \tan[c + d x]) / (a d (a + b \cos[c + d x])^{3/2})$

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 3000

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_)), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3002

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c,
d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[
c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3056

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :>
-Simp[((A*b^2 + a^2*C)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin
[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m +
1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e
+ f*x])^n*Simp[a*(m + 1)*(b*c - a*d)*(A + C) + d*(A*b^2 + a^2*C)*(m + n + 2
) - (c*(A*b^2 + a^2*C) + b*(m + 1)*(b*c - a*d)*(A + C))*Sin[e + f*x] - d*(A
*b^2 + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(
IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]
)))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx = \frac{A \tan(c + dx)}{ad(a + b \cos(c + dx))^{3/2}} + \frac{\int \frac{(\frac{1}{2}(-5Ab + 2aB) + \frac{3}{2}Ab \cos^2(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx}{a}$$

$$= \frac{b(3a^2A - 5Ab^2 + 2abB) \sin(c + dx)}{3a^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{A \tan(c + dx)}{ad(a + b \cos(c + dx))^{3/2}} + \frac{2}{d}$$

$$= \frac{b(3a^2A - 5Ab^2 + 2abB) \sin(c + dx)}{3a^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{b(3a^4A - 26a^2Ab^2 + 15Ab^4)}{3a^3(a^2 - b^2)^2 d}$$

$$= \frac{b(3a^2A - 5Ab^2 + 2abB) \sin(c + dx)}{3a^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{b(3a^4A - 26a^2Ab^2 + 15Ab^4)}{3a^3(a^2 - b^2)^2 d}$$

$$= \frac{b(3a^2A - 5Ab^2 + 2abB) \sin(c + dx)}{3a^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{b(3a^4A - 26a^2Ab^2 + 15Ab^4)}{3a^3(a^2 - b^2)^2 d}$$

$$= -\frac{(3a^4A - 26a^2Ab^2 + 15Ab^4 + 14a^3bB - 6ab^3B) \sqrt{a + b \cos(c + dx)}}{3a^3(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

$$= -\frac{(3a^4A - 26a^2Ab^2 + 15Ab^4 + 14a^3bB - 6ab^3B) \sqrt{a + b \cos(c + dx)}}{3a^3(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

Mathematica [C] time = 7.26, size = 750, normalized size = 1.72

$$\frac{\sqrt{a + b \cos(c + dx)} \left(\frac{A \tan(c + dx)}{a^3} + \frac{2(ab^2B \sin(c + dx) - Ab^3 \sin(c + dx))}{3a^2(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{2(7a^3b^2B \sin(c + dx) - 10a^2Ab^3 \sin(c + dx) - 3ab^4B \sin(c + dx) + 6Ab^5)}{3a^3(a^2 - b^2)^2(a + b \cos(c + dx))} \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^(5/2), x]

[Out] ((2*(36*a^3*A*b^2 - 20*a*A*b^4 - 24*a^4*b*B + 8*a^2*b^3*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(-33*a^4*A*b + 86*a^2*A*b^3 - 45*A*b^5 + 12*a^5*B - 38*a^3*b^2*B + 18*a*b^4*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(-3*a^4*A*b + 26*a^2*A*b^3 - 15*A*b^5 - 14*a^3*b^2*B + 6*a*b^4*B)*Sqrt[(b - b*Cos[c + d*x])/(a + b)]*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))*Sin[c + d*x])/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2)))/(12*a^3*(-a + b)^2*(a + b)^2*d) + (Sqrt[a + b*Cos[c + d*x]]*((2*(-(A*b^3*Sin[c + d*x]) + a*b^2*B*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) + (2*(-10*a^2*A*b^3*Sin[c + d*x] +

$6*A*b^5*\sin[c + d*x] + 7*a^3*b^2*B*\sin[c + d*x] - 3*a*b^4*B*\sin[c + d*x])) / ((3*a^3*(a^2 - b^2)^2*(a + b*\cos[c + d*x])) + (A*\tan[c + d*x])/a^3))/d$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^2/(b*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 7.93, size = 1341, normalized size = 3.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(5/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b*(2*A*b-B*a)/a^3/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2 \\ & * \sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE} \\ & (\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b \\ & / (a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c) \\ & , (-2*b/(a-b))^{(1/2)})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*(-2*A \\ & *b+B*a)/a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a \\ & -b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Ell} \\ & \text{ipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})+2*(A*b-B*a)*b/a^2*(1/6*b/(\\ & a-b)/(a+b)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2+1/2/b*(a-b))^2+8/3*b*\sin(1/2*d*x+1/2* \\ & c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b) \\ & *\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1 \\ & /2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1 \\ & /2*c), (-2*b/(a-b))^{(1/2)})-4/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & ((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+ \\ & b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) \\ &)-\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})))+2/a^2*A*(-1/a*\cos(\\ & 1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & / (2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d* \\ & x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/2*(\sin(\\ & 1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(\\ & 1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d* \\ & x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2 \end{aligned}$$

```
*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2)))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a-b)^(1/2)/d
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^2 (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + b*cos(c + d*x))^(5/2)),x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(a + b*cos(c + d*x))^(5/2)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c))**(5/2),x)
```

[Out] Timed out

$$3.340 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=532

$$\frac{(7Ab - 4aB) \tan(c + dx)}{4a^2 d (a + b \cos(c + dx))^{3/2}} + \frac{(4a^2 A - 20abB + 35Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^4 d \sqrt{a + b \cos(c + dx)}} - \frac{b(-12a^3 B + 27a^2 Ab)}{12a^3 d (a^2 - b^2)}$$

[Out] $-1/12*b*(27*A*a^2*b-35*A*b^3-12*B*a^3+20*B*a*b^2)*\sin(d*x+c)/a^3/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{3/2}-1/12*b*(33*A*a^4*b-170*A*a^2*b^3+105*A*b^5-12*B*a^5+104*B*a^3*b^2-60*B*a*b^4)*\sin(d*x+c)/a^4/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{1/2}+1/12*(33*A*a^4*b-170*A*a^2*b^3+105*A*b^5-12*B*a^5+104*B*a^3*b^2-60*B*a*b^4)*(\cos(1/2*d*x+1/2*c))^2^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*(a+b*\cos(d*x+c))^{1/2}/a^4/(a^2-b^2)^2/d/((a+b*\cos(d*x+c))/(a+b))^{1/2}-1/12*(27*A*a^2*b-35*A*b^3-12*B*a^3+20*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^2^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/a^3/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{1/2}+1/4*(4*A*a^2+35*A*b^2-20*B*a*b)*(\cos(1/2*d*x+1/2*c))^2^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/a^4/d/(a+b*\cos(d*x+c))^{1/2}-1/4*(7*A*b-4*B*a)*\tan(d*x+c)/a^2/d/(a+b*\cos(d*x+c))^{3/2}+1/2*A*\sec(d*x+c)*\tan(d*x+c)/a/d/(a+b*\cos(d*x+c))^{3/2}$

Rubi [A] time = 1.93, antiderivative size = 532, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {3000, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(-170a^2 Ab^3 + 33a^4 Ab + 104a^3 b^2 B - 12a^5 B - 60ab^4 B + 105Ab^5) \sin(c + dx)}{12a^4 d (a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{b(27a^2 Ab - 12a^3 B + 20ab^2 B - 12a^3 d (a^2 - b^2) (a + b \cos(c + dx)))}{12a^3 d (a^2 - b^2) (a + b \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] `Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^(5/2), x]`

[Out] $((33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^5*B + 104*a^3*b^2*B - 60*a*b^4*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(12*a^4*(a^2 - b^2)^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - ((27*a^2*A*b - 35*A*b^3 - 12*a^3*B + 20*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(12*a^3*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((4*a^2*A + 35*A*b^2 - 20*a*b*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(4*a^4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (b*(27*a^2*A*b - 35*A*b^3 - 12*a^3*B + 20*a*b^2*B)*\text{Sin}[c + d*x])/(12*a^3*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{3/2}) - (b*(33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^5*B + 104*a^3*b^2*B - 60*a*b^4*B)*\text{Sin}[c + d*x])/(12*a^4*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - ((7*A*b - 4*a*B)*\text{Tan}[c + d*x])/(4*a^2*d*(a + b*\text{Cos}[c + d*x])^{3/2}) + (A*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a*d*(a + b*\text{Cos}[c + d*x])^{3/2})$

Rule 2653

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2655

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b`

$\frac{\sin(c + dx)}{a + b}$, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*sin[c + d*x])/(a + b)]/Sqrt[a + b*sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*sin[e + f*x])/(c + d)]/Sqrt[c + d*sin[e + f*x]], Int[1/((a + b*sin[e + f*x])*Sqrt[c/(c + d) + (d*sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 3000

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3002

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])^n), x_Symbol] := Dist[B/d, Int[(a + b*sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*sin[e + f*x])^m/(c + d*sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]

```

*(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^(n + 1)/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*sin[e + f*x]]*(c + d*sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx &= \frac{A \sec(c + dx) \tan(c + dx)}{2ad(a + b \cos(c + dx))^{3/2}} + \frac{\int \frac{\left(\frac{1}{2}(-7Ab + 4aB) + aA \cos(c + dx) + \frac{5}{2}Ab \cos^2(c + dx)\right) \sec^3(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx}{2a} \\
 &= -\frac{(7Ab - 4aB) \tan(c + dx)}{4a^2d(a + b \cos(c + dx))^{3/2}} + \frac{A \sec(c + dx) \tan(c + dx)}{2ad(a + b \cos(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{4}(4a^2A + 3b^2) \sec^3(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx}{2a} \\
 &= -\frac{b(27a^2Ab - 35Ab^3 - 12a^3B + 20ab^2B) \sin(c + dx)}{12a^3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{(7Ab - 4aB) \tan(c + dx)}{4a^2d(a + b \cos(c + dx))^{3/2}} \\
 &= -\frac{b(27a^2Ab - 35Ab^3 - 12a^3B + 20ab^2B) \sin(c + dx)}{12a^3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{b(33a^4Ab - 170a^2Ab^3 + 105Ab^5 - 12a^5B + 104a^3b^2B - 60ab^4B) \sqrt{a + b \cos(c + dx)}}{12a^4(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}} \\
 &= -\frac{b(27a^2Ab - 35Ab^3 - 12a^3B + 20ab^2B) \sin(c + dx)}{12a^3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{b(33a^4Ab - 170a^2Ab^3 + 105Ab^5 - 12a^5B + 104a^3b^2B - 60ab^4B) \sqrt{a + b \cos(c + dx)}}{12a^4(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}
 \end{aligned}$$

Mathematica [C] time = 7.95, size = 820, normalized size = 1.54

$$\frac{2(12Aba^5+144b^2Ba^4-216Ab^3a^3-80b^4Ba^2+140Ab^5a)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{\sqrt{a+b\cos(c+dx)}} + \frac{2(24Aa^6-132bBa^5+195Ab^2a^4+344b^3Ba^3-566Ab^4a^2-180b^5A)}{\sqrt{a+b\cos(c+dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^(5/2), x]

[Out] ((2*(12*a^5*A*b - 216*a^3*A*b^3 + 140*a*A*b^5 + 144*a^4*b^2*B - 80*a^2*b^4*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(24*a^6*A + 195*a^4*A*b^2 - 566*a^2*A*b^4 + 315*A*b^6 - 132*a^5*b*B + 344*a^3*b^3*B - 180*a*b^5*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(33*a^4*A*b^2 - 170*a^2*A*b^4 + 105*A*b^6 - 12*a^5*b*B + 104*a^3*b^3*B - 60*a*b^5*B)*Sqrt[(b - b*Cos[c + d*x])/(a + b)]*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)]))*Sin[c + d*x])/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2)))/(48*a^4*(a - b)^2*(a + b)^2*d) + (Sqrt[a + b*Cos[c + d*x]]*((Sec[c + d*x]*(-11*A*b*Sin[c + d*x] + 4*a*B*Sin[c + d*x]))/(4*a^4) - (2*(-(A*b^4*Sin[c + d*x]) + a*b^3*B*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) - (2*(-13*a^2*A*b^4*Sin[c + d*x] + 9*A*b^6*Sin[c + d*x] + 10*a^3*b^3*B*Sin[c + d*x] - 6*a*b^5*B*Sin[c + d*x]))/(3*a^4*(a^2 - b^2)^2*(a + b*Cos[c + d*x])) + (A*Sec[c + d*x]*Tan[c + d*x])/(2*a^3)))/d

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^3/(b*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 9.71, size = 2000, normalized size = 3.76

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(5/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b^2*(3*A \\ & *b-2*B*a)/a^4/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2 \\ &)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*Ellip \\ & ticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1 \\ & /2*c),(-2*b/(a-b))^{(1/2)})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2* \\ & b*(3*A*b-2*B*a)/a^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b \\ & +a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(\\ & 1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})-2*(A*b-B*a)*b^2/a^ \\ & 3*(1/6/b/(a-b)/(a+b)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2+1/2/b*(a-b))^2+8/3*b*\sin(1/ \\ & 2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(-2*\cos(1/2*d*x+1/2*c) \\ &)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3 \\ &)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} \\ & /(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos \\ & (1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-4/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2* \\ & c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),(-2* \\ & b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))+2*A/a^2* \\ & (-1/2/a*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^2+3/4*b/a^2*\cos(1/2*d*x+1/2*c)*(-2* \\ & \sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2 \\ & *c)^2-1)-1/8*b/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a- \\ & b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+3/8/a*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2 \\ & *c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c),(- \\ & 2*b/(a-b))^{(1/2)})-3/8*b^2/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+ \\ & 1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(\\ & 1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x \\ & +1/2*c),2,(-2*b/(a-b))^{(1/2)})-3/8/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(\\ & 1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})* \\ & b^2)+2*(-2*A*b+B*a)/a^3*(-1/a*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b \\ & +(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/ \\ & 2*c),(-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1 \\ & /2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin \\ & (1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d \\ & *x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(\\ & 1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})) \\ &)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^3 (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))^(5/2)), x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(a + b*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c))**(5/2), x)

[Out] Timed out

$$3.341 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx$$

Optimal. Leaf size=58

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}}$$

[Out] 2*B*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/d/(a+b*cos(d*x+c))^(1/2)

Rubi [A] time = 0.04, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$, Rules used = {21, 2663, 2661}

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Cos[c + d*x])/(a + b*Cos[c + d*x])^(3/2),x]

[Out] (2*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)])/(d*Sqrt[a + b*Cos[c + d*x]])

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= B \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{\left(B \sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \int \frac{1}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 58, normalized size = 1.00

$$\frac{2B\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)])/(d*Sqrt[a + b*Cos[c + d*x]])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B}{\sqrt{b\cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(B/sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb\cos(dx+c) + Ba}{(b\cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/(b*cos(d*x + c) + a)^(3/2), x)

maple [C] time = 0.13, size = 76, normalized size = 1.31

$$\frac{2B\sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{b+a-b}}{a+b}} \operatorname{am}^{-1}\left(\frac{dx}{2} + \frac{c}{2} \middle| \frac{\sqrt{2}\sqrt{b}}{\sqrt{a+b}}\right)}{d\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{b+a-b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x)

[Out] 2*B/d/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a+b))^(1/2)*InverseJacobiAM(1/2*d*x+1/2*c, 2^(1/2)/(a+b)^(1/2)*b^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb\cos(dx+c) + Ba}{(b\cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{B a + B b \cos(c + d x)}{(a + b \cos(c + d x))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(a + b*cos(c + d*x))^(3/2), x)

[Out] int((B*a + B*b*cos(c + d*x))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2), x)

[Out] B*Integral(1/sqrt(a + b*cos(c + d*x)), x)

$$3.342 \quad \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx$$

Optimal. Leaf size=59

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}}$$

[Out] 2*B*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c), 2, 2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/d/(a+b*cos(d*x+c))^(1/2)

Rubi [A] time = 0.15, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {21, 2807, 2805}

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)])/(d*Sqrt[a + b*Cos[c + d*x]])

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= B \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{\left(B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \right) \int \frac{\sec(c+dx)}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 59, normalized size = 1.00

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)])/(d*Sqrt[a + b*Cos[c + d*x]])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)}{(b \cos(dx + c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)/(b*cos(d*x + c) + a)^(3/2), x)

maple [A] time = 1.13, size = 167, normalized size = 2.83

$$\frac{2 \sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a - b\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{\frac{2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a - b}{a-b}} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{\sqrt{-2 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + (a+b) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a + b} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2), x)

```
[Out] 2*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)/(b*cos(d*x + c) + a)^(3/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{Ba + Bb \cos(c + dx)}{\cos(c + dx) (a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^(3/2)),x)
```

```
[Out] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^(3/2)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))**(3/2),x)
```

```
[Out] B*Integral(sec(c + d*x)/sqrt(a + b*cos(c + d*x)), x)
```

$$3.343 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx$$

Optimal. Leaf size=108

$$\frac{2B\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2bB \sin(c + dx)}{d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

[Out] $-2*b*B*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2*B*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {21, 2664, 2655, 2653}

$$\frac{2B\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2bB \sin(c + dx)}{d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[(a*B + b*B*Cos[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]`

[Out] $(2*B*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/((a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*b*B*\text{Sin}[c + d*x])/((a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 21

`Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

Rule 2653

`Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2655

`Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

Rule 2664

`Int[((a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^(n + 1))/(d*(n + 1)*(a^2 - b^2)), x] + Dist[1/((n + 1)*(a^2 - b^2)), Int[(a + b*Sin[c + d*x])^(n + 1)*Simp[a*(n + 1) - b*(n + 2)*Sin[c + d*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]`

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx &= B \int \frac{1}{(a + b \cos(c + dx))^{3/2}} dx \\
&= -\frac{2bB \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(2B) \int \frac{-\frac{a}{2} - \frac{1}{2} b \cos(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx}{a^2 - b^2} \\
&= -\frac{2bB \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{B \int \sqrt{a + b \cos(c + dx)} dx}{a^2 - b^2} \\
&= -\frac{2bB \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{(B \sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}}{(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\
&= \frac{2B \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2bB \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 84, normalized size = 0.78

$$\frac{B \left(2(a + b) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2b \sin(c + dx) \right)}{d(a - b)(a + b) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]

[Out] (B*(2*(a + b)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - 2*b*Sin[c + d*x])/((a - b)*(a + b)*d*Sqrt[a + b*Cos[c + d*x]])

fricas [F] time = 2.14, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} B}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral(sqrt(b*cos(d*x + c) + a)*B/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/(b*cos(d*x + c) + a)^(5/2), x)

maple [A] time = 1.71, size = 218, normalized size = 2.02

$$2B \left(\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{a-b} + \frac{a+b}{a-b}} \operatorname{EllipticE} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{-\frac{2b}{a-b}} \right) a - \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{a-b}} \right) \\ (a-b)(a+b) \sin \left(\frac{dx}{2} + \frac{c}{2} \right) \sqrt{-2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x)

[Out] $-2*B*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/(a-b)/(a+b)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a*b)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx+c) + Ba}{(b \cos(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)/(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{Ba + Bb \cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(a + b*cos(c + d*x))^(5/2), x)

[Out] int((B*a + B*b*cos(c + d*x))/(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x)

[Out] Timed out

$$3.344 \quad \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx$$

Optimal. Leaf size=179

$$\frac{2b^2 B \sin(c + dx)}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2bB \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{a + b \cos(c + dx)}}$$

[Out] $2*b^2*B*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}-2*b*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/a/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*\cos(d*x+c))^{(1/2)})$

Rubi [A] time = 0.42, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {21, 2802, 3059, 2655, 2653, 12, 2807, 2805}

$$\frac{2b^2 B \sin(c + dx)}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2bB \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]`

[Out] `(-2*b*B*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(a*(a^2 - b^2)*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(a*d*Sqrt[a + b*Cos[c + d*x]]) + (2*b^2*B*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]])`

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 21

`Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

Rule 2653

`Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rule 2655

`Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

Rule 2802

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*cos[e + f*x]*(a + b*sin[e + f*x])
)^(m + 1)*(c + d*sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)
), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^
(m + 1)*(c + d*sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n +
2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2*m
, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n]
&& LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 2807

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*sin[e + f*x])/(c + d)]/Sqrt
[c + d*sin[e + f*x]], Int[1/((a + b*sin[e + f*x])*Sqrt[c/(c + d) + (d*sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*sin[e + f*x])*(c + d*sin[e + f*x]), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
 \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx &= B \int \frac{\sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx \\
 &= \frac{2b^2 B \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{(2B) \int \frac{(\frac{1}{2}(a^2 - b^2) - \frac{1}{2}ab \cos(c + dx) - \frac{1}{2}b^2 \cos^2(c + dx)) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a(a^2 - b^2)} \\
 &= \frac{2b^2 B \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(2B) \int -\frac{b(a^2 - b^2) \sec(c + dx)}{2\sqrt{a + b \cos(c + dx)}} dx}{ab(a^2 - b^2)} - \frac{(bB) \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a} \\
 &= \frac{2b^2 B \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{B \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a} - \frac{(bB) \sqrt{a + b \cos(c + dx)}}{a} \\
 &= -\frac{2bB \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2b^2 B \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} \\
 &= -\frac{2bB \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2 \operatorname{arctan}\left(\sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{a + b \cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 4.87, size = 403, normalized size = 2.25

$$B \left(\frac{4b^2 \sin(c+dx)}{(a^2-b^2)\sqrt{a+b \cos(c+dx)}} - \frac{2(2a^2-3b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} - \frac{4ab \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} - \frac{2i \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{a+b}}}{\sqrt{a+b \cos(c+dx)}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (B*(-(((4*a*b*Sqrt[a + b*Cos[c + d*x]]/(a + b))*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(2*a^2 - 3*b^2)*Sqrt[a + b*Cos[c + d*x]]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))/(a*Sqrt[-(a + b)^(-1)]))/((-a + b)*(a + b))) + (4*b^2*Sin[c + d*x])/((a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]))/(2*a*d)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2), x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)/(b*cos(d*x + c) + a)^(5/2), x)

maple [A] time = 1.81, size = 377, normalized size = 2.11

$$2B \left(\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{a-b}} + \frac{a+b}{a-b} b \operatorname{EllipticE} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{-\frac{2b}{a-b}} \right) a - b^2 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{a-b}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x)

[Out] 2*B*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a-b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))*a^2-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))*b^2+2*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/a/(a-b)/(a+b)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)/(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{Ba + Bb \cos(c + dx)}{\cos(c + dx) (a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^(5/2)),x)

[Out] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)*(a + b*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

$$3.345 \quad \int \cos^2(c+dx)(a+b \cos(c+dx))(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=170

$$\frac{10(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(9aA + 7bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(aB + Ab) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{2(9aA + 7bB) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d}$$

[Out] $2/15*(9*A*a+7*B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+10/21*(A*b+B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/45*(9*A*a+7*B*b)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*(A*b+B*a)*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/9*b*B*\cos(d*x+c)^{(7/2)}*\sin(d*x+c)/d+10/21*(A*b+B*a)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.21, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2968, 3023, 2748, 2635, 2639, 2641}

$$\frac{10(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(9aA + 7bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(aB + Ab) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{2(9aA + 7bB) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(5/2)}*(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x]), x]$

[Out] $(2*(9*a*A + 7*b*B)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (10*(A*b + a*B)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (10*(A*b + a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*(9*a*A + 7*b*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(45*d) + (2*(A*b + a*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d) + (2*b*B*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(9*d)$

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x$

Rule 2968

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] := \text{Int}[(a$

+ b*Sin[e + f*x]^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^{\frac{5}{2}}(c + dx) (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) dx \\ &= \frac{2bB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d} + \frac{2}{9} \int \cos^{\frac{5}{2}}(c + dx) (aA + (Ab + aB) \cos(c + dx)) dx \\ &= \frac{2bB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d} + (Ab + aB) \int \cos^{\frac{5}{2}}(c + dx) (a + b \cos(c + dx)) dx \\ &= \frac{2(9aA + 7bB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{45d} + \frac{2(Ab + aB) \int \cos^{\frac{5}{2}}(c + dx) (a + b \cos(c + dx)) dx}{21d} \\ &= \frac{2(9aA + 7bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10(Ab + aB)\sqrt{\cos(c + dx)}}{21d} \\ &= \frac{2(9aA + 7bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10(Ab + aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

Mathematica [A] time = 1.29, size = 125, normalized size = 0.74

$$\frac{300(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 84(9aA + 7bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}(7(36aA + 43bB))}{630d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]
[Out] (84*(9*a*A + 7*b*B)*EllipticE[(c + d*x)/2, 2] + 300*(A*b + a*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(7*(36*a*A + 43*b*B)*Cos[c + d*x] + 5*(78*A*b + 78*a*B + 18*(A*b + a*B)*Cos[2*(c + d*x)] + 7*b*B*Cos[3*(c + d*x)]))*Sin[c + d*x])/(630*d)

fricas [F] time = 0.90, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^4 + Aa \cos(dx + c)^2 + (Ba + Ab) \cos(dx + c)^3\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")
[Out] integral((B*b*cos(d*x + c)^4 + A*a*cos(d*x + c)^2 + (B*a + A*b)*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*cos(d*x + c)^(5/2), x)

maple [B] time = 1.47, size = 451, normalized size = 2.65

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-1120Bb \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (720Ab + 720aB + 2240\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out]
$$-2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*B*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(720*A*b+720*B*a+2240*B*b)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-504*A*a-1080*A*b-1080*B*a-2072*B*b)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(504*A*a+840*A*b+840*B*a+952*B*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-126*A*a-240*A*b-240*B*a-168*B*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+75*A*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-189*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a+75*a*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-147*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*cos(d*x + c)^(5/2), x)

mupad [B] time = 1.35, size = 177, normalized size = 1.04

$$\frac{2 A a \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)^2\right)}{7 d \sqrt{\sin(c + dx)^2}} - \frac{2 A b \cos(c + dx)^{9/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}\right)}{9 d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(5/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x)),x)

[Out]
$$-(2*A*a*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*A*b*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(9*d*(\sin(c + d*x)^2)^{(1/2)})$$

$$\begin{aligned} & /2)) - (2*B*a*\cos(c + d*x)^{9/2}*\sin(c + d*x)*\text{hypergeom}([1/2, 9/4], 13/4, \cos(c + d*x)^2)) / (9*d*(\sin(c + d*x)^2)^{1/2}) - (2*B*b*\cos(c + d*x)^{11/2}*\sin(c + d*x)*\text{hypergeom}([1/2, 11/4], 15/4, \cos(c + d*x)^2)) / (11*d*(\sin(c + d*x)^2)^{1/2}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.346 \quad \int \cos^2(c+dx)(a+b \cos(c+dx))(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=140

$$\frac{2(7aA + 5bB)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{6(aB + Ab)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(aB + Ab) \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{2(7aA + 5bB)}{21d}$$

[Out] $6/5*(A*b+B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/21*(7*A*a+5*B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*(A*b+B*a)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*b*B*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/21*(7*A*a+5*B*b)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.18, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{2(7aA + 5bB)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{6(aB + Ab)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(aB + Ab) \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{2(7aA + 5bB)}{21d}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]`

[Out] $(6*(A*b + a*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(7*a*A + 5*b*B)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*(7*a*A + 5*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*(A*b + a*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*b*B*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d)$

Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

Rule 2968

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),`

`x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]`

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^{\frac{3}{2}}(c + dx) (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) dx \\ &= \frac{2bB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{2}{7} \int \cos^{\frac{3}{2}}(c + dx) (aA + (Ab + aB) \cos(c + dx)) dx \\ &= \frac{2bB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + (Ab + aB) \int \cos^{\frac{3}{2}}(c + dx) (aA + \cos(c + dx)) dx \\ &= \frac{2(7aA + 5bB) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2(Ab + aB) \int \cos^{\frac{3}{2}}(c + dx) dx}{21d} \\ &= \frac{6(Ab + aB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(7aA + 5bB) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

Mathematica [A] time = 0.86, size = 103, normalized size = 0.74

$$\frac{10(7aA + 5bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 126(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}(42(aB + Ab) \cos(c + dx) + 105d)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]

[Out] (126*(A*b + a*B)*EllipticE[(c + d*x)/2, 2] + 10*(7*a*A + 5*b*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(70*a*A + 65*b*B + 42*(A*b + a*B)*Cos[c + d*x] + 15*b*B*Cos[2*(c + d*x)])*Sin[c + d*x])/(105*d)

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^3 + Aa \cos(dx + c) + (Ba + Ab) \cos(dx + c)^2\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^3 + A*a*cos(d*x + c) + (B*a + A*b)*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.39, size = 413, normalized size = 2.95

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240Bb \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168Ab - 168aB - 360Bb)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)

[Out]
$$-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*B*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A*b-168*B*a-360*B*b)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(140*A*a+168*A*b+168*B*a+280*B*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-70*A*a-42*A*b-42*B*a-80*B*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+35*a*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b+25*B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*cos(d*x + c)^(3/2), x)

mupad [B] time = 1.16, size = 166, normalized size = 1.19

$$\frac{2 A a \left(\sqrt{\cos(c + dx)} \sin(c + dx) + F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{3 d} - \frac{2 A b \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)\right)}{7 d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x)),x)

[Out]
$$(2*A*a*(\cos(c + d*x)^{(1/2)}*\sin(c + d*x) + \text{ellipticF}(c/2 + (d*x)/2, 2)))/(3*d) - (2*A*b*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*B*a*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*B*b*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(9*d*(\sin(c + d*x)^2)^{(1/2)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.347 \quad \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))(A + B \cos(c + dx)) dx$$

Optimal. Leaf size=108

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx) \sqrt{\cos(c + dx)}}{3d} + \frac{2bB \sin(c + dx)}{3d}$$

[Out] $2/5*(5*A*a+3*B*b)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*(A*b+B*a)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/5*b*B*cos(d*x+c)^{(3/2)*sin(d*x+c)/d+2/3*(A*b+B*a)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.17, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx) \sqrt{\cos(c + dx)}}{3d} + \frac{2bB \sin(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]`

[Out] $(2*(5*a*A + 3*b*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(A*b + a*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*b*B*Cos[c + d*x]^{(3/2)*Sin[c + d*x])/(5*d}$

Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

Rule 2968

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Ssin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Ssin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]`

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \sqrt{\cos(c + dx)} (aA + (Ab + aB) \cos(c + dx) + \\ &= \frac{2bB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\cos(c + dx)} \\ &= \frac{2bB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + (Ab + aB) \int \cos \\ &= \frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(Ab + aB)\sqrt{\cos(c + dx)}}{3d} \\ &= \frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(Ab + aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

Mathematica [A] time = 0.41, size = 86, normalized size = 0.80

$$\frac{2\left(5(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}(5aB + 5Ab + 3bB)\right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]
[Out] (2*(3*(5*a*A + 3*b*B)*EllipticE[(c + d*x)/2, 2] + 5*(A*b + a*B)*EllipticF[(c
+ d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(5*A*b + 5*a*B + 3*b*B*Cos[c + d*x])*Si
n[c + d*x]))/(15*d)
```

fricas [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(cos(d*x
+ c)), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="
giac")
```

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sqrt(cos(d*x + c)), x)

maple [B] time = 1.24, size = 371, normalized size = 3.44

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-24Bb \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20Ab + 20aB + 24Bb)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)), x)

[Out] $-2/15 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-24 * B * b * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 6 + (20 * A * b + 20 * B * a + 24 * B * b) * \sin(1/2 * d * x + 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) + (-10 * A * b - 10 * B * a - 6 * B * b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c) + 5 * A * b * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 15 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a + 5 * a * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 9 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * b) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sqrt(cos(d*x + c)), x)

mupad [B] time = 1.01, size = 128, normalized size = 1.19

$$\frac{2 A b \left(\sqrt{\cos(c+d x)} \sin(c+d x)+F\left(\frac{c}{2}+\frac{d x}{2} \mid 2\right)\right)}{3 d}+\frac{2 B a \left(\sqrt{\cos(c+d x)} \sin(c+d x)+F\left(\frac{c}{2}+\frac{d x}{2} \mid 2\right)\right)}{3 d}+\frac{2 A a E\left(\sqrt{\cos(c+d x)}\right)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x)), x)

[Out] $(2 * A * b * (\cos(c + d * x) ^ (1/2) * \sin(c + d * x) + \text{ellipticF}(c/2 + (d * x)/2, 2)))/(3 * d) + (2 * B * a * (\cos(c + d * x) ^ (1/2) * \sin(c + d * x) + \text{ellipticF}(c/2 + (d * x)/2, 2)))/(3 * d) + (2 * A * a * \text{ellipticE}(c/2 + (d * x)/2, 2))/d - (2 * B * b * \cos(c + d * x) ^ (7/2) * \sin(c + d * x) * \text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d * x) ^ 2))/(7 * d * (\sin(c + d * x) ^ 2) ^ (1/2))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)), x)

[Out] Timed out

$$3.348 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=75

$$\frac{2(3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2bB \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

[Out] 2*(A*b+B*a)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/d+2/3*(3*A*a+B*b)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/d+2/3*b*B*sin(d*x+c)*cos(d*x+c)^(1/2)/d

Rubi [A] time = 0.15, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2968, 3023, 2748, 2641, 2639}

$$\frac{2(3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2bB \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] (2*(A*b + a*B)*EllipticE[(c + d*x)/2, 2])/d + (2*(3*a*A + b*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2bB\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}(3aA + bB) + \frac{3}{2}(Ab + aB)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2bB\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + (Ab + aB) \int \sqrt{\cos(c + dx)} dx + \\
&= \frac{2(Ab + aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2b}{3}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 67, normalized size = 0.89

$$\frac{2\left((3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + bB \sin(c + dx)\sqrt{\cos(c + dx)}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] (2*(3*(A*b + a*B)*EllipticE[(c + d*x)/2, 2] + (3*a*A + b*B)*EllipticF[(c + d*x)/2, 2] + b*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x]))/(3*d)

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))/sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/sqrt(cos(d*x + c)), x)

maple [B] time = 1.28, size = 326, normalized size = 4.35

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\left(4Bb \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3aA\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x)

[Out]
$$-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*B*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+3*a*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+a-2*B*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/sqrt(cos(d*x + c)), x)

mupad [B] time = 0.99, size = 85, normalized size = 1.13

$$\frac{2 B b \left(\sqrt{\cos(c + d x)} \sin(c + d x) + F\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right) \right)}{3 d} + \frac{2 A a F\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right)}{d} + \frac{2 A b E\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right)}{d} + \frac{2 B a E\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/cos(c + d*x)^(1/2),x)

[Out]
$$(2*B*b*(\cos(c + d*x)^{(1/2)}*\sin(c + d*x) + \text{ellipticF}(c/2 + (d*x)/2, 2)))/(3*d) + (2*A*a*\text{ellipticF}(c/2 + (d*x)/2, 2))/d + (2*A*b*\text{ellipticE}(c/2 + (d*x)/2, 2))/d + (2*B*a*\text{ellipticE}(c/2 + (d*x)/2, 2))/d$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] Timed out

$$3.349 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=71

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{2(aA - bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

[Out] $-2*(A*a-B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2*(A*b+B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2*a*A*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2968, 3021, 2748, 2641, 2639}

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{2(aA - bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(3/2)}, x]$

[Out] $(-2*(a*A - b*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(A*b + a*B)*\text{EllipticF}[(c + d*x)/2, 2])/d + (2*a*A*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2968

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3021

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]) + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2}, x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B,$

C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{1}{2}(Ab + aB) - \frac{1}{2}(aA - bB) \cos(c + dx)}{\sqrt{\cos(c + dx)}} \\ &= \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + (Ab + aB) \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (-aA + bB) \int \frac{\cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= -\frac{2(aA - bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(Ab + aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \end{aligned}$$

Mathematica [A] time = 0.36, size = 64, normalized size = 0.90

$$\frac{2 \left((aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + (bB - aA)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{aA \sin(c + dx)}{\sqrt{\cos(c + dx)}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (2*((-(a*A) + b*B)*EllipticE[(c + d*x)/2, 2] + (A*b + a*B)*EllipticF[(c + d*x)/2, 2] + (a*A*Sin[c + d*x])/Sqrt[Cos[c + d*x]]))/d

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))/cos(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/cos(d*x + c)^(3/2), x)

maple [B] time = 1.41, size = 244, normalized size = 3.44

$$\frac{2 \left(Ab \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \text{EllipticF} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) + A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} \right. \right. \right.}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)`

[Out] `-2*(A*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a-2*A*a*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+a*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/cos(d*x + c)^(3/2), x)`

mupad [B] time = 1.44, size = 96, normalized size = 1.35

$$\frac{2 A b F\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right)}{d} + \frac{2 B a F\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right)}{d} + \frac{2 B b E\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right)}{d} + \frac{2 A a \sin(c + d x) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + d x)^2\right)}{d \sqrt{\cos(c + d x)} \sqrt{\sin(c + d x)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/cos(c + d*x)^(3/2),x)`

[Out] `(2*A*b*ellipticF(c/2 + (d*x)/2, 2))/d + (2*B*a*ellipticF(c/2 + (d*x)/2, 2))/d + (2*B*b*ellipticE(c/2 + (d*x)/2, 2))/d + (2*A*a*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)`

[Out] Timed out

$$3.350 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=103

$$\frac{2(aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(aB + Ab) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] $-2*(A*b+B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*(A*a+3*B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a*A*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2*(A*b+B*a)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{2(aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(aB + Ab) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(5/2)}, x]$

[Out] $(-2*(A*b + a*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(a*A + 3*b*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*A*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(A*b + a*B)*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^{2*(n + 1)}), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /;$ FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /;$ FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= \int \frac{aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{3}{2}(Ab + aB) + \frac{1}{2}(aA + 3bB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + (Ab + aB) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + \frac{1}{3}(aA + 3bB) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2(aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB) \operatorname{Si}\left(\frac{1}{2}(c + dx)\right)}{d \sqrt{\cos(c + dx)}} \\ &= -\frac{2(Ab + aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \end{aligned}$$

Mathematica [A] time = 0.48, size = 107, normalized size = 1.04

$$\frac{2\left((aA + 3bB)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 3(aB + Ab)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) + aA \tan(c + dx) + 3aB\right)}{3d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] (2*(-3*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + (a*A + 3*
b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 3*A*b*Sin[c + d*x] + 3*
a*B*Sin[c + d*x] + a*A*Tan[c + d*x]))/(3*d*Sqrt[Cos[c + d*x]])
```

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x, algorithm="
fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))/cos(d*x + c)
^(5/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)

maple [B] time = 3.24, size = 428, normalized size = 4.16

$$\frac{\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(\frac{2Bb\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) + \frac{2(Ab+...}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right) + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*(A*b+B*a)*(-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)+2*a*A*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-1/2+cos(1/2*d*x+1/2*c)^2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)

mupad [B] time = 1.97, size = 150, normalized size = 1.46

$$\frac{2 B b F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2 A a \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{3 d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}} + \frac{2 A b \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/cos(c + d*x)^(5/2),x)

[Out] (2*B*b*ellipticF(c/2 + (d*x)/2, 2))/d + (2*A*a*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (2*A*b*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2)) + (2*B*a*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)

[Out] Timed out

$$3.351 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=140

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(3aA + 5bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(3aA + 5bB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}$$

[Out] $-2/5*(3*A*a+5*B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*(A*b+B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a*A*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+2/3*(A*b+B*a)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/5*(3*A*a+5*B*b)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(3aA + 5bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(3aA + 5bB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(7/2)}, x]$

[Out] $(-2*(3*a*A + 5*b*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(A*b + a*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*A*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*(A*b + a*B)*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(3*a*A + 5*b*B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)(x_)]^{(n_*)}, x_Symbol] := \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)(x_)]), x_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2968

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)(x_)]^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)(x_)]), x_Symbol] := \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2),$

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx &= \int \frac{aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{5}{2}(Ab + aB) + \frac{1}{2}(3aA + 5bB) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + (Ab + aB) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + \frac{1}{5}(3aA + 5bB) \int \frac{\cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(3aA + 5bB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} \\ &= -\frac{2(3aA + 5bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(Ab + aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \end{aligned}$$

Mathematica [A] time = 0.83, size = 134, normalized size = 0.96

$$\frac{10(aB + Ab) \cos^{\frac{3}{2}}(c + dx)F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6(3aA + 5bB) \cos^{\frac{3}{2}}(c + dx)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 9aA \sin(2(c + dx)) + 6(3aA + 5bB) \sin(2(c + dx))}{15d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] (-6*(3*a*A + 5*b*B)*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 10*(A*b + a*B)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 10*A*b*Sin[c + d*x] + 10*a*B*Sin[c + d*x] + 9*a*A*Sin[2*(c + d*x)] + 15*b*B*Sin[2*(c + d*x)] + 6*a*A*Tan[c + d*x])/(15*d*Cos[c + d*x]^(3/2))

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))/cos(d*x + c)^(7/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/cos(d*x + c)^(7/2), x)

maple [B] time = 4.02, size = 663, normalized size = 4.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B*b*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)-2/5*a*A/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(A*b+B*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/cos(d*x + c)^(7/2), x)

mupad [B] time = 2.39, size = 177, normalized size = 1.26

$$\frac{2 A a \sin(c + d x) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + d x)^2\right)}{5 d \cos(c + d x)^{5/2} \sqrt{\sin(c + d x)^2}} + \frac{2 A b \sin(c + d x) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + d x)^2\right)}{3 d \cos(c + d x)^{3/2} \sqrt{\sin(c + d x)^2}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/cos(c + d*x)^(7/2),x)

```
[Out] (2*A*a*sin(c + d*x)*hypergeom([-5/4, 1/2], -1/4, cos(c + d*x)^2))/(5*d*cos(c + d*x)^(5/2)*(sin(c + d*x)^2)^(1/2)) + (2*A*b*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (2*B*a*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (2*B*b*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```


$$3.352 \quad \int \cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=264

$$\frac{2(9a^2A + 14abB + 7Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2(9a^2A + 14abB + 7Ab^2)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{45d} + \frac{10(11a(aB -$$

[Out] $2/15*(9*A*a^2+7*A*b^2+14*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+10/231*(9*b^2*B+11*a*(2*A*b+B*a))*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/45*(9*A*a^2+7*A*b^2+14*B*a*b)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/77*(9*b^2*B+11*a*(2*A*b+B*a))*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/99*b*(11*A*b+13*B*a)*\cos(d*x+c)^{(7/2)}*\sin(d*x+c)/d+2/11*b*B*\cos(d*x+c)^{(7/2)}*(a+b*\cos(d*x+c))*\sin(d*x+c)/d+10/231*(9*b^2*B+11*a*(2*A*b+B*a))*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.38, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2990, 3023, 2748, 2635, 2639, 2641}

$$\frac{2(9a^2A + 14abB + 7Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2(9a^2A + 14abB + 7Ab^2)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{45d} + \frac{10(11a(aB -$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^{(5/2)}*(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x]),x]$

[Out] $(2*(9*a^2*A + 7*A*b^2 + 14*a*b*B)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (10*(9*b^2*B + 11*a*(2*A*b + a*B))*\text{EllipticF}[(c + d*x)/2, 2])/(231*d) + (10*(9*b^2*B + 11*a*(2*A*b + a*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(231*d) + (2*(9*a^2*A + 7*A*b^2 + 14*a*b*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(45*d) + (2*(9*b^2*B + 11*a*(2*A*b + a*B))*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(77*d) + (2*b*(11*A*b + 13*a*B)*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(99*d) + (2*b*B*\text{Cos}[c + d*x]^{(7/2)}*(a + b*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(11*d)$

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)}]/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])]/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])]/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\int \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx = \frac{2bB \cos^{\frac{7}{2}}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{11d} + \frac{2b(11Ab + 13aB) \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{99d} + \frac{2b(11Ab + 13aB) \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{99d} + \frac{2(9a^2A + 7Ab^2 + 14abB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{45d} = \frac{2(9a^2A + 7Ab^2 + 14abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10(9b^2A + 7abB + 3a^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + 2 \sin(c + dx) \sqrt{a + b \cos(c + dx)}$$

Mathematica [A] time = 1.77, size = 196, normalized size = 0.74

$$1200(11a^2B + 22aAb + 9b^2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3696(9a^2A + 14abB + 7Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 2 \sin(c + dx) \sqrt{a + b \cos(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]
[Out] (3696*(9*a^2*A + 7*A*b^2 + 14*a*b*B)*EllipticE[(c + d*x)/2, 2] + 1200*(22*a
*A*b + 11*a^2*B + 9*b^2*B)*EllipticF[(c + d*x)/2, 2] + 2*Sqrt[Cos[c + d*x]]
*(154*(36*a^2*A + 43*A*b^2 + 86*a*b*B)*Cos[c + d*x] + 180*(22*a*A*b + 11*a^
2*B + 16*b^2*B)*Cos[2*(c + d*x)] + 770*b*(A*b + 2*a*B)*Cos[3*(c + d*x)] + 1
5*(1144*a*A*b + 572*a^2*B + 531*b^2*B + 21*b^2*B*Cos[4*(c + d*x)]))*Sin[c +
d*x])/(27720*d)
```

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx+c)^5 + Aa^2 \cos(dx+c)^2 + (2Bab + Ab^2) \cos(dx+c)^4 + (Ba^2 + 2Aab) \cos(dx+c)^3\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^5 + A*a^2*cos(d*x + c)^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^4 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^2 \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*cos(d*x + c)^(5/2), x)

maple [B] time = 1.29, size = 666, normalized size = 2.52

$$2\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(20160Bb^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{12}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-12320Ab^2 - 24640A^2b)\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)

[Out] -2/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(20160*B*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-12320*A*b^2-24640*B*a*b-50400*B*b^2)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(15840*A*a*b+24640*A*b^2+7920*B*a^2+49280*B*a*b+56880*B*b^2)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-5544*A*a^2-23760*A*a*b-22792*A*b^2-11880*B*a^2-45584*B*a*b-34920*B*b^2)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(5544*A*a^2+18480*A*a*b+10472*A*b^2+9240*B*a^2+20944*B*a*b+13860*B*b^2)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-1386*A*a^2-5280*A*a*b-1848*A*b^2-2640*B*a^2-3696*B*a*b-2790*B*b^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2079*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-1617*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2+1650*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3234*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b+825*a^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+675*b^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^2 \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*cos(d*x + c)^(5/2), x)

mupad [B] time = 1.53, size = 275, normalized size = 1.04

$$\frac{2 A a^2 \cos(c + d x)^{7/2} \sin(c + d x) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + d x)^2\right)}{7 d \sqrt{\sin(c + d x)^2}} - \frac{2 B a^2 \cos(c + d x)^{9/2} \sin(c + d x) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; \cos(c + d x)^2\right)}{9 d \sqrt{\sin(c + d x)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(5/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2,x)

[Out] - (2*A*a^2*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*B*a^2*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2)) - (2*A*b^2*cos(c + d*x)^(11/2)*sin(c + d*x)*hypergeom([1/2, 11/4], 15/4, cos(c + d*x)^2))/(11*d*(sin(c + d*x)^2)^(1/2)) - (2*B*b^2*cos(c + d*x)^(13/2)*sin(c + d*x)*hypergeom([1/2, 13/4], 17/4, cos(c + d*x)^2))/(13*d*(sin(c + d*x)^2)^(1/2)) - (4*A*a*b*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2)) - (4*B*a*b*cos(c + d*x)^(11/2)*sin(c + d*x)*hypergeom([1/2, 11/4], 15/4, cos(c + d*x)^2))/(11*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+b*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.353 \quad \int \cos^3(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=223

$$\frac{2(7a^2A + 10abB + 5Ab^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2(7a^2A + 10abB + 5Ab^2)\sin(c+dx)\sqrt{\cos(c+dx)}}{21d} + \frac{2(9a(aB +$$

```
[Out] 2/15*(7*b^2*B+9*a*(2*A*b+B*a))*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/d+2/21*(7*A*a^2+5*A*b^2+10*B*a*b)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/d+2/45*(7*b^2*B+9*a*(2*A*b+B*a))*cos(d*x+c)^(3/2)*sin(d*x+c)/d+2/63*b*(9*A*b+11*B*a)*cos(d*x+c)^(5/2)*sin(d*x+c)/d+2/9*b*B*cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))*sin(d*x+c)/d+2/21*(7*A*a^2+5*A*b^2+10*B*a*b)*sin(d*x+c)*cos(d*x+c)^(1/2)/d
```

Rubi [A] time = 0.33, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2990, 3023, 2748, 2635, 2641, 2639}

$$\frac{2(7a^2A + 10abB + 5Ab^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2(7a^2A + 10abB + 5Ab^2)\sin(c+dx)\sqrt{\cos(c+dx)}}{21d} + \frac{2(9a(aB +$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*(7*b^2*B + 9*a*(2*A*b + a*B))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(7*a^2*A + 5*A*b^2 + 10*a*b*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(7*a^2*A + 5*A*b^2 + 10*a*b*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*(7*b^2*B + 9*a*(2*A*b + a*B))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*b*(9*A*b + 11*a*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d) + (2*b*B*cos[c + d*x]^(5/2)*(a + b*cos[c + d*x])*Sin[c + d*x])/(9*d)
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx = \frac{2bB \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{9d} + \frac{2b(9Ab + 11aB) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2bB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2(7a^2A + 5Ab^2 + 10abB) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2(7b^2B + 9a(2Ab + aB)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(7a^2A + 5Ab^2 + 10abB) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d}$$

Mathematica [A] time = 1.41, size = 167, normalized size = 0.75

$$60(7a^2A + 10abB + 5Ab^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 84(9a^2B + 18aAb + 7b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx) \sqrt{\cos(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]
[Out] (84*(18*a*A*b + 9*a^2*B + 7*b^2*B)*EllipticE[(c + d*x)/2, 2] + 60*(7*a^2*A + 5*A*b^2 + 10*a*b*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(7*(72*a*A*b + 36*a^2*B + 43*b^2*B)*Cos[c + d*x] + 5*(84*a^2*A + 78*A*b^2 + 156*a*b*B + 18*b*(A*b + 2*a*B)*Cos[2*(c + d*x)] + 7*b^2*B*Cos[3*(c + d*x)]))*Sin[c + d*x])/(630*d)
```

fricas [F] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral} \left((Bb^2 \cos(dx + c)^4 + Aa^2 \cos(dx + c) + (2 Bab + Ab^2) \cos(dx + c)^3 + (Ba^2 + 2 Aab) \cos(dx + c)^2) \sqrt{\cos(dx + c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^4 + A*a^2*cos(d*x + c) + (2*B*a*b + A*b^2)*cos(d*x + c)^3 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2), x)

maple [B] time = 1.31, size = 610, normalized size = 2.74

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-1120Bb^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (720Ab^2 + 1440Ba^2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*B*b^2 \\ & * \cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(720*A*b^2+1440*B*a*b+2240*B*b^2) \\ & * \sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-1008*A*a*b-1080*A*b^2-504*B*a^2- \\ & 2160*B*a*b-2072*B*b^2)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(420*A*a^2+1 \\ & 008*A*a*b+840*A*b^2+504*B*a^2+1680*B*a*b+952*B*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos \\ & (1/2*d*x+1/2*c)+(-210*A*a^2-252*A*a*b-240*A*b^2-126*B*a^2-480*B*a*b-168*B* \\ & b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+105*a^2*A*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & +75*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-378*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\\ & 2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b+1 \\ & 50*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF \\ & (\cos(1/2*d*x+1/2*c),2^{(1/2)})-189*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin \\ & (1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-147*B* \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos \\ & (1/2*d*x+1/2*c),2^{(1/2)})*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2), x)

mupad [B] time = 1.35, size = 264, normalized size = 1.18

$$\frac{2 A a^2 \left(\sqrt{\cos(c + dx)} \sin(c + dx) + F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{3 d} - \frac{2 B a^2 \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)\right)}{7 d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2,x)

[Out] (2*A*a^2*(cos(c + d*x)^(1/2)*sin(c + d*x) + ellipticF(c/2 + (d*x)/2, 2)))/(3*d) - (2*B*a^2*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*A*b^2*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2)) - (2*B*b^2*cos(c + d*x)^(11/2)*sin(c + d*x)*hypergeom([1/2, 11/4], 15/4, cos(c + d*x)^2))/(11*d*(sin(c + d*x)^2)^(1/2)) - (4*A*a*b*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (4*B*a*b*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.354 \quad \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) dx$$

Optimal. Leaf size=182

$$\frac{2(5a^2A + 6abB + 3Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(7a(aB + 2Ab) + 5b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(7a(aB + 2Ab) + 5b^2B)}{21d}$$

[Out] $\frac{2}{5}*(5*A*a^2+3*A*b^2+6*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/21*(5*b^2*B+7*a*(2*A*b+B*a))*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/35*b*(7*A*b+9*B*a)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*b*B*\cos(d*x+c)^{(3/2)}*(a+b*\cos(d*x+c))*\sin(d*x+c)/d+2/21*(5*b^2*B+7*a*(2*A*b+B*a))*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.32, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2990, 3023, 2748, 2639, 2635, 2641}

$$\frac{2(5a^2A + 6abB + 3Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(7a(aB + 2Ab) + 5b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(7a(aB + 2Ab) + 5b^2B)}{21d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]), x]

[Out] $(2*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(5*b^2*B + 7*a*(2*A*b + a*B))*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*(5*b^2*B + 7*a*(2*A*b + a*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*b*(7*A*b + 9*a*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(35*d) + (2*b*B*\text{Cos}[c + d*x]^{(3/2)}*(a + b*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(7*d)$

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S

```
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) dx &= \frac{2bB \cos^{\frac{3}{2}}(c + dx) (a + b \cos(c + dx)) \sin(c + dx)}{7d} + \\ &= \frac{2b(7Ab + 9aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2bB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \\ &= \frac{2(5a^2A + 3Ab^2 + 6abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(5b^2A + 3aB^2 + 6abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \\ &= \frac{2(5a^2A + 3Ab^2 + 6abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(5b^2A + 3aB^2 + 6abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} \end{aligned}$$

Mathematica [A] time = 1.13, size = 139, normalized size = 0.76

$$\frac{10(7a^2B + 14aAb + 5b^2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 42(5a^2A + 6abB + 3Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx) \sqrt{\cos(c + dx)}}{105d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]
[Out] (42*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticE[(c + d*x)/2, 2] + 10*(14*a*A*b + 7*a^2*B + 5*b^2*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(42*b*(A*b + 2*a*B)*Cos[c + d*x] + 5*(28*a*A*b + 14*a^2*B + 13*b^2*B + 3*b^2*B*Cos[2*(c + d*x)]))*Sin[c + d*x])/(105*d)
```

fricas [F] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)

maple [B] time = 1.44, size = 548, normalized size = 3.01

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240Bb^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168Ab^2 - 336Bab - \dots)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)

[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*B*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-168*A*b^2-336*B*a*b-360*B*b^2)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(280*A*a*b+168*A*b^2+140*B*a^2+336*B*a*b+280*B*b^2)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-140*A*a*b-42*A*b^2-70*B*a^2-84*B*a*b-80*B*b^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+70*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-105*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2+35*a^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+25*b^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-126*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)

mupad [B] time = 1.34, size = 229, normalized size = 1.26

$$\frac{2Ba^2 \left(\sqrt{\cos(c+dx)} \sin(c+dx) + F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{3d} + \frac{2Aa^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2Aab \left(\frac{2\sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{2F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2,x)
```

```
[Out] (2*B*a^2*(cos(c + d*x)^(1/2)*sin(c + d*x) + ellipticF(c/2 + (d*x)/2, 2)))/(
3*d) + (2*A*a^2*ellipticE(c/2 + (d*x)/2, 2))/d + (2*A*a*b*((2*cos(c + d*x)^(
1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d - (2*A*b^2*co
s(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/
(7*d*(sin(c + d*x)^2)^(1/2)) - (2*B*b^2*cos(c + d*x)^(9/2)*sin(c + d*x)*hyp
ergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2)) - (4
*B*a*b*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c +
d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(a+b*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.355 \quad \int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=140

$$\frac{2(3a^2A + 2abB + Ab^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2(5a(aB + 2Ab) + 3b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2b(7aB + 5Ab)\sin(c+dx)}{15d}$$

[Out] $\frac{2}{5}*(3*b^2*B+5*a*(2*A*b+B*a))*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*(3*A*a^2+A*b^2+2*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/15*b*(5*A*b+7*B*a)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d+2/5*b*B*(a+b*\cos(d*x+c))*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.27, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2990, 3023, 2748, 2641, 2639}

$$\frac{2(3a^2A + 2abB + Ab^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2(5a(aB + 2Ab) + 3b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2b(7aB + 5Ab)\sin(c+dx)}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])]/\text{Sqrt}[\text{Cos}[c + d*x]], x]$

[Out] $(2*(3*b^2*B + 5*a*(2*A*b + a*B))*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(3*a^2*A + A*b^2 + 2*a*b*B))*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*b*(5*A*b + 7*a*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]/(15*d) + (2*b*B*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/(5*d)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_)]]^{(m_)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2990

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]]^{(m_)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)])^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^2*A*d*(m+n+1) + b*B*(b*c*(m-1) + a*d*(n+1)) + (a*d*(2*A*b + a*B)*(m+n+1) - b*B*(a*c - b*d*(m+n)))*\text{Sin}[e + f*x] + b*(A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& (!\text{IGtQ}[n, 1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{2bB\sqrt{\cos(c + dx)}(a + b \cos(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{\frac{1}{2}a(5aA + 5aB \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2b(5Ab + 7aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2bB\sqrt{\cos(c + dx)}(a + b \cos(c + dx))}{15d} \\ &= \frac{2(3b^2B + 5a(2Ab + aB))E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(3a^2A + Ab^2 + 2abB)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} \end{aligned}$$

Mathematica [A] time = 0.60, size = 106, normalized size = 0.76

$$\frac{2\left(5(3a^2A + 2abB + Ab^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3(5a^2B + 10aAb + 3b^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + b \sin(c + dx)\sqrt{\cos(c + dx)}\right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],
x]
```

```
[Out] (2*(3*(10*a*A*b + 5*a^2*B + 3*b^2*B)*EllipticE[(c + d*x)/2, 2] + 5*(3*a^2*A
+ A*b^2 + 2*a*b*B)*EllipticF[(c + d*x)/2, 2] + b*Sqrt[Cos[c + d*x]]*(5*A*b
+ 10*a*B + 3*b*B*Cos[c + d*x])*Sin[c + d*x]))/(15*d)
```

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm
="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 +
(B*a^2 + 2*A*a*b)*cos(d*x + c))/sqrt(cos(d*x + c)), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)

maple [B] time = 1.19, size = 487, normalized size = 3.48

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-24Bb^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20Ab^2 + 40Bab + 24A^2b)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x)

[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*B*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(20*A*b^2+40*B*a*b+24*B*b^2)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-10*A*b^2-20*B*a*b-6*B*b^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+15*a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+5*A*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-30*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b+10*B*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-9*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)

mupad [B] time = 1.34, size = 177, normalized size = 1.26

$$\frac{Ab^2 \left(\frac{2\sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{{}_2F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3} \right)}{d} + \frac{2Aa^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2Ba^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2Bab \left(\frac{2\sqrt{\cos(c+dx)} \sin(c+dx)}{3} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2)/cos(c + d*x)^(1/2),x)

[Out] (A*b^2*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d + (2*A*a^2*ellipticF(c/2 + (d*x)/2, 2))/d + (2*B*a^2*ellipticE(c/2 + (d*x)/2, 2))/d + (2*B*a*b*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d + (4*A*a*b*ellipticE(c/2 + (d*x)/2, 2))/d - (2*B*b^2*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] Timed out

$$3.356 \quad \int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=121

$$\frac{2(3a^2B + 6aAb + b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(a^2A - 2abB - Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2b^2B \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

[Out] $-2*(A*a^2-A*b^2-2*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*(6*A*a*b+3*B*a^2+B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2*a^2*A*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}+2/3*b^2*B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.25, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2988, 3023, 2748, 2641, 2639}

$$\frac{2(3a^2B + 6aAb + b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(a^2A - 2abB - Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2b^2B \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(3/2)}, x]$

[Out] $(-2*(a^2*A - A*b^2 - 2*a*b*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(6*a*A*b + 3*a^2*B + b^2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*A*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*b^2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_)]]^{(m_)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2988

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]]^{2*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)])}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(B*c - A*d)*(b*c - a*d)^2*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(f*d^{2*(n + 1)}*(c^2 - d^2)), x] - \text{Dist}[1/(d^{2*(n + 1)}*(c^2 - d^2)), \text{Int}[(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d) - ((B*c - A*d)*(a^2*d^{2*(n + 2)} + b^2*(c^2 + d^2*(n + 1)))) + 2*a*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))]*\text{Sin}[e + f*x] - b^2*B*d*(n + 1)*(c^2 - d^2)*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1]$

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \frac{2a^2 A \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - 2 \int \frac{-\frac{1}{2}a(2Ab + aB) + \frac{1}{2}(a^2 A - Ab^2 - 2abB)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2a^2 A \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{2b^2 B \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} - \frac{4}{3} \int \frac{\frac{1}{4}(-b^2 A + a^2 B)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2a^2 A \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{2b^2 B \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} - (a^2 A - Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) \\ &= -\frac{2(a^2 A - Ab^2 - 2abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(6aAb + 3a^2 B + b^2 B)}{3d} \end{aligned}$$

Mathematica [A] time = 0.64, size = 102, normalized size = 0.84

$$\frac{2 \left((3a^2 B + 6aAb + b^2 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + (-3a^2 A + 6abB + 3Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{\sin(c + dx)(3a^2 A + b^2 B \cos(c + dx))}{\sqrt{\cos(c + dx)}} \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2),
x]
```

```
[Out] (2*((-3*a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticE[(c + d*x)/2, 2] + (6*a*A*b + 3
*a^2*B + b^2*B)*EllipticF[(c + d*x)/2, 2] + ((3*a^2*A + b^2*B*Cos[c + d*x])
*Sin[c + d*x])/Sqrt[Cos[c + d*x]]))/(3*d)
```

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)}{\cos(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm
="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 +
(B*a^2 + 2*A*a*b)*cos(d*x + c))/cos(d*x + c)^(3/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)

maple [B] time = 1.39, size = 404, normalized size = 3.34

$$2 \left(4Bb^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 6Aab \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)

[Out]
$$-2/3*(4*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+6*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-6*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+3*a^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b-2*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)

mupad [B] time = 1.57, size = 158, normalized size = 1.31

$$\frac{Bb^2 \left(\frac{2\sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{2F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3} \right)}{d} + \frac{2Ab^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2Ba^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4Aab F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4Bb^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2)/cos(c + d*x)^(3/2),x)

[Out]
$$(B*b^2*((2*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/3 + (2*\operatorname{ellipticF}(c/2 + (d*x)/2, 2))/3))/d + (2*A*b^2*\operatorname{ellipticE}(c/2 + (d*x)/2, 2))/d + (2*B*a^2*\operatorname{ellipticF}(c/2 + (d*x)/2, 2))/d + (4*A*a*b*\operatorname{ellipticF}(c/2 + (d*x)/2, 2))/d + (4*B*a*b*\operatorname{ellipticE}(c/2 + (d*x)/2, 2))/d + (2*A*a^2*\sin(c + d*x)*\operatorname{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

$$3.357 \quad \int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=126

$$\frac{2(a^2A + 6abB + 3Ab^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(a^2B + 2aAb - b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2A \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a(aB + b^2)}{d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] $-2*(2*A*a*b+B*a^2-B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*(A*a^2+3*A*b^2+6*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*a^2*A*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2*a*(2*A*b+B*a)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2988, 3021, 2748, 2641, 2639}

$$\frac{2(a^2A + 6abB + 3Ab^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(a^2B + 2aAb - b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2A \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a(aB + b^2)}{d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(5/2)}, x]$

[Out] $(-2*(2*a*A*b + a^2*B - b^2*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(a^2*A + 3*A*b^2 + 6*a*b*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*A*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(2*A*b + a*B)*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

Rule 2988

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{2*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])}, x_Symbol] \rightarrow \text{Simp}[(B*c - A*d)*(b*c - a*d)^2*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n + 1)}]/(f*d^{2*(n + 1)*(c^2 - d^2)}, x] - \text{Dist}[1/(d^{2*(n + 1)*(c^2 - d^2)}), \text{Int}[(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d) - ((B*c - A*d)*(a^2*d^{2*(n + 2)} + b^2*(c^2 + d^2*(n + 1))) + 2*a*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))]*\text{Sin}[e + f*x] - b^2*B*d*(n + 1)*(c^2 - d^2)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n$

, -1]

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx = \frac{2a^2 A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{2}{3} \int \frac{-\frac{3}{2}a(2Ab + aB) - \frac{1}{2}(a^2 A + 3Ab^2 + 6abB)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2 A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{4}{3} \int \frac{\frac{1}{4}(-a^2 A - 3Ab^2 - 6abB)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2 A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{1}{3} (-a^2 A - 3Ab^2 - 6abB) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= -\frac{2(2aAb + a^2 B - b^2 B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(a^2 A + 3Ab^2 + 6abB)}{3d}$$

Mathematica [A] time = 1.18, size = 105, normalized size = 0.83

$$\frac{2 \left((a^2 A + 6abB + 3Ab^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 3(a^2 B + 2aAb - b^2 B) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{a \sin(c + dx)(3(aB + 2Ab) \cos(c + dx) + a^2)}{\cos^3(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] (2*(-3*(2*a*A*b + a^2*B - b^2*B)*EllipticE[(c + d*x)/2, 2] + (a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticF[(c + d*x)/2, 2] + (a*(a*A + 3*(2*A*b + a*B)*Cos[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2)))/(3*d)
```

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)}{\cos(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))/cos(d*x + c)^(5/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/cos(d*x + c)^(5/2), x)

maple [B] time = 3.02, size = 677, normalized size = 5.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+4*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*a*(2*A*b+B*a)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2*a^2*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/cos(d*x + c)^(5/2), x)

mupad [B] time = 2.29, size = 194, normalized size = 1.54

$$\frac{2 A b^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2 B b^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4 B a b F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2 A a^2 \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)\right)}{3 d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2)/cos(c + d*x)^(5/2),x)
```

```
[Out] (2*A*b^2*ellipticF(c/2 + (d*x)/2, 2))/d + (2*B*b^2*ellipticE(c/2 + (d*x)/2,
2))/d + (4*B*a*b*ellipticF(c/2 + (d*x)/2, 2))/d + (2*A*a^2*sin(c + d*x)*hy
pergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c +
d*x)^2)^(1/2)) + (2*B*a^2*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c +
d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2)) + (4*A*a*b*sin(c +
d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(si
n(c + d*x)^2)^(1/2))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*2*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```


$$3.358 \quad \int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=172

$$\frac{2(a^2B + 2aAb + 3b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(3a^2A + 10abB + 5Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(3a^2A + 10abB + 5Ab^2)}{5d\sqrt{\cos(c+dx)}}$$

[Out] $-2/5*(3*A*a^2+5*A*b^2+10*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*(2*A*a*b+B*a^2+3*B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a^2*A*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+2/3*a*(2*A*b+B*a)*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/5*(3*A*a^2+5*A*b^2+10*B*a*b)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2988, 3021, 2748, 2636, 2639, 2641}

$$\frac{2(a^2B + 2aAb + 3b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(3a^2A + 10abB + 5Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(3a^2A + 10abB + 5Ab^2)}{5d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] $(-2*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(2*a*A*b + a^2*B + 3*b^2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*A*\sin[c + d*x])/(5*d*\cos[c + d*x]^{(5/2)}) + (2*a*(2*A*b + a*B)*\sin[c + d*x])/(3*d*\cos[c + d*x]^{(3/2)}) + (2*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*\sin[c + d*x])/(5*d*\text{Sqrt}[\cos[c + d*x]])$

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2988

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[
((B*c - A*d)*(b*c - a*d)^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*d^
2*(n + 1)*(c^2 - d^2)), x] - Dist[1/(d^2*(n + 1)*(c^2 - d^2)), Int[(c + d*S
in[e + f*x])^(n + 1)*Simp[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c -
2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a
*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))*Sin[e + f*x] - b^2*B*d*(n + 1
)*(c^2 - d^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n
, -1]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^2(A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx = \frac{2a^2 A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}a(2Ab + aB) - \frac{1}{2}(3a^2 A + 5Ab^2 + 10abB)}{\cos^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2a^2 A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{4}{15} \int \frac{-\frac{3}{4}(3a^2 A + 5Ab^2 + 10abB)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2 A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{1}{5} (-3a^2 A - 5Ab^2 - 10abB) \cos^{\frac{1}{2}}(c + dx)$$

$$= \frac{2(2aAb + a^2 B + 3b^2 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

$$= -\frac{2(3a^2 A + 5Ab^2 + 10abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(2aAb + a^2 B + 3b^2 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}$$

Mathematica [A] time = 1.11, size = 175, normalized size = 1.02

$$10(a^2 B + 2aAb + 3b^2 B) \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6(3a^2 A + 10abB + 5Ab^2) \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) - \frac{2(2aAb + a^2 B + 3b^2 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]
```

```
[Out] (-6*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 10*(2*a*A*b + a^2*B + 3*b^2*B)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 20*a*A*b*Sin[c + d*x] + 10*a^2*B*Sin[c + d*x] + 9*a^2*A*Sin[2*(c + d*x)] + 15*A*b^2*Sin[2*(c + d*x)] + 30*a*b*B*Sin[2*(c + d*x)] + 6*a^2*A*Tan[c + d*x])/(15*d*Cos[c + d*x]^(3/2))
```

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Bb^2 \cos(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx+c)^2 + (Ba^2 + 2Aab) \cos(dx+c)}{\cos(dx+c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))/cos(d*x + c)^(7/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^2}{\cos(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/cos(d*x + c)^(7/2), x)

maple [B] time = 4.04, size = 750, normalized size = 4.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*b*(A*b+2*B*a)*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)-2/5*a^2*A/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c))+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a*(2*A*b+B*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^2}{\cos(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/cos(d*x + c)^(7/2), x)

mupad [B] time = 2.62, size = 227, normalized size = 1.32

$$\frac{6 A a^2 \sin(c + dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + dx)^2\right) + 30 A b^2 \cos(c + dx)^2 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{15 d \cos(c + dx)^{5/2} \sqrt{1 - \cos(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2)/cos(c + d*x)^(7/2),x)

[Out] (6*A*a^2*sin(c + d*x)*hypergeom([-5/4, 1/2], -1/4, cos(c + d*x)^2) + 30*A*b^2*cos(c + d*x)^2*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2) + 20*A*a*b*cos(c + d*x)*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(15*d*cos(c + d*x)^(5/2)*(1 - cos(c + d*x)^2)^(1/2)) + (2*B*b^2*ellipticF(c/2 + (d*x)/2, 2))/d + (2*B*a^2*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (4*B*a*b*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)

[Out] Timed out

$$3.359 \quad \int \cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^3(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=305

$$\frac{2b(26a^2B + 33aAb + 9b^2B) \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{77d} + \frac{2(77a^3A + 165a^2bB + 165aAb^2 + 45b^3B) F\left(\frac{1}{2}(c+dx)\right)}{231d}$$

[Out] $2/15*(27*A*a^2*b+7*A*b^3+9*B*a^3+21*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/231*(77*A*a^3+165*A*a*b^2+165*B*a^2*b+45*B*b^3)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/45*(27*A*a^2*b+7*A*b^3+9*B*a^3+21*B*a*b^2)*cos(d*x+c)^{(3/2)}*sin(d*x+c)/d+2/77*b*(33*A*a*b+26*B*a^2+9*B*b^2)*cos(d*x+c)^{(5/2)}*sin(d*x+c)/d+2/99*b^2*(11*A*b+15*B*a)*cos(d*x+c)^{(7/2)}*sin(d*x+c)/d+2/11*b*B*cos(d*x+c)^{(5/2)}*(a+b*cos(d*x+c))^2*sin(d*x+c)/d+2/231*(77*A*a^3+165*A*a*b^2+165*B*a^2*b+45*B*b^3)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.54, antiderivative size = 305, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2990, 3033, 3023, 2748, 2635, 2641, 2639}

$$\frac{2(77a^3A + 165a^2bB + 165aAb^2 + 45b^3B) F\left(\frac{1}{2}(c+dx)\right)}{231d} + \frac{2(27a^2Ab + 9a^3B + 21ab^2B + 7Ab^3) E\left(\frac{1}{2}(c+dx)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]), x]

[Out] $(2*(27*a^2*A*b + 7*A*b^3 + 9*a^3*B + 21*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(77*a^3*A + 165*a*A*b^2 + 165*a^2*b*B + 45*b^3*B)*EllipticF[(c + d*x)/2, 2])/(231*d) + (2*(77*a^3*A + 165*a*A*b^2 + 165*a^2*b*B + 45*b^3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (2*(27*a^2*A*b + 7*A*b^3 + 9*a^3*B + 21*a*b^2*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*b*(33*a*A*b + 26*a^2*B + 9*b^2*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(77*d) + (2*b^2*(11*A*b + 15*a*B)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(99*d) + (2*b*B*Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^2*Ssin[c + d*x])/(11*d)$

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n-1))/(d*n), x] + Dist[(b^2*(n-1))/n, Int[(b*Ssin[c + d*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(

$b*\sin[e + f*x]^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2990

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}, x_Symbol] :> -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m - 1)}*(c + d*\sin[e + f*x])^{(n + 1)})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\sin[e + f*x])^{(m - 2)}*(c + d*\sin[e + f*x])^n*\text{Simp}[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*\sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !(\text{IGtQ}[n, 1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]))))$

Rule 3023

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

Rule 3033

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -\text{Simp}[(C*d*\text{Cos}[e + f*x]*\sin[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)})/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*\sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx &= \frac{2bB \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2 \sin(c + dx)}{11d} + \\ &= \frac{2b^2(11Ab + 15aB) \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{99d} + \frac{2bB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{77d} \\ &= \frac{2b(33aAb + 26a^2B + 9b^2B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{77d} \\ &= \frac{2b(33aAb + 26a^2B + 9b^2B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{77d} \\ &= \frac{2(77a^3A + 165aAb^2 + 165a^2bB + 45b^3B) \sqrt{\cos(c + dx)}}{231d} \\ &= \frac{2(27a^2Ab + 7Ab^3 + 9a^3B + 21ab^2B) E\left(\frac{1}{2}(c + dx)\right)}{15d} \end{aligned}$$

Mathematica [A] time = 1.99, size = 235, normalized size = 0.77

$$240(77a^3A + 165a^2bB + 165aAb^2 + 45b^3B)F\left(\frac{1}{2}(c + dx)\middle|2\right) + 3696(9a^3B + 27a^2Ab + 21ab^2B + 7Ab^3)E\left(\frac{1}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]),x]

[Out] (3696*(27*a^2*A*b + 7*A*b^3 + 9*a^3*B + 21*a*b^2*B)*EllipticE[(c + d*x)/2, 2] + 240*(77*a^3*A + 165*a*A*b^2 + 165*a^2*b*B + 45*b^3*B)*EllipticF[(c + d*x)/2, 2] + 2*Sqrt[Cos[c + d*x]]*(154*(108*a^2*A*b + 43*A*b^3 + 36*a^3*B + 129*a*b^2*B)*Cos[c + d*x] + 180*b*(33*a*A*b + 33*a^2*B + 16*b^2*B)*Cos[2*(c + d*x)] + 770*b^2*(A*b + 3*a*B)*Cos[3*(c + d*x)] + 15*(616*a^3*A + 1716*a*A*b^2 + 1716*a^2*b*B + 531*b^3*B + 21*b^3*B*Cos[4*(c + d*x)])*Sin[c + d*x])/(27720*d)

fricas [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^3 \cos(dx + c)^5 + Aa^3 \cos(dx + c) + (3Bab^2 + Ab^3) \cos(dx + c)^4 + 3(Ba^2b + Aab^2) \cos(dx + c)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^3*cos(d*x + c)^5 + A*a^3*cos(d*x + c) + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^4 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^3 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*cos(d*x + c)^(3/2), x)

maple [B] time = 1.40, size = 825, normalized size = 2.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x)

[Out] -2/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(20160*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-12320*A*b^3-36960*B*a*b^2-50400*B*b^3)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(23760*A*a*b^2+24640*A*b^3+23760*B*a^2*b+73920*B*a*b^2+56880*B*b^3)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-16632*A*a^2*b-35640*A*a*b^2-22792*A*b^3-5544*B*a^3-35640*B*a^2*b-68376*B*a*b^2-34920*B*b^3)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(4620*A*a^3+16632*A*a^2*b+27720*A*a*b^2+10472*A*b^3+5544*B*a^3+27720*B*a^2*b+31416*B*a*b^2+13860*B*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-2310*A*a^3-4158*A*a^2*b-7920*A*a*b^2-1848*A*b^3-1386*B*a^3-7920*B*a^2*b-5544*B*a*b^2-2790*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-6237*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^

$$\begin{aligned} & (1/2)) * a^2 * b - 1617 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * b^3 + 1155 * A * a^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ & + 2475 * A * a * b^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 2079 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ & * a^3 - 4851 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a * b^2 + 2475 * a^2 * b * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\ & + 675 * b^3 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} \\ & / d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*cos(d*x + c)^(3/2), x)

mupad [B] time = 1.74, size = 364, normalized size = 1.19

$$\frac{A a^3 \left(\frac{2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{{}_2F_1\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3} \right)}{d} - \frac{2 B a^3 \cos(c+dx)^{7/2} \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c+dx)^2\right)}{7 d \sqrt{\sin(c+dx)^2}} - \frac{2 A b^3 \cos(c+dx)^{11/2} \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{11}{4}; \frac{15}{4}; \cos(c+dx)^2\right)}{11 d \sqrt{\sin(c+dx)^2}} - \frac{2 A a^2 b \cos(c+dx)^{7/2} \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c+dx)^2\right)}{7 d \sqrt{\sin(c+dx)^2}} - \frac{2 A a^2 b^2 \cos(c+dx)^{9/2} \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; \cos(c+dx)^2\right)}{3 d \sqrt{\sin(c+dx)^2}} - \frac{2 B a^2 b \cos(c+dx)^{9/2} \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; \cos(c+dx)^2\right)}{3 d \sqrt{\sin(c+dx)^2}} - \frac{6 B a^2 b^2 \cos(c+dx)^{11/2} \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{11}{4}; \frac{15}{4}; \cos(c+dx)^2\right)}{11 d \sqrt{\sin(c+dx)^2}} - \frac{6 B a b^2 \cos(c+dx)^{11/2} \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{11}{4}; \frac{15}{4}; \cos(c+dx)^2\right)}{11 d \sqrt{\sin(c+dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3,x)

[Out] (A*a^3*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d - (2*B*a^3*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*A*b^3*cos(c + d*x)^(11/2)*sin(c + d*x)*hypergeom([1/2, 11/4], 15/4, cos(c + d*x)^2))/(11*d*(sin(c + d*x)^2)^(1/2)) - (2*B*b^3*cos(c + d*x)^(13/2)*sin(c + d*x)*hypergeom([1/2, 13/4], 17/4, cos(c + d*x)^2))/(13*d*(sin(c + d*x)^2)^(1/2)) - (6*A*a^2*b*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*A*a*b^2*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(3*d*(sin(c + d*x)^2)^(1/2)) - (2*B*a^2*b*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(3*d*(sin(c + d*x)^2)^(1/2)) - (6*B*a*b^2*cos(c + d*x)^(11/2)*sin(c + d*x)*hypergeom([1/2, 11/4], 15/4, cos(c + d*x)^2))/(11*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))**3*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.360 \quad \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) dx$$

Optimal. Leaf size=255

$$\frac{2b(22a^2B + 27aAb + 7b^2B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{45d} + \frac{2(7a^3B + 21a^2Ab + 15ab^2B + 5Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}$$

[Out] $2/15*(15*A*a^3+27*A*a*b^2+27*B*a^2*b+7*B*b^3)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/21*(21*A*a^2*b+5*A*b^3+7*B*a^3+15*B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/45*b*(27*A*a*b+22*B*a^2+7*B*b^2)*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/63*b^2*(9*A*b+13*B*a)*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/9*b*B*\cos(d*x+c)^{(3/2)}*(a+b*\cos(d*x+c))^2*\sin(d*x+c)/d+2/21*(21*A*a^2*b+5*A*b^3+7*B*a^3+15*B*a*b^2)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.50, antiderivative size = 255, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2990, 3033, 3023, 2748, 2639, 2635, 2641}

$$\frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(15a^3A + 27a^2bB + 27aAb^2 + 7b^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]),x]

[Out] $(2*(15*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 7*b^3*B)*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*b*(27*a*A*b + 22*a^2*B + 7*b^2*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(45*d) + (2*b^2*(9*A*b + 13*a*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(63*d) + (2*b*B*\text{Cos}[c + d*x]^{(3/2)}*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(9*d)$

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2, x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)} (a+b\cos(c+dx))^3 (A+B\cos(c+dx)) dx &= \frac{2bB \cos^{\frac{3}{2}}(c+dx) (a+b\cos(c+dx))^2 \sin(c+dx)}{9d} + \\
&= \frac{2b^2(9Ab+13aB) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{63d} + \frac{2bB \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{9d} \\
&= \frac{2b(27aAb+22a^2B+7b^2B) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{45d} \\
&= \frac{2b(27aAb+22a^2B+7b^2B) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{45d} \\
&= \frac{2(15a^3A+27aAb^2+27a^2bB+7b^3B) E\left(\frac{1}{2}(c+dx)\right)}{15d} \\
&= \frac{2(15a^3A+27aAb^2+27a^2bB+7b^3B) E\left(\frac{1}{2}(c+dx)\right)}{15d}
\end{aligned}$$

Mathematica [A] time = 1.23, size = 197, normalized size = 0.77

$$60(7a^3B+21a^2Ab+15ab^2B+5Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)+84(15a^3A+27a^2bB+27aAb^2+7b^3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]),x]
[Out] (84*(15*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 7*b^3*B)*EllipticE[(c + d*x)/2, 2]
+ 60*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*EllipticF[(c + d*x)/2,
2] + Sqrt[Cos[c + d*x]]*(7*b*(108*a*A*b + 108*a^2*B + 43*b^2*B)*Cos[c + d*
x] + 5*(252*a^2*A*b + 78*A*b^3 + 84*a^3*B + 234*a*b^2*B + 18*b^2*(A*b + 3*a
*B)*Cos[2*(c + d*x)] + 7*b^3*B*Cos[3*(c + d*x)]))*Sin[c + d*x])/(630*d)
fricas [F] time = 0.61, size = 0, normalized size = 0.00
```

$$\text{integral}\left(\left(Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm
="fricas")
[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3
+ 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))
*sqrt(cos(d*x + c)), x)
giac [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm
="giac")
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sqrt(cos(d*x + c)), x
)
maple [B] time = 1.58, size = 745, normalized size = 2.92
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x)
[Out] -2/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-1120*B*b^3
*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(720*A*b^3+2160*B*a*b^2+2240*B*b^
3)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-1512*A*a*b^2-1080*A*b^3-1512*B
*a^2*b-3240*B*a*b^2-2072*B*b^3)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(12
60*A*a^2*b+1512*A*a*b^2+840*A*b^3+420*B*a^3+1512*B*a^2*b+2520*B*a*b^2+952*B
*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-630*A*a^2*b-378*A*a*b^2-240
*A*b^3-210*B*a^3-378*B*a^2*b-720*B*a*b^2-168*B*b^3)*sin(1/2*d*x+1/2*c)^2*co
s(1/2*d*x+1/2*c)-315*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2
-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3-567*A*(sin(1/2*d*x+1/2*
c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2
^(1/2))*a*b^2+315*A*a^2*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c
)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+75*A*b^3*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c)
,2^(1/2))-567*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/
2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b-147*B*(sin(1/2*d*x+1/2*c)^2)
^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2
))*b^3+105*a^3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1
/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+225*B*a*b^2*(sin(1/2*d*x+1/2*c)^2
)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/
```

2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)
)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sqrt(cos(d*x + c)), x)

mupad [B] time = 1.54, size = 328, normalized size = 1.29

$$\frac{2 \left(A a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + A a^2 b F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + A a^2 b \sqrt{\cos(c + dx)} \sin(c + dx) \right)}{d} + \frac{B a^3 \left(\frac{2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \dots \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3,x)

[Out] (2*(A*a^3*ellipticE(c/2 + (d*x)/2, 2) + A*a^2*b*ellipticF(c/2 + (d*x)/2, 2) + A*a^2*b*cos(c + d*x)^(1/2)*sin(c + d*x))/d + (B*a^3*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d - (2*A*b^3*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2)) - (2*B*b^3*cos(c + d*x)^(11/2)*sin(c + d*x)*hypergeom([1/2, 11/4], 15/4, cos(c + d*x)^2))/(11*d*(sin(c + d*x)^2)^(1/2)) - (6*A*a*b^2*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (6*B*a^2*b*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*B*a*b^2*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(3*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+b*cos(d*x+c))**3*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.361 \quad \int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=205

$$\frac{2b(18a^2B + 21aAb + 5b^2B) \sin(c+dx) \sqrt{\cos(c+dx)}}{21d} + \frac{2(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d}$$

[Out] $2/5*(15*A*a^2*b+3*A*b^3+5*B*a^3+9*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/21*(21*A*a^3+21*A*a*b^2+21*B*a^2*b+5*B*b^3)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/35*b^2*(7*A*b+11*B*a)*cos(d*x+c)^{(3/2)*sin(d*x+c)}/d+2/21*b*(21*A*a*b+18*B*a^2+5*B*b^2)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d+2/7*b*B*(a+b*cos(d*x+c))^2*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.48, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2990, 3033, 3023, 2748, 2641, 2639}

$$\frac{2(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{2(15a^2Ab + 5a^3B + 9ab^2B + 3Ab^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] $(2*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(21*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 5*b^3*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*b*(21*a*A*b + 18*a^2*B + 5*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*b^2*(7*A*b + 11*a*B)*Cos[c + d*x]^{(3/2)*Sin[c + d*x]})/(35*d) + (2*b*B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(7*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n

, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx = \frac{2bB\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{2}{7} \int \frac{(a + b \cos(c + dx))^2 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2b^2(7Ab + 11aB) \cos^3(c + dx) \sin(c + dx)}{35d} + \frac{2bB\sqrt{\cos(c + dx)}(a + b \cos(c + dx)) \sin(c + dx)}{21d} + \frac{2b^2(7Aa + 7Ab + 5a^2B)}{21d}$$

$$= \frac{2b(21aAb + 18a^2B + 5b^2B) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2b^2(7Aa + 7Ab + 5a^2B)}{21d}$$

$$= \frac{2(15a^2Ab + 3Ab^3 + 5a^3B + 9ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(21a^3A + 21a^2Ab + 10aAb^2 + 10a^2b^2B + 5b^3B)}{105d}$$

Mathematica [A] time = 1.30, size = 158, normalized size = 0.77

$$b \sin(c + dx) \sqrt{\cos(c + dx)} \left(5 \left(42a^2B + 42aAb + 3b^2B \cos(2(c + dx)) + 13b^2B \right) + 42b(3aB + Ab) \cos(c + dx) \right) + 105d$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] (42*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*EllipticE[(c + d*x)/2, 2] + 10*(21*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 5*b^3*B)*EllipticF[(c + d*x)/2, 2] + b*Sqrt[Cos[c + d*x]]*(42*b*(A*b + 3*a*B)*Cos[c + d*x] + 5*(42*a*A*b + 42*a^2*B + 13*b^2*B + 3*b^2*B*Cos[2*(c + d*x)]))*Sin[c + d*x])/(105*d)

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Aab^2) \cos(dx + c) + Aa^2 + Ab^3}{\sqrt{\cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))/sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/sqrt(cos(d*x + c)), x)

maple [B] time = 1.50, size = 664, normalized size = 3.24

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240Bb^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168Ab^3 - 504Bab^2 - \dots)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x)

[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-168*A*b^3-504*B*a*b^2-360*B*b^3)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(420*A*a*b^2+168*A*b^3+420*B*a^2*b+504*B*a*b^2+280*B*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-210*A*a*b^2-42*A*b^3-210*B*a^2*b-126*B*a*b^2-80*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+105*A*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+105*A*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-315*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^3+105*a^2*b*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+25*b^3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-105*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3-189*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/sqrt(cos(d*x + c)), x)

mupad [B] time = 1.43, size = 275, normalized size = 1.34

$$\frac{2 \left(B a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + B a^2 b F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + B a^2 b \sqrt{\cos(c + dx)} \sin(c + dx) \right)}{d} + \frac{2 A a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6 A a^2 b E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/cos(c + d*x)^(1/2),x)

[Out] (2*(B*a^3*ellipticE(c/2 + (d*x)/2, 2) + B*a^2*b*ellipticF(c/2 + (d*x)/2, 2) + B*a^2*b*cos(c + d*x)^(1/2)*sin(c + d*x))/d + (2*A*a^3*ellipticF(c/2 + (d*x)/2, 2))/d + (6*A*a^2*b*ellipticE(c/2 + (d*x)/2, 2))/d + (3*A*a*b^2*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d - (2*A*b^3*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2)) - (2*B*b^3*cos(c + d*x)^(9/2)*sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, cos(c + d*x)^2))/(9*d*(sin(c + d*x)^2)^(1/2)) - (6*B*a*b^2*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] Timed out

$$3.362 \quad \int \frac{(a+b \cos(c+dx))^3 (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=202

$$\frac{2b(6a^2A - 3abB - Ab^2) \sin(c+dx) \sqrt{\cos(c+dx)}}{3d} + \frac{2(3a^3B + 9a^2Ab + 3ab^2B + Ab^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d}$$

[Out] $-2/5*(5*A*a^3-15*A*a*b^2-15*B*a^2*b-3*B*b^3)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*(9*A*a^2*b+A*b^3+3*B*a^3+3*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/d-2/5*b^2*(5*A*a-B*b)*cos(d*x+c)^{(3/2)*sin(d*x+c)/d+2*a*A*(a+b*cos(d*x+c))^2*sin(d*x+c)/d/cos(d*x+c)^{(1/2)}-2/3*b*(6*A*a^2-A*b^2-3*B*a*b)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.46, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2989, 3033, 3023, 2748, 2641, 2639}

$$\frac{2(9a^2Ab + 3a^3B + 3ab^2B + Ab^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{2(5a^3A - 15a^2bB - 15aAb^2 - 3b^3B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} - 2b$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2),x]

[Out] $(-2*(5*a^3*A - 15*a*A*b^2 - 15*a^2*b*B - 3*b^3*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) - (2*b*(6*a^2*A - A*b^2 - 3*a*b*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) - (2*b^2*(5*a*A - b*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2989

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A

```
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1))*Sin[e + f*x]^2, x], x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)]*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f
_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Ssin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Ssin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{(a + b \cos(c + dx))}{d\sqrt{\cos(c + dx)}} dx$$

$$= -\frac{2b^2(5aA - bB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2aA(a + b \cos(c + dx))}{d\sqrt{\cos(c + dx)}}$$

$$= -\frac{2b(6a^2A - Ab^2 - 3abB) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} - \frac{2b^2(5aA - bB)}{3d}$$

$$= -\frac{2b(6a^2A - Ab^2 - 3abB) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} - \frac{2b^2(5aA - bB)}{3d}$$

$$= -\frac{2(5a^3A - 15aAb^2 - 15a^2bB - 3b^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(9a^2A - 9aAb - 3a^2B - 3b^2B)}{5d}$$

Mathematica [A] time = 1.15, size = 150, normalized size = 0.74

$$\frac{\sin(c+dx)(3(10a^3A+b^3B \cos(2(c+dx))+b^3B)+10b^2(3aB+Ab) \cos(c+dx))}{\sqrt{\cos(c+dx)}} + 10(3a^3B + 9a^2Ab + 3ab^2B + Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + \dots$$

15d

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2),
x]
```

```
[Out] ((-30*a^3*A + 90*a*A*b^2 + 90*a^2*b*B + 18*b^3*B)*EllipticE[(c + d*x)/2, 2]
+ 10*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*EllipticF[(c + d*x)/2, 2] +
((10*b^2*(A*b + 3*a*B)*Cos[c + d*x] + 3*(10*a^3*A + b^3*B + b^3*B*Cos[2*(c
+ d*x)])))*Sin[c + d*x])/Sqrt[Cos[c + d*x]]/(15*d)
```

fricas [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Bb^3 \cos(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx+c)^3 + 3(Ba^2b + Aab^2) \cos(dx+c)^2 + (Ba^3 + 3Ab^2) \cos(dx+c) + Aa^2 + Ab^2}{\cos(dx+c)^{\frac{3}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))/cos(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^3}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/cos(d*x + c)^(3/2), x)

maple [B] time = 1.63, size = 867, normalized size = 4.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)

[Out]
$$\begin{aligned} & -2/15*(-24*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+4*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^2*(5*A*b+15*B*a+6*B*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(15*A*a^3+5*A*b^3+15*B*a*b^2+3*B*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+45*A*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+5*A*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+15*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^3-45*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b^2+15*a^3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+15*B*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-45*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^2*b-9*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*b^3)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/cos(d*x + c)^(3/2), x)

mupad [B] time = 1.46, size = 248, normalized size = 1.23

$$\frac{A b^3 \left(\frac{2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{{}_2F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3} \right)}{d} + \frac{2 B a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6 A a b^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6 A a^2 b F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6 B a^2 b^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6 A a b^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6 B a^3 b^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/cos(c + d*x)^(3/2),x)

[Out] (A*b^3*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d + (2*B*a^3*ellipticF(c/2 + (d*x)/2, 2))/d + (6*A*a*b^2*ellipticE(c/2 + (d*x)/2, 2))/d + (6*A*a^2*b*ellipticF(c/2 + (d*x)/2, 2))/d + (6*B*a^2*b*ellipticE(c/2 + (d*x)/2, 2))/d + (3*B*a*b^2*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d + (2*A*a^3*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2)) - (2*B*b^3*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)

[Out] Timed out

3.363
$$\int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=192

$$\frac{2a^2(3aB + 7Ab) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}} + \frac{2(a^3A + 9a^2bB + 9aAb^2 + b^3B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(a^3B + 3a^2Ab - 3ab^2B - Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2(3aB + 7Ab)}{3d}$$

```
[Out] -2*(3*A*a^2*b-A*b^3+B*a^3-3*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/d+2/3*(A*a^3+9*A*a*b^2+9*B*a^2*b+B*b^3)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/d+2/3*a*A*(a+b*cos(d*x+c))^2*sin(d*x+c)/d/cos(d*x+c)^(3/2)+2/3*a^2*(7*A*b+3*B*a)*sin(d*x+c)/d/cos(d*x+c)^(1/2)-2/3*b^2*(A*a-B*b)*sin(d*x+c)*cos(d*x+c)^(1/2)/d
```

Rubi [A] time = 0.47, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2989, 3031, 3023, 2748, 2641, 2639}

$$\frac{2(a^3A + 9a^2bB + 9aAb^2 + b^3B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(3a^2Ab + a^3B - 3ab^2B - Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2(3aB + 7Ab)}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
[Out] (-2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/d + (2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A*b + 3*A*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) - (2*b^2*(a*A - b*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*(a + b*Cos[c + d*x])^2*Ssin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
```

```
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)]*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f
_.)*(x_.)]^2), x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + b \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2(7Ab + 3aB) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2a^2(7Ab + 3aB) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} - \frac{2b^2(aA - bB) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d}$$

$$= \frac{2a^2(7Ab + 3aB) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} - \frac{2b^2(aA - bB) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d}$$

$$= -\frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(a^3A + 9a^2bB)}{3d \sqrt{\cos(c + dx)}}$$

Mathematica [A] time = 1.11, size = 165, normalized size = 0.86

$$\frac{2a^3A \tan(c + dx) + 6a^3B \sin(c + dx) + 18a^2Ab \sin(c + dx) + 2(a^3A + 9a^2bB + 9aAb^2 + b^3B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2),
x]
```

```
[Out] (-6*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c
+ d*x)/2, 2] + 2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*Sqrt[Cos[c + d*x]
```

`] * EllipticF[(c + d*x)/2, 2] + 18*a^2*A*b*Sin[c + d*x] + 6*a^3*B*Sin[c + d*x] + b^3*B*Sin[2*(c + d*x)] + 2*a^3*A*Tan[c + d*x]) / (3*d*Sqrt[Cos[c + d*x]])`

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Aa^2b) \cos(dx + c) + Aa^3}{\cos(dx + c)^{5/2}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x, algorithm="fricas")`

[Out] `integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c)) / cos(d*x + c)^(5/2), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/cos(d*x + c)^(5/2), x)`

maple [B] time = 3.80, size = 1212, normalized size = 6.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x)`

[Out] `2/3*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(4*sin(1/2*d*x+1/2*c)^4-4*sin(1/2*d*x+1/2*c)^2+1)/sin(1/2*d*x+1/2*c)^3*(8*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+2*A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^3*sin(1/2*d*x+1/2*c)^2+18*A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a*b^2*sin(1/2*d*x+1/2*c)^2+18*A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^2*b*sin(1/2*d*x+1/2*c)^2-6*A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^3*sin(1/2*d*x+1/2*c)^2-36*A*a^2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+18*B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^2*b*sin(1/2*d*x+1/2*c)^2+2*B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^3*sin(1/2*d*x+1/2*c)^2+6*B*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^3*sin(1/2*d*x+1/2*c)^2-18*B*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a*b^2*sin(1/2*d*x+1/2*c)^2-12*B*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-8*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-A*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-9*A*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a^2*b+3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)`

$$\begin{aligned} &)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^{(1/2)}) \\ & * b ^ 3 + 2 * A * a ^ 3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 18 * A * a ^ 2 * b * \cos(1/2 * \\ & d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 9 * a ^ 2 * b * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^{(1/2)} * (2 * \sin \\ & \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^{(1/2)}) - b ^ 3 * B * (\sin \\ & \sin(1/2 * d * x + 1/2 * c) ^ 2) ^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^{(1/2)} * \text{EllipticF}(\cos(1 \\ & / 2 * d * x + 1/2 * c), 2 ^{(1/2)}) - 3 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * \\ & c) ^ 2 - 1) ^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^{(1/2)}) * a ^ 3 + 9 * B * (\sin(1/2 * d * x + 1/2 * \\ & 2 * c) ^ 2) ^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c) \\ & , 2 ^{(1/2)}) * a * b ^ 2 + 6 * B * a ^ 3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 2 * B * b ^ 3 * \cos \\ & (1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2 * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + \\ & 1/2 * c) ^ 2) ^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^{(1/2)} / d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/cos(d*x + c)^(5/2), x)

mupad [B] time = 2.34, size = 255, normalized size = 1.33

$$\frac{2 \left(A E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) b^3 + 3 A a F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) b^2 \right)}{d} + \frac{B b^3 \left(\frac{2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3} + \frac{{}_2F_1\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3} \right)}{d} + \frac{6 B a b^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/cos(c + d*x)^(5/2),x)

[Out] (2*(A*b^3*ellipticE(c/2 + (d*x)/2, 2) + 3*A*a*b^2*ellipticF(c/2 + (d*x)/2, 2)))/d + (B*b^3*((2*cos(c + d*x)^(1/2)*sin(c + d*x))/3 + (2*ellipticF(c/2 + (d*x)/2, 2))/3))/d + (6*B*a*b^2*ellipticE(c/2 + (d*x)/2, 2))/d + (6*B*a^2*b*ellipticF(c/2 + (d*x)/2, 2))/d + (2*A*a^3*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (2*B*a^3*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2)) + (6*A*a^2*b*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*3*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)

[Out] Timed out

$$3.364 \quad \int \frac{(a+b \cos(c+dx))^3 (A+B \cos(c+dx))}{7 \cos^2(c+dx)} dx$$

Optimal. Leaf size=204

$$\frac{2a(3a^2A + 15abB + 14Ab^2) \sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2a^2(5aB + 9Ab) \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{2(a^3B + 3a^2Ab + 9ab^2B + 3Ab^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d}$$

[Out] $-2/5*(3*A*a^3+15*A*a*b^2+15*B*a^2*b-5*B*b^3)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*(3*A*a^2*b+3*A*b^3+B*a^3+9*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/15*a^2*(9*A*b+5*B*a)*sin(d*x+c)/d/cos(d*x+c)^{(3/2)}+2/5*a*A*(a+b*cos(d*x+c))^2*sin(d*x+c)/d/cos(d*x+c)^{(5/2)}+2/5*a*(3*A*a^2+14*A*b^2+15*B*a*b)*sin(d*x+c)/d/cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.48, antiderivative size = 204, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2989, 3031, 3021, 2748, 2641, 2639}

$$\frac{2(3a^2Ab + a^3B + 9ab^2B + 3Ab^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{2(3a^3A + 15a^2bB + 15aAb^2 - 5b^3B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a(3a^2A + 15abB + 14Ab^2) \sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2a^2(5aB + 9Ab) \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] $(-2*(3*a^3*A + 15*a*A*b^2 + 15*a^2*b*B - 5*b^3*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(3*a^2*A*b + 3*A*b^3 + a^3*B + 9*a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(9*A*b + 5*a*B)*Sin[c + d*x])/(15*d*Cos[c + d*x]^{(3/2)}) + (2*a*(3*a^2*A + 14*A*b^2 + 15*a*b*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]) + (2*a*A*(a + b*Cos[c + d*x])^2*Ssin[c + d*x])/(5*d*Cos[c + d*x]^{(5/2)})$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2989

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -

```
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)^2], x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + b \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2(9Ab + 5aB) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2a^2(9Ab + 5aB) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(3a^2A + 14Ab^2 + 15abB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}$$

$$= \frac{2a^2(9Ab + 5aB) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(3a^2A + 14Ab^2 + 15abB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}$$

$$= -\frac{2(3a^3A + 15aAb^2 + 15a^2bB - 5b^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(3a^2A + 14aAb + 15a^2B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)}$$

Mathematica [A] time = 2.21, size = 176, normalized size = 0.86

$$\frac{6a^3A \tan(c + dx) + 9a(a^2A + 5abB + 5Ab^2) \sin(2(c + dx)) + 10a^2(aB + 3Ab) \sin(c + dx) + 10(a^3B + 3a^2Ab + 9aAb^2 + 9a^2B^2) \sin^2(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2),
x]
```

[Out] $(-6*(3*a^3*A + 15*a*A*b^2 + 15*a^2*b*B - 5*b^3*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{EllipticE}[(c + d*x)/2, 2] + 10*(3*a^2*A*b + 3*A*b^3 + a^3*B + 9*a*b^2*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{EllipticF}[(c + d*x)/2, 2] + 10*a^2*(3*A*b + a*B)*\text{Sin}[c + d*x] + 9*a*(a^2*A + 5*A*b^2 + 5*a*b*B)*\text{Sin}[2*(c + d*x)] + 6*a^3*A*\text{Tan}[c + d*x])/(15*d*\text{Cos}[c + d*x]^{(3/2)})$

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Ab^2) \cos(dx + c) + Aa^2 + Ab^3}{\cos(dx + c)^{7/2}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="fricas")`

[Out] $\text{integral}((B*b^3*\text{cos}(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*\text{cos}(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*\text{cos}(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*\text{cos}(d*x + c))/\text{cos}(d*x + c)^{(7/2)}, x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/cos(d*x + c)^(7/2), x)`

maple [B] time = 4.33, size = 997, normalized size = 4.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)`

[Out] $(-(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b^3*B*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}))+2*A*b^3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+6*B*a*b^2*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-2*b^3*B*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+6*a*b*(A*b+B*a)*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{cos}(1/2*d*x+1/2*c)*\text{sin}(1/2*d*x+1/2*c)^2/\text{sin}(1/2*d*x+1/2*c)^2/(2*\text{sin}(1/2*d*x+1/2*c)^2-1)-2/5*A*a^3/(8*\text{sin}(1/2*d*x+1/2*c)^6-12*\text{sin}(1/2*d*x+1/2*c)^4+6*\text{sin}(1/2*d*x+1/2*c)^2-1)/\text{sin}(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{sin}(1/2*d*x+1/2*c)^4-24*\text{cos}(1/2*d*x+1/2*c)*\text{sin}(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{sin}(1/2*d*x+1/2*c)^2+24*\text{sin}(1/2*d*x+1/2*c)^4*\text{cos}(1/2*d*x+1/2*c)^2)^{(1/2)}$

$2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a^2*(3*A*b+B*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/cos(d*x + c)^(7/2), x)

mupad [B] time = 3.59, size = 291, normalized size = 1.43

$$\frac{2 \left(B E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) b^3 + 3 B a F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) b^2 \right)}{d} + \frac{2 A b^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2 A a^3 \sin(c + dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + dx)\right)}{5 d \cos(c + dx)^{5/2} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/cos(c + d*x)^(7/2),x)

[Out] (2*(B*b^3*ellipticE(c/2 + (d*x)/2, 2) + 3*B*a*b^2*ellipticF(c/2 + (d*x)/2, 2)))/d + (2*A*b^3*ellipticF(c/2 + (d*x)/2, 2))/d + (2*A*a^3*sin(c + d*x)*hypergeom([-5/4, 1/2], -1/4, cos(c + d*x)^2))/(5*d*cos(c + d*x)^(5/2)*(sin(c + d*x)^2)^(1/2)) + (2*B*a^3*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(3*d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (6*A*a*b^2*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2)) + (2*A*a^2*b*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2)) + (6*B*a^2*b*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*3*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)

[Out] Timed out

$$3.365 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=182

$$\frac{2a^3(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^4d(a+b)} + \frac{2(3a^2 + b^2)(Ab - aB)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^4d} - \frac{2(-5a^2B + 5aAb - 3b^2B)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5b^3d}$$

[Out] $-2/5*(5*A*a*b-5*B*a^2-3*B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^3/d+2/3*(3*a^2+b^2)*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^4/d-2*a^3*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/b^4/(a+b)/d+2/5*B*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/b/d+2/3*(A*b-B*a)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b^2/d$

Rubi [A] time = 0.82, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2990, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{2(3a^2 + b^2)(Ab - aB)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^4d} - \frac{2(-5a^2B + 5aAb - 3b^2B)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5b^3d} - \frac{2a^3(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^4d(a+b)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^{(5/2)}*(A + B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x]), x]$

[Out] $(-2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*b^3*d) + (2*(3*a^2 + b^2)*(A*b - a*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^4*d) - (2*a^3*(A*b - a*B)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(b^4*(a + b)*d) + (2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b^2*d) + (2*B*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*b*d)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - P i/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2990

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^2*A*d*(m + n + 1) + b*B*(b*c*(m-1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B))*(m + n + 1) - b*B*(a*c - b*d*(m + n$

$$\text{Int}[\text{Sin}[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !(\text{IGtQ}[n, 1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]))))$$

Rule 3002

$$\text{Int}[(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]))/((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x_Symbol] :> \text{Dist}[B/d, \text{Int}[(a + b*\text{Sin}[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\text{Sin}[e + f*x])^m/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$$

Rule 3049

$$\text{Int}[((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(m + n + 2)), x] + \text{Dist}[1/(d*(m + n + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*\text{Sin}[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 0] \&\& !(\text{IGtQ}[n, 0] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]))))$$

Rule 3059

$$\text{Int}[((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] :> \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\text{Sin}[e + f*x], x]/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$$

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{5}{2}}(c + dx)(A + B \cos(c + dx))}{a + b \cos(c + dx)} dx &= \frac{2B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5bd} + \frac{2 \int \frac{\sqrt{\cos(c + dx)} \left(\frac{3aB}{2} + \frac{3}{2}bB \cos(c + dx) + \frac{5}{2}(Ab - aB) \cos^2(c + dx) \right)}{a + b \cos(c + dx)} dx}{5b} \\
 &= \frac{2(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3b^2d} + \frac{2B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5bd} + \dots \\
 &= \frac{2(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3b^2d} + \frac{2B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5bd} - \dots \\
 &= -\frac{2(5aAb - 5a^2B - 3b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3d} + \frac{2(Ab - aB)\sqrt{\cos(c + dx)}}{3b^2d} \\
 &= -\frac{2(5aAb - 5a^2B - 3b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3d} + \frac{2(3a^2 + b^2)(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^4d}
 \end{aligned}$$

Mathematica [A] time = 2.47, size = 260, normalized size = 1.43

$$\frac{2b^2(5a^2B-5aAb+9b^2B)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\right)}{a+b} + \frac{6(5a^2B-5aAb+3b^2B)\sin(c+dx)\left((b^2-2a^2)\Pi\left(-\frac{b}{a}; \sin^{-1}\left(\sqrt{\cos(c+dx)}\right)\right)-1\right)+2a(a+b)F\left(\sin^{-1}\left(\sqrt{\cos(c+dx)}\right)\right)}{a\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]), x]
[Out] ((2*b^2*(-5*a*A*b + 5*a^2*B + 9*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + 2*b^2*(5*A*b + 4*a*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)) + 4*b^2*Sqrt[Cos[c + d*x]]*(5*A*b - 5*a*B + 3*b*B*Cos[c + d*x])*Sin[c + d*x] + (6*(-5*a*A*b + 5*a^2*B + 3*b^2*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*Sqrt[Sin[c + d*x]^2]))/(30*b^4*d)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)), x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)), x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)
```

maple [B] time = 1.64, size = 1074, normalized size = 5.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)), x)
```

```
[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((-24*B*a*b^3+24*B*b^4)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(20*A*a*b^3-20*A*b^4-20*B*a^2*b^2+44*B*a*b^3-24*B*b^4)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-10*A*a*b^3+10*A*b^4+10*B*a^2*b^2-16*B*a*b^3+6*B*b^4)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*a^3*b-15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*a^2*b^2+5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*a*b^3-5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*b^4+15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a^2*b^2-15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)
```

```

1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))
*a*b^3-15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*E
llipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))*a^3*b-15*B*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c)
,2^(1/2))*a^4+15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(
1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^3*b-5*B*(sin(1/2*d*x+1/2*c)^2)
^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/
2))*a^2*b^2+5*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/
2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^3-15*B*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)
)*a^3*b+15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*
EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b^2-9*B*(sin(1/2*d*x+1/2*c)^2)^(1
/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*
a*b^3+9*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ell
ipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^4+15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2
*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(
1/2))*a^4)/b^4/(a-b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/s
in(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="
maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2} (A + B \cos(c + dx))}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x)),x)
```

```
[Out] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```


$$3.366 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=137

$$\frac{2a^2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^3d(a + b)} - \frac{2(-3a^2B + 3aAb - b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^3d} + \frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} + \dots$$

[Out] $2*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^2/d-2/3*(3*A*a*b-3*B*a^2-B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^3/d+2*a^2*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/b^3/(a+b)/d+2/3*B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b/d$

Rubi [A] time = 0.51, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2990, 3059, 2639, 3002, 2641, 2805}

$$-\frac{2(-3a^2B + 3aAb - b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^3d} + \frac{2a^2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^3d(a + b)} + \frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^{(3/2)}*(A + B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x]), x]$

[Out] $(2*(A*b - a*B)*\text{EllipticE}[(c + d*x)/2, 2])/(b^2*d) - (2*(3*a*A*b - 3*a^2*B - b^2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^3*d) + (2*a^2*(A*b - a*B)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(b^3*(a + b)*d) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b*d)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 2990

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n)}, x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^2*A*d*(m + n + 1) + b*B*(b*c*(m-1) + a*d*(n+1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*\text{Sin}[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c -$

$a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!(IGtQ}[n, 1] \&\& (\text{!IntegerQ}[m] \mid\mid (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$

Rule 3002

$\text{Int}[(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]))/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \text{:> Dist}[B/d, \text{Int}[(a + b*\sin[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\sin[e + f*x])^m/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 3059

$\text{Int}[((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x_Symbol] \text{:> Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\sin[e + f*x], x]/(\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{a + b \cos(c + dx)} dx &= \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3bd} + \frac{2 \int \frac{\frac{aB}{2} + \frac{1}{2}bB \cos(c + dx) + \frac{3}{2}(Ab - aB) \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{3b} \\ &= \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3bd} - \frac{2 \int \frac{-\frac{1}{2}abB + \frac{1}{2}(3aAb - 3a^2B - b^2B) \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{3b^2} + \\ &= \frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} + \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3bd} + \frac{(a^2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right) - 2(3aAb - 3a^2B - b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right))}{3b^3d} \end{aligned}$$

Mathematica [A] time = 1.44, size = 207, normalized size = 1.51

$$\frac{3(Ab - aB) \sin(c + dx) \left((b^2 - 2a^2) \Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) + 2a(a + b) F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) - 2ab E\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) \right)}{ab^2 \sqrt{\sin^2(c + dx)}} + \frac{(3Ab - aB) \Pi\left(\frac{2}{a}; \sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right)}{3bd}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]
 [Out] (((3*A*b - a*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + B*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)) + 2*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x] + (3*(A*b - a*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[Sin[c + d*x]^2]))/(3*b*d)

fricas [F] time = 114.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{\cos(dx + c)}}{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)

maple [B] time = 1.64, size = 786, normalized size = 5.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out]
$$\frac{2}{3} \left((2 \cos(1/2 d x + 1/2 c) - 1) \sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left((-4 B a b^2 + 4 B^2 b^3) \cos(1/2 d x + 1/2 c) \sin(1/2 d x + 1/2 c)^4 + (2 B a b^2 - 2 B^2 b^3) \sin(1/2 d x + 1/2 c)^2 \cos(1/2 d x + 1/2 c) + 3 A a^2 b \sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticF}(\cos(1/2 d x + 1/2 c), 2^{1/2}) - 3 A a b^2 \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticF}(\cos(1/2 d x + 1/2 c), 2^{1/2}) + 3 A a \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticE}(\cos(1/2 d x + 1/2 c), 2^{1/2}) a b^2 - 3 A a \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticE}(\cos(1/2 d x + 1/2 c), 2^{1/2}) b^3 - 3 A \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticPi}(\cos(1/2 d x + 1/2 c), -2 b / (a - b), 2^{1/2}) a^2 b - 3 a^3 B \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticF}(\cos(1/2 d x + 1/2 c), 2^{1/2}) + 3 a^2 b B \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticF}(\cos(1/2 d x + 1/2 c), 2^{1/2}) - B a b^2 \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticF}(\cos(1/2 d x + 1/2 c), 2^{1/2}) + b^3 B \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticF}(\cos(1/2 d x + 1/2 c), 2^{1/2}) - 3 B \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticE}(\cos(1/2 d x + 1/2 c), 2^{1/2}) a^2 b + 3 B \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticE}(\cos(1/2 d x + 1/2 c), 2^{1/2}) a b^2 + 3 B \left(\sin(1/2 d x + 1/2 c)^2 \right)^{1/2} \left(2 \sin(1/2 d x + 1/2 c)^2 - 1 \right)^{1/2} \operatorname{EllipticPi}(\cos(1/2 d x + 1/2 c), -2 b / (a - b), 2^{1/2}) a^3 / b^3 / (a - b) / (-2 \sin(1/2 d x + 1/2 c)^4 + \sin(1/2 d x + 1/2 c)^2)^{1/2} / \sin(1/2 d x + 1/2 c) / (2 \cos(1/2 d x + 1/2 c)^2 - 1)^{1/2} / d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x)), x)

[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)), x)

[Out] Timed out

$$3.367 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=89

$$\frac{2(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} - \frac{2a(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a + b)} + \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd}$$

[Out] $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b/d+2*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^2/d-2*a*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/b^2/(a+b)/d$

Rubi [A] time = 0.21, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {3002, 2639, 2803, 2641, 2805}

$$\frac{2(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} - \frac{2a(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a + b)} + \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Cos}[c + d*x]]*(A + B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x]), x]$

[Out] $(2*B*\text{EllipticE}[(c + d*x)/2, 2])/(b*d) + (2*(A*b - a*B)*\text{EllipticF}[(c + d*x)/2, 2])/(b^2*d) - (2*a*(A*b - a*B)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(b^2*(a + b)*d)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] \text{ ; FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] \text{ ; FreeQ}\{c, d\}, x]$

Rule 2803

$\text{Int}[\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]/((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[d/b, \text{Int}[1/\text{Sqrt}[c + d*\sin[e + f*x]], x], x] + \text{Dist}[(b*c - a*d)/b, \text{Int}[1/((a + b*\sin[e + f*x])*Sqrt[c + d*\sin[e + f*x]]), x], x] \text{ ; FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] \text{ ; FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[c + d, 0]$

Rule 3002

$\text{Int}[(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]))/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]], \text{Int}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]], x]$

B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{a+b\cos(c+dx)} dx &= \frac{B \int \sqrt{\cos(c+dx)} dx}{b} - \frac{(-Ab+aB) \int \frac{\sqrt{\cos(c+dx)}}{a+b\cos(c+dx)} dx}{b} \\ &= \frac{2BE \left(\frac{1}{2}(c+dx) \middle| 2 \right)}{bd} + \frac{(Ab-aB) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{b^2} - \frac{(a(Ab-aB)) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{b^2} \\ &= \frac{2BE \left(\frac{1}{2}(c+dx) \middle| 2 \right)}{bd} + \frac{2(Ab-aB)F \left(\frac{1}{2}(c+dx) \middle| 2 \right)}{b^2d} - \frac{2a(Ab-aB)\Pi \left(\frac{2}{a} \right)}{b^2(a+)} \end{aligned}$$

Mathematica [A] time = 0.91, size = 128, normalized size = 1.44

$$\frac{Ab \left(2F \left(\frac{1}{2}(c+dx) \middle| 2 \right) - \frac{2a\Pi \left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2 \right)}{a+b} \right) - \frac{2B \sin(c+dx) \left(-(a+b)F(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1) + a\Pi \left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) + bE(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1) \right)}{\sqrt{\sin^2(c+dx)}}}{b^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]
[Out] (A*b*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b) - (2*B*(b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + a*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/Sqrt[Sin[c + d*x]^2])/(b^2*d)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)\sqrt{\cos(dx+c)}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a), x)
```

maple [A] time = 1.41, size = 295, normalized size = 3.31

$$2\sqrt{\left(2\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) + 1} \left(A \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out]
$$-2*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b-A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-A*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})*a*b-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2+B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b+B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2+B*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})*a^2)/b^2/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x)),x)`

[Out] `int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out] Timed out

$$3.368 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx$$

Optimal. Leaf size=61

$$\frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{bd(a + b)} + \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd}$$

[Out] $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b/d+2*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/b/(a+b)/d$

Rubi [A] time = 0.14, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {3002, 2641, 2805}

$$\frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{bd(a + b)} + \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])),x]

[Out] $(2*B*\text{EllipticF}[(c + d*x)/2, 2])/(b*d) + (2*(A*b - a*B)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(b*(a + b)*d)$

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/((f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3002

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx &= \frac{B \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{b} - \frac{(-Ab + aB) \int \frac{1}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{b} \\ &= \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd} + \frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b(a + b)d} \end{aligned}$$

Mathematica [A] time = 0.21, size = 58, normalized size = 0.95

$$\frac{2 \left((Ab - aB) \Pi \left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2 \right) + B(a + b) F \left(\frac{1}{2}(c + dx) \middle| 2 \right) \right)}{bd(a + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])),x]

[Out] (2*((a + b)*B*EllipticF[(c + d*x)/2, 2] + (A*b - a*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(b*(a + b)*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)

maple [A] time = 1.36, size = 217, normalized size = 3.56

$$\frac{2 \sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(A \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{(a - b) b \sqrt{-2 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x)

[Out] -2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(A*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))*b+B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a-B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b-B*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))*a)/(a-b)/b/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c)),x)

[Out] Timed out

$$3.369 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))} dx$$

Optimal. Leaf size=86

$$-\frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{ad(a + b)} - \frac{2AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{2A \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}$$

[Out] $-2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d-2*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a/(a+b)/d+2*A*\sin(d*x+c)/a/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {3000, 3059, 2639, 12, 2805}

$$-\frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{ad(a + b)} - \frac{2AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{2A \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])]/(\text{Cos}[c + d*x]^{(3/2)}*(a + b*\text{Cos}[c + d*x])), x]$

[Out] $(-2*A*\text{EllipticE}[(c + d*x)/2, 2])/(a*d) - (2*(A*b - a*B)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(a*(a + b)*d) + (2*A*\text{Sin}[c + d*x])/(a*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 12

$\text{Int}[(a_*)*(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)*(v_)] /; \text{FreeQ}[b, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2805

$\text{Int}[1/(((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)])*\text{Sqrt}[(c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)])), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[c + d, 0]$

Rule 3000

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)]^{(n_*)}), x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(1 + n)})/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*\text{Sin}[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{RationalQ}[m] \ \&\& \ m < -1 \ \&\& \ ((\text{EqQ}[a, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ !\text{IntegerQ}[n]) || !(\text{Inte$

gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} dx = \frac{2A \sin(c + dx)}{ad \sqrt{\cos(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}(-Ab+aB) - \frac{1}{2}aA \cos(c+dx) - \frac{1}{2}Ab \cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{a}$$

$$= \frac{2A \sin(c + dx)}{ad \sqrt{\cos(c + dx)}} - \frac{A \int \sqrt{\cos(c + dx)} dx}{a} - \frac{2 \int \frac{b(Ab-aB)}{2\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{ab}$$

$$= -\frac{2AE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{ad} + \frac{2A \sin(c + dx)}{ad \sqrt{\cos(c + dx)}} - \frac{(Ab - aB) \int \frac{1}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{a}$$

$$= -\frac{2AE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{ad} - \frac{2(Ab - aB) \Pi \left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2 \right)}{a(a + b)d} + \frac{2A \sin(c + dx)}{ad \sqrt{\cos(c + dx)}}$$

Mathematica [B] time = 2.48, size = 206, normalized size = 2.40

$$\frac{2A \sin(c+dx) \left((b^2-2a^2) \Pi \left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) + 2a(a+b) F \left(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) - 2ab E \left(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) \right)}{ab \sqrt{\sin^2(c+dx)}} + \frac{2(2aB-3Ab) \Pi \left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2 \right)}{a+b}$$

2ad

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])),x]
[Out] ((2*(-3*A*b + 2*a*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) - (2*a*A*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)))/b + (4*A*Sin[c + d*x])/Sqrt[Cos[c + d*x]] - (2*A*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2])/(2*a*d)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

maple [B] time = 2.67, size = 327, normalized size = 3.80

$$\frac{\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(-\frac{4(-Ab+aB)b\sqrt{\frac{1-\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2}{a}\right)}{a(-2ab+2b^2)\sqrt{-2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right)}{\sin\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-4*(-A*b+B*a)/a/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))+2*A/a*(-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{\frac{3}{2}} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.370 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))} dx$$

Optimal. Leaf size=150

$$\frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2b(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d(a + b)} - \frac{2(Ab - aB) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{2AF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad}$$

[Out] 2*(A*b-B*a)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a^2/d+2/3*A*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a/d+2*b*(A*b-B*a)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2*b/(a+b),2^(1/2))/a^2/(a+b)/d+2/3*A*sin(d*x+c)/a/d/cos(d*x+c)^(3/2)-2*(A*b-B*a)*sin(d*x+c)/a^2/d/cos(d*x+c)^(1/2)

Rubi [A] time = 0.77, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2b(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d(a + b)} - \frac{2(Ab - aB) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{2AF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])),x]

[Out] (2*(A*b - a*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + (2*A*EllipticF[(c + d*x)/2, 2])/(3*a*d) + (2*b*(A*b - a*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a^2*(a + b)*d) + (2*A*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2)) - (2*(A*b - a*B)*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]])

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3000

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] := -Simp[(A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m

```
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])/(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[
B/d, Int[(a + b*SIN[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*SIN[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*SIN[e + f*x]]*(c + d*SIN[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))} dx &= \frac{2A \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{-\frac{3}{2}(Ab - aB) + \frac{1}{2}aA \cos(c + dx) + \frac{1}{2}Ab \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} dx}{3a} \\
&= \frac{2A \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{4 \int \frac{\frac{1}{4}(a^2 A + 3Ab^2 - 3abB) + \frac{1}{4}a^2 B \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{3a^2 b} \\
&= \frac{2A \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} - \frac{4 \int \frac{-\frac{1}{4}b(a^2 A + 3Ab^2 - 3abB) - \frac{1}{4}a^2 B \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{3a^2 b} \\
&= \frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2A \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2AF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{2b(Ab - aB)\Pi\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d}
\end{aligned}$$

Mathematica [A] time = 2.29, size = 260, normalized size = 1.73

$$\frac{2a(2a^2A - 9abB + 9Ab^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} + \frac{6(Ab - aB) \sin(c + dx) \left((b^2 - 2a^2)\Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) + 2a(a + b)F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) - b\sqrt{\sin^2(c + dx)} \right)}{6a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])), x]

[Out] ((2*a*(2*a^2*A + 9*A*b^2 - 9*a*b*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (a*(8*a*A*b - 6*a^2*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)))/b + (4*a^2*A*Sin[c + d*x])/Cos[c + d*x]^(3/2) + (12*a*(-(A*b) + a*B)*Sin[c + d*x])/Sqrt[Cos[c + d*x]] + (6*(A*b - a*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(b*Sqrt[Sin[c + d*x]^2]))/(6*a^3*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c)), x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

maple [B] time = 3.72, size = 468, normalized size = 3.12

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\frac{4(Ab-ab)b^2 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2b}{a-b}, \sqrt{\dots}\right)}{a^2(-2ab+2b^2)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-4*(A*b-B*a)*b^2/a^2/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))+2*(-A*b+B*a)/a^2*(-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)+2*A/a*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-1/2+cos(1/2*d*x+1/2*c)^2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.371 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=303

$$\frac{a(Ab - aB) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{bd(a^2 - b^2)(a + b \cos(c + dx))} - \frac{(-5a^2B + 3aAb + 2b^2B) \sin(c + dx) \sqrt{\cos(c + dx)}}{3b^2d(a^2 - b^2)} + \frac{(-5a^3B + 3a^2Ab + 4ab^2B - 2Ab^3) E\left(\frac{1}{2}(c + dx)\right)}{b^3d(a^2 - b^2)}$$

[Out] (3*A*a^2*b-2*A*b^3-5*B*a^3+4*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/b^3/(a^2-b^2)/d-1/3*(9*A*a^3*b-12*A*a*b^3-15*B*a^4+16*B*a^2*b^2+2*B*b^4)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/b^4/(a^2-b^2)/d+a^2*(3*A*a^2*b-5*A*b^3-5*B*a^3+7*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2*b/(a+b),2^(1/2))/(a-b)/b^4/(a+b)^2/d+a*(A*b-B*a)*cos(d*x+c)^(3/2)*sin(d*x+c)/b/(a^2-b^2)/d/(a+b*cos(d*x+c))-1/3*(3*A*a*b-5*B*a^2+2*B*b^2)*sin(d*x+c)*cos(d*x+c)^(1/2)/b^2/(a^2-b^2)/d

Rubi [A] time = 0.93, antiderivative size = 303, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2989, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{(9a^3Ab + 16a^2b^2B - 15a^4B - 12aAb^3 + 2b^4B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^4d(a^2 - b^2)} + \frac{(3a^2Ab - 5a^3B + 4ab^2B - 2Ab^3) E\left(\frac{1}{2}(c + dx)\right)}{b^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]

[Out] ((3*a^2*A*b - 2*A*b^3 - 5*a^3*B + 4*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(b^3*(a^2 - b^2)*d) - ((9*a^3*A*b - 12*a*A*b^3 - 15*a^4*B + 16*a^2*b^2*B + 2*b^4*B)*EllipticF[(c + d*x)/2, 2])/(3*b^4*(a^2 - b^2)*d) + (a^2*(3*a^2*A*b - 5*A*b^3 - 5*a^3*B + 7*a*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a - b)*b^4*(a + b)^2*d) - ((3*a*A*b - 5*a^2*B + 2*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d) + (a*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Cos[c + d*x]))

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2989

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S

```
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3049

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e
_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*Sin[e + f*x]
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^2} dx &= \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \int \frac{\sqrt{\cos(c+dx)}\left(-\frac{3}{2}a(Ab-aB)+b(Ab-aB)\right)}{a+b} \\
&= -\frac{(3aAb-5a^2B+2b^2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3b^2(a^2-b^2)d} + \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)}{b(a^2-b^2)d} \\
&= -\frac{(3aAb-5a^2B+2b^2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3b^2(a^2-b^2)d} + \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)}{b(a^2-b^2)d} \\
&= \frac{(3a^2Ab-2Ab^3-5a^3B+4ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^3(a^2-b^2)d} - \frac{(3aAb-5a^2B+2b^2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{b^3(a^2-b^2)d} \\
&= \frac{(3a^2Ab-2Ab^3-5a^3B+4ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^3(a^2-b^2)d} - \frac{(9a^3Ab-12aAb^3-5a^3B+4ab^2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{b^3(a^2-b^2)d}
\end{aligned}$$

Mathematica [A] time = 3.24, size = 318, normalized size = 1.05

$$4\sin(c+dx)\sqrt{\cos(c+dx)}\left(\frac{3a^2(aB-Ab)}{(a^2-b^2)(a+b\cos(c+dx))}+2B\right)-\frac{8(2a^2B-3aAb+b^2B)\left((a+b)F\left(\frac{1}{2}(c+dx)\middle|2\right)-a\Pi\left(\frac{2b}{a+b};\frac{1}{2}(c+dx)\middle|2\right)\right)}{a+b}+\frac{2(5a^3B-3a^2Ab-8ab^2B)}{b^3(a^2-b^2)d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2, x]

[Out] (4*Sqrt[Cos[c + d*x]]*(2*B + (3*a^2*(-(A*b) + a*B)))/((a^2 - b^2)*(a + b*Cos[c + d*x]))) * Sin[c + d*x] - ((2*(-3*a^2*A*b + 6*A*b^3 + 5*a^3*B - 8*a*b^2*B) * EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*(-3*a*A*b + 2*a^2*B + b^2*B) * ((a + b) * EllipticF[(c + d*x)/2, 2] - a * EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b) + (6*(-3*a^2*A*b + 2*A*b^3 + 5*a^3*B - 4*a*b^2*B) * (-2*a*b * EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b) * EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2) * EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1]) * Sin[c + d*x]) / (a*b^2 * Sqrt[Sin[c + d*x]^2])) / ((a - b) * (a + b)) / (12*b^2*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\cos(dx+c)^{\frac{5}{2}}}{(b\cos(dx+c)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^2, x)

maple [B] time = 4.85, size = 1066, normalized size = 3.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/3/b^4/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4*B*b^2*\cos(1/2*d*x+1/2*c) \\ & * \sin(1/2*d*x+1/2*c)^4+6*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & * b^2-9*a^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ &)-6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & * a*b+2*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-4*a^2/b^3*(3*A*b-4*B*a)/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-2*a^3*(A*b-B*a)/b^4*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2+b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{\frac{5}{2}} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^2,x)
```

```
[Out] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```


3.372
$$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=224

$$\frac{(-3a^2B + aAb + 2b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a^2 - b^2)} + \frac{a(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{bd(a^2 - b^2)(a + b \cos(c + dx))} + \frac{(-3a^3B + a^2Ab + 4ab^2B - 2a^3B)}{b^3d(a^2 - b^2)}$$

```
[Out] -(A*a*b-3*B*a^2+2*B*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/b^2/(a^2-b^2)/d+(A*a^2*b-2*A*b^3-3*B*a^3+4*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/b^3/(a^2-b^2)/d-a*(A*a^2*b-3*A*b^3-3*B*a^3+5*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2*b/(a+b),2^(1/2))/(a-b)/b^3/(a+b)^2/d+a*(A*b-B*a)*sin(d*x+c)*cos(d*x+c)^(1/2)/b/(a^2-b^2)/d/(a+b*cos(d*x+c))
```

Rubi [A] time = 0.63, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2989, 3059, 2639, 3002, 2641, 2805}

$$\frac{(a^2Ab - 3a^3B + 4ab^2B - 2Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3d(a^2 - b^2)} - \frac{(-3a^2B + aAb + 2b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a^2 - b^2)} - \frac{a(a^2Ab - 3a^3B + 4ab^2B - 2Ab^3)}{b^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]^2,x]
```

```
[Out] -(((a*A*b - 3*a^2*B + 2*b^2*B)*EllipticE[(c + d*x)/2, 2])/(b^2*(a^2 - b^2)*d) + ((a^2*A*b - 2*A*b^3 - 3*a^3*B + 4*a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(b^3*(a^2 - b^2)*d) - (a*(a^2*A*b - 3*A*b^3 - 3*a^3*B + 5*a*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/((a - b)*b^3*(a + b)^2*d) + (a*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Cos[c + d*x]))
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1)
```

```
) *Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*SIN[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3059

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*SIN[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*SIN[e + f*x]]*(c + d*SIN[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx = \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} - \int \frac{-\frac{1}{2}a(Ab - aB) + b(Ab - aB)\cos(c + dx) + \frac{1}{2}ab(Ab - aB)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx$$

$$= \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} + \int \frac{\frac{1}{2}ab(Ab - aB) + \frac{1}{2}(a^2Ab - 2Ab^3 - 3a^3B + 4ab^3)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx$$

$$= -\frac{(aAb - 3a^2B + 2b^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2)d} + \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))}$$

$$= -\frac{(aAb - 3a^2B + 2b^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2)d} + \frac{(a^2Ab - 2Ab^3 - 3a^3B + 4ab^3)}{b^3(a^2 - b^2)}$$

Mathematica [A] time = 2.74, size = 280, normalized size = 1.25

$$\frac{2(a^2B + aAb - 2b^2B)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) + 2(3a^2B - aAb - 2b^2B)\sin(c + dx)\left((b^2 - 2a^2)\Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) + 2a(a + b)F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right)\right)}{ab^2\sqrt{\sin^2(c + dx)}} \frac{1}{(a - b)(a + b)}$$

4bd

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,
x]
```

```
[Out] ((-4*a*(-(A*b) + a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*(a + b*
Cos[c + d*x])) + ((2*(a*A*b + a^2*B - 2*b^2*B)*EllipticPi[(2*b)/(a + b), (c
+ d*x)/2, 2])/(a + b) + (8*(-(A*b) + a*B)*((a + b)*EllipticF[(c + d*x)/2,
```

2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b) + (2*(-(a*A*b) + 3*a^2*B - 2*b^2*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1]*Sin[c + d*x]))/(a*b^2*Sqrt[Sin[c + d*x]^2]))/((a - b)*(a + b)))/(4*b*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^2, x)

maple [B] time = 3.96, size = 849, normalized size = 3.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2/b^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*b-2*B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*a-B*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*b)+4*a/b^2*(2*A*b-3*B*a)/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))+2*a^2*(A*b-B*a)/b^3*(-b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^2,x)

[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.373 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=198

$$\frac{(a^2B + aAb - 2b^2B) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2d(a^2 - b^2)} + \frac{(Ab - aB) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(Ab - aB) \sin(c+dx) \sqrt{\cos(c+dx)}}{d(a^2 - b^2)(a + b \cos(c+dx))} - \frac{(a^3B}{$$

[Out] (A*b-B*a)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c), 2^(1/2))/b/(a^2-b^2)/d+(A*a*b+B*a^2-2*B*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c), 2^(1/2))/b^2/(a^2-b^2)/d-(A*a^2*b+A*b^3+B*a^3-3*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^(1/2))/(a-b)/b^2/(a+b)^2/d-(A*b-B*a)*sin(d*x+c)*cos(d*x+c)^(1/2)/(a^2-b^2)/d/(a+b*cos(d*x+c))

Rubi [A] time = 0.54, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2999, 3059, 2639, 3002, 2641, 2805}

$$\frac{(a^2B + aAb - 2b^2B) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2d(a^2 - b^2)} + \frac{(Ab - aB) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(a^2Ab + a^3B - 3ab^2B + Ab^3) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^2d(a-b)(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2, x]

[Out] ((A*b - a*B)*EllipticE[(c + d*x)/2, 2])/(b*(a^2 - b^2)*d) + ((a*A*b + a^2*B - 2*b^2*B)*EllipticF[(c + d*x)/2, 2])/(b^2*(a^2 - b^2)*d) - ((a^2*A*b + A*b^3 + a^3*B - 3*a*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a - b)*b^2*(a + b)^2*d - ((A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*d*(a + b*Cos[c + d*x]))

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2999

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] := Simp[((B*a - A*b)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m + 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*Sin[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x] /; FreeQ

[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 3002

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx = -\frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}(Ab - aB) - (aA - bB) \cos(c + dx) - \frac{1}{2}(A + B) \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))} dx}{-a^2 + b^2}$$

$$= -\frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))} + \frac{\int \frac{-\frac{1}{2}b(Ab - aB) + \frac{1}{2}(aAb + a^2B - 2b^2B) \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))} dx}{b(a^2 - b^2)}$$

$$= \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2) d} - \frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))} + \frac{(aAb + a^2B - 2b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2) d}$$

$$= \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2) d} + \frac{(aAb + a^2B - 2b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2) d} - \frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))}$$

Mathematica [A] time = 2.38, size = 260, normalized size = 1.31

$$\frac{4(aB - Ab) \sin(c + dx) \sqrt{\cos(c + dx)}}{(a^2 - b^2)(a + b \cos(c + dx))} - \frac{2(Ab - aB) \sin(c + dx) \left((b^2 - 2a^2) \Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) + 2a(a + b) F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) - 2ab E\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) \right)}{ab^2 \sqrt{\sin^2(c + dx)}}}{(b - a)(a + b)}$$

4d

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2, x]

[Out] ((4*(-(A*b) + a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*(a + b*Cos[c + d*x])) - ((2*(-(A*b) + a*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + ((4*a*A - 4*b*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b)))/b + (2*(A*b - a*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1]))/(a + b)

x]]], -1])*Sin[c + d*x]]/(a*b^2*Sqrt[Sin[c + d*x]^2]))/((-a + b)*(a + b)))/(4*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^2, x)

maple [B] time = 3.53, size = 808, normalized size = 4.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B/b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-4/b*(A*b-2*B*a)/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))-2*a*(A*b-B*a)/b^2*(-b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^2,x)

[Out] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.374 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=200

$$\frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad(a^2 - b^2)} + \frac{b(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{ad(a^2 - b^2)(a + b \cos(c + dx))} + \frac{(a^3(-B) + 3a^2B)}{ad(a^2 - b^2)}$$

[Out] $-(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/(a^2-b^2)/d-(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b/(a^2-b^2)/d+(3*A*a^2*b-A*b^3-B*a^3-B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a/(a-b)/b/(a+b)^2/d+b*(A*b-B*a)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.62, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {3000, 3059, 2639, 3002, 2641, 2805}

$$\frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad(a^2 - b^2)} + \frac{(3a^2Ab + a^3(-B) - ab^2B - Ab^3) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{abd(a-b)(a+b)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])]/(\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Cos}[c + d*x])^2), x]$

[Out] $-(((A*b - a*B)*\text{EllipticE}[(c + d*x)/2, 2])/(a*(a^2 - b^2)*d)) - ((A*b - a*B)*\text{EllipticF}[(c + d*x)/2, 2])/(b*(a^2 - b^2)*d) + ((3*a^2*A*b - A*b^3 - a^3*B - a*b^2*B)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(a*(a - b)*b*(a + b)^2*d) + (b*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x]))$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 3000

$\text{Int}(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := -\text{Simp}(((A*b^2 - a*b*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(1 + n)})/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x) + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n)}*\text{Simp}((a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*\text{Sin}[e + f*x] - b*d*(A*b - a*B)*(m$

+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3002

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[B/d, Int[(a + b*SIN[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*SIN[e + f*x])^m/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*SIN[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*SIN[e + f*x], x]/(Sqrt[a + b*SIN[e + f*x]]*(c + d*SIN[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2} dx = \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}(2a^2A - Ab^2 - abB) - a(Ab - aB) \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))} dx}{a(a^2 - b^2)}$$

$$= \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{\int \frac{-\frac{1}{2}b(2a^2A - Ab^2 - abB) + \frac{1}{2}ab(Ab - aB)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))} dx}{ab(a^2 - b^2)}$$

$$= -\frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a(a^2 - b^2)d} + \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))}$$

$$= -\frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a(a^2 - b^2)d} - \frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2)d} + \frac{(3a^2Ab - a^3 - b^3)}{ab(a^2 - b^2)}$$

Mathematica [A] time = 2.68, size = 274, normalized size = 1.37

$$\frac{4b(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{(a^2 - b^2)(a + b \cos(c + dx))} + \frac{\frac{2(4a^2A - abB - 3Ab^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} + \frac{2(aB - Ab) \sin(c + dx) \left((b^2 - 2a^2)\Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1 \right) + 2a(a + b)F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| 2\right) \right)}{ab\sqrt{\sin^2(c + dx)}}}{(a - b)(a + b)}$$

4ad

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2), x]

[Out] ((4*b*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*(a + b*Cos[c + d*x])) + ((2*(4*a^2*A - 3*A*b^2 - a*b*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (4*a*(-(A*b) + a*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)))/b + (2*(-(A*b) + a

B)(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x]/(a*b*Sqrt[Sin[c + d*x]^2]))/((a - b)*(a + b)))/(4*a*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)

maple [B] time = 3.36, size = 721, normalized size = 3.60

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\frac{4B\sqrt{\frac{1-\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2b}{a-b}, \sqrt{2}\right)}{(-2ab+2b^2)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-4*B/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))+2*(A*b-B*a)/b*(-b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^2),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.375 \int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=256

$$\frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad(a^2 - b^2)} - \frac{(2a^2A + abB - 3Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a^2 - b^2)} + \frac{(2a^2A + abB - 3Ab^2)\sin(c + dx)}{a^2d(a^2 - b^2)\sqrt{\cos(c + dx)}} + \frac{1}{ad(a^2 - b^2)}$$

[Out] $-(2Aa^2 - 3Ab^2 + B^2) \cos^{\frac{1}{2}}(\frac{d}{2}x + \frac{c}{2}) / \cos(\frac{d}{2}x + \frac{c}{2}) \text{EllipticE}(\sin(\frac{d}{2}x + \frac{c}{2}), 2^{\frac{1}{2}}) / a^2 / (a^2 - b^2) / d + (Ab - aB) \cos^{\frac{1}{2}}(\frac{d}{2}x + \frac{c}{2}) / \cos(\frac{d}{2}x + \frac{c}{2}) \text{EllipticF}(\sin(\frac{d}{2}x + \frac{c}{2}), 2^{\frac{1}{2}}) / a^2 / (a^2 - b^2) / d - (5Aa^2b - 3A^2b^3 - 3B^2a^3 + B^2ab^2) \cos^{\frac{1}{2}}(\frac{d}{2}x + \frac{c}{2}) / \cos(\frac{d}{2}x + \frac{c}{2}) \text{EllipticPi}(\sin(\frac{d}{2}x + \frac{c}{2}), 2b/(a+b), 2^{\frac{1}{2}}) / a^2 / (a-b) / (a+b)^2 / d + (2Aa^2 - 3Ab^2 + B^2) \sin(d*x+c) / a^2 / (a^2 - b^2) / d / \cos(d*x+c)^{\frac{1}{2}} + b(Ab - aB) \sin(d*x+c) / a / (a^2 - b^2) / d / (a+b \cos(d*x+c)) / \cos(d*x+c)^{\frac{1}{2}}$

Rubi [A] time = 0.92, antiderivative size = 256, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad(a^2 - b^2)} - \frac{(2a^2A + abB - 3Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a^2 - b^2)} - \frac{(5a^2Ab - 3a^3B + ab^2B - 3Ab^3)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}\right)}{a^2d(a-b)(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^2), x]

[Out] $-(((2a^2A - 3Ab^2 + a^2B) \text{EllipticE}[(c + dx)/2, 2]) / (a^2(a^2 - b^2)d) + ((Ab - aB) \text{EllipticF}[(c + dx)/2, 2]) / (a(a^2 - b^2)d) - ((5a^2Ab - 3a^3B + ab^2B) \text{EllipticPi}[(2b)/(a+b), (c + dx)/2, 2]) / (a^2(a-b)(a+b)^2d) + ((2a^2A - 3Ab^2 + a^2B) \text{Sin}[c + dx]) / (a^2(a^2 - b^2)d \sqrt{\cos[c + dx]}) + (b(Ab - aB) \text{Sin}[c + dx]) / (a(a^2 - b^2)d \sqrt{\cos[c + dx]}(a + b \cos[c + dx])))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a+b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c+d)]) / (f*(a+b)*Sqrt[c+d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c+d, 0]

Rule 3000

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m+1)*(c + d*Ssin[e

```

+ f*x]]^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

Rule 3002

```

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} dx &= \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}(2a^2A - 3Ab^2 + abB) - c}{\cos}}{\cos} \\
&= \frac{(2a^2A - 3Ab^2 + abB) \sin(c + dx)}{a^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \cos(c + dx))} \\
&= \frac{(2a^2A - 3Ab^2 + abB) \sin(c + dx)}{a^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \cos(c + dx))} \\
&= -\frac{(2a^2A - 3Ab^2 + abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2(a^2 - b^2) d} + \frac{(2a^2A - 3Ab^2 + abB) \sin(c + dx)}{a^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(2a^2A - 3Ab^2 + abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2(a^2 - b^2) d} + \frac{(Ab - aB) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a(a^2 - b^2) d}
\end{aligned}$$

Mathematica [A] time = 4.22, size = 316, normalized size = 1.23

$$4\sqrt{\cos(c + dx)} \left(\frac{b^2(Ab - aB) \sin(c + dx)}{(b^2 - a^2)(a + b \cos(c + dx))} + 2A \tan(c + dx) \right) - \frac{8a(a^2A + abB - 2Ab^2) \left((a+b)F\left(\frac{1}{2}(c+dx) \middle| 2\right) - a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \right) - 2(2a^2A + abB - 2Ab^2)}{b(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^2), x]

[Out] (-(((2*(-10*a^2*A*b + 9*A*b^3 + 4*a^3*B - 3*a*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) - (8*a*(a^2*A - 2*A*b^2 + a*b*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(b*(a + b)) - (2*(2*a^2*A - 3*A*b^2 + a*b*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]))/((-a + b)*(a + b))) + 4*Sqrt[Cos[c + d*x]]*((b^2*(A*b - a*B)*Sin[c + d*x])/((-a^2 + b^2)*(a + b*Cos[c + d*x])) + 2*A*Tan[c + d*x]))/(4*a^2*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2)), x)

maple [B] time = 4.25, size = 883, normalized size = 3.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*A*b^2/a^2/(-2 \\ & *a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x \\ & +1/2*c), -2*b/(a-b), 2^{(1/2)})+2*(-A*b+B*a)/a*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/ \\ & 2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/ \\ & 2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2* \\ & c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Elliptic \\ & F(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(\\ & 1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3 \\ & *a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+ \\ & 1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Elli \\ & pticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)* \\ & b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(\\ & 1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), \\ & -2*b/(a-b), 2^{(1/2)})+2*A/a^2*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^ \\ & 2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*Elli \\ & pticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2 \\ & /(2*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^2), x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

$$3.376 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=345

$$\frac{(2a^2A + 3abB - 5Ab^2) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2d(a^2 - b^2)} + \frac{b(Ab - aB) \sin(c+dx)}{ad(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))} + \frac{(2a^2A + 3abB - 5Ab^2) \sin(c+dx)}{3a^2d(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)}$$

[Out] $(4Aa^2b - 5Ab^3 - 2Ba^3 + 3Bab^2) \cdot (\cos(\frac{1}{2}dx + \frac{1}{2}c))^{\frac{1}{2}} / \cos(\frac{1}{2}dx + \frac{1}{2}c) \cdot \text{EllipticE}(\sin(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) / a^3 / (a^2 - b^2) / d + 1/3 \cdot (2Aa^2 - 5Ab^2 + 3Bab) \cdot (\cos(\frac{1}{2}dx + \frac{1}{2}c))^{\frac{1}{2}} / \cos(\frac{1}{2}dx + \frac{1}{2}c) \cdot \text{EllipticF}(\sin(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) / a^2 / (a^2 - b^2) / d + b \cdot (7Aa^2b - 5Ab^3 - 5Ba^3 + 3Bab^2) \cdot (\cos(\frac{1}{2}dx + \frac{1}{2}c))^{\frac{1}{2}} / \cos(\frac{1}{2}dx + \frac{1}{2}c) \cdot \text{EllipticPi}(\sin(\frac{1}{2}dx + \frac{1}{2}c), 2b/(a+b), 2^{\frac{1}{2}}) / a^3 / (a-b) / (a+b)^2 / d + 1/3 \cdot (2Aa^2 - 5Ab^2 + 3Bab) \cdot \sin(dx+c) / a^2 / (a^2 - b^2) / d / \cos(dx+c)^{\frac{3}{2}} + b \cdot (Ab - Ba) \cdot \sin(dx+c) / a / (a^2 - b^2) / d / \cos(dx+c)^{\frac{3}{2}} / (a+b \cos(dx+c)) - (4Aa^2b - 5Ab^3 - 2Ba^3 + 3Bab^2) \cdot \sin(dx+c) / a^3 / (a^2 - b^2) / d / \cos(dx+c)^{\frac{1}{2}}$

Rubi [A] time = 1.29, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(2a^2A + 3abB - 5Ab^2) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2d(a^2 - b^2)} + \frac{(4a^2Ab - 2a^3B + 3ab^2B - 5Ab^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^3d(a^2 - b^2)} + \frac{b(7a^2Ab - 5a^3B + \dots)}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^2), x]

[Out] $((4a^2Ab - 5a^3B + 3ab^2B) \cdot \text{EllipticE}[(c+dx)/2, 2]) / (a^3(a^2 - b^2)d) + ((2a^2A - 5Ab^2 + 3abB) \cdot \text{EllipticF}[(c+dx)/2, 2]) / (3a^2(a^2 - b^2)d) + (b \cdot (7a^2Ab - 5a^3B + 3ab^2B) \cdot \text{EllipticPi}[(2b)/(a+b), (c+dx)/2, 2]) / (a^3(a-b)(a+b)^2d) + ((2a^2A - 5Ab^2 + 3abB) \cdot \text{Sin}[c+dx]) / (3a^2(a^2 - b^2)d \cdot \text{Cos}[c+dx]^{\frac{3}{2}}) - ((4a^2Ab - 5a^3B + 3ab^2B) \cdot \text{Sin}[c+dx]) / (a^3(a^2 - b^2)d \cdot \text{Sqrt}[\text{Cos}[c+dx]]) + (b \cdot (Ab - aB) \cdot \text{Sin}[c+dx]) / (a \cdot (a^2 - b^2)d \cdot \text{Cos}[c+dx]^{\frac{3}{2}} \cdot (a + b \cdot \text{Cos}[c+dx]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a+b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c+d)])/(f*(a+b)*Sqrt[c+d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c+d, 0]

Rule 3000

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3055

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x]), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2} dx &= \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} + \int \frac{\frac{1}{2}(2a^2A - 5Ab^2 + 3abB) - a(Ab - aB)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{(2a^2A - 5Ab^2 + 3abB) \sin(c + dx)}{3a^2(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} \\
&= \frac{(2a^2A - 5Ab^2 + 3abB) \sin(c + dx)}{3a^2(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)} - \frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B)}{a^3(a^2 - b^2)d \sqrt{\cos(c + dx)}} \\
&= \frac{(2a^2A - 5Ab^2 + 3abB) \sin(c + dx)}{3a^2(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)} - \frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B)}{a^3(a^2 - b^2)d \sqrt{\cos(c + dx)}} \\
&= \frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^3(a^2 - b^2)d} + \frac{(2a^2A - 5Ab^2 + 3ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2(a^2 - b^2)d} \\
&= \frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^3(a^2 - b^2)d} + \frac{(2a^2A - 5Ab^2 + 3ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2(a^2 - b^2)d}
\end{aligned}$$

Mathematica [A] time = 6.92, size = 427, normalized size = 1.24

$$\frac{\sqrt{\cos(c + dx)} \left(\frac{2 \sec(c + dx)(aB \sin(c + dx) - 2Ab \sin(c + dx))}{a^3} + \frac{2A \tan(c + dx) \sec(c + dx)}{3a^2} + \frac{Ab^4 \sin(c + dx) - ab^3B \sin(c + dx)}{a^3(a^2 - b^2)(a + b \cos(c + dx))} \right)}{d} + \frac{2(-6a^3bB + 12a^2Ab^2)}{3a^2(a^2 - b^2)d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^2), x]

[Out] ((2*(4*a^4*A + 44*a^2*A*b^2 - 45*A*b^4 - 30*a^3*b*B + 27*a*b^3*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + ((28*a^3*A*b - 40*a*A*b^3 - 12*a^4*B + 24*a^2*b^2*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)))/b + (2*(12*a^2*A*b^2 - 15*A*b^4 - 6*a^3*b*B + 9*a*b^3*B)*Cos[2*(c + d*x)]*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[1 - Cos[c + d*x]^2]*(-1 + 2*Cos[c + d*x]^2))/(12*a^3*(a - b)*(a + b)*d) + (Sqrt[Cos[c + d*x]]*((2*Sec[c + d*x]*(-2*A*b*Sin[c + d*x] + a*B*Sin[c + d*x]))/a^3 + (A*b^4*Sin[c + d*x] - a*b^3*B*Sin[c + d*x])/(a^3*(a^2 - b^2)*(a + b*Cos[c + d*x])) + (2*A*Sec[c + d*x]*Tan[c + d*x])/(3*a^2)))/d

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*cos(d*x + c)^(5/2)), x)

maple [B] time = 6.82, size = 1031, normalized size = 2.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A/a^2*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-4*b^2*(2*A*b-B*a)/a^3/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+2*(A*b-B*a)*b/a^2*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)}))+2*(-2*A*b+B*a)/a^3*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^2), x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+b*cos(d*x+c))**2, x)

[Out] Timed out

$$3.377 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=367

$$\frac{a(Ab - aB) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{2bd(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{a(-5a^3B + a^2Ab + 11ab^2B - 7Ab^3) \sin(c + dx) \sqrt{\cos(c + dx)}}{4b^2d(a^2 - b^2)^2(a + b \cos(c + dx))} \quad (-15a^4B)$$

[Out] $-1/4*(3*A*a^3*b-9*A*a*b^3-15*B*a^4+29*B*a^2*b^2-8*B*b^4)*(cos(1/2*d*x+1/2*c))^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/b^3/(a^2-b^2)^2/d+1/4*(3*A*a^4*b-5*A*a^2*b^3+8*A*b^5-15*B*a^5+33*B*a^3*b^2-24*B*a*b^4)*(cos(1/2*d*x+1/2*c))^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/b^4/(a^2-b^2)^2/d-1/4*a*(3*A*a^4*b-6*A*a^2*b^3+15*A*b^5-15*B*a^5+38*B*a^3*b^2-35*B*a*b^4)*(cos(1/2*d*x+1/2*c))^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2*b/(a+b),2^{(1/2)})/(a-b)^2/b^4/(a+b)^3/d+1/2*a*(A*b-B*a)*cos(d*x+c)^{(3/2)}*sin(d*x+c)/b/(a^2-b^2)/d/(a+b*cos(d*x+c))^2+1/4*a*(A*a^2*b-7*A*b^3-5*B*a^3+11*B*a*b^2)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/b^2/(a^2-b^2)^2/d/(a+b*cos(d*x+c))$

Rubi [A] time = 1.01, antiderivative size = 367, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2989, 3047, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-5a^2Ab^3 + 3a^4Ab + 33a^3b^2B - 15a^5B - 24ab^4B + 8Ab^5) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^4d(a^2 - b^2)^2} \quad (3a^3Ab + 29a^2b^2B - 15a^4B - 9a^5B)$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3,x]

[Out] $-((3*a^3*A*b - 9*a*A*b^3 - 15*a^4*B + 29*a^2*b^2*B - 8*b^4*B)*EllipticE[(c + d*x)/2, 2])/(4*b^3*(a^2 - b^2)^2*d) + ((3*a^4*A*b - 5*a^2*A*b^3 + 8*A*b^5 - 15*a^5*B + 33*a^3*b^2*B - 24*a*b^4*B)*EllipticF[(c + d*x)/2, 2])/(4*b^4*(a^2 - b^2)^2*d) - (a*(3*a^4*A*b - 6*a^2*A*b^3 + 15*A*b^5 - 15*a^5*B + 38*a^3*b^2*B - 35*a*b^4*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(4*(a - b)^2*b^4*(a + b)^3*d) + (a*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^2) + (a*(a^2*A*b - 7*A*b^3 - 5*a^3*B + 11*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^3} dx = \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \int \frac{\sqrt{\cos(c+dx)}\left(-\frac{3}{2}a(Ab-aB)+2b(Ab-aB)\right)}{(a+b\cos(c+dx))^3} dx$$

$$= \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{a(a^2Ab-7Ab^3-5a^3B+11b^3)}{4b^2(a^2-b^2)^2d}$$

$$= \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{a(a^2Ab-7Ab^3-5a^3B+11b^3)}{4b^2(a^2-b^2)^2d}$$

$$= -\frac{(3a^3Ab-9aAb^3-15a^4B+29a^2b^2B-8b^4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^3(a^2-b^2)^2d} + \frac{a(a^2Ab-7Ab^3-5a^3B+11b^3)}{4b^2(a^2-b^2)^2d}$$

$$= -\frac{(3a^3Ab-9aAb^3-15a^4B+29a^2b^2B-8b^4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^3(a^2-b^2)^2d} + \frac{a(a^2Ab-7Ab^3-5a^3B+11b^3)}{4b^2(a^2-b^2)^2d}$$

Mathematica [A] time = 5.06, size = 390, normalized size = 1.06

$$\frac{8(a^3B+a^2Ab-4ab^2B+2Ab^3)\left(\frac{1}{2}(c+dx)\middle|2\right)-a\Pi\left(\frac{2b}{a+b};\frac{1}{2}(c+dx)\middle|2\right)}{a+b} + \frac{(5a^4B-a^3Ab-7a^2b^2B-5aAb^3+8b^4B)\Pi\left(\frac{2b}{a+b};\frac{1}{2}(c+dx)\middle|2\right)}{a+b} + \frac{(15a^4B-3a^3Ab-29a^2b^2B+9aAb^3+8b^4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{(a-b)^2(a+b)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3, x]
```

```
[Out] ((-2*a*Sqrt[Cos[c + d*x]]*(a*(-a^2*A*b) + 7*A*b^3 + 5*a^3*B - 11*a*b^2*B) + b*(-3*a^2*A*b + 9*A*b^3 + 7*a^3*B - 13*a*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2) + (((-a^3*A*b) - 5*a*A*b^3 + 5*a^4*B - 7*a^2*b^2*B + 8*b^4*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*(a^2*A*b + 2*A*b^3 + a^3*B - 4*a*b^2*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b) + ((-3*a^3*A*b + 9*a*A*b^3 + 15*a^4*B - 29*a^2*b^2*B + 8*b^4*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[Sin[c + d*x]^2])/((a - b)^2*(a + b)^2)/(8*b^2*d)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^3, x)

maple [B] time = 6.78, size = 1977, normalized size = 5.39

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/b^4/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ &)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b-3 \\ & *B*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2 \\ & ^{(1/2)})*b)-2*a^3*(A*b-B*a)/b^4*(-1/2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2 \\ & * \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b \\ & +a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2* \\ & d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8 \\ & /(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ & /(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2 \\ & *d*x+1/2*c), 2^{(1/2)})+1/4/(a+b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2 \\ & *\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^ \\ & 2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(s \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)} \\ &)*b^2-9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\ & ^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF} \\ & (\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d \\ & *x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)} \\ &))-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2 \\ & *c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Ellipti} \\ & cE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/ \\ & 2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b) \\ & , 2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\\ & -2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c \\ &)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-3/4/a^2/(a^2-b \\ & ^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\ &)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticP} \\ & i(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+12/b^3*a*(A*b-2*B*a)/(-2*a*b+2*b^ \\ & 2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1 \\ & /2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), - \\ & 2*b/(a-b), 2^{(1/2)})+2*a^2/b^4*(3*A*b-4*B*a)*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/ \\ & 2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/ \\ & 2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2* \\ & c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Elliptic} \\ & F(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(\\ & 1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3 \\ & *a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+ \end{aligned}$$

$\frac{1}{2}c)^{2+1})^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^{2+1})^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{1/2})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{5/2} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^3,x)

[Out] int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.378 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=344

$$\frac{a(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{2bd(a^2 - b^2)(a + b \cos(c + dx))^2} - \frac{(3a^3B + a^2Ab - 9ab^2B + 5Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2d(a^2 - b^2)^2} + \frac{(3a^3B + a^2Ab - 9ab^2B)}{4bd(a^2 - b^2)}$$

[Out] $-1/4*(A*a^2*b+5*A*b^3+3*B*a^3-9*B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^2/(a^2-b^2)^2/d+1/4*(A*a^3*b-7*A*a*b^3+3*B*a^4-5*B*a^2*b^2+8*B*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^3/(a^2-b^2)^2/d-1/4*(A*a^4*b-10*A*a^2*b^3-3*A*b^5+3*B*a^5-6*B*a^3*b^2+15*B*a*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/(a-b)^2/b^3/(a+b)^3/d+1/2*a*(A*b-B*a)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2+1/4*(A*a^2*b+5*A*b^3+3*B*a^3-9*B*a*b^2)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.99, antiderivative size = 344, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2989, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(a^3Ab - 5a^2b^2B + 3a^4B - 7aAb^3 + 8b^4B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^3d(a^2 - b^2)^2} - \frac{(a^2Ab + 3a^3B - 9ab^2B + 5Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2d(a^2 - b^2)^2} - \frac{(3a^3B + a^2Ab - 9ab^2B)}{4bd(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3,x]

[Out] $-((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*\text{EllipticE}[(c + d*x)/2, 2])/(4*b^2*(a^2 - b^2)^2*d) + ((a^3*A*b - 7*a*A*b^3 + 3*a^4*B - 5*a^2*b^2*B + 8*b^4*B)*\text{EllipticF}[(c + d*x)/2, 2])/(4*b^3*(a^2 - b^2)^2*d) - ((a^4*A*b - 10*a^2*A*b^3 - 3*A*b^5 + 3*a^5*B - 6*a^3*b^2*B + 15*a*b^4*B)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(4*(a - b)^2*b^3*(a + b)^3*d) + (a*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^2) + ((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(4*b*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2989

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3055

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x]), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^3} dx &= \frac{a(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \int \frac{-\frac{1}{2}a(Ab-aB)+2b(Ab-aB)\cos(c+dx)-\sqrt{\cos(c+dx)}(a+b\cos(c+dx))}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} dx \\
&= \frac{a(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2Ab+5Ab^3+3a^3B-9ab^2B)}{4b(a^2-b^2)^2d(a+b\cos(c+dx))} \\
&= \frac{a(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2Ab+5Ab^3+3a^3B-9ab^2B)}{4b(a^2-b^2)^2d(a+b\cos(c+dx))} \\
&= -\frac{(a^2Ab+5Ab^3+3a^3B-9ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2(a^2-b^2)^2d} + \frac{a(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))} \\
&= -\frac{(a^2Ab+5Ab^3+3a^3B-9ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2(a^2-b^2)^2d} + \frac{(a^3Ab-7aAb^3+5a^2b^2B)}{4b^2(a^2-b^2)^2d}
\end{aligned}$$

Mathematica [A] time = 3.73, size = 360, normalized size = 1.05

$$\frac{2\sin(c+dx)\sqrt{\cos(c+dx)}(b(3a^3B+a^2Ab-9ab^2B+5Ab^3)\cos(c+dx)+a(a^3B+3a^2Ab-7ab^2B+3Ab^3))}{(a^2-b^2)^2(a+b\cos(c+dx))^2} - \frac{8(a^2B-3aAb+2b^2B)\left((a+b)F\left(\frac{1}{2}(c+dx)\middle|2\right)-a\Pi\left(\frac{2b}{a+b};\frac{1}{2}(c+dx)\middle|2\right)\right)}{a+b}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3, x]

[Out] ((2*sqrt[Cos[c + d*x]]*(a*(3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B) + b*(a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B))*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2) - (((-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) - (8*(-3*a*A*b + a^2*B + 2*b^2*B))*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b) + ((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*sqrt[Sin[c + d*x]^2])/((a - b)^2*(a + b)^2)/(8*b*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\cos(dx+c)^2}{(b\cos(dx+c)+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^3, x
)
```

maple [B] time = 6.06, size = 1937, normalized size = 5.63

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B/b^3*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*a
^2*(A*b-B*a)/b^3*(-1/2*b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^
2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+s
in(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^
2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1
/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^
(1/2))+1/4/(a+b)/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1
/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellip
ticF(cos(1/2*d*x+1/2*c),2^(1/2))*b+3/8/(a+b)/(a^2-b^2)/a^2*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin
(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b^2-9/8*b/(a
^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-
2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/
2*c),2^(1/2))+3/8*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(
1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1
/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+9/8*b/(a^2-b^2)^2*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+si
n(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3/8*b^3/a^2
/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)
/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x
+1/2*c),2^(1/2))-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^
2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2
*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+3/2/
(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x
+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ell
ipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))-3/4/a^2/(a^2-b^2)^2/(-2*a*b+
2*b^2)*b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-
2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+
1/2*c),-2*b/(a-b),2^(1/2))-4/b^2*(A*b-3*B*a)/(-2*a*b+2*b^2)*(sin(1/2*d*x+1
/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+s
in(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)
)-2*a/b^3*(2*A*b-3*B*a)*(-b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*
x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(
a+b)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*s
in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c
),2^(1/2))-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1
/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellip
ticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x
+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*a/(a^2-b^2)/(-2*a*
b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-
2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+
```

$1/2*c), -2*b/(a-b), 2^{(1/2)}+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})/(\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)/d}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^3,x)

[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.379 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=337

$$\frac{(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{2d(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{(a^3B + 3a^2Ab - 7ab^2B + 3Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2d(a^2 - b^2)^2} + \frac{(a^3(-B) + 5a^2Ab - 5aAb^2 + a^3B)}{4abd(a^2 - b^2)^2}$$

[Out] $\frac{1}{4} * (5 * A * a^2 * b + A * b^3 - B * a^3 - 5 * B * a * b^2) * (\cos(1/2 * d * x + 1/2 * c))^2 \wedge (1/2) / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticE}(\sin(1/2 * d * x + 1/2 * c), 2 \wedge (1/2)) / a / b / (a^2 - b^2)^2 / d + 1/4 * (3 * A * a^2 * b + 3 * A * b^3 + B * a^3 - 7 * B * a * b^2) * (\cos(1/2 * d * x + 1/2 * c))^2 \wedge (1/2) / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticF}(\sin(1/2 * d * x + 1/2 * c), 2 \wedge (1/2)) / b^2 / (a^2 - b^2)^2 / d - 1/4 * (3 * A * a^4 * b + 10 * A * a^2 * b^3 - A * b^5 + B * a^5 - 10 * B * a^3 * b^2 - 3 * B * a * b^4) * (\cos(1/2 * d * x + 1/2 * c))^2 \wedge (1/2) / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticPi}(\sin(1/2 * d * x + 1/2 * c), 2 * b / (a + b), 2 \wedge (1/2)) / a / (a - b)^2 / b^2 / (a + b)^3 / d - 1/2 * (A * b - B * a) * \sin(d * x + c) * \cos(d * x + c) \wedge (1/2) / (a^2 - b^2) / d / (a + b * \cos(d * x + c))^2 - 1/4 * (5 * A * a^2 * b + A * b^3 - B * a^3 - 5 * B * a * b^2) * \sin(d * x + c) * \cos(d * x + c) \wedge (1/2) / a / (a^2 - b^2)^2 / d / (a + b * \cos(d * x + c))$

Rubi [A] time = 0.92, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2999, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2d(a^2 - b^2)^2} + \frac{(5a^2Ab + a^3(-B) - 5ab^2B + Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4abd(a^2 - b^2)^2} - \frac{(10a^2Ab - 5a^3B + 5ab^2B - Ab^3)}{4abd(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3,x]

[Out] $((5 * a^2 * A * b + A * b^3 - a^3 * B - 5 * a * b^2 * B) * \text{EllipticE}[(c + d * x) / 2, 2]) / (4 * a * b * (a^2 - b^2)^2 * d) + ((3 * a^2 * A * b + 3 * A * b^3 + a^3 * B - 7 * a * b^2 * B) * \text{EllipticF}[(c + d * x) / 2, 2]) / (4 * b^2 * (a^2 - b^2)^2 * d) - ((3 * a^4 * A * b + 10 * a^2 * A * b^3 - A * b^5 + a^5 * B - 10 * a^3 * b^2 * B - 3 * a * b^4 * B) * \text{EllipticPi}[(2 * b) / (a + b), (c + d * x) / 2, 2]) / (4 * a * (a - b)^2 * b^2 * (a + b)^3 * d) - ((A * b - a * B) * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{Sin}[c + d * x]) / (2 * (a^2 - b^2) * d * (a + b * \text{Cos}[c + d * x])^2) - ((5 * a^2 * A * b + A * b^3 - a^3 * B - 5 * a * b^2 * B) * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{Sin}[c + d * x]) / (4 * a * (a^2 - b^2)^2 * d * (a + b * \text{Cos}[c + d * x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2999

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*
x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a +
b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m
+ 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*S
in[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

```

Rule 3002

```

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Ssin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+b\cos(c+dx))^3} dx = -\frac{(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \int \frac{\frac{1}{2}(Ab-aB)-2(aA-bB)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx$$

$$= -\frac{(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{(5a^2Ab+Ab^3-a^3B-5ab^2B)}{4a(a^2-b^2)^2d} + \frac{(5a^2Ab+Ab^3-a^3B-5ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4ab(a^2-b^2)^2d} - \frac{(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2}$$

$$= \frac{(5a^2Ab+Ab^3-a^3B-5ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4ab(a^2-b^2)^2d} + \frac{(3a^2Ab+3Ab^3-3a^3B-3ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4ab(a^2-b^2)^2d}$$

Mathematica [A] time = 4.55, size = 365, normalized size = 1.08

$$\frac{4\sin(c+dx)\sqrt{\cos(c+dx)}(b(a^3B-5a^2Ab+5ab^2B-Ab^3)\cos(c+dx)+a(3a^3B-7a^2Ab+3ab^2B+Ab^3))}{(a^2-b^2)^2(a+b\cos(c+dx))^2} + \frac{16a(2a^2A-3abB+Ab^2)\left((a+b)F\left(\frac{1}{2}(c+dx)\middle|2\right)-a\Pi\left(\frac{2b}{a+b};\frac{c+dx}{2}\right)\right)}{b(a+b)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3, x]
```

```
[Out] ((4*Sqrt[Cos[c + d*x]]*(a*(-7*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B) + b*(-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2) + ((2*(-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (16*a*(2*a^2*A + A*b^2 - 3*a*b*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(b*(a + b)) - (2*(-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[Sin[c + d*x]^2])/((a - b)^2*(a + b)^2)/(16*a*d)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\sqrt{\cos(dx+c)}}{(b\cos(dx+c)+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^3, x)

maple [B] time = 5.82, size = 1850, normalized size = 5.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*a*(A*b-B*a)/ \\ & b^2*(-1/2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2) \\ & /a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c) \\ & ^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/4/(a \\ & +b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1 \\ & /2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2* \\ & d*x+1/2*c),2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x \\ & +1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & +3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\ &)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF \\ & (\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2* \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2* \\ & d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/ \\ & 2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2* \\ & \cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2 \\ &)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+3/2/(a^2-b^2)^2/(\\ & -2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^ \\ & (1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1 \\ & /2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(\\ & a-b),2^{(1/2)})-4*B/b/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/ \\ & 2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2 \\ &)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+2*(A*b-2*B*a)/b^2*(-b^2 \\ & /a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)* \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2* \\ & d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/ \\ & 2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2 \\ & +1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos \\ & (1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c) \\ &)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/ \\ & a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x \\ & +1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ell \\ \end{aligned}$$

`ipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^3, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^3,x)`

[Out] `int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^3, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3,x)`

[Out] Timed out

$$3.380 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=345

$$\frac{b(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{2ad(a^2 - b^2)(a + b \cos(c + dx))^2} \frac{(-3a^3B + 7a^2Ab - 3ab^2B - Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4abd(a^2 - b^2)^2} \frac{(-5a^3B + 9a^2Ab - ab^3)}{4a^2d}$$

[Out] $-1/4*(9*A*a^2*b-3*A*b^3-5*B*a^3-B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/(a^2-b^2)^2/d-1/4*(7*A*a^2*b-A*b^3-3*B*a^3-3*B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/b/(a^2-b^2)^2/d+1/4*(15*A*a^4*b-6*A*a^2*b^3+3*A*b^5-3*B*a^5-10*B*a^3*b^2+B*a*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a^2/(a-b)^2/b/(a+b)^3/d+1/2*b*(A*b-B*a)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2+1/4*b*(9*A*a^2*b-3*A*b^3-5*B*a^3-B*a*b^2)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 1.06, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(7a^2Ab - 3a^3B - 3ab^2B - Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4abd(a^2 - b^2)^2} \frac{(9a^2Ab - 5a^3B - ab^2B - 3Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2d(a^2 - b^2)^2} + \frac{(-6a^2Ab^3 - 3a^3B^2 - 3ab^2B^2 - Ab^3B)}{4a^2d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^3), x]

[Out] $-((9*a^2*A*b - 3*A*b^3 - 5*a^3*B - a*b^2*B)*\text{EllipticE}[(c + d*x)/2, 2])/(4*a^2*(a^2 - b^2)^2*d) - ((7*a^2*A*b - A*b^3 - 3*a^3*B - 3*a*b^2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(4*a*b*(a^2 - b^2)^2*d) + ((15*a^4*A*b - 6*a^2*A*b^3 + 3*A*b^5 - 3*a^5*B - 10*a^3*b^2*B + a*b^4*B)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(4*a^2*(a - b)^2*b*(a + b)^3*d) + (b*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^2) + (b*(9*a^2*A*b - 3*A*b^3 - 5*a^3*B - a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*\text{Sqrt}[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3000

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3055

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x]), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^3} dx &= \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}(4a^2A - 3Ab^2 - abB) - 2a(Ab - aB) \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^3} dx}{2a(a^2 - b^2)d} \\
&= \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(9a^2Ab - 3Ab^3 - 5a^3B - ab^3)}{4a^2(a^2 - b^2)^2 d} \\
&= \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(9a^2Ab - 3Ab^3 - 5a^3B - ab^3)}{4a^2(a^2 - b^2)^2 d} \\
&= -\frac{(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2(a^2 - b^2)^2 d} + \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d} \\
&= -\frac{(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2(a^2 - b^2)^2 d} - \frac{(7a^2Ab - Ab^3 - 3a^3B)}{4a^2(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 4.89, size = 383, normalized size = 1.11

$$\frac{8a(2a^3B - 4a^2Ab + ab^2B + Ab^3) \left((a+b)F\left(\frac{1}{2}(c+dx) \middle| 2\right) - a\Pi\left(\frac{2b}{a+b}, \frac{1}{2}(c+dx) \middle| 2\right) \right) + (5a^3B - 9a^2Ab + ab^2B + 3Ab^3) \sin(c+dx) \left((b^2 - 2a^2)\Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) + 2a(a+b)F\left(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| 2\right) \right)}{b(a+b) + \frac{ab\sqrt{\sin^2(c+dx)}}{(a-b)^2(a+b)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^3), x]

[Out] ((-2*b*Sqrt[Cos[c + d*x]]*(a*(-11*a^2*A*b + 5*A*b^3 + 7*a^3*B - a*b^2*B) + b*(-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2) + (((16*a^4*A - 19*a^2*A*b^2 + 9*A*b^4 - 9*a^3*b*B + 3*a*b^3*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*a*(-4*a^2*A*b + A*b^3 + 2*a^3*B + a*b^2*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(b*(a + b)) + ((-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]))/((a - b)^2*(a + b)^2)/(8*a^2*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*sqrt(cos(d*x + c))),
x)
```

maple [B] time = 5.77, size = 1744, normalized size = 5.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*(A*b-B*a)/b*(
-1/2*b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*
x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/
(a^2-b^2)^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^
2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+si
n(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/4/(a+b)/(
a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(
-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1
/2*c),2^(1/2))*b+3/8/(a+b)/(a^2-b^2)/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*c
os(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2
)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b^2-9/8*b/(a^2-b^2)^2*(sin(1/2
*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*
c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3/8*
b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1
)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(
1/2*d*x+1/2*c),2^(1/2))+9/8*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*
cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2
)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3/8*b^3/a^2/(a^2-b^2)^2*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1
5/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1
/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/
2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+3/2/(a^2-b^2)^2/(-2*a*
b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)
/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*
x+1/2*c),-2*b/(a-b),2^(1/2))-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),
2^(1/2))+2*B/b*(-b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(
sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d
*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2
))-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+
1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos
(1/2*d*x+1/2*c),2^(1/2))+1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2
*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^
2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)
*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1
/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-
2*b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)
^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*
x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)))/sin(1
/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^3),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

3.381
$$\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=420

$$\frac{b(Ab - aB) \sin(c + dx)}{2ad(a^2 - b^2) \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^2} + \frac{(-7a^3B + 11a^2Ab + ab^2B - 5Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2d(a^2 - b^2)^2} + \frac{b(-7a^3B + 11a^2Ab + ab^2B - 5Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2d(a^2 - b^2)^2}$$

```
[Out] -1/4*(8*A*a^4-29*A*a^2*b^2+15*A*b^4+9*B*a^3*b-3*B*a*b^3)*(cos(1/2*d*x+1/2*c)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))/a^3/(a^2-b^2)^2/d+1/4*(11*A*a^2*b-5*A*b^3-7*B*a^3+B*a*b^2)*(cos(1/2*d*x+1/2*c)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))/a^2/(a^2-b^2)^2/d-1/4*(35*A*a^4*b-38*A*a^2*b^3+15*A*b^5-15*B*a^5+6*B*a^3*b^2-3*B*a*b^4)*(cos(1/2*d*x+1/2*c)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2*b/(a+b),2^(1/2))/a^3/(a-b)^2/(a+b)^3/d+1/4*(8*A*a^4-29*A*a^2*b^2+15*A*b^4+9*B*a^3*b-3*B*a*b^3)*sin(d*x+c)/a^3/(a^2-b^2)^2/d/cos(d*x+c)^(1/2)+1/2*b*(A*b-B*a)*sin(d*x+c)/a/(a^2-b^2)/d/(a+b*cos(d*x+c))^2/cos(d*x+c)^(1/2)+1/4*b*(11*A*a^2*b-5*A*b^3-7*B*a^3+B*a*b^2)*sin(d*x+c)/a^2/(a^2-b^2)^2/d/(a+b*cos(d*x+c))/cos(d*x+c)^(1/2)
```

Rubi [A] time = 1.47, antiderivative size = 420, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, number of rules / integrand size = 0.212, Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(11a^2Ab - 7a^3B + ab^2B - 5Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2d(a^2 - b^2)^2} - \frac{(-29a^2Ab^2 + 8a^4A + 9a^3bB - 3ab^3B + 15Ab^4) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^3d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^3), x]
[Out] -((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*EllipticE[(c + d*x)/2, 2])/(4*a^3*(a^2 - b^2)^2*d) + ((11*a^2*A*b - 5*A*b^3 - 7*a^3*B + a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(4*a^2*(a^2 - b^2)^2*d) - ((35*a^4*A*b - 38*a^2*A*b^3 + 15*A*b^5 - 15*a^5*B + 6*a^3*b^2*B - 3*a*b^4*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(4*a^3*(a - b)^2*(a + b)^3*d) + ((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*Sin[c + d*x])/(4*a^3*(a^2 - b^2)^2*d*sqrt[Cos[c + d*x]]) + (b*(A*b - a*B)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2) + (b*(11*a^2*A*b - 5*A*b^3 - 7*a^3*B + a*b^2*B)*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*sqrt[Cos[c + d*x]])*(a + b*Cos[c + d*x])
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
```

0] && GtQ[c + d, 0]

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^3} dx &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2} + \int \frac{\frac{1}{2}(4a^2A - 5Ab^2 + abB)}{\dots} \\
&= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2} + \frac{b(11a^2Ab - 5Ab^3)}{4a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sin(c + dx)}{4a^3(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} + \frac{b(11a^2Ab - 5Ab^3)}{2a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sin(c + dx)}{4a^3(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} + \frac{b(11a^2Ab - 5Ab^3)}{2a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^3(a^2 - b^2)^2 d} + \frac{b(11a^2Ab - 5Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a(a^2 - b^2)^2 d} \\
&= -\frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^3(a^2 - b^2)^2 d} + \frac{b(11a^2Ab - 5Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 5.51, size = 458, normalized size = 1.09

$$\frac{\sqrt{\cos(c+dx)} \left(16A(a^3-ab^2)^2 \tan(c+dx)+b^2(8a^4A+9a^3bB-29a^2Ab^2-3ab^3B+15Ab^4) \sin(2(c+dx))+2ab(16a^4A+11a^3bB-47a^2Ab^2-5ab^3B+25Ab^4)\right)}{(a^2-b^2)^2(a+b \cos(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^3), x]

[Out] (-((((56*a^4*A*b - 95*a^2*A*b^3 + 45*A*b^5 - 16*a^5*B + 19*a^3*b^2*B - 9*a*b^4*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*a*(2*a^4*A - 10*a^2*A*b^2 + 5*A*b^4 + 4*a^3*b*B - a*b^3*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(b*(a + b)) + ((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]))/((a - b)^2*(a + b)^2) + (Sqrt[Cos[c + d*x]]*(2*a*b*(16*a^4*A - 47*a^2*A*b^2 + 25*A*b^4 + 11*a^3*b*B - 5*a*b^3*B)*Sin[c + d*x] + b^2*(8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*Sin[2*(c + d*x)] + 16*A*(a^3 - a*b^2)^2*Tan[c + d*x]))/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2))/(8*a^3*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*cos(d*x + c)^(3/2)), x)

maple [B] time = 7.37, size = 2002, normalized size = 4.77

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(-A*b+B*a)/a* \\ & (-1/2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2 \\ & / (a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+s \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/4/(a+b)/ \\ & (a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+ \\ & 1/2*c), 2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2* \\ & \cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2 \\ &)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2 \\ & *c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3/8 \\ & *b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+ \\ & 1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos \\ & (1/2*d*x+1/2*c), 2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2 \\ & *\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^ \\ & 2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+ \\ & 1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})- \\ & 15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(\\ & 1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a \\ & *b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2) \\ &)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d \\ & *x+1/2*c), -2*b/(a-b), 2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/ \\ & 2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b) \\ & , 2^{(1/2)})+4*A*b^2/a^3/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(\\ & 1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-2*A*b/a^2*(-b^2/a/(a^ \\ & 2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2) \\ & }*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/ \\ & 2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/ \end{aligned}$$

$$2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+2/a^3*A*(-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: THROW: The catch RAT-ERR is undefined.

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^3),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.382 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=523

$$\frac{b(Ab - aB) \sin(c + dx)}{2ad(a^2 - b^2) \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} + \frac{b(-9a^3B + 13a^2Ab + 3ab^2B - 7Ab^3) \sin(c + dx)}{4a^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} + \frac{(8a^4A + 33a^3B)}{4a^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))}$$

[Out] $\frac{1}{4} * (24 * A * a^4 * b - 65 * A * a^2 * b^3 + 35 * A * b^5 - 8 * B * a^5 + 29 * B * a^3 * b^2 - 15 * B * a * b^4) * (\cos(1/2 * d * x + 1/2 * c))^2)^{1/2} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticE}(\sin(1/2 * d * x + 1/2 * c), 2^{1/2}) / a^4 / (a^2 - b^2)^2 / d + 1/12 * (8 * A * a^4 - 61 * A * a^2 * b^2 + 35 * A * b^4 + 33 * B * a^3 * b - 15 * B * a * b^3) * (\cos(1/2 * d * x + 1/2 * c))^2)^{1/2} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticF}(\sin(1/2 * d * x + 1/2 * c), 2^{1/2}) / a^3 / (a^2 - b^2)^2 / d + 1/4 * b * (63 * A * a^4 * b - 86 * A * a^2 * b^3 + 35 * A * b^5 - 35 * B * a^5 + 38 * B * a^3 * b^2 - 15 * B * a * b^4) * (\cos(1/2 * d * x + 1/2 * c))^2)^{1/2} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticPi}(\sin(1/2 * d * x + 1/2 * c), 2 * b / (a + b), 2^{1/2}) / a^4 / (a - b)^2 / (a + b)^3 / d + 1/12 * (8 * A * a^4 - 61 * A * a^2 * b^2 + 35 * A * b^4 + 33 * B * a^3 * b - 15 * B * a * b^3) * \sin(d * x + c) / a^3 / (a^2 - b^2)^2 / d / \cos(d * x + c)^{3/2} + 1/2 * b * (A * b - B * a) * \sin(d * x + c) / a / (a^2 - b^2) / d / \cos(d * x + c)^{3/2} / (a + b * \cos(d * x + c))^2 + 1/4 * b * (13 * A * a^2 * b - 7 * A * b^3 - 9 * B * a^3 + 3 * B * a * b^2) * \sin(d * x + c) / a^2 / (a^2 - b^2)^2 / d / \cos(d * x + c)^{3/2} / (a + b * \cos(d * x + c)) - 1/4 * (24 * A * a^4 * b - 65 * A * a^2 * b^3 + 35 * A * b^5 - 8 * B * a^5 + 29 * B * a^3 * b^2 - 15 * B * a * b^4) * \sin(d * x + c) / a^4 / (a^2 - b^2)^2 / d / \cos(d * x + c)^{1/2}$

Rubi [A] time = 1.95, antiderivative size = 523, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-61a^2Ab^2 + 8a^4A + 33a^3bB - 15ab^3B + 35Ab^4) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{12a^3d(a^2 - b^2)^2} + \frac{(-65a^2Ab^3 + 24a^4Ab + 29a^3b^2B - 8a^5B - 15a^3b^2B)}{4a^4d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^3), x]

[Out] $((24 * a^4 * A * b - 65 * a^2 * A * b^3 + 35 * A * b^5 - 8 * a^5 * B + 29 * a^3 * b^2 * B - 15 * a * b^4 * B) * \text{EllipticE}[(c + d * x) / 2, 2]) / (4 * a^4 * (a^2 - b^2)^2 * d) + ((8 * a^4 * A - 61 * a^2 * A * b^2 + 35 * A * b^4 + 33 * a^3 * b * B - 15 * a * b^3 * B) * \text{EllipticF}[(c + d * x) / 2, 2]) / (12 * a^3 * (a^2 - b^2)^2 * d) + (b * (63 * a^4 * A * b - 86 * a^2 * A * b^3 + 35 * A * b^5 - 35 * a^5 * B + 38 * a^3 * b^2 * B - 15 * a * b^4 * B) * \text{EllipticPi}[(2 * b) / (a + b), (c + d * x) / 2, 2]) / (4 * a^4 * (a - b)^2 * (a + b)^3 * d) + ((8 * a^4 * A - 61 * a^2 * A * b^2 + 35 * A * b^4 + 33 * a^3 * b * B - 15 * a * b^3 * B) * \text{Sin}[c + d * x]) / (12 * a^3 * (a^2 - b^2)^2 * d * \text{Cos}[c + d * x]^{3/2}) - ((24 * a^4 * A * b - 65 * a^2 * A * b^3 + 35 * A * b^5 - 8 * a^5 * B + 29 * a^3 * b^2 * B - 15 * a * b^4 * B) * \text{Sin}[c + d * x]) / (4 * a^4 * (a^2 - b^2)^2 * d * \text{Sqrt}[\text{Cos}[c + d * x]]) + (b * (A * b - a * B) * \text{Sin}[c + d * x]) / (2 * a * (a^2 - b^2) * d * \text{Cos}[c + d * x]^{3/2} * (a + b * \text{Cos}[c + d * x])^2) + (b * (13 * a^2 * A * b - 7 * A * b^3 - 9 * a^3 * B + 3 * a * b^2 * B) * \text{Sin}[c + d * x]) / (4 * a^2 * (a^2 - b^2)^2 * d * \text{Cos}[c + d * x]^{3/2} * (a + b * \text{Cos}[c + d * x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805


```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Ssin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^3} dx &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} + \int \frac{\frac{1}{2}(4a^2A - 7Ab^2 + 3abB) - 2}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^3} dx \\
&= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} + \frac{b(13a^2Ab - 7Ab^3 - 15ab^2B)}{4a^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} + \frac{b(13a^2Ab - 7Ab^3 - 15ab^2B)}{4a^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} - \frac{(24a^4Ab - 65a^2Ab^3 + 35Ab^5 - 8a^5B + 29a^3b^2B - 15ab^4B)}{4a^4(a^2 - b^2)^2 d} E\left(\frac{1}{2}(c + dx)\right) \\
&= \frac{(8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} - \frac{(24a^4Ab - 65a^2Ab^3 + 35Ab^5 - 8a^5B + 29a^3b^2B - 15ab^4B)}{4a^4(a^2 - b^2)^2 d} E\left(\frac{1}{2}(c + dx)\right)
\end{aligned}$$

Mathematica [A] time = 7.27, size = 570, normalized size = 1.09

$$\frac{\sqrt{\cos(c + dx)} \left(\frac{2 \sec(c + dx)(aB \sin(c + dx) - 3Ab \sin(c + dx))}{a^4} + \frac{2A \tan(c + dx) \sec(c + dx)}{3a^3} + \frac{Ab^4 \sin(c + dx) - ab^3B \sin(c + dx)}{2a^3(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{-13a^3b^3B \sin(c + dx)}{4a^4(a^2 - b^2)^2} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^3), x]

[Out] ((2*(16*a^6*A + 328*a^4*A*b^2 - 641*a^2*A*b^4 + 315*A*b^6 - 168*a^5*b*B + 2*85*a^3*b^3*B - 135*a*b^5*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + ((160*a^5*A*b - 512*a^3*A*b^3 + 280*a*A*b^5 - 48*a^6*B + 240*a^4*b^2*B - 120*a^2*b^4*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)))/b + (2*(72*a^4*A*b^2 - 195*a^2*A*b^4 + 105*A*b^6 - 24*a^5*b*B + 87*a^3*b^3*B - 45*a*b^5*B)*Cos[2*(c + d*x)]*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*sqrt[1 - Cos[c + d*x]^2]*(-1 + 2*Cos[c + d*x]^2)))/(48*a^4*(a - b)^2*(a + b)^2*d) + (sqrt[Cos[c + d*x]]*((2*Sec[c + d*x]*(-3*A*b*Sin[c + d*x] + a*B*Sin[c + d*x]))/a^4 + (A*b^4*Sin[c + d*x] - a*b^3*B*Sin[c + d*x])/(2*a^3*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) + (17*a^2*A*b^4*Sin[c + d*x] - 11*A*b^6*Sin[c + d*x] - 13*a^3*b^3*B*Sin[c + d*x] + 7*a*b^5*B*Sin[c + d*x])/(4*a^4*(a^2 - b^2)^2*(a + b*Cos[c + d*x])) + (2*A*Sec[c + d*x]*Tan[c + d*x])/(3*a^3)))/d

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*cos(d*x + c)^(5/2)), x)

maple [B] time = 11.61, size = 2158, normalized size = 4.13

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^3,x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(A*b-B*a)*b/a \\ & ^2*(-1/2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/ \\ & a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^ \\ & 4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/4/(a+ \\ & b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/ \\ & 2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d \\ & *x+1/2*c), 2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\\ & -2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c \\ &)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+ \\ & 1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+ \\ & 3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\ & ^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\\ & \cos(1/2*d*x+1/2*c), 2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d \\ & *x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2) \\ &))-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*c \\ & os(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2 \\ & ^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+3/2/(a^2-b^2)^2/(- \\ & 2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(\\ & 1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/ \\ & 2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\si \\ & n(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x \\ & +1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a \end{aligned}$$

$$\begin{aligned}
 & -b), 2^{(1/2)})) + 2A/a^3 * (-1/6 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin \\
 & (1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (-1/2 + \cos(1/2 * d * x + 1/2 * c)^2)^2 + 1/3 * (\sin(1/2 * d * x + 1/2 \\
 & * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin \\
 & (1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 4 * b^2 * (3 * A * \\
 & b - B * a) / a^4 / (-2 * a * b + 2 * b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c \\
 & ^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{Elliptic} \\
 & \text{Pi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) + 2 * b * (2 * A * b - B * a) / a^3 * (-b^2 / a / (a^2 - \\
 & b^2) * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} \\
 &) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 * b + a - b) - 1/2 / (a + b) / a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\\
 & -2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c \\
 & ^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 1/2 * b / a / (a^2 - b^2) * (\sin(1/2 \\
 & * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c \\
 & ^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 1/2 * \\
 & b / a / (a^2 - b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} \\
 &) / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * \\
 & x + 1/2 * c), 2^{(1/2)}) - 3 * a / (a^2 - b^2) / (-2 * a * b + 2 * b^2) * b * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} \\
 & * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c \\
 & ^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) + 1 / a / (a^2 - b \\
 & ^2) / (-2 * a * b + 2 * b^2) * b^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^ \\
 & 2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos \\
 & (1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) + 2 * (-3 * A * b + B * a) / a^4 * (-2 * \sin(1/2 * d * \\
 & x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(\\
 & 1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 2 * (-2 * \sin(1 \\
 & /2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + \\
 & 1/2 * c)^2 / \sin(1/2 * d * x + 1/2 * c)^2 / (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1) / \sin(1/2 * d * x + 1/2 * \\
 & c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d
 \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^3),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.383 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=44

$$\frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d}$$

[Out] $6/5*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*B*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d$

Rubi [A] time = 0.02, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {21, 2635, 2639}

$$\frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] `Int[(Cos[c + d*x]^(5/2)*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]`

[Out] `(6*B*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*B*Cos[c + d*x]^(3/2)*Sin[c + d*x])/ (5*d)`

Rule 21

`Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx &= B \int \cos^{\frac{5}{2}}(c+dx) dx \\ &= \frac{2B \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + \frac{1}{5}(3B) \int \sqrt{\cos(c+dx)} dx \\ &= \frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2B \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} \end{aligned}$$

Mathematica [A] time = 0.04, size = 41, normalized size = 0.93

$$\frac{B \left(6E \left(\frac{1}{2}(c + dx) \middle| 2 \right) + \sin(2(c + dx)) \sqrt{\cos(c + dx)} \right)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]), x]

[Out] (B*(6*EllipticE[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*Sin[2*(c + d*x)]))/(5*d)

fricas [F] time = 2.56, size = 0, normalized size = 0.00

$$\text{integral} \left(B \cos(dx + c)^{\frac{5}{2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)), x, algorithm="fricas")

[Out] integral(B*cos(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)

maple [B] time = 1.18, size = 203, normalized size = 4.61

$$\frac{2 \sqrt{\left(2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1 \right) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) B \left(-8 \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 8 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{5 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \sin$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)), x)

[Out] -2/5*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(-8*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+8*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)-3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\cos(c + dx)^{5/2} (Ba + Bb \cos(c + dx))}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(5/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)),x)

[Out] int((cos(c + d*x)^(5/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] Timed out

$$3.384 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=44

$$\frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B \sin(c+dx)\sqrt{\cos(c+dx)}}{3d}$$

[Out] $2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.02, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {21, 2635, 2641}

$$\frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B \sin(c+dx)\sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] `Int[(Cos[c + d*x]^(3/2)*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]`

[Out] `(2*B*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/ (3*d)`

Rule 21

`Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{3}{2}}(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx &= B \int \cos^{\frac{3}{2}}(c+dx) dx \\ &= \frac{2B\sqrt{\cos(c+dx)} \sin(c+dx)}{3d} + \frac{1}{3}B \int \frac{1}{\sqrt{\cos(c+dx)}} dx \\ &= \frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B\sqrt{\cos(c+dx)} \sin(c+dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.04, size = 37, normalized size = 0.84

$$\frac{2B \left(F \left(\frac{1}{2}(c + dx) \middle| 2 \right) + \sin(c + dx) \sqrt{\cos(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]), x]

[Out] (2*B*(EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*Sin[c + d*x]))/(3*d)

fricas [F] time = 1.13, size = 0, normalized size = 0.00

$$\text{integral} \left(B \cos(dx + c)^{\frac{3}{2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)), x, algorithm="fricas")

[Out] integral(B*cos(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)

maple [B] time = 1.10, size = 180, normalized size = 4.09

$$\frac{2\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B \left(4\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)), x)

[Out] -2/3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(4*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\cos(c + dx)^{3/2} (Ba + Bb \cos(c + dx))}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)),x)

[Out] int((cos(c + d*x)^(3/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] Timed out

$$3.385 \quad \int \frac{\sqrt{\cos(c+dx)} (aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=17

$$\frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out] $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d$

Rubi [A] time = 0.01, antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {21, 2639}

$$\frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] (2*B*EllipticE[(c + d*x)/2, 2])/d

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] :=
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)} (aB + bB \cos(c+dx))}{a+b \cos(c+dx)} dx = B \int \sqrt{\cos(c+dx)} dx$$

$$= \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Mathematica [A] time = 0.02, size = 17, normalized size = 1.00

$$\frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]

[Out] (2*B*EllipticE[(c + d*x)/2, 2])/d

fricas [F] time = 1.65, size = 0, normalized size = 0.00

$$\text{integral}\left(B\sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] integral(B*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba)\sqrt{\cos(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a), x)

maple [B] time = 0.96, size = 134, normalized size = 7.88

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)

[Out] 2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba)\sqrt{\cos(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{\sqrt{\cos(c + dx)} (Ba + Bb \cos(c + dx))}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(1/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)),x)

[Out] int((cos(c + d*x)^(1/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.386 \quad \int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))} dx$$

Optimal. Leaf size=17

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out] $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d$

Rubi [A] time = 0.01, antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {21, 2641}

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[(a*B + b*B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])),x]`

[Out] `(2*B*EllipticF[(c + d*x)/2, 2])/d`

Rule 21

`Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))} dx &= B \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.02, size = 17, normalized size = 1.00

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] `Integrate[(a*B + b*B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])),x]`

[Out] `(2*B*EllipticF[(c + d*x)/2, 2])/d`

fricas [F] time = 1.26, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] integral(B/sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)

maple [C] time = 0.01, size = 19, normalized size = 1.12

$$\frac{2B a m^{-1} \left(\frac{dx}{2} + \frac{c}{2} \mid \sqrt{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x)

[Out] 2*B/d*InverseJacobiAM(1/2*d*x+1/2*c,2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{B a + B b \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))),x)

[Out] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c)),x)

[Out] Timed out

$$3.387 \quad \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} dx$$

Optimal. Leaf size=40

$$\frac{2B \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out] $-2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2*B*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {21, 2636, 2639}

$$\frac{2B \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a*B + b*B*\text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^{(3/2)}*(a + b*\text{Cos}[c + d*x])), x]$

[Out] $(-2*B*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*B*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow$
 $\text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m + n)}, x], x] /;$ $\text{FreeQ}\{a, b, c, d, n\}, x$
 $\&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \mid\mid \text{SimplerQ}[c + d*x,$
 $a + b*x])$

Rule 2636

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_)]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*($
 $b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{In}$
 $\text{t}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /;$ $\text{FreeQ}\{b, c, d\}, x \&\& \text{LtQ}[n, -1] \&\&$
 $\text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P$
 $i/2 + d*x))/2, 2])/d, x] /;$ $\text{FreeQ}\{c, d\}, x$

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} dx &= B \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2B \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - B \int \sqrt{\cos(c + dx)} dx \\ &= -\frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2B \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 40, normalized size = 1.00

$$B \left(\frac{2 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{2E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])), x]

[Out] B*((-2*EllipticE[(c + d*x)/2, 2])/d + (2*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]))

fricas [F] time = 2.57, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)), x, algorithm="fricas")

[Out] integral(B/cos(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

maple [A] time = 1.17, size = 102, normalized size = 2.55

$$\frac{2B \left(\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \text{EllipticE} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) - 2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{\sin \left(\frac{dx}{2} + \frac{c}{2} \right) \sqrt{2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)), x)

[Out] -2*B*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{B a + B b \cos(c + d x)}{\cos(c + d x)^{3/2} (a + b \cos(c + d x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))),x)

[Out] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c)),x)

[Out] Timed out

$$3.388 \quad \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))} dx$$

Optimal. Leaf size=44

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] $2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*B*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}$

Rubi [A] time = 0.02, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {21, 2636, 2641}

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a*B + b*B*\text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^{(5/2)}*(a + b*\text{Cos}[c + d*x])), x]$

[Out] $(2*B*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*B*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)})$

Rule 21

$\text{Int}[(u_*)*((a_*) + (b_*)*(v_))^{(m_*)}*((c_*) + (d_*)*(v_))^{(n_*)}, x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \mid\mid \text{SimplerQ}[c + d*x, a + b*x])$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))} dx &= B \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3}B \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \end{aligned}$$

Mathematica [A] time = 0.06, size = 37, normalized size = 0.84

$$\frac{2B \left(F \left(\frac{1}{2}(c+dx) \middle| 2 \right) + \frac{\sin(c+dx)}{\cos^2(c+dx)} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])),x]

[Out] (2*B*(EllipticF[(c + d*x)/2, 2] + Sin[c + d*x]/Cos[c + d*x]^(3/2)))/(3*d)

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{B}{\cos(dx+c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] integral(B/cos(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx+c) + Ba}{(b \cos(dx+c) + a) \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

maple [B] time = 1.29, size = 214, normalized size = 4.86

$$\frac{2 \left(-2 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \text{EllipticF} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2} \right)}{3 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x)

[Out] -2/3*(-2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2+(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*B*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(3/2)/sin(1/2*d*x+1/2*c)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx+c) + Ba}{(b \cos(dx+c) + a) \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{B a + B b \cos(c + d x)}{\cos(c + d x)^{5/2} (a + b \cos(c + d x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))),x)
```

```
[Out] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

3.389
$$\int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=116

$$-\frac{2a^3B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^3d(a+b)} + \frac{2B(3a^2+b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^3d} - \frac{2aBE\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2B \sin(c+dx)\sqrt{\cos(c+dx)}}{3bd}$$

[Out] $-2*a*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^2/d+2/3*(3*a^2+b^2)*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^3/d-2*a^3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/b^3/(a+b)/d+2/3*B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b/d$

Rubi [A] time = 0.40, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {21, 2793, 3059, 2639, 3002, 2641, 2805}

$$\frac{2B(3a^2+b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^3d} - \frac{2a^3B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^3d(a+b)} - \frac{2aBE\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2B \sin(c+dx)\sqrt{\cos(c+dx)}}{3bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^{(5/2)}*(a*B + b*B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out] $(-2*a*B*\text{EllipticE}[(c + d*x)/2, 2])/(b^2*d) + (2*(3*a^2 + b^2)*B*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^3*d) - (2*a^3*B*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(b^3*(a + b)*d) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b*d)$

Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] := \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x, a + b*x])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2793

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]^{(n_.)}, x_Symbol] := -\text{Simp}[(b^2*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-3)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^3*d*(m+n) + b^2*(b*c*(m-2) + a*d*(n+1)) - b*(a*b*c - b^2*d*(m+n-1) - 3*a^2*d*(m+n))*\text{Sin}[e + f*x] - b^2*(b*c*(m-1) - a*d*(3*m+2*n-2))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& (\text{IntegerQ}[m] || \text{IntegersQ}[2*m, 2*n]) \&\& !(\text{IGtQ}[n, 2] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)(aB+bB\cos(c+dx))}{(a+b\cos(c+dx))^2} dx &= B \int \frac{\cos^{\frac{5}{2}}(c+dx)}{a+b\cos(c+dx)} dx \\ &= \frac{2B\sqrt{\cos(c+dx)} \sin(c+dx)}{3bd} + \frac{(2B) \int \frac{\frac{a}{2} + \frac{1}{2}b\cos(c+dx) - \frac{3}{2}a\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{3b} \\ &= \frac{2B\sqrt{\cos(c+dx)} \sin(c+dx)}{3bd} - \frac{(2B) \int \frac{-\frac{ab}{2} - \frac{1}{2}(3a^2+b^2)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{3b^2} \\ &= -\frac{2aBE\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2B\sqrt{\cos(c+dx)} \sin(c+dx)}{3bd} - \frac{(a^3B) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{3b^2} \\ &= -\frac{2aBE\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2(3a^2+b^2)BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^3d} - \frac{2a^3B\Pi\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^3d} \end{aligned}$$

Mathematica [A] time = 1.58, size = 159, normalized size = 1.37

$$B \left(\frac{6 \sin(c+dx) \left((b^2-2a^2) \Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right) + 2a(a+b)F\left(\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right) \right)}{b^2 \sqrt{\sin^2(c+dx)}} - \frac{6a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b} \right) \frac{1}{6bd}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]
)^2, x]
```

```
[Out] (B*(4*EllipticF[(c + d*x)/2, 2] - (6*a*EllipticPi[(2*b)/(a + b), (c + d*x)/
2, 2])/(a + b) + 4*Sqrt[Cos[c + d*x]]*Sin[c + d*x] - (6*(-2*a*b*EllipticE[A
```

$\text{rcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1] + 2*a*(a + b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1] + (-2*a^2 + b^2)*\text{EllipticPi}[-(b/a), \text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1]*\text{Sin}[c + d*x]/(b^2*\text{Sqrt}[\text{Sin}[c + d*x]^2]))/(6*b*d)$

fricas [F] time = 97.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] integral(B*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^2, x)

maple [B] time = 1.51, size = 517, normalized size = 4.46

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} B \left((4b^2a - 4b^3) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-2b^2a + 2b^3) \left(\sin^2\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)

[Out] $-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*B*((4*a*b^2-4*b^3)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+(-2*a*b^2+2*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+3*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2*b+b^2*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^3+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2*b-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b^2-3*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})/b^3/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^2, x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2} (Ba + Bb \cos(c + dx))}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^(5/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^2,x)
```

```
[Out] int((cos(c + d*x)^(5/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^2, x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

$$3.390 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=78

$$\frac{2a^2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^2d(a+b)} - \frac{2aBF\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd}$$

[Out] $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b/d - 2*a*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^2/d + 2*a^2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/b^2/(a+b)/d$

Rubi [A] time = 0.17, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {21, 2804, 2639, 2803, 2641, 2805}

$$\frac{2a^2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^2d(a+b)} - \frac{2aBF\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^{(3/2)}*(a*B + b*B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out] $(2*B*\text{EllipticE}[(c + d*x)/2, 2])/(b*d) - (2*a*B*\text{EllipticF}[(c + d*x)/2, 2])/(b^2*d) + (2*a^2*B*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(b^2*(a + b)*d)$

Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \mid\mid \text{SimplerQ}[c + d*x, a + b*x])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2803

$\text{Int}[\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]]/((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]), x_Symbol] \rightarrow \text{Dist}[d/b, \text{Int}[1/\text{Sqrt}[c + d*\sin[e + f*x]], x], x] + \text{Dist}[(b*c - a*d)/b, \text{Int}[1/((a + b*\sin[e + f*x])*Sqrt[c + d*\sin[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2804

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]^{(3/2)}/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]), x_Symbol] \rightarrow \text{Dist}[b/d, \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]], x], x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]]/(c + d*\sin[e + f*x]), x]$

], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{3}{2}}(c + dx)(aB + bB \cos(c + dx))}{(a + b \cos(c + dx))^2} dx &= B \int \frac{\cos^{\frac{3}{2}}(c + dx)}{a + b \cos(c + dx)} dx \\ &= \frac{B \int \sqrt{\cos(c + dx)} dx}{b} - \frac{(aB) \int \frac{\sqrt{\cos(c + dx)}}{a + b \cos(c + dx)} dx}{b} \\ &= \frac{2BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{bd} - \frac{(aB) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b^2} + \frac{(a^2B) \int \frac{1}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{b^2} \\ &= \frac{2BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{bd} - \frac{2aBF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{b^2d} + \frac{2a^2B\Pi \left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \right)}{b^2(a + b)d} \end{aligned}$$

Mathematica [A] time = 0.11, size = 82, normalized size = 1.05

$$\frac{2B \sin(c + dx) \left(-(a + b)F \left(\sin^{-1} \left(\sqrt{\cos(c + dx)} \right) \middle| -1 \right) + a\Pi \left(-\frac{b}{a}; \sin^{-1} \left(\sqrt{\cos(c + dx)} \right) \middle| -1 \right) + bE \left(\sin^{-1} \left(\sqrt{\cos(c + dx)} \right) \right) \right)}{b^2d\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]

[Out] (-2*B*(b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + a*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x]/(b^2*d*Sqrt[Sin[c + d*x]^2])

fricas [F] time = 94.56, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{B \cos(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorith="fricas")

[Out] integral(B*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^2, x)

maple [A] time = 1.35, size = 228, normalized size = 2.92

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} B\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), b^2(a-b)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)

[Out] 2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a*b+EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2-a^2*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)))/b^2/(a-b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{\frac{3}{2}} (Ba + Bb \cos(c + dx))}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^2,x)

[Out] int((cos(c + d*x)^(3/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.391 \quad \int \frac{\sqrt{\cos(c+dx)} (aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=55

$$\frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2aB\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)}$$

[Out] 2*B*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c), 2^(1/2))/b/d-2*a*B*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^(1/2))/b/(a+b)/d

Rubi [A] time = 0.10, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {21, 2803, 2641, 2805}

$$\frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2aB\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]

[Out] (2*B*EllipticF[(c + d*x)/2, 2])/(b*d) - (2*a*B*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(b*(a + b)*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2803

Int[Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[d/b, Int[1/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[(b*c - a*d)/b, Int[1/((a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(aB+bB\cos(c+dx))}{(a+b\cos(c+dx))^2} dx &= B \int \frac{\sqrt{\cos(c+dx)}}{a+b\cos(c+dx)} dx \\
&= \frac{B \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{b} - \frac{(aB) \int \frac{1}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{b} \\
&= \frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2aB\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b(a+b)d}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 49, normalized size = 0.89

$$\frac{B\left(2F\left(\frac{1}{2}(c+dx)\middle|2\right) - \frac{2a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b}\right)}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,x]

[Out] (B*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)))/(b*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx+c) + Ba)\sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^2, x)

maple [A] time = 1.35, size = 189, normalized size = 3.44

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} B\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{(a-b)b\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)

```
[Out] -2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a-EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b-a*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)))/(a-b)/b/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^2, x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{\cos(c + dx)} (Ba + Bb \cos(c + dx))}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^(1/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^2,x)
```

```
[Out] int((cos(c + d*x)^(1/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^2, x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

$$3.392 \quad \int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2} dx$$

Optimal. Leaf size=30

$$\frac{2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{d(a + b)}$$

[Out] 2*B*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^(1/2))/(a+b)/d

Rubi [A] time = 0.05, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {21, 2805}

$$\frac{2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{d(a + b)}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2), x]

[Out] (2*B*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/((a + b)*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2} dx &= B \int \frac{1}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))} dx \\ &= \frac{2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{(a + b)d} \end{aligned}$$

Mathematica [A] time = 0.07, size = 30, normalized size = 1.00

$$\frac{2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{d(a + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2), x]

[Out] $(2*B*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/((a + b)*d)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")`

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)`

maple [B] time = 0.99, size = 151, normalized size = 5.03

$$\frac{2\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) B\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{(a - b)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x)`

[Out] `-2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))/(a-b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{Ba + Bb \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^2),x)`

```
[Out] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

$$3.393 \quad \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} dx$$

Optimal. Leaf size=80

$$-\frac{2bB\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{ad(a+b)} - \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}$$

[Out] $-2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d-2*b*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a/(a+b)/d+2*B*\sin(d*x+c)/a/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {21, 2802, 3059, 2639, 12, 2805}

$$-\frac{2bB\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{ad(a+b)} - \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a*B + b*B*\text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^{(3/2)}*(a + b*\text{Cos}[c + d*x])^2), x]$

[Out] $(-2*B*\text{EllipticE}[(c + d*x)/2, 2])/(a*d) - (2*b*B*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(a*(a + b)*d) + (2*B*\text{Sin}[c + d*x])/(a*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 12

$\text{Int}[(a_*)*(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)*(v_)] /; \text{FreeQ}[b, x]$

Rule 21

$\text{Int}[(u_*)*((a_) + (b_*)*(v_))^{(m_*)}*((c_) + (d_*)*(v_))^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{EqQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ (!\text{IntegerQ}[n] \ || \ \text{SimplerQ}[c + d*x, a + b*x])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2802

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]^{(n_*)}, x_Symbol] \rightarrow -\text{Simp}[(b^2*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*(b*c - a*d)*(m+1) + b^2*d*(m+n+2) - (b^2*c + b*(b*c - a*d)*(m+1))*\text{Sin}[e + f*x] - b^2*d*(m+n+3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntegerQ}[2*m, 2*n] \ \&\& \ ((\text{EqQ}[a, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ !\text{IntegerQ}[n]) \ || \ !(\text{IntegerQ}[2*n] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ ((\text{IntegerQ}[n] \ \&\& \ !\text{IntegerQ}[m]) \ || \ \text{EqQ}[a, 0])))$

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \cos(c + dx)}{\cos^3(c + dx)(a + b \cos(c + dx))^2} dx &= B \int \frac{1}{\cos^3(c + dx)(a + b \cos(c + dx))} dx \\
&= \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} + \frac{(2B) \int \frac{-\frac{b}{2} - \frac{1}{2}a \cos(c + dx) - \frac{1}{2}b \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{a} \\
&= \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} - \frac{B \int \sqrt{\cos(c + dx)} dx}{a} - \frac{(2B) \int \frac{b^2}{2\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{ab} \\
&= -\frac{2BE \left(\frac{1}{2}(c + dx) \Big| 2 \right)}{ad} + \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} - \frac{(bB) \int \frac{1}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{a} \\
&= -\frac{2BE \left(\frac{1}{2}(c + dx) \Big| 2 \right)}{ad} - \frac{2bB \Pi \left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \Big| 2 \right)}{a(a+b)d} + \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 2.68, size = 196, normalized size = 2.45

$$B \left[\frac{2 \sin(c + dx) \left((b^2 - 2a^2) \Pi \left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c + dx)}) \Big| -1 \right) + 2a(a + b) F \left(\sin^{-1}(\sqrt{\cos(c + dx)}) \Big| -1 \right) - 2ab E \left(\sin^{-1}(\sqrt{\cos(c + dx)}) \Big| -1 \right) \right)}{ab \sqrt{\sin^2(c + dx)}} + \frac{6b \Pi \left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \Big| 2 \right)}{a + b} \right]$$

2ad

Antiderivative was successfully verified.

```
[In] Integrate[(a*B + b*B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])
^2), x]
```

```
[Out] -1/2*(B*((6*b*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (2*a*(2*
EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])
/(a + b)))/b - (4*Sin[c + d*x])/Sqrt[Cos[c + d*x]] + (2*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2])))/(a*d)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2)), x)

maple [B] time = 1.48, size = 355, normalized size = 4.44

$$2B \left(-2 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} (a - b) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - b \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x)

[Out] -2*B*(-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(a-b)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b)/a/(a-b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{Ba + Bb \cos(c + dx)}{\cos(c + dx)^{3/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^2),x)
[Out] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^2), x
)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c))**2,x)
[Out] Timed out
```

$$3.394 \quad \int \frac{aB+bB \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=133

$$\frac{2b^2B\Gamma\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\right)}{a^2d(a+b)} + \frac{2bBE\left(\frac{1}{2}(c+dx)\right)}{a^2d} - \frac{2bB \sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} + \frac{2BF\left(\frac{1}{2}(c+dx)\right)}{3ad} + \frac{2B \sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

[Out] $2*b*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d+2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d+2*b^2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a^2/(a+b)/d+2/3*B*\sin(d*x+c)/a/d/\cos(d*x+c)^{(3/2)}-2*b*B*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.56, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {21, 2802, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{2b^2B\Gamma\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\right)}{a^2d(a+b)} + \frac{2bBE\left(\frac{1}{2}(c+dx)\right)}{a^2d} - \frac{2bB \sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} + \frac{2BF\left(\frac{1}{2}(c+dx)\right)}{3ad} + \frac{2B \sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a*B + b*B*\text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^{(5/2)}*(a + b*\text{Cos}[c + d*x])^2), x]$
 [Out] $(2*b*B*\text{EllipticE}[(c + d*x)/2, 2])/(a^2*d) + (2*B*\text{EllipticF}[(c + d*x)/2, 2])/(3*a*d) + (2*b^2*B*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(a^2*(a + b)*d) + (2*B*\text{Sin}[c + d*x])/((3*a*d*\text{Cos}[c + d*x]^{(3/2)}) - (2*b*B*\text{Sin}[c + d*x])/(a^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]))$

Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] := \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x, a + b*x])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2802

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]^{(n_.)}, x_Symbol] := -\text{Simp}[(b^2*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*(b*c - a*d)*(m+1) + b^2*d*(m+n+2) - (b^2*c + b*(b*c - a*d)*(m+1))*\text{Sin}[e + f*x] - b^2*d*(m+n+3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m]$

, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3002

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2} dx &= B \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))} dx \\
&= \frac{2B \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} + \frac{(2B) \int \frac{-\frac{3b}{2} + \frac{1}{2}a \cos(c+dx) + \frac{1}{2}b \cos^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))} dx}{3a} \\
&= \frac{2B \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2bB \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{(4B) \int \frac{\frac{1}{4}(a^2+3b^2)+ab \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{3a^2} \\
&= \frac{2B \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2bB \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} - \frac{(4B) \int \frac{-\frac{1}{4}b(a^2+3b^2)-\frac{1}{4}ab^2 \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{3a^2 b} \\
&= \frac{2bBE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2B \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2bB \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{B \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{a^2(a + b)d} \\
&= \frac{2bBE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{2b^2 B \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)}{a^2(a + b)d}
\end{aligned}$$

Mathematica [A] time = 4.12, size = 211, normalized size = 1.59

$$\frac{B \left(\frac{2(2a^2+9b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a+b} + \frac{6 \sin(c+dx) \left((b^2-2a^2)\Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) + 2a(a+b)F\left(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) \right)}{a\sqrt{\sin^2(c+dx)}} \right)}{6a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^2), x]

[Out] (B*((2*(2*a^2 + 9*b^2)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + 8*a*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)) + (4*(a - 3*b*Cos[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2) + (6*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*Sqrt[Sin[c + d*x]^2]))/(6*a^2*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^2*cos(d*x + c)^(5/2)), x)

maple [B] time = 3.34, size = 452, normalized size = 3.40

$$2\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} B \left[\frac{2b^3 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2b}{a-b}, \sqrt{2}\right)}{a^2(-2ab+2b^2)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x)

[Out] $-2*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*B*(-2*b^3/a^2/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-1/a^2*b*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+1/a*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^2*cos(d*x + c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{Ba + Bb \cos(c + dx)}{\cos(c + dx)^{5/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^2),x)

[Out] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+b*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

$$3.395 \quad \int \cos^3(c+dx) \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) dx$$

Optimal. Leaf size=560

$$\frac{(-3a^2B + 6aAb + 16b^2B) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{24b^2d \sqrt{\cos(c+dx)}} - \frac{(a-b) \sqrt{a+b} (-3a^2B + 6aAb + 16b^2B) \cot(c+dx) \sqrt{\cos(c+dx)}}{24b^2d \sqrt{\cos(c+dx)}}$$

[Out] $\frac{1}{3} B (a+b \cos(dx+c))^{3/2} \sin(dx+c) \cos(dx+c)^{1/2} / b/d + \frac{1}{24} (6Aa^2b - 3B^2a^2 + 16B^2b^2) \sin(dx+c) (a+b \cos(dx+c))^{1/2} / b^2/d \cos(dx+c)^{1/2} + \frac{1}{4} (2Ab - B^2a) \sin(dx+c) \cos(dx+c)^{1/2} (a+b \cos(dx+c))^{1/2} / b/d - \frac{1}{24} (a-b) (6Aa^2b - 3B^2a^2 + 16B^2b^2) \cot(dx+c) \text{EllipticE}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / a/b^2/d + \frac{1}{24} (a+2b) (6A^2b - 3B^2a + 8B^2b) \cot(dx+c) \text{EllipticF}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b^2/d + \frac{1}{8} (2A^2a^2b - 8A^2b^3 - B^2a^3 - 4B^2a^2b^2) \cot(dx+c) \text{EllipticPi}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, (a+b)/b, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b^3/d$

Rubi [A] time = 1.51, antiderivative size = 560, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-3a^2B + 6aAb + 16b^2B) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{24b^2d \sqrt{\cos(c+dx)}} - \frac{(a-b) \sqrt{a+b} (-3a^2B + 6aAb + 16b^2B) \cot(c+dx) \sqrt{\cos(c+dx)}}{24b^2d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] $-\frac{(a-b) \sqrt{a+b} (6A^2a^2b - 3a^2B^2 + 16b^2B^2) \cot[c+d*x] \text{EllipticE}[\text{ArcSin}[\sqrt{a+b \cos[c+d*x]}] / (\sqrt{a+b} \sqrt{\cos[c+d*x]})]}{(a-b)} - \frac{(a+b) \sqrt{a+b} (a(1-\sec[c+d*x]) / (a+b)) \sqrt{a(1+\sec[c+d*x])} / (a-b)}{(24a^2b^2d) + (\sqrt{a+b} (a+2b) (6A^2b - 3a^2B + 8b^2B) \cot[c+d*x] \text{EllipticF}[\text{ArcSin}[\sqrt{a+b \cos[c+d*x]}] / (\sqrt{a+b} \sqrt{\cos[c+d*x]})]}{(a-b)} - \frac{(a+b) \sqrt{a+b} (a(1-\sec[c+d*x]) / (a+b)) \sqrt{a(1+\sec[c+d*x])} / (a-b)}{(24b^2d) + (\sqrt{a+b} (2a^2A^2b - 8A^2b^3 - a^3B - 4a^2b^2B) \cot[c+d*x] \text{EllipticPi}[(a+b)/b, \text{ArcSin}[\sqrt{a+b \cos[c+d*x]}] / (\sqrt{a+b} \sqrt{\cos[c+d*x]})]}{(a-b)} - \frac{(a+b) \sqrt{a+b} (a(1-\sec[c+d*x]) / (a+b)) \sqrt{a(1+\sec[c+d*x])} / (a-b)}{(8b^3d) + ((6A^2a^2b - 3a^2B^2 + 16b^2B^2) \sqrt{a+b \cos[c+d*x]} \sin[c+d*x]) / (24b^2d \sqrt{\cos[c+d*x]}) + ((2A^2b - a^2B) \sqrt{\cos[c+d*x]} \sqrt{a+b \cos[c+d*x]} \sin[c+d*x]) / (4b^2d) + (B \sqrt{\cos[c+d*x]} (a+b \cos[c+d*x])^{3/2} \sin[c+d*x]) / (3b^2d)$

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Ssin[e + f*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
```

```
- 2*a*C)*Sin[e + f*x])/((a + b*SIN[e + f*x])^(3/2)*Sqrt[c + d*SIN[e + f*x]]
), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*SIN[e + f*x]
])]/(d*f*Sqrt[a + b*SIN[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*SIN[e + f*x])^(3/2)*Sqrt[c + d*SIN[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \cos^3(c + dx) \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx = \frac{B \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3bd} + \dots$$

$$= \frac{(2Ab - aB) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4bd}$$

$$= \frac{(6aAb - 3a^2B + 16b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24b^2d \sqrt{\cos(c + dx)}}$$

$$= \frac{(6aAb - 3a^2B + 16b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24b^2d \sqrt{\cos(c + dx)}}$$

$$= \frac{\sqrt{a + b} (2a^2Ab - 8Ab^3 - a^3B - 4ab^2B) \cot(c + dx)}{24b^2d}$$

$$= \frac{(a - b) \sqrt{a + b} (6aAb - 3a^2B + 16b^2B) \cot(c + dx)}{24b^2d}$$

Mathematica [C] time = 6.33, size = 1224, normalized size = 2.19

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),
x]
```

```
[Out] -1/48*((-4*a*(-18*a*A*b + a^2*B - 16*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^
2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a
+ b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt
[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Si
n[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4
*a*(-24*A*b^2 - 28*a*b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqr
t[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x]
)*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c +
d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4
```

$$\begin{aligned} &)/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (\text{Sqrt}[\frac{(a + b)*\text{Cot}[(c + d*x)/2]^2}{(-a + b)}]*\text{Sqrt}[-\frac{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)}{a}]*\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2}{a}]*\text{Csc}[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2}{a}]/\text{Sqrt}[2]]], \frac{(-2*a)}{(-a + b)}]*\text{Sin}[(c + d*x)/2]^4/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])]) + 2*(-6*a*A*b + 3*a^2*B - 16*b^2*B)*((I*\text{Cos}[(c + d*x)/2]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[I*\text{ArcSinh}[\text{Sin}[(c + d*x)/2]/\text{Sqrt}[\text{Cos}[c + d*x]]], \frac{(-2*a)}{(-a - b)}]*\text{Sec}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]}{(a + b)}]) + (2*a*((a*\text{Sqrt}[\frac{(a + b)*\text{Cot}[(c + d*x)/2]^2}{(-a + b)}]*\text{Sqrt}[-\frac{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)}{a}]*\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2}{a}]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2}{a}]/\text{Sqrt}[2]]], \frac{(-2*a)}{(-a + b)}]*\text{Sin}[(c + d*x)/2]^4/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (a*\text{Sqrt}[\frac{(a + b)*\text{Cot}[(c + d*x)/2]^2}{(-a + b)}]*\text{Sqrt}[-\frac{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)}{a}]*\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2}{a}]*\text{Csc}[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2}{a}]/\text{Sqrt}[2]]], \frac{(-2*a)}{(-a + b)}]*\text{Sin}[(c + d*x)/2]^4/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])))/b + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[c + d*x]])))/(b*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*((6*A*b + a*B)*\text{Sin}[c + d*x])/(12*b) + (B*\text{Sin}[2*(c + d*x)]/6))/d \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.44, size = 2949, normalized size = 5.27

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -1/24/d/(a+b*\text{cos}(d*x+c))^{1/2}*(-12*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))/(a+b))^{1/2}*\text{EllipticPi} \\ & ((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a^2*b+6*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+6*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2+2*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b-28*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)* \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^{3/2} (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2),x)

[Out] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.396 \quad \int \sqrt{\cos(c+dx)} \sqrt{a+b\cos(c+dx)} (A+B\cos(c+dx)) dx$$

Optimal. Leaf size=473

$$\frac{\sqrt{a+b} (a^2(-B) + 4aAb + 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{4b^2d}$$

[Out] 1/4*(4*A*b+B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b/d/cos(d*x+c)^(1/2)+1/2*B*sin(d*x+c)*cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2)/d-1/4*(a-b)*(4*A*b+B*a)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/b/d+1/4*(4*A*b+(a+2*b)*B)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b/d-1/4*(4*A*a*b-B*a^2+4*B*b^2)*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b^2/d

Rubi [A] time = 1.04, antiderivative size = 473, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {3003, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (a^2(-B) + 4aAb + 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{4b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]

[Out] -((a - b)*Sqrt[a + b]*(4*A*b + a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*a*b*d) + (Sqrt[a + b]*(4*A*b + (a + 2*b)*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b*d) - (Sqrt[a + b]*(4*a*A*b - a^2*B + 4*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^2*d) + ((4*A*b + a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x]/(4*b*d*Sqrt[Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 2809

Int[Sqrt[(b_)*sin[(e_.) + (f_)*(x_)]]/Sqrt[(c_.) + (d_)*sin[(e_.) + (f_)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)]]*Sqrt[(a_.) + (b_)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((

$(a + b)/(a - b)))/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2994

$\text{Int}[(A + B)\sin(e + f*x)]/((b)\sin(e + f*x))^{3/2}\sqrt{c + d)\sin(e + f*x)}, x_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\sqrt{c*(1 + \text{Csc}[e + f*x])})/(c - d)]*\sqrt{c*(1 - \text{Csc}[e + f*x])}/(c + d)]*\text{EllipticE}[\text{ArcSin}[\sqrt{c + d*\text{Sin}[e + f*x]}]/(\sqrt{b*\text{Sin}[e + f*x]}*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[(A + B)\sin(e + f*x)]/((a + b)\sin(e + f*x))^{3/2}\sqrt{c + d)\sin(e + f*x)}, x_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\sqrt{a + b*\text{Sin}[e + f*x]}*\sqrt{c + d*\text{Sin}[e + f*x]}), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/(a + b*\text{Sin}[e + f*x])^{3/2}\sqrt{c + d*\text{Sin}[e + f*x]}], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rule 3003

$\text{Int}[\sqrt{a + b)\sin(e + f*x)}*(A + B)\sin(e + f*x)]*((c + d)\sin(e + f*x))^n, x_Symbol] :> \text{Simp}[(-2*B*\text{Cos}[e + f*x]*\sqrt{a + b*\text{Sin}[e + f*x]}*(c + d*\text{Sin}[e + f*x])^n)/(f*(2*n + 3)), x] + \text{Dist}[1/(2*n + 3), \text{Int}[(c + d*\text{Sin}[e + f*x])^{n-1}*\text{Simp}[a*A*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d))*(2*n + 3))*\text{Sin}[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*\text{Sin}[e + f*x]^2, x)]/\sqrt{a + b*\text{Sin}[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[n^2, 1/4]$

Rule 3053

$\text{Int}[(A + B)\sin(e + f*x) + C)\sin(e + f*x)]^2/((a + b)\sin(e + f*x))^{3/2}\sqrt{c + d)\sin(e + f*x)}, x_Symbol] :> \text{Dist}[C/b^2, \text{Int}[\sqrt{a + b*\text{Sin}[e + f*x]}]/\sqrt{c + d*\text{Sin}[e + f*x]}, x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*\text{Sin}[e + f*x]/((a + b*\text{Sin}[e + f*x])^{3/2}\sqrt{c + d*\text{Sin}[e + f*x]}), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 3061

$\text{Int}[(A + B)\sin(e + f*x) + C)\sin(e + f*x)]^2/(\sqrt{a + b)\sin(e + f*x)}*\sqrt{c + d)\sin(e + f*x)}, x_Symbol] :> -\text{Simp}[(C*\text{Cos}[e + f*x]*\sqrt{c + d*\text{Sin}[e + f*x]})/(d*f*\sqrt{a + b*\text{Sin}[e + f*x]}), x] + \text{Dist}[1/(2*d), \text{Int}[(1*\text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*\text{Sin}[e + f*x] + (2*b*B*d - C*(b*c + a*d))*\text{Sin}[e + f*x]^2, x)]/((a + b*\text{Sin}[e + f*x])^{3/2}\sqrt{c + d*\text{Sin}[e + f*x]}), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)} \sqrt{a+b\cos(c+dx)} (A+B\cos(c+dx)) dx &= \frac{B\sqrt{\cos(c+dx)} \sqrt{a+b\cos(c+dx)} \sin(c+dx)}{2d} + \frac{1}{4} \\
&= \frac{(4Ab+aB)\sqrt{a+b\cos(c+dx)} \sin(c+dx)}{4bd\sqrt{\cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)}}{4bd} \\
&= \frac{(4Ab+aB)\sqrt{a+b\cos(c+dx)} \sin(c+dx)}{4bd\sqrt{\cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)}}{4bd} \\
&= -\frac{\sqrt{a+b} (4aAb - a^2B + 4b^2B) \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^2\left(\frac{c+dx}{2}\right)\right)}{4bd} \\
&= -\frac{(a-b)\sqrt{a+b} (4Ab+aB) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a}}\right)\right)}{4bd}
\end{aligned}$$

Mathematica [C] time = 21.11, size = 1175, normalized size = 2.48

$$\frac{4a(4Ab+3aB)\sqrt{\frac{(a+b)\cot^2\left(\frac{1}{2}(c+dx)\right)}{b-a}} \sqrt{-\frac{(a+b)\cos(c+dx)\csc^2\left(\frac{1}{2}(c+dx)\right)}{a}} \sqrt{\frac{(a+b\cos(c+dx))\csc^2\left(\frac{1}{2}(c+dx)\right)}{a}}}{(a+b)\sqrt{\cos(c+dx)}}$$

$$\frac{B\sqrt{\cos(c+dx)} \sqrt{a+b\cos(c+dx)} \sin(c+dx)}{2d} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]), x]

[Out] (B*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d) + ((-4*a*(4*A*b + 3*a*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(8*a*A + 4*b*B)*((Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(4*A*b + a*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)])

) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(8*d)

fricas [F] time = 3.76, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorith="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c)), x)

maple [B] time = 0.26, size = 2052, normalized size = 4.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -1/4/d/(a+b*\cos(d*x+c))^{1/2}*(B*\cos(d*x+c)^2*a^2-B*\cos(d*x+c)*a^2+4*A*\cos(d*x+c)^3*b^2-4*A*\cos(d*x+c)^2*b^2+2*B*\cos(d*x+c)^4*b^2-2*B*\cos(d*x+c)^2*b^2 \\ & +8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a*b+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b+2*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b+4*A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2} \\ & *a*b-8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a*b+4*A*\cos(d*x+c)^2*a*b-4*A*\cos(d*x+c)*a*b+3*B*\cos(d*x+c)^3*a*b-B*\cos(d*x+c)^2*a*b-2*B*\cos(d*x+c)*a*b+4*A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*b^2-2*B*\sin(d*x+c)*(\cos \end{aligned}$$

$$\begin{aligned} & d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}* \\ & \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b)^{1/2})*a^2+8*B*\sin(\\ & d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(\\ & a+b)^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b)^{1/2})* \\ & b^2+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos \\ & (d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{1/2})* \\ & a^2-4*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c) \\ &)/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/ \\ & (a+b)^{1/2})*b^2+4*A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{1/2})* \\ & \sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos \\ & (d*x+c)))/(a+b)^{1/2}*a*b-8*A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/ \\ & (a+b)^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c) \\ &)/(1+\cos(d*x+c)))/(a+b)^{1/2}*a*b+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2})* \\ & ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c) \\ &)/\sin(d*x+c), (-a-b)/(a+b)^{1/2})*a*b+2*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d \\ & *x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+c \\ & os(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{1/2})*a*b+4*A*\text{EllipticE}((-1+\cos(d*x+c) \\ &)/\sin(d*x+c), (-a-b)/(a+b)^{1/2})*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+c \\ & os(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*b^2-2*B*\sin(\\ & d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(\\ & a+b)^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b)^{1/2})* \\ & \cos(d*x+c)*a^2+8*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d \\ & *x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1 \\ & , (-a-b)/(a+b)^{1/2})*\cos(d*x+c)*b^2+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c) \\ &))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d \\ & *x+c))/\sin(d*x+c), (-a-b)/(a+b)^{1/2})*\cos(d*x+c)*a^2-4*B*\sin(d*x+c)*(\cos(\\ & d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}* \\ & \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{1/2})*\cos(d*x+c)*b^2+8 \\ & *A*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b)^{1/2})*\sin(d*x+c) \\ &)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b) \\ &)^{1/2}*a*b)/\sin(d*x+c)/b/\cos(d*x+c)^{1/2} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{\cos(c + dx)} (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2),x)

[Out] int(cos(c + d*x)^(1/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x))*sqrt(cos(c + d*x)),  
x)
```

$$3.397 \quad \int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=385

$$\frac{\sqrt{a+b} (2A+B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a+b} (aB+2Ab)}{d}$$

[Out] B*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(1/2)-(a-b)*B*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d+(2*A+B)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d-(2*A*b+B*a)*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b/d

Rubi [A] time = 0.71, antiderivative size = 385, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {3003, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (2A+B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a+b} (aB+2Ab)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] -(((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d)) + (Sqrt[a + b]*(2*A + B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/d - (Sqrt[a + b]*(2*A*b + a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d) + (B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994


```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)]
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2]), -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3003

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(-2*B*Cos[e + f*x]*Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n)/(f*(2
*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Sin[e + f*x])^(n - 1)*Simp[a*A
*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)
*(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f
*x]^2, x]/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B
}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ
[n^2, 1/4]
```

Rule 3053

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^
2)/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e
_) + (f_)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{1}{2} \int \frac{-aB + 2aA \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{1}{2} \int \frac{-aB + 2aA \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= -\frac{\sqrt{a + b} (2Ab + aB) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{bd} \\ &= -\frac{(a - b) \sqrt{a + b} B \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad} \end{aligned}$$

Mathematica [A] time = 11.36, size = 408, normalized size = 1.06

$$\sqrt{\cos(c+dx)} \left(-4(a(B-A) + Ab) \sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\middle|\frac{b-a}{a+b}\right) + 8Ab \sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \right) \Pi$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] (Sqrt[Cos[c + d*x]]*(2*(a + b)*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 4*(A*b + a*(-A + B))*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 8*A*b*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 4*a*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + b*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + 2*a*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2] - b*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2]))/(2*d*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[a + b*Cos[c + d*x]])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/sqrt(cos(d*x + c)), x)

maple [B] time = 0.41, size = 1693, normalized size = 4.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x)

[Out] -1/d*(2*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a-2*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*b+4*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)

$$\int \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/sqrt(cos(d*x + c)), x)

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^(1/2),x)
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^(1/2), x)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/sqrt(cos(d*x + c)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^(1/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x))/sqrt(cos(c + d*x)), x)

$$3.398 \quad \int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=351

$$\frac{2\sqrt{a+b} (Ab - a(A - B)) \cot(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2A(a - b)}{ad}$$

[Out] $2*A*(a-b)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*(a*(1-\sec(d*x+c))/(a+b))^{1/2}*(a*(1+\sec(d*x+c))/(a-b))^{1/2}/a/d+2*(A*b-a*(A-B))*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*(a*(1-\sec(d*x+c))/(a+b))^{1/2}*(a*(1+\sec(d*x+c))/(a-b))^{1/2}/a/d-2*B*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, (a+b)/b, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*(a*(1-\sec(d*x+c))/(a+b))^{1/2}*(a*(1+\sec(d*x+c))/(a-b))^{1/2}/d$

Rubi [A] time = 0.50, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2991, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} (Ab - a(A - B)) \cot(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2A(a - b)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] $(2*A*(a - b)*\text{Sqrt}[a + b]*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(a*d) + (2*\text{Sqrt}[a + b]*(A*b - a*(A - B))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(a*d) - (2*\text{Sqrt}[a + b]*B*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/d$

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2991

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_) + (d_.)*sin[(e_.) +
(f_.)*(x_)])]/((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2), x_Symbol] := Dist[(B*d
)/b^2, Int[Sqrt[b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Int[(A*c
+ (B*c + A*d)*Sin[e + f*x])/((b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x
]]), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0]
```

Rule 2994

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])]/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])]/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rubi steps

$$\int \frac{\sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx = (bB) \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx + \int \frac{aA + (Ab + aB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx$$

$$= -\frac{2\sqrt{a + b} B \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a+b}}{d}$$

$$= \frac{2A(a - b) \sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a+b}}{ad}$$

Mathematica [A] time = 12.74, size = 273, normalized size = 0.78

$$\frac{2(a(A + B) + b(A - B)) \sqrt{\cos(c + dx) + 1} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b-a}{a+b}\right) + \frac{2A \tan\left(\frac{1}{2}(c+dx)\right) (a+b \cos(c+dx))}{\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]
```

```
[Out] (-2*A*(a + b)*Sqrt[1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1
+ Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2
*(b*(A - B) + a*(A + B))*Sqrt[1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((
a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(
a + b)] + 4*b*B*Sqrt[1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(
1 + Cos[c + d*x]))]*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a +
b)] + (2*A*(a + b*Cos[c + d*x])*Tan[(c + d*x)/2])/Sqrt[Cos[c + d*x]]/(d*Sqr
t[a + b*Cos[c + d*x]])
```

fricas [F] time = 69.79, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(3/2), x)

maple [B] time = 0.29, size = 1687, normalized size = 4.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)

[Out]
$$\begin{aligned} & -2/d/(a+b*\cos(d*x+c))^{1/2}*(B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a-B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2})*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b+2*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2})*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*b+2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2})*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a-2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2})*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b+4*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2})*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*b+A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2})*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a+A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2})*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b-A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2})*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a-A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2})*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2})*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a-B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} \end{aligned}$$

$(1/2)*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b + 2*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{3/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * b + A*\sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a + A*\sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b - A*\sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a - A*\sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b + A*\cos(dx+c)^3 * b + A*\cos(dx+c)^2 * a - A*\cos(dx+c)^2 * b - A*\cos(dx+c) * a / \cos(dx+c)^{3/2} / \sin(dx+c)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a}}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(1/2)*(A+B*cos(dx+c))/cos(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*sqrt(b*cos(dx+c) + a)/cos(dx+c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(1/2))/cos(c + dx)^(3/2),x)

[Out] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(1/2))/cos(c + dx)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))**(1/2)*(A+B*cos(dx+c))/cos(dx+c)**(3/2),x)

[Out] Integral((A + B*cos(c + dx))*sqrt(a + b*cos(c + dx))/cos(c + dx)**(3/2), x)

3.399
$$\int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=284

$$\frac{2(a-b)\sqrt{a+b}(3aB+Ab)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{3a^2d} + \dots$$

[Out] 2/3*A*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(3/2)+2/3*(a-b)*(A*b+3*B*a)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a+b))^(1/2)/a^2/d+2/3*(a-b)*(A-3*B)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a+b))^(1/2)/a/d

Rubi [A] time = 0.51, antiderivative size = 284, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, number of rules / integrand size = 0.114, Rules used = {2999, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}(3aB+Ab)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{3a^2d} + \dots$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (2*(a - b)*Sqrt[a + b]*(A*b + 3*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^2*d) + (2*(a - b)*Sqrt[a + b]*(A - 3*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d) + (2*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)]]*Sqrt[(a_) + (b_)*sin[(e_.) + (f_)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A_) + (B_)*sin[(e_.) + (f_)*(x_)])/(((b_)*sin[(e_.) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_.) + (f_)*(x_)])], x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_) + (B_)*sin[(e_.) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_.) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_.) + (f_)*(x_)])], x_Symbol] := D

```
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2999

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*
x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a +
b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m
+ 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*S
in[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rubi steps

$$\int \frac{\sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx = \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{1}{2}(Ab + 3aB) + \frac{1}{2}(aA - bB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3} ((a - b)(A - 3B)) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2(a - b)\sqrt{a + b} (Ab + 3aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)}{3a^2 d}$$

Mathematica [A] time = 13.50, size = 407, normalized size = 1.43

$$\frac{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \left(\frac{2 \sec(c + dx)(3aB \sin(c + dx) + Ab \sin(c + dx))}{3a} + \frac{2}{3} A \tan(c + dx) \sec(c + dx) \right)}{d} + \frac{4 \left(\frac{\cos(c + dx)}{\cos(c + dx) + 1} \right)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2
),x]
```

```
[Out] (4*(Cos[(c + d*x)/2]^2)^(5/2)*(Cos[c + d*x]/(1 + Cos[c + d*x]))^(3/2)*Sqrt[
1 + Cos[c + d*x]]*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2*(-2*(a + b)*(A*b +
3*a*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a
+ b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a +
b)] + 2*a*(a + b)*(A + 3*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a
+ b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d
*x)/2]], (-a + b)/(a + b)] - (A*b + 3*a*B)*Cos[c + d*x]*(a + b*Cos[c + d*x]
)*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(3*a*d*Cos[c + d*x]^(5/2)*Sqrt[a +
b*Cos[c + d*x]]) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c +
d*x]*(A*b*Sin[c + d*x] + 3*a*B*Sin[c + d*x]))/(3*a) + (2*A*Sec[c + d*x]*Ta
n[c + d*x])/3))/d
```

fricas [F] time = 1.03, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)

maple [B] time = 0.23, size = 1727, normalized size = 6.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)

[Out]
$$-2/3/d*(3*B*\cos(d*x+c)^2*a^2+3*B*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\cos(d*x+c)^2*a*b-3*B*\cos(d*x+c)*a^2+A*\cos(d*x+c)^3*b^2-A*\cos(d*x+c)^2*b^2-a^2*A-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^2*a*b+A*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*b^2+3*B*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\cos(d*x+c)^2*a^2-3*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2+A*\sin(d*x+c)*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*a^2+3*B*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\cos(d*x+c)*a^2+A*\cos(d*x+c)^2*a^2-3*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b+3*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b-A*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*a*b+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a*b+A*\cos(d*x+c)^3*a*b-3*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*a*b+A*\sin(d*x+c)*\cos(d*x+c)^2*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/$$

$(a+b)^{1/2} \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cdot \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \cdot a \cdot b + A \cdot \cos(dx+c)^2 \cdot a \cdot b - 2 \cdot A \cdot \cos(dx+c) \cdot a \cdot b + 3 \cdot B \cdot \cos(dx+c)^3 \cdot a \cdot b - 3 \cdot B \cdot \cos(dx+c)^2 \cdot a \cdot b - A \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cdot \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \cdot b^2 - 3 \cdot B \cdot \sin(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cdot \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot \cos(dx+c) \cdot a^2 / (a+b \cdot \cos(dx+c))^{1/2} / a / \sin(dx+c) / \cos(dx+c)^{3/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a}}{\cos(dx+c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(1/2)*(A+B*cos(dx+c))/cos(dx+c)^(5/2),x, algorith="maxima")

[Out] integrate((B*cos(dx+c) + A)*sqrt(b*cos(dx+c) + a)/cos(dx+c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(1/2))/cos(c + dx)^(5/2),x)

[Out] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(1/2))/cos(c + dx)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos^2(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))**(1/2)*(A+B*cos(dx+c))/cos(dx+c)**(5/2),x)

[Out] Integral((A + B*cos(c + dx))*sqrt(a + b*cos(c + dx))/cos(c + dx)**(5/2), x)

$$3.400 \quad \int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=350

$$\frac{2(a-b)\sqrt{a+b}(9aA-5aB+2Ab)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^2d} - \frac{a+b}{a-b}$$

[Out] 2/5*A*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(5/2)+2/15*(A*b+5*B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a/d/cos(d*x+c)^(3/2)+2/15*(a-b)*(9*A*a^2-2*A*b^2+5*B*a*b)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^3/d-2/15*(a-b)*(9*A*a+2*A*b-5*B*a)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d

Rubi [A] time = 0.82, antiderivative size = 350, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2999, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}(9a^2A+5abB-2Ab^2)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^3d} - \frac{a+b}{a-b}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(15*a^3*d) - (2*(a - b)*Sqrt[a + b]*(9*a*A + 2*A*b - 5*a*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(15*a^2*d) + (2*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x]/(5*d*Cos[c + d*x]^(5/2)) + (2*(A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x]/(15*a*d*Cos[c + d*x]^(3/2)))

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 2999

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m + 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*Sin[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rubi steps

$$\int \frac{\sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx = \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2}(Ab + 5aB) + \frac{1}{2}(3aA + bB)}{\cos^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \cos(c + dx)}}{15ad \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \cos(c + dx)}}{15ad \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2(a - b)\sqrt{a + b} (9a^2A - 2Ab^2 + 5abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a - b \cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{15a^3d}$$

Mathematica [C] time = 6.37, size = 1315, normalized size = 3.76

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]
```

```
[Out] -1/15*((-4*a*(2*a^2*A*b - 2*A*b^3 - 5*a^3*B + 5*a*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(9*a^3*A - 2*a*A*b^2 + 5*a^2*b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(9*a^2*A*b - 2*A*b^3 + 5*a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(a^2*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c + d*x]^2*(A*b*Sin[c + d*x] + 5*a*B*Sin[c + d*x]))/(15*a) + (2*Sec[c + d*x]*(9*a^2*A*Sin[c + d*x] - 2*A*b^2*Sin[c + d*x] + 5*a*b*B*Sin[c + d*x]))/(15*a^2) + (2*A*Sec[c + d*x]^2*Tan[c + d*x])/5))/d
```

fricas [F] time = 1.80, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorith="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(7/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorith="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(7/2),  
x)
```

maple [B] time = 0.33, size = 2481, normalized size = 7.09

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)
```

```
[Out] 2/15/d*(3*A*a^3-9*A*cos(d*x+c)^3*a^3-2*A*cos(d*x+c)^3*b^3+6*A*cos(d*x+c)^2*  
a^3-5*B*cos(d*x+c)^3*a^3-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*  
x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF((-1+cos  
(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b+2*A*cos(d*x+c)^4*b^3+5*B*co  
s(d*x+c)*a^3+2*A*cos(d*x+c)^3*a*b^2-A*cos(d*x+c)^2*a*b^2+4*A*cos(d*x+c)*a^2  
*b-5*B*cos(d*x+c)^4*a*b^2-5*B*cos(d*x+c)^3*a^2*b+10*B*cos(d*x+c)^2*a^2*b+9*  
A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)  
))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)  
/(a+b))^(1/2))*a^2*b-2*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c))  
)^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x  
+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-7*A*sin(d*x+c)*cos(d*x+c)^2*(co  
s(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2  
)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b+2*A*sin(  
d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+  
cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b)  
)^(1/2))*a*b^2+5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+c  
os(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/s  
in(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b+5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2  
)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*Elli  
pticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-5*B*(cos(d*x+c  
)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d  
*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2  
)*)a^2*b+5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x  
+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x  
+c),(-(a-b)/(a+b))^(1/2))*a*b^2+9*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+  
cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE(  
(-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b-2*A*(cos(d*x+c)/(1+c  
os(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*  
cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b  
^2-7*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(  
d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-  
(a-b)/(a+b))^(1/2))*a^2*b+2*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*  
x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+co  
s(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2+5*B*(cos(d*x+c)/(1+cos(d*x  
+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*  
x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b+5*B  
*cos(d*x+c)^3*a*b^2-9*A*cos(d*x+c)^4*a^2*b-A*cos(d*x+c)^4*a*b^2+5*A*cos(d*x  
+c)^3*a^2*b-5*B*cos(d*x+c)^4*a^2*b-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((  
a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*Elli  
pticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3+9*A*(cos(d*x+c)/(1+  
cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)  
*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^  
3-2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a  
+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a  
-b)/(a+b))^(1/2))*b^3-9*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+  
c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF((-1+cos(d  
*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3-5*B*(cos(d*x+c)/(1+cos(d*x+c)))  
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^  
3*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3+9*A*sin(d*  
x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+co
```


$s(d*x+c)/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3-2*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*b^3-9*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3/(a+b*\cos(d*x+c))^{(1/2)}/a^2/\sin(d*x+c)/\cos(d*x+c)^{(5/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^(7/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)

[Out] Timed out

$$3.401 \quad \int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

Optimal. Leaf size=433

$$\frac{2(25a^2A + 7abB - 4Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105a^2d \cos^2(c+dx)} + \frac{2(a-b) \sqrt{a+b} (a^2(25A - 63B) + 2ab(3A - 7B) + 8A^2)}{105a^2d \cos^2(c+dx)}$$

[Out] $2/7*A*\sin(d*x+c)*(a+b*\cos(d*x+c))^(1/2)/d/\cos(d*x+c)^(7/2)+2/35*(A*b+7*B*a)*\sin(d*x+c)*(a+b*\cos(d*x+c))^(1/2)/a/d/\cos(d*x+c)^(5/2)+2/105*(25*A*a^2-4*A*b^2+7*B*a*b)*\sin(d*x+c)*(a+b*\cos(d*x+c))^(1/2)/a^2/d/\cos(d*x+c)^(3/2)+2/105*(a-b)*(19*A*a^2*b+8*A*b^3+63*B*a^3-14*B*a*b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-\sec(d*x+c)))/(a+b)^(1/2)*(a*(1+\sec(d*x+c)))/(a-b)^(1/2)/a^4/d+2/105*(a-b)*(8*A*b^2+a^2*(25*A-63*B)+2*a*b*(3*A-7*B))*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-\sec(d*x+c)))/(a+b)^(1/2)*(a*(1+\sec(d*x+c)))/(a-b)^(1/2)/a^3/d$

Rubi [A] time = 1.18, antiderivative size = 433, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2999, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 7abB - 4Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105a^2d \cos^2(c+dx)} + \frac{2(a-b) \sqrt{a+b} (a^2(25A - 63B) + 2ab(3A - 7B) + 8A^2)}{105a^2d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2),x]

[Out] $(2*(a-b)*\text{Sqrt}[a+b]*(19*a^2*A*b+8*A*b^3+63*a^3*B-14*a*b^2*B)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(105*a^4*d)+(2*(a-b)*\text{Sqrt}[a+b]*(8*A*b^2+a^2*(25*A-63*B)+2*a*b*(3*A-7*B))*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(105*a^3*d)+(2*A*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]/(7*d*\text{Cos}[c+d*x]^(7/2)))+(2*(A*b+7*a*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]/(35*a*d*\text{Cos}[c+d*x]^(5/2)))+(2*(25*a^2*A-4*A*b^2+7*a*b*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]/(105*a^2*d*\text{Cos}[c+d*x]^(3/2)))$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.)+(f_.)*(x_.)]]*Sqrt[(a_.)+(b_.)*sin[(e_.)+(f_.)*(x_.)]), x_Symbol] :> Simp[(-2*Tan[e+f*x]*Rt[(a+b)/d, 2]*Sqrt[(a*(1-Csc[e+f*x]))/(a+b)]*Sqrt[(a*(1+Csc[e+f*x]))/(a-b)]*EllipticF[ArcSin[Sqrt[a+b*Sin[e+f*x]]/(Sqrt[d*Sin[e+f*x]]*Rt[(a+b)/d, 2])], -((a+b)/(a-b)))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2-b^2, 0] && PosQ[(a+b)/d]

Rule 2994

Int[((A_.)+(B_.)*sin[(e_.)+(f_.)*(x_.)])/(((b_.)*sin[(e_.)+(f_.)*(x_.)]^(3/2)*Sqrt[(c_.)+(d_.)*sin[(e_.)+(f_.)*(x_.)]), x_Symbol] :> Simp[(-2*A*(c-d)*Tan[e+f*x]*Rt[(c+d)/b, 2]*Sqrt[(c*(1+Csc[e+f*x]))/(c-d)]*Sqrt[(c*(1-Csc[e+f*x]))/(c+d)]*EllipticE[ArcSin[Sqrt[c+d*Sin[e+f*x]]/(Sqrt[(c+d)*sin[(e+f*x)]*Rt[(c+d)/b, 2]]], -((c+d)/(c-d)))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2-b^2, 0] && PosQ[(a+b)/d]

*x]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2]], -((c + d)/(c - d)))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 2999

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m + 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*Sin[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{\frac{1}{2}(Ab + 7aB) + \frac{1}{2}(5aA - 5bB)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{35ad \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{35ad \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{35ad \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{2(a - b)\sqrt{a + b} (19a^2Ab + 8Ab^3 + 63a^3B - 14ab^2B) \cot(c + dx)}{105ad^2 \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.46, size = 1408, normalized size = 3.25

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2),x]

[Out] ((-4*a*(25*a^4*A - 17*a^2*A*b^2 - 8*A*b^4 - 14*a^3*b*B + 14*a*b^3*B)*Sqrt[(a + b)*Cot[(c + d*x)/2]^2]/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(-19*a^3*A*b - 8*a*A*b^3 - 63*a^4*B + 14*a^2*b^2*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(-19*a^2*A*b^2 - 8*A*b^4 - 63*a^3*b*B + 14*a*b^3*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]))/b + (Sqrt[a + b*Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])/b

$c + d*x]]*\text{Sin}[c + d*x]]/(b*\text{Sqrt}[\text{Cos}[c + d*x]])))/(105*a^3*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*((2*\text{Sec}[c + d*x]^3*(A*b*\text{Sin}[c + d*x] + 7*a*B*\text{Sin}[c + d*x]))/(35*a) + (2*\text{Sec}[c + d*x]^2*(25*a^2*A*\text{Sin}[c + d*x] - 4*A*b^2*\text{Sin}[c + d*x] + 7*a*b*B*\text{Sin}[c + d*x]))/(105*a^2) + (2*\text{Sec}[c + d*x]*(19*a^2*A*b*\text{Sin}[c + d*x] + 8*A*b^3*\text{Sin}[c + d*x] + 63*a^3*B*\text{Sin}[c + d*x] - 14*a*b^2*B*\text{Sin}[c + d*x]))/(105*a^3) + (2*A*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/7))/d$

fricas [F] time = 1.03, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(9/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(9/2), x)

maple [B] time = 0.44, size = 3428, normalized size = 7.92

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x)

[Out] $2/105/d*(-63*B*\cos(d*x+c)^4*a^4+42*B*\cos(d*x+c)^3*a^4+21*B*\cos(d*x+c)*a^4-25*A*\cos(d*x+c)^4*a^4+10*A*\cos(d*x+c)^2*a^4-8*A*\cos(d*x+c)^5*b^4+8*A*\cos(d*x+c)^4*b^4+28*B*\cos(d*x+c)^2*a^3*b-25*A*\cos(d*x+c)^5*a^3*b-19*A*\cos(d*x+c)^5*a^2*b^2+4*A*\cos(d*x+c)^5*a*b^3-19*A*\cos(d*x+c)^4*a^3*b+20*A*\cos(d*x+c)^4*a^2*b^2-8*A*\cos(d*x+c)^4*a*b^3+26*A*\cos(d*x+c)^3*a^3*b+4*A*\cos(d*x+c)^3*a*b^3-A*\cos(d*x+c)^2*a^2*b^2+18*A*\cos(d*x+c)*a^3*b-63*B*\cos(d*x+c)^5*a^3*b-7*B*\cos(d*x+c)^5*a^2*b^2+14*B*\cos(d*x+c)^5*a*b^3+35*B*\cos(d*x+c)^4*a^3*b+14*B*\cos(d*x+c)^4*a^2*b^2-14*B*\cos(d*x+c)^4*a*b^3-7*B*\cos(d*x+c)^3*a^2*b^2-8*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^(1/2)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^3+8*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^(1/2)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^4-25*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^(1/2)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^4+63*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^(1/2)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^4-63*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^(1/2)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^4+8*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos$

$$\begin{aligned}
& (d*x+c))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1 \\
& +\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*b^4-25*A*\sin(d*x+c)*\cos(d*x+c) \\
&)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b \\
&)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a^4+63* \\
& B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c) \\
&)/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b) \\
& /(\cos(d*x+c)))^{(1/2)}*a^4-63*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c))) \\
&)^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+ \\
& c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a^4+15*A*a^4+63*B*\sin(d*x+c)*\cos(d*x+c) \\
&)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b \\
&)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a^3*b-1 \\
& 4*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x \\
& +c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a- \\
& b)/(a+b))^{(1/2)}*a^2*b^2-14*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d* \\
& x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+co \\
& s(d*x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a*b^3-49*B*\sin(d*x+c)*\cos(d*x+c) \\
&)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b \\
&)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a^3*b+14 \\
& *B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+ \\
& c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b) \\
&)/(a+b))^{(1/2)}*a^2*b^2+19*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x \\
& +c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+cos \\
& (d*x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a^3*b+19*A*\sin(d*x+c)*\cos(d*x+c)^ \\
& 3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b) \\
&)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a^2*b^2+8 \\
& *A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+ \\
& c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b) \\
&)/(a+b))^{(1/2)}*a*b^3-19*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c \\
&)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d \\
& *x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a^3*b-2*A*\sin(d*x+c)*\cos(d*x+c)^3*(\\
& \cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1 \\
& /2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a^2*b^2-8*A* \\
& \sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c)) \\
&)/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(\\
& a+b))^{(1/2)}*a*b^3+63*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c))) \\
&)^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+ \\
& c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3*b-14*B*\sin(d*x+c)*\cos(d*x+c)^3*(co \\
& s(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2) \\
&)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b^2-14*B*s \\
& in(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c)) \\
&)/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a \\
& +b))^{(1/2)}*a*b^3-49*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{ \\
& (1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c \\
&))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3*b+14*B*\sin(d*x+c)*\cos(d*x+c)^3*(cos \\
& (d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2) \\
&)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b^2+19*A*si \\
& n(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(\\
& 1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(at \\
& b))^{(1/2)}*a^3*b+19*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(\\
& 1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c) \\
&)/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b^2+8*A*\sin(d*x+c)*\cos(d*x+c)^4*(cos \\
& (d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2) \\
&)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a*b^3-19*A*\sin(\\
& d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+ \\
& \cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b) \\
&)^{(1/2)}*a^3*b-2*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2) \\
&)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/s \\
& in(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b^2)/(a+b*\cos(d*x+c))^{(1/2)}/a^3/\sin(d*x \\
& +c)/\cos(d*x+c)^{(7/2)}
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^(9/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(1/2))/cos(c + d*x)^(9/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(9/2),x)

[Out] Timed out

$$3.402 \quad \int \cos^2(c+dx)(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=670

$$\frac{(-3a^2B + 8aAb + 12b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{32bd} + \frac{(-9a^3B + 24a^2Ab + 156ab^2B + 128Ab^3)}{192b^2d \sqrt{\cos(c + dx)}}$$

[Out] 1/24*(8*A*b-3*B*a)*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)*cos(d*x+c)^(1/2)/b/d+1/4*B*(a+b*cos(d*x+c))^(5/2)*sin(d*x+c)*cos(d*x+c)^(1/2)/b/d+1/192*(24*A*a^2*b+128*A*b^3-9*B*a^3+156*B*a*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b^2/d/cos(d*x+c)^(1/2)+1/32*(8*A*a*b-3*B*a^2+12*B*b^2)*sin(d*x+c)*cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2)/b/d-1/192*(a-b)*(24*A*a^2*b+128*A*b^3-9*B*a^3+156*B*a*b^2)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/b^2/d-1/192*(9*a^3*B-6*a^2*b*(4*A+B)-8*b^3*(16*A+9*B)-4*a*b^2*(28*A+39*B))*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^2/d+1/64*(8*A*a^3*b-96*A*a*b^3-3*B*a^4-24*B*a^2*b^2-48*B*b^4)*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^3/d

Rubi [A] time = 2.10, antiderivative size = 670, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-3a^2B + 8aAb + 12b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{32bd} + \frac{(24a^2Ab - 9a^3B + 156ab^2B + 128Ab^3)}{192b^2d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]

[Out] -((a - b)*Sqrt[a + b]*(24*a^2*A*b + 128*A*b^3 - 9*a^3*B + 156*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(192*a*b^2*d) - (Sqrt[a + b]*(9*a^3*B - 6*a^2*b*(4*A + B) - 8*b^3*(16*A + 9*B) - 4*a*b^2*(28*A + 39*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(192*b^2*d) + (Sqrt[a + b]*(8*a^3*A*b - 96*a*A*b^3 - 3*a^4*B - 24*a^2*b^2*B - 48*b^4*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(64*b^3*d) + ((24*a^2*A*b + 128*A*b^3 - 9*a^3*B + 156*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(192*b^2*d*Sqrt[Cos[c + d*x]]) + ((8*a*A*b - 3*a^2*B + 12*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(32*b*d) + ((8*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(24*b*d) + (B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(4*b*d)

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c

+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2]), -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2990

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 2994

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3049

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{\frac{3}{2}}(A + B \cos(c + dx)) dx &= \frac{B\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{\frac{5}{2}} \sin(c + dx)}{4bd} + \\
&= \frac{(8Ab - 3aB)\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{\frac{3}{2}} \sin(c + dx)}{24bd} \\
&= \frac{(8aAb - 3a^2B + 12b^2B)\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}}{32bd} \\
&= \frac{(24a^2Ab + 128Ab^3 - 9a^3B + 156ab^2B)\sqrt{a + b \cos(c + dx)}}{192b^2d\sqrt{\cos(c + dx)}} \\
&= \frac{(24a^2Ab + 128Ab^3 - 9a^3B + 156ab^2B)\sqrt{a + b \cos(c + dx)}}{192b^2d\sqrt{\cos(c + dx)}} \\
&= \frac{\sqrt{a + b} (8a^3Ab - 96aAb^3 - 3a^4B - 24a^2b^2B - 48ab^3B)}{192b^2d\sqrt{\cos(c + dx)}} \\
&= \frac{(a - b)\sqrt{a + b} (24a^2Ab + 128Ab^3 - 9a^3B + 156ab^2B)}{192b^2d\sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.41, size = 1284, normalized size = 1.92

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]
```

```
[Out] -1/384*((-4*a*(-136*a^2*A*b - 128*A*b^3 + 3*a^3*B - 228*a*b^2*B)*Sqrt[((a +
b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)
]/2)^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*
EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]
, (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a +
b*Cos[c + d*x]]) - 4*a*(-416*a*A*b^2 - 228*a^2*b*B - 144*b^3*B)*((Sqrt[((a
+ b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d
*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x
]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2
]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a
+ b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((
(a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc
[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos
[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/
2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])) + 2*(-24*a^2*A*b - 1
28*A*b^3 + 9*a^3*B - 156*a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d
*x]])*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a -
b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Co
s[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/
2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[(
(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[S
qrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]
*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
- (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d
*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a
]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c
+ d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[
c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c +
d*x])/(b*Sqrt[Cos[c + d*x]])))/(b*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[
c + d*x]]*((((56*a*A*b + 3*a^2*B + 42*b^2*B)*Sin[c + d*x])/(96*b) + ((8*A*b
+ 9*a*B)*Sin[2*(c + d*x)])/48 + (b*B*Ssin[3*(c + d*x)]/16))/d
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algor
ithm="fricas")
```

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algor
ithm="giac")
```

[Out] Timed out

maple [B] time = 0.63, size = 4048, normalized size = 6.04

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)
```

[Out]
$$\begin{aligned}
& -1/192/d/(a+b*\cos(d*x+c))^{(1/2)}*(136*A*\cos(d*x+c)^3*a^2*b^2-3*B*\cos(d*x+c)^3*a^3*b+108*B*\cos(d*x+c)^3*a*b^3+78*B*\cos(d*x+c)^2*a^2*b^2-156*B*\cos(d*x+c)^2*a*b^3-6*B*\cos(d*x+c)*a^3*b-156*B*\cos(d*x+c)*a^2*b^2-72*B*\cos(d*x+c)*a*b^3+24*A*\cos(d*x+c)^2*a^3*b-48*A*\cos(d*x+c)^2*a*b^3-112*A*\cos(d*x+c)*a^2*b^2-128*A*\cos(d*x+c)*a*b^3+128*A*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*b^4-9*B*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^4+18*B*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)}*a^4+288*B*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)}*b^4-144*B*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*b^4+48*B*\cos(d*x+c)^6*b^4+64*A*\cos(d*x+c)^3*b^4-128*A*\cos(d*x+c)^2*b^4+24*B*\cos(d*x+c)^4*b^4-72*B*\cos(d*x+c)^2*b^4-9*B*\cos(d*x+c)^2*a^4+9*B*\cos(d*x+c)*a^4+64*A*\cos(d*x+c)^5*b^4+9*B*\cos(d*x+c)^2*a^3*b+176*A*\cos(d*x+c)^4*a*b^3-24*A*\cos(d*x+c)^2*a^2*b^2-24*A*\cos(d*x+c)*a^3*b+120*B*\cos(d*x+c)^5*a*b^3+78*B*\cos(d*x+c)^4*a^2*b^2+24*A*\sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*a^3*b-9*B*\sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^4+18*B*\sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)}*a^4+288*B*\sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)}*b^4-144*B*\sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*b^4+24*A*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3*b+24*A*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b^2+128*A*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a*b^3-48*A*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)}*a^3*b+576*A*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)}*a*b^3+112*A*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b^2-416*A*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a*b^3-9*B*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3*b+156*B*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b^2+156*B*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a*b^3+144*B*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)}*a^2*b^2+6*B*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3*b-228*B*\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2
\end{aligned}$$

```

*b^2+72*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1
+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b
))^(1/2))*a*b^3+128*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/
2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/
sin(d*x+c),(-a-b)/(a+b))^(1/2))*b^4+24*A*sin(d*x+c)*cos(d*x+c)*EllipticE((
-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a^2*b^2+128*A*sin(d*x+
c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/
2)*a*b^3-48*A*sin(d*x+c)*cos(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-
1,(-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))
/(1+cos(d*x+c))/(a+b))^(1/2)*a^3*b+576*A*sin(d*x+c)*cos(d*x+c)*EllipticPi((
-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c
)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*b^3+112*A*sin(d*x
+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(
d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/
2))*a^2*b^2-416*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((
a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(
d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3-9*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1
+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE
((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b+156*B*sin(d*x+c)*co
s(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^
2*b^2+156*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*c
os(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c)
,(-a-b)/(a+b))^(1/2))*a*b^3+144*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-
1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2))*a^2*b^2+6*B*sin(d*x+c)*co
s(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^
3*b-228*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos
(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(
-a-b)/(a+b))^(1/2))*a^2*b^2+72*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(
d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+
cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3/sin(d*x+c)/b^2/cos(d*x+
c)^(1/2)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^{3/2} (A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2),x)

[Out] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.403 \quad \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx$$

Optimal. Leaf size=566

$$\frac{(3a^2B + 30aAb + 16b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24bd \sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} (3a^2B + 30aAb + 14abB + 12Ab^2 + 16b^2B)}{24bd \sqrt{\cos(c + dx)}}$$

[Out] $\frac{1}{3} b B \cos(dx+c)^{3/2} \sin(dx+c) (a+b \cos(dx+c))^{1/2} / d + \frac{1}{24} (30 A a b + 3 B a^2 + 16 B b^2) \sin(dx+c) (a+b \cos(dx+c))^{1/2} / b d \cos(dx+c)^{1/2} + \frac{1}{12} (6 A b + 7 B a) \sin(dx+c) \cos(dx+c)^{1/2} (a+b \cos(dx+c))^{1/2} / d - \frac{1}{24} (a-b) (30 A a b + 3 B a^2 + 16 B b^2) \cot(dx+c) \text{EllipticE}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / a b d + \frac{1}{24} (30 A a b + 12 A b^2 + 3 B a^2 + 14 B a b + 16 B b^2) \cot(dx+c) \text{EllipticF}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b d - \frac{1}{8} (6 A a^2 b + 8 A b^3 - B a^3 + 12 B a b^2) \cot(dx+c) \text{EllipticPi}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, (a+b) / b, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b^2 / d$

Rubi [A] time = 1.66, antiderivative size = 566, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(3a^2B + 30aAb + 16b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24bd \sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} (3a^2B + 30aAb + 14abB + 12Ab^2 + 16b^2B)}{24bd \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]

[Out] $-\frac{(a-b) \sqrt{a+b} (30 a A b + 3 a^2 B + 16 b^2 B) \text{Cot}[c + d x] \text{EllipticE}[\text{ArcSin}[\sqrt{a + b \cos[c + d x]}] / (\sqrt{a + b} \sqrt{\cos[c + d x]})]}{(a-b) \sqrt{a+b} (30 a A b + 3 a^2 B + 16 b^2 B) \text{Cot}[c + d x] \text{EllipticE}[\text{ArcSin}[\sqrt{a + b \cos[c + d x]}] / (\sqrt{a + b} \sqrt{\cos[c + d x]})]} + \frac{(a+b) \sqrt{a+b} (30 a A b + 12 A b^2 + 3 a^2 B + 14 a b B + 16 b^2 B) \text{Cot}[c + d x] \text{EllipticF}[\text{ArcSin}[\sqrt{a + b \cos[c + d x]}] / (\sqrt{a + b} \sqrt{\cos[c + d x]})]}{(a-b) \sqrt{a+b} (30 a A b + 12 A b^2 + 3 a^2 B + 14 a b B + 16 b^2 B) \text{Cot}[c + d x] \text{EllipticF}[\text{ArcSin}[\sqrt{a + b \cos[c + d x]}] / (\sqrt{a + b} \sqrt{\cos[c + d x]})]} - \frac{(a+b) \sqrt{a+b} (6 a^2 A b + 8 A b^3 - a^3 B + 12 a b^2 B) \text{Cot}[c + d x] \text{EllipticPi}[(a+b) / b, \text{ArcSin}[\sqrt{a + b \cos[c + d x]}] / (\sqrt{a + b} \sqrt{\cos[c + d x]})]}{(a-b) \sqrt{a+b} (6 a^2 A b + 8 A b^3 - a^3 B + 12 a b^2 B) \text{Cot}[c + d x] \text{EllipticPi}[(a+b) / b, \text{ArcSin}[\sqrt{a + b \cos[c + d x]}] / (\sqrt{a + b} \sqrt{\cos[c + d x]})]} - \frac{(a+b) \sqrt{a+b} (8 b^2 d) + ((30 a A b + 3 a^2 B + 16 b^2 B) \sqrt{a + b \cos[c + d x]} \sin[c + d x]) / (24 b d \sqrt{\cos[c + d x]}) + ((6 A b + 7 a B) \sqrt{\cos[c + d x]} \sqrt{a + b \cos[c + d x]} \sin[c + d x]) / (12 d) + (b B \cos[c + d x])^{3/2} \sqrt{a + b \cos[c + d x]} \sin[c + d x]}{(3 d)}$

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2990

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_))*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((b_)*sin[(e_)] + (f_)*(x_)))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((a_) + (b_)*sin[(e_)] + (f_)*(x_)))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3049

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_)) + (C_)*sin[(e_)] + (f_)*(x_)]^2, x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3053

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)) + (C_)*sin[(e_)] + (f_)*(x_)]^2/(((a_) + (b_)*sin[(e_)] + (f_)*(x_)))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
```


$- 2*a*C*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])$, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3061

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx &= \frac{bB \cos^3(c + dx) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{(6Ab + 7aB) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{12d} \\ &= \frac{(30aAb + 3a^2B + 16b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24bd \sqrt{\cos(c + dx)}} \\ &= \frac{(30aAb + 3a^2B + 16b^2B) \sqrt{a + b \cos(c + dx)} \cot(c + dx)}{24bd \sqrt{\cos(c + dx)}} \\ &= -\frac{\sqrt{a + b} (6a^2Ab + 8Ab^3 - a^3B + 12ab^2B) \cot(c + dx)}{24bd \sqrt{\cos(c + dx)}} \\ &= -\frac{(a - b) \sqrt{a + b} (30aAb + 3a^2B + 16b^2B) \cot(c + dx)}{24bd \sqrt{\cos(c + dx)}} \end{aligned}$$

Mathematica [C] time = 6.32, size = 1227, normalized size = 2.17

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]

[Out] ((-4*a*(42*a*A*b + 17*a^2*B + 16*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(48*a^2*A + 24*A*b^2 + 52*a*b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)

)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(30*a*A*b + 3*a^2*B + 16*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]]))/48*d + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*(((6*A*b + 7*a*B)*Sin[c + d*x])/12 + (b*B*Sin[2*(c + d*x)]/6))/d

fricas [F] time = 176.21, size = 0, normalized size = 0.00

integral((Bb cos(dx + c)^2 + Aa + (Ba + Ab) cos(dx + c))sqrt(b cos(dx + c) + a) sqrt(cos(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c)), x)

maple [B] time = 0.39, size = 3139, normalized size = 5.55

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)

[Out] 1/24/d/(a+b*cos(d*x+c))^(1/2)*(-36*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^2*b-30*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b-30*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (

) $\cdot b^3 + 6 \cdot B \cdot \sin(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cdot \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \cdot \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} \cdot a^3 - 3 \cdot B \cdot \sin(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cdot \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^3 - 16 \cdot B \cdot \sin(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cdot \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot b^3 / \sin(dx+c) / b / \cos(dx+c)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2} \sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)*(a+b*cos(dx+c))^(3/2)*(A+B*cos(dx+c)),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*(b*cos(dx+c) + a)^(3/2)*sqrt(cos(dx+c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{\cos(c+dx)} (A+B \cos(c+dx)) (a+b \cos(c+dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c+d*x)^(1/2)*(A+B*cos(c+d*x))*(a+b*cos(c+d*x))^(3/2),x)

[Out] int(cos(c+d*x)^(1/2)*(A+B*cos(c+d*x))*(a+b*cos(c+d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**(1/2)*(a+b*cos(dx+c))**(3/2)*(A+B*cos(dx+c)),x)

[Out] Timed out

$$3.404 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=472

$$\frac{\sqrt{a+b} (3a^2B + 12aAb + 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a}{a}}{4bd}$$

[Out] 1/4*(4*A*b+5*B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(1/2)+1/2*b*B*sin(d*x+c)*cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2)/d-1/4*(a-b)*(4*A*b+5*B*a)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d+1/4*(8*A*a+4*A*b+5*B*a+2*B*b)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d-1/4*(12*A*a*b+3*B*a^2+4*B*b^2)*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b/d

Rubi [A] time = 1.15, antiderivative size = 472, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2990, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (3a^2B + 12aAb + 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a}{a}}{4bd}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] -((a - b)*Sqrt[a + b]*(4*A*b + 5*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*a*d) + (Sqrt[a + b]*(8*a*A + 4*A*b + 5*a*B + 2*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*d) - (Sqrt[a + b]*(12*a*A*b + 3*a^2*B + 4*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b*d) + ((4*A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (b*B*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x])]/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x])]/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,

0] && PosQ[(a + b)/d]

Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])
^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])
^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_
.)*(x_)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]
])/ (d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{bB\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{1}{2} a(\dots) \\
 &= \frac{(4Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} + \frac{bB\sqrt{\cos(c + dx)}}{4d\sqrt{\cos(c + dx)}} \\
 &= \frac{(4Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} + \frac{bB\sqrt{\cos(c + dx)}}{4d\sqrt{\cos(c + dx)}} \\
 &= -\frac{\sqrt{a + b} (12aAb + 3a^2B + 4b^2B) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}}\right)\right)}{4bd} \\
 &= -\frac{(a - b)\sqrt{a + b} (4Ab + 5aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}}\right)\right)}{4ad}
 \end{aligned}$$

Mathematica [C] time = 6.35, size = 1198, normalized size = 2.54

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]
```

```
[Out] (b*B*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d) + ((-4*a*(8*a^2*A + 4*A*b^2 + 7*a*b*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(16*a*A*b + 8*a^2*B + 4*b^2*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(4*A*b^2 + 5*a*b*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(8*d)
```

fricas [F] time = 7.27, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Bb \cos(dx+c)^2 + Aa + (Ba + Ab) \cos(dx+c))\sqrt{b \cos(dx+c) + a}}{\sqrt{\cos(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/sqrt(cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/sqrt(cos(d*x + c)), x)

maple [B] time = 0.39, size = 2430, normalized size = 5.15

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x)

[Out]
$$\begin{aligned} & -1/4/d*(5*B*cos(d*x+c)^2*a^2-8*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2) \\ & *(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), \\ & (-a-b)/(a+b)^(1/2))*a^2-5*B*cos(d*x+c)*a^2+4*A*cos(d*x+c)^3*b^2-4*A*cos(d*x+c)^2*b^2 \\ & +2*B*cos(d*x+c)^4*b^2-2*B*cos(d*x+c)^2*b^2+8*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2) \\ & *(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), \\ & (-a-b)/(a+b)^(1/2))*a^2+24*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b) \\ &)^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b)^(1/2))*sin(d*x+c)*cos(d*x+c)*a*b \\ & +8*A*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))* \\ & (cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*a^2-8*B* \\ & EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2) \\ & *(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*cos(d*x+c)*a^2+5*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2) \\ & *(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))* \\ & cos(d*x+c)*a*b+2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2) \\ & *EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*cos(d*x+c)*a*b+4*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c), \\ & (-a-b)/(a+b)^(1/2))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2) \\ & *a*b-16*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), \\ & (-a-b)/(a+b)^(1/2))*sin(d*x+c)*cos(d*x+c)*a*b+4*A*cos(d*x+c)^2*a*b-4*A*cos(d*x+c)*a*b+7*B*cos(d*x+c)^3*a*b-5*B*cos(d*x+c)^2*a*b-2*B*cos(d*x+c)*a*b+4*A* \\ & EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*b^2+6*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(a+b) \end{aligned}$$


```

*cos(d*x+c)/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b)^(1/2))*a^2+8*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b)^(1/2))*b^2+5*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a^2-4*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*b^2+4*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2))*a*b-16*A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2))*a*b+5*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a*b+2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a*b+4*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2))*b^2+6*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b)^(1/2))*cos(d*x+c)*a^2+8*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b)^(1/2))*cos(d*x+c)*b^2+5*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)*a^2-4*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)*b^2+24*A*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2))*a*b)/(a+b*cos(d*x+c))^(1/2)/cos(d*x+c)^(1/2)/sin(d*x+c)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorith="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/sqrt(cos(d*x + c)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{3}{2}}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^(1/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{3}{2}}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))**(3/2)/sqrt(cos(c + d*x)), x)
```

$$3.405 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=449

$$\frac{(2aA - bB) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b} (2a(A - B) - b(4A + B)) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{d}$$

[Out] 2*a*A*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(1/2)-(2*A*a-B*b)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(1/2)+(a-b)*(2*A*a-B*b)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d-(2*a*(A-B)-b*(4*A+B))*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d-(2*A*b+3*B*a)*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d

Rubi [A] time = 1.18, antiderivative size = 449, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2989, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(2aA - bB) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b} (2a(A - B) - b(4A + B)) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] ((a - b)*Sqrt[a + b]*(2*a*A - b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b]*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]]), -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d) - (Sqrt[a + b]*(2*a*(A - B) - b*(4*A + B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b]*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]]), -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/d - (Sqrt[a + b]*(2*A*b + 3*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b]*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]]), -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/d + (2*a*A*Sqrt[a + b]*Cos[c + d*x]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) - ((2*a*A - b*B)*Sqrt[a + b]*Cos[c + d*x]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -

$(a + b)/(a - b)))/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2989

$\text{Int}[(a + b)\sin(e + f*x)]^m * (A + B)\sin(e + f*x) + (f*x)] * ((c + d)\sin(e + f*x)]^n, x_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)(B*c - A*d)\cos[e + f*x](a + b\sin[e + f*x])^{m-1}(c + d\sin[e + f*x])^{n+1}) / (d*f*(n+1)(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)(c^2 - d^2)), \text{Int}[(a + b\sin[e + f*x])^{m-2}(c + d\sin[e + f*x])^{n+1}) * \text{Simp}[b*(b*c - a*d)(B*c - A*d)(m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)(n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))(n+1) - a*(b*c - a*d)(B*c - A*d)(n+2)) * \sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)(m+n+1) - b*B*(c^2*m + d^2*(n+1))) * \sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 2994

$\text{Int}[(A + B)\sin(e + f*x)] / ((b)\sin(e + f*x)]^{3/2} * \text{Sqrt}[(c + d)\sin(e + f*x)], x_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\tan[e + f*x]*\text{Rt}[(c + d)/b, 2] * \text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)] * \text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d\sin[e + f*x]] / (\text{Sqrt}[b\sin[e + f*x]] * \text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]) / (f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[(A + B)\sin(e + f*x)] / ((a + b)\sin(e + f*x)]^{3/2} * \text{Sqrt}[(c + d)\sin(e + f*x)], x_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b\sin[e + f*x]] * \text{Sqrt}[c + d\sin[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \sin[e + f*x]) / ((a + b\sin[e + f*x])^{3/2} * \text{Sqrt}[c + d\sin[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rule 3053

$\text{Int}[(A + B)\sin(e + f*x)] + (C)\sin(e + f*x)]^2 / ((a + b)\sin(e + f*x)]^{3/2} * \text{Sqrt}[(c + d)\sin(e + f*x)], x_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b\sin[e + f*x]] / \text{Sqrt}[c + d\sin[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C)) * \sin[e + f*x] / ((a + b\sin[e + f*x])^{3/2} * \text{Sqrt}[c + d\sin[e + f*x]])], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 3061

$\text{Int}[(A + B)\sin(e + f*x)] + (C)\sin(e + f*x)]^2 / (\text{Sqrt}[(a + b)\sin(e + f*x)] * \text{Sqrt}[(c + d)\sin(e + f*x)] + (f*x)], x_Symbol] \rightarrow -\text{Simp}[(C*\cos[e + f*x] * \text{Sqrt}[c + d\sin[e + f*x]]) / (d*f*\text{Sqrt}[a + b\sin[e + f*x]]), x] + \text{Dist}[1/(2*d), \text{Int}[(1 * \text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B)) * \sin[e + f*x] + (2*b*B*d - C*(b*c + a*d)) * \sin[e + f*x]^2, x]) / ((a + b\sin[e + f*x])^{3/2} * \text{Sqrt}[c + d\sin[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{1}{2}a(2Ab + aB) -}{d\sqrt{\cos(c + dx)}} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{(2aA - bB)\sqrt{a + b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{(2aA - bB)\sqrt{a + b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} \\
&= -\frac{\sqrt{a + b}(2Ab + 3aB) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d} \\
&= \frac{(a - b)\sqrt{a + b}(2aA - bB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ad}
\end{aligned}$$

Mathematica [C] time = 6.35, size = 1196, normalized size = 2.66

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + ((4*a*(-2*a*A*b - 2*a^2*B - b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 4*a*(2*a^2*A - 2*A*b^2 - 4*a*b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 2*(2*a*A*b - b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]])*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(2*d)

$$\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) \cos(dx+c) b^2 + B \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) \cos(dx+c) b^2 + 6B \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) a b + 2A \cos(dx+c)^2 a b - 2A \cos(dx+c) a b + B \cos(dx+c)^2 a b - B \cos(dx+c) a b - 2A \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \frac{1}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) b^2 - 2A \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \frac{1}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) a^2 + 4A \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \frac{1}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) b^2 + B \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \frac{1}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) b^2 - 2A \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \frac{1}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \frac{1}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} a b + 4A \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \frac{1}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) a b - 4B \sin(dx+c) \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \frac{1}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) a b / (a+b) \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}} \frac{1}{(1+\cos(dx+c))^{1/2}} \frac{1}{(a+b)^{1/2}}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2}}{\cos(dx+c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(3/2)*(A+B*cos(dx+c))/cos(dx+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*(b*cos(dx+c) + a)^(3/2)/cos(dx+c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(3/2))/cos(c + dx)^(3/2), x)

[Out] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(3/2))/cos(c + dx)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2}}{\cos^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))**(3/2)*(A+B*cos(dx+c))/cos(dx+c)**(3/2), x)

[Out] Integral((A + B*cos(c + dx))*(a + b*cos(c + dx))**(3/2)/cos(c + dx)**(3/2), x)

$$3.406 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=419

$$\frac{2\sqrt{a+b} \left(a^2(A-3B) - a(4Ab-6bB) + 3Ab^2 \right) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3ad}$$

[Out] $2/3*a*A*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(3/2)}+2/3*(a-b)*(4*A*b+3*B*a)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)}*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/d+2/3*(3*A*b^2+a^2*(A-3*B)-a*(4*A*b-6*B*b))*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)}*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/d-2*b*B*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)}*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/d$

Rubi [A] time = 0.86, antiderivative size = 419, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2989, 3053, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} \left(a^2(A-3B) - a(4Ab-6bB) + 3Ab^2 \right) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2),x]

[Out] $(2*(a-b)*\text{Sqrt}[a+b]*(4*A*b+3*a*B)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*a*d)+(2*\text{Sqrt}[a+b]*(3*A*b^2+a^2*(A-3*B)-a*(4*A*b-6*b*B))*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*a*d)-(2*b*\text{Sqrt}[a+b]*B*\text{Cot}[c+d*x]*\text{EllipticPi}[(a+b)/b,\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/d+(2*a*A*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*d*\text{Cos}[c+d*x]^(3/2))$

Rule 2809

Int[Sqrt[(b_)*sin[(e_)+(f_)*(x_)]]/Sqrt[(c_)+(d_)*sin[(e_)+(f_)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e+f*x]*Rt[(c+d)/b,2]*Sqrt[(c*(1+Csc[e+f*x]))/(c-d)]*Sqrt[(c*(1-Csc[e+f*x]))/(c+d)]*EllipticPi[(c+d)/d,ArcSin[Sqrt[c+d*Sin[e+f*x]]/(Sqrt[b*Sin[e+f*x]]*Rt[(c+d)/b,2])],-((c+d)/(c-d))]/(d*f),x] /; FreeQ[{b,c,d,e,f},x] && NeQ[c^2-d^2,0] && PosQ[(c+d)/b]

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)+(f_)*(x_)]]*Sqrt[(a_)+(b_)*sin[(e_)+(f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e+f*x]*Rt[(a+b)/d,2]*Sqrt[(a*(1-Csc[e+f*x]))/(a+b)]*Sqrt[(a*(1+Csc[e+f*x]))/(a-b)]*EllipticF[ArcSin[Sqrt[a+b*Sin[e+f*x]]/(Sqrt[d*Sin[e+f*x]]*Rt[(a+b)/d,2])],-((a+b)/(a-b))]/(a*f),x] /; FreeQ[{a,b,d,e,f},x] && NeQ[a^2-b^2,

0] && PosQ[(a + b)/d]

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\frac{1}{2}a(4Ab + 3aB) + \frac{1}{2}b(4Aa + 3aB)}{\cos^2(c + dx)} dx \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\frac{1}{2}a(4Ab + 3aB) + \frac{1}{2}b(4Aa + 3aB)}{\cos^2(c + dx)} dx \\
&= -\frac{2b\sqrt{a + b} B \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \mid -\frac{a+b}{a-b}\right)}{d} \\
&= \frac{2(a - b)\sqrt{a + b} (4Ab + 3aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \mid -\frac{a+b}{a-b}\right)}{3ad}
\end{aligned}$$

Mathematica [C] time = 6.36, size = 1236, normalized size = 2.95

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] ((-4*a*(a^2*A - A*b^2 + 3*a*b*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(-4*a*A*b - 3*a^2*B + 3*b^2*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(-4*A*b^2 - 3*a*b*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[(c + d*x)]/(b*Sqrt[Cos[c + d*x]])))/(3*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c + d*x]*(4*A*b*Sin[c + d*x] + 3*a*B*Sin[c + d*x]))/3 + (2*a*A*Sec[c + d*x]*Tan[c + d*x])/3))/d

fricas [F] time = 2.51, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(5/2), x)

maple [B] time = 0.40, size = 2318, normalized size = 5.53

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)

[Out]
$$-2/3/d*(3*B*cos(d*x+c)^2*a^2+3*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*b^2+6*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2)*b^2-3*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*b^2+6*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*cos(d*x+c)^2*a*b-3*B*cos(d*x+c)*a^2+4*A*cos(d*x+c)^3*b^2-4*A*cos(d*x+c)^2*b^2-a^2*A-4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*a*b+A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*a^2-4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*b^2+3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*cos(d*x+c)^2*a^2-3*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*a^2+A*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*a^2+3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*cos(d*x+c)*a^2+A*cos(d*x+c)^2*a^2-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*cos(d*x+c)*a*b+6*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*cos(d*x+c)*a*b-4*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x$$

$+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} a^3 b^4 A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c) a^3 b^4 A \cos(dx+c)^3 a^3 b^3 B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cos(dx+c)^2 a^3 b^4 A \sin(dx+c) \cos(dx+c)^2 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} a^3 b^3 A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c) b^2 + 4 A \cos(dx+c)^2 a^3 b^5 A \cos(dx+c) a^3 b^3 B \cos(dx+c)^3 a^3 b^3 B \cos(dx+c)^2 a^3 b^4 A * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} b^2 + 6 B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} \cos(dx+c) b^2 - 3 B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cos(dx+c) a^2 - 3 B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cos(dx+c) b^2 / (a+b \cos(dx+c))^{1/2} / \sin(dx+c) / \cos(dx+c)^{3/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2}}{\cos(dx+c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(3/2)*(A+B*cos(dx+c))/cos(dx+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*(b*cos(dx+c) + a)^(3/2)/cos(dx+c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(3/2))/cos(c + dx)^(5/2),x)

[Out] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(3/2))/cos(c + dx)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2}}{\cos^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))**(3/2)*(A+B*cos(dx+c))/cos(dx+c)**(5/2),x)

[Out] Integral((A + B*cos(c + dx))*(a + b*cos(c + dx))**(3/2)/cos(c + dx)**(5/2), x)

3.407
$$\int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=353

$$\frac{2(a-b)\sqrt{a+b} (9a^2A + 20abB + 3Ab^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{15a^2d}$$

```
[Out] 2/5*a*A*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(5/2)+2/15*(6*A*b+5*B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(3/2)+2/15*(a-b)*(9*A*a^2+3*A*b^2+20*B*a*b)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d-2/15*(a-b)*(9*A*a-3*A*b-5*B*a+15*B*b)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d
```

Rubi [A] time = 0.92, antiderivative size = 353, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2989, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b} (9a^2A + 20abB + 3Ab^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{15a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a^2*d) - (2*(a - b)*Sqrt[a + b]*(9*a*A - 3*A*b - 5*a*B + 15*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a*d) + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*(6*A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2))
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2)]*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
```

d)(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /;
 FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 2994

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
 ^((3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A
 *(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
 Sqrt[(c(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
 *x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
 2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
 && PosQ[(c + d)/b]

Rule 2998

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_)
 *(x_)])^((3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> D
 ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
 e + f*x])^((3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
 f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
 && NeQ[A, B]

Rule 3055

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
 (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) +
 (f_)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
 *(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
 - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
 + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
 (a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
 *B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
 2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
 , d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
 [c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
 qQ[a, 0])))

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\cos^2(c + dx)} dx = \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2}a(6Ab + 5aB) + \frac{1}{2}b(6Ab + 5aB)}{\cos^2(c + dx)} dx$$

$$= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{2(6Ab + 5aB)\sqrt{a + b \cos(c + dx)}}{15d \cos^2(c + dx)}$$

$$= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{2(6Ab + 5aB)\sqrt{a + b \cos(c + dx)}}{15d \cos^2(c + dx)}$$

$$= \frac{2(a - b)\sqrt{a + b} (9a^2A + 3Ab^2 + 20abB) \cot(c + dx)E\left(\sin^{-1}\left(\frac{b \cos(c + dx) + a}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{15a^2d}$$

Mathematica [C] time = 6.45, size = 1314, normalized size = 3.72

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b*cos[c + d*x])^(3/2)*(A + B*cos[c + d*x]))/cos[c + d*x]^(7/2), x]

[Out]
$$-1/15 * ((-4*a*(-3*a^2*A*b + 3*A*b^3 - 5*a^3*B + 5*a*b^2*B) * \text{Sqrt}[(a+b) \cot((c+d*x)/2)^2] / (-a+b)) * \text{Sqrt}[-((a+b) \cos[c+d*x] \csc((c+d*x)/2)^2] / a) * \text{Sqrt}[(a+b \cos[c+d*x]) \csc((c+d*x)/2)^2] / a * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a+b \cos[c+d*x]) \csc((c+d*x)/2)^2] / a] / \text{Sqrt}[2]], (-2*a) / (-a+b)) * \sin((c+d*x)/2)^4 / ((a+b) \text{Sqrt}[\cos[c+d*x]] * \text{Sqrt}[a+b \cos[c+d*x]]) - 4*a*(9*a^3*A + 3*a*A*b^2 + 20*a^2*b*B) * ((\text{Sqrt}[(a+b) \cot((c+d*x)/2)^2] / (-a+b)) * \text{Sqrt}[-((a+b) \cos[c+d*x] \csc((c+d*x)/2)^2] / a) * \text{Sqrt}[(a+b \cos[c+d*x]) \csc((c+d*x)/2)^2] / a * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a+b \cos[c+d*x]) \csc((c+d*x)/2)^2] / a] / \text{Sqrt}[2]], (-2*a) / (-a+b)) * \sin((c+d*x)/2)^4 / ((a+b) \text{Sqrt}[\cos[c+d*x]] * \text{Sqrt}[a+b \cos[c+d*x]]) - (\text{Sqrt}[(a+b) \cot((c+d*x)/2)^2] / (-a+b)) * \text{Sqrt}[-((a+b) \cos[c+d*x] \csc((c+d*x)/2)^2] / a) * \text{Sqrt}[(a+b \cos[c+d*x]) \csc((c+d*x)/2)^2] / a * \text{Csc}[c+d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a+b \cos[c+d*x]) \csc((c+d*x)/2)^2] / a] / \text{Sqrt}[2]], (-2*a) / (-a+b)) * \sin((c+d*x)/2)^4 / (b * \text{Sqrt}[\cos[c+d*x]] * \text{Sqrt}[a+b \cos[c+d*x]]) + 2*(9*a^2*A*b + 3*A*b^3 + 20*a*b^2*B) * ((I * \cos[(c+d*x)/2] * \text{Sqrt}[a+b \cos[c+d*x]] * \text{EllipticE}[I * \text{ArcSinh}[\sin((c+d*x)/2) / \text{Sqrt}[\cos[c+d*x]]], (-2*a) / (-a-b)] * \text{Sec}[c+d*x]) / (b * \text{Sqrt}[\cos((c+d*x)/2)^2 * \text{Sec}[c+d*x]] * \text{Sqrt}[(a+b \cos[c+d*x]) \text{Sec}[c+d*x]] / (a+b)) + (2*a * ((a * \text{Sqrt}[(a+b) \cot((c+d*x)/2)^2] / (-a+b)) * \text{Sqrt}[-((a+b) \cos[c+d*x] \csc((c+d*x)/2)^2] / a) * \text{Sqrt}[(a+b \cos[c+d*x]) \csc((c+d*x)/2)^2] / a * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a+b \cos[c+d*x]) \csc((c+d*x)/2)^2] / a] / \text{Sqrt}[2]], (-2*a) / (-a+b)) * \sin((c+d*x)/2)^4 / ((a+b) * \text{Sqrt}[\cos[c+d*x]] * \text{Sqrt}[a+b \cos[c+d*x]]) - (a * \text{Sqrt}[(a+b) \cot((c+d*x)/2)^2] / (-a+b)) * \text{Sqrt}[-((a+b) \cos[c+d*x] \csc((c+d*x)/2)^2] / a) * \text{Sqrt}[(a+b \cos[c+d*x]) \csc((c+d*x)/2)^2] / a * \text{Csc}[c+d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a+b \cos[c+d*x]) \csc((c+d*x)/2)^2] / a] / \text{Sqrt}[2]], (-2*a) / (-a+b)) * \sin((c+d*x)/2)^4 / (b * \text{Sqrt}[\cos[c+d*x]] * \text{Sqrt}[a+b \cos[c+d*x]])) / b + (\text{Sqrt}[a+b \cos[c+d*x]] * \sin[c+d*x]) / (b * \text{Sqrt}[\cos[c+d*x]]) / (a*d) + (\text{Sqrt}[\cos[c+d*x]] * \text{Sqrt}[a+b \cos[c+d*x]] * ((2 * \text{Sec}[c+d*x]^2 * (6*A*b * \sin[c+d*x] + 5*a*B * \sin[c+d*x])) / 15 + (2 * \text{Sec}[c+d*x] * (9*a^2*A * \sin[c+d*x] + 3*A*b^2 * \sin[c+d*x] + 20*a*b*B * \sin[c+d*x])) / (15*a) + (2*a*A * \text{Sec}[c+d*x]^2 * \tan[c+d*x]) / 5)) / d$$

fricas [F] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Bb \cos(dx+c)^2 + Aa + (Ba + Ab) \cos(dx+c)) \sqrt{b \cos(dx+c) + a}}{\cos(dx+c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorith="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(7/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{\frac{3}{2}}}{\cos(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(7/2), x)
```

maple [B] time = 0.32, size = 2666, normalized size = 7.55

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)
```

```
[Out] 2/15/d*(3*A*a^3-9*A*cos(d*x+c)^3*a^3+3*A*cos(d*x+c)^3*b^3+6*A*cos(d*x+c)^2*a^3-5*B*cos(d*x+c)^3*a^3-20*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b-15*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2-3*A*cos(d*x+c)^4*b^3+5*B*cos(d*x+c)*a^3-3*A*cos(d*x+c)^3*a*b^2+9*A*cos(d*x+c)^2*a*b^2+9*A*cos(d*x+c)*a^2*b-20*B*cos(d*x+c)^4*a*b^2-20*B*cos(d*x+c)^3*a^2*b+25*B*cos(d*x+c)^2*a^2*b+9*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b+3*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2-12*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b-3*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2+20*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b+20*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2-20*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b+20*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2+9*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b+3*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2-12*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b-3*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2+20*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b-15*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2+20*B*cos(d*x+c)^3*a*b^2-9*A*cos(d*x+c)^4*a^2*b-6*A*cos(d*x+c)^4*a*b^2-5*B*cos(d*x+c)^4*a^2*b-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3+9*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
```


$$\frac{\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2}}{\cos(dx+c)^{7/2}} dx}{\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2}}{\cos(dx+c)^{7/2}} dx}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2}}{\cos(dx+c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^(7/2), x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2), x)

[Out] Timed out

$$3.408 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

Optimal. Leaf size=433

$$\frac{2(25a^2A + 42abB + 3Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105ad \cos^2(c+dx)} - \frac{2(a-b) \sqrt{a+b} (-(a^2(25A-63B)) + 3ab(19A-7B))}{105ad \cos^2(c+dx)}$$

[Out] $2/7*a*A*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(7/2)}+2/35*(8*A*b+7*B*a)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(5/2)}+2/105*(25*A*a^2+3*A*b^2+42*B*a*b)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a/d/\cos(d*x+c)^{(3/2)}+2/105*(a-b)*(82*A*a^2*b-6*A*b^3+63*B*a^3+21*B*a*b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^3/d-2/105*(a-b)*(6*A*b^2-a^2*(25*A-63*B)+3*a*b*(19*A-7*B))*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^2/d$

Rubi [A] time = 1.35, antiderivative size = 433, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2989, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 42abB + 3Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105ad \cos^2(c+dx)} - \frac{2(a-b) \sqrt{a+b} (a^2(-(25A-63B)) + 3ab(19A-7B))}{105ad \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2),x]

[Out] $(2*(a-b)*\text{Sqrt}[a+b]*(82*a^2*A*b-6*A*b^3+63*a^3*B+21*a*b^2*B)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\cos[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\cos[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(105*a^3*d)-(2*(a-b)*\text{Sqrt}[a+b]*(6*A*b^2-a^2*(25*A-63*B)+3*a*b*(19*A-7*B))*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\cos[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\cos[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(105*a^2*d)+(2*a*A*\text{Sqrt}[a+b*\cos[c+d*x]]*\text{Sin}[c+d*x]/(7*d*\cos[c+d*x]^(7/2)))+(2*(8*A*b+7*a*B)*\text{Sqrt}[a+b*\cos[c+d*x]]*\text{Sin}[c+d*x]/(35*d*\cos[c+d*x]^(5/2)))+(2*(25*a^2*A+3*A*b^2+42*a*b*B)*\text{Sqrt}[a+b*\cos[c+d*x]]*\text{Sin}[c+d*x]/(105*a*d*\cos[c+d*x]^(3/2)))$

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)+(f_)*(x_)]]*Sqrt[(a_)+(b_)*sin[(e_)+(f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e+f*x]*Rt[(a+b)/d,2]*Sqrt[(a*(1-Csc[e+f*x]))/(a+b)]*Sqrt[(a*(1+Csc[e+f*x]))/(a-b)]*EllipticF[ArcSin[Sqrt[a+b*Ssin[e+f*x]]/(Sqrt[d*Ssin[e+f*x]]*Rt[(a+b)/d,2])],-((a+b)/(a-b))]/(a*f), x] /; FreeQ[{a,b,d,e,f},x] && NeQ[a^2-b^2,0] && PosQ[(a+b)/d]

Rule 2989

Int[((a_)+(b_)*sin[(e_)+(f_)*(x_)]^(m_))*((A_)+(B_)*sin[(e_)+(f_)*(x_)]*(c_)+(d_)*sin[(e_)+(f_)*(x_)]^(n_)), x_Symbol] :> -Simp[((b*c-a*d)*(B*c-A*d)*Cos[e+f*x]*(a+b*Ssin[e+f*x])^(m-1)*(c+d*Ssin[e+f*x])^(n+1))/(d*f*(n+1)*(c^2-d^2)), x] + Dist[1/(d*(n+1))

```

*(c^2 - d^2)), Int[(a + b*SIN[e + f*x])^(m - 2)*(c + d*SIN[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*SIN[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*SIN[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

Rule 2994

```

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*SIN[e + f
*x]]/(Sqrt[b*SIN[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

Rule 2998

```

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*SIN[e + f*x]]*Sqrt[c + d*SIN[e + f*x]
]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + SIN[e + f*x])/((a + b*SIN[e + f*x])
^(3/2)*Sqrt[c + d*SIN[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

Rule 3055

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) +
(f_)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*SIN[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*SIN[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\cos^9(c + dx)} dx &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^7(c + dx)} + \frac{2}{7} \int \frac{\frac{1}{2}a(8Ab + 7aB) + \frac{1}{2}B^2}{\cos^7(c + dx)} dx \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^7(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{35d \cos^5(c + dx)} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^7(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{35d \cos^5(c + dx)} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^7(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{35d \cos^5(c + dx)} \\
&= \frac{2(a - b)\sqrt{a + b} (82a^2 Ab - 6Ab^3 + 63a^3 B + 21ab^2 B) \cot(c + dx)}{7d \cos^7(c + dx)}
\end{aligned}$$

10

Mathematica [C] time = 6.54, size = 1407, normalized size = 3.25

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2),x]

[Out] ((-4*a*(25*a^4*A - 31*a^2*A*b^2 + 6*A*b^4 + 21*a^3*b*B - 21*a*b^3*B)*Sqrt[(a + b)*Cot[(c + d*x)/2]^2]/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(-82*a^3*A*b + 6*a*A*b^3 - 63*a^4*B - 21*a^2*b^2*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(-82*a^2*A*b^2 + 6*A*b^4 - 63*a^3*b*B - 21*a*b^3*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]))/b + (Sqrt[a + b*Cos[c + d*x]])

$$\frac{(c + dx) \sin(c + dx) / (b \sqrt{\cos(c + dx)})}{(105a^2d) + (\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} ((2 \sec(c + dx))^3 (8Ab \sin(c + dx) + 7aB \sin(c + dx))) / 35 + (2 \sec(c + dx))^2 (25a^2A \sin(c + dx) + 3Ab^2 \sin(c + dx) + 42abB \sin(c + dx))) / (105a) + (2 \sec(c + dx) (82a^2A b \sin(c + dx) - 6Ab^3 \sin(c + dx) + 63a^3B \sin(c + dx) + 21ab^2B \sin(c + dx))) / (105a^2) + (2aA \sec(c + dx)^3 \tan(c + dx) / 7) / d}$$

fricas [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorith="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(9/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(9/2), x)

maple [B] time = 0.53, size = 3413, normalized size = 7.88

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x)

[Out] 2/105/d*(-63*B*cos(d*x+c)^4*a^4+42*B*cos(d*x+c)^3*a^4+21*B*cos(d*x+c)*a^4-25*A*cos(d*x+c)^4*a^4+10*A*cos(d*x+c)^2*a^4+6*A*cos(d*x+c)^5*b^4-6*A*cos(d*x+c)^4*b^4+63*B*cos(d*x+c)^2*a^3*b-25*A*cos(d*x+c)^5*a^3*b-82*A*cos(d*x+c)^5*a^2*b^2-3*A*cos(d*x+c)^5*a*b^3-82*A*cos(d*x+c)^4*a^3*b+55*A*cos(d*x+c)^4*a^2*b^2+6*A*cos(d*x+c)^4*a*b^3+68*A*cos(d*x+c)^3*a^3*b-3*A*cos(d*x+c)^3*a*b^3+27*A*cos(d*x+c)^2*a^2*b^2+39*A*cos(d*x+c)*a^3*b-63*B*cos(d*x+c)^5*a^3*b-42*B*cos(d*x+c)^5*a^2*b^2-21*B*cos(d*x+c)^5*a*b^3-21*B*cos(d*x+c)^4*a^2*b^2+21*B*cos(d*x+c)^4*a*b^3+63*B*cos(d*x+c)^3*a^2*b^2+6*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3-6*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*b^4-25*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^4+63*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^4-63*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*

/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(9/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{3}{2}}}{\cos(c + dx)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^(9/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^(9/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

$$3.409 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=522

$$\frac{2(49a^2A + 72abB + 3Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad \cos^2(c+dx)} + \frac{2(75a^3B + 88a^2Ab + 9ab^2B - 4Ab^3) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315a^2d \cos^2(c+dx)}$$

[Out] $2/9*a*A*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(9/2)}+2/63*(10*A*b+9*B*a)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(7/2)}+2/315*(49*A*a^2+3*A*b^2+72*B*a*b)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a/d/\cos(d*x+c)^{(5/2)}+2/315*(88*A*a^2*b-4*A*b^3+75*B*a^3+9*B*a*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a^2/d/\cos(d*x+c)^{(3/2)}+2/315*(a-b)*(147*A*a^4+33*A*a^2*b^2+8*A*b^4+246*B*a^3*b-18*B*a*b^3)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^4/d+2/315*(a-b)*(8*A*b^3-a^3*(147*A-75*B)+3*a^2*b*(13*A-57*B)+6*a*b^2*(A-3*B))*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^3/d$

Rubi [A] time = 1.88, antiderivative size = 522, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2989, 3055, 2998, 2816, 2994}

$$\frac{2(88a^2Ab + 75a^3B + 9ab^2B - 4Ab^3) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315a^2d \cos^2(c+dx)} + \frac{2(49a^2A + 72abB + 3Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2), x]

[Out] $(2*(a - b)*\text{Sqrt}[a + b]*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(315*a^4*d) + (2*(a - b)*\text{Sqrt}[a + b]*(8*A*b^3 - a^3*(147*A - 75*B) + 3*a^2*b*(13*A - 57*B) + 6*a*b^2*(A - 3*B))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(315*a^3*d) + (2*a*A*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(9*d*\text{Cos}[c + d*x]^(9/2)) + (2*(10*A*b + 9*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(63*d*\text{Cos}[c + d*x]^(7/2)) + (2*(49*a^2*A + 3*A*b^2 + 72*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(315*a*d*\text{Cos}[c + d*x]^(5/2)) + (2*(88*a^2*A*b - 4*A*b^3 + 75*a^3*B + 9*a*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(315*a^2*d*\text{Cos}[c + d*x]^(3/2))$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2989


```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c +
d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

Rule 2994

```

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Ssin[e + f
*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

Rule 2998

```

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[
e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^{\frac{11}{2}}(c + dx)} dx &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2}{9} \int \frac{\frac{1}{2}a(10Ab + 9aB) + \dots}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(a - b)\sqrt{a + b} (147a^4 A + 33a^2 Ab^2 + 8Ab^4 + 246a^3 b B - 18ab^5)}{63d \cos^{\frac{7}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.63, size = 1515, normalized size = 2.90

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2),x]

[Out] -1/315*((-4*a*(-39*a^4*A*b + 31*a^2*A*b^3 + 8*A*b^5 - 75*a^5*B + 93*a^3*b^2*B - 18*a*b^4*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(147*a^5*A + 33*a^3*A*b^2 + 8*a*A*b^4 + 246*a^4*b*B - 18*a^2*b^3*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(147*a^4*A*b + 33*a^2*A*b^3 + 8*A*b^5 + 246*a^3*b^2*B - 18*a*b^4*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (

```
a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*
Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*C
sc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d
*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c +
d*x]]*Sqrt[a + b*Cos[c + d*x]]))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*
x])/(b*Sqrt[Cos[c + d*x]]))/a^3*d + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c
+ d*x]]*((2*Sec[c + d*x]^4*(10*A*b*Sin[c + d*x] + 9*a*B*Sin[c + d*x]))/63
+ (2*Sec[c + d*x]^3*(49*a^2*A*Sin[c + d*x] + 3*A*b^2*Sin[c + d*x] + 72*a*b*
B*Sin[c + d*x]))/(315*a) + (2*Sec[c + d*x]^2*(88*a^2*A*b*Sin[c + d*x] - 4*A
*b^3*Sin[c + d*x] + 75*a^3*B*Sin[c + d*x] + 9*a*b^2*B*Sin[c + d*x]))/(315*a
^2) + (2*Sec[c + d*x]*(147*a^4*A*Sin[c + d*x] + 33*a^2*A*b^2*Sin[c + d*x] +
8*A*b^4*Sin[c + d*x] + 246*a^3*b*B*Sin[c + d*x] - 18*a*b^3*B*Sin[c + d*x])
)/(315*a^3) + (2*a*A*Sec[c + d*x]^4*Tan[c + d*x])/9))/d
```

fricas [F] time = 0.94, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c))\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{11}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2), x, algo
rithm="fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d
*x + c) + a)/cos(d*x + c)^(11/2), x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2), x, algo
rithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.71, size = 4392, normalized size = 8.41

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2), x)
```

```
[Out] 2/315/d*(-33*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d
*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/
2))*sin(d*x+c)*cos(d*x+c)^4*a^3*b^2-2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*
(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(
d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a^2*b^3-8*A*(cos(d*x+c
)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Ellip
ticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)
^4*a*b^4+246*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d
*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/
2))*sin(d*x+c)*cos(d*x+c)^4*a^4*b+246*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*
(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a^3*b^2-18*B*(cos(d*x+
c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Ellip
ticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)
^4*a^2*b^3-18*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos
```


+45*B*cos(d*x+c)*a^5+147*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^5*a^5+8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^5*b^5-147*A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^5*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a^5-75*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^5*a^5+147*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a^5+8*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*b^5-147*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a^5-75*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a^5+33*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a^3*b^2+33*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a^2*b^3+8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a*b^4/(a+b*cos(d*x+c))^(1/2)/a^3/sin(d*x+c)/cos(d*x+c)^(9/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(11/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{3}{2}}}{\cos(c + dx)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^(11/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/cos(c + d*x)^(11/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(11/2),x)

[Out] Timed out

$$3.410 \quad \int \cos^3(c+dx)(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) dx$$

Optimal. Leaf size=779

$$\frac{(-15a^2B + 50aAb + 64b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}}{240bd} + \frac{(-15a^3B + 50a^2Ab + 172ab^2B + 120a^2b^2B)}{240bd}$$

[Out] $\frac{1}{240} * (50 * A * a * b - 15 * B * a^2 + 64 * B * b^2) * (a + b * \cos(d * x + c))^{3/2} * \sin(d * x + c) * \cos(d * x + c)^{1/2} / b / d + \frac{1}{40} * (10 * A * b - 3 * B * a) * (a + b * \cos(d * x + c))^{5/2} * \sin(d * x + c) * \cos(d * x + c)^{1/2} / b / d + \frac{1}{5} * B * (a + b * \cos(d * x + c))^{7/2} * \sin(d * x + c) * \cos(d * x + c)^{1/2} / b / d + \frac{1}{1920} * (150 * A * a^3 * b + 2840 * A * a * b^3 - 45 * B * a^4 + 1692 * B * a^2 * b^2 + 1024 * B * b^4) * \sin(d * x + c) * (a + b * \cos(d * x + c))^{1/2} / b^2 / d / \cos(d * x + c)^{1/2} + \frac{1}{320} * (50 * A * a^2 * b + 120 * A * b^3 - 15 * B * a^3 + 172 * B * a * b^2) * \sin(d * x + c) * \cos(d * x + c)^{1/2} * (a + b * \cos(d * x + c))^{1/2} / b / d - \frac{1}{1920} * (a - b) * (150 * A * a^3 * b + 2840 * A * a * b^3 - 45 * B * a^4 + 1692 * B * a^2 * b^2 + 1024 * B * b^4) * \cot(d * x + c) * \text{EllipticE}((a + b * \cos(d * x + c))^{1/2} / (a + b)^{1/2} / \cos(d * x + c)^{1/2}), ((-a - b) / (a - b))^{1/2}) * (a + b)^{1/2} * (a * (1 - \sec(d * x + c)) / (a + b))^{1/2} * (a * (1 + \sec(d * x + c)) / (a - b))^{1/2} / a / b^2 / d - \frac{1}{1920} * (45 * a^4 * B - 30 * a^3 * b * (5 * A + B) - 16 * b^4 * (45 * A + 64 * B) - 8 * a * b^3 * (355 * A + 193 * B) - 4 * a^2 * b^2 * (295 * A + 423 * B)) * \cot(d * x + c) * \text{EllipticF}((a + b * \cos(d * x + c))^{1/2} / (a + b)^{1/2} / \cos(d * x + c)^{1/2}), ((-a - b) / (a - b))^{1/2}) * (a + b)^{1/2} * (a * (1 - \sec(d * x + c)) / (a + b))^{1/2} * (a * (1 + \sec(d * x + c)) / (a - b))^{1/2} / b^2 / d + \frac{1}{128} * (10 * A * a^4 * b - 240 * A * a^2 * b^3 - 96 * A * b^5 - 3 * B * a^5 - 40 * B * a^3 * b^2 - 240 * B * a * b^4) * \cot(d * x + c) * \text{EllipticPi}((a + b * \cos(d * x + c))^{1/2} / (a + b)^{1/2} / \cos(d * x + c)^{1/2}), (a + b) / b, ((-a - b) / (a - b))^{1/2}) * (a + b)^{1/2} * (a * (1 - \sec(d * x + c)) / (a + b))^{1/2} * (a * (1 + \sec(d * x + c)) / (a - b))^{1/2} / b^3 / d$

Rubi [A] time = 3.08, antiderivative size = 779, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-15a^2B + 50aAb + 64b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}}{240bd} + \frac{(50a^2Ab - 15a^3B + 172ab^2B + 120a^2b^2B)}{240bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]

[Out] $-\frac{((a - b) * \text{Sqrt}[a + b] * (150 * a^3 * A * b + 2840 * a * A * b^3 - 45 * a^4 * B + 1692 * a^2 * b^2 * B + 1024 * b^4 * B) * \text{Cot}[c + d * x] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b * \text{Cos}[c + d * x]]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d * x]])], -((a + b) / (a - b))) * \text{Sqrt}[(a * (1 - \text{Sec}[c + d * x])) / (a + b)] * \text{Sqrt}[(a * (1 + \text{Sec}[c + d * x])) / (a - b)]}{(1920 * a * b^2 * d)} - \frac{(\text{Sqrt}[a + b] * (45 * a^4 * B - 30 * a^3 * b * (5 * A + B) - 16 * b^4 * (45 * A + 64 * B) - 8 * a * b^3 * (355 * A + 193 * B) - 4 * a^2 * b^2 * (295 * A + 423 * B)) * \text{Cot}[c + d * x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b * \text{Cos}[c + d * x]]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d * x]])], -((a + b) / (a - b))) * \text{Sqrt}[(a * (1 - \text{Sec}[c + d * x])) / (a + b)] * \text{Sqrt}[(a * (1 + \text{Sec}[c + d * x])) / (a - b)]}{(1920 * b^2 * d)} + \frac{(\text{Sqrt}[a + b] * (10 * a^4 * A * b - 240 * a^2 * A * b^3 - 96 * A * b^5 - 3 * a^5 * B - 40 * a^3 * b^2 * B - 240 * a * b^4 * B) * \text{Cot}[c + d * x] * \text{EllipticPi}[(a + b) / b, \text{ArcSin}[\text{Sqrt}[a + b * \text{Cos}[c + d * x]]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d * x]])], -((a + b) / (a - b))) * \text{Sqrt}[(a * (1 - \text{Sec}[c + d * x])) / (a + b)] * \text{Sqrt}[(a * (1 + \text{Sec}[c + d * x])) / (a - b)]}{(128 * b^3 * d)} + \frac{((150 * a^3 * A * b + 2840 * a * A * b^3 - 45 * a^4 * B + 1692 * a^2 * b^2 * B + 1024 * b^4 * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sin}[c + d * x])}{(1920 * b^2 * d * \text{Sqrt}[\text{Cos}[c + d * x]])} + \frac{((50 * a^2 * A * b + 120 * A * b^3 - 15 * a^3 * B + 172 * a * b^2 * B) * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sin}[c + d * x])}{(320 * b * d)} + \frac{((50 * a * A * b - 15 * a^2 * B + 64 * b^2 * B) * \text{Sqrt}[\text{Cos}[c + d * x]] * (a + b * \text{Cos}[c + d * x])^{3/2} * \text{Sin}[c + d * x])}{(240 * b * d)} + \frac{((10 * A * b - 3 * a * B) * \text{Sqrt}[\text{Cos}[c + d * x]] * (a + b * \text{Cos}[c + d * x])^{5/2} * \text{Sin}[c + d * x])}{(40 * b * d)} + \frac{(B * \text{Sqrt}[\text{Cos}[c + d * x]] * (a + b * \text{Cos}[c + d * x])^{7/2} * \text{Sin}[c + d * x])}{(5 * b * d)}$

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 2994

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3049

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n

+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3053

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3061

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx &= \frac{B\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{5bd} + \\
 &= \frac{(10Ab - 3aB)\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{40bd} \\
 &= \frac{(50aAb - 15a^2B + 64b^2B)\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{240bd} \\
 &= \frac{(50a^2Ab + 120Ab^3 - 15a^3B + 172ab^2B)\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{1/2} \sin(c + dx)}{320bd} \\
 &= \frac{(150a^3Ab + 2840aAb^3 - 45a^4B + 1692a^2b^2B + 10a^5B)\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{1/2} \sin(c + dx)}{1920b^2d\sqrt{\cos(c + dx)}} \\
 &= \frac{(150a^3Ab + 2840aAb^3 - 45a^4B + 1692a^2b^2B + 10a^5B)\sqrt{a + b} \left(10a^4Ab - 240a^2Ab^3 - 96Ab^5 - 3a^5B - 4a^4B\right)}{1920b^2d\sqrt{\cos(c + dx)}} \\
 &= \frac{(a - b)\sqrt{a + b} (150a^3Ab + 2840aAb^3 - 45a^4B + 1692a^2b^2B + 10a^5B)}{1920b^2d\sqrt{\cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 6.53, size = 1353, normalized size = 1.74

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]), x]

[Out]
$$-1/3840 * ((-4*a*(-1330*a^3*A*b - 3560*a*A*b^3 + 15*a^4*B - 3236*a^2*b^2*B - 1024*b^4*B) * \text{Sqrt}(((a + b) * \text{Cot}((c + d*x)/2)^2)/(-a + b)) * \text{Sqrt}(-((a + b) * \text{Cos}[c + d*x] * \text{Csc}((c + d*x)/2)^2)/a)) * \text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Csc}((c + d*x)/2)^2)/a) * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Csc}((c + d*x)/2)^2)/a)]/\text{Sqrt}[2]], (-2*a)/(-a + b)) * \text{Sin}((c + d*x)/2)^4 / ((a + b) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) - 4*a * (-6440*a^2*A*b^2 - 1440*A*b^4 - 2292*a^3*b*B - 4624*a*b^3*B) * ((\text{Sqrt}(((a + b) * \text{Cot}((c + d*x)/2)^2)/(-a + b)) * \text{Sqrt}(-((a + b) * \text{Cos}[c + d*x] * \text{Csc}((c + d*x)/2)^2)/a)) * \text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Csc}((c + d*x)/2)^2)/a) * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Csc}((c + d*x)/2)^2)/a)]/\text{Sqrt}[2]], (-2*a)/(-a + b)) * \text{Sin}((c + d*x)/2)^4 / ((a + b) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) - (\text{Sqrt}(((a + b) * \text{Cot}((c + d*x)/2)^2)/(-a + b)) * \text{Sqrt}(-((a + b) * \text{Cos}[c + d*x] * \text{Csc}((c + d*x)/2)^2)/a)) * \text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Csc}((c + d*x)/2)^2)/a) * \text{Csc}[c + d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Csc}((c + d*x)/2)^2)/a)]/\text{Sqrt}[2]], (-2*a)/(-a + b)) * \text{Sin}((c + d*x)/2)^4 / (b * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) + 2 * (-150*a^3*A*b - 2840*a*A*b^3 + 45*a^4*B - 1692*a^2*b^2*B - 1024*b^4*B) * ((I * \text{Cos}((c + d*x)/2) * \text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{EllipticE}[I * \text{ArcSinh}[\text{Sin}((c + d*x)/2)/\text{Sqrt}[\text{Cos}[c + d*x]]], (-2*a)/(-a - b)) * \text{Sec}[c + d*x] / (b * \text{Sqrt}[\text{Cos}((c + d*x)/2)^2 * \text{Sec}[c + d*x]] * \text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Sec}[c + d*x]) / (a + b))) + (2*a * ((a * \text{Sqrt}(((a + b) * \text{Cot}((c + d*x)/2)^2)/(-a + b)) * \text{Sqrt}(-((a + b) * \text{Cos}[c + d*x] * \text{Csc}((c + d*x)/2)^2)/a)) * \text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Csc}((c + d*x)/2)^2)/a) * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Csc}((c + d*x)/2)^2)/a)]/\text{Sqrt}[2]], (-2*a)/(-a + b)) * \text{Sin}((c + d*x)/2)^4 / ((a + b) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) - (a * \text{Sqrt}(((a + b) * \text{Cot}((c + d*x)/2)^2)/(-a + b)) * \text{Sqrt}(-((a + b) * \text{Cos}[c + d*x] * \text{Csc}((c + d*x)/2)^2)/a)) * \text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Csc}((c + d*x)/2)^2)/a) * \text{Csc}[c + d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}(((a + b * \text{Cos}[c + d*x]) * \text{Csc}((c + d*x)/2)^2)/a)]/\text{Sqrt}[2]], (-2*a)/(-a + b)) * \text{Sin}((c + d*x)/2)^4 / (b * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) + (\text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{Sin}[c + d*x]) / (b * \text{Sqrt}[\text{Cos}[c + d*x]])) / (b*d) + (\text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]] * ((590*a^2*A*b + 420*A*b^3 + 15*a^3*B + 898*a*b^2*B) * \text{Sin}[c + d*x]) / (960*b) + ((170*a*A*b + 93*a^2*B + 88*b^2*B) * \text{Sin}[2*(c + d*x)]) / 480 + (b * (10*A*b + 21*a*B) * \text{Sin}[3*(c + d*x)]) / 160 + (b^2*B * \text{Sin}[4*(c + d*x)]) / 40)) / d$$

fricas [F] time = 9.12, size = 0, normalized size = 0.00

integral((B*b^2*cos(dx + c)^4 + A*a^2*cos(dx + c) + (2*Bab + Ab^2)cos(dx + c)^3 + (Ba^2 + 2Aab)cos(dx + c)^2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)), x, algorith="fricas")

[Out] integral((B*b^2*cos(d*x + c)^4 + A*a^2*cos(d*x + c) + (2*B*a*b + A*b^2)*cos(d*x + c)^3 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c)), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.97, size = 5164, normalized size = 6.63

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^{3/2} (A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2),x)

[Out] int(cos(c + d*x)^(3/2)*(A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)

[Out] Timed out

$$3.411 \quad \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx$$

Optimal. Leaf size=664

$$\frac{(5a^2B + 24aAb + 12b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{32d} + \frac{(15a^3B + 264a^2Ab + 284ab^2B + 128a^2b^3)}{192bd\sqrt{\cos(c + dx)}}$$

```
[Out] 1/4*b*B*cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/d+1/24*(8*A*b+11*B*a)*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)*cos(d*x+c)^(1/2)/d+1/192*(264*A*a^2*b+128*A*b^3+15*B*a^3+284*B*a*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b/d/cos(d*x+c)^(1/2)+1/32*(24*A*a*b+5*B*a^2+12*B*b^2)*sin(d*x+c)*cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2)/d-1/192*(a-b)*(264*A*a^2*b+128*A*b^3+15*B*a^3+284*B*a*b^2)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/b/d+1/192*(15*a^3*B+8*b^3*(16*A+9*B)+2*a^2*b*(132*A+59*B)+4*a*b^2*(52*A+71*B))*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b/d-1/64*(40*A*a^3*b+160*A*a*b^3-5*B*a^4+120*B*a^2*b^2+48*B*b^4)*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^2/d
```

Rubi [A] time = 2.21, antiderivative size = 664, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(5a^2B + 24aAb + 12b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{32d} + \frac{(264a^2Ab + 15a^3B + 284ab^2B + 128a^2b^3)}{192bd\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
[Out] -((a - b)*Sqrt[a + b]*(264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(192*a*b*d) + (Sqrt[a + b]*(15*a^3*B + 8*b^3*(16*A + 9*B) + 2*a^2*b*(132*A + 59*B) + 4*a*b^2*(52*A + 71*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(192*b*d) - (Sqrt[a + b]*(40*a^3*A*b + 160*a*A*b^3 - 5*a^4*B + 120*a^2*b^2*B + 48*b^4*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(64*b^2*d) + ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/((192*b*d*Sqrt[Cos[c + d*x]]) + ((24*a*A*b + 5*a^2*B + 12*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(32*d) + ((8*A*b + 11*a*B)*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(24*d) + (b*B*Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Ssin[e + f*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b,
```

2]]], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)]]*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2990

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 2994

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3049

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx = \frac{bB \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d}$$

$$= \frac{(8Ab + 11aB)\sqrt{\cos(c + dx)}(a + b \cos(c + dx))}{24d}$$

$$= \frac{(24aAb + 5a^2B + 12b^2B)\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}}{32d}$$

$$= \frac{(264a^2Ab + 128Ab^3 + 15a^3B + 284ab^2B)\sqrt{a + b \cos(c + dx)}}{192bd\sqrt{\cos(c + dx)}}$$

$$= \frac{(264a^2Ab + 128Ab^3 + 15a^3B + 284ab^2B)\sqrt{a + b \cos(c + dx)}}{192bd\sqrt{\cos(c + dx)}}$$

$$= \frac{\sqrt{a + b} (40a^3Ab + 160aAb^3 - 5a^4B + 120a^2B)}{192bd}$$

$$= \frac{(a - b)\sqrt{a + b} (264a^2Ab + 128Ab^3 + 15a^3B)}{192bd}$$

Mathematica [C] time = 6.42, size = 1287, normalized size = 1.94

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]), x]
```

```
[Out] ((-4*a*(472*a^2*A*b + 128*A*b^3 + 133*a^3*B + 356*a*b^2*B)*Sqrt[((a + b)*Cos[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2
```

```

)/a)]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]) - 4*a*(384*a^3*A + 608*a*A*b^2 + 644*a^2*b*B + 144*b^3*B)*((Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]) - (Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]) + 2*(264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*((I*cos[(c + d*x)/2]*Sqrt[a + b*cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]) - (a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]])/b + (Sqrt[a + b*cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])/(384*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]*(((104*a*A*b + 59*a^2*B + 42*b^2*B)*Sin[c + d*x])/96 + (b*(8*A*b + 17*a*B)*Sin[2*(c + d*x)]/48 + (b^2*B*Ssin[3*(c + d*x)]/16))/d

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 0.58, size = 4238, normalized size = 6.38

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] 1/192/d/(a+b*cos(d*x+c))^(1/2)*(-472*A*cos(d*x+c)^3*a^2*b^2-133*B*cos(d*x+c)^3*a^3*b-172*B*cos(d*x+c)^3*a*b^3-30*B*cos(d*x+c)^2*a^2*b^2+284*B*cos(d*x+c)
```


$n(dx+c), (-\frac{a-b}{a+b})^{1/2} * a * b^3 - 128 * A * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * b^4 - 264 * A * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * a^2 * b^2 - 128 * A * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (1+\cos(dx+c)))^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * a * b^3 - 240 * A * \sin(dx+c) * \cos(dx+c) * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-\frac{a-b}{a+b})^{1/2}) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * a^3 * b - 960 * A * \sin(dx+c) * \cos(dx+c) * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-\frac{a-b}{a+b})^{1/2}) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (1+\cos(dx+c)))^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * a^2 * b^2 + 608 * A * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * a * b^3 - 15 * B * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * a^3 * b - 284 * B * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * a^2 * b^2 - 284 * B * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * a * b^3 - 720 * B * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-\frac{a-b}{a+b})^{1/2}) * a^2 * b^2 - 118 * B * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * a^3 * b + 644 * B * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * a^2 * b^2 - 72 * B * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * a * b^3 + 384 * A * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * a^3 * b + 384 * A * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * ((\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-\frac{a-b}{a+b})^{1/2}) * a^3 * b / \sin(dx+c) / b / \cos(dx+c)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{5/2} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)*(a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c)),x, algorithm="maxima")

[Out] integrate((B*cos(dx + c) + A)*(b*cos(dx + c) + a)^(5/2)*sqrt(cos(dx + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{\cos(c + dx)} (A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + dx)^(1/2)*(A + B*cos(c + dx))*(a + b*cos(c + dx))^(5/2),x)

[Out] int(cos(c + dx)^(1/2)*(A + B*cos(c + dx))*(a + b*cos(c + dx))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)), x)

[Out] Timed out

$$3.412 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=564

$$\frac{(33a^2B + 54aAb + 16b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24d \sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} (a^2(48A + 33B) + a(54Ab + 26bB) + 4b^2(3A$$

[Out] $\frac{1}{3} b B (a + b \cos(dx + c))^{3/2} \sin(dx + c) \cos(dx + c)^{1/2} / d + \frac{1}{24} (54 A a b + 33 B a^2 + 16 B b^2) \sin(dx + c) (a + b \cos(dx + c))^{1/2} / d \cos(dx + c)^{1/2} + \frac{1}{4} b (2 A b + 3 B a) \sin(dx + c) \cos(dx + c)^{1/2} (a + b \cos(dx + c))^{1/2} / d - \frac{1}{24} (a - b) (54 A a b + 33 B a^2 + 16 B b^2) \cot(dx + c) \text{EllipticE}((a + b \cos(dx + c))^{1/2} / (a + b)^{1/2} / \cos(dx + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) (a + b)^{1/2} (a (1 - \sec(dx + c)) / (a + b))^{1/2} (a (1 + \sec(dx + c)) / (a - b))^{1/2} / a / d + \frac{1}{24} (4 b^2 (3 A + 4 B) + a^2 (48 A + 33 B) + a (54 A b + 26 B b)) \cot(dx + c) \text{EllipticF}((a + b \cos(dx + c))^{1/2} / (a + b)^{1/2} / \cos(dx + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) (a + b)^{1/2} (a (1 - \sec(dx + c)) / (a + b))^{1/2} (a (1 + \sec(dx + c)) / (a - b))^{1/2} / d - \frac{1}{8} (30 A a^2 b + 8 A a b^3 + 5 B a^3 + 20 B a b^2) \cot(dx + c) \text{EllipticPi}((a + b \cos(dx + c))^{1/2} / (a + b)^{1/2} / \cos(dx + c)^{1/2}, (a + b) / b, ((-a - b) / (a - b))^{1/2}) (a + b)^{1/2} (a (1 - \sec(dx + c)) / (a + b))^{1/2} (a (1 + \sec(dx + c)) / (a - b))^{1/2} / b / d$

Rubi [A] time = 1.70, antiderivative size = 564, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(33a^2B + 54aAb + 16b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24d \sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} (a^2(48A + 33B) + a(54Ab + 26bB) + 4b^2(3A$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \cos[c + dx])^{5/2} (A + B \cos[c + dx]) / \sqrt{\cos[c + dx]}, x]$

[Out] $-(a - b) \sqrt{a + b} (54 a A b + 33 a^2 B + 16 b^2 B) \cot[c + dx] \text{EllipticE}[\text{ArcSin}[\sqrt{a + b \cos[c + dx]}] / (\sqrt{a + b} \sqrt{\cos[c + dx]})], -((a + b) / (a - b)) \sqrt{(a (1 - \sec[c + dx])) / (a + b)} \sqrt{(a (1 + \sec[c + dx])) / (a - b)} / (24 a d) + (\sqrt{a + b} (4 b^2 (3 A + 4 B) + a^2 (48 A + 33 B) + a (54 A b + 26 b B)) \cot[c + dx] \text{EllipticF}[\text{ArcSin}[\sqrt{a + b \cos[c + dx]}] / (\sqrt{a + b} \sqrt{\cos[c + dx]})], -((a + b) / (a - b)) \sqrt{(a (1 - \sec[c + dx])) / (a + b)} \sqrt{(a (1 + \sec[c + dx])) / (a - b)} / (24 d) - (\sqrt{a + b} (30 a^2 A b + 8 A a b^3 + 5 a^3 B + 20 a b^2 B) \cot[c + dx] \text{EllipticPi}[(a + b) / b, \text{ArcSin}[\sqrt{a + b \cos[c + dx]}] / (\sqrt{a + b} \sqrt{\cos[c + dx]})]), -((a + b) / (a - b)) \sqrt{(a (1 - \sec[c + dx])) / (a + b)} \sqrt{(a (1 + \sec[c + dx])) / (a - b)} / (8 b d) + ((54 a A b + 33 a^2 B + 16 b^2 B) \sqrt{a + b \cos[c + dx]} \sin[c + dx]) / (24 d \sqrt{\cos[c + dx]}) + (b (2 A b + 3 a B) \sqrt{\cos[c + dx]} \sqrt{a + b \cos[c + dx]} \sin[c + dx]) / (4 d) + (b B \sqrt{\cos[c + dx]} (a + b \cos[c + dx])^{3/2} \sin[c + dx]) / (3 d)$

Rule 2809

$\text{Int}[\sqrt{(b \sin[e + f x] + (f \sin[e + f x])^2) / (c + d \sin[e + f x])}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(2 b \tan[e + f x] \text{Rt}[(c + d) / b, 2] \sqrt{(c (1 + \csc[e + f x]) / (c - d))} \sqrt{(c (1 - \csc[e + f x]) / (c + d))} \text{EllipticPi}[(c + d) / d, \text{ArcSin}[\sqrt{c + d \sin[e + f x]}] / (\sqrt{b \sin[e + f x]} \text{Rt}[(c + d) / b, 2])], -((c + d) / (c - d)) / (d f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d) / b]$

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3053

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
```

- 2*a*C)*Sin[e + f*x])/((a + b*SIN[e + f*x])^(3/2)*Sqrt[c + d*SIN[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3061

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*SIN[e + f*x]])/(d*f*Sqrt[a + b*SIN[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*SIN[e + f*x])^(3/2)*Sqrt[c + d*SIN[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{bB \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d} + \frac{1}{3} \int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{b(2Ab + 3aB) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d} + \frac{1}{3} \int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{(54aAb + 33a^2B + 16b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24d \sqrt{\cos(c + dx)}} + \frac{1}{3} \int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{(54aAb + 33a^2B + 16b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24d \sqrt{\cos(c + dx)}} + \frac{1}{3} \int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= -\frac{\sqrt{a + b} (30a^2Ab + 8Ab^3 + 5a^3B + 20ab^2B) \cot(c + dx) \Pi\left(\frac{a + b \cos(c + dx)}{a + b}\right)}{8d \sqrt{\cos(c + dx)}} \\ &= -\frac{(a - b) \sqrt{a + b} (54aAb + 33a^2B + 16b^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{a + b \cos(c + dx)}{a + b}\right)\right)}{24ad} \end{aligned}$$

Mathematica [C] time = 6.51, size = 1251, normalized size = 2.22

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] ((-4*a*(48*a^3*A + 66*a*A*b^2 + 59*a^2*b*B + 16*b^3*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(144*a^2*A*b + 24*A*b^3 + 48*a^3*B + 76*a*b^2*B)*((Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]

, $(-2*a)/(-a + b)*\sin[(c + d*x)/2]^4/((a + b)*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}) - (\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)}*\sqrt{-((a + b)*\cos[c + d*x]*\csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)*\sin[(c + d*x)/2]^4)/(b*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}) + 2*(54*a*A*b^2 + 33*a^2*b*B + 16*b^3*B)*((I*\cos[(c + d*x)/2]*\sqrt{a + b*\cos[c + d*x]}*\text{EllipticE}[I*\text{ArcSinh}[\sin[(c + d*x)/2]/\sqrt{\cos[c + d*x]}], (-2*a)/(-a - b)*\sec[c + d*x]/(b*\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*\sqrt{((a + b*\cos[c + d*x])*\sec[c + d*x]/(a + b))} + (2*a*((a*\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)})*\sqrt{-((a + b)*\cos[c + d*x]*\csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticF}[\text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)*\sin[(c + d*x)/2]^4/((a + b)*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}) - (a*\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)}*\sqrt{-((a + b)*\cos[c + d*x]*\csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)*\sin[(c + d*x)/2]^4)/(b*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]})))/b + (\sqrt{a + b*\cos[c + d*x]}*\sin[c + d*x])/(b*\sqrt{\cos[c + d*x]})/(48*d) + (\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}*((b*(6*A*b + 13*a*B)*\sin[c + d*x])/12 + (b^2*B*\sin[2*(c + d*x)]/6))/d$

fricas [F] time = 106.74, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c))\sqrt{b \cos(dx + c)}}{\sqrt{\cos(dx + c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/sqrt(cos(d*x + c)), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.55, size = 3512, normalized size = 6.23

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x)

[Out] $-1/24/d*(-48*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3+48*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3+180*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a^2*b+54*A*\sin(d*x+c)*\cos$


```

in(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
)/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*b
^3+48*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+c
os(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a
+b))^(1/2))*b^3+30*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos
(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),
-1,(-a-b)/(a+b))^(1/2))*a^3+33*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1
/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3+16*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+co
s(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*b^3+48*A*sin(d*x+c)*cos(d*x+c)*(
cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1
/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3-48*B*sin
(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+c
os(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))
^(1/2))*a^3)/(a+b*cos(d*x+c))^(1/2)/cos(d*x+c)^(1/2)/sin(d*x+c)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algo
rithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)/sqrt(cos(d*x + c)
), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{5}{2}}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(1/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(1/2), x
)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.413 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=547

$$\frac{(8a^2A - 9abB - 4Ab^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{4d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b} (8a^2(A - B) - 3ab(8A + 3B) - 2b^2(2A + B)) \cos(c + dx)}{4d \sqrt{\cos(c + dx)}}$$

[Out] 2*a*A*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/d/cos(d*x+c)^(1/2)-1/4*(8*A*a^2-4*A*b^2-9*B*a*b)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(1/2)-1/2*b*(4*A*a-B*b)*sin(d*x+c)*cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2)/d+1/4*(a-b)*(8*A*a^2-4*A*b^2-9*B*a*b)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d-1/4*(8*a^2*(A-B)-2*b^2*(2*A+B)-3*a*b*(8*A+3*B))*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d-1/4*(20*A*a*b+15*B*a^2+4*B*b^2)*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d

Rubi [A] time = 1.67, antiderivative size = 547, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2989, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(8a^2A - 9abB - 4Ab^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{4d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b} (8a^2(A - B) - 3ab(8A + 3B) - 2b^2(2A + B)) \cos(c + dx)}{4d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2),x]

[Out] ((a - b)*Sqrt[a + b]*(8*a^2*A - 4*A*b^2 - 9*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) - (Sqrt[a + b]*(8*a^2*(A - B) - 2*b^2*(2*A + B) - 3*a*b*(8*A + 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(20*a*A*b + 15*a^2*B + 4*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - ((8*a^2*A - 4*A*b^2 - 9*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) - (b*(4*a*A - b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816


```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_)] + (b_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2989

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_))*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3049

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_)] + (C_)*sin[(e_)] + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3053

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)] + (C_)*sin[(e_)] + (f_)*(x_)]^2/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
```

Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3061

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos(c + dx)} dx \\
 &= -\frac{b(4aA - bB)\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d} + \frac{b(4aA - bB)\sqrt{a + b \cos(c + dx)}}{2d} \\
 &= -\frac{(8a^2A - 4Ab^2 - 9abB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} - \frac{b(4aA - bB)\sqrt{a + b \cos(c + dx)}}{4d} \\
 &= -\frac{(8a^2A - 4Ab^2 - 9abB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} - \frac{b(4aA - bB)\sqrt{a + b \cos(c + dx)}}{4d} \\
 &= -\frac{\sqrt{a + b} (20aAb + 15a^2B + 4b^2B) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \sin(c+dx)}{\sqrt{a+b \cos(c+dx)}}\right)\right)}{4d} \\
 &= \frac{(a - b)\sqrt{a + b} (8a^2A - 4Ab^2 - 9abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sin(c+dx)}{\sqrt{a+b \cos(c+dx)}}\right)\right)}{4ad}
 \end{aligned}$$

Mathematica [C] time = 6.49, size = 1241, normalized size = 2.27

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] ((4*a*(-16*a^2*A*b - 4*A*b^3 - 8*a^3*B - 11*a*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 4*a*(8*a^3*A - 24*a*A*b^2 - 24*a^2*b*B - 4*b^3*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*Ellip

```

ticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2
*a)/(-a + b)]*Sin[(c + d*x)/2]^4/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Co
s[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)
*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d
*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*
x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4/((
b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])) - 2*(8*a^2*A*b - 4*A*b^3 -
9*a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSin
h[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/((b*S
qrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x
]]/(a + b))) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(
((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Cs
c[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x
]]*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4/((
a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[
(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/
a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*Elliptic
Pi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]
], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4/((b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Co
s[c + d*x]]))))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/((b*Sqrt[Cos[c +
d*x]])))/(8*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((b^2*B*Ssin[c
+ d*x])/2 + 2*a^2*A*Tan[c + d*x]))/d

```

fricas [F] time = 4.09, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Bb^2 \cos(dx + c))^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c) \sqrt{b \cos(dx + c)}}{\cos(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algo
rithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 +
(B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(3/2
), x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algo
rithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.31, size = 3270, normalized size = 5.98

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x)
```

```
[Out] 1/4/d*(8*A*a^3-8*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d
*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(
a-b)/(a+b))^(1/2))*a^3-30*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x
+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(
-(a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2*b+8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
```


$$\frac{1}{(a+b)^{1/2}} a^3 - 8B \sin(dx+c) \cos(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{\sin(dx+c)} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{(a+b)^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) a^3 + 8A \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{\sin(dx+c)} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{(a+b)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) a^3 - 4A \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{\sin(dx+c)} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{(a+b)^{1/2}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) b^3 + 4B \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{\sin(dx+c)} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{(a+b)^{1/2}} \sin(dx+c) b^3 - 8B \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{\sin(dx+c)} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{(a+b)^{1/2}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{(a+b)^{1/2}}\right) \sin(dx+c) b^3 \frac{1}{(a+b \cos(dx+c))^{1/2} \sin(dx+c) \cos(dx+c)^{1/2}}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{5/2}}{\cos(dx+c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)/cos(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(3/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)

[Out] Timed out

$$3.414 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=536

$$\frac{(6a^2B + 14aAb - 3b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{3d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b} (-2a^2(A - 3B) + 2ab(7A - 9B) - 3b^2(6A + B))}{3d \sqrt{\cos(c + dx)}}$$

[Out] $2/3*a*A*(a+b*\cos(d*x+c))^{3/2}*\sin(d*x+c)/d/\cos(d*x+c)^{3/2}+2*a*(2*A*b+B*a)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d/\cos(d*x+c)^{1/2}-1/3*(14*A*a*b+6*B*a^2-3*B*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d/\cos(d*x+c)^{1/2}+1/3*(a-b)*(14*A*a*b+6*B*a^2-3*B*b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/a/d-1/3*(2*a*b*(7*A-9*B)-2*a^2*(A-3*B)-3*b^2*(6*A+B))*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/d-b*(2*A*b+5*B*a)*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},(a+b)/b,((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/d$

Rubi [A] time = 1.67, antiderivative size = 536, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2989, 3047, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(6a^2B + 14aAb - 3b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{3d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b} (-2a^2(A - 3B) + 2ab(7A - 9B) - 3b^2(6A + B))}{3d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^{5/2}*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{5/2}, x]$

[Out] $((a - b)*\text{Sqrt}[a + b]*(14*a*A*b + 6*a^2*B - 3*b^2*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)])/((3*a*d) - (\text{Sqrt}[a + b]*(2*a*b*(7*A - 9*B) - 2*a^2*(A - 3*B) - 3*b^2*(6*A + B))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)])/((3*d) - (b*\text{Sqrt}[a + b]*(2*A*b + 5*a*B)*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)])/d + (2*a*(2*A*b + a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) - ((14*a*A*b + 6*a^2*B - 3*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*a*A*(a + b*\text{Cos}[c + d*x])^{3/2}*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{3/2}))$

Rule 2809

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]]/\text{Sqrt}[(c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]], x_Symbol] \rightarrow \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_)] + (b_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2989

Int[((a_)] + (b_)*sin[(e_)] + (f_)*(x_)]^(m_)*((A_)] + (B_)*sin[(e_)] + (f_)*(x_)]*((c_)] + (d_)*sin[(e_)] + (f_)*(x_)]^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 2994

Int[((A_)] + (B_)*sin[(e_)] + (f_)*(x_)]/(((b_)*sin[(e_)] + (f_)*(x_)]^(3/2)*Sqrt[(c_)] + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_)] + (B_)*sin[(e_)] + (f_)*(x_)]/(((a_)] + (b_)*sin[(e_)] + (f_)*(x_)]^(3/2)*Sqrt[(c_)] + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3047

Int[((a_)] + (b_)*sin[(e_)] + (f_)*(x_)]^(m_)*((c_)] + (d_)*sin[(e_)] + (f_)*(x_)]^(n_)*((A_)] + (B_)*sin[(e_)] + (f_)*(x_)] + (C_)*sin[(e_)] + (f_)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)]*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3053

Int[((A_)] + (B_)*sin[(e_)] + (f_)*(x_)] + (C_)*sin[(e_)] + (f_)*(x_)]^2/(((a_)] + (b_)*sin[(e_)] + (f_)*(x_)]^(3/2)*Sqrt[(c_)] + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :=

```

_.) + (f_.)*(x_)]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3061

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]
]/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^2(c + dx)} dx \\
&= \frac{2a(2Ab + aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2aA(a + b \cos(c + dx))^{3/2}}{3d \cos^2(c + dx)} \\
&= \frac{2a(2Ab + aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{(14aAb + 6a^2B)\sqrt{a + b \cos(c + dx)}}{3d \cos^2(c + dx)} \\
&= \frac{2a(2Ab + aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{(14aAb + 6a^2B)\sqrt{a + b \cos(c + dx)}}{3d \cos^2(c + dx)} \\
&= -\frac{b\sqrt{a + b} (2Ab + 5aB) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d} \\
&= \frac{(a - b)\sqrt{a + b} (14aAb + 6a^2B - 3b^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3ad}
\end{aligned}$$

Mathematica [C] time = 6.51, size = 1269, normalized size = 2.37

result too large to display

Antiderivative was successfully verified.

```

[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5
/2), x]

```

```

[Out] ((-4*a*(2*a^3*A + 4*a*A*b^2 + 12*a^2*b*B + 3*b^3*B)*Sqrt[((a + b)*Cot[(c +
d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*S
qrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[Arc
Sin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a
+ b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*
x]]) - 4*a*(-14*a^2*A*b + 6*A*b^3 - 6*a^3*B + 18*a*b^2*B)*((Sqrt[((a + b)*C

```


$$\text{ot}[(c + dx)/2]^2/(-a + b)] * \text{Sqrt}[-(((a + b) * \text{Cos}[c + dx] * \text{Csc}[(c + dx)/2]^2)/a)] * \text{Sqrt}[(a + b * \text{Cos}[c + dx]) * \text{Csc}[(c + dx)/2]^2/a] * \text{Csc}[c + dx] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a + b * \text{Cos}[c + dx]) * \text{Csc}[(c + dx)/2]^2/a]/\text{Sqrt}[2]], (-2 * a)/(-a + b)] * \text{Sin}[(c + dx)/2]^4/((a + b) * \text{Sqrt}[\text{Cos}[c + dx]] * \text{Sqrt}[a + b * \text{Cos}[c + dx]]) - (\text{Sqrt}[(a + b) * \text{Cot}[(c + dx)/2]^2/(-a + b)] * \text{Sqrt}[-(((a + b) * \text{Cos}[c + dx] * \text{Csc}[(c + dx)/2]^2)/a)] * \text{Sqrt}[(a + b * \text{Cos}[c + dx]) * \text{Csc}[(c + dx)/2]^2/a] * \text{Csc}[c + dx] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b * \text{Cos}[c + dx]) * \text{Csc}[(c + dx)/2]^2/a]/\text{Sqrt}[2]], (-2 * a)/(-a + b)] * \text{Sin}[(c + dx)/2]^4/(b * \text{Sqrt}[\text{Cos}[c + dx]] * \text{Sqrt}[a + b * \text{Cos}[c + dx]])) + 2 * (-14 * a * A * b^2 - 6 * a^2 * b * B + 3 * b^3 * B) * ((I * \text{Cos}[(c + dx)/2] * \text{Sqrt}[a + b * \text{Cos}[c + dx]] * \text{EllipticE}[I * \text{ArcSinh}[\text{Sin}[(c + dx)/2]/\text{Sqrt}[\text{Cos}[c + dx]]], (-2 * a)/(-a - b)] * \text{Sec}[c + dx])/(b * \text{Sqrt}[\text{Cos}[(c + dx)/2]^2 * \text{Sec}[c + dx]] * \text{Sqrt}[(a + b * \text{Cos}[c + dx]) * \text{Sec}[c + dx])/(a + b))] + (2 * a * ((a * \text{Sqrt}[(a + b) * \text{Cot}[(c + dx)/2]^2/(-a + b)] * \text{Sqrt}[-(((a + b) * \text{Cos}[c + dx] * \text{Csc}[(c + dx)/2]^2)/a)] * \text{Sqrt}[(a + b * \text{Cos}[c + dx]) * \text{Csc}[(c + dx)/2]^2/a] * \text{Csc}[c + dx] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a + b * \text{Cos}[c + dx]) * \text{Csc}[(c + dx)/2]^2/a]/\text{Sqrt}[2]], (-2 * a)/(-a + b)] * \text{Sin}[(c + dx)/2]^4/((a + b) * \text{Sqrt}[\text{Cos}[c + dx]] * \text{Sqrt}[a + b * \text{Cos}[c + dx]]) - (a * \text{Sqrt}[(a + b) * \text{Cot}[(c + dx)/2]^2/(-a + b)] * \text{Sqrt}[-(((a + b) * \text{Cos}[c + dx] * \text{Csc}[(c + dx)/2]^2)/a)] * \text{Sqrt}[(a + b * \text{Cos}[c + dx]) * \text{Csc}[(c + dx)/2]^2/a] * \text{Csc}[c + dx] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b * \text{Cos}[c + dx]) * \text{Csc}[(c + dx)/2]^2/a]/\text{Sqrt}[2]], (-2 * a)/(-a + b)] * \text{Sin}[(c + dx)/2]^4/(b * \text{Sqrt}[\text{Cos}[c + dx]] * \text{Sqrt}[a + b * \text{Cos}[c + dx]])))/b + (\text{Sqrt}[a + b * \text{Cos}[c + dx]] * \text{Sin}[c + dx])/(b * \text{Sqrt}[\text{Cos}[c + dx]])))/(6 * d) + (\text{Sqrt}[\text{Cos}[c + dx]] * \text{Sqrt}[a + b * \text{Cos}[c + dx]] * ((2 * \text{Sec}[c + dx] * (7 * a * A * b * \text{Sin}[c + dx] + 3 * a^2 * B * \text{Sin}[c + dx]))/3 + (2 * a^2 * A * \text{Sec}[c + dx] * \text{Tan}[c + dx])/3))/d$$

fricas [F] time = 2.23, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)) \sqrt{b \cos(dx + c)}}{\cos(dx + c)^{\frac{5}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))/cos(dx+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*b^2*cos(dx + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(dx + c)^2 + (B*a^2 + 2*A*a*b)*cos(dx + c))*sqrt(b*cos(dx + c) + a)/cos(dx + c)^(5/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))/cos(dx+c)^(5/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.32, size = 3204, normalized size = 5.98

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))/cos(dx+c)^(5/2),x)

[Out] -1/3/d*(-2*A*a^3+2*A*cos(dx+c)^2*a^3-14*A*sin(dx+c)*cos(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*((a+b*cos(dx+c))/(1+cos(dx+c)))/(a+b))^(1/2)*Ellip


```

lIipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3+3*B*sin(d*x+c
)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d
*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/
2))*b^3-6*A*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-
(a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+
cos(d*x+c)))/(a+b))^(1/2)*b^3+12*A*sin(d*x+c)*cos(d*x+c)^2*EllipticPi((-1+co
s(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*b^3+6*B*(cos(d*x+c)/(1+c
os(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*sin(d*x+c)*
cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3
+2*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a
-b)/(a+b))^(1/2))*a^3)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^(3/2)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algo
rithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)/cos(d*x + c)^(5/2
), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(5/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(5/2), x
)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

$$3.415 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{7 \cos^2(c+dx)} dx$$

Optimal. Leaf size=493

$$\frac{2(a-b)\sqrt{a+b} \left(9a^2A + 35abB + 23Ab^2\right) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a}{a}}{15ad}$$

[Out] 2/5*a*A*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/d/cos(d*x+c)^(5/2)+2/15*a*(8*A*b+5*B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(3/2)+2/15*(a-b)*(9*A*a^2+23*A*b^2+35*B*a*b)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/d+2/15*(15*A*b^3-a*b^2*(23*A-45*B)+a^2*b*(17*A-35*B)-a^3*(9*A-5*B))*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/d-2*b^2*B*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/d

Rubi [A] time = 1.25, antiderivative size = 493, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2989, 3047, 3053, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} \left(a^2b(17A - 35B) + a^3(-9A - 5B) - ab^2(23A - 45B) + 15Ab^3\right) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}}{15ad}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2),x]
 [Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 23*A*b^2 + 35*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a*d) + (2*Sqrt[a + b]*(15*A*b^3 - a*b^2*(23*A - 45*B) + a^2*b*(17*A - 35*B) - a^3*(9*A - 5*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a*d) - (2*b^2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/d + (2*a*(8*A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2)) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))

Rule 2809

Int[Sqrt[(b_)*sin[(e_.) + (f_)*(x_)]]/Sqrt[(c_.) + (d_)*sin[(e_.) + (f_)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)]]*Sqrt[(a_.) + (b_)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1

- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2989

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 2994

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3047

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3053

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B

$- 2*a*C*\sin[e + f*x]/((a + b*\sin[e + f*x])^(3/2)*\sqrt{c + d*\sin[e + f*x]})$, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^2(c + dx)} dx$$

$$= \frac{2a(8Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d \cos^2(c + dx)} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d \cos^2(c + dx)}$$

$$= \frac{2a(8Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d \cos^2(c + dx)} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d \cos^2(c + dx)}$$

$$= -\frac{2b^2 \sqrt{a + b} B \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d} - \frac{a+b}{a-b} \frac{2(a-b)\sqrt{a+b} (9a^2A + 23Ab^2 + 35abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{15ad}$$

Mathematica [C] time = 6.57, size = 1319, normalized size = 2.68

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]

[Out] ((4*a*(-8*a^2*A*b + 8*A*b^3 - 5*a^3*B - 10*a*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 4*a*(9*a^3*A + 23*a*A*b^2 + 35*a^2*b*B - 15*b^3*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 2*(9*a^2*A*b + 23*A*b^3 + 35*a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticE[ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticE[ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)])

)/a)]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]])))/b + (Sqrt[a + b*cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(15*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]*((2*Sec[c + d*x]^2*(11*A*B*sin[c + d*x] + 5*a^2*B*sin[c + d*x]))/15 + (2*Sec[c + d*x]*(9*a^2*A*sin[c + d*x] + 23*A*b^2*sin[c + d*x] + 35*a*b*B*sin[c + d*x]))/15 + (2*a^2*A*Sec[c + d*x]^2*Tan[c + d*x])/5))/d

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.38, size = 3274, normalized size = 6.64

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)

[Out]
$$\begin{aligned} & 2/15/d*(3*A*a^3-9*A*\cos(d*x+c)^3*a^3+23*A*\cos(d*x+c)^3*b^3+6*A*\cos(d*x+c)^2 \\ & *a^3-5*B*\cos(d*x+c)^3*a^3-35*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d \\ & *x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticF}((-1+\cos \\ & (d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b-45*B*(\cos(d*x+c)/(1+\cos(d \\ & *x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos \\ & (d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-2 \\ & 3*A*\cos(d*x+c)^4*b^3+5*B*\cos(d*x+c)*a^3-23*A*\cos(d*x+c)^3*a*b^2+34*A*\cos(d \\ & *x+c)^2*a*b^2+14*A*\cos(d*x+c)*a^2*b-35*B*\cos(d*x+c)^4*a*b^2-35*B*\cos(d*x+c)^ \\ & 3*a^2*b+40*B*\cos(d*x+c)^2*a^2*b+9*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+ \\ & \cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE} \\ & (-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+23*A*\sin(d*x+c)*\cos \\ & (d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) \\ & / (a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a \\ & b^2-17*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos \\ & (d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & (-a-b)/(a+b))^{1/2})*a^2*b-23*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos \\ & (d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1 \\ & +\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2+35*B*(\cos(d*x+c)/(1+\cos \\ & (d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos \\ & (d*x+c)^2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b \\ & +35*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a \\ & +b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- \\ & a-b)/(a+b))^{1/2})*a*b^2-35*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d \end{aligned}$$

```

*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos
s(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b+35*B*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d
*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2+9*
A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)
/(a+b))^(1/2))*a^2*b+23*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*
x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-17*A*sin(d*x+c)*cos(d*x+c)^3*(
cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1
/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b-23*A*s
in(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/
(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a
+b))^(1/2))*a*b^2+35*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/
(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c)
))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b-45*B*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3
*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2+35*B*cos(
d*x+c)^3*a*b^2-9*A*cos(d*x+c)^4*a^2*b-11*A*cos(d*x+c)^4*a*b^2-5*A*cos(d*x+c)
^3*a^2*b-5*B*cos(d*x+c)^4*a^2*b-15*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(
1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Elliptic
F((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^3+15*B*sin(d*x+c)*cos(
d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)
)/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^
3-30*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(
d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-
1,(-(a-b)/(a+b))^(1/2))*b^3+15*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1
+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^3-30*B*sin(d*x+c)*cos(d*x+c)
^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b
))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^3
-15*A*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/
(a+b))^(1/2))*((cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*
x+c))/(a+b))^(1/2))*b^3-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+
c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d
*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3+9*A*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^
3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3+23*A*(cos(
d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*
sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))
^(1/2))*b^3-9*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(
d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c))/sin(
d*x+c),(-(a-b)/(a+b))^(1/2))*a^3-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+
b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF
((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3+9*A*sin(d*x+c)*cos(d*
x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(
a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3+
23*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a
-b)/(a+b))^(1/2))*b^3-9*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)
))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*
x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+
c)/cos(d*x+c)^(5/2)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)/cos(d*x + c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(7/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)

[Out] Timed out

$$3.416 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

Optimal. Leaf size=434

$$\frac{2(25a^2A + 77abB + 45Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105d \cos^2(c+dx)} + \frac{2(a-b) \sqrt{a+b} (a^2(25A-63B) - 8ab(15A-7B))}{105d \cos^2(c+dx)}$$

[Out] $2/7*a*A*(a+b*\cos(d*x+c))^{3/2}*\sin(d*x+c)/d/\cos(d*x+c)^{7/2}+2/35*a*(10*A*b+7*B*a)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d/\cos(d*x+c)^{5/2}+2/105*(25*A*a^2+45*A*b^2+77*B*a*b)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d/\cos(d*x+c)^{3/2}+2/105*(a-b)*(145*A*a^2*b+15*A*b^3+63*B*a^3+161*B*a*b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/a^2/d+2/105*(a-b)*(a^2*(25*A-63*B)+15*b^2*(A-7*B)-8*a*b*(15*A-7*B))*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/a/d$

Rubi [A] time = 1.37, antiderivative size = 434, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 77abB + 45Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105d \cos^2(c+dx)} + \frac{2(a-b) \sqrt{a+b} (a^2(25A-63B) - 8ab(15A-7B))}{105d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2),x]

[Out] $(2*(a-b)*\text{Sqrt}[a+b]*(145*a^2*A*b+15*A*b^3+63*a^3*B+161*a*b^2*B)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(105*a^2*d)+(2*(a-b)*\text{Sqrt}[a+b]*(a^2*(25*A-63*B)+15*b^2*(A-7*B)-8*a*b*(15*A-7*B))*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(105*a*d)+(2*a*(10*A*b+7*a*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]/(35*d*\text{Cos}[c+d*x]^{5/2}))+2*(25*a^2*A+45*A*b^2+77*a*b*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]/(105*d*\text{Cos}[c+d*x]^{3/2}))+2*a*A*(a+b*\text{Cos}[c+d*x])^{3/2}*\text{Sin}[c+d*x]/(7*d*\text{Cos}[c+d*x]^{7/2}))$

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)+(f_)*(x_)]]*Sqrt[(a_)+(b_)*sin[(e_)+(f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e+f*x]*Rt[(a+b)/d, 2]*Sqrt[(a*(1-Csc[e+f*x]))/(a+b)]*Sqrt[(a*(1+Csc[e+f*x]))/(a-b)]*EllipticF[ArcSin[Sqrt[a+b*Sine[e+f*x]]/(Sqrt[d*Sine[e+f*x]]*Rt[(a+b)/d, 2])], -((a+b)/(a-b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2-b^2, 0] && PosQ[(a+b)/d]

Rule 2989

Int[((a_)+(b_)*sin[(e_)+(f_)*(x_)]^(m_))*((A_)+(B_)*sin[(e_)+(f_)*(x_)]*(c_)+(d_)*sin[(e_)+(f_)*(x_)]^(n_)), x_Symbol] :> -Simp[((b*c-a*d)*(B*c-A*d)*Cos[e+f*x]*(a+b*Sine[e+f*x])^(m-1)*(c+d*Sine[e+f*x])^(n+1))/(d*f*(n+1)*(c^2-d^2)), x] + Dist[1/(d*(n+1))

```

*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

Rule 2994

```

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

Rule 2998

```

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((a_) + (b_)*sin[(e_) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

Rule 3047

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3055

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2}{7} \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^2(c + dx)} dx \\
&= \frac{2a(10Ab + 7aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^2(c + dx)} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{7d \cos^2(c + dx)} \\
&= \frac{2a(10Ab + 7aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^2(c + dx)} + \frac{2(25a^2A + 15aAb + 5a^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^2(c + dx)} \\
&= \frac{2a(10Ab + 7aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^2(c + dx)} + \frac{2(25a^2A + 15aAb + 5a^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^2(c + dx)} \\
&= \frac{2(a - b)\sqrt{a + b} (145a^2Ab + 15Ab^3 + 63a^3B + 161ab^2B) \cot(c + dx)}{35d \cos^2(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.63, size = 1409, normalized size = 3.25

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]

[Out] ((-4*a*(25*a^4*A - 10*a^2*A*b^2 - 15*A*b^4 + 56*a^3*b*B - 56*a*b^3*B)*Sqrt[(a + b)*Cot[(c + d*x)/2]^2]/(-a + b))*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(-145*a^3*A*b - 15*a*A*b^3 - 63*a^4*B - 161*a^2*b^2*B)*((Sqrt[(a + b)*Cot[(c + d*x)/2]^2]/(-a + b))*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]*Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(-145*a^2*A*b^2 - 15*A*b^4 - 63*a^3*b*B - 161*a*b^3*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2]/(-a + b))*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]*Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2]/(-a + b))*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]*Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]]))/((105*a*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c + d*x]^3*(15*a*A*b*Sin[c +

$d*x] + 7*a^2*B*\sin[c + d*x]))/35 + (2*\sec[c + d*x]^2*(25*a^2*A*\sin[c + d*x] + 45*A*b^2*\sin[c + d*x] + 77*a*b*B*\sin[c + d*x]))/105 + (2*\sec[c + d*x]*(145*a^2*A*b*\sin[c + d*x] + 15*A*b^3*\sin[c + d*x] + 63*a^3*B*\sin[c + d*x] + 161*a*b^2*B*\sin[c + d*x]))/(105*a) + (2*a^2*A*\sec[c + d*x]^3*\tan[c + d*x])/7)))/d$

fricas [F] time = 1.04, size = 0, normalized size = 0.00

integral $\left(\frac{(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)) \sqrt{b \cos(dx + c)}}{\cos(dx + c)^{\frac{9}{2}}} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorith="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(9/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorith="giac")

[Out] Timed out

maple [B] time = 0.45, size = 3628, normalized size = 8.36

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x)

[Out] $-2/105/d*(105*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^3+63*B*\cos(d*x+c)^4*a^4-42*B*\cos(d*x+c)^3*a^4-21*B*\cos(d*x+c)*a^4+25*A*\cos(d*x+c)^4*a^4-10*A*\cos(d*x+c)^2*a^4+15*A*\cos(d*x+c)^5*b^4-15*A*\cos(d*x+c)^4*b^4-98*B*\cos(d*x+c)^2*a^3*b+25*A*\cos(d*x+c)^5*a^3*b+145*A*\cos(d*x+c)^5*a^2*b^2+45*A*\cos(d*x+c)^5*a*b^3+145*A*\cos(d*x+c)^4*a^3*b-55*A*\cos(d*x+c)^4*a^2*b^2+15*A*\cos(d*x+c)^4*a*b^3-110*A*\cos(d*x+c)^3*a^3*b-60*A*\cos(d*x+c)^3*a*b^3-90*A*\cos(d*x+c)^2*a^2*b^2-60*A*\cos(d*x+c)*a^3*b+63*B*\cos(d*x+c)^5*a^3*b+77*B*\cos(d*x+c)^5*a^2*b^2+161*B*\cos(d*x+c)^5*a*b^3+35*B*\cos(d*x+c)^4*a^3*b+161*B*\cos(d*x+c)^4*a^2*b^2-161*B*\cos(d*x+c)^4*a*b^3-238*B*\cos(d*x+c)^3*a^2*b^2+15*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^3+105*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^4-63*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^4$

$\cos(dx+c)^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 * b^2 / (a+b*\cos(dx+c))^{1/2} / a / \sin(dx+c) / \cos(dx+c)^{7/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{5/2}}{\cos(dx+c)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))/cos(dx+c)^(9/2), x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*(b*cos(dx+c) + a)^(5/2)/cos(dx+c)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(9/2), x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(9/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))**(5/2)*(A+B*cos(dx+c))/cos(dx+c)**(9/2), x)

[Out] Timed out

3.417
$$\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=522

$$\frac{2(49a^2A + 135abB + 75Ab^2) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{315d \cos^2(c + dx)} + \frac{2(75a^3B + 163a^2Ab + 135ab^2B + 5Ab^3) \sin(c + dx)}{315ad \cos^2(c + dx)}$$

```
[Out] 2/9*a*A*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/d/cos(d*x+c)^(9/2)+2/21*a*(4*A*b+
3*B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(7/2)+2/315*(49*A*a^2
+75*A*b^2+135*B*a*b)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(5/2)+2
/315*(163*A*a^2*b+5*A*b^3+75*B*a^3+135*B*a*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))
^(1/2)/a/d/cos(d*x+c)^(3/2)+2/315*(a-b)*(147*A*a^4+279*A*a^2*b^2-10*A*b^4+4
35*B*a^3*b+45*B*a*b^3)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1
/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a
+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^3/d-2/315*(a-b)*(10*A*b^3-6*a^2
*b*(19*A-60*B)+3*a^3*(49*A-25*B)+15*a*b^2*(11*A-3*B))*cot(d*x+c)*EllipticF(
(a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(
a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^
2/d
```

Rubi [A] time = 1.94, antiderivative size = 522, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, number of rules / integrand size = 0.171, Rules used = {2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(163a^2Ab + 75a^3B + 135ab^2B + 5Ab^3) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{315ad \cos^2(c + dx)} + \frac{2(49a^2A + 135abB + 75Ab^2) \sin(c + dx)}{315d \cos^2(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2), x
]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B
+ 45*a*b^3*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[
a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x])
)/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(315*a^3*d) - (2*(a - b)*S
qrt[a + b]*(10*A*b^3 - 6*a^2*b*(19*A - 60*B) + 3*a^3*(49*A - 25*B) + 15*a*b
^2*(11*A - 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sq
rt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*
x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(315*a^2*d) + (2*a*(4*A
*b + 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(21*d*Cos[c + d*x]^(7/2)
) + (2*(49*a^2*A + 75*A*b^2 + 135*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d
*x])/(315*d*Cos[c + d*x]^(5/2)) + (2*(163*a^2*A*b + 5*A*b^3 + 75*a^3*B + 13
5*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315*a*d*Cos[c + d*x]^(3/
2)) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Cos[c + d*x]^(9/
2))
```

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f
_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```


Rule 2989

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

Rule 2994

```

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

Rule 3047

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1)/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ

```

$[c^2 - d^2, 0] \ \&\& \text{LtQ}[m, -1] \ \&\& ((\text{EqQ}[a, 0] \ \&\& \text{IntegerQ}[m] \ \&\& \ !\text{IntegerQ}[n]) \ || \ !(\text{IntegerQ}[2*n] \ \&\& \text{LtQ}[n, -1] \ \&\& ((\text{IntegerQ}[n] \ \&\& \ !\text{IntegerQ}[m]) \ || \ \text{EqQ}[a, 0])))$

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx))}{\cos^{11/2}(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{7/2}(c + dx)} dx$$

$$= \frac{2a(4Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2a(4Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)} + \frac{2(49a^2A + 7a^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2a(4Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)} + \frac{2(49a^2A + 7a^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2a(4Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)} + \frac{2(49a^2A + 7a^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2(a - b)\sqrt{a + b} (147a^4A + 279a^2Ab^2 - 10Ab^4 + 435a^3bB + 45a^2b^2B)}{9d \cos^{9/2}(c + dx)}$$

Mathematica [C] time = 6.73, size = 1517, normalized size = 2.91

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2), x]

[Out] -1/315*((-4*a*(-114*a^4*A*b + 124*a^2*A*b^3 - 10*A*b^5 - 75*a^5*B + 30*a^3*b^2*B + 45*a*b^4*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(147*a^5*A + 279*a^3*A*b^2 - 10*a*A*b^4 + 435*a^4*b*B + 45*a^2*b^3*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(147*a^4*A*b + 279*a^2*A*b^3 - 10*A*b^5 + 435*a^3*b^2*B + 45*a*b^4*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]])*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a +

$b \cos[c + dx] \sec[c + dx] / (a + b) + (2a((a \sqrt{((a + b) \cot[(c + dx)/2]^2) / (-a + b)} \sqrt{-((a + b) \cos[c + dx] \csc[(c + dx)/2]^2) / a} \sqrt{((a + b \cos[c + dx]) \csc[(c + dx)/2]^2) / a} \csc[c + dx] \operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{((a + b \cos[c + dx]) \csc[(c + dx)/2]^2) / a} / \sqrt{2}], (-2a) / (-a + b)] \sin[(c + dx)/2]^4) / ((a + b) \sqrt{\cos[c + dx]} \sqrt{a + b \cos[c + dx]}) - (a \sqrt{((a + b) \cot[(c + dx)/2]^2) / (-a + b)} \sqrt{-((a + b) \cos[c + dx] \csc[(c + dx)/2]^2) / a} \sqrt{((a + b \cos[c + dx]) \csc[(c + dx)/2]^2) / a} \csc[c + dx] \operatorname{EllipticPi}[-(a/b), \operatorname{ArcSin}[\sqrt{((a + b \cos[c + dx]) \csc[(c + dx)/2]^2) / a} / \sqrt{2}], (-2a) / (-a + b)] \sin[(c + dx)/2]^4) / (b \sqrt{\cos[c + dx]} \sqrt{a + b \cos[c + dx]}) + (\sqrt{a + b \cos[c + dx]} \sin[c + dx]) / (b \sqrt{\cos[c + dx]}) / (a^2 d) + (\sqrt{\cos[c + dx]} \sqrt{a + b \cos[c + dx]} * ((2 \sec[c + dx]^4 (19aA^2 b \sin[c + dx] + 9a^2 B \sin[c + dx])) / 63 + (2 \sec[c + dx]^3 (49a^2 A \sin[c + dx] + 75A^2 b \sin[c + dx] + 135a^2 b B \sin[c + dx])) / 315 + (2 \sec[c + dx]^2 (163a^2 A^2 b \sin[c + dx] + 5A^2 b^3 \sin[c + dx] + 75a^3 B \sin[c + dx] + 135a^2 b^2 B \sin[c + dx])) / (315a) + (2 \sec[c + dx] (147a^4 A \sin[c + dx] + 279a^2 A^2 b^2 \sin[c + dx] - 10A^2 b^4 \sin[c + dx] + 435a^3 b B \sin[c + dx] + 45a^2 b^3 B \sin[c + dx])) / (315a^2) + (2a^2 A \sec[c + dx]^4 \tan[c + dx]) / 9) / d$

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)) \sqrt{b \cos(dx + c)}}{\cos(dx + c)^{\frac{11}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2), x, algorith="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(11/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2), x, algorith="giac")

[Out] Timed out

maple [B] time = 0.54, size = 4392, normalized size = 8.41

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2), x)

[Out] $-2/315/d * (279A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c)^4 * a^3 b^2 + 155A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c)^4 * a^2 b^3 - 10A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c)^4 * a b^4 - 435B * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))$

$\cos(dx+c)^6 a^4 b^4 + 65 A \cos(dx+c)^5 a^4 b^3 + 279 A \cos(dx+c)^5 a^3 b^2 - 199 A \cos(dx+c)^5 a^2 b^3 - 10 A \cos(dx+c)^5 a^4 b^4 - 272 A \cos(dx+c)^4 a^3 b^2 + 5 A \cos(dx+c)^4 a^2 b^4 - 82 A \cos(dx+c)^3 a^4 b - 80 A \cos(dx+c)^3 a^2 b^3 - 170 A \cos(dx+c)^2 a^3 b^2 - 130 A \cos(dx+c) a^4 b - 180 B \cos(dx+c)^4 a^2 b^3 - 270 B \cos(dx+c)^3 a^3 b^2 - 10 A \cos(dx+c)^6 b^5 + 147 A \cos(dx+c)^5 a^5 + 10 A \cos(dx+c)^5 b^5 - 98 A \cos(dx+c)^4 a^5 - 14 A \cos(dx+c)^2 a^5 + 75 B \cos(dx+c)^5 a^5 - 30 B \cos(dx+c)^3 a^5 - 45 B \cos(dx+c) a^5 - 147 A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^5 a^5 + 10 A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^5 b^5 + 147 A \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^5 (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} a^5 + 75 B (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^5 a^5 - 147 A \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} a^5 + 10 A \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} b^5 + 147 A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^4 a^5 + 75 B (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^4 a^5 - 279 A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^4 a^3 b^2 - 279 A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^4 a^2 b^3 + 10 A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \sin(dx+c) \cos(dx+c)^4 a^4 b^4 / (a+b \cos(dx+c))^{1/2} / a^2 / \sin(dx+c) / \cos(dx+c)^{9/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{5/2}}{\cos(dx+c)^{11/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))/cos(dx+c)^(11/2), x, algorith="maxima")

[Out] integrate((B*cos(dx+c) + A)*(b*cos(dx+c) + a)^(5/2)/cos(dx+c)^(11/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^{11/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(5/2))/cos(c + dx)^(11/2), x)

[Out] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(5/2))/cos(c + dx)^(11/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(11/2),x)

[Out] Timed out

$$3.418 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=622

$$\frac{2(81a^2A + 209abB + 113Ab^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{693d \cos^2(c + dx)} + \frac{2(539a^3B + 1145a^2Ab + 825ab^2B + 15Ab^3) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{3465ad \cos^2(c + dx)}$$

[Out] 2/11*a*A*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/d/cos(d*x+c)^(11/2)+2/99*a*(14*A*b+11*B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(9/2)+2/693*(81*A*a^2+113*A*b^2+209*B*a*b)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(7/2)+2/3465*(1145*A*a^2*b+15*A*b^3+539*B*a^3+825*B*a*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a/d/cos(d*x+c)^(5/2)+2/3465*(675*A*a^4+1025*A*a^2*b^2-20*A*b^4+1793*B*a^3*b+55*B*a*b^3)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a^2/d/cos(d*x+c)^(3/2)+2/3465*(a-b)*(3705*A*a^4*b+255*A*a^2*b^3+40*A*b^5+1617*B*a^5+3069*B*a^3*b^2-110*B*a*b^4)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a^4/d+2/3465*(a-b)*(40*A*b^4+3*a^4*(225*A-539*B)-6*a^3*b*(505*A-209*B)+15*a^2*b^2*(19*A-121*B)+10*a*b^3*(3*A-11*B))*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a^3/d

Rubi [A] time = 2.62, antiderivative size = 622, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(1025a^2Ab^2 + 675a^4A + 1793a^3bB + 55ab^3B - 20Ab^4) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{3465a^2d \cos^2(c + dx)} + \frac{2(1145a^2Ab + 539a^3B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{3465ad \cos^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(13/2), x]

[Out] (2*(a - b)*Sqrt[a + b]*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3465*a^4*d) + (2*(a - b)*Sqrt[a + b]*(40*A*b^4 + 3*a^4*(225*A - 539*B) - 6*a^3*b*(505*A - 209*B) + 15*a^2*b^2*(19*A - 121*B) + 10*a*b^3*(3*A - 11*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3465*a^3*d) + (2*a*(14*A*b + 11*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(99*d*Cos[c + d*x]^(9/2)) + (2*(81*a^2*A + 113*A*b^2 + 209*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(693*d*Cos[c + d*x]^(7/2)) + (2*(1145*a^2*A*b + 15*A*b^3 + 539*a^3*B + 825*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3465*a*d*Cos[c + d*x]^(5/2)) + (2*(675*a^4*A + 1025*a^2*A*b^2 - 20*A*b^4 + 1793*a^3*b*B + 55*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3465*a^2*d*Cos[c + d*x]^(3/2)) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Cos[c + d*x]^(11/2))

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_.) + (f_)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A

```
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2]), -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] :> -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
```


+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{\frac{13}{2}}(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)} + \frac{2}{11} \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{9}{2}}(c + dx)} dx$$

$$= \frac{2a(14Ab + 11aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{11d \cos^{\frac{11}{2}}(c + dx)}$$

$$= \frac{2a(14Ab + 11aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(81a^2A + 11a^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)}$$

$$= \frac{2a(14Ab + 11aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(81a^2A + 11a^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)}$$

$$= \frac{2a(14Ab + 11aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(81a^2A + 11a^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{\frac{9}{2}}(c + dx)}$$

$$= \frac{2(a - b)\sqrt{a + b} (3705a^4Ab + 255a^2Ab^3 + 40Ab^5 + 1617a^5B)}{99d \cos^{\frac{9}{2}}(c + dx)}$$

Mathematica [C] time = 6.85, size = 1640, normalized size = 2.64

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(13/2), x]

[Out] ((-4*a*(675*a^6*A - 390*a^4*A*b^2 - 245*a^2*A*b^4 - 40*A*b^6 + 1254*a^5*b*B - 1364*a^3*b^3*B + 110*a*b^5*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(-3705*a^5*A*b - 255*a^3*A*b^3 - 40*a*A*b^5 - 1617*a^6*B - 3069*a^4*b^2*B + 110*a^2*b^4*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])

$$\begin{aligned} &^2)/a)*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (\text{Sqrt}[\frac{(a + b)*\text{Cot}[(c + d*x)/2]^2}{(-a + b)}]*\text{Sqrt}[-((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a])* \text{Sqrt}[\frac{(a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2}{a}]*\text{Csc}[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + 2*(-3705*a^4*A*b^2 - 255*a^2*A*b^4 - 40*A*b^6 - 1617*a^5*B - 3069*a^3*b^3*B + 110*a*b^5*B)*((I*\text{Cos}[(c + d*x)/2]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[I*\text{ArcSinh}[\text{Sin}[(c + d*x)/2]/\text{Sqrt}[\text{Cos}[c + d*x]]], (-2*a)/(-a - b)]*\text{Sec}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]}{(a + b)}]) + (2*a*((a*\text{Sqrt}[\frac{(a + b)*\text{Cot}[(c + d*x)/2]^2}{(-a + b)}]*\text{Sqrt}[-((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a])* \text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2}{a}]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (a*\text{Sqrt}[\frac{(a + b)*\text{Cot}[(c + d*x)/2]^2}{(-a + b)}]*\text{Sqrt}[-((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a])* \text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2}{a}]*\text{Csc}[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])))/b + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[c + d*x]]))/((3465*a^3*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*((2*\text{Sec}[c + d*x]^5*(23*a*A*b*\text{Sin}[c + d*x] + 11*a^2*B*\text{Sin}[c + d*x]))/99 + (2*\text{Sec}[c + d*x]^4*(81*a^2*A*\text{Sin}[c + d*x] + 113*A*b^2*\text{Sin}[c + d*x] + 209*a*b*B*\text{Sin}[c + d*x]))/693 + (2*\text{Sec}[c + d*x]^3*(1145*a^2*A*b*\text{Sin}[c + d*x] + 15*A*b^3*\text{Sin}[c + d*x] + 539*a^3*B*\text{Sin}[c + d*x] + 825*a*b^2*B*\text{Sin}[c + d*x]))/(3465*a) + (2*\text{Sec}[c + d*x]^2*(675*a^4*A*\text{Sin}[c + d*x] + 1025*a^2*A*b^2*\text{Sin}[c + d*x] - 20*A*b^4*\text{Sin}[c + d*x] + 1793*a^3*b*B*\text{Sin}[c + d*x] + 55*a*b^3*B*\text{Sin}[c + d*x]))/(3465*a^2) + (2*\text{Sec}[c + d*x]*(3705*a^4*A*b*\text{Sin}[c + d*x] + 255*a^2*A*b^3*\text{Sin}[c + d*x] + 40*A*b^5*\text{Sin}[c + d*x] + 1617*a^5*B*\text{Sin}[c + d*x] + 3069*a^3*b^2*B*\text{Sin}[c + d*x] - 110*a*b^4*B*\text{Sin}[c + d*x]))/(3465*a^3) + (2*a^2*A*\text{Sec}[c + d*x]^5*\text{Tan}[c + d*x])/11))/d \end{aligned}$$

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Bb^2 \cos(dx + c))^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c) \sqrt{b \cos(dx + c)}}{\cos(dx + c)^{\frac{13}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(13/2),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(13/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(13/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.43, size = 5373, normalized size = 8.64

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(13/2),x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(13/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)/cos(d*x + c)^(13/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{5}{2}}}{\cos(c + dx)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(13/2),x)`

[Out] `int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(13/2),x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(13/2),x)`

[Out] Timed out

$$3.419 \quad \int \frac{(a+b \cos(c+dx))^{5/2} \left(\frac{3bB}{2a} + B \cos(c+dx) \right)}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=418

$$\frac{B(a-3b)\sqrt{a+b} (2a^2 - ab + 3b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad} + \dots$$

[Out] b*B*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/d/cos(d*x+c)^(3/2)+2*(a-b)*(a^2+3*b^2)*B*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b)^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d-(a-3*b)*(2*a^2-a*b+3*b^2)*B*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b)^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d-b*(5*a+3*b^2/a)*B*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b)^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d

Rubi [A] time = 0.95, antiderivative size = 418, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 43, $\frac{\text{number of rules}}{\text{integrand size}} = 0.140$, Rules used = {2989, 2991, 2809, 2998, 2816, 2994}

$$\frac{B(a-3b)\sqrt{a+b} (2a^2 - ab + 3b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad} + \dots$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(5/2)*((3*b*B)/(2*a) + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (2*(a - b)*Sqrt[a + b]*(a^2 + 3*b^2)*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d) - ((a - 3*b)*Sqrt[a + b]*(2*a^2 - a*b + 3*b^2)*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d) - (b*Sqrt[a + b]*(5*a + (3*b^2)/a)*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/d + (b*B*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2))

Rule 2809

Int[Sqrt[(b_)*sin[(e_.) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*sin[(e_.) + (f_)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)]]*Sqrt[(a_) + (b_)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((

$(a + b)/(a - b)))/(a*f), x] /;$ FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2989

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 2991

Int((((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)])]/((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2), x_Symbol] := Dist[(B*d)/b^2, Int[Sqrt[b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Int[(A*c + (B*c + A*d)*Sin[e + f*x])/((b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x] /;

FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0]

Rule 2994

Int((((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /;

FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int((((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /;

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2} \left(\frac{3bB}{2a} + B \cos(c + dx) \right)}{\cos^2(c + dx)} dx &= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^2(c + dx)} dx \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\frac{3}{2} a (a^2 + 3b^2) B}{\cos^2(c + dx)} dx \\
&= -\frac{b\sqrt{a+b} \left(5a + \frac{3b^2}{a} \right) B \cot(c + dx) \Pi \left(\frac{a+b}{b}; \sin^{-1} \left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}} \right) \right)}{d} \\
&= \frac{2(a-b)\sqrt{a+b} (a^2 + 3b^2) B \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}} \right) \right)}{ad}
\end{aligned}$$

Mathematica [C] time = 19.45, size = 1236, normalized size = 2.96

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*((3*b*B)/(2*a) + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out]
$$\begin{aligned}
& -1/2*(B*((-4*a*(-5*a^3*b - 3*a*b^3)*\text{Sqrt}[(a + b)*\text{Cot}[(c + d*x)/2]^2]/(-a + b)) * \text{Sqrt}[-((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a] * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)] * \text{Sin}[(c + d*x)/2]^4)/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - 4*a*(2*a^4 + a^2*b^2 - 3*b^4) * ((\text{Sqrt}[(a + b)*\text{Cot}[(c + d*x)/2]^2]/(-a + b)) * \text{Sqrt}[-((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a] * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)] * \text{Sin}[(c + d*x)/2]^4)/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (\text{Sqrt}[(a + b)*\text{Cot}[(c + d*x)/2]^2]/(-a + b)) * \text{Sqrt}[-((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a] * \text{Csc}[c + d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)] * \text{Sin}[(c + d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + 2*(2*a^3*b + 6*a*b^3) * ((\text{I}*\text{Cos}[(c + d*x)/2] * \text{Sqrt}[a + b*\text{Cos}[c + d*x]]) * \text{EllipticE}[\text{I}*\text{ArcSinh}[\text{Sin}[(c + d*x)/2]/\text{Sqrt}[\text{Cos}[c + d*x]]], (-2*a)/(-a - b)] * \text{Sec}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Sec}[c + d*x])/(a + b)) + (2*a*((a*\text{Sqrt}[(a + b)*\text{Cot}[(c + d*x)/2]^2]/(-a + b)) * \text{Sqrt}[-((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a] * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)] * \text{Sin}[(c + d*x)/2]^4)/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (a*\text{Sqrt}[(a + b)*\text{Cot}[(c + d*x)/2]^2]/(-a + b)) * \text{Sqrt}[-((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a] * \text{Csc}[c + d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)] * \text{Sin}[(c + d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]] * \text{Sin}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[c + d*x]])))/(a*d) + (\text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b*\text{Cos}[c + d*x]] * (\text{Sec}[c + d*x] * (2*a^2*B*\text{Sin}[c + d*x] + 7*b^2*B*\text{Sin}[c + d*x]) + a*b*B*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/d
\end{aligned}$$

fricas [F] time = 39.86, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(2 Bab^2 \cos(dx + c)^3 + 3 Ba^2 b + (4 Ba^2 b + 3 Bb^3) \cos(dx + c)^2 + 2 (Ba^3 + 3 Bab^2) \cos(dx + c)) \sqrt{b \cos(dx + c)}}{2 a \cos(dx + c)^{\frac{5}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(3/2*b*B/a+B*cos(d*x+c))/cos(d*x+c)^(5/2),
x, algorithm="fricas")
```

```
[Out] integral(1/2*(2*B*a*b^2*cos(d*x + c)^3 + 3*B*a^2*b + (4*B*a^2*b + 3*B*b^3)*
cos(d*x + c)^2 + 2*(B*a^3 + 3*B*a*b^2)*cos(d*x + c))*sqrt(b*cos(d*x + c) +
a)/(a*cos(d*x + c)^(5/2)), x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(3/2*b*B/a+B*cos(d*x+c))/cos(d*x+c)^(5/2),
x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.51, size = 2346, normalized size = 5.61

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(5/2)*(3/2*b*B/a+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)
```

```
[Out] -B/a/d*(-2*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*
cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c
), (-a-b)/(a+b))^(1/2))*a^4+6*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+c
os(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*b^4+cos(d*x+c)*sin(d*x+c)*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/
2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b^2+9*cos
(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+c
os(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))
^(1/2))*a*b^3-2*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((
a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c), (-a-b)/(a+b))^(1/2))*a^3*b-6*cos(d*x+c)^2*sin(d*x+c)*EllipticE((-1+
cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1
/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a^2*b^2-6*cos(d*x+c)^2*si
n(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*(cos(d*
x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*
b^3+10*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(
d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -
1, (-a-b)/(a+b))^(1/2))*a^2*b^2+7*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+c
os(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-
1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*b+cos(d*x+c)^2*sin(d*x+c
)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))
^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b^2+9
*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
)/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/
(a+b))^(1/2))*a*b^3-2*cos(d*x+c)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c), (-a-b)/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x
+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a^3*b-6*cos(d*x+c)*sin(d*x+c)*EllipticE((-
1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a^2*b^2-6*cos(d*x+c)*si
n(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*(cos(d*
x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*
b^3+10*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1,
```

```
(-(a-b)/(a+b))^(1/2))*a^2*b^2+7*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3*b-cos(d*x+c)^2*a^3*b-8*cos(d*x+c)*a^2*b^2+2*cos(d*x+c)^3*a^2*b^2-7*cos(d*x+c)^2*a*b^3-b*a^3+cos(d*x+c)^4*a*b^3+2*cos(d*x+c)^3*a^3*b+6*cos(d*x+c)^3*a*b^3+6*cos(d*x+c)^2*a^2*b^2+2*cos(d*x+c)^2*a^4-2*a^4*cos(d*x+c)+2*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^4-3*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^4-2*cos(d*x+c)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*a^4+6*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^4+2*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^4-3*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^4)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^(3/2)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2} \int \frac{\left(2B \cos(dx + c) + \frac{3Bb}{a}\right) (b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(3/2*b*B/a+B*cos(d*x+c))/cos(d*x+c)^(5/2), x, algorithm="maxima")
```

```
[Out] 1/2*integrate((2*B*cos(d*x + c) + 3*B*b/a)*(b*cos(d*x + c) + a)^(5/2)/cos(d*x + c)^(5/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(B \cos(c + dx) + \frac{3Bb}{2a}\right) (a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((B*cos(c + d*x) + (3*B*b)/(2*a))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(5/2), x)
```

```
[Out] int(((B*cos(c + d*x) + (3*B*b)/(2*a))*(a + b*cos(c + d*x))^(5/2))/cos(c + d*x)^(5/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(3/2*b*B/a+B*cos(d*x+c))/cos(d*x+c)**(5/2), x)
```

```
[Out] Timed out
```


3.420
$$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=479

$$\frac{\sqrt{a+b} (-3a^2B + 4aAb - 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{4b^3d}$$

```
[Out] 1/4*(4*A*b-3*B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b^2/d/cos(d*x+c)^(1/2)+
1/2*B*sin(d*x+c)*cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2)/b/d-1/4*(a-b)*(4*A
*b-3*B*a)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)
)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a
*(1+sec(d*x+c))/(a-b))^(1/2)/a/b^2/d+1/4*(4*A*b-3*B*a+2*B*b)*cot(d*x+c)*Ell
ipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(
1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(
1/2)/b^2/d+1/4*(4*A*a*b-3*B*a^2-4*B*b^2)*cot(d*x+c)*EllipticPi((a+b*cos(d*x
+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)
^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^3/d
```

Rubi [A] time = 1.08, antiderivative size = 479, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2990, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (-3a^2B + 4aAb - 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{4b^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b - 3*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a
+ b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqr
t[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4
*a*b^2*d) + (Sqrt[a + b]*(4*A*b - 3*a*B + 2*b*B)*Cot[c + d*x]*EllipticF[Arc
Sin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(
a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(
a - b)]/(4*b^2*d) + (Sqrt[a + b]*(4*a*A*b - 3*a^2*B - 4*b^2*B)*Cot[c + d*x
]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[C
os[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqr
t[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^3*d) + ((4*A*b - 3*a*B)*Sqrt[a + b
*Cos[c + d*x]]*Sin[c + d*x])/(4*b^2*d*Sqrt[Cos[c + d*x]]) + (B*Sqrt[Cos[c +
d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*b*d)
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[Arc
Sin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
```

$(a + b)/(a - b)))/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2990

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*\text{Sin}[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !(\text{IGtQ}[n, 1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]))))$

Rule 2994

$\text{Int}[(A_. + (B_.)*\sin[(e_.) + (f_.)*(x_.)])/(((b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(3/2)}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[(A_. + (B_.)*\sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(3/2)}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rule 3053

$\text{Int}[(A_. + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(3/2)}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*\text{Sin}[e + f*x]/((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 3061

$\text{Int}[(A_. + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])/(d*f*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[1/(2*d), \text{Int}[(1*\text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*\text{Sin}[e + f*x] + (2*b*B*d - C*(b*c + a*d))*\text{Sin}[e + f*x]^2, x])/((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rubi steps

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx = \frac{B\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd} + \frac{\int \frac{\frac{aB}{2} + bB \cos(c+dx) + \frac{1}{2}}{\sqrt{\cos(c+dx)}} dx}{\dots}$$

$$= \frac{(4Ab - 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} + \frac{B\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{4b^2 d \sqrt{\cos(c + dx)}}$$

$$= \frac{(4Ab - 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} + \frac{B\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{4b^2 d \sqrt{\cos(c + dx)}}$$

$$= \frac{\sqrt{a + b} (4aAb - 3a^2B - 4b^2B) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4b^3 d}$$

$$= -\frac{(a - b)\sqrt{a + b} (4Ab - 3aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4ab^2 d}$$

Mathematica [C] time = 12.43, size = 1175, normalized size = 2.45

$$\frac{4a(4Ab - aB) \sqrt{\frac{(a+b) \cot^2\left(\frac{1}{2}(c+dx)\right)}{b-a}} \sqrt{-\frac{(a+b) \cos(c+dx) \csc^2\left(\frac{1}{2}(c+dx)\right)}{a}} \sqrt{\frac{(a+b \cos(c+dx))}{(a+b) \sqrt{\cos(c+dx)}}$$

$$\frac{B\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]], x]

[Out] (B*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*b*d) + ((-4*a*(4*A*b - a*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 16*a*b*B*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(4*A*b - 3*a*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/S

```

qrt[Cos[c + d*x]], (-2*a)/(-a - b)]*Sec[c + d*x]/(b*Sqrt[Cos[(c + d*x)/2]
^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*
((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]
)*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]
*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^
2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c +
d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a
+ b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos
[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sq
rt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*
Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (
Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(8*b*d)

```

fricas [F] time = 2.61, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{\cos(dx + c)}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algo
rithm="fricas")

```

```

[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c))/sqrt(b*cos(
d*x + c) + a), x)

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algo
rithm="giac")

```

```

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(b*cos(d*x + c) + a),
x)

```

maple [B] time = 0.38, size = 1871, normalized size = 3.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x)
[Out] -1/4/d/(a+b*cos(d*x+c))^(1/2)*(-3*B*cos(d*x+c)^2*a^2+3*B*cos(d*x+c)*a^2+4*A
*cos(d*x+c)^3*b^2-4*A*cos(d*x+c)^2*b^2+2*B*cos(d*x+c)^4*b^2-2*B*cos(d*x+c)^
2*b^2-8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)
))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2
))*sin(d*x+c)*cos(d*x+c)*a*b-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/
2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/
sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)*a*b+2*B*sin(d*x+c)*(cos(d*x+c)/
(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*Ellipti
cF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)*a*b+4*A*Ellipti
cE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)
*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)
)^(1/2)*a*b+4*A*cos(d*x+c)^2*a*b-4*A*cos(d*x+c)*a*b-B*cos(d*x+c)^3*a*b+3*B*c
os(d*x+c)^2*a*b-2*B*cos(d*x+c)*a*b+4*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c)
,(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*c

```

$\cos(dx+c)/(1+\cos(dx+c))/(a+b)^{1/2} * b^2 + 6 * B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} * a^2 + 8 * B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} * b^2 - 3 * B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 - 4 * B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * b^2 + 4 * A * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * a * b - 3 * B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a * b + 2 * B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a * b + 4 * A * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * b^2 + 6 * B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} * \cos(dx+c) * a^2 + 8 * B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} * \cos(dx+c) * b^2 - 3 * B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * a^2 - 4 * B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * b^2 - 8 * A * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * a * b / \sin(dx+c) / b^2 / \cos(dx+c)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^{\frac{3}{2}}}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(A+B*cos(dx+c))/(a+b*cos(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*cos(dx+c)^(3/2)/sqrt(b*cos(dx+c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{3/2} (A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c+dx)^(3/2)*(A+B*cos(c+dx)))/(a+b*cos(c+dx))^(1/2),x)

[Out] int((cos(c+dx)^(3/2)*(A+B*cos(c+dx)))/(a+b*cos(c+dx))^(1/2),x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.421 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=427

$$\frac{\sqrt{a+b} (2Ab - aB) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + \frac{B \sin(c+dx)}{d\sqrt{a}}}{b^2 d}$$

[Out] a*B*sin(d*x+c)/b/d/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2)+B*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+b*cos(d*x+c))^(1/2)-(a-b)*B*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/b/d+B*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b/d-(2*A*b-B*a)*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^2/d

Rubi [A] time = 1.09, antiderivative size = 427, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {3003, 3051, 2809, 2993, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (2Ab - aB) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + \frac{B \sin(c+dx)}{d\sqrt{a}}}{b^2 d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]],x]

[Out] -(((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*d)) + (Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d) - (Sqrt[a + b]*(2*A*b - a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*d) + (a*B*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]])

Rule 2809

Int[Sqrt[(b_)*sin[(e_.) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*sin[(e_.) + (f_)*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)]]*Sqrt[(a_) + (b_)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Simp[(2*(A*b - a*B)*Cos[e + f*x]/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3003

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(-2*B*Cos[e + f*x]*Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Sin[e + f*x])^(n - 1)*Simp[a*A*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)*(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f*x]^2, x])/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ[n^2, 1/4]
```

Rule 3051

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Dist[C/(b*d), Int[Sqrt[d*Sin[e + f*x]]/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[1/b, Int[(A*b + (b*B - a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{\sqrt{a+b\cos(c+dx)}} dx &= \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{d\sqrt{a+b\cos(c+dx)}} + \frac{1}{2} \int \frac{aB+2aA\cos(c+dx)+(2Ab-)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx \\
 &= \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{d\sqrt{a+b\cos(c+dx)}} + \frac{\int \frac{abB+(2aAb-a(2Ab-aB))\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} dx}{2b} + \dots \\
 &= -\frac{\sqrt{a+b}(2Ab-aB)\cot(c+dx)\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{b^2d} \\
 &= -\frac{\sqrt{a+b}(2Ab-aB)\cot(c+dx)\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{b^2d} \\
 &= -\frac{(a-b)\sqrt{a+b}B\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{abd}
 \end{aligned}$$

Mathematica [C] time = 17.36, size = 4017, normalized size = 9.41

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] ((1 + Cos[c + d*x])^(3/2)*((A*Sqrt[Cos[c + d*x]])/Sqrt[a + b*Cos[c + d*x]] + (B*Cos[c + d*x]^(3/2))/Sqrt[a + b*Cos[c + d*x]])*Sec[(c + d*x)/2]^2*((2*I)*(a - b)*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + (4*I)*(A*b - a*B)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] - (8*I)*A*b*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + (4*I)*a*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + b*Sqrt[(a - b)/(a + b)]*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + 2*a*Sqrt[(a - b)/(a + b)]*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2] - b*Sqrt[(a - b)/(a + b)]*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2]))/(4*b*Sqrt[(a - b)/(a + b)]*d*Sqrt[a + b*Cos[c + d*x]]*(((1 + Cos[c + d*x])^(3/2)*Sec[(c + d*x)/2]^2*Ssin[c + d*x]*((2*I)*(a - b)*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + (4*I)*(A*b - a*B)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] - (8*I)*A*b*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + (4*I)*a*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + b*Sqrt[(a - b)/(a + b)]*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + 2*a*Sqrt[(a - b)/(a + b)]*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2] - b*Sqrt[(a - b)/(a + b)]*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2]))/(8*Sqrt[(a - b)/(a + b)]*(a + b*Cos[c + d*x])^(3/2)) - (3*Sqrt[1 + Cos[c + d*x]]*Sec[(c + d*x)/2]^2*Ssin[c + d*x]*((2*I)*(a - b)*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))])
```


]*Sqrt[(a + b*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2)/(Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[1 + ((a - b)*Tan[(c + d*x)/2]^2)/(a + b)]] - (2*a*Sqrt[(a - b)/(a + b)]*B*Sqrt[(a + b*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2)/(Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[1 + ((a - b)*Tan[(c + d*x)/2]^2)/(a + b)])))/(4*b*Sqrt[(a - b)/(a + b)]*Sqrt[a + b*cos[c + d*x]]))

fricas [F] time = 1.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/sqrt(b*cos(d*x + c) + a), x)

maple [B] time = 0.49, size = 1002, normalized size = 2.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x)

[Out] -1/d/(a+b*cos(d*x+c))^(1/2)*(4*A*sin(d*x+c)*cos(d*x+c)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2)*b-2*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b+B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a+B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b-2*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*a+4*A*sin(d*x+c)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2)*b-2*A*sin(d*x+c)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b+B*sin(d*x+c)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a+B*sin(d*x+c)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b-2*B*sin(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2)*((a+b

$\frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} \cdot \frac{(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}}{a+B\cos(dx+c)^3+b+B\cos(dx+c)^2+a-bB\cos(dx+c)^2-B\cos(dx+c)a} / \sin(dx+c) / b / \cos(dx+c)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \sqrt{\cos(dx+c)}}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)*(A+B*cos(dx+c))/(a+b*cos(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*sqrt(cos(dx+c))/sqrt(b*cos(dx+c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\cos(c+dx)} (A + B \cos(c+dx))}{\sqrt{a + b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c+dx)^(1/2)*(A+B*cos(c+dx)))/(a+b*cos(c+dx))^(1/2),x)

[Out] int((cos(c+dx)^(1/2)*(A+B*cos(c+dx)))/(a+b*cos(c+dx))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c+dx)) \sqrt{\cos(c+dx)}}{\sqrt{a + b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**(1/2)*(A+B*cos(dx+c))/(a+b*cos(dx+c))**(1/2),x)

[Out] Integral((A + B*cos(c+dx))*sqrt(cos(c+dx))/sqrt(a + b*cos(c+dx)), x)

$$3.422 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=228

$$\frac{2A\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2B\sqrt{a+b} \cot(c+dx)}{ad}$$

[Out] 2*A*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), ((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d-2*B*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b, ((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b/d

Rubi [A] time = 0.27, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {3006, 2809, 2816}

$$\frac{2A\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2B\sqrt{a+b} \cot(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]), x]

[Out] (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d) - (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d)

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 3006

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]]/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Dist[B/d, Int[Sqrt[c + d*Sin[e + f*x]]/Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[(B*c - A*d)/d, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx = A \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx + B \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2A\sqrt{a+b} \cot(c + dx) F\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{ad}$$

Mathematica [A] time = 1.48, size = 144, normalized size = 0.63

$$\frac{2\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \left((A - B) F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b-a}{a+b}\right) + 2B\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right)\right) \right)}{d \sqrt{\cos(c + dx) \sec^2\left(\frac{1}{2}(c + dx)\right)} \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]), x]

[Out] (2*Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*((A - B)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]))/(d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2])

fricas [F] time = 1.37, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b \cos(dx + c)^2 + a \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b*cos(d*x + c)^2 + a*cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)

maple [A] time = 0.28, size = 197, normalized size = 0.86

$$\frac{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \left(\sin^2(dx + c)\right) \left(A \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) - B \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right)\right)}{d\sqrt{a + b \cos(dx + c)} (-1 + \cos(dx + c)) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x)

[Out] 2/d*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/(a+b*cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)^2*(A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))-B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))+2*B*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2))/(-1+cos(d*x+c))/cos(d*x+c)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^(1/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))/(sqrt(a + b*cos(c + d*x))*sqrt(cos(c + d*x))), x)

$$3.423 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx) \sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=230

$$\frac{2A(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2\sqrt{a+b}(A-B) \cot(c+dx)}{a^2 d}$$

[Out] $2*A*(a-b)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*(a*(1-\sec(d*x+c))/(a+b))^{1/2}*(a*(1+\sec(d*x+c))/(a-b))^{1/2}/a^2/d-2*(A-B)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*(a*(1-\sec(d*x+c))/(a+b))^{1/2}*(a*(1+\sec(d*x+c))/(a-b))^{1/2}/a/d$

Rubi [A] time = 0.32, antiderivative size = 230, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2998, 2816, 2994}

$$\frac{2A(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2\sqrt{a+b}(A-B) \cot(c+dx)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[a + b*Cos[c + d*x]]), x]

[Out] $(2*A*(a-b)*\text{Sqrt}[a+b]*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(a^2*d) - (2*\text{Sqrt}[a+b]*(A-B)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(a*d)$

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)+(f_)*(x_)])*Sqrt[(a_)+(b_)*sin[(e_)+(f_)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e+f*x]*Rt[(a+b)/d, 2]*Sqrt[(a*(1-Csc[e+f*x]))/(a+b)]*Sqrt[(a*(1+Csc[e+f*x]))/(a-b)]*EllipticF[ArcSin[Sqrt[a+b*Sin[e+f*x]]/(Sqrt[d*Sin[e+f*x]]*Rt[(a+b)/d, 2])], -((a+b)/(a-b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2-b^2, 0] && PosQ[(a+b)/d]

Rule 2994

Int[((A_)+(B_)*sin[(e_)+(f_)*(x_)])/(((b_)*sin[(e_)+(f_)*(x_)])^(3/2)*Sqrt[(c_)+(d_)*sin[(e_)+(f_)*(x_)])], x_Symbol] :> Simp[(-2*A*(c-d)*Tan[e+f*x]*Rt[(c+d)/b, 2]*Sqrt[(c*(1+Csc[e+f*x]))/(c-d)]*Sqrt[(c*(1-Csc[e+f*x]))/(c+d)]*EllipticE[ArcSin[Sqrt[c+d*Sin[e+f*x]]/(Sqrt[b*Sin[e+f*x]]*Rt[(c+d)/b, 2])], -((c+d)/(c-d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2-d^2, 0] && EqQ[A, B] && PosQ[(c+d)/b]

Rule 2998

Int[((A_)+(B_)*sin[(e_)+(f_)*(x_)])/(((a_)+(b_)*sin[(e_)+(f_)*(x_)])^(3/2)*Sqrt[(c_)+(d_)*sin[(e_)+(f_)*(x_)])], x_Symbol] :> Dist[(A-B)/(a-b), Int[1/(Sqrt[a+b*Sin[e+f*x]]*Sqrt[c+d*Sin[e+f*x]]), x], x] - Dist[(A*b-a*B)/(a-b), Int[(1+Sin[e+f*x])/((a+b*Sin[e+f*x])^(3/2)*Sqrt[c+d*Sin[e+f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c-a*d, 0] && NeQ[a^2-b^2, 0] && NeQ[c^2-d^2, 0]

&& NeQ[A, B]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx = A \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx + (-A + B) \int \frac{1}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2A(a - b)\sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{a + b \cos(c + dx)}}{a^2 d}$$

Mathematica [A] time = 13.00, size = 299, normalized size = 1.30

$$2 \left(A \sin(c + dx)(a + b \cos(c + dx)) - \frac{2\sqrt{2} \cos^2\left(\frac{1}{2}(c + dx)\right)^{3/2} \left(-2a(A + B) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \cos^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{a + b \cos(c + dx)}{(a + b)(\cos(c + dx) + 1)}} F\left(\sin^{-1}\left(\tan\left(\frac{c + dx}{2}\right)\right) \middle| -\frac{a + b}{a + b}\right)\right)}{ad \sqrt{\cos(c + dx)}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[a + b*Cos[c + d*x]]), x]

[Out] (2*(A*(a + b*Cos[c + d*x])*Sin[c + d*x] - (2*Sqrt[2]*(Cos[(c + d*x)/2]^2)^(3/2)*(2*A*(a + b)*Cos[(c + d*x)/2]^2*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 2*a*(A + B)*Cos[(c + d*x)/2]^2*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + A*Cos[c + d*x]*(a + b*Cos[c + d*x])*Tan[(c + d*x)/2]))/(1 + Cos[c + d*x])^(3/2)))/(a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b \cos(dx + c)^3 + a \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b*cos(d*x + c)^3 + a*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.27, size = 935, normalized size = 4.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2),x)`

[Out]
$$-2/d/(a+b\cos(dx+c))^{1/2}(B\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})^2a+2B\sin(dx+c)\cos(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})^2a+A\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})^2a-A\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})^2a-A\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})^2b+B\sin(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})^2a+A\sin(dx+c)\cos(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2}\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})^2a-A\sin(dx+c)\cos(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})^2a-A\sin(dx+c)\cos(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2}\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})^2b+A\cos(dx+c)^3b+A\cos(dx+c)^2a-A\cos(dx+c)^2b-A\cos(dx+c)a/a/\cos(dx+c)^{3/2}/\sin(dx+c)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/(sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^(1/2)),x)`

[Out] `int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))/(sqrt(a + b*cos(c + d*x))*cos(c + d*x)**(3/2)), x)
```

$$3.424 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx) \sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=290

$$\frac{2(a-b)\sqrt{a+b}(2Ab-3aB)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{3a^3d} + \frac{2\sqrt{a+b}}{3a^2d}$$

[Out] 2/3*A*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a/d/cos(d*x+c)^(3/2)-2/3*(a-b)*(2*A*b-3*B*a)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b)^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^3/d+2/3*(2*A*b+a*(A-3*B))*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b)^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d

Rubi [A] time = 0.52, antiderivative size = 290, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {3000, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(a(A-3B)+2Ab)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{3a^2d} + \frac{2(a-b)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[a + b*Cos[c + d*x]]),x]

[Out] (-2*(a - b)*Sqrt[a + b]*(2*A*b - 3*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^3*d) + (2*Sqrt[a + b]*(2*A*b + a*(A - 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^2*d) + (2*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2))

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2]]], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A_) + (B_)*sin[(e_.) + (f_)*(x_)])/(((b_)*sin[(e_.) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2]]], -((c + d)/(c - d)))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx = \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{\frac{1}{2}(-2Ab + 3aB) + \frac{1}{2}aA \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx}{3a}$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} + \frac{(2Ab + a(A - 3B)) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{3a}$$

$$= -\frac{2(a - b)\sqrt{a + b}(2Ab - 3aB) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)}{3a^3d}$$

Mathematica [A] time = 15.73, size = 416, normalized size = 1.43

$$\frac{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \left(\frac{2 \sec(c + dx)(3aB \sin(c + dx) - 2Ab \sin(c + dx))}{3a^2} + \frac{2A \tan(c + dx) \sec(c + dx)}{3a} \right)}{d} + \frac{8 \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \cos(c + dx)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[a + b*Cos[c + d*x]]), x]
```

```
[Out] (8*(Cos[(c + d*x)/2]^2)^(7/2)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*(-2*(a + b)*(-2*A*b + 3*a*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(-2*A*b + a*(A + 3*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + (2*A*b - 3*a*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3*a^2*d*Cos[c + d*x]^(3/2)*(1 + Cos[c + d*x])^(3/2)*Sqrt[a + b*Cos[c + d*x]]) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
```

$((2*\text{Sec}[c + d*x]*(-2*A*b*\text{Sin}[c + d*x] + 3*a*B*\text{Sin}[c + d*x]))/(3*a^2) + (2*A*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(3*a))/d$

fricas [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}\sqrt{\cos(dx + c)}}{b \cos(dx + c)^4 + a \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b*cos(d*x + c)^4 + a*cos(d*x + c)^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

maple [B] time = 0.27, size = 1536, normalized size = 5.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(1/2),x)

[Out] $-2/3/d*(3*B*\cos(d*x+c)^2*a^2-3*B*\cos(d*x+c)*a^2-2*A*\cos(d*x+c)^3*b^2+2*A*\cos(d*x+c)^2*b^2-a^2*A+2*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*a*b+A*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*a^2+2*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*b^2+3*B*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\cos(d*x+c)^2*a^2-3*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2+A*\sin(d*x+c)*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*a^2+3*B*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\cos(d*x+c)*a^2+A*\cos(d*x+c)^2*a^2-3*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b+2*A*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*a*b-2*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos$

$$d*x+c)*a*b+A*\cos(d*x+c)^3*a*b-3*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*a*b-2*A*\sin(d*x+c)*\cos(d*x+c)^2*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*a*b-2*A*\cos(d*x+c)^2*a*b+A*\cos(d*x+c)*a*b+3*B*\cos(d*x+c)^3*a*b-3*B*\cos(d*x+c)^2*a*b+2*A*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*b^2-3*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a^2/(a+b*\cos(d*x+c))^{(1/2)}/a^2/\sin(d*x+c)/\cos(d*x+c)^{(3/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^(1/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^(1/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+b*cos(d*x+c))**(1/2),x)

[Out] Timed out

$$3.425 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx) \sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=363

$$\frac{2(4Ab - 5aB) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{15a^2 d \cos^2(c + dx)} + \frac{2(a - b) \sqrt{a + b} (9a^2 A - 10abB + 8Ab^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}}{15a^4 d}$$

[Out] $2/5 * A * \sin(d * x + c) * (a + b * \cos(d * x + c))^{1/2} / a / d / \cos(d * x + c)^{5/2} - 2/15 * (4 * A * b - 5 * B * a) * \sin(d * x + c) * (a + b * \cos(d * x + c))^{1/2} / a^2 / d / \cos(d * x + c)^{3/2} + 2/15 * (a - b) * (9 * A * a^2 + 8 * A * b^2 - 10 * B * a * b) * \cot(d * x + c) * \text{EllipticE}((a + b * \cos(d * x + c))^{1/2} / (a + b)^{1/2} / \cos(d * x + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) * (a + b)^{1/2} * (a * (1 - \sec(d * x + c))) / (a + b)^{1/2} * (a * (1 + \sec(d * x + c))) / (a - b)^{1/2} / a^4 / d - 2/15 * (8 * A * b^2 + a^2 * (9 * A - 5 * B) - 2 * a * b * (A + 5 * B)) * \cot(d * x + c) * \text{EllipticF}((a + b * \cos(d * x + c))^{1/2} / (a + b)^{1/2} / \cos(d * x + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) * (a + b)^{1/2} * (a * (1 - \sec(d * x + c))) / (a + b)^{1/2} * (a * (1 + \sec(d * x + c))) / (a - b)^{1/2} / a^3 / d$

Rubi [A] time = 0.86, antiderivative size = 363, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3000, 3055, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} (a^2(9A - 5B) - 2ab(A + 5B) + 8Ab^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c + dx)}{\sqrt{a+b} \sqrt{\cos(c + dx)}}\right)\right)}{15a^3 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(7/2)*Sqrt[a + b*Cos[c + d*x]]), x]

[Out] $(2 * (a - b) * \text{Sqrt}[a + b] * (9 * a^2 * A + 8 * A * b^2 - 10 * a * b * B) * \text{Cot}[c + d * x] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b * \text{Cos}[c + d * x]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d * x]])], -((a + b) / (a - b))] * \text{Sqrt}[(a * (1 - \text{Sec}[c + d * x])) / (a + b)] * \text{Sqrt}[(a * (1 + \text{Sec}[c + d * x])) / (a - b)]) / (15 * a^4 * d) - (2 * \text{Sqrt}[a + b] * (8 * A * b^2 + a^2 * (9 * A - 5 * B) - 2 * a * b * (A + 5 * B)) * \text{Cot}[c + d * x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b * \text{Cos}[c + d * x]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d * x]])], -((a + b) / (a - b))] * \text{Sqrt}[(a * (1 - \text{Sec}[c + d * x])) / (a + b)] * \text{Sqrt}[(a * (1 + \text{Sec}[c + d * x])) / (a - b)]) / (15 * a^3 * d) + (2 * A * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sin}[c + d * x]) / (5 * a * d * \text{Cos}[c + d * x]^{5/2}) - (2 * (4 * A * b - 5 * a * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sin}[c + d * x]) / (15 * a^2 * d * \text{Cos}[c + d * x]^{3/2})$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx = \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\frac{1}{2}(-4Ab + 5aB) + \frac{3}{2}aA \cos(c + dx) + Ab \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx}{5a}$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)} - \frac{2(4Ab - 5aB)\sqrt{a + b \cos(c + dx)}}{15a^2d \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)} - \frac{2(4Ab - 5aB)\sqrt{a + b \cos(c + dx)}}{15a^2d \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2(a - b)\sqrt{a + b} (9a^2A + 8Ab^2 - 10abB) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b} \cos(c + dx)}{\sqrt{a + b}}\right)\right)}{15a^4d}$$

Mathematica [C] time = 6.41, size = 1319, normalized size = 3.63

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(7/2)*Sqrt[a + b*Cos[c + d*x]]), x]

[Out]
$$-1/15 * ((-4*a*(7*a^2*A*b + 8*A*b^3 - 5*a^3*B - 10*a*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(9*a^3*A + 8*a*A*b^2 - 10*a^2*b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(9*a^2*A*b + 8*A*b^3 - 10*a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])/(a^3*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c + d*x]^2*(-4*A*b*Ssin[c + d*x] + 5*a*B*Ssin[c + d*x]))/(15*a^2) + (2*Sec[c + d*x]*(9*a^2*A*Ssin[c + d*x] + 8*A*b^2*Ssin[c + d*x] - 10*a*b*B*Ssin[c + d*x]))/(15*a^3) + (2*A*Sec[c + d*x]^2*Tan[c + d*x])/(5*a)))/d$$

fricas [F] time = 0.52, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b \cos(dx + c)^5 + a \cos(dx + c)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(7/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b*cos(d*x + c)^5 + a*cos(d*x + c)^4), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(7/2)/(a+b*cos(d*x+c))^(1/2),x, algorith="giac")

[Out] Timed out

maple [B] time = 0.44, size = 2480, normalized size = 6.83

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(7/2)/(a+b*cos(d*x+c))^(1/2),x)

[Out]
$$-2/15/d*(-3*A*a^3+9*A*\cos(d*x+c)^3*a^3-8*A*\cos(d*x+c)^3*b^3-6*A*\cos(d*x+c)^2*a^3+5*B*\cos(d*x+c)^3*a^3-10*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+8*A*\cos(d*x+c)^4*b^3-5*B*\cos(d*x+c)*a^3+8*A*\cos(d*x+c)^3*a*b^2-4*A*\cos(d*x+c)^2*a*b^2+A*\cos(d*x+c)*a^2*b-10*B*\cos(d*x+c)^4*a*b^2-10*B*\cos(d*x+c)^3*a^2*b+5*B*\cos(d*x+c)^2*a^2*b-9*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-8*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+2*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+8*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+10*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+10*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+10*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-9*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+2*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+8*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+10*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+10*B*\cos(d*x+c)^3*a*b^2+9*A*\cos(d*x+c)^4*a^2*b-4*A*\cos(d*x+c)^4*a*b^2-10*A*\cos(d*x+c)^3*a^2*b+5*B*\cos(d*x+c)^4*a^2*b+5*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3-9*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3-8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3+9*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3+5*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)$$

) $\cos(dx+c)^3 \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^3 - 9A \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^3 - 8A \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) b^3 + 9A \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^3 / (a+b \cos(dx+c))^{1/2} / a^3 / \sin(dx+c) / \cos(dx+c)^{5/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/cos(dx+c)^(7/2)/(a+b*cos(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)/(sqrt(b*cos(dx+c) + a)*cos(dx+c)^(7/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{7/2} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))/(cos(c + dx)^(7/2)*(a + b*cos(c + dx))^(1/2)),x)

[Out] int((A + B*cos(c + dx))/(cos(c + dx)^(7/2)*(a + b*cos(c + dx))^(1/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/cos(dx+c)**(7/2)/(a+b*cos(dx+c))**(1/2),x)

[Out] Timed out


```
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{3/2}} dx &= \frac{2a(Ab-aB)\sqrt{\cos(c+dx)} \sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2 \int \frac{-\frac{1}{2}a(Ab-aB)+\frac{1}{2}b(Ab-aB)\cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{b} \\
 &= \frac{2a(Ab-aB)\sqrt{\cos(c+dx)} \sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{(2aAb-3a^2B+b^2B)\sqrt{a+b\cos(c+dx)}}{b^2(a^2-b^2)d} \\
 &= \frac{2a(Ab-aB)\sqrt{\cos(c+dx)} \sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{(2aAb-3a^2B+b^2B)\sqrt{a+b\cos(c+dx)}}{b^2(a^2-b^2)d} \\
 &= -\frac{\sqrt{a+b}(2Ab-3aB)\cot(c+dx)\Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{b^3d} \\
 &= \frac{(2aAb-3a^2B+b^2B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{ab^2\sqrt{a+b}d}
 \end{aligned}$$

Mathematica [C] time = 6.42, size = 1234, normalized size = 2.47

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*sqrt[Cos[c + d*x]]*(-(a*A*b*Sin[c + d*x]) + a^2*B*Sin[c + d*x]))/(b*(-a^2 + b^2)*d*sqrt[a + b*Cos[c + d*x]]) + ((-4*a*(a^2*B - b^2*B)*sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*sqrt[Cos[c + d*x]]*sqrt[a + b*Cos[c + d*x]]) - 4*a*(-2*A*b^2 + 2*a*b*B)*((sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*sqrt[Cos[c + d*x]]*sqrt[a + b*Cos[c + d*x]]) - (sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*sqrt[Cos[c + d*x]]*sqrt[a + b*Cos[c + d*x]]) + 2*(-2*a*A*b + 3*a^2*B - b^2*B)*((I*cos[(c + d*x)/2]*sqrt[a + b*cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*sqrt[((a + b*cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*(a*sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*sqrt[Cos[c + d*x]]*sqrt[a + b*cos[c + d*x]]) - (a*sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])

$c + d*x]) * \text{Csc}[(c + d*x)/2]^2 / a * \text{Csc}[c + d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2 / a] / \text{Sqrt}[2]], (-2*a)/(-a + b)] * \text{Sin}[(c + d*x)/2]^4 / (b * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) / b + (\text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{Sin}[c + d*x]) / (b * \text{Sqrt}[\text{Cos}[c + d*x]]) / (2 * (a - b) * b * (a + b) * d)$

fricas [F] time = 99.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c)) \sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 0.35, size = 2885, normalized size = 5.77

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x)

[Out] $-1/d * (4 * A * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) * a^2 * b - 2 * A * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a^2 * b - 2 * A * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a * b^2 - 2 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a^2 * b - 2 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a * b^2 + 6 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) * a * b^2 + 3 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a^2 * b + 2 * A * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a * b^2 - B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a * b^2 - B * \cos(d*x+c) ^3 * b^3 + 3 * B * c$


```

os(d*x+c)^2*a^3+B*cos(d*x+c)^2*b^3-3*B*cos(d*x+c)*a^3-2*A*cos(d*x+c)^2*a^2*
b+2*A*cos(d*x+c)^2*a*b^2+2*A*cos(d*x+c)*a^2*b-2*A*cos(d*x+c)*a*b^2+B*cos(d*
x+c)^3*a^2*b-3*B*cos(d*x+c)^2*a^2*b-B*cos(d*x+c)^2*a*b^2+2*B*cos(d*x+c)*a^2
*b+B*cos(d*x+c)*a*b^2-4*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x
+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*b^3-6*B*sin(d*x+c)*cos(d*x+c)*(cos
(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)
*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^3+3*B*sin
(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+c
os(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))
^(1/2))*a^3-B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b
*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+
c), (-a-b)/(a+b))^(1/2))*b^3+2*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/
2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/
sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2+4*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+c
os(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^2*b-2*A*sin(d*x+c)*(cos(d*
x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*El
lipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b-2*A*sin(d*x+
c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b
))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2-2*
B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x
+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)
)*a^2*b-2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/
(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a
+b))^(1/2))*a*b^2+6*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*co
s(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c)
, -1, (-a-b)/(a+b))^(1/2))*a*b^2+3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^
(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c)
))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b-B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d
*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+c
os(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2+2*A*sin(d*x+c)*cos(d*x+c)
*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^
(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^3+2*A*si
n(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
)/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^
3-4*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos
(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b
))^(1/2))*b^3-6*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1,
(-a-b)/(a+b))^(1/2))*a^3+3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*
((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin
(d*x+c), (-a-b)/(a+b))^(1/2))*a^3-B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^
(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c)
))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^3)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/
b^2/(a^2-b^2)/cos(d*x+c)^(1/2)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

[Out] int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2), x)

[Out] Timed out

$$3.427 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=416

$$\frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}}\right)\right)}{abd\sqrt{a+b}}$$

[Out] $2*a*(A*b-B*a)*\sin(d*x+c)/b/(a^2-b^2)/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}-2*(A*b-B*a)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/b/d/(a+b)^{(1/2)}+2*(A*b-B*a)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/b/d/(a+b)^{(1/2)}-2*B*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/b^2/d$

Rubi [A] time = 0.61, antiderivative size = 416, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2992, 2809, 2794, 2795, 2816, 2994}

$$\frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}}\right)\right)}{abd\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] $(-2*(A*b - a*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a*b*\text{Sqrt}[a + b]*d) + (2*(A*b - a*B)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a*b*\text{Sqrt}[a + b]*d) - (2*\text{Sqrt}[a + b]*B*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(b^2*d) + (2*a*(A*b - a*B)*\text{Sin}[c + d*x])/(b*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2794

Int[Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2), x_Symbol] := Simp[(-2*a*d*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] - Dist[d^2/(a^2 - b^2), Int[Sqrt[a + b*Sin[e + f*x]]/(d*Sin[e + f*x])^(3/2), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2795

Int[Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2), x_Symbol] := Dist[(c - d)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(b*c - a*d)/(a - b), Int[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2992

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]])/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2), x_Symbol] :> D
ist[B/b, Int[Sqrt[c + d*Sin[e + f*x]]/Sqrt[a + b*Sin[e + f*x]], x], x] + Di
st[(A*b - a*B)/b, Int[Sqrt[c + d*Sin[e + f*x]]/(a + b*Sin[e + f*x])^(3/2),
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2994

```
Int[(((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx = \frac{B \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx}{b} + \frac{(Ab - aB) \int \frac{\sqrt{\cos(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx}{b}$$

$$= -\frac{2\sqrt{a+b} B \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b^2 d}$$

$$= -\frac{2\sqrt{a+b} B \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b^2 d}$$

$$= -\frac{2(Ab - aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{ab\sqrt{a+b} d}$$

Mathematica [C] time = 17.99, size = 1012, normalized size = 2.43

$$\frac{2\sqrt{\cos(c+dx)}(aB\sin(c+dx) - Ab\sin(c+dx))}{(a^2 - b^2)d\sqrt{a+b\cos(c+dx)}} \left(\frac{2(Ab - aB)}{b\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)}\sec(c+dx)\sqrt{\frac{(a+b\cos(c+dx))\sec(c+dx)}{a+b}}} \right) i\cos\left(\frac{1}{2}(c+dx)\right)\sqrt{a+b\cos(c+dx)}E\left(i\sinh^{-1}\left(\frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{\cos(c+dx)}}\right)\right) - \frac{2a}{-a}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*Sqrt[Cos[c + d*x]]*(-(A*b*Sin[c + d*x]) + a*B*Sin[c + d*x]))/((a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - (-4*a*(a*A - b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(A*b - a*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/((-a + b)*(a + b)*d)

fricas [F] time = 2.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c) + A)\sqrt{b\cos(dx+c) + a}\sqrt{\cos(dx+c)}}{b^2\cos(dx+c)^2 + 2ab\cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorith="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 0.33, size = 2013, normalized size = 4.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x)

[Out] 2/d/(a+b*cos(d*x+c))^(1/2)*(B*cos(d*x+c)^2*a^2-B*cos(d*x+c)*a^2+A*cos(d*x+c)^2*b^2-A*cos(d*x+c)*b^2+B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*cos(d*x+c)*a*b-B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*cos(d*x+c)*a*b-A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*b^2-A*cos(d*x+c)^2*a*b+A*cos(d*x+c)*a*b-B*cos(d*x+c)^2*a*b+B*cos(d*x+c)*a*b-A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*b^2-2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2)*a^2+2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2)*b^2+B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*a^2-B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*b^2+A*cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*b^2-A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*b+A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*b+B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*a*b-B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*b^2-2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2)*cos(d*x+c)*a^2+2*B*si

$n(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))$
 $/ (a+b))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}$
 $)*\cos(d*x+c)*b^2+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d$
 $*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-$
 $a-b)/(a+b))^{1/2})*\cos(d*x+c)*a^2-B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}$
 $*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c)$
 $)/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*b^2/\sin(d*x+c)/b/(a^2-b^2)/$
 $\cos(d*x+c)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

[Out] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2), x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(cos(c + d*x))/(a + b*cos(c + d*x))**(3/2), x)

$$3.428 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=284

$$\frac{2(Ab - aB) \sin(c + dx)}{d(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a}}\right)\right)}{a^2 d \sqrt{a + b}}$$

[Out] $-2*(A*b-B*a)*\sin(d*x+c)/(a^2-b^2)/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}$
 $+2*(A*b-B*a)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^2/d/(a+b)^{(1/2)}$
 $+2*(A+B)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d/(a+b)^{(1/2)}$

Rubi [A] time = 0.51, antiderivative size = 284, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2993, 2998, 2816, 2994}

$$\frac{2(Ab - aB) \sin(c + dx)}{d(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a}}\right)\right)}{a^2 d \sqrt{a + b}}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)), x]`

[Out] $(2*(A*b - a*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a^2*\text{Sqrt}[a + b]*d) + (2*(A + B)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a*\text{Sqrt}[a + b]*d) - (2*(A*b - a*B)*\text{Sin}[c + d*x])/((a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2816

`Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]`

Rule 2993

`Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)]]*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)), x_Symbol] :> Simp[(2*(A*b - a*B)*Cos[e + f*x]/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x]/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]`

Rule 2994

`Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]]/(Sqrt[(c_)*sin[(e_) + (f_)*(x_)]]), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]`

*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2]], -((c + d)/(c - d)))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} dx = -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{\int \frac{Ab - aB + (aA - bB) \cos^3(c + dx)}{\cos^2(c + dx) \sqrt{a + b \cos(c + dx)}} dx}{a^2 - b^2}$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{(A + B) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{a}$$

$$= \frac{2(Ab - aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{a^2 \sqrt{a + b} d}$$

Mathematica [C] time = 6.36, size = 1223, normalized size = 4.31

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)), x]

[Out] (-2*Sqrt[Cos[c + d*x]]*(-(A*b^2*Sin[c + d*x]) + a*b*B*Sin[c + d*x]))/(a*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + ((-4*a*(a^2*A - A*b^2)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(-(a*A*b) + a^2*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(-(A*b^2) + a*b*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Csc[c + d*x])/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])

$x)/2]^2)/a]]*\text{Sqrt}[\text{((a + b}\cos[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a]*\text{Csc}[c + d*x]$
 $*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{((a + b}\cos[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a}]/\text{Sqrt}[2]$
 $], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/\text{((a + b)*}\text{Sqrt}[\cos[c + d*x]]*\text{Sqrt}[a$
 $+ b*\cos[c + d*x]]) - (a*\text{Sqrt}[\text{((a + b)*}\text{Cot}[(c + d*x)/2]^2)/(-a + b)]*\text{Sqrt}[-$
 $\text{((a + b)*}\cos[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a]]*\text{Sqrt}[\text{((a + b}\cos[c + d*x])*\text{Csc}$
 $\text{c}[(c + d*x)/2]^2)/a]*\text{Csc}[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{((a + b}\cos$
 $[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a}]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)$
 $/2]^4)/(b*\text{Sqrt}[\cos[c + d*x]]*\text{Sqrt}[a + b*\cos[c + d*x]])))/b + (\text{Sqrt}[a + b*\cos$
 $[c + d*x]]*\text{Sin}[c + d*x])/b)/\text{Sqrt}[\cos[c + d*x]])))/(a*(a - b)*(a + b)*d)$

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^2 \cos(dx + c)^3 + 2ab \cos(dx + c)^2 + a^2 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*cos(d*x + c)^3 + 2*a*b*cos(d*x + c)^2 + a^2*cos(d*x + c)), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.41, size = 1633, normalized size = 5.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2),x)

[Out] $2/d/(a+b*\cos(d*x+c))^{1/2}*(A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*a*b+A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*b^2-A*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*a^2-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a*b-B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a^2-B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b+B*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\cos(d*x+c)*a^2+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b+A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}$

$$\frac{((a+b)^{1/2} * a * b + A * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * b^2 - A * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 - A * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * a * b - B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 - B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b + B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 + B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b + A * \cos(dx+c)^2 * a * b - A * \cos(dx+c)^2 * b^2 - B * \cos(dx+c)^2 * a^2 + B * \cos(dx+c)^2 * a * b - A * \cos(dx+c) * a * b + A * \cos(dx+c) * b^2 + B * \cos(dx+c) * a^2 - B * \cos(dx+c) * a * b) / (a^2 - b^2) / a / \sin(dx+c) / \cos(dx+c)^{1/2}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{(b \cos(dx+c) + a)^{3/2} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/cos(dx+c)^(1/2)/(a+b*cos(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)/((b*cos(dx+c) + a)^(3/2)*sqrt(cos(dx+c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))/(cos(c + dx)^(1/2)*(a + b*cos(c + dx))^(3/2)),x)

[Out] int((A + B*cos(c + dx))/(cos(c + dx)^(1/2)*(a + b*cos(c + dx))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/cos(dx+c)**(1/2)/(a+b*cos(dx+c))**(3/2),x)

[Out] Integral((A + B*cos(c + dx))/((a + b*cos(c + dx))**(3/2)*sqrt(cos(c + dx))), x)

$$3.429 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=305

$$\frac{2b(Ab - aB) \sin(c + dx)}{ad(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} - \frac{2(a(A - B) + 2Ab) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin\right)}{a^2 d \sqrt{a + b}}$$

[Out] 2*b*(A*b-B*a)*sin(d*x+c)/a/(a^2-b^2)/d/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2)+2*(A*a^2-2*A*b^2+B*a*b)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^3/d/(a+b)^(1/2)-2*(2*A*b+a*(A-B))*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d/(a+b)^(1/2)

Rubi [A] time = 0.61, antiderivative size = 305, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {3000, 2998, 2816, 2994}

$$\frac{2b(Ab - aB) \sin(c + dx)}{ad(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2A + abB - 2Ab^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E}{a^3 d \sqrt{a + b}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)),x]

[Out] (2*(a^2*A - 2*A*b^2 + a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^3*Sqrt[a + b]*d) - (2*(2*A*b + a*(A - B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^2*Sqrt[a + b]*d) + (2*b*(A*b - a*B)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)]])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A_.) + (B_.)*sin[(e_.) + (f_)*(x_)])/(((b_.)*sin[(e_.) + (f_)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^2(c + dx)(a + b \cos(c + dx))^{3/2}} dx = \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}(a^2 A - 2Ab^2 + abB)}{\cos^2(c + dx)} dx}{a(a^2 - b^2)}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} - \frac{((a - b)(2Ab + aB))}{a(a^2 - b^2)}$$

$$= \frac{2(a^2 A - 2Ab^2 + abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right)}{a^3 \sqrt{a + b} d}$$

Mathematica [C] time = 6.51, size = 1281, normalized size = 4.20

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)), x]
```

```
[Out] ((-4*a*(2*a^2*A*b - 2*A*b^3 - a^3*B + a*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(a^3*A - 2*a*A*b^2 + a^2*b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d
```

```
*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(a^2*A*b - 2*A*b^3 + a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])/(a^2*(-a + b)*(a + b)*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*(-A*b^3*Sin[c + d*x]) + a*b^2*B*Sin[c + d*x]))/(a^2*(a^2 - b^2)*(a + b*Cos[c + d*x])) + (2*A*Tan[c + d*x])/a^2))/d
```

fricas [F] time = 1.01, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^2 \cos(dx + c)^4 + 2ab \cos(dx + c)^3 + a^2 \cos(dx + c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*cos(d*x + c)^4 + 2*a*b*cos(d*x + c)^3 + a^2*cos(d*x + c)^2), x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.35, size = 2280, normalized size = 7.48

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2),x)
```

```
[Out] 2/d/(a+b*cos(d*x+c))^(1/2)*(A*a^3-B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3+A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^3-2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*b^3-A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3-A*a*b^2+A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((
```

$a+b\cos(dx+c)/(1+\cos(dx+c))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b - 2A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b - B \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b + B \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b + 2A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b + B \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b + 2A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b + 2A \cos(dx+c) b^3 - 2A \cos(dx+c) b^3 - A \cos(dx+c)^2 a^2 b - A \cos(dx+c)^2 a^2 b + A \cos(dx+c) a^2 b + 2A \cos(dx+c) a^2 b + B \cos(dx+c)^2 a^2 b - B \cos(dx+c)^2 a^2 b - B \cos(dx+c) a^2 b + B \cos(dx+c) a^2 b - A \cos(dx+c) a^3 + 2A \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b + 2A \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b - 2A \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b - B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b + B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b + B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b + 2A \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^2 b - A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^3 - B \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) a^3 + A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) \sin(dx+c) a^3 - 2A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b)^{1/2}) \sin(dx+c) b^3 / a^2 / (a^2 - b^2) / \sin(dx+c) / \cos(dx+c)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{(b \cos(dx+c) + a)^{3/2} \cos(dx+c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/cos(dx+c)^(3/2)/(a+b*cos(dx+c))^(3/2),x, algorith="maxima")

[Out] integrate((B*cos(dx+c) + A)/((b*cos(dx+c) + a)^(3/2)*cos(dx+c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^(3/2)),x)
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^(3/2)), x
)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(3/2),x)
[Out] Timed out
```


$$3.430 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^{\frac{3}{2}}} dx$$

Optimal. Leaf size=393

$$\frac{2(a+2b)(a(A-3B)+4Ab) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2(a^2 - b^2) \sqrt{a+b}}{3a^3 d \sqrt{a+b}}$$

[Out] $2*b*(A*b-B*a)*\sin(d*x+c)/a/(a^2-b^2)/d/\cos(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^{(1/2)+2/3*(A*a^2-4*A*b^2+3*B*a*b)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a^2/(a^2-b^2)/d/\cos(d*x+c)^{(3/2)}-2/3*(5*A*a^2*b-8*A*b^3-3*B*a^3+6*B*a*b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^4/d/(a+b)^{(1/2)+2/3*(a+2*b)*(4*A*b+a*(A-3*B))*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^3/d/(a+b)^{(1/2)}$

Rubi [A] time = 0.98, antiderivative size = 393, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3000, 3055, 2998, 2816, 2994}

$$\frac{2(a^2 A + 3abB - 4Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3a^2 d (a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab - aB) \sin(c+dx)}{ad (a^2 - b^2) \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}} + \frac{2(5a^2 - b^2)}{3a^2 d (a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^(3/2)),x]

[Out] $(-2*(5*a^2*A*b - 8*A*b^3 - 3*a^3*B + 6*a*b^2*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -(a + b)/(a - b)]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^4*\text{Sqrt}[a + b]*d) + (2*(a + 2*b)*(4*A*b + a*(A - 3*B))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -(a + b)/(a - b)]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^3*\text{Sqrt}[a + b]*d) + (2*b*(A*b - a*B)*\text{Sin}[c + d*x]/(a*(a^2 - b^2)*d*\text{Cos}[c + d*x]^(3/2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(a^2*A - 4*A*b^2 + 3*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*a^2*(a^2 - b^2)*d*\text{Cos}[c + d*x]^(3/2))$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)])^{(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_)), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} dx = \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} + \frac{2 \int \frac{1}{2}(a^2 A - 4Ab^2 + 3ab^2)}{\dots}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2 A - 4Ab^2 + 3ab^2)}{3a^2 \dots}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2 A - 4Ab^2 + 3ab^2)}{3a^2 \dots}$$

$$= - \frac{2(5a^2 Ab - 8Ab^3 - 3a^3 B + 6ab^2 B) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}} \right) \right)}{3a^4 \sqrt{a+b} d}$$

Mathematica [C] time = 6.71, size = 1357, normalized size = 3.45

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^(3/2)), x]

[Out] ((-4*a*(a^4*A + 7*a^2*A*b^2 - 8*A*b^4 - 6*a^3*b*B + 6*a*b^3*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(5*a^3*A*b - 8*a*A*b^3 - 3*a^4*B + 6*a^2*b^2*B)*(Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(5*a^2*A*b^2 - 8*A*b^4 - 3*a^3*b*B + 6*a*b^3*B)*(I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(3*a^3*(a - b)*(a + b)*d + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c + d*x]*(-5*A*b*Sin[c + d*x] + 3*a*B*Sin[c + d*x]))/(3*a^3) - (2*(-(A*b^4*Sin[c + d*x]) + a*b^3*B*Sin[c + d*x])

x)))/(a^3*(a^2 - b^2)*(a + b*cos[c + d*x])) + (2*A*Sec[c + d*x]*Tan[c + d*x])/((3*a^2))/d

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^2 \cos(dx + c)^5 + 2ab \cos(dx + c)^4 + a^2 \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*cos(d*x + c)^5 + 2*a*b*cos(d*x + c)^4 + a^2*cos(d*x + c)^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2)), x)

maple [B] time = 0.35, size = 3334, normalized size = 8.48

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(3/2),x)

[Out]
$$\begin{aligned} & -2/3/d*(-5*A*cos(d*x+c)^3*a^2*b^2+3*B*cos(d*x+c)^3*a^3*b-6*B*cos(d*x+c)^3*a \\ & *b^3-6*B*cos(d*x+c)^2*a^2*b^2+6*B*cos(d*x+c)^2*a*b^3+3*B*cos(d*x+c)*a^2*b^2 \\ & -5*A*cos(d*x+c)^2*a^3*b+8*A*cos(d*x+c)^2*a*b^3-4*A*cos(d*x+c)*a*b^3+A*a^2*b \\ & ^2+8*A*cos(d*x+c)^3*b^4-8*A*cos(d*x+c)^2*b^4+3*B*cos(d*x+c)^2*a^4-3*B*cos(d \\ & *x+c)*a^4+A*cos(d*x+c)^2*a^4-3*B*cos(d*x+c)^2*a^3*b+A*cos(d*x+c)^3*a^3*b-4* \\ & A*cos(d*x+c)^3*a*b^3+4*A*cos(d*x+c)^2*a^2*b^2+4*A*cos(d*x+c)*a^3*b+3*B*cos(\\ & d*x+c)^3*a^2*b^2+5*A*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d* \\ & x+c), (-a-b)/(a+b)^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+ \\ & c))/(1+cos(d*x+c))/(a+b)^(1/2)*a^3*b-3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c) \\ & /(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*Elliptic \\ & E((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a^4-8*A*sin(d*x+c)*cos \\ & (d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/ \\ & (a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*b^4 \\ & -A*a^4+5*A*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a- \\ & b)/(a+b)^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos \\ & (d*x+c))/(a+b)^(1/2)*a^2*b^2-8*A*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d \\ & *x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)* \\ & (a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*a*b^3+2*A*sin(d*x+c)*cos(d*x+c) \\ & *(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b) \\ & ^{(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a^2*b^2+8 \\ & *A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c) \\ &)/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/ \\ & (a+b)^(1/2))*a*b^3-3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(\\ & 1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c) \end{aligned}$$

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^(3/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+b*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.431 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=674

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^3(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(-5a^3B + 2a^2Ab + 9ab^2B - 6Ab^3) \sin(c + dx) \sqrt{\cos(c + dx)}}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} \quad (-15)$$

[Out] $\frac{2}{3} a (A b - B a) \cos(d x + c)^{3/2} \sin(d x + c) / b / (a^2 - b^2) / d / (a + b \cos(d x + c))^{3/2} + \frac{2}{3} a (2 A a^2 b - 6 A a b^3 - 5 B a^3 + 9 B a b^2) \sin(d x + c) \cos(d x + c)^{1/2} / b^2 / (a^2 - b^2)^2 / d / (a + b \cos(d x + c))^{1/2} - \frac{1}{3} (6 A a^3 b - 14 A a b^3 - 15 B a^4 + 26 B a^2 b^2 - 3 B b^4) \sin(d x + c) (a + b \cos(d x + c))^{1/2} / b^3 / (a^2 - b^2)^2 / d / \cos(d x + c)^{1/2} + \frac{1}{3} (6 A a^3 b - 14 A a b^3 - 15 B a^4 + 26 B a^2 b^2 - 3 B b^4) \cot(d x + c) \operatorname{EllipticE}((a + b \cos(d x + c))^{1/2} / (a + b)^{1/2} / \cos(d x + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) (a (1 - \sec(d x + c)) / (a + b))^{1/2} (a (1 + \sec(d x + c)) / (a - b))^{1/2} / a / (a - b) / b^3 / (a + b)^{3/2} / d - \frac{1}{3} (6 A a^2 b + 2 A a b^2 - 12 A b^3 - 15 B a^3 - 5 B a^2 b + 21 B a b^2 + 3 B b^3) \cot(d x + c) \operatorname{EllipticF}((a + b \cos(d x + c))^{1/2} / (a + b)^{1/2} / \cos(d x + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) (a (1 - \sec(d x + c)) / (a + b))^{1/2} (a (1 + \sec(d x + c)) / (a - b))^{1/2} / (a - b) / b^3 / (a + b)^{3/2} / d - (2 A b - 5 B a) \cot(d x + c) \operatorname{EllipticPi}((a + b \cos(d x + c))^{1/2} / (a + b)^{1/2} / \cos(d x + c)^{1/2}, (a + b) / b, ((-a - b) / (a - b))^{1/2}) (a + b)^{1/2} (a (1 - \sec(d x + c)) / (a + b))^{1/2} (a (1 + \sec(d x + c)) / (a - b))^{1/2} / b^4 / d$

Rubi [A] time = 2.19, antiderivative size = 674, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2989, 3047, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^3(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(2a^2Ab - 5a^3B + 9ab^2B - 6Ab^3) \sin(c + dx) \sqrt{\cos(c + dx)}}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} \quad (6a^3Ab)$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]

[Out] $((6 a^3 A b - 14 a^2 A b^3 - 15 a^4 B + 26 a^2 b^2 B - 3 b^4 B) \operatorname{Cot}[c + d x] * \operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]]] / (\operatorname{Sqrt}[a + b] \operatorname{Sqrt}[\operatorname{Cos}[c + d x]])], -((a + b) / (a - b))] * \operatorname{Sqrt}[(a (1 - \operatorname{Sec}[c + d x])) / (a + b)] * \operatorname{Sqrt}[(a (1 + \operatorname{Sec}[c + d x])) / (a - b)]) / (3 a (a - b) b^3 (a + b)^{3/2} d) - ((6 a^2 A b + 2 a^2 A b^2 - 12 A b^3 - 15 a^3 B - 5 a^2 b B + 21 a b^2 B + 3 b^3 B) \operatorname{Cot}[c + d x] * \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]]] / (\operatorname{Sqrt}[a + b] \operatorname{Sqrt}[\operatorname{Cos}[c + d x]])], -((a + b) / (a - b))] * \operatorname{Sqrt}[(a (1 - \operatorname{Sec}[c + d x])) / (a + b)] * \operatorname{Sqrt}[(a (1 + \operatorname{Sec}[c + d x])) / (a - b)]) / (3 (a - b) b^3 (a + b)^{3/2} d) - (\operatorname{Sqrt}[a + b] * (2 A b - 5 a B) \operatorname{Cot}[c + d x] * \operatorname{EllipticPi}[(a + b) / b, \operatorname{ArcSin}[\operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]]] / (\operatorname{Sqrt}[a + b] \operatorname{Sqrt}[\operatorname{Cos}[c + d x]])], -((a + b) / (a - b))] * \operatorname{Sqrt}[(a (1 - \operatorname{Sec}[c + d x])) / (a + b)] * \operatorname{Sqrt}[(a (1 + \operatorname{Sec}[c + d x])) / (a - b)]) / (b^4 d) + (2 a (A b - a B) \operatorname{Cos}[c + d x]^{3/2} \operatorname{Sin}[c + d x]) / (3 b (a^2 - b^2) d (a + b \operatorname{Cos}[c + d x])^{3/2}) + (2 a (2 a^2 A b - 6 A b^3 - 5 a^3 B + 9 a b^2 B) \operatorname{Sqrt}[\operatorname{Cos}[c + d x]] \operatorname{Sin}[c + d x]) / (3 b^2 (a^2 - b^2)^2 d \operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]]) - ((6 a^3 A b - 14 a^2 A b^3 - 15 a^4 B + 26 a^2 b^2 B - 3 b^4 B) \operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]] \operatorname{Sin}[c + d x]) / (3 b^3 (a^2 - b^2)^2 d \operatorname{Sqrt}[\operatorname{Cos}[c + d x]])$

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,

2]]], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2989

Int[((a_.) + (b_.)*sin[(e_)] + (f_)*(x_)]^(m_)*((A_.) + (B_.)*sin[(e_)] + (f_)*(x_)]*((c_.) + (d_.)*sin[(e_)] + (f_)*(x_)]^(n_), x_Symbol] :> -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 2994

Int[((A_.) + (B_.)*sin[(e_)] + (f_)*(x_)]/(((b_.)*sin[(e_)] + (f_)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_.) + (B_.)*sin[(e_)] + (f_)*(x_)]/(((a_.) + (b_.)*sin[(e_)] + (f_)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3047

Int[((a_.) + (b_.)*sin[(e_)] + (f_)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_)] + (f_)*(x_)]^(n_)*((A_.) + (B_.)*sin[(e_)] + (f_)*(x_)] + (C_.)*sin[(e_)] + (f_)*(x_)]^2), x_Symbol] :> -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{\frac{5}{2}}} dx &= \frac{2a(Ab - aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} - \frac{2 \int \frac{\sqrt{\cos(c+dx)} \left(-\frac{3}{2}a(Ab-aB) + \frac{3}{2}b\right)}{dx}}{dx} \\ &= \frac{2a(Ab - aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2a(2a^2Ab - 6Ab^3 - 5a^3B - 3b^2(a^2 - b^2)^2)}{3b^2(a^2 - b^2)^2} \\ &= \frac{2a(Ab - aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2a(2a^2Ab - 6Ab^3 - 5a^3B - 3b^2(a^2 - b^2)^2)}{3b^2(a^2 - b^2)^2} \\ &= \frac{2a(Ab - aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2a(2a^2Ab - 6Ab^3 - 5a^3B - 3b^2(a^2 - b^2)^2)}{3b^2(a^2 - b^2)^2} \\ &= -\frac{\sqrt{a+b}(2Ab - 5aB) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^4d} \\ &= \frac{(6a^3Ab - 14aAb^3 - 15a^4B + 26a^2b^2B - 3b^4B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3a(a-b)b^3(a+b)} \end{aligned}$$

Mathematica [C] time = 6.70, size = 1396, normalized size = 2.07

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((-2*(-(a^2*A*b*Sin[c + d*x])
+ a^3*B*Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)*(a + b*Cos[c + d*x])^2) - (2*(-3
*a^3*A*b*Sin[c + d*x] + 7*a*A*b^3*Sin[c + d*x] + 6*a^4*B*Sin[c + d*x] - 10*
a^2*b^2*B*Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)^2*(a + b*Cos[c + d*x])))/d +
((-4*a*(-2*a^3*A*b + 2*a*A*b^3 + 5*a^4*B - 8*a^2*b^2*B + 3*b^4*B)*Sqrt[((a
+ b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*
x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]
*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]
], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a
+ b*Cos[c + d*x]]) - 4*a*(2*a^2*A*b^2 + 6*A*b^4 + 4*a^3*b*B - 12*a*b^3*B)*(
Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*C
sc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Cs
c[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/
a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x
]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]
*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c +
d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((
a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(
c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(-6*a^3
*A*b + 14*a*A*b^3 + 15*a^4*B - 26*a^2*b^2*B + 3*b^4*B)*((I*Cos[(c + d*x)/2]
*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c +
d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c +
d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((
a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c +
d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*
x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[
2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[
a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[
-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*
Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*
Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*
x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*
Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(6*(a - b)^2*b^2*(a +
b)^2*d)
```

fricas [F] time = 3.80, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2) \sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algor
ithm="fricas")
```

```
[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a)*sqr
t(cos(d*x + c))/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(
d*x + c) + a^3), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^(5/2
), x)
```

maple [B] time = 0.70, size = 8611, normalized size = 12.78

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^(5/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{5/2} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2),x)`

[Out] `int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2),x)`

[Out] Timed out

$$3.432 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=545

$$\frac{2(3a^3B - 7ab^2B + 4Ab^3) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3ab^2d(a-b)(a+b)^{3/2}} + \frac{2a(Ab - a^2)}{3bd(a^2 - b^2)}$$

[Out] $\frac{2}{3} a (A b - B a) \sin(d x + c) \cos(d x + c)^{(1/2)} / b (a^2 - b^2) / d (a + b \cos(d x + c))^{(3/2)} - \frac{2}{3} a (4 A b^3 + 3 B a^3 - 7 B a b^2) \sin(d x + c) / b^2 (a^2 - b^2)^2 / d \cos(d x + c)^{(1/2)} / (a + b \cos(d x + c))^{(1/2)} + \frac{2}{3} (4 A b^3 + 3 B a^3 - 7 B a b^2) \cot(d x + c) \operatorname{EllipticE}((a + b \cos(d x + c))^{(1/2)} / (a + b)^{(1/2)} / \cos(d x + c)^{(1/2)}, ((-a - b) / (a - b))^{(1/2)}) * (a * (1 - \sec(d x + c)) / (a + b))^{(1/2)} * (a * (1 + \sec(d x + c)) / (a - b))^{(1/2)} / a / (a - b) / b^2 / (a + b)^{(3/2)} / d + \frac{2}{3} (A a b^2 - 3 A a b^3 - 3 B a^3 - B a^2 b + 6 B a b^2) \cot(d x + c) \operatorname{EllipticF}((a + b \cos(d x + c))^{(1/2)} / (a + b)^{(1/2)} / \cos(d x + c)^{(1/2)}, ((-a - b) / (a - b))^{(1/2)}) * (a * (1 - \sec(d x + c)) / (a + b))^{(1/2)} * (a * (1 + \sec(d x + c)) / (a - b))^{(1/2)} / a / (a - b) / b^2 / (a + b)^{(3/2)} / d - 2 B \cot(d x + c) \operatorname{EllipticPi}((a + b \cos(d x + c))^{(1/2)} / (a + b)^{(1/2)} / \cos(d x + c)^{(1/2)}, (a + b) / b, ((-a - b) / (a - b))^{(1/2)}) * (a + b)^{(1/2)} * (a * (1 - \sec(d x + c)) / (a + b))^{(1/2)} * (a * (1 + \sec(d x + c)) / (a - b))^{(1/2)} / b^3 / d$

Rubi [A] time = 1.40, antiderivative size = 545, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2989, 3051, 2809, 2993, 2998, 2816, 2994}

$$-\frac{2a(3a^3B - 7ab^2B + 4Ab^3) \sin(c+dx)}{3b^2d(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx) \sqrt{\cos(c+dx)}}{3bd(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(-a^2bB - 3a^3B + a^2b^2)}{3bd(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]

[Out] $(2*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]/(\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])], -((a + b)/(a - b))]*\operatorname{Sqrt}[(a*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[(a*(1 + \operatorname{Sec}[c + d*x]))/(a - b)])/(3*a*(a - b)*b^2*(a + b)^{(3/2)}*d) + (2*(a*A*b^2 - 3*A*b^3 - 3*a^3*B - a^2*b*B + 6*a*b^2*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]/(\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])], -((a + b)/(a - b))]*\operatorname{Sqrt}[(a*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[(a*(1 + \operatorname{Sec}[c + d*x]))/(a - b)])/(3*a*(a - b)*b^2*(a + b)^{(3/2)}*d) - (2*\operatorname{Sqrt}[a + b]*B*\operatorname{Cot}[c + d*x]*\operatorname{EllipticPi}[(a + b)/b, \operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]/(\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])], -((a + b)/(a - b))]*\operatorname{Sqrt}[(a*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[(a*(1 + \operatorname{Sec}[c + d*x]))/(a - b)])/(b^3*d) + (2*a*(A*b - a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\operatorname{Cos}[c + d*x])^{(3/2)}) - (2*a*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*\operatorname{Sin}[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]])$

Rule 2809

Int[Sqrt[(b_)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1

- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2989

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 2993

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])^((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Simp[(2*(A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

Rule 2994

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3051

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Dist[C/(b*d), Int[Sqrt[d*Sin[e + f*x]]/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[1/b, Int[(A*b + (b*B - a*C)*Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$+ d*x)/2]^2)/a]]*Sqrt[((a + b*\text{Cos}[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[Sqrt[((a + b*\text{Cos}[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/(b*Sqrt[\text{Cos}[c + d*x]]*Sqrt[a + b*\text{Cos}[c + d*x]])))/b + (Sqrt[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(b*Sqrt[\text{Cos}[c + d*x]])))/(3*(a - b)^2*b*(a + b)^2*d)$

fricas [F] time = 1.37, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 0.51, size = 5749, normalized size = 10.55

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2), x)`

[Out] `int((cos(c + d*x)^(3/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \cos^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2), x)`

[Out] `Integral((A + B*cos(c + d*x))*cos(c + d*x)**(3/2)/(a + b*cos(c + d*x))**(5/2), x)`

$$3.433 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=391

$$\frac{2(3a^2A - 4abB + Ab^2) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2A - 4abB + Ab^2)}{3d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

[Out] $-2/3*(A*b-B*a)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)}+2/3*(3*A*a^2+A*b^2-4*B*a*b)*\sin(d*x+c)/(a^2-b^2)^2/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}-2/3*(3*A*a^2+A*b^2-4*B*a*b)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^2/(a-b)/(a+b)^{(3/2)}/d+2/3*(3*A*a-A*b+B*a-3*B*b)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/(a-b)/(a+b)^{(3/2)}/d$

Rubi [A] time = 0.87, antiderivative size = 391, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2999, 2993, 2998, 2816, 2994}

$$\frac{2(3a^2A - 4abB + Ab^2) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2A - 4abB + Ab^2)}{3d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]

[Out] $(-2*(3*a^2*A + A*b^2 - 4*a*b*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^2*(a - b)*(a + b)^{(3/2)*d} + (2*(3*a*A - A*b + a*B - 3*b*B)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a*(a - b)*(a + b)^{(3/2)*d} - (2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{(3/2)}) + (2*(3*a^2*A + A*b^2 - 4*a*b*B)*\text{Sin}[c + d*x])/(3*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2993

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2), x_Symbol] := Simp[(2*(A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)]
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2999

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Si
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*
x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a +
b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m
+ 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*S
in[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{5/2}} dx = -\frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2\int \frac{\frac{1}{2}(Ab-aB)-\frac{3}{2}(aA-bB)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}}}{3(a^2-b^2)}$$

$$= -\frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(3a^2A+Ab^2-4abB)}{3(a^2-b^2)^2d\sqrt{\cos(c+dx)}}$$

$$= -\frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(3a^2A+Ab^2-4abB)}{3(a^2-b^2)^2d\sqrt{\cos(c+dx)}}$$

$$= -\frac{2(3a^2A+Ab^2-4abB)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{3a^2(a-b)(a+b)^{3/2}d}$$

Mathematica [C] time = 6.45, size = 1335, normalized size = 3.41

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5
/2), x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*(-(A*b*Sin[c + d*x]) + a*B
*Sin[c + d*x]))/(3*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) - (2*(3*a^2*A*b*Sin[
c + d*x] + A*b^3*Sin[c + d*x] - 4*a*b^2*B*Sin[c + d*x]))/(3*a*(a^2 - b^2)^2
*(a + b*Cos[c + d*x])))/d + ((-4*a*(-(a^2*A*b) + A*b^3 + a^3*B - a*b^2*B)*
Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Cs
c[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc
[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a
]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]
]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(3*a^3*A + a*A*b^2 - 4*a^2*b*B)*((Sqrt[((
a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c +
d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*
x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[
2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[
a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(
((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Cs
c[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Co
s[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)
/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(3*a^2*A*b + A*
b^3 - 4*a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*
ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x]
)/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c
+ d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*S
qrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*
x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c
+ d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]
^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b
)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/
2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*El
lipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/S
qrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a
+ b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Co
s[c + d*x]])))/(3*a*(a - b)^2*(a + b)^2*d)
```

fricas [F] time = 1.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algor
ithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(
b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3),
x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^(5/2
), x)
```

maple [B] time = 0.39, size = 4237, normalized size = 10.84

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(1/2)}*(A+B*\cos(dx+c))/(a+b*\cos(dx+c))^{(5/2)}, x)$

[Out]
$$\begin{aligned} & -2/3/d/(a+b*\cos(dx+c))^{(3/2)}*(-3*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b \\ & * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+ \\ & c), (-a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^4+B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx \\ & +c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos \\ & (dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^4+3*A*(\cos(dx+c)/(1+\cos(dx+c) \\ &))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx \\ & x+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\sin(dx+c)*a^4+3*B*\sin(dx+c)*(\cos(d \\ & *x+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*E \\ & llipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^2*a*b^ \\ & 3-3*A*\cos(dx+c)^3*a^2*b^2+4*B*\cos(dx+c)^3*a*b^3+8*B*\cos(dx+c)^2*a^2*b^2- \\ & 4*B*\cos(dx+c)^2*a*b^3+4*B*\cos(dx+c)*a^3*b-3*B*\cos(dx+c)*a^2*b^2-6*A*\cos(\\ & dx+c)^2*a^3*b-2*A*\cos(dx+c)^2*a*b^3-A*\cos(dx+c)*a^2*b^2-A*\cos(dx+c)^3*b \\ & ^4+A*\cos(dx+c)^2*b^4+B*\cos(dx+c)^3*a^4-B*\cos(dx+c)*a^4+3*A*\cos(dx+c)^2* \\ & a^4-4*B*\cos(dx+c)^2*a^3*b+2*A*\cos(dx+c)^3*a^3*b+2*A*\cos(dx+c)^3*a*b^3+4* \\ & A*\cos(dx+c)^2*a^2*b^2+4*A*\cos(dx+c)*a^3*b-5*B*\cos(dx+c)^3*a^2*b^2+6*A*\sin \\ & (dx+c)*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/ \\ & 2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b \\ &))^{(1/2)}*a^3*b+3*A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(d \\ & *x+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (- \\ & a-b)/(a+b))^{(1/2)}*a^3*b+A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a \\ & +b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx \\ & x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^2+A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c))) \\ & ^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+x \\ & c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b^3-A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(\\ & dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticF}((-1+ \\ & \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^2-4*B*\sin(dx+c)*(\cos(d \\ & x+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*El \\ & lipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^3*b-4*B*\sin(dx+x \\ & c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b) \\ &)^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^2+ \\ & 4*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(d \\ & *x+c))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/ \\ & 2)}*a^3*b+3*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c) \\ &)/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/ \\ & (a+b))^{(1/2)}*a^2*b^2+A*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(\\ & 1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c) \\ &)/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*b^4-3*A*\cos(dx+c)*a^4+4*A*\sin(dx+c)*co \\ & s(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*(\cos(d \\ & x+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*a^ \\ & 2*b^2+2*A*\sin(dx+c)*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b) \\ &)/(a+b))^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(\\ & dx+c))/(a+b))^{(1/2)}*a*b^3-5*A*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx \\ & +c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos \\ & (dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^2-A*\sin(dx+c)*\cos(dx+c)* \\ & (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1 \\ & /2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b^3-4*B*si \\ & n(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+ \\ & \cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b) \\ &)^{(1/2)}*a^3*b-8*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}* \\ & ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin \\ & (dx+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^2-4*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c) \\ & /1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{(1/2)}*\text{Ellipt \\ & icE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b^3+5*B*\sin(dx+c)*c \\ & os(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c) \\ &)/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a \\ & ^3*b+7*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(\end{aligned}$$

$$\frac{d*x+c)}{(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-$$

$$(a-b)/(a+b))^{1/2}) * a^2 * b^2 + 3 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*$$

$$x+c))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticF}((-1+co$$

$$s(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a * b^3 + 3 * A * (\cos(d*x+c)/(1+\cos(d*x$$

$$+c))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos$$

$$(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * \sin(d*x+c) * \cos(d*x+c)^2 * a^3 * b^3 + 3 * A$$

$$* \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b * \cos(d*x+c)$$

$$)/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/$$

$$(a+b))^{1/2}) * a^2 * b^2 + A * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(1+\cos(d*x+c)))$$

$$^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+$$

$$c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a * b^3 - 3 * A * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos$$

$$(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}$$

$$* \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a^3 * b - 4 * A * (\cos(d*$$

$$x+c)/(1+\cos(d*x+c))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * \sin(d*x+c) * \cos(d$$

$$*x+c)^2 * a^2 * b^2 - A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b * \cos(d*x+c))/(1+co$$

$$s(d*x+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})$$

$$^{1/2}) * \sin(d*x+c) * \cos(d*x+c)^2 * a * b^3 - 4 * B * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)$$

$$)/(1+\cos(d*x+c))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{Ellip$$

$$ticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a^2 * b^2 - 4 * B * \sin(d*x+c$$

$$) * \cos(d*x+c)^2 * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d$$

$$*x+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})$$

$$^{1/2}) * a * b^3 + B * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b$$

$$* \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+$$

$$c), (- (a-b)/(a+b))^{1/2}) * a^3 * b + 4 * B * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(1+c$$

$$os(d*x+c))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticF}(($$

$$-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a^2 * b^2 + B * (\cos(d*x+c)/(1+co$$

$$s(d*x+c))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticF}((-$$

$$1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * \sin(d*x+c) * \cos(d*x+c) * a^4 - 4 * A * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a^3 * b + A * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * b^4 - 3 * A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * \sin(d*x+c) * \cos(d*x+c) * a^4 - 7 * A * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a^3 * b + 3 * A * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b * \cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} * a^4 / \sin(d*x+c) / a / (a-b)^2 / (a+b)^2 / \cos(d*x+c)^{1/2}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2), x)`

[Out] `int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(a + b*cos(c + d*x))^(5/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2), x)`

[Out] `Integral((A + B*cos(c + d*x))*sqrt(cos(c + d*x))/(a + b*cos(c + d*x))**(5/2), x)`

$$3.434 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=429

$$\frac{2b(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(-3a^2(A + B) + ab(3A + B) + 2Ab^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(1 + \sec(c + dx))}{a - b}}}{3a^2 d \sqrt{a + b} (a^2 - b^2)}$$

[Out] $\frac{2}{3} b (A b - B a) \sin(d x + c) \cos(d x + c)^{1/2} / a (a^2 - b^2) / d (a + b \cos(d x + c))^{3/2} - \frac{2}{3} (6 A a^2 b - 2 A b^3 - 3 B a^3 - B a b^2) \sin(d x + c) / a (a^2 - b^2)^{3/2} / d \cos(d x + c)^{1/2} / (a + b \cos(d x + c))^{1/2} + \frac{2}{3} (6 A a^2 b - 2 A b^3 - 3 B a^3 - B a b^2) \cot(d x + c) \operatorname{EllipticE}((a + b \cos(d x + c))^{1/2} / (a + b)^{1/2} / \cos(d x + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) * (a * (1 - \sec(d x + c)) / (a + b))^{1/2} * (a * (1 + \sec(d x + c)) / (a - b))^{1/2} / a^3 / (a - b) / (a + b)^{3/2} / d - \frac{2}{3} (2 A b^2 - 3 a^2 (A + B) + a b (3 A + B)) \cot(d x + c) \operatorname{EllipticF}((a + b \cos(d x + c))^{1/2} / (a + b)^{1/2} / \cos(d x + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) * (a * (1 - \sec(d x + c)) / (a + b))^{1/2} * (a * (1 + \sec(d x + c)) / (a - b))^{1/2} / a^2 / (a^2 - b^2) / d / (a + b)^{1/2}$

Rubi [A] time = 0.99, antiderivative size = 429, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3000, 2993, 2998, 2816, 2994}

$$\frac{2(6a^2Ab - 3a^3B - ab^2B - 2Ab^3) \sin(c + dx)}{3ad(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2b(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(-3a^2(A + B) + ab(3A + B) + 2Ab^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(1 + \sec(c + dx))}{a - b}}}{3a^2 d \sqrt{a + b} (a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(5/2)),x]
 [Out] $(2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]]/(\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])], -((a + b)/(a - b)))*\operatorname{Sqrt}[(a*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[(a*(1 + \operatorname{Sec}[c + d*x]))/(a - b)]/(3*a^3*(a - b)*(a + b)^{3/2}*d) - (2*(2*A*b^2 - 3*a^2*(A + B) + a*b*(3*A + B))*\operatorname{Cot}[c + d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]]/(\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])], -((a + b)/(a - b)))*\operatorname{Sqrt}[(a*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[(a*(1 + \operatorname{Sec}[c + d*x]))/(a - b)]/(3*a^2*\operatorname{Sqrt}[a + b]*(a^2 - b^2)*d) + (2*b*(A*b - a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*\operatorname{Cos}[c + d*x])^{3/2}) - (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*\operatorname{Sin}[c + d*x])/(3*a*(a^2 - b^2)^2*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]])$

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2993

Int[((A_.) + (B_.)*sin[(e_.) + (f_)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_)*(x_)]])*((a_.) + (b_.)*sin[(e_.) + (f_)*(x_)]^(3/2)), x_Symbol] := Simp[(2*(A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3000

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{5/2}} dx = \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2 \int \frac{\frac{1}{2}(3a^2A - 2Ab^2 - abB) - \frac{3}{2}a(Ab - a^2)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{3a(a^2 - b^2)}$$

$$= \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{2(6a^2Ab - 2Ab^3 - 3a^3B - ab^2B)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}}$$

$$= \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{2(6a^2Ab - 2Ab^3 - 3a^3B - ab^2B)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}}$$

$$= \frac{2(6a^2Ab - 2Ab^3 - 3a^3B - ab^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3a^3(a-b)(a+b)^{3/2}d}$$

Mathematica [C] time = 6.58, size = 1384, normalized size = 3.23

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*cos[c + d*x])^(5/2)), x]

[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]*((-2*(-(A*b^2*sin[c + d*x]) + a*b*B*sin[c + d*x]))/(3*a*(a^2 - b^2)*(a + b*cos[c + d*x])^2) - (2*(-6*a^2*A*b^2*sin[c + d*x] + 2*A*b^4*sin[c + d*x] + 3*a^3*b*B*sin[c + d*x] + a*b^3*B*sin[c + d*x]))/(3*a^2*(a^2 - b^2)^2*(a + b*cos[c + d*x])))/d + ((-4*a*(3*a^4*A - 5*a^2*A*b^2 + 2*A*b^4 - a^3*b*B + a*b^3*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]) - 4*a*(-6*a^3*A*b + 2*a*A*b^3 + 3*a^4*B + a^2*b^2*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]) + 2*(-6*a^2*A*b^2 + 2*A*b^4 + 3*a^3*b*B + a*b^3*B)*((I*cos[(c + d*x)/2]*Sqrt[a + b*cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]))/b + (Sqrt[a + b*cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])/(3*a^2*(a - b)^2*(a + b)^2*d)

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^4 + 3ab^2 \cos(dx + c)^3 + 3a^2b \cos(dx + c)^2 + a^3 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*cos(d*x + c)^4 + 3*a*b^2*cos(d*x + c)^3 + 3*a^2*b*cos(d*x + c)^2 + a^3*cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)

maple [B] time = 0.90, size = 5203, normalized size = 12.13

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^(5/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.435 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=456

$$\frac{2b(Ab - aB) \sin(c + dx)}{3ad(a^2 - b^2) \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} + \frac{2b(-5a^3B + 8a^2Ab + ab^2B - 4Ab^3) \sin(c + dx)}{3a^2d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(-3a^3B + 8a^2Ab + ab^2B - 4Ab^3) \sin(c + dx)}{3ad(a^2 - b^2) \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}}$$

[Out] $\frac{2}{3}b*(A*b-B*a)*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)}/\cos(d*x+c)^{(1/2)}+2/3*b*(8*A*a^2*b-4*A*b^3-5*B*a^3+B*a*b^2)*\sin(d*x+c)/a^2/(a^2-b^2)^2/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}+2/3*(3*A*a^4-15*A*a^2*b^2+8*A*b^4+6*B*a^3*b-2*B*a*b^3)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^4/(a-b)/(a+b)^{(3/2)}/d+2/3*(8*A*b^3-3*a^3*(A-B)+2*a*b^2*(3*A-B)-3*a^2*b*(3*A+B))*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^3/(a^2-b^2)/d/(a+b)^{(1/2)}$

Rubi [A] time = 1.16, antiderivative size = 456, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3000, 3055, 2998, 2816, 2994}

$$\frac{2b(8a^2Ab - 5a^3B + ab^2B - 4Ab^3) \sin(c + dx)}{3a^2d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2b(Ab - aB) \sin(c + dx)}{3ad(a^2 - b^2) \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} + \frac{2(-3a^3B + 8a^2Ab + ab^2B - 4Ab^3) \sin(c + dx)}{3ad(a^2 - b^2) \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(5/2)), x]

[Out] $(2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a^4*(a - b)*(a + b)^{(3/2)*d} + (2*(8*A*b^3 - 3*a^3*(A - B) + 2*a*b^2*(3*A - B) - 3*a^2*b*(3*A + B))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a^3*\text{Sqrt}[a + b]*(a^2 - b^2)*d) + (2*b*(A*b - a*B)*\text{Sin}[c + d*x])/((3*a*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Cos}[c + d*x])^{(3/2)}) + (2*b*(8*a^2*A*b - 4*A*b^3 - 5*a^3*B + a*b^2*B)*\text{Sin}[c + d*x])/((3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]))$

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A_) + (B_)*sin[(e_.) + (f_.)*(x_)])/(((b_)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_) + (d_)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^

2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3000

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{5/2}} dx = \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} + \frac{2 \int \frac{1}{2} (3a^2 A - 4Ab^2)}{\dots}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} + \frac{2b(8a^2 Ab - \dots)}{3a^2(a^2 - b^2)^2}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} + \frac{2b(8a^2 Ab - \dots)}{3a^2(a^2 - b^2)^2}$$

$$= \frac{2(3a^4 A - 15a^2 Ab^2 + 8Ab^4 + 6a^3 bB - 2ab^3 B) \cot(c + dx) E(\sin^{-1} \dots)}{3a^4(a - b)(a + b)}$$

Mathematica [C] time = 6.72, size = 1431, normalized size = 3.14

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(5/2)), x]

[Out] -1/3*((-4*a*(9*a^4*A*b - 17*a^2*A*b^3 + 8*A*b^5 - 3*a^5*B + 5*a^3*b^2*B - 2*a*b^4*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(3*a^5*A - 15*a^3*A*b^2 + 8*a*A*b^4 + 6*a^4*b*B - 2*a^2*b^3*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(3*a^4*A*b - 15*a^2*A*b^3 + 8*A*b^5 + 6*a^3*b^2*B - 2*a*b^4*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(a^3*(a - b)^2*(a + b)^2*d + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*(-(A*b^3*Sin[c + d*x])) + a*b^2*B*Sin[c + d*x]))/(3*a^2*(a^2

$-b^2)(a + b\cos[c + dx])^2 + (2(-9a^2Ab^3\sin[c + dx] + 5Ab^5\sin[c + dx] + 6a^3b^2B\sin[c + dx] - 2ab^4B\sin[c + dx]))/(3a^3(a^2 - b^2)^2(a + b\cos[c + dx])) + (2A\tan[c + dx])/a^3)/d$

fricas [F] time = 1.24, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c)+A)\sqrt{b\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{b^3\cos(dx+c)^5+3ab^2\cos(dx+c)^4+3a^2b\cos(dx+c)^3+a^3\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*cos(d*x + c)^5 + 3*a*b^2*cos(d*x + c)^4 + 3*a^2*b*cos(d*x + c)^3 + a^3*cos(d*x + c)^2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.42, size = 6498, normalized size = 14.25

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(5/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B\cos(dx+c)+A}{(b\cos(dx+c)+a)^{\frac{5}{2}}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B\cos(c + dx)}{\cos(c + dx)^{3/2}(a + b\cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^(5/2)),x)

[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(5/2), x)

[Out] Timed out

$$3.436 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=567

$$\frac{2b(Ab - aB) \sin(c + dx)}{3ad(a^2 - b^2) \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2b(-7a^3B + 10a^2Ab + 3ab^2B - 6Ab^3) \sin(c + dx)}{3a^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} + \frac{2(a^4A + 8a^3bB - 4a^2b^2B^2 - 4ab^3B^2 + 4b^4B^3)}{3a^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}}$$

[Out] $\frac{2}{3}b*(A*b-B*a)*\sin(d*x+c)/a/(a^2-b^2)/d/\cos(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^{(3/2)}+2/3*b*(10*A*a^2*b-6*A*b^3-7*B*a^3+3*B*a*b^2)*\sin(d*x+c)/a^2/(a^2-b^2)^2/d/\cos(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^{(1/2)}+2/3*(A*a^4-13*A*a^2*b^2+8*A*b^4+8*B*a^3*b-4*B*a*b^3)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a^3/(a^2-b^2)^2/d/\cos(d*x+c)^{(3/2)}-2/3*(8*A*a^4*b-28*A*a^2*b^3+16*A*b^5-3*B*a^5+15*B*a^3*b^2-8*B*a*b^4)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^5/(a-b)/(a+b)^{(3/2)}/d-2/3*(16*A*b^4-a^4*(A-3*B)+4*a*b^3*(3*A-2*B)-9*a^3*b*(A-B)-2*a^2*b^2*(8*A+3*B))*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^4/(a^2-b^2)/d/(a+b)^{(1/2)}$

Rubi [A] time = 1.88, antiderivative size = 567, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3000, 3055, 2998, 2816, 2994}

$$\frac{2(-13a^2Ab^2 + a^4A + 8a^3bB - 4ab^3B + 8Ab^4) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{3a^3d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)} + \frac{2b(10a^2Ab - 7a^3B + 3ab^2B - 6Ab^3) \sin(c + dx)}{3a^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^(5/2)), x]

[Out] $(-2*(8*a^4*A*b - 28*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^5*(a - b)*(a + b)^{(3/2)*d} - (2*(16*A*b^4 - a^4*(A - 3*B) + 4*a*b^3*(3*A - 2*B) - 9*a^3*b*(A - B) - 2*a^2*b^2*(8*A + 3*B))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^4*\text{Sqrt}[a + b]*(a^2 - b^2)*d) + (2*b*(A*b - a*B)*\text{Sin}[c + d*x])/(3*a*(a^2 - b^2)*d*\text{Cos}[c + d*x]^{(3/2)}*(a + b*\text{Cos}[c + d*x])^{(3/2)}) + (2*b*(10*a^2*A*b - 6*A*b^3 - 7*a^3*B + 3*a*b^2*B)*\text{Sin}[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(a^4*A - 13*a^2*A*b^2 + 8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*\text{Cos}[c + d*x]^{(3/2)})$

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_)] + (b_)*sin[(e_)] + (f_)*(x_)]], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994


```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)]
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3000

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^{5/2}} dx &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2 \int \frac{\frac{3}{2}(a^2 A - 2Ab^2 + abB)}{\dots}}{\dots} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3)}{3a^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3)}{3a^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3)}{3a^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} \\
&= -\frac{2(8a^4 Ab - 28a^2 Ab^3 + 16Ab^5 - 3a^5 B + 15a^3 b^2 B - 8ab^4 B) \cot(c + dx)}{3a^5(a - b)(a + b \cos(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [C] time = 6.95, size = 1499, normalized size = 2.64

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^(5/2)),x]

[Out] ((-4*a*(a^6*A + 15*a^4*A*b^2 - 32*a^2*A*b^4 + 16*A*b^6 - 9*a^5*b*B + 17*a^3*b^3*B - 8*a*b^5*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(8*a^5*A*b - 28*a^3*A*b^3 + 16*a*A*b^5 - 3*a^6*B + 15*a^4*b^2*B - 8*a^2*b^4*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(8*a^4*A*b^2 - 28*a^2*A*b^4 + 16*A*b^6 - 3*a^5*b*B + 15*a^3*b^3*B - 8*a*b^5*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])

*Csc[(c + d*x)/2]^2)/a)*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b *Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d *x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]))/b + (Sqrt[a + b *Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]]))/((3*a^4*(a - b)^2*(a + b)^2*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c + d*x]*(-8*A*b*Sin[c + d*x] + 3*a*B*Sin[c + d*x]))/(3*a^4) - (2*(-(A*b^4*Sin[c + d*x]) + a*b^3*B*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) - (2 *(-12*a^2*A*b^4*Sin[c + d*x] + 8*A*b^6*Sin[c + d*x] + 9*a^3*b^3*B*Sin[c + d *x] - 5*a*b^5*B*Sin[c + d*x]))/(3*a^4*(a^2 - b^2)^2*(a + b*Cos[c + d*x])) + (2*A*Sec[c + d*x]*Tan[c + d*x])/(3*a^3)))/d

fricas [F] time = 1.96, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^6 + 3ab^2 \cos(dx + c)^5 + 3a^2b \cos(dx + c)^4 + a^3 \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x, algorith="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*cos(d*x + c)^6 + 3*a*b^2*cos(d*x + c)^5 + 3*a^2*b*cos(d*x + c)^4 + a^3*cos(d*x + c)^3), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x, algorith="giac")

[Out] Timed out

maple [B] time = 0.50, size = 8093, normalized size = 14.27

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{\frac{5}{2}} (a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^(5/2)),x)
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^(5/2)), x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+b*cos(d*x+c))**(5/2),x)
[Out] Timed out
```

$$3.437 \quad \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=419

$$\frac{aB\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{b^2 d} + \frac{B \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a+b} \cos(c+dx)}$$

[Out] a*B*sin(d*x+c)/b/d/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2)+B*sin(d*x+c)*cos(d*x+c)^(1/2)/d/(a+b*cos(d*x+c))^(1/2)-(a-b)*B*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/b/d+B*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b/d+a*B*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^2/d

Rubi [A] time = 0.79, antiderivative size = 419, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {21, 2820, 2809, 3003, 2993, 12, 2801, 2816, 2994}

$$\frac{aB\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{b^2 d} + \frac{B \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a+b} \cos(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] -(((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(a*b*d) + (Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(b*d) + (a*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(b^2*d) + (a*B*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_.))^(m_.)*((c_) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2801

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[1/(a - b), Int[1/(Sqrt[a + b*Sin

$e + f*x]]*Sqrt[c + d*\sin[e + f*x]], x], x] - \text{Dist}[b/(a - b), \text{Int}[(1 + \sin[e + f*x])/((a + b*\sin[e + f*x])^{3/2}*Sqrt[c + d*\sin[e + f*x]]), x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2809

$\text{Int}[Sqrt[(b_.)*\sin[e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*\sin[e_.) + (f_.)*(x_.)]], x_Symbol] :> \text{Simp}[(2*b*\tan[e + f*x]*\text{Rt}[(c + d)/b, 2]*Sqrt[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*Sqrt[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[Sqrt[c + d*\sin[e + f*x]]/(Sqrt[b*\sin[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /;$
 $\text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

Rule 2816

$\text{Int}[1/(Sqrt[(d_.)*\sin[e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*\sin[e_.) + (f_.)*(x_.)]), x_Symbol] :> \text{Simp}[(-2*\tan[e + f*x]*\text{Rt}[(a + b)/d, 2]*Sqrt[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*Sqrt[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[Sqrt[a + b*\sin[e + f*x]]/(Sqrt[d*\sin[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /;$
 $\text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2820

$\text{Int}[(d_.)*\sin[e_.) + (f_.)*(x_.)]^{3/2}/Sqrt[(a_.) + (b_.)*\sin[e_.) + (f_.)*(x_.)]), x_Symbol] :> -\text{Dist}[(a*d)/(2*b), \text{Int}[Sqrt[d*\sin[e + f*x]]/Sqrt[a + b*\sin[e + f*x]], x], x] + \text{Dist}[d/(2*b), \text{Int}[(Sqrt[d*\sin[e + f*x]]*(a + 2*b*\sin[e + f*x]))/Sqrt[a + b*\sin[e + f*x]], x], x] /;$
 $\text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2993

$\text{Int}[(A_.) + (B_.)*\sin[e_.) + (f_.)*(x_.)]/(Sqrt[(d_.)*\sin[e_.) + (f_.)*(x_.)])*((a_.) + (b_.)*\sin[e_.) + (f_.)*(x_.)])^{3/2}), x_Symbol] :> \text{Simp}[(2*(A*b - a*B)*\cos[e + f*x]/(f*(a^2 - b^2)*Sqrt[a + b*\sin[e + f*x]]*Sqrt[d*\sin[e + f*x]]), x] + \text{Dist}[d/(a^2 - b^2), \text{Int}[(A*b - a*B + (a*A - b*B)*\sin[e + f*x])/(Sqrt[a + b*\sin[e + f*x]]*(d*\sin[e + f*x])^{3/2}), x], x] /;$
 $\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2994

$\text{Int}[(A_.) + (B_.)*\sin[e_.) + (f_.)*(x_.)]/(((b_.)*\sin[e_.) + (f_.)*(x_.)])^{3/2}*Sqrt[(c_.) + (d_.)*\sin[e_.) + (f_.)*(x_.)]), x_Symbol] :> \text{Simp}[(-2*A*(c - d)*\tan[e + f*x]*\text{Rt}[(c + d)/b, 2]*Sqrt[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*Sqrt[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[Sqrt[c + d*\sin[e + f*x]]/(Sqrt[b*\sin[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /;$
 $\text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 3003

$\text{Int}[Sqrt[(a_.) + (b_.)*\sin[e_.) + (f_.)*(x_.)]]*((A_.) + (B_.)*\sin[e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[e_.) + (f_.)*(x_.)])^{n_.)}, x_Symbol] :> \text{Simp}[(-2*B*\cos[e + f*x]*Sqrt[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])^n)/(f*(2*n + 3)), x] + \text{Dist}[1/(2*n + 3), \text{Int}[(c + d*\sin[e + f*x])^{n-1}*\text{Simp}[a*A*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)*(2*n + 3))*\sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*\sin[e + f*x]^2, x])/Sqrt[a + b*\sin[e + f*x]], x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\}$

$\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[n^2, 1/4]$

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^3(c+dx)(aB + bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx &= B \int \frac{\cos^3(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx \\
 &= \frac{B \int \frac{\sqrt{\cos(c+dx)}(a+2b \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx}{2b} - \frac{(aB) \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx}{2b} \\
 &= \frac{a\sqrt{a+b} B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a(1-\cos(c+dx))}}{b^2 d} \\
 &= \frac{a\sqrt{a+b} B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a(1-\cos(c+dx))}}{b^2 d} \\
 &= \frac{a\sqrt{a+b} B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a(1-\cos(c+dx))}}{b^2 d} \\
 &= \frac{a\sqrt{a+b} B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a(1-\cos(c+dx))}}{b^2 d} \\
 &= \frac{(a-b)\sqrt{a+b} B \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a(1-\cos(c+dx))}}{abd}
 \end{aligned}$$

Mathematica [C] time = 1.44, size = 480, normalized size = 1.15

$$\frac{B\sqrt{\cos(c+dx)} \left(2a\sqrt{\frac{a-b}{a+b}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \tan\left(\frac{1}{2}(c+dx)\right) - b\sqrt{\frac{a-b}{a+b}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \tan\left(\frac{1}{2}(c+dx)\right) + b\sqrt{\frac{a-b}{a+b}} \sin\left(\frac{3}{2}(c+dx)\right) \right)}{abd}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (B*Sqrt[Cos[c + d*x]]*((2*I)*(a - b)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] - (4*I)*a*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + (4*I)*a*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + b*Sqrt[(a - b)/(a + b)]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + 2*a*Sqrt[(a - b)/(a + b)]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2] - b*Sqrt[(a - b)/(a + b)]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2])/(2*b*Sqrt[(a - b)/(a + b)]*d*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[a + b*Cos[c + d*x]])

fricas [F] time = 53.18, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c)^3}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(B*cos(d*x + c)^(3/2)/sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(3/2), x)

maple [A] time = 0.34, size = 623, normalized size = 1.49

$$B \left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \operatorname{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}} \right) \cos(dx+c) \sin(dx+c) a + \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x)

[Out] -B/d*((cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*cos(d*x+c)*sin(d*x+c)*a+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*cos(d*x+c)*sin(d*x+c)*b-2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2)*cos(d*x+c)*sin(d*x+c)*a+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*sin(d*x+c)+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b*sin(d*x+c)-2*a*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2)*sin(d*x+c)+cos(d*x+c)^3*b+a*cos(d*x+c)^2-cos(d*x+c)^2*b-a*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^(1/2)/b

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{3/2} (Ba + Bb \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(3/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

[Out] int((cos(c + d*x)^(3/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2), x)

[Out] B*Integral(cos(c + d*x)**(3/2)/sqrt(a + b*cos(c + d*x)), x)

$$3.438 \quad \int \frac{\sqrt{\cos(c+dx)} (aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=117

$$\frac{2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd}$$

[Out] $-2*B*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)/(a+b)^{(1/2)/\cos(d*x+c)^{(1/2)}, (a+b)/b, ((-a-b)/(a-b))^{(1/2)}*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/b/d$

Rubi [A] time = 0.08, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {21, 2809}

$$\frac{2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sqrt}[\text{Cos}[c + d*x]]*(a*B + b*B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])^{(3/2)}, x]$

[Out] $(-2*\text{Sqrt}[a + b]*B*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(b*d)$

Rule 21

$\text{Int}[(u_*)*((a_*) + (b_*)*(v_*))^{(m_*)}*((c_*) + (d_*)*(v_*))^{(n_*)}, x_Symbol] :> \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x, a + b*x])$

Rule 2809

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]]/\text{Sqrt}[(c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]], x_Symbol] :> \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\sin[e + f*x]]]/(\text{Sqrt}[b*\sin[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)} (aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx = B \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx = -\frac{2\sqrt{a+b} B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{bd}$$

Mathematica [A] time = 0.14, size = 131, normalized size = 1.12

$$\frac{2B\sqrt{\cos(c+dx)} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right) - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right) \right)}{d \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (-2*B*Sqrt[Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*(EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 2*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]))/(d*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[a + b*Cos[c + d*x]])

fricas [F] time = 1.52, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B\sqrt{\cos(dx+c)}}{\sqrt{b\cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(B*sqrt(cos(d*x + c))/sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx+c) + Ba)\sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^(3/2), x)

maple [A] time = 0.33, size = 160, normalized size = 1.37

$$\frac{2B \left(\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}}\right) - 2 \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \sqrt{\frac{a-b}{a+b}}\right) \right) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}}$$

$$d\sqrt{a + b \cos(dx+c)} (-1 + \cos(dx+c)) \sqrt{\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x)

[Out] -2*B/d*(EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))-2*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)^2/(a+b*cos(d*x+c))^(1/2)/(-1+cos(d*x+c))/cos(d*x+c)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx+c) + Ba)\sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)} (Ba + Bb \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x)^(1/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

[Out] int((cos(c + d*x)^(1/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2), x)

[Out] B*Integral(sqrt(cos(c + d*x))/sqrt(a + b*cos(c + d*x)), x)

$$3.439 \quad \int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} dx$$

Optimal. Leaf size=110

$$\frac{2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad}$$

[Out] 2*B*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d

Rubi [A] time = 0.09, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {21, 2816}

$$\frac{2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)), x]

[Out] (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rubi steps

$$\int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} dx = B \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx = \frac{2\sqrt{a+b} B \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{ad}$$

Mathematica [A] time = 0.89, size = 171, normalized size = 1.55

$$\frac{4B(a+b)\cos^{\frac{3}{2}}(c+dx)\csc(c+dx)\sqrt{-\frac{(a+b)\cot^2\left(\frac{1}{2}(c+dx)\right)}{a-b}}\sqrt{\frac{\csc^2\left(\frac{1}{2}(c+dx)\right)(a+b\cos(c+dx))}{a}}F\left(\sin^{-1}\left(\sqrt{-\frac{a+b\cos(c+dx)}{a(\cos(c+dx)-1)}}\right)\right)}{ad\sqrt{a+b\cos(c+dx)}\left(-\frac{(a+b)\cos(c+dx)\csc^2\left(\frac{1}{2}(c+dx)\right)}{a}\right)^{\frac{3}{2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)), x]

[Out] (-4*(a + b)*B*Cos[c + d*x]^(3/2)*Sqrt[-(((a + b)*Cot[(c + d*x)/2]²)/(a - b))]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]²)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[-((a + b*Cos[c + d*x])/(a*(-1 + Cos[c + d*x])))]], (2*a)/(a - b)]/(a*d*Sqrt[a + b*Cos[c + d*x]]*(-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]²)/a)^(3/2))

fricas [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}B\sqrt{\cos(dx+c)}}{b\cos(dx+c)^2+a\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b*cos(d*x + c) + a)*B*sqrt(cos(d*x + c))/(b*cos(d*x + c)² + a*cos(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb\cos(dx+c)+Ba}{(b\cos(dx+c)+a)^{\frac{3}{2}}\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)

maple [A] time = 0.23, size = 124, normalized size = 1.13

$$\frac{2B\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}}\right)\sqrt{\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))(a+b)}}\left(\sin^4(dx+c)\right)}{d\sqrt{a+b\cos(dx+c)}\cos(dx+c)^{\frac{3}{2}}(-1+\cos(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x)

[Out] -2*B/d*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/(a+b*cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*sin(d*x+c)⁴/cos(d*x+c)^(3/2)/(-1+cos(d*x+c))²

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{Ba + Bb \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^(3/2)), x)

[Out] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(1/2)*(a + b*cos(c + d*x))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{1}{\sqrt{a + b \cos(c + dx)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(3/2), x)

[Out] B*Integral(1/(sqrt(a + b*cos(c + d*x))*sqrt(cos(c + d*x))), x)

$$3.440 \quad \int \frac{aB + bB \cos(c + dx)}{\cos^2(c + dx)(a + b \cos(c + dx))^{3/2}} dx$$

Optimal. Leaf size=226

$$\frac{2B(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{a^2d} \quad 2B\sqrt{a+b} \cot(c+dx)$$

[Out] 2*(a-b)*B*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d-2*B*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d

Rubi [A] time = 0.27, antiderivative size = 226, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {21, 2801, 2816, 2994}

$$\frac{2B(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{a^2d} \quad 2B\sqrt{a+b} \cot(c+dx)$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)), x]

[Out] (2*(a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^2*d) - (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d)

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2801

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[1/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994


```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} dx = B \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx$$

$$= -\left(B \int \frac{1}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx\right) + B \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2(a - b)\sqrt{a + b} B \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{a + b \cos(c + dx)}}{a^2 d}$$

Mathematica [A] time = 2.19, size = 212, normalized size = 0.94

$$\frac{2B \left(\tan\left(\frac{1}{2}(c + dx)\right) (a + b \cos(c + dx)) + a \sqrt{\cos(c + dx)} \sqrt{\cos(c + dx) + 1} \sqrt{\frac{a + b \cos(c + dx)}{(a + b)(\cos(c + dx) + 1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| -\frac{a + b}{a - b}\right) \right)}{ad \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*B + b*B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])
^(3/2)), x]
```

```
[Out] (2*B*(-((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c
+ d*x])/(a + b)*(1 + Cos[c + d*x])])*EllipticE[ArcSin[Tan[(c + d*x)/2]]],
(-a + b)/(a + b)) + a*Sqrt[Cos[c + d*x]]*Sqrt[1 + Cos[c + d*x]]*Sqrt[(a +
b*Cos[c + d*x])/(a + b)*(1 + Cos[c + d*x])])*EllipticF[ArcSin[Tan[(c + d*x
)/2]]], (-a + b)/(a + b) + (a + b*Cos[c + d*x])*Tan[(c + d*x)/2]))/(a*d*Sqr
t[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
```

fricas [F] time = 2.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} B \sqrt{\cos(dx + c)}}{b \cos(dx + c)^3 + a \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2), x, a
lgorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)*B*sqrt(cos(d*x + c))/(b*cos(d*x + c)^3 +
a*cos(d*x + c)^2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.26, size = 613, normalized size = 2.71

$$2B \left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) \cos(dx+c) \sin(dx+c) a - \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2), x)

[Out] $-2*B/d*((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*b+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b*\sin(d*x+c)+\cos(d*x+c)^2*b+a*\cos(d*x+c)-b*\cos(d*x+c)-a)/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{1/2}/a$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx+c) + Ba}{(b \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{Ba + Bb \cos(c + dx)}{\cos(c + dx)^{3/2} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^(3/2)), x)

[Out] int((B*a + B*b*cos(c + d*x))/(cos(c + d*x)^(3/2)*(a + b*cos(c + d*x))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{1}{\sqrt{a + b \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(3/2), x)
```

```
[Out] B*Integral(1/(sqrt(a + b*cos(c + d*x))*cos(c + d*x)**(3/2)), x)
```

$$3.441 \quad \int \frac{1 + \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx) \sqrt{2+3 \cos(c+dx)}} dx$$

Optimal. Leaf size=72

$$\frac{\cot(c+dx) \sqrt{-\sec(c+dx)-1} \sqrt{1-\sec(c+dx)} E\left(\sin^{-1}\left(\frac{\sqrt{3 \cos(c+dx)+2}}{\sqrt{5} \sqrt{\cos(c+dx)}}\right) \middle| 5\right)}{d}$$

[Out] $-\cot(d*x+c)*\text{EllipticE}(1/5*(2+3*\cos(d*x+c))^{(1/2)}*5^{(1/2)}/\cos(d*x+c)^{(1/2)},5^{(1/2)})*(-1-\sec(d*x+c))^{(1/2)}*(1-\sec(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.09, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {2994}

$$\frac{\cot(c+dx) \sqrt{-\sec(c+dx)-1} \sqrt{1-\sec(c+dx)} E\left(\sin^{-1}\left(\frac{\sqrt{3 \cos(c+dx)+2}}{\sqrt{5} \sqrt{\cos(c+dx)}}\right) \middle| 5\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[2 + 3*Cos[c + d*x]]), x]

[Out] -((Cot[c + d*x]*EllipticE[ArcSin[Sqrt[2 + 3*Cos[c + d*x]]]/(Sqrt[5]*Sqrt[Cos[c + d*x]])], 5)*Sqrt[-1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]])/d)

Rule 2994

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int \frac{1 + \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx) \sqrt{2+3 \cos(c+dx)}} dx = -\frac{\cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{2+3 \cos(c+dx)}}{\sqrt{5} \sqrt{\cos(c+dx)}}\right) \middle| 5\right) \sqrt{-1-\sec(c+dx)} \sqrt{1-\sec(c+dx)}}{d}$$

Mathematica [F] time = 35.24, size = 0, normalized size = 0.00

$$\int \frac{1 + \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx) \sqrt{2+3 \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[2 + 3*Cos[c + d*x]]), x]

[Out] Integrate[(1 + Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[2 + 3*Cos[c + d*x]]), x]

fricas [F] time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{3}\cos(dx+c)+2(\cos(dx+c)+1)\sqrt{\cos(dx+c)}}{3\cos(dx+c)^3+2\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(2+3*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(3*cos(d*x + c) + 2)*(cos(d*x + c) + 1)*sqrt(cos(d*x + c))/(3*cos(d*x + c)^3 + 2*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)+1}{\sqrt{3\cos(dx+c)+2}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(2+3*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(3*cos(d*x + c) + 2)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.45, size = 658, normalized size = 9.14

$$2\sqrt{2}\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}\sqrt{10}\sqrt{\frac{2+3\cos(dx+c)}{1+\cos(dx+c)}}\sin(dx+c)(\cos^2(dx+c))\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{\sqrt{5}}{5}\right) + 4\sqrt{2}\left(\frac{\cos}{1+\cos}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(2+3*cos(d*x+c))^(1/2), x)

[Out] -1/10/d/(2+3*cos(d*x+c))^(1/2)*(2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*10^(1/2)*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c), 1/5*5^(1/2))+4*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*10^(1/2)*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), 1/5*5^(1/2))+2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*sin(d*x+c)*10^(1/2)*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), 1/5*5^(1/2))-5*sin(d*x+c)*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*10^(1/2)*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), 1/5*5^(1/2))+2*sin(d*x+c)*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*10^(1/2)*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), 1/5*5^(1/2))-5*sin(d*x+c)*cos(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*10^(1/2)*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), 1/5*5^(1/2))+2*sin(d*x+c)*cos(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*10^(1/2)*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), 1/5*5^(1/2))+30*cos(d*x+c)^3-10*cos(d*x+c)^2-20*cos(d*x+c))/cos(d*x+c)^(3/2)/sin(d*x+c)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)+1}{\sqrt{3\cos(dx+c)+2}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(2+3*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(3*cos(d*x + c) + 2)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx) + 1}{\cos(c + dx)^{3/2} \sqrt{3 \cos(c + dx) + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(3*cos(c + d*x) + 2)^(1/2)),x)

[Out] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(3*cos(c + d*x) + 2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx) + 1}{\sqrt{3 \cos(c + dx) + 2} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)**(3/2)/(2+3*cos(d*x+c))**(1/2),x)

[Out] Integral((cos(c + d*x) + 1)/(sqrt(3*cos(c + d*x) + 2)*cos(c + d*x)**(3/2)), x)

$$3.442 \quad \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{-2 + 3 \cos(c + dx)}} dx$$

Optimal. Leaf size=70

$$\frac{\sqrt{5} \cot(c + dx) \sqrt{\sec(c + dx) - 1} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{3 \cos(c + dx) - 2}}{\sqrt{\cos(c + dx)}}\right) \middle| \frac{1}{5}\right)}{d}$$

[Out] $-\cot(d*x+c)*\text{EllipticE}((-2+3*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}, 1/5*5^{(1/2)})$
 $*5^{(1/2)}*(-1+\sec(d*x+c))^{(1/2)}*(1+\sec(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.10, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {2994}

$$\frac{\sqrt{5} \cot(c + dx) \sqrt{\sec(c + dx) - 1} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{3 \cos(c + dx) - 2}}{\sqrt{\cos(c + dx)}}\right) \middle| \frac{1}{5}\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + \text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[-2 + 3*\text{Cos}[c + d*x]]), x]$

[Out] $-\left(\text{Sqrt}[5]*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[-2 + 3*\text{Cos}[c + d*x]]/\text{Sqrt}[\text{Cos}[c + d*x]]], 1/5]*\text{Sqrt}[-1 + \text{Sec}[c + d*x]]*\text{Sqrt}[1 + \text{Sec}[c + d*x]]\right)/d$

Rule 2994

$\text{Int}[(A_ + (B_)*\sin[(e_.) + (f_)*(x_)])/((b_)*\sin[(e_.) + (f_)*(x_)])^{(3/2)}*\text{Sqrt}[(c_.) + (d_)*\sin[(e_.) + (f_)*(x_)]], x_Symbol] := \text{Simp}[(-2*A_*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rubi steps

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{-2 + 3 \cos(c + dx)}} dx = -\frac{\sqrt{5} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{-2 + 3 \cos(c + dx)}}{\sqrt{\cos(c + dx)}}\right) \middle| \frac{1}{5}\right) \sqrt{-1 + \sec(c + dx)}}{d}$$

Mathematica [F] time = 38.26, size = 0, normalized size = 0.00

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{-2 + 3 \cos(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] $\text{Integrate}[(1 + \text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[-2 + 3*\text{Cos}[c + d*x]]), x]$

[Out] $\text{Integrate}[(1 + \text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[-2 + 3*\text{Cos}[c + d*x]]), x]$

fricas [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{3 \cos(dx + c) - 2} (\cos(dx + c) + 1) \sqrt{\cos(dx + c)}}{3 \cos(dx + c)^3 - 2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-2+3*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(3*cos(d*x + c) - 2)*(cos(d*x + c) + 1)*sqrt(cos(d*x + c))/(3*cos(d*x + c)^3 - 2*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c) + 1}{\sqrt{3 \cos(dx + c) - 2} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-2+3*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(3*cos(d*x + c) - 2)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.42, size = 600, normalized size = 8.57

$$2 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \sin(dx+c) \left(\cos^2(dx+c) \right) \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{5} \right) \sqrt{\frac{-2+3 \cos(dx+c)}{1+\cos(dx+c)}} + 4 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \sin(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-2+3*cos(d*x+c))^(1/2),x)

[Out] -1/d/(-2+3*cos(d*x+c))^(1/2)*(2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),5^(1/2))*((-2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)+4*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),5^(1/2))*((-2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)+2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*sin(d*x+c)*((-2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),5^(1/2))+2*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((-2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),5^(1/2))+sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((-2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),5^(1/2))+2*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((-2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),5^(1/2))+sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((-2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),5^(1/2))-3*cos(d*x+c)^3+5*cos(d*x+c)^2-2*cos(d*x+c))/cos(d*x+c)^(3/2)/sin(d*x+c)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c) + 1}{\sqrt{3 \cos(dx + c) - 2} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-2+3*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(3*cos(d*x + c) - 2)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx) + 1}{\cos(c + dx)^{3/2} \sqrt{3 \cos(c + dx) - 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(3*cos(c + d*x) - 2)^(1/2)), x)

[Out] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(3*cos(c + d*x) - 2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx) + 1}{\sqrt{3 \cos(c + dx) - 2} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)**(3/2)/(-2+3*cos(d*x+c))**(1/2), x)

[Out] Integral((cos(c + d*x) + 1)/(sqrt(3*cos(c + d*x) - 2)*cos(c + d*x)**(3/2)), x)

$$3.443 \quad \int \frac{1 + \cos(c + dx)}{\sqrt{2 - 3 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Optimal. Leaf size=93

$$\frac{\sqrt{5} \sqrt{-\cos(c + dx)} \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\sec(c + dx) - 1} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{2 - 3 \cos(c + dx)}}{\sqrt{-\cos(c + dx)}}\right) \middle| \frac{1}{5}\right)}{d}$$

[Out] csc(d*x+c)*EllipticE((2-3*cos(d*x+c))^(1/2)/(-cos(d*x+c))^(1/2), 1/5*5^(1/2))*5^(1/2)*(-cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1+sec(d*x+c))^(1/2)*(1+sec(d*x+c))^(1/2)/d

Rubi [A] time = 0.21, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2995, 2994}

$$\frac{\sqrt{5} \sqrt{-\cos(c + dx)} \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\sec(c + dx) - 1} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{2 - 3 \cos(c + dx)}}{\sqrt{-\cos(c + dx)}}\right) \middle| \frac{1}{5}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d*x])/(Sqrt[2 - 3*Cos[c + d*x]]*Cos[c + d*x]^(3/2)),x]

[Out] (Sqrt[5]*Sqrt[-Cos[c + d*x]]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[2 - 3*Cos[c + d*x]]/Sqrt[-Cos[c + d*x]]], 1/5]*Sqrt[-1 + Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]])/d

Rule 2994

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2995

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> -Dist[Sqrt[-(b*Sin[e + f*x])/Sqrt[b*Sin[e + f*x]]], Int[(A + B*Sin[e + f*x])/((-b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && NegQ[(c + d)/b]

Rubi steps

$$\int \frac{1 + \cos(c + dx)}{\sqrt{2 - 3 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx = -\frac{\sqrt{-\cos(c + dx)} \int \frac{1 + \cos(c + dx)}{\sqrt{2 - 3 \cos(c + dx)} (-\cos(c + dx))^{3/2}} dx}{\sqrt{\cos(c + dx)}} = \frac{\sqrt{5} \sqrt{-\cos(c + dx)} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{2 - 3 \cos(c + dx)}}{\sqrt{-\cos(c + dx)}}\right) \middle| \frac{1}{5}\right)}{d}$$

Mathematica [F] time = 33.19, size = 0, normalized size = 0.00

$$\int \frac{1 + \cos(c + dx)}{\sqrt{2 - 3 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d*x])/(Sqrt[2 - 3*Cos[c + d*x]]*Cos[c + d*x]^(3/2)), x]

[Out] Integrate[(1 + Cos[c + d*x])/(Sqrt[2 - 3*Cos[c + d*x]]*Cos[c + d*x]^(3/2)), x]

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(\cos(dx+c)+1)\sqrt{-3\cos(dx+c)+2}\sqrt{\cos(dx+c)}}{3\cos(dx+c)^3-2\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(2-3*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(-(cos(d*x + c) + 1)*sqrt(-3*cos(d*x + c) + 2)*sqrt(cos(d*x + c))/(3*cos(d*x + c)^3 - 2*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)+1}{\sqrt{-3\cos(dx+c)+2}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(2-3*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(-3*cos(d*x + c) + 2)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.42, size = 614, normalized size = 6.60

$$\sqrt{2-3\cos(dx+c)}\left(-2\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}\sin(dx+c)\left(\cos^2(dx+c)\right)\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{5}\right)\sqrt{\frac{-2+3\cos(dx+c)}{1+\cos(dx+c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(2-3*cos(d*x+c))^(1/2), x)

[Out]
$$\begin{aligned} & -1/d*(2-3*\cos(d*x+c))^{1/2}*(-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\sin(d*x+c) \\ & *\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),5^{1/2})*((-2+3*\cos(d*x+c))/ \\ & (1+\cos(d*x+c)))^{1/2}-4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\sin(d*x+c)*\cos \\ & \cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),5^{1/2})*((-2+3*\cos(d*x+c))/ \\ & (1+\cos(d*x+c)))^{1/2}-2*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c))) \\ & ^{1/2}*((-2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin \\ & \sin(d*x+c),5^{1/2})-\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\ & *((-2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & 5^{1/2})-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\sin(d*x+c)*((-2+3*\cos(d*x+c))/ \\ & (1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),5^{1/2})-2* \\ & \sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((-2+3*\cos(d*x+c))/ \\ & (1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),5^{1/2})-\sin(d*x+c) \\ & *\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((-2+3*\cos(d*x+c))/(1+\cos \\ & (d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),5^{1/2}))+3*\cos(d*x+c)^3 \\ & -5*\cos(d*x+c)^2+2*\cos(d*x+c))/(-2+3*\cos(d*x+c))/\cos(d*x+c)^{3/2}/\sin(d*x+c) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c) + 1}{\sqrt{-3 \cos(dx + c) + 2} \cos^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(2-3*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(-3*cos(d*x + c) + 2)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx) + 1}{\cos(c + dx)^{3/2} \sqrt{2 - 3 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(2 - 3*cos(c + d*x))^(1/2)),x)

[Out] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(2 - 3*cos(c + d*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx) + 1}{\sqrt{2 - 3 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)**(3/2)/(2-3*cos(d*x+c))**(1/2),x)

[Out] Integral((cos(c + d*x) + 1)/(sqrt(2 - 3*cos(c + d*x))*cos(c + d*x)**(3/2)), x)

$$3.444 \quad \int \frac{1+\cos(c+dx)}{\sqrt{-2-3\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=95

$$\frac{\sqrt{-\cos(c+dx)} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{-\sec(c+dx)-1} \sqrt{1-\sec(c+dx)} E\left(\sin^{-1}\left(\frac{\sqrt{-3\cos(c+dx)-2}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\middle|5\right)}{d}$$

[Out] csc(d*x+c)*EllipticE(1/5*(-2-3*cos(d*x+c))^(1/2)*5^(1/2)/(-cos(d*x+c))^(1/2),5^(1/2))*(-cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1-sec(d*x+c))^(1/2)*(1-sec(d*x+c))^(1/2)/d

Rubi [A] time = 0.19, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2995, 2994}

$$\frac{\sqrt{-\cos(c+dx)} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{-\sec(c+dx)-1} \sqrt{1-\sec(c+dx)} E\left(\sin^{-1}\left(\frac{\sqrt{-3\cos(c+dx)-2}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\middle|5\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d*x])/(Sqrt[-2 - 3*Cos[c + d*x]]*Cos[c + d*x]^(3/2)),x]

[Out] (Sqrt[-Cos[c + d*x]]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[-2 - 3*Cos[c + d*x]]/(Sqrt[5]*Sqrt[-Cos[c + d*x]])], 5]*Sqrt[-1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]])/d

Rule 2994

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2995

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := -Dist[Sqrt[-(b*Sin[e + f*x])/Sqrt[b*Sin[e + f*x]]], Int[(A + B*Sin[e + f*x])/((-b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && NegQ[(c + d)/b]

Rubi steps

$$\int \frac{1 + \cos(c + dx)}{\sqrt{-2 - 3\cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx = -\frac{\sqrt{-\cos(c + dx)} \int \frac{1 + \cos(c + dx)}{\sqrt{-2 - 3\cos(c + dx)} (-\cos(c + dx))^{\frac{3}{2}}} dx}{\sqrt{\cos(c + dx)}}$$

$$= \frac{\sqrt{-\cos(c + dx)} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{-2 - 3\cos(c + dx)}}{\sqrt{5}\sqrt{-\cos(c + dx)}}\right)\right)}{d}$$

Mathematica [F] time = 30.16, size = 0, normalized size = 0.00

$$\int \frac{1 + \cos(c + dx)}{\sqrt{-2 - 3 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d*x])/(Sqrt[-2 - 3*Cos[c + d*x]]*Cos[c + d*x]^(3/2)), x]

[Out] Integrate[(1 + Cos[c + d*x])/(Sqrt[-2 - 3*Cos[c + d*x]]*Cos[c + d*x]^(3/2)), x]

fricas [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(\cos(dx + c) + 1)\sqrt{-3 \cos(dx + c) - 2}\sqrt{\cos(dx + c)}}{3 \cos(dx + c)^3 + 2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-2-3*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(-(cos(d*x + c) + 1)*sqrt(-3*cos(d*x + c) - 2)*sqrt(cos(d*x + c))/(3*cos(d*x + c)^3 + 2*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c) + 1}{\sqrt{-3 \cos(dx + c) - 2} \cos^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-2-3*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(-3*cos(d*x + c) - 2)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.39, size = 703, normalized size = 7.40

$$\sqrt{-2 - 3 \cos(dx + c)} \left(-2\sqrt{2} \sin(dx + c) (\cos^2(dx + c)) \sqrt{10} \sqrt{\frac{2+3 \cos(dx+c)}{1+\cos(dx+c)}} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \text{EllipticF}\left(\frac{\sqrt{5}(-1+\cos(dx+c))}{5 \sin(dx+c)}, \frac{\sqrt{5}(-1+\cos(dx+c))}{5 \sin(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-2-3*cos(d*x+c))^(1/2), x)

[Out] -1/10/d*(-2-3*cos(d*x+c))^(1/2)*(-2*2^(1/2)*sin(d*x+c)*cos(d*x+c)^2*10^(1/2))*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*EllipticF(1/5*5^(1/2)*(-1+cos(d*x+c))/sin(d*x+c), 5^(1/2))*5^(1/2)-4*2^(1/2)*sin(d*x+c)*cos(d*x+c)*10^(1/2)*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*EllipticF(1/5*5^(1/2)*(-1+cos(d*x+c))/sin(d*x+c), 5^(1/2))*5^(1/2)+10^(1/2)*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticE(1/5*5^(1/2)*(-1+cos(d*x+c))/sin(d*x+c), 5^(1/2))*sin(d*x+c)*cos(d*x+c)^2*5^(1/2)+2*10^(1/2)*((2+3*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF(1/5*5^(1/2)*(-1+cos(d*x+c))/sin(d*x+c), 5^(1/2))*sin(d*x+c)*cos(d*x+c)^2*5^(1/2)-2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*5^(1/2)*10^(1/2)*((

$$2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF(1/5*5^{(1/2)}*(-1+\cos(d*x+c))/\sin(d*x+c),5^{(1/2)}*\sin(d*x+c)+10^{(1/2)}*((2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*EllipticE(1/5*5^{(1/2)}*(-1+\cos(d*x+c))/\sin(d*x+c),5^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*5^{(1/2)}+2*10^{(1/2)}*((2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*EllipticF(1/5*5^{(1/2)}*(-1+\cos(d*x+c))/\sin(d*x+c),5^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*5^{(1/2)}-30*\cos(d*x+c)^3+10*\cos(d*x+c)^2+20*\cos(d*x+c))/(2+3*\cos(d*x+c))/\cos(d*x+c)^{(3/2)}/\sin(d*x+c)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)+1}{\sqrt{-3\cos(dx+c)-2}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-2-3*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(-3*cos(d*x + c) - 2)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)+1}{\cos(c+dx)^{3/2}\sqrt{-3\cos(c+dx)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(- 3*cos(c + d*x) - 2)^(1/2)),x)

[Out] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(- 3*cos(c + d*x) - 2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c+dx)+1}{\sqrt{-3\cos(c+dx)-2}\cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)**(3/2)/(-2-3*cos(d*x+c))**(1/2),x)

[Out] Integral((cos(c + d*x) + 1)/(sqrt(-3*cos(c + d*x) - 2)*cos(c + d*x)**(3/2)), x)

$$3.445 \quad \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{3 + 2 \cos(c + dx)}} dx$$

Optimal. Leaf size=72

$$\frac{2 \cot(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E \left(\sin^{-1} \left(\frac{\sqrt{2 \cos(c + dx) + 3}}{\sqrt{5} \sqrt{\cos(c + dx)}} \right) \right) - 5}{3d}$$

[Out] $2/3 * \cot(d*x+c) * \text{EllipticE}(1/5*(3+2*\cos(d*x+c))^{(1/2)} * 5^{(1/2)} / \cos(d*x+c)^{(1/2)}, I*5^{(1/2)}) * (1-\sec(d*x+c))^{(1/2)} * (1+\sec(d*x+c))^{(1/2)} / d$

Rubi [A] time = 0.08, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {2994}

$$\frac{2 \cot(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E \left(\sin^{-1} \left(\frac{\sqrt{2 \cos(c + dx) + 3}}{\sqrt{5} \sqrt{\cos(c + dx)}} \right) \right) - 5}{3d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[3 + 2*Cos[c + d*x]]), x]

[Out] (2*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[3 + 2*Cos[c + d*x]]/(Sqrt[5]*Sqrt[Cos[c + d*x]])], -5]*Sqrt[1 - Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]])/(3*d)

Rule 2994

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{3 + 2 \cos(c + dx)}} dx = \frac{2 \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{3 + 2 \cos(c + dx)}}{\sqrt{5} \sqrt{\cos(c + dx)}} \right) \right) - 5}{3d} \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}$$

Mathematica [F] time = 37.99, size = 0, normalized size = 0.00

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{3 + 2 \cos(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[3 + 2*Cos[c + d*x]]), x]

[Out] Integrate[(1 + Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[3 + 2*Cos[c + d*x]]), x]

fricas [F] time = 1.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2 \cos(dx+c)+3}(\cos(dx+c)+1)\sqrt{\cos(dx+c)}}{2 \cos(dx+c)^3+3 \cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(3+2*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(2*cos(d*x+c)+3)*(cos(d*x+c)+1)*sqrt(cos(d*x+c))/(2*cos(d*x+c)^3+3*cos(d*x+c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)+1}{\sqrt{2 \cos(dx+c)+3} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(3+2*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((cos(d*x+c)+1)/(sqrt(2*cos(d*x+c)+3)*cos(d*x+c)^(3/2)), x)

maple [B] time = 0.42, size = 665, normalized size = 9.24

$$-3 \sin(dx+c) \left(\cos^2(dx+c)\right) \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{i\sqrt{5}}{5}\right) \sqrt{2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \sqrt{10} \sqrt{\frac{3+2\cos(dx+c)}{1+\cos(dx+c)}} - 6 \sin(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(3+2*cos(d*x+c))^(1/2),x)

[Out] 1/15/d/(3+2*cos(d*x+c))^(1/2)*(-3*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),1/5*I*5^(1/2))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)-6*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),1/5*I*5^(1/2))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)+5*sin(d*x+c)*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),1/5*I*5^(1/2))-3*sin(d*x+c)*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),1/5*I*5^(1/2))-3*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),1/5*I*5^(1/2))*sin(d*x+c)+5*sin(d*x+c)*cos(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),1/5*I*5^(1/2))-3*sin(d*x+c)*cos(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),1/5*I*5^(1/2))-20*cos(d*x+c)^3-10*cos(d*x+c)^2+30*cos(d*x+c))/cos(d*x+c)^(3/2)/sin(d*x+c)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)+1}{\sqrt{2 \cos(dx+c)+3} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(3+2*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(2*cos(d*x + c) + 3)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx) + 1}{\cos(c + dx)^{3/2} \sqrt{2 \cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(2*cos(c + d*x) + 3)^(1/2)),x)

[Out] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(2*cos(c + d*x) + 3)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx) + 1}{\sqrt{2 \cos(c + dx) + 3} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)**(3/2)/(3+2*cos(d*x+c))**(1/2),x)

[Out] Integral((cos(c + d*x) + 1)/(sqrt(2*cos(c + d*x) + 3)*cos(c + d*x)**(3/2)), x)

$$3.446 \quad \int \frac{1 + \cos(c + dx)}{\sqrt{3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Optimal. Leaf size=74

$$\frac{2\sqrt{5} \cot(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{3 - 2 \cos(c + dx)}}{\sqrt{\cos(c + dx)}}\right) \middle| -\frac{1}{5}\right)}{3d}$$

[Out] $2/3 * \cot(d*x+c) * \text{EllipticE}((3-2*\cos(d*x+c))^{1/2}/\cos(d*x+c)^{1/2}, 1/5 * I * 5^{(1/2)}) * 5^{(1/2)} * (1-\sec(d*x+c))^{1/2} * (1+\sec(d*x+c))^{1/2} / d$

Rubi [A] time = 0.10, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {2994}

$$\frac{2\sqrt{5} \cot(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{3 - 2 \cos(c + dx)}}{\sqrt{\cos(c + dx)}}\right) \middle| -\frac{1}{5}\right)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + \text{Cos}[c + d*x]) / (\text{Sqrt}[3 - 2*\text{Cos}[c + d*x]] * \text{Cos}[c + d*x]^{(3/2)}), x]$

[Out] $(2*\text{Sqrt}[5]*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[3 - 2*\text{Cos}[c + d*x]]/\text{Sqrt}[\text{Cos}[c + d*x]]], -1/5]*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*\text{Sqrt}[1 + \text{Sec}[c + d*x]])/(3*d)$

Rule 2994

$\text{Int}[(A + (B_*)\sin[(e_*) + (f_*)(x_*)]) / (((b_*)\sin[(e_*) + (f_*)(x_*)])^{3/2} * \text{Sqrt}[(c_*) + (d_*)\sin[(e_*) + (f_*)(x_*)]])], x_Symbol] := \text{Simp}[(-2*A * (c - d) * \text{Tan}[e + f*x] * \text{Rt}[(c + d)/b, 2] * \text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)] * \text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]] * \text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))] / (f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rubi steps

$$\int \frac{1 + \cos(c + dx)}{\sqrt{3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx = \frac{2\sqrt{5} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{3 - 2 \cos(c + dx)}}{\sqrt{\cos(c + dx)}}\right) \middle| -\frac{1}{5}\right) \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}}{3d}$$

Mathematica [F] time = 38.38, size = 0, normalized size = 0.00

$$\int \frac{1 + \cos(c + dx)}{\sqrt{3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] $\text{Integrate}[(1 + \text{Cos}[c + d*x]) / (\text{Sqrt}[3 - 2*\text{Cos}[c + d*x]] * \text{Cos}[c + d*x]^{(3/2)}), x]$

[Out] $\text{Integrate}[(1 + \text{Cos}[c + d*x]) / (\text{Sqrt}[3 - 2*\text{Cos}[c + d*x]] * \text{Cos}[c + d*x]^{(3/2)}), x]$

fricas [F] time = 1.17, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(\cos(dx + c) + 1)\sqrt{-2 \cos(dx + c) + 3} \sqrt{\cos(dx + c)}}{2 \cos(dx + c)^3 - 3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(3-2*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-(cos(d*x + c) + 1)*sqrt(-2*cos(d*x + c) + 3)*sqrt(cos(d*x + c))/(2*cos(d*x + c)^3 - 3*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c) + 1}{\sqrt{-2 \cos(dx + c) + 3} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(3-2*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(-2*cos(d*x + c) + 3)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.42, size = 663, normalized size = 8.96

$$\sqrt{3 - 2 \cos(dx + c)} \left(3\sqrt{2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \sqrt{\frac{2(-3+2\cos(dx+c))}{1+\cos(dx+c)}} \sin(dx + c) (\cos^2(dx + c)) \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, i \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(3-2*cos(d*x+c))^(1/2),x)

[Out] 1/3/d*(3-2*cos(d*x+c))^(1/2)*(3*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c), I*5^(1/2))+6*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), I*5^(1/2))+3*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), I*5^(1/2))*sin(d*x+c)-2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), I*5^(1/2))*sin(d*x+c)*cos(d*x+c)^2+3*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), I*5^(1/2))*sin(d*x+c)*cos(d*x+c)^2-2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), I*5^(1/2))*sin(d*x+c)*cos(d*x+c)+3*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), I*5^(1/2))*sin(d*x+c)*cos(d*x+c)-4*cos(d*x+c)^3+10*cos(d*x+c)^2-6*cos(d*x+c))/(-3+2*cos(d*x+c))/cos(d*x+c)^(3/2)/sin(d*x+c)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c) + 1}{\sqrt{-2 \cos(dx + c) + 3} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(3-2*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(-2*cos(d*x + c) + 3)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx) + 1}{\cos(c + dx)^{3/2} \sqrt{3 - 2 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(3 - 2*cos(c + d*x))^(1/2)), x)

[Out] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(3 - 2*cos(c + d*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx) + 1}{\sqrt{3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)**(3/2)/(3-2*cos(d*x+c))**(1/2), x)

[Out] Integral((cos(c + d*x) + 1)/(sqrt(3 - 2*cos(c + d*x))*cos(c + d*x)**(3/2)), x)

$$3.447 \quad \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{-3 + 2 \cos(c + dx)}} dx$$

Optimal. Leaf size=98

$$\frac{2\sqrt{5} \sqrt{-\cos(c + dx)} \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{3d}$$

[Out] $-2/3 * \csc(d*x+c) * \text{EllipticE}((-3+2*\cos(d*x+c))^{(1/2)}/(-\cos(d*x+c))^{(1/2)}, 1/5 * I * 5^{(1/2)}) * 5^{(1/2)} * (-\cos(d*x+c))^{(1/2)} * \cos(d*x+c)^{(1/2)} * (1-\sec(d*x+c))^{(1/2)} * (1+\sec(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.20, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2995, 2994}

$$\frac{2\sqrt{5} \sqrt{-\cos(c + dx)} \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + \text{Cos}[c + d*x]) / (\text{Cos}[c + d*x]^{(3/2)} * \text{Sqrt}[-3 + 2*\text{Cos}[c + d*x]]) , x]$

[Out] $(-2*\text{Sqrt}[5] * \text{Sqrt}[-\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c + d*x] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[-3 + 2*\text{Cos}[c + d*x]] / \text{Sqrt}[-\text{Cos}[c + d*x]]], -1/5] * \text{Sqrt}[1 - \text{Sec}[c + d*x]] * \text{Sqrt}[1 + \text{Sec}[c + d*x]]) / (3*d)$

Rule 2994

$\text{Int}[(A_ + (B_.) * \sin[(e_.) + (f_.) * (x_.)]) / (((b_.) * \sin[(e_.) + (f_.) * (x_.)])^{(3/2)} * \text{Sqrt}[(c_.) + (d_.) * \sin[(e_.) + (f_.) * (x_.)]]) , x_Symbol] :> \text{Simp}[(-2*A * (c - d) * \text{Tan}[e + f*x] * \text{Rt}[(c + d)/b, 2] * \text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)] * \text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]] * \text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))] / (f*b*c^2), x] /; \text{FreeQ}[\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2995

$\text{Int}[(A_ + (B_.) * \sin[(e_.) + (f_.) * (x_.)]) / (((b_.) * \sin[(e_.) + (f_.) * (x_.)])^{(3/2)} * \text{Sqrt}[(c_.) + (d_.) * \sin[(e_.) + (f_.) * (x_.)]]) , x_Symbol] :> -\text{Dist}[\text{Sqrt}[-(b*\text{Sin}[e + f*x])] / \text{Sqrt}[b*\text{Sin}[e + f*x]], \text{Int}[(A + B*\text{Sin}[e + f*x]) / (((-b*\text{Sin}[e + f*x]))^{(3/2)} * \text{Sqrt}[c + d*\text{Sin}[e + f*x]])], x], x] /; \text{FreeQ}[\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{NegQ}[(c + d)/b]$

Rubi steps

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{-3 + 2 \cos(c + dx)}} dx = -\frac{\sqrt{-\cos(c + dx)} \int \frac{1 + \cos(c + dx)}{(-\cos(c + dx))^{\frac{3}{2}} \sqrt{-3 + 2 \cos(c + dx)}} dx}{\sqrt{\cos(c + dx)}} = -\frac{2\sqrt{5} \sqrt{-\cos(c + dx)} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{-3 + 2 \cos(c + dx)}}{\sqrt{-\cos(c + dx)}}\right) \middle| -\frac{1}{5}\right)}{3d}$$

Mathematica [F] time = 41.06, size = 0, normalized size = 0.00

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{-3 + 2 \cos(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[-3 + 2*Cos[c + d*x]]), x]

[Out] Integrate[(1 + Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[-3 + 2*Cos[c + d*x]]), x]

fricas [F] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2} \cos(dx + c) - 3(\cos(dx + c) + 1)\sqrt{\cos(dx + c)}}{2 \cos(dx + c)^3 - 3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-3+2*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(2*cos(d*x + c) - 3)*(cos(d*x + c) + 1)*sqrt(cos(d*x + c))/(2*cos(d*x + c)^3 - 3*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c) + 1}{\sqrt{2 \cos(dx + c) - 3} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-3+2*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(2*cos(d*x + c) - 3)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.33, size = 714, normalized size = 7.29

$$3i \sin(dx + c) \left(\cos^2(dx + c)\right) \sqrt{5} \sqrt{\frac{-2(-3+2\cos(dx+c))}{1+\cos(dx+c)}} \sqrt{2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \text{EllipticF}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{\sin(dx+c)}, \frac{i\sqrt{5}}{5}\right) + 6i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-3+2*cos(d*x+c))^(1/2), x)

[Out] 1/15/d/(-3+2*cos(d*x+c))^(1/2)*(3*I*sin(d*x+c)*cos(d*x+c)^2*5^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*EllipticF(I*(-1+cos(d*x+c))*5^(1/2)/sin(d*x+c), 1/5*I*5^(1/2))+6*I*sin(d*x+c)*cos(d*x+c)*5^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*EllipticF(I*(-1+cos(d*x+c))*5^(1/2)/sin(d*x+c), 1/5*I*5^(1/2))-3*I*sin(d*x+c)*cos(d*x+c)^2*5^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF(I*(-1+cos(d*x+c))*5^(1/2)/sin(d*x+c), 1/5*I*5^(1/2))+5*I*sin(d*x+c)*cos(d*x+c)^2*5^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticE(I*(-1+cos(d*x+c))*5^(1/2)/sin(d*x+c), 1/5*I*5^(1/2))+3*I*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*sin(d*x+c)*5^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF(I*(-1+cos(d*x+c))*5^(1/2)/sin(d*x+c), 1/5*I*5^(1/2))-3*I*sin(d*x+c)*cos(d*x+c)*5^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF(I*(-1+cos(d*x+c))*5^(1/2)/sin(d*x+c), 1/5*I*5^(1/2))+5*I*sin(d*x+c)*cos(d*x+c)*5^(1/2)*(-2*(-3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticE(I*(-1+cos(d*x+c))*5^(1/2)/

$\sin(dx+c), 1/5 \cdot I \cdot 5^{(1/2)} + 20 \cdot \cos(dx+c)^3 - 50 \cdot \cos(dx+c)^2 + 30 \cdot \cos(dx+c) / \cos(dx+c)^{(3/2)} / \sin(dx+c)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)+1}{\sqrt{2 \cos(dx+c)-3} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-3+2*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(2*cos(d*x + c) - 3)*cos(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)+1}{\cos(c+dx)^{3/2} \sqrt{2 \cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(2*cos(c + d*x) - 3)^(1/2)),x)

[Out] int((cos(c + d*x) + 1)/(cos(c + d*x)^(3/2)*(2*cos(c + d*x) - 3)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c+dx)+1}{\sqrt{2 \cos(c+dx)-3} \cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)**(3/2)/(-3+2*cos(d*x+c))**(1/2),x)

[Out] Integral((cos(c + d*x) + 1)/(sqrt(2*cos(c + d*x) - 3)*cos(c + d*x)**(3/2)), x)

$$3.448 \quad \int \frac{1 + \cos(c + dx)}{\sqrt{-3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Optimal. Leaf size=96

$$\frac{2\sqrt{-\cos(c + dx)} \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\right) - 5}{3d}$$

[Out] $-2/3*\csc(d*x+c)*\text{EllipticE}(1/5*(-3-2*\cos(d*x+c))^{(1/2)}*5^{(1/2)/(-\cos(d*x+c))}^{(1/2)}, I*5^{(1/2)})*(-\cos(d*x+c))^{(1/2)}*\cos(d*x+c)^{(1/2)}*(1-\sec(d*x+c))^{(1/2)}*(1+\sec(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.19, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2995, 2994}

$$\frac{2\sqrt{-\cos(c + dx)} \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\right) - 5}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + \text{Cos}[c + d*x]) / (\text{Sqrt}[-3 - 2*\text{Cos}[c + d*x]] * \text{Cos}[c + d*x]^{(3/2)}), x]$

[Out] $(-2*\text{Sqrt}[-\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c + d*x] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[-3 - 2*\text{Cos}[c + d*x]] / (\text{Sqrt}[5] * \text{Sqrt}[-\text{Cos}[c + d*x]])], -5] * \text{Sqrt}[1 - \text{Sec}[c + d*x]] * \text{Sqrt}[1 + \text{Sec}[c + d*x]]) / (3*d)$

Rule 2994

$\text{Int}[(A + (B_*)\sin[(e_*) + (f_*)*(x_*)]) / (((b_*)\sin[(e_*) + (f_*)*(x_*)])^{(3/2)} * \text{Sqrt}[(c_*) + (d_*)\sin[(e_*) + (f_*)*(x_*)]])], x_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)] * \text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]] * \text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))] / (f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2995

$\text{Int}[(A + (B_*)\sin[(e_*) + (f_*)*(x_*)]) / (((b_*)\sin[(e_*) + (f_*)*(x_*)])^{(3/2)} * \text{Sqrt}[(c_*) + (d_*)\sin[(e_*) + (f_*)*(x_*)]])], x_Symbol] :> -\text{Dist}[\text{Sqrt}[-(b*\text{Sin}[e + f*x])] / \text{Sqrt}[b*\text{Sin}[e + f*x]], \text{Int}[(A + B*\text{Sin}[e + f*x]) / ((-b*\text{Sin}[e + f*x])^{(3/2)} * \text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{NegQ}[(c + d)/b]$

Rubi steps

$$\int \frac{1 + \cos(c + dx)}{\sqrt{-3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx = -\frac{\sqrt{-\cos(c + dx)} \int \frac{1 + \cos(c + dx)}{\sqrt{-3 - 2 \cos(c + dx)} (-\cos(c + dx))^{3/2}} dx}{\sqrt{\cos(c + dx)}}$$

$$= -\frac{2\sqrt{-\cos(c + dx)} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{-3-2\cos(c+dx)}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\right) - 5}{3d}$$

Mathematica [F] time = 30.58, size = 0, normalized size = 0.00

$$\int \frac{1 + \cos(c + dx)}{\sqrt{-3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d*x])/(Sqrt[-3 - 2*Cos[c + d*x]]*Cos[c + d*x]^(3/2)), x]

[Out] Integrate[(1 + Cos[c + d*x])/(Sqrt[-3 - 2*Cos[c + d*x]]*Cos[c + d*x]^(3/2)), x]

fricas [F] time = 1.49, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(\cos(dx + c) + 1)\sqrt{-2 \cos(dx + c) - 3}\sqrt{\cos(dx + c)}}{2 \cos(dx + c)^3 + 3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-3-2*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(-(cos(d*x + c) + 1)*sqrt(-2*cos(d*x + c) - 3)*sqrt(cos(d*x + c))/(2*cos(d*x + c)^3 + 3*cos(d*x + c)^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c) + 1}{\sqrt{-2 \cos(dx + c) - 3} \cos^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-3-2*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((cos(d*x + c) + 1)/(sqrt(-2*cos(d*x + c) - 3)*cos(d*x + c)^(3/2)), x)

maple [B] time = 0.34, size = 740, normalized size = 7.71

$$\sqrt{-3 - 2 \cos(dx + c)} \left(3i \sin(dx + c) (\cos^2(dx + c)) \sqrt{5} \sqrt{10} \sqrt{\frac{3+2 \cos(dx+c)}{1+\cos(dx+c)}} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \text{EllipticF}\left(\frac{i(-1+\cos(dx+c))}{5 \sin(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(-3-2*cos(d*x+c))^(1/2), x)

[Out] -1/15/d*(-3-2*cos(d*x+c))^(1/2)*(3*I*sin(d*x+c)*cos(d*x+c)^2*5^(1/2)*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2))*EllipticF(1/5*I*(-1+cos(d*x+c))*5^(1/2)/sin(d*x+c), I*5^(1/2))*2^(1/2)+6*I*sin(d*x+c)*cos(d*x+c)*5^(1/2)*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*EllipticF(1/5*I*(-1+cos(d*x+c))*5^(1/2)/sin(d*x+c), I*5^(1/2))*2^(1/2)+I*sin(d*x+c)*cos(d*x+c)^2*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticE(1/5*I*(-1+cos(d*x+c))*5^(1/2)/sin(d*x+c), I*5^(1/2))*5^(1/2)-3*I*sin(d*x+c)*cos(d*x+c)^2*10^(1/2)*((3+2*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF(1/5*I*(-1+cos(d*x+c))*5^(1/2)/sin(d*x+c), I*5^(1/2))*5^(1/2)+3*I*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)

$(3/2)*\sin(dx+c)*5^{(1/2)}*10^{(1/2)}*((3+2*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*E$
 $llipticF(1/5*I*(-1+\cos(dx+c))*5^{(1/2)}/\sin(dx+c), I*5^{(1/2)})+I*\sin(dx+c)*c$
 $os(dx+c)*10^{(1/2)}*((3+2*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*2^{(1/2)}*(\cos(dx$
 $+c)/(1+\cos(dx+c)))^{(1/2)}*EllipticE(1/5*I*(-1+\cos(dx+c))*5^{(1/2)}/\sin(dx+c$
 $), I*5^{(1/2)})*5^{(1/2)}-3*I*\sin(dx+c)*\cos(dx+c)*10^{(1/2)}*((3+2*\cos(dx+c))/($
 $1+\cos(dx+c)))^{(1/2)}*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*EllipticF(1/$
 $5*I*(-1+\cos(dx+c))*5^{(1/2)}/\sin(dx+c), I*5^{(1/2)})*5^{(1/2)}-20*\cos(dx+c)^3-1$
 $0*\cos(dx+c)^2+30*\cos(dx+c))/(3+2*\cos(dx+c))/\cos(dx+c)^{(3/2)}/\sin(dx+c)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)+1}{\sqrt{-2\cos(dx+c)-3}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(dx+c))/cos(dx+c)^(3/2)/(-3-2*cos(dx+c))^(1/2), x, algorithm="maxima")

[Out] integrate((cos(dx+c)+1)/(sqrt(-2*cos(dx+c)-3)*cos(dx+c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)+1}{\cos(c+dx)^{3/2}\sqrt{-2\cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c+dx)+1)/(cos(c+dx)^(3/2)*(-2*cos(c+dx)-3)^(1/2)), x)

[Out] int((cos(c+dx)+1)/(cos(c+dx)^(3/2)*(-2*cos(c+dx)-3)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c+dx)+1}{\sqrt{-2\cos(c+dx)-3}\cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(dx+c))/cos(dx+c)**(3/2)/(-3-2*cos(dx+c))**(1/2), x)

[Out] Integral((cos(c+dx)+1)/(sqrt(-2*cos(c+dx)-3)*cos(c+dx)**(3/2)), x)

$$3.449 \quad \int (c \cos(e + fx))^m (a + b \cos(e + fx))^n (A + B \cos(e + fx)) dx$$

Optimal. Leaf size=36

$$\text{Int}((A + B \cos(e + fx))(c \cos(e + fx))^m (a + b \cos(e + fx))^n, x)$$

[Out] Unintegrable((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^n*(A+B*cos(f*x+e)), x)

Rubi [A] time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c \cos(e + fx))^m (a + b \cos(e + fx))^n (A + B \cos(e + fx)) dx$$

Verification is Not applicable to the result.

[In] Int[(c*cos[e + f*x])^m*(a + b*cos[e + f*x])^n*(A + B*cos[e + f*x]), x]

[Out] Defer[Int][(c*cos[e + f*x])^m*(a + b*cos[e + f*x])^n*(A + B*cos[e + f*x]), x]

Rubi steps

$$\int (c \cos(e + fx))^m (a + b \cos(e + fx))^n (A + B \cos(e + fx)) dx = \int (c \cos(e + fx))^m (a + b \cos(e + fx))^n (A + B \cos(e + fx)) dx$$

Mathematica [A] time = 7.98, size = 0, normalized size = 0.00

$$\int (c \cos(e + fx))^m (a + b \cos(e + fx))^n (A + B \cos(e + fx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(c*cos[e + f*x])^m*(a + b*cos[e + f*x])^n*(A + B*cos[e + f*x]), x]

[Out] Integrate[(c*cos[e + f*x])^m*(a + b*cos[e + f*x])^n*(A + B*cos[e + f*x]), x]

fricas [A] time = 1.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(fx + e) + A\right)\left(b \cos(fx + e) + a\right)^n \left(c \cos(fx + e)\right)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^n*(A+B*cos(f*x+e)), x, algorithm="fricas")

[Out] integral((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^n*(c*cos(f*x + e))^m, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(B \cos(fx + e) + A\right)\left(b \cos(fx + e) + a\right)^n \left(c \cos(fx + e)\right)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^n*(A+B*cos(f*x+e)), x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^n*(c*cos(f*x + e))^m, x)

maple [A] time = 3.39, size = 0, normalized size = 0.00

$$\int (c \cos(fx + e))^m (a + b \cos(fx + e))^n (A + B \cos(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^n*(A+B*cos(f*x+e)),x)

[Out] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^n*(A+B*cos(f*x+e)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^n (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^n*(A+B*cos(f*x+e)),x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^n*(c*cos(f*x + e))^m, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.03

$$\int (c \cos(e + fx))^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^n,x)

[Out] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^n, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^n*(A+B*cos(f*x+e)),x)

[Out] Timed out

$$3.450 \quad \int (c \cos(e + fx))^m (a + b \cos(e + fx))^4 (A + B \cos(e + fx)) dx$$

Optimal. Leaf size=595

$$\frac{b^2 \sin(e + fx) \cos(e + fx) (a^2 B (m^2 + 11m + 36) + 2aAb(m + 5)^2 + b^2 B(m + 4)^2) (c \cos(e + fx))^{m+1} + b \sin(e + fx)}{cf(m + 3)(m + 4)(m + 5)}$$

```
[Out] b*(A*b^3*(m^2+8*m+15)+4*a*b^2*B*(m^2+8*m+15)+2*a^3*B*(m^2+10*m+28)+a^2*A*b*(5*m^2+47*m+110))*(c*cos(f*x+e))^(1+m)*sin(f*x+e)/c/f/(5+m)/(m^2+6*m+8)+b^2*(b^2*B*(4+m)^2+2*a*A*b*(5+m)^2+a^2*B*(m^2+11*m+36))*cos(f*x+e)*(c*cos(f*x+e))^(1+m)*sin(f*x+e)/c/f/(3+m)/(4+m)/(5+m)+b*(A*b*(5+m)+a*B*(8+m))*(c*cos(f*x+e))^(1+m)*(a+b*cos(f*x+e))^2*sin(f*x+e)/c/f/(4+m)/(5+m)+b*B*(c*cos(f*x+e))^(1+m)*(a+b*cos(f*x+e))^3*sin(f*x+e)/c/f/(5+m)-(A*b^4*(m^2+4*m+3)+4*a*b^3*B*(m^2+4*m+3)+6*a^2*A*b^2*(m^2+5*m+4)+4*a^3*b*B*(m^2+5*m+4)+a^4*A*(m^2+6*m+8))*(c*cos(f*x+e))^(1+m)*hypergeom([1/2, 1/2+1/2*m], [3/2+1/2*m], cos(f*x+e)^2)*sin(f*x+e)/c/f/(4+m)/(m^2+3*m+2)/(sin(f*x+e)^2)^(1/2)-(b^4*B*(m^2+6*m+8)+4*a*A*b^3*(m^2+7*m+10)+6*a^2*b^2*B*(m^2+7*m+10)+4*a^3*A*b*(m^2+8*m+15)+a^4*B*(m^2+8*m+15))*(c*cos(f*x+e))^(2+m)*hypergeom([1/2, 1+1/2*m], [2+1/2*m], cos(f*x+e)^2)*sin(f*x+e)/c^2/f/(2+m)/(3+m)/(5+m)/(sin(f*x+e)^2)^(1/2)
```

Rubi [A] time = 1.98, antiderivative size = 595, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2990, 3049, 3033, 3023, 2748, 2643}

$$\frac{\sin(e + fx) (4a^3 Ab (m^2 + 8m + 15) + 6a^2 b^2 B (m^2 + 7m + 10) + a^4 B (m^2 + 8m + 15) + 4aAb^3 (m^2 + 7m + 10))}{c^2 f(m + 2)(m + 3)(m + 5) \sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(c*Cos[e + f*x])^m*(a + b*Cos[e + f*x])^4*(A + B*Cos[e + f*x]),x]
[Out] (b*(A*b^3*(15 + 8*m + m^2) + 4*a*b^2*B*(15 + 8*m + m^2) + 2*a^3*B*(28 + 10*m + m^2) + a^2*A*b*(110 + 47*m + 5*m^2))*(c*Cos[e + f*x])^(1 + m)*Sin[e + f*x])/(c*f*(2 + m)*(4 + m)*(5 + m)) + (b^2*(b^2*B*(4 + m)^2 + 2*a*A*b*(5 + m)^2 + a^2*B*(36 + 11*m + m^2))*Cos[e + f*x]*(c*Cos[e + f*x])^(1 + m)*Sin[e + f*x])/(c*f*(3 + m)*(4 + m)*(5 + m)) + (b*(A*b*(5 + m) + a*B*(8 + m))*(c*Cos[e + f*x])^(1 + m)*(a + b*Cos[e + f*x])^2*Ssin[e + f*x])/(c*f*(4 + m)*(5 + m)) + (b*B*(c*Cos[e + f*x])^(1 + m)*(a + b*Cos[e + f*x])^3*Ssin[e + f*x])/(c*f*(5 + m)) - ((A*b^4*(3 + 4*m + m^2) + 4*a*b^3*B*(3 + 4*m + m^2) + 6*a^2*A*b^2*(4 + 5*m + m^2) + 4*a^3*b*B*(4 + 5*m + m^2) + a^4*A*(8 + 6*m + m^2))*(c*Cos[e + f*x])^(1 + m)*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(c*f*(1 + m)*(2 + m)*(4 + m)*Sqrt[Sin[e + f*x]^2]) - ((b^4*B*(8 + 6*m + m^2) + 4*a*A*b^3*(10 + 7*m + m^2) + 6*a^2*b^2*B*(10 + 7*m + m^2) + 4*a^3*A*b*(15 + 8*m + m^2) + a^4*B*(15 + 8*m + m^2))*(c*Cos[e + f*x])^(2 + m)*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(c^2*f*(2 + m)*(3 + m)*(5 + m)*Sqrt[Sin[e + f*x]^2])
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Ssin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*SIN[e + f*x])^(m - 2)*(c + d*SIN[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*SIN[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*SIN[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*SIN[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*SIN[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3033

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*d*Cos[e + f*x]*SIN[e + f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*SIN[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*SIN[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*SIN[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 3049

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*SIN[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*SIN[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rubi steps

$$\begin{aligned}
\int (c \cos(e + fx))^m (a + b \cos(e + fx))^4 (A + B \cos(e + fx)) dx &= \frac{bB(c \cos(e + fx))^{1+m} (a + b \cos(e + fx))^3 \sin(e + fx)}{cf(5 + m)} \\
&= \frac{b(Ab(5 + m) + aB(8 + m))(c \cos(e + fx))^{1+m} (a + b \cos(e + fx))^2}{cf(4 + m)(5 + m)} \\
&= \frac{b^2 (b^2 B(4 + m)^2 + 2aAb(5 + m)^2 + a^2 B(36 + 11m)) (c \cos(e + fx))^{1+m} (a + b \cos(e + fx))}{cf(3 + m)(5 + m)} \\
&= \frac{b (Ab^3 (15 + 8m + m^2) + 4ab^2 B (15 + 8m + m^2)) (c \cos(e + fx))^{1+m} (a + b \cos(e + fx))}{cf(3 + m)(5 + m)} \\
&= \frac{b (Ab^3 (15 + 8m + m^2) + 4ab^2 B (15 + 8m + m^2)) (c \cos(e + fx))^{1+m} (a + b \cos(e + fx))}{cf(3 + m)(5 + m)}
\end{aligned}$$

Mathematica [A] time = 6.20, size = 487, normalized size = 0.82

$$\frac{a^4 A \sin(e + fx) \cos(e + fx) (c \cos(e + fx))^m {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(e + fx)\right) a^3 (aB + 4Ab) \sin(e + fx) \cos^2(e + fx)}{f(m+1) \sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Cos[e + f*x])^m*(a + b*Cos[e + f*x])^4*(A + B*Cos[e + f*x]),x]

[Out] -((a^4*A*Cos[e + f*x]*(c*Cos[e + f*x])^m*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(f*(1 + m)*Sqrt[Sin[e + f*x]^2])) - (a^3*(4*A*b + a*B)*Cos[e + f*x]^2*(c*Cos[e + f*x])^m*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(f*(2 + m)*Sqrt[Sin[e + f*x]^2]) - (2*a^2*b*(3*A*b + 2*a*B)*Cos[e + f*x]^3*(c*Cos[e + f*x])^m*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(f*(3 + m)*Sqrt[Sin[e + f*x]^2]) - (2*a*b^2*(2*A*b + 3*a*B)*Cos[e + f*x]^4*(c*Cos[e + f*x])^m*Hypergeometric2F1[1/2, (4 + m)/2, (6 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(f*(4 + m)*Sqrt[Sin[e + f*x]^2]) - (b^3*(A*b + 4*a*B)*Cos[e + f*x]^5*(c*Cos[e + f*x])^m*Hypergeometric2F1[1/2, (5 + m)/2, (7 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(f*(5 + m)*Sqrt[Sin[e + f*x]^2]) - (b^4*B*Cos[e + f*x]^6*(c*Cos[e + f*x])^m*Hypergeometric2F1[1/2, (6 + m)/2, (8 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(f*(6 + m)*Sqrt[Sin[e + f*x]^2])

fricas [F] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^4 \cos(fx + e)^5 + Aa^4 + (4Bab^3 + Ab^4) \cos(fx + e)^4 + 2(3Ba^2b^2 + 2Aab^3) \cos(fx + e)^3 + 2(2Ba^3b + 3Aa^2b^2) \cos(fx + e)^2 + (B^2a^4 + 4Aa^3b) \cos(fx + e)\right) (c \cos(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^4*(A+B*cos(f*x+e)),x, algorithm="fricas")

[Out] integral((B*b^4*cos(f*x + e)^5 + A*a^4 + (4*B*a*b^3 + A*b^4)*cos(f*x + e)^4 + 2*(3*B*a^2*b^2 + 2*A*a*b^3)*cos(f*x + e)^3 + 2*(2*B*a^3*b + 3*A*a^2*b^2)*cos(f*x + e)^2 + (B*a^4 + 4*A*a^3*b)*cos(f*x + e))*(c*cos(f*x + e))^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^4 (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^4*(A+B*cos(f*x+e)),x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^4*(c*cos(f*x + e))^m, x)

maple [F] time = 2.88, size = 0, normalized size = 0.00

$$\int (c \cos(fx + e))^m (a + b \cos(fx + e))^4 (A + B \cos(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^4*(A+B*cos(f*x+e)),x)

[Out] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^4*(A+B*cos(f*x+e)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^4 (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^4*(A+B*cos(f*x+e)),x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^4*(c*cos(f*x + e))^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (c \cos(e + fx))^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^4,x)

[Out] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^4*(A+B*cos(f*x+e)),x)

[Out] Timed out

3.451 $\int (c \cos(e + fx))^m (a + b \cos(e + fx))^3 (A + B \cos(e + fx)) dx$

Optimal. Leaf size=406

$$\frac{\sin(e + fx) (b(m + 1) (2a^2 B(m + 5) + 3aAb(m + 4) + b^2 B(m + 3)) + a^2(m + 2)(aA(m + 4) + bB(m + 1))) (c \cos(e + fx))^{m+2}}{cf(m + 1)(m + 2)(m + 4)\sqrt{\sin^2(e + fx)}}$$

[Out] $b*(b^2*B*(3+m)+3*a*A*b*(4+m)+2*a^2*B*(5+m))*(c*\cos(f*x+e))^{(1+m)*\sin(f*x+e)}/c/f/(2+m)/(4+m)+b^2*(A*b*(4+m)+a*B*(6+m))*\cos(f*x+e)*(c*\cos(f*x+e))^{(1+m)*\sin(f*x+e)}/c/f/(3+m)/(4+m)+b*B*(c*\cos(f*x+e))^{(1+m)*(a+b*\cos(f*x+e))^2*\sin(f*x+e)}/c/f/(4+m)-(a^2*(2+m)*(b*B*(1+m)+a*A*(4+m))+b*(1+m)*(b^2*B*(3+m)+3*a*A*b*(4+m)+2*a^2*B*(5+m)))*(c*\cos(f*x+e))^{(1+m)*\text{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], \cos(f*x+e)^2)*\sin(f*x+e)}/c/f/(1+m)/(2+m)/(4+m)/(\sin(f*x+e)^2)^{(1/2)}-(A*b^3*(2+m)+3*a*b^2*B*(2+m)+3*a^2*A*b*(3+m)+a^3*B*(3+m))*(c*\cos(f*x+e))^{(2+m)*\text{hypergeom}([1/2, 1+1/2*m], [2+1/2*m], \cos(f*x+e)^2)*\sin(f*x+e)}/c^2/f/(2+m)/(3+m)/(\sin(f*x+e)^2)^{(1/2)}$

Rubi [A] time = 1.05, antiderivative size = 406, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2990, 3033, 3023, 2748, 2643}

$$\frac{\sin(e + fx) (3a^2 Ab(m + 3) + a^3 B(m + 3) + 3ab^2 B(m + 2) + Ab^3(m + 2)) (c \cos(e + fx))^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; c \cos(e + fx)\right)}{c^2 f(m + 2)(m + 3)\sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

[In] Int[(c*Cos[e + f*x])^m*(a + b*Cos[e + f*x])^3*(A + B*Cos[e + f*x]),x]

[Out] $(b*(b^2*B*(3 + m) + 3*a*A*b*(4 + m) + 2*a^2*B*(5 + m))*(c*\text{Cos}[e + f*x])^{(1 + m)*\text{Sin}[e + f*x]})/(c*f*(2 + m)*(4 + m)) + (b^2*(A*b*(4 + m) + a*B*(6 + m))*\text{Cos}[e + f*x]*(c*\text{Cos}[e + f*x])^{(1 + m)*\text{Sin}[e + f*x]})/(c*f*(3 + m)*(4 + m)) + (b*B*(c*\text{Cos}[e + f*x])^{(1 + m)*(a + b*\text{Cos}[e + f*x])^2*\text{Sin}[e + f*x]})/(c*f*(4 + m)) - ((a^2*(2 + m)*(b*B*(1 + m) + a*A*(4 + m)) + b*(1 + m)*(b^2*B*(3 + m) + 3*a*A*b*(4 + m) + 2*a^2*B*(5 + m)))*(c*\text{Cos}[e + f*x])^{(1 + m)*\text{Hypergeometric2F1}[1/2, (1 + m)/2, (3 + m)/2, \text{Cos}[e + f*x]^2]*\text{Sin}[e + f*x]})/(c*f*(1 + m)*(2 + m)*(4 + m)*\text{Sqrt}[\text{Sin}[e + f*x]^2]) - ((A*b^3*(2 + m) + 3*a*b^2*B*(2 + m) + 3*a^2*A*b*(3 + m) + a^3*B*(3 + m))*(c*\text{Cos}[e + f*x])^{(2 + m)*\text{Hypergeometric2F1}[1/2, (2 + m)/2, (4 + m)/2, \text{Cos}[e + f*x]^2]*\text{Sin}[e + f*x]})/(c^2*f*(2 + m)*(3 + m)*\text{Sqrt}[\text{Sin}[e + f*x]^2])$

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -S

```
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f
_.)*(x_.)]^2), x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
 \int (c \cos(e + fx))^m (a + b \cos(e + fx))^3 (A + B \cos(e + fx)) dx &= \frac{bB(c \cos(e + fx))^{1+m} (a + b \cos(e + fx))^2 \sin(e + fx)}{cf(4 + m)} \\
 &= \frac{b^2(Ab(4 + m) + aB(6 + m)) \cos(e + fx) (c \cos(e + fx))^m}{cf(3 + m)(4 + m)} \\
 &= \frac{b(b^2B(3 + m) + 3aAb(4 + m) + 2a^2B(5 + m)) (c \cos(e + fx))^m}{cf(2 + m)(4 + m)} \\
 &= \frac{b(b^2B(3 + m) + 3aAb(4 + m) + 2a^2B(5 + m)) (c \cos(e + fx))^m}{cf(2 + m)(4 + m)} \\
 &= \frac{b(b^2B(3 + m) + 3aAb(4 + m) + 2a^2B(5 + m)) (c \cos(e + fx))^m}{cf(2 + m)(4 + m)}
 \end{aligned}$$

Mathematica [A] time = 2.81, size = 269, normalized size = 0.66

$$\frac{\sin(e + fx) \cos(e + fx) (c \cos(e + fx))^m \left(\cos(e + fx) \left(b \cos(e + fx) \left(b \cos(e + fx) \left(-\frac{(3aB + Ab) {}_2F_1\left(\frac{1}{2}, \frac{m+4}{2}, \frac{m+6}{2}; \cos^2(e + fx)\right)}{m+4} \right) \right) \right) \right)}{1}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c*Cos[e + f*x])^m*(a + b*Cos[e + f*x])^3*(A + B*Cos[e + f*x]),x]
```

```
[Out] (Cos[e + f*x]*(c*Cos[e + f*x])^m*(-((a^3*A*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f*x]^2)]/(1 + m)) + Cos[e + f*x]*(-((a^2*(3*A*b + a*B)*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f*x]^2)]/(2 + m)) + b*Cos[e + f*x]*((-3*a*(A*b + a*B)*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Cos[e + f*x]^2)]/(3 + m) + b*Cos[e + f*x]*(-((A*b + 3*a*B)*Hypergeometric2F1[1/2, (4 + m)/2, (6 + m)/2, Cos[e + f*x]^2)]/(4 + m)) - (b*B*Cos[e + f*x]*Hypergeometric2F1[1/2, (5 + m)/2, (7 + m)/2, Cos[e + f*x]^2)]/(5 + m))) * Sin[e + f*x])/(f*Sqrt[Sin[e + f*x]^2])
```

fricas [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^3 \cos(fx + e)^4 + Aa^3 + (3 Bab^2 + Ab^3) \cos(fx + e)^3 + 3(Ba^2b + Aab^2) \cos(fx + e)^2 + (Ba^3 + 3\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^3*(A+B*cos(f*x+e)),x, algorithm="fricas")
```

```
[Out] integral((B*b^3*cos(f*x + e)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(f*x + e)^3 + 3*(B*a^2*b + A*a*b^2)*cos(f*x + e)^2 + (B*a^3 + 3*A*a^2*b)*cos(f*x + e)) * (c*cos(f*x + e))^m, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^3 (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^3*(A+B*cos(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^3*(c*cos(f*x + e))^m, x)
```

maple [F] time = 3.00, size = 0, normalized size = 0.00

$$\int (c \cos(fx + e))^m (a + b \cos(fx + e))^3 (A + B \cos(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^3*(A+B*cos(f*x+e)),x)
```

```
[Out] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^3*(A+B*cos(f*x+e)),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^3 (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^3*(A+B*cos(f*x+e)),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^3*(c*cos(f*x + e))^m, x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (c \cos(e + fx))^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^3,x)
```

```
[Out] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^3*(A+B*cos(f*x+e)),x)
```

```
[Out] Timed out
```

3.452 $\int (c \cos(e + fx))^m (a + b \cos(e + fx))^2 (A + B \cos(e + fx)) dx$

Optimal. Leaf size=287

$$\frac{\sin(e + fx) (a^2 A(m + 2) + 2abB(m + 1) + Ab^2(m + 1)) (c \cos(e + fx))^{m+1} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(e + fx)\right)}{cf(m + 1)(m + 2)\sqrt{\sin^2(e + fx)}} \sin$$

[Out] b*(A*b*(3+m)+a*B*(4+m))*(c*cos(f*x+e))^(1+m)*sin(f*x+e)/c/f/(2+m)/(3+m)+b*B*(c*cos(f*x+e))^(1+m)*(a+b*cos(f*x+e))*sin(f*x+e)/c/f/(3+m)-(A*b^2*(1+m)+2*a*b*B*(1+m)+a^2*A*(2+m))*(c*cos(f*x+e))^(1+m)*hypergeom([1/2, 1/2+1/2*m], [3/2+1/2*m], cos(f*x+e)^2)*sin(f*x+e)/c/f/(1+m)/(2+m)/(sin(f*x+e)^2)^(1/2)-(b^2*B*(2+m)+a*(2*A*b+B*a)*(3+m))*(c*cos(f*x+e))^(2+m)*hypergeom([1/2, 1+1/2*m], [2+1/2*m], cos(f*x+e)^2)*sin(f*x+e)/c^2/f/(2+m)/(3+m)/(sin(f*x+e)^2)^(1/2)

Rubi [A] time = 0.54, antiderivative size = 287, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2990, 3023, 2748, 2643}

$$\frac{\sin(e + fx) (a^2 A(m + 2) + 2abB(m + 1) + Ab^2(m + 1)) (c \cos(e + fx))^{m+1} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(e + fx)\right)}{cf(m + 1)(m + 2)\sqrt{\sin^2(e + fx)}} \sin$$

Antiderivative was successfully verified.

[In] Int[(c*cos[e + f*x])^m*(a + b*cos[e + f*x])^2*(A + B*cos[e + f*x]),x]

[Out] (b*(A*b*(3 + m) + a*B*(4 + m))*(c*cos[e + f*x])^(1 + m)*Sin[e + f*x])/(c*f*(2 + m)*(3 + m)) + (b*B*(c*cos[e + f*x])^(1 + m)*(a + b*cos[e + f*x])*Sin[e + f*x])/(c*f*(3 + m)) - ((A*b^2*(1 + m) + 2*a*b*B*(1 + m) + a^2*A*(2 + m))*(c*cos[e + f*x])^(1 + m)*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(c*f*(1 + m)*(2 + m)*Sqrt[Sin[e + f*x]^2]) - ((b^2*B*(2 + m) + a*(2*A*b + a*B)*(3 + m))*(c*cos[e + f*x])^(2 + m)*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(c^2*f*(2 + m)*(3 + m)*Sqrt[Sin[e + f*x]^2])

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2990

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*cos[e + f*x]*(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*sin[e + f*x])^(m - 2)*(c + d*sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e

+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int (c \cos(e + fx))^m (a + b \cos(e + fx))^2 (A + B \cos(e + fx)) dx &= \frac{bB(c \cos(e + fx))^{1+m} (a + b \cos(e + fx)) \sin(e + fx)}{cf(3 + m)} \\ &= \frac{b(Ab(3 + m) + aB(4 + m))(c \cos(e + fx))^{1+m}}{cf(2 + m)(3 + m)} \\ &= \frac{b(Ab(3 + m) + aB(4 + m))(c \cos(e + fx))^{1+m}}{cf(2 + m)(3 + m)} \\ &= \frac{b(Ab(3 + m) + aB(4 + m))(c \cos(e + fx))^{1+m}}{cf(2 + m)(3 + m)} \end{aligned}$$

Mathematica [A] time = 1.70, size = 217, normalized size = 0.76

$$\frac{\sin(e + fx) \cos(e + fx) (c \cos(e + fx))^m \left(\cos(e + fx) \left(b \cos(e + fx) \left(-\frac{(2aB + Ab) {}_2F_1\left(\frac{1}{2}, \frac{m+3}{2}; \frac{m+5}{2}; \cos^2(e + fx)\right)}{m+3} - \frac{bB \cos(e + fx)}{f \sqrt{\sin^2(e + fx)}} \right) \right)}{f \sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Cos[e + f*x])^m*(a + b*Cos[e + f*x])^2*(A + B*Cos[e + f*x]),x]
 [Out] (Cos[e + f*x]*(c*Cos[e + f*x])^m*(-((a^2*A*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f*x]^2)]/(1 + m)) + Cos[e + f*x]*(-((a*(2*A*b + a*B)*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f*x]^2)]/(2 + m)) + b*Cos[e + f*x]*(-((A*b + 2*a*B)*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Cos[e + f*x]^2)]/(3 + m)) - (b*B*Cos[e + f*x]*Hypergeometric2F1[1/2, (4 + m)/2, (6 + m)/2, Cos[e + f*x]^2)]/(4 + m))))*Sin[e + f*x]/(f*Sqrt[Sin[e + f*x]^2])

fricas [F] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(fx + e)^3 + Aa^2 + (2Bab + Ab^2) \cos(fx + e)^2 + (Ba^2 + 2Aab) \cos(fx + e)\right) (c \cos(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^2*(A+B*cos(f*x+e)),x, algorithm="fricas")

[Out] integral((B*b^2*cos(f*x + e)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(f*x + e)^2 + (B*a^2 + 2*A*a*b)*cos(f*x + e))*(c*cos(f*x + e))^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^2 (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^2*(A+B*cos(f*x+e)),x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^2*(c*cos(f*x + e))^m, x)

maple [F] time = 1.88, size = 0, normalized size = 0.00

$$\int (c \cos(fx + e))^m (a + b \cos(fx + e))^2 (A + B \cos(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^2*(A+B*cos(f*x+e)),x)

[Out] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^2*(A+B*cos(f*x+e)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^2 (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^2*(A+B*cos(f*x+e)),x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^2*(c*cos(f*x + e))^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (c \cos(e + fx))^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^2,x)

[Out] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))**m*(a+b*cos(f*x+e))**2*(A+B*cos(f*x+e)),x)

[Out] Timed out

$$3.453 \quad \int (c \cos(e+fx))^m (a+b \cos(e+fx))(A+B \cos(e+fx)) dx$$

Optimal. Leaf size=196

$$\frac{(aB + Ab) \sin(e + fx)(c \cos(e + fx))^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(e + fx)\right) \sin(e + fx)(aA(m+2) + bB(m+1))}{c^2 f(m+2) \sqrt{\sin^2(e + fx)}} \quad cf(m+1)$$

[Out] b*B*(c*cos(f*x+e))^(1+m)*sin(f*x+e)/c/f/(2+m)-(b*B*(1+m)+a*A*(2+m))*(c*cos(f*x+e))^(1+m)*hypergeom([1/2, 1/2+1/2*m], [3/2+1/2*m], cos(f*x+e)^2)*sin(f*x+e)/c/f/(1+m)/(2+m)/(sin(f*x+e)^2)^(1/2)-(A*b+B*a)*(c*cos(f*x+e))^(2+m)*hypergeom([1/2, 1+1/2*m], [2+1/2*m], cos(f*x+e)^2)*sin(f*x+e)/c^2/f/(2+m)/(sin(f*x+e)^2)^(1/2)

Rubi [A] time = 0.25, antiderivative size = 196, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {2968, 3023, 2748, 2643}

$$\frac{(aB + Ab) \sin(e + fx)(c \cos(e + fx))^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(e + fx)\right) \sin(e + fx)(aA(m+2) + bB(m+1))}{c^2 f(m+2) \sqrt{\sin^2(e + fx)}} \quad cf(m+1)$$

Antiderivative was successfully verified.

[In] Int[(c*Cos[e + f*x])^m*(a + b*Cos[e + f*x])*(A + B*Cos[e + f*x]),x]

[Out] (b*B*(c*Cos[e + f*x])^(1 + m)*Sin[e + f*x])/(c*f*(2 + m)) - ((b*B*(1 + m) + a*A*(2 + m))*(c*Cos[e + f*x])^(1 + m)*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(c*f*(1 + m)*(2 + m)*Sqrt[Sin[e + f*x]^2]) - ((A*b + a*B)*(c*Cos[e + f*x])^(2 + m)*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(c^2*f*(2 + m)*Sqrt[Sin[e + f*x]^2])

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +

2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int (c \cos(e + fx))^m (a + b \cos(e + fx))(A + B \cos(e + fx)) dx &= \int (c \cos(e + fx))^m (aA + (Ab + aB) \cos(e + fx) - \\ &= \frac{bB(c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(2 + m)} + \frac{\int (c \cos(e + fx))^m (aA + (Ab + aB) \cos(e + fx)) dx}{cf(2 + m)} \\ &= \frac{bB(c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(2 + m)} + \frac{(Ab + aB) \int (c \cos(e + fx))^m dx}{cf(2 + m)} \\ &= \frac{bB(c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(2 + m)} - \frac{\left(aA + \frac{bB(1+m)}{2+m}\right) \int (c \cos(e + fx))^m dx}{cf(2 + m)} \end{aligned}$$

Mathematica [A] time = 0.34, size = 151, normalized size = 0.77

$$\frac{\sin(e + fx) \cos(e + fx) (c \cos(e + fx))^m \left((aA(m + 2) + bB(m + 1)) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(e + fx)\right) + (m + 1) \left((aA + \frac{bB(1+m)}{2+m}) \int (c \cos(e + fx))^m dx \right) \right)}{f(m + 1)(m + 2) \sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Cos[e + f*x])^m*(a + b*Cos[e + f*x])*(A + B*Cos[e + f*x]),x]

[Out] -((Cos[e + f*x]*(c*Cos[e + f*x])^m*Sin[e + f*x]*((b*B*(1 + m) + a*A*(2 + m))*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f*x]^2] + (1 + m)*((A*b + a*B)*Cos[e + f*x]*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f*x]^2] - b*B*Sqrt[Sin[e + f*x]^2])))/(f*(1 + m)*(2 + m)*Sqrt[Sin[e + f*x]^2]))

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(fx + e)^2 + Aa + (Ba + Ab) \cos(fx + e)\right) (c \cos(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))*(A+B*cos(f*x+e)),x, algorithm="fricas")

[Out] integral((B*b*cos(f*x + e)^2 + A*a + (B*a + A*b)*cos(f*x + e))*(c*cos(f*x + e))^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)(c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))*(A+B*cos(f*x+e)),x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)*(c*cos(f*x + e))^m, x)

maple [F] time = 1.99, size = 0, normalized size = 0.00

$$\int (c \cos(fx + e))^m (a + b \cos(fx + e)) (A + B \cos(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))*(A+B*cos(f*x+e)),x)

[Out] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))*(A+B*cos(f*x+e)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)(c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))*(A+B*cos(f*x+e)),x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)*(c*cos(f*x + e))^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (c \cos(e + fx))^m (A + B \cos(e + fx)) (a + b \cos(e + fx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x)),x)

[Out] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \cos(e + fx))^m (A + B \cos(e + fx)) (a + b \cos(e + fx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))*(A+B*cos(f*x+e)),x)

[Out] Integral((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x)), x)

$$3.454 \quad \int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{a+b \cos(e+fx)} dx$$

Optimal. Leaf size=286

$$\frac{ac(Ab - aB) \sin(e + fx) \cos^2(e + fx)^{\frac{1-m}{2}} (c \cos(e + fx))^{m-1} F_1\left(\frac{1}{2}; \frac{1-m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e+fx)}{a^2-b^2}\right) (Ab - aB)}{bf(a^2 - b^2)}$$

[Out] a*(A*b-B*a)*c*AppellF1(1/2,1/2-1/2*m,1,3/2,sin(f*x+e)^2,-b^2*sin(f*x+e)^2/(a^2-b^2))*(c*cos(f*x+e))^(1+m)*(cos(f*x+e)^2)^(1/2-1/2*m)*sin(f*x+e)/b/(a^2-b^2)/f-(A*b-B*a)*AppellF1(1/2,-1/2*m,1,3/2,sin(f*x+e)^2,-b^2*sin(f*x+e)^2/(a^2-b^2))*(c*cos(f*x+e))^m*sin(f*x+e)/(a^2-b^2)/f/((cos(f*x+e)^2)^(1/2*m))-B*(c*cos(f*x+e))^(1+m)*hypergeom([1/2, 1/2+1/2*m],[3/2+1/2*m],cos(f*x+e)^2)*sin(f*x+e)/b/c/f/(1+m)/(sin(f*x+e)^2)^(1/2)

Rubi [A] time = 0.41, antiderivative size = 286, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {3002, 2643, 2823, 3189, 429}

$$\frac{ac(Ab - aB) \sin(e + fx) \cos^2(e + fx)^{\frac{1-m}{2}} (c \cos(e + fx))^{m-1} F_1\left(\frac{1}{2}; \frac{1-m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e+fx)}{a^2-b^2}\right) (Ab - aB)}{bf(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[((c*cos[e + f*x])^m*(A + B*cos[e + f*x]))/(a + b*cos[e + f*x]),x]

[Out] (a*(A*b - a*B)*c*AppellF1[1/2, (1 - m)/2, 1, 3/2, Sin[e + f*x]^2, -((b^2*Sin[e + f*x]^2)/(a^2 - b^2))]*(c*cos[e + f*x])^(1 + m)*(cos[e + f*x]^2)^(1 - m)/2)*Sin[e + f*x]/(b*(a^2 - b^2)*f) - ((A*b - a*B)*AppellF1[1/2, -m/2, 1, 3/2, Sin[e + f*x]^2, -((b^2*Sin[e + f*x]^2)/(a^2 - b^2))]*(c*cos[e + f*x])^m*sin[e + f*x])/((a^2 - b^2)*f*(cos[e + f*x]^2)^(m/2)) - (B*(c*cos[e + f*x])^(1 + m)*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f*x]^2]*Sin[e + f*x])/(b*c*f*(1 + m)*Sqrt[Sin[e + f*x]^2])

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 2823

Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[a, Int[(d*Sin[e + f*x])^n/(a^2 - b^2*Sin[e + f*x]^2), x], x] - Dist[b/d, Int[(d*Sin[e + f*x])^(n + 1)/(a^2 - b^2*Sin[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0]

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3189

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2^(p_.), x_Symbol] := With[{ff = FreeFactors[Cos[e + f*x], x]}, -Dist[(ff*d^(2*IntPart[(m - 1)/2] + 1)*(d*Sin[e + f*x])^(2*FracPart[(m - 1)/2]))/(f*(Sin[e + f*x]^2)^FracPart[(m - 1)/2]), Subst[Int[(1 - ff^2*x^2)^((m - 1)/2)*(a + b - b*ff^2*x^2)^p, x], x, Cos[e + f*x]/ff], x] /; FreeQ[{a, b, d, e, f, m, p}, x] && !IntegerQ[m]
```

Rubi steps

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{a + b \cos(e + fx)} dx = \frac{B \int (c \cos(e + fx))^m dx}{b} - \frac{(-Ab + aB) \int \frac{(c \cos(e + fx))^m}{a + b \cos(e + fx)} dx}{b}$$

$$= -\frac{B(c \cos(e + fx))^{1+m} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; \cos^2(e + fx)\right) \sin(e + fx)}{bcf(1+m)\sqrt{\sin^2(e + fx)}}$$

$$= -\frac{B(c \cos(e + fx))^{1+m} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; \cos^2(e + fx)\right) \sin(e + fx)}{bcf(1+m)\sqrt{\sin^2(e + fx)}}$$

$$= \frac{a(Ab - aB)cF_1\left(\frac{1}{2}; \frac{1-m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e + fx)}{a^2 - b^2}\right) (c \cos(e + fx))^m}{b(a^2 - b^2)f}$$

Mathematica [B] time = 26.94, size = 10482, normalized size = 36.65

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((c*cos[e + f*x])^m*(A + B*cos[e + f*x]))/(a + b*cos[e + f*x]), x]
```

```
[Out] Result too large to show
```

fricas [F] time = 0.90, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(fx + e) + A)(c \cos(fx + e))^m}{b \cos(fx + e) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e)), x, algorithm="fricas")
```

```
[Out] integral((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/(b*cos(f*x + e) + a), x)
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

$$3.455 \quad \int (c \cos(e + fx))^m (a + b \cos(e + fx))^{3/2} (A + B \cos(e + fx)) dx$$

Optimal. Leaf size=181

$$2 \operatorname{Int} \left(\frac{(c \cos(e+fx))^m \left(\frac{1}{2} c \cos(e+fx) (a(2m+5)(aB+2Ab)+b^2 B(2m+3)) + \frac{1}{2} bc \cos^2(e+fx)(2aB(m+3)+Ab(2m+5)) + \frac{1}{2} ac \left(2aA \left(m + \frac{5}{2} \right) + 2bB(m+1) \right) \right)}{\sqrt{a+b \cos(e+fx)}} \right), x \Bigg) \\ c(2m+5)$$

[Out] $2*b*B*(c*\cos(f*x+e))^{(1+m)}*\sin(f*x+e)*(a+b*\cos(f*x+e))^{(1/2)}/c/f/(5+2*m)+2*$
 Unintegrable($((c*\cos(f*x+e))^{m*(1/2*a*c*(2*b*B*(1+m)+2*a*A*(5/2+m))+1/2*c*(b$
 $^{2*B*(3+2*m)+a*(2*A*b+B*a)*(5+2*m))*\cos(f*x+e)+1/2*b*c*(2*a*B*(3+m)+A*b*(5+$
 $2*m))*\cos(f*x+e)^2)/(a+b*\cos(f*x+e))^{(1/2)},x)/c/(5+2*m)$

Rubi [A] time = 0.53, antiderivative size = 0, normalized size of antiderivative = 0.00,
 number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} =$
 0.000, Rules used = {}

$$\int (c \cos(e + fx))^m (a + b \cos(e + fx))^{3/2} (A + B \cos(e + fx)) dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Int}[(c*\operatorname{Cos}[e + f*x])^m*(a + b*\operatorname{Cos}[e + f*x])^{(3/2)}*(A + B*\operatorname{Cos}[e + f*x]),x]$

[Out] $(2*b*B*(c*\operatorname{Cos}[e + f*x])^{(1 + m)}*\operatorname{Sqrt}[a + b*\operatorname{Cos}[e + f*x]]*\operatorname{Sin}[e + f*x])/(c*f$
 $*(5 + 2*m)) + (2*\operatorname{Defer}[\operatorname{Int}][((c*\operatorname{Cos}[e + f*x])^m*((a*c*(2*b*B*(1 + m) + 2*a*$
 $A*(5/2 + m)))/2 + (c*(b^{2*B*(3 + 2*m)} + a*(2*A*b + a*B)*(5 + 2*m))*\operatorname{Cos}[e +$
 $f*x])/2 + (b*c*(2*a*B*(3 + m) + A*b*(5 + 2*m))*\operatorname{Cos}[e + f*x]^2)/2))/\operatorname{Sqrt}[a +$
 $b*\operatorname{Cos}[e + f*x]], x)]/(c*(5 + 2*m))$

Rubi steps

$$\int (c \cos(e + fx))^m (a + b \cos(e + fx))^{3/2} (A + B \cos(e + fx)) dx = \frac{2bB(c \cos(e + fx))^{1+m} \sqrt{a + b \cos(e + fx)} \sin(e + fx)}{cf(5 + 2m)}$$

Mathematica [A] time = 66.75, size = 0, normalized size = 0.00

$$\int (c \cos(e + fx))^m (a + b \cos(e + fx))^{3/2} (A + B \cos(e + fx)) dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Integrate}[(c*\operatorname{Cos}[e + f*x])^m*(a + b*\operatorname{Cos}[e + f*x])^{(3/2)}*(A + B*\operatorname{Cos}[e + f*x]$
 $),x]$

[Out] $\operatorname{Integrate}[(c*\operatorname{Cos}[e + f*x])^m*(a + b*\operatorname{Cos}[e + f*x])^{(3/2)}*(A + B*\operatorname{Cos}[e + f*x]$
 $), x]$

fricas [A] time = 1.98, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\left(Bb \cos^2(fx + e) + Aa + (Ba + Ab) \cos(fx + e) \right) \sqrt{b \cos(fx + e) + a} (c \cos(fx + e))^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}((c*\cos(f*x+e))^{m*(a+b*\cos(f*x+e))^{(3/2)}*(A+B*\cos(f*x+e)),x, \operatorname{algorithm}="fricas")$

[Out] integral((B*b*cos(f*x + e)^2 + A*a + (B*a + A*b)*cos(f*x + e))*sqrt(b*cos(f*x + e) + a)*(c*cos(f*x + e))^m, x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e)),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.46, size = 0, normalized size = 0.00

$$\int (c \cos (fx + e))^m (a + b \cos (fx + e))^{\frac{3}{2}} (A + B \cos (fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e)),x)

[Out] int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos (fx + e) + A)(b \cos (fx + e) + a)^{\frac{3}{2}} (c \cos (fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e)),x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^(3/2)*(c*cos(f*x + e))^m, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.01

$$\int (c \cos (e + fx))^m (A + B \cos (e + fx)) (a + b \cos (e + fx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^(3/2),x)

[Out] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e)),x)

[Out] Timed out

$$3.456 \quad \int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx$$

Optimal. Leaf size=38

$$\text{Int}\left(\sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx))(c \cos(e+fx))^m, x\right)$$

[Out] Unintegrable((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2), x)

Rubi [A] time = 0.12, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx$$

Verification is Not applicable to the result.

[In] Int[(c*cos[e + f*x])^m*Sqrt[a + b*cos[e + f*x]]*(A + B*cos[e + f*x]), x]

[Out] Defer[Int][(c*cos[e + f*x])^m*Sqrt[a + b*cos[e + f*x]]*(A + B*cos[e + f*x]), x]

Rubi steps

$$\int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx = \int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx$$

Mathematica [A] time = 9.67, size = 0, normalized size = 0.00

$$\int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(c*cos[e + f*x])^m*Sqrt[a + b*cos[e + f*x]]*(A + B*cos[e + f*x]), x]

[Out] Integrate[(c*cos[e + f*x])^m*Sqrt[a + b*cos[e + f*x]]*(A + B*cos[e + f*x]), x]

fricas [A] time = 1.00, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(fx+e) + A\right) \sqrt{b \cos(fx+e) + a} (c \cos(fx+e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2), x, algorithm="fricas")

[Out] integral((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*cos(f*x + e))^m, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx+e) + A) \sqrt{b \cos(fx+e) + a} (c \cos(fx+e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*cos(f*x + e))^m, x)

maple [A] time = 0.34, size = 0, normalized size = 0.00

$$\int (c \cos (fx + e))^m (A + B \cos (fx + e)) \sqrt{a + b \cos (fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2),x)

[Out] int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos (fx + e) + A) \sqrt{b \cos (fx + e) + a} (c \cos (fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*cos(f*x + e))^m, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.03

$$\int (c \cos (e + fx))^m (A + B \cos (e + fx)) \sqrt{a + b \cos (e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^(1/2),x)

[Out] int((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^(1/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \cos (e + fx))^m (A + B \cos (e + fx)) \sqrt{a + b \cos (e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2),x)

[Out] Integral((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*sqrt(a + b*cos(e + f*x)), x)

$$3.457 \quad \int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{\sqrt{a+b \cos(e+fx)}} dx$$

Optimal. Leaf size=38

$$\text{Int} \left(\frac{(A + B \cos(e + fx))(c \cos(e + fx))^m}{\sqrt{a + b \cos(e + fx)}}, x \right)$$

[Out] Unintegrable((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2), x)

Rubi [A] time = 0.12, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{\sqrt{a + b \cos(e + fx)}} dx$$

Verification is Not applicable to the result.

[In] Int[((c*Cos[e + f*x])^m*(A + B*Cos[e + f*x]))/Sqrt[a + b*Cos[e + f*x]], x]

[Out] Defer[Int] [((c*Cos[e + f*x])^m*(A + B*Cos[e + f*x]))/Sqrt[a + b*Cos[e + f*x]], x]

Rubi steps

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{\sqrt{a + b \cos(e + fx)}} dx = \int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{\sqrt{a + b \cos(e + fx)}} dx$$

Mathematica [A] time = 8.10, size = 0, normalized size = 0.00

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{\sqrt{a + b \cos(e + fx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((c*Cos[e + f*x])^m*(A + B*Cos[e + f*x]))/Sqrt[a + b*Cos[e + f*x]], x]

[Out] Integrate[((c*Cos[e + f*x])^m*(A + B*Cos[e + f*x]))/Sqrt[a + b*Cos[e + f*x]], x]

fricas [A] time = 1.03, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(fx + e) + A) (c \cos(fx + e))^m}{\sqrt{b \cos(fx + e) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2), x, algorithm="fricas")

[Out] integral((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(fx + e) + A) (c \cos(fx + e))^m}{\sqrt{b \cos(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)
```

maple [A] time = 0.32, size = 0, normalized size = 0.00

$$\int \frac{(c \cos(fx + e))^m (A + B \cos(fx + e))}{\sqrt{a + b \cos(fx + e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2),x)
```

```
[Out] int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2),x)
```

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(fx + e) + A) (c \cos(fx + e))^m}{\sqrt{b \cos(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)
```

mupad [A] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{\sqrt{a + b \cos(e + fx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((c*cos(e + f*x))^m*(A + B*cos(e + f*x)))/(a + b*cos(e + f*x))^(1/2),x)
```

```
[Out] int(((c*cos(e + f*x))^m*(A + B*cos(e + f*x)))/(a + b*cos(e + f*x))^(1/2), x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{\sqrt{a + b \cos(e + fx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))**m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))**(1/2),x)
```

```
[Out] Integral((c*cos(e + f*x))**m*(A + B*cos(e + f*x))/sqrt(a + b*cos(e + f*x)), x)
```

$$3.458 \quad \int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{(a+b \cos(e+fx))^{3/2}} dx$$

Optimal. Leaf size=191

$$2 \operatorname{Int} \left(\frac{(c \cos(e+fx))^m \left(-\frac{1}{2} bc(2m+3)(Ab-aB) \cos^2(e+fx) - \frac{1}{2} ac(Ab-aB) \cos(e+fx) + \frac{1}{2} c \left(2b \left(m + \frac{1}{2} \right) (Ab-aB) + a(aA-bB) \right) \right)}{\sqrt{a+b \cos(e+fx)}}, x \right) + \frac{2b(Ab-aB) \sin(e+fx)}{ac(a^2-b^2)}$$

[Out] 2*b*(A*b-B*a)*(c*cos(f*x+e))^(1+m)*sin(f*x+e)/a/(a^2-b^2)/c/f/(a+b*cos(f*x+e))^(1/2)+2*Unintegrable((c*cos(f*x+e))^m*(1/2*c*(a*(A*a-B*b)+2*b*(A*b-B*a)*(1/2+m))-1/2*a*(A*b-B*a)*c*cos(f*x+e)-1/2*b*(A*b-B*a)*c*(3+2*m)*cos(f*x+e)^2)/(a+b*cos(f*x+e))^(1/2),x)/a/(a^2-b^2)/c

Rubi [A] time = 0.50, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{(a+b \cos(e+fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[((c*cos[e + f*x])^m*(A + B*cos[e + f*x]))/(a + b*cos[e + f*x])^(3/2),x]

[Out] (2*b*(A*b - a*B)*(c*cos[e + f*x])^(1 + m)*Sin[e + f*x])/(a*(a^2 - b^2)*c*f*Sqrt[a + b*cos[e + f*x]]) + (2*Defer[Int](((c*cos[e + f*x])^m*((c*(a*(a*A - b*B) + 2*b*(A*b - a*B)*(1/2 + m)))/2 - (a*(A*b - a*B)*c*cos[e + f*x])/2 - (b*(A*b - a*B)*c*(3 + 2*m)*cos[e + f*x]^2)/2))/Sqrt[a + b*cos[e + f*x]], x)/(a*(a^2 - b^2)*c)

Rubi steps

$$\int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{(a+b \cos(e+fx))^{3/2}} dx = \frac{2b(Ab-aB)(c \cos(e+fx))^{1+m} \sin(e+fx)}{a(a^2-b^2)cf\sqrt{a+b \cos(e+fx)}} + \frac{2 \int \frac{(c \cos(e+fx))^m \left(\frac{1}{2} c (a(aA-bB) + 2b(m+\frac{1}{2})(Ab-aB) + a(aA-bB)) \right)}{\sqrt{a+b \cos(e+fx)}} dx}{a(a^2-b^2)}$$

Mathematica [A] time = 10.72, size = 0, normalized size = 0.00

$$\int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{(a+b \cos(e+fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((c*cos[e + f*x])^m*(A + B*cos[e + f*x]))/(a + b*cos[e + f*x])^(3/2),x]

[Out] Integrate[((c*cos[e + f*x])^m*(A + B*cos[e + f*x]))/(a + b*cos[e + f*x])^(3/2), x]

fricas [A] time = 1.39, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{(B \cos(fx+e) + A) \sqrt{b \cos(fx+e) + a} (c \cos(fx+e))^m}{b^2 \cos(fx+e)^2 + 2ab \cos(fx+e) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*cos(f*x + e))^m/(b^2*cos(f*x + e)^2 + 2*a*b*cos(f*x + e) + a^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(fx + e) + A)(c \cos(fx + e))^m}{(b \cos(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/(b*cos(f*x + e) + a)^(3/2), x)

maple [A] time = 0.37, size = 0, normalized size = 0.00

$$\int \frac{(c \cos(fx + e))^m (A + B \cos(fx + e))}{(a + b \cos(fx + e))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(3/2),x)

[Out] int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(3/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(fx + e) + A)(c \cos(fx + e))^m}{(b \cos(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/(b*cos(f*x + e) + a)^(3/2), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{(a + b \cos(e + fx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c*cos(e + f*x))^m*(A + B*cos(e + f*x)))/(a + b*cos(e + f*x))^(3/2),x)

[Out] int(((c*cos(e + f*x))^m*(A + B*cos(e + f*x)))/(a + b*cos(e + f*x))^(3/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{(a + b \cos(e + fx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))**m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))**(3/2),x)
```

```
[Out] Integral((c*cos(e + f*x))**m*(A + B*cos(e + f*x))/(a + b*cos(e + f*x))**(3/2), x)
```

$$3.459 \quad \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

Optimal. Leaf size=172

$$\frac{2a(A+B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3d} + \frac{2a(3A+5B)\sin(c+dx)\sqrt{\sec(c+dx)}}{5d} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3d}$$

[Out] $2/3*a*(A+B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/5*a*A*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/5*a*(3*A+5*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2/5*a*(3*A+5*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*a*(A+B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.22, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2960, 3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{2a(A+B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3d} + \frac{2a(3A+5B)\sin(c+dx)\sqrt{\sec(c+dx)}}{5d} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]

[Out] $(-2*a*(3*A+5*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(5*d) + (2*a*(A+B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticF}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(3*d) + (2*a*(3*A+5*B)*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(5*d) + (2*a*(A+B)*\text{Sec}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(3*d) + (2*a*A*\text{Sec}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x])/(5*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m+n), Int[(g*Csc[e+f*x])^(p-m-n)*(b+a*Csc[e+f*x])^m*(d+c*Csc[e+f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] :> -Simp[(b*Cos[c+d*x]*(b*Csc[c+d*x])^(n-1))/(d*(n-1)), x] + Dist[(b^2*(n-2))/(n-1), Int[(b*Csc[c+d*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[
e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))(B + A \sec(c + dx)) \\
&= \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \sec^{\frac{3}{2}}(c + dx) \left(\frac{1}{2}\right) \\
&= \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + (a(A + B)) \int \sec^{\frac{5}{2}}(c + dx) \\
&= \frac{2a(3A + 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a(A + B) s}{5d} \\
&= \frac{2a(3A + 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a(A + B) s}{5d} \\
&= \frac{2a(3A + 5B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 1.93, size = 292, normalized size = 1.70

$$\frac{ae^{-ic} (-1 + e^{2ic}) \csc(c) (\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left((3A + 5B)e^{i(c+dx)} (1 + e^{2i(c+dx)})^{5/2} {}_2F_1\left(\frac{1}{2}, \dots\right)\right)}{5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
[Out] (a*(-1 + E^((2*I)*c))*(1 + Cos[c + d*x])*Csc[c]*(5*A + 5*B - 3*A*E^(I*(c +
d*x)) - 15*B*E^(I*(c + d*x)) - 24*A*E^((3*I)*(c + d*x)) - 30*B*E^((3*I)*(c
+ d*x)) - 5*A*E^((4*I)*(c + d*x)) - 5*B*E^((4*I)*(c + d*x)) - 9*A*E^((5*I)*
(c + d*x)) - 15*B*E^((5*I)*(c + d*x)) - (5*I)*(A + B)*(1 + E^((2*I)*(c + d*
x)))^2*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (3*A + 5*B)*E^(I*(c +
d*x))*(1 + E^((2*I)*(c + d*x)))^(5/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^
((2*I)*(c + d*x))])*Sec[(c + d*x)/2]^2*Sqrt[Sec[c + d*x]])/(30*d*E^(I*c)*(1
+ E^((2*I)*(c + d*x)))^2)
```

fricas [F] time = 2.10, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba \cos(dx+c)^2 + (A+B)a \cos(dx+c) + Aa\right) \sec(dx+c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)*sec(d*x + c)^(7/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(a \cos(dx+c) + a) \sec(dx+c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)

maple [B] time = 4.28, size = 661, normalized size = 3.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x)

[Out]
$$-4*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(-1/10*A/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/2*B*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+(1/2*A+1/2*B)*(-1/6*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^{(1/2)}+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(a \cos(dx+c) + a) \sec(dx+c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{7/2} (a + a \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x)),x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)

[Out] Timed out

$$3.460 \quad \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

Optimal. Leaf size=135

$$\frac{2a(A + B) \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2a(A + 3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a(A + B) \sqrt{\cos(c + dx)}}{3d}$$

[Out] $2/3*a*A*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2*a*(A+B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*a*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*a*(A+3*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.19, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2960, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2a(A + B) \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2a(A + 3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a(A + B) \sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] $(-2*a*(A + B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a*(A + 3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a*(A + B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d + (2*a*A*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))(B + A \sec(c + dx)) dx \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \sqrt{\sec(c + dx)} \left(\frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + (a(A + B)) \int \sec^{\frac{3}{2}}(c + dx) dx \right) dx \\
&= \frac{2a(A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx)}{3d} \\
&= \frac{2a(A + 3B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} \\
&= -\frac{2a(A + B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [C] time = 1.23, size = 225, normalized size = 1.67

$$\frac{a(\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(i \left((A + B) e^{i(c + dx)} (1 + e^{2i(c + dx)})^{3/2} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c + dx)}\right) - 3A e^{i(c + dx)} \right) \right)}{3d(1 + \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

```
[Out] (a*(1 + Cos[c + d*x]))*((A + 3*B)*(1 + E^((2*I)*(c + d*x))))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + I*(A - 3*A*E^(I*(c + d*x)) - 3*B*E^(I*(c + d*x)) - A*E^((2*I)*(c + d*x)) - 3*A*E^((3*I)*(c + d*x)) - 3*B*E^((3*I)*(c + d*x)) + (A + B)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(3/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[(c + d*x)/2]^2*Sqrt[Sec[c + d*x]]/(3*d*(1 + E^((2*I)*(c + d*x))))
```

fricas [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)*sec(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*sec(d*x + c)^(5/2), x)

maple [B] time = 3.57, size = 426, normalized size = 3.16

$$4\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(\frac{B\sqrt{\frac{1-\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)}{2\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} + \frac{\left(\frac{A}{2} + \frac{B}{2}\right)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x)

[Out] $-4\left(-(-2\cos(1/2*d*x+1/2*c)^2+1)\sin(1/2*d*x+1/2*c)^2\right)^{1/2}a\left(1/2*B\left(\sin(1/2*d*x+1/2*c)^2\right)^{1/2}\left(-2\cos(1/2*d*x+1/2*c)^2+1\right)^{1/2}/\left(-2\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2\right)^{1/2}\operatorname{EllipticF}\left(\cos(1/2*d*x+1/2*c), 2^{1/2}\right)+\left(1/2*A+1/2*B\right)\left(-(-2\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2\right)^{1/2}\left(\sin(1/2*d*x+1/2*c)^2\right)^{1/2}\left(2\sin(1/2*d*x+1/2*c)^2-1\right)^{1/2}\operatorname{EllipticE}\left(\cos(1/2*d*x+1/2*c), 2^{1/2}\right)+2\left(-2\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2\right)^{1/2}\cos(1/2*d*x+1/2*c)\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/\left(2\sin(1/2*d*x+1/2*c)^2-1\right)+1/2*A\left(-1/6\cos(1/2*d*x+1/2*c)\left(-2\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2\right)^{1/2}/\left(-1/2+\cos(1/2*d*x+1/2*c)^2\right)^2+1/3\left(\sin(1/2*d*x+1/2*c)^2\right)^{1/2}\left(-2\cos(1/2*d*x+1/2*c)^2+1\right)^{1/2}/\left(-2\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2\right)^{1/2}\operatorname{EllipticF}\left(\cos(1/2*d*x+1/2*c), 2^{1/2}\right)\right)/\sin(1/2*d*x+1/2*c)/\left(2\cos(1/2*d*x+1/2*c)^2-1\right)^{1/2}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*sec(d*x + c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} (a + a \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x)),x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

3.461 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx$

Optimal. Leaf size=106

$$\frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2a(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out] $2*a*A*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*a*(A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2*a*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.18, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2960, 3997, 3787, 3771, 2639, 2641}

$$\frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2a(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]

[Out] $(-2*a*(A-B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/d + (2*a*(A+B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticF}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/d + (2*a*A*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/d$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m+n), Int[(g*Csc[e+f*x])^(p-m-n)*(b+a*Csc[e+f*x])^m*(d+c*Csc[e+f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] :> Dist[(b*Csc[c+d*x])^n*Sin[c+d*x]^n, Int[1/Sin[c+d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e+f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e+f*x])^(n+1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))(B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + 2 \int \frac{-\frac{1}{2}a(A - B) + \frac{1}{2}a(A + B)\sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - (a(A - B)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - (a(A - B)\sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= -\frac{2a(A - B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} \end{aligned}$$

Mathematica [C] time = 1.06, size = 157, normalized size = 1.48

$$\frac{2ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(i(A - B)e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + 3(A + B)\sqrt{\cos(dx)} \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
[Out] (2*a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*((-3*I)*A*Cos[c + d*x] + (3
*I)*B*Cos[c + d*x] + 3*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]
+ I*(A - B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F
1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 3*A*Sin[c + d*x]))/(3*d*E^(I*d*x))
```

fricas [F] time = 2.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="
fricas")
```

```
[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)*sec(d*x + c)^(
3/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*sec(d*x + c)^(3/2), x)

maple [A] time = 1.66, size = 240, normalized size = 2.26

$$2a \left(A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \operatorname{EllipticF} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) + A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x)

[Out] $-2*a*(A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*sec(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x)),x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)

[Out] Timed out

3.462 $\int (a+a \cos(c+dx))(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$

Optimal. Leaf size=110

$$\frac{2a(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out] $2/3*a*B*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+2*a*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*a*(3*A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.18, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2960, 3996, 3787, 3771, 2639, 2641}

$$\frac{2a(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])*Sqrt[\text{Sec}[c + d*x]],x]$

[Out] $(2*a*(A + B)*Sqrt[\text{Cos}[c + d*x])*\text{EllipticE}[(c + d*x)/2, 2]*Sqrt[\text{Sec}[c + d*x]])/d + (2*a*(3*A + B)*Sqrt[\text{Cos}[c + d*x])*\text{EllipticF}[(c + d*x)/2, 2]*Sqrt[\text{Sec}[c + d*x]])/(3*d) + (2*a*B*\text{Sin}[c + d*x])/(3*d*Sqrt[\text{Sec}[c + d*x]])$

Rule 2639

$\text{Int}[Sqrt[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/Sqrt[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] := \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3996


```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))(A + B \cos(c + dx))\sqrt{\sec(c + dx)} dx &= \int \frac{(a + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}a(A + B) - \frac{1}{2}a(3A + B)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + (a(A + B)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + (a(A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \\ &= \frac{2a(A + B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} \end{aligned}$$

Mathematica [C] time = 1.27, size = 148, normalized size = 1.35

$$\frac{2ae^{-idx}\sqrt{\sec(c + dx)}(\cos(dx) + i\sin(dx))\left(-i(A + B)e^{i(c+dx)}\sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx)\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]
[Out] (2*a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*((3*A + B)*Sqrt[Cos[c + d*x]
])*EllipticF[(c + d*x)/2, 2] - I*(A + B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*
(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) + Cos[c
+ d*x]*((3*I)*(A + B) + B*Sin[c + d*x]))/(3*d*E^(I*d*x))
```

fricas [F] time = 1.06, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa\right)\sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x, algorithm="
fricas")
[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)*sqrt(sec(d*x +
c)), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)\sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x, algorithm="
giac")
```

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)

maple [B] time = 1.37, size = 321, normalized size = 2.92

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(4B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{d}{2}\right)\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x)

[Out] -2/3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(4*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-2*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)\sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} (a + a \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x)), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left(\int A \sqrt{\sec(c + dx)} dx + \int A \cos(c + dx) \sqrt{\sec(c + dx)} dx + \int B \cos(c + dx) \sqrt{\sec(c + dx)} dx + \int B \cos^2(c + dx) \sqrt{\sec(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2), x)

[Out] a*(Integral(A*sqrt(sec(c + d*x)), x) + Integral(A*cos(c + d*x)*sqrt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)*sqrt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)**2*sqrt(sec(c + d*x)), x))

$$3.463 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=141

$$\frac{2a(A+B) \sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(5A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

[Out] $2/5*a*B*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+2/3*a*(A+B)*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+2/5*a*(5*A+3*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*a*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.20, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2960, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2a(A+B) \sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(5A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] $(2*a*(5*A + 3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*a*(A + B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a*B*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^{(3/2)}) + (2*a*(A + B)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx = \int \frac{(a + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2aB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}a(A + B) - \frac{1}{2}a(5A + 3B) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2aB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx + \frac{1}{5}(a(5A + 3B)) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2aB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3}(a(A + B)) \int \sqrt{\sec(c + dx)} dx$$

$$= \frac{2a(5A + 3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2aB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2a(5A + 3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(A + B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}}$$

Mathematica [C] time = 1.60, size = 148, normalized size = 1.05

$$\frac{a \sqrt{\sec(c + dx)} \left(-2i(5A + 3B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx)(10(A + B) \sin(c + dx) + 3B \sin[2(c + dx)]) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]

```
[Out] (a*Sqrt[Sec[c + d*x]]*(10*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2,
2] - (2*I)*(5*A + 3*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hyper
geometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((6*I)*(5*
A + 3*B) + 10*(A + B)*Sin[c + d*x] + 3*B*Ssin[2*(c + d*x)])))/(15*d)
```

fricas [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)/sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/sqrt(sec(d*x + c)), x)

maple [B] time = 1.31, size = 355, normalized size = 2.52

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(-24B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20A + 44B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x)

[Out]
$$\frac{-2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(-24*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A+44*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A-16*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/(1/cos(c + d*x))^(1/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/(1/cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left(\int \frac{A}{\sqrt{\sec(c+dx)}} dx + \int \frac{A \cos(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{B \cos(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{B \cos^2(c+dx)}{\sqrt{\sec(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] a*(Integral(A/sqrt(sec(c + d*x)), x) + Integral(A*cos(c + d*x)/sqrt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)/sqrt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)**2/sqrt(sec(c + d*x)), x))

$$3.464 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=172

$$\frac{2a(A+B) \sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a(7A+5B) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{2a(7A+5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \dots$$

[Out] $2/7*a*B*\sin(d*x+c)/d/\sec(d*x+c)^{(5/2)}+2/5*a*(A+B)*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+2/21*a*(7*A+5*B)*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+6/5*a*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/21*a*(7*A+5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.22, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2960, 3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{2a(A+B) \sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a(7A+5B) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{2a(7A+5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \dots$$

Antiderivative was successfully verified.

[In] `Int[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]`

[Out] $(6*a*(A+B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(5*d) + (2*a*(7*A+5*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticF}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(21*d) + (2*a*B*\text{Sin}[c+d*x])/(7*d*\text{Sec}[c+d*x]^{(5/2)}) + (2*a*(A+B)*\text{Sin}[c+d*x])/(5*d*\text{Sec}[c+d*x]^{(3/2)}) + (2*a*(7*A+5*B)*\text{Sin}[c+d*x])/(21*d*\text{Sqrt}[\text{Sec}[c+d*x]])$

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2960

`Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m+n), Int[(g*Csc[e+f*x])^(p-m-n)*(b+a*Csc[e+f*x])^m*(d+c*Csc[e+f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]`

Rule 3769

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c+d*x]*(b*Csc[c+d*x])^(n+1))/(b*d*n), x] + Dist[(n+1)/(b^2*n), Int[(b*Csc[c+d*x])^(n+2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\sec^3(c + dx)} dx = \int \frac{(a + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^2(c + dx)} dx$$

$$= \frac{2aB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}a(A + B) - \frac{1}{2}a(7A + 5B) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2aB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + \frac{1}{7}(a(7A + 5B) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx)$$

$$= \frac{2aB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(7A + 5B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}}$$

$$= \frac{2aB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(7A + 5B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}}$$

$$= \frac{6a(A + B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(7A + 5B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}}$$

Mathematica [C] time = 2.18, size = 182, normalized size = 1.06

$$ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-84i(A + B)e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]
[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(20*(7*A + 5*B)*Sqrt[Cos[c +
d*x]]*EllipticF[(c + d*x)/2, 2] - (84*I)*(A + B)*E^(I*(c + d*x))*Sqrt[1 + E
^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])
+ Cos[c + d*x]*((252*I)*(A + B) + 5*(28*A + 23*B)*Sin[c + d*x] + 42*(A + B)
*Sin[2*(c + d*x)] + 15*B*Sin[3*(c + d*x)])))/(210*d*E^(I*d*x))
```

fricas [F] time = 1.13, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)/sec(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/sec(d*x + c)^(3/2), x)

maple [A] time = 1.55, size = 383, normalized size = 2.23

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(240B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168A - 528B)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x)

[Out]
$$\frac{-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(240*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A-528*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(308*A+448*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-112*A-122*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+35*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/sec(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/(1/cos(c + d*x))^(3/2), x)
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x)))/(1/cos(c + d*x))^(3/2), x)
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$a \left(\int \frac{A}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{A \cos(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{B \cos(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{B \cos^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)**(3/2), x)
[Out] a*(Integral(A/sec(c + d*x)**(3/2), x) + Integral(A*cos(c + d*x)/sec(c + d*x)**(3/2), x) + Integral(B*cos(c + d*x)/sec(c + d*x)**(3/2), x) + Integral(B*cos(c + d*x)**2/sec(c + d*x)**(3/2), x))
```

$$3.465 \quad \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

Optimal. Leaf size=199

$$\frac{2a^2(7A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d} + \frac{4a^2(4A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2(A + 2B) \sqrt{\cos(c + dx)}}{3d}$$

[Out] $2/15*a^2*(7*A+5*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/5*A*\sec(d*x+c)^{(3/2)}*(a^2+a^2*\sec(d*x+c))*\sin(d*x+c)/d+4/5*a^2*(4*A+5*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-4/5*a^2*(4*A+5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+4/3*a^2*(A+2*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.35, antiderivative size = 199, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4018, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2a^2(7A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d} + \frac{4a^2(4A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2(A + 2B) \sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(7/2)}, x]$

[Out] $(-4*a^2*(4*A + 5*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^2*(A + 2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (4*a^2*(4*A + 5*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*a^2*(7*A + 5*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(15*d) + (2*A*\text{Sec}[c + d*x]^{(3/2)}*(a^2 + a^2*\text{Sec}[c + d*x])* \text{Sin}[c + d*x])/(5*d)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n-1)})/(d*(n-1)), x] + \text{Dist}[(b^2*(n-2))/(n-1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= \frac{2A \sec^{\frac{3}{2}}(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d} + \frac{2A^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} \\
 &= \frac{2a^2(7A + 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} \\
 &= \frac{4a^2(4A + 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a^2(7A + 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} \\
 &= \frac{4a^2(A + 2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} \\
 &= -\frac{4a^2(4A + 5B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
 \end{aligned}$$

Mathematica [C] time = 2.99, size = 299, normalized size = 1.50

$$a^2 e^{-ic} (-1 + e^{2ic}) \csc(c) (\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(2(4A + 5B) e^{i(c+dx)} (1 + e^{2i(c+dx)})^{5/2} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; -\frac{1}{2} e^{2i(c+dx)}\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*cos[c + d*x])^2*(A + B*cos[c + d*x])*Sec[c + d*x]^(7/2), x]
[Out] (a^2*(-1 + E^((2*I)*c))*(1 + Cos[c + d*x])^2*Csc[c]*(10*A + 5*B - 18*A*E^(I*(c + d*x)) - 30*B*E^(I*(c + d*x)) - 54*A*E^((3*I)*(c + d*x)) - 60*B*E^((3*I)*(c + d*x)) - 10*A*E^((4*I)*(c + d*x)) - 5*B*E^((4*I)*(c + d*x)) - 24*A*E^((5*I)*(c + d*x)) - 30*B*E^((5*I)*(c + d*x)) - (10*I)*(A + 2*B)*(1 + E^((2*I)*(c + d*x))))^2*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 2*(4*A + 5*B)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(5/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[(c + d*x)/2]^4*sqrt[Sec[c + d*x]])/(60*d*E^(I*c)*(1 + E^((2*I)*(c + d*x)))^2)
```

fricas [F] time = 1.89, size = 0, normalized size = 0.00

integral((B*a^2*cos(dx + c)^3 + (A + 2*B)a^2*cos(dx + c)^2 + (2*A + B)a^2*cos(dx + c) + Aa^2)sec(dx + c)^(7/2), x)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm="fricas")
```

```
[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)*sec(d*x + c)^(7/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sec(d*x + c)^(7/2), x)
```

maple [B] time = 4.39, size = 741, normalized size = 3.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x)
```

```
[Out] -8*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(1/4*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-1/20*A/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6-12*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+(1/4*A+1/2*B)*(-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)+(1/2*A+1/4*B)*(-1/6*cos(1/2*d*x+1/2*c)^2+1)^(1/2)
```

$2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})})/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)/d}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sec(d*x + c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{7/2} (a + a \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^2,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*2*(A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)

[Out] Timed out

$$3.466 \quad \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

Optimal. Leaf size=160

$$\frac{2a^2(5A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{4a^2(2A + 3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2A \sin(c + dx)}{3d}$$

[Out] $2/3*a^2*(5*A+3*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d+2/3*A*(a^2+a^2*\sec(d*x+c))*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-4*a^2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+4/3*a^2*(2*A+3*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.32, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{2a^2(5A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{4a^2(2A + 3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2A \sin(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] $(-4*a^2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (4*a^2*(2*A + 3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a^2*(5*A + 3*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*A*\text{Sqrt}[\text{Sec}[c + d*x]]*(a^2 + a^2*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(3*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& !\text{LeQ}[n, -1]$

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& !\text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2A\sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d} + \dots \\ &= \frac{2a^2(5A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A\sqrt{\sec(c + dx)}}{3d} \\ &= \frac{2a^2(5A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A\sqrt{\sec(c + dx)}}{3d} \\ &= \frac{2a^2(5A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A\sqrt{\sec(c + dx)}}{3d} \\ &= -\frac{4a^2 A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} \end{aligned}$$

Mathematica [C] time = 2.28, size = 279, normalized size = 1.74

$$a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left(\sqrt{\sec(c + dx)} (3 \csc(c) \cos(dx)(4A - B \cos(2c) + B) + 2A \tan(c + dx) + 6B \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2),x]
 [Out] (a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*(((-4*I)*Sqrt[2]*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(3*A*E^(I*c)*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] + E^(I*d*x))*((2*A + 3*B)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))] + A*E^(I*(c + d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]))

$d*x))]])))/(E^{(I*d*x)*(-1 + E^{((2*I)*c)})} + \text{Sqrt}[\text{Sec}[c + d*x]]*(3*(4*A + B - B*\text{Cos}[2*c])*\text{Cos}[d*x]*\text{Csc}[c] + 6*B*\text{Cos}[c]*\text{Sin}[d*x] + 2*A*\text{Tan}[c + d*x])))/(12*d)$

fricas [F] time = 0.97, size = 0, normalized size = 0.00

$\text{integral}\left(\left(Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="fricas")`

[Out] `integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)*sec(d*x + c)^(5/2), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2), x)`

maple [B] time = 1.62, size = 513, normalized size = 3.21

$$4 \left(6 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} (2A + B) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x)`

[Out] `-4/3*(6*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A+B)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(7*A+3*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+3*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))*sin(1/2*d*x+1/2*c)^2+2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+3*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(3/2)/sin(1/2*d*x+1/2*c)/d`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} (a + a \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^2,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2),x)

[Out] Timed out

$$3.467 \quad \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx$$

Optimal. Leaf size=160

$$\frac{2a^2(3A - B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{4a^2(3A + 2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx)}{3d}$$

[Out] $\frac{2}{3} B (a^2 + a^2 \sec(dx+c)) \sin(dx+c) / d \sec(dx+c)^{1/2} + \frac{2}{3} a^2 (3A-B) \sin(dx+c) \sec(dx+c)^{1/2} / d + 4 a^2 B (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2}) * \cos(dx+c)^{1/2} * \sec(dx+c)^{1/2} / d + 4/3 a^2 (3A+2B) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2}) * \cos(dx+c)^{1/2} * \sec(dx+c)^{1/2} / d$

Rubi [A] time = 0.32, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4017, 3997, 3787, 3771, 2639, 2641}

$$\frac{2a^2(3A - B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{4a^2(3A + 2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a \cos[c + dx])^2 (A + B \cos[c + dx]) \sec[c + dx]^{3/2}, x]$

[Out] $(4 a^2 B \sqrt{\cos[c + dx]} \text{EllipticE}[(c + dx)/2, 2] \sqrt{\sec[c + dx]}) / d + (4 a^2 (3A + 2B) \sqrt{\cos[c + dx]} \text{EllipticF}[(c + dx)/2, 2] \sqrt{\sec[c + dx]}) / (3d) + (2 a^2 (3A - B) \sqrt{\sec[c + dx]} \sin[c + dx]) / (3d) + (2 B (a^2 + a^2 \sec[c + dx]) \sin[c + dx]) / (3d \sqrt{\sec[c + dx]})$

Rule 2639

$\text{Int}[\sqrt{\sin[(c_.) + (d_.) (x_)]}, x_Symbol] \rightarrow \text{Simp}[(2 \text{EllipticE}[(1*(c - \text{Pi}/2 + dx))/2, 2]) / d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\sqrt{\sin[(c_.) + (d_.) (x_)]}, x_Symbol] \rightarrow \text{Simp}[(2 \text{EllipticF}[(1*(c - \text{Pi}/2 + dx))/2, 2]) / d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\csc[(e_.) + (f_.) (x_)] * (g_.)^{(p_.)} * ((a_.) + (b_.) \sin[(e_.) + (f_.) (x_)]))^{(m_.)} * ((c_.) + (d_.) \sin[(e_.) + (f_.) (x_)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g \csc[e + fx])^{(p-m-n)} * (b + a \csc[e + fx])^m * (d + c \csc[e + fx])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\csc[(c_.) + (d_.) (x_)] * (b_.)^{(n_.)}), x_Symbol] \rightarrow \text{Dist}[(b \csc[c + dx])^n \sin[c + dx]^n, \text{Int}[1/\sin[c + dx]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x \&\& \text{EqQ}[n^2, 1/4]$

Rule 3787

$\text{Int}[(\csc[(e_.) + (f_.) (x_)] * (d_.)^{(n_.)} * (\csc[(e_.) + (f_.) (x_)] * (b_.) + (a_))), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d \csc[e + fx])^n, x], x] + \text{Dist}[b/d, \text{Int}[\csc[e + fx]^n, x], x]$

$(d * \text{Csc}[e + f * x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.) * (x_)] * (d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.) * (x_)] * (b_.) + (a_.)) * (\text{csc}[(e_.) + (f_.) * (x_)] * (B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b * B * \text{Cot}[e + f * x] * (d * \text{Csc}[e + f * x])^n) / (f * (n + 1)), x] + \text{Dist}[1 / (n + 1), \text{Int}[(d * \text{Csc}[e + f * x])^n * \text{Simp}[A * a * (n + 1) + B * b * n + (A * b + B * a) * (n + 1) * \text{Csc}[e + f * x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A * b - a * B, 0] \&\& !\text{LeQ}[n, -1]$

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.) * (x_)] * (d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.) * (x_)] * (b_.) + (a_.))^{(m_.)} * (\text{csc}[(e_.) + (f_.) * (x_)] * (B_.) + (A_.)), x_Symbol] :> \text{Simp}[(a * A * \text{Cot}[e + f * x] * (a + b * \text{Csc}[e + f * x])^{(m - 1)} * (d * \text{Csc}[e + f * x])^n) / (f * n), x] - \text{Dist}[b / (a * d * n), \text{Int}[(a + b * \text{Csc}[e + f * x])^{(m - 1)} * (d * \text{Csc}[e + f * x])^{(n + 1)} * \text{Simp}[a * A * (m - n - 1) - b * B * n - (a * B * n + A * b * (m + n)) * \text{Csc}[e + f * x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A * b - a * B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$

Rubi steps

$$\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx = \int \frac{(a + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2(3A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d}$$

$$= \frac{2a^2(3A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d}$$

$$= \frac{2a^2(3A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d}$$

$$= \frac{4a^2 B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \dots$$

Mathematica [C] time = 1.87, size = 302, normalized size = 1.89

$$a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left(\sqrt{\sec(c + dx)} (6(A + 2B) \cos(c) \sin(dx) - 3 \csc(c) \cos(dx)) ((A + 2B) \cos(2c + 2dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a * Cos[c + d * x])^2 * (A + B * Cos[c + d * x]) * Sec[c + d * x]^(3/2), x]
 [Out] (a^2 * (1 + Cos[c + d * x])^2 * Sec[(c + d * x) / 2]^4 * (((4 * I) * Sqrt[2] * Sqrt[E^(I * (c + d * x)) / (1 + E^((2 * I) * (c + d * x)))] * Sqrt[1 + E^((2 * I) * (c + d * x))]) * (3 * B * E^(I * c) * Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2 * I) * (c + d * x))] + E^(I * d * x) * (-(3 * A + 2 * B) * (-1 + E^((2 * I) * c)) * Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2 * I) * c)

+ d*x))) + B*E^(I*(c + d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x)))]/(E^(I*d*x)*(-1 + E^((2*I)*c))) + Sqrt[Sec[c + d*x]]*(-3*(-A + 2*B + (A + 2*B)*Cos[2*c])*Cos[d*x]*Csc[c] + B*Cos[2*d*x]*Sin[2*c] + 6*(A + 2*B)*Cos[c]*Sin[d*x] + B*Cos[2*c]*Sin[2*d*x]))/(12*d)

fricas [F] time = 1.29, size = 0, normalized size = 0.00

integral((Ba^2 cos(dx + c)^3 + (A + 2B)a^2 cos(dx + c)^2 + (2A + B)a^2 cos(dx + c) + Aa^2) sec(dx + c)^(3/2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)*sec(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sec(d*x + c)^(3/2), x)

maple [A] time = 1.50, size = 388, normalized size = 2.42

$$4a^2 \left(2B \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x)

[Out] -4/3*a^2*(2*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(3*A+B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)-3*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sec(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^2,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)

[Out] Timed out

3.468 $\int (a+a \cos(c+dx))^2(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$

Optimal. Leaf size=166

$$\frac{2a^2(5A+7B)\sin(c+dx)}{15d\sqrt{\sec(c+dx)}} + \frac{4a^2(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^2(5A+4B)\sqrt{\cos(c+dx)}}{3d}$$

```
[Out] 2/5*B*(a^2+a^2*sec(d*x+c))*sin(d*x+c)/d/sec(d*x+c)^(3/2)+2/15*a^2*(5*A+7*B)
*sin(d*x+c)/d/sec(d*x+c)^(1/2)+4/5*a^2*(5*A+4*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)
/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)
)*sec(d*x+c)^(1/2)/d+4/3*a^2*(2*A+B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d
*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)
^(1/2)/d
```

Rubi [A] time = 0.34, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4017, 3996, 3787, 3771, 2639, 2641}

$$\frac{2a^2(5A+7B)\sin(c+dx)}{15d\sqrt{\sec(c+dx)}} + \frac{4a^2(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^2(5A+4B)\sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]
[Out] (4*a^2*(5*A + 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c
+ d*x]])/(5*d) + (4*a^2*(2*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2,
2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*(5*A + 7*B)*Sin[c + d*x])/(15*d*Sqrt
[Sec[c + d*x]]) + (2*B*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d*Sec[c +
d*x]^(3/2))
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2960

```
Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*
(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[g^(m+n), Int[(g*Csc[e + f*x])^(p-m-n)*(b + a*Csc[e + f*x])^m*(d + c
*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3771

```
Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
```

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3996

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{LeQ}[n, -1]$

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$

Rubi steps

$$\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx = \int \frac{(a + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2(5A + 7B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2a^2(5A + 7B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2a^2(5A + 7B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{4a^2(5A + 4B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}$$

Mathematica [C] time = 1.63, size = 153, normalized size = 0.92

$$\frac{a^2 \sqrt{\sec(c + dx)} \left(-4i(5A + 4B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx)(10(A + 2B) \sin(c + dx)) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]
 [Out] (a^2*Sqrt[Sec[c + d*x]]*(20*(2*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (4*I)*(5*A + 4*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((60*I)*A + (48*I)*B + 10*(A + 2*B)*Sin[c + d*x] + 3*B*Sin[2*(c + d*x)])))/(15*d)

fricas [F] time = 1.10, size = 0, normalized size = 0.00

integral($(Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2)\sqrt{\sec(dx + c)}$, x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)*sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)

maple [A] time = 1.24, size = 357, normalized size = 2.15

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(-12B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (10A + 32B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x)

[Out] $-4/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(-12*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(10*A+32*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-5*A-13*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+10*A*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))-15*A*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))+5*B*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))-12*B*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} (a + a \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^2,x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left(\int A \sqrt{\sec(c + dx)} dx + \int 2A \cos(c + dx) \sqrt{\sec(c + dx)} dx + \int A \cos^2(c + dx) \sqrt{\sec(c + dx)} dx + \int B \cos \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2),x)
```

```
[Out] a**2*(Integral(A*sqrt(sec(c + d*x)), x) + Integral(2*A*cos(c + d*x)*sqrt(se
c(c + d*x)), x) + Integral(A*cos(c + d*x)**2*sqrt(sec(c + d*x)), x) + Integ
ral(B*cos(c + d*x)*sqrt(sec(c + d*x)), x) + Integral(2*B*cos(c + d*x)**2*sq
rt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)**3*sqrt(sec(c + d*x)), x))
```

$$3.469 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=201

$$\frac{2a^2(7A+9B) \sin(c+dx)}{35d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^2(7A+6B) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{4a^2(7A+6B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{21d}$$

[Out] 2/35*a^2*(7*A+9*B)*sin(d*x+c)/d/sec(d*x+c)^(3/2)+2/7*B*(a^2+a^2*sec(d*x+c))*sin(d*x+c)/d/sec(d*x+c)^(5/2)+4/21*a^2*(7*A+6*B)*sin(d*x+c)/d/sec(d*x+c)^(1/2)+4/5*a^2*(4*A+3*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d+4/21*a^2*(7*A+6*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.37, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4017, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2a^2(7A+9B) \sin(c+dx)}{35d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^2(7A+6B) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{4a^2(7A+6B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] (4*a^2*(4*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^2*(7*A + 6*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(7*A + 9*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (4*a^2*(7*A + 6*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*B*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*A*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(a + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\
 &= \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2a^2(7A + 9B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2a^2(7A + 9B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2a^2(7A + 9B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^2(7A + 6B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2B(a^2)}{7d} \\
 &= \frac{4a^2(4A + 3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a^2}{7d} \\
 &= \frac{4a^2(4A + 3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2}{7d}
 \end{aligned}$$

Mathematica [C] time = 2.27, size = 193, normalized size = 0.96

$$a^2 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-56i(4A + 3B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*cos[c + d*x])^2*(A + B*cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (a^2*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(40*(7*A + 6*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (56*I)*(4*A + 3*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((672*I)*A + (504*I)*B + 5*(56*A + 51*B)*Sin[c + d*x] + 42*(A + 2*B)*Sin[2*(c + d*x)] + 15*B*Ssin[3*(c + d*x)])))/(210*d*E^(I*d*x))

fricas [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)/sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)

maple [A] time = 1.28, size = 385, normalized size = 1.92

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(120B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-84A - 348B)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x)

[Out] -4/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(120*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-84*A-348*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(224*A+378*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-91*A-117*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+35*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-84*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+30*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-63*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^2}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/(1/cos(c + d*x))^(1/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^2)/(1/cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left(\int \frac{A}{\sqrt{\sec(c + dx)}} dx + \int \frac{2A \cos(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{A \cos^2(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{B \cos(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{2B \cos^2(c + dx)}{\sqrt{\sec(c + dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] a**2*(Integral(A/sqrt(sec(c + d*x)), x) + Integral(2*A*cos(c + d*x)/sqrt(sec(c + d*x)), x) + Integral(A*cos(c + d*x)**2/sqrt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)/sqrt(sec(c + d*x)), x) + Integral(2*B*cos(c + d*x)**2/sqrt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)**3/sqrt(sec(c + d*x)), x))

$$3.470 \quad \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx$$

Optimal. Leaf size=244

$$\frac{4a^3(41A + 42B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{105d} + \frac{2(11A + 7B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) (a^3 \sec(c + dx) + a^3)}{35d} + \frac{4a^3(7A + 9B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{35d}$$

[Out] $4/105*a^3*(41*A+42*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*a*A*\sec(d*x+c)^{(3/2)}*(a+a*\sec(d*x+c))^2*\sin(d*x+c)/d+2/35*(11*A+7*B)*\sec(d*x+c)^{(3/2)}*(a^3+a^3*\sec(d*x+c))*\sin(d*x+c)/d+4/5*a^3*(7*A+9*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-4/5*a^3*(7*A+9*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+4/21*a^3*(13*A+21*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.51, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4018, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{4a^3(41A + 42B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{105d} + \frac{2(11A + 7B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) (a^3 \sec(c + dx) + a^3)}{35d} + \frac{4a^3(7A + 9B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{35d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(9/2)}, x]$

[Out] $(-4*a^3*(7*A + 9*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^3*(13*A + 21*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (4*a^3*(7*A + 9*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (4*a^3*(41*A + 42*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(105*d) + (2*a*A*\text{Sec}[c + d*x]^{(3/2)}*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d) + (2*(11*A + 7*B)*\text{Sec}[c + d*x]^{(3/2)}*(a^3 + a^3*\text{Sec}[c + d*x])* \text{Sin}[c + d*x])/(35*d)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n-1)})/(d*(n-1)), x] + \text{Dist}[(b^2*(n-2))/(n-1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\&$

IntegerQ[2*n]

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[
e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3 (B + A \sec(c + dx)) dx \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^2 \sin(c + dx)}{7d} + \frac{2aB \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^2 \sin(c + dx)}{7d} \\
&= \frac{4a^3(41A + 42B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} \\
&= \frac{4a^3(7A + 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{4a^3(41A + 42B) \sqrt{\sec(c + dx)} \sin(c + dx)}{105d} \\
&= \frac{4a^3(13A + 21B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{21d} - \frac{4a^3(7A + 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 4.16, size = 435, normalized size = 1.78

$$a^3 \csc(c) e^{-idx} (\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \left(7\sqrt{2} (-1 + e^{2ic}) (7A + 9B) e^{2idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1 + e^{2i(c+dx)}}\right) {}_2F_1$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]

[Out] (a^3*(1 + Cos[c + d*x])^3*Csc[c]*Sec[(c + d*x)/2]^6*(7*Sqrt[2]*(7*A + 9*B)*E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) - ((-1 + E^((2*I)*c))*(21*B*(-5 + 16*E^(I*(c + d*x)) - 5*E^((2*I)*(c + d*x)) + 54*E^((3*I)*(c + d*x)) + 5*E^((4*I)*(c + d*x)) + 56*E^((5*I)*(c + d*x)) + 5*E^((6*I)*(c + d*x)) + 18*E^((7*I)*(c + d*x))) + 2*A*(-65 + 84*E^(I*(c + d*x)) - 95*E^((2*I)*(c + d*x)) + 441*E^((3*I)*(c + d*x)) + 95*E^((4*I)*(c + d*x)) + 504*E^((5*I)*(c + d*x)) + 65*E^((6*I)*(c + d*x)) + 147*E^((7*I)*(c + d*x))) + (10*I)*(13*A + 21*B)*(1 + E^((2*I)*(c + d*x)))^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(2*E^(I*(c - d*x))*(1 + E^((2*I)*(c + d*x)))^3)))/(420*d*E^(I*d*x))

fricas [F] time = 0.90, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c)\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2), x, algorithm="fricas")

[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)*sec(d*x + c)^(9/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(9/2), x)

maple [B] time = 5.51, size = 929, normalized size = 3.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2), x)

[Out] -16*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(1/8*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-1/5*(3/8*A+1/8*B)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c), 2^

```
(1/2))*((2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*((2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*((-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+(1/8*A+3/8*B)*((-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)+(3/8*A+3/8*B)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-1/2+cos(1/2*d*x+1/2*c)^2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+1/8*A*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-1/2+cos(1/2*d*x+1/2*c)^2)^2-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-1/2+cos(1/2*d*x+1/2*c)^2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(9/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{9/2} (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + a*cos(c + d*x))^3,x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + a*cos(c + d*x))^3, x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*3*(A+B*cos(d*x+c))*sec(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

$$3.471 \quad \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

Optimal. Leaf size=211

$$\frac{4a^3(21A + 20B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d} + \frac{2(9A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)} (a^3 \sec(c + dx) + a^3)}{15d} + \frac{4a^3(3A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d}$$

[Out] $4/15*a^3*(21*A+20*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d+2/5*a*A*(a+a*\sec(d*x+c))^2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d+2/15*(9*A+5*B)*(a^3+a^3*\sec(d*x+c))*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-4/5*a^3*(9*A+5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+4/3*a^3*(3*A+5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.49, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(21A + 20B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d} + \frac{2(9A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)} (a^3 \sec(c + dx) + a^3)}{15d} + \frac{4a^3(3A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(7/2)}, x]$

[Out] $(-4*a^3*(9*A + 5*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^3*(3*A + 5*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (4*a^3*(21*A + 20*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*a*A*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(5*d) + (2*(9*A + 5*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*(a^3 + a^3*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(15*d)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^{(m)}*(d + c*\text{Csc}[e + f*x])^{(n)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^{(n)}*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x \&\& \text{EqQ}[n^2, 1/4]$

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \\
&= \frac{2aA\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \\
&= \frac{4a^3(21A + 20B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aA\sqrt{s}}{15d} \\
&= \frac{4a^3(21A + 20B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aA\sqrt{s}}{15d} \\
&= \frac{4a^3(21A + 20B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aA\sqrt{s}}{15d} \\
&= -\frac{4a^3(9A + 5B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 3.17, size = 268, normalized size = 1.27

$$a^3 \csc(c) \sec(c) e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(2(-1 + e^{4ic})(9A + 5B)e^{-i(c-dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}; \dots\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]

```
[Out] (a^3*Csc[c]*Sec[c]*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x]))*((2*(9*A + 5*B)*(-1 + E^((4*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*(c - d*x)) + (Sec[c + d*x]^2*Sin[2*c] *((-18*I)*(9*A + 5*B)*Cos[c + d*x] - (54*I)*A*Cos[3*(c + d*x)] - (30*I)*B*Cos[3*(c + d*x)] + 40*(3*A + 5*B)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + 66*A*Sin[c + d*x] + 45*B*Sin[c + d*x] + 30*A*Sin[2*(c + d*x)] + 10*B*Sin[2*(c + d*x)] + 54*A*Sin[3*(c + d*x)] + 45*B*Sin[3*(c + d*x)]))/2))/(30*d *E^(I*d*x))
```

fricas [F] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3\right) \sec(dx + c)^{7/2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)*sec(d*x + c)^(7/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(7/2), x)
```

maple [B] time = 4.27, size = 916, normalized size = 4.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x)
```

```
[Out] 4/15*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^3*(60*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4+108*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-216*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+100*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4+60*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-180*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6-60*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2-108*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+246*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-100*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2-60*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+190*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
```

*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+27*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*
 *sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-72*A*c
 os(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+25*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2
 *sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+15*B*(
 sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(
 1/2*d*x+1/2*c),2^(1/2))-50*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2*(-2*s
 in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)
 (1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm
 ="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(7/2), x
)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{7/2} (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^3,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))*3*(A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)

[Out] Timed out

$$3.472 \quad \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=199

$$\frac{4a^3(4A + B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{2(A - B) \sin(c + dx) \sqrt{\sec(c + dx)} (a^3 \sec(c + dx) + a^3)}{3d} + \frac{20a^3(A + B)}{3d}$$

[Out] $\frac{2}{3} a^3 B (a + a \sec(dx + c))^2 \sin(dx + c) / d \sec(dx + c)^{1/2} + \frac{4}{3} a^3 (4A + B) \sin(dx + c) \sec(dx + c)^{1/2} / d + \frac{2}{3} (A - B) (a^3 + a^3 \sec(dx + c)) \sin(dx + c) \sec(dx + c)^{1/2} / d - 4a^3 (A - B) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2}) * \cos(dx + c)^{1/2} \sec(dx + c)^{1/2} / d + 20/3 a^3 (A + B) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2}) * \cos(dx + c)^{1/2} \sec(dx + c)^{1/2} / d$

Rubi [A] time = 0.49, antiderivative size = 199, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4017, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(4A + B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{2(A - B) \sin(c + dx) \sqrt{\sec(c + dx)} (a^3 \sec(c + dx) + a^3)}{3d} + \frac{20a^3(A + B)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] $(-4a^3(A - B) \sqrt{\cos[c + d*x]} * \text{EllipticE}[(c + d*x)/2, 2] * \sqrt{\sec[c + d*x]}) / d + (20a^3(A + B) \sqrt{\cos[c + d*x]} * \text{EllipticF}[(c + d*x)/2, 2] * \sqrt{\sec[c + d*x]}) / (3*d) + (4a^3(4A + B) \sqrt{\sec[c + d*x]} * \sin[c + d*x]) / (3*d) + (2a^3 B (a + a \sec[c + d*x])^2 \sin[c + d*x]) / (3*d \sqrt{\sec[c + d*x]}) + (2(A - B) \sqrt{\sec[c + d*x]} * (a^3 + a^3 \sec[c + d*x]) \sin[c + d*x]) / (3*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n * Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^2(c + dx)} dx \\
 &= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + a \sec(c + dx))^3}{\sec^2(c + dx)} dx \\
 &= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2(A - B)\sqrt{\sec(c + dx)}}{3} \\
 &= \frac{4a^3(4A + B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aB(a + a \sec(c + dx))}{3} \\
 &= \frac{4a^3(4A + B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aB(a + a \sec(c + dx))}{3} \\
 &= \frac{4a^3(4A + B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aB(a + a \sec(c + dx))}{3} \\
 &= -\frac{4a^3(A - B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
 \end{aligned}$$

Mathematica [C] time = 1.94, size = 202, normalized size = 1.02

$$a^3 e^{-idx} \sec^2(c+dx) (\cos(dx) + i \sin(dx)) \left(4i(A-B) (1 + e^{2i(c+dx)})^{3/2} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + 40(A+B) \cos^2(dx) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]
[Out] (a^3*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*((-12*I)*A + (12*I)*B - (12*I)*A*Cos[2*(c + d*x)] + (12*I)*B*Cos[2*(c + d*x)] + 40*(A + B)*Cos[c + d*x])^(3/2)*EllipticF[(c + d*x)/2, 2] + (4*I)*(A - B)*(1 + E^((2*I)*(c + d*x)))^(3/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 4*A*Sin[c + d*x] + B*Sin[c + d*x] + 18*A*Sin[2*(c + d*x)] + 6*B*Sin[2*(c + d*x)] + B*Sin[3*(c + d*x)])/(6*d*E^(I*d*x))
```

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba^3 \cos(dx+c)^4 + (A+3B)a^3 \cos(dx+c)^3 + 3(A+B)a^3 \cos(dx+c)^2 + (3A+B)a^3 \cos(dx+c)\right) \sec(dx+c)^{5/2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x, algorithm="fricas")
```

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)*sec(d*x + c)^(5/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(a \cos(dx+c) + a)^3 \sec(dx+c)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(5/2), x)
```

maple [B] time = 1.60, size = 654, normalized size = 3.29

$$4 \left(-4B \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 2 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x)
```

```
[Out] -4/3*(-4*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(9*A+5*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A+2*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(5*A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+3*A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+5*B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-3*B*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))
```

```
*sin(1/2*d*x+1/2*c)^2+5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)
)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4
+sin(1/2*d*x+1/2*c)^2)^(1/2)+3*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*El
lipticE(cos(1/2*d*x+1/2*c),2^(1/2))+5*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin
(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/
2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)-3*B*(-2*sin(1/2*d*x+1/2*c)^4+sin
(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c
)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*a^3/(-2*sin(1/2*d*x+1/2*
c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(3/2)/sin(1/2*d
*x+1/2*c)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(5/2), x
)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^3,x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^3, x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

$$3.473 \quad \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=211

$$\frac{4a^3(5A - 6B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d} + \frac{2(5A + 9B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{15d \sqrt{\sec(c + dx)}} + \frac{4a^3(5A + 3B) \sqrt{\cos(c + dx)}}{15d}$$

[Out] $2/5*a*B*(a+a*\sec(d*x+c))^2*\sin(d*x+c)/d/\sec(d*x+c)^(3/2)+2/15*(5*A+9*B)*(a^3+a^3*\sec(d*x+c))*\sin(d*x+c)/d/\sec(d*x+c)^(1/2)+4/15*a^3*(5*A-6*B)*\sin(d*x+c)*\sec(d*x+c)^(1/2)/d+4/5*a^3*(5*A+9*B)*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d+4/3*a^3*(5*A+3*B)*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d$

Rubi [A] time = 0.49, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4017, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(5A - 6B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d} + \frac{2(5A + 9B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{15d \sqrt{\sec(c + dx)}} + \frac{4a^3(5A + 3B) \sqrt{\cos(c + dx)}}{15d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^(3/2), x]$

[Out] $(4*a^3*(5*A + 9*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^3*(5*A + 3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (4*a^3*(5*A - 6*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*a*B*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^(3/2)) + (2*(5*A + 9*B)*(a^3 + a^3*\text{Sec}[c + d*x])* \text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] \rightarrow \text{Dist}[g^(m + n), \text{Int}[(g*\text{Csc}[e + f*x])^(p - m - n)*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\&$

EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(5A + 9B)}{5d \sec^{\frac{3}{2}}(c + dx)} \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{4a^3(5A - 6B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^3(5A - 6B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^3(5A - 6B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^3(5A + 9B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 1.64, size = 207, normalized size = 0.98

$$a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-8i(5A + 9B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + 40(5A + 3) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*cos[c + d*x])^3*(A + B*cos[c + d*x])*Sec[c + d*x]^(3/2), x]
[Out] (a^3*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*((120*I)*A*cos[c + d*x] + (216*I)*B*cos[c + d*x] + 40*(5*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (8*I)*(5*A + 9*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) + 60*A*Sin[c + d*x] + 3*B*Sin[c + d*x] + 10*A*Sin[2*(c + d*x)] + 30*B*Sin[2*(c + d*x)] + 3*B*Sin[3*(c + d*x)])/(30*d*E^(I*d*x))
```

fricas [F] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3\right) \sec(dx + c)^{3/2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="fricas")
```

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)*sec(d*x + c)^(3/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2), x)
```

maple [B] time = 1.70, size = 519, normalized size = 2.46

$$4a^3 \left(-12B \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 2 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 2 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \left(\sin^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x)
```

```
[Out] -4/15*a^3*(-12*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A+21*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(10*A+9*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+25*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)-15*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)-27*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
```

$c)^4 + \sin(1/2*d*x + 1/2*c)^2)^{1/2} / \sin(1/2*d*x + 1/2*c) / (2*\cos(1/2*d*x + 1/2*c)^2 - 1)^{1/2} / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^3,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)

[Out] Timed out

3.474 $\int (a+a \cos(c+dx))^3 (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

Optimal. Leaf size=211

$$\frac{2(7A+11B) \sin(c+dx) (a^3 \sec(c+dx) + a^3)}{35d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^3(42A+41B) \sin(c+dx)}{105d \sqrt{\sec(c+dx)}} + \frac{4a^3(21A+13B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{21d}$$

[Out] $2/7*a*B*(a+a*\sec(d*x+c))^2*\sin(d*x+c)/d/\sec(d*x+c)^{(5/2)}+2/35*(7*A+11*B)*(a^3+a^3*\sec(d*x+c))*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+4/105*a^3*(42*A+41*B)*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+4/5*a^3*(9*A+7*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+4/21*a^3*(21*A+13*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.51, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4017, 3996, 3787, 3771, 2639, 2641}

$$\frac{2(7A+11B) \sin(c+dx) (a^3 \sec(c+dx) + a^3)}{35d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^3(42A+41B) \sin(c+dx)}{105d \sqrt{\sec(c+dx)}} + \frac{4a^3(21A+13B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{21d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])* \text{Sqrt}[\text{Sec}[c + d*x]], x]$

[Out] $(4*a^3*(9*A + 7*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^3*(21*A + 13*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (4*a^3*(42*A + 41*B)*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a*B*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d*\text{Sec}[c + d*x]^{(5/2)}) + (2*(7*A + 11*B)*(a^3 + a^3*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(35*d*\text{Sec}[c + d*x]^{(3/2)})$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :=> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :=> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx = \int \frac{(a + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(7A + 11B)}{7d \sec^{\frac{5}{2}}(c + dx)}$$

$$= \frac{4a^3(42A + 41B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2aB(a + a \sec(c + dx))}{7d \sec^{\frac{5}{2}}(c + dx)}$$

$$= \frac{4a^3(42A + 41B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2aB(a + a \sec(c + dx))}{7d \sec^{\frac{5}{2}}(c + dx)}$$

$$= \frac{4a^3(42A + 41B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2aB(a + a \sec(c + dx))}{7d \sec^{\frac{5}{2}}(c + dx)}$$

$$= \frac{4a^3(9A + 7B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}$$

Mathematica [C] time = 2.41, size = 194, normalized size = 0.92

$$a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-56i(9A + 7B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]
```



```
[Out] (a^3*sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(40*(21*A + 13*B)*sqrt[Cos[
c + d*x]]*EllipticF[(c + d*x)/2, 2] - (56*I)*(9*A + 7*B)*E^(I*(c + d*x))*Sq
rt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c +
d*x))]) + Cos[c + d*x]*((168*I)*(9*A + 7*B) + 5*(84*A + 107*B)*Sin[c + d*x]
+ 42*(A + 3*B)*Sin[2*(c + d*x)] + 15*B*Sin[3*(c + d*x)])))/(210*d*E^(I*d*x
))
```

fricas [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c)\right) \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm
="fricas")
```

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a
^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)*sqrt(sec(d*x + c)),
x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sqrt(sec(d*x + c)), x
)
```

maple [A] time = 1.44, size = 385, normalized size = 1.82

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(120B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-84A - 432B)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x)
```

```
[Out] -4/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(120*B*c
os(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-84*A-432*B)*sin(1/2*d*x+1/2*c)^6*c
os(1/2*d*x+1/2*c)+(294*A+602*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-1
26*A-208*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+105*A*(sin(1/2*d*x+1/2*
c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2
^(1/2))-189*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+65*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2
*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*B*
(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos
(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1
/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^3,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^3 \left(\int A \sqrt{\sec(c + dx)} dx + \int 3A \cos(c + dx) \sqrt{\sec(c + dx)} dx + \int 3A \cos^2(c + dx) \sqrt{\sec(c + dx)} dx + \int A \cos^3(c + dx) \sqrt{\sec(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2),x)

[Out] a**3*(Integral(A*sqrt(sec(c + d*x)), x) + Integral(3*A*cos(c + d*x)*sqrt(sec(c + d*x)), x) + Integral(3*A*cos(c + d*x)**2*sqrt(sec(c + d*x)), x) + Integral(A*cos(c + d*x)**3*sqrt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)*sqrt(sec(c + d*x)), x) + Integral(3*B*cos(c + d*x)**2*sqrt(sec(c + d*x)), x) + Integral(3*B*cos(c + d*x)**3*sqrt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)**4*sqrt(sec(c + d*x)), x))

$$3.475 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=244

$$\frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(9A + 13B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(13A + 11B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \dots$$

[Out] $4/105*a^3*(24*A+23*B)*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+2/9*a*B*(a+a*\sec(d*x+c))^2*\sin(d*x+c)/d/\sec(d*x+c)^{(7/2)}+2/63*(9*A+13*B)*(a^3+a^3*\sec(d*x+c))*\sin(d*x+c)/d/\sec(d*x+c)^{(5/2)}+4/21*a^3*(13*A+11*B)*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+4/15*a^3*(21*A+17*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+4/21*a^3*(13*A+11*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.54, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4017, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(9A + 13B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(13A + 11B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])]/\text{Sqrt}[\text{Sec}[c + d*x]], x]$

[Out] $(4*a^3*(21*A + 17*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*d) + (4*a^3*(13*A + 11*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (4*a^3*(24*A + 23*B)*\text{Sin}[c + d*x])/(105*d*\text{Sec}[c + d*x]^{(3/2)}) + (4*a^3*(13*A + 11*B)*\text{Sin}[c + d*x])/(21*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a*B*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(9*d*\text{Sec}[c + d*x]^{(7/2)}) + (2*(9*A + 13*B)*(a^3 + a^3*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(63*d*\text{Sec}[c + d*x]^{(5/2)})$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^{(m)}*(d + c*\text{Csc}[e + f*x])^{(n)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3769

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n+1)})/(b*d*n), x] + \text{Dist}[(n+1)/(b^2*n), \text{Int}[(b*\text{Csc}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

]

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :=> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :=> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(a + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(9A + 13B)(a^3 + a^3 \sec^2(c + dx))}{63d \sec^{\frac{9}{2}}(c + dx)} \\
&= \frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^3(13A + 11B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{4a^3(21A + 17B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} \\
&= \frac{4a^3(21A + 17B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d}
\end{aligned}$$

Mathematica [C] time = 2.75, size = 196, normalized size = 0.80

$$\frac{a^3 \sqrt{\sec(c + dx)} \left(-112i(21A + 17B)e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx)(30(107A + 97B) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (a^3*Sqrt[Sec[c + d*x]]*(240*(13*A + 11*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (112*I)*(21*A + 17*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((7056*I)*A + (5712*I)*B + 30*(107*A + 97*B)*Sin[c + d*x] + 14*(54*A + 73*B)*Sin[2*(c + d*x)] + 90*A*Sin[3*(c + d*x)] + 270*B*Sin[3*(c + d*x)] + 35*B*Sin[4*(c + d*x)]))/ (1260*d)

fricas [F] time = 2.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c)}{\sqrt{\sec(dx + c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)/sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/sqrt(sec(d*x + c)), x)

maple [A] time = 1.39, size = 413, normalized size = 1.69

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(-560B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (360A + 2200B)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x)

[Out] -4/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(-560*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(360*A+2200*B)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-1296*A-3412*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(1806*A+2702*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-624*A-738*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+195*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-441*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+165*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-357*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^3}{\sqrt{\frac{1}{\cos(c + dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/(1/cos(c + d*x))^(1/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^3)/(1/cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^3 \left(\int \frac{A}{\sqrt{\sec(c+dx)}} dx + \int \frac{3A \cos(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{3A \cos^2(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{A \cos^3(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{B \cos(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{3B \cos^2(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{3B \cos^3(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{B \cos^4(c+dx)}{\sqrt{\sec(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] a**3*(Integral(A/sqrt(sec(c + d*x)), x) + Integral(3*A*cos(c + d*x)/sqrt(sec(c + d*x)), x) + Integral(3*A*cos(c + d*x)**2/sqrt(sec(c + d*x)), x) + Integral(A*cos(c + d*x)**3/sqrt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)/sqrt(sec(c + d*x)), x) + Integral(3*B*cos(c + d*x)**2/sqrt(sec(c + d*x)), x) + Integral(3*B*cos(c + d*x)**3/sqrt(sec(c + d*x)), x) + Integral(B*cos(c + d*x)**4/sqrt(sec(c + d*x)), x))

$$3.476 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=193

$$-\frac{(A-B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(5A-3B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3ad} - \frac{3(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} + \dots$$

[Out] $1/3*(5*A-3*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d-(A-B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))-3*(A-B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d+3*(A-B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a/d+1/3*(5*A-3*B)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a/d$

Rubi [A] time = 0.30, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4019, 3787, 3768, 3771, 2639, 2641}

$$-\frac{(A-B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(5A-3B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3ad} - \frac{3(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} + \dots$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + a*Cos[c + d*x]),x]

[Out] $(3*(A-B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2,2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(a*d) + ((5*A-3*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticF}[(c+d*x)/2,2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(3*a*d) - (3*(A-B)*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(a*d) + ((5*A-3*B)*\text{Sec}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(3*a*d) - ((A-B)*\text{Sec}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x])/(d*(a+a*\text{Sec}[c+d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m+n), Int[(g*Csc[e+f*x])^(p-m-n)*(b+a*Csc[e+f*x])^m*(d+c*Csc[e+f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c+d*x]*(b*Csc[c+d*x])^(n-1))/(d*(n-1)), x] + Dist[(b^2*(n-2))/(n-1), Int[(b*Csc[c+d*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{a + a \cos(c + dx)} dx &= \int \frac{\sec^{\frac{5}{2}}(c + dx)(B + A \sec(c + dx))}{a + a \sec(c + dx)} dx \\ &= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \sec^{\frac{3}{2}}(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{3}{2}aA \sec(c + dx)\right) dx}{a^2} \\ &= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{(5A - 3B) \int \sec^{\frac{5}{2}}(c + dx) dx}{2a} \\ &= -\frac{3(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{ad} + \frac{(5A - 3B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} \\ &= -\frac{3(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{ad} + \frac{(5A - 3B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} \\ &= \frac{3(A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(5A - 3B) \sqrt{\sec(c + dx)}}{3d} \end{aligned}$$

Mathematica [C] time = 7.32, size = 650, normalized size = 3.37

$$\frac{\cos^2\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c + dx)} \left(\frac{2 \sec\left(\frac{c}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right)\right)}{d} - \frac{3(A - B) \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \cos(dx)}{d} + \frac{2 \tan\left(\frac{c}{2}\right) \sec(c) (5A \cos(c) - 3B)}{3d} \right)}{a \cos(c + dx) + a}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + a*Cos[c + d*x]), x]

[Out] -((A*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]/(Sqrt[2]*d*E^(I*d*x)*(a + a*Cos[c + d*x])) + (B*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*

$\text{Cos}[c/2 + (d*x)/2]^2 * \text{Csc}[c/2] * (-3 * \text{Sqrt}[1 + \text{E}^{((2*I)*(c + d*x))}] + \text{E}^{((2*I)*d*x)} * (-1 + \text{E}^{((2*I)*c)}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -\text{E}^{((2*I)*(c + d*x))}] * \text{Sec}[c/2]) / (\text{Sqrt}[2] * d * \text{E}^{(I*d*x)} * (a + a * \text{Cos}[c + d*x])) + (5 * A * \text{Cos}[c/2 + (d*x)/2]^2 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sin}[c]) / (3 * d * (a + a * \text{Cos}[c + d*x])) - (B * \text{Cos}[c/2 + (d*x)/2]^2 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sin}[c]) / (d * (a + a * \text{Cos}[c + d*x])) + (\text{Cos}[c/2 + (d*x)/2]^2 * \text{Sqrt}[\text{Sec}[c + d*x]] * ((-3 * (A - B) * \text{Cos}[d*x] * \text{Csc}[c/2] * \text{Sec}[c/2]) / d + (2 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (A * \text{Sin}[(d*x)/2] - B * \text{Sin}[(d*x)/2])) / d + (4 * A * \text{Sec}[c] * \text{Sec}[c + d*x] * \text{Sin}[d*x]) / (3 * d) + (2 * (2 * A + 5 * A * \text{Cos}[c] - 3 * B * \text{Cos}[c]) * \text{Sec}[c] * \text{Tan}[c/2]) / (3 * d))) / (a + a * \text{Cos}[c + d*x])$

fricas [F] time = 1.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{a \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*cos(d*x + c) + a), x)

maple [B] time = 4.06, size = 493, normalized size = 2.55

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\frac{(-2A+2B)\left(-\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sqrt{\frac{1-\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)-1}}{\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c)),x)

[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/a*((-2*A+2*B)*((-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)+2*A*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-1/2+cos(1/2*d*x+1/2*c)^2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+(A-B)*(cos(1/2*d*x+1/2*c)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+si

$n(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + a*cos(c + d*x)),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + a*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+a*cos(d*x+c)),x)

[Out] Timed out

$$3.477 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=159

$$-\frac{(A-B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(3A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} - \frac{(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}\right)}{ad}$$

[Out] $-(A-B) \sec(d*x+c)^{(3/2)} \sin(d*x+c) / d / (a+a \sec(d*x+c)) + (3*A-B) \sin(d*x+c) \sec(c(d*x+c)^{(1/2)} / a / d - (3*A-B) \cos(1/2*d*x+1/2*c)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} \sec(d*x+c)^{(1/2)} / a / d - (A-B) \cos(1/2*d*x+1/2*c)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} \sec(d*x+c)^{(1/2)} / a / d$

Rubi [A] time = 0.28, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4019, 3787, 3771, 2641, 3768, 2639}

$$-\frac{(A-B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(3A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} - \frac{(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x]),x]

[Out] $-(((3*A - B) \sqrt{\cos[c + d*x]} * \text{EllipticE}[(c + d*x)/2, 2] * \sqrt{\sec[c + d*x]}) / (a*d)) - ((A - B) \sqrt{\cos[c + d*x]} * \text{EllipticF}[(c + d*x)/2, 2] * \sqrt{\sec[c + d*x]}) / (a*d) + ((3*A - B) \sqrt{\sec[c + d*x]} * \sin[c + d*x]) / (a*d) - ((A - B) \sec[c + d*x]^{(3/2)} * \sin[c + d*x]) / (d*(a + a*\sec[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m+n), Int[(g*Csc[e + f*x])^(p-m-n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*Csc[c + d*x])^(n-1)) / (d*(n-1)), x] + Dist[(b^2*(n-2)) / (n-1), Int[(b*Csc[c + d*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n * Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*
(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{a + a \cos(c + dx)} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)(B + A \sec(c + dx))}{a + a \sec(c + dx)} dx \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \sqrt{\sec(c + dx)} \left(-\frac{1}{2}a(A - B) - \frac{1}{2}a(A + B)\right) dx}{a^2} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A - B) \int \sqrt{\sec(c + dx)} dx}{2a} + \frac{1}{2} \frac{(A + B) \int \sqrt{\sec(c + dx)} dx}{a} \\
&= \frac{(3A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{ad} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} \\
&= -\frac{(A - B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(3A - B) \sqrt{\sec(c + dx)}}{ad} \\
&= -\frac{(3A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{(A - B) \sqrt{\sec(c + dx)}}{ad}
\end{aligned}$$

Mathematica [C] time = 4.38, size = 400, normalized size = 2.52

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left(6\sqrt{\sec(c + dx)} \left(2(B - A) \tan\left(\frac{1}{2}(c + dx)\right) + 2(3A - B) \csc(c) \cos(dx)\right) + 6\sqrt{2} A \csc(c) e^{-idx} \sqrt{\sec(c + dx)}\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x]), x]
[Out] (Cos[(c + d*x)/2]^2*((6*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) - (2*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) - 12*A*Sqrt[Cos[c + d*x]]*Elliptic
```

$F[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]] + 12*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]] + 6*\text{Sqrt}[\text{Sec}[c + d*x]]*(2*(3*A - B)*\text{Cos}[d*x]*\text{Csc}[c] + 2*(-A + B)*\text{Tan}[(c + d*x)/2]))/(6*a*d*(1 + \text{Cos}[c + d*x]))$

fricas [F] time = 2.12, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a), x)

maple [A] time = 3.36, size = 319, normalized size = 2.01

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x)

[Out] $-\left(-\left(-2*\cos(1/2*d*x+1/2*c)\right)^2+1\right)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a*(\cos(1/2*d*x+1/2*c))*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+B*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(3*A-B)*\sin(1/2*d*x+1/2*c)^4+(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A-B)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^3/(2*\sin(1/2*d*x+1/2*c)^2-1)/\cos(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x)), x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c)), x)

[Out] Timed out

$$3.478 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=123

$$-\frac{(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{(A+B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} + \frac{(A-B) \sqrt{\cos(c+dx)}}{d}$$

[Out] $-(A-B) \sin(d*x+c) \sec(d*x+c)^{(1/2)}/d/(a+a \sec(d*x+c))+(A-B) \cdot (\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c) \cdot \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) \cdot \cos(d*x+c)^{(1/2)} \sec(d*x+c)^{(1/2)}/a/d+(A+B) \cdot (\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c) \cdot \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) \cdot \cos(d*x+c)^{(1/2)} \sec(d*x+c)^{(1/2)}/a/d$

Rubi [A] time = 0.24, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2960, 4019, 3787, 3771, 2639, 2641}

$$-\frac{(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{(A+B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} + \frac{(A-B) \sqrt{\cos(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x]),x]

[Out] $((A - B) \cdot \text{Sqrt}[\text{Cos}[c + d*x]] \cdot \text{EllipticE}[(c + d*x)/2, 2] \cdot \text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) + ((A + B) \cdot \text{Sqrt}[\text{Cos}[c + d*x]] \cdot \text{EllipticF}[(c + d*x)/2, 2] \cdot \text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) - ((A - B) \cdot \text{Sqrt}[\text{Sec}[c + d*x]] \cdot \text{Sin}[c + d*x])/(d \cdot (a + a \cdot \text{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{a + a \cos(c + dx)} dx &= \int \frac{\sqrt{\sec(c + dx)}(B + A \sec(c + dx))}{a + a \sec(c + dx)} dx \\ &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}a(A - B) + \frac{1}{2}a(A + B)\sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{a^2} \\ &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{(A - B) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2a} + \frac{(A + B)\sqrt{\cos(c + dx)}}{2a} \\ &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{((A - B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2a} \\ &= \frac{(A - B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(A + B)\sqrt{\cos(c + dx)}}{2a} \end{aligned}$$

Mathematica [C] time = 1.12, size = 200, normalized size = 1.63

$$\frac{(-1 + e^{2ic}) e^{-\frac{1}{2}i(4c + dx)} \left(\csc\left(\frac{c}{2}\right) + i \sec\left(\frac{c}{2}\right)\right) \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left((A - B) \left(e^{i(c + dx)} (1 + e^{i(c + dx)}) \sqrt{1 + e^{2i(c + dx)}}\right) + (A + B) \sqrt{1 + e^{2i(c + dx)}}\right)}{24ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x]), x]
[Out] -1/24*((-1 + E^((2*I)*c))*((3*I)*(A + B)*(1 + E^(I*(c + d*x))))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (A - B)*(-3*(1 + E^((2*I)*(c + d*x)))) + E^(I*(c + d*x))*(1 + E^(I*(c + d*x)))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*(Csc[c/2] + I*Sec[c/2])*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]])/(a*d*E^((I/2)*(4*c + d*x)))
```

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{a \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c)), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a), x)

maple [A] time = 1.38, size = 243, normalized size = 1.98

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)}{A \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{1/2}\right) - A \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{1/2}\right) + B \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{1/2}\right) + B \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{1/2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x)

[Out] ((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-cos(1/2*d*x+1/2*c))*((2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))))+(2*A-2*B)*sin(1/2*d*x+1/2*c)^4+(-A+B)*sin(1/2*d*x+1/2*c)^2/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x)),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sqrt{\sec(c+dx)}}{\cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sqrt{\sec(c+dx)}}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+a*cos(d*x+c)),x)

[Out] (Integral(A*sqrt(sec(c + d*x))/(cos(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sqrt(sec(c + d*x))/(cos(c + d*x) + 1), x))/a

$$3.479 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx)) \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=125

$$\frac{(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{(A-3B) \sqrt{\cos(c+dx)}}{ad}$$

[Out] (A-B)*sin(d*x+c)*sec(d*x+c)^(1/2)/d/(a+a*sec(d*x+c))-(A-3*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a/d+(A-B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a/d

Rubi [A] time = 0.25, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2960, 4020, 3787, 3771, 2639, 2641}

$$\frac{(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{(A-3B) \sqrt{\cos(c+dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])*Sqrt[Sec[c + d*x]]),x]

[Out] -(((A - 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))\sqrt{\sec(c + dx)}} dx &= \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} dx \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \frac{-\frac{1}{2}a(A-3B) + \frac{1}{2}a(A-B)\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{a^2} \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A - 3B) \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a} + \frac{(A - B)\sqrt{\sec(c + dx)}}{a} \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{((A - 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{2a} \\ &= -\frac{(A - 3B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(A - B)\sqrt{\cos(c + dx)}}{a} \end{aligned}$$

Mathematica [C] time = 2.59, size = 422, normalized size = 3.38

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left(\frac{6 \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sec\left(\frac{1}{2}(c + dx)\right) \left((A - 2B) \cos\left(\frac{1}{2}(c - dx)\right) - B \cos\left(\frac{1}{2}(3c + dx)\right) \right)}{\sqrt{\sec(c + dx)}} + 2\sqrt{2} A \csc(c) e^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1 + e^{2i(c+dx)}}} \sqrt{1 + e^{2i(c+dx)}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])*Sqrt[Sec[c + d*x]]), x]
[Out] (Cos[(c + d*x)/2]^2*((2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) - (6*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) + (6*((A - 2*B)*Cos[(c - d*x)/2] - B*Cos[(3*c + d*x)/2])*Csc[c/2]*Sec[c/2]*Sec[(c + d*x)/2])/Sqrt[Sec[c + d*x]] + 12*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] - 12*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]))/(6*a*d*(1 + Cos[c + d*x]))
```

fricas [F] time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="fricas")
```

[Out] integral((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)

maple [A] time = 1.48, size = 244, normalized size = 1.95

$$\frac{\sqrt{2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) - 1 \right) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right) \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) - 1 \right)} - 1 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \right) \left(A \operatorname{EllipticF} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), 2 \right) + A \operatorname{EllipticE} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), 2 \right) - B \operatorname{EllipticF} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), 2 \right) - 3B \operatorname{EllipticE} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), 2 \right) \right) + (2A - 2B) \sin \left(\frac{dx}{2} + \frac{c}{2} \right)^4 + (-A + B) \sin \left(\frac{dx}{2} + \frac{c}{2} \right)^2}{a \cos \left(\frac{dx}{2} + \frac{c}{2} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(1/2),x)

[Out] -((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)^2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+(2*A-2*B)*sin(1/2*d*x+1/2*c)^4+(-A+B)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A}{\cos(c+dx)\sqrt{\sec(c+dx)+\sqrt{\sec(c+dx)}}} dx + \int \frac{B \cos(c+dx)}{\cos(c+dx)\sqrt{\sec(c+dx)+\sqrt{\sec(c+dx)}}} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] (Integral(A/(cos(c + d*x)*sqrt(sec(c + d*x)) + sqrt(sec(c + d*x))), x) + In  
tegral(B*cos(c + d*x)/(cos(c + d*x)*sqrt(sec(c + d*x)) + sqrt(sec(c + d*x))  
, x))/a
```

$$3.480 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=163

$$\frac{(3A-5B) \sin(c+dx)}{3ad \sqrt{\sec(c+dx)}} + \frac{(A-B) \sin(c+dx)}{d \sqrt{\sec(c+dx)} (a \sec(c+dx) + a)} - \frac{(3A-5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{3ad}$$

[Out] $-1/3*(3*A-5*B)*\sin(d*x+c)/a/d/\sec(d*x+c)^{(1/2)}+(A-B)*\sin(d*x+c)/d/(a+a*\sec(d*x+c))/\sec(d*x+c)^{(1/2)}+3*(A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a/d-1/3*(3*A-5*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a/d$

Rubi [A] time = 0.28, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{(3A-5B) \sin(c+dx)}{3ad \sqrt{\sec(c+dx)}} + \frac{(A-B) \sin(c+dx)}{d \sqrt{\sec(c+dx)} (a \sec(c+dx) + a)} - \frac{(3A-5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{3ad}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])*Sec[c + d*x]^(3/2)), x]`

[Out] $(3*(A - B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) - ((3*A - 5*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a*d) - ((3*A - 5*B)*\text{Sin}[c + d*x])/(3*a*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + ((A - B)*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x]))$

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2960

`Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]`

Rule 3769

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&`

EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)} dx = \int \frac{B + A \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} dx$$

$$= \frac{(A - B) \sin(c + dx)}{d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))} + \frac{\int \frac{-\frac{1}{2}a(3A-5B) + \frac{3}{2}a(A-B) \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx}{a^2}$$

$$= \frac{(A - B) \sin(c + dx)}{d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))} - \frac{(3A - 5B) \int \frac{1}{\sec^{\frac{3}{2}}(c+dx)} dx}{2a} + \frac{(3A - 5B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))} - \frac{(3A - 5B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} + \frac{(3A - 5B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(3A - 5B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}}$$

$$= \frac{3(A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{(3A - 5B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}}$$

$$= \frac{3(A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{(3A - 5B) \sqrt{\cos(c + dx)}}{3ad \sqrt{\sec(c + dx)}}$$

Mathematica [C] time = 4.88, size = 444, normalized size = 2.72

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left(-\frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sec\left(\frac{1}{2}(c+dx)\right) \left((12A-13B) \cos\left(\frac{1}{2}(c-dx)\right) + (6A-5B) \cos\left(\frac{1}{2}(3c+dx)\right) - 2B \sin(c) \sin\left(\frac{3}{2}(c+dx)\right) \right)}{\sqrt{\sec(c+dx)}} - 6\sqrt{2} A \csc\left(\frac{c}{2}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])*Sec[c + d*x]^(3/2)),x]
 [Out] (Cos[(c + d*x)/2]^2*((-6*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) + (6*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x))

4, 7/4, -E^((2*I)*(c + d*x)))/E^(I*d*x) - 12*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] + 20*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] - (Csc[c/2]*Sec[c/2]*Sec[(c + d*x)/2]*((12*A - 13*B)*Cos[(c - d*x)/2] + (6*A - 5*B)*Cos[(3*c + d*x)/2] - 2*B*Sin[c]*Sin[(3*(c + d*x))/2]))/Sqrt[Sec[c + d*x]])/(6*a*d*(1 + Cos[c + d*x]))

fricas [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

maple [A] time = 1.40, size = 262, normalized size = 1.61

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \left(3A \text{EllipticF}\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(3/2),x)

[Out] 1/3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(3*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+9*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-5*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-9*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+8*B*sin(1/2*d*x+1/2*c)^6+(6*A-18*B)*sin(1/2*d*x+1/2*c)^4+(-3*A+7*B)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A}{\cos(c+dx) \sec^2(c+dx) + \sec^2(c+dx)} dx + \int \frac{B \cos(c+dx)}{\cos(c+dx) \sec^2(c+dx) + \sec^2(c+dx)} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)**(3/2),x)

[Out] (Integral(A/(cos(c + d*x)*sec(c + d*x)**(3/2) + sec(c + d*x)**(3/2)), x) + Integral(B*cos(c + d*x)/(cos(c + d*x)*sec(c + d*x)**(3/2) + sec(c + d*x)**(3/2)), x))/a

$$3.481 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=196

$$\frac{(A-B) \sin(c+dx)}{d \sec^{\frac{3}{2}}(c+dx)(a \sec(c+dx)+a)} - \frac{(5A-7B) \sin(c+dx)}{5ad \sec^{\frac{3}{2}}(c+dx)} + \frac{5(A-B) \sin(c+dx)}{3ad \sqrt{\sec(c+dx)}} + \frac{5(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3ad}$$

[Out] $-1/5*(5*A-7*B)*\sin(d*x+c)/a/d/\sec(d*x+c)^{(3/2)}+(A-B)*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))+5/3*(A-B)*\sin(d*x+c)/a/d/\sec(d*x+c)^{(1/2)}-3/5*(5*A-7*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a/d+5/3*(A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a/d$

Rubi [A] time = 0.30, antiderivative size = 196, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4020, 3787, 3769, 3771, 2639, 2641}

$$\frac{(A-B) \sin(c+dx)}{d \sec^{\frac{3}{2}}(c+dx)(a \sec(c+dx)+a)} - \frac{(5A-7B) \sin(c+dx)}{5ad \sec^{\frac{3}{2}}(c+dx)} + \frac{5(A-B) \sin(c+dx)}{3ad \sqrt{\sec(c+dx)}} + \frac{5(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])*Sec[c + d*x]^(5/2)), x]`

[Out] $(-3*(5*A - 7*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*a*d) + (5*(A - B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a*d) - ((5*A - 7*B)*\text{Sin}[c + d*x])/(5*a*d*\text{Sec}[c + d*x]^{(3/2)}) + (5*(A - B)*\text{Sin}[c + d*x])/(3*a*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + ((A - B)*\text{Sin}[c + d*x])/(d*\text{Sec}[c + d*x]^{(3/2)}*(a + a*\text{Sec}[c + d*x]))$

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2960

`Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]`

Rule 3769

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)} dx = \int \frac{B + A \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx$$

$$= \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} + \frac{\int \frac{-\frac{1}{2}a(5A-7B) + \frac{5}{2}a(A-B) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)} dx}{a^2}$$

$$= \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} - \frac{(5A - 7B) \int \frac{1}{\sec^{\frac{5}{2}}(c+dx)} dx}{2a} + \frac{(5A - 7B) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)}$$

$$= -\frac{(5A - 7B) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} + \frac{5(A - B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} + \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))}$$

$$= -\frac{(5A - 7B) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} + \frac{5(A - B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} + \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))}$$

$$= -\frac{3(5A - 7B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5ad} + \frac{5(A - B) \sqrt{\cos(c + dx)}}{5ad}$$

Mathematica [C] time = 3.25, size = 518, normalized size = 2.64

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left(\sqrt{\sec(c + dx)} \left(40(A - B) \sin(2c) \cos(2dx) - 12(20A - 33B) \cos(c) \sin(dx) + 40(A - B) \cos(2c) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])*Sec[c + d*x]^(5/2)),x]
[Out] (Cos[(c + d*x)/2]^2*((60*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*c)]))
```

$$\frac{((2*I)*(c + d*x)))]/E^(I*d*x) - (84*sqrt[2]*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x)))]/E^(I*d*x) + 200*A*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*sqrt[Sec[c + d*x]] - 200*B*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*sqrt[Sec[c + d*x]] + sqrt[Sec[c + d*x]]*(3*(40*A - 51*B + (20*A - 33*B)*Cos[2*c])*Cos[d*x]*Csc[c/2]*Sec[c/2] + 40*(A - B)*Cos[2*d*x]*Sin[2*c] + 12*B*Cos[3*d*x]*Sin[3*c] - 120*(A - B)*Sec[c/2]*Sec[(c + d*x)/2]*Sin[(d*x)/2] - 12*(20*A - 33*B)*Cos[c]*Sin[d*x] + 40*(A - B)*Cos[2*c]*Sin[2*d*x] + 12*B*Cos[3*c]*Sin[3*d*x] - 120*(A - B)*Tan[c/2]))/(60*a*d*(1 + Cos[c + d*x]))$$

fricas [F] time = 2.45, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sec(d*x + c)^(5/2)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sec(d*x + c)^(5/2)), x)

maple [A] time = 1.58, size = 281, normalized size = 1.43

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right) \left(25A \text{ Elliptic}\right)}\right.}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(5/2),x)

[Out]
$$-1/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\cos(1/2*d*x+1/2*c)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(25*A*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+45*A*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-25*B*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*B*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+48*B*\sin(1/2*d*x+1/2*c)^8+(-40*A-56*B)*\sin(1/2*d*x+1/2*c)^6+(90*A-30*B)*\sin(1/2*d*x+1/2*c)^4+(-35*A+23*B)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sec(d*x + c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)**(5/2),x)

[Out] Timed out

$$3.482 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=208

$$\frac{(5A-2B) \sin(c+dx) \sec^2(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{(4A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2d} - \frac{(5A-2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3a^2d}$$

[Out] $-1/3*(5*A-2*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^2/d/(1+\sec(d*x+c))-1/3*(A-B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^2+(4*A-B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/d-(4*A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d-1/3*(5*A-2*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d$

Rubi [A] time = 0.43, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4019, 3787, 3771, 2641, 3768, 2639}

$$\frac{(5A-2B) \sin(c+dx) \sec^2(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{(4A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2d} - \frac{(5A-2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^2,x]

[Out] $-(((4*A - B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*d) - ((5*A - 2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^2*d) + ((4*A - B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(a^2*d) - ((5*A - 2*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*a^2*d*(1 + \text{Sec}[c + d*x])) - ((A - B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^2)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] \text{ :> Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] \text{ /; FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] \text{ :> Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] \text{ /; FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 4019

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^m*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] \text{ :> Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[A*(a*d*(n-1)) - B*(b*d*(n-1)) - d*(a*B*(m-n+1) + A*b*(m+n))*\text{Csc}[e + f*x], x], x], x] \text{ /; FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ \text{GtQ}[n, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^2} dx &= \int \frac{\sec^{\frac{5}{2}}(c + dx)(B + A \sec(c + dx))}{(a + a \sec(c + dx))^2} dx \\ &= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \int \frac{\sec^{\frac{3}{2}}(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(7A - B) \sec(c + dx) \right)}{a + a \sec(c + dx)} dx \\ &= -\frac{(5A - 2B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\ &= -\frac{(5A - 2B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\ &= \frac{(4A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2d} - \frac{(5A - 2B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} \\ &= -\frac{(5A - 2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3a^2d} + \frac{(4A - B) \sqrt{\sec(c + dx)}}{a^2d} \\ &= -\frac{(4A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2d} - \frac{(5A - 2B) \sqrt{\sec(c + dx)}}{a^2d} \end{aligned}$$

Mathematica [C] time = 3.21, size = 303, normalized size = 1.46

$$\frac{e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(\cos\left(\frac{1}{2}(c + 3dx)\right) + i \sin\left(\frac{1}{2}(c + 3dx)\right) \right) \left(-i(4A - B)e^{-i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^2, x]


```
[Out] -1/6*(Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*((29*I)*A - (5*I)*B + (2*I)*(25*A
- 7*B)*Cos[c + d*x] + (17*I)*A*Cos[2*(c + d*x)] - (5*I)*B*Cos[2*(c + d*x)]
- (I*(4*A - B)*(1 + E^(I*(c + d*x)))^3*Sqrt[1 + E^((2*I)*(c + d*x))]*Hyper
geometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*(c + d*x)) + 8*(5*A
- 2*B)*Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*(Co
s[(c + d*x)/2] - I*Sin[(c + d*x)/2]) - 12*A*Sin[c + d*x] - 7*A*Sin[2*(c + d
*x)] + B*Sin[2*(c + d*x)]*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(a^
2*d*E^(I*d*x)*(1 + Cos[c + d*x])^2)
```

fricas [F] time = 1.34, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2,x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a^2*cos(d*x + c)^2 + 2*a^
2*cos(d*x + c) + a^2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^2, x
)
```

maple [B] time = 1.88, size = 494, normalized size = 2.38

$$\frac{2\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \left(5A \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \frac{c}{2}\right) - 12A \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \frac{c}{2}\right) - 2B \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \frac{c}{2}\right) + 3B \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)^2 - 2\left(2\sin\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^{\frac{1}{2}} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{\frac{1}{2}} \left(-2\sin\left(\frac{dx}{2} + \frac{c}{2}\right) + \sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{\frac{1}{2}} \left(5A \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \frac{c}{2}\right) - 12A \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \frac{c}{2}\right) - 2B \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \frac{c}{2}\right) + 3B \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) - 12\left(-2\sin\left(\frac{dx}{2} + \frac{c}{2}\right) + \sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{\frac{1}{2}} \left(4A - B\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)^6 + 2\left(-2\sin\left(\frac{dx}{2} + \frac{c}{2}\right) + \sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{\frac{1}{2}} \left(43A - 10B\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)^4 - \left(-2\sin\left(\frac{dx}{2} + \frac{c}{2}\right) + \sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{\frac{1}{2}} \left(37A - 7B\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)^2}{a^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)^3 \left(-2\sin\left(\frac{dx}{2} + \frac{c}{2}\right) + \sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4 \sin\left(\frac{dx}{2} + \frac{c}{2}\right)^2 \left(\frac{1}{2}\right) / \sin\left(\frac{dx}{2} + \frac{c}{2}\right) / \left(2\cos\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^{\frac{1}{2}} / d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2,x)
```

```
[Out] -1/6*(2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*s
in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A*EllipticF(cos(1/2*d*x+
1/2*c),2^(1/2))-12*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-2*B*EllipticF(co
s(1/2*d*x+1/2*c),2^(1/2))+3*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*cos(1/
2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1
/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
*(5*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-12*A*EllipticE(cos(1/2*d*x+1/2*
c),2^(1/2))-2*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*B*EllipticE(cos(1/2
*d*x+1/2*c),2^(1/2)))*cos(1/2*d*x+1/2*c)-12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/
2*d*x+1/2*c)^2)^(1/2)*(4*A-B)*sin(1/2*d*x+1/2*c)^6+2*(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(43*A-10*B)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2
*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(37*A-7*B)*sin(1/2*d*x+1/2*c)^2)/
a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/
2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^2,x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**2,x)

[Out] Timed out

$$3.483 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=161

$$\frac{(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{A \sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{a^2d}$$

[Out] $-1/3*(A-B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^{-2}-A*\sin(d*x+c)*\sec(c(d*x+c)^{(1/2)}/a^2/d/(1+\sec(d*x+c))+A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d+1/3*(2*A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d$

Rubi [A] time = 0.39, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2960, 4019, 3787, 3771, 2639, 2641}

$$\frac{(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{A \sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{a^2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A+B*\text{Cos}[c+d*x])*\text{Sqrt}[\text{Sec}[c+d*x]]/(a+a*\text{Cos}[c+d*x])^2,x]$
 [Out] $(A*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2,2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(a^2*d) + ((2*A+B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticF}[(c+d*x)/2,2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(3*a^2*d) - (A*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(a^2*d*(1+\text{Sec}[c+d*x])) - ((A-B)*\text{Sec}[c+d*x] ^{(3/2)}*\text{Sin}[c+d*x])/(3*d*(a+a*\text{Sec}[c+d*x])^2)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e+f*x])^{(p-m-n)}*(b+a*\text{Csc}[e+f*x])^m*(d+c*\text{Csc}[e+f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c+d*x])^n*\text{Sin}[c+d*x]^n, \text{Int}[1/\text{Sin}[c+d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e+f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]^{(n_.)}, x], x]$

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 4019

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^2} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)(B + A \sec(c + dx))}{(a + a \sec(c + dx))^2} dx \\ &= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\sqrt{\sec(c + dx)} \left(-\frac{1}{2}a(A - B) + \frac{1}{2}a(5A + B) \sec(c + dx)\right)}{a + a \sec(c + dx)} dx}{3a^2} \\ &= -\frac{A\sqrt{\sec(c + dx)} \sin(c + dx)}{a^2d(1 + \sec(c + dx))} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{A \sqrt{\sec(c + dx)} \sin(c + dx)}{a + a \sec(c + dx)} dx}{3a^2} \\ &= -\frac{A\sqrt{\sec(c + dx)} \sin(c + dx)}{a^2d(1 + \sec(c + dx))} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{A}{3a^2} \int \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{a + a \sec(c + dx)} dx \\ &= -\frac{A\sqrt{\sec(c + dx)} \sin(c + dx)}{a^2d(1 + \sec(c + dx))} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{A}{3a^2} \int \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{a + a \sec(c + dx)} dx \\ &= \frac{A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2d} + \frac{(2A + B)\sqrt{\cos(c + dx)}}{3a^2} \int \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{a + a \sec(c + dx)} dx \end{aligned}$$

Mathematica [C] time = 2.02, size = 256, normalized size = 1.59

$$\frac{e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(\cos\left(\frac{1}{2}(c + 3dx)\right) + i \sin\left(\frac{1}{2}(c + 3dx)\right)\right) \left(2i \cos(c + dx)(i(A - B) \sin(c + dx) + \dots)\right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^2, x]

[Out] (Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(((-I)*A*(1 + E^(I*(c + d*x))))^3*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*(c + d*x)) + 8*(2*A + B)*Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] - I*Sin[(c + d*x)/2]) + (2*I)*Cos[c + d*x]*(7*A - B + (5*A + B)*Cos[c + d*x] + I*(A - B)*Sin[c + d*x]))*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(6*a^2*d*E^(I*d*x)*(1 + Cos[c + d*x])^2)

fricas [F] time = 1.33, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^2, x)

maple [A] time = 1.62, size = 350, normalized size = 2.17

$$\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(12A\left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 4A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^2,x)

[Out] 1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(12*A*cos(1/2*d*x+1/2*c)^6-4*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3+6*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3-16*A*cos(1/2*d*x+1/2*c)^4-2*B*cos(1/2*d*x+1/2*c)^4+3*A*cos(1/2*d*x+1/2*c)^2+3*B*cos(1/2*d*x+1/2*c)^2+A-B)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{(a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^2, x)`

[Out] `int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A\sqrt{\sec(c+dx)}}{\cos^2(c+dx)+2\cos(c+dx)+1} dx + \int \frac{B\cos(c+dx)\sqrt{\sec(c+dx)}}{\cos^2(c+dx)+2\cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**2, x)`

[Out] `(Integral(A*sqrt(sec(c + d*x))/(cos(c + d*x)**2 + 2*cos(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sqrt(sec(c + d*x))/(cos(c + d*x)**2 + 2*cos(c + d*x) + 1), x))/a**2`

$$3.484 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=168

$$\frac{(A+2B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2 d (\sec(c+dx)+1)} + \frac{(A+2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} - \frac{B \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3a^2 d}$$

[Out] 1/3*(A+2*B)*sin(d*x+c)*sec(d*x+c)^(1/2)/a^2/d/(1+sec(d*x+c))-1/3*(A-B)*sin(d*x+c)*sec(d*x+c)^(1/2)/d/(a+a*sec(d*x+c))^2-B*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^2/d+1/3*(A+2*B)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^2/d

Rubi [A] time = 0.39, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(A+2B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2 d (\sec(c+dx)+1)} + \frac{(A+2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} - \frac{B \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3a^2 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^2*Sqrt[Sec[c + d*x]]),x]
 [Out] -((B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a^2*d)) + ((A + 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + ((A + 2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d \cdot \text{Csc}[e + f \cdot x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 4019

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)](d_.))^{(n_.)}(\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.))^{(m_.)}(\text{csc}[(e_.) + (f_.)(x_.)](B_.) + (A_.)), x_Symbol] :> \text{Simp}[(d(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0]$

Rule 4020

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)](d_.))^{(n_.)}(\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.))^{(m_.)}(\text{csc}[(e_.) + (f_.)(x_.)](B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^2 \sqrt{\sec(c + dx)}} dx &= \int \frac{\sqrt{\sec(c + dx)} (B + A \sec(c + dx))}{(a + a \sec(c + dx))^2} dx \\ &= -\frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(A-B) + \frac{3}{2}a(A+B) \sec(c+dx)}{\sqrt{\sec(c+dx)} (a+a \sec(c+dx))} dx}{3a^2} \\ &= \frac{(A + 2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} - \frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\ &= \frac{(A + 2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} - \frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\ &= \frac{(A + 2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} - \frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\ &= -\frac{B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{(A + 2B) \sqrt{\cos(c + dx)}}{3d(a + a \sec(c + dx))^2} \end{aligned}$$

Mathematica [C] time = 2.39, size = 256, normalized size = 1.52

$$e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(\cos\left(\frac{1}{2}(c + 3dx)\right) + i \sin\left(\frac{1}{2}(c + 3dx)\right)\right) \left(i\left(2 \cos(c + dx)(-i(A - B) \sin(c + dx))\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^2*Sqrt[Sec[c + d*x]]), x]

[Out] (Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(8*(A + 2*B)*Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] - I*Sin[(c + d*x)/2]))/

2]) + I*((B*(1 + E^(I*(c + d*x)))^3*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]/E^(I*(c + d*x)) + 2*Cos[c + d*x]*(-A - 5*B + (A - 7*B)*Cos[c + d*x] - I*(A - B)*Sin[c + d*x]))*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(6*a^2*d*E^(I*d*x)*(1 + Cos[c + d*x])^2)

fricas [F] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{B \cos(dx + c) + A}{(a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2) \sqrt{\sec(dx + c)}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/((a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2)*sqrt(sec(d*x + c))), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)

maple [A] time = 1.62, size = 350, normalized size = 2.08

$$\frac{\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(2A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\right) + \dots\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(1/2),x)

[Out] -1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3+12*B*cos(1/2*d*x+1/2*c)^6+4*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3+6*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*A*cos(1/2*d*x+1/2*c)^4-20*B*cos(1/2*d*x+1/2*c)^4-3*A*cos(1/2*d*x+1/2*c)^2+9*B*cos(1/2*d*x+1/2*c)^2+A-B)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^2),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A}{\cos^2(c+dx)\sqrt{\sec(c+dx)+2\cos(c+dx)\sqrt{\sec(c+dx)+\sqrt{\sec(c+dx)}}} dx + \int \frac{B \cos(c+dx)}{\cos^2(c+dx)\sqrt{\sec(c+dx)+2\cos(c+dx)\sqrt{\sec(c+dx)+\sqrt{\sec(c+dx)}}} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2/sec(d*x+c)**(1/2),x)

[Out] (Integral(A/(cos(c + d*x)**2*sqrt(sec(c + d*x)) + 2*cos(c + d*x)*sqrt(sec(c + d*x)) + sqrt(sec(c + d*x))), x) + Integral(B*cos(c + d*x)/(cos(c + d*x)**2*sqrt(sec(c + d*x)) + 2*cos(c + d*x)*sqrt(sec(c + d*x)) + sqrt(sec(c + d*x))), x))/a**2

$$3.485 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sec^2(c+dx)} dx$$

Optimal. Leaf size=176

$$\frac{(2A-5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2 d (\sec(c+dx)+1)} + \frac{(2A-5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} - \frac{(A-4B) \sqrt{\cos(c+dx)}}{3a^2 d}$$

[Out] 1/3*(2*A-5*B)*sin(d*x+c)*sec(d*x+c)^(1/2)/a^2/d/(1+sec(d*x+c))+1/3*(A-B)*sin(d*x+c)*sec(d*x+c)^(1/2)/d/(a+a*sec(d*x+c))^2-(A-4*B)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^2/d+1/3*(2*A-5*B)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^2/d

Rubi [A] time = 0.41, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2960, 4020, 3787, 3771, 2639, 2641}

$$\frac{(2A-5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2 d (\sec(c+dx)+1)} + \frac{(2A-5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} - \frac{(A-4B) \sqrt{\cos(c+dx)}}{3a^2 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^2*Sec[c + d*x]^(3/2)),x]

[Out] -(((A - 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)) + ((2*A - 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + ((2*A - 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^2 \sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2} dx \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{-\frac{1}{2}a(A-7B) + \frac{3}{2}a(A-B) \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))} dx}{3a^2} \\ &= \frac{(2A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} + \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\ &= \frac{(2A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} + \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\ &= \frac{(2A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} + \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} \\ &= -\frac{(A - 4B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2d} + \frac{(2A - 5B)\sqrt{\cos(c + dx)}}{3d(a + a \sec(c + dx))^2} \end{aligned}$$

Mathematica [C] time = 6.47, size = 475, normalized size = 2.70

$$\cos^4\left(\frac{1}{2}(c + dx)\right) \left(\frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sec^3\left(\frac{1}{2}(c+dx)\right) \left(5(A-4B) \cos\left(\frac{1}{2}(c-dx)\right) + 4(A-4B) \cos\left(\frac{1}{2}(3c+dx)\right) + 3A \cos\left(\frac{1}{2}(c+3dx)\right) - 9B \cos\left(\frac{1}{2}(c+3dx)\right) - 3B \cos\left(\frac{1}{2}(c-dx)\right)\right)}{2\sqrt{\sec(c+dx)}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^2*Sec[c + d*x]^(3/2)),
x]
```

```
[Out] (Cos[(c + d*x)/2]^4*((2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d
*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x)
)]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((
2*I)*(c + d*x))])/E^(I*d*x) - (8*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((
2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I
)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4
, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) + ((5*(A - 4*B)*Cos[(c - d*x)/2] +
4*(A - 4*B)*Cos[(3*c + d*x)/2] + 3*A*Cos[(c + 3*d*x)/2] - 9*B*Cos[(c + 3*d
*x)/2] - 3*B*Cos[(5*c + 3*d*x)/2])*Csc[c/2]*Sec[c/2]*Sec[(c + d*x)/2]^3)/(2
*Sqrt[Sec[c + d*x]]) + 8*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqr
```

$t[\text{Sec}[c + d*x]] - 20*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^2*d*(1 + \text{Cos}[c + d*x])^2)$

fricas [F] time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{(a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2) \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/((a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2)*sec(d*x + c)^(3/2)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*sec(d*x + c)^(3/2)), x)

maple [A] time = 1.69, size = 421, normalized size = 2.39

$$\sqrt{2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) - 1 \right) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \left(12A \left(\cos^6 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + 4A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right)} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(3/2),x)

[Out] $-1/6*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^6+4*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+6*A*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-24*B*\cos(1/2*d*x+1/2*c)^6-10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-24*B*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-20*A*\cos(1/2*d*x+1/2*c)^4+38*B*\cos(1/2*d*x+1/2*c)^4+9*A*\cos(1/2*d*x+1/2*c)^2-15*B*\cos(1/2*d*x+1/2*c)^2-A+B)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^2),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2/sec(d*x+c)**(3/2),x)

[Out] Timed out

$$3.486 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sec^2(c+dx)} dx$$

Optimal. Leaf size=206

$$\frac{5(A-2B) \sin(c+dx)}{3a^2 d \sqrt{\sec(c+dx)}} + \frac{(4A-7B) \sin(c+dx)}{3a^2 d \sqrt{\sec(c+dx)} (\sec(c+dx)+1)} - \frac{5(A-2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{3a^2 d}$$

[Out] $-5/3*(A-2*B)*\sin(d*x+c)/a^2/d/\sec(d*x+c)^{(1/2)}+1/3*(4*A-7*B)*\sin(d*x+c)/a^2/d/(1+\sec(d*x+c))/\sec(d*x+c)^{(1/2)}+1/3*(A-B)*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^{2/\sec(d*x+c)^{(1/2)}+(4*A-7*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d-5/3*(A-2*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d$

Rubi [A] time = 0.43, antiderivative size = 206, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{5(A-2B) \sin(c+dx)}{3a^2 d \sqrt{\sec(c+dx)}} + \frac{(4A-7B) \sin(c+dx)}{3a^2 d \sqrt{\sec(c+dx)} (\sec(c+dx)+1)} - \frac{5(A-2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{3a^2 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^2*Sec[c + d*x]^(5/2)),x]

[Out] $((4*A-7*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2,2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(a^2*d) - (5*(A-2*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticF}[(c+d*x)/2,2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(3*a^2*d) - (5*(A-2*B)*\text{Sin}[c+d*x])/(3*a^2*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + ((4*A-7*B)*\text{Sin}[c+d*x])/(3*a^2*d*\text{Sqrt}[\text{Sec}[c+d*x]])*(1+\text{Sec}[c+d*x]) + ((A-B)*\text{Sin}[c+d*x])/(3*d*\text{Sqrt}[\text{Sec}[c+d*x]])*(a+a*\text{Sec}[c+d*x])^2$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m+n), Int[(g*Csc[e+f*x])^(p-m-n)*(b+a*Csc[e+f*x])^m*(d+c*Csc[e+f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[(Cos[c+d*x]*(b*Csc[c+d*x])^(n+1))/(b*d*n), x] + Dist[(n+1)/(b^2*n), Int[(b*Csc[c+d*x])^(n+2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :=> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^2 \sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} dx \\
 &= \frac{(A - B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2} + \frac{\int \frac{-\frac{3}{2}a(A-3B) + \frac{5}{2}a(A-B) \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} dx}{3a^2} \\
 &= \frac{(4A - 7B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)} (1 + \sec(c + dx))} + \frac{(A - B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))} \\
 &= \frac{(4A - 7B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)} (1 + \sec(c + dx))} + \frac{(A - B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))} \\
 &= -\frac{5(A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} + \frac{(4A - 7B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)} (1 + \sec(c + dx))} + \frac{(A - B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} \\
 &= \frac{(4A - 7B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} - \frac{5(A - 2B) \sqrt{\cos(c + dx)}}{3a^2 d \sqrt{\sec(c + dx)}} \\
 &= \frac{(4A - 7B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} - \frac{5(A - 2B) \sqrt{\cos(c + dx)}}{3a^2 d \sqrt{\sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 6.91, size = 777, normalized size = 3.77

$$\cos^4\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c + dx)} \left(\frac{8(A-2B) \cos(c) \sin(dx)}{d} - \frac{2 \sec\left(\frac{c}{2}\right) \sec^3\left(\frac{c}{2} + \frac{dx}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right)\right)}{3d} - \frac{2(A-B) \tan\left(\frac{c}{2}\right) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} + \frac{4(A-B) \tan\left(\frac{c}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^2*Sec[c + d*x]^(5/2)), x]

[Out] (-4*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2])/((3*d*E^(I*d*x)*(a + a*Cos[c + d*x])^2) + (7*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2])/((3*d*E^(I*d*x)*(a + a*Cos[c + d*x])^2) - (10*A*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*Sin[c])/((3*d*(a + a*Cos[c + d*x])^2) + (20*B*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*Sin[c])/((3*d*(a + a*Cos[c + d*x])^2) + (Cos[c/2 + (d*x)/2]^4*Sqrt[Sec[c + d*x]]*((-2*(3*A - 5*B + A*Cos[2*c] - 2*B*Cos[2*c])*Cos[d*x]*Csc[c/2]*Sec[c/2])/d + (4*B*Cos[2*d*x]*Sin[2*c])/((3*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(7*A*Sin[(d*x)/2] - 10*B*Sin[(d*x)/2]))/(3*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/(3*d) + (8*(A - 2*B)*Cos[c]*Sin[d*x])/d + (4*B*Cos[2*c]*Sin[2*d*x])/((3*d) + (4*(7*A - 10*B)*Tan[c/2])/((3*d) - (2*(A - B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/((3*d))))/(a + a*Cos[c + d*x])^2

fricas [F] time = 2.05, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{B \cos(dx + c) + A}{(a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2) \sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/((a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2)*sec(d*x + c)^(5/2)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2)), x)

maple [A] time = 1.85, size = 435, normalized size = 2.11

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(-16B \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 24A \left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 10A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(5/2),x)

```
[Out] 1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-16*B*cos(1/2*d*x+1/2*c)^8+24*A*cos(1/2*d*x+1/2*c)^6+10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3+24*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-12*B*cos(1/2*d*x+1/2*c)^6-20*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3-42*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-38*A*cos(1/2*d*x+1/2*c)^4+48*B*cos(1/2*d*x+1/2*c)^4+15*A*cos(1/2*d*x+1/2*c)^2-21*B*cos(1/2*d*x+1/2*c)^2-A+B)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^2),x)
```

```
[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

$$3.487 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=261

$$\frac{(13A - 3B) \sin(c + dx) \sec^2(c + dx)}{6d(a^3 \sec(c + dx) + a^3)} + \frac{(49A - 9B) \sin(c + dx) \sqrt{\sec(c + dx)}}{10a^3d} - \frac{(13A - 3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{6a^3d}$$

[Out] $-1/5*(A-B)*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^3-1/15*(8*A-3*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/a/d/(a+a*\sec(d*x+c))^2-1/6*(13*A-3*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a^3+a^3*\sec(d*x+c))+1/10*(49*A-9*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^3/d-1/10*(49*A-9*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d-1/6*(13*A-3*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d$

Rubi [A] time = 0.61, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4019, 3787, 3771, 2641, 3768, 2639}

$$\frac{(13A - 3B) \sin(c + dx) \sec^2(c + dx)}{6d(a^3 \sec(c + dx) + a^3)} + \frac{(49A - 9B) \sin(c + dx) \sqrt{\sec(c + dx)}}{10a^3d} - \frac{(13A - 3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{6a^3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^{(3/2)}]/(a + a*\text{Cos}[c + d*x])^3, x]$

[Out] $-((49*A - 9*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(10*a^3*d) - ((13*A - 3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(6*a^3*d) + ((49*A - 9*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(10*a^3*d) - ((A - B)*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) - ((8*A - 3*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Sec}[c + d*x])^2) - ((13*A - 3*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(6*d*(a^3 + a^3*\text{Sec}[c + d*x]))$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(g_.)^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.)^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n-1)}]/(d*(n-1)), x] + \text{Dist}[(b^2*(n-2))/(n-1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\&$

IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^3} dx &= \int \frac{\sec^7(c + dx)(B + A \sec(c + dx))}{(a + a \sec(c + dx))^3} dx \\
 &= -\frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \int \frac{\sec^{\frac{5}{2}}(c + dx) \left(-\frac{5}{2}a(A - B) + \frac{1}{2}a(11A - B) \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx \\
 &= -\frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
 &= -\frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
 &= -\frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
 &= \frac{(49A - 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{10a^3d} - \frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} \\
 &= -\frac{(13A - 3B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{6a^3d} + \frac{(49A - 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{10a^3d} \\
 &= -\frac{(49A - 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} - \frac{(13A - 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{10a^3d}
 \end{aligned}$$

Mathematica [C] time = 5.39, size = 358, normalized size = 1.37

$$e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} \left(\cos\left(\frac{1}{2}(c+3dx)\right) + i \sin\left(\frac{1}{2}(c+3dx)\right)\right) \left(-i(49A-9B)e^{-2i(c+dx)} \sqrt{1+e^{2i(c+dx)}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^3, x]

[Out] -1/120*(Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(((-I)*(49*A - 9*B)*(1 + E^(I*(c + d*x)))^5*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^((2*I)*(c + d*x)) + 160*(13*A - 3*B)*Cos[(c + d*x)/2]^5*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] - I*Sin[(c + d*x)/2]) + (2*I)*(642*A - 102*B + (1082*A - 207*B)*Cos[c + d*x] + 6*(87*A - 17*B)*Cos[2*(c + d*x)] + 106*A*Cos[3*(c + d*x)] - 21*B*Cos[3*(c + d*x)] + (161*I)*A*Sin[c + d*x] - (6*I)*B*Sin[c + d*x] + (148*I)*A*Sin[2*(c + d*x)] - (18*I)*B*Sin[2*(c + d*x)] + (41*I)*A*Sin[3*(c + d*x)] - (6*I)*B*Sin[3*(c + d*x)]))*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(a^3*d*E^(I*d*x)*(1 + Cos[c + d*x])^3)

fricas [F] time = 2.31, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^3, x)

maple [B] time = 2.05, size = 685, normalized size = 2.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x)

[Out] -1/60*(-2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(65*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*s

```

in(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)
^(1/2)*(65*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*EllipticE(cos(1/2*
d*x+1/2*c),2^(1/2))-15*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+27*B*Ellipti
cE(cos(1/2*d*x+1/2*c),2^(1/2)))*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(
sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*
x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(65*A*EllipticF(cos(1/2*d*x+1/2*c),2
^(1/2))-147*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*EllipticF(cos(1/2*
d*x+1/2*c),2^(1/2))+27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*cos(1/2*d*x
+1/2*c)+12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(49*A-9*B)*
sin(1/2*d*x+1/2*c)^8-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
*(817*A-147*B)*sin(1/2*d*x+1/2*c)^6+6*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+
1/2*c)^2)^(1/2)*(248*A-43*B)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+
sin(1/2*d*x+1/2*c)^2)^(1/2)*(439*A-69*B)*sin(1/2*d*x+1/2*c)^2)/a^3/cos(1/2*
d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d
*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x, algorithm
="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2}}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^3,x)
```

```
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^3, x
)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**3,x)
```

[Out] Timed out

$$3.488 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=222

$$\frac{(9A+B) \sin(c+dx) \sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)} + \frac{(3A+B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} + \frac{(9A+B) \sqrt{\cos(c+dx)}}{6a^3 d}$$

[Out] $-1/5*(A-B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^3-1/15*(6*A-B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\sec(d*x+c))^2-1/10*(9*A+B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a^3+a^3*\sec(d*x+c))+1/10*(9*A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d+1/6*(3*A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d$

Rubi [A] time = 0.58, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2960, 4019, 3787, 3771, 2639, 2641}

$$\frac{(9A+B) \sin(c+dx) \sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)} + \frac{(3A+B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} + \frac{(9A+B) \sqrt{\cos(c+dx)}}{6a^3 d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^3,x]

[Out] $((9*A + B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(10*a^3*d) + ((3*A + B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(6*a^3*d) - ((A - B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) - ((6*A - B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Sec}[c + d*x])^2) - ((9*A + B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(10*d*(a^3 + a^3*\text{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m*(d*Csc[e + f*x])^(n - 1))/(a*f*(
2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^3} dx = \int \frac{\sec^{\frac{5}{2}}(c + dx)(B + A \sec(c + dx))}{(a + a \sec(c + dx))^3} dx$$

$$= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \int \frac{\sec^{\frac{3}{2}}(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(9A + B)\right)}{(a + a \sec(c + dx))^2} dx$$

$$= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(6A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(6A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(6A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(6A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= \frac{(9A + B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} + \frac{(3A + B)\sqrt{\cos(c + dx)}}{(a \cos(c + dx))^2}$$

Mathematica [C] time = 6.98, size = 793, normalized size = 3.57

$$\cos^6\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c + dx)} \left(\frac{2 \sec\left(\frac{c}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right)\right)}{5d} + \frac{2(A - B) \tan\left(\frac{c}{2}\right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{5d} + \frac{4 \sec\left(\frac{c}{2}\right) \sec^3\left(\frac{c}{2} + \frac{dx}{2}\right) \left(3A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right)\right)}{15d} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^3,
x]
```

```
[Out] (-3*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((
2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d
```


*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]]/(5*d*E^(I*d*x)*(a + a*Cos[c + d*x])^3) - (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]]/(15*d*E^(I*d*x)*(a + a*Cos[c + d*x])^3) + (2*A*Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*Sin[c])/(d*(a + a*Cos[c + d*x])^3) + (2*B*Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*Sin[c])/(3*d*(a + a*Cos[c + d*x])^3) + (Cos[c/2 + (d*x)/2]^6*Sqrt[Sec[c + d*x]]*((-2*(9*A + B)*Cos[d*x]*Csc[c/2]*Sec[c/2])/(5*d) + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/(5*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(3*A*Sin[(d*x)/2] + B*Sin[(d*x)/2]))/(3*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(3*A*Sin[(d*x)/2] + 2*B*Sin[(d*x)/2]))/(15*d) + (4*(3*A + B)*Tan[c/2])/(3*d) + (4*(3*A + 2*B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(15*d) + (2*(A - B)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/(a + a*Cos[c + d*x])^3

fricas [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^3, x)

maple [A] time = 1.65, size = 451, normalized size = 2.03

$$\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(108A\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 30A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x)

[Out] 1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(108*A*cos(1/2*d*x+1/2*c)^8-30*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*cos(1/2*d*x+1/2*c)^5+54*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+12*B*cos(1/2*d*x+1/2*c)^8-10*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos

$(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 + 6*B*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 138*A*\cos(1/2*d*x+1/2*c)^6 - 22*B*\cos(1/2*d*x+1/2*c)^6 + 24*A*\cos(1/2*d*x+1/2*c)^4 + 6*B*\cos(1/2*d*x+1/2*c)^4 + 3*A*\cos(1/2*d*x+1/2*c)^2 + 7*B*\cos(1/2*d*x+1/2*c)^2 + 3*A - 3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^3,x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{A \sqrt{\sec(c+dx)}}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sqrt{\sec(c+dx)}}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**3,x)

[Out] (Integral(A*sqrt(sec(c + d*x))/(cos(c + d*x)**3 + 3*cos(c + d*x)**2 + 3*cos(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sqrt(sec(c + d*x))/(cos(c + d*x)**3 + 3*cos(c + d*x)**2 + 3*cos(c + d*x) + 1), x))/a**3

$$3.489 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=216

$$\frac{(A+B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(A+B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} + \frac{(A-B) \sqrt{\cos(c+dx)}}{6a^3 d}$$

[Out] $-1/5*(A-B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^{-3}-1/15*(4*A+B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\sec(d*x+c))^{-2}+1/6*(A+B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a^3+a^3*\sec(d*x+c))+1/10*(A-B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d+1/6*(A+B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d$

Rubi [A] time = 0.57, antiderivative size = 216, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(A+B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(A+B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} + \frac{(A-B) \sqrt{\cos(c+dx)}}{6a^3 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^3*Sqrt[Sec[c + d*x]]), x]

[Out] $((A - B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(10*a^3*d) + ((A + B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(6*a^3*d) - ((A - B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) - ((4*A + B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Sec}[c + d*x])^2) + ((A + B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(6*d*(a^3 + a^3*\text{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^3 \sqrt{\sec(c + dx)}} dx = \int \frac{\sec^3(c + dx)(B + A \sec(c + dx))}{(a + a \sec(c + dx))^3} dx$$

$$= -\frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \int \frac{\sqrt{\sec(c + dx)} \left(-\frac{1}{2}a(A - B) + \frac{1}{2}a(7A + 3B) \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx$$

$$= -\frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(4A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= -\frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(4A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= -\frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(4A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= -\frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(4A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= \frac{(A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} + \frac{(A + B) \sqrt{\cos(c + dx)}}{15d}$$

Mathematica [C] time = 6.93, size = 792, normalized size = 3.67

$$\cos^6\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c + dx)} \left(-\frac{2 \sec\left(\frac{c}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right)\right)}{5d} - \frac{2(A - B) \tan\left(\frac{c}{2}\right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{5d} + \frac{4 \sec\left(\frac{c}{2}\right) \sec^3\left(\frac{c}{2} + \frac{dx}{2}\right) (2A \sin\left(\frac{dx}{2}\right) - B)}{15d} \right)$$

(a cos(c + dx))

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^3*Sqrt[Sec[c + d*x]]), x]

[Out]
$$-1/15*(\text{Sqrt}[2]*A*\text{Sqrt}[E^{I*(c+d*x)}]/(1+E^{(2*I)*(c+d*x)}))*\text{Sqrt}[1+E^{(2*I)*(c+d*x)}]*\text{Cos}[c/2+(d*x)/2]^6*\text{Csc}[c/2]*(-3*\text{Sqrt}[1+E^{(2*I)*(c+d*x)}]+E^{(2*I)*d*x}*(-1+E^{(2*I)*c}))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2*I)*(c+d*x)}]*\text{Sec}[c/2]/(d*E^{I*d*x}*(a+a*\text{Cos}[c+d*x])^3)+(\text{Sqrt}[2]*B*\text{Sqrt}[E^{I*(c+d*x)}]/(1+E^{(2*I)*(c+d*x)}))*\text{Sqrt}[1+E^{(2*I)*(c+d*x)}]*\text{Cos}[c/2+(d*x)/2]^6*\text{Csc}[c/2]*(-3*\text{Sqrt}[1+E^{(2*I)*(c+d*x)}]+E^{(2*I)*d*x}*(-1+E^{(2*I)*c}))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2*I)*(c+d*x)}]*\text{Sec}[c/2]/(15*d*E^{I*d*x}*(a+a*\text{Cos}[c+d*x])^3)+(2*A*\text{Cos}[c/2+(d*x)/2]^6*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c/2]*\text{EllipticF}[(c+d*x)/2, 2]*\text{Sec}[c/2]*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c])/(3*d*(a+a*\text{Cos}[c+d*x])^3)+(2*B*\text{Cos}[c/2+(d*x)/2]^6*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c/2]*\text{EllipticF}[(c+d*x)/2, 2]*\text{Sec}[c/2]*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c])/(3*d*(a+a*\text{Cos}[c+d*x])^3)+(\text{Cos}[c/2+(d*x)/2]^6*\text{Sqrt}[\text{Sec}[c+d*x]]*((-2*(A-B)*\text{Cos}[d*x]*\text{Csc}[c/2]*\text{Sec}[c/2])/(5*d)+(4*\text{Sec}[c/2]*\text{Sec}[c/2+(d*x)/2]^3*(2*A*\text{Sin}[(d*x)/2]-7*B*\text{Sin}[(d*x)/2]))/(15*d)-(2*\text{Sec}[c/2]*\text{Sec}[c/2+(d*x)/2]^5*(A*\text{Sin}[(d*x)/2]-B*\text{Sin}[(d*x)/2]))/(5*d)+(4*\text{Sec}[c/2]*\text{Sec}[c/2+(d*x)/2]*(A*\text{Sin}[(d*x)/2]+B*\text{Sin}[(d*x)/2]))/(3*d)+(4*(A+B)*\text{Tan}[c/2])/(3*d)+(4*(2*A-7*B)*\text{Sec}[c/2+(d*x)/2]^2*\text{Tan}[c/2])/(15*d)-(2*(A-B)*\text{Sec}[c/2+(d*x)/2]^4*\text{Tan}[c/2])/(5*d)))/(a+a*\text{Cos}[c+d*x])^3$$

fricas [F] time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx+c)+A}{\left(a^3 \cos(dx+c)^3+3 a^3 \cos(dx+c)^2+3 a^3 \cos(dx+c)+a^3\right)\sqrt{\sec(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/((a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3)*sqrt(sec(d*x + c))), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c)+A}{(a \cos(dx+c)+a)^3 \sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*sqrt(sec(d*x + c))), x)

maple [A] time = 1.86, size = 451, normalized size = 2.09

$$\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\left(12A\left(\cos^8\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-10A\sqrt{\frac{1}{2}-\frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\right)+}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(1/2),x)

```
[Out] 1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(12*A*cos(1/2*d*x+1/2*c)^8-10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+6*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-12*B*cos(1/2*d*x+1/2*c)^8-10*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5-6*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-22*A*cos(1/2*d*x+1/2*c)^6+2*B*cos(1/2*d*x+1/2*c)^6+6*A*cos(1/2*d*x+1/2*c)^4+24*B*cos(1/2*d*x+1/2*c)^4+7*A*cos(1/2*d*x+1/2*c)^2-17*B*cos(1/2*d*x+1/2*c)^2-3*A+3*B)/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*sqrt(sec(d*x + c))), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^3),x)
```

```
[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^3), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.490 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^2(c+dx)} dx$$

Optimal. Leaf size=222

$$\frac{(A+3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(A+3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} - \frac{(A+9B) \sqrt{\cos(c+dx)}}{6a^3 d}$$

[Out] $-1/5*(A-B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\sec(d*x+c))^{-3}+1/15*(2*A+3*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\sec(d*x+c))^{-2}+1/6*(A+3*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a^3+a^3*\sec(d*x+c))-1/10*(A+9*B)*(\cos(1/2*d*x+1/2*c))^{2^{(1/2)}}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d+1/6*(A+3*B)*(\cos(1/2*d*x+1/2*c))^{2^{(1/2)}}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d$

Rubi [A] time = 0.58, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(A+3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(A+3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} - \frac{(A+9B) \sqrt{\cos(c+dx)}}{6a^3 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^3*Sec[c + d*x]^(3/2)), x]

[Out] $-((A+9*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(10*a^3*d) + ((A+3*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticF}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(6*a^3*d) - ((A-B)*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(5*d*(a+a*\text{Sec}[c+d*x])^3) + ((2*A+3*B)*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(15*a*d*(a+a*\text{Sec}[c+d*x])^2) + ((A+3*B)*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(6*d*(a^3+a^3*\text{Sec}[c+d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m+n), Int[(g*Csc[e+f*x])^(p-m-n)*(b+a*Csc[e+f*x])^m*(d+c*Csc[e+f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c+d*x])^n*Sin[c+d*x]^n, Int[1/Sin[c+d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^3 \sec^2(c + dx)} dx &= \int \frac{\sqrt{\sec(c + dx)} (B + A \sec(c + dx))}{(a + a \sec(c + dx))^3} dx \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(A-B) + \frac{5}{2}a(A+B) \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2} dx}{5a^2} \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
 &= -\frac{(A + 9B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} + \frac{(A + 3B)\sqrt{\cos(c + dx)}}{10a^3d}
 \end{aligned}$$

Mathematica [C] time = 7.04, size = 793, normalized size = 3.57

$$\cos^6\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c + dx)} \left(\frac{2 \sec\left(\frac{c}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right)\right)}{5d} + \frac{2(A-B) \tan\left(\frac{c}{2}\right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{5d} - \frac{4 \sec\left(\frac{c}{2}\right) \sec^3\left(\frac{c}{2} + \frac{dx}{2}\right) \left(7A \sin\left(\frac{dx}{2}\right) - 7B \sin\left(\frac{dx}{2}\right)\right)}{15d} \right)$$

(a cos

Antiderivative was successfully verified.

[In] Integrate[(A + B*cos[c + d*x])/((a + a*cos[c + d*x])^3*Sec[c + d*x]^(3/2)), x]

[Out] (Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]/(15*d*E^(I*d*x)*(a + a*cos[c + d*x])^3) + (3*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]/(5*d*E^(I*d*x)*(a + a*cos[c + d*x])^3) + (2*A*Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*Sin[c])/(3*d*(a + a*cos[c + d*x])^3) + (2*B*Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*Sin[c])/(d*(a + a*cos[c + d*x])^3) + (Cos[c/2 + (d*x)/2]^6*Sqrt[Sec[c + d*x]]*((2*(A + 9*B)*Cos[d*x]*Csc[c/2]*Sec[c/2])/(5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(7*A*Sin[(d*x)/2] - 12*B*Sin[(d*x)/2]))/(15*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[(d*x)/2] - 9*B*Sin[(d*x)/2]))/(3*d) + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/(5*d) + (4*(A - 9*B)*Tan[c/2])/(3*d) - (4*(7*A - 12*B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(15*d) + (2*(A - B)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d))/(a + a*cos[c + d*x])^3

fricas [F] time = 1.26, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{B \cos(dx + c) + A}{(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3) \sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/((a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3)*sec(d*x + c)^(3/2)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2)), x)

maple [A] time = 1.65, size = 451, normalized size = 2.03

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(12A \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 10A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(3/2),x)

[Out]
$$-1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^8+10*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+6*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+108*B*\cos(1/2*d*x+1/2*c)^8+30*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+54*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)^6-198*B*\cos(1/2*d*x+1/2*c)^6-24*A*\cos(1/2*d*x+1/2*c)^4+114*B*\cos(1/2*d*x+1/2*c)^4+17*A*\cos(1/2*d*x+1/2*c)^2-27*B*\cos(1/2*d*x+1/2*c)^2-3*A+3*B)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^3),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3/sec(d*x+c)**(3/2),x)

[Out] Timed out

$$3.491 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^2(c+dx)} dx$$

Optimal. Leaf size=228

$$\frac{(3A-13B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(3A-13B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} - \frac{(9A-49B) \sqrt{\cos(c+dx)}}{6a^3 d}$$

[Out] 1/5*(A-B)*sin(d*x+c)*sec(d*x+c)^(1/2)/d/(a+a*sec(d*x+c))^3+1/15*(3*A-8*B)*sin(d*x+c)*sec(d*x+c)^(1/2)/a/d/(a+a*sec(d*x+c))^2+1/6*(3*A-13*B)*sin(d*x+c)*sec(d*x+c)^(1/2)/d/(a^3+a^3*sec(d*x+c))-1/10*(9*A-49*B)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^3/d+1/6*(3*A-13*B)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^3/d

Rubi [A] time = 0.58, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2960, 4020, 3787, 3771, 2639, 2641}

$$\frac{(3A-13B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(3A-13B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} - \frac{(9A-49B) \sqrt{\cos(c+dx)}}{6a^3 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^3*Sec[c + d*x]^(5/2)),x]
 [Out] -((9*A - 49*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((3*A - 13*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) + ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((3*A - 8*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((3*A - 13*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^3 \sec^{\frac{5}{2}}(c + dx)} dx = \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} dx$$

$$= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{-\frac{1}{2}a(A-11B) + \frac{5}{2}a(A-B)\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^2} dx}{5a^2}$$

$$= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3A - 8B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3A - 8B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3A - 8B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3A - 8B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

$$= -\frac{(9A - 49B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} + \frac{(3A - 13B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2}$$

Mathematica [C] time = 7.15, size = 817, normalized size = 3.58

$$\frac{3\sqrt{2} A e^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \csc\left(\frac{c}{2}\right) \left(e^{2idx} (-1+e^{2ic}) {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}}\right) \sec\left(\frac{c}{2}\right) \cos\left(\frac{c}{2}\right)}{5d(\cos(c+dx)a+a)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^3*Sec[c + d*x]^(5/2)),
x]
```

```
[Out] (3*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2
*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d
x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E
^((2*I)*(c + d*x))]*Sec[c/2])/(5*d*E^(I*d*x)*(a + a*Cos[c + d*x])^3) - (49
```

*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2])/(15*d*E^(I*d*x)*(a + a*cos[c + d*x])^3) + (2*A*cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*Sin[c])/(d*(a + a*cos[c + d*x])^3) - (26*B*cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sqrt[Sec[c + d*x]]*Sin[c])/(3*d*(a + a*cos[c + d*x])^3) + (Cos[c/2 + (d*x)/2]^6*Sqrt[Sec[c + d*x]]*((-2*(-9*A + 39*B + 10*B*cos[2*c])*Cos[d*x]*Csc[c/2]*Sec[c/2])/(5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(9*A*sin[(d*x)/2] - 23*B*sin[(d*x)/2]))/(3*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(12*A*sin[(d*x)/2] - 17*B*sin[(d*x)/2]))/(15*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*sin[(d*x)/2] - B*sin[(d*x)/2]))/(5*d) + (16*B*cos[c]*Sin[d*x])/d - (4*(9*A - 23*B)*Tan[c/2])/(3*d) + (4*(12*A - 17*B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(15*d) - (2*(A - B)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/(a + a*cos[c + d*x])^3

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{B \cos(dx + c) + A}{(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3) \sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/((a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3)*sec(d*x + c)^(5/2)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*sec(d*x + c)^(5/2)), x)

maple [A] time = 1.64, size = 451, normalized size = 1.98

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(108A \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 30A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(5/2),x)

[Out] -1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(108*A*cos(1/2*d*x+1/2*c)^8+30*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+54*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-348*B*cos(1/2*d*x+1/2*c)^8-130*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(

$\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 - 294*B*\cos(1/2*d*x+1/2*c)^5$
 $*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 198*A*\cos(1/2*d*x+1/2*c)^6 + 578*B*\cos(1/2*d*x+1/2*c)^6$
 $+ 114*A*\cos(1/2*d*x+1/2*c)^4 - 264*B*\cos(1/2*d*x+1/2*c)^4 - 27*A*\cos(1/2*d*x+1/2*c)^2 + 37*B*\cos(1/2*d*x+1/2*c)^2 + 3*A - 3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*sec(d*x + c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^3),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3/sec(d*x+c)**(5/2),x)

[Out] Timed out

$$3.492 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^2(c+dx)} dx$$

Optimal. Leaf size=259

$$\frac{(13A - 33B) \sin(c + dx)}{6a^3 d \sqrt{\sec(c + dx)}} + \frac{7(7A - 17B) \sin(c + dx)}{30d \sqrt{\sec(c + dx)} (a^3 \sec(c + dx) + a^3)} - \frac{(13A - 33B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F}{6a^3 d}$$

[Out] $-1/6*(13*A-33*B)*\sin(d*x+c)/a^3/d/\sec(d*x+c)^{(1/2)}+1/5*(A-B)*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^3/\sec(d*x+c)^{(1/2)}+1/3*(A-2*B)*\sin(d*x+c)/a/d/(a+a*\sec(d*x+c))^2/\sec(d*x+c)^{(1/2)}+7/30*(7*A-17*B)*\sin(d*x+c)/d/(a^3+a^3*\sec(d*x+c))/\sec(d*x+c)^{(1/2)}+7/10*(7*A-17*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d-1/6*(13*A-33*B)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d$

Rubi [A] time = 0.62, antiderivative size = 259, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{(13A - 33B) \sin(c + dx)}{6a^3 d \sqrt{\sec(c + dx)}} + \frac{7(7A - 17B) \sin(c + dx)}{30d \sqrt{\sec(c + dx)} (a^3 \sec(c + dx) + a^3)} - \frac{(13A - 33B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F}{6a^3 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^3*Sec[c + d*x]^(7/2)),x]

[Out] $(7*(7*A - 17*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(10*a^3*d) - ((13*A - 33*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(6*a^3*d) - ((13*A - 33*B)*\text{Sin}[c + d*x])/(6*a^3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + ((A - B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Sec}[c + d*x]])*(a + a*\text{Sec}[c + d*x])^3 + ((A - 2*B)*\text{Sin}[c + d*x])/(3*a*d*\text{Sqrt}[\text{Sec}[c + d*x]])*(a + a*\text{Sec}[c + d*x])^2 + (7*(7*A - 17*B)*\text{Sin}[c + d*x])/(30*d*\text{Sqrt}[\text{Sec}[c + d*x]])*(a^3 + a^3*\text{Sec}[c + d*x])$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

]

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^(n)*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^3 \sec^2(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^2(c + dx)(a + a \sec(c + dx))^3} dx \\
&= \frac{(A - B) \sin(c + dx)}{5d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} + \frac{\int \frac{-\frac{1}{2}a(3A-13B) + \frac{7}{2}a(A-B) \sec(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(A - B) \sin(c + dx)}{5d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} + \frac{(A - 2B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} \\
&= \frac{(A - B) \sin(c + dx)}{5d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} + \frac{(A - 2B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} \\
&= \frac{(A - B) \sin(c + dx)}{5d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} + \frac{(A - 2B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} \\
&= -\frac{(13A - 33B) \sin(c + dx)}{6a^3 d \sqrt{\sec(c + dx)}} + \frac{(A - B) \sin(c + dx)}{5d \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} + \frac{(A - 2B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} \\
&= \frac{7(7A - 17B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3 d} - \frac{(13A - 33B) \sin(c + dx)}{6a^3 d \sqrt{\sec(c + dx)}} \\
&= \frac{7(7A - 17B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3 d} - \frac{(13A - 33B) \sin(c + dx)}{6a^3 d \sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 4.72, size = 589, normalized size = 2.27

$$\cos^6\left(\frac{1}{2}(c+dx)\right)\left(-\frac{\csc\left(\frac{c}{2}\right)\sec\left(\frac{c}{2}\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left((806A-1961B)\cos\left(\frac{1}{2}(c-dx)\right)+(664A-1609B)\cos\left(\frac{1}{2}(3c+dx)\right)+470A\cos\left(\frac{1}{2}(c+3dx)\right)+265A\cos\left(\frac{1}{2}(c+5dx)\right)\right)}{\dots}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^3*Sec[c + d*x]^(7/2)), x]

[Out] (Cos[(c + d*x)/2]^6*((-98*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) + (238*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) - ((806*A - 1961*B)*Cos[(c - d*x)/2] + (664*A - 1609*B)*Cos[(3*c + d*x)/2] + 470*A*Cos[(c + 3*d*x)/2] - 1165*B*Cos[(c + 3*d*x)/2] + 265*A*Cos[(5*c + 3*d*x)/2] - 620*B*Cos[(5*c + 3*d*x)/2] + 117*A*Cos[(3*c + 5*d*x)/2] - 292*B*Cos[(3*c + 5*d*x)/2] + 30*A*Cos[(7*c + 5*d*x)/2] - 65*B*Cos[(7*c + 5*d*x)/2] - 5*B*Cos[(5*c + 7*d*x)/2] + 5*B*Cos[(9*c + 7*d*x)/2])*Csc[c/2]*Sec[c/2]*Sec[(c + d*x)/2]^5)/(8*Sqrt[Sec[c + d*x]]) - 260*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] + 660*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]))/(15*a^3*d*(1 + Cos[c + d*x])^3)

fricas [F] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{\left(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3\right) \sec(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/((a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3)*sec(d*x + c)^(7/2)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*sec(d*x + c)^(7/2)), x)

maple [A] time = 1.56, size = 465, normalized size = 1.80

$$\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-160B\left(\cos^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 348A\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 130A\sqrt{\frac{1}{2} - \cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(7/2),x)`

[Out]
$$\frac{1}{60} * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-160 * B * \cos(1/2 * d * x + 1/2 * c) ^ 10 + 348 * A * \cos(1/2 * d * x + 1/2 * c) ^ 8 + 130 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \cos(1/2 * d * x + 1/2 * c) ^ 5 + 294 * A * \cos(1/2 * d * x + 1/2 * c) ^ 5 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 468 * B * \cos(1/2 * d * x + 1/2 * c) ^ 8 - 330 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \cos(1/2 * d * x + 1/2 * c) ^ 5 - 714 * B * \cos(1/2 * d * x + 1/2 * c) ^ 5 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 578 * A * \cos(1/2 * d * x + 1/2 * c) ^ 6 + 1058 * B * \cos(1/2 * d * x + 1/2 * c) ^ 6 + 264 * A * \cos(1/2 * d * x + 1/2 * c) ^ 4 - 474 * B * \cos(1/2 * d * x + 1/2 * c) ^ 4 - 37 * A * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 47 * B * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 3 * A - 3 * B) / a ^ 3 / \cos(1/2 * d * x + 1/2 * c) ^ 5 / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/sec(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*sec(d*x + c)^(7/2)), x)`

mapad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{7/2} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^3),x)`

[Out] `int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^3), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3/sec(d*x+c)**(7/2),x)`

[Out] Timed out

$$3.493 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{11}{2}}(c + dx) dx$$

Optimal. Leaf size=220

$$\frac{2a(8A + 9B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{4a(8A + 9B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a(8A + 9B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

[Out] $16/315*a*(8*A+9*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+4/105*a*(8*A+9*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/63*a*(8*A+9*B)*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/9*a*A*\sec(d*x+c)^{(9/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+32/315*a*(8*A+9*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2961, 2980, 2772, 2771}

$$\frac{2a(8A + 9B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{4a(8A + 9B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a(8A + 9B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]

[Out] $(32*a*(8*A + 9*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (16*a*(8*A + 9*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (4*a*(8*A + 9*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*(8*A + 9*B)*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(63*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*A*\text{Sec}[c + d*x]^{(9/2)}*\text{Sin}[c + d*x])/(9*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] :> Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{11}{2}}(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)} \sec^{\frac{11}{2}}(c + dx)}{\cos^2(c + dx)} dx$$

$$= \frac{2aA \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} + \frac{1}{9} \left((8A + 9B) \sqrt{\cos(c + dx)} \right)$$

$$= \frac{2a(8A + 9B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2aA \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{4a(8A + 9B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a(8A + 9B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{16a(8A + 9B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \frac{4a(8A + 9B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{32a(8A + 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \frac{16a(8A + 9B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.58, size = 124, normalized size = 0.56

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{9}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)} (11(8A + 9B) \cos(c + dx) + 11(8A + 9B) \cos(2(c + dx)) + 16A \cos(3(c + dx)))}{315d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]
```

```
[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(107*A + 81*B + 11*(8*A + 9*B)*Cos[c + d*x] + 11*(8*A + 9*B)*Cos[2*(c + d*x)] + 16*A*Cos[3*(c + d*x)] + 18*B*Cos[3*(c + d*x)] + 16*A*Cos[4*(c + d*x)] + 18*B*Cos[4*(c + d*x)])*Sec[c + d*x]^(9/2)*Tan[(c + d*x)/2])/(315*d)
```

fricas [A] time = 0.67, size = 121, normalized size = 0.55

$$\frac{2 \left(16(8A + 9B) \cos(dx + c)^4 + 8(8A + 9B) \cos(dx + c)^3 + 6(8A + 9B) \cos(dx + c)^2 + 5(8A + 9B) \cos(dx + c) + 4 \right)}{315 \left(d \cos(dx + c)^5 + d \cos(dx + c)^4 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)*(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] 2/315*(16*(8*A + 9*B)*cos(d*x + c)^4 + 8*(8*A + 9*B)*cos(d*x + c)^3 + 6*(8*A + 9*B)*cos(d*x + c)^2 + 5*(8*A + 9*B)*cos(d*x + c) + 35*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c))^5 + d*cos(d*x + c)^4)*sqrt(cos(d*x + c))
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)*(a+a*cos(d*x+c))^(1/2),x, algorith="giac")
```

[Out] Timed out

maple [A] time = 0.42, size = 138, normalized size = 0.63

$$2(-1 + \cos(dx + c)) \left(128A \left(\cos^4(dx + c) \right) + 144B \left(\cos^4(dx + c) \right) + 64A \left(\cos^3(dx + c) \right) + 72B \left(\cos^3(dx + c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)*(a+a*cos(d*x+c))^(1/2),x)
```

```
[Out] -2/315/d*(-1+cos(d*x+c))*(128*A*cos(d*x+c)^4+144*B*cos(d*x+c)^4+64*A*cos(d*x+c)^3+72*B*cos(d*x+c)^3+48*A*cos(d*x+c)^2+54*B*cos(d*x+c)^2+40*A*cos(d*x+c)+45*B*cos(d*x+c)+35*A)*cos(d*x+c)*(1/cos(d*x+c))^(11/2)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)
```

maxima [B] time = 0.76, size = 659, normalized size = 3.00

$$2 \left(\frac{A \left(\frac{315 \sqrt{2} \sqrt{a} \sin(dx+c)}{\cos(dx+c)+1} - \frac{735 \sqrt{2} \sqrt{a} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{1302 \sqrt{2} \sqrt{a} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{1206 \sqrt{2} \sqrt{a} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{431 \sqrt{2} \sqrt{a} \sin(dx+c)^9}{(\cos(dx+c)+1)^9} - \frac{107 \sqrt{2} \sqrt{a} \sin(dx+c)^{11}}{(\cos(dx+c)+1)^{11}} \right) \left(\frac{\sin(dx+c)}{\cos(dx+c)} + 1 \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{11}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{11}{2}} \left(\frac{5 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{10 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{10 \sin(dx+c)^6}{(\cos(dx+c)+1)^6} + \frac{5 \sin(dx+c)^8}{(\cos(dx+c)+1)^8} + \frac{\sin(dx+c)^{10}}{(\cos(dx+c)+1)^{10}} + 1 \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)*(a+a*cos(d*x+c))^(1/2),x, algorith="maxima")
```

```
[Out] 2/315*(A*(315*sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - 735*sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 1302*sqrt(2)*sqrt(a)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 1206*sqrt(2)*sqrt(a)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 431*sqrt(2)*sqrt(a)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9 - 107*sqrt(2)*sqrt(a)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11)*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^5/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2))*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(5*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 10*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 10*sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + 5*sin(d*x + c)^8/(cos(d*x + c) + 1)^8 + sin(d*x + c)^10/(cos(d*x + c) + 1)^10 + 1)) + 9*B*(35*sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - 105*sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 154*sqrt(2)*sqrt(a)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 142*sqrt(2)*sqrt(a)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 67*sqrt(2)*sqrt(a)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9 - 9*sqrt(2)*sqrt(a)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11)*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^5/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2))*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(5*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 10*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 10*sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + 5*sin(d*x + c)^8/(cos(d*x + c) + 1)^8 + sin(d*x + c)^10/(cos(d*x + c) + 1)^10 + 1))
```

$(x + c)^6 / (\cos(dx + c) + 1)^6 + 5 \sin(dx + c)^8 / (\cos(dx + c) + 1)^8 + \sin(dx + c)^{10} / (\cos(dx + c) + 1)^{10} + 1) / d$

mupad [B] time = 5.60, size = 479, normalized size = 2.18

$$\frac{\sqrt{\frac{1}{\frac{e^{-c 1 i - d x 1 i}}{2} + \frac{e^{c 1 i + d x 1 i}}{2}}}}{\left(\frac{\sqrt{a + a \left(\frac{e^{-c 1 i - d x 1 i}}{2} + \frac{e^{c 1 i + d x 1 i}}{2} \right)} (256 A + 288 B) 1 i}{315 d} - \frac{e^{c 9 i + d x 9 i} \sqrt{a + a \left(\frac{e^{-c 1 i - d x 1 i}}{2} + \frac{e^{c 1 i + d x 1 i}}{2} \right)} (256 A + 288 B) 1 i}{315 d} + \dots \right)} e^{c 1 i + d x 1 i} + 4 e^{c 2 i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(11/2)*(a + a*cos(c + d*x))^(1/2), x)

[Out] ((1/(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*((a + a*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(256*A + 288*B)*1i)/(315*d) - (exp(c*9i + d*x*9i)*(a + a*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(256*A + 288*B)*1i)/(315*d) + (exp(c*2i + d*x*2i)*(a + a*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(1152*A + 1296*B)*1i)/(315*d) - (exp(c*7i + d*x*7i)*(a + a*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(1152*A + 1296*B)*1i)/(315*d) + (exp(c*4i + d*x*4i)*(a + a*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(2016*A + 1008*B)*1i)/(315*d) - (exp(c*5i + d*x*5i)*(a + a*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(2016*A + 1008*B)*1i)/(315*d)))/(exp(c*1i + d*x*1i) + 4*exp(c*2i + d*x*2i) + 4*exp(c*3i + d*x*3i) + 6*exp(c*4i + d*x*4i) + 6*exp(c*5i + d*x*5i) + 4*exp(c*6i + d*x*6i) + 4*exp(c*7i + d*x*7i) + exp(c*8i + d*x*8i) + exp(c*9i + d*x*9i) + 1)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(11/2)*(a+a*cos(d*x+c))**(1/2), x)

[Out] Timed out

$$3.494 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx$$

Optimal. Leaf size=175

$$\frac{2a(6A + 7B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{8a(6A + 7B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a(6A + 7B) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d\sqrt{a \cos(c + dx) + a}}$$

[Out] $8/105*a*(6*A+7*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/35*a*(6*A+7*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/7*a*A*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+16/105*a*(6*A+7*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.41, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2961, 2980, 2772, 2771}

$$\frac{2a(6A + 7B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{8a(6A + 7B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a(6A + 7B) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]`

[Out] `(16*a*(6*A + 7*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Cos[c + d*x]]) + (8*a*(6*A + 7*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*(6*A + 7*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*A*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(7*d*Sqrt[a + a*Cos[c + d*x]])`

Rule 2771

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rule 2772

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]`

Rule 2961

`Int[(csc[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])`

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{9}{2}}(c + dx)} dx \\ &= \frac{2aA \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{1}{7} \left((6A + 7B) \sqrt{\cos(c + dx)} \right) \\ &= \frac{2a(6A + 7B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2aA \sec^{\frac{7}{2}}(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{8a(6A + 7B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a(6A + 7B)}{35d} \\ &= \frac{16a(6A + 7B) \sqrt{\sec(c + dx)} \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{8a(6A + 7B)}{105d} \end{aligned}$$

Mathematica [A] time = 0.45, size = 102, normalized size = 0.58

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{7}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)} (9(6A + 7B) \cos(c + dx) + 2(6A + 7B) \cos(2(c + dx)) + 12A)}{105d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]
```

```
[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(27*A + 14*B + 9*(6*A + 7*B)*Cos[c + d*x] + 2*(6*A + 7*B)*Cos[2*(c + d*x)] + 12*A*Cos[3*(c + d*x)] + 14*B*Cos[3*(c + d*x)])*Sec[c + d*x]^(7/2)*Tan[(c + d*x)/2])/(105*d)
```

fricas [A] time = 0.65, size = 104, normalized size = 0.59

$$\frac{2 \left(8(6A + 7B) \cos(dx + c)^3 + 4(6A + 7B) \cos(dx + c)^2 + 3(6A + 7B) \cos(dx + c) + 15A \right) \sqrt{a \cos(dx + c) + a}}{105 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)*(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] 2/105*(8*(6*A + 7*B)*cos(d*x + c)^3 + 4*(6*A + 7*B)*cos(d*x + c)^2 + 3*(6*A + 7*B)*cos(d*x + c) + 15*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c)^4 + d*cos(d*x + c)^3)*sqrt(cos(d*x + c)))
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)*(a+a*cos(d*x+c))^(1/2),x, algorith="giac")

[Out] Timed out

maple [A] time = 0.38, size = 116, normalized size = 0.66

$$\frac{2(-1 + \cos(dx + c)) \left(48A (\cos^3(dx + c)) + 56B (\cos^3(dx + c)) + 24A (\cos^2(dx + c)) + 28B (\cos^2(dx + c)) \right)}{105d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)*(a+a*cos(d*x+c))^(1/2),x)

[Out]
$$-2/105/d * (-1 + \cos(d*x+c)) * (48*A*\cos(d*x+c)^3 + 56*B*\cos(d*x+c)^3 + 24*A*\cos(d*x+c)^2 + 28*B*\cos(d*x+c)^2 + 18*A*\cos(d*x+c) + 21*B*\cos(d*x+c) + 15*A) * \cos(d*x+c) * (1/\cos(d*x+c))^{9/2} * (a*(1+\cos(d*x+c)))^{1/2} / \sin(d*x+c)$$

maxima [B] time = 0.49, size = 568, normalized size = 3.25

$$2 \frac{\left(3A \left(\frac{35\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{70\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{84\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{58\sqrt{2}\sqrt{a}\sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{9\sqrt{2}\sqrt{a}\sin(dx+c)^9}{(\cos(dx+c)+1)^9} \right) \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^4 + 7B \left(\frac{15\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{30\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{36\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{22\sqrt{2}\sqrt{a}\sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{3\sqrt{2}\sqrt{a}\sin(dx+c)^9}{(\cos(dx+c)+1)^9} \right) \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^4 \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^9 \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^9 \left(\frac{4\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{6\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{4\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + \frac{\sin(dx+c)^8}{(\cos(dx+c)+1)^8} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)*(a+a*cos(d*x+c))^(1/2),x, algorith="maxima")

[Out]
$$\frac{2}{105} * (3A * (35 * \sqrt{2} * \sqrt{a} * \sin(dx + c) / (\cos(dx + c) + 1) - 70 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 84 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 - 58 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^7 / (\cos(dx + c) + 1)^7 + 9 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^9 / (\cos(dx + c) + 1)^9) * (\sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 1)^4 / ((\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{(9/2)} * (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{(9/2)} * (4 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 6 * \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + 4 * \sin(dx + c)^6 / (\cos(dx + c) + 1)^6 + \sin(dx + c)^8 / (\cos(dx + c) + 1)^8 + 1)) + 7 * B * (15 * \sqrt{2} * \sqrt{a} * \sin(dx + c) / (\cos(dx + c) + 1) - 30 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 36 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 - 22 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^7 / (\cos(dx + c) + 1)^7 + 3 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^9 / (\cos(dx + c) + 1)^9) * (\sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 1)^4 / ((\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{(9/2)} * (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{(9/2)} * (4 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 6 * \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + 4 * \sin(dx + c)^6 / (\cos(dx + c) + 1)^6 + \sin(dx + c)^8 / (\cos(dx + c) + 1)^8 + 1))) / d$$

mupad [B] time = 4.55, size = 441, normalized size = 2.52

$$\frac{\sqrt{\frac{1}{\frac{e^{-c} - 1 - dx}{2} + \frac{e^{c} + 1 + dx}{2}}}}{\left(\frac{\sqrt{a+a\left(\frac{e^{-c} - 1 - dx}{2} + \frac{e^{c} + 1 + dx}{2}\right)} (96A + 112B) \operatorname{li} \left(\frac{e^{c} + 1 + dx}{2} \right)}{105d} - \frac{e^{c} + 1 + dx}{2} \sqrt{a+a\left(\frac{e^{-c} - 1 - dx}{2} + \frac{e^{c} + 1 + dx}{2}\right)} (96A + 112B) \operatorname{li} \left(\frac{e^{-c} - 1 - dx}{2} \right)}{105d} + \dots \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + a*cos(c + d*x))^(1/2),x)

```
[Out] ((1/(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*((a + a*(exp(-
c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(96*A + 112*B)*1i)/(105*d)
- (exp(c*7i + d*x*7i)*(a + a*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2
))^(1/2)*(96*A + 112*B)*1i)/(105*d) + (exp(c*2i + d*x*2i)*(a + a*(exp(- c*1
i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(336*A + 392*B)*1i)/(105*d) -
(exp(c*5i + d*x*5i)*(a + a*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))
^(1/2)*(336*A + 392*B)*1i)/(105*d) - (B*exp(c*3i + d*x*3i)*(a + a*(exp(- c*
1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*8i)/(3*d) + (B*exp(c*4i + d*x
*4i)*(a + a*(exp(- c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*8i)/(3*d
)))/(exp(c*1i + d*x*1i) + 3*exp(c*2i + d*x*2i) + 3*exp(c*3i + d*x*3i) + 3*exp(c*4i + d*x*4i) + 3*exp(c*5i + d*x*5i) + exp(c*6i + d*x*6i) + exp(c*7i +
d*x*7i) + 1)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(9/2)*(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.495 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

Optimal. Leaf size=130

$$\frac{2a(4A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{4a(4A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d\sqrt{a \cos(c + dx) + a}}$$

[Out] 2/15*a*(4*A+5*B)*sec(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+2/5*a*A*sec(d*x+c)^(5/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+4/15*a*(4*A+5*B)*sin(d*x+c)*sec(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.33, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2961, 2980, 2772, 2771}

$$\frac{2a(4A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{4a(4A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2),x]

[Out] (4*a*(4*A + 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*(4*A + 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*A*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*Sqrt[a + a*Cos[c + d*x]])

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2980

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Sim

$$\int \frac{(b^2(Bc - Ad)\cos(e + fx)(c + d\sin(e + fx))^{n+1}) / (d^{n+1}(b^2c + ad)\sqrt{a + b\sin(e + fx)})}{(A^2b^2d(2n+3) - B^2(b^2c - 2ad(n+1))) / (2d^{n+1}(b^2c + ad))} \sqrt{a + b\sin(e + fx)} (c + d\sin(e + fx))^{n+1} dx$$

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b^2c - a^2d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{1}{5} \left((4A + 5B) \sqrt{\cos(c + dx)} \right) \\ &= \frac{2a(4A + 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2aA \sec^{\frac{5}{2}}(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{4a(4A + 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a(4A + 5B) \sec^{\frac{5}{2}}(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.28, size = 78, normalized size = 0.60

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((4A + 5B) \cos(c + dx) + (4A + 5B) \cos(2(c + dx))) + 7A + 5B}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]

[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(7*A + 5*B + (4*A + 5*B)*Cos[c + d*x] + (4*A + 5*B)*Cos[2*(c + d*x)])*Sec[c + d*x]^(5/2)*Tan[(c + d*x)/2])/(15*d)

fricas [A] time = 0.63, size = 86, normalized size = 0.66

$$\frac{2 \left(2(4A + 5B) \cos(dx + c)^2 + (4A + 5B) \cos(dx + c) + 3A \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{15 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)*(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] 2/15*(2*(4*A + 5*B)*cos(d*x + c)^2 + (4*A + 5*B)*cos(d*x + c) + 3*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c)^3 + d*cos(d*x + c)^2)*sqrt(cos(d*x + c)))

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)*(a+a*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.35, size = 94, normalized size = 0.72

$$\frac{2(-1 + \cos(dx + c)) \left(8A \left(\cos^2(dx + c) \right) + 10B \left(\cos^2(dx + c) \right) + 4A \cos(dx + c) + 5B \cos(dx + c) + 3A \right) \cos(dx + c)}{15d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)*(a+a*cos(d*x+c))^(1/2), x)

[Out] -2/15/d*(-1+cos(d*x+c))*(8*A*cos(d*x+c)^2+10*B*cos(d*x+c)^2+4*A*cos(d*x+c)+5*B*cos(d*x+c)+3*A)*cos(d*x+c)*(1/cos(d*x+c))^(7/2)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)

maxima [B] time = 0.51, size = 475, normalized size = 3.65

$$2 \frac{\left(A \left(\frac{15 \sqrt{2} \sqrt{a} \sin(dx+c)}{\cos(dx+c)+1} - \frac{25 \sqrt{2} \sqrt{a} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{17 \sqrt{2} \sqrt{a} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{7 \sqrt{2} \sqrt{a} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^3 + \frac{5B \left(\frac{3 \sqrt{2} \sqrt{a} \sin(dx+c)}{\cos(dx+c)+1} - \frac{7 \sqrt{2} \sqrt{a} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^3}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^2 \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^2 \left(\frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right)} + \frac{5B \left(\frac{3 \sqrt{2} \sqrt{a} \sin(dx+c)}{\cos(dx+c)+1} - \frac{7 \sqrt{2} \sqrt{a} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^3}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^2 \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^2 \left(\frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right)}$$

15d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)*(a+a*cos(d*x+c))^(1/2), x, algorithm="maxima")

[Out] 2/15*(A*(15*sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - 25*sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 17*sqrt(2)*sqrt(a)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 7*sqrt(2)*sqrt(a)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^3/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + 1)) + 5*B*(3*sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - 7*sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 5*sqrt(2)*sqrt(a)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - sqrt(2)*sqrt(a)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^3/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + 1)))/d

mupad [B] time = 2.69, size = 196, normalized size = 1.51

$$\frac{4 \sqrt{a} (\cos(c + dx) + 1) \sqrt{\frac{1}{\cos(c+dx)}} (14 A \sin(c + dx) + 10 B \sin(c + dx) + 8 A \sin(2c + 2dx) + 18 A \sin(3c + 3dx) + 4 A \sin(4c + 4dx) + 4 A \sin(5c + 5dx) + 10 B \sin(2c + 2dx) + 15 B \sin(3c + 3dx) + 5 B \sin(4c + 4dx) + 5 B \sin(5c + 5dx))}{15d (10 \cos(c + dx) + 8 \cos(2c + 2dx) + 6 \cos(3c + 3dx) + 4 \cos(4c + 4dx) + \cos(5c + 5dx))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^(1/2), x)

[Out] (4*(a*(cos(c + d*x) + 1))^(1/2)*(1/cos(c + d*x))^(1/2)*(14*A*sin(c + d*x) + 10*B*sin(c + d*x) + 8*A*sin(2*c + 2*d*x) + 18*A*sin(3*c + 3*d*x) + 4*A*sin(4*c + 4*d*x) + 4*A*sin(5*c + 5*d*x) + 10*B*sin(2*c + 2*d*x) + 15*B*sin(3*c + 3*d*x) + 5*B*sin(4*c + 4*d*x) + 5*B*sin(5*c + 5*d*x)))/(15*d*(10*cos(c + d*x) + 8*cos(2*c + 2*d*x) + 6*cos(3*c + 3*d*x) + 4*cos(4*c + 4*d*x) + cos(5*c + 5*d*x) + 6))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(7/2)*(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.496 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

Optimal. Leaf size=85

$$\frac{2a(2A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d\sqrt{a \cos(c + dx) + a}}$$

[Out] $2/3*a*A*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/3*a*(2*A+3*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2961, 2980, 2771}

$$\frac{2a(2A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2),x]`

[Out] `(2*a*(2*A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*A*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]])`

Rule 2771

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rule 2961

`Int[(csc[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])`

Rule 2980

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]`

Rubi steps

$$\int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{3} ((2A + 3B)\sqrt{\cos(c + dx)})$$

$$= \frac{2a(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2aA \sec^{\frac{3}{2}}(c + dx)}{3d\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.18, size = 57, normalized size = 0.67

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{3}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((2A + 3B) \cos(c + dx) + A)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(A + (2*A + 3*B)*Cos[c + d*x])*Sec[c + d*x]^(3/2)*Tan[(c + d*x)/2])/(3*d)

fricas [A] time = 0.66, size = 65, normalized size = 0.76

$$\frac{2((2A + 3B) \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{3(d \cos(dx + c)^2 + d \cos(dx + c)) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] 2/3*((2*A + 3*B)*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c)^2 + d*cos(d*x + c))*sqrt(cos(d*x + c)))

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.38, size = 70, normalized size = 0.82

$$\frac{2(-1 + \cos(dx + c))(2A \cos(dx + c) + 3B \cos(dx + c) + A) \cos(dx + c) \left(\frac{1}{\cos(dx + c)}\right)^{\frac{5}{2}} \sqrt{a(1 + \cos(dx + c))}}{3d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(1/2), x)

[Out] -2/3/d*(-1+cos(d*x+c))*(2*A*cos(d*x+c)+3*B*cos(d*x+c)+A)*cos(d*x+c)*(1/cos(d*x+c))^(5/2)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)

maxima [B] time = 0.82, size = 380, normalized size = 4.47

$$2 \frac{\left(A \left(\frac{3\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{4\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2 + \frac{3B \left(\frac{\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{2\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(\frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(\frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)} + \frac{3B \left(\frac{\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{2\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(\frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left(\frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)} \frac{1}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(1/2), x, algorith="maxima")

[Out] 2/3*(A*(3*sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - 4*sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + sqrt(2)*sqrt(a)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^2/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(5/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(5/2)*(2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 1)) + 3*B*(sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - 2*sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + sqrt(2)*sqrt(a)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^2/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(5/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(5/2)*(2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 1)))/d

mupad [B] time = 1.07, size = 114, normalized size = 1.34

$$\frac{2\sqrt{a}(\cos(c+dx)+1)\sqrt{\frac{1}{\cos(c+dx)}}(2A\sin(c+dx)+3B\sin(c+dx)+2A\sin(2c+2dx)+2A\sin(3c+3dx))}{3d(3\cos(c+dx)+2\cos(2c+2dx)+\cos(3c+3dx)+2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^(1/2), x)

[Out] (2*(a*(cos(c + d*x) + 1))^(1/2)*(1/cos(c + d*x))^(1/2)*(2*A*sin(c + d*x) + 3*B*sin(c + d*x) + 2*A*sin(2*c + 2*d*x) + 2*A*sin(3*c + 3*d*x) + 3*B*sin(3*c + 3*d*x)))/(3*d*(3*cos(c + d*x) + 2*cos(2*c + 2*d*x) + cos(3*c + 3*d*x) + 2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)*(a+a*cos(d*x+c))**(1/2), x)

[Out] Timed out

$$3.497 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx$$

Optimal. Leaf size=96

$$\frac{2aA \sin(c + dx) \sqrt{\sec(c + dx)}}{d \sqrt{a \cos(c + dx) + a}} + \frac{2\sqrt{a} B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{d}$$

[Out] $2*B*\arcsin(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)}}*a^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2*a*A*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2961, 2980, 2774, 216}

$$\frac{2aA \sin(c + dx) \sqrt{\sec(c + dx)}}{d \sqrt{a \cos(c + dx) + a}} + \frac{2\sqrt{a} B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2),x]

[Out] $(2*\text{Sqrt}[a]*B*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]/d + (2*a*A*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2980

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
\int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos(c + dx)} dx \\
&= \frac{2aA \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \left(B \sqrt{\cos(c + dx)} \right) \int \frac{1}{\cos(c + dx)} dx \\
&= \frac{2aA \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} - \frac{(2B \sqrt{\cos(c + dx)})}{d} \\
&= \frac{2\sqrt{a} B \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 86, normalized size = 0.90

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(2A \sin\left(\frac{1}{2}(c + dx)\right) + \sqrt{2} B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]

[Out] (Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*A*Sin[(c + d*x)/2]))/d

fricas [A] time = 0.57, size = 91, normalized size = 0.95

$$\frac{2 \left((B \cos(dx + c) + B) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{\sqrt{a \cos(dx+c)+a} A \sin(dx+c)}{\sqrt{\cos(dx+c)}} \right)}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(1/2), x, algorith="fricas")

[Out] -2*((B*cos(d*x + c) + B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - sqrt(a*cos(d*x + c) + a)*A*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(1/2), x, algorith="giac")

[Out] Timed out

maple [B] time = 0.39, size = 171, normalized size = 1.78

$$\frac{2 \left(B \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + B \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) \right) + A}{d(1 + \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(1/2),x)`

[Out] `2/d*(B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+A*sin(d*x+c))*cos(d*x+c)*(1/cos(d*x+c))^(3/2)*(a*(1+cos(d*x+c)))^(1/2)/(1+cos(d*x+c))`

maxima [B] time = 1.36, size = 906, normalized size = 9.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `1/2*(B*sqrt(a)*(arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) *sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) *cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) *sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) *cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1) + 4*A*(sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(3/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(3/2)))/d`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(1/2),x)`

[Out] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(1/2),x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)*(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.498 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx$$

Optimal. Leaf size=98

$$\frac{\sqrt{a}(2A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c + dx)}{\sqrt{a\cos(c + dx) + a}}\right)}{d} + \frac{aB\sin(c + dx)}{d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}}$$

[Out] a*B*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+(2*A+B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*a^(1/2)*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.27, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, number of rules / integrand size = 0.114, Rules used = {2961, 2981, 2774, 216}

$$\frac{\sqrt{a}(2A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c + dx)}{\sqrt{a\cos(c + dx) + a}}\right)}{d} + \frac{aB\sin(c + dx)}{d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]

[Out] (Sqrt[a]*(2*A + B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a*B*Sin[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n]/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2981

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1))]/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned}
\int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{aB \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{1}{2} \left((2A + B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \right) \\
&= \frac{aB \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{(2A + B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 103, normalized size = 1.05

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2} (2A + B) \sin^{-1} \left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right) \right) \right) + 2B \sin\left(\frac{1}{2}(c + dx)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]

[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*(2*A + B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*B*Sqrt[Cos[c + d*x]]*Sin[(c + d*x)/2]))/(2*d)

fricas [A] time = 0.65, size = 97, normalized size = 0.99

$$\frac{\sqrt{a \cos(dx + c) + a} B \sqrt{\cos(dx + c)} \sin(dx + c) - ((2A + B) \cos(dx + c) + 2A + B) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx + c) + a}}{\sqrt{a} \sin(dx + c)}\right)}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2), x, algorith="fricas")

[Out] (sqrt(a*cos(d*x + c) + a)*B*sqrt(cos(d*x + c))*sin(d*x + c) - ((2*A + B)*cos(d*x + c) + 2*A + B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c)))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*x + c) + d)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2), x, algorith="giac")

[Out] Timed out

maple [A] time = 0.46, size = 168, normalized size = 1.71

$$\frac{\left(B \sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + 2A \arctan\left(\frac{\sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}}{\cos(dx + c)}\right) + B \arctan\left(\frac{\sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}}{\cos(dx + c)}\right) \right) \sqrt{a(1 + \cos(dx + c))}}{d \sin(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2),x)`

[Out] `-1/d*(B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+2*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*(a*(1+cos(d*x+c)))^(1/2)*(1/cos(d*x+c))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/sin(d*x+c)^2*(cos(d*x+c)^2-1)`

maxima [B] time = 1.47, size = 939, normalized size = 9.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2),x, algorith="maxima")`

[Out] `1/4*(4*A*sqrt(a)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + cos(d*x + c)) + (2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(d*x + c) - (cos(d*x + c) - 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))))*sqrt(a) + sqrt(a)*(arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) + 1) - arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) - 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))))*B)/d`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(1/2),x)`

[Out] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(1/2),x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))**(1/2)*sec(d*x+c)**(1/2),x)
```

```
[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))*sqrt(sec(c + d*x))  
, x)
```

$$3.499 \quad \int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=151

$$\frac{\sqrt{a} (4A + 3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{4d} + \frac{a(4A + 3B) \sin(c + dx)}{4d \sqrt{\sec(c + dx)} \sqrt{a \cos(c + dx) + a}} + \frac{1}{2d \sec^{\frac{3}{2}}(c)}$$

[Out] 1/2*a*B*sin(d*x+c)/d/sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+1/4*a*(4*A+3*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+1/4*(4*A+3*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*a^(1/2)*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.34, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2981, 2770, 2774, 216}

$$\frac{\sqrt{a} (4A + 3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{4d} + \frac{a(4A + 3B) \sin(c + dx)}{4d \sqrt{\sec(c + dx)} \sqrt{a \cos(c + dx) + a}} + \frac{1}{2d \sec^{\frac{3}{2}}(c)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] (Sqrt[a]*(4*A + 3*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*d) + (a*B*Sin[c + d*x])/(2*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a*(4*A + 3*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\int \frac{\sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} dx$$

$$= \frac{aB \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{4} \left((4A + 3B) \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \right)$$

$$= \frac{aB \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{a(4A + 3B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}}$$

$$= \frac{aB \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{a(4A + 3B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}}$$

$$= \frac{\sqrt{a} (4A + 3B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d}$$

Mathematica [A] time = 0.39, size = 120, normalized size = 0.79

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2} (4A + 3B) \sin^{-1} \left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right) \right) \right)}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*(4*A + 3*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(4*A + 3*B + 2*B*Cos[c + d*x])*Sin[(c + d*x)/2]))/(8*d)
```

fricas [A] time = 0.58, size = 127, normalized size = 0.84

$$\frac{((4A + 3B) \cos(dx + c) + 4A + 3B) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(2B \cos(dx+c)^2 + (4A+3B) \cos(dx+c)) \sqrt{a}}{\sqrt{\cos(dx+c)}}}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2), x, algorith="fricas")
```

```
[Out] -1/4*(((4*A + 3*B)*cos(d*x + c) + 4*A + 3*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (2*B*cos(d*x + c)^2 + (4*A + 3*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.41, size = 238, normalized size = 1.58

$$(-1 + \cos(dx + c))^2 \left(2B \sin(dx + c) \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 4A \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx + c) + 3B \sin(dx + c) \right) \sqrt[3]{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x)

[Out] 1/4/d*(-1+cos(d*x+c))^2*(2*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)+3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+4*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^(1/2)/cos(d*x+c))+3*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^(1/2)/cos(d*x+c))*cos(d*x+c)*(a*(1+cos(d*x+c)))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/(1/cos(d*x+c))^(1/2)/sin(d*x+c)^4

maxima [B] time = 0.82, size = 1851, normalized size = 12.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/16*(4*(2*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - (cos(d*x + c) - 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(a) + sqrt(a)*(arctan2(-(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + 1) - arctan2(-(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - 1) - arctan2((cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2

```

*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))) * A + (2*(cos(2*d*x
+ 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((cos(1/2*arc
tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c) - (cos(2*d*x + 2
*c) - 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(2*d*x +
2*c))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + ((cos(2*d
*x + 2*c) - 2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(2
*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - cos(2*d*
x + 2*c) + 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) * sq
rt(a + 3*sqrt(a)*(arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(
2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arcta
n2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*
d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) +
1)) * cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2
(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c)))) + 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^
2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*
d*x + 2*c))) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos
(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2
*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2
+ 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c) + 1)) * cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1
/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c)))) - 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*
*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos
(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
+ 1)) + 1) + arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*
x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)
), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)
*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))) * B) / d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)}}{\sqrt{\frac{1}{\cos(c + dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/(1/cos(c + d*x))^(1/2), x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/(1/cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)} (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))**(1/2)/sec(d*x+c)**(1/2), x)

[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))/sqrt(sec(c + d*x)), x)

$$3.500 \quad \int \frac{\sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=196

$$\frac{a(6A+5B) \sin(c+dx)}{12d \sec^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{a} (6A+5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a(6A+5B)}{8d \sqrt{\sec(c+dx)}}$$

[Out] 1/3*a*B*sin(d*x+c)/d/sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2)+1/12*a*(6*A+5*B)*sin(d*x+c)/d/sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+1/8*a*(6*A+5*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+1/8*(6*A+5*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*a^(1/2)*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.41, antiderivative size = 196, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2981, 2770, 2774, 216}

$$\frac{a(6A+5B) \sin(c+dx)}{12d \sec^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{a} (6A+5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a(6A+5B)}{8d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (Sqrt[a]*(6*A + 5*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a*B*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2)) + (a*(6*A + 5*B)*Sin[c + d*x])/(12*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a*(6*A + 5*B)*Sin[c + d*x])/(8*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,

$m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2981

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])*((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \text{:> Simp}[(-2*b*B*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(2*n + 3)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^n, x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{aB \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{1}{6} \left((6A + 5B) \sqrt{\cos(c + dx)} \right) \\ &= \frac{aB \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{a(6A + 5B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{aB \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{a(6A + 5B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{aB \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{a(6A + 5B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{aB \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{a(6A + 5B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{\sqrt{a} (6A + 5B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8d} \end{aligned}$$

Mathematica [A] time = 0.71, size = 138, normalized size = 0.70

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2} (6A + 5B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + \dots\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(3*Sqrt[2]*(6*A + 5*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(18*A + 19*B + 2*(6*A + 5*B)*Cos[c + d*x] + 4*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d)

fricas [A] time = 0.83, size = 146, normalized size = 0.74

$$\frac{3((6A + 5B) \cos(dx + c) + 6A + 5B) \sqrt{a} \arctan\left(\frac{\sqrt{a} \cos(dx+c) + a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(8B \cos(dx+c)^3 + 2(6A+5B) \cos(dx+c))^2}{24(d \cos(dx+c) + d)}}{24(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out]
$$-1/24*(3*((6*A + 5*B)*\cos(dx + c) + 6*A + 5*B)*\sqrt{a}*\arctan(\sqrt{a*\cos(dx + c) + a}*\sqrt{\cos(dx + c)})/(\sqrt{a}*\sin(dx + c))) - (8*B*\cos(dx + c)^3 + 2*(6*A + 5*B)*\cos(dx + c)^2 + 3*(6*A + 5*B)*\cos(dx + c))*\sqrt{a*\cos(dx + c) + a}*\sin(dx + c)/\sqrt{\cos(dx + c)})/(d*\cos(dx + c) + d)$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.44, size = 308, normalized size = 1.57

$$(-1 + \cos(dx + c))^3 \left(8B \sin(dx + c) (\cos^2(dx + c)) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 12A \sin(dx + c) \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x)

[Out]
$$-1/24/d*(-1+\cos(dx+c))^3*(8*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2)+12*A*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2)+10*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2)+18*A*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2)*\sin(dx+c)+15*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2)+18*A*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2)/\cos(dx+c))+15*B*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2)/\cos(dx+c)))*\cos(dx+c)*(a*(1+\cos(dx+c)))^(1/2)/(\cos(dx+c)/(1+\cos(dx+c)))^(5/2)/(1/\cos(dx+c))^(3/2)/\sin(dx+c)^6$$

maxima [B] time = 1.00, size = 2981, normalized size = 15.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out]
$$1/96*(6*(2*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*((\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x + 2*c) - (\cos(2*d*x + 2*c) - 2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + ((\cos(2*d*x + 2*c) - 2)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - \cos(2*d*x + 2*c) + 2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{a} + 3*\sqrt{a}*(\arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))))))$$


```

an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))) - 1) - arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + 1) + arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) - 1))) * B) / d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + a \cos(c + dx)}}{\left(\frac{1}{\cos(c + dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/(1/cos(c + d*x))^(3/2), x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/2))/(1/cos(c + d*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)} (A + B \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+a*cos(d*x+c))**(1/2)/sec(d*x+c)**(3/2), x)

[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))/sec(c + d*x)**(3/2), x)

3.501 $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^{13/2}(c+dx) dx$

Optimal. Leaf size=275

$$\frac{2a^2(12A + 11B) \sin(c + dx) \sec^{\frac{9}{2}}(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(168A + 187B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{4a^2(168A + 187B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{1155d\sqrt{a \cos(c + dx) + a}}$$

[Out] $16/3465*a^2*(168*A+187*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+4/1155*a^2*(168*A+187*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/693*a^2*(168*A+187*B)*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/99*a^2*(12*A+11*B)*\sec(d*x+c)^{(9/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/11*a*A*\sec(d*x+c)^{(11/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+32/3465*a^2*(168*A+187*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.72, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(12A + 11B) \sin(c + dx) \sec^{\frac{9}{2}}(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(168A + 187B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{4a^2(168A + 187B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{1155d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(13/2), x]

[Out] $(32*a^2*(168*A + 187*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3465*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (16*a^2*(168*A + 187*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3465*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (4*a^2*(168*A + 187*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(1155*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(168*A + 187*B)*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(693*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(12*A + 11*B)*\text{Sec}[c + d*x]^{(9/2)}*\text{Sin}[c + d*x])/(99*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*A*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(11/2)}*\text{Sin}[c + d*x])/(11*d)$

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x]

m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx)}{\cos(c + dx)} dx$$

$$= \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^{11/2}(c + dx) \sin(c + dx)}{11d}$$

$$= \frac{2a^2(12A + 11B) \sec^9(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^{11/2}(c + dx) \sin(c + dx)}{11d}$$

$$= \frac{2a^2(168A + 187B) \sec^7(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^{11/2}(c + dx) \sin(c + dx)}{11d}$$

$$= \frac{4a^2(168A + 187B) \sec^5(c + dx) \sin(c + dx)}{1155d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^{11/2}(c + dx) \sin(c + dx)}{11d}$$

$$= \frac{16a^2(168A + 187B) \sec^3(c + dx) \sin(c + dx)}{3465d\sqrt{a + a \cos(c + dx)}} + \frac{4aA\sqrt{a + a \cos(c + dx)} \sec^{11/2}(c + dx) \sin(c + dx)}{11d}$$

$$= \frac{32a^2(168A + 187B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3465d\sqrt{a + a \cos(c + dx)}} + \frac{4aA\sqrt{a + a \cos(c + dx)} \sec^{11/2}(c + dx) \sin(c + dx)}{11d}$$

Mathematica [A] time = 0.78, size = 146, normalized size = 0.53

$$a \tan\left(\frac{1}{2}(c + dx)\right) \sec^{11/2}(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((6342A + 6193B) \cos(c + dx) + 13(168A + 187B) \cos(2(c + dx)))$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*cos[c + d*x])^(3/2)*(A + B*cos[c + d*x])*Sec[c + d*x]^(13/2), x]

[Out] (a*sqrt[a*(1 + Cos[c + d*x])]*(2478*A + 2057*B + (6342*A + 6193*B)*Cos[c + d*x] + 13*(168*A + 187*B)*Cos[2*(c + d*x)] + 2184*A*cos[3*(c + d*x)] + 2431*B*cos[3*(c + d*x)] + 336*A*cos[4*(c + d*x)] + 374*B*cos[4*(c + d*x)] + 336*A*cos[5*(c + d*x)] + 374*B*cos[5*(c + d*x)])*Sec[c + d*x]^(11/2)*Tan[(c + d*x)/2])/(3465*d)

fricas [A] time = 0.65, size = 144, normalized size = 0.52

$$\frac{2(16(168A + 187B)a \cos(dx + c)^5 + 8(168A + 187B)a \cos(dx + c)^4 + 6(168A + 187B)a \cos(dx + c)^3 + 5(168A + 187B)a \cos(dx + c)^2 + 35(21A + 11B)a \cos(dx + c) + 315Aa) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{3465(d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2), x, algorithm="fricas")

[Out] 2/3465*(16*(168*A + 187*B)*a*cos(d*x + c)^5 + 8*(168*A + 187*B)*a*cos(d*x + c)^4 + 6*(168*A + 187*B)*a*cos(d*x + c)^3 + 5*(168*A + 187*B)*a*cos(d*x + c)^2 + 35*(21*A + 11*B)*a*cos(d*x + c) + 315*A*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c)^6 + d*cos(d*x + c)^5)*sqrt(cos(d*x + c)))

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.41, size = 161, normalized size = 0.59

$$\frac{2(-1 + \cos(dx + c)) (2688A (\cos^5(dx + c)) + 2992B (\cos^5(dx + c)) + 1344A (\cos^4(dx + c)) + 1496B (\cos^4(dx + c)) + 1008A (\cos^3(dx + c)) + 1122B (\cos^3(dx + c)) + 840A (\cos^3(dx + c)) + 935B (\cos^2(dx + c)) + 735A (\cos^2(dx + c)) + 385B (\cos^2(dx + c)) + 315A (\cos^2(dx + c)) + 1008A (\cos(dx + c)) + 1122B (\cos(dx + c)) + 840A (\cos(dx + c)) + 935B (\cos(dx + c)) + 315A (\cos(dx + c))) \sqrt{a(1 + \cos(dx + c))}}{3465(d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2), x)

[Out] -2/3465/d*(-1+cos(d*x+c))*(2688*A*cos(d*x+c)^5+2992*B*cos(d*x+c)^5+1344*A*cos(d*x+c)^4+1496*B*cos(d*x+c)^4+1008*A*cos(d*x+c)^3+1122*B*cos(d*x+c)^3+840*A*cos(d*x+c)^2+935*B*cos(d*x+c)^2+735*A*cos(d*x+c)+385*B*cos(d*x+c)+315*A)*cos(d*x+c)*(a*(1+cos(d*x+c)))^(1/2)*(1/cos(d*x+c))^(13/2)/sin(d*x+c)*a

maxima [B] time = 0.52, size = 712, normalized size = 2.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2), x, algorithm="maxima")

[Out] 4/3465*(21*(165*sqrt(2)*a^(3/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 495*sqrt(2)*a^(3/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 1056*sqrt(2)*a^(3/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 1254*sqrt(2)*a^(3/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 781*sqrt(2)*a^(3/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9 -

```
299*sqrt(2)*a^(3/2)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11 + 46*sqrt(2)*a^(3/2)*sin(d*x + c)^13/(cos(d*x + c) + 1)^13)*A*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^5/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(13/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(13/2)*(5*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 10*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 10*sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + 5*sin(d*x + c)^8/(cos(d*x + c) + 1)^8 + sin(d*x + c)^10/(cos(d*x + c) + 1)^10 + 1)) + 11*(315*sqrt(2)*a^(3/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 1155*sqrt(2)*a^(3/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 2184*sqrt(2)*a^(3/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 2586*sqrt(2)*a^(3/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 1759*sqrt(2)*a^(3/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9 - 611*sqrt(2)*a^(3/2)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11 + 94*sqrt(2)*a^(3/2)*sin(d*x + c)^13/(cos(d*x + c) + 1)^13)*B*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^5/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(13/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(13/2)*(5*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 10*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 10*sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + 5*sin(d*x + c)^8/(cos(d*x + c) + 1)^8 + sin(d*x + c)^10/(cos(d*x + c) + 1)^10 + 1)))/d
```

mupad [B] time = 5.14, size = 348, normalized size = 1.27

$$\sqrt{\frac{1}{\frac{e^{-c11i-dx11i}}{2} + \frac{e^{c11i+dx11i}}{2}}} \left(-\frac{32ae^{\frac{c11i}{2} + \frac{dx11i}{2}} \sin\left(\frac{c}{2} + \frac{dx}{2}\right) (2A+3B) \sqrt{a+a \cos(c+dx)}}{5d} + \frac{64ae^{\frac{c11i}{2} + \frac{dx11i}{2}} \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right) (21A+19B) \sqrt{a+a \cos(c+dx)}}{35d} \right) \\ \frac{20e^{\frac{c11i}{2} + \frac{dx11i}{2}} \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + 20e^{\frac{c11i}{2} + \frac{dx11i}{2}} \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right) + 10e^{\frac{c11i}{2} + \frac{dx11i}{2}} \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right) + \dots}{20e^{\frac{c11i}{2} + \frac{dx11i}{2}} \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + 20e^{\frac{c11i}{2} + \frac{dx11i}{2}} \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right) + 10e^{\frac{c11i}{2} + \frac{dx11i}{2}} \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right) + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(13/2)*(a + a*cos(c + d*x))^(3/2), x)
```

```
[Out] ((1/(exp(-c*11i - d*x*11i)/2 + exp(c*11i + d*x*11i)/2))^(1/2)*((64*a*exp((c*11i)/2 + (d*x*11i)/2)*sin((3*c)/2 + (3*d*x)/2)*(21*A + 19*B)*(a + a*cos(c + d*x))^(1/2))/(35*d) - (32*a*exp((c*11i)/2 + (d*x*11i)/2)*sin(c/2 + (d*x)/2)*(2*A + 3*B)*(a + a*cos(c + d*x))^(1/2))/(5*d) + (32*a*exp((c*11i)/2 + (d*x*11i)/2)*sin((7*c)/2 + (7*d*x)/2)*(168*A + 187*B)*(a + a*cos(c + d*x))^(1/2))/(315*d) + (64*a*exp((c*11i)/2 + (d*x*11i)/2)*sin((11*c)/2 + (11*d*x)/2)*(168*A + 187*B)*(a + a*cos(c + d*x))^(1/2))/(3465*d)))/(20*exp((c*11i)/2 + (d*x*11i)/2)*cos(c/2 + (d*x)/2) + 20*exp((c*11i)/2 + (d*x*11i)/2)*cos((3*c)/2 + (3*d*x)/2) + 10*exp((c*11i)/2 + (d*x*11i)/2)*cos((5*c)/2 + (5*d*x)/2) + 10*exp((c*11i)/2 + (d*x*11i)/2)*cos((7*c)/2 + (7*d*x)/2) + 2*exp((c*11i)/2 + (d*x*11i)/2)*cos((9*c)/2 + (9*d*x)/2) + 2*exp((c*11i)/2 + (d*x*11i)/2)*cos((11*c)/2 + (11*d*x)/2))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(13/2), x)
```

```
[Out] Timed out
```

$$3.502 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx$$

Optimal. Leaf size=228

$$\frac{2a^2(10A + 9B) \sin(c + dx) \sec^{7/2}(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(34A + 39B) \sin(c + dx) \sec^{5/2}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{8a^2(34A + 39B) \sin(c + dx) \sec^{3/2}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

[Out] $8/315*a^2*(34*A+39*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/105*a^2*(34*A+39*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/63*a^2*(10*A+9*B)*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/9*a*A*\sec(d*x+c)^{(9/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+16/315*a^2*(34*A+39*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.65, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(10A + 9B) \sin(c + dx) \sec^{7/2}(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(34A + 39B) \sin(c + dx) \sec^{5/2}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{8a^2(34A + 39B) \sin(c + dx) \sec^{3/2}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]

[Out] $(16*a^2*(34*A + 39*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (8*a^2*(34*A + 39*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(34*A + 39*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(10*A + 9*B)*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(63*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*A*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(9/2)}*\text{Sin}[c + d*x])/(9*d)$

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] :> Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c +
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Sim
p[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*
(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c
- 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(
c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &
& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx)}{\cos(c + dx)} dx$$

$$= \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^9(c + dx) \sin(c + dx)}{9d}$$

$$= \frac{2a^2(10A + 9B) \sec^7(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^5(c + dx) \sin(c + dx)}{105d}$$

$$= \frac{2a^2(34A + 39B) \sec^5(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(10A + 9B) \sec^3(c + dx) \sin(c + dx)}{315d}$$

$$= \frac{8a^2(34A + 39B) \sec^3(c + dx) \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(10A + 9B) \sec(c + dx) \sin(c + dx)}{315d}$$

$$= \frac{16a^2(34A + 39B)\sqrt{\sec(c + dx)} \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \frac{8a^2(10A + 9B) \sin(c + dx)}{315d}$$

Mathematica [A] time = 0.71, size = 124, normalized size = 0.54

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sec^9(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((374A + 324B) \cos(c + dx) + 11(34A + 39B) \cos(2(c + dx)))}{315d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]

[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(376*A + 351*B + (374*A + 324*B)*Cos[c + d*x] + 11*(34*A + 39*B)*Cos[2*(c + d*x)] + 68*A*Cos[3*(c + d*x)] + 78*B*Cos[3*(c + d*x)] + 68*A*Cos[4*(c + d*x)] + 78*B*Cos[4*(c + d*x)])*Sec[c + d*x]^(9/2)*Tan[(c + d*x)/2])/(315*d)

fricas [A] time = 0.57, size = 126, normalized size = 0.55

$$\frac{2(8(34A + 39B)a \cos(dx + c)^4 + 4(34A + 39B)a \cos(dx + c)^3 + 3(34A + 39B)a \cos(dx + c)^2 + 5(17A + 9B)a \cos(dx + c) + 35A^2)}{315(d \cos(dx + c)^5 + d \cos(dx + c)^4) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] 2/315*(8*(34*A + 39*B)*a*cos(d*x + c)^4 + 4*(34*A + 39*B)*a*cos(d*x + c)^3 + 3*(34*A + 39*B)*a*cos(d*x + c)^2 + 5*(17*A + 9*B)*a*cos(d*x + c) + 35*A^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c)^5 + d*cos(d*x + c)^4)*sqrt(cos(d*x + c)))

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.38, size = 139, normalized size = 0.61

$$\frac{2(-1 + \cos(dx + c)) \left(272A (\cos^4(dx + c)) + 312B (\cos^4(dx + c)) + 136A (\cos^3(dx + c)) + 156B (\cos^3(dx + c)) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x)

[Out] -2/315/d*(-1+cos(d*x+c))*(272*A*cos(d*x+c)^4+312*B*cos(d*x+c)^4+136*A*cos(d*x+c)^3+156*B*cos(d*x+c)^3+102*A*cos(d*x+c)^2+117*B*cos(d*x+c)^2+85*A*cos(d*x+c)+45*B*cos(d*x+c)+35*A)*cos(d*x+c)*(a*(1+cos(d*x+c)))^(1/2)*(1/cos(d*x+c))^(11/2)/sin(d*x+c)*a

maxima [B] time = 0.51, size = 619, normalized size = 2.71

$$4 \left(\frac{\left(\frac{315 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{840 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{1344 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{1242 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{517 \sqrt{2} a^2 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} - \frac{94 \sqrt{2} a^2 \sin(dx+c)^{11}}{(\cos(dx+c)+1)^{11}} \right) A \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{11}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{11}{2}} \left(\frac{4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{6 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{4 \sin(dx+c)^6}{(\cos(dx+c)+1)^6} + \frac{\sin(dx+c)^8}{(\cos(dx+c)+1)^8} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algorithm="maxima")

[Out] 4/315*((315*sqrt(2)*a^(3/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 840*sqrt(2)*a^(3/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 1344*sqrt(2)*a^(3/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 1242*sqrt(2)*a^(3/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 517*sqrt(2)*a^(3/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9 - 94*sqrt(2)*a^(3/2)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11)*A*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^4/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2))*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 6*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 4*sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + sin(d*x + c)^8/(cos(d*x + c) + 1)^8 + 1)

$$\begin{aligned} & 1)^2 + 6*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 4*\sin(d*x + c)^6/(\cos(d*x + \\ & c) + 1)^6 + \sin(d*x + c)^8/(\cos(d*x + c) + 1)^8 + 1)) + 3*(105*\sqrt{2}*a^{(3/2)}*\sin(d*x + c)/(\cos(d*x + c) + 1) - 350*\sqrt{2}*a^{(3/2)}*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 518*\sqrt{2}*a^{(3/2)}*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 444*\sqrt{2}*a^{(3/2)}*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7 + 209*\sqrt{2}*a^{(3/2)}*\sin(d*x + c)^9/(\cos(d*x + c) + 1)^9 - 38*\sqrt{2}*a^{(3/2)}*\sin(d*x + c)^11/(\cos(d*x + c) + 1)^11)*B*(\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 1)^4/((\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(11/2)}*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(11/2)}*(4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 6*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 4*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + \sin(d*x + c)^8/(\cos(d*x + c) + 1)^8 + 1)))/d \end{aligned}$$

mupad [B] time = 4.91, size = 316, normalized size = 1.39

$$\sqrt{\frac{1}{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}}} \left(\frac{96ae^{\frac{c9i}{2} + \frac{dx9i}{2}} \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a+a \cos(c+dx)} (A+B)}{5d} - \frac{16Ba e^{\frac{c9i}{2} + \frac{dx9i}{2}} \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right) \sqrt{a+a \cos(c+dx)}}{3d} + \frac{16ae^{\frac{c9i}{2}}}{\dots} \right) \\ \frac{\dots}{12e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + 8e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right) + 8e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(11/2)*(a + a*cos(c + d*x))^(3/2), x)

[Out] ((1/(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2))*((96*a*exp((c*9i)/2 + (d*x*9i)/2)*sin(c/2 + (d*x)/2)*(a + a*cos(c + d*x))^(1/2)*(A + B))/(5*d) - (16*B*a*exp((c*9i)/2 + (d*x*9i)/2)*sin((3*c)/2 + (3*d*x)/2)*(a + a*cos(c + d*x))^(1/2))/(3*d) + (16*a*exp((c*9i)/2 + (d*x*9i)/2)*sin((5*c)/2 + (5*d*x)/2)*(34*A + 39*B)*(a + a*cos(c + d*x))^(1/2))/(35*d) + (32*a*exp((c*9i)/2 + (d*x*9i)/2)*sin((9*c)/2 + (9*d*x)/2)*(34*A + 39*B)*(a + a*cos(c + d*x))^(1/2))/(315*d))/(12*exp((c*9i)/2 + (d*x*9i)/2)*cos(c/2 + (d*x)/2) + 8*exp((c*9i)/2 + (d*x*9i)/2)*cos((3*c)/2 + (3*d*x)/2) + 8*exp((c*9i)/2 + (d*x*9i)/2)*cos((5*c)/2 + (5*d*x)/2) + 2*exp((c*9i)/2 + (d*x*9i)/2)*cos((7*c)/2 + (7*d*x)/2) + 2*exp((c*9i)/2 + (d*x*9i)/2)*cos((9*c)/2 + (9*d*x)/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(11/2), x)

[Out] Timed out

3.503 $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$

Optimal. Leaf size=181

$$\frac{2a^2(8A+7B) \sin(c+dx) \sec^5(c+dx)}{35d\sqrt{a \cos(c+dx)+a}} + \frac{2a^2(52A+63B) \sin(c+dx) \sec^3(c+dx)}{105d\sqrt{a \cos(c+dx)+a}} + \frac{4a^2(52A+63B) \sin(c+dx)}{105d\sqrt{a \cos(c+dx)+a}}$$

[Out] $2/105*a^2*(52*A+63*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/35*a^2*(8*A+7*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/7*a*A*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+4/105*a^2*(52*A+63*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.56, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(8A+7B) \sin(c+dx) \sec^5(c+dx)}{35d\sqrt{a \cos(c+dx)+a}} + \frac{2a^2(52A+63B) \sin(c+dx) \sec^3(c+dx)}{105d\sqrt{a \cos(c+dx)+a}} + \frac{4a^2(52A+63B) \sin(c+dx)}{105d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(9/2)}, x]$

[Out] $(4*a^2*(52*A + 63*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(52*A + 63*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(8*A + 7*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(35*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*A*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(7*d)$

Rule 2771

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(3/2)}, x_Symbol] \rightarrow \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2772

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(f*(n+1)*(c^2 - d^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(2*n+3)*(b*c - a*d)/(2*b*(n+1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[2*n+3, 0] \&\& \text{IntegerQ}[2*n]$

Rule 2961

$\text{Int}[(\text{csc}[(e_) + (f_)*(x_)]*(g_))^{(p_)}*((a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)}/((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(g*\text{Csc}[e + f*x])^{(p_)}*(g*\text{Sin}[e + f*x])^{(p_)}*\text{Int}[(a + b*\text{Sin}[e + f*x])^{(m_)}*(c + d*\text{Sin}[e + f*x])^{(n_)}]/(g*\text{Sin}[e + f*x])^{(p_)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c +
a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*
(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c
- 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(
c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &
& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx$$

$$= \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} + \frac{2a^2(8A + 7B) \sec^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(52A + 63B) \sec^2(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(8A + 7B) \sec^2(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{4a^2(52A + 63B)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(52A + 63B) \sec^2(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.56, size = 102, normalized size = 0.56

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} (3(78A + 77B) \cos(c + dx) + (52A + 63B) \cos(2(c + dx)) + 52A)}{105d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(82*A + 63*B + 3*(78*A + 77*B)*Cos[c + d*x] +
(52*A + 63*B)*Cos[2*(c + d*x)] + 52*A*Cos[3*(c + d*x)] + 63*B*Cos[3*(c + d
*x)]))*Sec[c + d*x]^(7/2)*Tan[(c + d*x)/2]/(105*d)
```

fricas [A] time = 0.52, size = 107, normalized size = 0.59

$$\frac{2\left(2(52A + 63B)a \cos(dx + c)^3 + (52A + 63B)a \cos(dx + c)^2 + 3(13A + 7B)a \cos(dx + c) + 15Aa\right) \sqrt{a \cos(dx + c)}}{105\left(d \cos(dx + c)^4 + d \cos(dx + c)^3\right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorith="fricas")

[Out] $\frac{2}{105}*(2*(52*A + 63*B)*a*\cos(dx + c)^3 + (52*A + 63*B)*a*\cos(dx + c)^2 + 3*(13*A + 7*B)*a*\cos(dx + c) + 15*A*a)*\sqrt{a*\cos(dx + c) + a}*\sin(dx + c)/((d*\cos(dx + c))^4 + d*\cos(dx + c)^3)*\sqrt{\cos(dx + c)}$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorith="giac")

[Out] Timed out

maple [A] time = 0.36, size = 117, normalized size = 0.65

$$\frac{2(-1 + \cos(dx + c)) \left(104A \left(\cos^3(dx + c) \right) + 126B \left(\cos^3(dx + c) \right) + 52A \left(\cos^2(dx + c) \right) + 63B \left(\cos^2(dx + c) \right) \right)}{105d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x)

[Out] $-2/105/d*(-1+\cos(dx+c))*(104*A*\cos(dx+c)^3+126*B*\cos(dx+c)^3+52*A*\cos(dx+c)^2+63*B*\cos(dx+c)^2+39*A*\cos(dx+c)+21*B*\cos(dx+c)+15*A)*\cos(dx+c)*(a*(1+\cos(dx+c)))^{1/2}*(1/\cos(dx+c))^{9/2}/\sin(dx+c)*a$

maxima [B] time = 0.51, size = 527, normalized size = 2.91

$$4 \frac{\left(\frac{105 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{245 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{273 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{171 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{38 \sqrt{2} a^2 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} \right) A \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^3 + 21 \left(\frac{5 \sqrt{2} a^2 \sin(dx+c)^3}{\cos(dx+c)+1} \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^2 \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^2 \left(\frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right)}$$

105 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorith="maxima")

[Out] $\frac{4}{105}*((105*\sqrt{2}*a^{3/2}*\sin(dx + c)/(\cos(dx + c) + 1) - 245*\sqrt{2}*a^{3/2}*\sin(dx + c)^3/(\cos(dx + c) + 1)^3 + 273*\sqrt{2}*a^{3/2}*\sin(dx + c)^5/(\cos(dx + c) + 1)^5 - 171*\sqrt{2}*a^{3/2}*\sin(dx + c)^7/(\cos(dx + c) + 1)^7 + 38*\sqrt{2}*a^{3/2}*\sin(dx + c)^9/(\cos(dx + c) + 1)^9)*A*((\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + 1)^3/((\sin(dx + c)/(\cos(dx + c) + 1) + 1)^{9/2}*(-\sin(dx + c)/(\cos(dx + c) + 1) + 1)^{9/2}*(3*\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + 3*\sin(dx + c)^4/(\cos(dx + c) + 1)^4 + \sin(dx + c)^6/(\cos(dx + c) + 1)^6 + 1)) + 21*(5*\sqrt{2}*a^{3/2}*\sin(dx + c)/(\cos(dx + c) + 1) - 15*\sqrt{2}*a^{3/2}*\sin(dx + c)^3/(\cos(dx + c) + 1)^3 + 17*\sqrt{2}*a^{3/2}*\sin(dx + c)^5/(\cos(dx + c) + 1)^5 - 9*\sqrt{2}*a^{3/2}*\sin(dx + c)^7/(\cos(dx + c) + 1)^7 + 2*\sqrt{2}*a^{3/2}*\sin(dx + c)^9/(\cos(dx + c) + 1)^9)*B*((\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + 1)^3/((\sin(dx + c)/(\cos(dx + c) + 1) + 1)^{9/2}*(-\sin(dx + c)/(\cos(dx + c) + 1) + 1)^{9/2}*(3*\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + 3*\sin(dx + c)^4/(\cos(dx + c) + 1)^4 + \sin(dx + c)^6/(\cos(dx + c) + 1)^6 + 1)))/d$

mupad [B] time = 4.80, size = 259, normalized size = 1.43

$$\sqrt{\frac{1}{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}}} \left(-\frac{8ae^{\frac{c7i}{2} + \frac{dx7i}{2}} \sin\left(\frac{c}{2} + \frac{dx}{2}\right) (2A+3B) \sqrt{a+a \cos(c+dx)}}{3d} + \frac{16ae^{\frac{c7i}{2} + \frac{dx7i}{2}} \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right) (13A+12B) \sqrt{a+a \cos(c+dx)}}{15d} \right) \\ \frac{1}{6e^{\frac{c7i}{2} + \frac{dx7i}{2}} \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + 6e^{\frac{c7i}{2} + \frac{dx7i}{2}} \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right) + 2e^{\frac{c7i}{2} + \frac{dx7i}{2}} \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right) + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + a*cos(c + d*x))^(3/2), x)

[Out] ((1/(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2))*((16*a*exp((c*7i)/2 + (d*x*7i)/2)*sin((3*c)/2 + (3*d*x)/2)*(13*A + 12*B)*(a + a*cos(c + d*x))^(1/2))/(15*d) - (8*a*exp((c*7i)/2 + (d*x*7i)/2)*sin(c/2 + (d*x)/2)*(2*A + 3*B)*(a + a*cos(c + d*x))^(1/2))/(3*d) + (8*a*exp((c*7i)/2 + (d*x*7i)/2)*sin((7*c)/2 + (7*d*x)/2)*(52*A + 63*B)*(a + a*cos(c + d*x))^(1/2))/(105*d))/(6*exp((c*7i)/2 + (d*x*7i)/2)*cos(c/2 + (d*x)/2) + 6*exp((c*7i)/2 + (d*x*7i)/2)*cos((3*c)/2 + (3*d*x)/2) + 2*exp((c*7i)/2 + (d*x*7i)/2)*cos((5*c)/2 + (5*d*x)/2) + 2*exp((c*7i)/2 + (d*x*7i)/2)*cos((7*c)/2 + (7*d*x)/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(9/2), x)

[Out] Timed out

$$3.504 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=134

$$\frac{2a^2(6A + 5B) \sin(c + dx) \sec^3(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(18A + 25B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^5(c + dx)}{5d}$$

[Out] $2/15*a^2*(6*A+5*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/5*a*A*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+2/15*a^2*(18*A+25*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.47, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2961, 2975, 2980, 2771}

$$\frac{2a^2(6A + 5B) \sin(c + dx) \sec^3(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(18A + 25B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(7/2)}, x]$

[Out] $(2*a^2*(18*A + 25*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(6*A + 5*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/((15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*A*\text{Sqrt}[a + a*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/((5*d)$

Rule 2771

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(3/2)}, x_Symbol] \rightarrow \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

Rule 2961

$\text{Int}[(\text{csc}[(e_) + (f_)*(x_)]*(g_))^{(p_)}*((a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)}*((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n/(g*\text{Sin}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ !(\text{IntegerQ}[m] \ \&\& \ \text{IntegerQ}[n])$

Rule 2975

$\text{Int}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1/2] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*m] \ \&\& \ (\text{IntegerQ}[2*n] \ || \ \text{EqQ}[c, 0])$

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] & & NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx \\ &= \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{5d} + \frac{2a^2(6A + 5B) \sec^2(c + dx) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{15d} \\ &= \frac{2a^2(18A + 25B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(6A + 5B)}{15d} \end{aligned}$$

Mathematica [A] time = 0.33, size = 80, normalized size = 0.60

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} (2(9A + 5B) \cos(c + dx) + (18A + 25B) \cos(2(c + dx)) + 24A)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(24*A + 25*B + 2*(9*A + 5*B)*Cos[c + d*x] + (18*A + 25*B)*Cos[2*(c + d*x)])*Sec[c + d*x]^(5/2)*Tan[(c + d*x)/2])/(15*d)
```

fricas [A] time = 0.80, size = 88, normalized size = 0.66

$$\frac{2 \left((18A + 25B)a \cos(dx + c)^2 + (9A + 5B)a \cos(dx + c) + 3Aa \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{15 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm="fricas")
```

```
[Out] 2/15*((18*A + 25*B)*a*cos(d*x + c)^2 + (9*A + 5*B)*a*cos(d*x + c) + 3*A*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c)^3 + d*cos(d*x + c)^2)*sqrt(cos(d*x + c)))
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm="giac")
```


[Out] Timed out

maple [A] time = 0.45, size = 95, normalized size = 0.71

$$\frac{2(-1 + \cos(dx + c)) \left(18A \left(\cos^2(dx + c) \right) + 25B \left(\cos^2(dx + c) \right) + 9A \cos(dx + c) + 5B \cos(dx + c) + 3A \right) c}{15d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x)

[Out] -2/15/d*(-1+cos(d*x+c))*(18*A*cos(d*x+c)^2+25*B*cos(d*x+c)^2+9*A*cos(d*x+c)+5*B*cos(d*x+c)+3*A)*cos(d*x+c)*(a*(1+cos(d*x+c)))^(1/2)*(1/cos(d*x+c))^(7/2)/sin(d*x+c)*a

maxima [B] time = 0.51, size = 436, normalized size = 3.25

$$4 \frac{\left(3 \left(\frac{5 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{2 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) A \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2 + \frac{5 \left(\frac{3 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{8 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{2 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) B \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(\frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)} + \frac{5 \left(\frac{3 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{8 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{2 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) B \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left(\frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}$$

15d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm="maxima")

[Out] 4/15*(3*(5*sqrt(2)*a^(3/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 10*sqrt(2)*a^(3/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 7*sqrt(2)*a^(3/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 2*sqrt(2)*a^(3/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)*A*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^2/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 1)) + 5*(3*sqrt(2)*a^(3/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 8*sqrt(2)*a^(3/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 7*sqrt(2)*a^(3/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 2*sqrt(2)*a^(3/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)*B*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^2/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 1)))/d

mupad [B] time = 2.44, size = 197, normalized size = 1.47

$$\frac{2a \sqrt{a(\cos(c+dx)+1)} \sqrt{\frac{1}{\cos(c+dx)}} (48A \sin(c+dx) + 50B \sin(c+dx) + 36A \sin(2c+2dx) + 66A \sin(3c+3dx) + 18A \sin(4c+4dx) + 18A \sin(5c+5dx) + 20B \sin(2c+2dx) + 75B \sin(3c+3dx) + 10B \sin(4c+4dx) + 25B \sin(5c+5dx))}{15d(10 \cos(c+dx) + 8 \cos(2c+2dx) + 6 \cos(3c+3dx) + 4 \cos(4c+4dx) + 2 \cos(5c+5dx) + 6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^(3/2), x)

[Out] (2*a*(a*(cos(c + d*x) + 1))^(1/2)*(1/cos(c + d*x))^(1/2)*(48*A*sin(c + d*x) + 50*B*sin(c + d*x) + 36*A*sin(2*c + 2*d*x) + 66*A*sin(3*c + 3*d*x) + 18*A*sin(4*c + 4*d*x) + 18*A*sin(5*c + 5*d*x) + 20*B*sin(2*c + 2*d*x) + 75*B*sin(3*c + 3*d*x) + 10*B*sin(4*c + 4*d*x) + 25*B*sin(5*c + 5*d*x)))/(15*d*(10*cos(c + d*x) + 8*cos(2*c + 2*d*x) + 5*cos(3*c + 3*d*x) + 2*cos(4*c + 4*d*x) + cos(5*c + 5*d*x) + 6))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

$$3.505 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=145

$$\frac{2a^{3/2}B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} + \frac{2a^2(4A+3B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a\cos(c+dx)+a}} + \frac{2aA\sin(c+dx)}{d}$$

[Out] $2/3*a*A*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+2*a^{(3/2)}*B*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*a^2*(4*A+3*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.45, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2975, 2980, 2774, 216}

$$\frac{2a^2(4A+3B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a\cos(c+dx)+a}} + \frac{2a^{3/2}B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} + \frac{2aA\sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2),x]

[Out] $(2*a^{(3/2)}*B*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a^2*(4*A + 3*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*A*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d)$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2975

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(b*c + a*d)), x] - Dist[b/(d*(n+1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1)*Simp[A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b

*c*m - a*d*(n + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2980

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Ssin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx \\ &= \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \sin(c + dx)}{3d} + \frac{2a^2(4A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a}}{3d} \\ &= \frac{2a^2(4A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a}}{3d} \\ &= \frac{2a^2(4A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a}}{3d} \\ &= \frac{2a^{3/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 0.40, size = 106, normalized size = 0.73

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{3}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((5A + 3B) \cos(c + dx) + A) + 3\sqrt{2} B \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^(3/2)*(3*Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + 2*(A + (5*A + 3*B)*Cos[c + d*x])*Sin[(c + d*x)/2]))/(3*d)

fricas [A] time = 0.61, size = 130, normalized size = 0.90

$$\frac{2 \left(3 \left(Ba \cos(dx + c)^2 + Ba \cos(dx + c) \right) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{((5A+3B)a \cos(dx+c)+Aa) \sqrt{a \cos(dx+c)}}{\sqrt{\cos(dx+c)}} \right)}{3 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x, algorithm="fricas")

[Out]
$$-2/3*(3*(B*a*\cos(d*x + c)^2 + B*a*\cos(d*x + c))*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) - ((5*A + 3*B)*a*\cos(d*x + c) + A*a)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}}/(d*\cos(d*x + c)^2 + d*\cos(d*x + c))$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="giac")`

[Out] Timed out

maple [B] time = 0.47, size = 287, normalized size = 1.98

$$2 \left(3B \left(\cos^2(dx + c) \right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arctan \left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) + 6B \cos(dx + c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arctan \left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x)`

[Out]
$$-2/3/d*(3*B*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+6*B*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+3*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+5*A*\cos(d*x+c)*\sin(d*x+c)+3*B*\cos(d*x+c)*\sin(d*x+c)+A*\sin(d*x+c))*\cos(d*x+c)*\sin(d*x+c)^2*(1/\cos(d*x+c))^{5/2}*(a*(1+\cos(d*x+c)))^{1/2}/(-1+\cos(d*x+c))/(1+\cos(d*x+c))^2*a$$

maxima [B] time = 0.71, size = 1462, normalized size = 10.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out]
$$1/6*(3*(6*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{3/4}*a^{3/2}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 2*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*((2*a*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x + 2*c) - a*\sin(2*d*x + 2*c) - 2*(a*\cos(2*d*x + 2*c) + a)*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + (2*a*\sin(2*d*x + 2*c)*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + a*\cos(2*d*x + 2*c) + 2*(a*\cos(2*d*x + 2*c) + a)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sqrt{a} + ((a*\cos(2*d*x + 2*c))^2 + a*\sin(2*d*x + 2*c))^2 + 2*a*\cos(2*d*x + 2*c) + a) * \arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} * (\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} * (\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))$$

```

an2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1) - (a*cos(2*d*x + 2*c)^2 + a*
sin(2*d*x + 2*c)^2 + 2*a*cos(2*d*x + 2*c) + a)*arctan2((cos(2*d*x + 2*c)^2
+ sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2
*d*x + 2*c), cos(2*d*x + 2*c))) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * si
n(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 +
sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c) + 1)) * cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d
*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(
1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 1) - (a*cos(2*d*x + 2*c
)^2 + a*sin(2*d*x + 2*c)^2 + 2*a*cos(2*d*x + 2*c) + a)*arctan2((cos(2*d*x +
2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan
2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x
+ 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1)) + 1) + (a*cos(2*d*x + 2*c)^2 + a*sin(2*d*x + 2*c)^2
+ 2*a*cos(2*d*x + 2*c) + a)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)
^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*
d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x +
2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) -
1))*sqrt(a))*B/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c
) + 1) + 8*(3*sqrt(2)*a^(3/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 5*sqrt(2)*a
^(3/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 2*sqrt(2)*a^(3/2)*sin(d*x + c)
^5/(cos(d*x + c) + 1)^5)*A/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(5/2))*(-s
in(d*x + c)/(cos(d*x + c) + 1) + 1)^(5/2))/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^(3/2),
x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^(3/2),
x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

3.506 $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$

Optimal. Leaf size=146

$$\frac{a^{3/2}(2A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} - \frac{a^2(2A-B)\sin(c+dx)}{d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{2aA\sin(c+dx)}{d}$$

[Out] $-a^2(2A-B)\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}/\sec(d*x+c)^{1/2}+a^{3/2}*(2A+3B)*\arcsin(\sin(d*x+c)*a^{1/2}/(a+a*\cos(d*x+c))^{1/2})*\cos(d*x+c)^{1/2}*\sec(d*x+c)^{1/2}/d+2*a*A*\sin(d*x+c)*(a+a*\cos(d*x+c))^{1/2}*\sec(d*x+c)^{1/2}/d$

Rubi [A] time = 0.47, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2975, 2981, 2774, 216}

$$\frac{a^{3/2}(2A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} - \frac{a^2(2A-B)\sin(c+dx)}{d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{2aA\sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2),x]

[Out] $(a^{3/2}*(2A+3B)*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c+d*x])/\text{Sqrt}[a+a*\text{Cos}[c+d*x]])*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]])/d - (a^2*(2A-B)*\text{Sin}[c+d*x])/(d*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*a*A*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/d$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2975

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(b*c + a*d)), x] - Dist[b/(d*(n+1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1)*Simp[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b

```
*c*m - a*d*(n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*SIN[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*SIN[e + f*x]]*(c + d*SIN[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx$$

$$= \frac{2aA\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= -\frac{a^2(2A - B) \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= -\frac{a^2(2A - B) \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= \frac{a^{3/2}(2A + 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}}{d}$$

Mathematica [A] time = 0.32, size = 107, normalized size = 0.73

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(2A + 3B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + 2aA\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*(2*A + 3*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(2*A + B*Cos[c + d*x])*Sin[(c + d*x)/2]))/(2*d)
```

fricas [A] time = 0.61, size = 119, normalized size = 0.82

$$\frac{((2A + 3B)a \cos(dx + c) + (2A + 3B)a)\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(Ba \cos(dx+c)+2Aa)\sqrt{a \cos(dx+c)+a} \sin(c+dx)}{\sqrt{\cos(dx+c)}}}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algori thm="fricas")
```



```
[Out] -(((2*A + 3*B)*a*cos(d*x + c) + (2*A + 3*B)*a)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (B*a*cos(d*x + c) + 2*A*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 0.46, size = 308, normalized size = 2.11

$$\left(2A \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + 3B \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x)
```

```
[Out] 1/d*(2*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+3*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+B*cos(d*x+c)*sin(d*x+c)+3*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+2*A*sin(d*x+c)*cos(d*x+c)*(1/cos(d*x+c))^(3/2)*(a*(1+cos(d*x+c)))^(1/2)/(1+cos(d*x+c))*a
```

maxima [B] time = 0.85, size = 1801, normalized size = 12.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] 1/4*((2*(a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - (a*cos(d*x + c) - a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + 3*(a*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + 1) - a*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(
```

$2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) + a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)) \sqrt{a} B + 2((a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 1) - a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 1) - a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) + a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)) (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sqrt{a} + 4(a \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - (a \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - a) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) \sqrt{a} A / (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}) / d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(3/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2), x)

[Out] Timed out

3.507 $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

Optimal. Leaf size=153

$$\frac{a^{3/2}(12A+7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} + \frac{a^2(4A+5B)\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{aB\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}}$$

[Out] $1/4*a^2*(4*A+5*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}/\sec(d*x+c)^{(1/2)+1/2}*a*B*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d/\sec(d*x+c)^{(1/2)+1/4}*a^{(3/2)}*(12*A+7*B)*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.46, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2976, 2981, 2774, 216}

$$\frac{a^{3/2}(12A+7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} + \frac{a^2(4A+5B)\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{aB\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])*Sqrt[\text{Sec}[c + d*x]], x]$

[Out] $(a^{(3/2)}*(12*A + 7*B)*\text{ArcSin}[(Sqrt[a]*\text{Sin}[c + d*x])/Sqrt[a + a*\text{Cos}[c + d*x]])*Sqrt[\text{Cos}[c + d*x]]*Sqrt[\text{Sec}[c + d*x]]/(4*d) + (a^2*(4*A + 5*B)*\text{Sin}[c + d*x])/(4*d*Sqrt[a + a*\text{Cos}[c + d*x]]*Sqrt[\text{Sec}[c + d*x]]) + (a*B*Sqrt[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(2*d*Sqrt[\text{Sec}[c + d*x]])$

Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{NegQ}[b]$

Rule 2774

$\text{Int}[Sqrt[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*\sin[(e_) + (f_)*(x_)]]], x_Symbol] \rightarrow \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\text{Sqrt}[1 - x^2/a], x], x, (b*\text{Cos}[e + f*x])/Sqrt[a + b*\sin[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{EqQ}[d, a/b]$

Rule 2961

$\text{Int}[(\text{csc}[(e_) + (f_)*(x_)]*(g_))^{(p_)}*((a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)}*((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n/(g*\text{Sin}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ !(\text{IntegerQ}[m] \ \&\& \ \text{IntegerQ}[n])$

Rule 2976

$\text{Int}[(a_ + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n))]*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1/2] \ \&\& \ !\text{LtQ}[n, -1] \ \&\&$

& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{1}{2} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{a^2 (4A + 5B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2a}$$

$$= \frac{a^2 (4A + 5B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2a}$$

$$= \frac{a^{3/2} (12A + 7B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)}}{4d}$$

Mathematica [A] time = 0.45, size = 121, normalized size = 0.79

$$\frac{a \sqrt{\cos(c + dx)} \sec \left(\frac{1}{2}(c + dx) \right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2} (12A + 7B) \sin^{-1} \left(\sqrt{2} \sin \left(\frac{1}{2}(c + dx) \right) \right) \right) + 2aB \sin(c + dx)}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]
```

```
[Out] (a*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*(12*A + 7*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(4*A + 7*B + 2*B*Cos[c + d*x])*Sin[(c + d*x)/2]))/(8*d)
```

fricas [A] time = 0.60, size = 133, normalized size = 0.87

$$\frac{((12A + 7B)a \cos(dx + c) + (12A + 7B)a) \sqrt{a} \arctan \left(\frac{\sqrt{a} \cos(dx + c) + a \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)} \right) - \frac{(2Ba \cos(dx + c)^2 + (4A + 7B)a \cos(dx + c)) \sqrt{\cos(dx + c)}}{\sqrt{\cos(dx + c)}}}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x, algorithm="fricas")
```

```
[Out] -1/4*(((12*A + 7*B)*a*cos(d*x + c) + (12*A + 7*B)*a)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (2*B*a*cos(d
```

$*x + c)^2 + (4*A + 7*B)*a*\cos(d*x + c))*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c))}/(d*\cos(d*x + c) + d)$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.39, size = 233, normalized size = 1.52

$$\left(2B \sin(dx + c) \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 4A \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx + c) + 7B \sin(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x)

[Out] $-1/4/d*(2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)+4*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*\sin(d*x+c)+7*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)+12*A*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)/\cos(d*x+c))+7*B*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)/\cos(d*x+c)))*(1/\cos(d*x+c))^(1/2)*(a*(1+\cos(d*x+c)))^(1/2)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)/\sin(d*x+c)^2*(\cos(d*x+c)^2-1)*a$

maxima [B] time = 0.86, size = 1884, normalized size = 12.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] $1/16*(4*(2*(a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(dx + c) - (a*\cos(d*x + c) - a)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))))*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*\sqrt{a} + 3*(a*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(dx + c) - \cos(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*(\cos(dx + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) + 1) - a*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(dx + c) - \cos(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*(\cos(dx + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) - 1) - a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))),$

```
(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a)*A + (2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4))*((a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(2*d*x + 2*c) + a*sin(2*d*x + 2*c) - (a*cos(2*d*x + 2*c) - 6*a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (a*sin(2*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - a*cos(2*d*x + 2*c) + (a*cos(2*d*x + 2*c) - 6*a)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + 6*a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(a) + 7*(a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4))*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a))*B)/d
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(3/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2), x)

[Out] Timed out

$$3.508 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=200

$$\frac{a^{3/2}(14A + 11B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(6A + 7B) \sin(c + dx)}{12d \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{1}{8d\sqrt{a}}$$

[Out] $1/12*a^2*(6*A+7*B)*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)+1/3}$
 $*a*B*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d/\sec(d*x+c)^{(3/2)+1/8*a^2*(14*A+11*$
 $B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}/\sec(d*x+c)^{(1/2)+1/8*a^{(3/2)*(14*A+1$
 $1*B)*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)*\sec$
 $(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.54, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2976, 2981, 2770, 2774, 216}

$$\frac{a^2(6A + 7B) \sin(c + dx)}{12d \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(14A + 11B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{1}{8d\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] $(a^{(3/2)*(14*A + 11*B)*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/\text{Sqrt}[a + a*\text{Cos}[c + d*x]]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(8*d) + (a^2*(6*A + 7*B)*\text{Sin}[c + d*x])/(12*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(3/2)}) + (a*B*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d*\text{Sec}[c + d*x]^{(3/2)}) + (a^2*(14*A + 11*B)*\text{Sin}[c + d*x])/(8*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g},

$m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!IntegerQ}[p] \&\& \text{!(IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2976

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_)]))^{(n_)}], x_Symbol] :> -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{!LtQ}[n, -1] \& \& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

Rule 2981

$\text{Int}[\text{Sqrt}[(a_ + (b_)*\sin[(e_ + (f_)*(x_)]))^{(n_)}]*((A_ + (B_)*\sin[(e_ + (f_)*(x_)]))^{(n_)}], x_Symbol] :> \text{Simp}[(-2*b*B*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(2*n + 3)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{!LtQ}[n, -1]$

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx \\ &= \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{1}{3} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx \\ &= \frac{a^2(6A + 7B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} \\ &= \frac{a^2(6A + 7B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} \\ &= \frac{a^2(6A + 7B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} \\ &= \frac{a^2(6A + 7B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} \\ &= \frac{a^{3/2}(14A + 11B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8d} \end{aligned}$$

Mathematica [A] time = 0.50, size = 141, normalized size = 0.70

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(14A + 11B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)}}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] $(a\sqrt{a(1 + \cos[c + d*x])}*\sec[(c + d*x)/2]*\sqrt{\sec[c + d*x]}*(3*\sqrt{2}*(14*A + 11*B)*\text{ArcSin}[\sqrt{2}*\sin[(c + d*x)/2]]*\sqrt{\cos[c + d*x]} + (42*A + 37*B + 2*(6*A + 11*B)*\cos[c + d*x] + 4*B*\cos[2*(c + d*x)])*(-\sin[(c + d*x)/2] + \sin[(3*(c + d*x))/2])))/(48*d)$

fricas [A] time = 0.69, size = 153, normalized size = 0.76

$$\frac{3((14A + 11B)a \cos(dx + c) + (14A + 11B)a)\sqrt{a} \arctan\left(\frac{\sqrt{a} \cos(dx+c)+a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(8Ba \cos(dx+c)^3 + 2(6A+11B)a \cos(dx+c)^2 + 3(14A+11B)a \cos(dx+c))\sqrt{a} \sin(dx+c)}{24(d \cos(dx+c) + d)}}{24(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] $-1/24*(3*((14*A + 11*B)*a*\cos(d*x + c) + (14*A + 11*B)*a)*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) - (8*B*a*\cos(d*x + c)^3 + 2*(6*A + 11*B)*a*\cos(d*x + c)^2 + 3*(14*A + 11*B)*a*\cos(d*x + c))*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}}/(d*\cos(d*x + c) + d)$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.45, size = 309, normalized size = 1.54

$$(-1 + \cos(dx + c))^2 \left(8B \sin(dx + c) (\cos^2(dx + c)) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 12A \sin(dx + c) \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x)

[Out] $1/24/d*(-1+\cos(d*x+c))^{2*(8*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+12*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+42*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)+33*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+42*A*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})/\cos(d*x+c))+33*B*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})/\cos(d*x+c))*\cos(d*x+c)*(a*(1+\cos(d*x+c)))^{1/2}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}/(1/\cos(d*x+c))^{1/2}/\sin(d*x+c)^4*a$

maxima [B] time = 1.03, size = 3023, normalized size = 15.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

```
[Out] 1/96*(6*(2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)^(1/4)*((a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x
+ 2*c) + a*sin(2*d*x + 2*c) - (a*cos(2*d*x + 2*c) - 6*a)*sin(1/2*arctan2(s
in(2*d*x + 2*c), cos(2*d*x + 2*c)))) * cos(1/2*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c) + 1)) + (a*sin(2*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c))) - a*cos(2*d*x + 2*c) + (a*cos(2*d*x + 2*c) - 6*a)*cos(1/
2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 6*a)*sin(1/2*arctan2(sin(2
*d*x + 2*c), cos(2*d*x + 2*c) + 1))) * sqrt(a) + 7*(a*arctan2((cos(2*d*x + 2*
c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(
sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1
)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)
^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * cos(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))
*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - a*arctan2((co
s(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(
1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(
2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/
2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * cos(1/2*arctan2(sin(2*d*
x + 2*c), cos(2*d*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 1) - a
*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x
+ 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arct
an2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + a*arctan2((cos(2*d*x +
2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2
(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x
+ 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1)) - 1)) * sqrt(a)) * A + (4*(a*cos(3/2*arctan2(sin(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))), cos(2/3*arctan2(sin(3*d*x + 3*c)
, cos(3*d*x + 3*c))) + 1)) * sin(3*d*x + 3*c) - (a*cos(3*d*x + 3*c) - a)*sin(
3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))), cos(2/3*a
rctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))) * (cos(2/3*arctan2(sin(3*d
*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d
*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)
^(3/4)*sqrt(a) + 6*(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2
+ sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan
2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*((3*a*sin(2/3*arctan2(sin
(3*d*x + 3*c), cos(3*d*x + 3*c))) + 11*a*sin(1/3*arctan2(sin(3*d*x + 3*c),
cos(3*d*x + 3*c)))) * cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) -
(3*a*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 5*a*cos(1/3*ar
ctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - 8*a)*sin(1/2*arctan2(sin(2/3*a
rctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*
c), cos(3*d*x + 3*c))) + 1))) * sqrt(a) + 33*(a*arctan2(-(cos(2/3*arctan2(sin
(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos
(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
+ 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3
*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) * sin(1/3*a
rctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - cos(1/3*arctan2(sin(3*d*x + 3
*c), cos(3*d*x + 3*c))) * sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), c
os(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1
))), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arct
an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*arctan2(sin(3*d*x + 3*c), cos(
3*d*x + 3*c))) * cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
```

```

+ 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + sin(
1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*ar
ctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c)
), cos(3*d*x + 3*c))) + 1))) + 1) - a*arctan2(-(cos(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x +
3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/
4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), c
os(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))*sin(1/3*arctan2(s
in(3*d*x + 3*c), cos(3*d*x + 3*c))) - cos(1/3*arctan2(sin(3*d*x + 3*c), cos
(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))), (co
s(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(
3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), co
s(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x +
3*c)))*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + sin(1/3*arct
an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))) + 1))) - 1) - a*arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), co
s(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2
+ 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/
2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x
+ 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(
1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))),
cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + 1) + a*arctan2
((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(
sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c)
, cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*
c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2
/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3
*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(
sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos
(3*d*x + 3*c))) + 1)) - 1))*sqrt(a))*B)/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2}}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/(1/cos(c + d*x))^(1/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/(1/cos(c + d*x))^(1/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.509 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=247

$$\frac{a^{3/2}(88A + 75B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{64d} + \frac{a^2(88A + 75B)\sin(c + dx)}{96d\sec^2(c + dx)\sqrt{a\cos(c + dx) + a}} + \frac{a}{24d\sec^2(c + dx)}$$

[Out] 1/24*a^2*(8*A+9*B)*sin(d*x+c)/d/sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2)+1/96*a^2*(88*A+75*B)*sin(d*x+c)/d/sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+1/4*a*B*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/sec(d*x+c)^(5/2)+1/64*a^2*(88*A+75*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+1/64*a^(3/2)*(88*A+75*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.64, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2976, 2981, 2770, 2774, 216}

$$\frac{a^2(88A + 75B)\sin(c + dx)}{96d\sec^2(c + dx)\sqrt{a\cos(c + dx) + a}} + \frac{a^2(8A + 9B)\sin(c + dx)}{24d\sec^2(c + dx)\sqrt{a\cos(c + dx) + a}} + \frac{a^{3/2}(88A + 75B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{64d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (a^(3/2)*(88*A + 75*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*d) + (a^2*(8*A + 9*B)*Sin[c + d*x])/(24*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2)) + (a*B*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sec[c + d*x]^(5/2)) + (a^2*(88*A + 75*B)*Sin[c + d*x])/(96*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a^2*(88*A + 75*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2976

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\sec^2(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^{\frac{3}{2}}(c + dx) (a + a \cos(c + dx)) dx \\
 &= \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d \sec^{\frac{5}{2}}(c + dx)} + \frac{1}{4} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^{\frac{3}{2}}(c + dx) (a + a \cos(c + dx)) dx \\
 &= \frac{a^2(8A + 9B) \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)}}{4d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{a^2(8A + 9B) \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)}}{4d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{a^2(8A + 9B) \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)}}{4d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{a^2(8A + 9B) \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)}}{4d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{a^2(8A + 9B) \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)}}{4d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{a^3/2(88A + 75B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}
 \end{aligned}$$

Mathematica [A] time = 0.79, size = 158, normalized size = 0.64

$$a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2} (88A + 75B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(3*Sqrt[2]*(88*A + 75*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (296*A + 285*B + 2*(88*A + 93*B)*Cos[c + d*x] + 4*(8*A + 15*B)*Cos[2*(c + d*x)] + 12*B*Cos[3*(c + d*x)])*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2])))/(384*d)

fricas [A] time = 0.69, size = 171, normalized size = 0.69

$$\frac{3((88A + 75B)a \cos(dx + c) + (88A + 75B)a)\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(48Ba \cos(dx+c)^4 + 8(8A+15B)a \cos(dx+c)^3 + 2(88A+75B)a \cos(dx+c)^2 + 3(88A+75B)a \cos(dx+c) \sqrt{a \cos(dx+c)+a} \sin(dx+c)}{\sqrt{a \cos(dx+c)+a} \sin(dx+c)}}{192(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2), x, algorithm="fricas")

[Out] -1/192*(3*((88*A + 75*B)*a*cos(d*x + c) + (88*A + 75*B)*a)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (48*B*a*cos(d*x + c)^4 + 8*(8*A + 15*B)*a*cos(d*x + c)^3 + 2*(88*A + 75*B)*a*cos(d*x + c)^2 + 3*(88*A + 75*B)*a*cos(d*x + c)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.36, size = 381, normalized size = 1.54

$$\frac{(-1 + \cos(dx + c))^3 \left(48B \sin(dx + c) (\cos^3(dx + c)) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 64A (\cos^2(dx + c)) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx + c) \right)}{192(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2), x)

[Out] -1/192/d*(-1+cos(d*x+c))^3*(48*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+64*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)+120*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+176*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+150*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+264*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))

$$\begin{aligned} & \left(\frac{1}{2} \right) \sin(dx+c) + 225B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{1}{2}} + 264A \operatorname{arctan} \left(\frac{\sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{1}{2}}}{\cos(dx+c)} \right) + 225B \operatorname{arctan} \left(\frac{\sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{1}{2}}}{\cos(dx+c)} \right) \cos(dx+c) \left(\frac{a(1+\cos(dx+c))}{\cos(dx+c)} \right)^{\frac{1}{2}} \left(\frac{1}{\cos(dx+c)} \right)^{\frac{5}{2}} \left(\frac{1}{\cos(dx+c)} \right)^{\frac{3}{2}} \\ & / \sin(dx+c)^6 a \end{aligned}$$

maxima [B] time = 1.47, size = 8901, normalized size = 36.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/768*(8*(4*(a*cos(3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))*sin(3*d*x + 3*c) - (a*cos(3*d*x + 3*c) - a)*sin(3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(3/4)*sqrt(a) + 6*(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*((3*a*sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 11*a*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1) - (3*a*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 5*a*cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) - 8*a)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))*sqrt(a) + 33*(a*arctan2(-(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))) + 1) - a*arctan2(-(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))) - 1) - a*arc

$$\begin{aligned} & \tan^2((\cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c)))^2 + \sin(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))))^2 + 2 \cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))) + 1)^{1/4} \sin(1/2 \arctan^2(\sin(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))), \cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c)))) + 1), (\cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))))^2 + \sin(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))))^2 + 2 \cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))) + 1)^{1/4} \cos(1/2 \arctan^2(\sin(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))), \cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c)))) + 1) + a \arctan^2((\cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))))^2 + \sin(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))))^2 + 2 \cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))) + 1)^{1/4} \sin(1/2 \arctan^2(\sin(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))), \cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c)))) + 1), (\cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))))^2 + \sin(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))))^2 + 2 \cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))) + 1)^{1/4} \cos(1/2 \arctan^2(\sin(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c))), \cos(2/3 \arctan^2(\sin(3dx + 3c), \cos(3dx + 3c)))) + 1) - 1) \sqrt{a} A + 3(2(\cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))))^2 + \sin(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))))^2 + 2 \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{3/4} ((5a \cos(4dx + 4c))^2 \sin(4dx + 4c) + 5a \sin(4dx + 4c)^3 + 20(a \sin(4dx + 4c))^3 + (a \cos(4dx + 4c))^2 - 2a \cos(4dx + 4c) + a) \sin(4dx + 4c) \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 20(a \sin(4dx + 4c))^3 + (a \cos(4dx + 4c))^2 + 2a \cos(4dx + 4c) + a) \sin(4dx + 4c) \sin(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 5(2a \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) \sin(4dx + 4c) + a \sin(4dx + 4c) - 2(a \cos(4dx + 4c) + a) \sin(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)))) \cos(3/4 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) + 20(a \sin(4dx + 4c))^3 + (a \cos(4dx + 4c))^2 - a \cos(4dx + 4c) \sin(4dx + 4c) \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) + (8a \cos(4dx + 4c))^2 + 32(a \cos(4dx + 4c))^2 + a \sin(4dx + 4c)^2 - 2a \cos(4dx + 4c) + a) \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 8a \sin(4dx + 4c)^2 + 32(a \cos(4dx + 4c))^2 + a \sin(4dx + 4c)^2 + 2a \cos(4dx + 4c) + a) \sin(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 - 5a \cos(4dx + 4c) + 2(16a \cos(4dx + 4c))^2 + 16a \sin(4dx + 4c)^2 - 21a \cos(4dx + 4c) + 5a) \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) - 2(64a \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) \sin(4dx + 4c) + 21a \sin(4dx + 4c)) \sin(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) \sin(3/4 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) - 20(4a \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) \sin(4dx + 4c)^2 + a \sin(4dx + 4c)^2) \sin(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) \cos(3/2 \arctan^2(\sin(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)))) + 1) - (5a \cos(4dx + 4c))^3 - 8a \cos(4dx + 4c)^2 + 4(5a \cos(4dx + 4c))^3 - 18a \cos(4dx + 4c)^2 + (5a \cos(4dx + 4c) - 8a) \sin(4dx + 4c)^2 + 21a \cos(4dx + 4c) - 8a) \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + (5a \cos(4dx + 4c) - 8a) \sin(4dx + 4c)^2 + 4(5a \cos(4dx + 4c))^3 + 2a \cos(4dx + 4c)^2 + (5a \cos(4dx + 4c) - 8a) \sin(4dx + 4c)^2 - 11a \cos(4dx + 4c) - 8a) \sin(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + (8a \cos(4dx + 4c))^2 + 32(a \cos(4dx + 4c))^2 + a \sin(4dx + 4c)^2 - 2a \cos(4dx + 4c) + a) \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 8a \sin(4dx + 4c)^2 + 32(a \cos(4dx + 4c))^2 + a \sin(4dx + 4c)^2 + 2a \cos(4dx + 4c) + a) \sin(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 - 5a \cos(4dx + 4c) + 2(16a \cos(4dx + 4c))^2 + 16a \sin(4dx + 4c)^2 - 21a \cos(4dx + 4c) + 5a) \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) - 2(64a \cos(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) \sin(4dx + 4c) + 21a \sin(4dx + 4c)) \sin(1/2 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) \cos(3/4 \arctan^2(\sin(4dx + 4c), \cos(4dx + 4c))) + 4(5a \cos(4dx + 4c))^3 - 13a \cos(4dx + 4c)^2 \end{aligned}$$

$$\begin{aligned}
& + (5*a*\cos(4*d*x + 4*c) - 8*a)*\sin(4*d*x + 4*c)^2 + 8*a*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 5*(2*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a*\sin(4*d*x + 4*c) - 2*(a*\cos(4*d*x + 4*c) + a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*(5*a*\cos(4*d*x + 4*c) - 8*a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + (5*a*\cos(4*d*x + 4*c) - 8*a)*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1))*\sqrt{a} - 2*(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4)*((3*a*\cos(4*d*x + 4*c)^2*\sin(4*d*x + 4*c) + 3*a*\sin(4*d*x + 4*c)^3 - 64*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^3 + 12*(a*\sin(4*d*x + 4*c)^3 + (a*\cos(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\sin(4*d*x + 4*c) - 24*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 3*a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 4*(3*a*\sin(4*d*x + 4*c)^3 + 64*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + (3*a*\cos(4*d*x + 4*c)^2 + 6*a*\cos(4*d*x + 4*c) + 19*a)*\sin(4*d*x + 4*c) - 72*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 6*(2*a*\sin(4*d*x + 4*c)^3 + a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 2*(a*\cos(4*d*x + 4*c)^2 - a*\cos(4*d*x + 4*c))*\sin(4*d*x + 4*c) - (48*a*\cos(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)^2 - 47*a*\cos(4*d*x + 4*c) - a)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(8*a*\cos(4*d*x + 4*c)^2 + 32*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c))^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 14*a*\sin(4*d*x + 4*c)^2 - 141*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 8*(4*a*\cos(4*d*x + 4*c)^2 + 7*a*\sin(4*d*x + 4*c)^2 - 72*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*a*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 3*(a*\cos(4*d*x + 4*c) + a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 3*(24*a*\cos(4*d*x + 4*c)^2 + 24*a*\sin(4*d*x + 4*c)^2 + a*\cos(4*d*x + 4*c))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1) - (3*a*\cos(4*d*x + 4*c)^3 - 64*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 56*a*\cos(4*d*x + 4*c)^2 + 4*(3*a*\cos(4*d*x + 4*c)^3 + 34*a*\cos(4*d*x + 4*c)^2 + (3*a*\cos(4*d*x + 4*c) + 40*a)*\sin(4*d*x + 4*c)^2 - 93*a*\cos(4*d*x + 4*c) - 40*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 56*a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (3*a*\cos(4*d*x + 4*c) + 56*a)*\sin(4*d*x + 4*c)^2 + 4*(3*a*\cos(4*d*x + 4*c)^3 + 62*a*\cos(4*d*x + 4*c)^2 + (3*a*\cos(4*d*x + 4*c) + 56*a)*\sin(4*d*x + 4*c)^2 + 115*a*\cos(4*d*x + 4*c) - 16*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 40*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 56*a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 - 3*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 2*(6*a*\cos(4*d*x + 4*c)^3 + 98*a*\cos(4*d*x + 4*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 52*a)*\sin(4*d*x + 4*c)^2 - 3*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 112*a*\cos(4*d*x + 4*c) - (80*a*\cos(4*d*x + 4*c)^2 + 80*a*\sin(4*d*x + 4*c)^2 - 77*a*\cos(4*d*x + 4*c) - 3*a)
\end{aligned}$$


```

*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + a*sin(4*d*x + 4*c)^2 + 4*
(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 + 2*a*cos(4*d*x + 4*c) + a)*si
n(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(a*cos(4*d*x + 4*c)
)^2 + a*sin(4*d*x + 4*c)^2 - a*cos(4*d*x + 4*c))*cos(1/2*arctan2(sin(4*d*x
+ 4*c), cos(4*d*x + 4*c))) - 4*(4*a*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4
*d*x + 4*c)))*sin(4*d*x + 4*c) + a*sin(4*d*x + 4*c))*sin(1/2*arctan2(sin(4*
d*x + 4*c), cos(4*d*x + 4*c))))*arctan2((cos(1/2*arctan2(sin(4*d*x + 4*c),
cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))
^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1)^(1/4)*sin(
1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*a
rctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1), (cos(1/2*arctan2(sin(4*d
*x + 4*c), cos(4*d*x + 4*c))))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d
*x + 4*c))))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1)
^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))
, cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1) + 1) + (a*cos(
4*d*x + 4*c)^2 + 4*(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 - 2*a*cos(4
*d*x + 4*c) + a)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + a
*sin(4*d*x + 4*c)^2 + 4*(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 + 2*a*
cos(4*d*x + 4*c) + a)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^
2 + 4*(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 - a*cos(4*d*x + 4*c))*co
s(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) - 4*(4*a*cos(1/2*arctan2
(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + a*sin(4*d*x + 4*c)
)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*arctan2((cos(1/2*ar
ctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x +
4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x
+ 4*c)))) + 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4
*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1),
(cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))^2 + sin(1/2*arctan2(s
in(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c),
cos(4*d*x + 4*c)))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x +
4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)
))) + 1) - 1))*sqrt(a)*B/(4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*
cos(4*d*x + 4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^
2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*si
n(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 +
4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arc
tan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1
/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + sin(4*d*
x + 4*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))))/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{3/2}}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/(1/cos(c + d*x))^(3/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(3/2))/(1/cos(c + d*x))^(3/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(3/2),x)
```

[Out] Timed out

$$3.510 \quad \int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^{15/2}(c+dx) dx$$

Optimal. Leaf size=322

$$\frac{2a^3(280A + 299B) \sin(c + dx) \sec^{9/2}(c + dx)}{1287d\sqrt{a \cos(c + dx) + a}} + \frac{2a^3(4184A + 4615B) \sin(c + dx) \sec^{7/2}(c + dx)}{9009d\sqrt{a \cos(c + dx) + a}} + \frac{4a^3(4184A + 4615B) \sin(c + dx) \sec^{5/2}(c + dx)}{15015d\sqrt{a \cos(c + dx) + a}}$$

[Out] $2/13*a*A*(a+a*\cos(d*x+c))^{3/2}*sec(d*x+c)^{13/2}*\sin(d*x+c)/d+16/45045*a^3*(4184*A+4615*B)*sec(d*x+c)^{3/2}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+4/15015*a^3*(4184*A+4615*B)*sec(d*x+c)^{5/2}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+2/9009*a^3*(4184*A+4615*B)*sec(d*x+c)^{7/2}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+2/1287*a^3*(280*A+299*B)*sec(d*x+c)^{9/2}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+2/143*a^2*(16*A+13*B)*sec(d*x+c)^{11/2}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{1/2}/d+32/45045*a^3*(4184*A+4615*B)*\sin(d*x+c)*sec(d*x+c)^{1/2}/d/(a+a*\cos(d*x+c))^{1/2}$

Rubi [A] time = 0.94, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(16A + 13B) \sin(c + dx) \sec^{11/2}(c + dx) \sqrt{a \cos(c + dx) + a}}{143d} + \frac{2a^3(280A + 299B) \sin(c + dx) \sec^{9/2}(c + dx)}{1287d\sqrt{a \cos(c + dx) + a}} + \frac{4a^3(4184A + 4615B) \sin(c + dx) \sec^{7/2}(c + dx)}{9009d\sqrt{a \cos(c + dx) + a}} + \frac{2a^3(4184A + 4615B) \sin(c + dx) \sec^{5/2}(c + dx)}{15015d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(15/2), x]

[Out] $(32*a^3*(4184*A + 4615*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(45045*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (16*a^3*(4184*A + 4615*B)*\text{Sec}[c + d*x]^{3/2}*\text{Sin}[c + d*x])/(45045*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (4*a^3*(4184*A + 4615*B)*\text{Sec}[c + d*x]^{5/2}*\text{Sin}[c + d*x])/(15015*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^3*(4184*A + 4615*B)*\text{Sec}[c + d*x]^{7/2}*\text{Sin}[c + d*x])/(9009*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^3*(280*A + 299*B)*\text{Sec}[c + d*x]^{9/2}*\text{Sin}[c + d*x])/(1287*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(16*A + 13*B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{11/2}*\text{Sin}[c + d*x])/(143*d) + (2*a*A*(a + a*\text{Cos}[c + d*x])^{3/2}*\text{Sec}[c + d*x]^{13/2}*\text{Sin}[c + d*x])/(13*d)$

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis

$\text{t}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2975

$\text{Int}[(a_ + (b_)*\text{sin}[(e_ + (f_)*(x_)]))^m*((A_ + (B_)*\text{sin}[(e_ + (f_)*(x_)]))^n), x_Symbol] :> -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1}*\text{Simp}[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*\text{Sin}[e + f*x], x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2980

$\text{Int}[\text{Sqrt}[(a_ + (b_)*\text{sin}[(e_ + (f_)*(x_)]))*(A_ + (B_)*\text{sin}[(e_ + (f_)*(x_)]))^n), x_Symbol] :> -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n+1)*(b*c + a*d)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rubi steps

$$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{15/2}(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{15/2}(c + dx) dx}{\cos(c + dx)}$$

$$= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^{13/2}(c + dx) \sin(c + dx)}{13d}$$

$$= \frac{2a^2(16A + 13B)\sqrt{a + a \cos(c + dx)} \sec^{11/2}(c + dx)}{143d}$$

$$= \frac{2a^3(280A + 299B) \sec^2(c + dx) \sin(c + dx)}{1287d\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(4184A + 4615B) \sec^2(c + dx) \sin(c + dx)}{9009d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{4a^3(4184A + 4615B) \sec^2(c + dx) \sin(c + dx)}{15015d\sqrt{a + a \cos(c + dx)}} + \frac{16a^3(4184A + 4615B) \sec^2(c + dx) \sin(c + dx)}{45045d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{32a^3(4184A + 4615B)\sqrt{\sec(c + dx)} \sin(c + dx)}{45045d\sqrt{a + a \cos(c + dx)}} + \dots$$

Mathematica [A] time = 0.91, size = 171, normalized size = 0.53

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{13}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)} (35(5552A + 5083B) \cos(c + dx) + 14(15167A + 15925B))}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(15/2), x]

[Out] (a^2*sqrt[a*(1 + Cos[c + d*x])]*(171806*A + 162955*B + 35*(5552*A + 5083*B)*Cos[c + d*x] + 14*(15167*A + 15925*B)*Cos[2*(c + d*x)] + 62760*A*Cos[3*(c + d*x)] + 69225*B*Cos[3*(c + d*x)] + 62760*A*Cos[4*(c + d*x)] + 69225*B*Cos[4*(c + d*x)] + 8368*A*Cos[5*(c + d*x)] + 9230*B*Cos[5*(c + d*x)] + 8368*A*Cos[6*(c + d*x)] + 9230*B*Cos[6*(c + d*x)])*Sec[c + d*x]^(13/2)*Tan[(c + d*x)/2])/(90090*d)

fricas [A] time = 0.57, size = 176, normalized size = 0.55

$$\frac{2(16(4184A + 4615B)a^2 \cos(dx + c)^6 + 8(4184A + 4615B)a^2 \cos(dx + c)^5 + 6(4184A + 4615B)a^2 \cos(dx + c)^4 + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(15/2), x, algorithm="fricas")

[Out] 2/45045*(16*(4184*A + 4615*B)*a^2*cos(d*x + c)^6 + 8*(4184*A + 4615*B)*a^2*cos(d*x + c)^5 + 6*(4184*A + 4615*B)*a^2*cos(d*x + c)^4 + 5*(4184*A + 4615*B)*a^2*cos(d*x + c)^3 + 35*(523*A + 416*B)*a^2*cos(d*x + c)^2 + 315*(38*A + 13*B)*a^2*cos(d*x + c) + 3465*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c))^7 + d*cos(d*x + c)^6)*sqrt(cos(d*x + c))

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(15/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.48, size = 185, normalized size = 0.57

$$\frac{2(-1 + \cos(dx + c)) (66944A (\cos^6(dx + c)) + 73840B (\cos^6(dx + c)) + 33472A (\cos^5(dx + c)) + 36920B (\cos^5(dx + c)) + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(15/2), x)

[Out] -2/45045/d*(-1+cos(d*x+c))*(66944*A*cos(d*x+c)^6+73840*B*cos(d*x+c)^6+33472*A*cos(d*x+c)^5+36920*B*cos(d*x+c)^5+25104*A*cos(d*x+c)^4+27690*B*cos(d*x+c)^4+20920*A*cos(d*x+c)^3+23075*B*cos(d*x+c)^3+18305*A*cos(d*x+c)^2+14560*B*cos(d*x+c)^2+11970*A*cos(d*x+c)+4095*B*cos(d*x+c)+3465*A)*cos(d*x+c)*(a*(1+cos(d*x+c)))^(1/2)*(1/cos(d*x+c))^(15/2)/sin(d*x+c)*a^2

maxima [B] time = 0.53, size = 763, normalized size = 2.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(15/2),x, algorithm="maxima")

[Out]
$$\frac{8}{45045} \left(\frac{45045 \sqrt{2} a^{5/2} \sin(d*x + c)}{(\cos(d*x + c) + 1)} - 165165 \sqrt{2} a^{5/2} \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 414414 \sqrt{2} a^{5/2} \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5 - 604890 \sqrt{2} a^{5/2} \sin(d*x + c)^7 / (\cos(d*x + c) + 1)^7 + 522665 \sqrt{2} a^{5/2} \sin(d*x + c)^9 / (\cos(d*x + c) + 1)^9 - 289185 \sqrt{2} a^{5/2} \sin(d*x + c)^{11} / (\cos(d*x + c) + 1)^{11} + 88980 \sqrt{2} a^{5/2} \sin(d*x + c)^{13} / (\cos(d*x + c) + 1)^{13} - 11864 \sqrt{2} a^{5/2} \sin(d*x + c)^{15} / (\cos(d*x + c) + 1)^{15} \right) A \left(\frac{\sin(d*x + c)^2}{(\cos(d*x + c) + 1)^2 + 1} \right)^{5/2} \left(\frac{\sin(d*x + c)}{(\cos(d*x + c) + 1) + 1} \right)^{15/2} \left(-\frac{\sin(d*x + c)}{(\cos(d*x + c) + 1) + 1} \right)^{15/2} \left(\frac{5 \sin(d*x + c)^2}{(\cos(d*x + c) + 1)^2 + 10 \sin(d*x + c)^4 / (\cos(d*x + c) + 1)^4 + 10 \sin(d*x + c)^6 / (\cos(d*x + c) + 1)^6 + 5 \sin(d*x + c)^8 / (\cos(d*x + c) + 1)^8 + \sin(d*x + c)^{10} / (\cos(d*x + c) + 1)^{10} + 1} \right) + 65 \left(\frac{693 \sqrt{2} a^{5/2} \sin(d*x + c)}{(\cos(d*x + c) + 1)} - 3003 \sqrt{2} a^{5/2} \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 6930 \sqrt{2} a^{5/2} \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5 - 10098 \sqrt{2} a^{5/2} \sin(d*x + c)^7 / (\cos(d*x + c) + 1)^7 + 9053 \sqrt{2} a^{5/2} \sin(d*x + c)^9 / (\cos(d*x + c) + 1)^9 - 4875 \sqrt{2} a^{5/2} \sin(d*x + c)^{11} / (\cos(d*x + c) + 1)^{11} + 1500 \sqrt{2} a^{5/2} \sin(d*x + c)^{13} / (\cos(d*x + c) + 1)^{13} - 200 \sqrt{2} a^{5/2} \sin(d*x + c)^{15} / (\cos(d*x + c) + 1)^{15} \right) B \left(\frac{\sin(d*x + c)^2}{(\cos(d*x + c) + 1)^2 + 1} \right)^{5/2} \left(\frac{\sin(d*x + c)}{(\cos(d*x + c) + 1) + 1} \right)^{15/2} \left(-\frac{\sin(d*x + c)}{(\cos(d*x + c) + 1) + 1} \right)^{15/2} \left(\frac{5 \sin(d*x + c)^2}{(\cos(d*x + c) + 1)^2 + 10 \sin(d*x + c)^4 / (\cos(d*x + c) + 1)^4 + 10 \sin(d*x + c)^6 / (\cos(d*x + c) + 1)^6 + 5 \sin(d*x + c)^8 / (\cos(d*x + c) + 1)^8 + \sin(d*x + c)^{10} / (\cos(d*x + c) + 1)^{10} + 1} \right) \right) / d$$

mupad [B] time = 6.19, size = 789, normalized size = 2.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(15/2)*(a + a*cos(c + d*x))^(5/2),x)

[Out]
$$\left(\frac{1}{\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2} \right)^{1/2} \left(\frac{a^2(a + a(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2}}{(45045*d) - (a^2 \exp(c*5i + d*x*5i) * (a + a(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2}) * (2*A + 5*B) * 16i} / (5*d) + (a^2 \exp(c*8i + d*x*8i) * (a + a(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2}) * (2*A + 5*B) * 16i} / (5*d) + (a^2 \exp(c*6i + d*x*6i) * (a + a(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2}) * (116*A + 115*B) * 16i} / (35*d) - (a^2 \exp(c*7i + d*x*7i) * (a + a(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2}) * (116*A + 115*B) * 16i} / (35*d) + (a^2 \exp(c*4i + d*x*4i) * (a + a(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2}) * (1046*A + 1075*B) * 16i} / (315*d) - (a^2 \exp(c*9i + d*x*9i) * (a + a(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2}) * (1046*A + 1075*B) * 16i} / (315*d) + (a^2 \exp(c*2i + d*x*2i) * (a + a(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2}) * (4184*A + 4615*B) * 16i} / (3465*d) - (a^2 \exp(c*11i + d*x*11i) * (a + a(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2}) * (4184*A + 4615*B) * 16i} / (3465*d) - (a^2 \exp(c*13i + d*x*13i) * (a + a(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2}) * (4184*A + 4615*B) * 32i} / (45045*d) \right) / (\exp(c*1i + d*x*1i) + 6 \exp(c*2i + d*x*2i) + 6 \exp(c*3i + d*x*3i) + 15 \exp(c*4i + d*x*4i) + 15 \exp(c*5i + d*x*5i) + 20 \exp(c*6i + d*x*6i) + 20 \exp(c*7i + d*x*7i) + 15 \exp(c*8i + d*x*8i) + 15 \exp(c*9i + d*x*9i) + 6 \exp(c*10i + d*x*10i) + 6 \exp(c*11i + d*x*11i) + \exp(c*12i + d*x*12i) + \exp(c*13i + d*x*13i) + 1)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(15/2),x)
```

```
[Out] Timed out
```

$$3.511 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx) dx$$

Optimal. Leaf size=275

$$\frac{2a^3(194A + 209B) \sin(c + dx) \sec^{7/2}(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{2a^3(710A + 803B) \sin(c + dx) \sec^{5/2}(c + dx)}{1155d\sqrt{a \cos(c + dx) + a}} + \frac{8a^3(710A + 803B) \sin(c + dx) \sec^{3/2}(c + dx)}{3465d\sqrt{a \cos(c + dx) + a}}$$

[Out] $2/11*a*A*(a+a*\cos(d*x+c))^{3/2}*sec(d*x+c)^{11/2}*\sin(d*x+c)/d+8/3465*a^3*(710*A+803*B)*sec(d*x+c)^{3/2}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+2/1155*a^3*(710*A+803*B)*sec(d*x+c)^{5/2}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+2/693*a^3*(194*A+209*B)*sec(d*x+c)^{7/2}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+2/99*a^2*(14*A+11*B)*sec(d*x+c)^{9/2}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{1/2}/d+16/3465*a^3*(710*A+803*B)*\sin(d*x+c)*sec(d*x+c)^{1/2}/d/(a+a*\cos(d*x+c))^{1/2}$

Rubi [A] time = 0.85, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(14A + 11B) \sin(c + dx) \sec^{9/2}(c + dx) \sqrt{a \cos(c + dx) + a}}{99d} + \frac{2a^3(194A + 209B) \sin(c + dx) \sec^{7/2}(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{2a^3(710A + 803B) \sin(c + dx) \sec^{5/2}(c + dx)}{1155d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^{5/2}*(A + B*\text{Cos}[c + d*x])*Sec[c + d*x]^{13/2}, x]$

[Out] $(16*a^3*(710*A + 803*B)*\text{Sqrt}[Sec[c + d*x]]*\text{Sin}[c + d*x])/(3465*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (8*a^3*(710*A + 803*B)*Sec[c + d*x]^{3/2}*\text{Sin}[c + d*x])/(3465*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^3*(710*A + 803*B)*Sec[c + d*x]^{5/2}*\text{Sin}[c + d*x])/(1155*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^3*(194*A + 209*B)*Sec[c + d*x]^{7/2}*\text{Sin}[c + d*x])/(693*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(14*A + 11*B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*Sec[c + d*x]^{9/2}*\text{Sin}[c + d*x])/(99*d) + (2*a*A*(a + a*\text{Cos}[c + d*x])^{3/2}*Sec[c + d*x]^{11/2}*\text{Sin}[c + d*x])/(11*d)$

Rule 2771

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{3/2}, x_Symbol] \rightarrow \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

Rule 2772

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{n_}, x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{n+1})/(f*(n+1)*(c^2 - d^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(2*n+3)*(b*c - a*d)/(2*b*(n+1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{n+1}, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{NeQ}[2*n + 3, 0] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2961

$\text{Int}[(\text{csc}[(e_) + (f_)*(x_)]*(g_))^{p_}*((a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{m_}, x_Symbol] \rightarrow \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^m, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n/(g*\text{Sin}[e + f*x])^p, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, g,$

$m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2975

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_)]))^m * ((A_ + (B_)*\sin[(e_ + (f_)*(x_)])) * ((c_ + (d_)*\sin[(e_ + (f_)*(x_)]))^n), x_Symbol] \> -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1}*\text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \|\| \text{EqQ}[c, 0])$

Rule 2980

$\text{Int}[\text{Sqrt}[a_ + (b_)*\sin[(e_ + (f_)*(x_)])] * ((A_ + (B_)*\sin[(e_ + (f_)*(x_)])) * ((c_ + (d_)*\sin[(e_ + (f_)*(x_)]))^n), x_Symbol] \> -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1)))/(2*d*(n+1)*(b*c + a*d)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^{11/2}(c + dx) \sin(c + dx)}{11d} \\ &= \frac{2a^2(14A + 11B)\sqrt{a + a \cos(c + dx)} \sec^9(c + dx) \sin(c + dx)}{99d} \\ &= \frac{2a^3(194A + 209B) \sec^7(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \\ &= \frac{2a^3(710A + 803B) \sec^5(c + dx) \sin(c + dx)}{1155d\sqrt{a + a \cos(c + dx)}} + \\ &= \frac{8a^3(710A + 803B) \sec^3(c + dx) \sin(c + dx)}{3465d\sqrt{a + a \cos(c + dx)}} + \\ &= \frac{16a^3(710A + 803B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3465d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 1.27, size = 147, normalized size = 0.53

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{11/2}(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((25070A + 24827B) \cos(c + dx) + (9230A + 9284B) \cos^2(c + dx))}{3465d\sqrt{a + a \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*cos[c + d*x])^(5/2)*(A + B*cos[c + d*x])*Sec[c + d*x]^(13/2),x]

[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(9070*A + 7678*B + (25070*A + 24827*B)*Cos[c + d*x] + (9230*A + 9284*B)*Cos[2*(c + d*x)] + 9230*A*cos[3*(c + d*x)] + 10439*B*cos[3*(c + d*x)] + 1420*A*cos[4*(c + d*x)] + 1606*B*cos[4*(c + d*x)] + 1420*A*cos[5*(c + d*x)] + 1606*B*cos[5*(c + d*x)])*Sec[c + d*x]^(11/2)*Tan[(c + d*x)/2])/(6930*d)

fricas [A] time = 0.69, size = 156, normalized size = 0.57

$$\frac{2 \left(8 (710 A + 803 B) a^2 \cos(dx + c)^5 + 4 (710 A + 803 B) a^2 \cos(dx + c)^4 + 3 (710 A + 803 B) a^2 \cos(dx + c)^3 + 5 (355 A + 286 B) a^2 \cos(dx + c)^2 + 35 (32 A + 11 B) a^2 \cos(dx + c) + 315 A a^2 \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{3465 (d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2),x, algorithm="fricas")

[Out] 2/3465*(8*(710*A + 803*B)*a^2*cos(d*x + c)^5 + 4*(710*A + 803*B)*a^2*cos(d*x + c)^4 + 3*(710*A + 803*B)*a^2*cos(d*x + c)^3 + 5*(355*A + 286*B)*a^2*cos(d*x + c)^2 + 35*(32*A + 11*B)*a^2*cos(d*x + c) + 315*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c)^6 + d*cos(d*x + c)^5)*sqrt(cos(d*x + c)))

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.46, size = 163, normalized size = 0.59

$$\frac{2(-1 + \cos(dx + c)) \left(5680A \cos^5(dx + c) + 6424B \cos^5(dx + c) + 2840A \cos^4(dx + c) + 3212B \cos^4(dx + c) + 2130A \cos^3(dx + c) + 2409B \cos^3(dx + c) + 1775A \cos^2(dx + c) + 1430B \cos^2(dx + c) + 1120A \cos(dx + c) + 385B \cos(dx + c) + 315A \right) \sqrt{a(1 + \cos(dx + c))} \sin(dx + c)}{3465(d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2),x)

[Out] -2/3465/d*(-1+cos(d*x+c))*(5680*A*cos(d*x+c)^5+6424*B*cos(d*x+c)^5+2840*A*cos(d*x+c)^4+3212*B*cos(d*x+c)^4+2130*A*cos(d*x+c)^3+2409*B*cos(d*x+c)^3+1775*A*cos(d*x+c)^2+1430*B*cos(d*x+c)^2+1120*A*cos(d*x+c)+385*B*cos(d*x+c)+315*A)*cos(d*x+c)*(a*(1+cos(d*x+c)))^(1/2)*(1/cos(d*x+c))^(13/2)/sin(d*x+c)*a^2

maxima [B] time = 0.52, size = 672, normalized size = 2.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2),x, algorithm="maxima")

[Out] 8/3465*(5*(693*sqrt(2)*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 2310*sqrt(2)*a^(5/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 4620*sqrt(2)*a^(5/2)*sin(d

$$\begin{aligned} & *x + c)^5 / (\cos(dx + c) + 1)^5 - 5478\sqrt{2} * a^{(5/2)} * \sin(dx + c)^7 / (\cos(dx \\ & *x + c) + 1)^7 + 3575\sqrt{2} * a^{(5/2)} * \sin(dx + c)^9 / (\cos(dx + c) + 1)^9 - \\ & 1300\sqrt{2} * a^{(5/2)} * \sin(dx + c)^{11} / (\cos(dx + c) + 1)^{11} + 200\sqrt{2} * a \\ & ^{(5/2)} * \sin(dx + c)^{13} / (\cos(dx + c) + 1)^{13} * A * (\sin(dx + c)^2 / (\cos(dx + \\ & c) + 1)^2 + 1)^4 / ((\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{(13/2)} * (-\sin(dx + \\ & c) / (\cos(dx + c) + 1) + 1)^{(13/2)} * (4 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + \\ & 6 * \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + 4 * \sin(dx + c)^6 / (\cos(dx + c) + 1) \\ & ^6 + \sin(dx + c)^8 / (\cos(dx + c) + 1)^8 + 1)) + 11 * (315\sqrt{2} * a^{(5/2)} * \sin \\ & (dx + c) / (\cos(dx + c) + 1) - 1260\sqrt{2} * a^{(5/2)} * \sin(dx + c)^3 / (\cos(dx \\ & x + c) + 1)^3 + 2394\sqrt{2} * a^{(5/2)} * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 - \\ & 2736\sqrt{2} * a^{(5/2)} * \sin(dx + c)^7 / (\cos(dx + c) + 1)^7 + 1859\sqrt{2} * a^{(\\ & 5/2)} * \sin(dx + c)^9 / (\cos(dx + c) + 1)^9 - 676\sqrt{2} * a^{(5/2)} * \sin(dx + c) \\ & ^{11} / (\cos(dx + c) + 1)^{11} + 104\sqrt{2} * a^{(5/2)} * \sin(dx + c)^{13} / (\cos(dx + \\ & c) + 1)^{13} * B * (\sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 1)^4 / ((\sin(dx + c) / (\cos \\ & (dx + c) + 1) + 1)^{(13/2)} * (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{(13/2)} * \\ & (4 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 6 * \sin(dx + c)^4 / (\cos(dx + c) + 1) \\ &)^4 + 4 * \sin(dx + c)^6 / (\cos(dx + c) + 1)^6 + \sin(dx + c)^8 / (\cos(dx + c) \\ & + 1)^8 + 1)) / d \end{aligned}$$

mupad [B] time = 5.81, size = 751, normalized size = 2.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(13/2)*(a + a*cos(c + d*x))^(5/2), x)

[Out]
$$\begin{aligned} & ((1/(\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * ((a^2 * (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * (710*A + 803*B)*16i) / (3465*d) - (B*a^2 * \exp(c*3i + d*x*3i) * (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * 8i) / (3*d) + (B*a^2 * \exp(c*8i + d*x*8i) * (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * 8i) / (3*d) - (a^2 * \exp(c*5i + d*x*5i) * (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * (30*A + 41*B)*8i) / (15*d) + (a^2 * \exp(c*6i + d*x*6i) * (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * (30*A + 41*B)*8i) / (15*d) + (a^2 * \exp(c*4i + d*x*4i) * (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * (160*A + 157*B)*8i) / (35*d) - (a^2 * \exp(c*7i + d*x*7i) * (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * (160*A + 157*B)*8i) / (35*d) + (a^2 * \exp(c*2i + d*x*2i) * (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * (710*A + 803*B)*8i) / (315*d) - (a^2 * \exp(c*9i + d*x*9i) * (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * (710*A + 803*B)*8i) / (315*d) - (a^2 * \exp(c*11i + d*x*11i) * (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{(1/2)} * (710*A + 803*B)*16i) / (3465*d))) / (\exp(c*1i + d*x*1i) + 5 * \exp(c*2i + d*x*2i) + 5 * \exp(c*3i + d*x*3i) + 10 * \exp(c*4i + d*x*4i) + 10 * \exp(c*5i + d*x*5i) + 10 * \exp(c*6i + d*x*6i) + 10 * \exp(c*7i + d*x*7i) + 5 * \exp(c*8i + d*x*8i) + 5 * \exp(c*9i + d*x*9i) + \exp(c*10i + d*x*10i) + \exp(c*11i + d*x*11i) + 1) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(13/2), x)

[Out] Timed out

$$3.512 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx$$

Optimal. Leaf size=228

$$\frac{2a^3(124A + 135B) \sin(c + dx) \sec^{5/2}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}} + \frac{2a^3(292A + 345B) \sin(c + dx) \sec^{3/2}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}} + \frac{4a^3(292A + 345B) \sin(c + dx) \sec^{1/2}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

[Out] $2/9*a*A*(a+a*\cos(d*x+c))^{3/2}*sec(d*x+c)^{9/2}*\sin(d*x+c)/d+2/315*a^3*(292*A+345*B)*sec(d*x+c)^{3/2}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+2/315*a^3*(124*A+135*B)*sec(d*x+c)^{5/2}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+2/21*a^2*(4*A+3*B)*sec(d*x+c)^{7/2}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{1/2}/d+4/315*a^3*(292*A+345*B)*\sin(d*x+c)*sec(d*x+c)^{1/2}/d/(a+a*\cos(d*x+c))^{1/2}$

Rubi [A] time = 0.77, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(4A + 3B) \sin(c + dx) \sec^{7/2}(c + dx) \sqrt{a \cos(c + dx) + a}}{21d} + \frac{2a^3(124A + 135B) \sin(c + dx) \sec^{5/2}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}} + \frac{2a^3(292A + 345B) \sin(c + dx) \sec^{3/2}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]

[Out] $(4*a^3*(292*A + 345*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^3*(292*A + 345*B)*\text{Sec}[c + d*x]^{3/2}*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^3*(124*A + 135*B)*\text{Sec}[c + d*x]^{5/2}*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*(4*A + 3*B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{7/2}*\text{Sin}[c + d*x])/(21*d) + (2*a*A*(a + a*\text{Cos}[c + d*x])^{3/2}*\text{Sec}[c + d*x]^{9/2}*\text{Sin}[c + d*x])/(9*d)$

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] :> Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2975

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c +
a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2980

```
Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (
f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Sim
p[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*
(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c
- 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(
c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &
& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^{9/2}(c + dx) \sin(c + dx)}{9d} \\
&= \frac{2a^2(4A + 3B)\sqrt{a + a \cos(c + dx)} \sec^{7/2}(c + dx)}{21d} \\
&= \frac{2a^3(124A + 135B) \sec^{5/2}(c + dx) \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \\
&= \frac{2a^3(292A + 345B) \sec^{3/2}(c + dx) \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \\
&= \frac{4a^3(292A + 345B)\sqrt{\sec(c + dx)} \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} +
\end{aligned}$$

Mathematica [A] time = 0.95, size = 126, normalized size = 0.55

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{9/2}(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((1396A + 1215B) \cos(c + dx) + 2(803A + 870B) \cos(2(c + dx)))}{315d\sqrt{a + a \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(1454*A + 1395*B + (1396*A + 1215*B)*Cos[c + d*x] + 2*(803*A + 870*B)*Cos[2*(c + d*x)] + 292*A*Cos[3*(c + d*x)] + 345*
```

$B \cos[3(c + dx)] + 292A \cos[4(c + dx)] + 345B \cos[4(c + dx)] \sec[c + dx]^{9/2} \tan[(c + dx)/2] / (630d)$

fricas [A] time = 0.75, size = 135, normalized size = 0.59

$$\frac{2 \left(2(292A + 345B)a^2 \cos(dx + c)^4 + (292A + 345B)a^2 \cos(dx + c)^3 + 3(73A + 60B)a^2 \cos(dx + c)^2 + 5(26A + 9B)a^2 \cos(dx + c) + 35Aa^2 \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c) / \left((d \cos(dx + c)^5 + d \cos(dx + c)^4) \sqrt{\cos(dx + c)} \right)}{315 \left(d \cos(dx + c)^5 + d \cos(dx + c)^4 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(11/2),x, algorithm="fricas")

[Out] $\frac{2}{315} \left(2(292A + 345B)a^2 \cos(dx + c)^4 + (292A + 345B)a^2 \cos(dx + c)^3 + 3(73A + 60B)a^2 \cos(dx + c)^2 + 5(26A + 9B)a^2 \cos(dx + c) + 35Aa^2 \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c) / \left((d \cos(dx + c)^5 + d \cos(dx + c)^4) \sqrt{\cos(dx + c)} \right)$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(11/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.40, size = 141, normalized size = 0.62

$$\frac{2(-1 + \cos(dx + c)) \left(584A \left(\cos^4(dx + c) \right) + 690B \left(\cos^4(dx + c) \right) + 292A \left(\cos^3(dx + c) \right) + 345B \left(\cos^3(dx + c) \right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(11/2),x)

[Out] $\frac{-2}{315d} \frac{(-1 + \cos(dx + c)) \left(584A \cos(dx + c)^4 + 690B \cos(dx + c)^4 + 292A \cos(dx + c)^3 + 345B \cos(dx + c)^3 + 219A \cos(dx + c)^2 + 180B \cos(dx + c)^2 + 130A \cos(dx + c) + 45B \cos(dx + c) + 35A \right) \cos(dx + c) \left(a(1 + \cos(dx + c)) \right)^{1/2} \left(1 / \cos(dx + c) \right)^{11/2}}{\sin(dx + c) a^2}$

maxima [B] time = 0.50, size = 579, normalized size = 2.54

$$8 \left(\frac{\left(\frac{315 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{945 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{1449 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{1287 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{572 \sqrt{2} a^2 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} - \frac{104 \sqrt{2} a^2 \sin(dx+c)^{11}}{(\cos(dx+c)+1)^{11}} \right) A \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{11/2} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{11/2} \left(\frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(11/2),x, algorithm="maxima")

[Out] $\frac{8}{315} \left(\left(\frac{315 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{945 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{1449 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{1287 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{572 \sqrt{2} a^2 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} - \frac{104 \sqrt{2} a^2 \sin(dx+c)^{11}}{(\cos(dx+c)+1)^{11}} \right) A \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right) \right) / \left(\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{11/2} \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{11/2} \left(\frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right) \right)$


```

os(d*x + c) + 1)^2 + 1)^3/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(-s
in(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(3*sin(d*x + c)^2/(cos(d*x + c)
+ 1)^2 + 3*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + sin(d*x + c)^6/(cos(d*x +
c) + 1)^6 + 1)) + 15*(21*sqrt(2)*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) -
77*sqrt(2)*a^(5/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 119*sqrt(2)*a^(5/2
)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 99*sqrt(2)*a^(5/2)*sin(d*x + c)^7/(
cos(d*x + c) + 1)^7 + 44*sqrt(2)*a^(5/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^
9 - 8*sqrt(2)*a^(5/2)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11)*B*(sin(d*x + c
)^2/(cos(d*x + c) + 1)^2 + 1)^3/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/
2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(3*sin(d*x + c)^2/(cos(d*x
+ c) + 1)^2 + 3*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + sin(d*x + c)^6/(cos(
d*x + c) + 1)^6 + 1)))/d

```

mupad [B] time = 5.73, size = 617, normalized size = 2.71

$$\sqrt{\frac{1}{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}}} \left(\frac{a^2 \sqrt{a+a \left(\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2} \right)} (292A+345B)4i}{315d} - \frac{a^2 e^{c3i+dx3i} \sqrt{a+a \left(\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2} \right)} (2A+5B)4i}{3d} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(11/2)*(a + a*cos(c + d*x))^(5/2),x)
```

```
[Out] ((1/(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2))*((a^2*(a + a*(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(292*A + 345*B)*4i)/(315*d) - (a^2*exp(c*3i + d*x*3i)*(a + a*(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(2*A + 5*B)*4i)/(3*d) + (a^2*exp(c*6i + d*x*6i)*(a + a*(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(2*A + 5*B)*4i)/(3*d) + (a^2*exp(c*4i + d*x*4i)*(a + a*(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(24*A + 25*B)*4i)/(5*d) - (a^2*exp(c*5i + d*x*5i)*(a + a*(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(24*A + 25*B)*4i)/(5*d) + (a^2*exp(c*2i + d*x*2i)*(a + a*(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(146*A + 155*B)*4i)/(35*d) - (a^2*exp(c*7i + d*x*7i)*(a + a*(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(146*A + 155*B)*4i)/(35*d) - (a^2*exp(c*9i + d*x*9i)*(a + a*(exp(-c*1i - d*x*1i)/2 + exp(c*1i + d*x*1i)/2))^(1/2)*(292*A + 345*B)*4i)/(315*d)))/(exp(c*1i + d*x*1i) + 4*exp(c*2i + d*x*2i) + 4*exp(c*3i + d*x*3i) + 6*exp(c*4i + d*x*4i) + 6*exp(c*5i + d*x*5i) + 4*exp(c*6i + d*x*6i) + 4*exp(c*7i + d*x*7i) + exp(c*8i + d*x*8i) + exp(c*9i + d*x*9i) + 1)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

$$3.513 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=181

$$\frac{2a^3(10A + 11B) \sin(c + dx) \sec^3(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^3(230A + 301B) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(10A + 7B) \sin(c + dx)}{35d}$$

[Out] $2/7*a*A*(a+a*\cos(d*x+c))^{3/2}*sec(d*x+c)^{7/2}*sin(d*x+c)/d+2/15*a^3*(10*A+11*B)*sec(d*x+c)^{3/2}*sin(d*x+c)/d/(a+a*\cos(d*x+c))^{1/2}+2/35*a^2*(10*A+7*B)*sec(d*x+c)^{5/2}*sin(d*x+c)*(a+a*\cos(d*x+c))^{1/2}/d+2/105*a^3*(230*A+301*B)*sin(d*x+c)*sec(d*x+c)^{1/2}/d/(a+a*\cos(d*x+c))^{1/2}$

Rubi [A] time = 0.68, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2961, 2975, 2980, 2771}

$$\frac{2a^2(10A + 7B) \sin(c + dx) \sec^5(c + dx) \sqrt{a \cos(c + dx) + a}}{35d} + \frac{2a^3(10A + 11B) \sin(c + dx) \sec^3(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^3(230A + 301B) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]

[Out] $(2*a^3*(230*A + 301*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a^3*(10*A + 11*B)*Sec[c + d*x]^{3/2}*Sin[c + d*x])/(15*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(10*A + 7*B)*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^{5/2}*Sin[c + d*x])/(35*d) + (2*a*A*(a + a*Cos[c + d*x])^{3/2}*Sec[c + d*x]^{7/2}*Sin[c + d*x])/(7*d)$

Rule 2771

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2975

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(b*c + a*d)), x] - Dist[b/(d*(n+1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1)*Simp[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2980

```
Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]*((A_) + (B_.)*sin[(e_) + (f_.)*(x_)])*((c_) + (d_.)*sin[(e_) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] & & NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{7/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx}{7d}$$

$$= \frac{2a^2(10A + 7B)\sqrt{a + a \cos(c + dx)} \sec^2(c + dx)}{35d}$$

$$= \frac{2a^3(10A + 11B) \sec^3(c + dx) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(230A + 301B)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} +$$

Mathematica [A] time = 0.70, size = 104, normalized size = 0.57

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((930A + 987B) \cos(c + dx) + 2(115A + 98B) \cos(2(c + dx)))}{210d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(290*A + 196*B + (930*A + 987*B)*Cos[c + d*x] + 2*(115*A + 98*B)*Cos[2*(c + d*x)] + 230*A*Cos[3*(c + d*x)] + 301*B*Cos[3*(c + d*x)])*Sec[c + d*x]^(7/2)*Tan[(c + d*x)/2])/(210*d)
```

fricas [A] time = 0.57, size = 114, normalized size = 0.63

$$\frac{2 \left((230A + 301B)a^2 \cos(dx + c)^3 + (115A + 98B)a^2 \cos(dx + c)^2 + 3(20A + 7B)a^2 \cos(dx + c) + 15Aa^2 \right)}{105 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2), x, algorith="fricas")
```

```
[Out] 2/105*((230*A + 301*B)*a^2*cos(d*x + c)^3 + (115*A + 98*B)*a^2*cos(d*x + c)^2 + 3*(20*A + 7*B)*a^2*cos(d*x + c) + 15*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c)^4 + d*cos(d*x + c)^3)*sqrt(cos(d*x + c)))
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.35, size = 119, normalized size = 0.66

$$\frac{2(-1 + \cos(dx + c)) \left(230A \left(\cos^3(dx + c) \right) + 301B \left(\cos^3(dx + c) \right) + 115A \left(\cos^2(dx + c) \right) + 98B \left(\cos^2(dx + c) \right) \right)}{105d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x)

[Out] -2/105/d*(-1+cos(d*x+c))*(230*A*cos(d*x+c)^3+301*B*cos(d*x+c)^3+115*A*cos(d*x+c)^2+98*B*cos(d*x+c)^2+60*A*cos(d*x+c)+21*B*cos(d*x+c)+15*A)*cos(d*x+c)*(a*(1+cos(d*x+c)))^(1/2)*(1/cos(d*x+c))^(9/2)/sin(d*x+c)*a^2

maxima [B] time = 0.51, size = 488, normalized size = 2.70

$$8 \frac{\left(5 \left(\frac{21 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{56 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{36 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{8 \sqrt{2} a^2 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} \right) A \left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2 + \frac{15 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} \right)}{\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^2 \left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^2 \left(\frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)} + \frac{7 \left(\frac{15 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} \right)}{105d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm="maxima")

[Out] 8/105*(5*(21*sqrt(2)*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 56*sqrt(2)*a^(5/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 63*sqrt(2)*a^(5/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 36*sqrt(2)*a^(5/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 8*sqrt(2)*a^(5/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9)*A*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^2/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(9/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(9/2)*(2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 1)) + 7*(15*sqrt(2)*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 50*sqrt(2)*a^(5/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 63*sqrt(2)*a^(5/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 36*sqrt(2)*a^(5/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 8*sqrt(2)*a^(5/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9)*B*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^2/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(9/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(9/2)*(2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 1)))/d

mupad [B] time = 5.00, size = 579, normalized size = 3.20

$$\sqrt{\frac{1}{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}}} \left(\frac{a^2 \sqrt{a+a \left(\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2} \right)} (230A+301B) 2i}{105d} - \frac{B a^2 e^{c1i+dx1i} \sqrt{a+a \left(\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2} \right)} 2i}{d} + \frac{B a^2 e^{c6i+dx1i}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B\cos(c + dx)) \cdot (1/\cos(c + dx))^{9/2} \cdot (a + a\cos(c + dx))^{5/2}, x)$

[Out] $((1/(\exp(-c \cdot i - d \cdot x \cdot i)/2 + \exp(c \cdot i + d \cdot x \cdot i)/2))^{1/2} \cdot ((a^2 \cdot (a + a \cdot (\exp(-c \cdot i - d \cdot x \cdot i)/2 + \exp(c \cdot i + d \cdot x \cdot i)/2))^{1/2} \cdot (230 \cdot A + 301 \cdot B) \cdot 2i) / (105 \cdot d) - (B \cdot a^2 \cdot \exp(c \cdot i + d \cdot x \cdot i) \cdot (a + a \cdot (\exp(-c \cdot i - d \cdot x \cdot i)/2 + \exp(c \cdot i + d \cdot x \cdot i)/2))^{1/2} \cdot 2i) / d + (B \cdot a^2 \cdot \exp(c \cdot 6i + d \cdot x \cdot 6i) \cdot (a + a \cdot (\exp(-c \cdot i - d \cdot x \cdot i)/2 + \exp(c \cdot i + d \cdot x \cdot i)/2))^{1/2} \cdot 2i) / d - (a^2 \cdot \exp(c \cdot 3i + d \cdot x \cdot 3i) \cdot (a + a \cdot (\exp(-c \cdot i - d \cdot x \cdot i)/2 + \exp(c \cdot i + d \cdot x \cdot i)/2))^{1/2} \cdot (10 \cdot A + 17 \cdot B) \cdot 2i) / (3 \cdot d) + (a^2 \cdot \exp(c \cdot 4i + d \cdot x \cdot 4i) \cdot (a + a \cdot (\exp(-c \cdot i - d \cdot x \cdot i)/2 + \exp(c \cdot i + d \cdot x \cdot i)/2))^{1/2} \cdot (10 \cdot A + 17 \cdot B) \cdot 2i) / (3 \cdot d) + (a^2 \cdot \exp(c \cdot 2i + d \cdot x \cdot 2i) \cdot (a + a \cdot (\exp(-c \cdot i - d \cdot x \cdot i)/2 + \exp(c \cdot i + d \cdot x \cdot i)/2))^{1/2} \cdot (100 \cdot A + 113 \cdot B) \cdot 2i) / (15 \cdot d) - (a^2 \cdot \exp(c \cdot 5i + d \cdot x \cdot 5i) \cdot (a + a \cdot (\exp(-c \cdot i - d \cdot x \cdot i)/2 + \exp(c \cdot i + d \cdot x \cdot i)/2))^{1/2} \cdot (100 \cdot A + 113 \cdot B) \cdot 2i) / (15 \cdot d) - (a^2 \cdot \exp(c \cdot 7i + d \cdot x \cdot 7i) \cdot (a + a \cdot (\exp(-c \cdot i - d \cdot x \cdot i)/2 + \exp(c \cdot i + d \cdot x \cdot i)/2))^{1/2} \cdot (230 \cdot A + 301 \cdot B) \cdot 2i) / (105 \cdot d)) / (\exp(c \cdot i + d \cdot x \cdot i) + 3 \cdot \exp(c \cdot 2i + d \cdot x \cdot 2i) + 3 \cdot \exp(c \cdot 3i + d \cdot x \cdot 3i) + 3 \cdot \exp(c \cdot 4i + d \cdot x \cdot 4i) + 3 \cdot \exp(c \cdot 5i + d \cdot x \cdot 5i) + \exp(c \cdot 6i + d \cdot x \cdot 6i) + \exp(c \cdot 7i + d \cdot x \cdot 7i) + 1)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a + a \cdot \cos(dx + c))^{5/2} \cdot (A + B \cdot \cos(dx + c)) \cdot \sec(dx + c)^{9/2}, x)$

[Out] Timed out

$$3.514 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=192

$$\frac{2a^{5/2}B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} + \frac{2a^3(32A+35B)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d\sqrt{a\cos(c+dx)+a}} + \frac{2a^2(8A+5B)\sin(c+dx)\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}}{15d}$$

[Out] $2/5*a*A*(a+a*\cos(d*x+c))^{3/2}*sec(d*x+c)^{5/2}*sin(d*x+c)/d+2/15*a^2*(8*A+5*B)*sec(d*x+c)^{3/2}*sin(d*x+c)*(a+a*\cos(d*x+c))^{1/2}/d+2*a^{5/2}*B*arcsin(\sin(d*x+c)*a^{1/2}/(a+a*\cos(d*x+c))^{1/2})*\cos(d*x+c)^{1/2}*sec(d*x+c)^{1/2}/d+2/15*a^3*(32*A+35*B)*sin(d*x+c)*sec(d*x+c)^{1/2}/d/(a+a*\cos(d*x+c))^{1/2}$

Rubi [A] time = 0.62, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2975, 2980, 2774, 216}

$$\frac{2a^2(8A+5B)\sin(c+dx)\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}}{15d} + \frac{2a^3(32A+35B)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d\sqrt{a\cos(c+dx)+a}} + \frac{2a^{5/2}B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]

[Out] $(2*a^{5/2}*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/d + (2*a^3*(32*A + 35*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(8*A + 5*B)*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^{3/2}*Sin[c + d*x])/(15*d) + (2*a*A*(a + a*Cos[c + d*x])^{3/2}*Sec[c + d*x]^{5/2}*Sin[c + d*x])/(5*d)$

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !IntegerQ[m] && IntegerQ[n]

Rule 2975

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(p_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-1)*(c + d*Sin[e + f*x])^(n+1))/(d*f*(n+1)*(b*c + a*d)), x] - Dist[b/(d*(n+1)*(b*c + a

```
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Sim
p[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*
(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c
- 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(
c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &
& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{7/2}(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{7/2}(c + dx)}{dx} dx$$

$$= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^{5/2}(c + dx) \sin(c + dx)}{5d}$$

$$= \frac{2a^2(8A + 5B)\sqrt{a + a \cos(c + dx)} \sec^{3/2}(c + dx) \sin(c + dx)}{15d}$$

$$= \frac{2a^3(32A + 35B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

Mathematica [A] time = 0.84, size = 130, normalized size = 0.68

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^{5/2}(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (2(14A + 5B) \cos(c + dx) + (43A + 40B))\right)}{30d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^(5/2)*(30*Sqr
t[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(5/2) + 2*(49*A + 40*B
+ 2*(14*A + 5*B)*Cos[c + d*x] + (43*A + 40*B)*Cos[2*(c + d*x)])*Sin[(c + d
*x)/2]))/(30*d)
```

fricas [A] time = 0.65, size = 162, normalized size = 0.84

$$\frac{2 \left(15 (B a^2 \cos(dx+c)^3 + B a^2 \cos(dx+c)^2) \sqrt{a} \arctan \left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{((43 A+40 B) a^2 \cos(dx+c)^2 + (14 A+5 B) a^2 \cos(dx+c)) \sqrt{a} \arctan \left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right)}{15 (d \cos(dx+c)^3 + d \cos(dx+c)^2)} \right)}{15 (d \cos(dx+c)^3 + d \cos(dx+c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] -2/15*(15*(B*a^2*cos(d*x + c)^3 + B*a^2*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - ((43*A + 40*B)*a^2*cos(d*x + c)^2 + (14*A + 5*B)*a^2*cos(d*x + c) + 3*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.46, size = 389, normalized size = 2.03

$$2 \left(15B (\cos^3(dx+c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \arctan \left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) + 45B (\cos^2(dx+c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \arctan \left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x)

[Out] 2/15/d*(15*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+45*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+15*B*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+43*A*cos(d*x+c)^2*sin(d*x+c)+40*B*sin(d*x+c)*cos(d*x+c)^2+14*A*cos(d*x+c)*sin(d*x+c)+5*B*cos(d*x+c)*sin(d*x+c)+3*A*sin(d*x+c))*cos(d*x+c)*(1/cos(d*x+c))^(7/2)*(a*(1+cos(d*x+c)))^(1/2)*sin(d*x+c)^4/(-1+cos(d*x+c))^2/(1+cos(d*x+c))^3*a^2

maxima [B] time = 0.76, size = 1713, normalized size = 8.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] 1/30*(5*(10*sqrt(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)*a^(5/2)*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 3*((a^2*cos(2*d*x + 2*c))^2 + a^2*sin(2*d*x + 2*c))^2 + 2*a^2*cos(2*d*x + 2*c)

) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))), sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a + 2*((3*a^2*sin(4*d*x + 4*c) + 7*a^2*sin(2*d*x + 2*c) - 4*(3*a^2*sin(4*d*x + 4*c) + 7*a^2*sin(2*d*x + 2*c)))*cos(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 4*(3*a^2*cos(4*d*x + 4*c) + 7*a^2*cos(2*d*x + 2*c) + 4*a^2)*sin(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*cos(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - (3*a^2*cos(4*d*x + 4*c) + 7*a^2*cos(2*d*x + 2*c) + 4*a^2)*cos(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 4*(3*a^2*sin(4*d*x + 4*c) + 7*a^2*sin(2*d*x + 2*c))*sin(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 15*(a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sqrt(a))*B/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(5/4) + 16*(15*sqrt(2)*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sqrt(2)*a^(5/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 28*sqrt(2)*a^(5/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 8*sqrt(2)*a^(5/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)*A/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{7/2} (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^(5/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

$$3.515 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=193

$$\frac{a^{5/2}(2A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c + dx)}{\sqrt{a\cos(c + dx) + a}}\right)}{d} - \frac{a^3(14A + 3B)\sin(c + dx)}{3d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}} + \frac{2a^2(2A + 3B)\sin(c + dx)}{d(a + a\cos(c + dx))^{3/2}\sec(c + dx)^{3/2}}$$

[Out] 2/3*a*A*(a+a*cos(d*x+c))^(3/2)*sec(d*x+c)^(3/2)*sin(d*x+c)/d-1/3*a^3*(14*A+3*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+a^(5/2)*(2*A+5*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d+2*a^2*(2*A+B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.65, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, number of rules / integrand size = 0.143, Rules used = {2961, 2975, 2981, 2774, 216}

$$\frac{a^{5/2}(2A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c + dx)}{\sqrt{a\cos(c + dx) + a}}\right)}{d} - \frac{a^3(14A + 3B)\sin(c + dx)}{3d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}} + \frac{2a^2(2A + 3B)\sin(c + dx)}{d(a + a\cos(c + dx))^{3/2}\sec(c + dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] (a^(5/2)*(2*A + 5*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d - (a^3*(14*A + 3*B)*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*a^2*(2*A + B)*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*A*(a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n/(g*Sin[e + f*x])^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2975

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), x]

*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx \\
 &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^2(c + dx) \sin(c + dx)}{3d} \\
 &= \frac{2a^2(2A + B)\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
 &= -\frac{a^3(14A + 3B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{2a^2(2A + B) \sin(c + dx)}{d} \\
 &= -\frac{a^3(14A + 3B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{2a^2(2A + B) \sin(c + dx)}{d} \\
 &= \frac{a^{5/2}(2A + 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}}{d}
 \end{aligned}$$

Mathematica [A] time = 0.74, size = 130, normalized size = 0.67

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(2A + 5B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \cos^2(c + dx) + s}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^(3/2)*(3*Sqrt[2]*(2*A + 5*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + (4*A + 3*B + 4*(8*A + 3*B)*Cos[c + d*x] + 3*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2])/(6*d)

fricas [A] time = 0.58, size = 166, normalized size = 0.86

$$\frac{3 \left((2A + 5B)a^2 \cos(dx + c)^2 + (2A + 5B)a^2 \cos(dx + c) \right) \sqrt{a} \arctan \left(\frac{\sqrt{a} \cos(dx+c) + a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{3Ba^2 \cos(dx+c)}{3 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)}}{3 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] -1/3*(3*((2*A + 5*B)*a^2*cos(d*x + c)^2 + (2*A + 5*B)*a^2*cos(d*x + c))*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (3*B*a^2*cos(d*x + c)^2 + 2*(8*A + 3*B)*a^2*cos(d*x + c) + 2*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.43, size = 492, normalized size = 2.55

$$\frac{\left(6A \left(\cos^2(dx + c) \right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arctan \left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) + 15B \left(\cos^2(dx + c) \right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arctan \left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x)

[Out] -1/3/d*(6*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+15*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+12*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+30*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+6*A*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+15*B*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+3*B*sin(d*x+c)*cos(d*x+c)^2+16*A*cos(d*x+c)*sin(d*x+c)+6*B*cos(d*x+c)*sin(d*x+c)+2*A*sin(d*x+c)*cos(d*x+c)*sin(d*x+c)^2*(1/cos(d*x+c))^(5/2)*(a*(1+cos(d*x+c)))^(1/2)/(-1+cos(d*x+c))/(1+cos(d*x+c))^2*a^2

maxima [B] time = 0.88, size = 2780, normalized size = 14.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")

```
[Out] 1/12*(2*(30*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)^(3/4)*a^(5/2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))
- 2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)
)*((12*a^2*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x +
2*c) - 3*a^2*sin(2*d*x + 2*c) - 4*(3*a^2*cos(2*d*x + 2*c) + 4*a^2)*sin(3/2
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) * cos(3/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) + 1)) + (12*a^2*sin(2*d*x + 2*c)*sin(3/2*arctan2(sin
(2*d*x + 2*c), cos(2*d*x + 2*c))) + 3*a^2*cos(2*d*x + 2*c) - a^2 + 4*(3*a^2
*cos(2*d*x + 2*c) + 4*a^2)*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c)))) * sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) * sqrt(a) + 3
*((a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c)
+ a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*
c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(1/2
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d
*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c)
+ 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * cos(1
/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c)))) + 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*
cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 +
2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*
cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c) + 1)) * cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*a
rctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c)))) - 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x +
2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2
*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*c
os(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c) + 1)) + 1) + (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*co
s(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*
cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2
*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1)) * sqr
t(a)) * A / (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
+ 3*(18*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(
3/4)*a^(5/2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 2*
(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((
4*a^2*sin(3*d*x + 3*c) + 5*a^2*sin(2*d*x + 2*c) + 4*a^2*sin(d*x + c)) * cos(3
/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (a^2*cos(2*d*x + 2*c)
^2*sin(d*x + c) + a^2*sin(2*d*x + 2*c)^2*sin(d*x + c) + 2*a^2*cos(2*d*x + 2
*c)*sin(d*x + c) + a^2*sin(d*x + c)) * cos(1/2*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c) + 1)) - (4*a^2*cos(3*d*x + 3*c) + 5*a^2*cos(2*d*x + 2*c) + 4*a
^2*cos(d*x + c) + 5*a^2)*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
+ 1)) - ((a^2*cos(d*x + c) - a^2)*cos(2*d*x + 2*c)^2 + a^2*cos(d*x + c) +
(a^2*cos(d*x + c) - a^2)*sin(2*d*x + 2*c)^2 - a^2 + 2*(a^2*cos(d*x + c) - a
^2)*cos(2*d*x + 2*c)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) +
1))) * sqrt(a) + 5*((a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*
cos(2*d*x + 2*c) + a^2)*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 +
2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c) + 1)) * sin(d*x + c) - cos(d*x + c) * sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(
2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c) * cos(1/2*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c) + 1)) + sin(d*x + c) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*
d*x + 2*c) + 1)))) + 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 +
```

```

2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) - 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a))*B/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1))/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^(5/2), x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^(5/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2), x)
```

```
[Out] Timed out
```

$$3.516 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=198

$$\frac{a^{5/2}(20A + 19B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} - \frac{a^3(4A - 9B)\sin(c + dx)}{4d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}} - \frac{a^2(4A - 9B)\cos(c + dx)}{4d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}}$$

[Out] $-1/4*a^3*(4*A-9*B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}/\sec(d*x+c)^{(1/2)-1/2}$
 $*a^2*(4*A-B)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d/\sec(d*x+c)^{(1/2)+2*a*A*(a+a*\cos(d*x+c))^{(3/2)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d+1/4*a^{(5/2)*(20*A+19*B)*a}$
 $\text{rcsin}(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)*\sec(d*x+c)}$
 $)^{(1/2)}/d$

Rubi [A] time = 0.66, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2975, 2976, 2981, 2774, 216}

$$\frac{a^{5/2}(20A + 19B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} - \frac{a^3(4A - 9B)\sin(c + dx)}{4d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}} - \frac{a^2(4A - 9B)\cos(c + dx)}{4d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(5/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(3/2)}, x]$

[Out] $(a^{(5/2)*(20*A + 19*B)*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/ \text{Sqrt}[a + a*\text{Cos}[c + d*x]]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*d) - (a^3*(4*A - 9*B)*\text{Sin}[c + d*x])/(4*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - (a^2*(4*A - B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(2*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a*A*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \text{ :> } \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] \text{ /; } \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{NegQ}[b]$

Rule 2774

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/\text{Sqrt}[(d_)*\sin[(e_) + (f_)*(x_)]]], x_Symbol] \text{ :> } \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\text{Sqrt}[1 - x^2/a], x], x, (b*\text{Cos}[e + f*x])/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] \text{ /; } \text{FreeQ}\{a, b, d, e, f\}, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{EqQ}[d, a/b]$

Rule 2961

$\text{Int}[(\text{csc}[(e_) + (f_)*(x_)]*(g_))^{(p_)*((a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)*((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}}, x_Symbol] \text{ :> } \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{!IntegerQ}[p] \ \&\& \ \text{!IntegerQ}[m] \ \&\& \ \text{IntegerQ}[n]$

Rule 2975

$\text{Int}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^{(n_)}}, x_Symbol] \text{ :> } -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a$

*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[A*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx \\ &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\ &= -\frac{a^2(4A - B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{2a^2(4A - B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} \\ &= -\frac{a^3(4A - 9B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{a^2(4A - B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} \\ &= -\frac{a^3(4A - 9B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{a^2(4A - B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} \\ &= \frac{a^{5/2}(20A + 19B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}}{4d} \end{aligned}$$

Mathematica [A] time = 0.78, size = 126, normalized size = 0.64

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(20A + 19B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)}}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*cos[c + d*x])^(5/2)*(A + B*cos[c + d*x])*Sec[c + d*x]^(3/2), x]

[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*(20*A + 19*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(8*A + B + (4*A + 11*B)*Cos[c + d*x] + B*cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(8*d)

fricas [A] time = 0.62, size = 147, normalized size = 0.74

$$\frac{\left((20A + 19B)a^2 \cos(dx + c) + (20A + 19B)a^2\right)\sqrt{a} \arctan\left(\frac{\sqrt{a} \cos(dx+c) + a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(2Ba^2 \cos(dx+c)^2 + (4A+11B)a^2)}{4(d \cos(dx+c) + d)}}{4(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="fricas")

[Out] -1/4*(((20*A + 19*B)*a^2*cos(d*x + c) + (20*A + 19*B)*a^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (2*B*a^2*cos(d*x + c)^2 + (4*A + 11*B)*a^2*cos(d*x + c) + 8*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.44, size = 344, normalized size = 1.74

$$\left(20A \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + 19B \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x)

[Out] 1/4/d*(20*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+19*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+2*B*sin(d*x+c)*cos(d*x+c)^2+20*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+4*A*cos(d*x+c)*sin(d*x+c)+19*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+11*B*cos(d*x+c)*sin(d*x+c)+8*A*sin(d*x+c)*cos(d*x+c)*(1/cos(d*x+c))^(3/2)*(a*(1+cos(d*x+c)))^(1/2)/(1+cos(d*x+c))*a^2

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(5/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2), x)

[Out] Timed out

$$3.517 \quad \int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$$

Optimal. Leaf size=200

$$\frac{a^{5/2}(38A + 25B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{8d} + \frac{a^3(54A + 49B)\sin(c+dx)}{24d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{a^2(2A + 3B)\sin(c+dx)}{24d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}}$$

[Out] 1/3*a*B*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/d/sec(d*x+c)^(1/2)+1/24*a^3*(54*A+49*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+1/4*a^2*(2*A+3*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/sec(d*x+c)^(1/2)+1/8*a^(5/2)*(38*A+25*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.65, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2976, 2981, 2774, 216}

$$\frac{a^{5/2}(38A + 25B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{8d} + \frac{a^3(54A + 49B)\sin(c+dx)}{24d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{a^2(2A + 3B)\sin(c+dx)}{24d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]

[Out] (a^(5/2)*(38*A + 25*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(8*d) + (a^3*(54*A + 49*B)*Sin[c + d*x])/(24*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a^2*(2*A + 3*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Sec[c + d*x]]) + (a*B*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2976

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x]

], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\cos(c + dx)} dx \\ &= \frac{aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{1}{3} \left(\sqrt{\cos(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\cos(c + dx)} dx \\ &= \frac{a^2(2A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} + \frac{a^3(54A + 49B) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{a^2(2A + 3B) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} \\ &= \frac{a^3(54A + 49B) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{a^2(2A + 3B) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} \\ &= \frac{a^3(54A + 49B) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{a^2(2A + 3B) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} \\ &= \frac{a^5/2(38A + 25B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}}{8d} \end{aligned}$$

Mathematica [A] time = 0.98, size = 141, normalized size = 0.70

$$\frac{a^2 \sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(38A + 25B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2\sqrt{2}\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]

[Out] (a^2*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(3*Sqrt[2]*(38*A + 25*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[2])*Sqrt[Cos[c + d*x]]*(66*A + 79*B + 2*(6*A + 17*B)*Cos[c + d*x] + 4*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2))/(48*d)

fricas [A] time = 0.80, size = 163, normalized size = 0.82

$$\frac{3 \left((38A + 25B)a^2 \cos(dx + c) + (38A + 25B)a^2 \right) \sqrt{a} \arctan\left(\frac{\sqrt{a} \cos(dx+c) + a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(8Ba^2 \cos(dx+c)^3 + 2(6A + 3B)a^2 \cos(dx+c)) \sqrt{\cos(dx+c)}}{24(d \cos(dx+c) + d)}}{24(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out]
$$-1/24*(3*((38*A + 25*B)*a^2*\cos(d*x + c) + (38*A + 25*B)*a^2)*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) - (8*B*a^2*\cos(d*x + c)^3 + 2*(6*A + 17*B)*a^2*\cos(d*x + c)^2 + 3*(22*A + 25*B)*a^2*\cos(d*x + c))*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c)})/(d*\cos(d*x + c) + d)$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.42, size = 305, normalized size = 1.52

$$\left(8B \sin(dx + c) \left(\cos^2(dx + c) \right) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 12A \sin(dx + c) \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 34B \sin(dx + c) \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x)

[Out]
$$-1/24/d*(8*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)+12*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)+34*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)+66*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*\sin(d*x+c)+75*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)+114*A*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)/\cos(d*x+c))+75*B*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)/\cos(d*x+c)))*(1/\cos(d*x+c))^(1/2)*(a*(1+\cos(d*x+c)))^(1/2)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)/\sin(d*x+c)^2*(\cos(d*x+c)^2-1)*a^2)$$

maxima [B] time = 3.04, size = 3071, normalized size = 15.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out]
$$1/96*(6*(2*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*((a^2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))\sin(2*d*x + 2*c) + a^2*\sin(2*d*x + 2*c) - (a^2*\cos(2*d*x + 2*c) - 10*a^2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + (a^2*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - a^2*\cos(2*d*x + 2*c) + 10*a^2 + (a^2*\cos(2*d*x + 2*c) - 10*a^2)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{a} + 19*(a^2*\arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))))$$


```

n(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))), (cos(2/3*arctan2(sin(3*d*x + 3*c
), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c
)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(
cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*cos(1/2*arctan2(sin(2/
3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c)))) + 1)) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d
*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3
*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))) - 1) - a
^2*arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/
3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*
d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(s
in(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(
3*d*x + 3*c)))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/
3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c)))) + 1)) + 1) + a^2*arctan2((cos(2/3*arctan2(sin(3*d
*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d
*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)
^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1)), (cos(2/3*arct
an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*
c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x +
3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d
*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1)) - 1)
)*sqrt(a))*B)/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(5/2),
x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(5/2),
x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```


$$3.518 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=247

$$\frac{a^{5/2}(200A + 163B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{64d} + \frac{a^3(104A + 95B)\sin(c + dx)}{96d\sec^2(c + dx)\sqrt{a\cos(c + dx) + a}} + \frac{a^2(8A + 11B)\sin(c + dx)\sqrt{a\cos(c + dx) + a}}{24d\sec^2(c + dx)} + \frac{a^{5/2}(200A + 163B)\sqrt{\cos(c + dx)}}{64d}$$

[Out] 1/4*a*B*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/d/sec(d*x+c)^(3/2)+1/96*a^3*(104*A+95*B)*sin(d*x+c)/d/sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+1/24*a^2*(8*A+11*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/sec(d*x+c)^(3/2)+1/64*a^3*(200*A+163*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+1/64*a^(5/2)*(200*A+163*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.75, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2976, 2981, 2770, 2774, 216}

$$\frac{a^3(104A + 95B)\sin(c + dx)}{96d\sec^2(c + dx)\sqrt{a\cos(c + dx) + a}} + \frac{a^2(8A + 11B)\sin(c + dx)\sqrt{a\cos(c + dx) + a}}{24d\sec^2(c + dx)} + \frac{a^{5/2}(200A + 163B)\sqrt{\cos(c + dx)}}{64d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (a^(5/2)*(200*A + 163*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*d) + (a^3*(104*A + 95*B)*Sin[c + d*x])/(96*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a^2*(8*A + 11*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(24*d*Sec[c + d*x]^(3/2)) + (a*B*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Sec[c + d*x]^(3/2)) + (a^3*(200*A + 163*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dis

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2976

$\text{Int}[(a + b*\text{sin}[e + f*x])^m*((A + B)*\text{sin}[e + f*x])^n, x_Symbol] :> -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\text{Sin}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2981

$\text{Int}[\text{Sqrt}[(a + b*\text{sin}[e + f*x])*(A + B)*\text{sin}[e + f*x])^n, x_Symbol] :> \text{Simp}[(-2*b*B*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(2*n + 3)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx \\ &= \frac{aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^2(c + dx)} + \frac{1}{4} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx \\ &= \frac{a^2(8A + 11B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{24d \sec^2(c + dx)} + \frac{aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^2(c + dx)} \\ &= \frac{a^3(104A + 95B) \sin(c + dx)}{96d\sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(8A + 11B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{24d \sec^2(c + dx)} \\ &= \frac{a^3(104A + 95B) \sin(c + dx)}{96d\sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(8A + 11B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{24d \sec^2(c + dx)} \\ &= \frac{a^3(104A + 95B) \sin(c + dx)}{96d\sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(8A + 11B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{24d \sec^2(c + dx)} \\ &= \frac{a^3(104A + 95B) \sin(c + dx)}{96d\sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(8A + 11B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{24d \sec^2(c + dx)} \\ &= \frac{a^{5/2}(200A + 163B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d} \end{aligned}$$

Mathematica [A] time = 0.98, size = 159, normalized size = 0.64

$$a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(200A + 163B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(3*Sqrt[2]*(200*A + 163*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (632*A + 581*B + (272*A + 362*B)*Cos[c + d*x] + 4*(8*A + 23*B)*Cos[2*(c + d*x)] + 12*B*Cos[3*(c + d*x)])*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2])))/(384*d)

fricas [A] time = 0.93, size = 183, normalized size = 0.74

$$\frac{3 \left((200 A + 163 B) a^2 \cos(dx + c) + (200 A + 163 B) a^2 \right) \sqrt{a} \arctan \left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{(48 B a^2 \cos(dx+c))^4}{192 (d \cos(dx+c) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="fricas")

[Out] -1/192*(3*((200*A + 163*B)*a^2*cos(d*x + c) + (200*A + 163*B)*a^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (48*B*a^2*cos(d*x + c)^4 + 8*(8*A + 23*B)*a^2*cos(d*x + c)^3 + 2*(136*A + 163*B)*a^2*cos(d*x + c)^2 + 3*(200*A + 163*B)*a^2*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.38, size = 383, normalized size = 1.55

$$(-1 + \cos(dx + c))^2 \left(48B \sin(dx + c) (\cos^3(dx + c)) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 64A (\cos^2(dx + c)) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x)

[Out] 1/192/d*(-1+cos(d*x+c))^2*(48*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+64*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)+184*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+272*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+326*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+600*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)+489*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+600*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+489*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)*(a*(1+cos(d*x+c)))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/(1/cos(d*x+c))^(1/2)/sin(d*x+c)^4*a^2

maxima [B] time = 2.31, size = 9390, normalized size = 38.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out]
$$\frac{1}{768} \cdot (8 \cdot (4 \cdot (a^2 \cdot \cos(\frac{2}{3} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) \cdot \sin(3dx + 3c) - (a^2 \cdot \cos(3dx + 3c) - a^2) \cdot \sin(\frac{3}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) \cdot (\cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + \sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + 2 \cdot \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1)^{\frac{3}{4}} \cdot \sqrt{a} + 30 \cdot (\cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + \sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + 2 \cdot \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1)^{\frac{1}{4}} \cdot ((a^2 \cdot \sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 5 \cdot a^2 \cdot \sin(\frac{1}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))) \cdot \cos(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) - (a^2 \cdot \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 3 \cdot a^2 \cdot \cos(\frac{1}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) - 4 \cdot a^2 \cdot \sin(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) \cdot \sqrt{a} + 75 \cdot (a^2 \cdot \arctan^2(-(\cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + \sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + 2 \cdot \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1)^{\frac{1}{4}} \cdot (\cos(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) \cdot \sin(\frac{1}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) - \cos(\frac{1}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) \cdot \sin(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) \cdot (\cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + \sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + 2 \cdot \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1)^{\frac{1}{4}} \cdot (\cos(\frac{1}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) \cdot \cos(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) + \sin(\frac{1}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) \cdot \sin(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) - a^2 \cdot \arctan^2(-(\cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + \sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + 2 \cdot \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1)^{\frac{1}{4}} \cdot (\cos(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) \cdot \sin(\frac{1}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) - \cos(\frac{1}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) \cdot \sin(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) \cdot (\cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + \sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + 2 \cdot \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1)^{\frac{1}{4}} \cdot (\cos(\frac{1}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) \cdot \cos(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) + \sin(\frac{1}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) \cdot \sin(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) - 1) - a^2 \cdot \arctan^2((\cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + \sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))^2 + 2 \cdot \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1)^{\frac{1}{4}} \cdot \sin(\frac{1}{2} \arctan^2(\sin(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))), \cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c))) + 1) \cdot (\cos(\frac{2}{3} \arctan^2(\sin(3dx + 3c)), \cos(3dx + 3c)))$$

$$\begin{aligned}
& d*x + 3*c))^{2} + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^{2} + 2 \\
& * \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)} * \cos(1/2*\ar \\
& \text{ctan2}(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1) + 1) + a^{2}*\arctan2((\cos(2/3*\ar \\
& \text{ctan2}(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^{2} + \sin(2/3*\arctan2(\sin(3*d*x + 3 \\
& *c), \cos(3*d*x + 3*c)))^{2} + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + \\
& 3*c))) + 1)^{(1/4)} * \sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3* \\
& d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)), (\\
& \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^{2} + \sin(2/3*\arctan2(\si \\
& n(3*d*x + 3*c), \cos(3*d*x + 3*c)))^{2} + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \\
& \cos(3*d*x + 3*c))) + 1)^{(1/4)} * \cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3 \\
& *c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c) \\
&)) + 1) - 1)) * \sqrt{a}) * A + (2*(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))^{2} + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + 2*\co \\
& s(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(3/4)} * ((3*a^{2}*\cos(4 \\
& *d*x + 4*c)^{2}*\sin(4*d*x + 4*c) + 3*a^{2}*\sin(4*d*x + 4*c)^{3} + 12*(a^{2}*\sin(4*d \\
& *x + 4*c)^{3} + (a^{2}*\cos(4*d*x + 4*c)^{2} - 2*a^{2}*\cos(4*d*x + 4*c) + a^{2})*\sin(4 \\
& *d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + 12*(a \\
& ^{2}*\sin(4*d*x + 4*c)^{3} + (a^{2}*\cos(4*d*x + 4*c)^{2} + 2*a^{2}*\cos(4*d*x + 4*c) + \\
& a^{2})*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& ^{2} + 3*(2*a^{2}*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d* \\
& x + 4*c) + a^{2}*\sin(4*d*x + 4*c) - 2*(a^{2}*\cos(4*d*x + 4*c) + a^{2})*\sin(1/2*\ar \\
& \text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(3/4*\arctan2(\sin(4*d*x + 4*c) \\
&), \cos(4*d*x + 4*c))) + 12*(a^{2}*\sin(4*d*x + 4*c)^{3} + (a^{2}*\cos(4*d*x + 4*c)^{2} \\
& - a^{2}*\cos(4*d*x + 4*c))*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c) \\
&), \cos(4*d*x + 4*c))) + (40*a^{2}*\cos(4*d*x + 4*c)^{2} + 40*a^{2}*\sin(4*d*x + 4*c) \\
&)^{2} - 3*a^{2}*\cos(4*d*x + 4*c) + 160*(a^{2}*\cos(4*d*x + 4*c)^{2} + a^{2}*\sin(4*d*x \\
& + 4*c)^{2} - 2*a^{2}*\cos(4*d*x + 4*c) + a^{2})*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))^{2} + 160*(a^{2}*\cos(4*d*x + 4*c)^{2} + a^{2}*\sin(4*d*x + 4*c)^{2} \\
& + 2*a^{2}*\cos(4*d*x + 4*c) + a^{2})*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c)))^{2} + 2*(80*a^{2}*\cos(4*d*x + 4*c)^{2} + 80*a^{2}*\sin(4*d*x + 4*c)^{2} - 8 \\
& 3*a^{2}*\cos(4*d*x + 4*c) + 3*a^{2})*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))) - 2*(320*a^{2}*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
&)*\sin(4*d*x + 4*c) + 83*a^{2}*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4* \\
& c), \cos(4*d*x + 4*c))))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)) \\
&) - 12*(4*a^{2}*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d* \\
& x + 4*c)^{2} + a^{2}*\sin(4*d*x + 4*c)^{2})*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(\\
& 4*d*x + 4*c))))*\cos(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) - (3* \\
& a^{2}*\cos(4*d*x + 4*c)^{3} - 40*a^{2}*\cos(4*d*x + 4*c)^{2} + 4*(3*a^{2}*\cos(4*d*x + 4 \\
& *c)^{3} - 46*a^{2}*\cos(4*d*x + 4*c)^{2} + 83*a^{2}*\cos(4*d*x + 4*c) + (3*a^{2}*\cos(4* \\
& d*x + 4*c) - 40*a^{2})*\sin(4*d*x + 4*c)^{2} - 40*a^{2})*\cos(1/2*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c)))^{2} + (3*a^{2}*\cos(4*d*x + 4*c) - 40*a^{2})*\sin(4*d*x \\
& + 4*c)^{2} + 4*(3*a^{2}*\cos(4*d*x + 4*c)^{3} - 34*a^{2}*\cos(4*d*x + 4*c)^{2} - 77*a^{2} \\
& * \cos(4*d*x + 4*c) + (3*a^{2}*\cos(4*d*x + 4*c) - 40*a^{2})*\sin(4*d*x + 4*c)^{2} - \\
& 40*a^{2})*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + (40*a^{2}*\c \\
& \text{os}(4*d*x + 4*c)^{2} + 40*a^{2}*\sin(4*d*x + 4*c)^{2} - 3*a^{2}*\cos(4*d*x + 4*c) + 16 \\
& 0*(a^{2}*\cos(4*d*x + 4*c)^{2} + a^{2}*\sin(4*d*x + 4*c)^{2} - 2*a^{2}*\cos(4*d*x + 4*c) \\
& + a^{2})*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + 160*(a^{2}*\c \\
& \text{os}(4*d*x + 4*c)^{2} + a^{2}*\sin(4*d*x + 4*c)^{2} + 2*a^{2}*\cos(4*d*x + 4*c) + a^{2})* \\
& \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^{2} + 2*(80*a^{2}*\cos(4*d* \\
& x + 4*c)^{2} + 80*a^{2}*\sin(4*d*x + 4*c)^{2} - 83*a^{2}*\cos(4*d*x + 4*c) + 3*a^{2})*\c \\
& \text{os}(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(320*a^{2}*\cos(1/2*\ar \\
& \text{ctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 83*a^{2}*\sin(4* \\
& d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(3/4*a \\
& \text{rctan2}(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 4*(3*a^{2}*\cos(4*d*x + 4*c)^{3} - \\
& 43*a^{2}*\cos(4*d*x + 4*c)^{2} + 40*a^{2}*\cos(4*d*x + 4*c) + (3*a^{2}*\cos(4*d*x + 4 \\
& *c) - 40*a^{2})*\sin(4*d*x + 4*c)^{2})*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d \\
& *x + 4*c))) - 3*(2*a^{2}*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))
\end{aligned}$$

$$\begin{aligned}
& * \sin(4*d*x + 4*c) + a^2 * \sin(4*d*x + 4*c) - 2*(a^2 * \cos(4*d*x + 4*c) + a^2) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(3/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*(3*a^2 * \cos(4*d*x + 4*c) - 40*a^2) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(4*d*x + 4*c) + (3*a^2 * \cos(4*d*x + 4*c) - 40*a^2) * \sin(4*d*x + 4*c) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(3/2 * \arctan2(\sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) * \sqrt{a} + 6*(\cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 2*\cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)} * ((a^2 * \cos(4*d*x + 4*c))^2 * \sin(4*d*x + 4*c) + a^2 * \sin(4*d*x + 4*c))^3 + a^2 * \cos(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 176*(a^2 * \cos(4*d*x + 4*c))^2 + a^2 * \sin(4*d*x + 4*c))^2 + 2*a^2 * \cos(4*d*x + 4*c) + a^2) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^3 + 4*(a^2 * \sin(4*d*x + 4*c))^3 + (a^2 * \cos(4*d*x + 4*c))^2 - 2*a^2 * \cos(4*d*x + 4*c) + a^2) * \sin(4*d*x + 4*c) + 164*(a^2 * \cos(4*d*x + 4*c))^2 + a^2 * \sin(4*d*x + 4*c))^2 - 2*a^2 * \cos(4*d*x + 4*c) + a^2) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 4*(a^2 * \sin(4*d*x + 4*c))^3 - 176*a^2 * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + (a^2 * \cos(4*d*x + 4*c))^2 + 2*a^2 * \cos(4*d*x + 4*c) - 43*a^2) * \sin(4*d*x + 4*c) + 164*(a^2 * \cos(4*d*x + 4*c))^2 + a^2 * \sin(4*d*x + 4*c))^2 + 2*a^2 * \cos(4*d*x + 4*c) + a^2) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 2*(2*a^2 * \sin(4*d*x + 4*c))^3 + a^2 * \cos(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 2*(a^2 * \cos(4*d*x + 4*c))^2 - a^2 * \cos(4*d*x + 4*c)) * \sin(4*d*x + 4*c) + (328*a^2 * \cos(4*d*x + 4*c))^2 + 328*a^2 * \sin(4*d*x + 4*c))^2 - 329*a^2 * \cos(4*d*x + 4*c) + a^2) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 2*(22*a^2 * \cos(4*d*x + 4*c))^2 + 20*a^2 * \sin(4*d*x + 4*c))^2 - 329*a^2 * \sin(4*d*x + 4*c) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 88*(a^2 * \cos(4*d*x + 4*c))^2 + a^2 * \sin(4*d*x + 4*c))^2 - 2*a^2 * \cos(4*d*x + 4*c) + a^2) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 8*(11*a^2 * \cos(4*d*x + 4*c))^2 + 10*a^2 * \sin(4*d*x + 4*c))^2 - 164*a^2 * \sin(4*d*x + 4*c) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) - 11*a^2 * \cos(4*d*x + 4*c) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) - (a^2 * \cos(4*d*x + 4*c) + a^2) * \cos(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + (164*a^2 * \cos(4*d*x + 4*c))^2 + 164*a^2 * \sin(4*d*x + 4*c))^2 - a^2 * \cos(4*d*x + 4*c) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2 * \arctan2(\sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) - (a^2 * \cos(4*d*x + 4*c))^3 - 120*a^2 * \cos(4*d*x + 4*c))^2 + 176*(a^2 * \cos(4*d*x + 4*c))^2 + a^2 * \sin(4*d*x + 4*c))^2 - 2*a^2 * \cos(4*d*x + 4*c) + a^2) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^3 - a^2 * \sin(4*d*x + 4*c) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 4*(a^2 * \cos(4*d*x + 4*c))^3 - 78*a^2 * \cos(4*d*x + 4*c))^2 + 197*a^2 * \cos(4*d*x + 4*c) + (a^2 * \cos(4*d*x + 4*c) - 76*a^2) * \sin(4*d*x + 4*c))^2 - 120*a^2 + 76*(a^2 * \cos(4*d*x + 4*c))^2 + a^2 * \sin(4*d*x + 4*c))^2 - 2*a^2 * \cos(4*d*x + 4*c) + a^2) * \cos(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + (a^2 * \cos(4*d*x + 4*c) - 120*a^2) * \sin(4*d*x + 4*c))^2 + 4*(a^2 * \cos(4*d*x + 4*c))^3 - 118*a^2 * \cos(4*d*x + 4*c))^2 - 239*a^2 * \cos(4*d*x + 4*c) + (a^2 * \cos(4*d*x + 4*c) - 120*a^2) * \sin(4*d*x + 4*c))^2 - 120*a^2 + 44*(a^2 * \cos(4*d*x + 4*c))^2 + a^2 * \sin(4*d*x + 4*c))^2 + 2*a^2 * \cos(4*d*x + 4*c) + a^2) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 76*(a^2 * \cos(4*d*x + 4*c))^2 + a^2 * \sin(4*d*x + 4*c))^2 + 2*a^2 * \cos(4*d*x + 4*c) + a^2) * \cos(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 2*(2*a^2 * \cos(4*d*x + 4*c))^3 - 220*a^2 * \cos(4*d*x + 4*c))^2 - a^2 * \sin(4*d*x + 4*c) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 240*a^2 * \cos(4*d*x + 4*c) + 2*(a^2 * \cos(4*d*x + 4*c) - 109*a^2) * \sin(4*d*x + 4*c))^2 + (152*a^2 * \cos(4*d*x + 4*c))^2 + 152*a^2 * \sin(4*d*x + 4*c))^2 - 153*a^2 * \cos(4*d*x + 4*c) + a^2
\end{aligned}$$


```

+ a^2*sin(4*d*x + 4*c)^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)
^2 - 2*a^2*cos(4*d*x + 4*c) + a^2)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*
d*x + 4*c)))^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 + 2*a^2
*cos(4*d*x + 4*c) + a^2)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)
))^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 - a^2*cos(4*d*x +
4*c))*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) - 4*(4*a^2*cos(
1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + a^2*sin
(4*d*x + 4*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*arctan
2((cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2
(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c)
), cos(4*d*x + 4*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x
+ 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4
*c)))) + 1)), (cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(
1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(
4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2
(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), co
s(4*d*x + 4*c))) + 1)) + 1) + (a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)
)^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 - 2*a^2*cos(4*d*x
+ 4*c) + a^2)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(a
^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 + 2*a^2*cos(4*d*x + 4*c) + a
^2)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(a^2*cos(4*d
*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 - a^2*cos(4*d*x + 4*c))*cos(1/2*arctan
2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) - 4*(4*a^2*cos(1/2*arctan2(sin(4*d*x
+ 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + a^2*sin(4*d*x + 4*c))*sin(1/
2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*arctan2((cos(1/2*arctan2(si
n(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), co
s(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))
+ 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4
*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)), (cos(1/2
*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x
+ 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d
*x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), co
s(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)
) - 1))*sqrt(a))*B/(4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*cos(4*d*
x + 4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(c
os(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*sin(1/2*ar
ctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 + 4*(cos(
4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(sin
(4*d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*arcta
n2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + sin(4*d*x + 4*c)
)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))))/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/(1/cos(c + d*x))^(1/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/(1/cos(c + d*x))^(1/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.519 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=294

$$\frac{a^{5/2}(326A + 283B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{128d} + \frac{a^3(326A + 283B)\sin(c + dx)}{192d\sec^2(c + dx)\sqrt{a\cos(c + dx) + a}} + \frac{a^2(10A + 13B)\sin(c + dx)\sqrt{a\cos(c + dx)}}{40d\sec^2(c + dx)}$$

[Out] 1/5*a*B*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/d/sec(d*x+c)^(5/2)+1/240*a^3*(170*A+157*B)*sin(d*x+c)/d/sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2)+1/192*a^3*(326*A+283*B)*sin(d*x+c)/d/sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+1/40*a^2*(10*A+13*B)*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d/sec(d*x+c)^(5/2)+1/128*a^3*(326*A+283*B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+1/128*a^(5/2)*(326*A+283*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.87, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2976, 2981, 2770, 2774, 216}

$$\frac{a^3(326A + 283B)\sin(c + dx)}{192d\sec^2(c + dx)\sqrt{a\cos(c + dx) + a}} + \frac{a^3(170A + 157B)\sin(c + dx)}{240d\sec^2(c + dx)\sqrt{a\cos(c + dx) + a}} + \frac{a^2(10A + 13B)\sin(c + dx)\sqrt{a\cos(c + dx)}}{40d\sec^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2),x]

[Out] (a^(5/2)*(326*A + 283*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(128*d) + (a^3*(170*A + 157*B)*Sin[c + d*x])/(240*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2)) + (a^2*(10*A + 13*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(40*d*Sec[c + d*x]^(5/2)) + (a*B*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(5/2)) + (a^3*(326*A + 283*B)*Sin[c + d*x])/(192*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a^3*(326*A + 283*B)*Sin[c + d*x])/(128*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2770

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

Rule 2774

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2976

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2981

```
Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sec^2(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^2(c + dx) (a + a \cos(c + dx))^{3/2} dx \\
&= \frac{aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{1}{5} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^2(c + dx) (a + a \cos(c + dx))^{3/2} dx \\
&= \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} + \frac{aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^5/2(326A + 283B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{128d}
\end{aligned}$$

Mathematica [A] time = 1.44, size = 181, normalized size = 0.62

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(15\sqrt{2} (326A + 283B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)}}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(15*Sqrt[2]*(326*A + 283*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + (5810*A + 5521*B + (3620*A + 3874*B)*Cos[c + d*x] + 4*(230*A + 331*B)*Cos[2*(c + d*x)] + 120*A*Cos[3*(c + d*x)] + 348*B*Cos[3*(c + d*x)] + 48*B*Cos[4*(c + d*x)])*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/(3840*d)

fricas [A] time = 0.96, size = 203, normalized size = 0.69

$$\frac{15 \left((326A + 283B)a^2 \cos(dx + c) + (326A + 283B)a^2 \right) \sqrt{a} \arctan\left(\frac{\sqrt{a} \cos(dx+c) + a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - (384Ba^2 \cos(dx+c)^5 - 48(10A + 29B)a^2 \cos(dx+c)^4 + 8(230A + 283B)a^2 \cos(dx+c)^3 + 10(326A + 283B)a^2 \cos(dx+c)^2 + 10a^2 \cos(dx+c) + a^2)}{1920(d \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2), x, algorithm="fricas")

[Out] -1/1920*(15*((326*A + 283*B)*a^2*cos(d*x + c) + (326*A + 283*B)*a^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (384*B*a^2*cos(d*x + c)^5 + 48*(10*A + 29*B)*a^2*cos(d*x + c)^4 + 8*(230*A + 283*B)*a^2*cos(d*x + c)^3 + 10*(326*A + 283*B)*a^2*cos(d*x + c)^2 + 10*a^2*cos(d*x + c) + a^2)

$5*(326*A + 283*B)*a^2*\cos(d*x + c))*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c))}/(d*\cos(d*x + c) + d)$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.35, size = 455, normalized size = 1.55

$$(-1 + \cos(dx + c))^3 \left(384B \sin(dx + c) (\cos^4(dx + c)) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 480A (\cos^3(dx + c)) \sin(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x)

[Out] $-1/1920/d*(-1+\cos(d*x+c))^3*(384*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+480*A*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+1392*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+1840*A*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)+2264*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+3260*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+2830*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+4890*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)+4245*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+4890*A*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+4245*B*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))*\cos(d*x+c)*(a*(1+\cos(d*x+c)))^{1/2}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}/(1/\cos(d*x+c))^{3/2}/\sin(d*x+c))^6*a^2$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + a \cos(c + dx))^{5/2}}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/(1/cos(c + d*x))^(3/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(5/2))/(1/cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(3/2),x)

[Out] Timed out

$$3.520 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=295

$$\frac{2(A-9B) \sin(c+dx) \sec^{\frac{7}{2}}(c+dx)}{63d\sqrt{a \cos(c+dx)+a}} + \frac{2(19A-3B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{105d\sqrt{a \cos(c+dx)+a}} - \frac{2(29A-93B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{315d\sqrt{a \cos(c+dx)+a}}$$

[Out] $-2/315*(29*A-93*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/105*(19*A-3*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}-2/63*(A-9*B)*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/9*A*\sec(d*x+c)^{(9/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}-(A-B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d/a^{(1/2)}+2/315*(257*A-129*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 1.06, antiderivative size = 295, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2984, 12, 2782, 205}

$$\frac{2(A-9B) \sin(c+dx) \sec^{\frac{7}{2}}(c+dx)}{63d\sqrt{a \cos(c+dx)+a}} + \frac{2(19A-3B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{105d\sqrt{a \cos(c+dx)+a}} - \frac{2(29A-93B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{315d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2))/Sqrt[a + a*Cos[c + d*x]], x]

[Out] $-((\text{Sqrt}[2]*(A - B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(\text{Sqrt}[a]*d) + (2*(257*A - 129*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - (2*(29*A - 93*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*(19*A - 3*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - (2*(A - 9*B)*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(63*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*A*\text{Sec}[c + d*x]^{(9/2)}*\text{Sin}[c + d*x])/(9*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dis

t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2984

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{11}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{11}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{2A \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{9d \sqrt{a + a \cos(c + dx)}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{-\frac{1}{2}a(A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx)}{\cos^{\frac{9}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{9a}$$

$$= -\frac{2(A - 9B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \frac{2A \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{9d \sqrt{a + a \cos(c + dx)}} + \dots$$

$$= \frac{2(19A - 3B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 9B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \dots$$

$$= -\frac{2(29A - 93B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \frac{2(19A - 3B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} + \dots$$

$$= \frac{2(257A - 129B) \sqrt{\sec(c + dx)} \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} - \frac{2(29A - 93B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \dots$$

$$= \frac{2(257A - 129B) \sqrt{\sec(c + dx)} \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} - \frac{2(29A - 93B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \dots$$

$$= \frac{2(257A - 129B) \sqrt{\sec(c + dx)} \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} - \frac{2(29A - 93B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \dots$$

$$= -\frac{\sqrt{2} (A - B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{a} d}$$

Mathematica [C] time = 9.33, size = 272, normalized size = 0.92

$$2e^{-\frac{1}{2}i(c+dx)} \cos\left(\frac{1}{2}(c + dx)\right) \left(-315i(A - B) \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1 + e^{2i(c+dx)}} \tanh^{-1} \left(\frac{1 - e^{i(c+dx)}}{\sqrt{2} \sqrt{1 + e^{2i(c+dx)}}} \right) - \frac{1}{4} \sin\left(\frac{1}{2}(c + dx)\right) \sec\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2))/Sqrt[a + a*Cos[c + d*x]], x]

[Out] (2*Cos[(c + d*x)/2]*((-315*I)*(A - B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])] - ((-1279*A + 423*B + (214*A - 918*B)*Cos[c + d*x] - 8*(157*A - 69*B)*Cos[2*(c + d*x)] + 58*A*Cos[3*(c + d*x)] - 186*B*Cos[3*(c + d*x)] - 257*A*Cos[4*(c + d*x)] + 129*B*Cos[4*(c + d*x)])*Sec[c + d*x]^(9/2)*(Cos[(c + d*x)/2] + I*Sin[(c + d*x)/2])*Sin[(c + d*x)/2])/4)/(315*d*E^((I/2)*(c + d*x))*Sqrt[a*(1 + Cos[c + d*x])])

fricas [A] time = 1.38, size = 198, normalized size = 0.67

$$\frac{315 \sqrt{2} \left((A-B)a \cos(dx+c)^5 + (A-B)a \cos(dx+c)^4 \right) \arctan \left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right)}{\sqrt{a}} + \frac{2 \left((257A-129B) \cos(dx+c)^4 - (29A-93B) \cos(dx+c)^3 + 3(19A-3B) \cos(dx+c)^2 - 5(A-9B) \cos(dx+c) + 35A \right) \sqrt{a \cos(dx+c)+a} \sin(dx+c) / \sqrt{\cos(dx+c)}}{315 \left(ad \cos(dx+c)^5 + ad \cos(dx+c)^4 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)/(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] 1/315*(315*sqrt(2)*((A - B)*a*cos(d*x + c)^5 + (A - B)*a*cos(d*x + c)^4)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a) + 2*((257*A - 129*B)*cos(d*x + c)^4 - (29*A - 93*B)*cos(d*x + c)^3 + 3*(19*A - 3*B)*cos(d*x + c)^2 - 5*(A - 9*B)*cos(d*x + c) + 35*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a*d*cos(d*x + c)^5 + a*d*cos(d*x + c)^4)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)/(a+a*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.37, size = 793, normalized size = 2.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)/(a+a*cos(d*x+c))^(1/2), x)

[Out] 1/315/d*(315*A*cos(d*x+c)^5*(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-315*B*cos(d*x+c)^5*(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+1575*A*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-1575*B*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+3150*A*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-3150*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+3150*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-3150*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+1575*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-1575*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+315*A*(

```
cos(d*x+c)/(1+cos(d*x+c))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-315*B*(
cos(d*x+c)/(1+cos(d*x+c))^(9/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+257*A*c
os(d*x+c)^4*2^(1/2)*sin(d*x+c)-129*B*cos(d*x+c)^4*2^(1/2)*sin(d*x+c)-29*A*c
os(d*x+c)^3*2^(1/2)*sin(d*x+c)+93*B*cos(d*x+c)^3*2^(1/2)*sin(d*x+c)+57*A*co
s(d*x+c)^2*2^(1/2)*sin(d*x+c)-9*B*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-5*A*cos(d
*x+c)*2^(1/2)*sin(d*x+c)+45*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)+35*A*2^(1/2)*si
n(d*x+c))*cos(d*x+c)*(1/cos(d*x+c))^(11/2)*(a*(1+cos(d*x+c)))^(1/2)*sin(d*x
+c)^8/(-1+cos(d*x+c))^4/(1+cos(d*x+c))^5*2^(1/2)/a
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)/(a+a*cos(d*x+c))^(1/2),x, algo
rithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{11/2}}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(11/2))/(a + a*cos(c + d*x))^(1/
2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(11/2))/(a + a*cos(c + d*x))^(1/
2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(11/2)/(a+a*cos(d*x+c))**(1/2),x)

[Out] Timed out

$$3.521 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=250

$$\frac{2(A-7B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{35d\sqrt{a \cos(c+dx)+a}} + \frac{2(31A-7B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{105d\sqrt{a \cos(c+dx)+a}} - \frac{2(43A-91B) \sin(c+dx) \sqrt{\sec(c+dx)}}{105d\sqrt{a \cos(c+dx)+a}}$$

[Out] 2/105*(31*A-7*B)*sec(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)-2/35*(A-7*B)*sec(d*x+c)^(5/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+2/7*A*sec(d*x+c)^(7/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+(A-B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d/a^(1/2)-2/105*(43*A-91*B)*sin(d*x+c)*sec(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.84, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2984, 12, 2782, 205}

$$\frac{2(A-7B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{35d\sqrt{a \cos(c+dx)+a}} + \frac{2(31A-7B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{105d\sqrt{a \cos(c+dx)+a}} - \frac{2(43A-91B) \sin(c+dx) \sqrt{\sec(c+dx)}}{105d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2))/Sqrt[a + a*Cos[c + d*x]], x]

[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]])*Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(43*A - 91*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Cos[c + d*x]]) + (2*(31*A - 7*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d*Sqrt[a + a*Cos[c + d*x]]) - (2*(A - 7*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Cos[c + d*x]]) + (2*A*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(7*d*Sqrt[a + a*Cos[c + d*x]])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*CsC[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g},

m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2984

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{9}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{2A \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d \sqrt{a + a \cos(c + dx)}} + \frac{\left(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{-\frac{1}{2}a(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{\cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{7a}$$

$$= -\frac{2(A - 7B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d \sqrt{a + a \cos(c + dx)}} + \frac{2A \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d \sqrt{a + a \cos(c + dx)}} + \frac{2(31A - 7B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 7B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d \sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{2(43A - 91B) \sqrt{\sec(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} + \frac{2(31A - 7B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{2(43A - 91B) \sqrt{\sec(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} + \frac{2(31A - 7B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{2(43A - 91B) \sqrt{\sec(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} + \frac{2(31A - 7B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{\sqrt{2} (A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{a} d}$$

Mathematica [C] time = 6.84, size = 250, normalized size = 1.00

$$2e^{-\frac{1}{2}i(c+dx)} \cos\left(\frac{1}{2}(c + dx)\right) \left(105i(A - B) \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1 + e^{2i(c+dx)}} \tanh^{-1}\left(\frac{1 - e^{i(c+dx)}}{\sqrt{2} \sqrt{1+e^{2i(c+dx)}}}\right) - \frac{1}{2} \sin\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{7}{2}}(c + dx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2))/Sqrt[a + a*Cos[c + d*x]], x]

```
[Out] (2*cos[(c + d*x)/2]*((105*I)*(A - B)*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))])*sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]])] - ((-122*A + 14*B + 3*(47*A - 119*B)*Cos[c + d*x] + (-62*A + 14*B)*Cos[2*(c + d*x)] + 43*A*cos[3*(c + d*x)] - 91*B*cos[3*(c + d*x)])*Sec[c + d*x]^(7/2)*(Cos[(c + d*x)/2] + I*Sin[(c + d*x)/2])*Sin[(c + d*x)/2])/2)/(105*d*E^((I/2)*(c + d*x))*sqrt[a*(1 + Cos[c + d*x])])
```

fricas [A] time = 0.74, size = 181, normalized size = 0.72

$$\frac{105\sqrt{2}\left((A-B)a\cos(dx+c)^4+(A-B)a\cos(dx+c)^3\right)\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{\sqrt{a}} + \frac{2\left((43A-91B)\cos(dx+c)^3-(31A-7B)\cos(dx+c)^2+3(A-7B)\cos(dx+c)-15A\right)\sqrt{a\cos(dx+c)+a}\sin(dx+c)}{\sqrt{\cos(dx+c)}}}{105\left(ad\cos(dx+c)^4+ad\cos(dx+c)^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(1/2),x, algorith="fricas")
```

```
[Out] -1/105*(105*sqrt(2)*((A - B)*a*cos(d*x + c)^4 + (A - B)*a*cos(d*x + c)^3)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a) + 2*((43*A - 91*B)*cos(d*x + c)^3 - (31*A - 7*B)*cos(d*x + c)^2 + 3*(A - 7*B)*cos(d*x + c) - 15*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(1/2),x, algorith="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.50, size = 657, normalized size = 2.63

$$\frac{\left(105A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\cos^4(dx+c)\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{7}{2}} - 105B \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\cos^4(dx+c)\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{7}{2}}\right)}{\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(1/2),x)
```

```
[Out] 1/105/d*(105*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)-105*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+420*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)-420*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+630*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)-630*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+420*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)-420*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+105*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)/(1+cos(d*x+c))^(7/2)-105*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)/(1+cos(d*x+c))^(7/2)+43*A*cos(d*x+c)^3*2^(1/2)*sin(d*x+c)-91*B*cos(d*x+c)^3*2^(1/2)*sin(d*x+c)-31*A*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+7*B*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+3*A*cos(d*x+c)*2^(1/2)*sin(d*x+c)-21*B*cos(d
```

```
*x+c)*2^(1/2)*sin(d*x+c)-15*A*2^(1/2)*sin(d*x+c))*cos(d*x+c)*sin(d*x+c)^6*(
1/cos(d*x+c))^(9/2)*(a*(1+cos(d*x+c)))^(1/2)/(-1+cos(d*x+c))^3/(1+cos(d*x+c
))^4*2^(1/2)/a
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(1/2),x, algor
ithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
sign: argument cannot be imaginary; found %i
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{9/2}}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2))/(a + a*cos(c + d*x))^(1/2
),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2))/(a + a*cos(c + d*x))^(1/2
), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(9/2)/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.522 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=207

$$\frac{2(A-5B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{15d\sqrt{a \cos(c+dx)+a}} + \frac{2(13A-5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{15d\sqrt{a \cos(c+dx)+a}}$$

[Out] $-2/15*(A-5*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/5*A*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}-(A-B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d/a^{(1/2)}+2/15*(13*A-5*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.65, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2984, 12, 2782, 205}

$$\frac{2(A-5B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{15d\sqrt{a \cos(c+dx)+a}} + \frac{2(13A-5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{15d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2))/Sqrt[a + a*Cos[c + d*x]], x]

[Out] $-((\text{Sqrt}[2]*(A - B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(\text{Sqrt}[a]*d) + (2*(13*A - 5*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - (2*(A - 5*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/((15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*A*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/((5*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} dx \\
&= \frac{2A \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \cos(c + dx)}} + \frac{\left(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{-\frac{1}{2}a(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{\cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{5a} \\
&= -\frac{2(A - 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{2A \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \cos(c + dx)}} + \\
&= \frac{2(13A - 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} \\
&= \frac{2(13A - 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} \\
&= \frac{2(13A - 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} \\
&= \frac{\sqrt{2} (A - B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{a} d}
\end{aligned}$$

Mathematica [C] time = 7.80, size = 1718, normalized size = 8.30

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2))/Sqrt[a + a*Cos[c + d*x]
],x]
```

```
[Out] (2*Cos[c/2 + (d*x)/2]*Sqrt[(1 - 2*Sin[c/2 + (d*x)/2]^2)^(-1)]*Sqrt[1 - 2*Si
n[c/2 + (d*x)/2]^2]*((2*B*Sin[c/2 + (d*x)/2])/(5*(1 - 2*Sin[c/2 + (d*x)/2]^
2)^(5/2)) + (8*B*(Sin[c/2 + (d*x)/2]/(1 - 2*Sin[c/2 + (d*x)/2]^2)^(3/2) + (
2*Sin[c/2 + (d*x)/2])/Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]))/15 - ((A - B)*Csc[
c/2 + (d*x)/2]^7*(4725*Sin[c/2 + (d*x)/2]^2 - 48825*Sin[c/2 + (d*x)/2]^4 +
210105*Sin[c/2 + (d*x)/2]^6 - 486630*Sin[c/2 + (d*x)/2]^8 + 655812*Sin[c/2
+ (d*x)/2]^10 - 710*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-
1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 40*Cos[(c + d*x)/2]^6*
HypergeometricPFQ[{2, 2, 2, 9/2}, {1, 1, 11/2}, Sin[c/2 + (d*x)/2]^2/(-1 +
2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 518760*Sin[c/2 + (d*x)/2]^
```


$12 + 1770 \cdot \text{Hypergeometric2F1}\left[2, \frac{9}{2}, \frac{11}{2}, \frac{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^{12} + 226656 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^{14} - 1500 \cdot \text{Hypergeometric2F1}\left[2, \frac{9}{2}, \frac{11}{2}, \frac{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^{14} - 42048 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^{16} + 440 \cdot \text{Hypergeometric2F1}\left[2, \frac{9}{2}, \frac{11}{2}, \frac{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^{16} + 4725 \cdot \text{ArcTanh}\left[\frac{\sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2} - 56700 \cdot \text{ArcTanh}\left[\frac{\sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2 \cdot \sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2} - 291060 \cdot \text{ArcTanh}\left[\frac{\sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^4 \cdot \sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2} - 833760 \cdot \text{ArcTanh}\left[\frac{\sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^6 \cdot \sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2} + 1458000 \cdot \text{ArcTanh}\left[\frac{\sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^8 \cdot \sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2} - 1598400 \cdot \text{ArcTanh}\left[\frac{\sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^{10} \cdot \sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2} + 1080000 \cdot \text{ArcTanh}\left[\frac{\sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^{12} \cdot \sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2} - 414720 \cdot \text{ArcTanh}\left[\frac{\sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^{14} \cdot \sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2} + 69120 \cdot \text{ArcTanh}\left[\frac{\sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^{16} \cdot \sqrt{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2} + 60 \cdot \cos\left(\frac{c + d \cdot x}{2}\right)^4 \cdot \text{HypergeometricPFQ}\left[\left\{2, 2, \frac{9}{2}\right\}, \left\{1, \frac{11}{2}\right\}, \frac{\sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}{-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2}\right] \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^{10} \cdot (-5 + 4 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2) \cdot (675 \cdot (1 - 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2)^{7/2} \cdot (-1 + 2 \cdot \sin\left(\frac{c}{2} + \frac{d \cdot x}{2}\right)^2)) \cdot (d \cdot \sqrt{a \cdot (1 + \cos\left(\frac{c + d \cdot x}{2}\right))})\right]$

fricas [A] time = 0.55, size = 164, normalized size = 0.79

$$\frac{15 \sqrt{2} \left((A-B)a \cos(dx+c)^3 + (A-B)a \cos(dx+c)^2 \right) \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right)}{\sqrt{a}} + \frac{2 \left((13A-5B) \cos(dx+c)^2 - (A-5B) \cos(dx+c) + 3A \right) \sqrt{a}}{\sqrt{\cos(dx+c)}}}{15 \left(ad \cos(dx+c)^3 + ad \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x, algorith="fricas")

[Out] 1/15*(15*sqrt(2)*((A - B)*a*cos(d*x + c)^3 + (A - B)*a*cos(d*x + c)^2)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a) + 2*((13*A - 5*B)*cos(d*x + c)^2 - (A - 5*B)*cos(d*x + c) + 3*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(7/2)/sqrt(a*cos(d*x + c) + a), x)

maple [B] time = 0.43, size = 521, normalized size = 2.52

$$\left(15A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}\left(\cos^3(dx+c)\right) - 15B \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}\left(\cos^3(dx+c)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x)
[Out] 1/15/d*(15*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))
^(5/2)*cos(d*x+c)^3-15*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+
cos(d*x+c)))^(5/2)*cos(d*x+c)^3+45*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(co
s(d*x+c)/(1+cos(d*x+c)))^(5/2)*cos(d*x+c)^2-45*B*arcsin((-1+cos(d*x+c))/sin
(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*cos(d*x+c)^2+45*A*arcsin((-1+cos
(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*cos(d*x+c)-45*B*arcs
in((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*cos(d*x+c)
+15*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-
15*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+1
3*A*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-5*B*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-A*cos
(d*x+c)*2^(1/2)*sin(d*x+c)+5*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)+3*A*2^(1/2)*
sin(d*x+c)*cos(d*x+c)*sin(d*x+c)^4*(1/cos(d*x+c))^(7/2)*(a*(1+cos(d*x+c)))
^(1/2)/(-1+cos(d*x+c))^2/(1+cos(d*x+c))^3*2^(1/2)/a
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x, algor
ithm="maxima")
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
sign: argument cannot be imaginary; found %i
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{7/2}}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2))/(a + a*cos(c + d*x))^(1/2
),x)
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2))/(a + a*cos(c + d*x))^(1/2
), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(7/2)/(a+a*cos(d*x+c))**(1/2),x)
[Out] Timed out
```

$$3.523 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=162

$$\frac{2(A-3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out] 2/3*A*sec(d*x+c)^(3/2)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+(A-B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d/a^(1/2)-2/3*(A-3*B)*sin(d*x+c)*sec(d*x+c)^(1/2)/d/(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.45, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2984, 12, 2782, 205}

$$\frac{2(A-3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/Sqrt[a + a*Cos[c + d*x]], x]

[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]) + (2*A*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2984

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx \\
&= \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{\left(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{-\frac{1}{2}a(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{3a} \\
&= -\frac{2(A - 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \\
&= -\frac{2(A - 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \\
&= -\frac{2(A - 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} - \\
&= \frac{\sqrt{2} (A - B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{a} d}
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/Sqrt[a + a*Cos[c + d*x]],x]

[Out] \$Aborted

fricas [A] time = 1.83, size = 143, normalized size = 0.88

$$\frac{3 \sqrt{2} ((A-B)a \cos(dx+c)^2 + (A-B)a \cos(dx+c)) \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) + \frac{2((A-3B) \cos(dx+c)-A) \sqrt{a \cos(dx+c)+a} \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{3(ad \cos(dx+c)^2 + ad \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] -1/3*(3*sqrt(2)*((A - B)*a*cos(d*x + c)^2 + (A - B)*a*cos(d*x + c))*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))

$$\frac{1}{\sqrt{a}} + 2 \cdot \frac{(A - 3B) \cos(dx + c) - A \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{\sqrt{\cos(dx + c)}} \cdot \frac{1}{(a \cos(dx + c))^2 + a \cos(dx + c)}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorith="giac")

[Out] Timed out

maple [B] time = 0.40, size = 384, normalized size = 2.37

$$\left(3A \left(\cos^2(dx + c) \right) \arcsin \left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} - 3B \left(\cos^2(dx + c) \right) \arcsin \left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x)

[Out]
$$\frac{1}{3} \frac{d}{dx} \left(3A \cos^2(dx + c) \arcsin \left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} - 3B \cos^2(dx + c) \arcsin \left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} + 6A \cos(dx + c) \arcsin \left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} - 6B \cos(dx + c) \arcsin \left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} + 3A \arcsin \left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} - 3B \arcsin \left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} + A \cos^2(dx + c) \sin(dx + c) - 3B \cos^2(dx + c) \sin(dx + c) - A \cos(dx + c) \sin(dx + c) \sqrt{a \cos(dx + c) + a} - 3B \cos(dx + c) \sin(dx + c) \sqrt{a \cos(dx + c) + a} \right) \sqrt{a \cos(dx + c) + a}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorith="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2}}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + a*cos(c + d*x))^(1/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + a*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.524 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=119

$$\frac{2A \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} (A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d}$$

[Out] $-(A-B) \cdot \arctan(1/2 \cdot \sin(d \cdot x + c) \cdot a^{1/2} \cdot 2^{1/2} / \cos(d \cdot x + c)^{1/2} / (a + a \cdot \cos(d \cdot x + c))^{1/2}) \cdot 2^{1/2} \cdot \cos(d \cdot x + c)^{1/2} \cdot \sec(d \cdot x + c)^{1/2} / d / a^{1/2} + 2 \cdot A \cdot \sin(d \cdot x + c) \cdot \sec(d \cdot x + c)^{1/2} / d / (a + a \cdot \cos(d \cdot x + c))^{1/2}$

Rubi [A] time = 0.31, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2984, 12, 2782, 205}

$$\frac{2A \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} (A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/Sqrt[a + a*Cos[c + d*x]], x]

[Out] $-(\text{Sqrt}[2] \cdot (A - B) \cdot \text{ArcTan}[(\text{Sqrt}[a] \cdot \text{Sin}[c + d \cdot x]) / (\text{Sqrt}[2] \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]]) \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]]) \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{Sqrt}[\text{Sec}[c + d \cdot x]]) / (\text{Sqrt}[a] \cdot d) + (2 \cdot A \cdot \text{Sqrt}[\text{Sec}[c + d \cdot x]] \cdot \text{Sin}[c + d \cdot x]) / (d \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2984

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Sim

```
p[(((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^3(c + dx) \sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{\left(2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int -\frac{1}{2 \sqrt{\cos(c + dx)}} dx}{a}$$

$$= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} - \left((A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{\left(2a(A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{\sqrt{a}}$$

$$= -\frac{\sqrt{2} (A - B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{a} d}$$

Mathematica [C] time = 1.58, size = 203, normalized size = 1.71

$$\frac{2 \sin\left(\frac{1}{2}(c + dx)\right) \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(10B - (A - B) \sec(c + dx) \right) \left(\frac{1}{2} \sin(c + dx) \tan(c + dx) {}_2F_1\left(2, \frac{5}{2}; \frac{7}{2}; \frac{1}{2} \sec^2(c + dx)\right) \right)}{\sqrt{a}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/Sqrt[a + a*Cos[c + d*x]], x]
```

```
[Out] (2*Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*Sin[(c + d*x)/2]*(10*B - (A - B)*Sec[c + d*x]*((-5*(1 + 4*Cos[c + d*x] + Cos[2*(c + d*x)])*Csc[(c + d*x)/2]^4*(1 - Cos[c + d*x] + ArcTanh[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)])*Cos[c + d*x]*Sqrt[2 - 2*Sec[c + d*x]]))/4 + (Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d*x]*Sin[(c + d*x)/2]^2)*Sin[c + d*x]*Tan[(c + d*x)/2])))/(5*d*Sqrt[a*(1 + Cos[c + d*x])])
```

fricas [A] time = 0.77, size = 110, normalized size = 0.92

$$\frac{\frac{\sqrt{2}((A-B)a \cos(dx+c) + (A-B)a) \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{\sqrt{a}} + \frac{2 \sqrt{a \cos(dx+c)+a} A \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{ad \cos(dx+c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2), x, algorith="fricas")
```

```
[Out] (sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a) + 2*sqrt(a*cos(d*x + c) + a)*A*sin(d*x + c)/sqrt(cos(d*x + c))/(a*d*cos(d*x + c) + a*d)
```


giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/sqrt(a*cos(d*x + c) + a), x)

maple [B] time = 0.38, size = 231, normalized size = 1.94

$$\left(A \cos(dx + c) \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} - B \cos(dx + c) \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + A\sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x)

[Out] 1/d*(A*cos(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-B*cos(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+A*2^(1/2)*sin(d*x+c)+A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))*cos(d*x+c)*(1/cos(d*x+c))^(3/2)*(a*(1+cos(d*x+c)))^(1/2)/(1+cos(d*x+c))*2^(1/2)/a

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)}\right)^{3/2}}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^(1/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(1/2),x)

[Out] Timed out

$$3.525 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=140

$$\frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{\sqrt{a}d}$$

[Out] 2*B*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d/a^(1/2)+(A-B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d/a^(1/2)

Rubi [A] time = 0.35, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2982, 2782, 205, 2774, 216}

$$\frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/Sqrt[a + a*Cos[c + d*x]],x]

[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d

$\text{Sin}[e + f*x]^n / (g*\text{Sin}[e + f*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2982

$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] / (\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]) * \text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]], x_Symbol] :> \text{Dist}[(A*b - a*B)/b, \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]] * \text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] + \text{Dist}[B/b, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]] / \text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{a + a \cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx \\ &= ((A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx \\ &= -\frac{(2a(A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \text{Subst}\left(\int \frac{1}{2a^2 + ax^2} dx, x, -\sqrt{a + a \cos(c + dx)}\right)}{d} \\ &= \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{a} d} + \frac{\sqrt{2}(A - B)}{d} \end{aligned}$$

Mathematica [A] time = 0.21, size = 102, normalized size = 0.73

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left((A - B) \tan^{-1}\left(\frac{\sin\left(\frac{1}{2}(c + dx)\right)}{\sqrt{\cos(c + dx)}}\right) + \sqrt{2} B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{d \sqrt{a} (\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/Sqrt[a + a*Cos[c + d*x]], x]

[Out] (2*(Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + (A - B)*ArcTan[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]])*Cos[(c + d*x)/2]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a*(1 + Cos[c + d*x])])

fricas [A] time = 3.10, size = 96, normalized size = 0.69

$$\frac{\sqrt{2}(A - B)\sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) + 2B\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] -(sqrt(2)*(A - B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*B*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(a*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(a*cos(d*x + c) + a), x)

maple [A] time = 0.38, size = 153, normalized size = 1.09

$$\frac{\sqrt{\frac{1}{\cos(dx+c)}} \sqrt{a(1+\cos(dx+c))} \left(-B\sqrt{2} \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) - B \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \right)}{d \sin(dx+c)^2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x)

[Out] 1/d*(1/cos(d*x+c))^(1/2)*(a*(1+cos(d*x+c)))^(1/2)*(-B*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+A*arcsin((-1+cos(d*x+c))/sin(d*x+c))-B*arcsin((-1+cos(d*x+c))/sin(d*x+c)))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/sin(d*x+c)^2*(cos(d*x+c)^2-1)*2^(1/2)/a

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^(1/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(sec(c + d*x))/sqrt(a*(cos(c + d*x) + 1)), x)

$$3.526 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)} \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=181

$$\frac{(2A - B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} - \frac{\sqrt{2}(A - B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{2}}{\sqrt{2}}\right)}{\sqrt{a} d}$$

[Out] B*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+(2*A-B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d/a^(1/2)-(A-B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d/a^(1/2)

Rubi [A] time = 0.51, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A - B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} - \frac{\sqrt{2}(A - B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{2}}{\sqrt{2}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]), x]

[Out] ((2*A - B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) + (B*Sin[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dis

```
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 2982

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) +
(f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Si
mp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n
+ 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m +
n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{B \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int -}{a} \\ &= \frac{B \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \left((A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\ &= \frac{B \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{(2a(A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{\sqrt{a} d} \\ &= \frac{(2A - B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - \sqrt{2} (A - B)}{\sqrt{a} d} \end{aligned}$$

Mathematica [C] time = 1.37, size = 467, normalized size = 2.58

$$ie^{-2i(c+dx)} (1 + e^{i(c+dx)}) \sqrt{\sec(c + dx)} \left(-(2A - B)e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \sinh^{-1} \left(e^{i(c+dx)} \right) + 2\sqrt{2} Ae^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]
),x]
```

```
[Out] ((I/4)*(1 + E^(I*(c + d*x)))*(B - B*E^(I*(c + d*x)) + B*E^((2*I)*(c + d*x))
- B*E^((3*I)*(c + d*x)) - (2*A - B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c +
```

$d*x))]*\text{ArcSinh}[E^{(I*(c + d*x))}] + \text{Sqrt}[2]*B*E^{(I*(c + d*x))*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]}*\text{ArcTanh}[(1 - E^{(I*(c + d*x))})/(\text{Sqrt}[2]*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}])] + 2*\text{Sqrt}[2]*A*E^{(I*(c + d*x))*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]}*\text{ArcTanh}[(-1 + E^{(I*(c + d*x))})/(\text{Sqrt}[2]*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}])] - \text{Sqrt}[2]*B*E^{(I*(c + d*x))*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]}*\text{ArcTanh}[(-1 + E^{(I*(c + d*x))})/(\text{Sqrt}[2]*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}])] + 2*A*E^{(I*(c + d*x))*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]}*\text{ArcTanh}[\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]] - B*E^{(I*(c + d*x))*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]}*\text{ArcTanh}[\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]])*\text{Sqrt}[\text{Sec}[c + d*x]]/(d*E^{((2*I)*(c + d*x))*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]}])$

fricas [A] time = 7.18, size = 168, normalized size = 0.93

$$\frac{\sqrt{a \cos(dx+c)+a} B \sqrt{\cos(dx+c)} \sin(dx+c) - ((2A-B) \cos(dx+c) + 2A-B) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a}}{\sqrt{a} \sin(dx+c)}\right)}{ad \cos(dx+c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] (sqrt(a*cos(d*x + c) + a)*B*sqrt(cos(d*x + c))*sin(d*x + c) - ((2*A - B)*cos(d*x + c) + 2*A - B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{\sqrt{a \cos(dx+c)+a} \sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(a*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)

maple [A] time = 0.40, size = 232, normalized size = 1.28

$$\frac{\sqrt{a(1+\cos(dx+c))} \cos(dx+c)(-1+\cos(dx+c))^2 \left(B\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx+c) + 2A\sqrt{2} \arctan\left(\frac{\sin(dx+c)}{\sqrt{a(1+\cos(dx+c))}}\right) \right)}{2d\sqrt{\frac{1}{\cos(dx+c)}} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x)

[Out] 1/2/d*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^2*(B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)+2*A*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))-B*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+2*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))-2*B*arcsin((-1+cos(d*x+c))/sin(d*x+c)))/(1/cos(d*x+c))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/sin(d*x+c)^4*2^(1/2)/a

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(1/2)),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a(\cos(c + dx) + 1)} \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))/(sqrt(a*(cos(c + d*x) + 1))*sqrt(sec(c + d*x))), x)

$$3.527 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)} \sec^2(c+dx)} dx$$

Optimal. Leaf size=230

$$\frac{(4A-7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4\sqrt{a}d} + \frac{(4A-B)\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{\sqrt{2}(A-B)}{4d\sqrt{a}}$$

[Out] 1/2*B*sin(d*x+c)/d/sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2)+1/4*(4*A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)-1/4*(4*A-7*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d/a^(1/2)+(A-B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d/a^(1/2)

Rubi [A] time = 0.70, antiderivative size = 230, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(4A-7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4\sqrt{a}d} + \frac{(4A-B)\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{\sqrt{2}(A-B)}{4d\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)), x]

[Out] -((4*A - 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (B*Sin[c + d*x])/(2*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + ((4*A - B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2982

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2983

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx \\
 &= \frac{B \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx}{2} \\
 &= \frac{B \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{(4A - B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} \\
 &= \frac{B \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{(4A - B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} \\
 &= \frac{B \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{(4A - B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} \\
 &= \frac{(4A - 7B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4\sqrt{a} d} + \frac{\sqrt{2} (A - B)}{4\sqrt{a} d}
 \end{aligned}$$

Mathematica [C] time = 1.46, size = 412, normalized size = 1.79

$$ie^{-3i(c+dx)}(1 + e^{i(c+dx)})\sqrt{\sec(c+dx)}\left(-4A - 7B\right)e^{2i(c+dx)}\sqrt{1 + e^{2i(c+dx)}}\sinh^{-1}\left(e^{i(c+dx)}\right) - 8\sqrt{2}(A - B)e^{2i(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)),x]

[Out] ((-1/16*I)*(1 + E^(I*(c + d*x)))*(-B - 4*A*E^(I*(c + d*x)) + 2*B*E^(I*(c + d*x)) + 4*A*E^((2*I)*(c + d*x)) - 3*B*E^((2*I)*(c + d*x)) - 4*A*E^((3*I)*(c + d*x)) + 3*B*E^((3*I)*(c + d*x)) + 4*A*E^((4*I)*(c + d*x)) - 2*B*E^((4*I)*(c + d*x)) + B*E^((5*I)*(c + d*x)) - (4*A - 7*B)*E^((2*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))] - 8*Sqrt[2]*(A - B)*E^((2*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + 4*A*E^((2*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]]) - 7*B*E^((2*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sqrt[Sec[c + d*x]])/(d*E^((3*I)*(c + d*x))*Sqrt[a*(1 + Cos[c + d*x])])

fricas [A] time = 6.97, size = 194, normalized size = 0.84

$$\frac{((4A - 7B)\cos(dx + c) + 4A - 7B)\sqrt{a}\arctan\left(\frac{\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) - \frac{4\sqrt{2}((A-B)a\cos(dx+c)+(A-B)a)\arctan\left(\frac{\sqrt{2}}{\sqrt{a}}\right)}{\sqrt{a}}}{4(ad\cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x, algorith="fricas")

[Out] 1/4*(((4*A - 7*B)*cos(d*x + c) + 4*A - 7*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 4*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a) + (2*B*cos(d*x + c)^2 + (4*A - B)*cos(d*x + c)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(a*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

maple [A] time = 0.42, size = 300, normalized size = 1.30

$$\sqrt{a(1 + \cos(dx + c))} \cos(dx + c) (-1 + \cos(dx + c))^3 \left(-2B \sin(dx + c) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx + c) - 4A \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x)`

[Out] $1/8/d*(a*(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)*(-1+\cos(d*x+c))^3*(-2*B*\sin(d*x+c))*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)-4*A*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)+B*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)+4*A*2^{1/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))-7*B*2^{1/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+8*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))-8*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))/(1/\cos(d*x+c))^{3/2}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}/\sin(d*x+c)^6*2^{1/2}/a$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/(sqrt(a*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(1/2)),x)`

[Out] `int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a(\cos(c + dx) + 1)} \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(1/2),x)`

[Out] `Integral((A + B*cos(c + d*x))/(sqrt(a*(cos(c + d*x) + 1))*sec(c + d*x)**(3/2)), x)`

$$3.528 \quad \int \frac{(aA + (Ab + aB)\cos(c + dx) + bB\cos^2(c + dx))\sqrt{\sec(c + dx)}}{\sqrt{a + a\cos(c + dx)}} dx$$

Optimal. Leaf size=192

$$\frac{(2aB + 2Ab - bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c + dx)}{\sqrt{a\cos(c + dx) + a}}\right)}{\sqrt{a}d} + \frac{\sqrt{2}(a - b)(A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{\sqrt{a}}$$

[Out] b*B*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+(2*A*b+2*B*a-B*b)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d/a^(1/2)+(a-b)*(A-B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d/a^(1/2)

Rubi [A] time = 0.67, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 54, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {4221, 3045, 2982, 2782, 205, 2774, 216}

$$\frac{(2aB + 2Ab - bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c + dx)}{\sqrt{a\cos(c + dx) + a}}\right)}{\sqrt{a}d} + \frac{\sqrt{2}(a - b)(A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[((a*A + (A*b + a*B)*Cos[c + d*x] + b*B*Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]])/Sqrt[a + a*Cos[c + d*x]], x]

[Out] ((2*A*b + 2*a*B - b*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) + (Sqrt[2]*(a - b)*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) + (b*B*SIN[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*SIN[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*SIN[e + f*x]]*Sqrt[c + d*SIN[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2982

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3045

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(b*d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n*Simp[A*b*d*(m + n + 2) + C*(a*c*m + b*d*(n + 1)) + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]
```

Rule 4221

```
Int[(u_.)*((c_.)*sec[(a_.) + (b_.)*(x_)])^(m_.), x_Symbol] := Dist[(c*Sec[a + b*x])^m*(c*Cos[a + b*x])^m, Int[ActivateTrig[u]/(c*Cos[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{(aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{a + a \cos(c + dx)}} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{bB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{(aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{bB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \left((aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sqrt{\sec(c + dx)} \right) \frac{1}{\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{bB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{(2aA + 2aB - bB) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{a} d}$$

Mathematica [A] time = 0.47, size = 143, normalized size = 0.74

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left(\sqrt{2} (2aB + 2Ab - bB) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2(a - b)(A - B) \right)}{d\sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a*A + (A*b + a*B)*Cos[c + d*x] + b*B*Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]])/Sqrt[a + a*Cos[c + d*x]], x]
```

[Out] $(\cos((c + dx)/2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} (\sqrt{2} (2Ab + 2aB - bB) \operatorname{ArcSin}[\sqrt{2} \sin((c + dx)/2)] + 2(a - b)(A - B) \operatorname{ArcTan}[\sin((c + dx)/2) / \sqrt{\cos(c + dx)}] + 2bB \sqrt{\cos(c + dx)} \sin((c + dx)/2)) / (d \sqrt{a(1 + \cos(c + dx))})$

fricas [A] time = 33.10, size = 208, normalized size = 1.08

$$\frac{\sqrt{a \cos(dx + c) + a} B b \sqrt{\cos(dx + c)} \sin(dx + c) - (2Ba + (2A - B)b + (2Ba + (2A - B)b) \cos(dx + c)) \sqrt{a}}{ad \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*A+(A*b+B*a)*cos(d*x+c)+b*B*cos(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] $(\sqrt{a \cos(dx + c) + a} B b \sqrt{\cos(dx + c)} \sin(dx + c) - (2B a + (2A - B) b + (2B a + (2A - B) b) \cos(dx + c)) \sqrt{a} \arctan(\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} / (\sqrt{a} \sin(dx + c))) - \sqrt{2} ((A - B) a^2 - (A - B) a b + ((A - B) a^2 - (A - B) a b) \cos(dx + c)) \arctan(\sqrt{2} \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} / (\sqrt{a} \sin(dx + c))) / \sqrt{a}) / (a d \cos(dx + c) + a d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)) \sqrt{\sec(dx + c)}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*A+(A*b+B*a)*cos(d*x+c)+b*B*cos(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(sec(d*x + c))/sqrt(a*cos(d*x + c) + a), x)`

maple [A] time = 0.48, size = 317, normalized size = 1.65

$$\left(B \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} b \sin(dx + c) + 2A \sqrt{2} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) b + 2B \sqrt{2} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*A+(A*b+B*a)*cos(d*x+c)+b*B*cos(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x)`

[Out] $-1/2/d * (B^2)^{1/2} * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * b \sin(dx+c) + 2A * 2^{1/2} * \arctan(\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} / \cos(dx+c)) * b + 2 * B * 2^{1/2} * \arctan(\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} / \cos(dx+c)) * a - B * 2^{1/2} * \arctan(\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} / \cos(dx+c)) * b - 2A * \arcsin((-1+\cos(dx+c))/\sin(dx+c)) * a + 2A * \arcsin((-1+\cos(dx+c))/\sin(dx+c)) * b + 2B * \arcsin((-1+\cos(dx+c))/\sin(dx+c)) * a - 2B * \arcsin((-1+\cos(dx+c))/\sin(dx+c)) * b * (1/\cos(dx+c))^{1/2} * (a * (1+\cos(dx+c)))^{1/2} * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} / \sin(dx+c)^2 * (\cos(dx+c)^2 - 1) * 2^{1/2} / a$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*cos(d*x+c)+b*B*cos(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}} (Bb \cos(c+dx)^2 + (Ab + Ba) \cos(c+dx) + Aa)}{\sqrt{a + a \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((1/cos(c + d*x))^(1/2)*(A*a + cos(c + d*x)*(A*b + B*a) + B*b*cos(c + d*x)^2))/(a + a*cos(c + d*x))^(1/2), x)

[Out] int(((1/cos(c + d*x))^(1/2)*(A*a + cos(c + d*x)*(A*b + B*a) + B*b*cos(c + d*x)^2))/(a + a*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx))(a + b \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*A+(A*b+B*a)*cos(d*x+c)+b*B*cos(d*x+c)**2)*sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))*sqrt(sec(c + d*x))/sqrt(a*(cos(c + d*x) + 1)), x)

$$3.529 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=317

$$\frac{(19A - 15B)\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(11A - 7B) \sin(c+dx) \sec^2(c+dx)^{7/2}}{14ad \sqrt{a \cos(c+dx)+a}}$$

[Out] $-1/2*(A-B)*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}+1/210*(397*A-273*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}-1/70*(67*A-63*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}+1/14*(11*A-7*B)*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}+1/4*(19*A-15*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(3/2)}/d*2^{(1/2)}-1/210*(1201*A-1029*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 1.11, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(19A - 15B)\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(11A - 7B) \sin(c+dx) \sec^2(c+dx)^{7/2}}{14ad \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] ((19*A - 15*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((1201*A - 1029*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(210*a*d*Sqrt[a + a*Cos[c + d*x]]) + ((397*A - 273*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(210*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((67*A - 63*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(70*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) + ((11*A - 7*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(14*a*d*Sqrt[a + a*Cos[c + d*x]])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dis

```
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1
)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{9}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} \\
&= -\frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{2d(a + a \cos(c + dx))^{3/2}} \\
&= -\frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(11A - 7B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{14ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{(67A - 63B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{70ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} \\
&= \frac{(397A - 273B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} - \frac{(67A - 63B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{70ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{(1201A - 1029B) \sqrt{\sec(c + dx)} \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} + \frac{(397A - 273B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{(1201A - 1029B) \sqrt{\sec(c + dx)} \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} + \frac{(397A - 273B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{(1201A - 1029B) \sqrt{\sec(c + dx)} \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} + \frac{(397A - 273B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} \\
&= \frac{(19A - 15B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2} a^{3/2} d}
\end{aligned}$$

Mathematica [C] time = 10.18, size = 2966, normalized size = 9.36

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] (2*Cos[c/2 + (d*x)/2]^3*Sqrt[(1 - 2*Sin[c/2 + (d*x)/2]^2)^(-1)]*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]*(-1/28*((A - B)*(1 - 2*Sin[c/2 + (d*x)/2])))/((1 + Sin[c/2 + (d*x)/2])*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(7/2)) + ((A - B)*(1 + 2*Sin[c/2 + (d*x)/2]))/(28*(1 - Sin[c/2 + (d*x)/2])*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(7/2)) - ((A - B)*(315*ArcTan[(1 - 2*Sin[c/2 + (d*x)/2])/Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]] + (5 + 3*Sin[c/2 + (d*x)/2]))/((1 - Sin[c/2 + (d*x)/2])*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(5/2)) - (11 + 17*Sin[c/2 + (d*x)/2])/((1 - Sin[c/2 + (d*x)/2])*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(3/2)) + (61 + 71*Sin[c/2 + (d*x)/2])/((1 - Sin[c/2 + (d*x)/2])*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]) + (193*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2])/((1 - Sin[c/2 + (d*x)/2]))/70 + ((A - B)*(315*ArcTan[(1 + 2*Sin[c/2 + (d*x)/2])/Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]] + (5 - 3*Sin[c/2 + (d*x)/2]))/((1 + Sin[c/2 + (d*x)/2])*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(5/2)) - (11 - 17*Sin[c/2 + (d*x)/2])/((1 + Sin[c/2 + (d*x)/2])*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(3/2)) + (61 - 71*Sin[c/2 + (d*x)/2])/((1 + Sin[c/2 + (d*x)/2])*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]) + (193*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2])/((1 + Sin[c/2 + (d*x)/2]))/70 - ((-A - 3*B)*Csc[c/2 + (d*x)/2]^

$$\begin{aligned}
& 9*(363825*\sin[c/2 + (d*x)/2]^2 - 4729725*\sin[c/2 + (d*x)/2]^4 + 26785605*\sin[c/2 + (d*x)/2]^6 - 86790165*\sin[c/2 + (d*x)/2]^8 + 177677808*\sin[c/2 + (d*x)/2]^10 - 239283044*\sin[c/2 + (d*x)/2]^12 + 52080*\text{Hypergeometric2F1}[2, 11/2, 13/2, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^12 + 560*\text{HypergeometricPFQ}[\{2, 2, 2, 2, 11/2\}, \{1, 1, 1, 13/2\}, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^12 + 213120160*\sin[c/2 + (d*x)/2]^14 - 168280*\text{Hypergeometric2F1}[2, 11/2, 13/2, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^14 - 2240*\text{HypergeometricPFQ}[\{2, 2, 2, 2, 11/2\}, \{1, 1, 1, 13/2\}, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^14 - 121497024*\sin[c/2 + (d*x)/2]^16 + 212520*\text{Hypergeometric2F1}[2, 11/2, 13/2, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^16 + 3360*\text{HypergeometricPFQ}[\{2, 2, 2, 2, 11/2\}, \{1, 1, 1, 13/2\}, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^16 + 40125184*\sin[c/2 + (d*x)/2]^18 - 124320*\text{Hypergeometric2F1}[2, 11/2, 13/2, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^18 - 2240*\text{HypergeometricPFQ}[\{2, 2, 2, 2, 11/2\}, \{1, 1, 1, 13/2\}, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^18 - 5840384*\sin[c/2 + (d*x)/2]^20 + 28000*\text{Hypergeometric2F1}[2, 11/2, 13/2, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^20 + 560*\text{HypergeometricPFQ}[\{2, 2, 2, 2, 11/2\}, \{1, 1, 1, 13/2\}, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^20 + 363825*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] - 5336100*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^2*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] + 34636140*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^4*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] - 131060160*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^6*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] + 320535600*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^8*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] - 530671680*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^10*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] + 604296000*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^12*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] - 468948480*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^14*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] + 237726720*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^16*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] - 70963200*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^18*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] + 9461760*\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^20*\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] - 1120*\cos[(c + d*x)/2]^6*\text{HypergeometricPFQ}[\{2, 2, 2, 11/2\}, \{1, 1, 13/2\}, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^12*(-6 + 5*\sin[c/2 + (d*x)/2]^2) + 280*\cos[(c + d*x)/2]^4*\text{HypergeometricPFQ}[\{2, 2, 11/2\}, \{1, 13/2\}, \sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^12*(103 - 164*\sin[c/2 + (d*x)/2]^2 + 70*\sin[c/2 + (d*x)/2]^4))/(80850*(1 - 2*\sin[c/2 + (d*x)/2]^2)^(9/2)*(-1 + 2*\sin[c/2 + (d*x)/2]^2)))/(d*(a*(1 + \cos[c + d*x]))^(3/2))
\end{aligned}$$

fricas [A] time = 0.69, size = 237, normalized size = 0.75

$$\frac{105 \sqrt{2} \left((19A - 15B) \cos(dx + c)^5 + 2(19A - 15B) \cos(dx + c)^4 + (19A - 15B) \cos(dx + c)^3 \right) \sqrt{a} \arctan \left(\frac{\sqrt{2}}{2} \right)}{420 \left(a^2 d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$-1/420*(105*\sqrt{2}*((19*A - 15*B)*\cos(dx + c)^5 + 2*(19*A - 15*B)*\cos(dx + c)^4 + (19*A - 15*B)*\cos(dx + c)^3*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(dx + c) + a}*\sqrt{\cos(dx + c)})/(\sqrt{a}*\sin(dx + c))) + 2*((1201*A - 1029*B)*\cos(dx + c)^4 + 12*(67*A - 63*B)*\cos(dx + c)^3 - 28*(7*A - 3*B)*\cos(dx + c)^2 + 12*(3*A - 7*B)*\cos(dx + c) - 60*A)*\sqrt{a*\cos(dx + c) + a}*\sin(dx + c)/\sqrt{\cos(dx + c)})))/(a^2*d*\cos(dx + c)^5 + 2*a^2*d*\cos(dx + c)^4 + a^2*d*\cos(dx + c)^3)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{9}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(dx + c) + A)*sec(dx + c)^(9/2)/(a*cos(dx + c) + a)^(3/2), x)

maple [B] time = 0.55, size = 731, normalized size = 2.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(3/2),x)

[Out]
$$-1/420/d*(-1995*A*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^4*(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}+1575*B*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^4*(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}-7980*A*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^3*(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}+6300*B*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^3*(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}-11970*A*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}+9450*B*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}-7980*A*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}+6300*B*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}-1995*A*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}+1575*B*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}+1201*A*2^{(1/2)}*\cos(dx+c)^5-1029*B*2^{(1/2)}*\cos(dx+c)^5-397*A*2^{(1/2)}*\cos(dx+c)^4+273*B*2^{(1/2)}*\cos(dx+c)^4-1000*A*2^{(1/2)}*\cos(dx+c)^3+840*B*2^{(1/2)}*\cos(dx+c)^3+232*A*2^{(1/2)}*\cos(dx+c)^2-168*B*2^{(1/2)}*\cos(dx+c)^2-96*A*2^{(1/2)}*\cos(dx+c)+84*B*2^{(1/2)}*\cos(dx+c)+60*A*2^{(1/2)}*\cos(dx+c)*\sin(dx+c)^5*(1/\cos(dx+c))^{(9/2)}*(a*(1+\cos(dx+c)))^{(1/2)}/(-1+\cos(dx+c))^{(3/2)}/(1+\cos(dx+c))^{(4/2)}/a^2$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{9/2}}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2))/(a + a*cos(c + d*x))^(3/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2))/(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(9/2)/(a+a*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.530 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=270

$$\frac{(15A - 11B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(9A - 5B) \sin(c + dx) \sec^2(c + dx)^5}{10ad\sqrt{a \cos(c + dx) + a}}$$

[Out] $-1/2*(A-B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}-1/30*(39*A-35*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}+1/10*(9*A-5*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}-1/4*(15*A-11*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(3/2)}/d*2^{(1/2)}+1/30*(147*A-95*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.89, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(15A - 11B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(9A - 5B) \sin(c + dx) \sec^2(c + dx)^5}{10ad\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] $-((15*A - 11*B)*\text{ArcTan}[\frac{\text{Sqrt}[a]*\text{Sin}[c + d*x]}{\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]}]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]/(2*\text{Sqrt}[2]*a^{(3/2)}*d) + ((147*A - 95*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(30*a*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - ((39*A - 35*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(30*a*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - ((A - B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((9*A - 5*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(10*a*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Cos[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g},

m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} dx$$

$$= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int^{\frac{1}{2}}}{2a^2}$$

$$= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(9A - 5B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(39A - 35B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}}$$

$$= \frac{(147A - 95B)\sqrt{\sec(c + dx)} \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} - \frac{(39A - 35B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(147A - 95B)\sqrt{\sec(c + dx)} \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} - \frac{(39A - 35B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(147A - 95B)\sqrt{\sec(c + dx)} \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} - \frac{(39A - 35B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(15A - 11B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2} a^{3/2} d}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] \$Aborted

fricas [A] time = 2.02, size = 220, normalized size = 0.81

$$\frac{15\sqrt{2}\left((15A-11B)\cos(dx+c)^4+2(15A-11B)\cos(dx+c)^3+(15A-11B)\cos(dx+c)^2\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}}{\cos(dx+c)}\right)}{60\left(a^2d\cos(dx+c)^4+2a^2d\cos(dx+c)^3+a^2d\cos(dx+c)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/60*(15*sqrt(2)*((15*A - 11*B)*cos(d*x + c)^4 + 2*(15*A - 11*B)*cos(d*x + c)^3 + (15*A - 11*B)*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((147*A - 95*B)*cos(d*x + c)^3 + 12*(9*A - 5*B)*cos(d*x + c)^2 - 4*(3*A - 5*B)*cos(d*x + c) + 12*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(7/2)/(a*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 0.56, size = 595, normalized size = 2.20

$$\frac{\left(225A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) \left(\cos^3(dx+c)\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}} - 165B \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c)\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(3/2), x)

[Out] 1/60/d*(225*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-165*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+675*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-495*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+675*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-495*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+22

```
5*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-165*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-147*A*2^(1/2)*cos(d*x+c)^4+95*B*2^(1/2)*cos(d*x+c)^4+39*A*2^(1/2)*cos(d*x+c)^3-35*B*2^(1/2)*cos(d*x+c)^3+120*A*2^(1/2)*cos(d*x+c)^2-80*B*2^(1/2)*cos(d*x+c)^2-24*A*2^(1/2)*cos(d*x+c)+20*B*2^(1/2)*cos(d*x+c)+12*A*2^(1/2))*cos(d*x+c)*sin(d*x+c)^3*(1/cos(d*x+c))^(7/2)*(a*(1+cos(d*x+c)))^(1/2)/(-1+cos(d*x+c))^2/(1+cos(d*x+c))^3*2^(1/2)/a^2
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{7/2}}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2))/(a + a*cos(c + d*x))^(3/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2))/(a + a*cos(c + d*x))^(3/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(7/2)/(a+a*cos(d*x+c))**(3/2),x)
```

[Out] Timed out

$$3.531 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=223

$$\frac{(11A - 7B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(7A - 3B) \sin(c + dx) \sec^2(c + dx)}{6ad\sqrt{a \cos(c + dx) + a}}$$

[Out] $-1/2*(A-B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}+1/6*(7*A-3*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}+1/4*(11*A-7*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(3/2)}/d*2^{(1/2)}-1/6*(19*A-15*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.70, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(11A - 7B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(7A - 3B) \sin(c + dx) \sec^2(c + dx)}{6ad\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^{(5/2)}]/(a + a*\text{Cos}[c + d*x])^{(3/2)}, x]$
 [Out] $((11*A - 7*B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(2*\text{Sqrt}[2]*a^{(3/2)}*d) - ((19*A - 15*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(6*a*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - ((A - B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((7*A - 3*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(6*a*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] := \text{Dist}[a, \text{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

$\text{Int}[(a_*) + (b_*)(x_)^2]^{(-1)}, x_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_*) + (b_*)*\sin[(e_*) + (f_*)(x_)])]*\text{Sqrt}[(c_*) + (d_*)*\sin[(e_*) + (f_*)(x_)])]), x_Symbol] := \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\text{Cos}[e + f*x])]/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

$\text{Int}[(\text{csc}[(e_*) + (f_*)(x_)])*(g_*)^{(p_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)(x_)])^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)(x_)])^{(n_*)}), x_Symbol] := \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2984

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1
)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}} dx \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{2}}{2a^2} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{(7A - 3B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{(19A - 15B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} \\
&= -\frac{(19A - 15B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} \\
&= -\frac{(19A - 15B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} \\
&= \frac{(11A - 7B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2} a^{\frac{3}{2}} d}
\end{aligned}$$

Mathematica [C] time = 6.83, size = 981, normalized size = 4.40

$$2 \cos^3 \left(\frac{c}{2} + \frac{dx}{2} \right) \sqrt{\frac{1}{1 - 2 \sin^2 \left(\frac{c}{2} + \frac{dx}{2} \right)}} \sqrt{1 - 2 \sin^2 \left(\frac{c}{2} + \frac{dx}{2} \right)} \left(\frac{(A + 3B) \left(-12 \cos^4 \left(\frac{1}{2}(c + dx) \right) {}_3F_2 \left(2, 2, \frac{7}{2}; 1, \frac{9}{2}; -\frac{\sin^2 \left(\frac{c}{2} + \frac{dx}{2} \right)}{1 - 2 \sin^2 \left(\frac{c}{2} + \frac{dx}{2} \right)} \right) \sin^8 \left(\frac{c}{2} + \frac{dx}{2} \right) - 12}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] (2*Cos[c/2 + (d*x)/2]^3*Sqrt[(1 - 2*Sin[c/2 + (d*x)/2]^2)^(-1)]*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]*(-1/12*((A - B)*(1 - 2*Sin[c/2 + (d*x)/2])))/((1 + Sin[c/2 + (d*x)/2])*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(3/2)) + ((A - B)*(1 + 2*Sin[c/2 + (d*x)/2]))/(12*(1 - Sin[c/2 + (d*x)/2])*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(3/2)) - ((A - B)*(5*ArcTan[(1 - 2*Sin[c/2 + (d*x)/2])/Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]] + (1 + Sin[c/2 + (d*x)/2])/((1 - Sin[c/2 + (d*x)/2])*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2])) + (3*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2])/((1 - Sin[c/2 + (d*x)/2])))/2 + ((A - B)*(5*ArcTan[(1 + 2*Sin[c/2 + (d*x)/2])/Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2]] + (1 - Sin[c/2 + (d*x)/2])/((1 + Sin[c/2 + (d*x)/2])*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2])) + (3*Sqrt[1 - 2*Sin[c/2 + (d*x)/2]^2])/((1 + Sin[c/2 + (d*x)/2])))/2 + ((A + 3*B)*Csc[c/2 + (d*x)/2]^5*(-12*Cos[(c + d*x)/2]^4*HypergeometricPFQ[{2, 2, 7/2}, {1, 9/2}, -(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]*Sin[c/2 + (d*x)/2]^8 - 12*Hypergeometric2F1[2, 7/2, 9/2, -(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]*Sin[c/2 + (d*x)/2]^8*(4 - 7*Sin[c/2 + (d*x)/2]^2 + 3*Sin[c/2 + (d*x)/2]^4) + 7*Sqrt[-(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]*(1 - 2*Sin[c/2 + (d*x)/2]^2)^3*(15 - 20*Sin[c/2 + (d*x)/2]^2 + 8*Sin[c/2 + (d*x)/2]^4)*((3 - 7*Sin[c/2 + (d*x)/2]^2)*Sqrt[-(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]) - 3*ArcTanh[Sqrt[-(Sin[c/2 + (d*x)/2]^2/(1 - 2*Sin[c/2 + (d*x)/2]^2))]]*(1 - 2*Sin[c/2 + (d*x)/2]^2)))/(126*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(7/2)))/(d*(a*(1 + Cos[c + d*x]))^(3/2))

fricas [A] time = 0.60, size = 197, normalized size = 0.88

$$\frac{3\sqrt{2}\left((11A - 7B)\cos(dx + c)^3 + 2(11A - 7B)\cos(dx + c)^2 + (11A - 7B)\cos(dx + c)\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{ac}}{\dots}\right)}{12\left(a^2d\cos(dx + c)^3 + 2a^2d\cos(dx + c)^2 + \dots\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(3/2), x, algorith="fricas")

[Out] -1/12*(3*sqrt(2))*((11*A - 7*B)*cos(d*x + c)^3 + 2*(11*A - 7*B)*cos(d*x + c)^2 + (11*A - 7*B)*cos(d*x + c))*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((19*A - 15*B)*cos(d*x + c)^2 + 12*(A - B)*cos(d*x + c) - 4*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(3/2), x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 0.44, size = 457, normalized size = 2.05

$$\left(-33A \sin(dx + c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arcsin \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \right) (\cos^2(dx+c)) + 21B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arcsin \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(3/2), x)

[Out] -1/12/d*(-33*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2+21*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2-66*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)+42*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)-33*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+21*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+19*A*2^(1/2)*cos(d*x+c)^3-15*B*2^(1/2)*cos(d*x+c)^3-7*A*2^(1/2)*cos(d*x+c)^2+3*B*2^(1/2)*cos(d*x+c)^2-16*A*2^(1/2)*cos(d*x+c)+12*B*2^(1/2)*cos(d*x+c)+4*A*2^(1/2))*cos(d*x+c)*sin(d*x+c)*(1/cos(d*x+c))^(5/2)*(a*(1+cos(d*x+c)))^(1/2)/(-1+cos(d*x+c))/(1+cos(d*x+c))^2*2^(1/2)/a^2

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)} \right)^{\frac{5}{2}}}{(a + a \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + a*cos(c + d*x))^(3/2), x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(3/2), x)

[Out] Timed out

$$3.532 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=176

$$\frac{(7A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A-B)\sin(c+dx)\sqrt{\sec(c+dx)}}{2ad\sqrt{a\cos(c+dx)+a}}$$

[Out] $-1/2*(A-B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(3/2)}-1/4*(7*A-3*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(3/2)}/d*2^{(1/2)}+1/2*(5*A-B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.52, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(7A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A-B)\sin(c+dx)\sqrt{\sec(c+dx)}}{2ad\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^(3/2), x]

[Out] $-((7*A - 3*B)*\text{ArcTan}[\frac{\text{Sqrt}[a]*\text{Sin}[c + d*x]}{\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]}])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]/(2*\text{Sqrt}[2]*a^{(3/2)}*d) - ((A - B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]/(2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((5*A - B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]/(2*a*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]))$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Sim[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Sim[A*(a*d*m + b*c*(n + 1
)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} dx$$

$$= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} dx}{2a^2}$$

$$= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(5A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(5A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(5A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(7A - 3B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2} a^{3/2} d}$$

Mathematica [C] time = 4.49, size = 443, normalized size = 2.52

$$\cos^3\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left(\frac{(A+3B) \csc^3\left(\frac{1}{2}(c+dx)\right) \left(5(4 \cos(c+dx)+\cos(2(c+dx))+1)\left(-\cos(c+dx)+\cos(c+dx)\sqrt{2-2\cos(c+dx)}\right)\right)}{\dots} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^(3
/2), x]
```



```
[Out] (Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(30*(A - B)*ArcTan[(1 - 2*Sin[(c + d*x)/2])/Sqrt[Cos[c + d*x]]] - 30*(A - B)*ArcTan[(1 + 2*Sin[(c + d*x)/2])/Sqrt[Cos[c + d*x]]] - (20*(A - B)*Sqrt[Cos[c + d*x]])/(-1 + Sin[(c + d*x)/2]) - (20*(A - B)*Sqrt[Cos[c + d*x]])/(1 + Sin[(c + d*x)/2]) + (5*(A - B)*(-1 + 2*Sin[(c + d*x)/2]))/(Sqrt[Cos[c + d*x]]*(Cos[(c + d*x)/4] + Sin[(c + d*x)/4])^2) - (5*(A - B)*(1 + 2*Sin[(c + d*x)/2]))/(Sqrt[Cos[c + d*x]]*(-1 + Sin[(c + d*x)/2])) + ((A + 3*B)*Csc[(c + d*x)/2]^3*(5*(1 + 4*Cos[c + d*x] + Cos[2*(c + d*x)]))*(1 - Cos[c + d*x] + ArcTanh[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]]*Cos[c + d*x]*Sqrt[2 - 2*Sec[c + d*x]]) - 2*Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]*Sin[(c + d*x)/2]^4*Sin[c + d*x]*Tan[c + d*x])/(2*Cos[c + d*x]^(3/2)))/(10*d*(a*(1 + Cos[c + d*x]))^(3/2))
```

fricas [A] time = 0.76, size = 163, normalized size = 0.93

$$\frac{\sqrt{2} \left((7A - 3B) \cos(dx + c)^2 + 2(7A - 3B) \cos(dx + c) + 7A - 3B \right) \sqrt{a} \arctan \left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right)}{4 \left(a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/4*(sqrt(2)*((7*A - 3*B)*cos(d*x + c)^2 + 2*(7*A - 3*B)*cos(d*x + c) + 7*A - 3*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((5*A - B)*cos(d*x + c) + 4*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(3/2), x)
```

maple [B] time = 0.41, size = 312, normalized size = 1.77

$$\frac{\left(-7A \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx + c) + 3B \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x)
```

```
[Out] -1/4/d*(-7*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+3*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+5*A*2^(1/2)*cos(d*x+c)^2-7*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-B*2^(1/2)*cos(d*x+c)^2+3*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-A*2^(1/2)*cos(d*x+c)+B*2^(1/2)*cos(d*x+c)-4*A*2^(1/2))*cos(d*x+c)*(1/cos(d*x+c))^(3/2)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)/(1+cos(d*x+c))*2^(1/2)/a^2
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^(3/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.533 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=127

$$\frac{(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\sin(c+dx)}{2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

[Out] -1/2*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2)+1/4*(3*A+B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(3/2)/d*2^(1/2)

Rubi [A] time = 0.34, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2978, 12, 2782, 205}

$$\frac{(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\sin(c+dx)}{2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^(3/2), x]

[Out] ((3*A + B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2978

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Sim

```
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} dx \\ &= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\ &= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{((3A + B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\ &= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{((3A + B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\ &= \frac{(3A + B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2} a^{3/2} d} \end{aligned}$$

Mathematica [C] time = 1.64, size = 196, normalized size = 1.54

$$\frac{i \cos^3 \left(\frac{1}{2}(c + dx) \right) \left((3A + B) e^{-\frac{1}{2}i(c + dx)} \sqrt{\frac{e^{i(c + dx)}}{1 + e^{2i(c + dx)}}} \sqrt{1 + e^{2i(c + dx)}} \tanh^{-1} \left(\frac{1 - e^{i(c + dx)}}{\sqrt{2} \sqrt{1 + e^{2i(c + dx)}}} \right) - \frac{1}{2}i(A - B) \left(\sin \left(\frac{1}{2}(c + dx) \right) \right) \right)}{d(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^(3/2), x]
```

```
[Out] (I*Cos[(c + d*x)/2]^3*(((3*A + B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/E^((I/2)*(c + d*x)) - (I/2)*(A - B)*Sec[(c + d*x)/2]^2*Sqrt[Sec[c + d*x]]*(Sin[(c + d*x)/2] - Sin[(3*(c + d*x))/2])))/(d*(a*(1 + Cos[c + d*x]))^(3/2))
```

fricas [A] time = 0.71, size = 144, normalized size = 1.13

$$\frac{\sqrt{2} \left((3A + B) \cos(dx + c)^2 + 2(3A + B) \cos(dx + c) + 3A + B \right) \sqrt{a} \arctan \left(\frac{\sqrt{2} \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)} \right) + 2 \sqrt{a}}{4 \left(a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2), x, algorithm="fricas")
```

```
[Out] -1/4*(sqrt(2)*((3*A + B)*cos(d*x + c)^2 + 2*(3*A + B)*cos(d*x + c) + 3*A + B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*sqrt(a*cos(d*x + c) + a)*(A - B)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 0.37, size = 235, normalized size = 1.85

$$\frac{\sqrt{\frac{1}{\cos(dx+c)}} \sqrt{a(1+\cos(dx+c))} \left(-A\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx+c) + B\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx+c) + 3A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) \right)}{\sin(dx+c)^3 (\cos(dx+c)^2 - 1)^{1/2} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2),x)

[Out] 1/4/d*(1/cos(d*x+c))^(1/2)*(a*(1+cos(d*x+c)))^(1/2)*(-A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+3*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/sin(d*x+c)^3*(cos(d*x+c)^2-1)*2^(1/2)/a^2

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{(a + a \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^(3/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{(a (\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sqrt(sec(c + d*x))/(a*(cos(c + d*x) + 1))**(3/2), x)
```

$$3.534 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=185

$$\frac{(A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d}$$

[Out] 1/2*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2)+2*B*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(3/2)/d+1/4*(A-5*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(3/2)/d*2^(1/2)

Rubi [A] time = 0.54, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2977, 2982, 2782, 205, 2774, 216}

$$\frac{(A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]), x]

[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(3/2)*d) + ((A - 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dis

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[\frac{((a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n)}{(g*\text{Sin}[e + f*x])^p}, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2977

$\text{Int}[\frac{((a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\text{sin}[(e_) + (f_)*(x_)])^{(n_)}}{(c_) + (d_)*\text{sin}[(e_) + (f_)*(x_)]}, x_Symbol] :> \text{Simp}[\frac{((A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n)}{(a*f*(2*m + 1))}, x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*\text{Sin}[e + f*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2982

$\text{Int}[\frac{((A_) + (B_)*\text{sin}[(e_) + (f_)*(x_)])}{(\text{Sqrt}[(a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)]) * \text{Sqrt}[(c_) + (d_)*\text{sin}[(e_) + (f_)*(x_)])}, x_Symbol] :> \text{Dist}[\frac{(A*b - a*B)}{b}, \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] + \text{Dist}[B/b, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx \\ &= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2} \\ &= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{((A - 5B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2} \\ &= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{((A - 5B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2} \\ &= \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{3/2} d} + \frac{(A - 5B) \tan^{-1}\left(\frac{\sqrt{\cos(c + dx)}}{\sqrt{\sec(c + dx)}}\right)}{2d(a \cos(c + dx) + a)} \end{aligned}$$

Mathematica [C] time = 1.62, size = 243, normalized size = 1.31

$$\frac{\cos^3\left(\frac{1}{2}(c + dx)\right) \left((A - B) \left(\sin\left(\frac{3}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right) \right) \sec^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} - i\sqrt{2} e^{-\frac{1}{2}i(c + dx)} \sqrt{\frac{e^{i(c + dx)}}{1 + \cos(c + dx)}} \right)}{2d(a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]), x]


```
[Out] (Cos[(c + d*x)/2]^3*(((-I)*Sqrt[2]*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*(4*B*ArcSinh[E^(I*(c + d*x))] - Sqrt[2]*(A - 5*B)*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))])) - 4*B*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]]))/E^((I/2)*(c + d*x)) + (A - B)*Sec[(c + d*x)/2]^2*Sqrt[Sec[c + d*x]]*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/(2*d*(a*(1 + Cos[c + d*x]))^(3/2))
```

fricas [A] time = 8.00, size = 203, normalized size = 1.10

$$\frac{\sqrt{2} \left((A - 5B) \cos(dx + c)^2 + 2(A - 5B) \cos(dx + c) + A - 5B \right) \sqrt{a} \arctan \left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - 2}{4 \left(a^2 d \cos \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/4*(sqrt(2)*((A - 5*B)*cos(d*x + c)^2 + 2*(A - 5*B)*cos(d*x + c) + A - 5*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*sqrt(a*cos(d*x + c) + a)*(A - B)*sqrt(cos(d*x + c))*sin(d*x + c) + 8*(B*cos(d*x + c)^2 + 2*B*cos(d*x + c) + B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)
```

maple [A] time = 0.38, size = 288, normalized size = 1.56

$$\frac{\sqrt{a(1 + \cos(dx + c))} \cos(dx + c) (-1 + \cos(dx + c))^2 \left(A\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx + c) - 4B\sqrt{2} \arctan \left(\frac{\sin(dx+c)}{1+\cos(dx+c)} \right) \right)}{4 \left(a^2 d \cos \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x)
```

```
[Out] -1/4/d*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^2*(A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-4*B*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*sin(d*x+c)-B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-5*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/(1/cos(d*x+c))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/sin(d*x+c)^5*2^(1/2)/a^2
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(3/2)),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}} \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2)/sec(d*x+c)**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))/((a*(cos(c + d*x) + 1))**(3/2)*sqrt(sec(c + d*x))), x)

$$3.535 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2} \sec^2(c+dx)} dx$$

Optimal. Leaf size=237

$$\frac{(2A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(5A-9B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{1}{\sqrt{2}}\right)}{2\sqrt{2}a^{3/2}d}$$

[Out] 1/2*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2)-1/2*(A-3*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+(2*A-3*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(3/2)/d-1/4*(5*A-9*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(3/2)/d*2^(1/2)

Rubi [A] time = 0.74, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2961, 2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(5A-9B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{1}{\sqrt{2}}\right)}{2\sqrt{2}a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)), x]

[Out] ((2*A - 3*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(3/2)*d) - ((5*A - 9*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)) - ((A - 3*B)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2977

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2982

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{3/2}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} \\
&= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2ad\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} \\
&= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} - \frac{(A - 3B) \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} \\
&= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} - \frac{(A - 3B) \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} \\
&= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} - \frac{(A - 3B) \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} \\
&= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} - \frac{(A - 3B) \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} \\
&= \frac{(2A - 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{3/2}d} - \frac{(5A - 3B) \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.71, size = 836, normalized size = 3.53

$$\frac{\sqrt{\sec(c + dx)} \left(\frac{\sec\left(\frac{c}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right) \right) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} + \frac{\sec\left(\frac{c}{2}\right) \left(A \sin\left(\frac{c}{2}\right) - B \sin\left(\frac{c}{2}\right) \right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} - \frac{2A \cos\left(\frac{dx}{2}\right) \sin\left(\frac{c}{2}\right)}{d} + \frac{2B \cos\left(\frac{3dx}{2}\right)}{d} \right)}{(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)), x]

[Out] ((-I)*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^3)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(3/2)) + ((3*I)*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^3)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(3/2)) + ((2*I)*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(-ArcSinh[E^(I*(c + d*x))] + Sqrt[2]*ArcTanh[(-1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^3)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(3/2)) - ((3*I)*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(-ArcSinh[E^(I*(c + d*x))] + Sqrt[2]*ArcTanh[(-1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^3)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(3/2)) + (Cos[c/2 + (d*x)/2]^3*Sqrt[Sec[c + d*x]]*((-2*A*Cos[(d*x)/2]*Sin[c/2])/d + (Sec[c/2]*Sec[c/2 + (d*x)/2]*(A*Sin[c/2] - B*Sin[c/2])/d + (2*B*Cos[(3*d*x)/2]*Sin[(3*c)/2])/d - (2*A*Cos[c/2]*Sin[(d*x)/2])/d + (Sec[c/2]*Sec[c/2 + (d*x)/2]^2*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2])/d + (2*B*Cos[(3*c)/2]*Sin[(3*d*x)/2])/d))/(a*(1 + Cos[c + d*x]))^(3/2)

fricas [A] time = 10.96, size = 246, normalized size = 1.04

$$\frac{\sqrt{2} \left((5A - 9B) \cos(dx + c)^2 + 2(5A - 9B) \cos(dx + c) + 5A - 9B \right) \sqrt{a} \arctan \left(\frac{\sqrt{2} \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)} \right) - 4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] 1/4*(sqrt(2)*((5*A - 9*B)*cos(d*x + c)^2 + 2*(5*A - 9*B)*cos(d*x + c) + 5*A - 9*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 4*((2*A - 3*B)*cos(d*x + c)^2 + 2*(2*A - 3*B)*cos(d*x + c) + 2*A - 3*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*(2*B*cos(d*x + c)^2 - (A - 3*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2)), x)

maple [A] time = 0.44, size = 370, normalized size = 1.56

$$\sqrt{a(1 + \cos(dx + c))} \cos(dx + c) (-1 + \cos(dx + c))^3 \left(-2B (\cos^2(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + A \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x)

[Out] -1/4/d*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^3*(-2*B*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+4*A*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*sin(d*x+c)-B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-6*B*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*sin(d*x+c)+5*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-9*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+3*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/(1/cos(d*x+c))^(3/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)/sin(d*x+c)^7*2^(1/2)/a^2

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(3/2)),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

$$3.536 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=317

$$\frac{(283A - 163B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(157A - 85B)\sin(c+dx)\sec^2(c+dx)}{80a^2d\sqrt{a\cos(c+dx)+a}}$$

[Out] $-1/4*(A-B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}-1/16*(21*A-13*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}-1/240*(787*A-475*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}+1/80*(157*A-85*B)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}-1/32*(283*A-163*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d*2^{(1/2)}+1/240*(2671*A-1495*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 1.12, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(157A - 85B)\sin(c+dx)\sec^2(c+dx)}{80a^2d\sqrt{a\cos(c+dx)+a}} - \frac{(787A - 475B)\sin(c+dx)\sec^2(c+dx)}{240a^2d\sqrt{a\cos(c+dx)+a}} + \frac{(2671A - 1495B)\sin(c+dx)\sec^2(c+dx)}{240a^2d\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(7/2)} / (a + a*\text{Cos}[c + d*x])^{(5/2)}, x]$

[Out] $-((283*A - 163*B)*\text{ArcTan}[\frac{\text{Sqrt}[a]*\text{Sin}[c + d*x]}{\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]}])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]] / (16*\text{Sqrt}[2]*a^{(5/2)}*d) + ((2671*A - 1495*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]) / (240*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - ((787*A - 475*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x]) / (240*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - ((A - B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x]) / (4*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - ((21*A - 13*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x]) / (16*a*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((157*A - 85*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x]) / (80*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

$\text{Int}[(a_*)*(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$ $\text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)*(v_)] /;$ $\text{FreeQ}[b, x]$

Rule 205

$\text{Int}[(a_*) + (b_*)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ $\text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)])*\text{Sqrt}[(c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]]), x_Symbol] \rightarrow \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\text{Cos}[e + f*x]) / (\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

Rule 2961

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_)]*(g_*)^{(p_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)])^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)])^{(n_*)}, x_Symbol] \rightarrow \text{Dis}$

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{!IntegerQ}[p] \ \&\& \ \text{!(IntegerQ}[m] \ \&\& \ \text{IntegerQ}[n])$

Rule 2978

$\text{Int}[(a + b*\text{sin}[e + f*x])^m*((A + B)*\text{sin}[e + f*x] + (C + D)*\text{sin}[e + f*x])^n, x_Symbol] :> \text{Simp}[(b*(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{n+1})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\text{Sin}[e + f*x], x], x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ \text{!GtQ}[n, 0] \ \&\& \ \text{IntegerQ}[2*m] \ \&\& \ (\text{IntegerQ}[2*n] \ || \ \text{EqQ}[c, 0])$

Rule 2984

$\text{Int}[(a + b*\text{sin}[e + f*x])^m*((A + B)*\text{sin}[e + f*x] + (C + D)*\text{sin}[e + f*x])^n, x_Symbol] :> \text{Simp}[(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{n+1})/(f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(b*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{n+1}*\text{Simp}[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*\text{Sin}[e + f*x], x], x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ (\text{IntegerQ}[n] \ || \ \text{EqQ}[m + 1/2, 0])$

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx \\
&= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{2}}{4a^2} \\
&= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(21A - 13B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
&= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(21A - 13B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
&= -\frac{(787A - 475B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(2671A - 1495B)\sqrt{\sec(c + dx)} \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(787A - 475B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} \\
&= \frac{(2671A - 1495B)\sqrt{\sec(c + dx)} \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(787A - 475B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} \\
&= \frac{(2671A - 1495B)\sqrt{\sec(c + dx)} \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(787A - 475B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{(283A - 163B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2} a^{5/2}d}
\end{aligned}$$

Mathematica [C] time = 8.46, size = 261, normalized size = 0.82

$$\cos^5\left(\frac{1}{2}(c + dx)\right) \left(\tan\left(\frac{1}{2}(c + dx)\right) \sec^3\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) (10(2605A - 1381B) \cos(c + dx) + 108(157A - 85B)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] (Cos[(c + d*x)/2]^5*(((240*I)*(283*A - 163*B)*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/E^((I/2)*(c + d*x)) + (15053*A - 7685*B + 10*(2605*A - 1381*B)*Cos[c + d*x] + 108*(157*A - 85*B)*Cos[2*(c + d*x)] + 9110*A*Cos[3*(c + d*x)] - 5030*B*Cos[3*(c + d*x)] + 2671*A*Cos[4*(c + d*x)] - 1495*B*Cos[4*(c + d*x)]*Sec[(c + d*x)/2]^3*Sec[c + d*x]^(5/2)*Tan[(c + d*x)/2]))/(960*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 0.61, size = 266, normalized size = 0.84

$$15\sqrt{2} \left((283A - 163B) \cos(dx + c)^5 + 3(283A - 163B) \cos(dx + c)^4 + 3(283A - 163B) \cos(dx + c)^3 + (283A - 163B) \cos(dx + c)^2 + (283A - 163B) \cos(dx + c) + (283A - 163B) \right)$$

480(a³d co

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] 1/480*(15*sqrt(2)*((283*A - 163*B)*cos(d*x + c)^5 + 3*(283*A - 163*B)*cos(d*x + c)^4 + 3*(283*A - 163*B)*cos(d*x + c)^3 + (283*A - 163*B)*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((2671*A - 1495*B)*cos(d*x + c)^4 + 5*(911*A - 503*B)*cos(d*x + c)^3 + 32*(49*A - 25*B)*cos(d*x + c)^2 - 160*(A - B)*cos(d*x + c) + 96*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + a^3*d*cos(d*x + c)^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(7/2)/(a*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 0.52, size = 729, normalized size = 2.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(5/2),x)

[Out] -1/480/d*(4245*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-2445*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+16980*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-9780*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+25470*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-14670*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+16980*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-9780*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+4245*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-2445*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-2671*A*2^(1/2)*cos(d*x+c)^5+1495*B*2^(1/2)*cos(d*x+c)^5-1884*A*2^(1/2)*cos(d*x+c)^4+1020*B*2^(1/2)*cos(d*x+c)^4+2987*A*2^(1/2)*cos(d*x+c)^3-1715*B*2^(1/2)*cos(d*x+c)^3+1728*A*2^(1/2)*cos(d*x+c)^2-960*B*2^(1/2)*cos(d*x+c)^2-256*A*2^(1/2)*cos(d*x+c)+160*B*2^(1/2)*cos(d*x+c)+96*A*2^(1/2))*cos(d*x+c)*sin(d*x+c)*(1/cos(d*x+c))^(7/2)*(a*(1+cos(d*x+c)))^(1/2)/(-1+cos(d*x+c))/(1+cos(d*x+c))^3*2^(1/2)/a^3

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{7/2}}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2))/(a + a*cos(c + d*x))^(5/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2))/(a + a*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(7/2)/(a+a*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.537 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=270

$$\frac{(163A - 75B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(95A - 39B)\sin(c+dx)\sec^2(c+dx)}{48a^2d\sqrt{a\cos(c+dx)+a}}$$

[Out] $-1/4*(A-B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}-1/16*(17*A-9*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}+1/48*(95*A-39*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}+1/32*(163*A-75*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d*2^{(1/2)}-1/48*(299*A-147*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.93, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(95A - 39B)\sin(c+dx)\sec^2(c+dx)}{48a^2d\sqrt{a\cos(c+dx)+a}} - \frac{(299A - 147B)\sin(c+dx)\sqrt{\sec(c+dx)}}{48a^2d\sqrt{a\cos(c+dx)+a}} + \frac{(163A - 75B)\sqrt{\cos(c+dx)}}{48a^2d\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] $((163*A - 75*B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(16*\text{Sqrt}[2]*a^{(5/2)}*d) - ((299*A - 147*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(48*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - ((A - B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(4*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - ((17*A - 9*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(16*a*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((95*A - 39*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(48*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g},

$m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!IntegerQ}[p] \&\& \text{!(IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2978

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] :> \text{Simp}[(b*(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m*(c + d*\text{Sin}[e + f*x])^{n + 1}})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m + 1}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{!GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

Rule 2984

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] :> \text{Simp}[(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m*(c + d*\text{Sin}[e + f*x])^{n + 1}})/(f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(b*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m*(c + d*\text{Sin}[e + f*x])^{n + 1}}*\text{Simp}[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[n] || \text{EqQ}[m + 1/2, 0])$

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx \\ &= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int^{\frac{1}{2}}}{4a^2} \\ &= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\ &= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\ &= -\frac{(299A - 147B) \sqrt{\sec(c + dx)} \sin(c + dx)}{48a^2 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{3/2}} \\ &= -\frac{(299A - 147B) \sqrt{\sec(c + dx)} \sin(c + dx)}{48a^2 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{3/2}} \\ &= -\frac{(299A - 147B) \sqrt{\sec(c + dx)} \sin(c + dx)}{48a^2 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{3/2}} \\ &= \frac{(163A - 75B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2} a^{5/2} d} \end{aligned}$$

Mathematica [C] time = 3.79, size = 243, normalized size = 0.90

$$i \cos^5\left(\frac{1}{2}(c+dx)\right) \left(3(163A - 75B) e^{-\frac{1}{2}i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \tanh^{-1}\left(\frac{1-e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) + \frac{1}{8}i \tan\left(\frac{1}{2}(c+dx)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] ((I/12)*Cos[(c + d*x)/2]^5*((3*(163*A - 75*B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/E^((I/2)*(c + d*x)) + (I/8)*(878*A - 510*B + (1537*A - 825*B)*Cos[c + d*x] + 2*(503*A - 255*B)*Cos[2*(c + d*x)] + 299*A*Cos[3*(c + d*x)] - 147*B*Cos[3*(c + d*x)])*Sec[(c + d*x)/2]^3*Sec[c + d*x]^(3/2)*Tan[(c + d*x)/2])/(d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 0.87, size = 246, normalized size = 0.91

$$\frac{3\sqrt{2}\left((163A - 75B)\cos(dx + c)^4 + 3(163A - 75B)\cos(dx + c)^3 + 3(163A - 75B)\cos(dx + c)^2 + (163A - 75B)\cos(dx + c)\right)}{96(a^3d\cos(dx + c))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2), x, algorith="fricas")

[Out] -1/96*(3*sqrt(2)*((163*A - 75*B)*cos(d*x + c)^4 + 3*(163*A - 75*B)*cos(d*x + c)^3 + 3*(163*A - 75*B)*cos(d*x + c)^2 + (163*A - 75*B)*cos(d*x + c))*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((299*A - 147*B)*cos(d*x + c)^3 + (503*A - 255*B)*cos(d*x + c)^2 + 32*(5*A - 3*B)*cos(d*x + c) - 32*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2), x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 0.51, size = 585, normalized size = 2.17

$$\left(-489A \sin(dx + c) \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) (\cos^3(dx + c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} + 225B \sin(dx + c) \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2), x)

```
[Out] 1/96/d*(-489*A*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^3*(
cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+225*B*sin(d*x+c)*arcsin((-1+cos(d*x+c))/si
n(d*x+c))*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-1467*A*sin(d*x+c)*
(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*
x+c)^2+675*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*
x+c))/sin(d*x+c))*cos(d*x+c)^2-1467*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))
)^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)+675*B*sin(d*x+c)*(cos
(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)
+299*A*2^(1/2)*cos(d*x+c)^4-489*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3
/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-147*B*2^(1/2)*cos(d*x+c)^4+225*B*sin
(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c)
)+204*A*2^(1/2)*cos(d*x+c)^3-108*B*2^(1/2)*cos(d*x+c)^3-343*A*2^(1/2)*cos(d
*x+c)^2+159*B*2^(1/2)*cos(d*x+c)^2-192*A*2^(1/2)*cos(d*x+c)+96*B*2^(1/2)*co
s(d*x+c)+32*A*2^(1/2)*cos(d*x+c)*(1/cos(d*x+c))^(5/2)*(a*(1+cos(d*x+c)))^(
1/2)/sin(d*x+c)/(1+cos(d*x+c))^2*2^(1/2)/a^3
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2),x, algor
ithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2}}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + a*cos(c + d*x))^(5/2
),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + a*cos(c + d*x))^(5/2
), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(5/2),x)
```

[Out] Timed out

$$3.538 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=223

$$\frac{(75A - 19B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(49A - 9B) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \cos(c + dx) + a}}$$

[Out] $-1/4*(A-B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(5/2)}-1/16*(13*A-5*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(3/2)}-1/32*(75*A-19*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d*2^{(1/2)}+1/16*(49*A-9*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.73, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(49A - 9B) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \cos(c + dx) + a}} - \frac{(75A - 19B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] $-((75*A - 19*B)*\text{ArcTan}[\frac{\text{Sqrt}[a]*\text{Sin}[c + d*x]}{\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]}]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]/(16*\text{Sqrt}[2]*a^{(5/2)}*d) - ((A - B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(4*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - ((13*A - 5*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(16*a*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((49*A - 9*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(16*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !IntegerQ[m] && IntegerQ[n]

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2984

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1
)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx}{4a^2} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
&= -\frac{(75A - 19B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2} a^{5/2} d}
\end{aligned}$$

Mathematica [C] time = 2.30, size = 219, normalized size = 0.98

$$\cos^5 \left(\frac{1}{2}(c + dx) \right) \left(\frac{1}{4} \tan \left(\frac{1}{2}(c + dx) \right) \sec^3 \left(\frac{1}{2}(c + dx) \right) \sqrt{\sec(c + dx)} (2(85A - 13B) \cos(c + dx) + (49A - 9B) \cos(2(c + dx))) \right)$$

$$4d(a(\cos(c + dx) + 1))^{5/2}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^(5/2), x]

[Out] (Cos[(c + d*x)/2]^5*(((-I)*(75*A - 19*B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]))/E^((I/2)*(c + d*x)) + ((113*A - 9*B + 2*(85*A - 13*B)*Cos[c + d*x] + (49*A - 9*B)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^3*Sqrt[Sec[c + d*x]]*Tan[(c + d*x)/2])/4)/(4*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 0.74, size = 210, normalized size = 0.94

$$\frac{\sqrt{2} \left((75A - 19B) \cos(dx + c)^3 + 3(75A - 19B) \cos(dx + c)^2 + 3(75A - 19B) \cos(dx + c) + 75A - 19B \right) \sqrt{a \cos(dx + c) + a}}{32 \left(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(5/2), x, algorith="fricas")

[Out] 1/32*(sqrt(2)*((75*A - 19*B)*cos(d*x + c)^3 + 3*(75*A - 19*B)*cos(d*x + c)^2 + 3*(75*A - 19*B)*cos(d*x + c) + 75*A - 19*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((49*A - 9*B)*cos(d*x + c)^2 + (85*A - 13*B)*cos(d*x + c) + 32*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(5/2), x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 0.43, size = 457, normalized size = 2.05

$$\frac{(-1 + \cos(dx + c)) \left(75A \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) (\cos^2(dx + c)) \sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} - 19B \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(5/2), x)

[Out] -1/32/d*(-1+cos(d*x+c))*(75*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-19*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+150*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-49*A*2^(1/2)*cos(d*x+c)^3-38*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+9*B*2^(1/2)*cos(d*x+c)^3+75*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-36*A*2^(1/2)*cos(d*x+c)^2-19*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+4*B*2^(1/2)*cos(d*x+c)^2+53*A*2^(1/2)*cos(d*x+c)-13*B*2^(1/2)*cos(d*x+c)+32*A*2^(1/2))*co

$s(d*x+c)*(1/\cos(d*x+c))^{(3/2)}*(a*(1+\cos(d*x+c)))^{(1/2)}/\sin(d*x+c)^3/(1+\cos(d*x+c))*2^{(1/2)}/a^3$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2}}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^(5/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(5/2),x)

[Out] Timed out

$$3.539 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=176

$$\frac{(19A + 5B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(9A - B) \sin(c + dx)}{16ad \sqrt{\sec(c + dx)} (a \cos(c + dx) +$$

[Out] $-1/4*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(1/2)}-1/16*(9*A-B)*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+1/32*(19*A+5*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d*2^{(1/2)}$

Rubi [A] time = 0.53, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2978, 12, 2782, 205}

$$\frac{(19A + 5B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(9A - B) \sin(c + dx)}{16ad \sqrt{\sec(c + dx)} (a \cos(c + dx) +$$

Antiderivative was successfully verified.

[In] `Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^(5/2), x]`

[Out] `((19*A + 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]) - ((9*A - B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])`

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 2782

`Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rule 2961

`Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])`

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^{5/2}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2}} dx$$

$$= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{16ad(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}} - \frac{(9A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}} - \frac{(9A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}} - \frac{(9A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}}$$

$$= \frac{(19A + 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2} a^{5/2} d}$$

Mathematica [C] time = 1.84, size = 216, normalized size = 1.23

$$\frac{i \cos^5\left(\frac{1}{2}(c + dx)\right) \left((19A + 5B)e^{-\frac{1}{2}i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1 + e^{2i(c+dx)}} \tanh^{-1}\left(\frac{1 - e^{i(c+dx)}}{\sqrt{2} \sqrt{1+e^{2i(c+dx)}}}\right) - \frac{1}{4}i \left(\sin\left(\frac{1}{2}(c + dx)\right) - \cos\left(\frac{1}{2}(c + dx)\right)\right) \right)}{4d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((I/4)*Cos[(c + d*x)/2]^5*(((19*A + 5*B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/E^((I/2)*(c + d*x)) - (I/4)*(13*A - 5*B + (9*A - B)*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Sqrt[Sec[c + d*x]]*(Sin[(c + d*x)/2] - Sin[(3*(c + d*x))/2]))/(d*(a*(1 + Cos[c + d*x]))^(5/2))
```

fricas [A] time = 0.72, size = 207, normalized size = 1.18

$$\frac{\sqrt{2} \left((19A + 5B) \cos(dx + c)^3 + 3(19A + 5B) \cos(dx + c)^2 + 3(19A + 5B) \cos(dx + c) + 19A + 5B \right) \sqrt{a} \operatorname{arctan}\left(\frac{\sqrt{a} \sin(dx + c)}{\sqrt{2} \sqrt{\cos(dx + c)} \sqrt{a + a \cos(dx + c)}}\right)}{32 \left(a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + 19 a^3 d + 5 B a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(5/2),x, algorith="fricas")

[Out]
$$-1/32*(\sqrt{2})*((19*A + 5*B)*\cos(d*x + c)^3 + 3*(19*A + 5*B)*\cos(d*x + c)^2 + 3*(19*A + 5*B)*\cos(d*x + c) + 19*A + 5*B)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) + 2*((9*A - B)*\cos(d*x + c)^2 + (13*A - 5*B)*\cos(d*x + c))*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c)})/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(5/2),x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 0.39, size = 375, normalized size = 2.13

$$\sqrt{\frac{1}{\cos(dx+c)}} \sqrt{a(1+\cos(dx+c))} \cos(dx+c) (-1+\cos(dx+c))^2 \left(-9A(\cos^2(dx+c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(5/2),x)

[Out]
$$-1/32/d*(1/\cos(d*x+c))^{1/2}*(a*(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)*(-1+\cos(d*x+c))^2*(-9*A*\cos(d*x+c)^2*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+B*\cos(d*x+c)^2*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+19*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)-4*A*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)+5*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)+4*B*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)+19*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)+13*A*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+5*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-5*B*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})/\sin(d*x+c)^5/(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*2^{1/2}/a^3$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(5/2),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{(a + a \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^(5/2), x)
```

```
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^(5/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```


$$3.540 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2} \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=174

$$\frac{(5A + 3B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(A + 7B) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)} (a \cos(c + dx) + a)}$$

[Out] 1/4*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2)+1/16*(A+7*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2)+1/32*(5*A+3*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(5/2)/d*2^(1/2)

Rubi [A] time = 0.51, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2977, 2978, 12, 2782, 205}

$$\frac{(5A + 3B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(A + 7B) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)} (a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]), x]

[Out] ((5*A + 3*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]) + ((A + 7*B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*CsC[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[
((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*
(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) -
d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[
(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/
(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*
(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx$$

$$= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{(A + 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{(A + 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{(A + 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(5A + 3B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2} a^{5/2} d}$$

Mathematica [C] time = 1.82, size = 213, normalized size = 1.22

$$\frac{\cos^5 \left(\frac{1}{2}(c + dx) \right) \left(\frac{1}{4} \left(\sin \left(\frac{3}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) \sqrt{\sec(c + dx)} \sec^4 \left(\frac{1}{2}(c + dx) \right) ((A + 7B) \cos(c + dx) + 5A) \right)}{4d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]), x]
```

```
[Out] (Cos[(c + d*x)/2]^5*((I*(5*A + 3*B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[
```

2)*Sqrt[1 + E^((2*I)*(c + d*x))]]]/E^((I/2)*(c + d*x)) + ((5*A + 3*B + (A + 7*B)*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Sqrt[Sec[c + d*x]]*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/4)/(4*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 0.57, size = 205, normalized size = 1.18

$$\frac{\sqrt{2} \left((5A + 3B) \cos(dx + c)^3 + 3(5A + 3B) \cos(dx + c)^2 + 3(5A + 3B) \cos(dx + c) + 5A + 3B \right) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx + c) + a}}{\sqrt{a} \sin(dx + c)}\right) - 2 \left((A + 7B) \cos(dx + c)^2 + (5A + 3B) \cos(dx + c) \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c) / \sqrt{\cos(dx + c)}}{32 \left(a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2), x, algorith="fricas")

[Out] -1/32*(sqrt(2)*((5*A + 3*B)*cos(d*x + c)^3 + 3*(5*A + 3*B)*cos(d*x + c)^2 + 3*(5*A + 3*B)*cos(d*x + c) + 5*A + 3*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*((A + 7*B)*cos(d*x + c)^2 + (5*A + 3*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2), x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)

maple [B] time = 0.47, size = 375, normalized size = 2.16

$$\frac{\sqrt{a(1 + \cos(dx + c))} \cos(dx + c) (-1 + \cos(dx + c))^3 \left(A (\cos^2(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + 7B (\cos^2(dx + c) \right)}{32 \left(a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2), x)

[Out] 1/32/d*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^3*(A*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+7*B*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+5*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)+4*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+3*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)-4*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+5*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-5*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+3*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-3*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/(1/cos(d*x+c))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/sin(d*x+c)^7*2^(1/2)/a^3

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(5/2)),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

$$3.541 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

Optimal. Leaf size=234

$$\frac{(3A - 43B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} + \frac{2B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d}$$

[Out] 1/4*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2)+1/16*(3*A-11*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2)+2*B*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(5/2)/d+1/32*(3*A-43*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(5/2)/d*2^(1/2)

Rubi [A] time = 0.74, antiderivative size = 234, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2977, 2982, 2782, 205, 2774, 216}

$$\frac{(3A - 43B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} + \frac{2B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)), x]

[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(5/2)*d) + ((3*A - 43*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)) + ((3*A - 11*B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2977

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2982

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{5/2} \sec^{\frac{3}{2}}(c + dx)} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx$$

$$= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{4d(a + a \cos(c + dx))^{5/2} \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{(3A - 11B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{(3A - 11B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{(3A - 11B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{2B \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{5/2} d} + \frac{(3A - 43B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

Mathematica [C] time = 2.58, size = 264, normalized size = 1.13

$$\cos^5\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{2}\left(\sin\left(\frac{3}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)\sec^4\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}((7A-15B)\cos(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)), x]

[Out] (Cos[(c + d*x)/2]^5*((-I)*Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(32*B*ArcSinh[E^(I*(c + d*x))] - Sqrt[2]*(3*A - 43*B)*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x)))]]) - 32*B*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])/E^((I/2)*(c + d*x)) + ((3*A - 11*B + (7*A - 15*B)*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Sqrt[Sec[c + d*x]]*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/2)/(8*d*(a*(1 + Cos[c + d*x]))^(5/2))

fricas [A] time = 16.16, size = 277, normalized size = 1.18

$$\sqrt{2}\left((3A-43B)\cos(dx+c)^3+3(3A-43B)\cos(dx+c)^2+3(3A-43B)\cos(dx+c)+3A-43B\right)\sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2), x, algorithm="fricas")

[Out] -1/32*(sqrt(2)*((3*A - 43*B)*cos(d*x + c)^3 + 3*(3*A - 43*B)*cos(d*x + c)^2 + 3*(3*A - 43*B)*cos(d*x + c) + 3*A - 43*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 64*(B*cos(d*x + c)^3 + 3*B*cos(d*x + c)^2 + 3*B*cos(d*x + c) + B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*((7*A - 15*B)*cos(d*x + c)^2 + (3*A - 11*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2)), x)

maple [B] time = 0.39, size = 476, normalized size = 2.03

$$\sqrt{a(1+\cos(dx+c))}(-1+\cos(dx+c))^4\cos(dx+c)\left(7A(\cos^2(dx+c))\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}-15B(\cos^2(dx+c))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x)

[Out]
$$-1/32/d*(a*(1+\cos(d*x+c)))^{1/2}*(-1+\cos(d*x+c))^4*\cos(d*x+c)*(7*A*\cos(d*x+c)^2*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}-15*B*\cos(d*x+c)^2*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}-32*B*\cos(d*x+c)*2^{1/2}*\sin(d*x+c)*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+3*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)-4*A*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)-43*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)+4*B*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)-32*B*2^{1/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))*\sin(d*x+c)+3*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-3*A*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}-43*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)+11*B*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})/(1/\cos(d*x+c))^{3/2}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}/\sin(d*x+c)^9*2^{1/2}/a^3$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(5/2)),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

$$3.542 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

Optimal. Leaf size=286

$$\frac{(2A - 5B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(43A - 115B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d}$$

[Out] 1/4*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2)+1/16*(7*A-15*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2)-1/16*(11*A-35*B)*sin(d*x+c)/a^2/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+(2*A-5*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(5/2)/d-1/32*(43*A-115*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(5/2)/d*2^(1/2)

Rubi [A] time = 0.98, antiderivative size = 286, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2961, 2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A - 5B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A - 35B) \sin(c + dx)}{16a^2d\sqrt{\sec(c + dx)} \sqrt{a \cos(c + dx) + a}} - \frac{(43A - 115B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)), x]

[Out] ((2*A - 5*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) - ((43*A - 115*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/((Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)) + ((7*A - 15*B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)) - ((11*A - 35*B)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])]

$\text{in}[e + f*x]]], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2961

$\text{Int}[(\text{csc}[e + f*x] + (f*x) * (g_))^{(p_)} * ((a_ + (b_)*\sin[e + f*x] + (f_)*x))^{(m_)} * ((c_ + (d_)*\sin[e + f*x] + (f_)*x))^{(n_)}, x_Symbol] :> \text{Dist}[(g*\text{Csc}[e + f*x])^p * (g*\sin[e + f*x])^p, \text{Int}[(a + b*\sin[e + f*x])^m * (c + d*\sin[e + f*x])^n / (g*\sin[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2977

$\text{Int}[(a_ + (b_)*\sin[e + f*x] + (f_)*x)^{(m_)} * (A_ + (B_)*\sin[e + f*x] + (f_)*x) * (c_ + (d_)*\sin[e + f*x] + (f_)*x)^{(n_)}, x_Symbol] :> \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x] * (a + b*\sin[e + f*x])^m * (c + d*\sin[e + f*x])^n / (a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\sin[e + f*x])^{(m+1)} * (c + d*\sin[e + f*x])^{(n-1)} * \text{Simp}[A*(a*d*n - b*c*(m+1)) - B*(a*c*m + b*d*n) - d*(a*B*(m-n) + A*b*(m+n+1))*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

Rule 2982

$\text{Int}[(A_ + (B_)*\sin[e + f*x] + (f_)*x) / (\text{Sqrt}[a_ + (b_)*\sin[e + f*x] + (f_)*x] * \text{Sqrt}[c_ + (d_)*\sin[e + f*x] + (f_)*x]), x_Symbol] :> \text{Dist}[(A*b - a*B)/b, \text{Int}[1/(\text{Sqrt}[a + b*\sin[e + f*x]] * \text{Sqrt}[c + d*\sin[e + f*x]]), x], x] + \text{Dist}[B/b, \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]] / \text{Sqrt}[c + d*\sin[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2983

$\text{Int}[(a_ + (b_)*\sin[e + f*x] + (f_)*x)^{(m_)} * (A_ + (B_)*\sin[e + f*x] + (f_)*x) * (c_ + (d_)*\sin[e + f*x] + (f_)*x)^{(n_)}, x_Symbol] :> -\text{Simp}[(B*\text{Cos}[e + f*x] * (a + b*\sin[e + f*x])^m * (c + d*\sin[e + f*x])^n) / (f*(m + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\sin[e + f*x])^m * (c + d*\sin[e + f*x])^{(n-1)} * \text{Simp}[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[n, 0] \&\& (\text{IntegerQ}[n] || \text{EqQ}[m + 1/2, 0])$

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{5/2}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \\
 &= \frac{(2A - 5B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{5/2} d} \quad (43)
 \end{aligned}$$

Mathematica [C] time = 7.21, size = 929, normalized size = 3.25

$$\sqrt{\sec(c + dx)} \left(\frac{\sec(\frac{c}{2}) \left(B \sin(\frac{dx}{2}) - A \sin(\frac{dx}{2}) \right) \sec^4(\frac{c}{2} + \frac{dx}{2})}{2d} - \frac{(A - B) \tan(\frac{c}{2}) \sec^3(\frac{c}{2} + \frac{dx}{2})}{2d} + \frac{\sec(\frac{c}{2}) \left(19A \sin(\frac{dx}{2}) - 27B \sin(\frac{dx}{2}) \right) \sec^2(\frac{c}{2} + \frac{dx}{2})}{4d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)),x]

[Out] (((-11*I)/4)*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^5)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(5/2)) + ((35*I)/4)*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^5)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(5/2)) + ((4*I)*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(-ArcSinh[E^(I*(c + d*x))]) + Sqrt[2]*ArcTanh[(-1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^5)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(5/2)) - ((10*I)*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(-ArcSinh[E^(I*(c + d*x))]) + Sqrt[2]*ArcTanh[(-1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^5)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(5/2)) + (Cos[c/2 + (d*x)/2]^5*Sqrt[Sec[c + d*x]]*((15*(-A + B)*Cos[(d*x)/2]*Sin[c/2]))/(2*d) + (4*B*Cos[(3*d*x)/2]*Sin[(3*c)/2])/d - (15*(A - B)*Cos[c/2]*Si

$$\frac{n[(d*x)/2]}{(2*d)} + (\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^2*(19*A*\text{Sin}[(d*x)/2] - 27*B*\text{Sin}[(d*x)/2]))/(4*d) + (\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^4*(-(A*\text{Sin}[(d*x)/2]) + B*\text{Sin}[(d*x)/2]))/(2*d) + (4*B*\text{Cos}[(3*c)/2]*\text{Sin}[(3*d*x)/2])/d + ((19*A - 27*B)*\text{Sec}[c/2 + (d*x)/2]*\text{Tan}[c/2])/(4*d) - ((A - B)*\text{Sec}[c/2 + (d*x)/2]^3*\text{Tan}[c/2])/(2*d)))/(a*(1 + \text{Cos}[c + d*x]))^{(5/2)}$$

fricas [A] time = 29.03, size = 313, normalized size = 1.09

$$\sqrt{2} \left((43A - 115B) \cos(dx + c)^3 + 3(43A - 115B) \cos(dx + c)^2 + 3(43A - 115B) \cos(dx + c) + 43A - 115B \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] 1/32*(sqrt(2)*((43*A - 115*B)*cos(d*x + c)^3 + 3*(43*A - 115*B)*cos(d*x + c)^2 + 3*(43*A - 115*B)*cos(d*x + c) + 43*A - 115*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 32*((2*A - 5*B)*cos(d*x + c)^3 + 3*(2*A - 5*B)*cos(d*x + c)^2 + 3*(2*A - 5*B)*cos(d*x + c) + 2*A - 5*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*(16*B*cos(d*x + c)^3 - 5*(3*A - 11*B)*cos(d*x + c)^2 - (11*A - 35*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2)), x)

maple [B] time = 0.43, size = 609, normalized size = 2.13

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^5 \cos(dx + c) \left(-16B\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^3(dx + c)) + 15A (\cos^2(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2),x)

[Out] -1/32/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^5*cos(d*x+c)*(-16*B*2^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3+15*A*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+32*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^(1/2)/cos(d*x+c))*2^(1/2)*sin(d*x+c)*cos(d*x+c)-39*B*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-80*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^(1/2)/cos(d*x+c))+43*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)-4*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+32*A*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^(1/2)/cos(d*x+c))*sin(d*x+c)-115*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)

$$\frac{\sin(dx+c) \cos(dx+c) + 20B \cdot 2^{1/2} \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot \cos(dx+c) - 80B \cdot 2^{1/2} \cdot \arctan(\sin(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c))))^{1/2} / \cos(dx+c) + 43A \cdot \arcsin((-1+\cos(dx+c))/\sin(dx+c)) \cdot \sin(dx+c) - 11A \cdot 2^{1/2} \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} - 115B \cdot \arcsin((-1+\cos(dx+c))/\sin(dx+c)) \cdot \sin(dx+c) + 35B \cdot 2^{1/2} \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} / (1/\cos(dx+c))^{5/2} / (\cos(dx+c)/(1+\cos(dx+c)))^{7/2} / \sin(dx+c)^{11} \cdot 2^{1/2} / a^3}{1}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{(a \cos(dx+c) + a)^{5/2} \sec(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+a*cos(dx+c))^(5/2)/sec(dx+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)/((a*cos(dx+c) + a)^(5/2)*sec(dx+c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))/((1/cos(c + dx))^(5/2)*(a + a*cos(c + dx))^(5/2)),x)

[Out] int((A + B*cos(c + dx))/((1/cos(c + dx))^(5/2)*(a + a*cos(c + dx))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+a*cos(dx+c))**(5/2)/sec(dx+c)**(5/2),x)

[Out] Timed out

$$3.543 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$$

Optimal. Leaf size=317

$$\frac{(1015A - 363B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{(579A - 199B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{192a^3d\sqrt{a\cos(c+dx)+a}}$$

[Out] $-1/6*(A-B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(7/2)}-1/48*(23*A-11*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(5/2)}-1/64*(109*A-41*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}+1/192*(579*A-199*B)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^3/d/(a+a*\cos(d*x+c))^{(1/2)}+1/128*(1015*A-363*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(7/2)}/d*2^{(1/2)}-1/192*(1887*A-691*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^3/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 1.15, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(579A - 199B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{192a^3d\sqrt{a\cos(c+dx)+a}} - \frac{(109A - 41B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{64a^2d(a\cos(c+dx)+a)^{3/2}} - \frac{(1887A - 691B)\sin(c+dx)\sqrt{\sec(c+dx)}}{192a^3d\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + a*Cos[c + d*x])^(7/2), x]

[Out] $((1015*A - 363*B)*\text{ArcTan}[\frac{\text{Sqrt}[a]*\text{Sin}[c + d*x]}{\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]}])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - ((1887*A - 691*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(192*a^3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - ((A - B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(6*d*(a + a*\text{Cos}[c + d*x])^{(7/2)}) - ((23*A - 11*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(48*a*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - ((109*A - 41*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(64*a^2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((579*A - 199*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(192*a^3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dis

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{!IntegerQ}[p] \ \&\& \ \text{!(IntegerQ}[m] \ \&\& \ \text{IntegerQ}[n])$

Rule 2978

$\text{Int}[(a + b*\text{sin}[e + f*x])^m*((A + B)*\text{sin}[e + f*x])^n, x_Symbol] \text{:> Sim}$
 $\text{p}[(b*(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{n+1})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1/(a*(2*m + 1)*(b*c - a*d)),$
 $\text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\text{Sin}[e + f*x], x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ \text{!GtQ}[n, 0] \ \&\& \ \text{IntegerQ}[2*m] \ \&\& \ (\text{IntegerQ}[2*n] \ || \ \text{EqQ}[c, 0])$

Rule 2984

$\text{Int}[(a + b*\text{sin}[e + f*x])^m*((A + B)*\text{sin}[e + f*x])^n, x_Symbol] \text{:> Sim}$
 $\text{p}[(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{n+1})/(f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(b*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^{n+1}*\text{Simp}[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*\text{Sin}[e + f*x], x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ (\text{IntegerQ}[n] \ || \ \text{EqQ}[m + 1/2, 0])$

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^{7/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} dx \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} dx}{6a^2} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= -\frac{(1887A - 691B) \sqrt{\sec(c + dx)} \sin(c + dx)}{192a^3 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{5/2}} \\
&= -\frac{(1887A - 691B) \sqrt{\sec(c + dx)} \sin(c + dx)}{192a^3 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{5/2}} \\
&= -\frac{(1887A - 691B) \sqrt{\sec(c + dx)} \sin(c + dx)}{192a^3 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(1015A - 363B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64\sqrt{2} a^{7/2} d}
\end{aligned}$$

Mathematica [C] time = 5.77, size = 267, normalized size = 0.84

$$\cos^7 \left(\frac{1}{2}(c + dx) \right) \left(-\frac{\tan \left(\frac{1}{2}(c + dx) \right) \sec^5 \left(\frac{1}{2}(c + dx) \right) \sec^{\frac{3}{2}}(c + dx) (4(9415A - 3579B) \cos(c + dx) + 8(3069A - 1145B) \cos(2(c + dx)) + 10164A \cos(3(c + dx)))}{96d} \right)$$

8(a(c

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + a*Cos[c + d*x])^(7/2), x]

[Out] (Cos[(c + d*x)/2]^7*((I*(1015*A - 363*B)*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]))/(d*E^((I/2)*(c + d*x))) - ((21641*A - 8469*B + 4*(9415*A - 3579*B)*Cos[c + d*x] + 8*(3069*A - 1145*B)*Cos[2*(c + d*x)] + 10164*A*Cos[3*(c + d*x)] - 3748*B*Cos[3*(c + d*x)] + 1887*A*Cos[4*(c + d*x)] - 691*B*Cos[4*(c + d*x)])*Sec[(c + d*x)/2]^5*Sec[c + d*x]^(3/2)*Tan[(c + d*x)/2]/(96*d))/(8*(a*(1 + Cos[c + d*x]))^(7/2))

fricas [A] time = 0.84, size = 295, normalized size = 0.93

$$3\sqrt{2} \left((1015A - 363B) \cos(dx + c)^5 + 4(1015A - 363B) \cos(dx + c)^4 + 6(1015A - 363B) \cos(dx + c)^3 + 4(1015A - 363B) \cos(dx + c)^2 + 4(1015A - 363B) \cos(dx + c) + 4(1015A - 363B) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")

[Out]
$$-1/384*(3*\sqrt{2}*((1015*A - 363*B)*\cos(dx + c)^5 + 4*(1015*A - 363*B)*\cos(dx + c)^4 + 6*(1015*A - 363*B)*\cos(dx + c)^3 + 4*(1015*A - 363*B)*\cos(dx + c)^2 + (1015*A - 363*B)*\cos(dx + c))*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(dx + c) + a}*\sqrt{\cos(dx + c)})/(\sqrt{a}*\sin(dx + c))) + 2*((1887*A - 691*B)*\cos(dx + c)^4 + 2*(2541*A - 937*B)*\cos(dx + c)^3 + 39*(109*A - 41*B)*\cos(dx + c)^2 + 128*(7*A - 3*B)*\cos(dx + c) - 128*A)*\sqrt{a*\cos(dx + c) + a}*\sin(dx + c)/\sqrt{\cos(dx + c)})/(a^4*d*\cos(dx + c)^5 + 4*a^4*d*\cos(dx + c)^4 + 6*a^4*d*\cos(dx + c)^3 + 4*a^4*d*\cos(dx + c)^2 + a^4*d*\cos(dx + c))$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(dx + c) + A)*sec(dx + c)^(5/2)/(a*cos(dx + c) + a)^(7/2), x)

maple [B] time = 0.48, size = 729, normalized size = 2.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x)

[Out]
$$-1/384/d*(-1+\cos(dx+c))*(-3045*A*\cos(dx+c)^4*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}+1089*B*\cos(dx+c)^4*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}-12180*A*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^3*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}+4356*B*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^3*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}-18270*A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^2+6534*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^2+1887*A*2^{1/2}*\cos(dx+c)^5-12180*A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)-691*B*2^{1/2}*\cos(dx+c)^5+4356*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)+3195*A*2^{1/2}*\cos(dx+c)^4-3045*A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arcsin((-1+\cos(dx+c))/\sin(dx+c))-1183*B*2^{1/2}*\cos(dx+c)^4+1089*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arcsin((-1+\cos(dx+c))/\sin(dx+c))-831*A*2^{1/2}*\cos(dx+c)^3+275*B*2^{1/2}*\cos(dx+c)^3-3355*A*2^{1/2}*\cos(dx+c)^2+1215*B*2^{1/2}*\cos(dx+c)^2-1024*A*2^{1/2}*\cos(dx+c)+384*B*2^{1/2}*\cos(dx+c)+128*A*2^{1/2})*\cos(dx+c)*(1/\cos(dx+c))^{5/2}*(a*(1+\cos(dx+c)))^{1/2}/\sin(dx+c)^3/(1+\cos(dx+c))^{2*2^{1/2}}/a^4$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2}}{(a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + a*cos(c + d*x))^(7/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + a*cos(c + d*x))^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(7/2),x)

[Out] Timed out

$$3.544 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$$

Optimal. Leaf size=270

$$\frac{3(121A - 21B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{(691A - 103B)\sin(c+dx)\sqrt{\sec(c+dx)}}{192a^3d\sqrt{a\cos(c+dx)}}$$

[Out] $-1/6*(A-B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(7/2)}-1/48*(19*A-7*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(5/2)}-1/192*(199*A-43*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}-3/128*(121*A-21*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(7/2)}/d*2^{(1/2)}+1/192*(691*A-103*B)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^3/d/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.95, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(691A - 103B)\sin(c+dx)\sqrt{\sec(c+dx)}}{192a^3d\sqrt{a\cos(c+dx)+a}} - \frac{(199A - 43B)\sin(c+dx)\sqrt{\sec(c+dx)}}{192a^2d(a\cos(c+dx)+a)^{3/2}} - \frac{3(121A - 21B)\sqrt{\cos(c+dx)}}{192a^3d\sqrt{a\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^(7/2), x]

[Out] $(-3*(121*A - 21*B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - ((A - B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((6*d*(a + a*\text{Cos}[c + d*x])^{(7/2)}) - ((19*A - 7*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(48*a*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - ((199*A - 43*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(192*a^2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + ((691*A - 103*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(192*a^3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g},

m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^{7/2}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} dx$$

$$= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} dx}{6a^2}$$

$$= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{3(121A - 21B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64\sqrt{2} a^{7/2} d}$$

Mathematica [C] time = 3.28, size = 242, normalized size = 0.90

$$\cos^7\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{16}\tan\left(\frac{1}{2}(c+dx)\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}(9(941A-121B)\cos(c+dx)+4(937A-121B))\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^(7/2), x]

[Out] (Cos[(c + d*x)/2]^7*(((-9*I)*(121*A - 21*B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]))/E^((I/2)*(c + d*x)) + ((5284*A - 532*B + 9*(941*A - 121*B)*Cos[c + d*x] + 4*(937*A - 133*B)*Cos[2*(c + d*x)] + 691*A*Cos[3*(c + d*x)] - 103*B*Cos[3*(c + d*x)])*Sec[(c + d*x)/2]^5*Sqrt[Sec[c + d*x]*Tan[(c + d*x)/2]]/16))/(24*d*(a*(1 + Cos[c + d*x]))^(7/2))

fricas [A] time = 1.34, size = 260, normalized size = 0.96

$$9\sqrt{2}\left((121A - 21B)\cos(dx + c)^4 + 4(121A - 21B)\cos(dx + c)^3 + 6(121A - 21B)\cos(dx + c)^2 + 4(121A - 21B)\cos(dx + c) + 121A - 21B\right) \sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx + c) + a}}{\sqrt{a}\sin(dx + c)}\right) + 2\left((691A - 103B)\cos(dx + c)^3 + 2(937A - 133B)\cos(dx + c)^2 + 39(41A - 5B)\cos(dx + c) + 384A\right) \sqrt{a\cos(dx + c) + a} \sin(dx + c) / \sqrt{\cos(dx + c)} / (a^4 d \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + 6a^4 d \cos(dx + c)^2 + 4a^4 d \cos(dx + c) + a^4 d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2), x, algorithm="fricas")

[Out] 1/384*(9*sqrt(2)*((121*A - 21*B)*cos(d*x + c)^4 + 4*(121*A - 21*B)*cos(d*x + c)^3 + 6*(121*A - 21*B)*cos(d*x + c)^2 + 4*(121*A - 21*B)*cos(d*x + c) + 121*A - 21*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((691*A - 103*B)*cos(d*x + c)^3 + 2*(937*A - 133*B)*cos(d*x + c)^2 + 39*(41*A - 5*B)*cos(d*x + c) + 384*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(7/2), x)

maple [B] time = 0.42, size = 595, normalized size = 2.20

$$(-1 + \cos(dx + c))^2 \left(1089A \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sin(dx + c) (\cos^3(dx + c)) - 189B \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2), x)

```
[Out] 1/384/d*(-1+cos(d*x+c))^2*(1089*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)^3-189*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)^3+3267*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-691*A*2^(1/2)*cos(d*x+c)^4-567*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+103*B*2^(1/2)*cos(d*x+c)^4+3267*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-1183*A*2^(1/2)*cos(d*x+c)^3-567*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+163*B*2^(1/2)*cos(d*x+c)^3+1089*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+275*A*2^(1/2)*cos(d*x+c)^2-189*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-71*B*2^(1/2)*cos(d*x+c)^2+1215*A*2^(1/2)*cos(d*x+c)-195*B*2^(1/2)*cos(d*x+c)+384*A*2^(1/2))*cos(d*x+c)*(1/cos(d*x+c))^(3/2)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)^5/(1+cos(d*x+c))*2^(1/2)/a^4
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2}}{(a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^(7/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + a*cos(c + d*x))^(7/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(7/2),x)
```

[Out] Timed out

$$3.545 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{7/2}} dx$$

Optimal. Leaf size=223

$$\frac{(63A + 13B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{(103A + 5B) \sin(c + dx)}{192a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}}$$

[Out] $-1/6*(A-B)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(7/2)}/\sec(d*x+c)^{(1/2)}-1/16*(5*A-B)*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(1/2)}-1/192*(103*A+5*B)*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+1/128*(63*A+13*B)*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(7/2)}/d*2^{(1/2)}$

Rubi [A] time = 0.73, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2978, 12, 2782, 205}

$$-\frac{(103A + 5B) \sin(c + dx)}{192a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}} + \frac{(63A + 13B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^(7/2), x]

[Out] $((63*A + 13*B)*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - ((A - B)*\text{Sin}[c + d*x])/((6*d*(a + a*\text{Cos}[c + d*x])^{(7/2)}*\text{Sqrt}[\text{Sec}[c + d*x]]) - ((5*A - B)*\text{Sin}[c + d*x])/((16*a*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sqrt}[\text{Sec}[c + d*x]]) - ((103*A + 5*B)*\text{Sin}[c + d*x])/((192*a^2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n]/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !IntegerQ[m] && IntegerQ[n]

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^{7/2}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} dx$$

$$= -\frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}\sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{16ad(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}\sqrt{\sec(c + dx)}} - \frac{(5A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}\sqrt{\sec(c + dx)}} - \frac{(5A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}\sqrt{\sec(c + dx)}} - \frac{(5A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}\sqrt{\sec(c + dx)}} - \frac{(5A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}}$$

$$= \frac{(63A + 13B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64\sqrt{2} a^{7/2} d}$$

Mathematica [C] time = 3.07, size = 228, normalized size = 1.02

$$\cos^7\left(\frac{1}{2}(c + dx)\right) \left(\sin\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{3}{2}(c + dx)\right)\right) \sqrt{\sec(c + dx)} \sec^6\left(\frac{1}{2}(c + dx)\right) ((532A - 4B) \cos(c + dx) + \dots)$$

384d(a(cc

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^(7/2), x]
[Out] (Cos[(c + d*x)/2]^7*(((48*I)*(63*A + 13*B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])/E^((I/2)*(c + d*x)) + (493*A - 7*3*B + (532*A - 4*B)*Cos[c + d*x] + (103*A + 5*B)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^6*Sqrt[Sec[c + d*x]]*(Sin[(c + d*x)/2] - Sin[(3*(c + d*x))/2])))/(384*d*(a*(1 + Cos[c + d*x]))^(7/2))
```


fricas [A] time = 0.77, size = 257, normalized size = 1.15

$$\frac{3\sqrt{2}\left((63A+13B)\cos(dx+c)^4+4(63A+13B)\cos(dx+c)^3+6(63A+13B)\cos(dx+c)^2+4(63A+13B)\cos(dx+c)+63A+13B\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)+2\left((103A+5B)\cos(dx+c)^3+2(133A-B)\cos(dx+c)^2+39(5A-B)\cos(dx+c)\right)\sqrt{a\cos(dx+c)+a}\sin(dx+c)/\sqrt{\cos(dx+c)}}{384\left(a^4d\cos(dx+c)^4+4a^4d\cos(dx+c)^3+6a^4d\cos(dx+c)^2+4a^4d\cos(dx+c)+a^4d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")

[Out] -1/384*(3*sqrt(2)*((63*A + 13*B)*cos(d*x + c)^4 + 4*(63*A + 13*B)*cos(d*x + c)^3 + 6*(63*A + 13*B)*cos(d*x + c)^2 + 4*(63*A + 13*B)*cos(d*x + c) + 63*A + 13*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((103*A + 5*B)*cos(d*x + c)^3 + 2*(133*A - B)*cos(d*x + c)^2 + 39*(5*A - B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^(7/2), x)

maple [B] time = 0.39, size = 512, normalized size = 2.30

$$\frac{\sqrt{\frac{1}{\cos(dx+c)}} \sqrt{a(1+\cos(dx+c))} \cos(dx+c)(-1+\cos(dx+c))^3 \left(103A\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^3(dx+c))\right)}{384\left(a^4d\cos(dx+c)^4+4a^4d\cos(dx+c)^3+6a^4d\cos(dx+c)^2+4a^4d\cos(dx+c)+a^4d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(7/2),x)

[Out] -1/384/d*(1/cos(d*x+c))^(1/2)*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^3*(103*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3+5*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3+163*A*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-189*A*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-7*B*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-39*B*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-71*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-378*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)-37*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-78*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)-195*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-189*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+39*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-39*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c))/sin(d*x+c)^7/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*2^(1/2)/a^4

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{(a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^(7/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + a*cos(c + d*x))^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(7/2),x)

[Out] Timed out

$$3.546 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=221

$$\frac{(13A + 7B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{(5A - 17B) \sin(c + dx)}{192a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx))^{3/2}}$$

[Out] 1/6*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(1/2)+1/16*(A+3*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2)-1/192*(5*A-17*B)*sin(d*x+c)/a^2/d/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2)+1/128*(13*A+7*B)*arc tan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(7/2)/d*2^(1/2)

Rubi [A] time = 0.73, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2977, 2978, 12, 2782, 205}

$$-\frac{(5A - 17B) \sin(c + dx)}{192a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}} + \frac{(13A + 7B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(7/2)*Sqrt[Sec[c + d*x]]), x]

[Out] ((13*A + 7*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^(7/2)*Sqrt[Sec[c + d*x]]) + ((A + 3*B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]) - ((5*A - 17*B)*Sin[c + d*x])/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \dots$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{(A + 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \dots$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{(A + 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \dots$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{(A + 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \dots$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{(A + 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \dots$$

$$= \frac{(13A + 7B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64\sqrt{2} a^{7/2} d}$$

Mathematica [C] time = 2.95, size = 233, normalized size = 1.05

$$\cos^7 \left(\frac{1}{2}(c + dx) \right) \left(- \frac{\left(\sin \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{3}{2}(c + dx) \right) \right) \sec^6 \left(\frac{1}{2}(c + dx) \right) \sqrt{\sec(c + dx)} (4(A + 35B) \cos(c + dx) + (17B - 5A) \cos(2(c + dx)) + 73A + 59B)}{48d} + \dots \right)$$

$$8(a(\cos(c + dx) + 1))^{7/2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(7/2)*Sqrt[Sec[c + d*x]]), x]

[Out] (Cos[(c + d*x)/2]^7*((I*(13*A + 7*B)*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]))/(d*E^((I/2)*(c + d*x))) - ((73*A + 59*B + 4*(A + 35*B)*Cos[c + d*x] + (-5*A + 17*B)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^6*Sqrt[Sec[c + d*x]]*(Sin[(c + d*x)/2] - Sin[(3*(c + d*x))/2]))/(48*d))/(8*(a*(1 + Cos[c + d*x]))^(7/2))

fricas [A] time = 2.39, size = 255, normalized size = 1.15

$$\frac{3\sqrt{2}\left((13A + 7B)\cos(dx + c)^4 + 4(13A + 7B)\cos(dx + c)^3 + 6(13A + 7B)\cos(dx + c)^2 + 4(13A + 7B)\cos(dx + c) + 13A + 7B\right)}{384\left(a^4d\cos(dx + c)^4 + 4a^4d\cos(dx + c)^3 + 6a^4d\cos(dx + c)^2 + 4a^4d\cos(dx + c) + a^4d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(1/2), x, algorithm="fricas")

[Out] -1/384*(3*sqrt(2)*((13*A + 7*B)*cos(d*x + c)^4 + 4*(13*A + 7*B)*cos(d*x + c)^3 + 6*(13*A + 7*B)*cos(d*x + c)^2 + 4*(13*A + 7*B)*cos(d*x + c) + 13*A + 7*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((5*A - 17*B)*cos(d*x + c)^3 - 2*(A + 35*B)*cos(d*x + c)^2 - 3*(13*A + 7*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(1/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*sqrt(sec(d*x + c))), x)

maple [B] time = 0.39, size = 512, normalized size = 2.32

$$\frac{\sqrt{a(1 + \cos(dx + c))} \cos(dx + c) (-1 + \cos(dx + c))^4 \left(-5A\sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} (\cos^3(dx + c)) + 17B\sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)}{384\left(a^4d\cos(dx + c)^4 + 4a^4d\cos(dx + c)^3 + 6a^4d\cos(dx + c)^2 + 4a^4d\cos(dx + c) + a^4d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(1/2), x)

[Out] -1/384/d*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^4*(-5*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3+17*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3+39*A*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+7*A*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+21*B*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+53*B*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+78*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)+37*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+42*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)

) $\cos(dx+c)-49B2^{(1/2)}(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}\cos(dx+c)+39A$
 $\arcsin((-1+\cos(dx+c))/\sin(dx+c))\sin(dx+c)-39A2^{(1/2)}(\cos(dx+c)/(1+$
 $\cos(dx+c)))^{(1/2)}+21B\arcsin((-1+\cos(dx+c))/\sin(dx+c))\sin(dx+c)-21B$
 $2^{(1/2)}(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/(1/\cos(dx+c))^{(1/2)}/(\cos(dx+c)$
 $/(1+\cos(dx+c)))^{(3/2)}/\sin(dx+c)^92^{(1/2)}/a^4$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{(a \cos(dx+c) + a)^{\frac{7}{2}} \sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+a*cos(dx+c))^(7/2)/sec(dx+c)^(1/2),x, algorith="maxima")

[Out] integrate((B*cos(dx+c) + A)/((a*cos(dx+c) + a)^(7/2)*sqrt(sec(dx+c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))/((1/cos(c + dx))^(1/2)*(a + a*cos(c + dx))^(7/2)),x)

[Out] int((A + B*cos(c + dx))/((1/cos(c + dx))^(1/2)*(a + a*cos(c + dx))^(7/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+a*cos(dx+c))**(7/2)/sec(dx+c)**(1/2),x)

[Out] Timed out

$$3.547 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$$

Optimal. Leaf size=221

$$\frac{(7A + 5B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{(17A + 67B) \sin(c + dx)}{192a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}}$$

[Out] 1/6*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(3/2)+1/48*(A-13*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2)+1/192*(17*A+67*B)*sin(d*x+c)/a^2/d/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2)+1/128*(7*A+5*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(7/2)/d*2^(1/2)

Rubi [A] time = 0.72, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2977, 2978, 12, 2782, 205}

$$\frac{(17A + 67B) \sin(c + dx)}{192a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}} + \frac{(7A + 5B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(3/2)), x]

[Out] ((7*A + 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Sin[c + d*x]/(6*d*(a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(3/2)) + ((A - 13*B)*Sin[c + d*x]/(48*a*d*(a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]) + ((17*A + 67*B)*Sin[c + d*x]/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In

tegerQ[n])

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{(A - 13B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{(A - 13B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{(A - 13B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{(A - 13B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(7A + 5B) \tan^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64\sqrt{2} a^{7/2} d}$$

Mathematica [C] time = 7.23, size = 488, normalized size = 2.21

$$\cos^7\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c+dx)} \left(\frac{(17A+67B)\sin\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)}{12d} + \frac{(17A+67B)\cos\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)}{12d} + \frac{\sec\left(\frac{c}{2}\right)\sec^6\left(\frac{c}{2} + \frac{dx}{2}\right)\left(A\sin\left(\frac{dx}{2}\right) - B\sin\left(\frac{dx}{2}\right)\right)}{3d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(3/2)), x]

[Out] ((I/8)*(7*A + 5*B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^7/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(7/2)) + (Cos[c/2 + (d*x)/2]^7*Sqrt[Sec[c + d*x]]*((17*A + 67*B)*Cos[(d*x)/2]*Sin[c/2])/(12*d) + ((17*A + 67*B)*Cos[c/2]*Sin[(d*x)/2])/(12*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]^2*(19*A*Sin[(d*x)/2] - 151*B*Sin[(d*x)/2]))/(24*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]^6*(A*Sin[(d*x)/2] - B*Sin[(d*x)/2]))/(3*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]^4*(-17*A*Sin[(d*x)/2] + 29*B*Sin[(d*x)/2]))/(12*d) + ((19*A - 151*B)*Sec[c/2 + (d*x)/2]*Tan[c/2])/(24*d) - ((17*A - 29*B)*Sec[c/2 + (d*x)/2]^3*Tan[c/2])/(12*d) + ((A - B)*Sec[c/2 + (d*x)/2]^5*Tan[c/2])/(3*d)))/(a*(1 + Cos[c + d*x]))^(7/2)

fricas [A] time = 1.51, size = 257, normalized size = 1.16

$$\frac{3\sqrt{2}\left((7A+5B)\cos(dx+c)^4 + 4(7A+5B)\cos(dx+c)^3 + 6(7A+5B)\cos(dx+c)^2 + 4(7A+5B)\cos(dx+c)\right)}{384\left(a^4d\cos(dx+c)^4 + 4a^4d\cos(dx+c)^3 + 6a^4d\cos(dx+c)^2 + 4a^4d\cos(dx+c) + a^4d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(3/2), x, algorith="fricas")

[Out] -1/384*(3*sqrt(2)*((7*A + 5*B)*cos(d*x + c)^4 + 4*(7*A + 5*B)*cos(d*x + c)^3 + 6*(7*A + 5*B)*cos(d*x + c)^2 + 4*(7*A + 5*B)*cos(d*x + c) + 7*A + 5*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*((17*A + 67*B)*cos(d*x + c)^3 + 10*(7*A + 5*B)*cos(d*x + c)^2 + 3*(7*A + 5*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{(a \cos(dx+c) + a)^{\frac{7}{2}} \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(3/2), x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*sec(d*x + c)^(3/2)), x)

maple [B] time = 0.43, size = 512, normalized size = 2.32

$$\sqrt{a(1 + \cos(dx+c))} (-1 + \cos(dx+c))^5 \cos(dx+c) \left(17A\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^3(dx+c)) + 67B\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(3/2),x)`

[Out] $\frac{1}{384}d*(a*(1+\cos(d*x+c)))^{1/2}*(-1+\cos(d*x+c))^5*\cos(d*x+c)*(17*A*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)^3+67*B*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)^3+21*A*\cos(d*x+c)^2*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)+53*A*\cos(d*x+c)^2*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+15*B*\cos(d*x+c)^2*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-17*B*\cos(d*x+c)^2*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+42*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)-49*A*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)+30*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)-35*B*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)+21*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-21*A*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+15*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-15*B*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})/(1/\cos(d*x+c))^{3/2}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}/\sin(d*x+c)^{11}*2^{1/2}/a^4$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*sec(d*x + c)^(3/2)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(7/2)),x)`

[Out] `int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(7/2)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(7/2)/sec(d*x+c)**(3/2),x)`

[Out] Timed out

$$3.548 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$$

Optimal. Leaf size=281

$$\frac{(5A - 177B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{2B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{a^{7/2} d}$$

[Out] 1/6*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(5/2)+1/48*(5*A-17*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2)+1/64*(5*A-49*B)*sin(d*x+c)/a^2/d/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2)+2*B*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(7/2)/d+1/128*(5*A-177*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(7/2)/d*2^(1/2)

Rubi [A] time = 0.92, antiderivative size = 281, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2977, 2982, 2782, 205, 2774, 216}

$$\frac{(5A - 49B) \sin(c + dx)}{64a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}} + \frac{(5A - 177B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(5/2)), x]

[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(7/2)*d) + ((5*A - 177*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/((Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(5/2)) + ((5*A - 17*B)*Sin[c + d*x])/(48*a*d*(a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)) + ((5*A - 49*B)*Sin[c + d*x])/(64*a^2*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^ (p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^ (n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^ (n_.), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2982

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{5}{2}}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{5}{2}}(c + dx)} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= \frac{2B \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} (5A - 177B)}{a^{7/2} d} + \frac{(5A - 177B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [C] time = 3.96, size = 281, normalized size = 1.00

$$\cos^7\left(\frac{1}{2}(c + dx)\right) \left(\frac{1}{8} \left(\sin\left(\frac{3}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right) \right) \sec^6\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} (4(25A - 181B) \cos(c + dx) + \dots) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(5/2)), x]

[Out] (Cos[(c + d*x)/2]^7*(((-3*I)*Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))]]*Sqrt[1 + E^((2*I)*(c + d*x))]]*(128*B*ArcSinh[E^(I*(c + d*x))]] - Sqrt[2]*(5*A - 177*B)*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]]) - 128*B*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]]))/E^((I/2)*(c + d*x)) + ((97*A - 541*B + 4*(25*A - 181*B)*Cos[c + d*x] + (67*A - 247*B)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^6*Sqrt[Sec[c + d*x]]*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/8)/(48*d*(a*(1 + Cos[c + d*x]))^(7/2))

fricas [A] time = 27.17, size = 338, normalized size = 1.20

$$3\sqrt{2} \left((5A - 177B) \cos(dx + c)^4 + 4(5A - 177B) \cos(dx + c)^3 + 6(5A - 177B) \cos(dx + c)^2 + 4(5A - 177B) \cos(dx + c) + 5A - 177B \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(5/2), x, algorithm="fricas")

```
[Out] -1/384*(3*sqrt(2)*((5*A - 177*B)*cos(d*x + c)^4 + 4*(5*A - 177*B)*cos(d*x + c)^3 + 6*(5*A - 177*B)*cos(d*x + c)^2 + 4*(5*A - 177*B)*cos(d*x + c) + 5*A - 177*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 768*(B*cos(d*x + c)^4 + 4*B*cos(d*x + c)^3 + 6*B*cos(d*x + c)^2 + 4*B*cos(d*x + c) + B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*((67*A - 247*B)*cos(d*x + c)^3 + 2*(25*A - 181*B)*cos(d*x + c)^2 + 3*(5*A - 49*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*sec(d*x + c)^(5/2)), x)
```

maple [B] time = 0.41, size = 667, normalized size = 2.37

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^6 \cos(dx + c) \left(67A\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^3(dx + c)) - 247B\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(5/2),x)
```

```
[Out] -1/384/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^6*cos(d*x+c)*(67*A*2^(1/2))*((cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3-247*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3-384*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+15*A*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-17*A*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-531*B*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-115*B*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-768*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+30*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)-35*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-1062*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)+215*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-384*B*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*sin(d*x+c)+15*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-15*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-531*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+147*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/(1/cos(d*x+c))^(5/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)/sin(d*x+c)^13*2^(1/2)/a^4
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*sec(d*x + c)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^(7/2)),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^(7/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(7/2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

3.549
$$\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$$

Optimal. Leaf size=333

$$\frac{(2A - 7B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} + \frac{(177A - 637B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d}$$

[Out] 1/6*(A-B)*sin(d*x+c)/d/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(7/2)+1/16*(3*A-7*B)*sin(d*x+c)/a/d/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2)+1/192*(79*A-259*B)*sin(d*x+c)/a^2/d/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2)-7/64*(7*A-27*B)*sin(d*x+c)/a^3/d/(a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+(2*A-7*B)*arcsin(sin(d*x+c)*a^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(7/2)/d-1/128*(177*A-637*B)*arctan(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^(7/2)/d*2^(1/2)

Rubi [A] time = 1.20, antiderivative size = 333, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 35, number of rules / integrand size = 0.229, Rules used = {2961, 2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(79A - 259B) \sin(c + dx)}{192a^2d \sec^3(c + dx)(a \cos(c + dx) + a)^{3/2}} + \frac{(2A - 7B)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} - \frac{\dots}{64a^3d\sqrt{\dots}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(7/2)),x]

[Out] ((2*A - 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(7/2)*d) - ((177*A - 637*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(7/2)) + ((3*A - 7*B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)) + ((79*A - 259*B)*Sin[c + d*x])/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)) - (7*(7*A - 27*B)*Sin[c + d*x])/(64*a^3*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782


```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2961

```
Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n)/(g*Ssin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Ssin[e + f*x])*Sqrt[c + d*Ssin[e + f*x]]], x], x] + Dist[B/b, Int[Sqrt[a + b*Ssin[e + f*x]]/Sqrt[c + d*Ssin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(B*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Ssin[e + f*x])^(m*(c + d*Ssin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{7/2}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
&= \frac{(2A - 7B) \sin^{-1} \left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{7/2} d} \quad (177A)
\end{aligned}$$

Mathematica [C] time = 7.65, size = 1017, normalized size = 3.05

$$\sqrt{\sec(c + dx)} \left(\frac{\sec\left(\frac{c}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right) \right) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} + \frac{(A - B) \tan\left(\frac{c}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} + \frac{\sec\left(\frac{c}{2}\right) \left(53B \sin\left(\frac{dx}{2}\right) - 41A \sin\left(\frac{dx}{2}\right) \right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{12d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(7/2)), x]

[Out] (((-49*I)/8)*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^7)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(7/2)) + (((189*I)/8)*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^7)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(7/2)) + ((8*I)*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(-ArcSinh[E^(I*(c + d*x))]) + Sqrt[2]*ArcTanh[(-1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^7)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(7/2)) - ((28*I)*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(-ArcSinh[E^(I*(c + d*x))]) + Sqrt[2]*ArcTanh[(-1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^7)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(7/2))

$$2] * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] + \text{ArcTanh}[\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]] \\) * \text{Cos}[c/2 + (d*x)/2]^7 / (d * E^{(I/2)*(c + d*x)} * (a * (1 + \text{Cos}[c + d*x]))^{(7/2)} \\) + (\text{Cos}[c/2 + (d*x)/2]^7 * \text{Sqrt}[\text{Sec}[c + d*x]] * (((-247*A + 427*B) * \text{Cos}[(d*x)/2] \\) * \text{Sin}[c/2]) / (12*d) + (8*B * \text{Cos}[(3*d*x)/2] * \text{Sin}[(3*c)/2]) / d - ((247*A - 427*B) \\) * \text{Cos}[c/2] * \text{Sin}[(d*x)/2]) / (12*d) + (\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^2 * (379*A * \text{Sin} \\ (d*x)/2 - 703*B * \text{Sin}[(d*x)/2])) / (24*d) + (\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^6 * (A * \\ \text{Sin}[(d*x)/2] - B * \text{Sin}[(d*x)/2])) / (3*d) + (\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^4 * (-41 \\ * A * \text{Sin}[(d*x)/2] + 53*B * \text{Sin}[(d*x)/2])) / (12*d) + (8*B * \text{Cos}[(3*c)/2] * \text{Sin}[(3*d*x) \\) / 2]) / d + ((379*A - 703*B) * \text{Sec}[c/2 + (d*x)/2] * \text{Tan}[c/2]) / (24*d) - ((41*A - 5 \\ 3*B) * \text{Sec}[c/2 + (d*x)/2]^3 * \text{Tan}[c/2]) / (12*d) + ((A - B) * \text{Sec}[c/2 + (d*x)/2]^5 * \\ \text{Tan}[c/2]) / (3*d)) / (a * (1 + \text{Cos}[c + d*x]))^{(7/2)}$$

fricas [A] time = 52.36, size = 379, normalized size = 1.14

$$3\sqrt{2}((177A - 637B)\cos(dx + c)^4 + 4(177A - 637B)\cos(dx + c)^3 + 6(177A - 637B)\cos(dx + c)^2 + 4(177A - 637B)\cos(dx + c) + 177A - 637B)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] 1/384*(3*sqrt(2))*((177*A - 637*B)*cos(d*x + c)^4 + 4*(177*A - 637*B)*cos(d*x + c)^3 + 6*(177*A - 637*B)*cos(d*x + c)^2 + 4*(177*A - 637*B)*cos(d*x + c) + 177*A - 637*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 384*((2*A - 7*B)*cos(d*x + c)^4 + 4*(2*A - 7*B)*cos(d*x + c)^3 + 6*(2*A - 7*B)*cos(d*x + c)^2 + 4*(2*A - 7*B)*cos(d*x + c) + 2*A - 7*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*(192*B*cos(d*x + c)^4 - (247*A - 1099*B)*cos(d*x + c)^3 - 2*(181*A - 721*B)*cos(d*x + c)^2 - 21*(7*A - 27*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.44, size = 855, normalized size = 2.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(7/2),x)

[Out] -1/384/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^7*cos(d*x+c)*(-192*B*cos(d*x+c)^4*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+247*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3+384*A*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))-907*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3-1344*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+531*A*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+115*A*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+768*A*arctan(sin(d*x+c)

```

c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)*2^(1/2)*sin(d*x+c)*cos(d*x
+c)-1911*B*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-343*B
*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-2688*B*cos(d*x+c)*2
^(1/2)*sin(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d
*x+c))+1062*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)-215*
A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+384*A*2^(1/2)*arctan
(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*sin(d*x+c)-3822*B
*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)+875*B*2^(1/2)*(co
s(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-1344*B*2^(1/2)*arctan(sin(d*x+c)*
(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*sin(d*x+c)+531*A*arcsin((-1+c
os(d*x+c))/sin(d*x+c))*sin(d*x+c)-147*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)-1911*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+567*B*2^(1/2)*(
cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/(1/cos(d*x+c))^(7/2)/(cos(d*x+c)/(1+cos(d
*x+c)))^(9/2)/sin(d*x+c)^15*2^(1/2)/a^4

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(7/2),x, algor
ithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{7/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^(7/2)
),x)
```

```
[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^(7/2)
), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(7/2)/sec(d*x+c)**(7/2),x)
```

[Out] Timed out

$$3.550 \quad \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

Optimal. Leaf size=180

$$\frac{2(aB + Ab) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2(3aA + 5bB) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2(aB + Ab) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{3d}$$

[Out] $2/3*(A*b+B*a)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/5*a*A*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/5*(3*A*a+5*B*b)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2/5*(3*A*a+5*B*b)*(c+\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*(A*b+B*a)*(c+\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.22, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2960, 3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{2(aB + Ab) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2(3aA + 5bB) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2(aB + Ab) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]

[Out] $(-2*(3*a*A + 5*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(A*b + a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*(3*a*A + 5*b*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*(A*b + a*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*a*A*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*Cot[
e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx))(B + A \sec(c + dx)) \\
&= \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \sec^{\frac{3}{2}}(c + dx) \left(\frac{1}{2}\right) \\
&= \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + (Ab + aB) \int \sec^{\frac{5}{2}}(c + dx) \\
&= \frac{2(3aA + 5bB) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2(Ab + aB) \sqrt{\sec(c + dx)}}{5d} \\
&= \frac{2(3aA + 5bB) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2(Ab + aB) \sqrt{\sec(c + dx)}}{5d} \\
&= -\frac{2(3aA + 5bB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 1.87, size = 132, normalized size = 0.73

$$\frac{\sec^{\frac{5}{2}}(c + dx) \left(20(aB + Ab) \cos^{\frac{5}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 12(3aA + 5bB) \cos^{\frac{5}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 2 \sin(c + dx) \right)}{30d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (Sec[c + d*x]^(5/2)*(-12*(3*a*A + 5*b*B)*Cos[c + d*x]^(5/2)*EllipticE[(c +
d*x)/2, 2] + 20*(A*b + a*B)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] +
2*(15*(a*A + b*B) + 10*(A*b + a*B)*Cos[c + d*x] + 3*(3*a*A + 5*b*B)*Cos[2*(
c + d*x)])*Sin[c + d*x])/(30*d)
```

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sec(d*x + c)^(7/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)

maple [B] time = 4.51, size = 663, normalized size = 3.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B*b*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)-2/5*a*A/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(A*b+B*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{7/2} (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x)),x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```


$$3.551 \quad \int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$$

Optimal. Leaf size=143

$$\frac{2(aB + Ab) \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2(aA + 3bB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(aB + Ab) \sqrt{\sec(c + dx)}}{d}$$

[Out] $2/3*a*A*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2*(A*b+B*a)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*(A*b+B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*(A*a+3*B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.20, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2960, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2(aB + Ab) \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2(aA + 3bB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(aB + Ab) \sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2),x]

[Out] $(-2*(A*b + a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(a*A + 3*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*(A*b + a*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d + (2*a*A*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))(B + A \sec(c + dx)) dx \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \sqrt{\sec(c + dx)} \left((Ab + aB) \sec^{\frac{3}{2}}(c + dx) \right. \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + (Ab + aB) \int \sec^{\frac{3}{2}}(c + dx) dx \\
&= \frac{2(Ab + aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
&= \frac{2(aA + 3bB) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} \\
&= -\frac{2(Ab + aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.83, size = 104, normalized size = 0.73

$$\frac{2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left((aA + 3bB) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 3(aB + Ab) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{\sin(c + dx)(3(aB + Ab) \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

```
[Out] (2*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(-3*(A*b + a*B)*EllipticE[(c + d*x)
]/2, 2] + (a*A + 3*b*B)*EllipticF[(c + d*x)/2, 2] + ((a*A + 3*(A*b + a*B)*C
os[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2)))/(3*d)
```

fricas [F] time = 4.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sec(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2), x)

maple [B] time = 3.34, size = 428, normalized size = 2.99

$$\frac{\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(\frac{2Bb \sqrt{\frac{1 - \cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} + \frac{2(Ab + \dots)}{\dots} \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(A*b+B*a)*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2*a*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/((2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x)),x)

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x)), x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2), x)
```

```
[Out] Timed out
```

$$3.552 \quad \int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$$

Optimal. Leaf size=111

$$\frac{2(aB + Ab)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{2(aA - bB)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out] $2*a*A*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*(A*a-B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}* \sec(d*x+c)^{(1/2)}/d+2*(A*b+B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.18, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2960, 3997, 3787, 3771, 2639, 2641}

$$\frac{2(aB + Ab)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{2(aA - bB)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2),x]

[Out] $(-2*(a*A - b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(A*b + a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a*A*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))(B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + 2 \int \frac{\frac{1}{2}(-aA + bB) + \sqrt{\sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (Ab + aB) \int \sqrt{\sec(c + dx)} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + ((Ab + aB)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + aA \sin(c + dx)) \sqrt{\sec(c + dx)} \\ &= -\frac{2(aA - bB)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 0.27, size = 85, normalized size = 0.77

$$\frac{2\sqrt{\sec(c + dx)} \left((aB + Ab)\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) - (aA - bB)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right) + aA \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]

[Out] (2*Sqrt[Sec[c + d*x]]*(-((a*A - b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]) + (A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + a*A*Sin[c + d*x]))/d

fricas [F] time = 1.10, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sec(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2), x)

maple [A] time = 1.39, size = 244, normalized size = 2.20

$$2 \left(Ab \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \operatorname{EllipticF} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) + A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x)

[Out] -2*(A*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a-2*A*a*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+a*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*b)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{\frac{3}{2}} (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x)), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2), x)

[Out] Timed out

3.553 $\int (a+b \cos(c+dx))(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$

Optimal. Leaf size=115

$$\frac{2(3aA + bB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2(aB + Ab)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out] $2/3*b*B*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+2*(A*b+B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*(3*A*a+B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.19, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2960, 3996, 3787, 3771, 2639, 2641}

$$\frac{2(3aA + bB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2(aB + Ab)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])*Sqrt[\text{Sec}[c + d*x]],x]$

[Out] $(2*(A*b + a*B)*Sqrt[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*Sqrt[\text{Sec}[c + d*x]])/d + (2*(3*a*A + b*B)*Sqrt[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*Sqrt[\text{Sec}[c + d*x]])/(3*d) + (2*b*B*\text{Sin}[c + d*x])/(3*d*Sqrt[\text{Sec}[c + d*x]])$

Rule 2639

$\text{Int}[Sqrt[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/Sqrt[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] := \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3996


```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))(A + B \cos(c + dx))\sqrt{\sec(c + dx)} dx &= \int \frac{(b + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2bB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}(Ab + aB) - \frac{1}{2}(3aA + 3bB)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2bB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - (-Ab - aB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2bB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - ((-Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \\ &= \frac{2(Ab + aB)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 0.23, size = 90, normalized size = 0.78

$$\frac{\sqrt{\sec(c + dx)} \left(2(3aA + bB)\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 6(aB + Ab)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + bB \sin(c + dx) \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]
[Out] (Sqrt[Sec[c + d*x]]*(6*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 2*(3*a*A + b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + b*B*S in[2*(c + d*x)]))/(3*d)
```

fricas [F] time = 1.83, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right)\sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x, algorithm="
fricas")
[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(sec(d*x
+ c)), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)\sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x, algorithm="
giac")
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)
```

maple [B] time = 1.35, size = 326, normalized size = 2.83

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(4Bb \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3aA\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x)

[Out]
$$-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*B*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+3*a*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b+B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))*a-2*B*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)\sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x)), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx)) \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2), x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))*sqrt(sec(c + d*x)), x)

$$3.554 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=148

$$\frac{2(aB + Ab) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2(aB + Ab)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(5aA + 3bB)\sqrt{\cos(c + dx)}}{3d}$$

[Out] $2/5*b*B*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+2/3*(A*b+B*a)*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+2/5*(5*A*a+3*B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*(A*b+B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.21, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2960, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2(aB + Ab) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2(aB + Ab)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(5aA + 3bB)\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])]/\text{Sqrt}[\text{Sec}[c + d*x]],x]$

[Out] $(2*(5*a*A + 3*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(A*b + a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*b*B*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^{(3/2)}) + (2*(A*b + a*B)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^{(d+c)}*\text{Csc}[e + f*x]^{(n)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3769

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n+1)})/(b*d^n), x] + \text{Dist}[(n+1)/(b^2*n), \text{Int}[(b*\text{Csc}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^{(n)}*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\&$

EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx = \int \frac{(b + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2bB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}(Ab + aB) - \frac{1}{2}(5aA + 3bB) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2bB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - (-Ab - aB) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx - \frac{1}{5}(-5aA - 3bB) \int \frac{\sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2bB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{1}{3}(-Ab - aB) \int \sqrt{\sec(c + dx)} dx$$

$$= \frac{2(5aA + 3bB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2bB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2(5aA + 3bB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2(Ab + aB) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}}$$

Mathematica [A] time = 0.54, size = 108, normalized size = 0.73

$$\frac{\sqrt{\sec(c + dx)} \left(\sin(2(c + dx))(5aB + 5Ab + 3bB \cos(c + dx)) + 10(aB + Ab) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 6(5aA + 3bB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]

```
[Out] (Sqrt[Sec[c + d*x]]*(6*(5*a*A + 3*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*
x)/2, 2] + 10*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (5
*A*b + 5*a*B + 3*b*B*Cos[c + d*x])*Sin[2*(c + d*x)]))/(15*d)
```

fricas [F] time = 1.73, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\sqrt{\sec(dx + c)}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))/sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/sqrt(sec(d*x + c)), x)

maple [B] time = 1.42, size = 371, normalized size = 2.51

$$2\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-24Bb \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20Ab + 20aB + 24Bb)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x)

[Out]
$$\begin{aligned} & -2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-24*B*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A*b+20*B*a+24*B*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A*b-10*B*a-6*B*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+5*a*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/(1/cos(c + d*x))^(1/2),x)

[Out] `int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/(1/cos(c + d*x))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx))(a + b \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2), x)`

[Out] `Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))/sqrt(sec(c + d*x)), x)`

$$3.555 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=180

$$\frac{2(aB + Ab) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7aA + 5bB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2(7aA + 5bB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}$$

[Out] $2/7*b*B*\sin(d*x+c)/d/\sec(d*x+c)^{(5/2)}+2/5*(A*b+B*a)*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+2/21*(7*A*a+5*B*b)*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+6/5*(A*b+B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/21*(7*A*a+5*B*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.23, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2960, 3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{2(aB + Ab) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7aA + 5bB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2(7aA + 5bB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}$$

Antiderivative was successfully verified.

[In] `Int[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]`

[Out] $(6*(A*b + a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(7*a*A + 5*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*b*B*\text{Sin}[c + d*x])/(7*d*\text{Sec}[c + d*x]^{(5/2)}) + (2*(A*b + a*B)*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^{(3/2)}) + (2*(7*a*A + 5*b*B)*\text{Sin}[c + d*x])/(21*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2960

`Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]`

Rule 3769

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx = \int \frac{(b + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2bB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}(Ab + aB) - \frac{1}{2}(7aA + 5bB) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2bB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - (-Ab - aB) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx - \frac{1}{7}(-7aA - 5bB) \int \frac{\sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2bB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7aA + 5bB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}}$$

$$= \frac{2bB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7aA + 5bB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}}$$

$$= \frac{6(Ab + aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2(7aA + 5bB) \sin(c + dx)}{21d}$$

Mathematica [A] time = 0.99, size = 125, normalized size = 0.69

$$\frac{\sqrt{\sec(c + dx)} \left(\sin(2(c + dx))(42(aB + Ab) \cos(c + dx) + 70aA + 15bB \cos(2(c + dx)) + 65bB) + 20(7aA + 5bB) \right)}{210d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (Sqrt[Sec[c + d*x]]*(252*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)
/2, 2] + 20*(7*a*A + 5*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] +
(70*a*A + 65*b*B + 42*(A*b + a*B)*Cos[c + d*x] + 15*b*B*Cos[2*(c + d*x)])*S
in[2*(c + d*x)]))/(210*d)
```

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))/sec(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/sec(d*x + c)^(3/2), x)

maple [A] time = 1.40, size = 413, normalized size = 2.29

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240Bb \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168Ab - 168aB - 360B^2b)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x)

[Out]
$$\begin{aligned} & -2/105 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (240 * B * b * \cos \\ & (1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 8 + (-168 * A * b - 168 * B * a - 360 * B * b) * \sin(1/2 * d * x \\ & + 1/2 * c) ^ 6 * \cos(1/2 * d * x + 1/2 * c) + (140 * A * a + 168 * A * b + 168 * B * a + 280 * B * b) * \sin(1/2 * d * x + \\ & 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) + (-70 * A * a - 42 * A * b - 42 * B * a - 80 * B * b) * \sin(1/2 * d * x + 1/2 * \\ & c) ^ 2 * \cos(1/2 * d * x + 1/2 * c) + 35 * a * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + \\ & 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 63 * A * (\sin(1/2 * d * x + 1/2 * c) \\ & ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c) \\ &), 2 ^ (1/2)) * b + 25 * B * b * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) \\ & ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 63 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1 \\ & / 2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \\ & a) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / \\ & (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/sec(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))}{\left(\frac{1}{\cos(c + dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/(1/cos(c + d*x))^(3/2), x)
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x)))/(1/cos(c + d*x))^(3/2), x)
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{(A + B \cos(c + dx))(a + b \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/sec(d*x+c)**(3/2), x)
[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))/sec(c + d*x)**(3/2), x)
```

$$3.556 \quad \int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=221

$$\frac{2(a^2B + 2aAb + 3b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2(3a^2A + 5b(2aB + Ab)) \sin(c+dx) \sqrt{\sec(c+dx)}}{5d}$$

[Out] 2/15*a*(7*A*b+5*B*a)*sec(d*x+c)^(3/2)*sin(d*x+c)/d+2/5*a*A*sec(d*x+c)^(3/2)*(b+a*sec(d*x+c))*sin(d*x+c)/d+2/5*(3*a^2*A+5*b*(A*b+2*B*a))*sin(d*x+c)*sec(d*x+c)^(1/2)/d-2/5*(3*a^2*A+5*b*(A*b+2*B*a))*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d+2/3*(2*A*a*b+B*a^2+3*B*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.38, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4026, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2(a^2B + 2aAb + 3b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2(3a^2A + 5b(2aB + Ab)) \sin(c+dx) \sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]

[Out] (-2*(3*a^2*A + 5*b*(A*b + 2*a*B))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(2*a*A*b + a^2*B + 3*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(3*a^2*A + 5*b*(A*b + 2*a*B))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a*(7*A*b + 5*a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*a*A*Sec[c + d*x]^(3/2)*(b + a*Sec[c + d*x])*Sin[c + d*x])/(5*d)

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 4026

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :=> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !IGtQ[n, 1] && !IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :=> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :=> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= \frac{2aA \sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= \frac{2aA \sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= \frac{2(3a^2A + 5b(Ab + 2aB)) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
 &= \frac{2(3a^2A + 5b(Ab + 2aB)) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
 &= -\frac{2(3a^2A + 5b(Ab + 2aB)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{5d}
 \end{aligned}$$

Mathematica [A] time = 2.42, size = 171, normalized size = 0.77

$$\frac{\sec^{\frac{5}{2}}(c + dx) \left(20(a^2B + 2aAb + 3b^2B) \cos^{\frac{5}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 12(3a^2A + 10abB + 5Ab^2) \cos^{\frac{5}{2}}(c + dx) E\left(\frac{1}{2}(c + dx)\right) \right)}{5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*cos[c + d*x])^2*(A + B*cos[c + d*x])*Sec[c + d*x]^(7/2), x]
[Out] (Sec[c + d*x]^(5/2)*(-12*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*Cos[c + d*x]^(5/2)*
EllipticE[(c + d*x)/2, 2] + 20*(2*a*A*b + a^2*B + 3*b^2*B)*Cos[c + d*x]^(5/2)*
EllipticF[(c + d*x)/2, 2] + 2*(15*(a^2*A + A*b^2 + 2*a*b*B) + 10*a*(2*A*
b + a*B)*Cos[c + d*x] + 3*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*Cos[2*(c + d*x)])*
Sin[c + d*x]))/(30*d)
```

fricas [F] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)\right) \sec(dx + c)^{\frac{7}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm
="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 +
(B*a^2 + 2*A*a*b)*cos(d*x + c))*sec(d*x + c)^(7/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sec(d*x + c)^(7/2), x
)
```

maple [B] time = 4.51, size = 750, normalized size = 3.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*b^2*B*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+2*b
*(A*b+2*B*a)*(-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*
x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*co
s(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+
1/2*c)^2-1)-2/5*a^2*A/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin
(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),
2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(
1/2*d*x+1/2*c)^4-24*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6-12*EllipticE(co
s(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c
)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE
(cos(1/2*d*x+1/2*c), 2^(1/2))-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2
*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a*(2*A*b+B*a)*(-1/6*cos
(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-1/2+
cos(1/2*d*x+1/2*c)^2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/
2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipt
icF(cos(1/2*d*x+1/2*c), 2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^
2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sec(d*x + c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{7/2} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^2,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*2*(A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)

[Out] Timed out

$$3.557 \quad \int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$$

Optimal. Leaf size=177

$$\frac{2(a^2A + 6abB + 3Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{2(a^2B + 2aAb - b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d}$$

[Out] $\frac{2}{3}a*(5A*b+3B*a)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d+2/3*a*A*(b+a*\sec(d*x+c))*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*(2*A*a*b+B*a^2-B*b^2)*(\cos(1/2*d*x+1/2*c))^{2*(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)*\sec(d*x+c)^{(1/2)}/d+2/3*(A*a^2+3*A*b^2+6*B*a*b)*(\cos(1/2*d*x+1/2*c))^{2*(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)*\sec(d*x+c)^{(1/2)}/d}$

Rubi [A] time = 0.35, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4026, 4047, 3771, 2641, 4046, 2639}

$$\frac{2(a^2A + 6abB + 3Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{2(a^2B + 2aAb - b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] $(-2*(2*a*A*b + a^2*B - b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(a^2*A + 3*A*b^2 + 6*a*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a*(5*A*b + 3*a*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a*A*\text{Sqrt}[\text{Sec}[c + d*x]]*(b + a*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(3*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m+n), Int[(g*Csc[e + f*x])^(p-m-n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !IGtQ[n, 1] && !IntegerQ[m]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{2aA\sqrt{\sec(c + dx)}(b + a \sec(c + dx)) \sin(c + dx)}{3d} + \frac{2aB\sqrt{\sec(c + dx)}(b + a \sec(c + dx)) \sin(c + dx)}{3d} \\
 &= \frac{2aA\sqrt{\sec(c + dx)}(b + a \sec(c + dx)) \sin(c + dx)}{3d} + \frac{2aB\sqrt{\sec(c + dx)}(b + a \sec(c + dx)) \sin(c + dx)}{3d} \\
 &= \frac{2a(5Ab + 3aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} \\
 &= \frac{2(a^2A + 3Ab^2 + 6abB)\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \\
 &= -\frac{2(2aAb + a^2B - b^2B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}
 \end{aligned}$$

Mathematica [A] time = 1.14, size = 125, normalized size = 0.71

$$\frac{2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\left((a^2A + 6abB + 3Ab^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 3(a^2B + 2aAb - b^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]
[Out] (2*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(-3*(2*a*A*b + a^2*B - b^2*B)*EllipticE[(c + d*x)/2, 2] + (a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticF[(c + d*x)/2, 2] + (a*(a*A + 3*(2*A*b + a*B)*Cos[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2)))/(3*d)
```


fricas [F] time = 2.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx+c)^2 + (Ba^2 + 2Aab) \cos(dx+c)\right) \sec(dx+c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sec(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^2 \sec(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2), x)

maple [B] time = 3.47, size = 677, normalized size = 3.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+4*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2*b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*a*(2*A*b+B*a)*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2*a^2*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^2 \sec(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^2,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2),x)

[Out] Timed out

$$3.558 \quad \int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=161

$$\frac{2(3a^2B + 6aAb + b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{2(a^2A - b(2aB + Ab)) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d}$$

[Out] $2/3*b^2*B*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+2*a^2*A*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*(a^2*A-b*(A*b+2*B*a))*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2)^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*(6*A*a*b+3*B*a^2+B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2)^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.32, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4024, 4047, 3771, 2641, 4046, 2639}

$$\frac{2(3a^2B + 6aAb + b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{2(a^2A - b(2aB + Ab)) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]

[Out] $(-2*(a^2*A - b*(A*b + 2*a*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(6*a*A*b + 3*a^2*B + b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*b^2*B*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a^2*A*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[g^(m+n), Int[(g*Csc[e + f*x])^(p-m-n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 4024

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(2)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] := Simp[(a^2*A*Cos

$[e + f*x]*(d*Csc[e + f*x])^{(n + 1)}/(d*f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^{(n + 1)}*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] \&\& NeQ[A*b - a*B, 0] \&\& NeQ[a^2 - b^2, 0] \&\& LeQ[n, -1]$

Rule 4046

$Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] \&\& NeQ[C*m + A*(m + 1), 0] \&\& !LeQ[m, -1]$

Rule 4047

$Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^{(m + 1)}, x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]$

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2b^2 B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}b(Ab + 2aB) + (-3aAb)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2b^2 B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}b(Ab + 2aB) - \frac{3}{2}a^2 A \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2b^2 B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2a^2 A \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\ &= \frac{2(6aAb + 3a^2 B + b^2 B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \\ &= -\frac{2(a^2 A - b(Ab + 2aB)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.75, size = 124, normalized size = 0.77

$$\frac{\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left(2(3a^2 B + 6aAb + b^2 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + (-6a^2 A + 12abB + 6Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]

[Out] (Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((-6*a^2*A + 6*A*b^2 + 12*a*b*B)*EllipticE[(c + d*x)/2, 2] + 2*(6*a*A*b + 3*a^2*B + b^2*B)*EllipticF[(c + d*x)/2, 2] + (2*(3*a^2*A + b^2*B*Cos[c + d*x])*Sin[c + d*x])/Sqrt[Cos[c + d*x]]))/(3*d)

fricas [F] time = 1.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sec(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sec(d*x + c)^(3/2), x)

maple [B] time = 1.54, size = 404, normalized size = 2.51

$$2 \left(4B b^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 6Aab \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x)

[Out] -2/3*(4*B*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+6*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2-6*A*a^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+3*a^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+b^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-6*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b-2*B*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sec(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^2,x)
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^2, x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)
[Out] Timed out
```

3.559 $\int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

Optimal. Leaf size=171

$$\frac{2(3a^2A + 2abB + Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2(5a^2B + 10aAb + 3b^2B) \sqrt{\cos(c+dx)}}{5d}$$

[Out] $\frac{2}{5}b^2B \sin(dx+c)/d/\sec(dx+c)^{(3/2)} + \frac{2}{3}b*(A*b+2*B*a)*\sin(dx+c)/d/\sec(dx+c)^{(1/2)} + \frac{2}{5}*(10*A*a*b+5*B*a^2+3*B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(dx+c)^{(1/2)}*\sec(dx+c)^{(1/2)}/d + \frac{2}{3}*(3*A*a^2+A*b^2+2*B*a*b)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(dx+c)^{(1/2)}*\sec(dx+c)^{(1/2)}/d$

Rubi [A] time = 0.34, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4024, 4047, 3771, 2639, 4045, 2641}

$$\frac{2(3a^2A + 2abB + Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2(5a^2B + 10aAb + 3b^2B) \sqrt{\cos(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])* \text{Sqrt}[\text{Sec}[c + d*x]], x]$

[Out] $(2*(10*a*A*b + 5*a^2*B + 3*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(3*a^2*A + A*b^2 + 2*a*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*b^2*B*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^{(3/2)}) + (2*b*(A*b + 2*a*B)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 4024

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(2)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a^2*A*\text{Cos}$

$[e + f*x]*(d*Csc[e + f*x])^{(n + 1)}/(d*f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^{(n + 1)}*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] \&\& NeQ[A*b - a*B, 0] \&\& NeQ[a^2 - b^2, 0] \&\& LeQ[n, -1]$

Rule 4045

$Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^{(m + 2)}, x], x] /; FreeQ[{b, e, f, A, C}, x] \&\& NeQ[C*m + A*(m + 1), 0] \&\& LeQ[m, -1]$

Rule 4047

$Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^{(m + 1)}, x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]$

Rubi steps

$$\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx = \int \frac{(b + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2b^2 B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}b(Ab + 2aB) + (-5aAb)}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2b^2 B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}b(Ab + 2aB) - \frac{5}{2}a^2 A \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2b^2 B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{1}{3} \int \frac{2(10aAb + 5a^2 B + 3b^2 B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{5d} dx$$

$$= \frac{2(10aAb + 5a^2 B + 3b^2 B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{5d}$$

Mathematica [A] time = 0.91, size = 128, normalized size = 0.75

$$\frac{\sqrt{\sec(c + dx)} \left(10(3a^2 A + 2abB + Ab^2) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 6(5a^2 B + 10aAb + 3b^2 B) \sqrt{\cos(c + dx)} \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]
 [Out] (Sqrt[Sec[c + d*x]]*(6*(10*a*A*b + 5*a^2*B + 3*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 10*(3*a^2*A + A*b^2 + 2*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + b*(5*A*b + 10*a*B + 3*b*B*Cos[c + d*x])*Sin[2*(c + d*x)]))/(15*d)

fricas [F] time = 1.81, size = 0, normalized size = 0.00

integral((Bb^2 cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) cos(dx + c)^2 + (Ba^2 + 2 Aab) cos(dx + c))sqrt(sec(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)

maple [B] time = 1.40, size = 487, normalized size = 2.85

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-24Bb^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20Ab^2 + 40Bab + 24A^2b)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x)

[Out]
$$\begin{aligned} & -2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A*b^2+40*B*a*b+24*B*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A*b^2-20*B*a*b-6*B*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+15*a^2*A*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))+5*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))-30*A*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))*a*b+10*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))-15*B*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))*a^2-9*B*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)/\sin(1/2*d*x+1/2*c)/((2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^2, x)`

[Out] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx))^2 \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*2*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2), x)`

[Out] `Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))*2*sqrt(sec(c + d*x)), x)`

$$3.560 \quad \int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=213

$$\frac{2(7a^2B + 14aAb + 5b^2B) \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2(7a^2B + 14aAb + 5b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}$$

[Out] 2/7*b^2*B*sin(d*x+c)/d/sec(d*x+c)^(5/2)+2/5*b*(A*b+2*B*a)*sin(d*x+c)/d/sec(d*x+c)^(3/2)+2/21*(14*A*a*b+7*B*a^2+5*B*b^2)*sin(d*x+c)/d/sec(d*x+c)^(1/2)+2/5*(5*A*a^2+3*A*b^2+6*B*a*b)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d+2/21*(14*A*a*b+7*B*a^2+5*B*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.37, antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4024, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2(7a^2B + 14aAb + 5b^2B) \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2(7a^2B + 14aAb + 5b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]
 [Out] (2*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(14*a*A*b + 7*a^2*B + 5*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*b^2*B*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*b*(A*b + 2*a*B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(14*a*A*b + 7*a^2*B + 5*b^2*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 4024

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a^2*A*Cos[e + f*x]*(d*Csc[e + f*x])^(n + 1))/(d*f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \cos(c + dx))^2 (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(b + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\
 &= \frac{2b^2 B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}b(Ab + 2aB) + \left(-7aAb + \left(-\frac{7a^2}{2} - \frac{5b^2}{2}\right)\right)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2b^2 B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}b(Ab + 2aB) - \frac{7}{2}a^2 A \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2b^2 B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(14aAb + 7a^2 B)}{21d \sqrt{\sec(c + dx)}} \\
 &= \frac{2b^2 B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(14aAb + 7a^2 B)}{21d \sqrt{\sec(c + dx)}} \\
 &= \frac{2(5a^2 A + 3Ab^2 + 6abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
 \end{aligned}$$

Mathematica [A] time = 1.34, size = 161, normalized size = 0.76

$$\frac{\sqrt{\sec(c + dx)} \left(\sin(2(c + dx)) \left(5(14a^2 B + 28aAb + 3b^2 B \cos(2(c + dx))) + 13b^2 B \right) + 42b(2aB + Ab) \cos(c + dx) \right)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*cos[c + d*x])^2*(A + B*cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (Sqrt[Sec[c + d*x]]*(84*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 20*(14*a*A*b + 7*a^2*B + 5*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (42*b*(A*b + 2*a*B)*Cos[c + d*x] + 5*(28*a*A*b + 14*a^2*B + 13*b^2*B + 3*b^2*B*Cos[2*(c + d*x)]))*Sin[2*(c + d*x)]))/(210*d)

fricas [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))/sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)

maple [B] time = 1.40, size = 548, normalized size = 2.57

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240Bb^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168Ab^2 - 336Bab - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x)

[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*B*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-168*A*b^2-336*B*a*b-360*B*b^2)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(280*A*a*b+168*A*b^2+140*B*a^2+336*B*a*b+280*B*b^2)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-140*A*a*b-42*A*b^2-70*B*a^2-84*B*a*b-80*B*b^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+70*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-105*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2+35*a^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+25*b^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-126*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^2}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2)/(1/cos(c + d*x))^(1/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^2)/(1/cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^2}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))**2/sqrt(sec(c + d*x)), x)

$$3.561 \quad \int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$$

Optimal. Leaf size=295

$$\frac{2a(5a^2A + 21abB + 18Ab^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{21d} + \frac{2a^2(7aB + 11Ab) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{35d} + \frac{2(3a^3B + 21a^2bB + 18aAb^2) \sin(c+dx) \sec^{\frac{7}{2}}(c+dx)}{7d}$$

[Out] $\frac{2}{21}a*(5*A*a^2+18*A*b^2+21*B*a*b)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+\frac{2}{35}a^2*(11*A*b+7*B*a)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d+\frac{2}{7}a*A*\sec(d*x+c)^{(3/2)}*(b+a*\sec(d*x+c))^2*\sin(d*x+c)/d+\frac{2}{5}*(9*A*a^2*b+5*A*b^3+3*B*a^3+15*B*a*b^2)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-\frac{2}{5}*(9*A*a^2*b+5*A*b^3+3*B*a^3+15*B*a*b^2)*(cos(1/2*d*x+1/2*c))^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+\frac{2}{21}*(5*A*a^3+21*A*a*b^2+21*B*a^2*b+21*B*b^3)*(cos(1/2*d*x+1/2*c))^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.60, antiderivative size = 295, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2960, 4026, 4076, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2a(5a^2A + 21abB + 18Ab^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{21d} + \frac{2(9a^2Ab + 3a^3B + 15ab^2B + 5Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2),x]

[Out] $(-2*(9*a^2*A*b + 5*A*b^3 + 3*a^3*B + 15*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(5*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 21*b^3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*(9*a^2*A*b + 5*A*b^3 + 3*a^3*B + 15*a*b^2*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*a*(5*a^2*A + 18*A*b^2 + 21*a*b*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (2*a^2*(11*A*b + 7*a*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(35*d) + (2*a*A*\text{Sec}[c + d*x]^{(3/2)}*(b + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I

$\text{Int}[(b \cdot \text{Csc}[c + d \cdot x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2 \cdot n]$

Rule 3771

$\text{Int}[(\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.))^{(n_.)}, x_Symbol] \ :> \ \text{Dist}[(b \cdot \text{Csc}[c + d \cdot x])^{n_1} \cdot \text{Sin}[c + d \cdot x]^{n_2}, \text{Int}[1/\text{Sin}[c + d \cdot x]^{n_3}, x], x] /; \text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 4026

$\text{Int}[(\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (d_.))^{(n_.)} \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.) + (a_.))^{(m_.)} \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (B_.) + (A_.)), x_Symbol] \ :> \ -\text{Simp}[(b \cdot B \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^{(m - 1)} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (f \cdot (m + n)), x] + \text{Dist}[1/(m + n), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{(m - 2)} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n \cdot \text{Simp}[a^2 \cdot A \cdot (m + n) + a \cdot b \cdot B \cdot n + (a \cdot (2 \cdot A \cdot b + a \cdot B) \cdot (m + n) + b^2 \cdot B \cdot (m + n - 1)) \cdot \text{Csc}[e + f \cdot x] + b \cdot (A \cdot b \cdot (m + n) + a \cdot B \cdot (2 \cdot m + n - 1))] \cdot \text{Csc}[e + f \cdot x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n, x\} \ \&\& \ \text{NeQ}[A \cdot b - a \cdot B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ !(\text{IGtQ}[n, 1] \ \&\& \ !\text{IntegerQ}[m])$

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.))^{(m_.)} \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_)]^2 \cdot (C_.) + (A_.)), x_Symbol] \ :> \ -\text{Simp}[(C \cdot \text{Cot}[e + f \cdot x] \cdot (b \cdot \text{Csc}[e + f \cdot x])^m) / (f \cdot (m + 1)), x] + \text{Dist}[(C \cdot m + A \cdot (m + 1)) / (m + 1), \text{Int}[(b \cdot \text{Csc}[e + f \cdot x])^m, x], x] /; \text{FreeQ}\{b, e, f, A, C, m, x\} \ \&\& \ \text{NeQ}[C \cdot m + A \cdot (m + 1), 0] \ \&\& \ !\text{LeQ}[m, -1]$

Rule 4047

$\text{Int}[(\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.))^{(m_.)} \cdot ((A_.) + \text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (B_.) + \text{csc}[(e_.) + (f_.) \cdot (x_)]^2 \cdot (C_.)), x_Symbol] \ :> \ \text{Dist}[B/b, \text{Int}[(b \cdot \text{Csc}[e + f \cdot x])^{(m + 1)}, x], x] + \text{Int}[(b \cdot \text{Csc}[e + f \cdot x])^m \cdot (A + C \cdot \text{Csc}[e + f \cdot x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m, x\}$

Rule 4076

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (B_.) + \text{csc}[(e_.) + (f_.) \cdot (x_)]^2 \cdot (C_.)) \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (d_.))^{(n_.)} \cdot (\text{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.) + (a_.)), x_Symbol] \ :> \ -\text{Simp}[(b \cdot C \cdot \text{Csc}[e + f \cdot x] \cdot \text{Cot}[e + f \cdot x] \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (f \cdot (n + 2)), x] + \text{Dist}[1/(n + 2), \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^n \cdot \text{Simp}[A \cdot a \cdot (n + 2) + (B \cdot a \cdot (n + 2) + b \cdot (C \cdot (n + 1) + A \cdot (n + 2))) \cdot \text{Csc}[e + f \cdot x] + (a \cdot C + B \cdot b) \cdot (n + 2) \cdot \text{Csc}[e + f \cdot x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n, x\} \ \&\& \ !\text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^3 (B + A \sec(c + dx)) dx \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) (b + a \sec(c + dx))^2 \sin(c + dx)}{7d} \\
&= \frac{2a^2(11Ab + 7aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2aA^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d} \\
&= \frac{2a^2(11Ab + 7aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2aA^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d} \\
&= \frac{2(9a^2Ab + 5Ab^3 + 3a^3B + 15ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= \frac{2(9a^2Ab + 5Ab^3 + 3a^3B + 15ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= -\frac{2(9a^2Ab + 5Ab^3 + 3a^3B + 15ab^2B) \sqrt{\cos(c + dx)} \cos(c + dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 3.65, size = 225, normalized size = 0.76

$$2\sqrt{\sec(c + dx)} \left(15a^3 A \tan(c + dx) \sec^2(c + dx) + 5a (5a^2 A + 21abB + 21Ab^2) \tan(c + dx) + 21a^2(aB + 3Ab) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]
[Out] (2*sqrt[Sec[c + d*x]]*(-21*(9*a^2*A*b + 5*A*b^3 + 3*a^3*B + 15*a*b^2*B)*sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 5*(5*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 21*b^3*B)*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 21*(9*a^2*A*b + 5*A*b^3 + 3*a^3*B + 15*a*b^2*B)*Sin[c + d*x] + 5*a*(5*a^2*A + 21*A*b^2 + 21*a*b*B)*Tan[c + d*x] + 21*a^2*(3*A*b + a*B)*Sec[c + d*x]*Tan[c + d*x] + 15*a^3*A*Sec[c + d*x]^2*Tan[c + d*x]))/(105*d)
```

fricas [F] time = 1.03, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Ab^2) \cos(dx + c) + Aa^2 + Ab^3\right) \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2), x, algorithm="fricas")
```

```
[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))*sec(d*x + c)^(9/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2), x, algorithm="giac")
```

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(9/2), x)

maple [B] time = 6.09, size = 944, normalized size = 3.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b^3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5*a^2*(3*A*b+B*a)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*b^2*(A*b+3*B*a)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+6*a*b*(A*b+B*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*A*a^3*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{9/2} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + b*cos(c + d*x))^3,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**(9/2),x)

[Out] Timed out

$$3.562 \quad \int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$$

Optimal. Leaf size=244

$$\frac{2a(3a^2A + 15abB + 14Ab^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{5d} + \frac{2a^2(5aB + 9Ab) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{15d} + \frac{2(a^3B + 3a^2A)}{3d}$$

[Out] $\frac{2}{15}a^2(9Ab+5B^2a) \sec(d*x+c)^{(3/2)} \sin(d*x+c)/d + \frac{2}{5}a(3Aa^2+14Ab^2+15B^2a^2) \sin(d*x+c) \sec(d*x+c)^{(1/2)}/d + \frac{2}{5}aA(b+a \sec(d*x+c))^2 \sin(d*x+c) \sec(d*x+c)^{(1/2)}/d - \frac{2}{5}(3Aa^3+15Aa^2b+15B^2a^2b-5B^2b^3) (\cos(1/2*d*x+1/2*c))^2 \sqrt{\cos(1/2*d*x+1/2*c)} \operatorname{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) \cos(d*x+c)^{(1/2)} \sec(d*x+c)^{(1/2)}/d + \frac{2}{3}(3Aa^2b+3Aa^2b^3+B^2a^3+9B^2a^2b^2) (\cos(1/2*d*x+1/2*c))^2 \sqrt{\cos(1/2*d*x+1/2*c)} \operatorname{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) \cos(d*x+c)^{(1/2)} \sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.58, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4026, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a(3a^2A + 15abB + 14Ab^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{5d} + \frac{2(3a^2Ab + a^3B + 9ab^2B + 3Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \cos[c + d*x])^3 (A + B \cos[c + d*x]) \sec[c + d*x]^{(7/2)}, x]$

[Out] $(-2*(3a^3A + 15a^2Ab^2 + 15a^2b^2B - 5b^3B) \sqrt{\cos[c + d*x]} \operatorname{EllipticE}((c + d*x)/2, 2) \sqrt{\sec[c + d*x]})/(5*d) + (2*(3a^2Ab + 3Aa^2b^3 + a^3B + 9a^2b^2B) \sqrt{\cos[c + d*x]} \operatorname{EllipticF}((c + d*x)/2, 2) \sqrt{\sec[c + d*x]})/(3*d) + (2a*(3a^2A + 14Ab^2 + 15a^2b^2B) \sqrt{\sec[c + d*x]} \sin[c + d*x])/(5*d) + (2a^2*(9Ab + 5a^2B) \sec[c + d*x]^{(3/2)} \sin[c + d*x])/(15*d) + (2aA \sqrt{\sec[c + d*x]} (b + a \sec[c + d*x])^2 \sin[c + d*x])/(5*d)$

Rule 2639

$\text{Int}[\sqrt{\sin[(c_.) + (d_.)*(x_)]}, x_Symbol] \rightarrow \text{Simp}[(2 \operatorname{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\sqrt{\sin[(c_.) + (d_.)*(x_)]}, x_Symbol] \rightarrow \text{Simp}[(2 \operatorname{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2960

$\text{Int}[(\csc[(e_.) + (f_.)*(x_)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\csc[e + f*x])^{(p-m-n)}*(b + a*\csc[e + f*x])^m*(d + c*\csc[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\csc[(c_.) + (d_.)*(x_)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\csc[c + d*x])^n \sin[c + d*x]^n, \text{Int}[1/\sin[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA\sqrt{\sec(c + dx)}(b + a \sec(c + dx))^2 \sin(c + dx)}{5d} \\
&= \frac{2a^2(9Ab + 5aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2aA}{15d} \\
&= \frac{2a^2(9Ab + 5aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2aA}{15d} \\
&= \frac{2a(3a^2A + 14Ab^2 + 15abB) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= \frac{2(3a^2Ab + 3Ab^3 + a^3B + 9ab^2B) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \\
&= -\frac{2(3a^3A + 15aAb^2 + 15a^2bB - 5b^3B) \sqrt{\cos(c + dx)} \sin(c + dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 1.60, size = 192, normalized size = 0.79

$$2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\left(\frac{a\sin(c+dx)(9(a^2A+5abB+5Ab^2)\cos(2(c+dx))+15(a^2A+3abB+3Ab^2)+10a(aB+3Ab)\cos(c+dx))}{2\cos^{\frac{5}{2}}(c+dx)}+5(a^3B\right)$$

15d

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
[Out] (2*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(-3*(3*a^3*A + 15*a*A*b^2 + 15*a^2*
*b*B - 5*b^3*B)*EllipticE[(c + d*x)/2, 2] + 5*(3*a^2*A*b + 3*A*b^3 + a^3*B
+ 9*a*b^2*B)*EllipticF[(c + d*x)/2, 2] + (a*(15*(a^2*A + 3*A*b^2 + 3*a*b*B)
+ 10*a*(3*A*b + a*B)*Cos[c + d*x] + 9*(a^2*A + 5*A*b^2 + 5*a*b*B)*Cos[2*(c
+ d*x)])*Sin[c + d*x])/(2*Cos[c + d*x]^(5/2)))/(15*d)
```

fricas [F] time = 1.02, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^3 \cos(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx+c)^3 + 3(Ba^2b + Aab^2) \cos(dx+c)^2 + (Ba^3 + 3Aa^2b)\right) \sec(dx+c)^{7/2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm
="fricas")
```

```
[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3
+ 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))
*sec(d*x + c)^(7/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^3 \sec(dx+c)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(7/2), x
)
```

maple [B] time = 4.75, size = 997, normalized size = 4.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x)
[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*b^3*B*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-El
lipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))+2*A*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(
-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+6*B*a*b^2*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin
(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-2*b^3*B*(sin
(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+
1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+
6*a*b*(A*b+B*a)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin
(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2
```

```

*d*x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d
*x+1/2*c)^2-1)-2/5*A*a^3/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*
sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*
c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*s
in(1/2*d*x+1/2*c)^4-24*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6-12*EllipticE
(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+
1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/
2*c)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellipt
icE(cos(1/2*d*x+1/2*c), 2^(1/2))-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*
(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a^2*(3*A*b+B*a)*(-1/
6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(
-1/2+cos(1/2*d*x+1/2*c)^2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d
*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*E
llipticF(cos(1/2*d*x+1/2*c), 2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/
2*c)^2-1)^(1/2)/d

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm
="maxima")

```

```

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(7/2), x
)

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{7/2} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^3,x)

```

```

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^3, x)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)

```

```

[Out] Timed out

```

$$3.563 \quad \int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=239

$$\frac{2a(3a^2B + 9aAb - 2b^2B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d} + \frac{2a^2(aA - bB) \sin(c+dx) \sec^3(c+dx)}{3d} + \frac{2(a^3A + 9a^2bB + 9aAb^2 + b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3d}$$

[Out] $2/3*a^2*(A*a-B*b)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/3*b*B*(b+a*\sec(d*x+c))^{2*}\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+2/3*a*(9*A*a*b+3*B*a^2-2*B*b^2)*\sin(d*x+c)*\sec(c(d*x+c)^{(1/2)}/d-2*(3*A*a^2*b-A*b^3+B*a^3-3*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*(A*a^3+9*A*a*b^2+9*B*a^2*b+B*b^3)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.57, antiderivative size = 239, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4025, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a(3a^2B + 9aAb - 2b^2B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d} + \frac{2(a^3A + 9a^2bB + 9aAb^2 + b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2),x]

[Out] $(-2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a*(9*a*A*b + 3*a^2*B - 2*b^2*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a^2*(a*A - b*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*b*B*(b + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m+n), Int[(g*Csc[e + f*x])^(p-m-n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{(b + a \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2(aA - bB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{2a^2(aA - bB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{2a(9aAb + 3a^2B - 2b^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{2(a^3A + 9aAb^2 + 9a^2bB + b^3B) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \\
&= -\frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \sqrt{\cos(c + dx)} \sin(c + dx)}{d}
\end{aligned}$$

$$2*c)^2-1)^{(1/2)}*b^3*\sin(1/2*d*x+1/2*c)^2+6*B*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a^3*\sin(1/2*d*x+1/2*c)^2-18*B*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a*b^2*\sin(1/2*d*x+1/2*c)^2-12*B*a^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-8*B*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*A*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^3+2*A*a^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+18*A*a^2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-9*a^2*b*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-b^3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3+9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^2+6*B*a^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+2*B*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^3,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2),x)

[Out] Timed out

$$3.564 \quad \int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=237

$$\frac{2a^2(5aA - bB) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2(3a^3B + 9a^2Ab + 3ab^2B + Ab^3) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

[Out] $2/5*b*B*(b+a*\sec(d*x+c))^2*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+2/15*b^2*(5*A*b+9*B*a)*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+2/5*a^2*(5*A*a-B*b)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2/5*(5*A*a^3-15*A*a*b^2-15*B*a^2*b-3*B*b^3)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*(9*A*a^2*b+A*b^3+3*B*a^3+3*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.53, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4025, 4074, 4047, 3771, 2641, 4046, 2639}

$$\frac{2(9a^2Ab + 3a^3B + 3ab^2B + Ab^3) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(5a^3A - 15a^2bB - 15aAb^2 - 3b^3B)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2),x]

[Out] $(-2*(5*a^3*A - 15*a*A*b^2 - 15*a^2*b*B - 3*b^3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}((c + d*x)/2, 2)*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}((c + d*x)/2, 2)*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*b^2*(5*A*b + 9*a*B)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a^2*(5*a*A - b*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*b*B*(b + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^{(3/2)})$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)], x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.)^(n_.)], x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{(b + a \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2b^2(5Ab + 9aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2bB(b + a \sec(c + dx))}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b^2(5Ab + 9aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2bB(b + a \sec(c + dx))}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b^2(5Ab + 9aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2a^2(5aA - bB) \sqrt{\sec(c + dx)}}{5d} \\
&= \frac{2(9a^2Ab + Ab^3 + 3a^3B + 3ab^2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2}\right)}{3d} \\
&= -\frac{2(5a^3A - 15aAb^2 - 15a^2bB - 3b^3B) \sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 1.44, size = 172, normalized size = 0.73

$$\frac{\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left(\frac{2 \sin(c + dx) (3(10a^3A + b^3B \cos(2(c + dx)) + b^3B) + 10b^2(3aB + Ab) \cos(c + dx))}{\sqrt{\cos(c + dx)}} + 20(3a^3B + 9a^2Ab + 3ab^2B) \right)}{30d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
[Out] (Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(12*(-5*a^3*A + 15*a*A*b^2 + 15*a^2*b*B + 3*b^3*B)*EllipticE[(c + d*x)/2, 2] + 20*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*EllipticF[(c + d*x)/2, 2] + (2*(10*b^2*(A*b + 3*a*B)*Cos[c + d*x] + 3*(10*a^3*A + b^3*B + b^3*B*Cos[2*(c + d*x)]))*Sin[c + d*x])/Sqrt[Cos[c + d*x]]))/(30*d)
```

fricas [F] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Aab) \cos(dx + c) + Bb^3\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="fricas")
```

```
[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))*sec(d*x + c)^(3/2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2), x)

maple [B] time = 1.66, size = 867, normalized size = 3.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x)

[Out]
$$-2/15*(-24*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+4*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^2*(5*A*b+15*B*a+6*B*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(15*A*a^3+5*A*b^3+15*B*a*b^2+3*B*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+45*A*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+5*A*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+15*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3-45*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^2+15*a^3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+15*B*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-45*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b-9*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^3)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^3,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)

[Out] Timed out

3.565 $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

Optimal. Leaf size=245

$$\frac{2b(18a^2B + 21aAb + 5b^2B) \sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{2(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F}{21d}$$

```
[Out] 2/35*b^2*(7*A*b+11*B*a)*sin(d*x+c)/d/sec(d*x+c)^(3/2)+2/7*b*B*(b+a*sec(d*x+c))^2*sin(d*x+c)/d/sec(d*x+c)^(5/2)+2/21*b*(21*A*a*b+18*B*a^2+5*B*b^2)*sin(d*x+c)/d/sec(d*x+c)^(1/2)+2/5*(15*A*a^2*b+3*A*b^3+5*B*a^3+9*B*a*b^2)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d+2/21*(21*A*a^3+21*A*a*b^2+21*B*a^2*b+5*B*b^3)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d
```

Rubi [A] time = 0.54, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4025, 4074, 4047, 3771, 2639, 4045, 2641}

$$\frac{2b(18a^2B + 21aAb + 5b^2B) \sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{2(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]
```

```
[Out] (2*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(21*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*b^2*(7*A*b + 11*a*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*b*(21*a*A*b + 18*a^2*B + 5*b^2*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*b*B*(b + a*Sec[c + d*x])^2*Ssin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)])*(b_.)^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Ssin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist
[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b)
+ A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \int \frac{(b + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{(b + a \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2b^2(7Ab + 11aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2bB(b + a \sec(c + dx))}{7d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b^2(7Ab + 11aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2bB(b + a \sec(c + dx))}{7d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b^2(7Ab + 11aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2b(21aAb + 18a^2B)}{21d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(15a^2Ab + 3Ab^3 + 5a^3B + 9ab^2B) \sqrt{\cos(c + dx)}}{5d} \\
&= \frac{2(15a^2Ab + 3Ab^3 + 5a^3B + 9ab^2B) \sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 1.31, size = 180, normalized size = 0.73

$$\sqrt{\sec(c + dx)} \left(b \sin(2(c + dx)) \left(5(42a^2B + 42aAb + 3b^2B \cos(2(c + dx)) + 13b^2B) + 42b(3aB + Ab) \cos(c + dx) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]
[Out] (Sqrt[Sec[c + d*x]]*(84*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 20*(21*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + b*(42*b*(A*b + 3*a*B)*Cos[c + d*x] + 5*(42*a*A*b + 42*a^2*B + 13*b^2*B + 3*b^2*B*Cos[2*(c + d*x)]))*Sin[2*(c + d*x)]))/(210*d)
```

fricas [F] time = 1.44, size = 0, normalized size = 0.00

$$\text{integral} \left((Bb^3 \cos(dx + c))^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Ab^2) \cos(dx + c) + Aa^2 + Ab^2 \right) \sqrt{\sec(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))*sqrt(sec(d*x + c)), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sqrt(sec(d*x + c)), x)

maple [B] time = 1.46, size = 664, normalized size = 2.71

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240Bb^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168Ab^3 - 504Bab^2 - 3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x)

[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-168*A*b^3-504*B*a*b^2-360*B*b^3)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(420*A*a*b^2+168*A*b^3+420*B*a^2*b+504*B*a*b^2+280*B*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-210*A*a*b^2-42*A*b^3-210*B*a^2*b-126*B*a*b^2-80*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-315*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^3+105*A*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+105*A*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-105*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3-189*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^2+105*a^2*b*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+25*b^3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^3,x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx))^3 \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))**3*sqrt(sec(c + d*x)), x
)

$$3.566 \quad \int \frac{(a+b \cos(c+dx))^3 (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=295

$$\frac{2b(22a^2B + 27aAb + 7b^2B) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7a^3B + 21a^2Ab + 15ab^2B + 5Ab^3) \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2(7a^3B + 21a^2Ab + 7a^3B + 21a^2Ab + 15ab^2B + 5Ab^3) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)}$$

[Out] $\frac{2}{63} b^2 (9A^2 b + 13B^2 a) \sin(dx+c) / d \sec(dx+c)^{5/2} + \frac{2}{45} b (27A^2 a b + 22B^2 a^2 + 7B^2 b^2) \sin(dx+c) / d \sec(dx+c)^{3/2} + \frac{2}{9} b^2 B (b+a \sec(dx+c))^2 \sin(dx+c) / d \sec(dx+c)^{7/2} + \frac{2}{21} (21A^2 a^2 b + 5A^2 b^3 + 7B^2 a^3 + 15B^2 a b^2) \sin(dx+c) / d \sec(dx+c)^{1/2} + \frac{2}{15} (15A^2 a^3 + 27A^2 a b^2 + 27B^2 a^2 b + 7B^2 b^3) (\cos(1/2 dx + 1/2 c))^2 / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2}) * \cos(dx+c)^{1/2} * \sec(dx+c)^{1/2} / d + \frac{2}{21} (21A^2 a^2 b + 5A^2 b^3 + 7B^2 a^3 + 15B^2 a b^2) (\cos(1/2 dx + 1/2 c))^2 / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2}) * \cos(dx+c)^{1/2} * \sec(dx+c)^{1/2} / d$

Rubi [A] time = 0.58, antiderivative size = 295, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2960, 4025, 4074, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2b(22a^2B + 27aAb + 7b^2B) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3) \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] $(2*(15*a^3*A + 27*a^2*A*b + 27*a^2*b*B + 7*b^3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*b^2*(9*A*b + 13*a*B)*\text{Sin}[c + d*x])/(63*d*\text{Sec}[c + d*x]^{5/2}) + (2*b*(27*a^2*A*b + 22*a^2*B + 7*b^2*B)*\text{Sin}[c + d*x])/(45*d*\text{Sec}[c + d*x]^{3/2}) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*\text{Sin}[c + d*x])/(21*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*b*B*(b + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(9*d*\text{Sec}[c + d*x]^{7/2})$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d^n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 1), x], x]

$d*x]^{(n + 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*n]$
]

Rule 3771

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.)^{(n_.)}, x_Symbol] \text{ :> } \text{Dist}[(b*\text{Csc}[c + d*x])^{(n)}*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 4025

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(d_.)^{(n_.)}*(\text{csc}[e_.] + (f_.)*(x_)]*(b_.) + (a_))^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] \text{ :> } \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 2)}*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*\text{Csc}[e + f*x] + b*(b*B*n + a*A*(m + n))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{LeQ}[n, -1]$

Rule 4045

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] \text{ :> } \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 2)}, x], x] /; \text{FreeQ}[\{b, e, f, A, C\}, x] \ \&\& \ \text{NeQ}[C*m + A*(m + 1), 0] \ \&\& \ \text{LeQ}[m, -1]$

Rule 4047

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.)^{(m_.)}*((A_.) + \text{csc}[e_.] + (f_.)*(x_)]*(B_.) + \text{csc}[e_.] + (f_.)*(x_)]^2*(C_)), x_Symbol] \text{ :> } \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 4074

$\text{Int}[(A_.) + \text{csc}[e_.] + (f_.)*(x_)]*(B_.) + \text{csc}[e_.] + (f_.)*(x_)]^2*(C_.) * (\text{csc}[e_.] + (f_.)*(x_)]*(d_.)^{(n_.)}*(\text{csc}[e_.] + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] \text{ :> } \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*\text{Csc}[e + f*x] + b*C*n*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \ \&\& \ \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(b + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{(b + a \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2b^2(9Ab + 13aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2b^2(9Ab + 13aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2b^2(9Ab + 13aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2b(27aAb + 22a^2B + 7b^2B) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b^2(9Ab + 13aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2b(27aAb + 22a^2B + 7b^2B) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(15a^3A + 27aAb^2 + 27a^2bB + 7b^3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{15d}
\end{aligned}$$

Mathematica [A] time = 1.83, size = 219, normalized size = 0.74

$$\sqrt{\sec(c + dx)} \left(\sin(2(c + dx)) (7b(108a^2B + 108aAb + 43b^2B) \cos(c + dx) + 5(84a^3B + 252a^2Ab + 18b^2(3aB + 4a^2B))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (Sqrt[Sec[c + d*x]]*(168*(15*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 7*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 120*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (7*b*(108*a*A*b + 108*a^2*B + 43*b^2*B)*Cos[c + d*x] + 5*(252*a^2*A*b + 78*A*b^3 + 84*a^3*B + 234*a*b^2*B + 18*b^2*(A*b + 3*a*B))*Cos[2*(c + d*x)] + 7*b^3*B*Cos[3*(c + d*x)]))*Sin[2*(c + d*x)])/(1260*d)

fricas [F] time = 0.96, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Aab^2) \cos(dx + c) + Aa^3}{\sqrt{\sec(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))/sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/sqrt(sec(d*x + c)), x)
```

maple [B] time = 1.60, size = 745, normalized size = 2.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x)
```

```
[Out] -2/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-1120*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(720*A*b^3+2160*B*a*b^2+2240*B*b^3)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-1512*A*a*b^2-1080*A*b^3-1512*B*a^2*b-3240*B*a*b^2-2072*B*b^3)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(1260*A*a^2*b+1512*A*a*b^2+840*A*b^3+420*B*a^3+1512*B*a^2*b+2520*B*a*b^2+952*B*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-630*A*a^2*b-378*A*a*b^2-240*A*b^3-210*B*a^3-378*B*a^2*b-720*B*a*b^2-168*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-315*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3-567*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^2+315*A*a^2*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+75*A*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-567*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b-147*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^3+105*a^3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+225*B*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/sqrt(sec(d*x + c)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^3}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/(1/cos(c + d*x))^(1/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^3)/(1/cos(c + d*x))^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx))(a + b \cos(c + dx))^3}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*3*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*(a + b*cos(c + d*x))*3/sqrt(sec(c + d*x)), x
)

$$3.567 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=210

$$\frac{2(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2b(Ab - aB)}{a^2 d}$$

[Out] $2/3 A \sec(d*x+c)^{(3/2)} * \sin(d*x+c) / a/d - 2*(A*b-B*a) * \sin(d*x+c) * \sec(d*x+c)^{(1/2)} / a^2/d + 2*(A*b-B*a) * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^2/d + 2/3 * A * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a/d + 2*b*(A*b-B*a) * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^2/(a+b)/d$

Rubi [A] time = 0.81, antiderivative size = 210, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2960, 4033, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2b(Ab - aB)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x]),x]

[Out] $(2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*d) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a*d) + (2*b*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*(a + b)*d) - (2*(A*b - a*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(a^2*d) + (2*A*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(3*a*d)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -

$a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n * \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3849

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^{3/2} / (\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] \rightarrow \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4033

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{m+1} * (\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] \rightarrow -\text{Simp}[(B*d^2 * \text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^{n-2}) / (b*f*(m+n)), x] + \text{Dist}[d^2 / (b*(m+n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-2} * \text{Simp}[a*B*(n-2) + B*b*(m+n-1)*\text{Csc}[e + f*x] + (A*b*(m+n) - a*B*(n-1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[m+n, 0] \&\& !\text{IGtQ}[m, 1]$

Rule 4102

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2 * (C_.)) * (\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{m+1}, x_Symbol] \rightarrow -\text{Simp}[(C*d*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^{n-1}) / (b*f*(m+n+1)), x] + \text{Dist}[d / (b*(m+n+1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-1} * \text{Simp}[a*C*(n-1) + (A*b*(m+n+1) + b*C*(m+n))*\text{Csc}[e + f*x] + (b*B*(m+n+1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$

Rule 4106

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2 * (C_.)) / (\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)] * (\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))), x_Symbol] \rightarrow \text{Dist}[(A*b^2 - a*b*B + a^2*C) / (a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{3/2} / (a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x]) / \text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{a + b \cos(c + dx)} dx &= \int \frac{\sec^{\frac{5}{2}}(c + dx)(B + A \sec(c + dx))}{b + a \sec(c + dx)} dx \\
&= \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} + \frac{2 \int \frac{\sqrt{\sec(c+dx)} \left(\frac{Ab}{2} + \frac{1}{2} a A \sec(c+dx) - \frac{3}{2} (Ab - a^2) \sec^2(c+dx) \right)}{b + a \sec(c+dx)} dx}{3a} \\
&= -\frac{2(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d} + \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} \\
&= -\frac{2(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d} + \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} \\
&= -\frac{2(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d} + \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} \\
&= \frac{2b(Ab - aB) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2(a + b)d} - \frac{2(Ab - a^2)}{a^2 d} \\
&= \frac{2(Ab - aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{2A \sqrt{\cos(c + dx)}}{a^2 d}
\end{aligned}$$

Mathematica [A] time = 3.43, size = 225, normalized size = 1.07

$$\frac{\cot(c + dx) \left(-2 \left(a^2(A - 3B) + 3ab(A - B) + 3Ab^2 \right) \sqrt{-\tan^2(c + dx)} F\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) - a^2 A \sec^{\frac{5}{2}}(c + dx) \right)}{a^2 d}$$

Antiderivative was successfully verified.

```

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x]), x]
[Out] -1/3*(Cot[c + d*x]*(-(a^2*A*Sec[c + d*x]^(5/2)) + a^2*A*Cos[2*(c + d*x)]*Sec[c + d*x]^(5/2) - 6*a*(-(A*b) + a*B)*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] - 2*(3*A*b^2 + a^2*(A - 3*B) + 3*a*b*(A - B))*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] + 6*A*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] - 6*a*b*B*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2]))/(a^3*d)

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c)), x, algorithm="fricas")

```

```

[Out] Timed out

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)

maple [A] time = 4.12, size = 468, normalized size = 2.23

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-\frac{4(Ab-aB)b^2\sqrt{\frac{1}{2}-\frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)+1}\operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2b}{a-b}, \sqrt{\frac{1}{2}-\frac{\cos(dx+c)}{2}}\right)}{a^2(-2ab+2b^2)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)+\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x)

[Out]
$$-\left(-\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2+1\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-4(A*b-B*a)*b^2/a^2/(-2*a*b+2*b^2)*\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2+1\right)^{1/2}/\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2\right)^{1/2}*\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right), -2*b/(a-b), 2^{1/2}\right)+2*(-A*b+B*a)/a^2*\left(-\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2\right)^{1/2}*\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2\right)^{1/2}*(2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2-1\right)^{1/2}*\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right), 2^{1/2}\right)+2*(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2\right)^{1/2}*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2/(2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2-1\right)+2*A/a*(-1/6*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)*\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2\right)^{1/2}/(-1/2+\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2\right)^2+1/3*\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2\right)^{1/2}*\left(-2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2+1\right)^{1/2}/\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2\right)^{1/2}*\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right), 2^{1/2}\right)\right)/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)/(2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2-1\right)^{1/2}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{5/2}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)}\right)^{5/2}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + b*cos(c + d*x)),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.568 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=126

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{ad(a + b)} + \frac{2A \sin(c + dx)\sqrt{\sec(c + dx)}}{ad} - \frac{2A\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{ad}$$

[Out] 2*A*sin(d*x+c)*sec(d*x+c)^(1/2)/a/d-2*A*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a/d-2*(A*b-B*a)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2*b/(a+b),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a/(a+b)/d

Rubi [A] time = 0.46, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4033, 4106, 3849, 2805, 12, 3771, 2639}

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{ad(a + b)} + \frac{2A \sin(c + dx)\sqrt{\sec(c + dx)}}{ad} - \frac{2A\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x]),x]

[Out] (-2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a + b)*d) + (2*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/((f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4033

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d^2*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + n)), x] + Dist[d^2/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 2)*Simp[a*B*(n - 2) + B*b*(m + n - 1)*Csc[e + f*x] + (A*b*(m + n) - a*B*(n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n, 0] && !IGtQ[m, 1]

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{a + b \cos(c + dx)} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)(B + A \sec(c + dx))}{b + a \sec(c + dx)} dx \\
 &= \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{ad} + \frac{2 \int \frac{-\frac{Ab}{2} - \frac{1}{2}aA \sec(c + dx) - \frac{1}{2}(Ab - aB) \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx}{a} \\
 &= \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{ad} + \frac{2 \int -\frac{Ab^2}{2\sqrt{\sec(c + dx)}} dx}{ab^2} + \frac{(-Ab + aB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{a} \\
 &= \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{ad} - \frac{A \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{a} + \frac{((-Ab + aB)\sqrt{\cos(c + dx)})}{a} \\
 &= -\frac{2(Ab - aB)\sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a(a + b)d} + \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{ad} \\
 &= -\frac{2A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{2(Ab - aB)\sqrt{\cos(c + dx)}}{a}
 \end{aligned}$$

Mathematica [A] time = 1.29, size = 125, normalized size = 0.99

$$\frac{2 \cos(2(c + dx)) \sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec(c + dx) \left(-aA - aB + Ab\right) F\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) + 2A\sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d \left(\sec^2(c + dx) - 2\right)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*cos[c + d*x]),x]
[Out] (-2*cos[2*(c + d*x)]*Csc[c + d*x]*(a*A*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1] - (a*A + A*b - a*B)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + (A*b - a*B)*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*Sec[c + d*x]*Sqrt[-Tan[c + d*x]^2])/(a^2*d*(-2 + Sec[c + d*x]^2))
fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")
[Out] Timed out
giac [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="giac")
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)
maple [A] time = 2.86, size = 327, normalized size = 2.60
```

$$\frac{\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-\frac{4(-Ab+ab)b\sqrt{\frac{1}{2}-\frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)+1}\operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2b}{a-b}, \sqrt{\frac{1}{2}-\frac{\cos(dx+c)}{2}}\right)}{a(-2ab+2b^2)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)+\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right)}{\sin\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x)
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-4*(-A*b+B*a)/a/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))+2*A/a*(-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d)
maxima [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x)),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+b*cos(d*x+c)),x)

[Out] Timed out

$$3.569 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=101

$$\frac{2(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd}$$

[Out] 2*B*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c), 2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/b/d+2*(A*b-B*a)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/b/(a+b)/d

Rubi [A] time = 0.28, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2960, 4038, 3771, 2641, 3849, 2805}

$$\frac{2(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x]), x]

[Out] (2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b*d) + (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b*(a + b)*d)

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/((f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3849

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(3/2)/(csc[(e_) + (f_)*(x_)]*(b_) + (a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1

$/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] \&\& NeQ[a^2 - b^2, 0]$

Rule 4038

$Int[((csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[A/a, Int[(d*Csc[e + f*x]]^n, x], x] - Dist[(A*b - a*B)/(a*d), Int[(d*Csc[e + f*x]]^(n + 1)/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] \&\& NeQ[A*b - a*B, 0] \&\& NeQ[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{a + b \cos(c + dx)} dx &= \int \frac{\sqrt{\sec(c + dx)}(B + A \sec(c + dx))}{b + a \sec(c + dx)} dx \\ &= \frac{B \int \sqrt{\sec(c + dx)} dx}{b} - \frac{(-Ab + aB) \int \frac{\sec^3(c + dx)}{b + a \sec(c + dx)} dx}{b} \\ &= \frac{(B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b} - \frac{((-Ab + aB)\sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b} \\ &= \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{bd} + \frac{2(Ab - aB)\sqrt{\cos(c + dx)}}{bd} \end{aligned}$$

Mathematica [A] time = 0.54, size = 76, normalized size = 0.75

$$\frac{2\sqrt{-\tan^2(c + dx)} \cot(c + dx) \left((aB - Ab) \Pi\left(-\frac{a}{b}; \sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) + Ab F\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) \right)}{abd}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x]), x]
 [Out] (2*Cot[c + d*x]*(A*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + (-A*b) + a*B)*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*Sqrt[-Tan[c + d*x]^2]/(a*b*d)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)), x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a), x)

maple [A] time = 1.50, size = 217, normalized size = 2.15

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\left(A\operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \frac{A\operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}{(a-b)b\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}}\right)}{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}} + 1$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x)

[Out] -2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(A*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))*b+B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a-B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b-B*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))*a)/(a-b)/b/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(A + B \cos(c + dx))\sqrt{\frac{1}{\cos(c+dx)}}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x)),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+b*cos(d*x+c)),x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(sec(c + d*x))/(a + b*cos(c + d*x)), x)

$$3.570 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx)) \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=149

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d} - \frac{2a(Ab - aB)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d(a + b)}$$

[Out] 2*B*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c), 2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/b/d+2*(A*b-B*a)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c), 2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/b^2/d-2*a*(A*b-B*a)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/b^2/(a+b)/d

Rubi [A] time = 0.35, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4038, 3771, 2639, 3848, 2803, 2641, 2805}

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d} - \frac{2a(Ab - aB)\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d(a + b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sqrt[Sec[c + d*x]]), x]

[Out] (2*B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b*d) + (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*d) - (2*a*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*(a + b)*d)

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2803

Int[Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[d/b, Int[1/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[(b*c - a*d)/b, Int[1/((a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/((f*(a + b)*Sqrt[c + d])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 3848

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[(Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]])/d, Int[Sqrt[d*Sin[e + f*x]]/(b + a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4038

```
Int[((csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[A/a, Int[(d*Csc[e + f*x])^n, x], x] - Dist[(A*b - a*B)/(a*d), Int[(d*Csc[e + f*x])^(n + 1)/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))\sqrt{\sec(c + dx)}} dx &= \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx \\ &= \frac{B \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{b} - \frac{(-Ab + aB) \int \frac{\sqrt{\sec(c + dx)}}{b + a \sec(c + dx)} dx}{b} \\ &= \frac{(B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{b} - \frac{((-Ab + aB)\sqrt{\cos(c + dx)}) \int \sqrt{\sec(c + dx)} dx}{b} \\ &= \frac{2B\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{bd} - \frac{((-Ab + aB)\sqrt{\cos(c + dx)}) \int \sqrt{\sec(c + dx)} dx}{b} \\ &= \frac{2B\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{bd} + \frac{2(Ab - aB)\sqrt{\cos(c + dx)}}{bd} \end{aligned}$$

Mathematica [A] time = 6.36, size = 220, normalized size = 1.48

$$\frac{\cot(c + dx) \left(2Ab\sqrt{-\tan^2(c + dx)} \Pi\left(-\frac{a}{b}; \sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) - 2aB\sqrt{-\tan^2(c + dx)} \Pi\left(-\frac{a}{b}; \sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) \right)}{bd}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sqrt[Sec[c + d*x]]), x]
[Out] (Cot[c + d*x]*(-(b*B*Sec[c + d*x]^(3/2)) - b*B*Cos[2*(c + d*x)]*Sec[c + d*x]^(3/2) + b*B*Sec[c + d*x]^(7/2) + b*B*Cos[2*(c + d*x)]*Sec[c + d*x]^(7/2) - 2*b*B*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] + 2*b*B*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] + 2*A*
```


$b \cdot \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d \cdot x]]], -1] \cdot \text{Sqrt}[-\text{Tan}[c + d \cdot x]^2] - 2 \cdot a \cdot B \cdot \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d \cdot x]]], -1] \cdot \text{Sqrt}[-\text{Tan}[c + d \cdot x]^2]) / (b^2 \cdot d)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)

maple [A] time = 1.59, size = 295, normalized size = 1.98

$$2 \sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)} \left(A \text{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{c}{2}\right)\right)}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x)

[Out] $2 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * (A * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2 ^ (1/2)) * a * b - A * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a * b + A * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * b ^ 2 - B * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2 ^ (1/2)) * a ^ 2 + B * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a ^ 2 - B * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a * b + B * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a * b - B * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * b ^ 2) / b ^ 2 / (a - b) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))), x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx)) \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)**(1/2), x)

[Out] Integral((A + B*cos(c + d*x))/((a + b*cos(c + d*x))*sqrt(sec(c + d*x))), x)

$$3.571 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx)) \sec^2(c+dx)} dx$$

Optimal. Leaf size=197

$$\frac{2a^2(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^3d(a+b)} - \frac{2(-3a^2B + 3aAb - b^2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3b^3d}$$

[Out] $2/3*B*\sin(d*x+c)/b/d/\sec(d*x+c)^{(1/2)+2*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b^2/d-2/3*(3*A*a*b-3*B*a^2-B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b^3/d+2*a^2*(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b^3/(a+b)/d$

Rubi [A] time = 0.56, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2960, 4034, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2(-3a^2B + 3aAb - b^2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^3d} + \frac{2a^2(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{b^3d(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sec[c + d*x]^(3/2)), x]

[Out] $(2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^2*d) - (2*(3*a*A*b - 3*a^2*B - b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^3*d) + (2*a^2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^3*(a + b)*d) + (2*B*\text{Sin}[c + d*x])/(3*b*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=> Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4034

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :=> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] :=> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx))} dx \\
&= \frac{2B \sin(c + dx)}{3bd\sqrt{\sec(c + dx)}} - \frac{2 \int \frac{-\frac{3}{2}(Ab-aB) - \frac{1}{2}bB \sec(c+dx) - \frac{1}{2}aB \sec^2(c+dx)}{\sqrt{\sec(c+dx)}(b+a \sec(c+dx))} dx}{3b} \\
&= \frac{2B \sin(c + dx)}{3bd\sqrt{\sec(c + dx)}} - \frac{2 \int \frac{-\frac{3}{2}b(Ab-aB) - \left(\frac{b^2B}{2} - \frac{3}{2}a(Ab-aB)\right) \sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{3b^3} + \frac{(a^2(Ab-aB) - b^2B)}{3b^3} \\
&= \frac{2B \sin(c + dx)}{3bd\sqrt{\sec(c + dx)}} + \frac{(Ab - aB) \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{b^2} - \frac{(3aAb - 3a^2B - b^2B)}{3b^3} \\
&= \frac{2a^2(Ab - aB)\sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b^3(a + b)d} + \frac{2(3aAb - 3a^2B - b^2B)}{3b^3} \\
&= \frac{2(Ab - aB)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b^2d} - \frac{2(3aAb - 3a^2B - b^2B)}{3b^3}
\end{aligned}$$

Mathematica [A] time = 6.66, size = 278, normalized size = 1.41

$$2 \operatorname{csc}(c + dx) \left(3a^2B \sqrt{-\tan^2(c + dx)} \sqrt{\sec(c + dx)} \Pi\left(-\frac{a}{b}; \sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) + b(-3aB + 3Ab + bB) \sqrt{\sec(c + dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sec[c + d*x]^(3/2)), x]

[Out] (2*Csc[c + d*x]*(-3*A*b^2 + 3*a*b*B + 3*A*b^2*Sec[c + d*x]^2 - 3*a*b*B*Sec[c + d*x]^2 + b^2*B*Sin[c + d*x]*Tan[c + d*x] - 3*b*(A*b - a*B)*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[-Tan[c + d*x]^2] + b*(3*A*b - 3*a*B + b*B)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[-Tan[c + d*x]^2] - 3*a*A*b*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[-Tan[c + d*x]^2] + 3*a^2*B*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[-Tan[c + d*x]^2]))/(3*b^3*d*Sec[c + d*x]^(3/2))

fricas [F] time = 160.20, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

maple [B] time = 1.57, size = 786, normalized size = 3.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(3/2),x)

[Out]
$$\frac{2}{3} * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * ((-4 * B * a * b ^ 2 + 4 * B * b ^ 3) * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 4 + (2 * B * a * b ^ 2 - 2 * B * b ^ 3) * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c) + 3 * A * a ^ 2 * b * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 3 * A * a * b ^ 2 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 3 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a * b ^ 2 - 3 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * b ^ 3 - 3 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2 ^ (1/2)) * a ^ 2 * b - 3 * a ^ 3 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 3 * a ^ 2 * b * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - B * a * b ^ 2 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + b ^ 3 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 3 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a ^ 2 * b + 3 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a * b ^ 2 + 3 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2 ^ (1/2)) * a ^ 3) / b ^ 3 / (a - b) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c + dx)}\right)^{3/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)**(3/2),x)

[Out] Integral((A + B*cos(c + d*x))/((a + b*cos(c + d*x))*sec(c + d*x)**(3/2)), x
)

$$3.572 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=405

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{ad(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(2a^2A + 3abB - 5Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3a^2d(a^2 - b^2)} + \frac{(2a^2A + 3abB - 5Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3a^2d(a^2 - b^2)}$$

[Out] $\frac{1}{3}*(2*A*a^2-5*A*b^2+3*B*a*b)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^2/(a^2-b^2)/d+b*(A*b-B*a)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/a/(a^2-b^2)/d/(b+a*\sec(d*x+c))-(4*A*a^2*b-5*A*b^3-2*B*a^3+3*B*a*b^2)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^3/(a^2-b^2)/d+(4*A*a^2*b-5*A*b^3-2*B*a^3+3*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/(a^2-b^2)/d+1/3*(2*A*a^2-5*A*b^2+3*B*a*b)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/(a^2-b^2)/d+b*(7*A*a^2*b-5*A*b^3-5*A^3*B+3*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/(a-b)/(a+b)^2/d$

Rubi [A] time = 1.29, antiderivative size = 405, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2960, 4029, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{ad(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(2a^2A + 3abB - 5Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3a^2d(a^2 - b^2)} - \frac{(4a^2Ab - 2a^3B + 3ab^2B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3a^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x])^2,x]

[Out] $((4*a^2*A*b - 5*A*b^3 - 2*a^3*B + 3*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^3*(a^2 - b^2)*d) + ((2*a^2*A - 5*A*b^2 + 3*a*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^2*(a^2 - b^2)*d) + (b*(7*a^2*A*b - 5*A*b^3 - 5*a^3*B + 3*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^3*(a - b)*(a + b)^2*d) - ((4*a^2*A*b - 5*A*b^3 - 2*a^3*B + 3*a*b^2*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(a^3*(a^2 - b^2)*d) + ((2*a^2*A - 5*A*b^2 + 3*a*b*B)*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(3*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*\text{Sec}[c + d*x]^(5/2)*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*(b + a*\text{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/((f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d}, x]

, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4029

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B

) * Csc[e + f*x]) / Sqrt[d * Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + b \cos(c + dx))^2} dx = \int \frac{\sec^{\frac{7}{2}}(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^2} dx$$

$$= \frac{b(Ab - aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} - \int \frac{\sec^{\frac{3}{2}}(c + dx) \left(-\frac{3}{2}b(Ab - aB) + a(Ab - aB)\right)}{b + a \sec(c + dx)} dx$$

$$= \frac{(2a^2A - 5Ab^2 + 3abB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))}$$

$$= -\frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^3(a^2 - b^2)d} + \frac{(2a^2A - 5Ab^2 + 3abB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2(a^2 - b^2)d}$$

$$= -\frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^3(a^2 - b^2)d} + \frac{(2a^2A - 5Ab^2 + 3abB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2(a^2 - b^2)d}$$

$$= -\frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^3(a^2 - b^2)d} + \frac{(2a^2A - 5Ab^2 + 3abB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2(a^2 - b^2)d}$$

$$= \frac{b(7a^2Ab - 5Ab^3 - 5a^3B + 3ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^3(a - b)(a + b)^2d} + \frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^3(a^2 - b^2)d}$$

Mathematica [A] time = 7.11, size = 735, normalized size = 1.81

$$\frac{\sqrt{\sec(c + dx)} \left(\frac{ab^2B \sin(c + dx) - Ab^3 \sin(c + dx)}{a^2(a^2 - b^2)(a + b \cos(c + dx))} + \frac{2A \tan(c + dx)}{3a^2} + \frac{(2a^3B - 4a^2Ab - 3ab^2B + 5Ab^3) \sin(c + dx)}{a^3(a^2 - b^2)} \right)}{d} + \frac{(6a^3bB - 12a^2Ab^2 - 9ab^3B + 15Ab^4)}{a^3(a^2 - b^2)d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B * Cos[c + d * x]) * Sec[c + d * x]^(5/2)) / (a + b * Cos[c + d * x])^2, x]

[Out] ((2 * (-4 * a^4 * A - 44 * a^2 * A * b^2 + 45 * A * b^4 + 30 * a^3 * b * B - 27 * a * b^3 * B) * Cos[c + d * x]^2 * (EllipticF[ArcSin[Sqrt[Sec[c + d * x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d * x]]], -1]) * (b + a * Sec[c + d * x]) * Sqrt[1 - Sec[c + d * x]^2] * Sin[c + d * x]) / (a * (a + b * Cos[c + d * x]) * (1 - Cos[c + d * x]^2)) + (2 * (-28 * a^3 * A * b + 40 * a * A * b^3 + 12 * a^4 * B - 24 * a^2 * b^2 * B) * Cos[c + d * x]^2 * EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d * x]]], -1]) * (b + a * Sec[c + d * x]) * Sqrt[1 - Sec[c + d * x]^2] * Sin[c + d * x]) / (b * (a + b * Cos[c + d * x]) * (1 - Cos[c + d * x]^2)) + ((-12 * a^2 * A * b^2 + 15 * A * b^4 + 6 * a^3 * b * B - 9 * a * b^3 * B) * Cos[2 * (c + d * x)] * (b + a * Sec[c + d * x]) * (-4 * a * b + 4 * a * b * Sec[c + d * x]^2 - 4 * a * b * EllipticE[ArcSin[Sqrt[Sec[c + d * x]]], -1]) * Sqrt[Sec[c + d * x]] * Sqrt[1 - Sec[c + d * x]^2] + 2 * (2 * a - b) * b * EllipticF[ArcSin[Sqrt[Sec[c + d * x]]], -1]) * Sqrt[Sec[c + d * x]] * Sqrt[1 - Sec[c + d * x]^2]) / (a^3 * (a^2 - b^2) * d)

$d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))/(12*a^3*(-a + b)*(a + b)*d) + (Sqrt[Sec[c + d*x]]*((-4*a^2*A*b + 5*A*b^3 + 2*a^3*B - 3*a*b^2*B)*Sin[c + d*x])/(a^3*(a^2 - b^2)) + (-A*b^3*Sin[c + d*x]) + a*b^2*B*Sin[c + d*x])/(a^2*(a^2 - b^2)*(a + b*Cos[c + d*x])) + (2*A*Tan[c + d*x])/(3*a^2)))/d$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^2, x)

maple [B] time = 6.90, size = 1031, normalized size = 2.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A/a^2*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-4*b^2*(2*A*b-B*a)/a^3/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+2*(A*b-B*a)*b/a^2*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2 \end{aligned}$$

$$\begin{aligned} &^{(1/2)})) + 2 * (-2 * A * b + B * a) / a^3 * (-(-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2 \\ &)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{Ellip} \\ &\text{ticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 2 * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 \\ &* c)^2)^{(1/2)} * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 / \sin(1/2 * d * x + 1/2 * c)^2 / \\ &(2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + b*cos(c + d*x))^2,x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.573 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=316

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{ad(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(2a^2A + abB - 3Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{a^2d(a^2 - b^2)} + \frac{(Ab - aB) \sqrt{\cos(c + dx)}}{ad(a^2 - b^2)}$$

[Out] b*(A*b-B*a)*sec(d*x+c)^(3/2)*sin(d*x+c)/a/(a^2-b^2)/d/(b+a*sec(d*x+c))+(2*A*a^2-3*A*b^2+B*a*b)*sin(d*x+c)*sec(d*x+c)^(1/2)/a^2/(a^2-b^2)/d-(2*A*a^2-3*A*b^2+B*a*b)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^2/(a^2-b^2)/d+(A*b-B*a)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a/(a^2-b^2)/d-(5*A*a^2*b-3*A*b^3-3*B*a^3+B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2*b/(a+b),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^2/(a-b)/(a+b)^2/d

Rubi [A] time = 0.94, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2960, 4029, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{ad(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(2a^2A + abB - 3Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{a^2d(a^2 - b^2)} + \frac{(Ab - aB) \sqrt{\cos(c + dx)}}{ad(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^2,x]

[Out] -(((2*a^2*A - 3*A*b^2 + a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d) + ((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a^2 - b^2)*d) - ((5*a^2*A*b - 3*A*b^3 - 3*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a - b)*(a + b)^2*d) + ((2*a^2*A - 3*A*b^2 + a*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(b + a*Sec[c + d*x]))

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^2} dx &= \int \frac{\sec^{\frac{5}{2}}(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^2} dx \\
&= \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} - \int \frac{\sqrt{\sec(c + dx)} \left(-\frac{1}{2}b(Ab - aB) + a(Ab - aB)\right)}{a(a^2 - b^2)d(b + a \sec(c + dx))} dx \\
&= \frac{(2a^2A - 3Ab^2 + abB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} \\
&= \frac{(2a^2A - 3Ab^2 + abB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} \\
&= \frac{(2a^2A - 3Ab^2 + abB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} \\
&= -\frac{(5a^2Ab - 3Ab^3 - 3a^3B + ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2(a - b)(a + b)^2d} \\
&= -\frac{(2a^2A - 3Ab^2 + abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2(a^2 - b^2)d}
\end{aligned}$$

Mathematica [B] time = 6.90, size = 681, normalized size = 2.16

$$\frac{\sqrt{\sec(c + dx)} \left(\frac{(2a^2A + abB - 3Ab^2) \sin(c + dx)}{a^2(a^2 - b^2)} + \frac{Ab^2 \sin(c + dx) - abB \sin(c + dx)}{a(a^2 - b^2)(a + b \cos(c + dx))} \right)}{d} - \frac{(2a^2Ab + ab^2B - 3Ab^3) \sin(c + dx) \cos(2(c + dx))(a \sec(c + dx))}{a^2(a - b)(a + b)^2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^2, x]

[Out] -1/4*((2*(10*a^2*A*b - 9*A*b^3 - 4*a^3*B + 3*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(4*a^3*A - 8*a*A*b^2 + 4*a^2*b*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((2*a^2*A*b - 3*A*b^3 + a*b^2*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2))/(a^2*(a - b)*(a + b)*d) + (Sqrt[Sec[c + d*x]]*((2*a^2*A - 3*A*b^2 + a*b*B)*Sin[c + d*x])/(a^2*(a^2 - b^2)) + (A*b^2*Sin[c + d*x] - a*b*B*Sin[c + d*x])/(a*(a^2 - b^2)*(a + b*Cos[c + d*x])))/d

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^2, x)
```

maple [B] time = 4.26, size = 883, normalized size = 2.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4*A*b^2/a^2/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+2*(-A*b+B*a)/a*(-b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)))+2*A/a^2*(-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Timed out
```


mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + d x)) \left(\frac{1}{\cos(c + d x)}\right)^{3/2}}{(a + b \cos(c + d x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x))^2,x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.574 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=260

$$\frac{b(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{ad(a^2 - b^2)(a \sec(c + dx) + b)} - \frac{(Ab - aB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(Ab - aB) \sqrt{\cos(c + dx)}}{bd(a^2 - b^2)}$$

[Out] $b*(A*b-B*a)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/(a^2-b^2)/d/(b+a*\sec(d*x+c))-(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)*}\sec(d*x+c)^{(1/2)}/a/(a^2-b^2)/d-(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)*}\sec(d*x+c)^{(1/2)}/b/(a^2-b^2)/d+(3*A*a^2*b-A*b^3-B*a^3-B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})*\cos(d*x+c)^{(1/2)*}\sec(d*x+c)^{(1/2)}/a/(a-b)/b/(a+b)^2/d$

Rubi [A] time = 0.61, antiderivative size = 260, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2960, 4029, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{ad(a^2 - b^2)(a \sec(c + dx) + b)} - \frac{(Ab - aB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(Ab - aB) \sqrt{\cos(c + dx)}}{bd(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])*Sqrt[\text{Sec}[c + d*x]]/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out] $-(((A*b - a*B)*Sqrt[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*Sqrt[\text{Sec}[c + d*x]])/(a*(a^2 - b^2)*d) - ((A*b - a*B)*Sqrt[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*Sqrt[\text{Sec}[c + d*x]])/(b*(a^2 - b^2)*d) + ((3*a^2*A*b - A*b^3 - a^3*B - a*b^2*B)*Sqrt[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[\text{Sec}[c + d*x]])/(a*(a - b)*b*(a + b)^2*d) + (b*(A*b - a*B)*Sqrt[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*(b + a*\text{Sec}[c + d*x]))$

Rule 2639

$\text{Int}[Sqrt[\sin[(c_.) + (d_.)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/Sqrt[\sin[(c_.) + (d_.)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]]), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(g_.))^{(p_.)*}((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])^{(m_.)*}((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m + n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p - m - n)}*(b + a*\text{Csc}[e + f*x])^{(d + c)*}\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b*c -$

$a*d, 0] \&\& \text{!IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\text{csc}[c] + (d)*(x))*(b)]^{(n)}, x_Symbol] \text{ :> } \text{Dist}[(b*\text{Csc}[c + d*x])^n * \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 3787

$\text{Int}[(\text{csc}[e] + (f)*(x))*(d)]^{(n)} * (\text{csc}[e] + (f)*(x))*(b) + (a), x_Symbol] \text{ :> } \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3849

$\text{Int}[(\text{csc}[e] + (f)*(x))*(d)]^{(3/2)} / ((\text{csc}[e] + (f)*(x))*(b) + (a)), x_Symbol] \text{ :> } \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4029

$\text{Int}[(\text{csc}[e] + (f)*(x))*(d)]^{(n)} * (\text{csc}[e] + (f)*(x))*(b) + (a)]^{(m)} * (\text{csc}[e] + (f)*(x))*(B) + (A), x_Symbol] \text{ :> } \text{Simp}[(a*d^2 * (A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)}) / (b*f*(m + 1)*(a^2 - b^2)), x] - \text{Dist}[d/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)}*\text{Simp}[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*\text{Csc}[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 1]$

Rule 4106

$\text{Int}[(A + \text{csc}[e] + (f)*(x))*(B) + \text{csc}[e] + (f)*(x)]^2 * (C) / (\text{Sqrt}[\text{csc}[e] + (f)*(x)]*(d) * (\text{csc}[e] + (f)*(x))*(b) + (a)), x_Symbol] \text{ :> } \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)} / (a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x])/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^2} dx &= \int \frac{\sec^3(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^2} dx \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} - \frac{\int \frac{\frac{1}{2}b(Ab - aB) + a(Ab - aB)\sec(c + dx) - \frac{1}{2}}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx}{a(a^2 - b^2)} \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} - \frac{\int \frac{\frac{1}{2}b^2(Ab - aB) + \frac{1}{2}ab(Ab - aB)\sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{ab^2(a^2 - b^2)} \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} - \frac{(Ab - aB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2a(a^2 - b^2)} - \frac{(A - Ab)}{2a(a^2 - b^2)} \\
&= \frac{(3a^2Ab - Ab^3 - a^3B - ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a(a - b)b(a + b)^2d} \\
&= -\frac{(Ab - aB)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a(a^2 - b^2)d} - \frac{(Ab - aB)\sqrt{\sec(c + dx)}}{a(a^2 - b^2)}
\end{aligned}$$

Mathematica [B] time = 6.84, size = 639, normalized size = 2.46

$$\frac{\sqrt{\sec(c + dx)} \left(\frac{aB \sin(c + dx) - Ab \sin(c + dx)}{(a^2 - b^2)(a + b \cos(c + dx))} - \frac{(aB - Ab) \sin(c + dx)}{a(a^2 - b^2)} \right)}{d} + \frac{2(-4a^2A + abB + 3Ab^2) \sin(c + dx) \cos^2(c + dx) \sqrt{1 - \sec^2(c + dx)} (a \sec(c + dx) + a(1 - \cos^2(c + dx))(a + b \cos(c + dx)))}{a(1 - \cos^2(c + dx))(a + b \cos(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^2, x]

[Out] ((2*(-4*a^2*A + 3*A*b^2 + a*b*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x]))*(1 - Cos[c + d*x]^2)) + (2*(4*a*A*b - 4*a^2*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x]))*(1 - Cos[c + d*x]^2)) + ((A*b^2 - a*b*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x]))*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))/(4*a*(-a + b)*(a + b)*d + (Sqrt[Sec[c + d*x]]*(-(((-(A*b) + a*B)*Sin[c + d*x])/(a*(a^2 - b^2))) + (-(A*b*Sin[c + d*x]) + a*B*Sin[c + d*x])/((a^2 - b^2)*(a + b*Cos[c + d*x]))))/d

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a)^2, x)

maple [B] time = 3.65, size = 721, normalized size = 2.77

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left[-\frac{4B\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2b}{a-b}, \sqrt{2}\right)}{(-2ab+2b^2)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} + \dots \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4*B/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+2*(A*b-B*a)/b*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x))^2,x)
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x))^2, x)
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+b*cos(d*x+c))**2,x)
[Out] Integral((A + B*cos(c + d*x))*sqrt(sec(c + d*x))/(a + b*cos(c + d*x))**2, x)
```

$$3.575 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=258

$$\frac{(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{d(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(a^2 B + aAb - 2b^2 B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d(a^2 - b^2)} + \frac{(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{d(a^2 - b^2)(a \sec(c + dx) + b)}$$

[Out] $-(A*b-B*a)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/(a^2-b^2)/d/(b+a*\sec(d*x+c))+(A*b-B*a)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b/(a^2-b^2)/d+(A*a*b+B*a^2-2*B*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b^2/(a^2-b^2)/d-(A*a^2*b+A*b^3+B*a^3-3*B*a*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/(a-b)/b^2/(a+b)^2/d$

Rubi [A] time = 0.61, antiderivative size = 258, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2960, 4027, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{d(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(a^2 B + aAb - 2b^2 B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d(a^2 - b^2)} + \frac{(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{d(a^2 - b^2)(a \sec(c + dx) + b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^2*Sqrt[Sec[c + d*x]]), x]

[Out] $((A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*(a^2 - b^2)*d) + ((a*A*b + a^2*B - 2*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^2*(a^2 - b^2)*d) - ((a^2*A*b + A*b^3 + a^3*B - 3*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/((a - b)*b^2*(a + b)^2*d) - ((A*b - a*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((a^2 - b^2)*d*(b + a*\text{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -

$a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3849

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^{3/2}/(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] \rightarrow \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4027

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{m_1}*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] \rightarrow -\text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m_1+1}*(d*\text{Csc}[e + f*x])^{n-1})/(f*(m_1+1)*(a^2 - b^2)), x] + \text{Dist}[1/((m_1+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m_1+1}*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[d*(n-1)*(A*b - a*B) + d*(a*A - b*B)*(m_1+1)*\text{Csc}[e + f*x] - d*(A*b - a*B)*(m_1+n+1)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{LtQ}[0, n, 1]$

Rule 4106

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.))/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))), x_Symbol] \rightarrow \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{3/2}/(a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x])/ \text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^2 \sqrt{\sec(c + dx)}} dx &= \int \frac{\sqrt{\sec(c + dx)} (B + A \sec(c + dx))}{(b + a \sec(c + dx))^2} dx \\
&= -\frac{(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d (b + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}(Ab - aB) + (aA - bB) \sec(c + dx) - \frac{1}{2}a^2 \sec^2(c + dx)}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))} dx}{a^2 - b^2} \\
&= -\frac{(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d (b + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}b(Ab - aB) - (\frac{1}{2}a(Ab - aB) - b(aA - \frac{1}{2}a^2)) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{b^2 (a^2 - b^2)} \\
&= -\frac{(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d (b + a \sec(c + dx))} + \frac{(Ab - aB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2b (a^2 - b^2)} + \frac{(a^2 Ab + Ab^3 + a^3 B - 3ab^2 B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{(a - b)b^2(a + b)^2 d} \\
&= \frac{(Ab - aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b (a^2 - b^2) d} + \frac{(aAb + a^2 B)}{b (a^2 - b^2) d}
\end{aligned}$$

Mathematica [B] time = 6.82, size = 626, normalized size = 2.43

$$\frac{\sqrt{\sec(c + dx)} \left(\frac{(Ab - aB) \sin(c + dx)}{b(b^2 - a^2)} + \frac{a^2 B \sin(c + dx) - aAb \sin(c + dx)}{b(b^2 - a^2)(a + b \cos(c + dx))} \right)}{d} + \frac{(Ab - aB) \sin(c + dx) \cos(2(c + dx))(a \sec(c + dx) + b) (-4a^2 \sqrt{\sec(c + dx)} \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + (aAb + a^2 B))}{b^2 (a^2 - b^2) d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^2*Sqrt[Sec[c + d*x]]), x]

[Out] ((2*(-(A*b) + a*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(4*a*A - 4*b*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((A*b - a*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))/(4*(a - b)*(a + b)*d) + (Sqrt[Sec[c + d*x]]*((A*b - a*B)*Sin[c + d*x])/(b*(-a^2 + b^2)) + (-a*A*b*Sin[c + d*x] + a^2*B*Sin[c + d*x])/(b*(-a^2 + b^2)*(a + b*Cos[c + d*x])))/d

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)

maple [B] time = 3.80, size = 808, normalized size = 3.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(1/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-4/b*(A*b-2*B*a)/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-2*a*(A*b-B*a)/b^2*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)

mapad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^2), x)
```

```
[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^2 \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2/sec(d*x+c)**(1/2), x)
```

```
[Out] Integral((A + B*cos(c + d*x))/((a + b*cos(c + d*x))**2*sqrt(sec(c + d*x))), x)
```

$$3.576 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=284

$$\frac{a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{bd(a^2 - b^2)(a \sec(c + dx) + b)} - \frac{(-3a^2B + aAb + 2b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a^2 - b^2)} + \frac{(-3a^2B + aAb + 2b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a^2 - b^2)}$$

[Out] a*(A*b-B*a)*sin(d*x+c)*sec(d*x+c)^(1/2)/b/(a^2-b^2)/d/(b+a*sec(d*x+c))-(A*a*b-3*B*a^2+2*B*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/b^2/(a^2-b^2)/d+(A*a^2*b-2*A*b^3-3*B*a^3+4*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/b^3/(a^2-b^2)/d-a*(A*a^2*b-3*A*b^3-3*B*a^3+5*B*a*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2*b/(a+b),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/(a-b)/b^3/(a+b)^2/d

Rubi [A] time = 0.66, antiderivative size = 284, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2960, 4030, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{bd(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(a^2Ab - 3a^3B + 4ab^2B - 2Ab^3) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^2*Sec[c + d*x]^(3/2)),x]

[Out] -(((a*A*b - 3*a^2*B + 2*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*(a^2 - b^2)*d) + ((a^2*A*b - 2*A*b^3 - 3*a^3*B + 4*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^3*(a^2 - b^2)*d) - (a*(a^2*A*b - 3*A*b^3 - 3*a^3*B + 5*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/((a - b)*b^3*(a + b)^2*d) + (a*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*(b + a*Sec[c + d*x]))

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/((f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dis

$t[g^{m+n}, \text{Int}[(g \cdot \text{Csc}[e + f \cdot x])^{p-m-n} \cdot (b + a \cdot \text{Csc}[e + f \cdot x])^m \cdot (d + c \cdot \text{Csc}[e + f \cdot x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

$\text{Int}[(\text{csc}[c] + (d \cdot x) \cdot (b))^{n-1}, x_{\text{Symbol}}] := \text{Dist}[(b \cdot \text{Csc}[c + d \cdot x])^{n-1} \cdot \text{Sin}[c + d \cdot x]^n, \text{Int}[1/\text{Sin}[c + d \cdot x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

$\text{Int}[(\text{csc}[e] + (f \cdot x) \cdot (d))^{n-1} \cdot (\text{csc}[e] + (f \cdot x) \cdot (b) + a), x_{\text{Symbol}}] := \text{Dist}[a, \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3849

$\text{Int}[(\text{csc}[e] + (f \cdot x) \cdot (d))^{3/2} / (\text{csc}[e] + (f \cdot x) \cdot (b) + a), x_{\text{Symbol}}] := \text{Dist}[d \cdot \text{Sqrt}[d \cdot \text{Sin}[e + f \cdot x]] \cdot \text{Sqrt}[d \cdot \text{Csc}[e + f \cdot x]], \text{Int}[1/(\text{Sqrt}[d \cdot \text{Sin}[e + f \cdot x]] \cdot (b + a \cdot \text{Sin}[e + f \cdot x])), x], x] /;$ FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4030

$\text{Int}[(\text{csc}[e] + (f \cdot x) \cdot (d))^{n-1} \cdot (\text{csc}[e] + (f \cdot x) \cdot (b) + a)^m \cdot (\text{csc}[e] + (f \cdot x) \cdot (B) + A), x_{\text{Symbol}}] := \text{Simp}[(b \cdot (A \cdot b - a \cdot B) \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^{m+1} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n) / (a \cdot f \cdot (m+1) \cdot (a^2 - b^2)), x] + \text{Dist}[1/(a \cdot (m+1) \cdot (a^2 - b^2)), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{m+1} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n \cdot \text{Simp}[A \cdot (a^2 \cdot (m+1) - b^2 \cdot (m+n+1)) + a \cdot b \cdot B \cdot n - a \cdot (A \cdot b - a \cdot B) \cdot (m+1) \cdot \text{Csc}[e + f \cdot x] + b \cdot (A \cdot b - a \cdot B) \cdot (m+n+2) \cdot \text{Csc}[e + f \cdot x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4106

$\text{Int}[(A + \text{csc}[e] + (f \cdot x) \cdot (B) + \text{csc}[e] + (f \cdot x) \cdot (C)) / (\text{Sqrt}[\text{csc}[e] + (f \cdot x) \cdot (d)] \cdot (\text{csc}[e] + (f \cdot x) \cdot (b) + a)), x_{\text{Symbol}}] := \text{Dist}[(A \cdot b^2 - a \cdot b \cdot B + a^2 \cdot C) / (a^2 \cdot d^2), \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^{3/2} / (a + b \cdot \text{Csc}[e + f \cdot x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a \cdot A - (A \cdot b - a \cdot B) \cdot \text{Csc}[e + f \cdot x]) / \text{Sqrt}[d \cdot \text{Csc}[e + f \cdot x]], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^2 \sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2} dx \\
&= \frac{a(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{b(a^2 - b^2) d(b + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}(-aAb + 3a^2B - 2b^2B) - b(Ab - aB) \sec(c + dx)}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))} dx}{b(a^2 - b^2)} \\
&= \frac{a(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{b(a^2 - b^2) d(b + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}b(-aAb + 3a^2B - 2b^2B) - (b^2(Ab - aB) + a^2B)}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))} dx}{b^3(a^2 - b^2)} \\
&= \frac{a(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{b(a^2 - b^2) d(b + a \sec(c + dx))} - \frac{(aAb - 3a^2B + 2b^2B) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2b^2(a^2 - b^2)} \\
&= -\frac{a(a^2Ab - 3Ab^3 - 3a^3B + 5ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{(a - b)b^3(a + b)^2d} \\
&= -\frac{(aAb - 3a^2B + 2b^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b^2(a^2 - b^2)d} + \dots
\end{aligned}$$

Mathematica [B] time = 6.89, size = 655, normalized size = 2.31

$$\frac{2(a^2(-B) - aAb + 2b^2B) \sin(c + dx) \cos^2(c + dx) \sqrt{1 - \sec^2(c + dx)} (a \sec(c + dx) + b) (F(\sin^{-1}(\sqrt{\sec(c + dx)})) \middle| -1) - \Pi(-\frac{a}{b}; \sin^{-1}(\sqrt{\sec(c + dx)})) \middle| -1)}{a(1 - \cos^2(c + dx))(a + b \cos(c + dx))} + \frac{(-3a^2B + \dots)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^2*Sec[c + d*x]^(3/2)), x]

[Out] ((2*(-(a*A*b) - a^2*B + 2*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(4*A*b^2 - 4*a*b*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((a*A*b - 3*a^2*B + 2*b^2*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))/(4*b*(-a + b)*(a + b)*d + (Sqrt[Sec[c + d*x]]*(-((a*(-A*b) + a*B)*Sin[c + d*x])/(b^2*(a^2 - b^2))) + (a^2*A*b*Ssin[c + d*x] - a^3*B*Ssin[c + d*x])/(b^2*(-a^2 + b^2)*(a + b*Cos[c + d*x])))/d

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sec(d*x + c)^(3/2)), x)

maple [B] time = 4.75, size = 849, normalized size = 2.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(3/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/b^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2 \\ & * \sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b-2 \\ & *B*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2 \\ & ^{(1/2)})*b)+4*a/b^2*(2*A*b-3*B*a)/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+2*a^2*(A*b-B*a)/b^3*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^2),x)
[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^2), x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2/sec(d*x+c)**(3/2),x)
[Out] Timed out
```


$$3.577 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sec^2(c+dx)} dx$$

Optimal. Leaf size=363

$$\frac{a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{\sec(c + dx)}(a \sec(c + dx) + b)} - \frac{(-5a^2B + 3aAb + 2b^2B) \sin(c + dx)}{3b^2d(a^2 - b^2) \sqrt{\sec(c + dx)}} + \frac{(-5a^3B + 3a^2Ab + 4ab^2B) \sin(c + dx)}{3b^2d(a^2 - b^2) \sqrt{\sec(c + dx)}}$$

[Out] $-1/3*(3*A*a*b-5*B*a^2+2*B*b^2)*\sin(d*x+c)/b^2/(a^2-b^2)/d/\sec(d*x+c)^{(1/2)}+a*(A*b-B*a)*\sin(d*x+c)/b/(a^2-b^2)/d/(b+a*\sec(d*x+c))/\sec(d*x+c)^{(1/2)}+(3*A*a^2*b-2*A*b^3-5*B*a^3+4*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b^3/(a^2-b^2)/d-1/3*(9*A*a^3*b-12*A*a*b^3-15*B*a^4+16*B*a^2*b^2+2*B*b^4)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b^4/(a^2-b^2)/d+a^2*(3*A*a^2*b-5*A*b^3-5*B*a^3+7*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c),2*b/(a+b),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/(a-b)/b^4/(a+b)^2/d$

Rubi [A] time = 0.96, antiderivative size = 363, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2960, 4030, 4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{\sec(c + dx)}(a \sec(c + dx) + b)} - \frac{(-5a^2B + 3aAb + 2b^2B) \sin(c + dx)}{3b^2d(a^2 - b^2) \sqrt{\sec(c + dx)}} - \frac{(9a^3Ab + 16a^2b^2B - 15a^4B) \sin(c + dx)}{3b^2d(a^2 - b^2) \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^2*Sec[c + d*x]^(5/2)),x]

[Out] $((3*a^2*A*b - 2*A*b^3 - 5*a^3*B + 4*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^3*(a^2 - b^2)*d) - ((9*a^3*A*b - 12*a*A*b^3 - 15*a^4*B + 16*a^2*b^2*B + 2*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^4*(a^2 - b^2)*d) + (a^2*(3*a^2*A*b - 5*A*b^3 - 5*a^3*B + 7*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/((a - b)*b^4*(a + b)^2*d) - ((3*a*A*b - 5*a^2*B + 2*b^2*B)*\text{Sin}[c + d*x])/((3*b^2*(a^2 - b^2)*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (a*(A*b - a*B)*\text{Sin}[c + d*x])/(b*(a^2 - b^2)*d*\text{Sqrt}[\text{Sec}[c + d*x]]*(b + a*\text{Sec}[c + d*x])))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*\text{Sqrt}[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/((f*(a + b)*\text{Sqrt}[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^2 \sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx))^2} dx \\
&= \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\sec(c + dx)} (b + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}(-3aAb + 5a^2B - 2b^2B)}{\sec} dx}{b(a^2 - b^2) d \sqrt{\sec(c + dx)} (b + a \sec(c + dx))} \\
&= -\frac{(3aAb - 5a^2B + 2b^2B) \sin(c + dx)}{3b^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\sec(c + dx)} (b + a \sec(c + dx))} \\
&= -\frac{(3aAb - 5a^2B + 2b^2B) \sin(c + dx)}{3b^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\sec(c + dx)} (b + a \sec(c + dx))} \\
&= -\frac{(3aAb - 5a^2B + 2b^2B) \sin(c + dx)}{3b^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\sec(c + dx)} (b + a \sec(c + dx))} \\
&= \frac{a^2(3a^2Ab - 5Ab^3 - 5a^3B + 7ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)}{(a - b)b^4(a + b)^2 d} \\
&= \frac{(3a^2Ab - 2Ab^3 - 5a^3B + 4ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b^3(a^2 - b^2) d}
\end{aligned}$$

Mathematica [A] time = 6.99, size = 701, normalized size = 1.93

$$\frac{\sqrt{\sec(c + dx)} \left(\frac{a^2(aB - Ab) \sin(c + dx)}{b^3(a^2 - b^2)} - \frac{a^3Ab \sin(c + dx) - a^4B \sin(c + dx)}{b^3(b^2 - a^2)(a + b \cos(c + dx))} + \frac{B \sin(2(c + dx))}{3b^2} \right)}{d} - \frac{2(8a^2bB - 12aAb^2 + 4b^3B) \sin(c + dx) \cos^2(c + dx)}{b(1 - \cos(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^2*Sec[c + d*x]^(5/2)), x]

[Out] -1/12*((2*(-3*a^2*A*b + 6*A*b^3 + 5*a^3*B - 8*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-12*a*A*b^2 + 8*a^2*b*B + 4*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((-9*a^2*A*b + 6*A*b^3 + 15*a^3*B - 12*a*b^2*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x])^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2))/((a - b)*b^2*(a + b)*d) + (Sqrt[Sec[c + d*x]]*((a^2*(-A*b) + a*B)*Sin[c + d*x])/(b^3*(a^2 - b^2)) - (a^3*A*b*Sin[c + d*x] - a^4*B*Sin[c + d*x])/(b^3*(-a^2 + b^2)*(a + b*Cos[c + d*x])) + (B*Sin[2*(c + d*x)])/(3*b^2)))/d

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2)), x)

maple [B] time = 5.32, size = 1066, normalized size = 2.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(5/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/3/b^4/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4*B*b^2*\cos(1/2*d*x+1/2*c) \\ & * \sin(1/2*d*x+1/2*c)^4+6*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & * b^2-9*a^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ &)-6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b+2*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-4*a^2/b^3*(3*A*b-4*B*a)/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-2*a^3*(A*b-B*a)/b^4*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^2),x)
```

```
[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

$$3.578 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=480

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{b(-7a^3B + 11a^2Ab + ab^2B - 5Ab^3) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)} + \frac{(-7a^3B + 11a^2Ab + ab^2B - 5Ab^3) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

[Out] $\frac{1}{2} b (A b - B a) \sec(d x + c)^{\frac{5}{2}} \sin(d x + c) / a / (a^2 - b^2) / d / (b + a \sec(d x + c))^2 + \frac{1}{4} b (11 A a^2 b - 5 A a b^3 - 7 B a^3 + B a b^2) \sec(d x + c)^{\frac{3}{2}} \sin(d x + c) / a^2 / (a^2 - b^2)^2 / d / (b + a \sec(d x + c)) + \frac{1}{4} (8 A a^4 - 29 A a^2 b^2 + 15 A b^4 + 9 B a^3 b - 3 B a b^3) \sin(d x + c) \sec(d x + c)^{\frac{1}{2}} / a^3 / (a^2 - b^2)^2 / d - \frac{1}{4} (8 A a^4 - 29 A a^2 b^2 + 15 A b^4 + 9 B a^3 b - 3 B a b^3) (\cos(1/2 d x + 1/2 c))^{\frac{1}{2}} / \cos(1/2 d x + 1/2 c) * \text{EllipticE}(\sin(1/2 d x + 1/2 c), 2^{\frac{1}{2}}) * \cos(d x + c)^{\frac{1}{2}} \sec(d x + c)^{\frac{1}{2}} / a^3 / (a^2 - b^2)^2 / d + \frac{1}{4} (11 A a^2 b - 5 A a b^3 - 7 B a^3 + B a b^2) (\cos(1/2 d x + 1/2 c))^{\frac{1}{2}} / \cos(1/2 d x + 1/2 c) * \text{EllipticF}(\sin(1/2 d x + 1/2 c), 2^{\frac{1}{2}}) * \cos(d x + c)^{\frac{1}{2}} \sec(d x + c)^{\frac{1}{2}} / a^2 / (a^2 - b^2)^2 / d - \frac{1}{4} (35 A a^4 b - 38 A a^2 b^3 + 15 A b^5 - 15 B a^5 + 6 B a^3 b^2 - 3 B a b^4) (\cos(1/2 d x + 1/2 c))^{\frac{1}{2}} / \cos(1/2 d x + 1/2 c) * \text{EllipticPi}(\sin(1/2 d x + 1/2 c), 2 b / (a + b), 2^{\frac{1}{2}}) * \cos(d x + c)^{\frac{1}{2}} \sec(d x + c)^{\frac{1}{2}} / a^3 / (a - b)^2 / (a + b)^3 / d$

Rubi [A] time = 1.45, antiderivative size = 480, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {2960, 4029, 4098, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{b(11a^2Ab - 7a^3B + ab^2B - 5Ab^3) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)} + \frac{(-29a^2Ab^2 + 11a^2Ab + ab^2B - 5Ab^3) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^3, x]

[Out] $-\frac{((8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sqrt{\cos[c + d*x]} * \text{EllipticE}[(c + d*x)/2, 2] * \sqrt{\sec[c + d*x]})}{(4a^3(a^2 - b^2)^2d)} + \frac{((11a^2Ab - 5Ab^3 - 7a^3B + ab^2B) \sqrt{\cos[c + d*x]} * \text{EllipticF}[(c + d*x)/2, 2] * \sqrt{\sec[c + d*x]})}{(4a^2(a^2 - b^2)^2d)} - \frac{((35a^4Ab - 38a^2Ab^3 + 15Ab^5 - 15a^5B + 6a^3b^2B - 3ab^4B) \sqrt{\cos[c + d*x]} * \text{EllipticPi}[(2b)/(a + b), (c + d*x)/2, 2] * \sqrt{\sec[c + d*x]})}{(4a^3(a - b)^2(a + b)^3d)} + \frac{((8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sqrt{\sec[c + d*x]} * \sin[c + d*x])}{(4a^3(a^2 - b^2)^2d)} + \frac{(b(Ab - aB) \sec[c + d*x]^{\frac{5}{2}} \sin[c + d*x])}{(2a(a^2 - b^2)d(b + a \sec[c + d*x])^2)} + \frac{(b(11a^2Ab - 5Ab^3 - 7a^3B + ab^2B) \sec[c + d*x]^{\frac{3}{2}} \sin[c + d*x])}{(4a^2(a^2 - b^2)^2d(b + a \sec[c + d*x]))}$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c
*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -
2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a
+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n
- 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n
, 1]
```

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^(m_.), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4102

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^3} dx &= \int \frac{\sec^{\frac{7}{2}}(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^3} dx \\
&= \frac{b(Ab - aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} - \int \frac{\sec^{\frac{3}{2}}(c + dx) \left(-\frac{3}{2}b(Ab - aB) + 2a(Ab - aB)\right)}{(b + a \sec(c + dx))^3} dx \\
&= \frac{b(Ab - aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} + \frac{b(11a^2 Ab - 5Ab^3 - 7a^3 B + ab^2)}{4a^2(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
&= \frac{(8a^4 A - 29a^2 Ab^2 + 15Ab^4 + 9a^3 bB - 3ab^3 B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a^3(a^2 - b^2)^2 d} \\
&= \frac{(8a^4 A - 29a^2 Ab^2 + 15Ab^4 + 9a^3 bB - 3ab^3 B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a^3(a^2 - b^2)^2 d} \\
&= \frac{(8a^4 A - 29a^2 Ab^2 + 15Ab^4 + 9a^3 bB - 3ab^3 B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a^3(a^2 - b^2)^2 d} \\
&= -\frac{(35a^4 Ab - 38a^2 Ab^3 + 15Ab^5 - 15a^5 B + 6a^3 b^2 B - 3ab^4 B) \sqrt{\cos(c + dx)}}{4a^3(a - b)^2(a + b)^3 d} \\
&= -\frac{(8a^4 A - 29a^2 Ab^2 + 15Ab^4 + 9a^3 bB - 3ab^3 B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{4a^3(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 7.21, size = 844, normalized size = 1.76

$$\frac{\sqrt{\sec(c + dx)} \left(\frac{(8Aa^4 + 9bBa^3 - 29Ab^2a^2 - 3b^3Ba + 15Ab^4) \sin(c + dx)}{4a^3(a^2 - b^2)^2} + \frac{Ab^2 \sin(c + dx) - abB \sin(c + dx)}{2a(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{-5A \sin(c + dx)b^4 + aB \sin(c + dx)b^3 + 11a^2 B \sin(c + dx)}{4a^2(a^2 - b^2)^2(a + b \cos(c + dx))} \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*cos[c + d*x])^3, x]

[Out]
$$-1/16*((2*(56*a^4*A*b - 95*a^2*A*b^3 + 45*A*b^5 - 16*a^5*B + 19*a^3*b^2*B - 9*a*b^4*B)*\cos[c + d*x]^2*(\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1] - \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1])*(b + a*\text{Sec}[c + d*x])*Sqrt[1 - \text{Sec}[c + d*x]^2]*\sin[c + d*x])/(a*(a + b*\cos[c + d*x])*(1 - \cos[c + d*x]^2)) + (2*(16*a^5*A - 80*a^3*A*b^2 + 40*a*A*b^4 + 32*a^4*b*B - 8*a^2*b^3*B)*\cos[c + d*x]^2*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*(b + a*\text{Sec}[c + d*x])*Sqrt[1 - \text{Sec}[c + d*x]^2]*\sin[c + d*x])/(b*(a + b*\cos[c + d*x])*(1 - \cos[c + d*x]^2)) + ((8*a^4*A*b - 29*a^2*A*b^3 + 15*A*b^5 + 9*a^3*b^2*B - 3*a*b^4*B)*\cos[2*(c + d*x)]*(b + a*\text{Sec}[c + d*x])*(-4*a*b + 4*a*b*\text{Sec}[c + d*x]^2 - 4*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*Sqrt[\text{Sec}[c + d*x]]*Sqrt[1 - \text{Sec}[c + d*x]^2] + 2*(2*a - b)*b*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*Sqrt[\text{Sec}[c + d*x]]*Sqrt[1 - \text{Sec}[c + d*x]^2] - 4*a^2*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*Sqrt[\text{Sec}[c + d*x]]*Sqrt[1 - \text{Sec}[c + d*x]^2] + 2*b^2*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*Sqrt[\text{Sec}[c + d*x]]*Sqrt[1 - \text{Sec}[c + d*x]^2])*Sqrt[1 - \text{Sec}[c + d*x]^2]*\sin[c + d*x])/(a*b^2*(a + b*\cos[c + d*x])*(1 - \cos[c + d*x]^2)*Sqrt[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c + d*x]^2)))/(a^3*(a - b)^2*(a + b)^2*d) + (Sqrt[\text{Sec}[c + d*x]]*(((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*\sin[c + d*x])/(4*a^3*(a^2 - b^2)^2) + (A*b^2*\sin[c + d*x] - a*b*B*\sin[c + d*x])/(2*a*(a^2 - b^2)*(a + b*\cos[c + d*x])^2) + (11*a^2*A*b^2*\sin[c + d*x] - 5*A*b^4*\sin[c + d*x] - 7*a^3*b*B*\sin[c + d*x] + a*b^3*B*\sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*(a + b*\cos[c + d*x]))))/d$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^3, x)

maple [B] time = 7.64, size = 2002, normalized size = 4.17

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x)

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(-A*b+B*a)/a*(-1/2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2$$

$$\begin{aligned} & / (a^2 - b^2)^2 \cos(1/2 dx + 1/2 c) (-2 \sin(1/2 dx + 1/2 c))^4 + \sin(1/2 dx + 1/2 c) \\ & ^2)^{1/2} / (2 \cos(1/2 dx + 1/2 c)^2 b + a - b) - 7/8 / (a + b) / (a^2 - b^2) (\sin(1/2 dx + \\ & 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin \\ & (1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 1/4 / (a + b) / \\ & (a^2 - b^2) / a (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / \\ & (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticF}(\cos(1/2 dx + \\ & 1/2 c), 2^{1/2}) * b + 3/8 / (a + b) / (a^2 - b^2) / a^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \\ & \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2 \\ &)^{1/2} \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) * b^2 - 9/8 * b / (a^2 - b^2)^2 (\sin(1/ \\ & 2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 \\ & c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 3/8 \\ & * b^3 / a^2 / (a^2 - b^2)^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + \\ & 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticF}(\cos \\ & (1/2 dx + 1/2 c), 2^{1/2}) + 9/8 * b / (a^2 - b^2)^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \\ & \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2 \\ &)^{1/2} \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 3/8 * b^3 / a^2 / (a^2 - b^2)^2 (\sin \\ & (1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + \\ & 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - \\ & 15/4 * a^2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos \\ & (1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & \text{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 * b / (a - b), 2^{1/2}) + 3/2 / (a^2 - b^2)^2 / (-2 * a \\ & * b + 2 * b^2) * b^3 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} \\ & / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticPi}(\cos(1/2 dx \\ & * x + 1/2 c), -2 * b / (a - b), 2^{1/2}) - 3/4 / a^2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b^5 \\ & (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + \\ & 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 * b / (a - b) \\ & , 2^{1/2})) + 4 * A * b^2 / a^3 / (-2 * a * b + 2 * b^2) (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos \\ & (1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & \text{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 * b / (a - b), 2^{1/2}) - 2 * A * b / a^2 * (-b^2 / a / (a^2 \\ & - b^2) \cos(1/2 dx + 1/2 c) (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / \\ & (2 \cos(1/2 dx + 1/2 c)^2 b + a - b) - 1/2 / (a + b) / a (\sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 \\ & c)^2)^{1/2} \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 1/2 * b / a / (a^2 - b^2) (\sin(1 \\ & /2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 \\ & c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 1/ \\ & 2 * b / a / (a^2 - b^2) (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / \\ & (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticE}(\cos(1/2 * \\ & dx + 1/2 c), 2^{1/2}) - 3 * a / (a^2 - b^2) / (-2 * a * b + 2 * b^2) * b (\sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx \\ & + 1/2 c)^2)^{1/2} \text{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 * b / (a - b), 2^{1/2}) + 1 / a / (a^2 \\ & - b^2) / (-2 * a * b + 2 * b^2) * b^3 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c \\ &)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticP} \\ & i(\cos(1/2 dx + 1/2 c), -2 * b / (a - b), 2^{1/2})) + 2 / a^3 * A * (-2 \sin(1/2 dx + 1/2 c)^ \\ & 4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} (\sin(1/2 dx + 1/2 c)^2)^{1/2} (2 \sin(1/2 dx + 1 \\ & /2 c)^2 - 1)^{1/2} \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 2 * (-2 \sin(1/2 dx + 1/2 \\ & c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \cos(1/2 dx + 1/2 c) \sin(1/2 dx + 1/2 c)^2 \\ & / \sin(1/2 dx + 1/2 c)^2 / (2 \sin(1/2 dx + 1/2 c)^2 - 1) / \sin(1/2 dx + 1/2 c) / (2 \cos \\ & (1/2 dx + 1/2 c)^2 - 1)^{1/2} / d \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)^(3/2)/(a+b*cos(dx+c))^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + d x)) \left(\frac{1}{\cos(c + d x)}\right)^{3/2}}{(a + b \cos(c + d x))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x))^3,x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.579 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=405

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{b(-5a^3B + 9a^2Ab - ab^2B - 3Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)} - \frac{(-3a^3B + 7a^2Ab - 3a^2B^2)}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

[Out] $\frac{1}{2} b (A b - B a) \sec(d x + c)^{\frac{3}{2}} \sin(d x + c) / a / (a^2 - b^2) / d / (b + a \sec(d x + c))^{\frac{3}{2}} + \frac{1}{4} b (9 A a^2 b - 3 A b^3 - 5 B a^3 - B a b^2) \sin(d x + c) \sec(d x + c)^{\frac{1}{2}} / a^2 / (a^2 - b^2)^2 / d / (b + a \sec(d x + c)) - \frac{1}{4} (9 A a^2 b - 3 A b^3 - 5 B a^3 - B a b^2) (\cos(\frac{1}{2} d x + \frac{1}{2} c))^{\frac{1}{2}} / \cos(\frac{1}{2} d x + \frac{1}{2} c) \text{EllipticE}(\sin(\frac{1}{2} d x + \frac{1}{2} c), 2, \frac{1}{2}) \cos(d x + c)^{\frac{1}{2}} \sec(d x + c)^{\frac{1}{2}} / a^2 / (a^2 - b^2)^2 / d - \frac{1}{4} (7 A a^2 b - A b^3 - 3 B a^3 - 3 B a b^2) (\cos(\frac{1}{2} d x + \frac{1}{2} c))^{\frac{1}{2}} / \cos(\frac{1}{2} d x + \frac{1}{2} c) \text{EllipticF}(\sin(\frac{1}{2} d x + \frac{1}{2} c), 2, \frac{1}{2}) \cos(d x + c)^{\frac{1}{2}} \sec(d x + c)^{\frac{1}{2}} / a b / (a^2 - b^2)^2 / d + \frac{1}{4} (15 A a^4 b - 6 A a^2 b^3 + 3 A b^5 - 3 B a^5 - 10 B a^3 b^2 + B a b^4) (\cos(\frac{1}{2} d x + \frac{1}{2} c))^{\frac{1}{2}} / \cos(\frac{1}{2} d x + \frac{1}{2} c) \text{EllipticPi}(\sin(\frac{1}{2} d x + \frac{1}{2} c), 2, \frac{1}{2}) \cos(d x + c)^{\frac{1}{2}} \sec(d x + c)^{\frac{1}{2}} / a^2 / (a - b)^2 / b / (a + b)^3 / d$

Rubi [A] time = 1.04, antiderivative size = 405, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2960, 4029, 4098, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{b(9a^2Ab - 5a^3B - ab^2B - 3Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)} - \frac{(7a^2Ab - 3a^2B^2)}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^3, x]

[Out] $-\frac{(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B) \sqrt{\cos(c + dx)} \text{EllipticE}[(c + dx)/2, 2] \sqrt{\sec(c + dx)}}{4a^2(a^2 - b^2)^2d} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2B) \sqrt{\cos(c + dx)} \text{EllipticF}[(c + dx)/2, 2] \sqrt{\sec(c + dx)}}{4ab(a^2 - b^2)^2d} + \frac{(15a^4Ab - 6a^2Ab^3 + 3Ab^5 - 3a^5B - 10a^3b^2B + ab^4B) \sqrt{\cos(c + dx)} \text{EllipticPi}[(2b)/(a + b), (c + dx)/2, 2] \sqrt{\sec(c + dx)}}{4a^2(a - b)^2b(a + b)^3d} + \frac{b(Ab - aB) \sec(c + dx)^{\frac{3}{2}} \sin(c + dx)}{(2a(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{b(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a^2(a^2 - b^2)^2d(b + a \sec(c + dx))}$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,

0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4029

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]

Rule 4098

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B

) * Csc[e + f*x]) / Sqrt[d * Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^3} dx &= \int \frac{\sec^{\frac{5}{2}}(c + dx) (B + A \sec(c + dx))}{(b + a \sec(c + dx))^3} dx \\
 &= \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d (b + a \sec(c + dx))^2} - \int \frac{\sqrt{\sec(c + dx)} \left(-\frac{1}{2} b(Ab - aB) + 2a(Ab - aB)\right)}{(b + a \sec(c + dx))^3} dx \\
 &= \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d (b + a \sec(c + dx))^2} + \frac{b(9a^2 Ab - 3Ab^3 - 5a^3 B - ab^2)}{4a^2(a^2 - b^2)^2 d (b + a \sec(c + dx))} \\
 &= \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d (b + a \sec(c + dx))^2} + \frac{b(9a^2 Ab - 3Ab^3 - 5a^3 B - ab^2)}{4a^2(a^2 - b^2)^2 d (b + a \sec(c + dx))} \\
 &= \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d (b + a \sec(c + dx))^2} + \frac{b(9a^2 Ab - 3Ab^3 - 5a^3 B - ab^2)}{4a^2(a^2 - b^2)^2 d (b + a \sec(c + dx))} \\
 &= \frac{(15a^4 Ab - 6a^2 Ab^3 + 3Ab^5 - 3a^5 B - 10a^3 b^2 B + ab^4 B) \sqrt{\cos(c + dx)} \Pi}{4a^2(a - b)^2 b(a + b)^3 d} \\
 &= -\frac{(9a^2 Ab - 3Ab^3 - 5a^3 B - ab^2 B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{4a^2(a^2 - b^2)^2 d}
 \end{aligned}$$

Mathematica [A] time = 7.11, size = 797, normalized size = 1.97

$$\frac{2(16Aa^4 - 9bBa^3 - 19Ab^2a^2 + 3b^3Ba + 9Ab^4) \left(F(\sin^{-1}(\sqrt{\sec(c + dx)}) \middle| -1) - \Pi\left(-\frac{a}{b}; \sin^{-1}(\sqrt{\sec(c + dx)}) \middle| -1\right) \right) (b + a \sec(c + dx)) \sqrt{1 - \sec^2(c + dx)} \sin(c + dx) \cos^2(c + dx)}{a(a + b \cos(c + dx)) (1 - \cos^2(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B * Cos[c + d * x]) * Sqrt[Sec[c + d * x]]) / (a + b * Cos[c + d * x])^3, x]

[Out] ((2*(16*a^4*A - 19*a^2*A*b^2 + 9*A*b^4 - 9*a^3*b*B + 3*a*b^3*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x]) / (a*(a + b * Cos[c + d * x]) * (1 - Cos[c + d * x]^2)) + (2*(-32*a^3*A*b + 8*a*A*b^3 + 16*a^4*B + 8*a^2*b^2*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x]) / (b*(a + b * Cos[c + d * x]) * (1 - Cos[c + d * x]^2)) + ((-9*a^2*A*b^2 + 3*A*b^4 + 5*a^3*b*B + a*b^3*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x]) * (-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x]) / (a*b

$$\frac{\sqrt{(a + b \cos[c + dx])^2 (1 - \cos[c + dx])^2} \sqrt{\sec[c + dx]} (2 - \sec[c + dx])}{(16a^2(a - b)^2(a + b)^2d + (\sqrt{\sec[c + dx]} (-1/4((-9a^2Ab + 3A^2b^3 + 5a^3B + ab^2B) \sin[c + dx]) / (a^2(a^2 - b^2)^2) + (-Ab \sin[c + dx]) + aB \sin[c + dx]) / (2(a^2 - b^2)(a + b \cos[c + dx])^2) + (-7a^2Ab \sin[c + dx] + A^2b^3 \sin[c + dx] + 3a^3B \sin[c + dx] + 3ab^2B \sin[c + dx]) / (4a(a^2 - b^2)^2(a + b \cos[c + dx])))} / d$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a)^3, x)

maple [B] time = 6.01, size = 1744, normalized size = 4.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x)

[Out]
$$\begin{aligned} & -(-(-2\cos(1/2dx+1/2c)^2+1)\sin(1/2dx+1/2c)^2)^{1/2} \cdot (2(Ab-Ba)/b(-1/2b^2/a/(a^2-b^2)\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} / (2\cos(1/2dx+1/2c)^2b+a-b)^2-3/4b^2(3a^2-b^2)/a^2 / (a^2-b^2)^2\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} / (2\cos(1/2dx+1/2c)^2b+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) + 1/4/(a+b)/(a^2-b^2)/a * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) * b + 3/8/(a+b)/(a^2-b^2)/a^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) * b^2 - 9/8b/(a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) + 3/8 * b^3/a^2/(a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) + 9/8b/(a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) - 3/8 * b^3/a^2/(a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) - 15/4 * a^2/(a^2-b^2)^2 / (-2ab+2b^2) * b * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \end{aligned}$$

```

2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+3/2/(a^2-b^2)^2/(-2*a*
b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)
/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*
x+1/2*c),-2*b/(a-b),2^(1/2))-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),
2^(1/2)))+2*B/b*(-b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(
sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d
*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)
))-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+
1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos
(1/2*d*x+1/2*c),2^(1/2))+1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2
*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^
2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)
*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1
/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-
2*b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*
x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)))/sin(1
/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm
="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x))^3,x)
```

```
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x))^3, x
)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sqrt(sec(c + d*x))/(a + b*cos(c + d*x))**3, x
)
```


$$3.580 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=402

$$\frac{b(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2} - \frac{(-3a^3B + 7a^2Ab - 3ab^2B - Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4ad(a^2 - b^2)^2(a \sec(c + dx) + b)} + \frac{(a^3B + 3a^2Ab - 3aAb^2 - Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2}$$

[Out] $\frac{1}{2} b (A b - B a) \sin(d x + c) \sec(d x + c)^{1/2} / a / (a^2 - b^2) / d / (b + a \sec(d x + c))^{2 - 1/4} (7 A a^2 b - A b^3 - 3 B a^3 - 3 B a b^2) \sin(d x + c) \sec(d x + c)^{1/2} / a / (a^2 - b^2)^{2/d} / (b + a \sec(d x + c)) + 1/4 (5 A a^2 b + A b^3 - B a^3 - 5 B a b^2) (\cos(1/2 d x + 1/2 c))^2)^{1/2} / \cos(1/2 d x + 1/2 c) * \text{EllipticE}(\sin(1/2 d x + 1/2 c), 2^{1/2}) * \cos(d x + c)^{1/2} \sec(d x + c)^{1/2} / a / b / (a^2 - b^2)^{2/d} + 1/4 (3 A a^2 b + 3 A b^3 + B a^3 - 7 B a b^2) (\cos(1/2 d x + 1/2 c))^2)^{1/2} / \cos(1/2 d x + 1/2 c) * \text{EllipticF}(\sin(1/2 d x + 1/2 c), 2^{1/2}) * \cos(d x + c)^{1/2} \sec(d x + c)^{1/2} / b^2 / (a^2 - b^2)^{2/d} - 1/4 (3 A a^4 b + 10 A a^2 b^3 - A b^5 + B a^5 - 10 B a^3 b^2 - 3 B a b^4) (\cos(1/2 d x + 1/2 c))^2)^{1/2} / \cos(1/2 d x + 1/2 c) * \text{EllipticPi}(\sin(1/2 d x + 1/2 c), 2 * b / (a + b), 2^{1/2}) * \cos(d x + c)^{1/2} \sec(d x + c)^{1/2} / a / (a - b)^2 / b^2 / (a + b)^3 / d$

Rubi [A] time = 1.09, antiderivative size = 402, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2960, 4029, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$-\frac{(7a^2Ab - 3a^3B - 3ab^2B - Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4ad(a^2 - b^2)^2(a \sec(c + dx) + b)} + \frac{b(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{(3a^2Ab + 3aAb^2 - Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sqrt[Sec[c + d*x]]),x]

[Out] $((5a^2Ab + Ab^3 - a^3B - 5ab^2B) \sqrt{\cos[c + dx]} * \text{EllipticE}[(c + dx)/2, 2] \sqrt{\sec[c + dx]}) / (4ab(a^2 - b^2)^2d) + ((3a^2Ab + 3Ab^3 + a^3B - 7ab^2B) \sqrt{\cos[c + dx]} * \text{EllipticF}[(c + dx)/2, 2] \sqrt{\sec[c + dx]}) / (4b^2(a^2 - b^2)^2d) - ((3a^4Ab + 10a^2Ab^3 - Ab^5 + a^5B - 10a^3b^2B - 3ab^4B) \sqrt{\cos[c + dx]} * \text{EllipticPi}[(2b)/(a + b), (c + dx)/2, 2] \sqrt{\sec[c + dx]}) / (4a(a - b)^2b^2(a + b)^3d) + (b(Ab - aB) \sqrt{\sec[c + dx]} * \sin[c + dx]) / (2a(a^2 - b^2)d(b + a \sec[c + dx])^2) - ((7a^2Ab - Ab^3 - 3a^3B - 3ab^2B) \sqrt{\sec[c + dx]} * \sin[c + dx]) / (4a(a^2 - b^2)^2d(b + a \sec[c + dx]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]) * Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]) / (f*(a + b) * Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^3 \sqrt{\sec(c + dx)}} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^3} dx \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} - \frac{\int \frac{\frac{1}{2}b(Ab - aB) + 2a(Ab - aB) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{2a(a^2 - b^2)d} \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2)}{4a(a^2 - b^2)^2 d} \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2)}{4a(a^2 - b^2)^2 d} \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2)}{4a(a^2 - b^2)^2 d} \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2)}{4a(a^2 - b^2)^2 d} \\
&= -\frac{(3a^4Ab + 10a^2Ab^3 - Ab^5 + a^5B - 10a^3b^2B - 3ab^4B) \sqrt{\cos(c + dx)}}{4a(a - b)^2 b^2 (a + b)^3 d} \\
&= \frac{(5a^2Ab + Ab^3 - a^3B - 5ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{4ab(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 6.93, size = 784, normalized size = 1.95

$$\frac{\sqrt{\sec(c + dx)} \left(-\frac{aAb \sin(c + dx) - a^2B \sin(c + dx)}{2b(b^2 - a^2)(a + b \cos(c + dx))^2} + \frac{(a^3B - 5a^2Ab + 5ab^2B - Ab^3) \sin(c + dx)}{4ab(a^2 - b^2)^2} + \frac{a^3B \sin(c + dx) + 3a^2Ab \sin(c + dx) - 7ab^2B \sin(c + dx)}{4b(b^2 - a^2)^2(a + b \cos(c + dx))} \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sqrt[Sec[c + d*x]]), x]

[Out] ((2*(-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(16*a^3*A + 8*a*A*b^2 - 24*a^2*b*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))/(16*a*(a - b)^2*(a + b)^2*d) + (Sqrt[Sec[c + d*x]]*(((5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*Sin[c + d*x])/(4*a*b*(a^2 - b^2)^2) - (a*A*b*Sin[c + d*x] - a^2*B*Sin[c + d*x])/(2*b*(-a^2 + b^2)*(a + b*Cos[c + d*x])^2) + (3*a^2*A*b*Sin[c + d*x] + 3*A*b^3*

$\text{Sin}[c + d*x] + a^3*B*\text{Sin}[c + d*x] - 7*a*b^2*B*\text{Sin}[c + d*x]]/(4*b*(-a^2 + b^2)^2*(a + b*\text{Cos}[c + d*x])))/d$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*sqrt(sec(d*x + c))), x)

maple [B] time = 6.47, size = 1850, normalized size = 4.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(1/2),x)

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*a*(A*b-B*a)/ \\ & b^2*(-1/2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2) \\ & /a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c) \\ & ^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/4/(a \\ & +b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1 \\ & /2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2* \\ & d*x+1/2*c), 2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x \\ & +1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & +3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\ & ^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF} \\ & (\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2* \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2* \\ & d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/ \\ & 2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2* \\ & \cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2 \\ &)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+3/2/(a^2-b^2)^2/(\\ & -2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^ \\ & (1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1 \\ & /2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(s \end{aligned}$$

$$\begin{aligned} & \ln(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) - 4*B/b/(-2*a*b+2*b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) + 2*(A*b-2*B*a)/b^2 * (-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2*b+a-b) - 1/2/(a+b)/a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/2*b/a/(a^2-b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/2*b/a/(a^2-b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3*a/(a^2-b^2) / (-2*a*b+2*b^2) * b * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) + 1/a/(a^2-b^2) / (-2*a*b+2*b^2) * b^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*sqrt(sec(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^3),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)**(1/2),x)

[Out] Timed out

$$3.581 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^2(c+dx)} dx$$

Optimal. Leaf size=400

$$\frac{(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{2d(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{(a^3B + 3a^2Ab - 7ab^2B + 3Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4bd(a^2 - b^2)^2(a \sec(c + dx) + b)} - \frac{(3a^3B + a^2Ab)}{4bd(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

[Out] $-1/2*(A*b-B*a)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/(a^2-b^2)/d/(b+a*\sec(d*x+c))^{2+1}/4*(3*A*a^2*b+3*A*b^3+B*a^3-7*B*a*b^2)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/b/(a^2-b^2)^2/d/(b+a*\sec(d*x+c))-1/4*(A*a^2*b+5*A*b^3+3*B*a^3-9*B*a*b^2)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)*}\sec(d*x+c)^{(1/2)}/b^2/(a^2-b^2)^2/d+1/4*(A*a^3*b-7*A*a*b^3+3*B*a^4-5*B*a^2*b^2+8*B*b^4)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)*}\sec(d*x+c)^{(1/2)}/b^3/(a^2-b^2)^2/d-1/4*(A*a^4*b-10*A*a^2*b^3-3*A*b^5+3*B*a^5-6*B*a^3*b^2+15*B*a*b^4)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})*\cos(d*x+c)^{(1/2)*}\sec(d*x+c)^{(1/2)}/(a-b)^2/b^3/(a+b)^3/d$

Rubi [A] time = 0.96, antiderivative size = 400, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2960, 4027, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4bd(a^2 - b^2)^2(a \sec(c + dx) + b)} - \frac{(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{2d(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{(a^3Ab - 5a^2b^2B)}{4bd(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sec[c + d*x]^(3/2)),x]

[Out] $-((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*b^2*(a^2 - b^2)^2*d) + ((a^3*A*b - 7*a*A*b^3 + 3*a^4*B - 5*a^2*b^2*B + 8*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*b^3*(a^2 - b^2)^2*d) - ((a^4*A*b - 10*a^2*A*b^3 - 3*A*b^5 + 3*a^5*B - 6*a^3*b^2*B + 15*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*(a - b)^2*b^3*(a + b)^3*d) - ((A*b - a*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(2*(a^2 - b^2)*d*(b + a*\text{Sec}[c + d*x])^2) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(4*b*(a^2 - b^2)^2*d*(b + a*\text{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x]

, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4027

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[d*(n - 1)*(A*b - a*B) + d*(a*A - b*B)*(m + 1)*Csc[e + f*x] - d*(A*b - a*B)*(m + n + 1)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[0, n, 1]

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B

) * Csc[e + f*x]) / Sqrt[d * Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^3 \sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{\sqrt{\sec(c + dx)} (B + A \sec(c + dx))}{(b + a \sec(c + dx))^3} dx \\
 &= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{\int \frac{\frac{1}{2}(Ab - aB) + 2(aA - bB)\sec(c + dx) - \frac{3}{2}(A + B)\sec^2(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx}{2(a^2 - b^2)} \\
 &= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{(3a^2Ab + 3Ab^3 + a^3B - 7ab^2B)}{4b(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
 &= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{(3a^2Ab + 3Ab^3 + a^3B - 7ab^2B)}{4b(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
 &= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{(3a^2Ab + 3Ab^3 + a^3B - 7ab^2B)}{4b(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
 &= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{(3a^2Ab + 3Ab^3 + a^3B - 7ab^2B)}{4b(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
 &= -\frac{(a^4Ab - 10a^2Ab^3 - 3Ab^5 + 3a^5B - 6a^3b^2B + 15ab^4B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4(a - b)^2 b^3 (a + b)^3 d} \\
 &= -\frac{(a^2Ab + 5Ab^3 + 3a^3B - 9ab^2B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2(a^2 - b^2)^2 d}
 \end{aligned}$$

Mathematica [A] time = 6.93, size = 786, normalized size = 1.96

$$\frac{\sqrt{\sec(c + dx)} \left(-\frac{a^3B \sin(c + dx) - a^2Ab \sin(c + dx)}{2b^2(b^2 - a^2)(a + b \cos(c + dx))^2} + \frac{(3a^3B + a^2Ab - 9ab^2B + 5Ab^3) \sin(c + dx)}{4b^2(a^2 - b^2)^2} + \frac{-5a^4B \sin(c + dx) + a^3Ab \sin(c + dx) + 11a^2b^2B \sin(c + dx)}{4b^2(b^2 - a^2)^2(a + b \cos(c + dx))} \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sec[c + d*x]^(3/2)), x]

[Out] -1/16*((2*(-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(24*a*A*b^2 - 8*a^2*b*B - 16*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2))

$$\frac{(c + dx)^2 \sqrt{\sec(c + dx)} (2 - \sec(c + dx)^2)}{((a - b)^2 b (a + b)^2 d + (\sqrt{\sec(c + dx)} ((a^2 A b + 5 A b^3 + 3 a^3 B - 9 a b^2 B) \sin(c + dx)) / (4 b^2 (a^2 - b^2)^2 - (-a^2 A b \sin(c + dx)) + a^3 B \sin(c + dx)) / (2 b^2 (-a^2 + b^2) (a + b \cos(c + dx))^2) + (a^3 A b \sin(c + dx) - 7 a A b^3 \sin(c + dx) - 5 a^4 B \sin(c + dx) + 11 a^2 b^2 B \sin(c + dx)) / (4 b^2 (-a^2 + b^2)^2 (a + b \cos(c + dx))))} / d$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+b*cos(dx+c))^3/sec(dx+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+b*cos(dx+c))^3/sec(dx+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(dx + c) + A)/((b*cos(dx + c) + a)^3*sec(dx + c)^(3/2)), x)

maple [B] time = 6.60, size = 1937, normalized size = 4.84

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(dx+c))/(a+b*cos(dx+c))^3/sec(dx+c)^(3/2),x)

[Out]
$$\begin{aligned} & -(-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2)^{1/2} (2 B / b^3 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 2 a^2 (A b - B a) / b^3 (-1/2 b^2 / a (a^2 - b^2) \cos(1/2 dx + 1/2 c) (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / (2 \cos(1/2 dx + 1/2 c)^2 b + a - b)^2 - 3/4 b^2 (3 a^2 - b^2) / a^2 (a^2 - b^2)^2 \cos(1/2 dx + 1/2 c) (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / (2 \cos(1/2 dx + 1/2 c)^2 b + a - b) - 7/8 (a + b) / (a^2 - b^2) (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 1/4 (a + b) / (a^2 - b^2) / a (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) * b + 3/8 (a + b) / (a^2 - b^2) / a^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) * b^2 - 9/8 b / (a^2 - b^2)^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 9/8 b / (a^2 - b^2)^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 3/8 b^3 / a^2 / (a^2 - b^2)^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) \end{aligned}$$

```

+1/2*c),2^(1/2))-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^
2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2
*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+3/2/
(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x
+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ell
ipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))-3/4/a^2/(a^2-b^2)^2/(-2*a*b+
2*b^2)*b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-
2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+
1/2*c),-2*b/(a-b),2^(1/2))-4/b^2*(A*b-3*B*a)/(-2*a*b+2*b^2)*(sin(1/2*d*x+1
/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+s
in(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)
)-2*a/b^3*(2*A*b-3*B*a)*(-b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*
x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(
a+b)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*s
in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c
),2^(1/2))-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1
/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellip
ticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x
+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*a/(a^2-b^2)/(-2*a*
b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-
2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+
1/2*c),-2*b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+si
n(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))
)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^3),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3/sec(d*x+c)**(3/2),x)

[Out] Timed out

$$3.582 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^2(c+dx)} dx$$

Optimal. Leaf size=427

$$\frac{a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{2bd(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{a(-5a^3B + a^2Ab + 11ab^2B - 7Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4b^2d(a^2 - b^2)^2(a \sec(c + dx) + b)} + \frac{(-15a^4B + 11a^3Ab - 5a^2A^2b - 5a^2B^2 - 11a^2Ab^2 + 7Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4b^2d(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

[Out] $\frac{1}{2} a (A b - B a) \sin(d x + c) \sec(d x + c)^{(1/2)} / b / (a^2 - b^2) / d / (b + a \sec(d x + c))^{2 + 1/4} + \frac{1}{4} a (A a^2 b - 7 A a b^3 - 5 B a^3 + 11 B a a b^2) \sin(d x + c) \sec(d x + c)^{(1/2)} / b^2 / (a^2 - b^2)^2 / d / (b + a \sec(d x + c)) - \frac{1}{4} (3 A a^3 b - 9 A a a b^3 - 15 B a^4 + 29 B a^2 b^2 - 8 B b^4) (\cos(1/2 d x + 1/2 c))^2 / \cos(1/2 d x + 1/2 c) \operatorname{EllipticE}(\sin(1/2 d x + 1/2 c), 2^{(1/2)}) \cos(d x + c)^{(1/2)} \sec(d x + c)^{(1/2)} / b^3 / (a^2 - b^2)^2 / d + \frac{1}{4} (3 A a^4 b - 5 A a^2 b^3 + 8 A a b^5 - 15 B a^5 + 33 B a^3 b^2 - 24 B a a b^4) (\cos(1/2 d x + 1/2 c))^2 / \cos(1/2 d x + 1/2 c) \operatorname{EllipticF}(\sin(1/2 d x + 1/2 c), 2^{(1/2)}) \cos(d x + c)^{(1/2)} \sec(d x + c)^{(1/2)} / b^4 / (a^2 - b^2)^2 / d - \frac{1}{4} a (3 A a^4 b - 6 A a^2 b^3 + 15 A a b^5 - 15 B a^5 + 38 B a^3 b^2 - 35 B a a b^4) (\cos(1/2 d x + 1/2 c))^2 / \cos(1/2 d x + 1/2 c) \operatorname{EllipticPi}(\sin(1/2 d x + 1/2 c), 2 b / (a + b), 2^{(1/2)}) \cos(d x + c)^{(1/2)} \sec(d x + c)^{(1/2)} / (a - b)^2 / b^4 / (a + b)^3 / d$

Rubi [A] time = 1.06, antiderivative size = 427, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {2960, 4030, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(a^2 Ab - 5a^3 B + 11ab^2 B - 7Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4b^2d(a^2 - b^2)^2(a \sec(c + dx) + b)} + \frac{a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{2bd(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{(-5a^4 B + 11a^3 Ab - 5a^2 A^2 b - 5a^2 B^2 - 11a^2 Ab^2 + 7Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4b^2d(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sec[c + d*x]^(5/2)), x]

[Out] $-\frac{((3a^3Ab - 9a^2Ab^3 - 15a^4B + 29a^2b^2B - 8b^4B) \operatorname{Sqrt}[\operatorname{Cos}[c + d*x]] \operatorname{EllipticE}[(c + d*x)/2, 2] \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) / (4b^3(a^2 - b^2)^2d) + ((3a^4Ab - 5a^2Ab^3 + 8Ab^5 - 15a^5B + 33a^3b^2B - 24a^2b^4B) \operatorname{Sqrt}[\operatorname{Cos}[c + d*x]] \operatorname{EllipticF}[(c + d*x)/2, 2] \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) / (4b^4(a^2 - b^2)^2d) - (a(3a^4Ab - 6a^2Ab^3 + 15Ab^5 - 15a^5B + 38a^3b^2B - 35a^2b^4B) \operatorname{Sqrt}[\operatorname{Cos}[c + d*x]] \operatorname{EllipticPi}[(2b)/(a + b), (c + d*x)/2, 2] \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) / (4(a - b)^2b^4(a + b)^3d) + (a(Ab - aB) \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] \operatorname{Sin}[c + d*x]) / (2b(a^2 - b^2)d(b + a \operatorname{Sec}[c + d*x])^2) + (a(a^2Ab - 7Ab^3 - 5a^3B + 11a^2b^2B) \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] \operatorname{Sin}[c + d*x]) / (4b^2(a^2 - b^2)^2d(b + a \operatorname{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]) * Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]) / (f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c

, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4030

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))), x_Symbol] :> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f

$x]^{(3/2)/(a + b\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B) * \text{Csc}[e + f*x])/ \text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^3 \sec^{\frac{5}{2}}(c + dx)} dx = \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))^3} dx$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \sec(c + dx))^2} + \int \frac{\frac{1}{2}(-aAb + 5a^2B - 4b^2B) - 2b(Ab - aB)}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))^3} dx$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{a(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B)}{4b^2(a^2 - b^2)^2d}$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{a(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B)}{4b^2(a^2 - b^2)^2d}$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{a(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B)}{4b^2(a^2 - b^2)^2d}$$

$$= \frac{a(3a^4Ab - 6a^2Ab^3 + 15Ab^5 - 15a^5B + 38a^3b^2B - 35ab^4B) \sqrt{\cos(c + dx)}}{4(a - b)^2b^4(a + b)^3d}$$

$$= \frac{(3a^3Ab - 9aAb^3 - 15a^4B + 29a^2b^2B - 8b^4B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{4b^3(a^2 - b^2)^2d}$$

Mathematica [A] time = 7.08, size = 820, normalized size = 1.92

$$\frac{2(5Ba^4 - Aba^3 - 7b^2Ba^2 - 5Ab^3a + 8b^4B)(F(\sin^{-1}(\sqrt{\sec(c+dx)})|-1) - \Pi(-\frac{a}{b}; \sin^{-1}(\sqrt{\sec(c+dx)})|-1))(b+a \sec(c+dx))\sqrt{1-\sec^2(c+dx)} \sin(c+dx) \cos^2(c+dx)}{a(a+b \cos(c+dx))(1-\cos^2(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sec[c + d*x]^(5/2)), x]

[Out] ((2*(-(a^3*A*b) - 5*a*A*b^3 + 5*a^4*B - 7*a^2*b^2*B + 8*b^4*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(8*a^2*A*b^2 + 16*A*b^4 + 8*a^3*b*B - 32*a*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((-3*a^3*A*b + 9*a*A*b^3 + 15*a^4*B - 29*a^2*b^2*B + 8*b^4*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2]))*Sin[c

```

+ d*x))/(a*b^2*(a + b*cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]
*(2 - Sec[c + d*x]^2))/(16*(a - b)^2*b^2*(a + b)^2*d) + (Sqrt[Sec[c + d*x]]
)*(-1/4*(a*(-3*a^2*A*b + 9*A*b^3 + 7*a^3*B - 13*a*b^2*B)*Sin[c + d*x])/(b^3
*(a^2 - b^2)^2) - (a^3*A*b*SIN[c + d*x] - a^4*B*SIN[c + d*x])/(2*b^3*(-a^2
+ b^2)*(a + b*cos[c + d*x])^2) + (-5*a^4*A*b*SIN[c + d*x] + 11*a^2*A*b^3*Si
n[c + d*x] + 9*a^5*B*SIN[c + d*x] - 15*a^3*b^2*B*SIN[c + d*x])/(4*b^3*(-a^2
+ b^2)^2*(a + b*cos[c + d*x])))/d

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(5/2),x, algorithm
="fricas")

```

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(5/2),x, algorithm
="giac")

```

```

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*sec(d*x + c)^(5/2)),
x)

```

maple [B] time = 7.44, size = 1977, normalized size = 4.63

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(5/2),x)

```

```

[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2/b^4/(-2*sin(1
/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2
*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b-3
*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a-B*EllipticE(cos(1/2*d*x+1/2*c),2
^(1/2))*b)-2*a^3*(A*b-B*a)/b^4*(-1/2*b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2
*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b
+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*
d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8
/(a+b)/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(
1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2
*d*x+1/2*c),2^(1/2))+1/4/(a+b)/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2
*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b+3/8/(a+b)/(a^2-b^2)/a^2*(s
in(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*
x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)
)*b^2-9/8*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)
^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(
cos(1/2*d*x+1/2*c),2^(1/2))+3/8*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*
x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+9/8*b/(a^2-b^2)^2*(
sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d
*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2

```

$$\begin{aligned} &)) - 3/8 * b^3 / a^2 / (a^2 - b^2)^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 15/4 * a^2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) + 3/2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) - 3/4 / a^2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) + 12 / b^3 * a * (A * b - 2 * B * a) / (-2 * a * b + 2 * b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) + 2 * a^2 / b^4 * (3 * A * b - 4 * B * a) * (-b^2 / a / (a^2 - b^2) * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 * b + a - b) - 1/2 / (a + b) / a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 1/2 * b / a / (a^2 - b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 1/2 * b / a / (a^2 - b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3 * a / (a^2 - b^2) / (-2 * a * b + 2 * b^2) * b * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) + 1 / a / (a^2 - b^2) / (-2 * a * b + 2 * b^2) * b^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)})) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^3),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3/sec(d*x+c)**(5/2),x)

[Out] Timed out

$$3.583 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^2(c+dx)} dx$$

Optimal. Leaf size=521

$$\frac{a(Ab - aB) \sin(c + dx)}{2bd(a^2 - b^2) \sqrt{\sec(c + dx)} (a \sec(c + dx) + b)^2} + \frac{a(-7a^3B + 3a^2Ab + 13ab^2B - 9Ab^3) \sin(c + dx)}{4b^2d(a^2 - b^2)^2 \sqrt{\sec(c + dx)} (a \sec(c + dx) + b)} - \frac{(-35a^4B + 11a^3Ab + 13a^2aB - 35a^3B)}{4b^2d(a^2 - b^2)^2 \sqrt{\sec(c + dx)} (a \sec(c + dx) + b)}$$

[Out] $-1/12*(15*A*a^3*b-33*A*a*b^3-35*B*a^4+61*B*a^2*b^2-8*B*b^4)*\sin(dx+c)/b^3/(a^2-b^2)^2/d/\sec(dx+c)^{(1/2)}+1/2*a*(A*b-B*a)*\sin(dx+c)/b/(a^2-b^2)/d/(b+a*\sec(dx+c))^2/\sec(dx+c)^{(1/2)}+1/4*a*(3*A*a^2*b-9*A*b^3-7*B*a^3+13*B*a*b^2)*\sin(dx+c)/b^2/(a^2-b^2)^2/d/(b+a*\sec(dx+c))/\sec(dx+c)^{(1/2)}+1/4*(15*A*a^4*b-29*A*a^2*b^3+8*A*b^5-35*B*a^5+65*B*a^3*b^2-24*B*a*b^4)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(dx+c)^{(1/2)}*\sec(dx+c)^{(1/2)}/b^4/(a^2-b^2)^2/d-1/12*(45*A*a^5*b-99*A*a^3*b^3+72*A*a*b^5-105*B*a^6+223*B*a^4*b^2-128*B*a^2*b^4-8*B*b^6)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(dx+c)^{(1/2)}*\sec(dx+c)^{(1/2)}/b^5/(a^2-b^2)^2/d+1/4*a^2*(15*A*a^4*b-38*A*a^2*b^3+35*A*b^5-35*B*a^5+86*B*a^3*b^2-63*B*a*b^4)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})*\cos(dx+c)^{(1/2)}*\sec(dx+c)^{(1/2)}/(a-b)^2/b^5/(a+b)^3/d$

Rubi [A] time = 1.53, antiderivative size = 521, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {2960, 4030, 4100, 4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(3a^2Ab - 7a^3B + 13ab^2B - 9Ab^3) \sin(c + dx)}{4b^2d(a^2 - b^2)^2 \sqrt{\sec(c + dx)} (a \sec(c + dx) + b)} + \frac{a(Ab - aB) \sin(c + dx)}{2bd(a^2 - b^2) \sqrt{\sec(c + dx)} (a \sec(c + dx) + b)^2} - \frac{(15a^3Ab + 61a^2aB - 35a^3B)}{4b^2d(a^2 - b^2)^2 \sqrt{\sec(c + dx)} (a \sec(c + dx) + b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sec[c + d*x]^(7/2)), x]

[Out] $((15*a^4*A*b - 29*a^2*A*b^3 + 8*A*b^5 - 35*a^5*B + 65*a^3*b^2*B - 24*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*b^4*(a^2 - b^2)^2*d) - ((45*a^5*A*b - 99*a^3*A*b^3 + 72*a*A*b^5 - 105*a^6*B + 223*a^4*b^2*B - 128*a^2*b^4*B - 8*b^6*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(12*b^5*(a^2 - b^2)^2*d) + (a^2*(15*a^4*A*b - 38*a^2*A*b^3 + 35*A*b^5 - 35*a^5*B + 86*a^3*b^2*B - 63*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*(a - b)^2*b^5*(a + b)^3*d) - ((15*a^3*A*b - 33*a*A*b^3 - 35*a^4*B + 61*a^2*b^2*B - 8*b^4*B)*\text{Sin}[c + d*x])/((12*b^3*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (a*(A*b - a*B)*\text{Sin}[c + d*x])/(2*b*(a^2 - b^2)*d*\text{Sqrt}[\text{Sec}[c + d*x]])*(b + a*\text{Sec}[c + d*x])^2) + (a*(3*a^2*A*b - 9*A*b^3 - 7*a^3*B + 13*a*b^2*B)*\text{Sin}[c + d*x])/((4*b^2*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Sec}[c + d*x]])*(b + a*\text{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2960

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4030

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))), x_Symbol] :> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^3 \sec^{\frac{7}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx))^3} dx \\
&= \frac{a(Ab - aB) \sin(c + dx)}{2b(a^2 - b^2) d \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2} + \int \frac{\frac{1}{2}(-3aAb + 7a^2B - 4b^2B)}{\sec} \\
&= \frac{a(Ab - aB) \sin(c + dx)}{2b(a^2 - b^2) d \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2} + \frac{a(3a^2Ab - 9Ab^3 - 7)}{4b^2(a^2 - b^2)^2 d \sqrt{\sec}} \\
&= -\frac{(15a^3Ab - 33aAb^3 - 35a^4B + 61a^2b^2B - 8b^4B) \sin(c + dx)}{12b^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} + \frac{a^2}{2b(a^2 - b^2)} \\
&= -\frac{(15a^3Ab - 33aAb^3 - 35a^4B + 61a^2b^2B - 8b^4B) \sin(c + dx)}{12b^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} + \frac{a^2}{2b(a^2 - b^2)} \\
&= -\frac{(15a^3Ab - 33aAb^3 - 35a^4B + 61a^2b^2B - 8b^4B) \sin(c + dx)}{12b^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} + \frac{a^2}{2b(a^2 - b^2)} \\
&= \frac{a^2(15a^4Ab - 38a^2Ab^3 + 35Ab^5 - 35a^5B + 86a^3b^2B - 63ab^4B) \sqrt{\cos(c + dx)}}{4(a - b)^2 b^5 (a + b)^3 d} \\
&= \frac{(15a^4Ab - 29a^2Ab^3 + 8Ab^5 - 35a^5B + 65a^3b^2B - 24ab^4B) \sqrt{\cos(c + dx)}}{4b^4(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 7.32, size = 865, normalized size = 1.66

$$\frac{\sqrt{\sec(c + dx)} \left(\frac{(11Ba^3 - 7Aba^2 - 17b^2Ba + 13Ab^3) \sin(c + dx) a^2}{4b^4(a^2 - b^2)^2} - \frac{a^5B \sin(c + dx) - a^4Ab \sin(c + dx)}{2b^4(b^2 - a^2)(a + b \cos(c + dx))^2} + \frac{-13B \sin(c + dx) a^6 + 9Ab \sin(c + dx) a^5 + 19b^2B \sin(c + dx) a^4 - 13b^3B \sin(c + dx) a^3 + 9a^2b^2B \sin(c + dx) a^2 - 9ab^3B \sin(c + dx) a + 9b^4B \sin(c + dx)}{4b^4(b^2 - a^2)^2(a + b \cos(c + dx))^2} \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*cos[c + d*x])/((a + b*cos[c + d*x])^3*Sec[c + d*x]^(7/2)), x]

[Out]
$$-1/48*((2*(-15*a^4*A*b + 21*a^2*A*b^3 - 24*A*b^5 + 35*a^5*B - 73*a^3*b^2*B + 56*a*b^4*B)*\cos[c + d*x]^2*(\operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{\sec[c + d*x]}], -1] - \operatorname{EllipticPi}[-(a/b), \operatorname{ArcSin}[\sqrt{\sec[c + d*x]}], -1])*(b + a*\sec[c + d*x])*sqrt[1 - \sec[c + d*x]^2]*\sin[c + d*x])/(a*(a + b*\cos[c + d*x])*(1 - \cos[c + d*x]^2)) + (2*(-24*a^3*A*b^2 + 96*a*A*b^4 + 56*a^4*b*B - 112*a^2*b^3*B - 16*b^5*B)*\cos[c + d*x]^2*\operatorname{EllipticPi}[-(a/b), \operatorname{ArcSin}[\sqrt{\sec[c + d*x]}], -1]*(b + a*\sec[c + d*x])*sqrt[1 - \sec[c + d*x]^2]*\sin[c + d*x])/(b*(a + b*\cos[c + d*x])*(1 - \cos[c + d*x]^2)) + ((-45*a^4*A*b + 87*a^2*A*b^3 - 24*A*b^5 + 105*a^5*B - 195*a^3*b^2*B + 72*a*b^4*B)*\cos[2*(c + d*x)]*(b + a*\sec[c + d*x])*(-4*a*b + 4*a*b*\sec[c + d*x]^2 - 4*a*b*\operatorname{EllipticE}[\operatorname{ArcSin}[\sqrt{\sec[c + d*x]}], -1])*sqrt[\sec[c + d*x]]*sqrt[1 - \sec[c + d*x]^2] + 2*(2*a - b)*b*\operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{\sec[c + d*x]}], -1]*sqrt[\sec[c + d*x]]*sqrt[1 - \sec[c + d*x]^2] - 4*a^2*\operatorname{EllipticPi}[-(a/b), \operatorname{ArcSin}[\sqrt{\sec[c + d*x]}], -1])*sqrt[\sec[c + d*x]]*sqrt[1 - \sec[c + d*x]^2] + 2*b^2*\operatorname{EllipticPi}[-(a/b), \operatorname{ArcSin}[\sqrt{\sec[c + d*x]}], -1])*sqrt[\sec[c + d*x]]*sqrt[1 - \sec[c + d*x]^2])*\sin[c + d*x])/(a*b^2*(a + b*\cos[c + d*x])*(1 - \cos[c + d*x]^2)*sqrt[\sec[c + d*x]]*(2 - \sec[c + d*x]^2)))/((a - b)^2*b^3*(a + b)^2*d + (sqrt[\sec[c + d*x]]*(a^2*(-7*a^2*A*b + 13*A*b^3 + 11*a^3*B - 17*a*b^2*B)*\sin[c + d*x])/(4*b^4*(a^2 - b^2)^2) - ((a^4*A*b*\sin[c + d*x]) + a^5*B*\sin[c + d*x])/(2*b^4*(-a^2 + b^2)*(a + b*\cos[c + d*x])^2) + (9*a^5*A*b*\sin[c + d*x] - 15*a^3*A*b^3*\sin[c + d*x] - 13*a^6*B*\sin[c + d*x] + 19*a^4*b^2*B*\sin[c + d*x])/(4*b^4*(-a^2 + b^2)^2*(a + b*\cos[c + d*x])) + (B*\sin[2*(c + d*x)])/(3*b^3)))/d$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*sec(d*x + c)^(7/2)), x)

maple [B] time = 8.18, size = 2195, normalized size = 4.21

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(7/2),x)

[Out]
$$-((-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/3/b^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+9*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2)^{(1/2)}+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}))$$

$$\begin{aligned}
& *c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), \\
& 2^{(1/2)}) * b^2 - 18 * a^2 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - \\
& 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - b^2 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} \\
& * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\
& - 9 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), \\
& 2^{(1/2)}) * a * b + 2 * B * b^2 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + \\
& 1/2 * c)^2 - 8 * a^2 / b^4 * (3 * A * b - 5 * B * a) / (-2 * a * b + 2 * b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} \\
& * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + \\
& 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) + 2 * a^4 * (A * b \\
& - B * a) / b^5 * (-1/2 * b^2 / a / (a^2 - b^2) * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 \\
& + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 * b + a - b)^2 - 3/4 * b^2 * (3 * a^2 - \\
& b^2) / a^2 / (a^2 - b^2)^2 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * \\
& d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 * b + a - b) - 7/8 / (a + b) / (a^2 - b^2) * (\sin \\
& (1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + \\
& 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + \\
& 1/4 / (a + b) / (a^2 - b^2) / a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 \\
& + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos \\
& (1/2 * d * x + 1/2 * c), 2^{(1/2)}) * b + 3/8 / (a + b) / (a^2 - b^2) / a^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} \\
& * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * \\
& x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * b^2 - 9/8 * b / (a^2 - b^2) \\
& ^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1 \\
& /2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) \\
& + 3/8 * b^3 / a^2 / (a^2 - b^2)^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x \\
& + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), \\
& 2^{(1/2)}) + 9/8 * b / (a^2 - b^2)^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3/8 * b^3 / a^2 / (a^2 - b^2)^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 15/4 * a^2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) + 3/2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) - 3/4 / a^2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) - 2 / b^5 * a^3 * (4 * A * b - 5 * B * a) * (-b^2 / a / (a^2 - b^2) * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 * b + a - b) - 1/2 / (a + b) / a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 1/2 * b / a / (a^2 - b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 1/2 * b / a / (a^2 - b^2) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3 * a / (a^2 - b^2) / (-2 * a * b + 2 * b^2) * b * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) + 1 / a / (a^2 - b^2) / (-2 * a * b + 2 * b^2) * b^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)})) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(7/2),x, algorithm

= "maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{7/2} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^3), x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3/sec(d*x+c)**(7/2), x)

[Out] Timed out

$$3.584 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{a + b \cos(c + dx)} dx$$

Optimal. Leaf size=64

$$\frac{2B \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

[Out] $2/3*B*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.04, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {21, 3768, 3771, 2641}

$$\frac{2B \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

Antiderivative was successfully verified.

[In] `Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x]),x]`

[Out] `(2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)`

Rule 21

`Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 3768

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]`

Rubi steps

$$\begin{aligned}
\int \frac{(aB + bB \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec^{\frac{5}{2}}(c + dx) dx \\
&= \frac{2B \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} B \int \sqrt{\sec(c + dx)} dx \\
&= \frac{2B \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} (B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \\
&= \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2B \sec^{\frac{3}{2}}(c + dx)}{3d}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 47, normalized size = 0.73

$$\frac{2B \sec^{\frac{3}{2}}(c + dx) \left(\sin(c + dx) + \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x]),x]

[Out] (2*B*Sec[c + d*x]^(3/2)*(Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + Sin[c + d*x]))/(3*d)

fricas [F] time = 1.07, size = 0, normalized size = 0.00

$$\text{integral}\left(B \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] integral(B*sec(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)

maple [B] time = 1.30, size = 214, normalized size = 3.34

$$\frac{2 \left(-2 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \text{EllipticF} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \right)}{3 \sqrt{-2 \left(\sin^4 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) + \sin}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x)

[Out] $-2/3*(-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\sin(1/2*d*x+1/2*c)^2+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*B*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(3/2)}/\sin(1/2*d*x+1/2*c)/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (Ba + Bb \cos(c + dx))}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((1/cos(c + d*x))^(5/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)), x)

[Out] int(((1/cos(c + d*x))^(5/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+b*cos(d*x+c)),x)

[Out] Timed out

$$3.585 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx$$

Optimal. Leaf size=60

$$\frac{2B \sin(c + dx) \sqrt{\sec(c + dx)}}{d} - \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out] $2*B*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.04, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {21, 3768, 3771, 2639}

$$\frac{2B \sin(c + dx) \sqrt{\sec(c + dx)}}{d} - \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x]),x]

[Out] $(-2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*B*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rubi steps

$$\begin{aligned}
\int \frac{(aB + bB \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec^{\frac{3}{2}}(c + dx) dx \\
&= \frac{2B \sqrt{\sec(c + dx)} \sin(c + dx)}{d} - B \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2B \sqrt{\sec(c + dx)} \sin(c + dx)}{d} - (B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos} \\
&= -\frac{2B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2B \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 46, normalized size = 0.77

$$\frac{2B \sqrt{\sec(c + dx)} \left(\sin(c + dx) - \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x]), x]

[Out] (2*B*Sqrt[Sec[c + d*x]]*(-(Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]) + Sin[c + d*x]))/d

fricas [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(B \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c)), x, algorithm="fricas")

[Out] integral(B*sec(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c)), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)

maple [A] time = 1.51, size = 102, normalized size = 1.70

$$\frac{2B \left(\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \text{EllipticE} \left(\cos \left(\frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) - 2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) \cos \left(\frac{dx}{2} + \frac{c}{2} \right) \right)}{\sin \left(\frac{dx}{2} + \frac{c}{2} \right) \sqrt{2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2} \right) \right) - 1} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x)`

[Out] `-2*B*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-2*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a),x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (Ba + Bb \cos(c + dx))}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((1/cos(c + d*x))^(3/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)),x)`

[Out] `int(((1/cos(c + d*x))^(3/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)),x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+b*cos(d*x+c)),x)`

[Out] Timed out

$$3.586 \quad \int \frac{(aB + bB \cos(c + dx)) \sqrt{\sec(c + dx)}}{a + b \cos(c + dx)} dx$$

Optimal. Leaf size=37

$$\frac{2B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out] $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.02, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {21, 3771, 2641}

$$\frac{2B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a*B + b*B*\text{Cos}[c + d*x])*Sqrt[\text{Sec}[c + d*x]]/(a + b*\text{Cos}[c + d*x]), x]$

[Out] $(2*B*Sqrt[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*Sqrt[\text{Sec}[c + d*x]])/d$

Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m + n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \mid\mid \text{SimplerQ}[c + d*x, a + b*x])$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.)^{(n_.)}), x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sqrt{\sec(c + dx)}}{a + b \cos(c + dx)} dx &= B \int \sqrt{\sec(c + dx)} dx \\ &= (B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 0.03, size = 37, normalized size = 1.00

$$\frac{2B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x]), x]

[Out] (2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d

fricas [F] time = 1.44, size = 0, normalized size = 0.00

$$\text{integral}\left(B\sqrt{\sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)), x, algorithm="fricas")

[Out] integral(B*sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx+c) + Ba)\sqrt{\sec(dx+c)}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a), x)

maple [B] time = 1.07, size = 134, normalized size = 3.62

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} B\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)), x)

[Out] -2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx+c) + Ba)\sqrt{\sec(dx+c)}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)), x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}} (Ba + Bb \cos(c+dx))}{a + b \cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((1/cos(c + d*x))^(1/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)),
x)
```

```
[Out] int(((1/cos(c + d*x))^(1/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x)),
x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+b*cos(d*x+c)),x)
```

```
[Out] B*Integral(sqrt(sec(c + d*x)), x)
```

$$3.587 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx)) \sqrt{\sec(c + dx)}} dx$$

Optimal. Leaf size=37

$$\frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out] $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.02, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {21, 3771, 2639}

$$\frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sqrt[Sec[c + d*x]]), x]`

[Out] `(2*B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d`

Rule 21

`Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]`

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx)) \sqrt{\sec(c + dx)}} dx &= B \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= (B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx \\ &= \frac{2B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 0.04, size = 37, normalized size = 1.00

$$\frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sqrt[Sec[c + d*x]]),x]
```

```
[Out] (2*B*EllipticE[(c + d*x)/2, 2])/((d*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

fricas [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B}{\sqrt{\sec(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(B/sqrt(sec(d*x + c)), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx+c) + Ba}{(b \cos(dx+c) + a)\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```

maple [B] time = 0.87, size = 134, normalized size = 3.62

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} B\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x)
```

```
[Out] 2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx+c) + Ba}{(b \cos(dx+c) + a)\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```


mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{B a + B b \cos(c + d x)}{\sqrt{\frac{1}{\cos(c + d x)}} (a + b \cos(c + d x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))), x)

[Out] int((B*a + B*b*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{1}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)**(1/2), x)

[Out] B*Integral(1/sqrt(sec(c + d*x)), x)

$$3.588 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)} dx$$

Optimal. Leaf size=64

$$\frac{2B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

[Out] $2/3*B*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.04, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {21, 3769, 3771, 2641}

$$\frac{2B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

Antiderivative was successfully verified.

[In] `Int[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sec[c + d*x]^(3/2)),x]`

[Out] `(2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*B*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])`

Rule 21

`Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 3769

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]`

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)} dx &= B \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} B \int \sqrt{\sec(c + dx)} dx \\
&= \frac{2B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} (B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 50, normalized size = 0.78

$$\frac{B \sqrt{\sec(c + dx)} \left(\sin(2(c + dx)) + 2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sec[c + d*x]^(3/2)), x]

[Out] (B*Sqrt[Sec[c + d*x]]*(2*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + Sin[2*(c + d*x)]))/(3*d)

fricas [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B}{\sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(3/2), x, algorithm="fricas")

[Out] integral(B/sec(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

maple [B] time = 1.43, size = 180, normalized size = 2.81

$$\frac{2 \sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} B \left(4 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3 \sqrt{-2 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(3/2),x)

[Out]
$$-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*B*(4*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{Ba + Bb \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))), x)

[Out] int((B*a + B*b*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)**(3/2),x)

[Out] B*Integral(sec(c + d*x)**(-3/2), x)

$$3.589 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)} dx$$

Optimal. Leaf size=64

$$\frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{6B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}$$

[Out] 2/5*B*sin(d*x+c)/d/sec(d*x+c)^(3/2)+6/5*B*(cos(1/2*d*x+1/2*c)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d

Rubi [A] time = 0.04, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {21, 3769, 3771, 2639}

$$\frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{6B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sec[c + d*x]^(5/2)),x]

[Out] (6*B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d + (2*B*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)))

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx)) \sec^2(c + dx)^{\frac{5}{2}}} dx &= B \int \frac{1}{\sec^2(c + dx)^{\frac{5}{2}}} dx \\
&= \frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{5} (3B) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{5} (3B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx \\
&= \frac{6B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 56, normalized size = 0.88

$$\frac{B \sqrt{\sec(c + dx)} \left(\sin(c + dx) + \sin(3(c + dx)) + 12 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{10d}$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sec[c + d*x]^(5/2)), x]

[Out] (B*Sqrt[Sec[c + d*x]]*(12*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + Sin[c + d*x] + Sin[3*(c + d*x)]))/(10*d)

fricas [F] time = 1.37, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B}{\sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(5/2), x, algorithm="fricas")

[Out] integral(B/sec(d*x + c)^(5/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sec(d*x + c)^(5/2)), x)

maple [B] time = 1.22, size = 203, normalized size = 3.17

$$\frac{2 \sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} B \left(-8 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 8 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{5 \sqrt{-2 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \sin\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(5/2),x)`

[Out]
$$-2/5*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*B*(-8*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+8*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sec(d*x + c)^(5/2)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{Ba + Bb \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*a + B*b*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))), x)`

[Out] `int((B*a + B*b*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)**(5/2),x)`

[Out] Timed out

$$3.590 \quad \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx$$

Optimal. Leaf size=473

$$\frac{2(25a^2A + 7abB - 4Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{105a^2d} + \frac{2(a - b) \sqrt{a + b} (a^2(25A - 63B) + 2ab(3A - 7B))}{105a^2d}$$

[Out] $\frac{2}{105} * (25 * A * a^2 - 4 * A * b^2 + 7 * B * a * b) * \sec(d * x + c)^{\frac{3}{2}} * \sin(d * x + c) * (a + b * \cos(d * x + c))^{\frac{1}{2}} / a^{\frac{2}{d}} + \frac{2}{35} * (A * b + 7 * B * a) * \sec(d * x + c)^{\frac{5}{2}} * \sin(d * x + c) * (a + b * \cos(d * x + c))^{\frac{1}{2}} / a / d + \frac{2}{7} * A * \sec(d * x + c)^{\frac{7}{2}} * \sin(d * x + c) * (a + b * \cos(d * x + c))^{\frac{1}{2}} / d + \frac{2}{105} * (a - b) * (19 * A * a^2 * b + 8 * A * b^3 + 63 * B * a^3 - 14 * B * a * b^2) * \csc(d * x + c) * \text{EllipticE}((a + b * \cos(d * x + c))^{\frac{1}{2}} / (a + b)^{\frac{1}{2}} / \cos(d * x + c)^{\frac{1}{2}}, ((-a - b) / (a - b))^{\frac{1}{2}}) * (a + b)^{\frac{1}{2}} * \cos(d * x + c)^{\frac{1}{2}} * (a * (1 - \sec(d * x + c)) / (a + b))^{\frac{1}{2}} * (a * (1 + \sec(d * x + c)) / (a - b))^{\frac{1}{2}} / a^{\frac{4}{d}} / \sec(d * x + c)^{\frac{1}{2}} + \frac{2}{105} * (a - b) * (8 * A * b^2 + a^2 * (25 * A - 63 * B) + 2 * a * b * (3 * A - 7 * B)) * \csc(d * x + c) * \text{EllipticF}((a + b * \cos(d * x + c))^{\frac{1}{2}} / (a + b)^{\frac{1}{2}} / \cos(d * x + c)^{\frac{1}{2}}, ((-a - b) / (a - b))^{\frac{1}{2}}) * (a + b)^{\frac{1}{2}} * \cos(d * x + c)^{\frac{1}{2}} * (a * (1 - \sec(d * x + c)) / (a + b))^{\frac{1}{2}} * (a * (1 + \sec(d * x + c)) / (a - b))^{\frac{1}{2}} / a^{\frac{3}{d}} / \sec(d * x + c)^{\frac{1}{2}}$

Rubi [A] time = 1.44, antiderivative size = 473, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2999, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 7abB - 4Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{105a^2d} + \frac{2(a - b) \sqrt{a + b} (a^2(25A - 63B) + 2ab(3A - 7B))}{105a^2d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2),x]

[Out] $(2 * (a - b) * \text{Sqrt}[a + b] * (19 * a^2 * A * b + 8 * A * b^3 + 63 * a^3 * B - 14 * a * b^2 * B) * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{Csc}[c + d * x] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b * \text{Cos}[c + d * x]]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d * x]])], -((a + b) / (a - b)) * \text{Sqrt}[(a * (1 - \text{Sec}[c + d * x]) / (a + b)) * \text{Sqrt}[(a * (1 + \text{Sec}[c + d * x]) / (a - b))] / (105 * a^4 * d * \text{Sqrt}[\text{Sec}[c + d * x]]) + (2 * (a - b) * \text{Sqrt}[a + b] * (8 * A * b^2 + a^2 * (25 * A - 63 * B) + 2 * a * b * (3 * A - 7 * B)) * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{Csc}[c + d * x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b * \text{Cos}[c + d * x]]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d * x]])], -((a + b) / (a - b)) * \text{Sqrt}[(a * (1 - \text{Sec}[c + d * x]) / (a + b)) * \text{Sqrt}[(a * (1 + \text{Sec}[c + d * x]) / (a - b))] / (105 * a^3 * d * \text{Sqrt}[\text{Sec}[c + d * x]]) + (2 * (25 * a^2 * A - 4 * A * b^2 + 7 * a * b * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sec}[c + d * x]^{\frac{3}{2}} * \text{Sin}[c + d * x]) / (105 * a^2 * d) + (2 * (A * b + 7 * a * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sec}[c + d * x]^{\frac{5}{2}} * \text{Sin}[c + d * x]) / (35 * a * d) + (2 * A * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sec}[c + d * x]^{\frac{7}{2}} * \text{Sin}[c + d * x]) / (7 * d)$

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)+(f_)*(x_)])]*Sqrt[(a_)+(b_)*sin[(e_)+(f_)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x])]/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x])]/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_)+(f_)*(x_)])*(g_)^(p_)*((a_)+(b_)*sin[(e_)+(f_)*(x_)])^(m_)*((c_)+(d_)*sin[(e_)+(f_)*(x_)])^(n_), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d

$\frac{\sin(e + fx)^n}{(g \sin(e + fx))^p}$, x /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2994

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 2999

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n) / (f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m + 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*Sin[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 3055

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1) / (f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{9}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \cos(c + dx)} \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{1}{7} \\
&= \frac{2(Ab + 7aB)\sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35ad} \\
&= \frac{2(25a^2A - 4Ab^2 + 7abB)\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105a^2d} \\
&= \frac{2(25a^2A - 4Ab^2 + 7abB)\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105a^2d} \\
&= \frac{2(a - b)\sqrt{a + b} (19a^2Ab + 8Ab^3 + 63a^3B - 14ab^2B)}{105a^2d}
\end{aligned}$$

Mathematica [B] time = 23.76, size = 3321, normalized size = 7.02

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*Sin[c + d*x])/(105*a^3) + (2*Sec[c + d*x]^2*(A*b*Ssin[c + d*x] + 7*a*B*Ssin[c + d*x]))/(35*a) + (2*Sec[c + d*x]*(25*a^2*A*Ssin[c + d*x] - 4*A*b^2*Ssin[c + d*x] + 7*a*b*B*Ssin[c + d*x]))/(105*a^2) + (2*A*Sec[c + d*x]^2*Tan[c + d*x])/7)/d + (2*((-19*A*b)/(105*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*A*b^3)/(105*a^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (3*a*B)/(5*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*b^2*B)/(15*a*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (5*a*A*Sqrt[Sec[c + d*x]])/(21*Sqrt[a + b*Cos[c + d*x]]) - (17*A*b^2*Sqrt[Sec[c + d*x]])/(105*a*Sqrt[a + b*Cos[c + d*x]]) - (8*A*b^4*Sqrt[Sec[c + d*x]])/(105*a^3*Sqrt[a + b*Cos[c + d*x]]) - (2*b*B*Sqrt[Sec[c + d*x]])/(15*Sqrt[a + b*Cos[c + d*x]]) + (2*b^3*B*Sqrt[Sec[c + d*x]])/(15*a^2*Sqrt[a + b*Cos[c + d*x]]) - (19*A*b^2*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*a*Sqrt[a + b*Cos[c + d*x]]) - (8*A*b^4*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*a^3*Sqrt[a + b*Cos[c + d*x]]) - (3*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*Sqrt[a + b*Cos[c + d*x]]) + (2*b^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*a^2*Sqrt[a + b*Cos[c + d*x]]))*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + 63*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((105*a^3*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*((b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(-2*(a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])

$$\begin{aligned}
& [c + d*x]/((a + b)*(1 + \text{Cos}[c + d*x])) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], \\
& (-a + b)/(a + b) + 2*a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A \\
& + 63*B)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((\\
& a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a \\
& + b) - (19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*(a + b \\
& *\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (105*a^3*(a + b*\text{Cos}[c \\
& + d*x])^(3/2) * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + \\
& d*x]] * \text{Tan}[(c + d*x)/2] * (-2*(a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a* \\
& b^2*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a \\
& + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + \\
& b) + 2*a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + 63*B)) * \text{Sqrt}[\text{C} \\
& os[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos} \\
& [c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b) - (19*a^ \\
& 2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \\
& \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (105*a^3 * \text{Sqrt}[a + b*\text{Cos}[c + d*x]] * \text{Sqr} \\
& t[\text{Sec}[(c + d*x)/2]^2]) + (2 * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * (-1/2 * ((1 \\
& 9*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d* \\
& x])* \text{Sec}[(c + d*x)/2]^4 - ((a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a* \\
& b^2*B) * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{Ar} \\
& cSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * ((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \\
& \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \\
& \text{Cos}[c + d*x])] + (a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + 63* \\
& B)) * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSi} \\
& n}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * ((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Co} \\
& s[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Co} \\
& s[c + d*x])] - ((a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B) * \text{Sqrt} \\
& [\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + \\
& b)/(a + b)] * (-((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((a + b*\text{Co} \\
& s[c + d*x])* \text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x])^2)) / \text{Sqrt}[(a + b*\text{Cos}[c \\
& + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] + (a*(a + b)*(8*A*b^2 - 2*a*b*(3*A \\
& + 7*B) + a^2*(25*A + 63*B)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticF} \\
& [\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] * (-((b*\text{Sin}[c + d*x])/((a + b)* \\
& (1 + \text{Cos}[c + d*x]))) + ((a + b*\text{Cos}[c + d*x])* \text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos} \\
& [c + d*x])^2)) / \text{Sqrt}[(a + b*\text{Cos}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x]))] + b \\
& *(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]* \text{Sec}[(c + d*x)/ \\
& 2]^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] + (19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14* \\
& a*b^2*B)*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x) \\
& /2] - (19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Co} \\
& s[c + d*x])* \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]^2 + (a*(a + b)*(8*A*b^2 - 2 \\
& *a*b*(3*A + 7*B) + a^2*(25*A + 63*B)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] \\
& * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^2 \\
&) / (\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + \\
& b)]) - ((a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B) * \text{Sqrt}[\text{Cos}[c \\
& + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + \\
& d*x]))] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)] \\
& / \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]) / (105*a^3 * \text{Sqrt}[a + b*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec} \\
& (c + d*x)/2]^2) + ((-2*(a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2 \\
& *B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b \\
&)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b) \\
&] + 2*a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + 63*B)) * \text{Sqrt}[\text{Cos}[c \\
& + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\
& + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b) - (19*a^2*A \\
& *b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec} \\
& [(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) * (-\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x] * \text{Sin}[(c + \\
& d*x)/2] + \text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x] * \text{Tan}[c + d*x])) / (105*a^3 * \text{Sqrt}[a \\
& + b*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2] * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + \\
& d*x]]))
\end{aligned}$$

fricas [F] time = 1.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(dx + c) + A\right)\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(9/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.62, size = 3435, normalized size = 7.26

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)*(a+b*cos(d*x+c))^(1/2),x)

[Out]
$$\begin{aligned} & -2/105/d*(63*B*cos(d*x+c)^4*a^4-42*B*cos(d*x+c)^3*a^4-21*B*cos(d*x+c)*a^4+2 \\ & 5*A*cos(d*x+c)^4*a^4-10*A*cos(d*x+c)^2*a^4+8*A*cos(d*x+c)^5*b^4-8*A*cos(d*x \\ & +c)^4*b^4-28*B*cos(d*x+c)^2*a^3*b+25*A*cos(d*x+c)^5*a^3*b+19*A*cos(d*x+c)^5 \\ & *a^2*b^2-4*A*cos(d*x+c)^5*a*b^3+19*A*cos(d*x+c)^4*a^3*b-20*A*cos(d*x+c)^4*a \\ & ^2*b^2+8*A*cos(d*x+c)^4*a*b^3-26*A*cos(d*x+c)^3*a^3*b-4*A*cos(d*x+c)^3*a*b^ \\ & 3+A*cos(d*x+c)^2*a^2*b^2-18*A*cos(d*x+c)*a^3*b+63*B*cos(d*x+c)^5*a^3*b+7*B* \\ & cos(d*x+c)^5*a^2*b^2-14*B*cos(d*x+c)^5*a*b^3-35*B*cos(d*x+c)^4*a^3*b-14*B*c \\ & os(d*x+c)^4*a^2*b^2+14*B*cos(d*x+c)^4*a*b^3+7*B*cos(d*x+c)^3*a^2*b^2+8*A*si \\ & n(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(\\ & 1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+ \\ & b))^(1/2))*a*b^3-8*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1 \\ & /2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c)) \\ & /sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^4+25*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x \\ & +c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Ell \\ & ipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^4-63*B*sin(d*x+c) \\ & *cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d* \\ & x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2) \\ &)*a^4+63*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b \\ & *cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+ \\ & c),(-(a-b)/(a+b))^(1/2))*a^4-8*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos \\ & (d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1 \\ & +cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^4+25*A*sin(d*x+c)*cos(d*x+c) \\ & ^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b \\ &))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^4-63* \\ & B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c) \\ &))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b) \\ & /(a+b))^(1/2))*a^4+63*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c))) \\ & ^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b) \\ &))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^4-15*A*a^4-63*B*sin(d*x+c)*cos(d*x+c) \\ & ^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b) \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{9/2} \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + b*cos(c + d*x))^(1/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + b*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(9/2)*(a+b*cos(d*x+c))**(1/2), x)

[Out] Timed out

3.591 $\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$

Optimal. Leaf size=390

$$\frac{2(a - b)\sqrt{a + b}(9aA - 5aB + 2Ab)\sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} F\left(\sin^{-1}\left(\frac{\sqrt{a + b} \cos(c + dx)}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)}{15a^2 d \sqrt{\sec(c + dx)}}$$

```
[Out] 2/15*(A*b+5*B*a)*sec(d*x+c)^(3/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a/d+2/5
*A*sec(d*x+c)^(5/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d+2/15*(a-b)*(9*A*a^2
-2*A*b^2+5*B*a*b)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/c
os(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-se
c(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^3/d/sec(d*x+c)^(1/2
)-2/15*(a-b)*(9*A*a+2*A*b-5*B*a)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2
)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)
^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d/
sec(d*x+c)^(1/2)
```

Rubi [A] time = 1.06, antiderivative size = 390, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, number of rules / integrand size = 0.171, Rules used = {2961, 2999, 3055, 2998, 2816, 2994}

$$\frac{2(a - b)\sqrt{a + b} (9a^2 A + 5abB - 2Ab^2) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} E\left(\sin^{-1}\left(\frac{\sqrt{a + b} \cos(c + dx)}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)}{15a^3 d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2),x]
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*Sqrt[Cos[c + d*x]]*Csc
[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c
+ d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(
a*(1 + Sec[c + d*x]))/(a - b)]/(15*a^3*d*Sqrt[Sec[c + d*x]]) - (2*(a - b)*
Sqrt[a + b]*(9*a*A + 2*A*b - 5*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Ellipti
cF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a
+ b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d
*x]))/(a - b)]/(15*a^2*d*Sqrt[Sec[c + d*x]]) + (2*(A*b + 5*a*B)*Sqrt[a + b*
Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d) + (2*A*Sqrt[a + b*C
os[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f
_)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*
(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((a_) + (b_)*sin[(e_) + (f_
)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]])], x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2999

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Si
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*
x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a +
b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m
+ 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*S
in[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) +
(f_)*(x_)])^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos(c + dx)} dx \\
&= \frac{2A\sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} \\
&= \frac{2(Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15ad} \\
&= \frac{2(Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15ad} \\
&= \frac{2(a - b)\sqrt{a + b} (9a^2A - 2Ab^2 + 5abB) \sqrt{\cos(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 17.47, size = 423, normalized size = 1.08

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left(\frac{2(9a^2A + 5abB - 2Ab^2) \sin(c + dx)}{15a^2} + \frac{2 \sec(c + dx)(5aB \sin(c + dx) + Ab \sin(c + dx))}{15a} + \frac{2}{5}A \tan(c + dx) \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]

[Out] (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]) * EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(9*a*A - 2*A*b + 5*a*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]) * EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (9*a^2*A - 2*A*b^2 + 5*a*b*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]) / (15*a^2*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*Sin[c + d*x]) / (15*a^2) + (2*Sec[c + d*x]*(A*b*Sin[c + d*x] + 5*a*B*Sin[c + d*x])) / (15*a) + (2*A*Sec[c + d*x]*Tan[c + d*x]) / 5)) / d

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)*(a+b*cos(d*x+c))^(1/2), x, algorith="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

```
maple [B] time = 0.46, size = 2489, normalized size = 6.38
```

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)*(a+b*cos(d*x+c))^(1/2),x)
```

```
[Out] 2/15/d*(3*A*a^3-9*A*cos(d*x+c)^3*a^3-2*A*cos(d*x+c)^3*b^3+6*A*cos(d*x+c)^2*a^3-5*B*cos(d*x+c)^3*a^3-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b+2*A*cos(d*x+c)^4*b^3+5*B*cos(d*x+c)*a^3+2*A*cos(d*x+c)^3*a*b^2-A*cos(d*x+c)^2*a*b^2+4*A*cos(d*x+c)*a^2*b-5*B*cos(d*x+c)^4*a*b^2-5*B*cos(d*x+c)^3*a^2*b+10*B*cos(d*x+c)^2*a^2*b+9*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b-2*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2-7*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b+2*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2+5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b+5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2+9*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b-2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2-7*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b+2*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^2+5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b+5*B*cos(d*x+c)^3*a*b^2-9*A*cos(d*x+c)^4*a^2*b-A*cos(d*x+c)^4*a*b^2+5*A*cos(d*x+c)^3*a^2*b-5*B*cos(d*x+c)^4*a^2*b-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3+9*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3-2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^
```

$3 \cdot \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) \cdot a^3 + 9 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \cdot \left(\frac{a+b \cdot \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} \cdot \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) \cdot a^3 - 2 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \cdot \left(\frac{a+b \cdot \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} \cdot \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) \cdot b^3 - 9 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \cdot \left(\frac{a+b \cdot \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} \cdot \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) \cdot a^3 \cdot \cos(dx+c) \cdot \left(\frac{1}{\cos(dx+c)}\right)^{7/2} / (a+b \cdot \cos(dx+c))^{1/2} / \sin(dx+c) / a^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a} \sec(dx+c)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)^(7/2)*(a+b*cos(dx+c))^(1/2),x, algorith="maxima")

[Out] integrate((B*cos(dx+c) + A)*sqrt(b*cos(dx+c) + a)*sec(dx+c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)}\right)^{7/2} \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))*(1/cos(c + dx))^(7/2)*(a + b*cos(c + dx))^(1/2), x)

[Out] int((A + B*cos(c + dx))*(1/cos(c + dx))^(7/2)*(a + b*cos(c + dx))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)**(7/2)*(a+b*cos(dx+c))**(1/2),x)

[Out] Timed out

$$3.592 \quad \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=324

$$\frac{2(a-b)\sqrt{a+b}(3aB+Ab)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+}{a-}}{3a^2d\sqrt{\sec(c+dx)}}$$

[Out] 2/3*A*sec(d*x+c)^(3/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d+2/3*(a-b)*(A*b+3*B*a)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b))^(1/2)*(a*(1+sec(d*x+c)))/(a-b))^(1/2)/a^2/d/sec(d*x+c)^(1/2)+2/3*(a-b)*(A-3*B)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b))^(1/2)*(a*(1+sec(d*x+c)))/(a-b))^(1/2)/a/d/sec(d*x+c)^(1/2)

Rubi [A] time = 0.68, antiderivative size = 324, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2999, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}(3aB+Ab)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+}{a-}}{3a^2d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2),x]

[Out] (2*(a - b)*Sqrt[a + b]*(A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^2*d*Sqrt[Sec[c + d*x]]) + (2*(a - b)*Sqrt[a + b]*(A - 3*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2999

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Si
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*
x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a +
b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m
+ 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*S
in[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rubi steps

$$\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos(c + dx)} dx$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d}$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d}$$

$$= \frac{2(a - b)\sqrt{a + b} (Ab + 3aB)\sqrt{\cos(c + dx)} \csc(c + dx)}{3d}$$

Mathematica [A] time = 14.45, size = 346, normalized size = 1.07

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left(\frac{2(3aB + Ab) \sin(c + dx)}{3a} + \frac{2}{3} A \tan(c + dx) \right)}{d} + \frac{2\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \sec(c + dx) \left(-\left(\frac{2(a - b)\sqrt{a + b} (Ab + 3aB)\sqrt{\cos(c + dx)} \csc(c + dx)}{3d} \right) \right)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2),
x]
```

```
[Out] (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(A*b + 3*a*B)*Sqrt[Cos
[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c
+ d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a +
b)*(A + 3*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(a + b*Cos[c + d*x
])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a +
b)/(a + b)] - (A*b + 3*a*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)
/2]^2*Tan[(c + d*x)/2]))/(3*a*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)
/2]^2]) + (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(A*b + 3*a*B)*Si
n[c + d*x])/(3*a) + (2*A*Tan[c + d*x])/3))/d
```

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)*(a+b*cos(d*x+c))^(1/2),x, algo
rithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2),
x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)*(a+b*cos(d*x+c))^(1/2),x, algo
rithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.40, size = 1735, normalized size = 5.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)*(a+b*cos(d*x+c))^(1/2),x)
```

```
[Out] -2/3/d*(3*B*cos(d*x+c)^2*a^2+3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-
b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x
+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*cos(d*x+c)^2*a*b-3*B*cos(d*x+c)*a^2+A*cos(
d*x+c)^3*b^2-A*cos(d*x+c)^2*b^2-a^2*A-A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*
(a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a*b+A*EllipticF((-1+co
s(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*((cos(d*x+c)/(1+cos(d*x+c)))^(1/2
))*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*sin(d*x+c)*cos(d*x+c)^2*a^2
-A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)
)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+
c)*cos(d*x+c)^2*b^2+3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))
^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+c
os(d*x+c)))/(a+b)^(1/2)*cos(d*x+c)^2*a^2-3*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*E
llipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2+A*sin(d*x+c)*
cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*((cos(
d*x+c)/(1+cos(d*x+c)))^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*
a^2+3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+
c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)
)^(1/2)*cos(d*x+c)*a^2+A*cos(d*x+c)^2*a^2-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos
```

$(d*x+c))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c) * a*b + 3*B*\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c) * a*b - A * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * a*b + A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * a*b + A * \cos(d*x+c)^3 * a*b - 3*B*\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c)^2 * a*b + A * \sin(d*x+c) * \cos(d*x+c)^2 * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * a*b + A * \cos(d*x+c)^2 * a*b - 2*A * \cos(d*x+c) * a*b + 3*B * \cos(d*x+c)^3 * a*b - 3*B * \cos(d*x+c)^2 * a*b - A * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * b^2 - 3*B * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c) * a^2 * \cos(d*x+c) * (1/\cos(d*x+c))^{5/2} / (a+b*\cos(d*x+c))^{1/2} / \sin(d*x+c) / a$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)*(a+b*cos(d*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(1/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)*(a+b*cos(d*x+c))**(1/2), x)

[Out] Timed out

$$3.593 \quad \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Optimal. Leaf size=411

$$\frac{2\sqrt{a+b}(Ab - a(A - B))\sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a+b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c + dx)}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c + dx)}}$$

[Out] 2*A*(a-b)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/d/sec(d*x+c)^(1/2)+2*(A*b-a*(A-B))*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/d/sec(d*x+c)^(1/2)-2*B*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/d/sec(d*x+c)^(1/2)

Rubi [A] time = 0.68, antiderivative size = 411, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2991, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(Ab - a(A - B))\sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a+b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c + dx)}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2),x]

[Out] (2*A*(a - b)*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]) + (2*Sqrt[a + b]*(A*b - a*(A - B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]) - (2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]])

Rule 2809

Int[Sqrt[(b_)*sin[(e_.) + (f_)*(x_)]/Sqrt[(c_.) + (d_)*sin[(e_.) + (f_)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)]*Sqrt[(a_.) + (b_)*sin[(e_.) + (f_)*(x_)]], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,

0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2991

Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])/(b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2), x_Symbol] := Dist[(B*d)/b^2, Int[Sqrt[b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Int[(A*c + (B*c + A*d)*Sin[e + f*x])/((b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0]

Rule 2994

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rubi steps

$$\begin{aligned}
 \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{aA + (Ab + aB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
 &= -\frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin\right)}{d\sqrt{a + b \cos(c + dx)}} \\
 &= \frac{2A(a - b)\sqrt{a + b} \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) E\left(\sin\right)}{ad\sqrt{a + b \cos(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 17.28, size = 635, normalized size = 1.55

$$2 \left(-(a(A+B) + b(A-B)) \sqrt{1 - \tan^2\left(\frac{1}{2}(c+dx)\right)} \left(\tan^2\left(\frac{1}{2}(c+dx)\right) + 1 \right) \sqrt{\frac{a \tan^2\left(\frac{1}{2}(c+dx)\right) + a - b \tan^2\left(\frac{1}{2}(c+dx)\right) + b}{a+b}} F\left(\sin\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]

[Out] (2*A*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*(a*A*Tan[(c + d*x)/2] + A*b*Tan[(c + d*x)/2] - 2*A*b*Tan[(c + d*x)/2]^3 - a*A*Tan[(c + d*x)/2]^5 + A*b*Tan[(c + d*x)/2]^5 - 2*b*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*b*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + A*(a + b)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - (b*(A - B) + a*(A + B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)))/(d*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-1 + Tan[(c + d*x)/2]^2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)])

fricas [F] time = 1.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(dx + c) + A\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.46, size = 1361, normalized size = 3.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2), x)

```
[Out] -2/d*(A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d
*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(
a-b)/(a+b))^(1/2))*a+A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1
/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))
/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b-A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+
cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE(
(-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a-A*sin(d*x+c)*cos(d*x+c)*
(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(
1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b+B*sin(d*x
+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/
sin(d*x+c),(-(a-b)/(a+b))^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1
/2)*a-B*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2
))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*
x+c))/(a+b))^(1/2)*b+2*B*cos(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-
1,(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*
cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*b+A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/
2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/
sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*sin(d*x+c)+A*sin(d*x+c)*((a+b*cos(d*x+c)
)/(1+cos(d*x+c))/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF((
-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b-A*(cos(d*x+c)/(1+cos(d*x+
c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(
d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*sin(d*x+c)-A*(cos(d*x+c)/(1+cos(
d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+
cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b*sin(d*x+c)+B*(cos(d*x+c)/(1+
cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF(
(-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*sin(d*x+c)-B*(cos(d*x+c)
/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Ellipt
icF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b*sin(d*x+c)+2*B*(cos(
d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*
EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b*sin(d*x+c)
+A*cos(d*x+c)^2*b+A*cos(d*x+c)*a-A*cos(d*x+c)*b-a*A*cos(d*x+c)*(1/cos(d*x+c)
)^(3/2)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2),x, algo
rithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2),
x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(1/2),
x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(1/2),
x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)*(a+b*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

3.594 $\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}$

Optimal. Leaf size=445

$$\frac{\sqrt{a+b}(2A+B)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)\sqrt{a}}{d\sqrt{\sec(c+dx)}}$$

[Out] B*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d-(a-b)*B*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/d/sec(d*x+c)^(1/2)+(2*A+B)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/d/sec(d*x+c)^(1/2)-(2*A*b+B*a)*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b/d/sec(d*x+c)^(1/2)

Rubi [A] time = 0.90, antiderivative size = 445, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 3003, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b}(2A+B)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)\sqrt{a}}{d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]

[Out] -(((a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((a*d*Sqrt[Sec[c + d*x]])) + (Sqrt[a + b]*(2*A + B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*A*b + a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((b*d*Sqrt[Sec[c + d*x]]) + (B*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,

0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2994

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3003

Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(-2*B*Cos[e + f*x]*Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Sin[e + f*x])^(n - 1)*Simp[a*A*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)*(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f*x]^2, x])/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ[n^2, 1/4]

Rule 3053

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{B \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{A \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}{d} \\
&= \frac{B \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{A \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}{d} \\
&= -\frac{\sqrt{a + b} (2Ab + aB) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{c + dx}{2}, \frac{a + b \cos(c + dx)}{a + b}\right)}{ad} \\
&= -\frac{(a - b) \sqrt{a + b} B \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\tan\left(\frac{c + dx}{2}\right)\right), \frac{a + b \cos(c + dx)}{a + b}\right)}{ad}
\end{aligned}$$

Mathematica [A] time = 17.55, size = 787, normalized size = 1.77

$$\frac{2(a(B - A) + Ab) \sqrt{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)} \left(\tan^2\left(\frac{1}{2}(c + dx)\right) + 1\right) \sqrt{\frac{a \tan^2\left(\frac{1}{2}(c + dx)\right) + a - b \tan^2\left(\frac{1}{2}(c + dx)\right) + b}{a + b}} F\left(\sin^{-1}\left(\tan\left(\frac{c + dx}{2}\right)\right), \frac{a + b \cos(c + dx)}{a + b}\right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]

[Out] $(-(a*B*\text{Tan}[(c + d*x)/2]) - b*B*\text{Tan}[(c + d*x)/2] + 2*b*B*\text{Tan}[(c + d*x)/2]^3 + a*B*\text{Tan}[(c + d*x)/2]^5 - b*B*\text{Tan}[(c + d*x)/2]^5 - 4*A*b*\text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b + a*\text{Tan}[(c + d*x)/2]^2 - b*\text{Tan}[(c + d*x)/2]^2)/(a + b)) - 2*a*B*\text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b + a*\text{Tan}[(c + d*x)/2]^2 - b*\text{Tan}[(c + d*x)/2]^2)/(a + b)) - 4*A*b*\text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b + a*\text{Tan}[(c + d*x)/2]^2 - b*\text{Tan}[(c + d*x)/2]^2)/(a + b)) - 2*a*B*\text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]^2*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[(a + b + a*\text{Tan}[(c + d*x)/2]^2 - b*\text{Tan}[(c + d*x)/2]^2)/(a + b)) - (a + b)*B*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b + a*\text{Tan}[(c + d*x)/2]^2 - b*\text{Tan}[(c + d*x)/2]^2)/(a + b)) + 2*(A*b + a*(-A + B))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(a + b + a*\text{Tan}[(c + d*x)/2]^2 - b*\text{Tan}[(c + d*x)/2]^2)/(a + b)))/(d*\text{Sqrt}[(1 + \text{Tan}[(c + d*x)/2]^2)/(1 - \text{Tan}[(c + d*x)/2]^2)]*\text{Sqrt}[(a + b + a*\text{Tan}[(c + d*x)/2]^2 - b*\text{Tan}[(c + d*x)/2]^2)/(1 + \text{Tan}[(c + d*x)/2]^2)]*(-1 + \text{Tan}[(c + d*x)/2]^4))$

fricas [F] time = 1.47, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)

maple [B] time = 0.49, size = 1369, normalized size = 3.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2), x)

[Out]
$$\begin{aligned} & -1/d*(1/\cos(d*x+c))^{1/2}/(a+b*\cos(d*x+c))^{1/2}*(2*A*\sin(d*x+c)*\cos(d*x+c) \\ & *(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a-2*A*\sin(d*x+c) \\ & *\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & *b+4*A*\sin(d*x+c)*\cos(d*x+c)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) \\ & *b-2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & *(a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b)^{1/2}*a+2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\ & *EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *a+B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & *a+B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & *b+2*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & *a*\sin(d*x+c)-2*A*\sin(d*x+c)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & *b+4*A*\sin(d*x+c)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) \\ & *b-2*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & *a*\sin(d*x+c)+2*B*\sin(d*x+c)*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) \\ & *((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\ & *a+B*\sin(d*x+c)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\ & *EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & *a+B*\sin(d*x+c)*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\ & *(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\ & *EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & *b+B*\cos(d*x+c)^3*b+B*\cos(d*x+c)^2*a-b*B*\cos(d*x+c)^2-B*\cos(d*x+c)*a/\sin(d*x+c) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(1/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)*(a+b*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x))*sqrt(sec(c + d*x)), x)

$$3.595 \quad \int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=533

$$\frac{\sqrt{a+b} (a^2(-B) + 4aAb + 4b^2B) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4b^2 d \sqrt{\sec(c+dx)}}$$

[Out] 1/2*B*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/sec(d*x+c)^(1/2)+1/4*(4*A*b+B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/b/d-1/4*(a-b)*(4*A*b+B*a)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/b/d/sec(d*x+c)^(1/2)+1/4*(4*A*b+(a+2*b)*B)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b/d/sec(d*x+c)^(1/2)-1/4*(4*A*a*b-B*a^2+4*B*b^2)*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b, ((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b^2/d/sec(d*x+c)^(1/2)

Rubi [A] time = 1.27, antiderivative size = 533, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2961, 3003, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (a^2(-B) + 4aAb + 4b^2B) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4b^2 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] -((a - b)*Sqrt[a + b]*(4*A*b + a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(4*A*b + (a + 2*b)*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(4*a*A*b - a^2*B + 4*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^2*d*Sqrt[Sec[c + d*x]]) + (B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]) + ((4*A*b + a*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b*d)

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_)] + (b_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_)] + (f_)*(x_))*(g_)^(p_)*((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2994

Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)]/(((b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)]/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3003

Int[Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]*((A_) + (B_)*sin[(e_)] + (f_)*(x_))*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := Simp[(-2*B*Cos[e + f*x]*Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Sin[e + f*x])^(n - 1)*Simp[a*A*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)*(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f*x]^2, x])/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ[n^2, 1/4]

Rule 3053

Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)] + (C_)*sin[(e_)] + (f_)*(x_)]^2/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} dx \\ &= \frac{B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{1}{4} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\ &= \frac{B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{(4Ab + aB) \sqrt{a + b \cos(c + dx)}}{4b} \\ &= \frac{B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{(4Ab + aB) \sqrt{a + b \cos(c + dx)}}{4b} \\ &= - \frac{\sqrt{a + b} (4aAb - a^2B + 4b^2B) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \frac{c+dx}{2}\right)}{4b^2d \sqrt{\sec(c + dx)}} \\ &= - \frac{(a - b) \sqrt{a + b} (4Ab + aB) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{y}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{4abd \sqrt{\sec(c + dx)}} \end{aligned}$$

Mathematica [B] time = 18.62, size = 1121, normalized size = 2.10

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (B*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[2*(c + d*x)])/(4*d) + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(4*a*A*b*Tan[(c + d*x)/2] + 4*A*b^2*Tan[(c + d*x)/2] + a^2*B*Tan[(c + d*x)/2] + a*b*B*Tan[(c + d*x)/2] - 8*A*b^2*Tan[(c + d*x)/2]^3 - 2*a*b*B*Tan[(c + d*x)/2]^3 - 4*a*A*b*Tan[(c + d*x)/2]^5 + 4*A*b^2*Tan[(c + d*x)/2]^5 - a^2*B*Tan[(c + d*x)/2]^5 + a*b*B*Tan[(c + d*x)/2]^5 + 8*a*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*a^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 8*b^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 8*a*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*a^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 8*b^2*B*EllipticPi[-1,
```

ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(4*A*b + a*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*b*(4*a*A - a*B + 2*b*B)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)])))/(4*b*d*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)])

fricas [F] time = 2.27, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/sqrt(sec(d*x + c)), x)

maple [B] time = 0.40, size = 2054, normalized size = 3.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x)

[Out] -1/4/d*(4*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*b^2+B*cos(d*x+c)^2*a^2+2*B*cos(d*x+c)^4*b^2-2*B*cos(d*x+c)^2*b^2-2*B*cos(d*x+c)*a^2+4*A*cos(d*x+c)^3*b^2-4*A*cos(d*x+c)^2*b^2+8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a*b+B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)*a*b+2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)*a*b+4*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*a*b-8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a*b-2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)

$$\frac{(a+b)^{1/2} a^2 + 4A \cos(dx+c)^2 a b - 4A \cos(dx+c) a b + 3B \cos(dx+c)^3 a b - B \cos(dx+c)^2 a b - 2B \cos(dx+c) a b - 2B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) \cos(dx+c) a^2 + 8A \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} a b + 4A \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} a^2 b - 8A \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} a b + B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a b + 2B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a b + 4A \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} b^2 + 8B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) \cos(dx+c) b^2 + B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cos(dx+c) a^2 - 4B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cos(dx+c) b^2 + 8B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) b^2 + B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^2 - 4B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) b^2) (1/\cos(dx+c))^{1/2} / \sin(dx+c) / (a+b \cos(dx+c))^{1/2} / b$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a}}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*(a+b*cos(dx+c))^(1/2)/sec(dx+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*sqrt(b*cos(dx+c) + a)/sqrt(sec(dx+c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(1/2))/(1/cos(c + dx))^(1/2), x)

[Out] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(1/2))/(1/cos(c + dx))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*(a+b*cos(d*x+c))**(1/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x))/sqrt(sec(c + d*x)),  
x)
```

$$3.596 \quad \int \frac{\sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx))}{3 \sec^2(c+dx)} dx$$

Optimal. Leaf size=620

$$\frac{(-3a^2B + 6aAb + 16b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24b^2d} \frac{(a - b) \sqrt{a + b} (-3a^2B + 6aAb + 16b^2B)}{24b^2d}$$

[Out] $\frac{1}{3} B (a + b \cos(dx + c))^{3/2} \sin(dx + c) / b / d / \sec(dx + c)^{1/2} + \frac{1}{4} (2A^*b - B^*a) \sin(dx + c) (a + b \cos(dx + c))^{1/2} / b / d / \sec(dx + c)^{1/2} + \frac{1}{24} (6A^*a^*b - 3B^*a^2 + 16B^*b^2) \sin(dx + c) (a + b \cos(dx + c))^{1/2} \sec(dx + c)^{1/2} / b^2 / d - \frac{1}{24} (a - b) (6A^*a^*b - 3B^*a^2 + 16B^*b^2) \csc(dx + c) \text{EllipticE}((a + b \cos(dx + c))^{1/2} / (a + b)^{1/2} / \cos(dx + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) (a + b)^{1/2} \cos(dx + c)^{1/2} (a (1 - \sec(dx + c)) / (a + b))^{1/2} (a (1 + \sec(dx + c)) / (a - b))^{1/2} / a / b^2 / d / \sec(dx + c)^{1/2} + \frac{1}{24} (a + 2b) (6A^*b - 3B^*a + 8B^*b) \csc(dx + c) \text{EllipticF}((a + b \cos(dx + c))^{1/2} / (a + b)^{1/2} / \cos(dx + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) (a + b)^{1/2} \cos(dx + c)^{1/2} (a (1 - \sec(dx + c)) / (a + b))^{1/2} (a (1 + \sec(dx + c)) / (a - b))^{1/2} / b^2 / d / \sec(dx + c)^{1/2} + \frac{1}{8} (2A^*a^2b - 8A^*b^3 - B^*a^3 - 4B^*a^*b^2) \csc(dx + c) \text{EllipticPi}((a + b \cos(dx + c))^{1/2} / (a + b)^{1/2} / \cos(dx + c)^{1/2}, (a + b) / b, ((-a - b) / (a - b))^{1/2}) (a + b)^{1/2} \cos(dx + c)^{1/2} (a (1 - \sec(dx + c)) / (a + b))^{1/2} (a (1 + \sec(dx + c)) / (a - b))^{1/2} / b^3 / d / \sec(dx + c)^{1/2}$

Rubi [A] time = 1.74, antiderivative size = 620, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-3a^2B + 6aAb + 16b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24b^2d} \frac{(a - b) \sqrt{a + b} (-3a^2B + 6aAb + 16b^2B)}{24b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2),x]

[Out] $-\frac{((a - b) \sqrt{a + b} (6a^*A^*b - 3a^2*B + 16b^2*B) \sqrt{\cos[c + d*x]} * \text{Csc}[c + d*x] * \text{EllipticE}[\text{ArcSin}[\sqrt{a + b \cos[c + d*x]}] / (\sqrt{a + b} \sqrt{\cos[c + d*x]})]}{(a + b) / (a - b)} \sqrt{(a (1 - \sec[c + d*x])) / (a + b)} \sqrt{(a (1 + \sec[c + d*x])) / (a - b)} / (24a^*b^2*d \sqrt{\sec[c + d*x]}) + (\sqrt{a + b} (a + 2b) (6A^*b - 3a^*B + 8b^*B) \sqrt{\cos[c + d*x]} * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\sqrt{a + b \cos[c + d*x]}] / (\sqrt{a + b} \sqrt{\cos[c + d*x]})]}{(a + b) / (a - b)} \sqrt{(a (1 - \sec[c + d*x])) / (a + b)} \sqrt{(a (1 + \sec[c + d*x])) / (a - b)} / (24b^2*d \sqrt{\sec[c + d*x]}) + (\sqrt{a + b} (2a^2*A^*b - 8A^*b^3 - a^3*B - 4a^*b^2*B) \sqrt{\cos[c + d*x]} * \text{Csc}[c + d*x] * \text{EllipticPi}[(a + b) / b, \text{ArcSin}[\sqrt{a + b \cos[c + d*x]}] / (\sqrt{a + b} \sqrt{\cos[c + d*x]})]}{(a + b) / (a - b)} \sqrt{(a (1 - \sec[c + d*x])) / (a + b)} \sqrt{(a (1 + \sec[c + d*x])) / (a - b)} / (8b^3*d \sqrt{\sec[c + d*x]}) + ((2A^*b - a^*B) \sqrt{a + b \cos[c + d*x]} * \sin[c + d*x]) / (4b*d \sqrt{\sec[c + d*x]}) + (B (a + b \cos[c + d*x])^{3/2} \sin[c + d*x]) / (3b*d \sqrt{\sec[c + d*x]}) + ((6a^*A^*b - 3a^2*B + 16b^2*B) \sqrt{a + b \cos[c + d*x]} * \sqrt{\sec[c + d*x]} * \sin[c + d*x]) / (24b^2*d)$

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_)] + (f_)*(x_))*(g_)^(p_)*((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2990

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_))*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3049

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_)) + (C_)*sin[(e_)] + (f_)*(x_))^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
```

```
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0]
&& !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Ssin[e + f*x]]/
Sqrt[c + d*Ssin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]
), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Ssin[e + f*x]
])/ (d*f*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c
+ a*d))*Sin[e + f*x]^2, x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{\sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}$$

$$= \frac{B(a + b \cos(c + dx))^{\frac{3}{2}} \sin(c + dx)}{3bd\sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3bd\sqrt{\sec(c + dx)}}$$

$$= \frac{(2Ab - aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))}{3bd\sqrt{\sec(c + dx)}}$$

$$= \frac{(2Ab - aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))}{3bd\sqrt{\sec(c + dx)}}$$

$$= \frac{(2Ab - aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))}{3bd\sqrt{\sec(c + dx)}}$$

$$= \frac{\sqrt{a + b} (2a^2 Ab - 8Ab^3 - a^3 B - 4ab^2 B) \sqrt{\cos(c + dx)} \csc(c + dx)}{8b^3 d \sqrt{\sec(c + dx)}}$$

$$= - \frac{(a - b)\sqrt{a + b} (6aAb - 3a^2 B + 16b^2 B) \sqrt{\cos(c + dx)} \csc(c + dx)}{24ab^2 d \sqrt{\sec(c + dx)}}$$

Mathematica [B] time = 14.65, size = 1533, normalized size = 2.47

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2),x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((B*SIN[c + d*x])/12 + ((6*A*b + a*B)*Sin[2*(c + d*x)]/(24*b) + (B*SIN[3*(c + d*x)]/12))/d + (Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(6*a^2*A*b*Tan[(c + d*x)/2] + 6*a*A*b^2*Tan[(c + d*x)/2] - 3*a^3*B*Tan[(c + d*x)/2] - 3*a^2*b*B*Tan[(c + d*x)/2] + 16*a*b^2*B*Tan[(c + d*x)/2] + 16*b^3*B*Tan[(c + d*x)/2] - 12*a*A*b^2*Tan[(c + d*x)/2]^3 + 6*a^2*b*B*Tan[(c + d*x)/2]^3 - 32*b^3*B*Tan[(c + d*x)/2]^3 - 6*a^2*A*b*Tan[(c + d*x)/2]^5 + 6*a*A*b^2*Tan[(c + d*x)/2]^5 + 3*a^3*B*Tan[(c + d*x)/2]^5 - 3*a^2*b*B*Tan[(c + d*x)/2]^5 - 16*a*b^2*B*Tan[(c + d*x)/2]^5 + 16*b^3*B*Tan[(c + d*x)/2]^5 - 12*a^2*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*A*b^3*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*a^3*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 24*a*b^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 12*a^2*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*A*b^3*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*a^3*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 24*a*b^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - (a + b)*(-6*a*A*b + 3*a^2*B - 16*b^2*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*b*(-12*A*b^2 + 2*a*b*(3*A - 7*B) + a^2*B)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)))/(24*b^2*d*(-1 + Tan[(c + d*x)/2]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)]*(b*(-1 + Tan[(c + d*x)/2]^2) - a*(1 + Tan[(c + d*x)/2]^2)))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.47, size = 2956, normalized size = 4.77

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x)
[Out] 1/24/d*(12*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*a^2*b-6*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b-6*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-2*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b+28*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-24*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*a*b^2+3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b-12*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-16*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-12*A*cos(d*x+c)^4*b^3+12*A*cos(d*x+c)^2*b^3-8*B*cos(d*x+c)^5*b^3-8*B*cos(d*x+c)^3*b^3+3*B*cos(d*x+c)^2*a^3+16*B*cos(d*x+c)^2*b^3-3*B*cos(d*x+c)*a^3-18*A*cos(d*x+c)^3*a*b^2-6*A*cos(d*x+c)^2*a^2*b+6*A*cos(d*x+c)^2*a*b^2+6*A*cos(d*x+c)*a^2*b+12*A*cos(d*x+c)*a*b^2-10*B*cos(d*x+c)^4*a*b^2+B*cos(d*x+c)^3*a^2*b-3*B*cos(d*x+c)^2*a^2*b-6*B*cos(d*x+c)^2*a*b^2+2*B*cos(d*x+c)*a^2*b+16*B*cos(d*x+c)*a*b^2-48*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^3-6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*a^3+3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3-16*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3-12*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2+12*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*a^2*b-6*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b-6*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b+28*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-24*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*a*b^2+3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*
```

$x+c), (-\frac{a-b}{a+b})^{1/2} * a^2 * b - 16 * B * \sin(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * (\frac{a+b*\cos(dx+c)}{1+\cos(dx+c)}) / (a+b)^{1/2} * \text{EllipticE}((\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (-\frac{a-b}{a+b})^{1/2}) * a * b^2 + 24 * A * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * (\frac{a+b*\cos(dx+c)}{1+\cos(dx+c)}) / (a+b)^{1/2} * \text{EllipticF}((\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (-\frac{a-b}{a+b})^{1/2}) * b^3 + 24 * A * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * (\frac{a+b*\cos(dx+c)}{1+\cos(dx+c)}) / (a+b)^{1/2} * \text{EllipticF}((\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (-\frac{a-b}{a+b})^{1/2}) * b^3 - 48 * A * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * (\frac{a+b*\cos(dx+c)}{1+\cos(dx+c)}) / (a+b)^{1/2} * \text{EllipticPi}((\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, (-\frac{a-b}{a+b})^{1/2}) * b^3 - 6 * B * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * (\frac{a+b*\cos(dx+c)}{1+\cos(dx+c)}) / (a+b)^{1/2} * \text{EllipticPi}((\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, (-\frac{a-b}{a+b})^{1/2}) * a^3 + 3 * B * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * (\frac{a+b*\cos(dx+c)}{1+\cos(dx+c)}) / (a+b)^{1/2} * \text{EllipticE}((\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (-\frac{a-b}{a+b})^{1/2}) * a^3 - 16 * B * \sin(dx+c) * \cos(dx+c) * (\frac{\cos(dx+c)}{1+\cos(dx+c)})^{1/2} * (\frac{a+b*\cos(dx+c)}{1+\cos(dx+c)}) / (a+b)^{1/2} * \text{EllipticE}((\frac{-1+\cos(dx+c)}{\sin(dx+c)}, (-\frac{a-b}{a+b})^{1/2}) * b^3) * \cos(dx+c) * (\frac{1}{\cos(dx+c)})^{3/2} / \sin(dx+c) / (a+b*\cos(dx+c))^{1/2} / b^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a}}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*(a+b*cos(dx+c))^(1/2)/sec(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*sqrt(b*cos(dx+c) + a)/sec(dx+c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\left(\frac{1}{\cos(c + dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(1/2))/(1/cos(c + dx))^(3/2),x)

[Out] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(1/2))/(1/cos(c + dx))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*(a+b*cos(dx+c))**(1/2)/sec(dx+c)**(3/2),x)

[Out] Integral((A + B*cos(c + dx))*sqrt(a + b*cos(c + dx))/sec(c + dx)**(3/2), x)

$$3.597 \quad \int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^{11/2}(c+dx) dx$$

Optimal. Leaf size=562

$$\frac{2(49a^2A + 72abB + 3Ab^2) \sin(c+dx) \sec^{5/2}(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad} + \frac{2(75a^3B + 88a^2Ab + 9ab^2B - 4Ab^3) \sin(c+dx) \sec^{3/2}(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad}$$

[Out] $\frac{2}{315} * (88 * A * a^2 * b - 4 * A * b^3 + 75 * B * a^3 + 9 * B * a * b^2) * \sec(d * x + c)^{(3/2)} * \sin(d * x + c) * (a + b * \cos(d * x + c))^{(1/2)} / a^2 / d + \frac{2}{315} * (49 * A * a^2 + 3 * A * b^2 + 72 * B * a * b) * \sec(d * x + c)^{(5/2)} * \sin(d * x + c) * (a + b * \cos(d * x + c))^{(1/2)} / a / d + \frac{2}{63} * (10 * A * b + 9 * B * a) * \sec(d * x + c)^{(7/2)} * \sin(d * x + c) * (a + b * \cos(d * x + c))^{(1/2)} / d + \frac{2}{9} * a * A * \sec(d * x + c)^{(9/2)} * \sin(d * x + c) * (a + b * \cos(d * x + c))^{(1/2)} / d + \frac{2}{315} * (a - b) * (147 * A * a^4 + 33 * A * a^2 * b^2 + 8 * A * b^4 + 246 * B * a^3 * b - 18 * B * a * b^3) * \csc(d * x + c) * \text{EllipticE}((a + b * \cos(d * x + c))^{(1/2)} / (a + b)^{(1/2)} / \cos(d * x + c)^{(1/2)}, ((-a - b) / (a - b))^{(1/2)}) * (a + b)^{(1/2)} * \cos(d * x + c)^{(1/2)} * (a * (1 - \sec(d * x + c)) / (a + b))^{(1/2)} * (a * (1 + \sec(d * x + c)) / (a - b))^{(1/2)} / a^4 / d / \sec(d * x + c)^{(1/2)} + \frac{2}{315} * (a - b) * (8 * A * b^3 - a^3 * (147 * A - 75 * B) + 3 * a^2 * b * (13 * A - 57 * B) + 6 * a * b^2 * (A - 3 * B)) * \csc(d * x + c) * \text{EllipticF}((a + b * \cos(d * x + c))^{(1/2)} / (a + b)^{(1/2)} / \cos(d * x + c)^{(1/2)}, ((-a - b) / (a - b))^{(1/2)}) * (a + b)^{(1/2)} * \cos(d * x + c)^{(1/2)} * (a * (1 - \sec(d * x + c)) / (a + b))^{(1/2)} * (a * (1 + \sec(d * x + c)) / (a - b))^{(1/2)} / a^3 / d / \sec(d * x + c)^{(1/2)}$

Rubi [A] time = 2.08, antiderivative size = 562, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2989, 3055, 2998, 2816, 2994}

$$\frac{2(49a^2A + 72abB + 3Ab^2) \sin(c+dx) \sec^{5/2}(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad} + \frac{2(88a^2Ab + 75a^3B + 9ab^2B - 4Ab^3) \sin(c+dx) \sec^{3/2}(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]

[Out] $(2 * (a - b) * \text{Sqrt}[a + b] * (147 * a^4 * A + 33 * a^2 * A * b^2 + 8 * A * b^4 + 246 * a^3 * b * B - 18 * a * b^3 * B) * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{Csc}[c + d * x] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b * \text{Cos}[c + d * x]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d * x]])], -((a + b) / (a - b))] * \text{Sqrt}[(a * (1 - \text{Sec}[c + d * x])) / (a + b)] * \text{Sqrt}[(a * (1 + \text{Sec}[c + d * x])) / (a - b)]) / (315 * a^4 * d * \text{Sqrt}[\text{Sec}[c + d * x]]) + (2 * (a - b) * \text{Sqrt}[a + b] * (8 * A * b^3 - a^3 * (147 * A - 75 * B) + 3 * a^2 * b * (13 * A - 57 * B) + 6 * a * b^2 * (A - 3 * B)) * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{Csc}[c + d * x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b * \text{Cos}[c + d * x]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d * x]])], -((a + b) / (a - b))] * \text{Sqrt}[(a * (1 - \text{Sec}[c + d * x])) / (a + b)] * \text{Sqrt}[(a * (1 + \text{Sec}[c + d * x])) / (a - b)]) / (315 * a^3 * d * \text{Sqrt}[\text{Sec}[c + d * x]]) + (2 * (88 * a^2 * A * b - 4 * A * b^3 + 75 * a^3 * B + 9 * a * b^2 * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sec}[c + d * x]^{(3/2)} * \text{Sin}[c + d * x]) / (315 * a^2 * d) + (2 * (49 * a^2 * A + 3 * A * b^2 + 72 * a * b * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sec}[c + d * x]^{(5/2)} * \text{Sin}[c + d * x]) / (315 * a * d) + (2 * (10 * A * b + 9 * a * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sec}[c + d * x]^{(7/2)} * \text{Sin}[c + d * x]) / (63 * d) + (2 * a * A * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sec}[c + d * x]^{(9/2)} * \text{Sin}[c + d * x]) / (9 * d)$

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)]*Sqrt[(a_)] + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

```
Int[(csc[e_] + (f_)*(x_))*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*
(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*SIn[e + f*x])^p, Int[((a + b*SIn[e + f*x])^m*(c + d
*SIn[e + f*x])^n)/(g*SIn[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 2989

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[(b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*SIn[e + f*x])^(m - 1)*(c +
d*SIn[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*SIn[e + f*x])^(m - 2)*(c + d*SIn[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*SIn[e + f
*x]]/(Sqrt[b*SIn[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*SIn[e + f*x]]*Sqrt[c + d*SIn[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*SIn[
e + f*x])^(3/2)*Sqrt[c + d*SIn[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*SIn[e + f*x])^(m + 1)*(c + d*SIn[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*SIn[e + f*x])^(m + 1)*(c + d*SIn[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx)}{\cos(c + dx)} dx \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sec^9(c + dx) \sin(c + dx)}{9d} \\
&= \frac{2(10Ab + 9aB)\sqrt{a + b \cos(c + dx)} \sec^7(c + dx) \sin(c + dx)}{63d} \\
&= \frac{2(49a^2A + 3Ab^2 + 72abB)\sqrt{a + b \cos(c + dx)} \sec^5(c + dx) \sin(c + dx)}{315ad} \\
&= \frac{2(88a^2Ab - 4Ab^3 + 75a^3B + 9ab^2B)\sqrt{a + b \cos(c + dx)} \sec^3(c + dx) \sin(c + dx)}{315a^2d} \\
&= \frac{2(88a^2Ab - 4Ab^3 + 75a^3B + 9ab^2B)\sqrt{a + b \cos(c + dx)} \sec(c + dx) \sin(c + dx)}{315a^2d} \\
&= \frac{2(a - b)\sqrt{a + b} (147a^4A + 33a^2Ab^2 + 8Ab^4 + 24a^3B)}{315a^2d}
\end{aligned}$$

Mathematica [B] time = 25.99, size = 3739, normalized size = 6.65

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2),x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*Sin[c + d*x])/(315*a^3) + (2*Sec[c + d*x]^3*(10*A*b*SIN[c + d*x] + 9*a*B*SIN[c + d*x]))/63 + (2*Sec[c + d*x]^2*(49*a^2*A*SIN[c + d*x] + 3*A*b^2*SIN[c + d*x] + 72*a*b*B*SIN[c + d*x]))/(315*a) + (2*Sec[c + d*x]*(88*a^2*A*b*SIN[c + d*x] - 4*A*b^3*SIN[c + d*x] + 75*a^3*B*SIN[c + d*x] + 9*a*b^2*B*SIN[c + d*x]))/(315*a^2) + (2*a*A*Sec[c + d*x]^3*Tan[c + d*x])/9)/d + (2*((-7*a^2*A)/(15*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (11*A*b^2)/(105*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*A*b^4)/(315*a^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (82*a*b*B)/(105*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*b^3*B)/(35*a*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (13*a*A*b*Sqrt[Sec[c + d*x]])/(105*Sqrt[a + b*Cos[c + d*x]]) - (31*A*b^3*Sqrt[Sec[c + d*x]])/(315*a*Sqrt[a + b*Cos[c + d*x]]) - (8*A*b^5*Sqrt[Sec[c + d*x]])/(315*a^3*Sqrt[a + b*Cos[c + d*x]]) + (5*a^2*B*Sqrt[Sec[c + d*x]])/(21*Sqrt[a + b*Cos[c + d*x]]) - (31*b^2*B*Sqrt[Sec[c + d*x]])/(105*Sqrt[a + b*Cos[c + d*x]]) + (2*b^4*B*Sqrt[Sec[c + d*x]])/(35*a^2*Sqrt[a + b*Cos[c + d*x]]) - (7*a*A*b*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*Sqrt[a + b*Cos[c + d*x]]) - (11*A*b^3*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*a*Sqrt[a + b*Cos[c + d*x]]) - (8*A*b^5*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(315*a^3*Sqrt[a + b*Cos[c + d*x]]) - (82*b^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*Sqrt[a + b*Cos[c + d*x]]) + (2*b^4*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(35*a^2*Sqrt[a + b*Cos[c + d*x]]))*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Ellipti

$$\begin{aligned}
& cE[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + 2a*(a + b)*(8A*b^3 - 6a \\
& *b^2*(A + 3B) + 3a^3*(49A + 25B) + 3a^2*b*(13A + 57B))*\text{Sqrt}[\text{Cos}[c + \\
& dx]/(1 + \text{Cos}[c + dx])]*\text{Sqrt}[(a + b*\text{Cos}[c + dx])/((a + b)*(1 + \text{Cos}[c + d \\
& x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] - (147*a^4*A + \\
& 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*\text{Cos}[c + dx]*(a + b*\text{Cos}[\\
& c + dx])*Sec[(c + dx)/2]^2*\text{Tan}[(c + dx)/2])/((315*a^3*d*\text{Sqrt}[a + b*\text{Cos}[c \\
& + dx])*Sqrt[Sec[(c + dx)/2]^2]*((b*\text{Sqrt}[\text{Cos}[(c + dx)/2]^2*Sec[c + dx]] \\
& *Sin[c + dx]*(-2*(a + b)*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B \\
& - 18*a*b^3*B)*Sqrt[\text{Cos}[c + dx]/(1 + \text{Cos}[c + dx])]*Sqrt[(a + b*\text{Cos}[c + d \\
& x])/((a + b)*(1 + \text{Cos}[c + dx]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + \\
& b)/(a + b)] + 2a*(a + b)*(8A*b^3 - 6a*b^2*(A + 3B) + 3a^3*(49A + 25B) \\
& B) + 3a^2*b*(13A + 57B))*Sqrt[\text{Cos}[c + dx]/(1 + \text{Cos}[c + dx])]*Sqrt[(a + \\
& b*\text{Cos}[c + dx])/((a + b)*(1 + \text{Cos}[c + dx]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d \\
& x)/2]], (-a + b)/(a + b)] - (147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b \\
& *B - 18*a*b^3*B)*\text{Cos}[c + dx]*(a + b*\text{Cos}[c + dx])*Sec[(c + dx)/2]^2*\text{Tan}[(\\
& c + dx)/2))/((315*a^3*(a + b*\text{Cos}[c + dx])^(3/2)*Sqrt[Sec[(c + dx)/2]^2]) \\
& - (Sqrt[\text{Cos}[(c + dx)/2]^2*Sec[c + dx]]*\text{Tan}[(c + dx)/2]*(-2*(a + b)*(147 \\
& *a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*Sqrt[\text{Cos}[c + d \\
& x]/(1 + \text{Cos}[c + dx])]*Sqrt[(a + b*\text{Cos}[c + dx])/((a + b)*(1 + \text{Cos}[c + d \\
& x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + 2a*(a + b)*(8 \\
& A*b^3 - 6a*b^2*(A + 3B) + 3a^3*(49A + 25B) + 3a^2*b*(13A + 57B))*S \\
& rt[\text{Cos}[c + dx]/(1 + \text{Cos}[c + dx])]*Sqrt[(a + b*\text{Cos}[c + dx])/((a + b)*(1 + \\
& \text{Cos}[c + dx]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] - (1 \\
& 47*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*\text{Cos}[c + dx]* \\
& (a + b*\text{Cos}[c + dx])*Sec[(c + dx)/2]^2*\text{Tan}[(c + dx)/2))/((315*a^3*Sqrt[a \\
& + b*\text{Cos}[c + dx])*Sqrt[Sec[(c + dx)/2]^2]) + (2*Sqrt[\text{Cos}[(c + dx)/2]^2*Se \\
& c[c + dx]]*(-1/2*((147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a \\
& *b^3*B)*\text{Cos}[c + dx]*(a + b*\text{Cos}[c + dx])*Sec[(c + dx)/2]^4) - ((a + b)*(1 \\
& 47*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*Sqrt[(a + b*C \\
& os[c + dx])/((a + b)*(1 + \text{Cos}[c + dx]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2 \\
&]], (-a + b)/(a + b)]*((\text{Cos}[c + dx]*\text{Sin}[c + dx])/((1 + \text{Cos}[c + dx])^2 - S \\
& in[c + dx]/(1 + \text{Cos}[c + dx])))/Sqrt[\text{Cos}[c + dx]/(1 + \text{Cos}[c + dx])]) + (a \\
& *(a + b)*(8A*b^3 - 6a*b^2*(A + 3B) + 3a^3*(49A + 25B) + 3a^2*b*(13A \\
& + 57B))*Sqrt[(a + b*\text{Cos}[c + dx])/((a + b)*(1 + \text{Cos}[c + dx]))]*\text{EllipticF} \\
& [\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + dx]*\text{Sin}[c + dx])/ \\
& (1 + \text{Cos}[c + dx])^2 - \text{Sin}[c + dx]/(1 + \text{Cos}[c + dx])))/Sqrt[\text{Cos}[c + dx]/ \\
& (1 + \text{Cos}[c + dx])] - ((a + b)*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3 \\
& *b*B - 18*a*b^3*B)*Sqrt[\text{Cos}[c + dx]/(1 + \text{Cos}[c + dx])]*\text{EllipticE}[\text{ArcSin}[\text{T \\
& an}[(c + dx)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + dx])/((a + b)*(1 + \text{Cos}[c \\
& + dx])))) + ((a + b*\text{Cos}[c + dx])*Sin[c + dx])/((a + b)*(1 + \text{Cos}[c + dx] \\
&)^2))/Sqrt[(a + b*\text{Cos}[c + dx])/((a + b)*(1 + \text{Cos}[c + dx]))] + (a*(a + b) \\
& *(8A*b^3 - 6a*b^2*(A + 3B) + 3a^3*(49A + 25B) + 3a^2*b*(13A + 57B) \\
&)*Sqrt[\text{Cos}[c + dx]/(1 + \text{Cos}[c + dx])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], \\
& (-a + b)/(a + b)]*(-((b*\text{Sin}[c + dx])/((a + b)*(1 + \text{Cos}[c + dx])))) + ((a \\
& + b*\text{Cos}[c + dx])*Sin[c + dx])/((a + b)*(1 + \text{Cos}[c + dx])^2))/Sqrt[(a + \\
& b*\text{Cos}[c + dx])/((a + b)*(1 + \text{Cos}[c + dx]))] + b*(147*a^4*A + 33*a^2*A*b^2 \\
& + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*\text{Cos}[c + dx]*Sec[(c + dx)/2]^2*\text{Sin}[\\
& c + dx]*\text{Tan}[(c + dx)/2] + (147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b \\
& *B - 18*a*b^3*B)*(a + b*\text{Cos}[c + dx])*Sec[(c + dx)/2]^2*\text{Sin}[c + dx]*\text{Tan}[(\\
& c + dx)/2] - (147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3* \\
& B)*\text{Cos}[c + dx]*(a + b*\text{Cos}[c + dx])*Sec[(c + dx)/2]^2*\text{Tan}[(c + dx)/2]^2 \\
& + (a*(a + b)*(8A*b^3 - 6a*b^2*(A + 3B) + 3a^3*(49A + 25B) + 3a^2*b*(\\
& 13A + 57B))*Sqrt[\text{Cos}[c + dx]/(1 + \text{Cos}[c + dx])]*Sqrt[(a + b*\text{Cos}[c + dx \\
&])/((a + b)*(1 + \text{Cos}[c + dx]))]*Sec[(c + dx)/2]^2)/(Sqrt[1 - \text{Tan}[(c + dx \\
&)/2]^2]*Sqrt[1 - ((-a + b)*\text{Tan}[(c + dx)/2]^2)/(a + b)]) - ((a + b)*(147*a^ \\
& 4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*Sqrt[\text{Cos}[c + dx]/ \\
& (1 + \text{Cos}[c + dx])]*Sqrt[(a + b*\text{Cos}[c + dx])/((a + b)*(1 + \text{Cos}[c + dx]))] \\
& *Sec[(c + dx)/2]^2*Sqrt[1 - ((-a + b)*\text{Tan}[(c + dx)/2]^2)/(a + b)]/Sqrt[1 \\
& - \text{Tan}[(c + dx)/2]^2))/((315*a^3*Sqrt[a + b*\text{Cos}[c + dx])*Sqrt[Sec[(c + d
\end{aligned}$$

$$\begin{aligned} & x)/2]^2)) + ((-2*(a + b)*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B \\ & - 18*a*b^3*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x] \\ &)]/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + \\ & b)/(a + b)] + 2*a*(a + b)*(8*A*b^3 - 6*a*b^2*(A + 3*B) + 3*a^3*(49*A + 25*B) \\ &) + 3*a^2*b*(13*A + 57*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + \\ & b*\text{Cos}[c + d*x])]/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x) \\ &)/2]], (-a + b)/(a + b)] - (147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B \\ & - 18*a*b^3*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c \\ & + d*x)/2]*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d \\ & *x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(315*a^3*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt} \\ & [\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]])) \end{aligned}$$

fricas [F] time = 2.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{11}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(11/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.72, size = 4400, normalized size = 7.83

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x)

[Out]
$$\begin{aligned} & 2/315/d*(-33*A*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d \\ & *x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2} \\ &)*\text{sin}(d*x+c)*\text{cos}(d*x+c)^4*a^3*b^2-2*A*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*(\\ & (a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(\\ & d*x+c), (-a-b)/(a+b))^{1/2}*\text{sin}(d*x+c)*\text{cos}(d*x+c)^4*a^2*b^3-8*A*(\text{cos}(d*x+c) \\ &)/(1+\text{cos}(d*x+c)))^{1/2}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c))/(a+b))^{1/2}*\text{Ellip \\ & ticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2}*\text{sin}(d*x+c)*\text{cos}(d*x+c) \\ & ^4*a*b^4+246*B*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d \\ & *x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2} \\ &)*\text{sin}(d*x+c)*\text{cos}(d*x+c)^4*a^4*b+246*B*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*(\\ & (a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(\\ & d*x+c), (-a-b)/(a+b))^{1/2}*\text{sin}(d*x+c)*\text{cos}(d*x+c)^4*a^3*b^2-18*B*(\text{cos}(d*x+ \\ & c)/(1+\text{cos}(d*x+c)))^{1/2}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c))/(a+b))^{1/2}*\text{Ellip \\ & ticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2}*\text{sin}(d*x+c)*\text{cos}(d*x+c) \\ & ^4*a^2*b^3-18*B*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*((a+b*\text{cos}(d*x+c))/(1+\text{cos} \\ & (d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2} \\ &)*\text{sin}(d*x+c)*\text{cos}(d*x+c)^4*a*b^4-246*B*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2} \\ & *((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{si} \end{aligned}$$

$$\begin{aligned} &^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^5 * b^5 - 147 * A * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^5 * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{(1/2)} * a^5 - 75 * B * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^5 * a^5 + 147 * A * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^4 * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{(1/2)} * a^5 + 8 * A * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^4 * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{(1/2)} * b^5 - 147 * A * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^4 * a^5 - 75 * B * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^4 * a^5 + 33 * A * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^4 * a^2 * b^3 + 8 * A * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{(1/2)} * \sin(d*x+c) * \cos(d*x+c)^4 * a * b^4 * \cos(d*x+c) / (a+b*\cos(d*x+c))^{(1/2)} * (1/\cos(d*x+c))^{(11/2)} / \sin(d*x+c) / a^3 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(11/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{11/2} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(11/2)*(a + b*cos(c + d*x))^(3/2),x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(11/2)*(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(11/2),x)

[Out] Timed out

$$3.598 \quad \int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=473

$$\frac{2(25a^2A + 42abB + 3Ab^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}}{105ad} - \frac{2(a-b) \sqrt{a+b} \left(- (a^2(25A - 63B)) \right)}{105ad}$$

[Out] $2/105*(25*A*a^2+3*A*b^2+42*B*a*b)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a/d+2/35*(8*A*b+7*B*a)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+2/7*a*A*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+2/105*(a-b)*(82*A*a^2*b-6*A*b^3+63*B*a^3+21*B*a*b^2)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^3/d/\sec(d*x+c)^{(1/2)}-2/105*(a-b)*(6*A*b^2-a^2*(25*A-63*B)+3*a*b*(19*A-7*B))*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^2/d/\sec(d*x+c)^{(1/2)}$

Rubi [A] time = 1.53, antiderivative size = 473, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2989, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 42abB + 3Ab^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}}{105ad} - \frac{2(a-b) \sqrt{a+b} \left(a^2(-(25A - 63B)) \right)}{105ad}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2),x]

[Out] $(2*(a-b)*\text{Sqrt}[a+b]*(82*a^2*A*b-6*A*b^3+63*a^3*B+21*a*b^2*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b)))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(105*a^3*d*\text{Sqrt}[\text{Sec}[c+d*x]])-(2*(a-b)*\text{Sqrt}[a+b]*(6*A*b^2-a^2*(25*A-63*B)+3*a*b*(19*A-7*B))*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b)))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(105*a^2*d*\text{Sqrt}[\text{Sec}[c+d*x]])+(2*(25*a^2*A+3*A*b^2+42*a*b*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^(3/2)*\text{Sin}[c+d*x])/(105*a*d)+(2*(8*A*b+7*a*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^(5/2)*\text{Sin}[c+d*x])/(35*d)+(2*a*A*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^(7/2)*\text{Sin}[c+d*x])/(7*d)$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d

$\text{Sin}[e + f*x]^n / (g*\text{Sin}[e + f*x]^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2989

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] :> -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /;

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 2994

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_.)])^((b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /;

FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])^((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /;

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3055

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /;

FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} \\
&= \frac{2(8Ab + 7aB)\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{35d} \\
&= \frac{2(25a^2A + 3Ab^2 + 42abB)\sqrt{a + b \cos(c + dx)}}{105ad} \\
&= \frac{2(25a^2A + 3Ab^2 + 42abB)\sqrt{a + b \cos(c + dx)}}{105ad} \\
&= \frac{2(a - b)\sqrt{a + b} (82a^2Ab - 6Ab^3 + 63a^3B + 21a^2b^2B)}{105ad}
\end{aligned}$$

Mathematica [B] time = 23.90, size = 3318, normalized size = 7.01

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((-2*(-82*a^2*A*b + 6*A*b^3 - 63*a^3*B - 21*a*b^2*B)*Sin[c + d*x])/(105*a^2) + (2*Sec[c + d*x]^2*(8*A*b*Sin[c + d*x] + 7*a*B*Sin[c + d*x]))/35 + (2*Sec[c + d*x]*(25*a^2*A*Sin[c + d*x] + 3*A*b^2*Sin[c + d*x] + 42*a*b*B*Sin[c + d*x]))/(105*a) + (2*a*A*Sec[c + d*x]^2*Tan[c + d*x])/7))/d + (2*((-82*a*A*b)/(105*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (2*A*b^3)/(35*a*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (3*a^2*B)/(5*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (b^2*B)/(5*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (5*a^2*A*Sqrt[Sec[c + d*x]])/(21*Sqrt[a + b*Cos[c + d*x]]) - (31*A*b^2*Sqrt[Sec[c + d*x]])/(105*Sqrt[a + b*Cos[c + d*x]]) + (2*A*b^4*Sqrt[Sec[c + d*x]])/(35*a^2*Sqrt[a + b*Cos[c + d*x]]) + (a*b*B*Sqrt[Sec[c + d*x]])/(5*Sqrt[a + b*Cos[c + d*x]]) - (b^3*B*Sqrt[Sec[c + d*x]])/(5*a*Sqrt[a + b*Cos[c + d*x]]) - (82*A*b^2*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*Sqrt[a + b*Cos[c + d*x]]) + (2*A*b^4*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(35*a^2*Sqrt[a + b*Cos[c + d*x]]) - (3*a*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*Sqrt[a + b*Cos[c + d*x]]) - (b^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*a*Sqrt[a + b*Cos[c + d*x]]))*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(105*a^2*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*((b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(-2*(a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a

```

+ b]] + 2*a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*Sqr
t[Cos[c + d*x]/(1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 +
Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (82
*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x
])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/((105*a^2*(a + b*Cos[c + d*x])^(3/2
))*Sqrt[Sec[(c + d*x)/2]^2]) - (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c
+ d*x)/2]*(-2*(a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B))*Sqrt[
Cos[c + d*x]/(1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Co
s[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(
a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*Sqrt[Cos[c + d*x
]/(1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x])
)]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (82*a^2*A*b - 6*
A*b^3 + 63*a^3*B + 21*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d
*x)/2]^2*Tan[(c + d*x)/2))/((105*a^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c +
d*x)/2]^2]) + (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-1/2*((82*a^2*A*b
- 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c
+ d*x)/2]^4) - ((a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B))*Sqr
t[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c
+ d*x)/2]], (-a + b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d
*x]))^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + Cos[c + d
*x])]] + (a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*Sqrt
[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c
+ d*x)/2]], (-a + b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d*
x]))^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*
x])]] - ((a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B))*Sqrt[Cos[c +
d*x]/(1 + Cos[c + d*x]]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a +
b)]*(-((b*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])))) + ((a + b*Cos[c + d*
x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])^2)))/Sqrt[(a + b*Cos[c + d*x]
)/((a + b)*(1 + Cos[c + d*x]))] + (a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B)
+ a^2*(25*A + 63*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]]*EllipticF[ArcSi
n[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*Sin[c + d*x])/((a + b)*(1 + Co
s[c + d*x])))) + ((a + b*Cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + d
*x])^2)))/Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] + b*(82*a
^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Cos[c + d*x]*Sec[(c + d*x)/2]^2*S
in[c + d*x]*Tan[(c + d*x)/2] + (82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*
B)*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Sin[c + d*x]*Tan[(c + d*x)/2] -
(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c +
d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]^2 + (a*(a + b)*(-6*A*b^2 + 3*a*b*
(19*A + 7*B) + a^2*(25*A + 63*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]]*Sqr
t[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2)/(S
qrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[1 - ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)
]) - ((a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B))*Sqrt[Cos[c + d*
x]/(1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]
))]*Sec[(c + d*x)/2]^2*Sqrt[1 - ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)])/Sqr
t[1 - Tan[(c + d*x)/2]^2))/((105*a^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c +
d*x)/2]^2]) + ((-2*(a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B))*
Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1
+ Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] +
2*a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*Sqrt[Cos[c
+ d*x]/(1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c +
d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (82*a^2*A*b
- 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c
+ d*x)/2]^2*Tan[(c + d*x)/2]*(-Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d
*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(105*a^2*Sqrt[a +
b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*
x]]))

```

fricas [F] time = 1.06, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right)\sqrt{b \cos(dx + c) + a \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorith
m="fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d
*x + c) + a)*sec(d*x + c)^(9/2), x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorith
m="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.51, size = 3421, normalized size = 7.23

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x)
```

```
[Out] -2/105/d*(63*B*cos(d*x+c)^4*a^4-42*B*cos(d*x+c)^3*a^4-21*B*cos(d*x+c)*a^4+2
5*A*cos(d*x+c)^4*a^4-10*A*cos(d*x+c)^2*a^4-6*A*cos(d*x+c)^5*b^4+6*A*cos(d*x
+c)^4*b^4-63*B*cos(d*x+c)^2*a^3*b+25*A*cos(d*x+c)^5*a^3*b+82*A*cos(d*x+c)^5
*a^2*b^2+3*A*cos(d*x+c)^5*a*b^3+82*A*cos(d*x+c)^4*a^3*b-55*A*cos(d*x+c)^4*a
^2*b^2-6*A*cos(d*x+c)^4*a*b^3-68*A*cos(d*x+c)^3*a^3*b+3*A*cos(d*x+c)^3*a*b^
3-27*A*cos(d*x+c)^2*a^2*b^2-39*A*cos(d*x+c)*a^3*b+63*B*cos(d*x+c)^5*a^3*b+4
2*B*cos(d*x+c)^5*a^2*b^2+21*B*cos(d*x+c)^5*a*b^3+21*B*cos(d*x+c)^4*a^2*b^2-
21*B*cos(d*x+c)^4*a*b^3-63*B*cos(d*x+c)^3*a^2*b^2-6*A*sin(d*x+c)*cos(d*x+c)
^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)
)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^3+6*
A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)
/(a+b))^(1/2))*b^4+25*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+
c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^4-63*B*sin(d*x+c)*cos(d*x+c)^4*(cos(
d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*
EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^4+63*B*sin(d*x
+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos
(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(
1/2))*a^4+6*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a
+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*
x+c), (-a-b)/(a+b))^(1/2))*b^4+25*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+
cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF(
(-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^4-63*B*sin(d*x+c)*cos(d*
x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(
a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^4+
63*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a
-b)/(a+b))^(1/2))*a^4-15*A*a^4-63*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+
cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE(
(-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*b-21*B*sin(d*x+c)*cos(
d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)
)/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^
2*b^2-21*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*
cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c
```

), $(- (a-b)/(a+b))^{1/2} * a * b^3 + 84 * B * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^3 * b + 21 * B * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^2 * b^2 - 82 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^3 * b - 82 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^2 * b^2 + 6 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a * b^3 + 82 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^3 * b + 51 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^2 * b^2 - 6 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a * b^3 - 63 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^3 * b - 21 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^2 * b^2 - 21 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a * b^3 + 84 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^3 * b + 21 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^2 * b^2 - 82 * A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^3 * b - 82 * A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^2 * b^2 + 6 * A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a * b^3 + 82 * A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^3 * b + 51 * A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- (a-b)/(a+b))^{1/2}) * a^2 * b^2 * \cos(dx+c) / (a+b * \cos(dx+c))^{1/2} * (1/\cos(dx+c))^{9/2} / \sin(dx+c) / a^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(3/2)*(A+B*cos(dx+c))*sec(dx+c)^(9/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx + c) + A)*(b*cos(dx + c) + a)^(3/2)*sec(dx + c)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{9/2} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + b*cos(c + d*x))^(3/2),  
x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + b*cos(c + d*x))^(3/2),  
x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

$$3.599 \quad \int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=393

$$\frac{2(a-b)\sqrt{a+b} (9a^2A + 20abB + 3Ab^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^2d\sqrt{\sec(c+dx)}}$$

[Out] 2/15*(6*A*b+5*B*a)*sec(d*x+c)^(3/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d+2/5*a*A*sec(d*x+c)^(5/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d+2/15*(a-b)*(9*A*a^2+3*A*b^2+20*B*a*b)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d/sec(d*x+c)^(1/2)-2/15*(a-b)*(9*A*a-3*A*b-5*B*a+15*B*b)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d/sec(d*x+c)^(1/2)

Rubi [A] time = 1.09, antiderivative size = 393, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2989, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b} (9a^2A + 20abB + 3Ab^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^2d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2),x]

[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(15*a^2*d*Sqrt[Sec[c + d*x]]) - (2*(a - b)*Sqrt[a + b]*(9*a*A - 3*A*b - 5*a*B + 15*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(15*a*d*Sqrt[Sec[c + d*x]]) + (2*(6*A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(15*d) + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rubi steps

$$\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx$$

$$= \frac{2aA \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{5d} + \frac{2(6Ab + 5aB) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin^3(c + dx)}{15d}$$

$$= \frac{2(6Ab + 5aB) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin^3(c + dx)}{15d}$$

$$= \frac{2(a - b) \sqrt{a + b} (9a^2 A + 3Ab^2 + 20abB) \sqrt{\cos(c + dx)}}{15d}$$

Mathematica [A] time = 18.75, size = 427, normalized size = 1.09

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left(\frac{2(9a^2 A + 20abB + 3Ab^2) \sin(c + dx)}{15a} + \frac{2}{15} \sec(c + dx) (5aB \sin(c + dx) + 6Ab \sin^3(c + dx)) \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]

[Out] (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(3*b*(A + 5*B) + a*(9*A + 5*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (9*a^2*A + 3*A*b^2 + 20*a*b*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(15*a*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*Sin[c + d*x])/(15*a) + (2*Sec[c + d*x]*(6*A*b*Sin[c + d*x] + 5*a*B*Sin[c + d*x])))/15 + (2*a*A*Sec[c + d*x]*Tan[c + d*x])/5))/d

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{7/2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorith="giac")

[Out] Timed out

maple [B] time = 0.41, size = 2674, normalized size = 6.80

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x)

[Out]
$$-2/15/d*(-3*A*a^3+9*A*\cos(d*x+c)^3*a^3-3*A*\cos(d*x+c)^3*b^3-6*A*\cos(d*x+c)^2*a^3+5*B*\cos(d*x+c)^3*a^3+20*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+15*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+3*A*\cos(d*x+c)^4*b^3-5*B*\cos(d*x+c)*a^3+3*A*\cos(d*x+c)^3*a*b^2-9*A*\cos(d*x+c)^2*a*b^2-9*A*\cos(d*x+c)*a^2*b+20*B*\cos(d*x+c)^4*a*b^2+20*B*\cos(d*x+c)^3*a^2*b-25*B*\cos(d*x+c)^2*a^2*b-9*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-3*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+12*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+3*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-20*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-20*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+20*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-20*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-9*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-3*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+12*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+3*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-20*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+15*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-20*B*\cos(d*x+c)^3*a*b^2+9*A*\cos(d*x+c)^4*a^2*b+6*A*\cos(d*x+c)^4*a*b^2+5*B*\cos(d*x+c)^4*a^2*b+5*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3-9*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3-3*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^$$

$$3\text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{1/2} b^3 + 9A \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \sin(dx+c) \cos(dx+c)^3 \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{1/2} a^3 + 5B \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \sin(dx+c) \cos(dx+c)^3 \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{1/2} a^3 - 9A \sin(dx+c) \cos(dx+c)^2 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{1/2} a^3 - 3A \sin(dx+c) \cos(dx+c)^2 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{1/2} b^3 + 9A \sin(dx+c) \cos(dx+c)^2 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{1/2} a^3 \cos(dx+c) \left(\frac{1}{\cos(dx+c)}\right)^{7/2} / \sin(dx+c) / a$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2} \sec(dx+c)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(3/2)*(A+B*cos(dx+c))*sec(dx+c)^(7/2),x, algorith="maxima")

[Out] integrate((B*cos(dx+c) + A)*(b*cos(dx+c) + a)^(3/2)*sec(dx+c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)}\right)^{7/2} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))*(1/cos(c + dx))^(7/2)*(a + b*cos(c + dx))^(3/2), x)

[Out] int((A + B*cos(c + dx))*(1/cos(c + dx))^(7/2)*(a + b*cos(c + dx))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))**(3/2)*(A+B*cos(dx+c))*sec(dx+c)**(7/2),x)

[Out] Timed out

$$3.600 \quad \int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=479

$$\frac{2\sqrt{a+b} \left(a^2(A-3B) - a(4Ab-6bB) + 3Ab^2 \right) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\right)}{3ad\sqrt{\sec(c+dx)}}$$

[Out] $\frac{2}{3}aA\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+2/3*(a-b)*(4*A*b+3*B*a)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d/\sec(d*x+c)^{(1/2)}+2/3*(3*A*b^2+a^2*(A-3*B)-a*(4*A*b-6*B*b))*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d/\sec(d*x+c)^{(1/2)}-2*b*B*\csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/d/\sec(d*x+c)^{(1/2)}$

Rubi [A] time = 1.08, antiderivative size = 479, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2989, 3053, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} \left(a^2(A-3B) - a(4Ab-6bB) + 3Ab^2 \right) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\right)}{3ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] $(2*(a-b)*\text{Sqrt}[a+b]*(4*A*b+3*a*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -(a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*a*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*\text{Sqrt}[a+b]*(3*A*b^2+a^2*(A-3*B)-a*(4*A*b-6*B*B))*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -(a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*a*d*\text{Sqrt}[\text{Sec}[c+d*x]]) - (2*b*\text{Sqrt}[a+b]*B*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticPi}[(a+b)/b, \text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -(a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*a*A*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^(3/2)*\text{Sin}[c+d*x])/(3*d)$

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1

$$\frac{-\operatorname{Csc}[e + f*x]}{(a + b)} \sqrt{\frac{a(1 + \operatorname{Csc}[e + f*x])}{(a - b)}} \operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{\frac{a + b \operatorname{Sin}[e + f*x]}{d \operatorname{Sin}[e + f*x]}}], \operatorname{Rt}[\frac{a + b}{d}, 2]], -\frac{(a + b)/(a - b)}{(a*f)}, x] /;$$

$$\text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$$

Rule 2961

$$\text{Int}[(\operatorname{csc}[e + f*x] + (f*x))^{(p)} * ((a + b) \operatorname{sin}[e + f*x] + (f*x))^{(m)} * ((c + d) \operatorname{sin}[e + f*x] + (f*x))^{(n)}, x_Symbol] \rightarrow \text{Dist}[(g \operatorname{Csc}[e + f*x])^p * (g \operatorname{Sin}[e + f*x])^p, \text{Int}[(a + b \operatorname{Sin}[e + f*x])^m * (c + d \operatorname{Sin}[e + f*x])^n / (g \operatorname{Sin}[e + f*x])^p, x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$$

Rule 2989

$$\text{Int}[(a + b \operatorname{sin}[e + f*x])^{(m)} * (A + B \operatorname{sin}[e + f*x] + (f*x))^{(n)}, x_Symbol] \rightarrow -\text{Simp}[(b*c - a*d) * (B*c - A*d) * \operatorname{Cos}[e + f*x] * (a + b \operatorname{Sin}[e + f*x])^{(m-1)} * (c + d \operatorname{Sin}[e + f*x])^{(n+1)} / (d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b \operatorname{Sin}[e + f*x])^{(m-2)} * (c + d \operatorname{Sin}[e + f*x])^{(n+1)}] * \text{Simp}[b*(b*c - a*d) * (B*c - A*d) * (m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d) * (n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2))) * (n+1) - a*(b*c - a*d) * (B*c - A*d) * (n+2) * \operatorname{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d) * (m+n+1) - b*B*(c^2*m + d^2*(n+1))) * \operatorname{Sin}[e + f*x]^2, x], x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$$

Rule 2994

$$\text{Int}[(A + B \operatorname{sin}[e + f*x]) / ((b \operatorname{sin}[e + f*x] + (f*x))^{(3/2)} * \sqrt{c + d \operatorname{sin}[e + f*x]}), x_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d) * \operatorname{Tan}[e + f*x] * \operatorname{Rt}[(c + d)/b, 2] * \sqrt{c*(1 + \operatorname{Csc}[e + f*x])} / (c - d) * \sqrt{c*(1 - \operatorname{Csc}[e + f*x])} / (c + d) * \operatorname{EllipticE}[\operatorname{ArcSin}[\sqrt{\frac{c + d \operatorname{Sin}[e + f*x]}{b \operatorname{Sin}[e + f*x]}}], \operatorname{Rt}[(c + d)/b, 2]], -((c + d)/(c - d)) / (f*b*c^2), x] /;$$

$$\text{FreeQ}\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$$

Rule 2998

$$\text{Int}[(A + B \operatorname{sin}[e + f*x]) / ((a + b \operatorname{sin}[e + f*x] + (f*x))^{(3/2)} * \sqrt{c + d \operatorname{sin}[e + f*x]}), x_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\sqrt{a + b \operatorname{Sin}[e + f*x]} * \sqrt{c + d \operatorname{Sin}[e + f*x]}), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \operatorname{Sin}[e + f*x]) / ((a + b \operatorname{Sin}[e + f*x])^{(3/2)} * \sqrt{c + d \operatorname{Sin}[e + f*x]}), x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$$

Rule 3053

$$\text{Int}[(A + B \operatorname{sin}[e + f*x] + C \operatorname{sin}[e + f*x])^2 / ((a + b \operatorname{sin}[e + f*x] + (f*x))^{(3/2)} * \sqrt{c + d \operatorname{sin}[e + f*x]}), x_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[\sqrt{a + b \operatorname{Sin}[e + f*x]} / \sqrt{c + d \operatorname{Sin}[e + f*x]}, x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C) * \operatorname{Sin}[e + f*x]) / ((a + b \operatorname{Sin}[e + f*x])^{(3/2)} * \sqrt{c + d \operatorname{Sin}[e + f*x]}), x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$$

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{3d} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{3d} \\
&= -\frac{2b\sqrt{a + b} B \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin(c + dx)\right)}{3d} \\
&= \frac{2(a - b)\sqrt{a + b} (4Ab + 3aB) \sqrt{\cos(c + dx)} \csc(c + dx)}{3d}
\end{aligned}$$

Mathematica [B] time = 24.55, size = 5981, normalized size = 12.49

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] Result too large to show

fricas [F] time = 1.14, size = 0, normalized size = 0.00

integral((B*b*cos(dx + c)^2 + A*a + (B*a + A*b)*cos(dx + c))*sqrt(b*cos(dx + c) + a)*sec(dx + c)^(5/2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.36, size = 2326, normalized size = 4.86

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x)

```
[Out] -2/3/d*(3*B*cos(d*x+c)^2*a^2+3*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1
+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^2+6*B*sin(d*x+c)*cos(d*x+c)
^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)
)^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^2-
3*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x
+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-
b)/(a+b))^(1/2))*b^2+6*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b)
)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+
cos(d*x+c)))/(a+b)^(1/2)*cos(d*x+c)^2*a*b-3*B*cos(d*x+c)*a^2+4*A*cos(d*x+c)
^3*b^2-4*A*cos(d*x+c)^2*b^2-a^2*A-4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a
+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*
x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a*b+A*EllipticF((-1+cos(
d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*
((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*sin(d*x+c)*cos(d*x+c)^2*a^2-4
*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)
)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+
c)*cos(d*x+c)^2*b^2+3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b)
)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+
cos(d*x+c)))/(a+b)^(1/2)*cos(d*x+c)^2*a^2-3*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*E
llipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2+A*sin(d*x+c)*
cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*(cos(
d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*
a^2+3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+
c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)
)^(1/2)*cos(d*x+c)*a^2+A*cos(d*x+c)^2*a^2-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1
+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)*a*b+6*B*sin(d*x+c)
*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(
1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)
*a*b-4*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x
+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d
*x+c)))/(a+b)^(1/2)*a*b+4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x
+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-
b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a*b+A*cos(d*x+c)^3*a*b-3*B*sin(d*x+c)
*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)
)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)
^2*a*b+4*A*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-
(a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+
cos(d*x+c)))/(a+b)^(1/2)*a*b+3*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*co
s(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*b^2+4*A*cos(d*x+c)^2*a*b-5*A*co
s(d*x+c)*a*b+3*B*cos(d*x+c)^3*a*b-3*B*cos(d*x+c)^2*a*b-4*A*EllipticE((-1+co
s(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)
)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*b^2+6
*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*
x+c)))/(a+b)^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(
1/2))*cos(d*x+c)*b^2-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+
b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x
+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)*a^2-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(
d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+
cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)*b^2)*cos(d*x+c)/(a
+b*cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(5/2)/sin(d*x+c)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(3/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2),x)

[Out] Timed out

$$3.601 \quad \int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=509

$$\frac{(2aA - bB) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{d} - \frac{\sqrt{a + b} (2a(A - B) - b(4A + B)) \sqrt{\cos(c + dx)} \csc(c + dx)}{d}$$

```
[Out] 2*a*A*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d-(2*A*a-B*b)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d+(a-b)*(2*A*a-B*b)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d/sec(d*x+c)^(1/2)-(2*a*(A-B)-b*(4*A+B))*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d/sec(d*x+c)^(1/2)-(2*A*b+3*B*a)*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d/sec(d*x+c)^(1/2)
```

Rubi [A] time = 1.38, antiderivative size = 509, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2961, 2989, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(2aA - bB) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{d} - \frac{\sqrt{a + b} (2a(A - B) - b(4A + B)) \sqrt{\cos(c + dx)} \csc(c + dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(2*a*A - b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*a*(A - B) - b*(4*A + B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*A*b + 3*A*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d - ((2*a*A - b*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d
```

Rule 2809

```
Int[Sqrt[(b_)*sin[(e_.) + (f_)*(x_)]]/Sqrt[(c_.) + (d_)*sin[(e_.) + (f_)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)]]*Sqrt[(a_.) + (b_)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
```

$$- \text{Csc}[e + f*x]) / (a + b)] * \text{Sqrt}[(a*(1 + \text{Csc}[e + f*x])) / (a - b)] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]] / (\text{Sqrt}[d*\text{Sin}[e + f*x]] * \text{Rt}[(a + b)/d, 2]), -(a + b)/(a - b))] / (a*f), x] /;$$

$$\text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$$

Rule 2961

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^p * ((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^m * ((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^n, x_Symbol] \rightarrow \text{Dist}[(g*\text{Csc}[e + f*x])^p * (g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m * (c + d*\text{Sin}[e + f*x])^n / (g*\text{Sin}[e + f*x])^p, x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$$

Rule 2989

$$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^m * ((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]) * ((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^n, x_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*(B*c - A*d)*\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^{m-1} * (c + d*\text{Sin}[e + f*x])^{n+1} / (d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-2} * (c + d*\text{Sin}[e + f*x])^{n+1} * \text{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n+1) - a*(b*c - a*d)*(B*c - A*d)*(n+2))*\text{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m+n+1) - b*B*(c^2*m + d^2*(n+1)))*\text{Sin}[e + f*x]^2, x], x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$$

Rule 2994

$$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] / (((b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{3/2} * \text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x])) / (c - d)] * \text{Sqrt}[(c*(1 - \text{Csc}[e + f*x])) / (c + d)] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]] * \text{Rt}[(c + d)/b, 2]), -(c + d)/(c - d))] / (f*b*c^2), x] /;$$

$$\text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$$

Rule 2998

$$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] / (((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{3/2} * \text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]] * \text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x]) / ((a + b*\text{Sin}[e + f*x])^{3/2} * \text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$$

Rule 3053

$$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2 / (((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{3/2} * \text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]] / \text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*\text{Sin}[e + f*x]) / ((a + b*\text{Sin}[e + f*x])^{3/2} * \text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$$

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx)) \cos(c + dx)}{\cos(c + dx)} dx$$

$$= \frac{2aA \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= \frac{2aA \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= \frac{2aA \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= -\frac{\sqrt{a + b} (2Ab + 3aB) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{c + dx}{2}, \frac{1}{\sqrt{a + b}}\right)}{a}$$

$$= \frac{(a - b) \sqrt{a + b} (2aA - bB) \sqrt{\cos(c + dx)} \csc(c + dx)}{a}$$

Mathematica [A] time = 16.72, size = 927, normalized size = 1.82

$$\frac{2aA \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{\sqrt{\frac{1}{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)}} \left(2a^2 A \tan^5\left(\frac{1}{2}(c + dx)\right) - 2aAb \tan^5\left(\frac{1}{2}(c + dx)\right) \right)}{a}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-2*a^2*A*Tan[(c + d*x)/2] - 2*a*A*b*Tan[(c + d*x)/2] + a*b*B*Tan[(c + d*x)/2] + b^2*B*Tan[(c + d*x)/2] + 4*a*A*b*Tan[(c + d*x)/2]^3 - 2*b^2*B*Tan[(c + d*x)/2]^3 + 2*a^2*A*Tan[(c + d*x)/2]^5 - 2*a*A*b*Tan[(c + d*x)/2]^5 - a*b*B*Tan[(c + d*x)/2]^5 + b^2*B*Tan[(c + d*x)/2]^5 + 4*A*b^2*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*a*b*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 4*A*b^2*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2])
```


$$\begin{aligned} &^2] * \text{Sqrt}[(a + b + a * \text{Tan}[(c + d * x) / 2]^2 - b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] + 6 \\ &* a * b * B * \text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] * \text{Tan}[(c + \\ &d * x) / 2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b + a * \text{Tan}[(c + d * x) / 2]^2 - \\ &b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] - (a + b) * (2 * a * A - b * B) * \text{EllipticE}[\text{ArcSin}[\text{Tan} \\ &n[(c + d * x) / 2]], (-a + b) / (a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * (1 + \text{Tan}[(c \\ &+ d * x) / 2]^2) * \text{Sqrt}[(a + b + a * \text{Tan}[(c + d * x) / 2]^2 - b * \text{Tan}[(c + d * x) / 2]^2) / (a \\ &+ b)] + 2 * (-A * b^2) + 2 * a * b * (A - B) + a^2 * (A + B) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c \\ &+ d * x) / 2]], (-a + b) / (a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * (1 + \text{Tan}[(c + d \\ * x) / 2]^2) * \text{Sqrt}[(a + b + a * \text{Tan}[(c + d * x) / 2]^2 - b * \text{Tan}[(c + d * x) / 2]^2) / (a + b \\))] / (d * (1 + \text{Tan}[(c + d * x) / 2]^2)^{(3/2)} * \text{Sqrt}[(a + b + a * \text{Tan}[(c + d * x) / 2]^2 - \\ b * \text{Tan}[(c + d * x) / 2]^2) / (1 + \text{Tan}[(c + d * x) / 2]^2)]) \end{aligned}$$

fricas [F] time = 1.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2), x)

maple [B] time = 0.36, size = 2196, normalized size = 4.31

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x)

[Out]
$$\begin{aligned} &1/d * (-2 * A * \sin(d * x + c) * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{(1/2)} * ((a + b * \cos(d * x + c)) / (1 \\ &+ \cos(d * x + c)) / (a + b))^{(1/2)} * \text{EllipticF}((-1 + \cos(d * x + c)) / \sin(d * x + c), (-a - b) / (a + b \\ &))^{(1/2)} * a^2 - 2 * B * \sin(d * x + c) * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{(1/2)} * ((a + b * \cos(d * \\ &x + c)) / (1 + \cos(d * x + c)) / (a + b))^{(1/2)} * \text{EllipticF}((-1 + \cos(d * x + c)) / \sin(d * x + c), (-a \\ &- b) / (a + b))^{(1/2)} * a^2 + 2 * A * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{(1/2)} * ((a + b * \cos(d * x + c) \\ &)) / (1 + \cos(d * x + c)) / (a + b))^{(1/2)} * \text{EllipticE}((-1 + \cos(d * x + c)) / \sin(d * x + c), (-a - b) \\ &/ (a + b))^{(1/2)} * \sin(d * x + c) * \cos(d * x + c) * a^2 - 4 * A * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{(1 \\ &/ 2)} * ((a + b * \cos(d * x + c)) / (1 + \cos(d * x + c)) / (a + b))^{(1/2)} * \text{EllipticPi}((-1 + \cos(d * x + c) \\ &) / \sin(d * x + c), -1, (-a - b) / (a + b))^{(1/2)} * \sin(d * x + c) * \cos(d * x + c) * b^2 - B * (\cos(d * x + \\ &c) / (1 + \cos(d * x + c)))^{(1/2)} * ((a + b * \cos(d * x + c)) / (1 + \cos(d * x + c)) / (a + b))^{(1/2)} * \text{EllipticE}((-1 + \cos(d * x + c)) / \sin(d * x + c), (-a - b) / (a + b))^{(1/2)} * \sin(d * x + c) * \cos(d * x + c) \\ &) * b^2 - 6 * B * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{(1/2)} * ((a + b * \cos(d * x + c)) / (1 + \cos(d * x + c) \\ &)) / (a + b))^{(1/2)} * \text{EllipticPi}((-1 + \cos(d * x + c)) / \sin(d * x + c), -1, (-a - b) / (a + b))^{(1/2)} \\ &)) * \sin(d * x + c) * a * b + B * \cos(d * x + c)^2 * b^2 - 6 * B * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{(1/2)} * \\ &((a + b * \cos(d * x + c)) / (1 + \cos(d * x + c)) / (a + b))^{(1/2)} * \text{EllipticPi}((-1 + \cos(d * x + c)) / \sin \\ &n(d * x + c), -1, (-a - b) / (a + b))^{(1/2)} * \sin(d * x + c) * \cos(d * x + c) * a * b + 2 * a^2 * A - 2 * A * \sin \\ &(d * x + c) * \cos(d * x + c) * \text{EllipticF}((-1 + \cos(d * x + c)) / \sin(d * x + c), (-a - b) / (a + b))^{(1/2)} \end{aligned}$$

$$\begin{aligned} &) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b) \\ &)^{1/2} * a^2 - 2*B*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \\ & \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c) \\ &)) / (a+b))^{1/2} * \cos(dx+c) * a^2 - 2*A*\cos(dx+c) * a^2 - B*\sin(dx+c) * (\cos(dx+c) / \\ & (1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * Ellipti \\ & cE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * a*b + 4*B*\sin(\\ & dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / \\ & (a+b))^{1/2} * EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(\\ & dx+c) * a*b + 2*A*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * s \\ & in(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c)) / (1 \\ & +\cos(dx+c)) / (a+b))^{1/2} * a*b - 4*A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*c \\ & os(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * EllipticF((-1+\cos(dx+c))/\sin(dx+c) \\ & , (-a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a*b + 2*A * (\cos(dx+c)/(1+\cos(dx \\ & +c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * EllipticF((-1+\cos \\ & (dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * b^2 - B*\cos(d \\ & *x+c)^3 * b^2 - 2*A*\cos(dx+c)^2 * a*b + 2*A*\cos(dx+c) * a*b - B*\cos(dx+c)^2 * a*b + B*co \\ & s(dx+c) * a*b + 2*A*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c)) / (1+\cos(dx \\ & +c)) / (a+b))^{1/2} * a*b - 4*A*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b) \\ &)^{1/2} * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c)) / (1+ \\ & \cos(dx+c)) / (a+b))^{1/2} * a*b - B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \\ & * ((a+b*\cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} * EllipticE((-1+\cos(dx+c)) / si \\ & n(dx+c), (-a-b)/(a+b))^{1/2} * a*b + 4*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c) \\ &))^{1/2} * ((a+b*\cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} * EllipticF((-1+\cos(d \\ & x+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a*b + 2*A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \\ & * ((a+b*\cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} * EllipticF((-1+\cos(dx+c) \\ &)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * b^2 + 2*A * (\cos(dx+c)/(1+\cos(d \\ & *x+c)))^{1/2} * ((a+b*\cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} * EllipticE((-1+c \\ & os(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * a^2 - 4*A * (\cos(dx+c) / \\ & (1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} * Ellipti \\ & cPi((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} * \sin(dx+c) * b^2 - B*(c \\ & os(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} \\ & * EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * b^2 \\ &) * \cos(dx+c) / (a+b*\cos(dx+c))^{1/2} * (1/\cos(dx+c))^{3/2} / \sin(dx+c) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2} \sec(dx+c)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(3/2)*(A+B*cos(dx+c))*sec(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*(b*cos(dx+c) + a)^(3/2)*sec(dx+c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(3/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)

[Out] Timed out

3.602 $\int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

Optimal. Leaf size=532

$$\frac{\sqrt{a+b} (3a^2B + 12aAb + 4b^2B) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{4bd\sqrt{\sec(c+dx)}}$$

[Out] $\frac{1}{2} b B \sin(dx+c) (a+b \cos(dx+c))^{1/2} / d \sec(dx+c)^{1/2} + \frac{1}{4} (4A^2 b + 5B^2 a) \sin(dx+c) (a+b \cos(dx+c))^{1/2} \sec(dx+c)^{1/2} / d - \frac{1}{4} (a-b) (4A^2 b + 5B^2 a) \csc(dx+c) \text{EllipticE}\left(\frac{a+b \cos(dx+c)}{a+b}\right)^{1/2} / \cos(dx+c)^{1/2}, \left(\frac{-a-b}{a-b}\right)^{1/2} (a+b)^{1/2} \cos(dx+c)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / a / d \sec(dx+c)^{1/2} + \frac{1}{4} (8A^2 a + 4A^2 b + 5B^2 a + 2B^2 b) \csc(dx+c) \text{EllipticF}\left(\frac{a+b \cos(dx+c)}{a+b}\right)^{1/2} / \cos(dx+c)^{1/2}, \left(\frac{-a-b}{a-b}\right)^{1/2} (a+b)^{1/2} \cos(dx+c)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / d \sec(dx+c)^{1/2} - \frac{1}{4} (12A^2 a b + 3B^2 a^2 + 4B^2 b^2) \csc(dx+c) \text{EllipticPi}\left(\frac{a+b \cos(dx+c)}{a+b}\right)^{1/2} / \cos(dx+c)^{1/2}, (a+b)/b, \left(\frac{-a-b}{a-b}\right)^{1/2} (a+b)^{1/2} \cos(dx+c)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b / d \sec(dx+c)^{1/2}$

Rubi [A] time = 1.37, antiderivative size = 532, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2961, 2990, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (3a^2B + 12aAb + 4b^2B) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{4bd\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]

[Out] $-\left(\frac{a-b}{a+b}\right) \sqrt{a+b} (4A^2 b + 5A^2 a) \sqrt{\cos(c+dx)} \csc(c+dx) \text{EllipticE}\left[\text{ArcSin}\left[\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right]\right], -\left(\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a-b}} / (4a d \sqrt{\sec(c+dx)}) + \left(\frac{a+b}{a-b}\right) \sqrt{a+b} (8A^2 a + 4A^2 b + 5A^2 b + 2B^2 b) \sqrt{\cos(c+dx)} \csc(c+dx) \text{EllipticF}\left[\text{ArcSin}\left[\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right]\right], -\left(\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a-b}} / (4d \sqrt{\sec(c+dx)}) - \left(\frac{a+b}{a-b}\right) \sqrt{a+b} (12A^2 a b + 3a^2 B + 4b^2 B) \sqrt{\cos(c+dx)} \csc(c+dx) \text{EllipticPi}\left[\frac{a+b}{b}, \text{ArcSin}\left[\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right]\right], -\left(\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a-b}} / (4b d \sqrt{\sec(c+dx)}) + (b B \sqrt{a+b \cos(c+dx)}) \sin(c+dx) / (2d \sqrt{\sec(c+dx)}) + ((4A^2 b + 5A^2 a) \sqrt{a+b \cos(c+dx)}) \sqrt{\sec(c+dx)} \sin(c+dx) / (4d)}$

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1

$$-\text{Csc}[e + f*x])/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$$

Rule 2961

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{\text{p}_.}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{\text{m}_.}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{\text{n}_.}, x_Symbol] \text{:>} \text{Dist}[(g*\text{Csc}[e + f*x])^{\text{p}}*(g*\text{Sin}[e + f*x])^{\text{p}}, \text{Int}[(a + b*\text{Sin}[e + f*x])^{\text{m}}*(c + d*\text{Sin}[e + f*x])^{\text{n}}/(g*\text{Sin}[e + f*x])^{\text{p}}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$$

Rule 2990

$$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{\text{m}_.}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{\text{n}_.}, x_Symbol] \text{:>} -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{\text{m} - 1}*(c + d*\text{Sin}[e + f*x])^{\text{n} + 1})/(d*f*(\text{m} + \text{n} + 1)), x] + \text{Dist}[1/(d*(\text{m} + \text{n} + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{\text{m} - 2}*(c + d*\text{Sin}[e + f*x])^{\text{n}}*\text{Simp}[a^2*A*d*(\text{m} + \text{n} + 1) + b*B*(b*c*(\text{m} - 1) + a*d*(\text{n} + 1)) + (a*d*(2*A*b + a*B)*(\text{m} + \text{n} + 1) - b*B*(a*c - b*d*(\text{m} + \text{n}))) * \text{Sin}[e + f*x] + b*(A*b*d*(\text{m} + \text{n} + 1) - B*(b*c*\text{m} - a*d*(2*\text{m} + \text{n})) * \text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[\text{m}, 1] \&\& !(\text{IGtQ}[\text{n}, 1] \&\& (!\text{IntegerQ}[\text{m}] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$$

Rule 2994

$$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]/(((b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{\text{3/2}}*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x_Symbol] \text{:>} \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$$

Rule 2998

$$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{\text{3/2}}*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x_Symbol] \text{:>} \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{\text{3/2}}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$$

Rule 3053

$$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{\text{3/2}}*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x_Symbol] \text{:>} \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*\text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{\text{3/2}}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$$

Rule 3061

$$\begin{aligned} & [(a + b + a \cdot \tan[(c + d \cdot x)/2]^2 - b \cdot \tan[(c + d \cdot x)/2]^2)/(a + b)] + 8 \cdot b^2 \cdot B \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan[(c + d \cdot x)/2]], (-a + b)/(a + b)] \cdot \tan[(c + d \cdot x)/2]^2 \cdot \sqrt{1 - \tan[(c + d \cdot x)/2]^2} \cdot \sqrt{(a + b + a \cdot \tan[(c + d \cdot x)/2]^2 - b \cdot \tan[(c + d \cdot x)/2]^2)/(a + b)} \\ & + (a + b) \cdot (4 \cdot A \cdot b + 5 \cdot a \cdot B) \cdot \text{EllipticE}[\text{ArcSin}[\tan[(c + d \cdot x)/2]], (-a + b)/(a + b)] \cdot \sqrt{1 - \tan[(c + d \cdot x)/2]^2} \cdot (1 + \tan[(c + d \cdot x)/2]^2) \cdot \sqrt{(a + b + a \cdot \tan[(c + d \cdot x)/2]^2 - b \cdot \tan[(c + d \cdot x)/2]^2)/(a + b)} \\ & + 2 \cdot (4 \cdot a^2 \cdot (A - B) - 2 \cdot b^2 \cdot B + a \cdot b \cdot (-8 \cdot A + B)) \cdot \text{EllipticF}[\text{ArcSin}[\tan[(c + d \cdot x)/2]], (-a + b)/(a + b)] \cdot \sqrt{1 - \tan[(c + d \cdot x)/2]^2} \cdot (1 + \tan[(c + d \cdot x)/2]^2) \cdot \sqrt{(a + b + a \cdot \tan[(c + d \cdot x)/2]^2 - b \cdot \tan[(c + d \cdot x)/2]^2)/(a + b)} \\ & / (4 \cdot d \cdot (1 + \tan[(c + d \cdot x)/2]^2)^{(3/2)} \cdot \sqrt{(a + b + a \cdot \tan[(c + d \cdot x)/2]^2 - b \cdot \tan[(c + d \cdot x)/2]^2)/(1 + \tan[(c + d \cdot x)/2]^2)} \end{aligned}$$

fricas [F] time = 72.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.37, size = 2432, normalized size = 4.57

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x)

[Out]
$$\begin{aligned} & -1/4/d \cdot (1/\cos(d \cdot x + c))^{(1/2)} / (a + b \cdot \cos(d \cdot x + c))^{(1/2)} \cdot (8 \cdot A \cdot \sin(d \cdot x + c) \cdot (\cos(d \cdot x + c) / (1 + \cos(d \cdot x + c)))^{(1/2)} \cdot ((a + b \cdot \cos(d \cdot x + c)) / (1 + \cos(d \cdot x + c))) / (a + b))^{(1/2)} \cdot \text{EllipticF}((-1 + \cos(d \cdot x + c)) / \sin(d \cdot x + c), (-a - b) / (a + b))^{(1/2)} \cdot a^2 + 4 \cdot A \cdot \text{EllipticE}((-1 + \cos(d \cdot x + c)) / \sin(d \cdot x + c), (-a - b) / (a + b))^{(1/2)} \cdot \sin(d \cdot x + c) \cdot (\cos(d \cdot x + c) / (1 + \cos(d \cdot x + c)))^{(1/2)} \cdot ((a + b \cdot \cos(d \cdot x + c)) / (1 + \cos(d \cdot x + c))) / (a + b))^{(1/2)} \cdot b^2 + 5 \cdot B \cdot \cos(d \cdot x + c)^2 \cdot a^2 - 8 \cdot B \cdot \sin(d \cdot x + c) \cdot (\cos(d \cdot x + c) / (1 + \cos(d \cdot x + c)))^{(1/2)} \cdot ((a + b \cdot \cos(d \cdot x + c)) / (1 + \cos(d \cdot x + c))) / (a + b))^{(1/2)} \cdot \text{EllipticF}((-1 + \cos(d \cdot x + c)) / \sin(d \cdot x + c), (-a - b) / (a + b))^{(1/2)} \cdot a^2 + 2 \cdot B \cdot \cos(d \cdot x + c)^4 \cdot b^2 - 2 \cdot B \cdot \cos(d \cdot x + c)^2 \cdot b^2 - 5 \cdot B \cdot \cos(d \cdot x + c) \cdot a^2 + 4 \cdot A \cdot \cos(d \cdot x + c)^3 \cdot b^2 - 4 \cdot A \cdot \cos(d \cdot x + c)^2 \cdot b^2 + 24 \cdot A \cdot (\cos(d \cdot x + c) / (1 + \cos(d \cdot x + c)))^{(1/2)} \cdot ((a + b \cdot \cos(d \cdot x + c)) / (1 + \cos(d \cdot x + c))) / (a + b))^{(1/2)} \cdot \text{EllipticPi}((-1 + \cos(d \cdot x + c)) / \sin(d \cdot x + c), -1, (-a - b) / (a + b))^{(1/2)} \cdot \sin(d \cdot x + c) \cdot \cos(d \cdot x + c) \cdot a \cdot b + 8 \cdot A \cdot \sin(d \cdot x + c) \cdot \cos(d \cdot x + c) \cdot \text{EllipticF}((-1 + \cos(d \cdot x + c)) / \sin(d \cdot x + c), (-a - b) / (a + b))^{(1/2)} \cdot (\cos(d \cdot x + c) / (1 + \cos(d \cdot x + c)))^{(1/2)} \cdot ((a + b \cdot \cos(d \cdot x + c)) / (1 + \cos(d \cdot x + c))) / (a + b))^{(1/2)} \cdot a^2 - 8 \cdot B \cdot \text{EllipticF}((-1 + \cos(d \cdot x + c)) / \sin(d \cdot x + c), (-a - b) / (a + b))^{(1/2)} \cdot \sin(d \cdot x + c) \cdot (\cos(d \cdot x + c) / (1 + \cos(d \cdot x + c)))^{(1/2)} \cdot ((a + b \cdot \cos(d \cdot x + c)) / (1 + \cos(d \cdot x + c))) / (a + b))^{(1/2)} \cdot \cos(d \cdot x + c) \cdot a^2 + 5 \cdot B \cdot \sin(d \cdot x + c) \cdot (\cos(d \cdot x + c) / (1 + \cos(d \cdot x + c)))^{(1/2)} \cdot ((a + b \cdot \cos(d \cdot x + c)) / (1 + \cos(d \cdot x + c))) / (a + b))^{(1/2)} \cdot \text{EllipticE}((-1 + \cos(d \cdot x + c)) / \sin(d \cdot x + c), (-a - b) / (a + b))^{(1/2)} \cdot \cos(d \cdot x + c) \cdot a \cdot b + 2 \cdot B \cdot \sin(d \cdot x + c) \cdot (\cos(d \cdot x + c) / (1 + \cos(d \cdot x + c)))^{(1/2)} \cdot ((a + b \cdot \cos(d \cdot x + c)) / (1 + \cos(d \cdot x + c))) / (a + b))^{(1/2)} \end{aligned}$$

```

*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)*a*b+
4*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*sin(d*x+c)*c
os(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)
)/(a+b))^(1/2)*a*b-16*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
)/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(
a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a*b+6*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+c
os(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b)^(1/2))*a^2+4*A*cos(d*x+c)^2*a*b-4*A
*cos(d*x+c)*a*b+7*B*cos(d*x+c)^3*a*b-5*B*cos(d*x+c)^2*a*b-2*B*cos(d*x+c)*a
*b+6*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos
(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b
))^(1/2))*cos(d*x+c)*a^2+24*A*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a
-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*b+4*A*EllipticE((-1+cos(d*x+c))/sin(d*x
+c),(-a-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+
b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*b-16*A*EllipticF((-1+cos(d*x+c)
)/sin(d*x+c),(-a-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*b+5*B*sin(d*x+c)*(cos(
d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*
EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a*b+2*B*sin(d*x+
c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)
)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a*b+4*A*
EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*sin(d*x+c)*cos(d
*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a
+b))^(1/2)*b^2+8*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d
*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1
,(-a-b)/(a+b)^(1/2))*cos(d*x+c)*b^2+5*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x
+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos
(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)*a^2-4*B*sin(d*x+c)*(co
s(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2
)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)*b^2
+8*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(
d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b)
)^(1/2))*b^2+5*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x
+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-
b)/(a+b)^(1/2))*a^2-4*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b
*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+
c),(-a-b)/(a+b)^(1/2))*b^2)/sin(d*x+c)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(3/2), x)


```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(3/2),  
x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.603 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=626

$$\frac{(3a^2B + 30aAb + 16b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24bd} + \frac{\sqrt{a + b} (3a^2B + 30aAb + 14abB + 12Ab)}{24bd}$$

[Out] $\frac{1}{3} b B \sin(dx+c) (a+b \cos(dx+c))^{1/2} / d \sec(dx+c)^{3/2} + \frac{1}{12} (6A^2 b + 7B^2 a) \sin(dx+c) (a+b \cos(dx+c))^{1/2} / d \sec(dx+c)^{1/2} + \frac{1}{24} (30A^2 a^2 b + 3B^2 a^2 + 16B^2 b^2) \sin(dx+c) (a+b \cos(dx+c))^{1/2} \sec(dx+c)^{1/2} / b d - \frac{1}{24} (a-b) (30A^2 a^2 b + 3B^2 a^2 + 16B^2 b^2) \operatorname{csc}(dx+c) \operatorname{EllipticE}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} \cos(dx+c)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / a b / d \sec(dx+c)^{1/2} + \frac{1}{24} (30A^2 a^2 b + 12A^2 b^2 + 3B^2 a^2 + 14B^2 a b + 16B^2 b^2) \operatorname{csc}(dx+c) \operatorname{EllipticF}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} \cos(dx+c)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b d \sec(dx+c)^{1/2} - \frac{1}{8} (6A^2 a^2 b + 8A^2 b^3 - B^2 a^3 + 12B^2 a b^2) \operatorname{csc}(dx+c) \operatorname{EllipticPi}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, (a+b)/b, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} \cos(dx+c)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b^2 d \sec(dx+c)^{1/2}$

Rubi [A] time = 1.97, antiderivative size = 626, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(3a^2B + 30aAb + 16b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24bd} + \frac{\sqrt{a + b} (3a^2B + 30aAb + 14abB + 12Ab)}{24bd}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] $-(a-b) \operatorname{Sqrt}[a+b] (30A^2 a^2 b + 3A^2 b^2 + 16B^2 b^2) \operatorname{Sqrt}[\operatorname{Cos}[c+d*x]] \operatorname{Csc}[c+d*x] \operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a+b \operatorname{Cos}[c+d*x]]] / (\operatorname{Sqrt}[a+b] \operatorname{Sqrt}[\operatorname{Cos}[c+d*x]])], -((a+b)/(a-b))] \operatorname{Sqrt}[(a(1-\sec[c+d*x])) / (a+b)] \operatorname{Sqrt}[(a(1+\sec[c+d*x])) / (a-b)] / (24A^2 b d \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]]) + (\operatorname{Sqrt}[a+b] (30A^2 a^2 b + 12A^2 b^2 + 3A^2 b^2 + 14A^2 a b + 16B^2 b^2) \operatorname{Sqrt}[\operatorname{Cos}[c+d*x]] \operatorname{Csc}[c+d*x] \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a+b \operatorname{Cos}[c+d*x]]] / (\operatorname{Sqrt}[a+b] \operatorname{Sqrt}[\operatorname{Cos}[c+d*x]])], -((a+b)/(a-b))] \operatorname{Sqrt}[(a(1-\sec[c+d*x])) / (a+b)] \operatorname{Sqrt}[(a(1+\sec[c+d*x])) / (a-b)] / (24B^2 d \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]]) - (\operatorname{Sqrt}[a+b] (6A^2 a^2 b + 8A^2 b^3 - A^3 b^3 + 12A^2 a b^2) \operatorname{Sqrt}[\operatorname{Cos}[c+d*x]] \operatorname{Csc}[c+d*x] \operatorname{EllipticPi}[(a+b)/b, \operatorname{ArcSin}[\operatorname{Sqrt}[a+b \operatorname{Cos}[c+d*x]]] / (\operatorname{Sqrt}[a+b] \operatorname{Sqrt}[\operatorname{Cos}[c+d*x]])], -((a+b)/(a-b))] \operatorname{Sqrt}[(a(1-\sec[c+d*x])) / (a+b)] \operatorname{Sqrt}[(a(1+\sec[c+d*x])) / (a-b)] / (8b^2 d \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]]) + (b B \operatorname{Sqrt}[a+b \operatorname{Cos}[c+d*x]] \operatorname{Sin}[c+d*x]) / (3d \operatorname{Sec}[c+d*x]^{3/2}) + ((6A^2 b + 7A^2 B) \operatorname{Sqrt}[a+b \operatorname{Cos}[c+d*x]] \operatorname{Sin}[c+d*x]) / (12d \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]]) + (30A^2 a^2 b + 3A^2 b^2 + 16B^2 b^2) \operatorname{Sqrt}[a+b \operatorname{Cos}[c+d*x]] \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]] \operatorname{Sin}[c+d*x]) / (24b d)$

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c

$$^2 - d^2, 0] \ \&\& \ \text{PosQ}[(c + d)/b]$$

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^p*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^n, x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^n, x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^n*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
```

```
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_.)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
)], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x
]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx)) dx \\
 &= \frac{bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{1}{3} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx)) dx \\
 &= \frac{bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{(6Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{12d\sqrt{\sec(c + dx)}} \\
 &= \frac{bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{(6Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{12d\sqrt{\sec(c + dx)}} \\
 &= \frac{bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{(6Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{12d\sqrt{\sec(c + dx)}} \\
 &= \frac{bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{(6Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{12d\sqrt{\sec(c + dx)}} \\
 &= \frac{\sqrt{a + b} (6a^2Ab + 8Ab^3 - a^3B + 12ab^2B) \sqrt{\cos(c + dx)} \csc(c + dx)}{8b} \\
 &= \frac{(a - b)\sqrt{a + b} (30aAb + 3a^2B + 16b^2B) \sqrt{\cos(c + dx)} \csc(c + dx)}{24abd}
 \end{aligned}$$

Mathematica [B] time = 19.35, size = 1489, normalized size = 2.38

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((b*B*Sin[c + d*x])/12 + ((6*A*b + 7*a*B)*Sin[2*(c + d*x)]/24 + (b*B*Sin[3*(c + d*x)]/12))/d + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(30*a^2*A*b*Tan[(c + d*x)/2] + 30*a*A*b^2*Tan[(c + d*x)/2] + 3*a^3*B*Tan[(c + d*x)/2] + 3*a^2*b*B*Tan[(c + d*x)/2] + 16*a*b^2*B*Tan[(c + d*x)/2] + 16*b^3*B*Tan[(c + d*x)/2] - 60*a*A*b^2*Tan[(c + d*x)/2]^3 - 6*a^2*b*B*Tan[(c + d*x)/2]^3 - 32*b^3*B*Tan[(c + d*x)/2]^3 - 30*a^2*A*b*Tan[(c + d*x)/2]^5 + 30*a*A*b^2*Tan[(c + d*x)/2]^5 - 3*a^3*B*Tan[(c + d*x)/2]^5 + 3*a^2*b*B*Tan[(c + d*x)/2]^5 - 16*a*b^2*B*Tan[(c + d*x)/2]^5 + 16*b^3*B*Tan[(c + d*x)/2]^5 + 36*a^2*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*A*b^3*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 6*a^3*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 72*a*b^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 36*a^2*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*A*b^3*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 6*a^3*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 72*a*b^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(30*a*A*b + 3*a^2*B + 16*b^2*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*b*(12*A*b^2 + a^2*(24*A - 7*B) + a*(-6*A*b + 26*b*B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)])))/(24*b*d*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

$c)/\sqrt{1+\cos(dx+c)}\sqrt{a+b}^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) a^2 b^2 + 14 B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) a^2 b^2 - 52 B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) a^2 b^2 + 72 B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{\sqrt{a+b}}\right) a^2 b^2 + 3 B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) a^2 b^2 + 16 B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) a^2 b^2 - 24 A \sin(dx+c) \cos(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) b^3 - 48 A \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) a^2 b^2 - 24 A \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) b^3 + 48 A \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{\sqrt{a+b}}\right) b^3 - 6 B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{\sqrt{a+b}}\right) a^3 + 3 B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) a^3 + 16 B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) b^3 \left(\frac{1}{\cos(dx+c)}\right)^{1/2} / \sin(dx+c) / \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\sqrt{a+b}\right)^{1/2} / b$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2}}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(3/2)*(A+B*cos(dx+c))/sec(dx+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*(b*cos(dx+c) + a)^(3/2)/sqrt(sec(dx+c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{3/2}}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(3/2))/(1/cos(c + dx))^(1/2),x)

[Out] int(((A + B*cos(c + dx))*(a + b*cos(c + dx))^(3/2))/(1/cos(c + dx))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```


$$3.604 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=730

$$\frac{(-3a^2B + 8aAb + 12b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{32bd \sqrt{\sec(c + dx)}} + \frac{(-9a^3B + 24a^2Ab + 156ab^2B + 128Ab^3) \sin(c + dx)}{192b^2d}$$

[Out] $\frac{1}{24} (8A^2b - 3B^2a) (a + b \cos(dx+c))^{3/2} \sin(dx+c) / b/d / \sec(dx+c)^{1/2} + \frac{1}{4} B (a + b \cos(dx+c))^{5/2} \sin(dx+c) / b/d / \sec(dx+c)^{1/2} + \frac{1}{32} (8A^2a^2b - 3B^2a^2 + 12B^2b^2) \sin(dx+c) (a + b \cos(dx+c))^{1/2} / b/d / \sec(dx+c)^{1/2} + \frac{1}{192} (24A^2a^2b + 128A^2b^3 - 9B^2a^3 + 156B^2a^2b^2) \sin(dx+c) (a + b \cos(dx+c))^{1/2} \sec(dx+c)^{1/2} / b^2/d - \frac{1}{192} (a-b) (24A^2a^2b + 128A^2b^3 - 9B^2a^3 + 156B^2a^2b^2) \csc(dx+c) \text{EllipticE}((a + b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}), ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} \cos(dx+c)^{1/2} (a*(1-\sec(dx+c)) / (a+b))^{1/2} (a*(1+\sec(dx+c)) / (a-b))^{1/2} / a/b^2/d / \sec(dx+c)^{1/2} - \frac{1}{192} (9a^3B - 6a^2b(4A+B) - 8b^3(16A+9B) - 4a^2b^2(28A+39B)) \csc(dx+c) \text{EllipticF}((a + b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}), ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} \cos(dx+c)^{1/2} (a*(1-\sec(dx+c)) / (a+b))^{1/2} (a*(1+\sec(dx+c)) / (a-b))^{1/2} / b^2/d / \sec(dx+c)^{1/2} + \frac{1}{64} (8A^2a^3b - 96A^2a^2b^3 - 3B^2a^4 - 24A^2b^2b^2 - 48B^2b^4) \csc(dx+c) \text{EllipticPi}((a + b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}), (a+b)/b, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} \cos(dx+c)^{1/2} (a*(1-\sec(dx+c)) / (a+b))^{1/2} (a*(1+\sec(dx+c)) / (a-b))^{1/2} / b^3/d / \sec(dx+c)^{1/2}$

Rubi [A] time = 2.44, antiderivative size = 730, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(24a^2Ab - 9a^3B + 156ab^2B + 128Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{192b^2d} + \frac{(-3a^2B + 8aAb + 12b^2B) \sin(c + dx)}{32bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) / \sec(c + dx)^{3/2}, x]$

[Out] $-(a - b) \sqrt{a + b} (24a^2A^2b + 128A^2b^3 - 9a^3B + 156a^2b^2B) \sqrt{\cos(c + dx)} \csc(c + dx) \text{EllipticE}[\text{ArcSin}[\sqrt{a + b \cos(c + dx)}] / (\sqrt{a + b} \sqrt{\cos(c + dx)})], -((a + b)/(a - b)) \sqrt{(a*(1 - \sec(c + dx)) / (a + b)) \sqrt{(a*(1 + \sec(c + dx)) / (a - b))} / (192a^2b^2d \sqrt{\sec(c + dx)})} - (\sqrt{a + b} (9a^3B - 6a^2b(4A + B) - 8b^3(16A + 9B) - 4a^2b^2(28A + 39B)) \sqrt{\cos(c + dx)} \csc(c + dx) \text{EllipticF}[\text{ArcSin}[\sqrt{a + b \cos(c + dx)}] / (\sqrt{a + b} \sqrt{\cos(c + dx)})], -((a + b)/(a - b)) \sqrt{(a*(1 - \sec(c + dx)) / (a + b)) \sqrt{(a*(1 + \sec(c + dx)) / (a - b))} / (192b^2d \sqrt{\sec(c + dx)})} + (\sqrt{a + b} (8a^3A^2b - 96A^2a^2b^3 - 3a^4B - 24a^2b^2b^2 - 48b^4B) \sqrt{\cos(c + dx)} \csc(c + dx) \text{EllipticPi}[(a + b)/b, \text{ArcSin}[\sqrt{a + b \cos(c + dx)}] / (\sqrt{a + b} \sqrt{\cos(c + dx)})], -((a + b)/(a - b)) \sqrt{(a*(1 - \sec(c + dx)) / (a + b)) \sqrt{(a*(1 + \sec(c + dx)) / (a - b))} / (64b^3d \sqrt{\sec(c + dx)})} + ((8a^2A^2b - 3a^2B + 12b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)) / (32b^2d \sqrt{\sec(c + dx)})} + ((8A^2b - 3a^2B) (a + b \cos(c + dx))^{3/2} \sin(c + dx)) / (24b^2d \sqrt{\sec(c + dx)})} + (B (a + b \cos(c + dx))^{5/2} \sin(c + dx)) / (4b^2d \sqrt{\sec(c + dx)})} + ((24a^2A^2b + 128A^2b^3 - 9a^3B + 156a^2b^2B) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)) / (192b^2d)$

Rule 2809

$\text{Int}[\sqrt{(b \cdot \sin(e \cdot x) + (f \cdot x))} / \sqrt{(c \cdot x) + (d \cdot \sin(e \cdot x) + (f \cdot x)) \cdot x}], x_Symbol] \rightarrow \text{Simp}[(2 \cdot b \cdot \tan[e + f \cdot x] \cdot \text{Rt}[(c + d) / b, 2] \cdot \sqrt{(c \cdot (1 +$

$\text{Csc}[e + f*x])]/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]*\text{Sqrt}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]), x_Symbol] :> \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2961

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_*)]*(g_*)^{(p_*)*((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(m_*)*((c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(n_*)}, x_Symbol] :> \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])]$

Rule 2990

$\text{Int}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(m_*)*((A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(n_*)}, x_Symbol] :> -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*\text{Sin}[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !(\text{IGtQ}[n, 1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]))))$

Rule 2994

$\text{Int}[(A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])/((b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(3/2)}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]], x_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[(A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])/((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(3/2)}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]], x_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rule 3049

$\text{Int}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(m_*)*((c_*) + (d_*)*\text{sin}[(e_*)$

```

+ (f_.)*(x_)]^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

Rule 3053

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]))], x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*sin[e + f*x]]/Sqrt[c + d*sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*sin[e + f*x])^(3/2)*Sqrt[c + d*sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3061

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]])], x_Symbol] := -Simp[(C*cos[e + f*x]*Sqrt[c + d*sin[e + f*x]])/(d*f*Sqrt[a + b*sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*sin[e + f*x])^(3/2)*Sqrt[c + d*sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\sec^2(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^2(c + dx) (a + b \cos(c + dx)) dx \\
&= \frac{B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{4bd\sqrt{\sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^2(c + dx) (a + b \cos(c + dx)) dx}{4bd\sqrt{\sec(c + dx)}} \\
&= \frac{(8Ab - 3aB)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{24bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{4bd\sqrt{\sec(c + dx)}} \\
&= \frac{(8aAb - 3a^2B + 12b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} + \frac{(8aAb - 3a^2B + 12b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} \\
&= \frac{(8aAb - 3a^2B + 12b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} + \frac{(8aAb - 3a^2B + 12b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} \\
&= \frac{(8aAb - 3a^2B + 12b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} + \frac{(8aAb - 3a^2B + 12b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} \\
&= \frac{\sqrt{a + b} (8a^3Ab - 96aAb^3 - 3a^4B - 24a^2b^2B - 48b^4B) \sqrt{\cos(c + dx)}}{32bd\sqrt{\sec(c + dx)}} \\
&= -\frac{(a - b)\sqrt{a + b} (24a^2Ab + 128Ab^3 - 9a^3B + 156ab^2B) \sqrt{\cos(c + dx)}}{32bd\sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 21.40, size = 1888, normalized size = 2.59

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2),x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(((8*A*b + 9*a*B)*Sin[c + d*x])/96 + ((56*a*A*b + 3*a^2*B + 48*b^2*B)*Sin[2*(c + d*x)]/(192*b) + ((8*A*b + 9*a*B)*Sin[3*(c + d*x)]/96 + (b*B*Ssin[4*(c + d*x)]/32))/d - (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(24*a^3*A*b*Tan[(c + d*x)/2] + 24*a^2*A*b^2*Tan[(c + d*x)/2] + 128*a*A*b^3*Tan[(c + d*x)/2] + 128*A*b^4*Tan[(c + d*x)/2] - 9*a^4*B*Tan[(c + d*x)/2] - 9*a^3*b*B*Tan[(c + d*x)/2] + 156*a^2*b^2*B*Tan[(c + d*x)/2] + 156*a*b^3*B*Tan[(c + d*x)/2] - 48*a^2*A*b^2*Tan[(c + d*x)/2]^3 - 256*A*b^4*Tan[(c + d*x)/2]^3 + 18*a^3*b*B*Tan[(c + d*x)/2]^3 - 312*a*b^3*B*Tan[(c + d*x)/2]^3 - 24*a^3*A*b*Tan[(c + d*x)/2]^5 + 24*a^2*A*b^2*Tan[(c + d*x)/2]^5 - 128*a*A*b^3*Tan[(c + d*x)/2]^5 + 128*A*b^4*Tan[(c + d*x)/2]^5 + 9*a^4*B*Tan[(c + d*x)/2]^5 - 9*a^3*b*B*Tan[(c + d*x)/2]^5 - 156*a^2*b^2*B*Tan[(c + d*x)/2]^5 + 156*a*b^3*B*Tan[(c + d*x)/2]^5 - 48*a^3*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 576*a*A*b^3*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 18*a^4*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b))

```

c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 144*a^2*b^2*B*EllipticPi[-
1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]
*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 288*
b^4*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - T
an[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^
2)/(a + b)] - 48*a^3*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/
(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Ta
n[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 576*a*A*b^3*EllipticPi[
-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 -
Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2
]^2)/(a + b)] + 18*a^4*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/
(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Ta
n[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 144*a^2*b^2*B*EllipticP
i[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1
- Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)
]/2]^2)/(a + b)] + 288*b^4*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a +
b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a
*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - (a + b)*(-24*a^2*A*b
- 128*A*b^3 + 9*a^3*B - 156*a*b^2*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (
-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt
[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*b*(2*a^
2*b*(28*A - 57*B) - 4*a*b^2*(52*A - 9*B) + 3*a^3*B - 72*b^3*B)*EllipticF[Ar
cSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 +
Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2
]^2)/(a + b)))/(192*b^2*d*Sqrt[1 + Tan[(c + d*x)/2]^2]*(b*(-1 + Tan[(c + d
*x)/2]^2) - a*(1 + Tan[(c + d*x)/2]^2)))

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algor
ithm="fricas")
```

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/sec(d*x + c)^(3/2
), x)
```

maple [B] time = 0.62, size = 4056, normalized size = 5.56

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x)
```

```
[Out] -1/192/d*(136*A*cos(d*x+c)^3*a^2*b^2-3*B*cos(d*x+c)^3*a^3*b+108*B*cos(d*x+c
)^3*a*b^3+78*B*cos(d*x+c)^2*a^2*b^2-156*B*cos(d*x+c)^2*a*b^3-6*B*cos(d*x+c)
```

$$\begin{aligned}
& *a^3*b-156*B*\cos(d*x+c)*a^2*b^2-72*B*\cos(d*x+c)*a*b^3+24*A*\cos(d*x+c)^2*a^3 \\
& *b-48*A*\cos(d*x+c)^2*a*b^3-112*A*\cos(d*x+c)*a^2*b^2-128*A*\cos(d*x+c)*a*b^3+ \\
& 128*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos \\
& (d*x+c))/(a+b))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\
&)*b^4-9*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c) \\
&)/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/ \\
& (a+b))^{(1/2)}*a^4+18*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*c \\
& os(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c \\
&),-1,(-a-b)/(a+b))^{(1/2)}*a^4+288*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))) \\
& ^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticPi((-1+\cos(d*x \\
& +c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)}*b^4-144*B*\sin(d*x+c)*(\cos(d*x+c)/(\\
& 1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*Elliptic \\
& F((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*b^4+48*B*\cos(d*x+c)^6*b^ \\
& 4+64*A*\cos(d*x+c)^3*b^4-128*A*\cos(d*x+c)^2*b^4+24*B*\cos(d*x+c)^4*b^4-72*B*c \\
& os(d*x+c)^2*b^4-9*B*\cos(d*x+c)^2*a^4+9*B*\cos(d*x+c)*a^4+64*A*\cos(d*x+c)^5*b \\
& ^4+9*B*\cos(d*x+c)^2*a^3*b+176*A*\cos(d*x+c)^4*a*b^3-24*A*\cos(d*x+c)^2*a^2*b^ \\
& 2-24*A*\cos(d*x+c)*a^3*b+120*B*\cos(d*x+c)^5*a*b^3+78*B*\cos(d*x+c)^4*a^2*b^2+ \\
& 24*A*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a \\
& b))^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c \\
&))/(a+b))^{(1/2)}*a^3*b-9*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))) \\
& ^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticE((-1+\cos(d*x+ \\
& c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^4+18*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d* \\
& x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*El \\
& lipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)}*a^4+288*B*\sin(\\
& d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+co \\
& s(d*x+c))/(a+b))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+ \\
& b))^{(1/2)}*b^4-144*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2 \\
&)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/s \\
& in(d*x+c),(-a-b)/(a+b))^{(1/2)}*b^4+24*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+ \\
& c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticE((-1+\cos(\\
& d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3*b+24*A*\sin(d*x+c)*(\cos(d*x+c)/ \\
& (1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*Ellipti \\
& cE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b^2+128*A*\sin(d*x+c \\
&)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b) \\
&)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a*b^3-48* \\
& A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x \\
& +c))/(a+b))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)} \\
&)*a^3*b+576*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d* \\
& x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1, \\
& (-a-b)/(a+b))^{(1/2)}*a*b^3+112*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1 \\
& /2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticF((-1+\cos(d*x+c) \\
&)/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b^2-416*A*\sin(d*x+c)*(\cos(d*x+c)/(1+c \\
& os(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticF((\\
& -1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a*b^3-9*B*\sin(d*x+c)*(\cos(d \\
& *x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*E \\
& llipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3*b+156*B*\sin(d \\
& *x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a \\
& +b))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b \\
& ^2+156*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+ \\
& cos(d*x+c))/(a+b))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b) \\
&)^{(1/2)}*a*b^3+144*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*cos \\
& (d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), \\
& -1,(-a-b)/(a+b))^{(1/2)}*a^2*b^2+6*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))) \\
& ^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticF((-1+\cos(d*x+ \\
& c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3*b-228*B*\sin(d*x+c)*(\cos(d*x+c)/(1+ \\
& cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticF(\\
& (-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^2*b^2+72*B*\sin(d*x+c)*(c \\
& os(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/ \\
& 2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a*b^3+128*A*s
\end{aligned}$$

```

in(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1
+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b
))^(1/2))*b^4+24*A*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+
c),(-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
)/(1+cos(d*x+c))/(a+b))^(1/2)*a^2*b^2+128*A*sin(d*x+c)*cos(d*x+c)*EllipticE
((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)
))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*b^3-48*A*sin(d*x+c
)*cos(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2)
)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(
1/2)*a^3*b+576*A*sin(d*x+c)*cos(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c
),-1,(-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x
+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*b^3+112*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x
+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Ell
ipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*a^2*b^2-416*A*sin(d
*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos
(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(
1/2)*a*b^3-9*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a
+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*
x+c),(-a-b)/(a+b))^(1/2)*a^3*b+156*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1
+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE
((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*a^2*b^2+156*B*sin(d*x+c)*
cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c
)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*
a*b^3+144*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*c
os(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c
),-1,(-a-b)/(a+b))^(1/2)*a^2*b^2+6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1
+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF
((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)*a^3*b-228*B*sin(d*x+c)*co
s(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
)/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^
2*b^2+72*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*co
s(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*a*b^3*cos(d*x+c)*(1/cos(d*x+c))^(3/2)/sin(d*x+c)/(a+
b*cos(d*x+c))^(1/2)/b^2

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/sec(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{3}{2}}}{\left(\frac{1}{\cos(c+dx)}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/(1/cos(c + d*x))^(3/2),x)

[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(3/2))/(1/cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(3/2),x)

[Out] Timed out

$$3.605 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^{13/2}(c+dx) dx$$

Optimal. Leaf size=662

$$\frac{2(81a^2A + 209abB + 113Ab^2) \sin(c+dx) \sec^{7/2}(c+dx) \sqrt{a+b \cos(c+dx)}}{693d} + \frac{2(539a^3B + 1145a^2Ab + 825ab^2)}{693d}$$

[Out] $2/11*a*A*(a+b*\cos(d*x+c))^{3/2}*sec(d*x+c)^{(11/2)}*\sin(d*x+c)/d+2/3465*(675*A*a^4+1025*A*a^2*b^2-20*A*b^4+1793*B*a^3*b+55*B*a*b^3)*sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/a^2/d+2/3465*(1145*A*a^2*b+15*A*b^3+539*B*a^3+825*B*a*b^2)*sec(d*x+c)^{(5/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/a/d+2/693*(81*A*a^2+113*A*b^2+209*B*a*b)*sec(d*x+c)^{(7/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d+2/99*a*(14*A*b+11*B*a)*sec(d*x+c)^{(9/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d+2/3465*(a-b)*(3705*A*a^4*b+255*A*a^2*b^3+40*A*b^5+1617*B*a^5+3069*B*a^3*b^2-110*B*a*b^4)*csc(d*x+c)*EllipticE((a+b*\cos(d*x+c))^{1/2}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{1/2})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-sec(d*x+c))/(a+b))^{1/2}*(a*(1+sec(d*x+c))/(a-b))^{1/2}/a^4/d/sec(d*x+c)^{(1/2)}+2/3465*(a-b)*(40*A*b^4+3*a^4*(225*A-539*B)-6*a^3*b*(505*A-209*B)+15*a^2*b^2*(19*A-121*B)+10*a*b^3*(3*A-11*B))*csc(d*x+c)*EllipticF((a+b*\cos(d*x+c))^{1/2}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{1/2})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-sec(d*x+c))/(a+b))^{1/2}*(a*(1+sec(d*x+c))/(a-b))^{1/2}/a^3/d/sec(d*x+c)^{(1/2)}$

Rubi [A] time = 2.91, antiderivative size = 662, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(81a^2A + 209abB + 113Ab^2) \sin(c+dx) \sec^{7/2}(c+dx) \sqrt{a+b \cos(c+dx)}}{693d} + \frac{2(1145a^2Ab + 539a^3B + 825ab^2)}{693d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(13/2),x]

[Out] $(2*(a-b)*\text{Sqrt}[a+b]*(3705*a^4*A*b+255*a^2*A*b^3+40*A*b^5+1617*a^5*B+3069*a^3*b^2*B-110*a*b^4*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b)))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3465*a^4*d*\text{Sqrt}[\text{Sec}[c+d*x]])+(2*(a-b)*\text{Sqrt}[a+b]*(40*A*b^4+3*a^4*(225*A-539*B)-6*a^3*b*(505*A-209*B)+15*a^2*b^2*(19*A-121*B)+10*a*b^3*(3*A-11*B))*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b)))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3465*a^3*d*\text{Sqrt}[\text{Sec}[c+d*x]])+(2*(675*a^4*A+1025*a^2*A*b^2-20*A*b^4+1793*a^3*b*B+55*a*b^3*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^{3/2}*\text{Sin}[c+d*x])/(3465*a^2*d)+(2*(1145*a^2*A*b+15*A*b^3+539*a^3*B+825*a*b^2*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^{5/2}*\text{Sin}[c+d*x])/(3465*a*d)+(2*(81*a^2*A+113*A*b^2+209*a*b*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^{7/2}*\text{Sin}[c+d*x])/(693*d)+(2*a*(14*A*b+11*a*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^{9/2}*\text{Sin}[c+d*x])/(99*d)+(2*a*A*(a+b*\text{Cos}[c+d*x])^{3/2}*\text{Sec}[c+d*x]^{11/2}*\text{Sin}[c+d*x])/(11*d)$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1

$$-\text{Csc}[e + f*x])/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$$

Rule 2961

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{\text{p}_.}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{\text{m}_.})*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{\text{n}_.}), x_Symbol] \text{:>} \text{Dist}[(g*\text{Csc}[e + f*x])^{\text{p}}*(g*\text{Sin}[e + f*x])^{\text{p}}, \text{Int}[(a + b*\text{Sin}[e + f*x])^{\text{m}}*(c + d*\text{Sin}[e + f*x])^{\text{n}}/(g*\text{Sin}[e + f*x])^{\text{p}}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$$

Rule 2989

$$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{\text{m}_.})*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{\text{n}_.}), x_Symbol] \text{:>} -\text{Simp}[(b*c - a*d)*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{\text{m} - 1}*(c + d*\text{Sin}[e + f*x])^{\text{n} + 1})/(d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{\text{m} - 2}*(c + d*\text{Sin}[e + f*x])^{\text{n} + 1})*\text{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*\text{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$$

Rule 2994

$$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]/(((b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{\text{3/2}}*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \text{:>} \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))]/(f*b*c^2), x] /; \text{FreeQ}[\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$$

Rule 2998

$$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{\text{3/2}}*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \text{:>} \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{\text{3/2}}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$$

Rule 3047

$$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{\text{m}_.})*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{\text{n}_.})*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \text{:>} -\text{Simp}[(c^2*C - B*c*d + A*d^2)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{\text{m}}*(c + d*\text{Sin}[e + f*x])^{\text{n} + 1})/(d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{\text{m} - 1}*(c + d*\text{Sin}[e + f*x])^{\text{n} + 1})*\text{Simp}[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*\text{Sin}[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*\text{Sin}[e + f*x]$$

$^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 0] \ \&\& \ \text{LtQ}[n, -1]$

Rule 3055

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(n_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \text{ :> } -\text{Simp}[\{(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]\}*(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ ((\text{EqQ}[a, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ !\text{IntegerQ}[n]) \ || \ !(\text{IntegerQ}[2*n] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ ((\text{IntegerQ}[n] \ \&\& \ !\text{IntegerQ}[m]) \ || \ \text{EqQ}[a, 0])))$

Rubi steps

$$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx)}{\cos(c + dx)} dx$$

$$= \frac{2aA(a + b \cos(c + dx))^{3/2} \sec^{11/2}(c + dx) \sin(c + dx)}{11d}$$

$$= \frac{2a(14Ab + 11aB)\sqrt{a + b \cos(c + dx)} \sec^{9/2}(c + dx)}{99d}$$

$$= \frac{2(81a^2A + 113Ab^2 + 209abB)\sqrt{a + b \cos(c + dx)} \sec^{7/2}(c + dx)}{693d}$$

$$= \frac{2(1145a^2Ab + 15Ab^3 + 539a^3B + 825ab^2B)\sqrt{a + b \cos(c + dx)} \sec^{5/2}(c + dx)}{3465d}$$

$$= \frac{2(675a^4A + 1025a^2Ab^2 - 20Ab^4 + 1793a^3bB)\sqrt{a + b \cos(c + dx)} \sec^{3/2}(c + dx)}{2493d}$$

$$= \frac{2(675a^4A + 1025a^2Ab^2 - 20Ab^4 + 1793a^3bB)\sqrt{a + b \cos(c + dx)} \sec^{1/2}(c + dx)}{1665d}$$

$$= \frac{2(a - b)\sqrt{a + b} (3705a^4Ab + 255a^2Ab^3 + 40Aa^2b^2)}{1665d}$$

Mathematica [B] time = 27.24, size = 4198, normalized size = 6.34

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(13/2),x]

```
[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(3705*a^4*A*b + 255*a^2*A*
b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sin[c + d*x])/
(3465*a^3) + (2*Sec[c + d*x]^4*(23*a*A*b*Ssin[c + d*x] + 11*a^2*B*Ssin[c + d*x
]))/99 + (2*Sec[c + d*x]^3*(81*a^2*A*Ssin[c + d*x] + 113*A*b^2*Ssin[c + d*x]
+ 209*a*b*B*Ssin[c + d*x]))/693 + (2*Sec[c + d*x]^2*(1145*a^2*A*b*Ssin[c + d*
x] + 15*A*b^3*Ssin[c + d*x] + 539*a^3*B*Ssin[c + d*x] + 825*a*b^2*B*Ssin[c + d
*x]))/(3465*a) + (2*Sec[c + d*x]*(675*a^4*A*Ssin[c + d*x] + 1025*a^2*A*b^2*S
in[c + d*x] - 20*A*b^4*Ssin[c + d*x] + 1793*a^3*b*B*Ssin[c + d*x] + 55*a*b^3*
B*Ssin[c + d*x]))/(3465*a^2) + (2*a^2*A*Sec[c + d*x]^4*Tan[c + d*x])/11)/d
+ (2*((-247*a^2*A*b)/(231*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (1
7*A*b^3)/(231*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*A*b^5)/(693
*a^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (7*a^3*B)/(15*Sqrt[a +
b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (31*a*b^2*B)/(35*Sqrt[a + b*Cos[c + d
*x]]*Sqrt[Sec[c + d*x]]) + (2*b^4*B)/(63*a*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Se
c[c + d*x]]) + (15*a^3*A*Sqrt[Sec[c + d*x]])/(77*Sqrt[a + b*Cos[c + d*x]])
- (26*a*A*b^2*Sqrt[Sec[c + d*x]])/(231*Sqrt[a + b*Cos[c + d*x]]) - (7*A*b^4
*Sqrt[Sec[c + d*x]])/(99*a*Sqrt[a + b*Cos[c + d*x]]) - (8*A*b^6*Sqrt[Sec[c
+ d*x]])/(693*a^3*Sqrt[a + b*Cos[c + d*x]]) + (38*a^2*b*B*Sqrt[Sec[c + d*x]
])/(105*Sqrt[a + b*Cos[c + d*x]]) - (124*b^3*B*Sqrt[Sec[c + d*x]])/(315*Sqr
t[a + b*Cos[c + d*x]]) + (2*b^5*B*Sqrt[Sec[c + d*x]])/(63*a^2*Sqrt[a + b*Co
s[c + d*x]]) - (247*a*A*b^2*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(231*Sqrt[
a + b*Cos[c + d*x]]) - (17*A*b^4*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(231*
a*Sqrt[a + b*Cos[c + d*x]]) - (8*A*b^6*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]
])/(693*a^3*Sqrt[a + b*Cos[c + d*x]]) - (7*a^2*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[
c + d*x]])/(15*Sqrt[a + b*Cos[c + d*x]]) - (31*b^3*B*Cos[2*(c + d*x)]*Sqrt[
Sec[c + d*x]])/(35*Sqrt[a + b*Cos[c + d*x]]) + (2*b^5*B*Cos[2*(c + d*x)]*Sq
rt[Sec[c + d*x]])/(63*a^2*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^
2*Sec[c + d*x]]*(-2*(a + b)*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617
*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])
]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[
Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(40*A*b^4 - 10*a*b^3*(3*
A + 11*B) + 15*a^2*b^2*(19*A + 121*B) + 6*a^3*b*(505*A + 209*B) + 3*a^4*(22
5*A + 539*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x
])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a +
b)/(a + b)] - (3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*
a^3*b^2*B - 110*a*b^4*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]
^2*Tan[(c + d*x)/2))/(3465*a^3*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*
x)/2]^2]*((b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(-2*(a + b)
*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 1
10*a*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])
]/((a + b)*(1 + Cos[c + d*x])))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)
/(a + b)] + 2*a*(a + b)*(40*A*b^4 - 10*a*b^3*(3*A + 11*B) + 15*a^2*b^2*(19*
A + 121*B) + 6*a^3*b*(505*A + 209*B) + 3*a^4*(225*A + 539*B))*Sqrt[Cos[c +
d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*
x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (3705*a^4*A*b
+ 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Co
s[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3465
*a^3*(a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2] - (Sqrt[Cos[(c +
d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(-2*(a + b)*(3705*a^4*A*b + 255*a^
2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cos[c
+ d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c +
d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)
*(40*A*b^4 - 10*a*b^3*(3*A + 11*B) + 15*a^2*b^2*(19*A + 121*B) + 6*a^3*b*(5
05*A + 209*B) + 3*a^4*(225*A + 539*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])
]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[
Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (3705*a^4*A*b + 255*a^2*A*b^3 + 40*A
*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cos[c + d*x]*(a + b*Cos[c
+ d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3465*a^3*Sqrt[a + b*Cos[c +
d*x]]*Sqrt[Sec[(c + d*x)/2]^2] + (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]
```

```

*(-1/2*((3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^
2*B - 110*a*b^4*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^4) -
((a + b)*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b
^2*B - 110*a*b^4*B)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]
*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*((Cos[c + d*x]*Sin[c
+ d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[
c + d*x]/(1 + Cos[c + d*x])] + (a*(a + b)*(40*A*b^4 - 10*a*b^3*(3*A + 11*B)
+ 15*a^2*b^2*(19*A + 121*B) + 6*a^3*b*(505*A + 209*B) + 3*a^4*(225*A + 539
*B))*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcS
in[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + C
os[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + C
os[c + d*x])] - ((a + b)*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^
5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*E
llipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*SIN[c + d*x])/((
a + b)*(1 + Cos[c + d*x])))) + ((a + b*Cos[c + d*x])*Sin[c + d*x])/((a + b)*
(1 + Cos[c + d*x])^2))/Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x
]))] + (a*(a + b)*(40*A*b^4 - 10*a*b^3*(3*A + 11*B) + 15*a^2*b^2*(19*A + 12
1*B) + 6*a^3*b*(505*A + 209*B) + 3*a^4*(225*A + 539*B))*Sqrt[Cos[c + d*x]/(
1 + Cos[c + d*x])]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*(-
((b*SIN[c + d*x])/((a + b)*(1 + Cos[c + d*x])))) + ((a + b*Cos[c + d*x])*Sin
[c + d*x])/((a + b)*(1 + Cos[c + d*x])^2))/Sqrt[(a + b*Cos[c + d*x])/((a +
b)*(1 + Cos[c + d*x]))] + b*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 161
7*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cos[c + d*x]*Sec[(c + d*x)/2]^2*Sin
[c + d*x]*Tan[(c + d*x)/2] + (3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 161
7*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*(a + b*Cos[c + d*x])*Sec[(c + d*x)/
2]^2*Sin[c + d*x]*Tan[(c + d*x)/2] - (3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b
^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cos[c + d*x]*(a + b*Cos[c +
d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]^2 + (a*(a + b)*(40*A*b^4 - 10*a*
b^3*(3*A + 11*B) + 15*a^2*b^2*(19*A + 121*B) + 6*a^3*b*(505*A + 209*B) + 3*
a^4*(225*A + 539*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[
c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2)/(Sqrt[1 - Tan[(
c + d*x)/2]^2]*Sqrt[1 - ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)]) - ((a + b)*
(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 11
0*a*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/
((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2*Sqrt[1 - ((-a + b)*Tan[(c
+ d*x)/2]^2)/(a + b)]/Sqrt[1 - Tan[(c + d*x)/2]^2])/(3465*a^3*Sqrt[a + b*
Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + ((-2*(a + b)*(3705*a^4*A*b + 255*
a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cos[
c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c
+ d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a +
b)*(40*A*b^4 - 10*a*b^3*(3*A + 11*B) + 15*a^2*b^2*(19*A + 121*B) + 6*a^3*b*
(505*A + 209*B) + 3*a^4*(225*A + 539*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x
])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSi
n[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (3705*a^4*A*b + 255*a^2*A*b^3 + 40
*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cos[c + d*x]*(a + b*Cos
[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]*(-(Cos[(c + d*x)/2]*Sec[c +
d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(3
465*a^3*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*x
)/2]^2*Sec[c + d*x]]))

```

fricas [F] time = 1.06, size = 0, normalized size = 0.00

integral($(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c))\sqrt{b \cos(dx + c)}$)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2),x, algo
rithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 +

$(B*a^2 + 2*A*a*b)*\cos(dx + c)*\sqrt{b*\cos(dx + c) + a}*\sec(dx + c)^{(13/2)}, x)$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(13/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.94, size = 5381, normalized size = 8.13

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(13/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{13}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(13/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx + c) + A)*(b*cos(dx + c) + a)^(5/2)*sec(dx + c)^(13/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{13/2} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(13/2)*(a + b*cos(c + d*x))^(5/2),x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(13/2)*(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))**(5/2)*(A+B*cos(dx+c))*sec(dx+c)**(13/2),x)

[Out] Timed out

$$3.606 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$$

Optimal. Leaf size=562

$$\frac{2(49a^2A + 135abB + 75Ab^2) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}}{315d} + \frac{2(75a^3B + 163a^2Ab + 135ab^2B + \dots)}{315d}$$

[Out] $2/9*a*A*(a+b*\cos(d*x+c))^{3/2}*sec(d*x+c)^{9/2}*\sin(d*x+c)/d+2/315*(163*A*a^2*b+5*A*b^3+75*B*a^3+135*B*a*b^2)*sec(d*x+c)^{3/2}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/a/d+2/315*(49*A*a^2+75*A*b^2+135*B*a*b)*sec(d*x+c)^{5/2}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d+2/21*a*(4*A*b+3*B*a)*sec(d*x+c)^{7/2}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d+2/315*(a-b)*(147*A*a^4+279*A*a^2*b^2-10*A*b^4+435*B*a^3*b+45*B*a*b^3)*csc(d*x+c)*EllipticE((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*\cos(d*x+c)^{1/2}*(a*(1-sec(d*x+c))/(a+b))^{1/2}*(a*(1+sec(d*x+c))/(a-b))^{1/2}/a^3/d/sec(d*x+c)^{1/2}-2/315*(a-b)*(10*A*b^3-6*a^2*b*(19*A-60*B)+3*a^3*(49*A-25*B)+15*a*b^2*(11*A-3*B))*csc(d*x+c)*EllipticF((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*\cos(d*x+c)^{1/2}*(a*(1-sec(d*x+c))/(a+b))^{1/2}*(a*(1+sec(d*x+c))/(a-b))^{1/2}/a^2/d/sec(d*x+c)^{1/2}$

Rubi [A] time = 2.07, antiderivative size = 562, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(49a^2A + 135abB + 75Ab^2) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}}{315d} + \frac{2(163a^2Ab + 75a^3B + 135ab^2B + \dots)}{315d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^{5/2}*(A + B*\text{Cos}[c + d*x])*Sec[c + d*x]^{11/2}, x]$

[Out] $(2*(a - b)*\text{Sqrt}[a + b]*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*Csc[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(315*a^3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*(a - b)*\text{Sqrt}[a + b]*(10*A*b^3 - 6*a^2*b*(19*A - 60*B) + 3*a^3*(49*A - 25*B) + 15*a*b^2*(11*A - 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*Csc[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(315*a^2*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(163*a^2*A*b + 5*A*b^3 + 75*a^3*B + 135*a*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*Sec[c + d*x]^{3/2}*\text{Sin}[c + d*x])/(315*a*d) + (2*(49*a^2*A + 75*A*b^2 + 135*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*Sec[c + d*x]^{5/2}*\text{Sin}[c + d*x])/(315*d) + (2*a*(4*A*b + 3*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*Sec[c + d*x]^{7/2}*\text{Sin}[c + d*x])/(21*d) + (2*a*A*(a + b*\text{Cos}[c + d*x])^{3/2}*Sec[c + d*x]^{9/2}*\text{Sin}[c + d*x])/(9*d)$

Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) +
```



```
(f_.)*(x_)]^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx)}{\cos(c + dx)} dx \\
&= \frac{2aA(a + b \cos(c + dx))^{3/2} \sec^9(c + dx) \sin(c + dx)}{9d} \\
&= \frac{2a(4Ab + 3aB) \sqrt{a + b \cos(c + dx)} \sec^7(c + dx)}{21d} \\
&= \frac{2(49a^2A + 75Ab^2 + 135abB) \sqrt{a + b \cos(c + dx)} \sec^5(c + dx)}{315d} \\
&= \frac{2(163a^2Ab + 5Ab^3 + 75a^3B + 135ab^2B) \sqrt{a + b \cos(c + dx)} \sec^3(c + dx)}{315ad} \\
&= \frac{2(163a^2Ab + 5Ab^3 + 75a^3B + 135ab^2B) \sqrt{a + b \cos(c + dx)} \sec(c + dx)}{315ad} \\
&= \frac{2(a - b) \sqrt{a + b} (147a^4A + 279a^2Ab^2 - 10Ab^4)}{315ad}
\end{aligned}$$

Mathematica [B] time = 26.36, size = 3755, normalized size = 6.68

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/
2), x]
```

```
[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(147*a^4*A + 279*a^2*A*b^2
- 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*Sin[c + d*x])/(315*a^2) + (2*Sec[c
+ d*x]^3*(19*a*A*b*Ssin[c + d*x] + 9*a^2*B*Ssin[c + d*x]))/63 + (2*Sec[c + d
*x]^2*(49*a^2*A*Ssin[c + d*x] + 75*A*b^2*Ssin[c + d*x] + 135*a*b*B*Ssin[c + d*x
]))/315 + (2*Sec[c + d*x]*(163*a^2*A*b*Ssin[c + d*x] + 5*A*b^3*Ssin[c + d*x]
+ 75*a^3*B*Ssin[c + d*x] + 135*a*b^2*B*Ssin[c + d*x]))/(315*a) + (2*a^2*A*Sec
[c + d*x]^3*Tan[c + d*x])/9))/d + (2*((-7*a^3*A)/(15*Sqrt[a + b*Cos[c + d*x
]])*Sqrt[Sec[c + d*x]]) - (31*a*A*b^2)/(35*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec
[c + d*x]]) + (2*A*b^4)/(63*a*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

$$\begin{aligned}
& - (29a^2bB)/(21\sqrt{a + b\cos[c + dx]}\sqrt{\sec[c + dx]}) - (b^3B)/(7\sqrt{a + b\cos[c + dx]}\sqrt{\sec[c + dx]}) + (38a^2A^b\sqrt{\sec[c + dx]})/(105\sqrt{a + b\cos[c + dx]}) - (124A^b\sqrt{\sec[c + dx]})/(315\sqrt{a + b\cos[c + dx]}) + (2A^b\sqrt{\sec[c + dx]})/(63a^2\sqrt{a + b\cos[c + dx]}) + (5a^3B\sqrt{\sec[c + dx]})/(21\sqrt{a + b\cos[c + dx]}) - (2a^2b^2B\sqrt{\sec[c + dx]})/(21\sqrt{a + b\cos[c + dx]}) - (b^4B\sqrt{\sec[c + dx]})/(7a\sqrt{a + b\cos[c + dx]}) - (7a^2A^b\cos[2(c + dx)]\sqrt{\sec[c + dx]})/(15\sqrt{a + b\cos[c + dx]}) - (31A^b\cos[2(c + dx)]\sqrt{\sec[c + dx]})/(35\sqrt{a + b\cos[c + dx]}) + (2A^b\cos[2(c + dx)]\sqrt{\sec[c + dx]})/(63a^2\sqrt{a + b\cos[c + dx]}) - (29a^2b^2B\cos[2(c + dx)]\sqrt{\sec[c + dx]})/(21\sqrt{a + b\cos[c + dx]}) - (b^4B\cos[2(c + dx)]\sqrt{\sec[c + dx]})/(7a\sqrt{a + b\cos[c + dx]}) \\
& \sqrt{\cos[(c + dx)/2]^2\sec[c + dx]}(-2(a + b)(147a^4A + 279a^2A^b^2 - 10A^b^4 + 435a^3bB + 45a^2b^3B)\sqrt{\cos[c + dx]/(1 + \cos[c + dx])})\sqrt{(a + b\cos[c + dx])/((a + b)(1 + \cos[c + dx]))}\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + 2a^2(a + b)(-10A^b^3 + 15a^2b^2(11A + 3B) + 3a^3(49A + 25B) + 6a^2b(19A + 60B))\sqrt{\cos[c + dx]/(1 + \cos[c + dx])}\sqrt{(a + b\cos[c + dx])/((a + b)(1 + \cos[c + dx]))}\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] - (147a^4A + 279a^2A^b^2 - 10A^b^4 + 435a^3bB + 45a^2b^3B)\cos[c + dx](a + b\cos[c + dx])\sec[(c + dx)/2]^2\tan[(c + dx)/2])/(315a^2d\sqrt{a + b\cos[c + dx]}\sqrt{\sec[(c + dx)/2]^2((b\sqrt{\cos[(c + dx)/2]^2\sec[c + dx]})\sin[c + dx])(-2(a + b)(147a^4A + 279a^2A^b^2 - 10A^b^4 + 435a^3bB + 45a^2b^3B)\sqrt{\cos[c + dx]/(1 + \cos[c + dx])})\sqrt{(a + b\cos[c + dx])/((a + b)(1 + \cos[c + dx]))}\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + 2a^2(a + b)(-10A^b^3 + 15a^2b^2(11A + 3B) + 3a^3(49A + 25B) + 6a^2b(19A + 60B))\sqrt{\cos[c + dx]/(1 + \cos[c + dx])}\sqrt{(a + b\cos[c + dx])/((a + b)(1 + \cos[c + dx]))}\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] - (147a^4A + 279a^2A^b^2 - 10A^b^4 + 435a^3bB + 45a^2b^3B)\cos[c + dx](a + b\cos[c + dx])\sec[(c + dx)/2]^2\tan[(c + dx)/2])/(315a^2(a + b\cos[c + dx])^{3/2}\sqrt{\sec[(c + dx)/2]^2}) - (\sqrt{\cos[(c + dx)/2]^2\sec[c + dx]}\tan[(c + dx)/2](-2(a + b)(147a^4A + 279a^2A^b^2 - 10A^b^4 + 435a^3bB + 45a^2b^3B)\sqrt{\cos[c + dx]/(1 + \cos[c + dx])})\sqrt{(a + b\cos[c + dx])/((a + b)(1 + \cos[c + dx]))}\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + 2a^2(a + b)(-10A^b^3 + 15a^2b^2(11A + 3B) + 3a^3(49A + 25B) + 6a^2b(19A + 60B))\sqrt{\cos[c + dx]/(1 + \cos[c + dx])}\sqrt{(a + b\cos[c + dx])/((a + b)(1 + \cos[c + dx]))}\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] - (147a^4A + 279a^2A^b^2 - 10A^b^4 + 435a^3bB + 45a^2b^3B)\cos[c + dx](a + b\cos[c + dx])\sec[(c + dx)/2]^2\tan[(c + dx)/2])/(315a^2\sqrt{a + b\cos[c + dx]}\sqrt{\sec[(c + dx)/2]^2}) + (2\sqrt{\cos[(c + dx)/2]^2\sec[c + dx]}(-1/2((147a^4A + 279a^2A^b^2 - 10A^b^4 + 435a^3bB + 45a^2b^3B)\cos[c + dx](a + b\cos[c + dx])\sec[(c + dx)/2]^4 - ((a + b)(147a^4A + 279a^2A^b^2 - 10A^b^4 + 435a^3bB + 45a^2b^3B)\sqrt{(a + b\cos[c + dx])/((a + b)(1 + \cos[c + dx]))}\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]*((\cos[c + dx]\sin[c + dx])/(1 + \cos[c + dx])^2 - \sin[c + dx]/(1 + \cos[c + dx])))/\sqrt{\cos[c + dx]/(1 + \cos[c + dx])}) + (a(a + b)(-10A^b^3 + 15a^2b^2(11A + 3B) + 3a^3(49A + 25B) + 6a^2b(19A + 60B))\sqrt{(a + b\cos[c + dx])/((a + b)(1 + \cos[c + dx]))}\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]*((\cos[c + dx]\sin[c + dx])/(1 + \cos[c + dx])^2 - \sin[c + dx]/(1 + \cos[c + dx])))/\sqrt{\cos[c + dx]/(1 + \cos[c + dx])}) - ((a + b)(147a^4A + 279a^2A^b^2 - 10A^b^4 + 435a^3bB + 45a^2b^3B)\sqrt{\cos[c + dx]/(1 + \cos[c + dx])})\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]*(-((b\sin[c + dx])/((a + b)(1 + \cos[c + dx]))) + ((a + b\cos[c + dx])\sin[c + dx])/((a + b)(1 + \cos[c + dx])^2))/\sqrt{(a + b\cos[c + dx])/((a + b)(1 + \cos[c + dx]))}) + (a(a + b)(-10A^b^3 + 15a^2b^2(11A + 3B) + 3a^3(49A + 25B) + 6a^2b(19A + 60B))\sqrt{\cos[c + dx]/(1 + \cos[c + dx])})\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]*(-((b\sin[c + dx])
\end{aligned}$$

$$\frac{1}{((a+b)(1+\cos[c+dx]))} + \frac{(a+b\cos[c+dx])\sin[c+dx]}{((a+b)(1+\cos[c+dx])^2)} \sqrt{\frac{a+b\cos[c+dx]}{(a+b)(1+\cos[c+dx])}} + b(147a^4A + 279a^2Ab^2 - 10A^2b^4 + 435a^3b^3B + 45a^2b^3B^2)\cos[c+dx]\sec^2\left(\frac{c+dx}{2}\right)\sin[c+dx]\tan\left(\frac{c+dx}{2}\right) + (147a^4A + 279a^2Ab^2 - 10A^2b^4 + 435a^3b^3B + 45a^2b^3B^2)(a+b\cos[c+dx])\sec^2\left(\frac{c+dx}{2}\right)\sin[c+dx]\tan\left(\frac{c+dx}{2}\right) - (147a^4A + 279a^2Ab^2 - 10A^2b^4 + 435a^3b^3B + 45a^2b^3B^2)\cos[c+dx](a+b\cos[c+dx])\sec^2\left(\frac{c+dx}{2}\right)\tan^2\left(\frac{c+dx}{2}\right) + (a(a+b)(-10A^2b^3 + 15a^2b^2(11A + 3B) + 3a^3(49A + 25B) + 6a^2b(19A + 60B))\sqrt{\cos\left[\frac{c+dx}{1+\cos[c+dx]}\right]}\sqrt{\frac{a+b\cos[c+dx]}{(a+b)(1+\cos[c+dx])}})\sec^2\left(\frac{c+dx}{2}\right) / (\sqrt{1-\tan^2\left(\frac{c+dx}{2}\right)}\sqrt{1-((-a+b)\tan^2\left(\frac{c+dx}{2}\right)/(a+b))} - ((a+b)(147a^4A + 279a^2Ab^2 - 10A^2b^4 + 435a^3b^3B + 45a^2b^3B^2)\sqrt{\cos\left[\frac{c+dx}{1+\cos[c+dx]}\right]}\sqrt{\frac{a+b\cos[c+dx]}{(a+b)(1+\cos[c+dx])}})\sec^2\left(\frac{c+dx}{2}\right)\sqrt{1-((-a+b)\tan^2\left(\frac{c+dx}{2}\right)/(a+b))}) / \sqrt{1-\tan^2\left(\frac{c+dx}{2}\right)}) / (315a^2\sqrt{a+b\cos[c+dx]}\sqrt{\sec^2\left(\frac{c+dx}{2}\right)} + ((-2(a+b)(147a^4A + 279a^2Ab^2 - 10A^2b^4 + 435a^3b^3B + 45a^2b^3B^2)\sqrt{\cos\left[\frac{c+dx}{1+\cos[c+dx]}\right]}\sqrt{\frac{a+b\cos[c+dx]}{(a+b)(1+\cos[c+dx])}})\operatorname{EllipticE}[\operatorname{ArcSin}[\tan\left(\frac{c+dx}{2}\right)], (-a+b)/(a+b)] + 2a(a+b)(-10A^2b^3 + 15a^2b^2(11A + 3B) + 3a^3(49A + 25B) + 6a^2b(19A + 60B))\sqrt{\cos\left[\frac{c+dx}{1+\cos[c+dx]}\right]}\sqrt{\frac{a+b\cos[c+dx]}{(a+b)(1+\cos[c+dx])}})\operatorname{EllipticF}[\operatorname{ArcSin}[\tan\left(\frac{c+dx}{2}\right)], (-a+b)/(a+b)] - (147a^4A + 279a^2Ab^2 - 10A^2b^4 + 435a^3b^3B + 45a^2b^3B^2)\cos[c+dx](a+b\cos[c+dx])\sec^2\left(\frac{c+dx}{2}\right)\tan\left(\frac{c+dx}{2}\right) * (-\cos\left[\frac{c+dx}{2}\right]\sec[c+dx]\sin\left[\frac{c+dx}{2}\right] + \cos\left[\frac{c+dx}{2}\right]^2\sec[c+dx]\tan[c+dx])) / (315a^2\sqrt{a+b\cos[c+dx]}\sqrt{\sec^2\left(\frac{c+dx}{2}\right)}\sqrt{\cos\left[\frac{c+dx}{2}\right]^2\sec[c+dx]})$$

fricas [F] time = 1.17, size = 0, normalized size = 0.00

integral $\left((Bb^2 \cos(dx+c))^3 + Aa^2 + (2Bab + Ab^2) \cos(dx+c)^2 + (Ba^2 + 2Aab) \cos(dx+c) \right) \sqrt{b \cos(dx+c)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(11/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.70, size = 4400, normalized size = 7.83

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x)

[Out] $\frac{2}{315} \frac{1}{d} \frac{(-279A(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2} \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}}$

$$4*b-261*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^4*a^4*b+180*B*\cos(dx+c)^2*a^4*b-75*B*\cos(dx+c)^6*a^4*b-435*B*\cos(dx+c)^6*a^3*b^2-135*B*\cos(dx+c)^6*a^2*b^3-45*B*\cos(dx+c)^6*a*b^4-435*B*\cos(dx+c)^5*a^4*b+165*B*\cos(dx+c)^5*a^3*b^2-45*B*\cos(dx+c)^5*a^2*b^3+45*B*\cos(dx+c)^5*a*b^4+330*B*\cos(dx+c)^4*a^4*b+35*A*a^5-147*A*\cos(dx+c)^6*a^4*b-163*A*\cos(dx+c)^6*a^3*b^2-279*A*\cos(dx+c)^6*a^2*b^3-5*A*\cos(dx+c)^6*a*b^4-65*A*\cos(dx+c)^5*a^4*b-279*A*\cos(dx+c)^5*a^3*b^2+199*A*\cos(dx+c)^5*a^2*b^3+10*A*\cos(dx+c)^5*a*b^4+272*A*\cos(dx+c)^4*a^3*b^2-5*A*\cos(dx+c)^4*a*b^4+82*A*\cos(dx+c)^3*a^4*b+80*A*\cos(dx+c)^3*a^2*b^3+170*A*\cos(dx+c)^2*a^3*b^2+130*A*\cos(dx+c)*a^4*b+180*B*\cos(dx+c)^4*a^2*b^3+270*B*\cos(dx+c)^3*a^3*b^2+10*A*\cos(dx+c)^6*b^5-147*A*\cos(dx+c)^5*a^5-10*A*\cos(dx+c)^5*b^5+98*A*\cos(dx+c)^4*a^5+14*A*\cos(dx+c)^2*a^5-75*B*\cos(dx+c)^5*a^5+30*B*\cos(dx+c)^3*a^5+45*B*\cos(dx+c)*a^5+147*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^5*a^5-10*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^5*b^5-147*A*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^5*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*a^5-75*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^5*a^5+147*A*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^4*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*a^5-10*A*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^4*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*b^5-147*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^4*a^5-75*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^4*a^5+279*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^4*a^3*b^2+279*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^4*a^2*b^3-10*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^4*a*b^4*\cos(dx+c)/(a+b*\cos(dx+c))^{1/2}*(1/\cos(dx+c))^{11/2}/\sin(dx+c)/a^2$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{5/2} \sec(dx + c)^{11/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(11/2), x, algorithm="maxima")

[Out] integrate((B*cos(dx + c) + A)*(b*cos(dx + c) + a)^(5/2)*sec(dx + c)^(11/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{11/2} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(11/2)*(a + b*cos(c + d*x))^(5/2),x)
```

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(11/2)*(a + b*cos(c + d*x))^(5/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

$$3.607 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=474

$$\frac{2(25a^2A + 77abB + 45Ab^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}}{105d} + \frac{2(a-b) \sqrt{a+b} (a^2(25A - 63B) - 8a^2b + 15ab^2 + 7a^2B)}{105d}$$

[Out] $2/7*a*A*(a+b*\cos(d*x+c))^{3/2}*sec(d*x+c)^{7/2}*\sin(d*x+c)/d+2/105*(25*A*a^2+45*A*b^2+77*B*a*b)*sec(d*x+c)^{3/2}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d+2/35*a*(10*A*b+7*B*a)*sec(d*x+c)^{5/2}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d+2/105*(a-b)*(145*A*a^2*b+15*A*b^3+63*B*a^3+161*B*a*b^2)*csc(d*x+c)*EllipticE((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*\cos(d*x+c)^{1/2}*(a*(1-sec(d*x+c))/(a+b))^{1/2}*(a*(1+sec(d*x+c)))/(a-b))^{1/2}/a^2/d/sec(d*x+c)^{1/2}+2/105*(a-b)*(a^2*(25*A-63*B)+15*b^2*(A-7*B)-8*a*b*(15*A-7*B))*csc(d*x+c)*EllipticF((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*\cos(d*x+c)^{1/2}*(a*(1-sec(d*x+c))/(a+b))^{1/2}*(a*(1+sec(d*x+c)))/(a-b))^{1/2}/a/d/sec(d*x+c)^{1/2}$

Rubi [A] time = 1.50, antiderivative size = 474, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 77abB + 45Ab^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}}{105d} + \frac{2(a-b) \sqrt{a+b} (a^2(25A - 63B) - 8a^2b + 15ab^2 + 7a^2B)}{105d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]

[Out] $(2*(a-b)*\text{Sqrt}[a+b]*(145*a^2*A*b+15*A*b^3+63*a^3*B+161*a*b^2*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b)))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(105*a^2*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*(a-b)*\text{Sqrt}[a+b]*(a^2*(25*A-63*B)+15*b^2*(A-7*B)-8*a*b*(15*A-7*B))*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b)))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(105*a*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*(25*a^2*A+45*A*b^2+77*a*b*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^{3/2}*\text{Sin}[c+d*x])/(105*d) + (2*a*(10*A*b+7*a*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^{5/2}*\text{Sin}[c+d*x])/(35*d) + (2*a*A*(a+b*\text{Cos}[c+d*x])^{3/2}*\text{Sec}[c+d*x]^{7/2}*\text{Sin}[c+d*x])/(7*d)$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sine[e + f*x]]/(Sqrt[d*Sine[e + f*x]]*Rt[(a + b)/d, 2]]], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.)^{(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^{(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^{(n_.)}, x_Symbol] := Dis

```
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
```



```

- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx \\
&= \frac{2aA(a + b \cos(c + dx))^{3/2} \sec^2(c + dx) \sin(c + dx)}{7d} \\
&= \frac{2a(10Ab + 7aB) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx)}{35d} \\
&= \frac{2(25a^2A + 45Ab^2 + 77abB) \sqrt{a + b \cos(c + dx)}}{105d} \\
&= \frac{2(25a^2A + 45Ab^2 + 77abB) \sqrt{a + b \cos(c + dx)}}{105d} \\
&= \frac{2(a - b) \sqrt{a + b} (145a^2Ab + 15Ab^3 + 63a^3B + 1)}{105d}
\end{aligned}$$

Mathematica [B] time = 24.67, size = 3348, normalized size = 7.06

Result too large to show

Warning: Unable to verify antiderivative.

```

[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2
),x]

```

```

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(145*a^2*A*b + 15*A*b^3 +
63*a^3*B + 161*a*b^2*B)*Sin[c + d*x])/(105*a) + (2*Sec[c + d*x]^2*(15*a*A*b
*Sin[c + d*x] + 7*a^2*B*Sin[c + d*x]))/35 + (2*Sec[c + d*x]*(25*a^2*A*Sin[c
+ d*x] + 45*A*b^2*Sin[c + d*x] + 77*a*b*B*Sin[c + d*x]))/105 + (2*a^2*A*Se
c[c + d*x]^2*Tan[c + d*x])/7))/d + (2*((-29*a^2*A*b)/(21*Sqrt[a + b*Cos[c +
d*x]]*Sqrt[Sec[c + d*x]]) - (A*b^3)/(7*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c
+ d*x]]) - (3*a^3*B)/(5*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (23
*a*b^2*B)/(15*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (5*a^3*A*Sqrt[
Sec[c + d*x]])/(21*Sqrt[a + b*Cos[c + d*x]]) - (2*a*A*b^2*Sqrt[Sec[c + d*x]
])/ (21*Sqrt[a + b*Cos[c + d*x]]) - (A*b^4*Sqrt[Sec[c + d*x]])/(7*a*Sqrt[a +
b*Cos[c + d*x]]) + (8*a^2*b*B*Sqrt[Sec[c + d*x]])/(15*Sqrt[a + b*Cos[c + d
*x]]) - (8*b^3*B*Sqrt[Sec[c + d*x]])/(15*Sqrt[a + b*Cos[c + d*x]]) - (29*a*
A*b^2*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(21*Sqrt[a + b*Cos[c + d*x]]) -
(A*b^4*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(7*a*Sqrt[a + b*Cos[c + d*x]])
- (3*a^2*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*Sqrt[a + b*Cos[c + d*x]

```

$$\begin{aligned}
&])) - (23*b^3*B*\cos[2*(c + d*x)]*sqrt[sec[c + d*x]]/(15*sqrt[a + b*\cos[c + \\
& d*x]])*sqrt[\cos[(c + d*x)/2]^2*sec[c + d*x]]*(-2*(a + b)*(145*a^2*A*b + 1 \\
& 5*A*b^3 + 63*a^3*B + 161*a*b^2*B)*sqrt[\cos[c + d*x]/(1 + \cos[c + d*x])] *sqrt \\
& [(a + b*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*ellipticE[ArcSin[Tan[(c + \\
& d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(15*b^2*(A + 7*B) + 8*a*b*(15 \\
& *A + 7*B) + a^2*(25*A + 63*B))*sqrt[\cos[c + d*x]/(1 + \cos[c + d*x])] *sqrt[(a + \\
& b*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*ellipticF[ArcSin[Tan[(c + \\
& d*x)/2]], (-a + b)/(a + b)] - (145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b \\
& ^2*B)*\cos[c + d*x]*(a + b*\cos[c + d*x])*sec[(c + d*x)/2]^2*\tan[(c + d*x)/2] \\
&)/(105*a*d*sqrt[a + b*\cos[c + d*x]]*sqrt[sec[(c + d*x)/2]^2]*((b*sqrt[\cos[\\
& (c + d*x)/2]^2*sec[c + d*x]]*sin[c + d*x]*(-2*(a + b)*(145*a^2*A*b + 15*A*b \\
& ^3 + 63*a^3*B + 161*a*b^2*B)*sqrt[\cos[c + d*x]/(1 + \cos[c + d*x])] *sqrt[(a + \\
& b*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*ellipticE[ArcSin[Tan[(c + d \\
& *x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(15*b^2*(A + 7*B) + 8*a*b*(15*A + \\
& 7*B) + a^2*(25*A + 63*B))*sqrt[\cos[c + d*x]/(1 + \cos[c + d*x])] *sqrt[(a + b \\
& *\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*ellipticF[ArcSin[Tan[(c + d*x) \\
& /2]], (-a + b)/(a + b)] - (145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B) \\
& *\cos[c + d*x]*(a + b*\cos[c + d*x])*sec[(c + d*x)/2]^2*\tan[(c + d*x)/2]))/(1 \\
& 05*a*(a + b*\cos[c + d*x])^(3/2)*sqrt[sec[(c + d*x)/2]^2] - (sqrt[\cos[(c + \\
& d*x)/2]^2*sec[c + d*x]]*tan[(c + d*x)/2]*(-2*(a + b)*(145*a^2*A*b + 15*A*b^ \\
& 3 + 63*a^3*B + 161*a*b^2*B)*sqrt[\cos[c + d*x]/(1 + \cos[c + d*x])] *sqrt[(a + \\
& b*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*ellipticE[ArcSin[Tan[(c + d \\
& x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(15*b^2*(A + 7*B) + 8*a*b*(15*A + 7 \\
& *B) + a^2*(25*A + 63*B))*sqrt[\cos[c + d*x]/(1 + \cos[c + d*x])] *sqrt[(a + b \\
& *\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*ellipticF[ArcSin[Tan[(c + d*x) \\
& /2]], (-a + b)/(a + b)] - (145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B) \\
& *\cos[c + d*x]*(a + b*\cos[c + d*x])*sec[(c + d*x)/2]^2*\tan[(c + d*x)/2]))/(10 \\
& 5*a*sqrt[a + b*\cos[c + d*x]]*sqrt[sec[(c + d*x)/2]^2] + (2*sqrt[\cos[(c + d \\
& *x)/2]^2*sec[c + d*x]]*(-1/2*((145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^ \\
& 2*B)*\cos[c + d*x]*(a + b*\cos[c + d*x])*sec[(c + d*x)/2]^4 - ((a + b)*(145 \\
& *a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*sqrt[(a + b*\cos[c + d*x])/((a \\
& + b)*(1 + \cos[c + d*x]))]*ellipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + \\
& b)]*((\cos[c + d*x]*\sin[c + d*x])/(1 + \cos[c + d*x])^2 - \sin[c + d*x]/(1 + \\
& \cos[c + d*x])))/sqrt[\cos[c + d*x]/(1 + \cos[c + d*x])] + (a*(a + b)*(15*b^2* \\
& (A + 7*B) + 8*a*b*(15*A + 7*B) + a^2*(25*A + 63*B))*sqrt[(a + b*\cos[c + d*x] \\
&)/((a + b)*(1 + \cos[c + d*x]))]*ellipticF[ArcSin[Tan[(c + d*x)/2]], (-a + \\
& b)/(a + b)]*((\cos[c + d*x]*\sin[c + d*x])/(1 + \cos[c + d*x])^2 - \sin[c + d*x] \\
& /((1 + \cos[c + d*x])))/sqrt[\cos[c + d*x]/(1 + \cos[c + d*x])] - ((a + b)*(14 \\
& 5*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*sqrt[\cos[c + d*x]/(1 + \cos[c \\
& + d*x]])*ellipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\sin[c \\
& + d*x])/((a + b)*(1 + \cos[c + d*x])) + ((a + b*\cos[c + d*x])*sin[c + d*x] \\
&)/((a + b)*(1 + \cos[c + d*x])^2)))/sqrt[(a + b*\cos[c + d*x])/((a + b)*(1 + \\
& \cos[c + d*x]))] + (a*(a + b)*(15*b^2*(A + 7*B) + 8*a*b*(15*A + 7*B) + a^2*(\\
& 25*A + 63*B))*sqrt[\cos[c + d*x]/(1 + \cos[c + d*x])] *ellipticF[ArcSin[Tan[(c \\
& + d*x)/2]], (-a + b)/(a + b)]*(-((b*\sin[c + d*x])/((a + b)*(1 + \cos[c + d \\
& *x])) + ((a + b*\cos[c + d*x])*sin[c + d*x])/((a + b)*(1 + \cos[c + d*x])^2) \\
&)/sqrt[(a + b*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))] + b*(145*a^2*A*b \\
& + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*\cos[c + d*x]*sec[(c + d*x)/2]^2*\sin[c \\
& + d*x]*tan[(c + d*x)/2] + (145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B) \\
& *(a + b*\cos[c + d*x])*sec[(c + d*x)/2]^2*\sin[c + d*x]*tan[(c + d*x)/2] - (1 \\
& 45*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*\cos[c + d*x]*(a + b*\cos[c + \\
& d*x])*sec[(c + d*x)/2]^2*\tan[(c + d*x)/2]^2 + (a*(a + b)*(15*b^2*(A + 7*B) \\
& + 8*a*b*(15*A + 7*B) + a^2*(25*A + 63*B))*sqrt[\cos[c + d*x]/(1 + \cos[c + d \\
& *x])] *sqrt[(a + b*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))]*sec[(c + d*x) \\
& /2]^2)/(sqrt[1 - tan[(c + d*x)/2]^2]*sqrt[1 - ((-a + b)*tan[(c + d*x)/2]^2) \\
& /((a + b))] - ((a + b)*(145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*sqrt \\
& [\cos[c + d*x]/(1 + \cos[c + d*x])] *sqrt[(a + b*\cos[c + d*x])/((a + b)*(1 + \\
& \cos[c + d*x]))]*sec[(c + d*x)/2]^2*sqrt[1 - ((-a + b)*tan[(c + d*x)/2]^2)/(\\
& a + b)]/sqrt[1 - tan[(c + d*x)/2]^2]))/(105*a*sqrt[a + b*\cos[c + d*x]]*sqrt
\end{aligned}$$

```
t[Sec[(c + d*x)/2]^2)) + ((-2*(a + b)*(145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(15*b^2*(A + 7*B) + 8*a*b*(15*A + 7*B) + a^2*(25*A + 63*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]*(-(Cos[(c + d*x)/2])*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(105*a*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]))
```

fricas [F] time = 1.01, size = 0, normalized size = 0.00

integral((Bb^2 cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) cos(dx + c)^2 + (Ba^2 + 2Aab) cos(dx + c))sqrt(b cos(dx + c) + a)sec(dx + c)^(9/2), x)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(9/2), x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.54, size = 3636, normalized size = 7.67

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x)
```

```
[Out] -2/105/d*(105*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^3+63*B*cos(d*x+c)^4*a^4-42*B*cos(d*x+c)^3*a^4-21*B*cos(d*x+c)*a^4+25*A*cos(d*x+c)^4*a^4-10*A*cos(d*x+c)^2*a^4+15*A*cos(d*x+c)^5*b^4-15*A*cos(d*x+c)^4*b^4-98*B*cos(d*x+c)^2*a^3*b+25*A*cos(d*x+c)^5*a^3*b+145*A*cos(d*x+c)^5*a^2*b^2+45*A*cos(d*x+c)^5*a*b^3+145*A*cos(d*x+c)^4*a^3*b-55*A*cos(d*x+c)^4*a^2*b^2+15*A*cos(d*x+c)^4*a*b^3-110*A*cos(d*x+c)^3*a^3*b-60*A*cos(d*x+c)^3*a*b^3-90*A*cos(d*x+c)^2*a^2*b^2-60*A*cos(d*x+c)*a^3*b+63*B*cos(d*x+c)^5*a^3*b+77*B*cos(d*x+c)^5*a^2*b^2+161*B*cos(d*x+c)^5*a*b^3+35*B*cos(d*x+c)^4*a^3*b+161*B*cos(d*x+c)^4*a^2*b^2-161*B*cos(d*x+c)^4*a*b^3-238*B*cos(d*x+c)^3*a^2*b^2+15*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^3-15*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d
```


$$d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^3+145*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3*b+135*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b^2*\cos(d*x+c)/(a+b*\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{9/2}/\sin(d*x+c)/a$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{9/2} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + b*cos(c + d*x))^(5/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(9/2)*(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(9/2),x)

[Out] Timed out

$$3.608 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=553

$$\frac{2(a-b)\sqrt{a+b} \left(9a^2A + 35abB + 23Ab^2\right) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b}}\right)\right)}{15ad\sqrt{\sec(c+dx)}}$$

[Out] $2/5*a*A*(a+b*\cos(d*x+c))^{3/2}*sec(d*x+c)^{5/2}*sin(d*x+c)/d+2/15*a*(8*A*b+5*B*a)*sec(d*x+c)^{3/2}*sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d+2/15*(a-b)*(9*A*a^2+23*A*b^2+35*B*a*b)*csc(d*x+c)*EllipticE((a+b*\cos(d*x+c))^{1/2}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/d/\sec(d*x+c)^{(1/2)}+2/15*(15*A*b^3-a*b^2*(23*A-45*B)+a^2*b*(17*A-35*B)-a^3*(9*A-5*B))*csc(d*x+c)*EllipticF((a+b*\cos(d*x+c))^{1/2}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/d/\sec(d*x+c)^{(1/2)}-2*b^2*B*csc(d*x+c)*EllipticPi((a+b*\cos(d*x+c))^{1/2}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/d/\sec(d*x+c)^{(1/2)}$

Rubi [A] time = 1.47, antiderivative size = 553, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2961, 2989, 3047, 3053, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} \left(a^2b(17A - 35B) + a^3(-9A - 5B) - ab^2(23A - 45B) + 15Ab^3\right) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{15ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]

[Out] $(2*(a-b)*\text{Sqrt}[a+b]*(9*a^2*A + 23*A*b^2 + 35*a*b*B)*\text{Sqrt}[\text{Cos}[c+d*x]])*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(15*a*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*\text{Sqrt}[a+b]*(15*A*b^3 - a*b^2*(23*A - 45*B) + a^2*b*(17*A - 35*B) - a^3*(9*A - 5*B))*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(15*a*d*\text{Sqrt}[\text{Sec}[c+d*x]]) - (2*b^2*\text{Sqrt}[a+b]*B*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticPi}[(a+b)/b, \text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*a*(8*A*b + 5*a*B)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^(3/2)*\text{Sin}[c+d*x])/(15*d) + (2*a*A*(a+b*\text{Cos}[c+d*x])^(3/2)*\text{Sec}[c+d*x]^(5/2)*\text{Sin}[c+d*x])/(5*d)$

Rule 2809

Int[Sqrt[(b_)*sin[(e_)+(f_)*(x_)]]/Sqrt[(c_)+(d_)*sin[(e_)+(f_)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e+f*x]*Rt[(c+d)/b, 2]*Sqrt[(c*(1+Csc[e+f*x]))/(c-d)]*Sqrt[(c*(1-Csc[e+f*x]))/(c+d)]*EllipticPi[(c+d)/d, ArcSin[Sqrt[c+d*Sin[e+f*x]]/(Sqrt[b*Sin[e+f*x]]*Rt[(c+d)/b, 2])], -((c+d)/(c-d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c+d)/b]

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_)] + (b_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_)] + (f_)*(x_))*(g_)^(p_)*((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2989

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_))*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((b_)*sin[(e_)] + (f_)*(x_)))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3047

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_)) + (C_)*sin[(e_)] + (f_)*(x_)]^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1))
```

```
- a*c*(n + 2)) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
  b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Ssin[e + f*x]]/
Sqrt[c + d*Ssin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]
)], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx \\
 &= \frac{2aA(a + b \cos(c + dx))^{3/2} \sec^2(c + dx) \sin(c + dx)}{5d} \\
 &= \frac{2a(8Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin^3(c + dx)}{15d} \\
 &= \frac{2a(8Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin^3(c + dx)}{15d} \\
 &= -\frac{2b^2\sqrt{a + b} B \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin(c + dx)\right)}{d\sqrt{a + b}} \\
 &= \frac{2(a - b)\sqrt{a + b} (9a^2A + 23Ab^2 + 35abB) \sqrt{\cos(c + dx)}}{15d}
 \end{aligned}$$

Mathematica [B] time = 25.57, size = 7032, normalized size = 12.72

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2
),x]
```

```
[Out] Result too large to show
```

fricas [F] time = 27.55, size = 0, normalized size = 0.00

```
integral((Bb^2 cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) cos(dx + c)^2 + (Ba^2 + 2 Aab) cos(dx + c))\sqrt{b cos(dx + c)} +
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algor
ithm="fricas")
```


[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.45, size = 3282, normalized size = 5.93

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x)

[Out]
$$\begin{aligned} & -2/15/d*(-3*A*a^3+9*A*cos(d*x+c)^3*a^3-23*A*cos(d*x+c)^3*b^3-6*A*cos(d*x+c) \\ & ^2*a^3+5*B*cos(d*x+c)^3*a^3+35*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos \\ & (d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF((-1 \\ & +cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b+45*B*(cos(d*x+c)/(1+cos \\ & (d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*co \\ & s(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2 \\ & +23*A*cos(d*x+c)^4*b^3-5*B*cos(d*x+c)*a^3+23*A*cos(d*x+c)^3*a*b^2-34*A*cos \\ & (d*x+c)^2*a*b^2-14*A*cos(d*x+c)*a^2*b+35*B*cos(d*x+c)^4*a*b^2+35*B*cos(d*x+c) \\ & ^3*a^2*b-40*B*cos(d*x+c)^2*a^2*b-9*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(\\ & 1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Elliptic \\ & E((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b-23*A*sin(d*x+c)*co \\ & s(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c) \\ &))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))* \\ & a*b^2+17*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b* \\ & cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c) \\ &), (-a-b)/(a+b))^(1/2))*a^2*b+23*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+c \\ & os(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((\\ & -1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2-35*B*(cos(d*x+c)/(1+c \\ & os(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)* \\ & cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2 \\ & *b-35*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/ \\ & (a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (\\ & -a-b)/(a+b))^(1/2))*a*b^2+35*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos \\ & (d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+ \\ & cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b-35*B*(cos(d*x+c)/(1+cos \\ & (d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos \\ & (d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2- \\ & 9*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x \\ & +c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a- \\ & b)/(a+b))^(1/2))*a^2*b-23*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x \\ & +c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos \\ & (d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2+17*A*sin(d*x+c)*cos(d*x+c)^3 \\ & *(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(\\ & 1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b+23*A \\ & *sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c) \\ &))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/ \\ & (a+b))^(1/2))*a*b^2-35*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c) \\ &))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x \\ & +c) \end{aligned}$$

$+c)/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^{2b+45} B * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \sin(dx+c) * \cos(dx+c)^3 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^b * b^{2-35} B * \cos(dx+c)^3 * a^b * b^2 + 9 * A * \cos(dx+c)^4 * a^2 * b + 11 * A * \cos(dx+c)^4 * a^b * b^2 + 5 * A * \cos(dx+c)^3 * a^2 * b + 5 * B * \cos(dx+c)^4 * a^2 * b + 15 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b^3 - 15 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b^3 + 30 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * b^3 - 15 * B * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b^3 + 30 * B * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * b^3 + 15 * A * \sin(dx+c) * \cos(dx+c)^2 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * b^3 + 5 * B * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \sin(dx+c) * \cos(dx+c)^2 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3 - 9 * A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \sin(dx+c) * \cos(dx+c)^3 * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3 - 23 * A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \sin(dx+c) * \cos(dx+c)^3 * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b^3 + 9 * A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \sin(dx+c) * \cos(dx+c)^3 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3 + 5 * B * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \sin(dx+c) * \cos(dx+c)^3 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3 - 9 * A * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3 - 23 * A * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b^3 + 9 * A * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3 * \cos(dx+c) / (a+b*\cos(dx+c))^{1/2} * (1/\cos(dx+c))^{7/2} / \sin(dx+c)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{5/2} \sec(dx + c)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(7/2),x, algorith="maxima")

[Out] integrate((B*cos(dx + c) + A)*(b*cos(dx + c) + a)^(5/2)*sec(dx + c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{7/2} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))*(1/cos(c + dx))^(7/2)*(a + b*cos(c + dx))^(5/2), x)

```
[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^(5/2),  
x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

$$3.609 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=596

$$\frac{(6a^2B + 14aAb - 3b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{3d} \sqrt{a + b} (-2a^2(A - 3B) + 2ab(7A - 9B))$$

```
[Out] 2/3*a*A*(a+b*cos(d*x+c))^(3/2)*sec(d*x+c)^(3/2)*sin(d*x+c)/d+2*a*(2*A*b+B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d-1/3*(14*A*a*b+6*B*a^2-3*B*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d+1/3*(a-b)*(14*A*a*b+6*B*a^2-3*B*b^2)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d/sec(d*x+c)^(1/2)-1/3*(2*a*b*(7*A-9*B)-2*a^2*(A-3*B)-3*b^2*(6*A+B))*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d/sec(d*x+c)^(1/2)-b*(2*A*b+5*B*a)*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d/sec(d*x+c)^(1/2)
```

Rubi [A] time = 1.90, antiderivative size = 596, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2961, 2989, 3047, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(6a^2B + 14aAb - 3b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{3d} \sqrt{a + b} (-2a^2(A - 3B) + 2ab(7A - 9B))$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(14*a*A*b + 6*a^2*B - 3*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*a*b*(7*A - 9*B) - 2*a^2*(A - 3*B) - 3*b^2*(6*A + B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*d*Sqrt[Sec[c + d*x]]) - (b*Sqrt[a + b]*(2*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(d*Sqrt[Sec[c + d*x]]) + (2*a*(2*A*b + a*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d - ((14*a*A*b + 6*a^2*B - 3*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d))*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d))*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
```

```
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1))) * Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1))) * Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)])), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
)], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]
])/ (d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos(c + dx)} dx \\
&= \frac{2aA(a + b \cos(c + dx))^{3/2} \sec^2(c + dx) \sin(c + dx)}{3d} \\
&= \frac{2a(2Ab + aB) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
&= \frac{2a(2Ab + aB) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
&= \frac{2a(2Ab + aB) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
&= -\frac{b \sqrt{a + b} (2Ab + 5aB) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi}{d} \\
&= \frac{(a - b) \sqrt{a + b} (14aAb + 6a^2B - 3b^2B) \sqrt{\cos(c + dx)}}{d}
\end{aligned}$$

Mathematica [B] time = 26.07, size = 7700, normalized size = 12.92

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*cos[c + d*x])^(5/2)*(A + B*cos[c + d*x])*Sec[c + d*x]^(5/2), x]

[Out] Result too large to show

fricas [F] time = 65.79, size = 0, normalized size = 0.00

integral((B*b^2*cos(dx + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(dx + c)^2 + (B*a^2 + 2*A*a*b)*cos(dx + c))*sqrt(b*cos(dx + c) + a)*sec(dx + c)^(5/2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.41, size = 3212, normalized size = 5.39

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x)

[Out]
$$-1/3/d*(-2*A*a^3+2*A*cos(d*x+c)^2*a^3-14*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^2*b-14*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b^2+18*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^2*b-18*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b^2+30*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2)*a*b^2-6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^2*b+18*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b^2+3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b^2-18*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b^2+14*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/si$$

```

n(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^2*b-3*B*cos(d*x+c)^3*b^3+6*B*cos(d*x+c)^2*
a^3-6*B*cos(d*x+c)*a^3+14*A*cos(d*x+c)^3*a*b^2+14*A*cos(d*x+c)^2*a^2*b-14*A
*cos(d*x+c)^2*a*b^2-16*A*cos(d*x+c)*a^2*b+6*B*cos(d*x+c)^3*a^2*b-6*B*cos(d*
x+c)^2*a^2*b-3*B*cos(d*x+c)^2*a*b^2+3*B*cos(d*x+c)^4*b^3+12*A*sin(d*x+c)*co
s(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (- (a-b)/(a+b))^(1/2)
)*b^3-6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos
(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (
-(a-b)/(a+b))^(1/2)) * a^3+3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c
)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d
*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * b^3-6*A*sin(d*x+c)*cos(d*x+c)*(cos(
d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*
EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * b^3-14*A*sin(d*x
+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos
(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(
1/2)) * a^2*b-14*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*
((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin
(d*x+c), (- (a-b)/(a+b))^(1/2)) * a*b^2+14*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c
)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Ellip
ticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^2*b+18*A*sin(d*x+c)
*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*
x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)
)) * a*b^2-6*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x
+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/sin(d*x
+c), (- (a-b)/(a+b))^(1/2)) * a^2*b+3*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b
*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*EllipticE(
(-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a*b^2+18*B*(cos(d*x+c)/(1+
cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)
*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^
2*b+30*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*co
s(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c)
, -1, (- (a-b)/(a+b))^(1/2)) * a*b^2+3*B*cos(d*x+c)^3*a*b^2+2*A*cos(d*x+c)^3*a^2
*b+2*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a
-b)/(a+b))^(1/2)) * a^3+6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+
c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^3-6*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*E
llipticE((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^3+3*B*sin(d*x+c
)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d
*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/
2)) * b^3-6*A*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-
(a-b)/(a+b))^(1/2)) * (cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+
cos(d*x+c))/(a+b))^(1/2)*b^3+12*A*sin(d*x+c)*cos(d*x+c)^2*EllipticPi((-1+co
s(d*x+c))/sin(d*x+c), -1, (- (a-b)/(a+b))^(1/2)) * (cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*b^3+6*B*(cos(d*x+c)/(1+c
os(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*sin(d*x+c)*
cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^3
+2*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a
-b)/(a+b))^(1/2)) * a^3*cos(d*x+c)/(a+b*cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(5/
2)/sin(d*x+c)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x, algor

ithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{5/2} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(5/2), x)

[Out] int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2), x)

[Out] Timed out

$$3.610 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$$

Optimal. Leaf size=607

$$\frac{(8a^2A - 9abB - 4Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \sqrt{a + b} (8a^2(A - B) - 3ab(8A + 3B) - 2b^3)}{4d}$$

```
[Out] -1/2*b*(4*A*a-B*b)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/sec(d*x+c)^(1/2)+2*a
*A*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)*sec(d*x+c)^(1/2)/d-1/4*(8*A*a^2-4*A*b^
2-9*B*a*b)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d+1/4*(a-b)*(
8*A*a^2-4*A*b^2-9*B*a*b)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(
1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(
a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d/sec(d*x+c)
^(1/2)-1/4*(8*a^2*(A-B)-2*b^2*(2*A+B)-3*a*b*(8*A+3*B))*csc(d*x+c)*EllipticF
((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*
(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c)
))/(a-b)^(1/2)/d/sec(d*x+c)^(1/2)-1/4*(20*A*a*b+15*B*a^2+4*B*b^2)*csc(d*x+
c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,(
(-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(
1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d/sec(d*x+c)^(1/2)
```

Rubi [A] time = 1.88, antiderivative size = 607, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2961, 2989, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(8a^2A - 9abB - 4Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \sqrt{a + b} (8a^2(A - B) - 3ab(8A + 3B) - 2b^3)}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2),x]
[Out] ((a - b)*Sqrt[a + b]*(8*a^2*A - 4*A*b^2 - 9*a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c
+ d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c +
d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*
(1 + Sec[c + d*x]))/(a - b)]/(4*a*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(8*
a^2*(A - B) - 2*b^2*(2*A + B) - 3*a*b*(8*A + 3*B))*Sqrt[Cos[c + d*x]]*Csc[c
+ d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c +
d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*
(1 + Sec[c + d*x]))/(a - b)]/(4*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(20*a
*A*b + 15*a^2*B + 4*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a +
b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(
(a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c +
d*x]))/(a - b)]/(4*d*Sqrt[Sec[c + d*x]]) - (b*(4*a*A - b*B)*Sqrt[a + b*Co
s[c + d*x]]*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]) - ((8*a^2*A - 4*A*b^2 -
9*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d) +
(2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*SIN[e + f*x])^p, Int[(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n/(g*SIN[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*SIN[e + f*x])^(m - 2)*(c + d*SIN[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*SIN[e + f*x]]/(Sqrt[b*SIN[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*SIN[e + f*x]]*Sqrt[c + d*SIN[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + SIN[e + f*x])/((a + b*SIN[e + f*x])^(3/2)*Sqrt[c + d*SIN[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
```

```
- b*d*(m + n + 1))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Ssin[e + f*x]]/Sqrt[c + d*Ssin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Ssin[e + f*x]])/(d*f*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx)) \cos(c + dx)}{\cos(c + dx)} dx$$

$$= \frac{2aA(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= -\frac{b(4aA - bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d\sqrt{\sec(c + dx)}} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= -\frac{b(4aA - bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d\sqrt{\sec(c + dx)}} - \frac{8aA(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= -\frac{b(4aA - bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d\sqrt{\sec(c + dx)}} - \frac{8aA(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= -\frac{\sqrt{a + b} (20aAb + 15a^2B + 4b^2B) \sqrt{\cos(c + dx)} \cos(c + dx)}{2d\sqrt{\sec(c + dx)}} - \frac{8aA(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

$$= \frac{(a - b)\sqrt{a + b} (8a^2A - 4Ab^2 - 9abB) \sqrt{\cos(c + dx)} \cos(c + dx)}{2d\sqrt{\sec(c + dx)}} - \frac{8aA(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d}$$

Mathematica [B] time = 19.52, size = 1278, normalized size = 2.11

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*cos[c + d*x])^(5/2)*(A + B*cos[c + d*x])*Sec[c + d*x]^(3/2), x]

[Out] (Sqrt[a + b*cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(2*a^2*A*sin[c + d*x] + (b^2*B*sin[2*(c + d*x)]/4))/d + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-8*a^3*A*Tan[(c + d*x)/2] - 8*a^2*A*b*Tan[(c + d*x)/2] + 4*a*A*b^2*Tan[(c + d*x)/2] + 4*A*b^3*Tan[(c + d*x)/2] + 9*a^2*b*B*Tan[(c + d*x)/2] + 9*a*b^2*B*Tan[(c + d*x)/2] + 16*a^2*A*b*Tan[(c + d*x)/2]^3 - 8*A*b^3*Tan[(c + d*x)/2]^3 - 18*a*b^2*B*Tan[(c + d*x)/2]^3 + 8*a^3*A*Tan[(c + d*x)/2]^5 - 8*a^2*A*b*Tan[(c + d*x)/2]^5 - 4*a*A*b^2*Tan[(c + d*x)/2]^5 + 4*A*b^3*Tan[(c + d*x)/2]^5 - 9*a^2*b*B*Tan[(c + d*x)/2]^5 + 9*a*b^2*B*Tan[(c + d*x)/2]^5 + 40*a*A*b^2*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)) + 30*a^2*b*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 8*b^3*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 40*a*A*b^2*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 30*a^2*b*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 8*b^3*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - (a + b)*(8*a^2*A - 4*A*b^2 - 9*a*b*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*(12*a^2*b*(A - B) - 2*b^3*B + a*b^2*(-12*A + B) + 4*a^3*(A + B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)))/(4*d*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)])

fricas [F] time = 2.10, size = 0, normalized size = 0.00

integral((Bb^2 cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) cos(dx + c)^2 + (Ba^2 + 2Aab) cos(dx + c))sqrt(b cos(dx + c) + a)sec(dx + c)^(3/2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.44, size = 3278, normalized size = 5.40

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\cos(d*x+c))^{5/2}*(A+B*\cos(d*x+c))*\sec(d*x+c)^{3/2},x)$

[Out]
$$\begin{aligned} & -1/4/d*(-8*A*a^3+8*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a^3+30*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, \\ & -(a-b)/(a+b))^{1/2})*\sin(d*x+c)*a^2*b-8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3+4*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^3-4*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^3+8*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, \\ & -(a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^3+40*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, \\ & -(a-b)/(a+b))^{1/2})*\sin(d*x+c)*a*b^2+40*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, \\ & -(a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^2*b+4*A*\cos(d*x+c)^3*b^3+8*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a^3-8*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a^2*b+4*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a*b^2-24*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a^2*b+2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a*b^2+9*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a^2*b-24*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a*b^2+9*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a*b^2+24*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a^2*b-4*A*\cos(d*x+c)^2*b^3-2*B*\cos(d*x+c)^2*b^3+8*A*\cos(d*x+c)^2*a^2*b+4*A*\cos(d*x+c)^2*a*b^2-8*A*\cos(d*x+c)*a^2*b-4*A*\cos(d*x+c)*a*b^2+9*B*\cos(d*x+c)^2*a^2*b-9*B*\cos(d*x+c)^2*a*b^2-9*B*\cos(d*x+c)*a^2*b-2*B*\cos(d*x+c)*a*b^2+8*A*\cos(d*x+c)*a^3+2*B*\cos(d*x+c)^4*b^3-24*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a*b^2-8*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a^2*b+4*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a*b^2-24*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a^2*b+2*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & -(a-b)/(a+b))^{1/2})*a*b^2+9*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \end{aligned}$$

$b \cos(dx+c) / (1+\cos(dx+c)) / (a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b) / (a+b))^{1/2} a^2 b + 9 B \sin(dx+c) (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b) / (a+b))^{1/2} a^2 b^2 + 24 A \sin(dx+c) (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b) / (a+b))^{1/2} a^2 b + 11 B \cos(dx+c)^3 a b^2 + 8 A \sin(dx+c) \cos(dx+c) (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b) / (a+b))^{1/2} a^3 + 8 B \sin(dx+c) \cos(dx+c) (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b) / (a+b))^{1/2} a^3 - 8 A (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b) / (a+b))^{1/2} \sin(dx+c) a^3 + 4 A (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b) / (a+b))^{1/2} \sin(dx+c) b^3 - 4 B \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b) / (a+b))^{1/2} (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} \sin(dx+c) b^3 + 8 B (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c)) / (1+\cos(dx+c)) / (a+b))^{1/2} \text{EllipticPi}((-1+\cos(dx+c)) / \sin(dx+c), -1, (-a-b) / (a+b))^{1/2} \sin(dx+c) b^3) \cos(dx+c) / (a+b \cos(dx+c))^{1/2} (1/\cos(dx+c))^{3/2} / \sin(dx+c)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{5/2} \sec(dx+c)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*(b*cos(dx+c) + a)^(5/2)*sec(dx+c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{3/2} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))*(1/cos(c + dx))^(3/2)*(a + b*cos(c + dx))^(5/2), x)

[Out] int((A + B*cos(c + dx))*(1/cos(c + dx))^(3/2)*(a + b*cos(c + dx))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))**(5/2)*(A+B*cos(dx+c))*sec(dx+c)**(3/2),x)

[Out] Timed out

3.611 $\int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

Optimal. Leaf size=624

$$\frac{(33a^2B + 54aAb + 16b^2B) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a+b \cos(c+dx)}}{24d} + \frac{\sqrt{a+b} (a^2(48A + 33B) + a(54Ab + 26B^2))}{24d}$$

[Out] $\frac{1}{3} b B (a+b \cos(dx+c))^{3/2} \sin(dx+c) / d \sec(dx+c)^{1/2} + \frac{1}{4} b (2A^2 b + 3B^2 a) \sin(dx+c) (a+b \cos(dx+c))^{1/2} / d \sec(dx+c)^{1/2} + \frac{1}{24} (54A^2 a^2 b + 33B^2 a^2 + 16B^2 b^2) \sin(dx+c) (a+b \cos(dx+c))^{1/2} \sec(dx+c)^{1/2} / d - \frac{1}{24} (a-b) (54A^2 a^2 b + 33B^2 a^2 + 16B^2 b^2) \csc(dx+c) \text{EllipticE}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} \cos(dx+c)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / a / d \sec(dx+c)^{1/2} + \frac{1}{24} (4b^2(3A+4B) + a^2(48A+33B) + a(54Ab+26B^2)) \csc(dx+c) \text{EllipticF}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} \cos(dx+c)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / d \sec(dx+c)^{1/2} - \frac{1}{8} (30A^2 a^2 b + 8A^2 b^3 + 5B^2 a^3 + 20B^2 a^2 b) \csc(dx+c) \text{EllipticPi}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, (a+b)/b, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} \cos(dx+c)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b / d \sec(dx+c)^{1/2}$

Rubi [A] time = 1.95, antiderivative size = 624, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(33a^2B + 54aAb + 16b^2B) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a+b \cos(c+dx)}}{24d} + \frac{\sqrt{a+b} (a^2(48A + 33B) + a(54Ab + 26B^2))}{24d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]

[Out] $-\frac{(a-b) \sqrt{a+b} (54A^2 a^2 b + 33A^2 B + 16b^2 B) \sqrt{\cos[c+dx]} \text{Csc}[c+dx] \text{EllipticE}[\text{ArcSin}[\sqrt{a+b \cos[c+dx]}] / (\sqrt{a+b} \sqrt{\cos[c+dx]})]}{(a+b) \sqrt{a+b}} \sqrt{\frac{a(1-\sec[c+dx])}{a+b}} \sqrt{\frac{a(1+\sec[c+dx])}{a-b}} / (24ad \sqrt{\sec[c+dx]} + (\sqrt{a+b} (4b^2(3A+4B) + a^2(48A+33B) + a(54Ab+26B^2)) \sqrt{\cos[c+dx]} \text{Csc}[c+dx] \text{EllipticF}[\text{ArcSin}[\sqrt{a+b \cos[c+dx]}] / (\sqrt{a+b} \sqrt{\cos[c+dx]})]}{(a+b) \sqrt{\cos[c+dx]}}), -((a+b)/(a-b)) \sqrt{\frac{a(1-\sec[c+dx])}{a+b}} \sqrt{\frac{a(1+\sec[c+dx])}{a-b}} / (24d \sqrt{\sec[c+dx]}) - (\sqrt{a+b} (30A^2 a^2 b + 8A^2 b^3 + 5A^3 B + 20A^2 b^2 B) \sqrt{\cos[c+dx]} \text{Csc}[c+dx] \text{EllipticPi}[(a+b)/b, \text{ArcSin}[\sqrt{a+b \cos[c+dx]}] / (\sqrt{a+b} \sqrt{\cos[c+dx]})]}{(a+b) \sqrt{\cos[c+dx]}}), -((a+b)/(a-b)) \sqrt{\frac{a(1-\sec[c+dx])}{a+b}} \sqrt{\frac{a(1+\sec[c+dx])}{a-b}} / (8b \sqrt{\sec[c+dx]}) + (b(2A^2 b + 3A^2 B) \sqrt{a+b \cos[c+dx]} \sin[c+dx]) / (4d \sqrt{\sec[c+dx]}) + (bB(a+b \cos[c+dx])^{3/2} \sin[c+dx]) / (3d \sqrt{\sec[c+dx]}) + ((54A^2 a^2 b + 33A^2 B + 16b^2 B) \sqrt{a+b \cos[c+dx]} \sqrt{\sec[c+dx]} \sin[c+dx]) / (24d)$

Rule 2809

Int[Sqrt[(b_.)*sin[e_.] + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*sin[e_.] + (f_.)*(x_.)], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d))*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d))*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_)] + (f_)*(x_))*(g_)^(p_)*((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2990

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_))*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3049

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_)) + (C_)*sin[(e_)] + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
```

+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3053

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3061

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{1}{3} (\sqrt{\cos(c + dx)}) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{b(2Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} + \frac{b}{3} (\sqrt{\cos(c + dx)}) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{b(2Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} + \frac{b}{3} (\sqrt{\cos(c + dx)}) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{b(2Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} + \frac{b}{3} (\sqrt{\cos(c + dx)}) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{\sqrt{a + b} (30a^2 Ab + 8Ab^3 + 5a^3 B + 20ab^2 B) \sqrt{\cos(c + dx)}}{4d\sqrt{\sec(c + dx)}} + \frac{b}{3} (\sqrt{\cos(c + dx)}) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{(a - b)\sqrt{a + b} (54aAb + 33a^2 B + 16b^2 B) \sqrt{\cos(c + dx)}}{4d\sqrt{\sec(c + dx)}} + \frac{b}{3} (\sqrt{\cos(c + dx)}) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Mathematica [B] time = 19.60, size = 1504, normalized size = 2.41

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(a + b*cos[c + d*x])^(5/2)*(A + B*cos[c + d*x])*Sqrt[Sec[c + d*x]],x]

[Out] (Sqrt[a + b*cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((b^2*B*sin[c + d*x])/12 + (b*(6*A*b + 13*A*B)*sin[2*(c + d*x)]/24 + (b^2*B*sin[3*(c + d*x)]/12))/d + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(54*a^2*A*b*Tan[(c + d*x)/2] + 54*a*A*b^2*Tan[(c + d*x)/2] + 33*a^3*B*Tan[(c + d*x)/2] + 33*a^2*b*B*Tan[(c + d*x)/2] + 16*a*b^2*B*Tan[(c + d*x)/2] + 16*b^3*B*Tan[(c + d*x)/2] - 108*a*A*b^2*Tan[(c + d*x)/2]^3 - 66*a^2*b*B*Tan[(c + d*x)/2]^3 - 32*b^3*B*Tan[(c + d*x)/2]^3 - 54*a^2*A*b*Tan[(c + d*x)/2]^5 + 54*a*A*b^2*Tan[(c + d*x)/2]^5 - 33*a^3*B*Tan[(c + d*x)/2]^5 + 33*a^2*b*B*Tan[(c + d*x)/2]^5 - 16*a*b^2*B*Tan[(c + d*x)/2]^5 + 16*b^3*B*Tan[(c + d*x)/2]^5 + 180*a^2*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*A*b^3*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 30*a^3*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 120*a*b^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 180*a^2*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*A*b^3*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 30*a^3*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 120*a*b^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(54*a*A*b + 33*a^2*B + 16*b^2*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*(-12*A*b^3 + 2*a*b^2*(3*A - 19*B) + 24*a^3*(A - B) + a^2*(-72*A*b + 13*b*B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)])))/(24*d*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)])

fricas [F] time = 94.33, size = 0, normalized size = 0.00

integral((Bb^2 cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) cos(dx + c)^2 + (Ba^2 + 2 Aab) cos(dx + c))sqrt(b cos(dx + c) + a)^(5/2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c)), x)

maple [B] time = 0.47, size = 3514, normalized size = 5.63

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x)

[Out]
$$-1/24/d*(1/\cos(d*x+c))^{1/2}/(a+b*\cos(d*x+c))^{1/2}*(-48*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3+48*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3+180*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a^2*b+54*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+54*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2+26*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b-76*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2+120*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a*b^2+33*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+12*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2+16*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-144*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+12*A*\cos(d*x+c)^4*b^3-12*A*\cos(d*x+c)^2*b^3+8*B*\cos(d*x+c)^5*b^3+8*B*\cos(d*x+c)^3*b^3+33*B*\cos(d*x+c)^2*a^3-16*B*\cos(d*x+c)^2*b^3-33*B*\cos(d*x+c)*a^3+66*A*\cos(d*x+c)^3*a*b^2+54*A*\cos(d*x+c)^2*a^2*b-54*A*\cos(d*x+c)^2*a*b^2-54*A*\cos(d*x+c)*a^2*b-12*A*\cos(d*x+c)*a*b^2+34*B*\cos(d*x+c)^4*a*b^2+59*B*\cos(d*x+c)^3*a^2*b-33*B*\cos(d*x+c)^2*a^2*b-18*B*\cos(d*x+c)^2*a*b^2-26*B*\cos(d*x+c)*a^2*b-16*B*\cos(d*x+c)*a*b^2+48*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*b^3+30*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a^3+33*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3+16*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^3+12*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2+180*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a^2*b+54*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+54*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}$$

$$\frac{1}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^2 b^2 + 26 B \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^2 b^2 - 76 B \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^2 b^2 + 120 B \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^2 b^2 + 33 B \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^2 b^2 + 16 B \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^2 b^2 - 24 A \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{b^3 - 144 A \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^2 b^2 - 24 A \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{b^3 + 48 A \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{b^3 + 30 B \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^3 + 33 B \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^3 + 16 B \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{b^3 + 48 A \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^3 - 48 B \sin(dx+c) \cos(dx+c)}{(1+\cos(dx+c))\sqrt{a+b}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{\sqrt{a+b}}\right) + \frac{a^3}{\sin(dx+c)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{\frac{5}{2}} \sqrt{\sec(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))^(5/2)*(A+B*cos(dx+c))*sec(dx+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx+c) + A)*(b*cos(dx+c) + a)^(5/2)*sqrt(sec(dx+c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))*(1/cos(c + dx))^(1/2)*(a + b*cos(c + dx))^(5/2), x)

[Out] int((A + B*cos(c + dx))*(1/cos(c + dx))^(1/2)*(a + b*cos(c + dx))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.612 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=724

$$\frac{(5a^2B + 24aAb + 12b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{32d \sqrt{\sec(c + dx)}} + \frac{(15a^3B + 264a^2Ab + 284ab^2B + 128Ab^3) \sin(c + dx)}{192bd}$$

[Out] $\frac{1}{4} b B (a + b \cos(dx + c))^{3/2} \sin(dx + c) / d \sec(dx + c)^{3/2} + \frac{1}{24} (8 A b + 11 B a) (a + b \cos(dx + c))^{3/2} \sin(dx + c) / d \sec(dx + c)^{1/2} + \frac{1}{32} (24 A a b + 5 B a^2 + 12 B b^2) \sin(dx + c) (a + b \cos(dx + c))^{1/2} / d \sec(dx + c)^{1/2} + \frac{1}{192} (264 A a^2 b + 128 A a b^3 + 15 B a^3 + 284 B a b^2) \sin(dx + c) (a + b \cos(dx + c))^{1/2} \sec(dx + c)^{1/2} / b d - \frac{1}{192} (a - b) (264 A a^2 b + 128 A a b^3 + 15 B a^3 + 284 B a b^2) \operatorname{csc}(dx + c) \operatorname{EllipticE}((a + b \cos(dx + c))^{1/2} / (a + b)^{1/2} / \cos(dx + c)^{1/2}), ((-a - b) / (a - b))^{1/2} (a + b)^{1/2} \cos(dx + c)^{1/2} (a (1 - \sec(dx + c)) / (a + b))^{1/2} (a (1 + \sec(dx + c)) / (a - b))^{1/2} / a b d \sec(dx + c)^{1/2} + \frac{1}{192} (15 a^3 B + 8 b^3 (16 A + 9 B) + 2 a^2 b (132 A + 59 B) + 4 a b^2 (52 A + 71 B)) \operatorname{csc}(dx + c) \operatorname{EllipticF}((a + b \cos(dx + c))^{1/2} / (a + b)^{1/2} / \cos(dx + c)^{1/2}), ((-a - b) / (a - b))^{1/2} (a + b)^{1/2} \cos(dx + c)^{1/2} (a (1 - \sec(dx + c)) / (a + b))^{1/2} (a (1 + \sec(dx + c)) / (a - b))^{1/2} / b d \sec(dx + c)^{1/2} - \frac{1}{64} (40 A a^3 b + 160 A a b^3 - 5 B a^4 + 120 B a^2 b^2 + 48 B b^4) \operatorname{csc}(dx + c) \operatorname{EllipticPi}((a + b \cos(dx + c))^{1/2} / (a + b)^{1/2} / \cos(dx + c)^{1/2}), (a + b) / b, ((-a - b) / (a - b))^{1/2} (a + b)^{1/2} \cos(dx + c)^{1/2} (a (1 - \sec(dx + c)) / (a + b))^{1/2} (a (1 + \sec(dx + c)) / (a - b))^{1/2} / b^2 d \sec(dx + c)^{1/2}$

Rubi [A] time = 2.52, antiderivative size = 724, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(264a^2Ab + 15a^3B + 284ab^2B + 128Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{192bd} + \frac{(5a^2B + 24aAb + 12b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{32d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))] / \sqrt{\sec(c + dx)}, x]$

[Out] $-\frac{(a - b) \sqrt{a + b} (264 a^2 A b + 128 A a b^3 + 15 a^3 B + 284 a b^2 B) \operatorname{Sqrt}[\cos[c + dx]] \operatorname{Csc}[c + dx] \operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b \cos[c + dx]]] / (\operatorname{Sqrt}[a + b] \operatorname{Sqrt}[\cos[c + dx]])], -((a + b) / (a - b)) \operatorname{Sqrt}[(a (1 - \sec[c + dx])) / (a + b)] \operatorname{Sqrt}[(a (1 + \sec[c + dx])) / (a - b)] / (192 a b d \operatorname{Sqrt}[\sec[c + dx]]) + (\operatorname{Sqrt}[a + b] (15 a^3 B + 8 b^3 (16 A + 9 B) + 2 a^2 b (132 A + 59 B) + 4 a b^2 (52 A + 71 B)) \operatorname{Sqrt}[\cos[c + dx]] \operatorname{Csc}[c + dx] \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b \cos[c + dx]]] / (\operatorname{Sqrt}[a + b] \operatorname{Sqrt}[\cos[c + dx]])], -((a + b) / (a - b)) \operatorname{Sqrt}[(a (1 - \sec[c + dx])) / (a + b)] \operatorname{Sqrt}[(a (1 + \sec[c + dx])) / (a - b)] / (192 b d \operatorname{Sqrt}[\sec[c + dx]]) - (\operatorname{Sqrt}[a + b] (40 a^3 A b + 160 a a b^3 - 5 a^4 B + 120 a^2 b^2 B + 48 b^4 B) \operatorname{Sqrt}[\cos[c + dx]] \operatorname{Csc}[c + dx] \operatorname{EllipticPi}[(a + b) / b, \operatorname{ArcSin}[\operatorname{Sqrt}[a + b \cos[c + dx]]] / (\operatorname{Sqrt}[a + b] \operatorname{Sqrt}[\cos[c + dx]])], -((a + b) / (a - b)) \operatorname{Sqrt}[(a (1 - \sec[c + dx])) / (a + b)] \operatorname{Sqrt}[(a (1 + \sec[c + dx])) / (a - b)] / (64 b^2 d \operatorname{Sqrt}[\sec[c + dx]]) + (b B (a + b \cos[c + dx])^{3/2} \sin[c + dx]) / (4 d \sec[c + dx]^{3/2}) + ((24 a A b + 5 a^2 B + 12 b^2 B) \operatorname{Sqrt}[a + b \cos[c + dx]] \sin[c + dx]) / (32 d \operatorname{Sqrt}[\sec[c + dx]]) + ((8 A b + 11 a B) (a + b \cos[c + dx])^{3/2} \sin[c + dx]) / (24 d \operatorname{Sqrt}[\sec[c + dx]]) + ((264 a^2 A b + 128 A a b^3 + 15 a^3 B + 284 a b^2 B) \operatorname{Sqrt}[a + b \cos[c + dx]] \operatorname{Sqrt}[\sec[c + dx]] \sin[c + dx]) / (192 b d)$

Rule 2809

$\text{Int}[\operatorname{Sqrt}[(b \cdot) \sin(e \cdot) + (f \cdot) (x \cdot)] / \operatorname{Sqrt}[(c \cdot) + (d \cdot) \sin(e \cdot) + (f \cdot) (x \cdot)]], x_Symbol] \rightarrow \text{Simp}[(2 b \operatorname{Tan}[e + f x] \operatorname{Rt}[(c + d) / b, 2] \operatorname{Sqrt}[(c (1 +$

$\text{Csc}[e + f*x])]/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]*\text{Sqrt}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]), x_Symbol] :> \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2961

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_*)]*(g_*)^{(p_*)*((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(m_*)*((c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(n_*)}, x_Symbol] :> \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])]$

Rule 2990

$\text{Int}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(m_*)*((A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(n_*)}, x_Symbol] :> -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*\text{Sin}[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !(\text{IGtQ}[n, 1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]))))$

Rule 2994

$\text{Int}[(A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])/((b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(3/2)}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]], x_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[(A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])/((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(3/2)}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]], x_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rule 3049

$\text{Int}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(m_*)*((c_*) + (d_*)*\text{sin}[(e_*)$


```

+ (f_.)*(x_)]^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*sin[e + f*x])^(m - 1)*(c + d*sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

Rule 3053

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*sin[e + f*x]]/Sqrt[c + d*sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*sin[e + f*x])/((a + b*sin[e + f*x])^(3/2)*Sqrt[c + d*sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3061

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := -Simp[(C*cos[e + f*x]*Sqrt[c + d*sin[e + f*x]])/(d*f*Sqrt[a + b*sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*sin[e + f*x]^2, x])/((a + b*sin[e + f*x])^(3/2)*Sqrt[c + d*sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx)) dx \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{4} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{(8Ab + 11aB)(a + b \cos(c + dx))}{24d \sqrt{\sec(c + dx)}} \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{(24aAb + 5a^2B + 12b^2B)(a + b \cos(c + dx))}{32d} \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{(24aAb + 5a^2B + 12b^2B)(a + b \cos(c + dx))}{32d} \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{(24aAb + 5a^2B + 12b^2B)(a + b \cos(c + dx))}{32d} \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{(24aAb + 5a^2B + 12b^2B)(a + b \cos(c + dx))}{32d} \\
&= \frac{\sqrt{a + b} (40a^3 Ab + 160aAb^3 - 5a^4 B + 120a^2 b^2 B + 48b^4 B) \sqrt{\cos(c + dx)}}{(a - b) \sqrt{a + b} (264a^2 Ab + 128Ab^3 + 15a^3 B + 284ab^2 B) \sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 20.04, size = 1857, normalized size = 2.56

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((b*(8*A*b + 17*a*B)*Sin[c + d*x])/96 + ((104*a*A*b + 59*a^2*B + 48*b^2*B)*Sin[2*(c + d*x)]/192 + (b*(8*A*b + 17*a*B)*Sin[3*(c + d*x)]/96 + (b^2*B*Ssin[4*(c + d*x)]/32))/d + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(264*a^3*A*b*Tan[(c + d*x)/2] + 264*a^2*A*b^2*Tan[(c + d*x)/2] + 128*a*A*b^3*Tan[(c + d*x)/2] + 128*A*b^4*Tan[(c + d*x)/2] + 15*a^4*B*Tan[(c + d*x)/2] + 15*a^3*b*B*Tan[(c + d*x)/2] + 284*a^2*b^2*B*Tan[(c + d*x)/2] + 284*a*b^3*B*Tan[(c + d*x)/2] - 528*a^2*A*b^2*Tan[(c + d*x)/2]^3 - 256*A*b^4*Tan[(c + d*x)/2]^3 - 30*a^3*b*B*Tan[(c + d*x)/2]^3 - 568*a*b^3*B*Tan[(c + d*x)/2]^3 - 264*a^3*A*b*Tan[(c + d*x)/2]^5 + 264*a^2*A*b^2*Tan[(c + d*x)/2]^5 - 128*a*A*b^3*Tan[(c + d*x)/2]^5 + 128*A*b^4*Tan[(c + d*x)/2]^5 - 15*a^4*B*Tan[(c + d*x)/2]^5 + 15*a^3*b*B*Tan[(c + d*x)/2]^5 - 284*a^2*b^2*B*Tan[(c + d*x)/2]^5 + 284*a*b^3*B*Tan[(c + d*x)/2]^5 + 240*a^3*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 960*a*A*b^3*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*a^4*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a

$$\begin{aligned}
& x+c) * a^3 * b - 284 * B * \cos(d*x+c) * a^2 * b^2 - 72 * B * \cos(d*x+c) * a * b^3 + 264 * A * \cos(d*x+c) ^ \\
& 2 * a^3 * b - 144 * A * \cos(d*x+c) ^2 * a * b^3 - 208 * A * \cos(d*x+c) * a^2 * b^2 - 128 * A * \cos(d*x+c) * \\
& a * b^3 + 128 * A * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / \\
& (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a \\
& + b)) ^{1/2} * b^4 + 15 * B * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos \\
& (d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (\\
& - (a - b) / (a + b)) ^{1/2} * a^4 - 30 * B * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * \\
& ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticPi}((-1 + \cos(d*x+c)) / \sin \\
& (d*x+c), -1, (-a - b) / (a + b)) ^{1/2} * a^4 + 288 * B * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d \\
& *x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticPi}((-1 + \\
& \cos(d*x+c)) / \sin(d*x+c), -1, (-a - b) / (a + b)) ^{1/2} * b^4 - 144 * B * \sin(d*x+c) * (\cos(d \\
& *x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * E \\
& llipticF((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) ^{1/2} * b^4 + 48 * B * \cos(d*x + \\
& c) ^6 * b^4 + 64 * A * \cos(d*x+c) ^3 * b^4 - 128 * A * \cos(d*x+c) ^2 * b^4 + 24 * B * \cos(d*x+c) ^4 * b^4 \\
& - 72 * B * \cos(d*x+c) ^2 * b^4 + 15 * B * \cos(d*x+c) ^2 * a^4 - 15 * B * \cos(d*x+c) * a^4 + 64 * A * \cos(d \\
& *x+c) ^5 * b^4 - 15 * B * \cos(d*x+c) ^2 * a^3 * b + 272 * A * \cos(d*x+c) ^4 * a * b^3 - 264 * A * \cos(d*x + \\
& c) ^2 * a^2 * b^2 - 264 * A * \cos(d*x+c) * a^3 * b + 184 * B * \cos(d*x+c) ^5 * a * b^3 + 254 * B * \cos(d*x + \\
& c) ^4 * a^2 * b^2 + 264 * A * \sin(d*x+c) * \cos(d*x+c) * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x + \\
& c), (-a - b) / (a + b)) ^{1/2} * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c) \\
&) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * a^3 * b + 15 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / \\
& (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{Ellipti \\
& cE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) ^{1/2} * a^4 - 30 * B * \sin(d*x+c) * \cos \\
& (d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / \\
& (a + b) ^{1/2} * \text{EllipticPi}((-1 + \cos(d*x+c)) / \sin(d*x+c), -1, (-a - b) / (a + b)) ^{1/2} \\
& * a^4 + 288 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * co \\
& s(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticPi}((-1 + \cos(d*x+c)) / \sin(d*x+c) \\
& , -1, (-a - b) / (a + b)) ^{1/2} * b^4 - 144 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (1 + co \\
& s(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticF}((- \\
& 1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) ^{1/2} * b^4 + 264 * A * \sin(d*x+c) * (\cos(d* \\
& x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * El \\
& lipticE((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) ^{1/2} * a^3 * b + 264 * A * \sin(d* \\
& x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + \\
& b) ^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) ^{1/2} * a^2 * b^ \\
& 2 + 128 * A * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + c \\
& os(d*x+c))) / (a + b) ^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) \\
& ^{1/2} * a * b^3 + 240 * A * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(\\
& d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticPi}((-1 + \cos(d*x+c)) / \sin(d*x+c), - \\
& 1, (-a - b) / (a + b)) ^{1/2} * a^3 * b + 960 * A * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^ \\
& (1/2) * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticPi}((-1 + \cos(d*x + \\
& c)) / \sin(d*x+c), -1, (-a - b) / (a + b)) ^{1/2} * a * b^3 + 208 * A * \sin(d*x+c) * (\cos(d*x+c) / \\
& (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{Ellipti \\
& cF}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) ^{1/2} * a^2 * b^2 - 608 * A * \sin(d*x+c \\
&) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) \\
& ^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) ^{1/2} * a * b^3 + 15 * \\
& B * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x \\
& +c)) / (a + b) ^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) ^{1/2} \\
&) * a^3 * b + 284 * B * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c) \\
&) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / \\
& (a + b)) ^{1/2} * a^2 * b^2 + 284 * B * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((\\
& a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d \\
& *x+c), (-a - b) / (a + b)) ^{1/2} * a * b^3 + 720 * B * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c \\
&))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * \text{EllipticPi}((-1 + \cos(\\
& d*x+c)) / \sin(d*x+c), -1, (-a - b) / (a + b)) ^{1/2} * a^2 * b^2 + 118 * B * \sin(d*x+c) * (\cos(d \\
& *x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a + b) ^{1/2} * E \\
& llipticF((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) ^{1/2} * a^3 * b - 644 * B * \sin(d \\
& *x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + \cos(d*x+c))) / (a \\
& + b) ^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b)) ^{1/2} * a^2 * b \\
& ^2 + 72 * B * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c))) ^{1/2} * ((a + b * \cos(d*x+c)) / (1 + c \\
& os(d*x+c))) / (a + b) ^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a - b) / (a + b))
\end{aligned}$$

$$\begin{aligned} & \left(\frac{1}{2} \right) * a * b^3 + 128 * A * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} \\ & * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} * \text{EllipticE} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \right. \\ & \left. \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * b^4 + 264 * A * \sin(d * x + c) * \cos(d * x + c) * \text{EllipticE} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \right. \\ & \left. \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * a^2 * b^2 + 128 * A * \sin(d * x + c) * \cos(d * x + c) * \text{EllipticE} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \right. \\ & \left. \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * a * b^3 + 240 * A * \sin(d * x + c) * \cos(d * x + c) * \text{EllipticPi} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, -1, \right. \\ & \left. \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * a^3 * b + 960 * A * \sin(d * x + c) * \cos(d * x + c) * \text{EllipticPi} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, -1, \right. \\ & \left. \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * a * b^3 + 208 * A * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticF} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a^2 * b^2 - 608 * A * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticF} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a * b^3 + 15 * B * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticE} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a^3 * b + 284 * B * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticE} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a^2 * b^2 + 284 * B * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticE} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a * b^3 + 720 * B * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticPi} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, -1, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a^2 * b^2 + 118 * B * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticF} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a^3 * b - 644 * B * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticF} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a^2 * b^2 + 72 * B * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticF} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a * b^3 - 384 * A * \sin(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticF} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a^3 * b - 384 * A * \sin(d * x + c) * \cos(d * x + c) * \left(\frac{\cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} * \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right) / (a + b)^{\frac{1}{2}} \\ & * \text{EllipticF} \left(\frac{-1 + \cos(d * x + c)}{\sin(d * x + c)}, \frac{-(a - b)}{a + b} \right)^{\frac{1}{2}} * a^3 * b * \left(\frac{1}{\cos(d * x + c)} \right)^{\frac{1}{2}} / \sin(d * x + c) / \left(\frac{a + b * \cos(d * x + c)}{1 + \cos(d * x + c)} \right)^{\frac{1}{2}} / b \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)/sqrt(sec(d*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{5}{2}}}{\sqrt{\frac{1}{\cos(c + dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/(1/cos(c + d*x))^(1/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/(1/cos(c + d*x))^(1/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.613 \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=839

$$\frac{B \sin(c+dx)(a+b \cos(c+dx))^{7/2}}{5bd\sqrt{\sec(c+dx)}} + \frac{(10Ab-3aB) \sin(c+dx)(a+b \cos(c+dx))^{5/2}}{40bd\sqrt{\sec(c+dx)}} + \frac{(-15Ba^2+50Aba+64b^2)}{240bd\sqrt{\sec(c+dx)}}$$

[Out] 1/240*(50*A*a*b-15*B*a^2+64*B*b^2)*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/b/d/sec(c(d*x+c)^(1/2)+1/40*(10*A*b-3*B*a)*(a+b*cos(d*x+c))^(5/2)*sin(d*x+c)/b/d/sec(c(d*x+c)^(1/2)+1/5*B*(a+b*cos(d*x+c))^(7/2)*sin(d*x+c)/b/d/sec(d*x+c)^(1/2)+1/320*(50*A*a^2*b+120*A*b^3-15*B*a^3+172*B*a*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b/d/sec(d*x+c)^(1/2)+1/1920*(150*A*a^3*b+2840*A*a*b^3-45*B*a^4+1692*B*a^2*b^2+1024*B*b^4)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/b^2/d-1/1920*(a-b)*(150*A*a^3*b+2840*A*a*b^3-45*B*a^4+1692*B*a^2*b^2+1024*B*b^4)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/b^2/d/sec(d*x+c)^(1/2)-1/1920*(45*a^4*B-30*a^3*b*(5*A+B)-16*b^4*(45*A+64*B)-8*a*b^3*(355*A+193*B)-4*a^2*b^2*(295*A+423*B))*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^2/d/sec(d*x+c)^(1/2)+1/128*(10*A*a^4*b-240*A*a^2*b^3-96*A*b^5-3*B*a^5-40*B*a^3*b^2-240*B*a*b^4)*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^3/d/sec(d*x+c)^(1/2)

Rubi [A] time = 3.60, antiderivative size = 839, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{B \sin(c+dx)(a+b \cos(c+dx))^{7/2}}{5bd\sqrt{\sec(c+dx)}} + \frac{(10Ab-3aB) \sin(c+dx)(a+b \cos(c+dx))^{5/2}}{40bd\sqrt{\sec(c+dx)}} + \frac{(-15Ba^2+50Aba+64b^2)}{240bd\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] -((a - b)*Sqrt[a + b]*(150*a^3*A*b + 2840*a*A*b^3 - 45*a^4*B + 1692*a^2*b^2*B + 1024*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(1920*a*b^2*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(45*a^4*B - 30*a^3*b*(5*A + B) - 16*b^4*(45*A + 64*B) - 8*a*b^3*(355*A + 193*B) - 4*a^2*b^2*(295*A + 423*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(1920*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(10*a^4*A*b - 240*a^2*A*b^3 - 96*A*b^5 - 3*a^5*B - 40*a^3*b^2*B - 240*a*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(128*b^3*d*Sqrt[Sec[c + d*x]]) + ((50*a^2*A*b + 120*A*b^3 - 15*a^3*B + 172*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(320*b*d*Sqrt[Sec[c + d*x]]) + ((50*a*A*b - 15*a^2*B + 64*b^2*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(240*b*d*Sqrt[Sec[c + d*x]]) + ((10*A*b - 3*a*B)*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(40*b*d*Sqrt[Sec[c + d*x]]) + (B*(a + b*Cos[c + d*x])^(7/2)*Sin[c + d*x])/(5*b*d*Sqrt[Sec[c + d*x]]) + ((1

$50a^3Ab + 2840aAb^3 - 45a^4B + 1692a^2b^2B + 1024b^4B) \sqrt{a + b \cos[c + dx]} \sqrt{\sec[c + dx]} \sin[c + dx] / (1920b^2d)$

Rule 2809

$\text{Int}[\sqrt{(b_*)\sin(e_*) + (f_*)(x_*)}] / \sqrt{(c_*) + (d_*)\sin(e_*) + (f_*)(x_*)}], x_Symbol] \rightarrow \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\sqrt{(c*(1 + \text{Csc}[e + f*x]))/(c - d)}*\sqrt{(c*(1 - \text{Csc}[e + f*x]))/(c + d)}*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\sqrt{c + d*\sin[e + f*x]}/(\sqrt{b*\sin[e + f*x]}*\text{Rt}[(c + d)/b, 2])}], -((c + d)/(c - d)))/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

Rule 2816

$\text{Int}[1/(\sqrt{(d_*)\sin(e_*) + (f_*)(x_*)})*\sqrt{(a_*) + (b_*)\sin(e_*) + (f_*)(x_*)}], x_Symbol] \rightarrow \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\sqrt{(a*(1 - \text{Csc}[e + f*x]))/(a + b)}*\sqrt{(a*(1 + \text{Csc}[e + f*x]))/(a - b)}*\text{EllipticF}[\text{ArcSin}[\sqrt{a + b*\sin[e + f*x]}/(\sqrt{d*\sin[e + f*x]}*\text{Rt}[(a + b)/d, 2])}], -(a + b)/(a - b)))/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2961

$\text{Int}[(\text{csc}[(e_*) + (f_*)(x_*)]*(g_*)^{(p_*)}*((a_*) + (b_*)\sin[(e_*) + (f_*)(x_*)])^{(m_*)}*((c_*) + (d_*)\sin[(e_*) + (f_*)(x_*)])^{(n_*)}], x_Symbol] \rightarrow \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\sin[e + f*x])^p, \text{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^n/(g*\sin[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2990

$\text{Int}[(a_*) + (b_*)\sin[(e_*) + (f_*)(x_*)])^{(m_*)}((A_*) + (B_*)\sin[(e_*) + (f_*)(x_*)])^{(n_*)}], x_Symbol] \rightarrow -\text{Simp}[(b*B*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m - 1)}*(c + d*\sin[e + f*x])^{(n + 1)})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\sin[e + f*x])^{(m - 2)}*(c + d*\sin[e + f*x])^n*\text{Simp}[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*\sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\sin[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !(\text{IGtQ}[n, 1] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$

Rule 2994

$\text{Int}[(A_*) + (B_*)\sin[(e_*) + (f_*)(x_*)]) / (((b_*)\sin[(e_*) + (f_*)(x_*)])^{(3/2)}*\sqrt{(c_*) + (d_*)\sin[(e_*) + (f_*)(x_*)]}), x_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\sqrt{(c*(1 + \text{Csc}[e + f*x]))/(c - d)}*\sqrt{(c*(1 - \text{Csc}[e + f*x]))/(c + d)}*\text{EllipticE}[\text{ArcSin}[\sqrt{c + d*\sin[e + f*x]}/(\sqrt{b*\sin[e + f*x]}*\text{Rt}[(c + d)/b, 2])}], -((c + d)/(c - d)))/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[(A_*) + (B_*)\sin[(e_*) + (f_*)(x_*)]) / (((a_*) + (b_*)\sin[(e_*) + (f_*)(x_*)])^{(3/2)}*\sqrt{(c_*) + (d_*)\sin[(e_*) + (f_*)(x_*)]}), x_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\sqrt{a + b*\sin[e + f*x]}*\sqrt{c + d*\sin[e + f*x]}), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \sin[e + f*x])/(a + b*\sin[e + f*x])^{(3/2)}*\sqrt{c + d*\sin[e + f*x]}], x], x] /; \text{FreeQ}\{a, b, c, d, e,$

f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

Rule 3049

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B))*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3053

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3061

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sec^2(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^3(c + dx) (a + b \cos(c + dx)) dx \\
&= \frac{B(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{5bd\sqrt{\sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^2(c + dx) (a + b \cos(c + dx)) dx}{5bd\sqrt{\sec(c + dx)}} \\
&= \frac{(10Ab - 3aB)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{40bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{5bd\sqrt{\sec(c + dx)}} \\
&= \frac{(50aAb - 15a^2B + 64b^2B)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{240bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{5bd\sqrt{\sec(c + dx)}} \\
&= \frac{(50a^2Ab + 120Ab^3 - 15a^3B + 172ab^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{320bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{5bd\sqrt{\sec(c + dx)}} \\
&= \frac{(50a^2Ab + 120Ab^3 - 15a^3B + 172ab^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{320bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{5bd\sqrt{\sec(c + dx)}} \\
&= \frac{(50a^2Ab + 120Ab^3 - 15a^3B + 172ab^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{320bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{5bd\sqrt{\sec(c + dx)}} \\
&= \frac{\sqrt{a + b} (10a^4Ab - 240a^2Ab^3 - 96Ab^5 - 3a^5B - 40a^3b^2B - 240a^2b^3B - 120ab^4B - 1692a^2b^2B^2 - 1692a^2b^2B^2 - 1024b^4B^2)}{(a - b)\sqrt{a + b} (150a^3Ab + 2840aAb^3 - 45a^4B + 1692a^2b^2B - 1692a^2b^2B^2 - 1024b^4B^2)}
\end{aligned}$$

Mathematica [A] time = 16.07, size = 703, normalized size = 0.84

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left(\frac{1}{960} (93a^2B + 170aAb + 88b^2B) \sin(c + dx) + \frac{1}{960} (93a^2B + 170aAb + 100b^2B) \right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(((170*a*A*b + 93*a^2*B + 88*b^2*B)*Sin[c + d*x])/960 + ((590*a^2*A*b + 480*A*b^3 + 15*a^3*B + 1024*a*b^2*B)*Sin[2*(c + d*x)]/(1920*b) + ((170*a*A*b + 93*a^2*B + 100*b^2*B)*Sin[3*(c + d*x)]/960 + (b*(10*A*b + 21*a*B)*Sin[4*(c + d*x)]/320 + (b^2*B*Ssin[5*(c + d*x)]/80))/d - ((b*(a + b)*(150*a^3*A*b + 2840*a*A*b^3 - 45*a^4*B + 1692*a^2*b^2*B + 1024*b^4*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)) + a*(a + b)*(45*a^4*B - 30*a^3*b*(5*A + 3*B) + 60*a^2*b^2*(5*A + 11*B) + 16*b^4*(45*A + 64*B) + 8*a*b^3*(265*A + 129*B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)) + 15*(10*a^4*A*b - 240*a^2*A*b^3 - 96*A*

$b^5 - 3a^5B - 40a^3b^2B - 240ab^4B) * ((a - b) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + 2b * \text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)]) * \text{Sec}[(c + dx)/2]^2 * \text{Sqrt}[\frac{(a + b * \text{Cos}[c + dx]) * \text{Sec}[(c + dx)/2]^2}{(a + b)} - b * (150a^3A * b + 2840a * A * b^3 - 45a^4B + 1692a^2 * b^2B + 1024b^4B) * (a + b * \text{Cos}[c + dx]) * (\text{Cos}[c + dx] * \text{Sec}[(c + dx)/2]^2)^{(3/2)} * \text{Sec}[c + dx] * \text{Tan}[(c + dx)/2]] / (1920 * b^3 * d * \text{Sqrt}[a + b * \text{Cos}[c + dx]]) * (\text{Cos}[c + dx] * \text{Sec}[(c + dx)/2]^2)^{(3/2)} * \text{Sec}[c + dx]^{(3/2)}$

fricas [F] time = 5.79, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)) \sqrt{b \cos(dx + c)}}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorith="fricas")

[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/sec(d*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)/sec(d*x + c)^(3/2), x)

maple [B] time = 0.84, size = 5172, normalized size = 6.16

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)/sec(d*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) (a + b \cos(c + dx))^{5/2}}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/(1/cos(c + d*x))^(3/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(a + b*cos(c + d*x))^(5/2))/(1/cos(c + d*x))^(3/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

$$3.614 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=403

$$\frac{2(4Ab - 5aB) \sin(c + dx) \sec^2(c + dx) \sqrt{a + b \cos(c + dx)}}{15a^2d} + \frac{2(a - b) \sqrt{a + b} (9a^2A - 10abB + 8Ab^2) \sqrt{\cos(c + dx)}}{15a^3d \sqrt{\sec(c + dx)}}$$

[Out] $-2/15*(4*A*b-5*B*a)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a^{2/d}+2/5*A*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a/d+2/15*(a-b)*(9*A*a^2+8*A*b^2-10*B*a*b)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^4/d/\sec(d*x+c)^{(1/2)}-2/15*(8*A*b^2+a^2*(9*A-5*B)-2*a*b*(A+5*B))*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^3/d/\sec(d*x+c)^{(1/2)}$

Rubi [A] time = 1.03, antiderivative size = 403, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 3000, 3055, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} (a^2(9A - 5B) - 2ab(A + 5B) + 8Ab^2) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin\left(\frac{a(1-\sec(c+dx))}{a+b}\right)\right)}{15a^3d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2))/Sqrt[a + b*Cos[c + d*x]], x]

[Out] $(2*(a - b)*\text{Sqrt}[a + b]*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Cs}c[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(15*a^4*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*\text{Sqrt}[a + b]*(8*A*b^2 + a^2*(9*A - 5*B) - 2*a*b*(A + 5*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(15*a^3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*(4*A*b - 5*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(15*a^2*d) + (2*A*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^(5/2)*\text{Sin}[c + d*x])/(5*a*d)$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)
*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((a_) + (b_)*sin[(e_) + (f_
)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3000

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rubi steps


```

c + d*x))/((a + b)*(1 + Cos[c + d*x]))*EllipticE[ArcSin[Tan[(c + d*x)/2]],
(-a + b)/(a + b)] + 2*a*(8*A*b^2 + 2*a*b*(A - 5*B) + a^2*(9*A + 5*B))*Sqrt
[Cos[c + d*x]/(1 + Cos[c + d*x])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + C
os[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (9*a
^2*A + 8*A*b^2 - 10*a*b*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/
2]^2*Tan[(c + d*x)/2))/((15*a^3*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)
/2]^2]) + (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-1/2*((9*a^2*A + 8*A*b^
2 - 10*a*b*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^4) - ((a +
b)*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 +
Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*((Cos
[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d
x])))/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] + (a*(8*A*b^2 + 2*a*b*(A - 5*B)
+ a^2*(9*A + 5*B))*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]
*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*((Cos[c + d*x]*Sin[c
+ d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[
c + d*x]/(1 + Cos[c + d*x])] - ((a + b)*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*Sqrt
[Cos[c + d*x]/(1 + Cos[c + d*x])*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a +
b)/(a + b)]*(-((b*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])))) + ((a + b*Co
s[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])^2))/Sqrt[(a + b*Cos[
c + d*x])/((a + b)*(1 + Cos[c + d*x]))] + (a*(8*A*b^2 + 2*a*b*(A - 5*B) + a
^2*(9*A + 5*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])*EllipticF[ArcSin[Tan[
(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*Sin[c + d*x])/((a + b)*(1 + Cos[c +
d*x])))) + ((a + b*Cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])^2
))/Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] + b*(9*a^2*A +
8*A*b^2 - 10*a*b*B)*Cos[c + d*x]*Sec[(c + d*x)/2]^2*Sin[c + d*x]*Tan[(c + d
*x)/2] + (9*a^2*A + 8*A*b^2 - 10*a*b*B)*(a + b*Cos[c + d*x])*Sec[(c + d*x)/
2]^2*Sin[c + d*x]*Tan[(c + d*x)/2] - (9*a^2*A + 8*A*b^2 - 10*a*b*B)*Cos[c +
d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]^2 + (a*(8*A*
b^2 + 2*a*b*(A - 5*B) + a^2*(9*A + 5*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x
]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2
]^2)/(Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[1 - ((-a + b)*Tan[(c + d*x)/2]^2)/(
a + b)]) - ((a + b)*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*Sqrt[Cos[c + d*x]/(1 + C
os[c + d*x])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(
c + d*x)/2]^2*Sqrt[1 - ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)]/Sqrt[1 - Tan
[(c + d*x)/2]^2]))/(15*a^3*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2
]) + ((-2*(a + b)*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*Sqrt[Cos[c + d*x]/(1 + Cos
[c + d*x])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Ellipti
cE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(8*A*b^2 + 2*a*b*(A -
5*B) + a^2*(9*A + 5*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])*Sqrt[(a + b*C
os[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2
]], (-a + b)/(a + b)] - (9*a^2*A + 8*A*b^2 - 10*a*b*B)*Cos[c + d*x]*(a + b*
Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])*(-(Cos[(c + d*x)/2]*Sec[
c + d*x]*Sin[(c + d*x)/2] + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))
/(15*a^3*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*
x)/2]^2*Sec[c + d*x]]))

```

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{7/2}}{\sqrt{b \cos(dx + c) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+b*cos(d*x+c))^(1/2),x, algor
ithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sec(d*x + c)^(7/2)/sqrt(b*cos(d*x + c) + a),
x)
```



```
+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3-9*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3-8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^3+9*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3+5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*sin(d*x+c)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3-9*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3-8*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^3+9*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3*cos(d*x+c)*(1/cos(d*x+c))^(7/2)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/a^3
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+b*cos(d*x+c))^(1/2),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(7/2)/sqrt(b*cos(d*x + c) + a), x)

mapad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{7/2}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2))/(a + b*cos(c + d*x))^(1/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2))/(a + b*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(7/2)/(a+b*cos(d*x+c))**(1/2),x)

[Out] Timed out

$$3.615 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=330

$$\frac{2(a-b)\sqrt{a+b}(2Ab-3aB)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3a^3 d \sqrt{\sec(c+dx)}}$$

[Out] 2/3*A*sec(d*x+c)^(3/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a/d-2/3*(a-b)*(2*A*b-3*B*a)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a^3/d/sec(d*x+c)^(1/2)+2/3*(2*A*b+a*(A-3*B))*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a^2/d/sec(d*x+c)^(1/2)

Rubi [A] time = 0.66, antiderivative size = 330, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 3000, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(a(A-3B)+2Ab)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3a^2 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/Sqrt[a + b*Cos[c + d*x]], x]

[Out] (-2*(a - b)*Sqrt[a + b]*(2*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^3*d*Sqrt[Sec[c + d*x]]) + (2*Sqrt[a + b]*(2*A*b + a*(A - 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*d*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d)

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2994

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A

```
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n* Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3ad}$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} + \frac{((2Ab + a(A - 3B))}{3ad}$$

$$= -\frac{2(a - b)\sqrt{a + b} (2Ab - 3aB)\sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b \cos(c + dx)}}\right)\right)}{3a^3 d \sqrt{\sec(c + dx)}}$$

Mathematica [A] time = 15.82, size = 355, normalized size = 1.08

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left(\frac{2(3aB - 2Ab) \sin(c + dx)}{3a^2} + \frac{2A \tan(c + dx)}{3a}\right)}{d} + \frac{2\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \sec(c + dx) \left((2Ab - 3aB) \sin\left(\frac{1}{2}(c + dx)\right) + \frac{2A \tan(c + dx)}{3a}\right)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/Sqrt[a + b*Cos[c + d*x]
],x]
```

```
[Out] (2*sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(-2*A*b + 3*a*B)*sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * sqrt[(a + b*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]) * EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(-2*A*b + a*(A + 3*B))*sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * sqrt[(a + b*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + (2*A*b - 3*a*B)*Cos[c + d*x]*(a + b*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]) / (3*a^2*d*sqrt[a + b*cos[c + d*x]]*sqrt[Sec[(c + d*x)/2]^2]) + (sqrt[a + b*cos[c + d*x]]*sqrt[Sec[c + d*x]]*((2*(-2*A*b + 3*a*B)*Sin[c + d*x]) / (3*a^2) + (2*A*Tan[c + d*x]) / (3*a))) / d
```

fricas [F] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{b \cos(dx + c) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/sqrt(b*cos(d*x + c) + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/sqrt(b*cos(d*x + c) + a), x)
```

maple [B] time = 0.47, size = 1544, normalized size = 4.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(1/2), x)
```

```
[Out] -2/3/d*(3*B*cos(d*x+c)^2*a^2-3*B*cos(d*x+c)*a^2-2*A*cos(d*x+c)^3*b^2+2*A*cos(d*x+c)^2*b^2-a^2*A+2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a*b+A*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*a^2+2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*b^2+3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*cos(d*x+c)^2*a^2-3*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2+A*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*a^2+3*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*cos(d
```

```

*x+c)*a^2+A*cos(d*x+c)^2*a^2-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)*a*b+2*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*a*b-2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a*b+A*cos(d*x+c)^3*a*b-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^2*a*b-2*A*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*a*b-2*A*cos(d*x+c)^2*a*b+A*cos(d*x+c)*a*b+3*B*cos(d*x+c)^3*a*b-3*B*cos(d*x+c)^2*a*b+2*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*b^2-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)*a^2*cos(d*x+c)*(1/cos(d*x+c))^(5/2)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/a^2

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/sqrt(b*cos(d*x + c) + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + b*cos(c + d*x))^(1/2),x)
```

```
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + b*cos(c + d*x))^(1/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+b*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.616 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=270

$$\frac{2A(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{a^2d\sqrt{\sec(c+dx)}} 2\sqrt{a+b}$$

[Out] 2*A*(a-b)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a^2/d/sec(d*x+c)^(1/2)-2*(A-B)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/d/sec(d*x+c)^(1/2)

Rubi [A] time = 0.46, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2961, 2998, 2816, 2994}

$$\frac{2A(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{a^2d\sqrt{\sec(c+dx)}} 2\sqrt{a+b}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/Sqrt[a + b*Cos[c + d*x]],x]

[Out] (2*A*(a - b)*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((a^2*d*Sqrt[Sec[c + d*x]]) - (2*Sqrt[a + b]*(A - B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((a*d*Sqrt[Sec[c + d*x]]))

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2994

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]])], x]

$*x]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2]), -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[(A + B*\text{sin}[e + f*x])^3/\text{Sqrt}[c + d*\text{sin}[e + f*x]], x_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])^3/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^3(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= \left(A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1 + \cos(c + dx)}{\cos^3(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2A(a - b) \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)}{a^2 d \sqrt{\sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 14.30, size = 279, normalized size = 1.03

$$2 \left(A \sin(c + dx) \sqrt{\sec(c + dx)} (a + b \cos(c + dx)) - \frac{\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \sec(c + dx) \left(-2a(A + B) \sqrt{\frac{1}{\sec(c + dx) + 1}} \sqrt{\frac{a + b \cos(c + dx)}{(a + b)(\cos(c + dx) + 1)}} F\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)\right)}{ad \sqrt{a + b \cos(c + dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/Sqrt[a + b*Cos[c + d*x]], x]

[Out] (2*(A*(a + b*Cos[c + d*x])*Sqrt[Sec[c + d*x]]*Sin[c + d*x] - (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*A*(a + b)*Sqrt[(a + b*Cos[c + d*x])/(a + b)*(1 + Cos[c + d*x])])*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[(1 + Sec[c + d*x])^(-1)] - 2*a*(A + B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)*(1 + Cos[c + d*x])])*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[(1 + Sec[c + d*x])^(-1)] + A*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/Sqrt[Sec[(c + d*x)/2]^2))/(a*d*Sqrt[a + b*Cos[c + d*x]]))

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/sqrt(b*cos(d*x + c) + a), x)

maple [B] time = 0.40, size = 812, normalized size = 3.01

$$2 \left(A \sin(dx + c) \cos(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) a - A \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2), x)

[Out] -2/d*(A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a-A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a-A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b+B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*a+A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*sin(d*x+c)-A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*sin(d*x+c)-A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b*sin(d*x+c)+B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*sin(d*x+c)+A*cos(d*x+c)^2*b+A*cos(d*x+c)*a-A*cos(d*x+c)*b-a*A*cos(d*x+c)*(1/cos(d*x+c))^(3/2)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/a

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/sqrt(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x))^(1/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(1/2),x)

[Out] Timed out

$$3.617 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=268

$$\frac{2A\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2B\sqrt{a+b}}{ad\sqrt{\sec(c+dx)}}$$

[Out] 2*A*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), ((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/d/sec(d*x+c)^(1/2)-2*B*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b, ((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b/d/sec(d*x+c)^(1/2)

Rubi [A] time = 0.40, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2961, 3006, 2809, 2816}

$$\frac{2A\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2B\sqrt{a+b}}{ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/Sqrt[a + b*Cos[c + d*x]], x]

[Out] (2*A*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]) - (2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d*Sqrt[Sec[c + d*x]])

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In

tegerQ[n])

Rule 3006

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> Dist[B/d, Int[Sqrt[c + d*Sin[e + f*x]]/Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[(B*c - A*d)/d, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx$$

$$= \left(A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2A\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}}$$

Mathematica [A] time = 2.58, size = 157, normalized size = 0.59

$$\frac{2\sqrt{\sec(c+dx)+1} \sqrt{\cos(c+dx) \sec^2\left(\frac{1}{2}(c+dx)\right)} \sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \left((A-B)F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right) + 2\right)}{d\sqrt{\sec^2\left(\frac{1}{2}(c+dx)\right)} \sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] (2*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*((A - B)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*Sqrt[1 + Sec[c + d*x]])/(d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2])
```

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(b*cos(d*x + c) + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(b*cos(d*x + c) + a), x)

maple [A] time = 0.38, size = 199, normalized size = 0.74

$$2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))(a+b)}}\left(A\operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{-\frac{a-b}{a+b}}\right)-B\operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{-\frac{a-b}{a+b}}\right)+2\right)$$

$$d\sqrt{a+b\cos(dx+c)}(-1+\cos(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x)

[Out] 2/d*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*(A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))-B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))+2*B*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2))/(a+b*cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(1/2)*sin(d*x+c)^2/(-1+cos(d*x+c))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx))\sqrt{\frac{1}{\cos(c + dx)}}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x))^(1/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(sec(c + d*x))/sqrt(a + b*cos(c + d*x)), x)

$$3.618 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)} \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=487

$$\frac{\sqrt{a+b}(2Ab-aB)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{b^2 d \sqrt{\sec(c+dx)}}$$

[Out] B*sin(d*x+c)/d/(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+a*B*sin(d*x+c)*sec(d*x+c)^(1/2)/b/d/(a+b*cos(d*x+c))^(1/2)-(a-b)*B*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/b/d/sec(d*x+c)^(1/2)+B*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b/d/sec(d*x+c)^(1/2)-(2*A*b-B*a)*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b^2/d/sec(d*x+c)^(1/2)

Rubi [A] time = 1.27, antiderivative size = 487, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2961, 3003, 3051, 2809, 2993, 2998, 2816, 2994}

$$\frac{\sqrt{a+b}(2Ab-aB)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{b^2 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]),x]

[Out] -(((a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)))/(a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)))/(b*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*A*b - a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)))/(b^2*d*Sqrt[Sec[c + d*x]]) + (B*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[a + b*Cos[c + d*x]])

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A

$\text{rcSin}[\text{Sqrt}[a + b\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2961

$\text{Int}[(\text{csc}[e] + (f)*(x))*(g)^{(p)}*((a) + (b)*\text{sin}[e] + (f)*(x))]^{(m)}*((c) + (d)*\text{sin}[e] + (f)*(x))^{(n)}, x_Symbol] \rightarrow \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2993

$\text{Int}[(A + (B)*\text{sin}[e] + (f)*(x)]/(\text{Sqrt}[(d)*\text{sin}[e] + (f)*(x)]*((a) + (b)*\text{sin}[e] + (f)*(x)))^{(3/2)}, x_Symbol] \rightarrow \text{Simp}[(2*(A*b - a*B)*\text{Cos}[e + f*x])/(f*(a^2 - b^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Sin}[e + f*x]]), x] + \text{Dist}[d/(a^2 - b^2), \text{Int}[(A*b - a*B + (a*A - b*B)*\text{Sin}[e + f*x])/(f*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(d*\text{Sin}[e + f*x])^{(3/2)}), x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2994

$\text{Int}[(A + (B)*\text{sin}[e] + (f)*(x)]/(((b)*\text{sin}[e] + (f)*(x)))^{(3/2)}*\text{Sqrt}[(c) + (d)*\text{sin}[e] + (f)*(x)]), x_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[(A + (B)*\text{sin}[e] + (f)*(x)]/(((a) + (b)*\text{sin}[e] + (f)*(x)))^{(3/2)}*\text{Sqrt}[(c) + (d)*\text{sin}[e] + (f)*(x)]), x_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/(a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rule 3003

$\text{Int}[\text{Sqrt}[(a) + (b)*\text{sin}[e] + (f)*(x)]*((A) + (B)*\text{sin}[e] + (f)*(x))*((c) + (d)*\text{sin}[e] + (f)*(x))^{(n)}, x_Symbol] \rightarrow \text{Simp}[(2*B*\text{Cos}[e + f*x]*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^n)/(f*(2*n + 3)), x] + \text{Dist}[1/(2*n + 3), \text{Int}[(c + d*\text{Sin}[e + f*x])^{(n - 1)}*\text{Simp}[a*A*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)*(2*n + 3))*\text{Sin}[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*\text{Sin}[e + f*x]^2, x]/\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[n^2, 1/4]$

Rule 3051

$\text{Int}[(A + (B)*\text{sin}[e] + (f)*(x)] + (C)*\text{sin}[e] + (f)*(x)]^2/(\text{Sqrt}[(d)*\text{sin}[e] + (f)*(x)]*((a) + (b)*\text{sin}[e] + (f)*(x)))^{(3/2)}, x_Symbol] \rightarrow \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[d*\text{Sin}[e + f*x]]/\text{Sqrt}[a + b*$

$\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b, \text{Int}[(A*b + (b*B - a*C)*\text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[d*\text{Sin}[e + f*x]])], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{B \sin(c + dx)}{d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{1}{2} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{B \sin(c + dx)}{d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A}{\sqrt{a + b \cos(c + dx)}} dx}{2b} \\ &= -\frac{\sqrt{a + b} (2Ab - aB) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c + dx)}{\sqrt{a+b} \sqrt{\cos(c + dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\ &= -\frac{\sqrt{a + b} (2Ab - aB) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c + dx)}{\sqrt{a+b} \sqrt{\cos(c + dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\ &= -\frac{(a - b) \sqrt{a + b} B \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c + dx)}{\sqrt{a+b} \sqrt{\cos(c + dx)}}\right)\right)}{abd \sqrt{\sec(c + dx)}} \end{aligned}$$

Mathematica [C] time = 18.43, size = 1091, normalized size = 2.24

$$\sqrt{\frac{a \tan^2\left(\frac{1}{2}(c+dx)\right) - b \tan^2\left(\frac{1}{2}(c+dx)\right) + a + b}{\tan^2\left(\frac{1}{2}(c+dx)\right) + 1}} \left(-a \sqrt{\frac{a-b}{a+b}} B \tan^5\left(\frac{1}{2}(c+dx)\right) + b \sqrt{\frac{a-b}{a+b}} B \tan^5\left(\frac{1}{2}(c+dx)\right) - 2b \sqrt{\frac{a-b}{a+b}} B \tan^3\left(\frac{1}{2}(c+dx)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]), x]

[Out] (Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(a*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2] + b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2] - 2*b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^3 - a*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^5 + b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - (4*I)*A*b*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*a*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - (4*I)*A*b*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*a*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*B*EllipticE[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a

$x+c)/((1+\cos(dx+c))/(a+b))^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})+B*\cos(dx+c)^3+b*B*\cos(dx+c)^2+a-b*B*\cos(dx+c)^2-B*\cos(dx+c)*a*(1/\cos(dx+c))^{1/2}/(a+b*\cos(dx+c))^{1/2}/\sin(dx+c)/b$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/sec(dx+c)^(1/2)/(a+b*cos(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(dx + c) + A)/(sqrt(b*cos(dx + c) + a)*sqrt(sec(dx + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))/((1/cos(c + dx))^(1/2)*(a + b*cos(c + dx))^(1/2)),x)

[Out] int((A + B*cos(c + dx))/((1/cos(c + dx))^(1/2)*(a + b*cos(c + dx))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/sec(dx+c)**(1/2)/(a+b*cos(dx+c))**(1/2),x)

[Out] Integral((A + B*cos(c + dx))/(sqrt(a + b*cos(c + dx))*sqrt(sec(c + dx))), x)

$$3.619 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)} \sec^2(c+dx)} dx$$

Optimal. Leaf size=539

$$\frac{\sqrt{a+b} (-3a^2B + 4aAb - 4b^2B) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{c}}\right)\right)}{4b^3 d \sqrt{\sec(c+dx)}}$$

[Out] 1/2*B*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b/d/sec(d*x+c)^(1/2)+1/4*(4*A*b-3*B*a)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/b^2/d-1/4*(a-b)*(4*A*b-3*B*a)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/b^2/d/sec(d*x+c)^(1/2)+1/4*(4*A*b-3*B*a+2*B*b)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b^2/d/sec(d*x+c)^(1/2)+1/4*(4*A*a*b-3*B*a^2-4*B*b^2)*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b^3/d/sec(d*x+c)^(1/2)

Rubi [A] time = 1.25, antiderivative size = 539, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2961, 2990, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (-3a^2B + 4aAb - 4b^2B) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{c}}\right)\right)}{4b^3 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/(Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)),x]

[Out] -((a - b)*Sqrt[a + b]*(4*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*a*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(4*A*b - 3*a*B + 2*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(4*a*A*b - 3*a^2*B - 4*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*b^3*d*Sqrt[Sec[c + d*x]]) + (B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*b*d*Sqrt[Sec[c + d*x]]) + ((4*A*b - 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^2*d)

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_)] + (f_)*(x_))*(g_)^(p_)*((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2990

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_))*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3053

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)] + (C_)*sin[(e_)] + (f_)*(x_)]^(2)/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> -Simp[(C*cos[e + f*x]*Sqrt[c + d*sin[e + f*x]])/(d*f*Sqrt[a + b*sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*sin[e + f*x])^(3/2)*Sqrt[c + d*sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx \\
 &= \frac{B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd\sqrt{\sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int}{4b^2d} \\
 &= \frac{B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd\sqrt{\sec(c + dx)}} + \frac{(4Ab - 3aB)\sqrt{a + b \cos(c + dx)}}{4b^2d} \\
 &= \frac{B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd\sqrt{\sec(c + dx)}} + \frac{(4Ab - 3aB)\sqrt{a + b \cos(c + dx)}}{4b^2d} \\
 &= \frac{\sqrt{a + b} (4aAb - 3a^2B - 4b^2B) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin\right)}{4b^3d\sqrt{\sec(c + dx)}} \\
 &= -\frac{(a - b)\sqrt{a + b} (4Ab - 3aB) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b}}\right)\right)}{4ab^2d\sqrt{\sec(c + dx)}}
 \end{aligned}$$

Mathematica [B] time = 19.73, size = 1157, normalized size = 2.15

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)), x]

[Out] (B*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[2*(c + d*x)])/(4*b*d) + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2])*(-4*a*A*b*Tan[(c + d*x)/2] - 4*A*b^2*Tan[(c + d*x)/2] + 3*a^2*B*Tan[(c + d*x)/2] + 3*a*b*B*Tan[(c + d*x)/2] + 8*A*b^2*Tan[(c + d*x)/2]^3 - 6*a*b*B*Tan[(c + d*x)/2]^3 + 4*a*A*b*Tan[(c + d*x)/2]^5 - 4*A*b^2*Tan[(c + d*x)/2]^5 - 3*a^2*B*Tan[(c + d*x)/2]^5 + 3*a*b*B*Tan[(c + d*x)/2]^5 + 8*a*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 6*a^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 8*b^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b))

$$] + 8*a*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 6*a^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 8*b^2*B*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(-4*A*b + 3*a*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*(a - 2*b)*b*B*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)))/(4*b^2*d*sqrt[1 + Tan[(c + d*x)/2]^2]*(b*(-1 + Tan[(c + d*x)/2]^2) - a*(1 + Tan[(c + d*x)/2]^2)))$$

fricas [F] time = 1.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)/(sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)/(sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

maple [B] time = 0.39, size = 1878, normalized size = 3.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2),x)

[Out]
$$\frac{1}{4}d*(-4*A*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*b^2+3*B*\cos(d*x+c)^2*a^2-2*B*\cos(d*x+c)^4*b^2+2*B*\cos(d*x+c)^2*b^2-3*B*\cos(d*x+c)*a^2-4*A*\cos(d*x+c)^3*b^2+4*A*\cos(d*x+c)^2*b^2+8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a*b+3*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b-2*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b-4*A*EllipticE((-1+\cos(d$$

$x+c)/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * a*b - 6*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * a^2 - 4*A*\cos(dx+c)^2 * a*b + 4*A*\cos(dx+c) * a*b + B*\cos(dx+c)^3 * a*b - 3*B*\cos(dx+c)^2 * a*b + 2*B*\cos(dx+c) * a*b - 6*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * \cos(dx+c) * a^2 + 8*A*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * a*b - 4*A*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * a*b + 3*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a*b - 2*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a*b - 4*A*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * b^2 - 8*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * \cos(dx+c) * b^2 + 3*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \cos(dx+c) * a^2 + 4*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \cos(dx+c) * b^2 - 8*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * b^2 + 3*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 + 4*B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b^2 * \cos(dx+c) * (1/\cos(dx+c))^{3/2} / \sin(dx+c) / (a+b*\cos(dx+c))^{1/2} / b^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/sec(dx+c)^(3/2)/(a+b*cos(dx+c))^(1/2), x, algorithm="maxima")

[Out] integrate((B*cos(dx + c) + A)/(sqrt(b*cos(dx + c) + a)*sec(dx + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))/((1/cos(c + dx))^(3/2)*(a + b*cos(c + dx))^(1/2)), x)

[Out] int((A + B*cos(c + dx))/((1/cos(c + dx))^(3/2)*(a + b*cos(c + dx))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(1/2),x)

[Out] Integral((A + B*cos(c + d*x))/(sqrt(a + b*cos(c + d*x))*sec(c + d*x)**(3/2)), x)

3.620
$$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=433

$$\frac{2(a+2b)(a(A-3B)+4Ab)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{3a^3d\sqrt{a+b}\sqrt{\sec(c+dx)}}$$

[Out] $2*b*(A*b-B*a)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2/3*(A*a^2-4*A*b^2+3*B*a*b)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a^2/(a^2-b^2)/d-2/3*(5*A*a^2*b-8*A*b^3-3*B*a^3+6*B*a*b^2)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^4/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}+2/3*(a+2*b)*(4*A*b+a*(A-3*B))*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^3/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}$

Rubi [A] time = 1.16, antiderivative size = 433, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 3000, 3055, 2998, 2816, 2994}

$$\frac{2(a^2A + 3abB - 4Ab^2) \sin(c + dx) \sec^2(c + dx) \sqrt{a + b \cos(c + dx)}}{3a^2d(a^2 - b^2)} + \frac{2b(Ab - aB) \sin(c + dx) \sec^2(c + dx)}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] $(-2*(5*a^2*A*b - 8*A*b^3 - 3*a^3*B + 6*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a^4*\text{Sqrt}[a + b]*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(a + 2*b)*(4*A*b + a*(A - 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a^3*\text{Sqrt}[a + b]*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*b*(A*b - a*B))*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x]/(a*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(a^2*A - 4*A*b^2 + 3*a*b*B))*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x]/(3*a^2*(a^2 - b^2)*d)$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)])*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n)/(g*Ssin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In

tegerQ[n])

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)
*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3000

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^{\frac{3}{2}}} \\
&= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} \\
&= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} + \frac{2(a^2A - 4Ab^2 + 3abB) \sqrt{a + b \cos(c + dx)}}{a(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} \\
&= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} + \frac{2(a^2A - 4Ab^2 + 3abB) \sqrt{a + b \cos(c + dx)}}{a(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} \\
&= -\frac{2(5a^2Ab - 8Ab^3 - 3a^3B + 6ab^2B) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{3a^4\sqrt{a + b}d\sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 24.41, size = 3433, normalized size = 7.93

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Sin[c + d*x])/(3*a^3*(a^2 - b^2)) + (2*(-(A*b^3*Sin[c + d*x]) + a*b^2*B*Sin[c + d*x]))/(a^2*(a^2 - b^2)*(a + b*Cos[c + d*x])) + (2*A*Tan[c + d*x])/(3*a^2)))/d + (2*((5*A*b)/(3*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (8*A*b^3)/(3*a^2*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (a*B)/((a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (2*b^2*B)/(a*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (a*A*Sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]) + (7*A*b^2*Sqrt[Sec[c + d*x]])/(3*a*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]) - (8*A*b^4*Sqrt[Sec[c + d*x]])/(3*a^3*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]) - (2*b*B*Sqrt[Sec[c + d*x]])/((a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]) + (2*b^3*B*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]) + (5*A*b^2*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*a*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]) - (8*A*b^4*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*a^3*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]) - (b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]) + (2*b^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((3*a^3*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Sec[(c + d*x)/2]^2]*((b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(-2*(a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a^2 - a*b - 2*b^2)

```

*(-4*A*b + a*(A + 3*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3*a^3*(a^2 - b^2)*(a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2]) - (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x])*Tan[(c + d*x)/2]*(-2*(a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(3*a^3*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-1/2*((-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^4) - ((a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]) + (a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]) - ((a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])))) + ((a + b*Cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])^2)))/Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]) + (a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])))) + ((a + b*Cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])^2)))/Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]) + b*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Cos[c + d*x]*Sec[(c + d*x)/2]^2*Sin[c + d*x]*Tan[(c + d*x)/2] + (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Sin[c + d*x]*Tan[(c + d*x)/2] - (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]^2 + (a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2)/(Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[1 - ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)]) - ((a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2*Sqrt[1 - ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)])/Sqrt[1 - Tan[(c + d*x)/2]^2))/(3*a^3*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + ((-2*(a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])*(-Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(3*a^3*(a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]))

```

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(3/2),x, algorith="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(3/2),x, algorith="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^(3/2), x)
```

maple [B] time = 0.40, size = 3343, normalized size = 7.72

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(3/2),x)
```

```
[Out] -2/3/d*(-5*A*cos(d*x+c)^3*a^2*b^2+3*B*cos(d*x+c)^3*a^3*b-6*B*cos(d*x+c)^3*a*b^3-6*B*cos(d*x+c)^2*a^2*b^2+6*B*cos(d*x+c)^2*a*b^3+3*B*cos(d*x+c)*a^2*b^2-5*A*cos(d*x+c)^2*a^3*b+8*A*cos(d*x+c)^2*a*b^3-4*A*cos(d*x+c)*a*b^3+A*a^2*b^2+8*A*cos(d*x+c)^3*b^4-8*A*cos(d*x+c)^2*b^4+3*B*cos(d*x+c)^2*a^4-3*B*cos(d*x+c)*a^4+A*cos(d*x+c)^2*a^4-3*B*cos(d*x+c)^2*a^3*b+A*cos(d*x+c)^3*a^3*b-4*A*cos(d*x+c)^3*a*b^3+4*A*cos(d*x+c)^2*a^2*b^2+4*A*cos(d*x+c)*a^3*b+3*B*cos(d*x+c)^3*a^2*b^2+5*A*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*a^3*b-3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^4-8*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b^4-A*a^4+5*A*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*a^2*b^2-8*A*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*a*b^3+2*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^2*b^2+8*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b^3-3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^3*b+6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^2*b^2+6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b^3-3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^3*b-6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos
```

```

(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1
+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2+5*A*(cos(d*x+c)/(1+co
s(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-
1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a^3*
b+5*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d
*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-
a-b)/(a+b))^(1/2))*a^2*b^2-8*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d
*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+c
os(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3-5*A*sin(d*x+c)*cos(d*x+c)
^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b
))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b+2*
A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)
)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c
)*cos(d*x+c)^2*a^2*b^2+8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+
c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b
)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a*b^3-3*B*sin(d*x+c)*cos(d*x+c)^2*(
cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1
/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b+6*B*si
n(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(
1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+
b))^(1/2))*a^2*b^2+6*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c
))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3-3*B*sin(d*x+c)*cos(d*x+c)^2*(cos(
d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*
EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b-6*B*sin(d*
x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+co
s(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(
1/2))*a^2*b^2+3*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+c
os(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))
^(1/2))*sin(d*x+c)*cos(d*x+c)*a^4-8*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(
1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*Elliptic
E((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*b^4+A*sin(d*x+c)*cos(d*x
+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a
+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^4-3
*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b
))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+
c)*cos(d*x+c)^2*a^4+3*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
)/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(
a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a^4+A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2
))*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/s
in(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^4-5*A*sin(d*x+c)*co
s(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)
)/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^
3*b)*cos(d*x+c)*(1/cos(d*x+c))^(5/2)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/(a+b
)/(a-b)/a^3

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(3/2),x, algorith="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + b*cos(c + d*x))^(3/2), x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+b*cos(d*x+c))**(3/2), x)

[Out] Timed out

$$3.621 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$$

Optimal. Leaf size=345

$$\frac{2b(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(a(A - B) + 2Ab) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{a^2 d \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

[Out] 2*b*(A*b-B*a)*sin(d*x+c)*sec(d*x+c)^(1/2)/a/(a^2-b^2)/d/(a+b*cos(d*x+c))^(1/2)+2*(A*a^2-2*A*b^2+B*a*b)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^3/d/(a+b)^(1/2)/sec(d*x+c)^(1/2)-2*(2*A*b+a*(A-B))*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d/(a+b)^(1/2)/sec(d*x+c)^(1/2)

Rubi [A] time = 0.79, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 3000, 2998, 2816, 2994}

$$\frac{2b(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2A + abB - 2Ab^2) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{a^3 d \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*(a^2*A - 2*A*b^2 + a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^3*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) - (2*(2*A*b + a*(A - B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^2*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]])

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !IntegerQ[m] && IntegerQ[n]

Rule 2994


```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3000

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

$$= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{(a + b \cos(c + dx))^{\frac{3}{2}}}$$

$$= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} - \frac{((a - b)(2Ab + a(A - B))\sqrt{\sec(c + dx)})}{(a + b \cos(c + dx))^{\frac{3}{2}}}$$

$$= \frac{2(a^2A - 2Ab^2 + abB)\sqrt{\cos(c + dx)} \csc(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{a^3\sqrt{a + b}d\sqrt{\sec(c + dx)}}$$

Mathematica [A] time = 18.94, size = 433, normalized size = 1.26

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left(\frac{2(a^2A + abB - 2Ab^2) \sin(c + dx)}{a^2(a^2 - b^2)} - \frac{2(abB \sin(c + dx) - Ab^2 \sin(c + dx))}{a(a^2 - b^2)(a + b \cos(c + dx))} \right)}{d} + 2\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx)}$$

$s(dx+c)/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b+2} A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b+2} B \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b-2} A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b-2} A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b-2} B \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b-2} A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b-2} A \cos(dx+c)^2 b^3 + A \cos(dx+c)^2 a^{2b} + A \cos(dx+c)^2 a^{2b-2} A \cos(dx+c) a^{2b-2} A \cos(dx+c) a^{2b-2} B \cos(dx+c)^2 a^{2b} + B \cos(dx+c)^2 a^{2b} + B \cos(dx+c) a^{2b} - B \cos(dx+c) a^{2b} + A \cos(dx+c) a^{3-2} A \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b-2} A \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b+2} A \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b+2} B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b-2} B \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{2b-2} A \cos(dx+c) b^3 - A \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot a^{3-2} A \cos(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot \sin(dx+c) a^{3+2} A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot \sin(dx+c) b^3 \cos(dx+c) (1/\cos(dx+c))^{3/2} / (a+b \cos(dx+c))^{1/2} / \sin(dx+c) / a^{2/(a-b)/(a+b)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \sec(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))*sec(dx+c)^(3/2)/(a+b*cos(dx+c))^(3/2), x, algorith="maxima")

[Out] integrate((B*cos(dx+c) + A)*sec(dx+c)^(3/2)/(b*cos(dx+c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x))^(3/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.622 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=324

$$\frac{2(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} E\left(\frac{a(1 - \sec(c + dx))}{a + b}\right)}{a^2 d \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

[Out] $-2*(A*b-B*a)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)} + 2*(A*b-B*a)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^2/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)} + 2*(A+B)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}$

Rubi [A] time = 0.68, antiderivative size = 324, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2961, 2993, 2998, 2816, 2994}

$$\frac{2(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} E\left(\frac{a(1 - \sec(c + dx))}{a + b}\right)}{a^2 d \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^(3/2), x]

[Out] $(2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a^2*\text{Sqrt}[a + b]*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(A + B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a*\text{Sqrt}[a + b]*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*(A*b - a*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2993

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Simp[(2*(

$(A*b - a*B)*\text{Cos}[e + f*x]/(f*(a^2 - b^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Sin}[e + f*x]]), x] + \text{Dist}[d/(a^2 - b^2), \text{Int}[(A*b - a*B + (a*A - b*B)*\text{Sin}[e + f*x])/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(d*\text{Sin}[e + f*x])^{3/2}), x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2994

$\text{Int}[((A_) + (B_)*\text{sin}[(e_) + (f_)*(x_)])/(((b_)*\text{sin}[(e_) + (f_)*(x_)])^{3/2}*\text{Sqrt}[(c_) + (d_)*\text{sin}[(e_) + (f_)*(x_)]]), x_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[((A_) + (B_)*\text{sin}[(e_) + (f_)*(x_)])/(((a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)])^{3/2}*\text{Sqrt}[(c_) + (d_)*\text{sin}[(e_) + (f_)*(x_)]]), x_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rubi steps

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^{3/2}} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} dx$$

$$= -\frac{2(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a^2 - b^2}$$

$$= -\frac{2(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{((a - b)(A + B)\sqrt{\cos(c + dx)})}{a^2 - b^2}$$

$$= \frac{2(Ab - aB)\sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{a^2 \sqrt{a + b} d \sqrt{\sec(c + dx)}}$$

Mathematica [A] time = 13.78, size = 305, normalized size = 0.94

$$2 \left(\frac{b(Ab - aB) \sin(c + dx)}{\sqrt{\sec(c + dx)}} + \frac{\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx)} \left(-((Ab - aB) \cos(c + dx) \tan\left(\frac{1}{2}(c + dx)\right) \sec^2\left(\frac{1}{2}(c + dx)\right) (a + b \cos(c + dx))) + 2a(a + b)(A - B) \sqrt{\frac{1}{\sec(c + dx)}} \right)}{d(a^3 - ab^2) \sqrt{a + b \cos(c + dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*((b*(A*b - a*B)*Sin[c + d*x])/Sqrt[Sec[c + d*x]] + (Sqrt[Cos[(c + d*x)/2]]^2*Sec[c + d*x])*(2*(a + b)*(-(A*b) + a*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[(1 + Sec[c + d*x])^(-1)]*Sqrt[(b + a*Sec[c + d*x])])

$x]/((a + b)*(1 + \text{Sec}[c + d*x])) + 2*a*(a + b)*(A - B)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\text{Sqrt}[(1 + \text{Sec}[c + d*x])^{-1}]*\text{Sqrt}[(b + a*\text{Sec}[c + d*x])/((a + b)*(1 + \text{Sec}[c + d*x]))] - (A*b - a*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2)]/\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2)]/((a^3 - a*b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

fricas [F] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x, algorith="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c))/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x, algorith="giac")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 0.45, size = 1636, normalized size = 5.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x)

[Out] $-2/d*(1/\cos(d*x+c))^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}*(A*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*a^2+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a*b-A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*a*b-A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*b^2-B*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*\cos(d*x+c)*a^2-B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a*b+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a^2+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)*a*b+A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2+A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d$

```
*x+c), (- (a-b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((
a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*b-A*EllipticE((-1+cos(d*x+c))
/sin(d*x+c), (- (a-b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1
/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a*b-A*EllipticE((-1+cos(d
*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c
)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*b^2-B*sin(d*x+c)*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/
2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2))*a^2-B*sin(d*x
+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b
))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2))*a*b+B*s
in(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)
))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2))*a
^2+B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(
d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1
/2))*a*b-A*cos(d*x+c)^2*a*b+A*cos(d*x+c)^2*b^2+B*cos(d*x+c)^2*a^2-B*cos(d*x
+c)^2*a*b+A*cos(d*x+c)*a*b-A*cos(d*x+c)*b^2-B*cos(d*x+c)*a^2+B*cos(d*x+c)*a
*b)/sin(d*x+c)/(a+b)/(a-b)/a
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x))^(3/2), x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(3/2), x)

[Out] Integral((A + B*cos(c + d*x))*sqrt(sec(c + d*x))/(a + b*cos(c + d*x))**(3/2), x)

$$3.623 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=476

$$\frac{2a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} F\left(\frac{a + b \cos(c + dx)}{a + b}\right)}{abd \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

[Out] $2*a*(A*b-B*a)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}-2*(A*b-B*a)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/a/b/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}+2*(A*b-B*a)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/a/b/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}-2*B*\csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/b^2/d/\sec(d*x+c)^{(1/2)}$

Rubi [A] time = 0.78, antiderivative size = 476, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2992, 2809, 2794, 2795, 2816, 2994}

$$\frac{2a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} F\left(\frac{a + b \cos(c + dx)}{a + b}\right)}{abd \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]), x]

[Out] $(-2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a*b*\text{Sqrt}[a + b]*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a*b*\text{Sqrt}[a + b]*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*\text{Sqrt}[a + b]*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(b^2*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a*(A*b - a*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2794

Int[Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2), x_Symbol] := Simp[(-2*a*d*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] - Dist[d^2/(a^2 - b^2), Int[Sqrt[a + b*Sin[e + f*x]]/(d*Sin[e + f*x])^(3/2), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2795

Int[Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2), x_Symbol] := Dist[(c - d)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(b*c - a*d)/(a - b), Int[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

$\wedge 2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2809

$\text{Int}[\text{Sqrt}[(b_)\sin[(e_)] + (f_)(x_)]/\text{Sqrt}[(c_)] + (d_)\sin[(e_)] + (f_)(x_)], x_Symbol] \rightarrow \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_)\sin[(e_)] + (f_)(x_)]*\text{Sqrt}[(a_)] + (b_)\sin[(e_)] + (f_)(x_)]), x_Symbol] \rightarrow \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2961

$\text{Int}[(\text{csc}[(e_)] + (f_)(x_)]*(g_))^{\text{p_}}*((a_)] + (b_)\sin[(e_)] + (f_)(x_)]^{\text{m_}}*((c_)] + (d_)\sin[(e_)] + (f_)(x_)]^{\text{n_}}, x_Symbol] \rightarrow \text{Dist}[(g*\text{Csc}[e + f*x])^{\text{p_}}*(g*\text{Sin}[e + f*x])^{\text{p_}}, \text{Int}[(a + b*\text{Sin}[e + f*x])^{\text{m_}}*(c + d*\text{Sin}[e + f*x])^{\text{n_}}/(g*\text{Sin}[e + f*x])^{\text{p_}}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2992

$\text{Int}[(\text{A}_)] + (B_)\sin[(e_)] + (f_)(x_)]*\text{Sqrt}[(c_)] + (d_)\sin[(e_)] + (f_)(x_)]/((a_)] + (b_)\sin[(e_)] + (f_)(x_)]^{\text{3/2}}, x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] + \text{Dist}[(A*b - a*B)/b, \text{Int}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(a + b*\text{Sin}[e + f*x])^{\text{3/2}}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2994

$\text{Int}[(\text{A}_)] + (B_)\sin[(e_)] + (f_)(x_)]/((b_)\sin[(e_)] + (f_)(x_)]^{\text{3/2}}*\text{Sqrt}[(c_)] + (d_)\sin[(e_)] + (f_)(x_)]), x_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} \\
&= \frac{\left(B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx}{b} + \frac{\left((Ab - aB) \sqrt{\cos(c + dx)} \right)}{b^2 d \sqrt{\sec(c + dx)}} \\
&= -\frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\
&= -\frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\
&= -\frac{2(Ab - aB) \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ab \sqrt{a + b} d \sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 13.98, size = 1403, normalized size = 2.95

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]), x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(A*b - a*B)*Sin[c + d*x])/(b*(-a^2 + b^2)) - (2*(a*A*b*Sin[c + d*x] - a^2*B*Sin[c + d*x]))/(b*(-a^2 + b^2)*(a + b*Cos[c + d*x])))/d + (2*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(a*A*b*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2] + A*b^2*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2] - a^2*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2] - a*b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2] - 2*A*b^2*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]^3 + 2*a*b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^3 - a*A*b*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]^5 + A*b^2*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]^5 + a^2*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - a*b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - (2*I)*a^2*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*b^2*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*a^2*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*b^2*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*(-(A*b) + a*B)*EllipticE[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*(-(A*b) + (2*a + b)*B)*EllipticF[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)])))/(b*Sqrt[(a - b)/(a + b)]*(a^2 - b^2)*d*(-1 + Tan[(c + d*x)/2]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)]*(b*(-1 + Tan[(c + d*x)/2]^2) - a*(1 + Tan[(c + d*x)/2]^2)))

fricas [F] time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2)\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sqrt(sec(d*x + c))), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.42, size = 2016, normalized size = 4.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x)

[Out] $2/d*(-A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*b^2+B*\cos(d*x+c)^2*a^2-B*\cos(d*x+c)*a^2+A*\cos(d*x+c)^2*b^2-A*\cos(d*x+c)*b^2+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b-B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a*b-A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*a*b+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a*b-2*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*a^2+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^2-A*\cos(d*x+c)^2*a*b+A*\cos(d*x+c)*a*b-B*\cos(d*x+c)^2*a*b+B*\cos(d*x+c)*a*b-2*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a^2-A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*a*b+A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*a*b+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b-B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}$

$$\begin{aligned} &^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * \sin(dx+c) \\ & * b^2 - A * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * \sin(dx+c) \\ & * \cos(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1 + \cos(dx+c))) \\ & / (a+b)^{(1/2)} * b^2 + 2 * B * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1 + \cos(dx+c))) \\ & / (a+b)^{(1/2)} * \text{EllipticPi}((-1 + \cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{(1/2)} * \cos(dx+c) * b^2 + B * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c))) \\ & ^{(1/2)} * ((a+b*\cos(dx+c))/(1 + \cos(dx+c))) / (a+b)^{(1/2)} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * \cos(dx+c) * a^2 - B * \sin(dx+c) \\ & * (\cos(dx+c)/(1 + \cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1 + \cos(dx+c))) / (a+b)^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * \cos(dx+c) \\ & * b^2 + 2 * B * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1 + \cos(dx+c))) / (a+b)^{(1/2)} * \text{EllipticPi}((-1 + \cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{(1/2)} \\ & * b^2 + B * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1 + \cos(dx+c))) / (a+b)^{(1/2)} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * a^2 - B * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1 + \cos(dx+c))) / (a+b)^{(1/2)} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * b^2 * (1/\cos(dx+c))^{(1/2)} / \sin(dx+c) / (a+b*\cos(dx+c))^{(1/2)} / (a+b) / (a-b) / b \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{(b \cos(dx+c) + a)^{\frac{3}{2}} \sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+b*cos(dx+c))^(3/2)/sec(dx+c)^(1/2), x, algorith="maxima")

[Out] integrate((B*cos(dx+c) + A)/((b*cos(dx+c) + a)^(3/2)*sqrt(sec(dx+c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + dx))/((1/cos(c + dx))^(1/2)*(a + b*cos(c + dx))^(3/2)), x)

[Out] int((A + B*cos(c + dx))/((1/cos(c + dx))^(1/2)*(a + b*cos(c + dx))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}} \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+b*cos(dx+c))**(3/2)/sec(dx+c)**(1/2), x)

[Out] Integral((A + B*cos(c + dx))/((a + b*cos(c + dx))**(3/2)*sqrt(sec(c + dx))), x)

$$3.624 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{3/2} \sec^2(c+dx)} dx$$

Optimal. Leaf size=560

$$\frac{(-3a^2B + 2aAb + b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{b^2d(a^2 - b^2)} + \frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

[Out] $2*a*(A*b-B*a)*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}/\sec(d*x+c)^{(1/2)}-(2*A*a*b-3*B*a^2+B*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}*\sec(d*x+c)^{(1/2)}/b^2/(a^2-b^2)/d+(2*A*a*b-3*B*a^2+B*b^2)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/b^2/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}-(2*A*b-(3*a+b)*B)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/b^2/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}-(2*A*b-3*B*a)*\csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/b^3/d/\sec(d*x+c)^{(1/2)}$

Rubi [A] time = 1.51, antiderivative size = 560, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2961, 2989, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-3a^2B + 2aAb + b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{b^2d(a^2 - b^2)} + \frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])/((a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sec}[c + d*x]^{(3/2)}),x]$

[Out] $((2*a*A*b - 3*a^2*B + b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(a*b^2*\text{Sqrt}[a + b]*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - ((2*A*b - (3*a + b)*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(b^2*\text{Sqrt}[a + b]*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (\text{Sqrt}[a + b]*(2*A*b - 3*a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(b^3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a*(A*b - a*B)*\text{Sin}[c + d*x])/(b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - ((2*a*A*b - 3*a^2*B + b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(b^2*(a^2 - b^2)*d)$

Rule 2809

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(e_*) + (f_*)*(x_)]]/\text{Sqrt}[(c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\sin[e + f*x]]/(\text{Sqrt}[b*\sin[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_)] + (b_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_)] + (f_)*(x_))*(g_)^(p_)*((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2989

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_))*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((b_)*sin[(e_)] + (f_)*(x_)))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3053

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)] + (C_)*sin[(e_)] + (f_)*(x_)]^(2)/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] :> -Simp[(C*cos[e + f*x]*Sqrt[c + d*sin[e + f*x
]])/(d*f*Sqrt[a + b*sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*sin[e + f*x])^(3/2)*Sqrt[c + d*sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx$$

$$= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}$$

$$= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B)}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B)}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= -\frac{\sqrt{a + b} (2Ab - 3aB) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= \frac{(2aAb - 3a^2B + b^2B) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ab^2 \sqrt{a + b} d \sqrt{\sec(c + dx)}}$$

Mathematica [B] time = 19.56, size = 1551, normalized size = 2.77

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/
2)), x]
```

```
[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((-2*a*(-(A*b) + a*B)*Sin[c +
d*x])/(b^2*(a^2 - b^2)) + (2*(a^2*A*b*Ssin[c + d*x] - a^3*B*Ssin[c + d*x]))/(
b^2*(-a^2 + b^2)*(a + b*Cos[c + d*x])))/d - (Sqrt[(1 - Tan[(c + d*x)/2]^2)
^(-1)]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[
(c + d*x)/2]^2)]*(2*a^2*A*b*Tan[(c + d*x)/2] + 2*a*A*b^2*Tan[(c + d*x)/2] -
3*a^3*B*Tan[(c + d*x)/2] - 3*a^2*b*B*Tan[(c + d*x)/2] + a*b^2*B*Tan[(c + d
*x)/2] + b^3*B*Tan[(c + d*x)/2] - 4*a*A*b^2*Tan[(c + d*x)/2]^3 + 6*a^2*b*B*
Tan[(c + d*x)/2]^3 - 2*b^3*B*Tan[(c + d*x)/2]^3 - 2*a^2*A*b*Tan[(c + d*x)/2
]^5 + 2*a*A*b^2*Tan[(c + d*x)/2]^5 + 3*a^3*B*Tan[(c + d*x)/2]^5 - 3*a^2*b*B
*Tan[(c + d*x)/2]^5 - a*b^2*B*Tan[(c + d*x)/2]^5 + b^3*B*Tan[(c + d*x)/2]^5
- 4*a^2*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqr
```


$$t[1 - \tan[(c + dx)/2]^2] \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} + 4Ab^3 \text{EllipticPi}[-1, \text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} + 6a^3 B \text{EllipticPi}[-1, \text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} - 6a^2 b^2 B \text{EllipticPi}[-1, \text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} - 4a^2 A b \text{EllipticPi}[-1, \text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} + 4A b^3 \text{EllipticPi}[-1, \text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} + 6a^3 B \text{EllipticPi}[-1, \text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} - 6a^2 b^2 B \text{EllipticPi}[-1, \text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} - (a + b) (-2aAb + 3a^2 B - b^2 B) \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} + 2b(a + b) (-Ab + aB) \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} / (b^2 (-a^2 + b^2) d \sqrt{1 + \tan[(c + dx)/2]^2} (b(-1 + \tan[(c + dx)/2]^2) - a(1 + \tan[(c + dx)/2]^2)))$$

fricas [F] time = 53.90, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sec(d*x + c)^(3/2)), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.38, size = 2890, normalized size = 5.16

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x)

[Out] 1/d*(-4*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^2*b+2*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos

$$\begin{aligned}
& (d*x+c))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1 \\
& +\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a^2*b+2*A*\sin(d*x+c)*\cos(d*x+ \\
& c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b) \\
&)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b)^{(1/2)})*a*b^2+2* \\
& B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c)) \\
& / (1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(\\
& a+b))^{(1/2)})*a^2*b+2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1 \\
& /2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c)) \\
& / \sin(d*x+c),(-a-b)/(a+b))^{(1/2)})*a*b^2-6*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+ \\
& c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*Elli \\
& pticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)})*a*b^2-3*B*\sin(d* \\
& x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(\\
& d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1 \\
& /2)})*a^2*b-2*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+ \\
& b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x \\
& +c),(-a-b)/(a+b))^{(1/2)})*a*b^2+B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(\\
& d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+ \\
& \cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)})*a*b^2+B*\cos(d*x+c)^3*b^3-3*B*c \\
& \cos(d*x+c)^2*a^3-B*\cos(d*x+c)^2*b^3+3*B*\cos(d*x+c)*a^3+2*A*\cos(d*x+c)^2*a^2* \\
& b-2*A*\cos(d*x+c)^2*a*b^2-2*A*\cos(d*x+c)*a^2*b+2*A*\cos(d*x+c)*a*b^2-B*\cos(d* \\
& x+c)^3*a^2*b+3*B*\cos(d*x+c)^2*a^2*b+B*\cos(d*x+c)^2*a*b^2-2*B*\cos(d*x+c)*a^2 \\
& *b-B*\cos(d*x+c)*a*b^2+4*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))) \\
&)^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+\cos(d*x \\
& +c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)})*b^3+6*B*\sin(d*x+c)*\cos(d*x+c)*(\cos \\
& (d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)} \\
& *EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)})*a^3-3*B*\sin \\
& (d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+c \\
& \cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b)) \\
&)^{(1/2)})*a^3+B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b \\
& *\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+ \\
& c),(-a-b)/(a+b))^{(1/2)})*b^3-2*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/ \\
& 2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/ \\
& \sin(d*x+c),(-a-b)/(a+b))^{(1/2)})*a*b^2-4*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d* \\
& x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+c \\
& \cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{(1/2)})*a^2*b+2*A*\sin(d*x+c)*(\cos(d* \\
& x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*El \\
& lipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)})*a^2*b+2*A*\sin(d*x+ \\
& c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b) \\
&)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)})*a*b^2+2* \\
& B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x \\
& +c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\
&)*a^2*b+2*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a \\
& +b))^{(1/2)})*a*b^2-6*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*co \\
& s(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c) \\
& ,-1,(-a-b)/(a+b))^{(1/2)})*a*b^2-3*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(\\
& 1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c) \\
&))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)})*a^2*b+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d \\
& *x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+c \\
& \cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)})*a*b^2-2*A*\sin(d*x+c)*\cos(d*x+c) \\
& *(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(\\
& 1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)})*b^3-2*A*si \\
& n(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) \\
& / (a+b))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)})*b^ \\
& 3+4*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos \\
& (d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b) \\
&))^{(1/2)})*b^3+6*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d* \\
& x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1, \\
& (-a-b)/(a+b))^{(1/2)})*a^3-3*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*
\end{aligned}$$

$((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^3+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*b^3*\cos(d*x+c)*(1/\cos(d*x+c))^{(3/2)}/\sin(d*x+c)/(a+b*\cos(d*x+c))^{(1/2)}/(a+b)/(a-b)/b^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(3/2)),x)

[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2)/sec(d*x+c)**(3/2),x)

[Out] Timed out

3.625
$$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^{\frac{5}{2}}} dx$$

Optimal. Leaf size=607

$$\frac{2b(Ab - aB) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2b(-7a^3B + 10a^2Ab + 3ab^2B - 6Ab^3) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2(a^4A - 13a^3Ab + 8a^2A^2b - 4a^2Ab^2 + 8a^2b^3B - 4a^2b^3B^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}}$$

```
[Out] 2/3*b*(A*b-B*a)*sec(d*x+c)^(3/2)*sin(d*x+c)/a/(a^2-b^2)/d/(a+b*cos(d*x+c))^(3/2)+2/3*b*(10*A*a^2*b-6*A*b^3-7*B*a^3+3*B*a*b^2)*sec(d*x+c)^(3/2)*sin(d*x+c)/a^2/(a^2-b^2)^2/d/(a+b*cos(d*x+c))^(1/2)+2/3*(A*a^4-13*A*a^2*b^2+8*A*b^4+8*B*a^3*b-4*B*a*b^3)*sec(d*x+c)^(3/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a^3/(a^2-b^2)^2/d-2/3*(8*A*a^4*b-28*A*a^2*b^3+16*A*b^5-3*B*a^5+15*B*a^3*b^2-8*B*a*b^4)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a^5/(a-b)/(a+b)^(3/2)/d/sec(d*x+c)^(1/2)-2/3*(16*A*b^4-a^4*(A-3*B)+4*a*b^3*(3*A-2*B)-9*a^3*b*(A-B)-2*a^2*b^2*(8*A+3*B))*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a^4/(a^2-b^2)/d/(a+b)^(1/2)/sec(d*x+c)^(1/2)
```

Rubi [A] time = 2.20, antiderivative size = 607, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 3000, 3055, 2998, 2816, 2994}

$$\frac{2(-13a^2Ab^2 + a^4A + 8a^3bB - 4ab^3B + 8Ab^4) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{3a^3d(a^2 - b^2)^2} + \frac{2b(10a^2Ab - 7a^3B - 4ab^3B + 8Ab^4) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3a^2d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (-2*(8*a^4*A*b - 28*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^5*(a - b)*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]) - (2*(16*A*b^4 - a^4*(A - 3*B) + 4*a*b^3*(3*A - 2*B) - 9*a^3*b*(A - B) - 2*a^2*b^2*(8*A + 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^4*Sqrt[a + b]*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (2*b*(10*a^2*A*b - 6*A*b^3 - 7*a^3*B + 3*a*b^2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(a^4*A - 13*a^2*A*b^2 + 8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d)
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Ssin[e + f*x])^m*(c + d
*Ssin[e + f*x])^n)/(g*Ssin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)]
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Ssin[e + f
*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[
e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)]^(n_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.)
+ (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + b \cos(c + dx))^{\frac{5}{2}}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^{\frac{5}{2}}} dx \\
&= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3a^2b^2B)}{3a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3a^2b^2B)}{3a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3a^2b^2B)}{3a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2(8a^4Ab - 28a^2Ab^3 + 16Ab^5 - 3a^5B + 15a^3b^2B - 8ab^4B) \sqrt{\cos(c + dx)}}{3a^5(a - b)(a + b)}
\end{aligned}$$

Mathematica [B] time = 27.14, size = 4316, normalized size = 7.11

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x])^(5/2), x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*Sin[c + d*x])/(3*a^4*(a^2 - b^2)^2) + (2*(-(A*b^3*Sin[c + d*x]) + a*b^2*B*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) + (2*(-11*a^2*A*b^3*Sin[c + d*x] + 7*A*b^5*Sin[c + d*x] + 8*a^3*b^2*B*Sin[c + d*x] - 4*a*b^4*B*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)^2*(a + b*Cos[c + d*x])) + (2*A*Tan[c + d*x])/(3*a^3))/d + (2*((8*a*A*b)/(3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*A*b^3)/(3*a*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (16*A*b^5)/(3*a^3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (a^2*B)/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (5*b^2*B)/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*b^4*B)/(3*a^2*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a^2*A*Sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (5*A*b^2*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (32*A*b^4*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (16*A*b^6*Sqrt[Sec[c + d*x]])/(3*a^4*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (3*a*b*B*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (17*b^3*B*Sqrt[Sec[c + d*x]])/(3*a*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (8*b^5*B*Sqrt[Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (8*A*b^2*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (28*A*b^4*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (16*A*b^6*Cos[2*(c + d*x)]*Sqrt[Sec

$$\begin{aligned}
& [c + d*x]]/(3*a^4*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (a*b*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/((a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (5*b^3*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (8*b^5*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^3*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(-2*(a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*a^4*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*((b*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*(-2*(a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*a^4*(a^2 - b^2)^2*(a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(-2*(a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*a^4*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(-1/2*((-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4) - ((a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]* ((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (a*(a + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B))*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - ((a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((a + b*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (a*(a + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((a + b*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + b*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Cos}[c + d*x]* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*(a + b*\text{Cos}[c
\end{aligned}$$

+ d*x))*Sec[(c + d*x)/2]^2*Sin[c + d*x]*Tan[(c + d*x)/2] - (-8*a^4*A*b + 2*8*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]^2 + (a*(a + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2)/(Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[1 - ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)]) - ((a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2*Sqrt[1 - ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)]/Sqrt[1 - Tan[(c + d*x)/2]^2]))/(3*a^4*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + ((-2*(a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(3*a^4*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]))

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2)/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^(5/2), x)

maple [B] time = 0.60, size = 8101, normalized size = 13.35

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + b*cos(c + d*x))^(5/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2))/(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+b*cos(d*x+c))**(5/2),x)

[Out] Timed out

3.626
$$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^{\frac{5}{2}}} dx$$

Optimal. Leaf size=496

$$\frac{2b(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2b(-5a^3B + 8a^2Ab + ab^2B - 4Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{3a^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2(-3a^3B + 8a^2Ab + ab^2B - 4Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{\frac{3}{2}}}$$

[Out] $2/3*b*(A*b-B*a)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)}+2/3*b*(8*A*a^2*b-4*A*b^3-5*B*a^3+B*a*b^2)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{(1/2)}+2/3*(3*A*a^4-15*A*a^2*b^2+8*A*b^4+6*B*a^3*b-2*B*a*b^3)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/a^4/(a-b)/(a+b)^{(3/2)}/d/\sec(d*x+c)^{(1/2)}+2/3*(8*A*b^3-3*a^3*(A-B)+2*a*b^2*(3*A-B)-3*a^2*b*(3*A+B))*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/a^3/(a^2-b^2)/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}$

Rubi [A] time = 1.38, antiderivative size = 496, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 3000, 3055, 2998, 2816, 2994}

$$\frac{2b(8a^2Ab - 5a^3B + ab^2B - 4Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{3a^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2b(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2(-3a^3B + 8a^2Ab + ab^2B - 4Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{\frac{3}{2}}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^(5/2),x]

[Out] $(2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^4*(a - b)*(a + b)^{(3/2)}*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(8*A*b^3 - 3*a^3*(A - B) + 2*a*b^2*(3*A - B) - 3*a^2*b*(3*A + B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^3*\text{Sqrt}[a + b]*(a^2 - b^2)*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*b*(A*b - a*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((3*a*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{(3/2)}) + (2*b*(8*a^2*A*b - 4*A*b^3 - 5*a^3*B + a*b^2*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]))$

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d

$\text{Sin}[e + f*x]^n / (g*\text{Sin}[e + f*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2994

$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] / (((b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{3/2}*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))] / (f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] / (((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{3/2}*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x]) / ((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rule 3000

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(m_.)} * ((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :> -\text{Simp}[(A*b^2 - a*b*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(1 + n)} / (f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n * \text{Simp}[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*\text{Sin}[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{RationalQ}[m] \&\& m < -1 \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$

Rule 3055

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(m_.)} * ((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)} * ((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)} / (f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n * \text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{5/2}} dx \\
&= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2b(8a^2Ab - 4Ab^3 - 5a^3B + a^4)}{3a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2b(8a^2Ab - 4Ab^3 - 5a^3B + a^4)}{3a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2(3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) \sqrt{\cos(c + dx)} \csc(c + dx)}{3a^4(a - b)(a + b)^{3/2}d}
\end{aligned}$$

Mathematica [B] time = 26.75, size = 3891, normalized size = 7.84

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^(5/2), x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2) - (2*(-(A*b^2*Sin[c + d*x]) + a*b*B*Sin[c + d*x]))/(3*a*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) - (2*(-8*a^2*A*b^2*Sin[c + d*x] + 4*A*b^4*Sin[c + d*x] + 5*a^3*b*B*Sin[c + d*x] - a*b^3*B*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)^2*(a + b*Cos[c + d*x])))/d + (2*(-((a^2*A)/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])) + (5*A*b^2)/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*A*b^4)/(3*a^2*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a*b*B)/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*b^3*B)/(3*a*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (3*a*A*b*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (17*A*b^3*Sqrt[Sec[c + d*x]])/(3*a*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (8*A*b^5*Sqrt[Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (a^2*B*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (5*b^2*B*Sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (2*b^4*B*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (a*A*b*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (5*A*b^3*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(a*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (8*A*b^5*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (2*b^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (2*b^4*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*Sqrt[Cos[c + d*x]]/(1 + Cos[c + d*x]))*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(8*A*b^3 + 3*a^2*b*(-3*A + B) + 3*a^3*(A + B) - 2*a*b^2*(3*A + B))*Sqrt[Cos[c + d*x]]/(1 + Cos[c + d*x])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]

$$\begin{aligned}
&] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (3*a^4*A - 15*a^2 \\
& *A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B) * \text{Cos}[c + d*x] * (a + b * \text{Cos}[c + d*x]) \\
& * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*a^3*(a^2 - b^2)^2 * \text{d} * \text{Sqrt}[a + b * \text{Cos} \\
& [c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2 * ((b * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d * \\
& x]]) * \text{Sin}[c + d*x] * (-2*(a + b) * (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B \\
& - 2*a*b^3*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) * \text{Sqrt}[(a + b * \text{Cos}[c + d*x] \\
&) / ((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b \\
&) / (a + b)] + 2*a*(a + b) * (8*A*b^3 + 3*a^2*b*(-3*A + B) + 3*a^3*(A + B) - 2* \\
& a*b^2*(3*A + B)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) * \text{Sqrt}[(a + b * \text{Cos}[c + \\
& d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a \\
& + b) / (a + b)] - (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B) \\
& * \text{Cos}[c + d*x] * (a + b * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3 \\
& *a^3*(a^2 - b^2)^2 * (a + b * \text{Cos}[c + d*x])^(3/2) * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (\\
& \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * \text{Tan}[(c + d*x)/2] * (-2*(a + b) * (3*a^4*A \\
& - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{C} \\
& os[c + d*x])]) * \text{Sqrt}[(a + b * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{Ellip \\
& ticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) / (a + b)] + 2*a*(a + b) * (8*A*b^3 + 3 \\
& *a^2*b*(-3*A + B) + 3*a^3*(A + B) - 2*a*b^2*(3*A + B)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 \\
& + \text{Cos}[c + d*x])]) * \text{Sqrt}[(a + b * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{E \\
& llipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) / (a + b)] - (3*a^4*A - 15*a^2*A* \\
& b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B) * \text{Cos}[c + d*x] * (a + b * \text{Cos}[c + d*x]) * \text{Se} \\
& c[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*a^3*(a^2 - b^2)^2 * \text{Sqrt}[a + b * \text{Cos}[c + \\
& d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2 * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]]) \\
& * (-1/2 * ((3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B) * \text{Cos}[c + \\
& d*x] * (a + b * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4) - ((a + b) * (3*a^4*A - 15*a^2* \\
& A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B) * \text{Sqrt}[(a + b * \text{Cos}[c + d*x]) / ((a + b) \\
& * (1 + \text{Cos}[c + d*x]))]) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) / (a + b)] \\
& * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[\\
& c + d*x])) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])]) + (a * (a + b) * (8*A*b^3 + 3 \\
& *a^2*b*(-3*A + B) + 3*a^3*(A + B) - 2*a*b^2*(3*A + B)) * \text{Sqrt}[(a + b * \text{Cos}[c + \\
& d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a \\
& + b) / (a + b)] * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + \\
& d*x] / (1 + \text{Cos}[c + d*x])) / \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])]) - ((a + b) * \\
& (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B) * \text{Sqrt}[\text{Cos}[c + d*x] \\
&] / (1 + \text{Cos}[c + d*x])) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) / (a + b)] \\
& * (-((b * \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])))) + ((a + b * \text{Cos}[c + d*x]) * \\
& \text{Sin}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x])^2)) / \text{Sqrt}[(a + b * \text{Cos}[c + d*x]) / ((\\
& a + b) * (1 + \text{Cos}[c + d*x]))]) + (a * (a + b) * (8*A*b^3 + 3*a^2*b*(-3*A + B) + 3* \\
& a^3*(A + B) - 2*a*b^2*(3*A + B)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])]) * \text{Ellip \\
& ticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) / (a + b)] * (-((b * \text{Sin}[c + d*x]) / ((a + \\
& b) * (1 + \text{Cos}[c + d*x])))) + ((a + b * \text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b) * (1 \\
& + \text{Cos}[c + d*x])^2)) / \text{Sqrt}[(a + b * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] \\
&] + b * (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B) * \text{Cos}[c + d * \\
& x] * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] + (3*a^4*A - 15*a^2*A*b \\
& ^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B) * (a + b * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2] \\
& ^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] - (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^ \\
& 3*b*B - 2*a*b^3*B) * \text{Cos}[c + d*x] * (a + b * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan} \\
& [(c + d*x)/2]^2 + (a * (a + b) * (8*A*b^3 + 3*a^2*b*(-3*A + B) + 3*a^3*(A + B) \\
& - 2*a*b^2*(3*A + B)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])]) * \text{Sqrt}[(a + b * \text{Cos}[\\
& c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{Sec}[(c + d*x)/2]^2 / (\text{Sqrt}[1 - \text{Tan}[(\\
& c + d*x)/2]^2] * \text{Sqrt}[1 - ((-a + b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)]) - ((a + b) * \\
& (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B) * \text{Sqrt}[\text{Cos}[c + d*x] \\
&] / (1 + \text{Cos}[c + d*x])) * \text{Sqrt}[(a + b * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]) \\
&)]) * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[1 - ((-a + b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)] / \text{Sqrt} \\
& [1 - \text{Tan}[(c + d*x)/2]^2]) / (3*a^3*(a^2 - b^2)^2 * \text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{Sq} \\
& rt[\text{Sec}[(c + d*x)/2]^2]) + ((-2*(a + b) * (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + \\
& 6*a^3*b*B - 2*a*b^3*B) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])]) * \text{Sqrt}[(a + b * \text{Cos} \\
& [c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))]) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2] \\
&], (-a + b) / (a + b)] + 2*a*(a + b) * (8*A*b^3 + 3*a^2*b*(-3*A + B) + 3*a^3*(A
\end{aligned}$$

+ B) - 2*a*b^2*(3*A + B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]]], (-a + b)/(a + b)] - (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*Cos[c + d*x]*(a + b*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(3*a^3*(a^2 - b^2)^2*Sqrt[a + b*cos[c + d*x]])*Sqrt[Sec[(c + d*x)/2]^2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]])

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.63, size = 6506, normalized size = 13.12

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(5/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)} \right)^{\frac{3}{2}}}{(a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x))^(5/2), x)
```

```
[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2))/(a + b*cos(c + d*x))^(5/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```

$$3.627 \quad \int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=469

$$\frac{2b(Ab - aB) \sin(c + dx)}{3ad(a^2 - b^2) \sqrt{\sec(c + dx)} (a + b \cos(c + dx))^{3/2}} + \frac{2(-3a^2(A + B) + ab(3A + B) + 2Ab^2) \sqrt{\cos(c + dx)} \csc(c + dx)}{3a^2 d \sqrt{a + b} (a^2 - b^2)^{3/2}}$$

[Out] $\frac{2}{3} \frac{b(Ab - aB) \sin(dx + c)}{ad(a^2 - b^2)^{3/2} \sqrt{\sec(dx + c)} (a + b \cos(dx + c))^{3/2}} + \frac{2(-3a^2(A + B) + ab(3A + B) + 2Ab^2) \sqrt{\cos(dx + c)} \csc(dx + c)}{3a^2 d \sqrt{a + b} (a^2 - b^2)^{3/2}}$

Rubi [A] time = 1.19, antiderivative size = 469, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 3000, 2993, 2998, 2816, 2994}

$$\frac{2(6a^2Ab - 3a^3B - ab^2B - 2Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{3ad(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2b(Ab - aB) \sin(c + dx)}{3ad(a^2 - b^2) \sqrt{\sec(c + dx)} (a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^(5/2), x]

[Out] $(2(6a^2Ab - 3a^3B - ab^2B - 2Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)} + 2b(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)} \csc(c + dx)) / (3ad(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)} + 3a^2 d \sqrt{a + b} (a^2 - b^2)^{3/2})$

Rule 2816

Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2961

Int[(csc[(e_)] + (f_)*(x_))*(g_)]^(p_)*((a_) + (b_)*sin[(e_)] + (f_)*(x_)]^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_)]^(n_), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x]

$m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!IntegerQ}[p] \&\& \text{!(IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2993

$\text{Int}[\frac{(A_.) + (B_.)\sin[e_.] + (f_.)x_.)}{\sqrt{(d_.)\sin[e_.] + (f_.)x_.)}} \cdot ((a_.) + (b_.)\sin[e_.] + (f_.)x_.)^{3/2}, x_Symbol] \rightarrow \text{Simp}[(2*(A*b - a*B)*\text{Cos}[e + f*x]) / (f*(a^2 - b^2)*\sqrt{a + b*\text{Sin}[e + f*x]}*\sqrt{d*\text{Sin}[e + f*x]}), x] + \text{Dist}[d/(a^2 - b^2), \text{Int}[(A*b - a*B + (a*A - b*B)*\text{Sin}[e + f*x]) / (\sqrt{a + b*\text{Sin}[e + f*x]}*(d*\text{Sin}[e + f*x])^{3/2}), x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2994

$\text{Int}[\frac{(A_.) + (B_.)\sin[e_.] + (f_.)x_.)}{((b_.)\sin[e_.] + (f_.)x_.)^{3/2}*\sqrt{(c_.) + (d_.)\sin[e_.] + (f_.)x_.)}}, x_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\sqrt{c*(1 + \text{Csc}[e + f*x])} / (c - d)]*\sqrt{c*(1 - \text{Csc}[e + f*x])} / (c + d)*\text{EllipticE}[\text{ArcSin}[\sqrt{c + d*\text{Sin}[e + f*x]}] / (\sqrt{b*\text{Sin}[e + f*x]}*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d)] / (f*b*c^2), x] /;$ $\text{FreeQ}\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[\frac{(A_.) + (B_.)\sin[e_.] + (f_.)x_.)}{((a_.) + (b_.)\sin[e_.] + (f_.)x_.)^{3/2}*\sqrt{(c_.) + (d_.)\sin[e_.] + (f_.)x_.)}}, x_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\sqrt{a + b*\text{Sin}[e + f*x]}*\sqrt{c + d*\text{Sin}[e + f*x]}), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x]) / ((a + b*\text{Sin}[e + f*x])^{3/2}*\sqrt{c + d*\text{Sin}[e + f*x]}), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rule 3000

$\text{Int}[\frac{((a_.) + (b_.)\sin[e_.] + (f_.)x_.)^{m_})*((A_.) + (B_.)\sin[e_.] + (f_.)x_.)*((c_.) + (d_.)\sin[e_.] + (f_.)x_.)^{n_})}{(A*b^2 - a*b*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^{1+n}} / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[(a*A - b*B)*(b*c - a*d)*(m+1) + b*d*(A*b - a*B)*(m+n+2) + (A*b - a*B)*(a*d*(m+1) - b*c*(m+2))*\text{Sin}[e + f*x] - b*d*(A*b - a*B)*(m+n+3)*\text{Sin}[e + f*x]^2, x], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{RationalQ}[m] \&\& m < -1 \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& \text{!IntegerQ}[n]) || \text{!(IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& \text{!IntegerQ}[m]) || \text{EqQ}[a, 0])))$

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{5/2}} dx \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} + \frac{(2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} - \frac{2(6a^2Ab - 2Ab^3 - 3a^3B - ab^2B)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} - \frac{2(6a^2Ab - 2Ab^3 - 3a^3B - ab^2B)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} \\
&= \frac{2(6a^2Ab - 2Ab^3 - 3a^3B - ab^2B)\sqrt{\cos(c + dx)} \operatorname{csc}(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{3a^3(a - b)(a + b)^{3/2}d\sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 24.52, size = 3493, normalized size = 7.45

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^(5/2),x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((-2*(-6*a^2*A*b + 2*A*b^3 + 3*a^3*B + a*b^2*B)*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)^2) + (2*(-(A*b*Sin[c + d*x]) + a*B*Sin[c + d*x]))/(3*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) + (2*(-5*a^2*A*b*Sin[c + d*x] + A*b^3*Sin[c + d*x] + 2*a^3*B*Sin[c + d*x] + 2*a*b^2*B*Sin[c + d*x]))/(3*a*(a^2 - b^2)^2*(a + b*Cos[c + d*x])))/d + (2*((-2*a*A*b)/(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*A*b^3)/(3*a*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a^2*B)/(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (b^2*B)/(3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a^2*A*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (5*A*b^2*Sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (2*A*b^4*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (a*b*B*Sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (b^3*B*Sqrt[Sec[c + d*x]])/(3*a*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (2*A*b^2*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (2*A*b^4*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (a*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (b^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*a*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*(-6*a^2*A*b + 2*A*b^3 + 3*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))])*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-2*A*b^2 + 3*a^2*(A - B) + a*b*(3*A - B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))])*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + (-6*a^2*A*b + 2*A*b^3 + 3*a^3*B + a*b^2*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/((3*(a^3 - a*b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*((b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(-6*a^2*A*b + 2*A*b^3 + 3*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])])*Sqrt[(a

$$\begin{aligned}
& + b \cos[c + dx] / ((a + b)(1 + \cos[c + dx])) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + 2a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3(A - B)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + (-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \cos[c + dx] * (a + b \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \text{Tan}[(c + dx)/2]) / (3(a^3 - ab^2)^2 * (a + b \cos[c + dx])^{3/2} * \sqrt{\text{Sec}[(c + dx)/2]^2}) - (\sqrt{\cos[(c + dx)/2]^2} * \text{Sec}[c + dx]) * \text{Tan}[(c + dx)/2] * (2(a + b)(-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + 2a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3(A - B)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + (-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \cos[c + dx] * (a + b \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \text{Tan}[(c + dx)/2]) / (3(a^3 - ab^2)^2 * \sqrt{a + b \cos[c + dx]} * \sqrt{\text{Sec}[(c + dx)/2]^2}) + (2 * \sqrt{\cos[(c + dx)/2]^2} * \text{Sec}[c + dx]) * (((-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \cos[c + dx] * (a + b \cos[c + dx]) * \text{Sec}[(c + dx)/2]^4) / 2 + ((a + b)(-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx]))^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) + (a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3(A - B)) * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx]))^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) + ((a + b)(-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * (-((b \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])))) + ((a + b \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2)) / \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))}) + (a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3(A - B)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * (-((b \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])))) + ((a + b \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2)) / \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))}) - b(-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \cos[c + dx] * \text{Sec}[(c + dx)/2]^2 * \sin[c + dx] * \text{Tan}[(c + dx)/2] - (-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * (a + b \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \sin[c + dx] * \text{Tan}[(c + dx)/2] + (-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \cos[c + dx] * (a + b \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \text{Tan}[(c + dx)/2]^2 + (a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3(A - B)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{Sec}[(c + dx)/2]^2) / (\sqrt{1 - \text{Tan}[(c + dx)/2]^2} * \sqrt{1 - ((-a + b) * \text{Tan}[(c + dx)/2]^2) / (a + b)}) + ((a + b)(-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{Sec}[(c + dx)/2]^2 * \sqrt{1 - ((-a + b) * \text{Tan}[(c + dx)/2]^2) / (a + b)}) / \sqrt{1 - \text{Tan}[(c + dx)/2]^2}) / (3(a^3 - ab^2)^2 * \sqrt{a + b \cos[c + dx]} * \sqrt{\text{Sec}[(c + dx)/2]^2}) + ((2(a + b)(-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + 2a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3(A - B)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + (-6a^2Ab + 2A^2b^3 + 3a^3B + ab^2B) * \cos[c + dx] * (a + b \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 * \text{Tan}[(c + dx)/2]) * (-\cos[(c + dx)/2] * \text{Sec}[c + dx] * \sin[(c + dx)/2]) + \cos[(c + dx)/2]^2 * \text{Sec}[c + dx] * \text{Tan}[c + dx]) / (3(a^3 - ab^2)^2 * \sqrt{a + b \cos[c + dx]} * \sqrt{\text{Sec}[(c + dx)/2]^2} * \sqrt{\cos[(c + dx)/2]^2 * \text{Sec}[c + dx]})
\end{aligned}$$

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c))/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.50, size = 5202, normalized size = 11.09

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c+dx)}}}{(a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x))^(5/2),x)

[Out] int(((A + B*cos(c + d*x))*(1/cos(c + d*x))^(1/2))/(a + b*cos(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(5/2), x)

[Out] Timed out

3.628
$$\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2} \sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=431

$$\frac{2(3a^2A - 4abB + Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sin(c + dx)}{3d(a^2 - b^2) \sqrt{\sec(c + dx)} (a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2A - 4abB + Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}}$$

[Out] $-2/3*(A*b-B*a)*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^(3/2)/\sec(d*x+c)^(1/2)+2/3*(3*A*a^2+A*b^2-4*B*a*b)*\sin(d*x+c)*\sec(d*x+c)^(1/2)/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^(1/2)-2/3*(3*A*a^2+A*b^2-4*B*a*b)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*\cos(d*x+c)^(1/2)*(a*(1-\sec(d*x+c)))/(a+b)^(1/2)*(a*(1+\sec(d*x+c)))/(a-b)^(1/2)/a^2/(a-b)/(a+b)^(3/2)/d/\sec(d*x+c)^(1/2)+2/3*(a*(3*A+B)-b*(A+3*B))*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*\cos(d*x+c)^(1/2)*(a*(1-\sec(d*x+c)))/(a+b)^(1/2)*(a*(1+\sec(d*x+c)))/(a-b)^(1/2)/a/(a-b)/(a+b)^(3/2)/d/\sec(d*x+c)^(1/2)$

Rubi [A] time = 1.08, antiderivative size = 431, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2961, 2999, 2993, 2998, 2816, 2994}

$$\frac{2(3a^2A - 4abB + Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sin(c + dx)}{3d(a^2 - b^2) \sqrt{\sec(c + dx)} (a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2A - 4abB + Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[c + d*x])/((a + b*\text{Cos}[c + d*x])^(5/2)*\text{Sqrt}[\text{Sec}[c + d*x]]),x]$
 [Out] $(-2*(3*a^2*A + A*b^2 - 4*a*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a^2*(a - b)*(a + b)^(3/2)*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(a*(3*A + B) - b*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a*(a - b)*(a + b)^(3/2)*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*(A*b - a*B)*\text{Sin}[c + d*x])/((3*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(3*a^2*A + A*b^2 - 4*a*b*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((3*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]))$

Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]]*\text{Sqrt}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]]), x_Symbol] :> \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\sin[e + f*x]]/(\text{Sqrt}[d*\sin[e + f*x]]*\text{Rt}[(a + b)/d, 2]]], -((a + b)/(a - b)))]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2961

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_*)]*(g_*)^(p_*)*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)])^(m_*)*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)])^(n_)), x_Symbol] :> \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2993

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Simp[(2*(A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

Rule 2994

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 2999

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m + 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*Sin[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx \\
&= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)})}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\
&= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{2(3a^2 A + Ab^2 - 4abB) \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}}\right)\right)}{3a^2(a-b)(a+b)^{3/2} d \sqrt{\sec(c+dx)}} \\
&= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{2(3a^2 A + Ab^2 - 4abB) \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}}\right)\right)}{3a^2(a-b)(a+b)^{3/2} d \sqrt{\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 18.80, size = 528, normalized size = 1.23

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left(-\frac{2(3a^2 A - 4abB + Ab^2) \sin(c + dx)}{3a(a^2 - b^2)^2} + \frac{2(a^2 B \sin(c + dx) - aAb \sin(c + dx))}{3b(b^2 - a^2)(a + b \cos(c + dx))^2} + \frac{2(a^3 B \sin(c + dx) + 2a^2 Ab \sin(c + dx))}{3b(b^2 - a^2)(a + b \cos(c + dx))^2} \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]),x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((-2*(3*a^2*A + A*b^2 - 4*a*b*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)^2) + (2*(-(a*A*b*Sin[c + d*x]) + a^2*B*Sin[c + d*x]))/(3*b*(-a^2 + b^2)*(a + b*Cos[c + d*x])^2) + (2*(2*a^2*A*b*Sin[c + d*x] + 2*A*b^3*Sin[c + d*x] + a^3*B*Sin[c + d*x] - 5*a*b^2*B*Sin[c + d*x]))/(3*b*(-a^2 + b^2)^2*(a + b*Cos[c + d*x])))/d - (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(3*a^2*A + A*b^2 - 4*a*b*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(3*a*A + A*b - a*B - 3*b*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (3*a^2*A + A*b^2 - 4*a*b*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(3*a*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2])

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3)\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/((b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*sqrt(sec(d*x + c))), x)


```

)/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a
^2*b^2+A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(
d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-
(a-b)/(a+b))^(1/2))*a*b^3+4*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+
c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(
d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b+8*B*sin(d*x+c)*cos(d*x+c)*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/
2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2+4*B*s
in(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1
+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b
))^(1/2))*a*b^3-5*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/si
n(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b-7*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/
(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*Ellipti
cF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2-3*B*sin(d*x+c)*
cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c
)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*
a*b^3+3*A*cos(d*x+c)*a^4-3*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a
-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a^3*b-3*A*sin(d*x+c)*cos(d*x+c)^2
*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(
1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2-A*
sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))
/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(
a+b))^(1/2))*a*b^3+3*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c
))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b+4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c)
)/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a^2*b^2+A*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*E
llipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*
x+c)^2*a*b^3+4*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*
((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin
(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2+4*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+
c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*Elli
pticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3-B*sin(d*x+c)*c
os(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+
c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)
*a^3*b-4*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*
cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c
),(-a-b)/(a+b))^(1/2))*a^2*b^2-B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*c
os(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c)
,(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^4+4*A*sin(d*x+c)*(cos(d*x+c)
/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*Ellipt
icF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b-A*sin(d*x+c)*cos
(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)
)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*b
^4+3*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(
a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(
d*x+c)*cos(d*x+c)*a^4+7*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+
c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b-3*A*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c
))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a^4*(1/cos(d*x+c
))^(1/2)/sin(d*x+c)/(a+b*cos(d*x+c))^(3/2)/a/(a+b)^2/(a-b)^2

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(5/2)),x)
```

```
[Out] int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(5/2)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.629 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

Optimal. Leaf size=602

$$\frac{2(3a^3B - 7ab^2B + 4Ab^3) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{3ab^2d(a-b)(a+b)^{3/2} \sqrt{\sec(c+dx)}}$$

[Out] $\frac{2}{3} a (A b - B a) \sin(d x + c) / b / (a^2 - b^2) / d / (a + b \cos(d x + c))^{3/2} / \sec(d x + c)^{1/2} - \frac{2}{3} a (4 A b^3 + 3 a^3 B - 7 a b^2 B) \sin(d x + c) \sec(d x + c)^{1/2} / b^2 / (a^2 - b^2)^2 / d / (a + b \cos(d x + c))^{1/2} + \frac{2}{3} (4 A b^3 + 3 a^3 B - 7 a b^2 B) \csc(d x + c) \operatorname{EllipticE}\left(\frac{(a + b \cos(d x + c))^{1/2}}{(a + b)^{1/2} \cos(d x + c)^{1/2}}, \frac{(-a - b) / (a - b)^{1/2}}{\cos(d x + c)^{1/2}}\right) \cos(d x + c)^{1/2} (a (1 - \sec(d x + c)) / (a + b))^{1/2} (a (1 + \sec(d x + c)) / (a - b))^{1/2} / a / (a - b) / b^2 / (a + b)^{3/2} / d / \sec(d x + c)^{1/2} - \frac{2}{3} (3 A b^3 + 3 a^3 B + a^2 b B - a b^2 (A + 6 B)) \csc(d x + c) \operatorname{EllipticF}\left(\frac{(a + b \cos(d x + c))^{1/2}}{(a + b)^{1/2} \cos(d x + c)^{1/2}}, \frac{(-a - b) / (a - b)^{1/2}}{\cos(d x + c)^{1/2}}\right) \cos(d x + c)^{1/2} (a (1 - \sec(d x + c)) / (a + b))^{1/2} (a (1 + \sec(d x + c)) / (a - b))^{1/2} / a / (a - b) / b^2 / (a + b)^{3/2} / d / \sec(d x + c)^{1/2} - 2 B \csc(d x + c) \operatorname{EllipticPi}\left(\frac{(a + b \cos(d x + c))^{1/2}}{(a + b)^{1/2} \cos(d x + c)^{1/2}}, \frac{(a + b) / b}{(-a - b) / (a - b)^{1/2}}\right) \cos(d x + c)^{1/2} (a + b)^{1/2} \cos(d x + c)^{1/2} (a (1 - \sec(d x + c)) / (a + b))^{1/2} (a (1 + \sec(d x + c)) / (a - b))^{1/2} / b^3 / d / \sec(d x + c)^{1/2}$

Rubi [A] time = 1.65, antiderivative size = 602, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2961, 2989, 3051, 2809, 2993, 2998, 2816, 2994}

$$\frac{2a(3a^3B - 7ab^2B + 4Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{3b^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx)}{3bd(a^2 - b^2) \sqrt{\sec(c+dx)} (a+b \cos(c+dx))^{3/2}} - \frac{2(a^2bB)}{3bd(a^2 - b^2) \sqrt{\sec(c+dx)} (a+b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)),x]

[Out] $(2*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Csc}[c + d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]/(\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])], -((a + b)/(a - b))]*\operatorname{Sqrt}[(a*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[(a*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(3*a*(a - b)*b^2*(a + b)^{3/2}*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) - (2*(3*A*b^3 + 3*a^3*B + a^2*b*B - a*b^2*(A + 6*B))*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Csc}[c + d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]/(\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])], -((a + b)/(a - b))]*\operatorname{Sqrt}[(a*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[(a*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(3*a*(a - b)*b^2*(a + b)^{3/2}*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) - (2*\operatorname{Sqrt}[a + b]*B*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Csc}[c + d*x]*\operatorname{EllipticPi}[(a + b)/b, \operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]/(\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])], -((a + b)/(a - b))]*\operatorname{Sqrt}[(a*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[(a*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(b^3*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*a*(A*b - a*B)*\operatorname{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\operatorname{Cos}[c + d*x])^{3/2}*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) - (2*a*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]])$

Rule 2809

Int[Sqrt[(b_.)*sin[e_.] + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*sin[e_.] + (f_.)*(x_.)], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^p*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^n, x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^n, x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Simp[(2*(A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

&& NeQ[A, B]

Rule 3051

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[d*Sin[e + f*x]]/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[1/b, Int[(A*b + (b*B - a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{5/2} \sec^2(c + dx)} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx$$

$$= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

$$= -\frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= -\frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= \frac{2(4Ab^3 + 3a^3B - 7ab^2B) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3a(a - b)b^2(a + b)^{3/2} d \sqrt{\sec(c + dx)}}$$

Mathematica [C] time = 16.21, size = 1994, normalized size = 3.31

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)),x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*Sin[c + d*x])/(3*b^2*(-a^2 + b^2)^2) - (2*(-(a^2*A*b*Sin[c + d*x]) + a^3*B*Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)*(a + b*Cos[c + d*x])^2) - (2*(-(a^3*A*b*Sin[c + d*x]) + 5*a*A*b^3*Sin[c + d*x] + 4*a^4*B*Sin[c + d*x] - 8*a^2*b^2*B*Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)^2*(a + b*Cos[c + d*x])))/d - (2*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(4*a*A*b^3*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2] + 4*A*b^4*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2] + 3*a^4*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2] + 3*a^3*b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2] - 7*a^2*b^2*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2] - 7*a*b^3*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2] - 8*A*b^4*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]^3 - 6*a^3*b*S

```

qrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^3 + 14*a*b^3*Sqrt[(a - b)/(a + b)]*
B*Tan[(c + d*x)/2]^3 - 4*a*A*b^3*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]^5 +
4*A*b^4*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]^5 - 3*a^4*Sqrt[(a - b)/(a +
b)]*B*Tan[(c + d*x)/2]^5 + 3*a^3*b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2
]^5 + 7*a^2*b^2*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - 7*a*b^3*Sqrt[(
a - b)/(a + b)]*B*Tan[(c + d*x)/2]^5 + (6*I)*a^4*B*EllipticPi[(a + b)/(a -
b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*
Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c
+ d*x)/2]^2)/(a + b)] - (12*I)*a^2*b^2*B*EllipticPi[(a + b)/(a - b), I*ArcS
inh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Sqrt[1 - T
an[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^
2)/(a + b)] + (6*I)*b^4*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b
)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Sqrt[1 - Tan[(c + d*x)/2
]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (
6*I)*a^4*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[
(c + d*x)/2]], -((a + b)/(a - b))]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x
)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)]
- (12*I)*a^2*b^2*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a +
b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan
[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2
)/(a + b)] + (6*I)*b^4*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/
(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Tan[(c + d*x)/2]^2*Sqrt[1 -
Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2
]^2)/(a + b)] + I*(a - b)*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*EllipticE[I*ArcSi
nh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))]*Sqrt[1 - Ta
n[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]
^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*(3*b^3*(A - B) + 6*a^3*B +
4*a^2*b*B - a*b^2*(A + 9*B))*EllipticF[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[
(c + d*x)/2]], -((a + b)/(a - b))]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c
+ d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a
+ b)))/(3*b^2*Sqrt[(a - b)/(a + b)]*(a^2 - b^2)^2*d*(-1 + Tan[(c + d*x)/2
]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)]*(b*(-1 + Tan[(
c + d*x)/2]^2) - a*(1 + Tan[(c + d*x)/2]^2)))

```

fricas [F] time = 25.69, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x, algor
ithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/((b^3*cos(d*x + c)^3
+ 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*sec(d*x + c)^(3/2))
, x)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x, algor
ithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.43, size = 5757, normalized size = 9.56

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(5/2)),x)`

[Out] `int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(5/2)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2)/sec(d*x+c)**(3/2),x)`

[Out] Timed out

$$3.630 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

Optimal. Leaf size=733

$$\frac{2a(Ab - aB) \sin(c + dx)}{3bd(a^2 - b^2) \sec^2(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2a(-5a^3B + 2a^2Ab + 9ab^2B - 6Ab^3) \sin(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{(15a^3B - 10a^2bB + 3ab^2B - 3b^3B) \sin(c + dx)}{3b^3d(a^2 - b^2)^2 \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

[Out] $\frac{2}{3}a*(A*b-B*a)*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{3/2}/\sec(d*x+c)^{3/2} + \frac{2}{3}a*(2*A*a^2*b-6*A*b^3-5*B*a^3+9*B*a*b^2)*\sin(d*x+c)/b^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{1/2}/\sec(d*x+c)^{1/2} - \frac{1}{3}*(6*A*a^3*b-14*A*a*b^3-15*B*a^4+26*B*a^2*b^2-3*B*b^4)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}*\sec(d*x+c)^{1/2}/b^3/(a^2-b^2)^2/d + \frac{1}{3}*(6*A*a^3*b-14*A*a*b^3-15*B*a^4+26*B*a^2*b^2-3*B*b^4)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}), ((-a-b)/(a-b))^{1/2})*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b))^{1/2}/a/(a-b)/b^3/(a+b)^{3/2}/d/\sec(d*x+c)^{1/2} + \frac{1}{3}*(3*b^3*(4*A-B)+15*a^3*B-a*b^2*(2*A+21*B)-a^2*(6*A*b-5*B*b))*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}), ((-a-b)/(a-b))^{1/2})*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b))^{1/2}/(a-b)/b^3/(a+b)^{3/2}/d/\sec(d*x+c)^{1/2} - (2*A*b-5*B*a)*\csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}), (a+b)/b, ((-a-b)/(a-b))^{1/2})*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b))^{1/2}/b^4/d/\sec(d*x+c)^{1/2}$

Rubi [A] time = 2.49, antiderivative size = 733, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2961, 2989, 3047, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{2a(Ab - aB) \sin(c + dx)}{3bd(a^2 - b^2) \sec^2(c + dx)(a + b \cos(c + dx))^{3/2}} - \frac{(6a^3Ab + 26a^2b^2B - 15a^4B - 14aAb^3 - 3b^4B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3b^3d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)), x]

[Out] $((6*a^3*A*b - 14*a*A*b^3 - 15*a^4*B + 26*a^2*b^2*B - 3*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a*(a - b)*b^3*(a + b)^{3/2}*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + ((3*b^3*(4*A - B) + 15*a^3*B - a*b^2*(2*A + 21*B) - a^2*(6*A*b - 5*B*b))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*(a - b)*b^3*(a + b)^{3/2}*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (\text{Sqrt}[a + b]*(2*A*b - 5*a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(b^4*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a*(A*b - a*B)*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{3/2}*\text{Sec}[c + d*x]^{3/2}) + (2*a*(2*a^2*A*b - 6*A*b^3 - 5*a^3*B + 9*a*b^2*B)*\text{Sin}[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) - ((6*a^3*A*b - 14*a*A*b^3 - 15*a^4*B + 26*a^2*b^2*B - 3*b^4*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*b^3*(a^2 - b^2)^2*d)$

Rule 2809

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +

$\text{Csc}[e + f*x])]/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; \text{FreeQ}[\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]*\text{Sqrt}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])), x_Symbol] :> \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2961

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_*)]*(g_*)^{(p_*)}*((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(m_*)}*((c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(n_*)}), x_Symbol] :> \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 2989

$\text{Int}(((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(m_*)}*((A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(n_*)}), x_Symbol] :> -\text{Simp}[(b*c - a*d)*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}]*\text{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*\text{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

Rule 2994

$\text{Int}(((A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])/(((b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(3/2)}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)])), x_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}[\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}(((A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])/(((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{(3/2)}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)])), x_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rule 3047

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3053

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 3061

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]
])/ (d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{5/2} \sec^2(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{5}{2}}(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sec^{\frac{3}{2}}(c + dx)} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3b^2(a^2 - b^2)^2 d\sqrt{a}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(2a^2Ab - 6Ab^2)}{3b^2(a^2 - b^2)^2 d\sqrt{a}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(2a^2Ab - 6Ab^2)}{3b^2(a^2 - b^2)^2 d\sqrt{a}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(2a^2Ab - 6Ab^2)}{3b^2(a^2 - b^2)^2 d\sqrt{a}} \\
&= -\frac{\sqrt{a + b}(2Ab - 5aB)\sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{b^4 d \sqrt{\sec(c + dx)}} \\
&= \frac{(6a^3Ab - 14aAb^3 - 15a^4B + 26a^2b^2B - 3b^4B) \sqrt{\cos(c + dx)} \csc(c + dx)}{3a(a - b)b^3(a + b)^3}
\end{aligned}$$

Mathematica [B] time = 22.37, size = 2318, normalized size = 3.16

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)),x]

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((-2*a*(-3*a^2*A*b + 7*A*b^3 + 6*a^3*B - 10*a*b^2*B)*Sin[c + d*x])/(3*b^3*(a^2 - b^2)^2) + (2*(-(a^3*A*b*Sin[c + d*x]) + a^4*B*Sin[c + d*x]))/(3*b^3*(-a^2 + b^2)*(a + b*Cos[c + d*x]))^2) + (2*(-4*a^4*A*b*Sin[c + d*x] + 8*a^2*A*b^3*Sin[c + d*x] + 7*a^5*B*Sin[c + d*x] - 11*a^3*b^2*B*Sin[c + d*x]))/(3*b^3*(-a^2 + b^2)^2*(a + b*Cos[c + d*x]))) / d + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(6*a^4*A*b*Tan[(c + d*x)/2] + 6*a^3*A*b^2*Tan[(c + d*x)/2] - 14*a^2*A*b^3*Tan[(c + d*x)/2] - 14*a*A*b^4*Tan[(c + d*x)/2] - 15*a^5*B*Tan[(c + d*x)/2] - 15*a^4*b*B*Tan[(c + d*x)/2] + 26*a^3*b^2*B*Tan[(c + d*x)/2] + 26*a^2*b^3*B*Tan[(c + d*x)/2] - 3*a*b^4*B*Tan[(c + d*x)/2] - 3*b^5*B*Tan[(c + d*x)/2] - 12*a^3*A*b^2*Tan[(c + d*x)/2]^3 + 28*a*A*b^4*Tan[(c + d*x)/2]^3 + 30*a^4*b*B*Tan[(c + d*x)/2]^3 - 52*a^2*b^3*B*Tan[(c + d*x)/2]^3 + 6*b^5*B*Tan[(c + d*x)/2]^3 - 6*a^4*A*b*Tan[(c + d*x)/2]^5 + 6*a^3*A*b^2*Tan[(c + d*x)/2]^5 + 14*a^2*A*b^3*Tan[(c + d*x)/2]^5 - 14*a*A*b^4*Tan[(c + d*x)/2]^5 + 15*a^5*B*Tan[(c + d*x)/2]^5 - 15*a^4*b*B*Tan[(c + d*x)/2]^5 - 26*a^3*b^2*B*Tan[(c + d*x)/2]^5 + 26*a^2*b^3*B*Tan[(c + d*x)/2]^5 + 3*a*b^4*B*Tan[(c + d*x)/2]^5 - 3*b^5*B*Tan[(c + d*x)/2]^5 - 12*a^4*A*b*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]))

$$\begin{aligned} &]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2 / (a + b) + 24a^2Ab^3 \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} - 12A \cdot b^5 \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} \\ & + 30a^5B \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} - 60a^3b^2B \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} + 30a \cdot b^4 \cdot B \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} - 12a^4A \cdot b \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \tan\left[\frac{c + dx}{2}\right]^2 \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} + 24a^2A \cdot b^3 \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \tan\left[\frac{c + dx}{2}\right]^2 \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} - 12A \cdot b^5 \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \tan\left[\frac{c + dx}{2}\right]^2 \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} + 30a^5B \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \tan\left[\frac{c + dx}{2}\right]^2 \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} - 60a^3b^2B \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \tan\left[\frac{c + dx}{2}\right]^2 \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} + 30a \cdot b^4 \cdot B \cdot \text{EllipticPi}[-1, \text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \tan\left[\frac{c + dx}{2}\right]^2 \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} - (a + b) \cdot (-6a^3A \cdot b + 14a \cdot A \cdot b^3 + 15a^4B - 26a^2b^2B + 3b^4B) \cdot \text{EllipticE}[\text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot (1 + \tan\left[\frac{c + dx}{2}\right]^2) \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} + 2b \cdot (a + b) \cdot (3A \cdot b^3 + 3a \cdot b^2 \cdot (A - 2B) + 5a^3B - a^2b \cdot (2A + 3B)) \cdot \text{EllipticF}[\text{ArcSin}[\tan\left[\frac{c + dx}{2}\right]], (-a + b)/(a + b)] \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot (1 + \tan\left[\frac{c + dx}{2}\right]^2) \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)) / (3b^3(a^2 - b^2)^2 \cdot d \cdot \sqrt{1 + \tan\left[\frac{c + dx}{2}\right]^2} \cdot (b \cdot (-1 + \tan\left[\frac{c + dx}{2}\right]^2) - a \cdot (1 + \tan\left[\frac{c + dx}{2}\right]^2))) \end{aligned}$$

fricas [F] time = 1.60, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+b*cos(dx+c))^(5/2)/sec(dx+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(dx + c) + A)*sqrt(b*cos(dx + c) + a)/((b^3*cos(dx + c)^3 + 3*a*b^2*cos(dx + c)^2 + 3*a^2*b*cos(dx + c) + a^3)*sec(dx + c)^(5/2)), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(dx+c))/(a+b*cos(dx+c))^(5/2)/sec(dx+c)^(5/2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.56, size = 8621, normalized size = 11.76

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2),x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(5/2)),x)`

[Out] `int((A + B*cos(c + d*x))/((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(5/2)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2)/sec(d*x+c)**(5/2),x)`

[Out] Timed out

$$3.631 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx$$

Optimal. Leaf size=266

$$\frac{2B(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{a^2d\sqrt{\sec(c+dx)}} \quad 2B$$

[Out] 2*(a-b)*B*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a^2/d/sec(d*x+c)^(1/2)-2*B*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/d/sec(d*x+c)^(1/2)

Rubi [A] time = 0.37, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {21, 4222, 2801, 2816, 2994}

$$\frac{2B(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{a^2d\sqrt{\sec(c+dx)}} \quad 2B$$

Antiderivative was successfully verified.

[In] Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*(a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^2*d*Sqrt[Sec[c + d*x]]) - (2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]])

Rule 21

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2801

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Dist[1/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2816

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2]]], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,

0] && PosQ[(a + b)/d]

Rule 2994

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c²), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c² - d², 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 4222

Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] :> Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx &= B \int \frac{\sec^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= (B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= - \left((B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx \right) \\ &= \frac{2(a - b)\sqrt{a + b} B \sqrt{\cos(c + dx)} \csc(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}} \right) \right)}{a^2 d \sqrt{\sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 6.11, size = 298, normalized size = 1.12

$$B \left(\frac{2 \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{ad} - \frac{2 \sqrt{\cos^2 \left(\frac{1}{2}(c + dx) \right) \sec(c + dx)} \left(\cos(c + dx) \tan \left(\frac{1}{2}(c + dx) \right) \right)}{\dots} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^(3/2), x]

[Out] B*((2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) - (2*Sqrt[Cos[(c + d*x)/2]²*Sec[c + d*x]]*(2*(a + b)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 2*a*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]²*Tan[(c + d*x)/2])/(a*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]²]))

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{B \sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(B*sec(d*x + c)^(3/2)/sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(3/2), x)

maple [B] time = 0.33, size = 621, normalized size = 2.33

$$2B \left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) \cos(dx+c) \sin(dx+c) a - \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2), x)

[Out]
$$-2*B/d*((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*b+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b*\sin(d*x+c)+\cos(d*x+c)^2*b+a*\cos(d*x+c)-b*\cos(d*x+c)-a)*\cos(d*x+c)/(a+b*\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{3/2}/\sin(d*x+c)/a$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (Ba + Bb \cos(c+dx))}{(a + b \cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((1/cos(c + d*x))^(3/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2),x)

[Out] int(((1/cos(c + d*x))^(3/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(3/2),x)

[Out] Timed out

$$3.632 \quad \int \frac{(aB + bB \cos(c + dx)) \sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^{3/2}} dx$$

Optimal. Leaf size=130

$$\frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}}$$

[Out] 2*B*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d/sec(d*x+c)^(1/2)

Rubi [A] time = 0.16, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {21, 4222, 2816}

$$\frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a*B + b*B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]])

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2816

Int[1/(Sqrt[(d_)*sin[e_] + (f_)*(x_)]*Sqrt[(a_) + (b_)*sin[e_] + (f_)*(x_)]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 4222

Int[(csc[a_] + (b_)*(x_)]*(c_)^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^{3/2}} dx &= B \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx \\ &= (B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} \\ &= \frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \csc(c + dx) F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.15, size = 104, normalized size = 0.80

$$\frac{2B\sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b-a}{a+b}\right)}{d\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^(3/2), x]

[Out] (2*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]/(d*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])])*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B\sqrt{\sec(dx + c)}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(B*sqrt(sec(d*x + c))/sqrt(b*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba)\sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*b*cos(d*x + c) + B*a)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a)^(3/2), x)

maple [A] time = 0.32, size = 126, normalized size = 0.97

$$\frac{2B\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) \sqrt{\frac{1}{\cos(dx+c)}} (\sin^2(dx + c))}{d\sqrt{a + b \cos(dx + c)} (-1 + \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2),x)`

[Out] $2*B/d*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})/(a+b*\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{1/2}*\sin(d*x+c)^2/(-1+\cos(d*x+c))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bb \cos(dx + c) + Ba)\sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a)^(3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}} (Ba + Bb \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((1/cos(c + d*x))^(1/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2),x)`

[Out] `int(((1/cos(c + d*x))^(1/2)*(B*a + B*b*cos(c + d*x)))/(a + b*cos(c + d*x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(3/2),x)`

[Out] `B*Integral(sqrt(sec(c + d*x))/sqrt(a + b*cos(c + d*x)), x)`

$$3.633 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} dx$$

Optimal. Leaf size=137

$$\frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)\Big|_{-\frac{a+b}{a-b}}}{bd\sqrt{\sec(c+dx)}}$$

[Out] $-2*B*\csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)/(a+b)^{(1/2)/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)}*(a+b)^{(1/2)*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/b/d/\sec(d*x+c)^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {21, 4222, 2809}

$$\frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)\Big|_{-\frac{a+b}{a-b}}}{bd\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]), x]

[Out] $(-2*\text{Sqrt}[a + b]*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)])/(b*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 21

Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 2809

Int[Sqrt[(b_)*sin[e_] + (f_)*(x_)]/Sqrt[(c_) + (d_)*sin[e_] + (f_)*(x_)], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 4222

Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] :> Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} dx &= B \int \frac{1}{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} dx \\ &= (B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx \\ &= -\frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{bd \sqrt{\sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.19, size = 147, normalized size = 1.07

$$\frac{2B \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\sec(c + dx) + 1} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b-a}{a+b}\right) - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right)\right) \right)}{d \sqrt{\frac{1}{\cos(c+dx)+1}} \sqrt{a + b \cos(c + dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]), x]

[Out] (-2*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*(EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 2*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)])*Sqrt[1 + Sec[c + d*x]])/(d*Sqrt[(1 + Cos[c + d*x])^(-1)]*Sqrt[a + b*Cos[c + d*x]])

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{B}{\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2), x, algorithm="fricas")

[Out] integral(B/(sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.30, size = 144, normalized size = 1.05

$$\frac{2B \left(\operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) - 2 \operatorname{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \sqrt{-\frac{a-b}{a+b}}\right) \right) \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}}}{d \sqrt{a + b \cos(dx + c)} \sqrt{\frac{1}{\cos(dx+c)}} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x)`

[Out] `2*B/d/(a+b*cos(d*x+c))^(1/2)*(EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))-2*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)/(1/cos(d*x+c))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{Ba + Bb \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*a + B*b*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(3/2)),x)`

[Out] `int((B*a + B*b*cos(c + d*x))/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \frac{1}{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2)/sec(d*x+c)**(1/2),x)`

[Out] `B*Integral(1/(sqrt(a + b*cos(c + d*x))*sqrt(sec(c + d*x))), x)`

$$3.634 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} dx$$

Optimal. Leaf size=479

$$\frac{aB\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{b^2d\sqrt{\sec(c+dx)}} + \frac{aBs}{b}$$

```
[Out] B*sin(d*x+c)/d/(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+a*B*sin(d*x+c)*sec(d*x+c)^(1/2)/b/d/(a+b*cos(d*x+c))^(1/2)-(a-b)*B*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/b/d/sec(d*x+c)^(1/2)+B*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b/d/sec(d*x+c)^(1/2)+a*B*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b^2/d/sec(d*x+c)^(1/2)
```

Rubi [A] time = 0.92, antiderivative size = 479, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {21, 4222, 2820, 2809, 3003, 2993, 12, 2801, 2816, 2994}

$$\frac{aB\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{b^2d\sqrt{\sec(c+dx)}} + \frac{aBs}{b}$$

Antiderivative was successfully verified.

```
[In] Int[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)), x]
```

```
[Out] -(((a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((a*b*d*Sqrt[Sec[c + d*x]])) + (Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((b*d*Sqrt[Sec[c + d*x]]) + (a*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((b^2*d*Sqrt[Sec[c + d*x]]) + (B*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[a + b*Cos[c + d*x]]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 2801

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin
[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[1/(a - b), Int[1/(Sqrt[a + b*Sin[
e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[
e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /;
FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2820

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]], x_Symbol] := -Dist[(a*d)/(2*b), Int[Sqrt[d*Sin[e + f*x]]/Sqrt[a
+ b*Sin[e + f*x]], x], x] + Dist[d/(2*b), Int[(Sqrt[d*Sin[e + f*x]]*(a + 2
*b*Sin[e + f*x]))/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f},
x] && NeQ[a^2 - b^2, 0]
```

Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(
x_)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Simp[(2*(
A*b - a*B)*Cos[e + f*x]/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin
[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e +
f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a
, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 3003

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Sim
p[(-2*B*Cos[e + f*x]*Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n)/(f*(2
*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Sin[e + f*x])^(n - 1))*Simp[a*A
```

c(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)
 *(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f*
 x]^2, x])/Sqrt[a + b*Ssin[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B
 }, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ
 [n^2, 1/4]

Rule 4222

Int[(csc[(a_.) + (b_.)*(x_.)]*(c_.))^m*(u_), x_Symbol] := Dist[(c*Csc[a
 + b*x])^m*(c*Ssin[a + b*x])^m, Int[ActivateTrig[u]/(c*Ssin[a + b*x])^m, x]
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} dx &= B \int \frac{1}{\sqrt{a + b \cos(c + dx)} \sec^2(c + dx)} dx \\ &= (B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{(B\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{\cos(c + dx)} (a + 2b \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx}{2b} - \frac{(aB)}{2b} \\ &= \frac{a\sqrt{a + b} B\sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\ &= \frac{a\sqrt{a + b} B\sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\ &= \frac{a\sqrt{a + b} B\sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\ &= \frac{a\sqrt{a + b} B\sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\ &= \frac{(a - b)\sqrt{a + b} B\sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{abd \sqrt{\sec(c + dx)}} \end{aligned}$$

Mathematica [C] time = 3.33, size = 508, normalized size = 1.06

$$B \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sec^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx) + 1} \left(2a \sqrt{\frac{a-b}{a+b}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \tan\left(\frac{1}{2}(c + dx)\right) - b \sqrt{\frac{a-b}{a+b}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]
 ^((3/2))), x]

[Out] (B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]^2*Sqrt[1 + Sec[c
 + d*x]])*((2*I)*(a - b)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]
))]*EllipticE[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -(a + b)/
 (a - b))] - (4*I)*a*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]

```
*EllipticF[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + (4*I)*a*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + b*Sqrt[(a - b)/(a + b)]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + 2*a*Sqrt[(a - b)/(a + b)]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2] - b*Sqrt[(a - b)/(a + b)]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2])/(4*b*Sqrt[(a - b)/(a + b)]*d*((1 + Cos[c + d*x])^(-1))^3/2)*Sqrt[a + b*Cos[c + d*x])
```

fricas [F] time = 25.39, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2), x, algorithm="fricas")
```

```
[Out] integral(B/(sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2), x, algorithm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2)), x)
```

maple [A] time = 0.35, size = 631, normalized size = 1.32

$$B \left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) \cos(dx+c) \sin(dx+c) a + \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2), x)
```

```
[Out] -B/d*((cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*cos(d*x+c)*sin(d*x+c)*a+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*cos(d*x+c)*sin(d*x+c)*b-2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2)*cos(d*x+c)*sin(d*x+c)*a+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*sin(d*x+c)+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b*sin(d*x+c)-2*a*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2)*sin(d*x+c)+cos(d*x+c)^3*b+a*cos(d*x+c)^2-cos(d*x+c)^2*b-a*cos(d*x+c)*cos(d*x+c)*(1/cos(d*x+c))^(3/2)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/b
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{B a + B b \cos(c + d x)}{\left(\frac{1}{\cos(c+d x)}\right)^{3/2} (a + b \cos(c + d x))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a + B*b*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(3/2)), x)

[Out] int((B*a + B*b*cos(c + d*x))/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2)/sec(d*x+c)**(3/2), x)

[Out] Timed out

$$3.635 \quad \int (a+b \cos(e+fx))^n (A+B \cos(e+fx))(c \sec(e+fx))^m dx$$

Optimal. Leaf size=59

$$(c \cos(e+fx))^m (c \sec(e+fx))^m \text{Int} \left((A+B \cos(e+fx))(c \cos(e+fx))^{-m} (a+b \cos(e+fx))^n, x \right)$$

[Out] (c*cos(f*x+e))^m*(c*sec(f*x+e))^m*Unintegrable((a+b*cos(f*x+e))^n*(A+B*cos(f*x+e))/((c*cos(f*x+e))^m), x)

Rubi [A] time = 0.18, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (a+b \cos(e+fx))^n (A+B \cos(e+fx))(c \sec(e+fx))^m dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Cos[e + f*x])^n*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m, x]

[Out] (c*Cos[e + f*x])^m*(c*Sec[e + f*x])^m*Defer[Int][((a + b*Cos[e + f*x])^n*(A + B*Cos[e + f*x]))/(c*Cos[e + f*x])^m, x]

Rubi steps

$$\int (a+b \cos(e+fx))^n (A+B \cos(e+fx))(c \sec(e+fx))^m dx = \left((c \cos(e+fx))^m (c \sec(e+fx))^m \right) \int (c \cos(e+fx))^n (A+B \cos(e+fx)) dx$$

Mathematica [A] time = 9.52, size = 0, normalized size = 0.00

$$\int (a+b \cos(e+fx))^n (A+B \cos(e+fx))(c \sec(e+fx))^m dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Cos[e + f*x])^n*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m, x]

[Out] Integrate[(a + b*Cos[e + f*x])^n*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m, x]

fricas [A] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left((B \cos(fx + e) + A)(b \cos(fx + e) + a)^n (c \sec(fx + e))^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^n*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m, x, algorithm="fricas")

[Out] integral((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^n*(c*sec(f*x + e))^m, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^n (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^n*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^n*(c*sec(f*x + e))^m, x)

maple [A] time = 3.11, size = 0, normalized size = 0.00

$$\int (a + b \cos(fx + e))^n (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(f*x+e))^n*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

[Out] int((a+b*cos(f*x+e))^n*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^n (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^n*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^n*(c*sec(f*x + e))^m, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int \left(\frac{c}{\cos(e + fx)} \right)^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^n,x)

[Out] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^n, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^n*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

[Out] Timed out

$$3.636 \quad \int (a+b \cos(e+fx))^4 (A+B \cos(e+fx))(c \sec(e+fx))^m dx$$

Optimal. Leaf size=644

$$\frac{a^2 c^5 \tan(e+fx) \sec(e+fx) (a^2 A(2-m)^2 + 2abB(1-m)^2 + Ab^2(m^2-m+6)) (c \sec(e+fx))^{m-5} ac^5 \tan(e+fx)}{f(1-m)(2-m)(3-m)}$$

[Out] $-c^6(4a^3Ab(m^2-8m+15)+a^4B(m^2-8m+15)+4aAb^3(m^2-7m+10)+6a^2b^2B(m^2-7m+10)+b^4B(m^2-6m+8))\text{hypergeom}([1/2, 3-1/2m], [4-1/2m], \cos(f*x+e)^2)*(c*\sec(f*x+e))^{(-6+m)}*\sin(f*x+e)/f/(-m^3+12*m^2-44*m+48)/(\sin(f*x+e)^2)^{(1/2)}-c^5(a^4A(m^2-6m+8)+6a^2Ab^2(m^2-5m+4)+4a^3bB(m^2-5m+4)+Ab^4(m^2-4m+3)+4ab^3B(m^2-4m+3))\text{hypergeom}([1/2, 5/2-1/2m], [7/2-1/2m], \cos(f*x+e)^2)*(c*\sec(f*x+e))^{(-5+m)}*\sin(f*x+e)/f/(1-m)/(m^2-8m+15)/(\sin(f*x+e)^2)^{(1/2)}-a*c^5(4a^2Ab(m^2-4m+3)+a^3B(m^2-4m+3)+2Ab^3(m^2-2m+4)+ab^2B(5m^2-13m+8))*(c*\sec(f*x+e))^{(-5+m)}*\tan(f*x+e)/f/(1-m)/(m^2-6m+8)-a^2*c^5(2a*bB(1-m)^2+a^2A(2-m)^2+Ab^2(m^2-m+6))*\sec(f*x+e)*(c*\sec(f*x+e))^{(-5+m)}*\tan(f*x+e)/f/(-m^3+6*m^2-11*m+6)-a*c^5(a*B(1-m)-Ab*(2+m))*(c*\sec(f*x+e))^{(-5+m)}*(b+a*\sec(f*x+e))^2*\tan(f*x+e)/f/(m^2-3m+2)-aAc^5(c*\sec(f*x+e))^{(-5+m)}*(b+a*\sec(f*x+e))^3*\tan(f*x+e)/f/(1-m)$

Rubi [A] time = 2.04, antiderivative size = 644, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4026, 4096, 4076, 4047, 3772, 2643, 4046}

$$\frac{c^6 \sin(e+fx) (4a^3 Ab(m^2-8m+15) + 6a^2 b^2 B(m^2-7m+10) + a^4 B(m^2-8m+15) + 4a Ab^3(m^2-7m+10))}{f(2-m)(4-m)(6-m)\sqrt{\sin^2(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[e + f*x])^4*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]

[Out] $-((c^6(4a^3Ab(15-8m+m^2)+a^4B(15-8m+m^2)+4aAb^3(10-7m+m^2)+6a^2b^2B(10-7m+m^2)+b^4B(8-6m+m^2))*\text{Hypergeometric2F1}[1/2, (6-m)/2, (8-m)/2, \cos[e+f*x]^2]*(c*\sec[e+f*x])^{(-6+m)}*\sin[e+f*x])/(f*(2-m)*(4-m)*(6-m)*\text{sqrt}[\sin[e+f*x]^2]))-(c^5(a^4A(8-6m+m^2)+6a^2Ab^2(4-5m+m^2)+4a^3bB(4-5m+m^2)+Ab^4(3-4m+m^2)+4ab^3B(3-4m+m^2))*\text{Hypergeometric2F1}[1/2, (5-m)/2, (7-m)/2, \cos[e+f*x]^2]*(c*\sec[e+f*x])^{(-5+m)}*\sin[e+f*x])/(f*(1-m)*(3-m)*(5-m)*\text{sqrt}[\sin[e+f*x]^2]))-(a*c^5(4a^2Ab(3-4m+m^2)+a^3B(3-4m+m^2)+2Ab^3(4-2m+m^2)+ab^2B(8-13m+5m^2))*(c*\sec[e+f*x])^{(-5+m)}*\tan[e+f*x])/(f*(1-m)*(2-m)*(4-m))-(a^2*c^5(2a*bB(1-m)^2+a^2A(2-m)^2+Ab^2(6-m+m^2))*\sec[e+f*x]*(c*\sec[e+f*x])^{(-5+m)}*\tan[e+f*x])/(f*(1-m)*(2-m)*(3-m))-(a*c^5(a*B(1-m)-Ab*(2+m))*(c*\sec[e+f*x])^{(-5+m)}*(b+a*\sec[e+f*x])^2*\tan[e+f*x])/(f*(1-m)*(2-m))-(aAc^5(c*\sec[e+f*x])^{(-5+m)}*(b+a*\sec[e+f*x])^3*\tan[e+f*x])/(f*(1-m))$

Rule 2643

Int[((b_.)*sin[(c_.)+(d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c+d*x]*(b*Ssin[c+d*x])^(n+1)*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c+d*x]^2])/(b*d*(n+1)*sqrt[Cos[c+d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c
*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp
[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x]
/; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f
*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 -
b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(e + fx))^4 (A + B \cos(e + fx)) (c \sec(e + fx))^m dx &= c^5 \int (c \sec(e + fx))^{-5+m} (b + a \sec(e + fx))^4 (B + \\
&= -\frac{aAc^5 (c \sec(e + fx))^{-5+m} (b + a \sec(e + fx))^3 \tan(e + fx)}{f(1 - m)} \\
&= -\frac{ac^5 (aB(1 - m) - Ab(2 + m)) (c \sec(e + fx))^{-5+m}}{f(1 - m)(2 - m)} \\
&= -\frac{a^2 c^5 (2abB(1 - m)^2 + a^2 A(2 - m)^2 + Ab^2 (6 - m))}{f(3 - m)} \\
&= -\frac{a^2 c^5 (2abB(1 - m)^2 + a^2 A(2 - m)^2 + Ab^2 (6 - m))}{f(3 - m)} \\
&= -\frac{ac^5 (4a^2 Ab (3 - 4m + m^2) + a^3 B (3 - 4m + m^2))}{f(3 - m)} \\
&= -\frac{(a^4 A (8 - 6m + m^2) + 6a^2 Ab^2 (4 - 5m + m^2))}{f(3 - m)} \\
&= -\frac{(a^4 A (8 - 6m + m^2) + 6a^2 Ab^2 (4 - 5m + m^2))}{f(3 - m)}
\end{aligned}$$

Mathematica [A] time = 4.37, size = 317, normalized size = 0.49

$$\sqrt{-\tan^2(e + fx) \cot(e + fx) (c \sec(e + fx))^m} \left(\frac{b^3 (4aB + Ab) \cos^4(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-4}{2}; \frac{m-2}{2}; \sec^2(e + fx)\right)}{m-4} + a \left(\frac{2b^2 (3aB + 2Ab) \cos^3(e + fx)}{m-4} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*cos[e + f*x])^4*(A + B*cos[e + f*x])*(c*Sec[e + f*x])^m,x]

[Out] (Cot[e + f*x]*((b^4*B*cos[e + f*x]^5*Hypergeometric2F1[1/2, (-5 + m)/2, (-3 + m)/2, Sec[e + f*x]^2])/(-5 + m) + (b^3*(A*b + 4*a*B)*cos[e + f*x]^4*Hypergeometric2F1[1/2, (-4 + m)/2, (-2 + m)/2, Sec[e + f*x]^2])/(-4 + m) + a*((2*b^2*(2*A*b + 3*a*B)*cos[e + f*x]^3*Hypergeometric2F1[1/2, (-3 + m)/2, (-1 + m)/2, Sec[e + f*x]^2])/(-3 + m) + a*((2*b*(3*A*b + 2*a*B)*cos[e + f*x]^2*Hypergeometric2F1[1/2, (-2 + m)/2, m/2, Sec[e + f*x]^2])/(-2 + m) + a*((4*A*b + a*B)*cos[e + f*x]*Hypergeometric2F1[1/2, (-1 + m)/2, (1 + m)/2, Sec[e + f*x]^2])/(-1 + m) + (a*A*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[e + f*x]^2])/m)))*(c*Sec[e + f*x])^m*sqrt[-Tan[e + f*x]^2])/f

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^4 \cos(fx + e)^5 + Aa^4 + (4Bab^3 + Ab^4) \cos(fx + e)^4 + 2(3Ba^2b^2 + 2Aab^3) \cos(fx + e)^3 + 2(2Aab^2 + Ab^3) \cos(fx + e)^2 + (Aa^2 + 2Ab^2) \cos(fx + e) + Aa + Ab\right) (c \sec(fx + e))^m\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^4*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="fricas")

[Out] integral((B*b^4*cos(f*x + e)^5 + A*a^4 + (4*B*a*b^3 + A*b^4)*cos(f*x + e)^4 + 2*(3*B*a^2*b^2 + 2*A*a*b^3)*cos(f*x + e)^3 + 2*(2*B*a^3*b + 3*A*a^2*b^2)*cos(f*x + e)^2 + (B*a^4 + 4*A*a^3*b)*cos(f*x + e))*(c*sec(f*x + e))^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^4 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^4*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^4*(c*sec(f*x + e))^m, x)

maple [F] time = 2.79, size = 0, normalized size = 0.00

$$\int (a + b \cos(fx + e))^4 (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(f*x+e))^4*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

[Out] int((a+b*cos(f*x+e))^4*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^4 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^4*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^4*(c*sec(f*x + e))^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left(\frac{c}{\cos(e + fx)} \right)^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^4,x)

[Out] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))**4*(A+B*cos(f*x+e))*(c*sec(f*x+e))**m,x)

[Out] Timed out

$$3.637 \quad \int (a+b \cos(e+fx))^3 (A+B \cos(e+fx))(c \sec(e+fx))^m dx$$

Optimal. Leaf size=455

$$\frac{ac^4 \tan(e+fx) (a^2 A(2-m) + 3abB(1-m) - 2Ab^2 m) (c \sec(e+fx))^{m-4}}{f(1-m)(3-m)} - \frac{a^2 c^4 \tan(e+fx) \sec(e+fx) (aB(1-m) - a^2 B)}{f(1-m)}$$

[Out] $-c^5 (a^3 A (m^2 - 6m + 8) + 3a^2 A b (m^2 - 5m + 4) + 3a^2 b B (m^2 - 5m + 4) + b^3 B (m^2 - 4m + 3)) \operatorname{hypergeom}([1/2, 5/2 - 1/2 m], [7/2 - 1/2 m], \cos(fx+e)^2) (c \sec(fx+e))^{(-5+m)} \sin(fx+e) / f / (1-m) / (m^2 - 8m + 15) / (\sin(fx+e)^2)^{(1/2)} - c^4 (A b^3 (2-m) + 3a^2 B (2-m) + 3a^2 A b (3-m) + a^3 B (3-m)) \operatorname{hypergeom}([1/2, 2 - 1/2 m], [3 - 1/2 m], \cos(fx+e)^2) (c \sec(fx+e))^{(-4+m)} \sin(fx+e) / f / (m^2 - 6m + 8) / (\sin(fx+e)^2)^{(1/2)} - a^2 c^4 (3a^2 b B (1-m) + a^2 A (2-m) - 2A b^2 m) (c \sec(fx+e))^{(-4+m)} \tan(fx+e) / f / (m^2 - 4m + 3) - a^2 c^4 (a B (1-m) - A b (1+m)) \sec(fx+e) (c \sec(fx+e))^{(-4+m)} \tan(fx+e) / f / (m^2 - 3m + 2) - a^2 c^4 (c \sec(fx+e))^{(-4+m)} (b + a \sec(fx+e))^2 \tan(fx+e) / f / (1-m)$

Rubi [A] time = 1.15, antiderivative size = 455, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2960, 4026, 4076, 4047, 3772, 2643, 4046}

$$\frac{c^5 \sin(e+fx) (a^3 A (m^2 - 6m + 8) + 3a^2 b B (m^2 - 5m + 4) + 3a A b^2 (m^2 - 5m + 4) + b^3 B (m^2 - 4m + 3)) (c \sec(e+fx))^{m-4}}{f(1-m)(3-m)(5-m) \sqrt{\sin^2(e+fx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \cos[e + fx])^3 (A + B \cos[e + fx]) (c \sec[e + fx])^m, x]$

[Out] $-((c^5 (a^3 A (8 - 6m + m^2) + 3a^2 A b (4 - 5m + m^2) + 3a^2 b B (4 - 5m + m^2) + b^3 B (3 - 4m + m^2)) \operatorname{Hypergeometric2F1}[1/2, (5 - m)/2, (7 - m)/2, \cos[e + fx]^2] (c \sec[e + fx])^{(-5 + m)} \sin[e + fx]) / (f(1 - m)(3 - m)(5 - m) \sqrt{\sin[e + fx]^2})) - (c^4 (A b^3 (2 - m) + 3a^2 B (2 - m) + 3a^2 A b (3 - m) + a^3 B (3 - m)) \operatorname{Hypergeometric2F1}[1/2, (4 - m)/2, (6 - m)/2, \cos[e + fx]^2] (c \sec[e + fx])^{(-4 + m)} \sin[e + fx]) / (f(2 - m)(4 - m) \sqrt{\sin[e + fx]^2}) - (a^2 c^4 (3a^2 b B (1 - m) + a^2 A (2 - m) - 2A b^2 m) (c \sec[e + fx])^{(-4 + m)} \tan[e + fx]) / (f(1 - m)(3 - m)) - (a^2 c^4 (a B (1 - m) - A b (1 + m)) \sec[e + fx] (c \sec[e + fx])^{(-4 + m)} \tan[e + fx]) / (f(1 - m)(2 - m)) - (a^2 c^4 (c \sec[e + fx])^{(-4 + m)} (b + a \sec[e + fx])^2 \tan[e + fx]) / (f(1 - m))$

Rule 2643

$\operatorname{Int}[(b \sin[c + dx] + d \cos[c + dx])^n, x] \rightarrow \operatorname{Simp}[(\cos[c + dx])^n (b \sin[c + dx])^{n+1} \operatorname{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \sin[c + dx]^2] / (b d (n+1) \sqrt{\cos[c + dx]^2}), x] /;$ $\text{FreeQ}\{b, c, d, n\}, x$ && $\text{IntegerQ}[2n]$

Rule 2960

$\operatorname{Int}[(\csc[e + fx] + (f \cos[e + fx])^p (a + b \sin[e + fx]))^m (c + d \sin[e + fx])^n, x] \rightarrow \operatorname{Dist}[g^m (m+n), \operatorname{Int}[(g \csc[e + fx])^{p-m-n} (b + a \csc[e + fx])^m (c + d \csc[e + fx])^n, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, g, p\}, x$ && $\text{NeQ}[b c - a d, 0]$ && $\text{IntegerQ}[p]$ && $\text{IntegerQ}[m]$ && $\text{IntegerQ}[n]$

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 4026

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !IGtQ[n, 1] && !IntegerQ[m]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned}
\int (a + b \cos(e + fx))^3 (A + B \cos(e + fx)) (c \sec(e + fx))^m dx &= c^4 \int (c \sec(e + fx))^{-4+m} (b + a \sec(e + fx))^3 (B + \\
&= -\frac{aAc^4 (c \sec(e + fx))^{-4+m} (b + a \sec(e + fx))^2 \tan(e + fx)}{f(1-m)} \\
&= -\frac{a^2 c^4 (aB(1-m) - Ab(1+m)) \sec(e + fx) (c \sec(e + fx))^{m-1}}{f(1-m)(2-m)} \\
&= -\frac{a^2 c^4 (aB(1-m) - Ab(1+m)) \sec(e + fx) (c \sec(e + fx))^{m-2}}{f(1-m)(2-m)} \\
&= -\frac{ac^4 (3abB(1-m) + a^2 A(2-m) - 2Ab^2 m) (c \sec(e + fx))^{m-1}}{f(1-m)(3-m)} \\
&= -\frac{(Ab^3(2-m) + 3ab^2 B(2-m) + 3a^2 Ab(3-m)) (c \sec(e + fx))^{m-1}}{f(1-m)(3-m)} \\
&= -\frac{(Ab^3(2-m) + 3ab^2 B(2-m) + 3a^2 Ab(3-m)) (c \sec(e + fx))^{m-2}}{f(1-m)(3-m)}
\end{aligned}$$

Mathematica [A] time = 2.52, size = 259, normalized size = 0.57

$$\sqrt{-\tan^2(e + fx) \cot(e + fx) (c \sec(e + fx))^m} \left(\frac{b^2 (3aB + Ab) \cos^3(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-3}{2}, \frac{m-1}{2}; \sec^2(e + fx)\right)}{m-3} + a \left(\frac{3b(aB + Ab) \cos^2(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-2}{2}, \frac{m-1}{2}; \sec^2(e + fx)\right)}{m-2} + \dots \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[e + f*x])^3*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]

[Out] (Cot[e + f*x]*((b^3*B*Cos[e + f*x]^4*Hypergeometric2F1[1/2, (-4 + m)/2, (-2 + m)/2, Sec[e + f*x]^2])/(-4 + m) + (b^2*(A*b + 3*a*B)*Cos[e + f*x]^3*Hypergeometric2F1[1/2, (-3 + m)/2, (-1 + m)/2, Sec[e + f*x]^2])/(-3 + m) + a*((3*b*(A*b + a*B)*Cos[e + f*x]^2*Hypergeometric2F1[1/2, (-2 + m)/2, m/2, Sec[e + f*x]^2])/(-2 + m) + a*(((3*A*b + a*B)*Cos[e + f*x]*Hypergeometric2F1[1/2, (-1 + m)/2, (1 + m)/2, Sec[e + f*x]^2])/(-1 + m) + (a*A*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[e + f*x]^2])/m))* (c*Sec[e + f*x])^m*sqrt[-Tan[e + f*x]^2])/f

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^3 \cos(fx + e)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(fx + e)^3 + 3(Ba^2b + Aab^2) \cos(fx + e)^2 + (Ba^3 + 3Aab) \cos(fx + e) + A^2\right) (c \sec(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^3*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="fricas")

[Out] integral((B*b^3*cos(f*x + e)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(f*x + e)^3 + 3*(B*a^2*b + A*a*b^2)*cos(f*x + e)^2 + (B*a^3 + 3*A*a^2*b)*cos(f*x + e)) * (c*sec(f*x + e))^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A) (b \cos(fx + e) + a)^3 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^3*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^3*(c*sec(f*x + e))^m, x)

maple [F] time = 2.23, size = 0, normalized size = 0.00

$$\int (a + b \cos(fx + e))^3 (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(f*x+e))^3*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

[Out] int((a+b*cos(f*x+e))^3*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^3 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^3*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^3*(c*sec(f*x + e))^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left(\frac{c}{\cos(e + fx)} \right)^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^3,x)

[Out] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sec(e + fx))^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))**3*(A+B*cos(f*x+e))*(c*sec(f*x+e))**m,x)

[Out] Integral((c*sec(e + f*x))**m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))**3, x)

$$3.638 \quad \int (a+b \cos(e+fx))^2 (A+B \cos(e+fx))(c \sec(e+fx))^m dx$$

Optimal. Leaf size=327

$$\frac{c^4 \sin(e+fx) (a^2 B(3-m) + 2aAb(3-m) + b^2 B(2-m)) (c \sec(e+fx))^{m-4} {}_2F_1\left(\frac{1}{2}, \frac{4-m}{2}; \frac{6-m}{2}; \cos^2(e+fx)\right) c^3}{f(2-m)(4-m) \sqrt{\sin^2(e+fx)}}$$

[Out] $-c^4*(b^2*B*(2-m)+2*a*A*b*(3-m)+a^2*B*(3-m))*\text{hypergeom}([1/2, 2-1/2*m], [3-1/2*m], \cos(f*x+e)^2)*(c*\sec(f*x+e))^{(-4+m)*\sin(f*x+e)/f/(m^2-6*m+8)}/(\sin(f*x+e)^2)^{(1/2)}-c^3*(A*b^2*(1-m)+2*a*b*B*(1-m)+a^2*A*(2-m))*\text{hypergeom}([1/2, 3/2-1/2*m], [5/2-1/2*m], \cos(f*x+e)^2)*(c*\sec(f*x+e))^{(-3+m)*\sin(f*x+e)/f/(m^2-4*m+3)}/(\sin(f*x+e)^2)^{(1/2)}-a*c^3*(a*B*(1-m)-A*b*m)*(c*\sec(f*x+e))^{(-3+m)*\tan(f*x+e)/f/(m^2-3*m+2)}-a*A*c^3*(c*\sec(f*x+e))^{(-3+m)*(b+a*\sec(f*x+e))*\tan(f*x+e)/f/(1-m)}$

Rubi [A] time = 0.64, antiderivative size = 327, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2960, 4026, 4047, 3772, 2643, 4046}

$$\frac{c^4 \sin(e+fx) (a^2 B(3-m) + 2aAb(3-m) + b^2 B(2-m)) (c \sec(e+fx))^{m-4} {}_2F_1\left(\frac{1}{2}, \frac{4-m}{2}; \frac{6-m}{2}; \cos^2(e+fx)\right) c^3}{f(2-m)(4-m) \sqrt{\sin^2(e+fx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[e + f*x])^2*(A + B*\text{Cos}[e + f*x])*(c*\text{Sec}[e + f*x])^m, x]$

[Out] $-((c^4*(b^2*B*(2-m) + 2*a*A*b*(3-m) + a^2*B*(3-m))*\text{Hypergeometric2F1}[1/2, (4-m)/2, (6-m)/2, \text{Cos}[e + f*x]^2]*(c*\text{Sec}[e + f*x])^{(-4+m)*\text{Sin}[e + f*x]}/(f*(2-m)*(4-m)*\text{Sqrt}[\text{Sin}[e + f*x]^2])) - (c^3*(A*b^2*(1-m) + 2*a*b*B*(1-m) + a^2*A*(2-m))*\text{Hypergeometric2F1}[1/2, (3-m)/2, (5-m)/2, \text{Cos}[e + f*x]^2]*(c*\text{Sec}[e + f*x])^{(-3+m)*\text{Sin}[e + f*x]}/(f*(1-m)*(3-m))*\text{Sqrt}[\text{Sin}[e + f*x]^2]) - (a*c^3*(a*B*(1-m) - A*b*m)*(c*\text{Sec}[e + f*x])^{(-3+m)*\text{Tan}[e + f*x]}/(f*(1-m)*(2-m)) - (a*A*c^3*(c*\text{Sec}[e + f*x])^{(-3+m)*(b + a*\text{Sec}[e + f*x])*\text{Tan}[e + f*x]}/(f*(1-m))}$

Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2)]/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x \&\amp; \text{IntegerQ}[2*n]$

Rule 2960

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_)]*(g_*))^{(p_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]^{(n_*)}), x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x \&\amp; \text{NeQ}[b*c - a*d, 0] \&\amp; \text{IntegerQ}[p] \&\amp; \text{IntegerQ}[m] \&\amp; \text{IntegerQ}[n]$

Rule 3772

$\text{Int}[(\text{csc}[(c_*) + (d_*)*(x_)]*(b_*))^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(b*\text{Csc}[c + d*x])^{(n-1)}*((\text{Sin}[c + d*x]/b)^{(n-1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /; \text{FreeQ}\{b, c, d, n\}, x \&\amp; \text{IntegerQ}[n]$

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(e + fx))^2 (A + B \cos(e + fx)) (c \sec(e + fx))^m dx &= c^3 \int (c \sec(e + fx))^{-3+m} (b + a \sec(e + fx))^2 (A + B \cos(e + fx)) dx \\ &= -\frac{aAc^3(c \sec(e + fx))^{-3+m}(b + a \sec(e + fx))^2}{f(1 - m)} \\ &= -\frac{aAc^3(c \sec(e + fx))^{-3+m}(b + a \sec(e + fx))}{f(1 - m)} \\ &= -\frac{ac^3(aB(1 - m) - Abm)(c \sec(e + fx))^{-3+m} \tan(e + fx)}{f(1 - m)(2 - m)} \\ &= -\frac{(Ab^2(1 - m) + 2abB(1 - m) + a^2A(2 - m))c^3 \sec^2(e + fx)}{f(1 - m)(2 - m)} \\ &= -\frac{(Ab^2(1 - m) + 2abB(1 - m) + a^2A(2 - m))c^3 \sec^2(e + fx)}{f(1 - m)(2 - m)} \end{aligned}$$

Mathematica [A] time = 0.99, size = 205, normalized size = 0.63

$$\frac{\sqrt{-\tan^2(e + fx)} \cot(e + fx) (c \sec(e + fx))^m \left(\frac{b(2aB + Ab) \cos^2(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-2}{2}; \frac{m}{2}; \sec^2(e + fx)\right)}{m-2} + a \left(\frac{(aB + 2Ab) \cos(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-2}{2}; \frac{m}{2}; \sec^2(e + fx)\right)}{m-2} \right) \right)}{f}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[e + f*x])^2*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]
```

[Out] $(\text{Cot}[e + f*x] * ((b^2 * B * \text{Cos}[e + f*x]^3 * \text{Hypergeometric2F1}[1/2, (-3 + m)/2, (-1 + m)/2, \text{Sec}[e + f*x]^2]) / (-3 + m) + (b * (A * b + 2 * a * B) * \text{Cos}[e + f*x]^2 * \text{Hypergeometric2F1}[1/2, (-2 + m)/2, m/2, \text{Sec}[e + f*x]^2]) / (-2 + m) + a * ((2 * A * b + a * B) * \text{Cos}[e + f*x] * \text{Hypergeometric2F1}[1/2, (-1 + m)/2, (1 + m)/2, \text{Sec}[e + f*x]^2]) / (-1 + m) + (a * A * \text{Hypergeometric2F1}[1/2, m/2, (2 + m)/2, \text{Sec}[e + f*x]^2]) / m) * (c * \text{Sec}[e + f*x])^m * \text{Sqrt}[-\text{Tan}[e + f*x]^2]) / f$

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(fx + e)^3 + Aa^2 + (2Bab + Ab^2) \cos(fx + e)^2 + (Ba^2 + 2Aab) \cos(fx + e)\right) (c \sec(fx + e))^m\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))^2*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="fricas")`

[Out] `integral((B*b^2*cos(f*x + e)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(f*x + e)^2 + (B*a^2 + 2*A*a*b)*cos(f*x + e))*(c*sec(f*x + e))^m, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A) (b \cos(fx + e) + a)^2 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))^2*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")`

[Out] `integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^2*(c*sec(f*x + e))^m, x)`

maple [F] time = 1.80, size = 0, normalized size = 0.00

$$\int (a + b \cos(fx + e))^2 (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(f*x+e))^2*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)`

[Out] `int((a+b*cos(f*x+e))^2*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A) (b \cos(fx + e) + a)^2 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))^2*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="maxima")`

[Out] `integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^2*(c*sec(f*x + e))^m, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left(\frac{c}{\cos(e + fx)} \right)^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^2,x)`

[Out] `int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sec(e + fx))^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))**2*(A+B*cos(f*x+e))*(c*sec(f*x+e))**m,x)`

[Out] `Integral((c*sec(e + f*x))**m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))**2, x)`

3.639 $\int (a+b \cos(e+fx))(A+B \cos(e+fx))(c \sec(e+fx))^m dx$

Optimal. Leaf size=217

$$\frac{c^3 \sin(e+fx)(aA(2-m) + bB(1-m))(c \sec(e+fx))^{m-3} {}_2F_1\left(\frac{1}{2}, \frac{3-m}{2}; \frac{5-m}{2}; \cos^2(e+fx)\right) c^2(aB + Ab) \sin(e+fx)}{f(1-m)(3-m)\sqrt{\sin^2(e+fx)}}$$

[Out] $-c^3*(b*B*(1-m)+a*A*(2-m))*\text{hypergeom}([1/2, 3/2-1/2*m], [5/2-1/2*m], \cos(f*x+e)^2)*(c*\sec(f*x+e))^{(-3+m)}*\sin(f*x+e)/f/(m^2-4*m+3)/(\sin(f*x+e)^2)^{(1/2)}-(A*b+B*a)*c^2*\text{hypergeom}([1/2, 1-1/2*m], [2-1/2*m], \cos(f*x+e)^2)*(c*\sec(f*x+e))^{(-2+m)}*\sin(f*x+e)/f/(2-m)/(\sin(f*x+e)^2)^{(1/2)}-a*A*c^2*(c*\sec(f*x+e))^{(-2+m)}*\tan(f*x+e)/f/(1-m)$

Rubi [A] time = 0.36, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {2960, 3997, 3787, 3772, 2643}

$$\frac{c^3 \sin(e+fx)(aA(2-m) + bB(1-m))(c \sec(e+fx))^{m-3} {}_2F_1\left(\frac{1}{2}, \frac{3-m}{2}; \frac{5-m}{2}; \cos^2(e+fx)\right) c^2(aB + Ab) \sin(e+fx)}{f(1-m)(3-m)\sqrt{\sin^2(e+fx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[e + f*x])*(A + B*\text{Cos}[e + f*x])*(c*\text{Sec}[e + f*x])^m, x]$

[Out] $-((c^3*(b*B*(1-m) + a*A*(2-m))*\text{Hypergeometric2F1}[1/2, (3-m)/2, (5-m)/2, \text{Cos}[e + f*x]^2]*(c*\text{Sec}[e + f*x])^{(-3+m)}*\text{Sin}[e + f*x])/f*(1-m)*(3-m)*\text{Sqrt}[\text{Sin}[e + f*x]^2])) - ((A*b + a*B)*c^2*\text{Hypergeometric2F1}[1/2, (2-m)/2, (4-m)/2, \text{Cos}[e + f*x]^2]*(c*\text{Sec}[e + f*x])^{(-2+m)}*\text{Sin}[e + f*x])/f*(2-m)*\text{Sqrt}[\text{Sin}[e + f*x]^2]) - (a*A*c^2*(c*\text{Sec}[e + f*x])^{(-2+m)}*\text{Tan}[e + f*x])/f*(1-m)$

Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 2960

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_)]*(g_*))^{(p_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)})^{(n_*)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3772

$\text{Int}[(\text{csc}[(c_*) + (d_*)*(x_)]*(b_*))^{(n_*)}, x_Symbol] \rightarrow \text{Simp}[(b*\text{Csc}[c + d*x])^{(n-1)}*((\text{Sin}[c + d*x]/b)^{(n-1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 3787

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_)]*(d_*))^{(n_*)}*(\text{csc}[(e_*) + (f_*)*(x_)]*(b_*) + (a_*)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(\text{csc}[(e_*) + (f_*)*(x_)]*(b_*))^{(n-1)}, x], x] /;$

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& !\text{LeQ}[n, -1]$

Rubi steps

$$\begin{aligned} \int (a + b \cos(e + fx))(A + B \cos(e + fx))(c \sec(e + fx))^m dx &= c^2 \int (c \sec(e + fx))^{-2+m} (b + a \sec(e + fx))(B + a \sec(e + fx)) dx \\ &= -\frac{aAc^2(c \sec(e + fx))^{-2+m} \tan(e + fx)}{f(1 - m)} - \frac{c^2 \int (c \sec(e + fx))^{-2+m} \tan(e + fx) dx}{f(1 - m)} \\ &= -\frac{aAc^2(c \sec(e + fx))^{-2+m} \tan(e + fx)}{f(1 - m)} + ((Ab + aB) \cos^2(e + fx)) \int (c \sec(e + fx))^{-2+m} dx \\ &= -\frac{aAc^2(c \sec(e + fx))^{-2+m} \tan(e + fx)}{f(1 - m)} + \left((Ab + aB) \cos^2(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{2-m}{2}; \frac{4-m}{2}; \cos^2(e + fx)\right) \right) \\ &= -\frac{(Ab + aB) \cos^2(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{2-m}{2}; \frac{4-m}{2}; \cos^2(e + fx)\right)}{f(2 - m)\sqrt{\sin^2(e + fx)}} \end{aligned}$$

Mathematica [A] time = 0.38, size = 163, normalized size = 0.75

$$\frac{\sqrt{-\tan^2(e + fx)} \cot(e + fx) (c \sec(e + fx))^m \left((m - 2) \left(m(aB + Ab) \cos(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-1}{2}; \frac{m+1}{2}; \sec^2(e + fx)\right) \right) \right)}{f(m - 2)(m - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[e + f*x])*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]

[Out] (Cot[e + f*x]*(b*B*(-1 + m)*m*Cos[e + f*x]^2*Hypergeometric2F1[1/2, (-2 + m)/2, m/2, Sec[e + f*x]^2] + (-2 + m)*((A*b + a*B)*m*Cos[e + f*x]*Hypergeometric2F1[1/2, (-1 + m)/2, (1 + m)/2, Sec[e + f*x]^2] + a*A*(-1 + m)*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[e + f*x]^2]))*(c*Sec[e + f*x])^m*sqrt[-Tan[e + f*x]^2])/(f*(-2 + m)*(-1 + m)*m)

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(fx + e)^2 + Aa + (Ba + Ab) \cos(fx + e)\right)(c \sec(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="fricas")

[Out] integral((B*b*cos(f*x + e)^2 + A*a + (B*a + A*b)*cos(f*x + e))*(c*sec(f*x + e))^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)(c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m, x)

maple [F] time = 1.94, size = 0, normalized size = 0.00

$$\int (a + b \cos(fx + e))(A + B \cos(fx + e))(c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

[Out] int((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)(c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left(\frac{c}{\cos(e + fx)} \right)^m (A + B \cos(e + fx))(a + b \cos(e + fx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x)),x)

[Out] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sec(e + fx))^m (A + B \cos(e + fx))(a + b \cos(e + fx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

[Out] Integral((c*sec(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x)), x)

$$3.640 \quad \int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{a+b \cos(e+fx)} dx$$

Optimal. Leaf size=299

$$\frac{(Ab - aB) \sin(e + fx) \cos(e + fx) \cos^2(e + fx)^{m/2} (c \sec(e + fx))^{m+1} F_1\left(\frac{1}{2}; \frac{m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e+fx)}{a^2-b^2}\right)}{cf(a^2 - b^2)}$$

[Out] $-(A*b-B*a)*\text{AppellF1}(1/2, 1/2*m, 1, 3/2, \sin(f*x+e)^2, -b^2*\sin(f*x+e)^2/(a^2-b^2)) * \cos(f*x+e) * (\cos(f*x+e)^2)^{(1/2*m)} * (c*\sec(f*x+e))^{(1+m)} * \sin(f*x+e) / (a^2-b^2) / c / f + a*(A*b-B*a)*\text{AppellF1}(1/2, 1/2+1/2*m, 1, 3/2, \sin(f*x+e)^2, -b^2*\sin(f*x+e)^2/(a^2-b^2)) * (\cos(f*x+e)^2)^{(1/2+1/2*m)} * (c*\sec(f*x+e))^{(1+m)} * \sin(f*x+e) / b / (a^2-b^2) / c / f - B*c*\text{hypergeom}([1/2, 1/2-1/2*m], [3/2-1/2*m], \cos(f*x+e)^2) * (c*\sec(f*x+e))^{(-1+m)} * \sin(f*x+e) / b / f / (1-m) / (\sin(f*x+e)^2)^{(1/2)}$

Rubi [A] time = 0.58, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2960, 4038, 3772, 2643, 3869, 2823, 3189, 429}

$$\frac{(Ab - aB) \sin(e + fx) \cos(e + fx) \cos^2(e + fx)^{m/2} (c \sec(e + fx))^{m+1} F_1\left(\frac{1}{2}; \frac{m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e+fx)}{a^2-b^2}\right)}{cf(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\frac{(A + B*\text{Cos}[e + f*x])*(c*\text{Sec}[e + f*x])^m}{(a + b*\text{Cos}[e + f*x])}, x]$

[Out] $-\frac{((A*b - a*B)*\text{AppellF1}[1/2, m/2, 1, 3/2, \text{Sin}[e + f*x]^2, -((b^2*\text{Sin}[e + f*x]^2)/(a^2 - b^2))]) * \text{Cos}[e + f*x] * (\text{Cos}[e + f*x]^2)^{(m/2)} * (c*\text{Sec}[e + f*x])^{(1+m)} * \text{Sin}[e + f*x]}{(a^2 - b^2)*c*f} + \frac{a*(A*b - a*B)*\text{AppellF1}[1/2, (1+m)/2, 1, 3/2, \text{Sin}[e + f*x]^2, -((b^2*\text{Sin}[e + f*x]^2)/(a^2 - b^2))]}{(a^2 - b^2)*c*f} * (\text{Cos}[e + f*x]^2)^{((1+m)/2)} * (c*\text{Sec}[e + f*x])^{(1+m)} * \text{Sin}[e + f*x]}{b*(a^2 - b^2)*c*f} - \frac{B*c*\text{Hypergeometric2F1}[1/2, (1-m)/2, (3-m)/2, \text{Cos}[e + f*x]^2]}{(b*f*(1-m)*\text{Sqrt}[\text{Sin}[e + f*x]^2])} * (c*\text{Sec}[e + f*x])^{(-1+m)} * \text{Sin}[e + f*x]}$

Rule 429

$\text{Int}[\frac{(a_*) + (b_*)*(x_*)^{(n_*)}}{(c_*) + (d_*)*(x_*)^{(n_*)}}]^{(p_*)} * ((c_*) + (d_*)*(x_*)^{(n_*)})^{(q_*)}, x_Symbol]$
 $\rightarrow \text{Simp}[a^p*c^q*x*\text{AppellF1}[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /;$ FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 2643

$\text{Int}[\frac{(b_*)*\sin[(c_*) + (d_*)*(x_*)]}{(c_*) + (d_*)*(x_*)}]^{(n_*)}, x_Symbol]$ $\rightarrow \text{Simp}[(\text{Cos}[c + d*x] * (b*\text{Sin}[c + d*x])^{(n+1)} * \text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2]) / (b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 2823

$\text{Int}[\frac{(d_*)*\sin[(e_*) + (f_*)*(x_*)]}{(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]}]^{(n_*)}, x_Symbol]$ $\rightarrow \text{Dist}[a, \text{Int}[(d*\text{Sin}[e + f*x])^n / (a^2 - b^2*\text{Sin}[e + f*x]^2), x], x] - \text{Dist}[b/d, \text{Int}[(d*\text{Sin}[e + f*x])^{(n+1)} / (a^2 - b^2*\text{Sin}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0]

Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3189

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> With[{ff = FreeFactors[Cos[e + f*x], x]}, -Dist[(ff*d^(2*IntPart[(m - 1)/2] + 1)*(d*SIN[e + f*x])^(2*FracPart[(m - 1)/2]))/(f*(Sin[e + f*x]^2)^FracPart[(m - 1)/2]), Subst[Int[(1 - ff^2*x^2)^((m - 1)/2)*(a + b - b*ff^2*x^2)^p, x], x, Cos[e + f*x]/ff], x] /; FreeQ[{a, b, d, e, f, m, p}, x] && !IntegerQ[m]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 3869

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Dist[SIN[e + f*x]^n*(d*Csc[e + f*x])^n, Int[(b + a*SIN[e + f*x])^m/SIN[e + f*x]^(m + n), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0] && IntegerQ[m]
```

Rule 4038

```
Int[((csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[A/a, Int[(d*Csc[e + f*x])^n, x], x] - Dist[(A*b - a*B)/(a*d), Int[(d*Csc[e + f*x])^(n + 1)/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rubi steps

2)>(-2*pi/t_nostep/2)Unable to check sign: (2*pi/t_nostep/2)>(-2*pi/t_nostep/2)Unable to check sign: (2*pi/t_nostep/2)>(-2*pi/t_nostep/2)Unable to check sign: (2*pi/t_nostep/2)>(-2*pi/t_nostep/2)Unable to check sign: (2*pi/t_nostep/2)>(-2*pi/t_nostep/2)Unable to check sign: (2*pi/t_nostep/2)>(-2*pi/t_nostep/2)Unable to divide, perhaps due to rounding error%{-1,[0,1,0,0]}% / %{-1,[0,0,1,0]}+%{-1,[0,0,0,1]} Error: Bad Argument Value

maple [F] time = 1.27, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(fx + e)) (c \sec(fx + e))^m}{a + b \cos(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e)),x)

[Out] int((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(fx + e) + A) (c \sec(fx + e))^m}{b \cos(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e)),x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(c*sec(f*x + e))^m/(b*cos(f*x + e) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{c}{\cos(e+fx)}\right)^m (A + B \cos(e + fx))}{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c/cos(e + f*x))^m*(A + B*cos(e + f*x)))/(a + b*cos(e + f*x)),x)

[Out] int(((c/cos(e + f*x))^m*(A + B*cos(e + f*x)))/(a + b*cos(e + f*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sec(e + fx))^m (A + B \cos(e + fx))}{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e)),x)

[Out] Integral((c*sec(e + f*x))^m*(A + B*cos(e + f*x))/(a + b*cos(e + f*x)), x)

$$3.641 \quad \int (a+b \cos(e+fx))^{3/2} (A+B \cos(e+fx))(c \sec(e+fx))^m dx$$

Optimal. Leaf size=210

$$\frac{2(c \cos(e+fx))^m (c \sec(e+fx))^m \operatorname{Int} \left(\frac{(c \cos(e+fx))^{-m} \left(\frac{1}{2} c \cos(e+fx) (a(5-2m)(aB+2Ab)+b^2 B(3-2m)) + \frac{1}{2} bc \cos^2(e+fx) (2aB(3-m)+A) \right)}{\sqrt{a+b \cos(e+fx)}} \right)}{c(5-2m)}$$

[Out] 2*b*B*cos(f*x+e)*(c*sec(f*x+e))^m*sin(f*x+e)*(a+b*cos(f*x+e))^(1/2)/f/(5-2*m)+2*(c*cos(f*x+e))^m*(c*sec(f*x+e))^m*Unintegrable((1/2*a*c*(2*b*B*(1-m)+2*a*A*(5/2-m))+1/2*c*(b^2*B*(3-2*m)+a*(2*A*b+B*a)*(5-2*m))*cos(f*x+e)+1/2*b*c*(A*b*(5-2*m)+2*a*B*(3-m))*cos(f*x+e)^2)/((c*cos(f*x+e))^m)/(a+b*cos(f*x+e))^(1/2),x)/c/(5-2*m)

Rubi [A] time = 0.72, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (a+b \cos(e+fx))^{3/2} (A+B \cos(e+fx))(c \sec(e+fx))^m dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Cos[e + f*x])^(3/2)*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]

[Out] (2*b*B*Cos[e + f*x]*Sqrt[a + b*Cos[e + f*x]]*(c*Sec[e + f*x])^m*Sin[e + f*x])/f*(5 - 2*m) + (2*(c*Cos[e + f*x])^m*(c*Sec[e + f*x])^m*Defer[Int][((a*c*(2*b*B*(1 - m) + 2*a*A*(5/2 - m)))/2 + (c*(b^2*B*(3 - 2*m) + a*(2*A*b + a*B)*(5 - 2*m))*Cos[e + f*x])/2 + (b*c*(A*b*(5 - 2*m) + 2*a*B*(3 - m))*Cos[e + f*x]^2)/2)/((c*Cos[e + f*x])^m*Sqrt[a + b*Cos[e + f*x]]), x])/c*(5 - 2*m)

Rubi steps

$$\int (a+b \cos(e+fx))^{3/2} (A+B \cos(e+fx))(c \sec(e+fx))^m dx = ((c \cos(e+fx))^m (c \sec(e+fx))^m) \int (c \cos(e+fx))^{3/2} (A+B \cos(e+fx)) dx = \frac{2bB \cos(e+fx) \sqrt{a+b \cos(e+fx)} (c \sec(e+fx))^m}{f(5-2m)}$$

Mathematica [A] time = 61.59, size = 0, normalized size = 0.00

$$\int (a+b \cos(e+fx))^{3/2} (A+B \cos(e+fx))(c \sec(e+fx))^m dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Cos[e + f*x])^(3/2)*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]

[Out] Integrate[(a + b*Cos[e + f*x])^(3/2)*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m, x]

fricas [A] time = 0.49, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\left(Bb \cos(fx+e)^2 + Aa + (Ba + Ab) \cos(fx+e) \right) \sqrt{b \cos(fx+e) + a} (c \sec(fx+e))^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="fricas")

[Out] integral((B*b*cos(f*x + e)^2 + A*a + (B*a + A*b)*cos(f*x + e))*sqrt(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^{\frac{3}{2}} (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^(3/2)*(c*sec(f*x + e))^m, x)

maple [A] time = 0.46, size = 0, normalized size = 0.00

$$\int (a + b \cos(fx + e))^{\frac{3}{2}} (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

[Out] int((a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^{\frac{3}{2}} (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^(3/2)*(c*sec(f*x + e))^m, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.00

$$\int \left(\frac{c}{\cos(e + fx)} \right)^m (A + B \cos(e + fx)) (a + b \cos(e + fx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^(3/2),x)

[Out] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))**(3/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))**m,x)

[Out] Timed out

$$3.642 \quad \int \sqrt{a + b \cos(e + fx)} (A + B \cos(e + fx))(c \sec(e + fx))^m dx$$

Optimal. Leaf size=61

$$(c \cos(e + fx))^m (c \sec(e + fx))^m \text{Int} \left(\sqrt{a + b \cos(e + fx)} (A + B \cos(e + fx))(c \cos(e + fx))^{-m}, x \right)$$

[Out] (c*cos(f*x+e))^m*(c*sec(f*x+e))^m*Unintegrable((A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2)/((c*cos(f*x+e))^m),x)

Rubi [A] time = 0.24, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \sqrt{a + b \cos(e + fx)} (A + B \cos(e + fx))(c \sec(e + fx))^m dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[a + b*Cos[e + f*x]]*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]

[Out] (c*Cos[e + f*x])^m*(c*Sec[e + f*x])^m*Defer[Int] [(Sqrt[a + b*Cos[e + f*x]]*(A + B*Cos[e + f*x]))/(c*Cos[e + f*x])^m, x]

Rubi steps

$$\int \sqrt{a + b \cos(e + fx)} (A + B \cos(e + fx))(c \sec(e + fx))^m dx = ((c \cos(e + fx))^m (c \sec(e + fx))^m) \int (c \cos(e + fx))^m dx$$

Mathematica [A] time = 13.20, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \cos(e + fx)} (A + B \cos(e + fx))(c \sec(e + fx))^m dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[a + b*Cos[e + f*x]]*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]

[Out] Integrate[Sqrt[a + b*Cos[e + f*x]]*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]

fricas [A] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left((B \cos(fx + e) + A) \sqrt{b \cos(fx + e) + a} (c \sec(fx + e))^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorith="fricas")

[Out] integral((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m,x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A) \sqrt{b \cos(fx + e) + a} (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m, x)

maple [A] time = 0.42, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \cos(fx + e)} (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(f*x+e))^(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

[Out] int((a+b*cos(f*x+e))^(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(fx + e) + A) \sqrt{b \cos(fx + e) + a} (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))^(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int \left(\frac{c}{\cos(e + fx)} \right)^m (A + B \cos(e + fx)) \sqrt{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^(1/2),x)

[Out] int((c/cos(e + f*x))^m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x))^(1/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sec(e + fx))^m (A + B \cos(e + fx)) \sqrt{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(f*x+e))**(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))**m,x)

[Out] Integral((c*sec(e + f*x))**m*(A + B*cos(e + f*x))*sqrt(a + b*cos(e + f*x)), x)

$$3.643 \quad \int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{\sqrt{a+b \cos(e+fx)}} dx$$

Optimal. Leaf size=61

$$(c \cos(e+fx))^m (c \sec(e+fx))^m \text{Int} \left(\frac{(A+B \cos(e+fx))(c \cos(e+fx))^{-m}}{\sqrt{a+b \cos(e+fx)}}, x \right)$$

[Out] (c*cos(f*x+e))^m*(c*sec(f*x+e))^m*Unintegrable((A+B*cos(f*x+e))/((c*cos(f*x+e))^m)/(a+b*cos(f*x+e))^(1/2),x)

Rubi [A] time = 0.24, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{\sqrt{a+b \cos(e+fx)}} dx$$

Verification is Not applicable to the result.

[In] Int[((A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m)/Sqrt[a + b*Cos[e + f*x]],x]

[Out] (c*Cos[e + f*x])^m*(c*Sec[e + f*x])^m*Defer[Int] [(A + B*Cos[e + f*x])/((c*Cos[e + f*x])^m*Sqrt[a + b*Cos[e + f*x]])], x]

Rubi steps

$$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{\sqrt{a+b \cos(e+fx)}} dx = ((c \cos(e+fx))^m (c \sec(e+fx))^m) \int \frac{(c \cos(e+fx))^{-m} (A+B \cos(e+fx))}{\sqrt{a+b \cos(e+fx)}} dx$$

Mathematica [A] time = 8.87, size = 0, normalized size = 0.00

$$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{\sqrt{a+b \cos(e+fx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m)/Sqrt[a + b*Cos[e + f*x]],x]

[Out] Integrate[((A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m)/Sqrt[a + b*Cos[e + f*x]], x]

fricas [A] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(B \cos(fx+e) + A) (c \sec(fx+e))^m}{\sqrt{b \cos(fx+e) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(f*x + e) + A)*(c*sec(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(fx + e) + A) (c \sec(fx + e))^m}{\sqrt{b \cos(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(c*sec(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)

maple [A] time = 0.41, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(fx + e)) (c \sec(fx + e))^m}{\sqrt{a + b \cos(fx + e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x)

[Out] int((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(fx + e) + A) (c \sec(fx + e))^m}{\sqrt{b \cos(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(c*sec(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\left(\frac{c}{\cos(e+fx)}\right)^m (A + B \cos(e + fx))}{\sqrt{a + b \cos(e + fx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c/cos(e + f*x))^m*(A + B*cos(e + f*x)))/(a + b*cos(e + f*x))^(1/2),x)

[Out] int(((c/cos(e + f*x))^m*(A + B*cos(e + f*x)))/(a + b*cos(e + f*x))^(1/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sec(e + fx))^m (A + B \cos(e + fx))}{\sqrt{a + b \cos(e + fx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))**m/(a+b*cos(f*x+e))**(1/2),x)

[Out] Integral((c*sec(e + f*x))**m*(A + B*cos(e + f*x))/sqrt(a + b*cos(e + f*x)), x)

$$3.644 \quad \int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{(a+b \cos(e+fx))^{3/2}} dx$$

Optimal. Leaf size=213

$$\frac{2(c \cos(e+fx))^m (c \sec(e+fx))^m \operatorname{Int} \left(\frac{(c \cos(e+fx))^{-m} \left(\frac{1}{2} c (a^2 A - 2abB(1-m) + Ab^2(1-2m)) - \frac{1}{2} bc(3-2m)(Ab-aB) \cos^2(e+fx) - \frac{1}{2} ac(Ab - a^2) \cos(e+fx) \right)}{\sqrt{a+b \cos(e+fx)}} \right)}{ac(a^2 - b^2)}$$

[Out] $2*b*(A*b-B*a)*\cos(f*x+e)*(c*\sec(f*x+e))^m*\sin(f*x+e)/a/(a^2-b^2)/f/(a+b*\cos(f*x+e))^{(1/2)}+2*(c*\cos(f*x+e))^m*(c*\sec(f*x+e))^m*\operatorname{Unintegrable}((1/2*c*(a^2*A+A*b^2*(1-2*m)-2*a*b*B*(1-m))-1/2*a*(A*b-B*a)*c*\cos(f*x+e)-1/2*b*(A*b-B*a)*c*(3-2*m)*\cos(f*x+e)^2)/((c*\cos(f*x+e))^m)/(a+b*\cos(f*x+e))^{(1/2)},x)/a/(a^2-b^2)/c$

Rubi [A] time = 0.69, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{(a+b \cos(e+fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Int}[(A+B*\cos[e+f*x])*(c*\sec[e+f*x])^m/(a+b*\cos[e+f*x])^{(3/2)},x]$

[Out] $(2*b*(A*b-a*B)*\cos[e+f*x]*(c*\sec[e+f*x])^m*\sin[e+f*x])/(a*(a^2-b^2)*f*\sqrt{a+b*\cos[e+f*x]})+(2*(c*\cos[e+f*x])^m*(c*\sec[e+f*x])^m*\operatorname{Difer}[\operatorname{Int}[(c*(a^2*A+A*b^2*(1-2*m)-2*a*b*B*(1-m)))/2-(a*(A*b-a*B)*c*\cos[e+f*x])/2-(b*(A*b-a*B)*c*(3-2*m)*\cos[e+f*x]^2)/2]/((c*\cos[e+f*x])^m*\sqrt{a+b*\cos[e+f*x]})],x)/(a*(a^2-b^2)*c)$

Rubi steps

$$\begin{aligned} \int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{(a+b \cos(e+fx))^{3/2}} dx &= ((c \cos(e+fx))^m (c \sec(e+fx))^m) \int \frac{(c \cos(e+fx))^{-m} (A+B \cos(e+fx))}{(a+b \cos(e+fx))^{3/2}} dx \\ &= \frac{2b(Ab-aB) \cos(e+fx) (c \sec(e+fx))^m \sin(e+fx)}{a(a^2-b^2) f \sqrt{a+b \cos(e+fx)}} + \frac{(2(c \cos(e+fx))^m (c \sec(e+fx))^m \operatorname{Int}[(c \cos(e+fx))^{-m} (A+B \cos(e+fx)) / (a+b \cos(e+fx))^{3/2}], x)}{a(a^2-b^2)} \end{aligned}$$

Mathematica [A] time = 11.21, size = 0, normalized size = 0.00

$$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{(a+b \cos(e+fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Integrate}[(A+B*\cos[e+f*x])*(c*\sec[e+f*x])^m/(a+b*\cos[e+f*x])^{(3/2)},x]$

[Out] $\operatorname{Integrate}[(A+B*\cos[e+f*x])*(c*\sec[e+f*x])^m/(a+b*\cos[e+f*x])^{(3/2)},x]$

fricas [A] time = 0.46, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{(B \cos(fx+e) + A) \sqrt{b \cos(fx+e) + a} (c \sec(fx+e))^m}{b^2 \cos(fx+e)^2 + 2ab \cos(fx+e) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m/(b^2*cos(f*x + e)^2 + 2*a*b*cos(f*x + e) + a^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(fx + e) + A) (c \sec(fx + e))^m}{(b \cos(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((B*cos(f*x + e) + A)*(c*sec(f*x + e))^m/(b*cos(f*x + e) + a)^(3/2), x)

maple [A] time = 0.39, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(fx + e)) (c \sec(fx + e))^m}{(a + b \cos(fx + e))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(3/2),x)

[Out] int((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(3/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(fx + e) + A) (c \sec(fx + e))^m}{(b \cos(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate((B*cos(f*x + e) + A)*(c*sec(f*x + e))^m/(b*cos(f*x + e) + a)^(3/2), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{c}{\cos(e+fx)}\right)^m (A + B \cos(e + fx))}{(a + b \cos(e + fx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c/cos(e + f*x))^m*(A + B*cos(e + f*x)))/(a + b*cos(e + f*x))^(3/2),x)

[Out] int(((c/cos(e + f*x))^m*(A + B*cos(e + f*x)))/(a + b*cos(e + f*x))^(3/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sec(e + fx))^m (A + B \cos(e + fx))}{(a + b \cos(e + fx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))**m/(a+b*cos(f*x+e))**(3/2),x)

[Out] Integral((c*sec(e + f*x))**m*(A + B*cos(e + f*x))/(a + b*cos(e + f*x))**(3/2), x)

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*   is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*   antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
    If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
      If[LeafCount[result]<=2*LeafCount[optimal],
        "A",
        "B"],
      "C"],
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      "C",
      "F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
```

```

(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
    If[ListQ[expn],
      Max[Map[ExpnType, expn]],
      If[Head[expn]===Power,
        If[IntegerQ[expn[[2]]],
          ExpnType[expn[[1]]],
          If[Head[expn[[2]]]===Rational,
            If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
              1,
              Max[ExpnType[expn[[1]], 2]],
            Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]],
          If[Head[expn]===Plus || Head[expn]===Times,
            Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
          If[ElementaryFunctionQ[Head[expn]],
            Max[3, ExpnType[expn[[1]]],
          If[SpecialFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
          If[HypergeometricFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
          If[AppellFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
          If[Head[expn]===RootSum,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
          If[Head[expn]===Integrate || Head[expn]===Int,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
          9]]]]]]]]]]

```

```

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

```

```

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```
AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]
```

4.0.2 Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
  debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B";
  fi;

  leaf_count_optimal:=leafcount(optimal);

  ExpnType_result:=ExpnType(result);
  ExpnType_optimal:=ExpnType(optimal);

  if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
ExpnType_optimal);
  fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
  return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
  if debug then
    print("ExpnType_result<=ExpnType_optimal");
  fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do
not as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function

```



```

# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+' or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

```

```

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

4.0.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]

```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+`' or
    type(expn,'*`)
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
    expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
    ,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:
        m1 = max(map(expnType, list(expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

```

```

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True

```

```

        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M',
hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer
)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):

```

```

        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(6,m1)      #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(8,m1)      #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```