

Computer algebra independent integration tests

4-Trig-functions/4.2-Cosine/4.2.8-a+b-cos-^m-c+d-trig-ⁿ

Nasser M. Abbasi

July 17, 2021

Compiled on July 17, 2021 at 10:39am

Contents

1	Introduction	5
1.1	Listing of CAS systems tested	5
1.2	Results	6
1.3	Performance	10
1.4	list of integrals that has no closed form antiderivative	11
1.5	list of integrals solved by CAS but has no known antiderivative	12
1.6	list of integrals solved by CAS but failed verification	12
1.7	Timing	13
1.8	Verification	13
1.9	Important notes about some of the results	13
1.9.1	Important note about Maxima results	13
1.9.2	Important note about FriCAS and Giac/XCAS results	14
1.9.3	Important note about finding leaf size of antiderivative	14
1.9.4	Important note about Mupad results	15
1.10	Design of the test system	16
2	detailed summary tables of results	17
2.1	List of integrals sorted by grade for each CAS	17
2.1.1	Rubi	17
2.1.2	Mathematica	17
2.1.3	Maple	17
2.1.4	Maxima	18

2.1.5	FriCAS	18
2.1.6	Sympy	18
2.1.7	Giac	18
2.1.8	Mupad	18
2.2	Detailed conclusion table per each integral for all CAS systems	19
2.3	Detailed conclusion table specific for Rubi results	23
3	Listing of integrals	25
3.1	$\int \frac{A+B \sin(x)}{a+b \cos(x)} dx$	25
3.2	$\int \frac{A+B \sin(x)}{1+\cos(x)} dx$	31
3.3	$\int \frac{A+B \sin(x)}{1-\cos(x)} dx$	34
3.4	$\int \frac{b+c+\sin(x)}{a+b \cos(x)} dx$	37
3.5	$\int \frac{b+c+\sin(x)}{a-b \cos(x)} dx$	43
3.6	$\int \frac{A+B \tan(x)}{a+b \cos(x)} dx$	49
3.7	$\int \frac{A+B \cot(x)}{a+b \cos(x)} dx$	54
3.8	$\int \frac{A+B \csc(x)}{a+b \cos(x)} dx$	58
3.9	$\int \frac{(c+d \sec(e+fx))^4}{a+b \cos(e+fx)} dx$	63
3.10	$\int \frac{(c+d \sec(e+fx))^3}{a+b \cos(e+fx)} dx$	73
3.11	$\int \frac{(c+d \sec(e+fx))^2}{a+b \cos(e+fx)} dx$	82
3.12	$\int \frac{c+d \sec(e+fx)}{a+b \cos(e+fx)} dx$	88
3.13	$\int \frac{1}{(a+b \cos(e+fx))(c+d \sec(e+fx))} dx$	93
3.14	$\int \frac{1}{(a+b \cos(e+fx))(c+d \sec(e+fx))^2} dx$	99
3.15	$\int \frac{1}{(a+b \cos(e+fx))(c+d \sec(e+fx))^3} dx$	113
3.16	$\int \frac{\sqrt{c+d \sec(e+fx)}}{a+b \cos(e+fx)} dx$	144
3.17	$\int \frac{1}{(a+b \cos(e+fx))\sqrt{c+d \sec(e+fx)}} dx$	148
3.18	$\int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{a+b \cos(d+ex)} dx$	152
3.19	$\int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+b \cos(d+ex))^2} dx$	158
3.20	$\int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+b \cos(d+ex))^3} dx$	163
3.21	$\int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+b \cos(d+ex))^4} dx$	169
4	Listing of Grading functions	177
4.0.1	Mathematica and Rubi grading function	177

4.0.2	Maple grading function	179
4.0.3	Sympy grading function	184
4.0.4	SageMath grading function	187

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [21]. This is test number [96].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (21)	% 0.00 (0)
Mathematica	% 100.00 (21)	% 0.00 (0)
Maple	% 100.00 (21)	% 0.00 (0)
Maxima	% 9.52 (2)	% 90.48 (19)
Fricas	% 76.19 (16)	% 23.81 (5)
Sympy	% 28.57 (6)	% 71.43 (15)
Giac	% 71.43 (15)	% 28.57 (6)
Mupad	% 90.48 (19)	% 9.52 (2)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	95.24	4.76	0.00	0.00
Maple	33.33	66.67	0.00	0.00
Maxima	9.52	0.00	0.00	90.48
Fricas	57.14	19.05	0.00	23.81
Sympy	28.57	0.00	0.00	71.43
Giac	28.57	42.86	0.00	28.57
Mupad	0.00	90.48	0.00	9.52

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	0	0.00 %	0.00 %	0.00 %
Maxima	19	10.53 %	0.00 %	89.47 %
Fricas	5	40.00 %	60.00 %	0.00 %
Sympy	15	80.00 %	20.00 %	0.00 %
Giac	6	33.33 %	0.00 %	66.67 %
Mupad	2	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS

1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.


System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.27	133.81	1.00	102.00	1.00
Mathematica	1.06	157.19	1.17	116.00	0.98
Maple	0.21	446.33	2.62	226.00	2.24
Maxima	0.32	19.00	0.91	19.00	0.91
Fricas	9.78	440.25	3.91	281.00	3.98
Sympy	16.45	492.67	8.10	680.00	9.90
Giac	1.24	333.13	2.85	342.00	1.83
Mupad	7.21	5601.79	27.31	1537.00	22.02

Table 1.5: Time and leaf size performance for each CAS


The following are bar charts for the normalized leafsize and time used columns from the above table.

Normalized mean size of antiderivative

Lower is better

**Mean time used (seconds)**

Lower is better



1.4 list of integrals that has no closed form antiderivative

{

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {9}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima abs_integrate was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user slelievre at <https://>

ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
 2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
 3. integer. Leaf size of result.
 4. integer. Leaf size of the optimal antiderivative.
 5. number. CPU time used to solve this integral. 0 if failed.
 6. string. The integral in Latex format
 7. string. The input used in CAS own syntax.
 8. string. The result (antiderivative) produced by CAS in Latex format
 9. string. The optimal antiderivative in Latex format.
 10. integer. 0 or 1. Indicates if problem has known antiderivative or not
 11. String. The result (antiderivative) in CAS own syntax.
 12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
 15. integer. Integrand leaf size.
 16. real number. Ratio of field 14 over field 15
 17. integer. 1 if result was verified or 0 if not verified.
 18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 }

B grade: { 9 }

C grade: { }

F grade: { }

2.1.3 Maple

A grade: { 2, 3, 7, 8, 12, 13, 16 }

B grade: { 1, 4, 5, 6, 9, 10, 11, 14, 15, 17, 18, 19, 20, 21 }

C grade: { }

F grade: { }

2.1.4 Maxima

A grade: { 2,3 }

B grade: { }

C grade: { }

F grade: { 1,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21 }

2.1.5 FriCAS

A grade: { 1,2,3,4,5,6,7,8,12,13,18,19 }

B grade: { 10,11,20,21 }

C grade: { }

F grade: { 9,14,15,16,17 }

2.1.6 Sympy

A grade: { 1,2,3,4,5,18 }

B grade: { }

C grade: { }

F grade: { 6,7,8,9,10,11,12,13,14,15,16,17,19,20,21 }

2.1.7 Giac

A grade: { 2,3,7,8,15,19 }

B grade: { 1,4,5,6,13,14,18,20,21 }

C grade: { }

F grade: { 9,10,11,12,16,17 }

2.1.8 Mupad

A grade: { }

B grade: { 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,18,19,20,21 }

C grade: { }

F grade: { 16,17 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	57	57	56	117	0	227	688	361	1537
normalized size	1	1.00	0.98	2.05	0.00	3.98	12.07	6.33	26.96
time (sec)	N/A	0.127	0.099	0.059	0.000	0.771	22.861	0.414	5.572
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	19	19	19	28	17	18	18
normalized size	1	1.00	1.00	1.00	1.00	1.47	0.89	0.95	0.95
time (sec)	N/A	0.068	0.036	0.053	0.307	0.646	0.294	0.852	2.177
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	23	23	20	31	19	25	27	39	30
normalized size	1	1.00	0.87	1.35	0.83	1.09	1.17	1.70	1.30
time (sec)	N/A	0.078	0.051	0.070	0.330	0.462	0.449	1.936	2.215

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	57	150	0	231	804	407	2219
normalized size	1	1.00	0.98	2.59	0.00	3.98	13.86	7.02	38.26
time (sec)	N/A	0.115	0.080	0.060	0.000	0.541	23.957	0.473	11.810

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	55	110	0	235	748	103	2213
normalized size	1	1.00	0.95	1.90	0.00	4.05	12.90	1.78	38.16
time (sec)	N/A	0.130	0.098	0.063	0.000	0.564	24.571	0.365	11.904

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	61	129	0	263	0	121	1540
normalized size	1	1.00	0.94	1.98	0.00	4.05	0.00	1.86	23.69
time (sec)	N/A	0.137	0.152	0.103	0.000	0.792	0.000	3.956	5.659

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	134	135	0	266	0	116	419
normalized size	1	1.00	1.34	1.35	0.00	2.66	0.00	1.16	4.19
time (sec)	N/A	0.156	0.275	0.097	0.000	7.235	0.000	0.382	3.581

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	116	134	0	265	0	115	417
normalized size	1	1.00	1.17	1.35	0.00	2.68	0.00	1.16	4.21
time (sec)	N/A	0.250	0.209	0.091	0.000	8.187	0.000	0.413	3.544

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	F(-1)	F	F(-2)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	247	247	526	1066	0	0	0	0	9992
normalized size	1	1.00	2.13	4.32	0.00	0.00	0.00	0.00	40.45
time (sec)	N/A	0.409	4.002	0.271	0.000	0.000	0.000	0.000	11.819

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	170	170	335	593	0	747	0	0	6735
normalized size	1	1.00	1.97	3.49	0.00	4.39	0.00	0.00	39.62
time (sec)	N/A	0.327	1.289	0.265	0.000	111.796	0.000	0.000	9.930

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	135	288	0	505	0	0	3577
normalized size	1	1.00	1.31	2.80	0.00	4.90	0.00	0.00	34.73
time (sec)	N/A	0.271	0.897	0.227	0.000	12.845	0.000	0.000	7.465

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	112	135	0	296	0	0	345
normalized size	1	1.00	1.47	1.78	0.00	3.89	0.00	0.00	4.54
time (sec)	N/A	0.137	0.159	0.213	0.000	1.634	0.000	0.000	3.553

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	106	110	0	1022	0	511	2665
normalized size	1	1.00	0.88	0.91	0.00	8.45	0.00	4.22	22.02
time (sec)	N/A	0.266	0.257	0.264	0.000	5.921	0.000	0.766	4.789

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	187	187	205	418	0	0	0	342	20827
normalized size	1	1.00	1.10	2.24	0.00	0.00	0.00	1.83	111.37
time (sec)	N/A	0.631	0.848	0.277	0.000	0.000	0.000	1.653	15.228

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	458	458	319	1869	0	0	0	770	52103
normalized size	1	1.00	0.70	4.08	0.00	0.00	0.00	1.68	113.76
time (sec)	N/A	0.971	2.473	0.330	0.000	0.000	0.000	3.846	20.251

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	213	213	184	357	0	0	0	0	-1
normalized size	1	1.00	0.86	1.68	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.385	4.158	0.676	0.000	2.063	0.000	0.000	0.000

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	187	239	0	0	0	0	-1
normalized size	1	1.00	1.83	2.34	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.202	4.398	0.576	0.000	2.460	0.000	0.000	0.000

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	82	226	0	326	672	459	886
normalized size	1	1.00	0.94	2.60	0.00	3.75	7.72	5.28	10.18
time (sec)	N/A	0.144	0.246	0.181	0.000	0.879	26.561	0.447	4.165

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	115	279	0	444	0	173	126
normalized size	1	1.00	0.96	2.32	0.00	3.70	0.00	1.44	1.05
time (sec)	N/A	0.172	0.430	0.174	0.000	1.250	0.000	0.923	2.566

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	187	187	175	994	0	830	0	502	283
normalized size	1	1.00	0.94	5.32	0.00	4.44	0.00	2.68	1.51
time (sec)	N/A	0.284	0.859	0.182	0.000	1.811	0.000	0.753	5.495

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	260	260	302	1974	0	1334	0	960	502
normalized size	1	1.00	1.16	7.59	0.00	5.13	0.00	3.69	1.93
time (sec)	N/A	0.499	1.192	0.188	0.000	1.192	0.000	1.439	5.220

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [8] had the largest ratio of [.5333]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	6	5	1.00	15	0.333
2	A	5	4	1.00	13	0.308
3	A	5	4	1.00	15	0.267
4	A	6	5	1.00	14	0.357
5	A	6	5	1.00	15	0.333
6	A	8	7	1.00	15	0.467
7	A	7	5	1.00	15	0.333
8	A	11	8	1.00	15	0.533
9	A	12	8	1.00	25	0.320
10	A	10	8	1.00	25	0.320
11	A	8	7	1.00	25	0.280
12	A	5	5	1.00	23	0.217
13	A	6	5	1.00	25	0.200
14	A	7	6	1.00	25	0.240
15	A	16	8	1.00	25	0.320
16	A	4	4	1.00	27	0.148
17	A	2	2	1.00	27	0.074
18	A	6	6	1.00	31	0.194
19	A	7	7	1.00	31	0.226
20	A	8	7	1.00	31	0.226
21	A	9	7	1.00	31	0.226

Chapter 3

Listing of integrals

3.1

$$\int \frac{A+B \sin(x)}{a+b \cos(x)} dx$$

Optimal. Leaf size=57

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} - \frac{B \log(a + b \cos(x))}{b}$$

[Out] $-B*\ln(a+b*\cos(x))/b+2*A*\arctan((a-b)^{(1/2)}*\tan(1/2*x)/(a+b)^{(1/2)))/(a-b)^{(1/2)}/(a+b)^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4401, 2659, 205, 2668, 31}

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} - \frac{B \log(a + b \cos(x))}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sin}[x])/(a + b*\text{Cos}[x]), x]$

[Out] $(2*A*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[x/2])/(\text{Sqrt}[a + b])]/(\text{Sqrt}[a - b]*\text{Sqrt}[a + b])) - (B*\text{Log}[a + b*\text{Cos}[x]])/b$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2668

Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

Rule 4401

Int[u_, x_Symbol] := With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sin(x)}{a + b \cos(x)} dx &= \int \left(\frac{A}{a + b \cos(x)} + \frac{B \sin(x)}{a + b \cos(x)} \right) dx \\ &= A \int \frac{1}{a + b \cos(x)} dx + B \int \frac{\sin(x)}{a + b \cos(x)} dx \\ &= (2A) \text{Subst} \left(\int \frac{1}{a + b + (a - b)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right) - \frac{B \text{Subst} \left(\int \frac{1}{a+x} dx, x, b \cos(x) \right)}{b} \\ &= \frac{2A \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}} - \frac{B \log(a + b \cos(x))}{b} \end{aligned}$$

Mathematica [A] time = 0.10, size = 56, normalized size = 0.98

$$-\frac{2A \tanh^{-1} \left(\frac{(a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{b^2 - a^2}} \right)}{\sqrt{b^2 - a^2}} - \frac{B \log(a + b \cos(x))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*SIN[x])/(a + b*cos[x]),x]

[Out] $(-2*A*ArcTanh[((a - b)*Tan[x/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - (B*Log[a + b*cos[x]])/b$

fricas [A] time = 0.77, size = 227, normalized size = 3.98

$$\frac{\sqrt{-a^2 + b^2} Ab \log\left(\frac{2ab \cos(x) + (2a^2 - b^2) \cos(x)^2 + 2\sqrt{-a^2 + b^2} (a \cos(x) + b) \sin(x) - a^2 + 2b^2}{b^2 \cos(x)^2 + 2ab \cos(x) + a^2}\right) + (Ba^2 - Bb^2) \log(b^2 \cos(x)^2 + 2ab \cos(x) + a^2)}{2(a^2b - b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sin(x))/(a+b*cos(x)),x, algorithm="fricas")

[Out] $[-1/2*(sqrt(-a^2 + b^2)*A*b*log((2*a*b*cos(x) + (2*a^2 - b^2)*cos(x)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(x) + b)*sin(x) - a^2 + 2*b^2)/(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2)) + (B*a^2 - B*b^2)*log(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2))/(a^2*b - b^3), 1/2*(2*sqrt(a^2 - b^2)*A*b*arctan(-(a*cos(x) + b)/(sqrt(a^2 - b^2)*sin(x))) - (B*a^2 - B*b^2)*log(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2))/(a^2*b - b^3)]$

giac [B] time = 0.41, size = 361, normalized size = 6.33

$$\frac{B(a+b)(a-b)^2 \log\left(\tan\left(\frac{1}{2}x\right)^2 + \frac{2a + \sqrt{-4(a+b)(a-b) + 4a^2}}{2(a-b)}\right)}{(a^2 - 2ab + b^2)b^2 + (a^3 - 2a^2b + ab^2)|b|} + \frac{\left(\sqrt{a^2 - b^2} Ab|a - b| + \sqrt{a^2 - b^2} A|a - b||b|\right) \pi \left[\frac{x}{2\pi} + \dots\right]}{(a^2 - 2ab + b^2)b^2 + (a^3 - 2a^2b + ab^2)|b|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sin(x))/(a+b*cos(x)),x, algorithm="giac")

[Out] $-B*(a + b)*(a - b)^2*log(tan(1/2*x)^2 + 1/2*(2*a + sqrt(-4*(a + b)*(a - b) + 4*a^2))/(a - b))/((a^2 - 2*a*b + b^2)*b^2 + (a^3 - 2*a^2*b + a*b^2)*abs(b)) + (sqrt(a^2 - b^2)*A*b*abs(a - b) + sqrt(a^2 - b^2)*A*abs(a - b)*abs(b)) * (pi*floor(1/2*x/pi + 1/2) + arctan(2*sqrt(1/2)*tan(1/2*x)/sqrt((2*a + sqrt(-4*(a + b)*(a - b) + 4*a^2))/(a - b))))/((a^2 - 2*a*b + b^2)*b^2 + (a^3 - 2*a^2*b + a*b^2)*abs(b)) + (A*b - A*abs(b))*(pi*floor(1/2*x/pi + 1/2) + arctan(2*sqrt(1/2)*tan(1/2*x)/sqrt((2*a - sqrt(-4*(a + b)*(a - b) + 4*a^2))/(a - b))))/(b^2 - a*abs(b)) - (B*a - B*b)*log(tan(1/2*x)^2 + 1/2*(2*a - sqrt(-4*(a + b)*(a - b) + 4*a^2))/(a - b))/(b^2 - a*abs(b))$

maple [B] time = 0.06, size = 117, normalized size = 2.05

$$\frac{\ln\left(a\left(\tan^2\left(\frac{x}{2}\right)\right) - \left(\tan^2\left(\frac{x}{2}\right)\right)b + a + b\right)aB}{b(a-b)} + \frac{\ln\left(a\left(\tan^2\left(\frac{x}{2}\right)\right) - \left(\tan^2\left(\frac{x}{2}\right)\right)b + a + b\right)B}{a-b} + \frac{2A \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{\sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sin(x))/(a+b*cos(x)),x)

[Out] -1/b/(a-b)*ln(a*tan(1/2*x)^2-tan(1/2*x)^2*b+a+b)*a*B+1/(a-b)*ln(a*tan(1/2*x)^2-tan(1/2*x)^2*b+a+b)*B+2*A/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*x)*(a-b)/(a-b)*(a+b))^(1/2))+B/b*ln(tan(1/2*x)^2+1)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sin(x))/(a+b*cos(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 5.57, size = 1537, normalized size = 26.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*sin(x))/(a + b*cos(x)),x)

[Out] (B*log(1/(cos(x) + 1)))/b - (log((a + b*cos(x))/(cos(x) + 1))*(2*B*b^3 - 2*B*a^2*b))/(2*(b^4 - a^2*b^2)) - (2*A*atan(((a^2 - b^2)*((A*(64*A*B*b^3 + ((2*B*b^3 - 2*B*a^2*b)*(32*A*b^4 + 32*A*a^2*b^2 - 64*A*a*b^3)))/(2*(b^4 - a^2*b^2)) - 128*A*B*a*b^2 + 64*A*B*a^2*b)))/(a^2 - b^2)^(1/2) + (A*(2*B*b^3 - 2*B*a^2*b)*(32*A*b^4 + 32*A*a^2*b^2 - 64*A*a*b^3))/(2*(b^4 - a^2*b^2)*(a^2 - b^2)^(1/2))))*(A^2*b^2 - 4*B^2*a^2 + 4*B^2*b^2))/((32*A*a - 32*A*b)*(a - b)*(A^2*b^2 + 4*B^2*a^2 - 4*B^2*b^2)^2) - (tan(x/2)*(a^2 - b^2)^(3/2)*(((A^3*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2))/(a^2 - b^2)^(3/2) + (((A*(64*B*b^4 + 64*B*a^2*b^2 - 128*B*a*b^3 - ((2*B*b^3 - 2*B*a^2*b)*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2)))/(2*(b^4 - a^2*b^2)))))/(a^2 - b^2)^(1/2) - (A*(2*B*b^3 - 2*B*a^2*b)*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2))/(2*(b^4 - a^2*b^2)*(a^2 - b

$$\begin{aligned} & \left. \right)^2)^{(1/2))} * (2*B*b^3 - 2*B*a^2*b)) / (2*(b^4 - a^2*b^2)) + (A*(32*A^2*b^3 + 6 \\ & 4*B^2*a^3 - 32*A^2*a*b^2 + 64*B^2*a*b^2 - 128*B^2*a^2*b + ((2*B*b^3 - 2*B*a \\ & ^2*b)*(64*B*b^4 + 64*B*a^2*b^2 - 128*B*a*b^3 - ((2*B*b^3 - 2*B*a^2*b)*(64*a \\ & *b^4 - 128*a^2*b^3 + 64*a^3*b^2)) / (2*(b^4 - a^2*b^2)))) / (2*(b^4 - a^2*b^2)) \\ &)) / (a^2 - b^2)^{(1/2)} * (A^2*b^2 - 4*B^2*a^2 + 4*B^2*b^2) / ((a^2 - b^2)^{(1/2)} \\ & * (a - b) * (A^2*b^2 + 4*B^2*a^2 - 4*B^2*b^2)^2) - (4*A*B*b*(64*B^3*a^2 + 64*B \\ & ^3*b^2 - 32*A^2*B*b^2 + (A*((A*(64*B*b^4 + 64*B*a^2*b^2 - 128*B*a*b^3 - ((2 \\ & *B*b^3 - 2*B*a^2*b)*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2)) / (2*(b^4 - a^2*b^2 \\ & 2)))))) / (a^2 - b^2)^{(1/2)} - (A*(2*B*b^3 - 2*B*a^2*b)*(64*a*b^4 - 128*a^2*b^3 \\ & + 64*a^3*b^2)) / (2*(b^4 - a^2*b^2)*(a^2 - b^2)^{(1/2)))) / (a^2 - b^2)^{(1/2)} - \\ & ((2*B*b^3 - 2*B*a^2*b)*(32*A^2*b^3 + 64*B^2*a^3 - 32*A^2*a*b^2 + 64*B^2*a*b \\ & ^2 - 128*B^2*a^2*b + ((2*B*b^3 - 2*B*a^2*b)*(64*B*b^4 + 64*B*a^2*b^2 - 128* \\ & B*a*b^3 - ((2*B*b^3 - 2*B*a^2*b)*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2)) / (2* \\ & (b^4 - a^2*b^2)))))) / (2*(b^4 - a^2*b^2))) / (2*(b^4 - a^2*b^2)) - 128*B^3*a*b \\ & + 32*A^2*B*a*b - (A^2*(2*B*b^3 - 2*B*a^2*b)*(64*a*b^4 - 128*a^2*b^3 + 64*a^ \\ & 3*b^2)) / (2*(b^4 - a^2*b^2)*(a^2 - b^2))) / ((a - b) * (A^2*b^2 + 4*B^2*a^2 - 4 \\ & *B^2*b^2)^2)) / (32*A*a - 32*A*b) + (4*A*B*b*(a^2 - b^2)^{(3/2)} * (32*A*B^2*a^2 \\ & + 32*A*B^2*b^2 + ((2*B*b^3 - 2*B*a^2*b)*(64*A*B*b^3 + ((2*B*b^3 - 2*B*a^2* \\ & b)*(32*A*b^4 + 32*A*a^2*b^2 - 64*A*a*b^3)) / (2*(b^4 - a^2*b^2)) - 128*A*B*a* \\ & b^2 + 64*A*B*a^2*b)) / (2*(b^4 - a^2*b^2)) - (A^2*(32*A*b^4 + 32*A*a^2*b^2 - \\ & 64*A*a*b^3)) / (a^2 - b^2) - 64*A*B^2*a*b)) / ((32*A*a - 32*A*b) * (a - b) * (A^2*b \\ & ^2 + 4*B^2*a^2 - 4*B^2*b^2)^2)) / (a^2 - b^2)^{(1/2)} \end{aligned}$$

sympy [A] time = 22.86, size = 688, normalized size = 12.07

$$\left\{ \begin{array}{l} \infty \left(-A \log \left(\tan \left(\frac{x}{2} \right) - 1 \right) + A \log \left(\tan \left(\frac{x}{2} \right) + 1 \right) - B \log \left(\tan \left(\frac{x}{2} \right) - 1 \right) - B \log \left(\tan \left(\frac{x}{2} \right) + 1 \right) + B \log \left(\tan^2 \left(\frac{x}{2} \right) + 1 \right) \right. \\ \left. \frac{A \tan \left(\frac{x}{2} \right)}{b} + \frac{B \log \left(\tan^2 \left(\frac{x}{2} \right) + 1 \right)}{b} \right. \\ \left. \frac{A}{b \tan \left(\frac{x}{2} \right)} + \frac{B \log \left(\tan^2 \left(\frac{x}{2} \right) + 1 \right)}{b} - \frac{2B \log \left(\tan \left(\frac{x}{2} \right) \right)}{b} \right. \\ \left. \frac{Ax - B \cos(x)}{a} \right. \\ \left. \frac{Ab \log \left(-\sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} + \tan \left(\frac{x}{2} \right) \right)}{ab \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} - b^2 \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}} - \frac{Ab \log \left(\sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} + \tan \left(\frac{x}{2} \right) \right)}{ab \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} - b^2 \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}} - \frac{Ba \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} \log \left(-\sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} + \tan \left(\frac{x}{2} \right) \right)}{ab \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} - b^2 \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}} - \frac{Ba \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} \log \left(\sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} + \tan \left(\frac{x}{2} \right) \right)}{ab \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} - b^2 \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}} \right. \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sin(x))/(a+b*cos(x)),x)

[Out] Piecewise((zoo*(-A*log(tan(x/2) - 1) + A*log(tan(x/2) + 1) - B*log(tan(x/2) - 1) - B*log(tan(x/2) + 1) + B*log(tan(x/2)**2 + 1)), Eq(a, 0) & Eq(b, 0)), (A*tan(x/2)/b + B*log(tan(x/2)**2 + 1)/b, Eq(a, b)), (A/(b*tan(x/2)) + B*

```

log(tan(x/2)**2 + 1)/b - 2*B*log(tan(x/2))/b, Eq(a, -b)), ((A*x - B*cos(x))
/a, Eq(b, 0)), (A*b*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*b*sqrt
(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(a - b) - b/(a - b))) - A*b*log(sqrt
(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a - b)) - b
**2*sqrt(-a/(a - b) - b/(a - b))) - B*a*sqrt(-a/(a - b) - b/(a - b))*log(-s
qrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a - b)) -
b**2*sqrt(-a/(a - b) - b/(a - b))) - B*a*sqrt(-a/(a - b) - b/(a - b))*log(
sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a - b))
- b**2*sqrt(-a/(a - b) - b/(a - b))) + B*a*sqrt(-a/(a - b) - b/(a - b))*log
(tan(x/2)**2 + 1)/(a*b*sqrt(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(a - b)
- b/(a - b))) + B*b*sqrt(-a/(a - b) - b/(a - b))*log(-sqrt(-a/(a - b) - b/(
a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(a - b)
- b/(a - b))) + B*b*sqrt(-a/(a - b) - b/(a - b))*log(sqrt(-a/(a - b) - b/(
a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(a -
b) - b/(a - b))) - B*b*sqrt(-a/(a - b) - b/(a - b))*log(tan(x/2)**2 + 1)/(a
*b*sqrt(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(a - b) - b/(a - b))), True)
)

```

$$3.2 \quad \int \frac{A+B \sin(x)}{1+\cos(x)} dx$$

Optimal. Leaf size=19

$$\frac{A \sin(x)}{\cos(x) + 1} - B \log(\cos(x) + 1)$$

[Out] $-B*\ln(1+\cos(x))+A*\sin(x)/(1+\cos(x))$

Rubi [A] time = 0.07, antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {4401, 2648, 2667, 31}

$$\frac{A \sin(x)}{\cos(x) + 1} - B \log(\cos(x) + 1)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sin}[x])/(1 + \text{Cos}[x]), x]$

[Out] $-(B*\text{Log}[1 + \text{Cos}[x]]) + (A*\text{Sin}[x])/(1 + \text{Cos}[x])$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 2648

$\text{Int}[(a_ + (b_)*\sin[(c_ + (d_)*(x_))])^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/(d*(b + a*\text{Sin}[c + d*x])), x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 2667

$\text{Int}[\cos[(e_ + (f_)*(x_))]^{(p_)*((a_ + (b_)*\sin[(e_ + (f_)*(x_))])^m)}, x_Symbol] \rightarrow \text{Dist}[1/(b^p*f), \text{Subst}[\text{Int}[(a + x)^{(m + (p - 1)/2)}*(a - x)^{(p - 1)/2}, x], x, b*\text{Sin}[e + f*x]], x] /; \text{FreeQ}\{a, b, e, f, m\}, x] \ \&\& \ \text{IntegerQ}[(p - 1)/2] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ (\text{GeQ}[p, -1] \ || \ !\text{IntegerQ}[m + 1/2])$

Rule 4401

$\text{Int}[u, x_Symbol] \rightarrow \text{With}\{v = \text{ExpandTrig}[u, x]\}, \text{Int}[v, x] /; \text{SumQ}[v] /; !\text{InertTrigFreeQ}[u]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sin(x)}{1 + \cos(x)} dx &= \int \left(\frac{A}{1 + \cos(x)} + \frac{B \sin(x)}{1 + \cos(x)} \right) dx \\
&= A \int \frac{1}{1 + \cos(x)} dx + B \int \frac{\sin(x)}{1 + \cos(x)} dx \\
&= \frac{A \sin(x)}{1 + \cos(x)} - B \operatorname{Subst} \left(\int \frac{1}{1 + x} dx, x, \cos(x) \right) \\
&= -B \log(1 + \cos(x)) + \frac{A \sin(x)}{1 + \cos(x)}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 19, normalized size = 1.00

$$A \tan\left(\frac{x}{2}\right) - 2B \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sin[x])/(1 + Cos[x]),x]

[Out] -2*B*Log[Cos[x/2]] + A*Tan[x/2]

fricas [A] time = 0.65, size = 28, normalized size = 1.47

$$-\frac{(B \cos(x) + B) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) - A \sin(x)}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sin(x))/(1+cos(x)),x, algorithm="fricas")

[Out] -((B*cos(x) + B)*log(1/2*cos(x) + 1/2) - A*sin(x))/(cos(x) + 1)

giac [A] time = 0.85, size = 18, normalized size = 0.95

$$B \log\left(\tan\left(\frac{1}{2} x\right)^2 + 1\right) + A \tan\left(\frac{1}{2} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sin(x))/(1+cos(x)),x, algorithm="giac")

[Out] B*log(tan(1/2*x)^2 + 1) + A*tan(1/2*x)

maple [A] time = 0.05, size = 19, normalized size = 1.00

$$A \tan\left(\frac{x}{2}\right) + B \ln\left(\tan^2\left(\frac{x}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sin(x))/(cos(x)+1),x)

[Out] A*tan(1/2*x)+B*ln(tan(1/2*x)^2+1)

maxima [A] time = 0.31, size = 19, normalized size = 1.00

$$-B \log(\cos(x) + 1) + \frac{A \sin(x)}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sin(x))/(1+cos(x)),x, algorithm="maxima")

[Out] -B*log(cos(x) + 1) + A*sin(x)/(cos(x) + 1)

mupad [B] time = 2.18, size = 18, normalized size = 0.95

$$B \ln\left(\tan\left(\frac{x}{2}\right)^2 + 1\right) + A \tan\left(\frac{x}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*sin(x))/(cos(x) + 1),x)

[Out] B*log(tan(x/2)^2 + 1) + A*tan(x/2)

sympy [A] time = 0.29, size = 17, normalized size = 0.89

$$A \tan\left(\frac{x}{2}\right) + B \log\left(\tan^2\left(\frac{x}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sin(x))/(1+cos(x)),x)

[Out] A*tan(x/2) + B*log(tan(x/2)**2 + 1)

3.3 $\int \frac{A+B \sin(x)}{1-\cos(x)} dx$

Optimal. Leaf size=23

$$B \log(1 - \cos(x)) - \frac{A \sin(x)}{1 - \cos(x)}$$

[Out] B*ln(1-cos(x))-A*sin(x)/(1-cos(x))

Rubi [A] time = 0.08, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {4401, 2648, 2667, 31}

$$B \log(1 - \cos(x)) - \frac{A \sin(x)}{1 - \cos(x)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sin[x])/(1 - Cos[x]),x]

[Out] B*Log[1 - Cos[x]] - (A*Sin[x])/(1 - Cos[x])

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 2648

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])⁽⁻¹⁾, x_Symbol] :> -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a² - b², 0]

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^{(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^{(m + (p - 1)/2)((p - 1)/2)}, x], x, b*Sin[e + f*x], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a² - b², 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])}

Rule 4401

Int[u_, x_Symbol] :> With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sin(x)}{1 - \cos(x)} dx &= \int \left(-\frac{A}{-1 + \cos(x)} - \frac{B \sin(x)}{-1 + \cos(x)} \right) dx \\
&= -\left(A \int \frac{1}{-1 + \cos(x)} dx \right) - B \int \frac{\sin(x)}{-1 + \cos(x)} dx \\
&= -\frac{A \sin(x)}{1 - \cos(x)} + B \operatorname{Subst} \left(\int \frac{1}{-1 + x} dx, x, \cos(x) \right) \\
&= B \log(1 - \cos(x)) - \frac{A \sin(x)}{1 - \cos(x)}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 20, normalized size = 0.87

$$2B \log \left(\sin \left(\frac{x}{2} \right) \right) - A \cot \left(\frac{x}{2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sin[x])/(1 - Cos[x]),x]

[Out] -(A*Cot[x/2]) + 2*B*Log[Sin[x/2]]

fricas [A] time = 0.46, size = 25, normalized size = 1.09

$$\frac{B \log \left(-\frac{1}{2} \cos(x) + \frac{1}{2} \right) \sin(x) - A \cos(x) - A}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sin(x))/(1-cos(x)),x, algorithm="fricas")

[Out] (B*log(-1/2*cos(x) + 1/2)*sin(x) - A*cos(x) - A)/sin(x)

giac [A] time = 1.94, size = 39, normalized size = 1.70

$$-B \log \left(\tan \left(\frac{1}{2} x \right)^2 + 1 \right) + 2B \log \left(\left| \tan \left(\frac{1}{2} x \right) \right| \right) - \frac{2B \tan \left(\frac{1}{2} x \right) + A}{\tan \left(\frac{1}{2} x \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sin(x))/(1-cos(x)),x, algorithm="giac")

[Out] $-B \cdot \log(\tan(1/2 \cdot x)^2 + 1) + 2 \cdot B \cdot \log(\text{abs}(\tan(1/2 \cdot x))) - (2 \cdot B \cdot \tan(1/2 \cdot x) + A) / \tan(1/2 \cdot x)$

maple [A] time = 0.07, size = 31, normalized size = 1.35

$$-\frac{A}{\tan\left(\frac{x}{2}\right)} + 2B \ln\left(\tan\left(\frac{x}{2}\right)\right) - B \ln\left(\tan^2\left(\frac{x}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sin(x))/(1-cos(x)),x)`

[Out] $-A/\tan(1/2 \cdot x) + 2 \cdot B \cdot \ln(\tan(1/2 \cdot x)) - B \cdot \ln(\tan(1/2 \cdot x)^2 + 1)$

maxima [A] time = 0.33, size = 19, normalized size = 0.83

$$B \log(\cos(x) - 1) - \frac{A(\cos(x) + 1)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sin(x))/(1-cos(x)),x, algorithm="maxima")`

[Out] $B \cdot \log(\cos(x) - 1) - A \cdot (\cos(x) + 1) / \sin(x)$

mupad [B] time = 2.21, size = 30, normalized size = 1.30

$$2B \ln\left(\tan\left(\frac{x}{2}\right)\right) - \frac{A}{\tan\left(\frac{x}{2}\right)} - B \ln\left(\tan\left(\frac{x}{2}\right)^2 + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(A + B*sin(x))/(cos(x) - 1),x)`

[Out] $2 \cdot B \cdot \log(\tan(x/2)) - A/\tan(x/2) - B \cdot \log(\tan(x/2)^2 + 1)$

sympy [A] time = 0.45, size = 27, normalized size = 1.17

$$-\frac{A}{\tan\left(\frac{x}{2}\right)} - B \log\left(\tan^2\left(\frac{x}{2}\right) + 1\right) + 2B \log\left(\tan\left(\frac{x}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sin(x))/(1-cos(x)),x)`

[Out] $-A/\tan(x/2) - B \cdot \log(\tan(x/2)**2 + 1) + 2 \cdot B \cdot \log(\tan(x/2))$

$$3.4 \quad \int \frac{b+c+\sin(x)}{a+b \cos(x)} dx$$

Optimal. Leaf size=58

$$\frac{2(b+c) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} - \frac{\log(a+b \cos(x))}{b}$$

[Out] $-\ln(a+b \cos(x))/b+2*(b+c)*\arctan((a-b)^{(1/2)}*\tan(1/2*x)/(a+b)^{(1/2)})/(a-b)^{(1/2)}/(a+b)^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4401, 2659, 205, 2668, 31}

$$\frac{2(b+c) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} - \frac{\log(a+b \cos(x))}{b}$$

Antiderivative was successfully verified.

[In] Int[(b + c + Sin[x])/(a + b*Cos[x]), x]

[Out] $(2*(b+c)*\text{ArcTan}[(\text{Sqrt}[a-b]*\text{Tan}[x/2])/\text{Sqrt}[a+b]])/(\text{Sqrt}[a-b]*\text{Sqrt}[a+b]) - \text{Log}[a+b*\text{Cos}[x]]/b$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])⁽⁻¹⁾, x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2668

```
Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 4401

```
Int[u_, x_Symbol] :> With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]
```

Rubi steps

$$\begin{aligned} \int \frac{b + c + \sin(x)}{a + b \cos(x)} dx &= \int \left(\frac{b + c}{a + b \cos(x)} + \frac{\sin(x)}{a + b \cos(x)} \right) dx \\ &= (b + c) \int \frac{1}{a + b \cos(x)} dx + \int \frac{\sin(x)}{a + b \cos(x)} dx \\ &= -\frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, b \cos(x)\right)}{b} + (2(b + c)) \text{Subst}\left(\int \frac{1}{a + b + (a - b)x^2} dx, x, \tan\left(\frac{x}{2}\right)\right) \\ &= \frac{2(b + c) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} - \frac{\log(a + b \cos(x))}{b} \end{aligned}$$

Mathematica [A] time = 0.08, size = 57, normalized size = 0.98

$$-\frac{2(b + c) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} - \frac{\log(a + b \cos(x))}{b}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b + c + Sin[x])/(a + b*Cos[x]), x]
```

```
[Out] (-2*(b + c)*ArcTanh[((a - b)*Tan[x/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - Log[a + b*Cos[x]]/b
```

fricas [A] time = 0.54, size = 231, normalized size = 3.98

$$\left[\frac{\sqrt{-a^2 + b^2} (b^2 + bc) \log\left(\frac{2 ab \cos(x) + (2 a^2 - b^2) \cos(x)^2 + 2 \sqrt{-a^2 + b^2} (a \cos(x) + b) \sin(x) - a^2 + 2 b^2}{b^2 \cos(x)^2 + 2 ab \cos(x) + a^2}\right) + (a^2 - b^2) \log(b^2 \cos(x)^2 + 2 ab \cos(x) + a^2)}{2(a^2 b - b^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b+c+sin(x))/(a+b*cos(x)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/2*(\sqrt{-a^2 + b^2}*(b^2 + b*c)*\log((2*a*b*\cos(x) + (2*a^2 - b^2)*\cos(x) \\ &)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(x) + b)*\sin(x) - a^2 + 2*b^2)/(b^2*\cos(x)^2 \\ & + 2*a*b*\cos(x) + a^2)) + (a^2 - b^2)*\log(b^2*\cos(x)^2 + 2*a*b*\cos(x) + a^2 \\ &))/(a^2*b - b^3), 1/2*(2*\sqrt{a^2 - b^2}*(b^2 + b*c)*\arctan(-(a*\cos(x) + b) \\ & /(\sqrt{a^2 - b^2}*\sin(x))) - (a^2 - b^2)*\log(b^2*\cos(x)^2 + 2*a*b*\cos(x) + \\ & a^2))/(a^2*b - b^3)] \end{aligned}$$

giac [B] time = 0.47, size = 407, normalized size = 7.02

$$\frac{(a+b)(a-b)^2 \log\left(\tan\left(\frac{1}{2}x\right)^2 + \frac{2a + \sqrt{-4(a+b)(a-b) + 4a^2}}{2(a-b)}\right)}{(a^2 - 2ab + b^2)b^2 + (a^3 - 2a^2b + ab^2)|b|} + \frac{\left(\sqrt{a^2 - b^2} b^2 |a - b| + \sqrt{a^2 - b^2} bc |a - b| + \sqrt{a^2 - b^2} b |a - b|\right)}{(a^2 - 2ab + b^2)|b|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b+c+sin(x))/(a+b*cos(x)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -(a+b)*(a-b)^2*\log(\tan(1/2*x)^2 + 1/2*(2*a + \sqrt{-4*(a+b)*(a-b) + 4*a^2} \\ &)/(a-b))/((a^2 - 2*a*b + b^2)*b^2 + (a^3 - 2*a^2*b + a*b^2)*\text{abs}(b)) \\ & + (\sqrt{a^2 - b^2}*b^2*\text{abs}(a-b) + \sqrt{a^2 - b^2}*b*c*\text{abs}(a-b) + \sqrt{a^2 - b^2} \\ & *b*\text{abs}(a-b)*\text{abs}(b) + \sqrt{a^2 - b^2}*c*\text{abs}(a-b)*\text{abs}(b))*(\text{pi}* \\ & \text{floor}(1/2*x/\text{pi} + 1/2) + \arctan(2*\sqrt{1/2}*\tan(1/2*x)/\sqrt{(2*a + \sqrt{-4*(a+b)*(a-b) + 4*a^2} \\ &)/(a-b)})))/((a^2 - 2*a*b + b^2)*b^2 + (a^3 - 2*a^2*b + a*b^2)*\text{abs}(b)) \\ & + (b^2 + b*c - b*\text{abs}(b) - c*\text{abs}(b))*(\text{pi}* \\ & \text{floor}(1/2*x/\text{pi} + 1/2) + \arctan(2*\sqrt{1/2}*\tan(1/2*x)/\sqrt{(2*a - \sqrt{-4*(a+b)*(a-b) + 4*a^2} \\ &)/(a-b)})))/((b^2 - a*\text{abs}(b)) - (a-b)*\log(\tan(1/2*x)^2 + 1/2*(2*a \\ & - \sqrt{-4*(a+b)*(a-b) + 4*a^2}))/((a-b))/((b^2 - a*\text{abs}(b))) \end{aligned}$$

maple [B] time = 0.06, size = 150, normalized size = 2.59

$$\frac{\ln\left(a\left(\tan^2\left(\frac{x}{2}\right)\right) - \left(\tan^2\left(\frac{x}{2}\right)\right)b + a + b\right)a}{b(a-b)} + \frac{\ln\left(a\left(\tan^2\left(\frac{x}{2}\right)\right) - \left(\tan^2\left(\frac{x}{2}\right)\right)b + a + b\right)}{a-b} + \frac{2b \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{\sqrt{(a-b)(a+b)}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b+c+sin(x))/(a+b*cos(x)),x)

[Out]
$$\begin{aligned} & -1/b/(a-b)*\ln(a*\tan(1/2*x)^2 - \tan(1/2*x)^2*b + a + b)*a + 1/(a-b)*\ln(a*\tan(1/2*x)^2 \\ & - \tan(1/2*x)^2*b + a + b) + 2*b/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*x)*(a-b)/((a-b) \end{aligned}$$

$(a+b)^{1/2} + 2/((a-b)(a+b)^{1/2}) \arctan(\tan(1/2*x)*(a-b)/((a-b)(a+b))^{1/2}) + c + 1/b \ln(\tan(1/2*x)^2 + 1)$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b+c+sin(x))/(a+b*cos(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 11.81, size = 2219, normalized size = 38.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b + c + sin(x))/(a + b*cos(x)),x)

[Out] $\log(\tan(x/2)^2 + 1)/b - (2 \operatorname{atan}(\tan(x/2) * ((4*b*(b+c)*(32*a*b^3 - 128*a*b - 64*b^3*c + 64*a^2 + 64*b^2 - 32*b^4 - 32*b^2*c^2 + ((b+c)*((b+c)*(64*b^4 - 128*a*b^3 + 64*a^2*b^2 + ((2*a^2*b - 2*b^3)*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2)))/(2*(b^4 - a^2*b^2)))))/(a^2 - b^2)^{1/2} + ((2*a^2*b - 2*b^3)*(b+c)*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2))/(2*(b^4 - a^2*b^2)*(a^2 - b^2)^{1/2}))/((a^2 - b^2)^{1/2} + ((2*a^2*b - 2*b^3)*(64*a*b^2 - 128*a^2*b - 32*a*b^4 + 64*b^4*c + 64*a^3 + 32*b^5 + 32*b^3*c^2 - ((2*a^2*b - 2*b^3)*(64*b^4 - 128*a*b^3 + 64*a^2*b^2 + ((2*a^2*b - 2*b^3)*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2)))/(2*(b^4 - a^2*b^2)))))/(2*(b^4 - a^2*b^2)) - 32*a*b^2*c^2 - 64*a*b^3*c))/((a^2 - b^2)^{1/2} + 32*a*b*c^2 + 64*a*b^2*c + ((2*a^2*b - 2*b^3)*(b+c)^2*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2))/(2*(b^4 - a^2*b^2)*(a^2 - b^2))))/((a-b)*(2*b^3*c + 4*a^2 - 4*b^2 + b^4 + b^2*c^2)^2) - (((b+c)^3*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2))/(a^2 - b^2)^{3/2} - ((2*a^2*b - 2*b^3)*((b+c)*(64*b^4 - 128*a*b^3 + 64*a^2*b^2 + ((2*a^2*b - 2*b^3)*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2)))/(2*(b^4 - a^2*b^2)))))/(a^2 - b^2)^{1/2} + ((2*a^2*b - 2*b^3)*(b+c)*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2))/(2*(b^4 - a^2*b^2)*(a^2 - b^2)^{1/2}))/((a^2 - b^2)^{1/2} + ((b+c)*(64*a*b^2 - 128*a^2*b - 32*a*b^4 + 64*b^4*c + 64*a^3 + 32*b^5 + 32*b^3*c^2 - ((2*a^2*b - 2*b^3)*(64*b^4 - 128*a*b^3 + 64*a^2*b^2 + ((2*a^2*b - 2*b^3)*(64*a*b^4 - 128*a^2*b^3 + 64*a^3*b^2)))/(2*(b^4 - a^2*b^2)))))/(2*(b^4 - a^2*b^2)) - 32*a*b^2*c^2 - 64*a*b^3*c))/(a^2 - b^2)^{1/2})*(2*b^3*c - 4*a^2 + 4*b^2 + b^4 + b^2*c^2))/((a^2 - b^2)^{1/2}*(a-b)*(2*b^3*c + 4*a^2 - 4*b^2 + b^4 + b^2*c^2)^2))*(a^2 - b^2)^{3/2})/(32*a*b + 32*a*c - 32*b*c - 32*b^2) + ((($

$$\begin{aligned}
& (b + c) \cdot (64b^3c - 128ab^3 + 64b^4 + 64a^2b^2 - ((2a^2b - 2b^3) \cdot (32 \\
& \cdot b^4c - 64a \cdot b^4 + 32b^5 + 32a^2b^3 + 32a^2b^2c - 64a \cdot b^3c)) / (2(b \\
& ^4 - a^2b^2)) - 128a \cdot b^2c + 64a^2b^2c) / (a^2 - b^2)^{1/2} - ((2a^2b - \\
& 2b^3) \cdot (b + c) \cdot (32b^4c - 64a \cdot b^4 + 32b^5 + 32a^2b^3 + 32a^2b^2c - \\
& 64a \cdot b^3c)) / (2(b^4 - a^2b^2) \cdot (a^2 - b^2)^{1/2}) \cdot (a^2 - b^2) \cdot (2b^3c - \\
& 4a^2 + 4b^2 + b^4 + b^2c^2) / ((a - b) \cdot (32a \cdot b + 32a \cdot c - 32b \cdot c - 32b^ \\
& 2) \cdot (2b^3c + 4a^2 - 4b^2 + b^4 + b^2c^2)^2) - (4b \cdot (b + c) \cdot (a^2 - b^2)^{ \\
& (3/2)} \cdot (64a \cdot b^2 - 32a^2b - 32a^2c - 32b^2c - 32b^3 + ((b + c)^2 \cdot (32 \\
& b^4c - 64a \cdot b^4 + 32b^5 + 32a^2b^3 + 32a^2b^2c - 64a \cdot b^3c)) / (a^2 - \\
& b^2) + ((2a^2b - 2b^3) \cdot (64b^3c - 128a \cdot b^3 + 64b^4 + 64a^2b^2 - ((\\
& 2a^2b - 2b^3) \cdot (32b^4c - 64a \cdot b^4 + 32b^5 + 32a^2b^3 + 32a^2b^2c \\
& - 64a \cdot b^3c)) / (2(b^4 - a^2b^2)) - 128a \cdot b^2c + 64a^2b^2c)) / (2(b^4 - a \\
& ^2b^2)) + 64a \cdot b^3c) / ((a - b) \cdot (32a \cdot b + 32a \cdot c - 32b \cdot c - 32b^2) \cdot (2b^3c \\
& + 4a^2 - 4b^2 + b^4 + b^2c^2)^2) \cdot (b + c) / (a^2 - b^2)^{1/2} + (\log((32 \\
& a^2b - 64a \cdot b^2 + 32a^2c + 32b^2c + 32b^3 + ((b \cdot (-b + c)^2 / (a^2 - b \\
& ^2))^{1/2} + 1) \cdot (64b^3c - 128a \cdot b^3 + 64b^4 + 64a^2b^2 - 128a \cdot b^2c + \\
& 64a^2b^2c + 32 \cdot (b \cdot (-b + c)^2 / (a^2 - b^2))^{1/2} + 1) \cdot (a - b)^2 \cdot (2a \cdot \tan \\
& (x/2) - 2b \cdot \tan(x/2) + b \cdot c + b^2 + 2a \cdot b \cdot \tan(x/2) \cdot (-b + c)^2 / (a^2 - b^2))^{1/2} \\
& + 32 \cdot \tan(x/2) \cdot (a - b) \cdot (2a \cdot b + 2b^3c - 2a^2 + b^4 + b^2c^2))) / b - \\
& 64a \cdot b^2c + 32 \cdot \tan(x/2) \cdot (a - b) \cdot (2a - 2b + b \cdot c^2 + 2b^2c + b^3) \cdot (32a^ \\
& 2b - 64a \cdot b^2 + 32a^2c + 32b^2c + 32b^3 - ((b \cdot (-b + c)^2 / (a^2 - b^2) \\
&)^{1/2} - 1) \cdot (64b^3c - 128a \cdot b^3 + 64b^4 + 64a^2b^2 - 128a \cdot b^2c + 64 \\
& a^2b^2c - 32 \cdot (b \cdot (-b + c)^2 / (a^2 - b^2))^{1/2} - 1) \cdot (a - b)^2 \cdot (2a \cdot \tan(x/2) \\
&) - 2b \cdot \tan(x/2) + b \cdot c + b^2 - 2a \cdot b \cdot \tan(x/2) \cdot (-b + c)^2 / (a^2 - b^2))^{1/2} \\
& + 32 \cdot \tan(x/2) \cdot (a - b) \cdot (2a \cdot b + 2b^3c - 2a^2 + b^4 + b^2c^2))) / b - 64 \\
& a \cdot b^2c + 32 \cdot \tan(x/2) \cdot (a - b) \cdot (2a - 2b + b \cdot c^2 + 2b^2c + b^3) \cdot (2a^2b \\
& - 2b^3) / (2(b^4 - a^2b^2))
\end{aligned}$$

sympy [A] time = 23.96, size = 804, normalized size = 13.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b+c+sin(x))/(a+b*cos(x)),x)

[Out] Piecewise((zoo*(-c*log(tan(x/2) - 1) + c*log(tan(x/2) + 1) - log(tan(x/2) - 1) - log(tan(x/2) + 1) + log(tan(x/2)**2 + 1)), Eq(a, 0) & Eq(b, 0)), (tan(x/2) + c*tan(x/2)/b + log(tan(x/2)**2 + 1)/b, Eq(a, b)), (1/tan(x/2) + c/(b*tan(x/2)) + log(tan(x/2)**2 + 1)/b - 2*log(tan(x/2))/b, Eq(a, -b)), ((c*x - cos(x))/a, Eq(b, 0)), (-a*sqrt(-a/(a - b) - b/(a - b))*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(a - b) - b/(a - b))) - a*sqrt(-a/(a - b) - b/(a - b))*log(sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(a - b) - b/(a - b))) + a*sqrt(-a/(a - b) - b/(a - b))*log(tan(x/2)**2 + 1)/(a*b*sqrt(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(a - b) - b/(a - b))) +

```

b**2*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) -
b/(a - b)) - b**2*sqrt(-a/(a - b) - b/(a - b))) - b**2*log(sqrt(-a/(a - b)
- b/(a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(
a - b) - b/(a - b))) + b*c*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a
*b*sqrt(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(a - b) - b/(a - b))) - b*c*
log(sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a -
b)) - b**2*sqrt(-a/(a - b) - b/(a - b))) + b*sqrt(-a/(a - b) - b/(a - b))*l
og(-sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a -
b)) - b**2*sqrt(-a/(a - b) - b/(a - b))) + b*sqrt(-a/(a - b) - b/(a - b))*l
og(sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*b*sqrt(-a/(a - b) - b/(a - b
)) - b**2*sqrt(-a/(a - b) - b/(a - b))) - b*sqrt(-a/(a - b) - b/(a - b))*lo
g(tan(x/2)**2 + 1)/(a*b*sqrt(-a/(a - b) - b/(a - b)) - b**2*sqrt(-a/(a - b)
- b/(a - b))), True))

```

$$3.5 \quad \int \frac{b+c+\sin(x)}{a-b \cos(x)} dx$$

Optimal. Leaf size=58

$$\frac{2(b+c) \tan^{-1}\left(\frac{\sqrt{a+b} \tan\left(\frac{x}{2}\right)}{\sqrt{a-b}}\right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{\log(a-b \cos(x))}{b}$$

[Out] $\ln(a-b \cos(x))/b + 2*(b+c)*\arctan((a+b)^{(1/2)}*\tan(1/2*x)/(a-b)^{(1/2)))/(a-b)^{(1/2))/(a+b)^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4401, 2659, 205, 2668, 31}

$$\frac{2(b+c) \tan^{-1}\left(\frac{\sqrt{a+b} \tan\left(\frac{x}{2}\right)}{\sqrt{a-b}}\right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{\log(a-b \cos(x))}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(b + c + \text{Sin}[x])/(a - b*\text{Cos}[x]), x]$

[Out] $(2*(b + c)*\text{ArcTan}[(\text{Sqrt}[a + b]*\text{Tan}[x/2])/\text{Sqrt}[a - b]])/(\text{Sqrt}[a - b]*\text{Sqrt}[a + b]) + \text{Log}[a - b*\text{Cos}[x])/b$

Rule 31

$\text{Int}[(a_) + (b_)*(x_)^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 205

$\text{Int}[(a_) + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$

Rule 2659

$\text{Int}[(a_) + (b_)*\sin[\text{Pi}/2 + (c_) + (d_)*(x_)]^{(-1)}, x_Symbol] \rightarrow \text{With}\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 2668

```
Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 4401

```
Int[u_, x_Symbol] :> With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]
```

Rubi steps

$$\begin{aligned} \int \frac{b + c + \sin(x)}{a - b \cos(x)} dx &= \int \left(\frac{-b - c}{-a + b \cos(x)} + \frac{\sin(x)}{a - b \cos(x)} \right) dx \\ &= (-b - c) \int \frac{1}{-a + b \cos(x)} dx + \int \frac{\sin(x)}{a - b \cos(x)} dx \\ &= \frac{\text{Subst} \left(\int \frac{1}{a+x} dx, x, -b \cos(x) \right)}{b} - (2(b + c)) \text{Subst} \left(\int \frac{1}{-a + b + (-a - b)x^2} dx, x, \tan \left(\frac{x}{2} \right) \right) \\ &= \frac{2(b + c) \tan^{-1} \left(\frac{\sqrt{a+b} \tan \left(\frac{x}{2} \right)}{\sqrt{a-b}} \right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{\log(a - b \cos(x))}{b} \end{aligned}$$

Mathematica [A] time = 0.10, size = 55, normalized size = 0.95

$$\frac{\log(a - b \cos(x))}{b} - \frac{2(b + c) \tanh^{-1} \left(\frac{(a+b) \tan \left(\frac{x}{2} \right)}{\sqrt{b^2 - a^2}} \right)}{\sqrt{b^2 - a^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b + c + Sin[x])/(a - b*Cos[x]), x]
```

```
[Out] (-2*(b + c)*ArcTanh[((a + b)*Tan[x/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + Log[a - b*Cos[x]]/b
```

fricas [A] time = 0.56, size = 235, normalized size = 4.05

$$\left[\frac{\sqrt{-a^2 + b^2} (b^2 + bc) \log \left(-\frac{2ab \cos(x) - (2a^2 - b^2) \cos(x)^2 - 2\sqrt{-a^2 + b^2} (a \cos(x) - b) \sin(x) + a^2 - 2b^2}{b^2 \cos(x)^2 - 2ab \cos(x) + a^2} \right) - (a^2 - b^2) \log(b^2 \cos(x)^2 - 2ab \cos(x) + a^2)}{2(a^2b - b^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b+c+sin(x))/(a-b*cos(x)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/2*(\sqrt{-a^2 + b^2})*(b^2 + b*c)*\log(-(2*a*b*\cos(x) - (2*a^2 - b^2)*\cos(x)^2 - 2*\sqrt{-a^2 + b^2}*(a*\cos(x) - b)*\sin(x) + a^2 - 2*b^2)/(b^2*\cos(x)^2 - 2*a*b*\cos(x) + a^2)) - (a^2 - b^2)*\log(b^2*\cos(x)^2 - 2*a*b*\cos(x) + a^2))/(a^2*b - b^3), \\ & 1/2*(2*\sqrt{a^2 - b^2}*(b^2 + b*c)*\arctan(-(a*\cos(x) - b)/(\sqrt{a^2 - b^2}*\sin(x))) + (a^2 - b^2)*\log(b^2*\cos(x)^2 - 2*a*b*\cos(x) + a^2))/(a^2*b - b^3)] \end{aligned}$$

giac [B] time = 0.37, size = 103, normalized size = 1.78

$$2 \frac{\left(\pi \left[\frac{x}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a + 2b) + \arctan \left(\frac{a \tan\left(\frac{1}{2}x\right) + b \tan\left(\frac{1}{2}x\right)}{\sqrt{a^2 - b^2}} \right) \right) (b + c)}{\sqrt{a^2 - b^2}} + \frac{\log \left(a \tan\left(\frac{1}{2}x\right)^2 + b \tan\left(\frac{1}{2}x\right)^2 + a - b \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b+c+sin(x))/(a-b*cos(x)),x, algorithm="giac")

[Out]
$$2*(\pi*\operatorname{floor}(1/2*x/\pi + 1/2)*\operatorname{sgn}(2*a + 2*b) + \arctan((a*\tan(1/2*x) + b*\tan(1/2*x))/\sqrt{a^2 - b^2}))* (b + c)/\sqrt{a^2 - b^2} + \log(a*\tan(1/2*x)^2 + b*\tan(1/2*x)^2 + a - b)/b - \log(\tan(1/2*x)^2 + 1)/b$$

maple [B] time = 0.06, size = 110, normalized size = 1.90

$$\frac{\ln \left(a \left(\tan^2 \left(\frac{x}{2} \right) \right) + \left(\tan^2 \left(\frac{x}{2} \right) \right) b + a - b \right)}{b} + \frac{2b \arctan \left(\frac{(a+b) \tan \left(\frac{x}{2} \right)}{\sqrt{(a-b)(a+b)}} \right)}{\sqrt{(a-b)(a+b)}} + \frac{2 \arctan \left(\frac{(a+b) \tan \left(\frac{x}{2} \right)}{\sqrt{(a-b)(a+b)}} \right) c}{\sqrt{(a-b)(a+b)}} - \frac{\ln \left(\tan^2 \left(\frac{x}{2} \right) + 1 \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b+c+sin(x))/(a-b*cos(x)),x)

[Out]
$$1/b*\ln(a*\tan(1/2*x)^2 + \tan(1/2*x)^2*b + a - b) + 2*b/((a-b)*(a+b))^{(1/2)}*\arctan((a+b)*\tan(1/2*x)/((a-b)*(a+b))^{(1/2)}) + 2/((a-b)*(a+b))^{(1/2)}*\arctan((a+b)*\tan(1/2*x)/((a-b)*(a+b))^{(1/2)})*c - 1/b*\ln(\tan(1/2*x)^2 + 1)$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b+c+sin(x))/(a-b*cos(x)),x, algorithm="maxima")

$$\begin{aligned} &^4 + 32*b^4*c + 32*b^5 + 32*a^2*b^3 + 32*a^2*b^2*c + 64*a*b^3*c)) / (2*(b^4 - \\ &a^2*b^2)) + 128*a*b^2*c + 64*a^2*b*c)) / (2*(b^4 - a^2*b^2)) + 64*a*b*c)) / ((\\ &a + b)*(32*a*b + 32*a*c + 32*b*c + 32*b^2)*(2*b^3*c + 4*a^2 - 4*b^2 + b^4 + \\ &b^2*c^2)^2)) * (b + c)) / (a^2 - b^2)^{(1/2)} - (\log((64*a*b^2 + 32*a^2*b + 32*a \\ &^2*c + 32*b^2*c + 32*b^3 - 32*\tan(x/2)*(a + b)*(b*c^2 - 2*b - 2*a + 2*b^2*c \\ &+ b^3) - ((b*(-(b + c)^2/(a^2 - b^2))^{(1/2)} - 1)*(128*a*b^3 + 64*b^3*c + 6 \\ &4*b^4 + 64*a^2*b^2 - 32*(b*(-(b + c)^2/(a^2 - b^2))^{(1/2)} - 1)*(a + b)^2*(b \\ &*c - 2*b*\tan(x/2) - 2*a*\tan(x/2) + b^2 + 2*a*b*\tan(x/2)*(-(b + c)^2/(a^2 - \\ &b^2))^{(1/2)}) - 32*\tan(x/2)*(a + b)*(2*b^3*c - 2*a*b - 2*a^2 + b^4 + b^2*c^2 \\ &) + 128*a*b^2*c + 64*a^2*b*c)) / b + 64*a*b*c)*(64*a*b^2 + 32*a^2*b + 32*a^2*c \\ &+ 32*b^2*c + 32*b^3 - 32*\tan(x/2)*(a + b)*(b*c^2 - 2*b - 2*a + 2*b^2*c + \\ &b^3) + 64*a*b*c + ((b*(-(b + c)^2/(a^2 - b^2))^{(1/2)} + 1)*(128*a*b^3 + 64*b \\ &^3*c + 64*b^4 + 64*a^2*b^2 - 32*\tan(x/2)*(a + b)*(2*b^3*c - 2*a*b - 2*a^2 + \\ &b^4 + b^2*c^2) + 128*a*b^2*c + 64*a^2*b*c - 32*(b*(-(b + c)^2/(a^2 - b^2)) \\ &^{(1/2)} + 1)*(a + b)^2*(2*a*\tan(x/2) + 2*b*\tan(x/2) - b*c - b^2 + 2*a*b*\tan(\\ &x/2)*(-(b + c)^2/(a^2 - b^2))^{(1/2)}))) / b)) * (2*a^2*b - 2*b^3)) / (2*(b^4 - a^2 \\ &*b^2)) - \log(\tan(x/2)^2 + 1) / b \end{aligned}$$

sympy [A] time = 24.57, size = 748, normalized size = 12.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b+c+sin(x))/(a-b*cos(x)),x)

[Out] Piecewise((zoo*(-c*log(tan(x/2) - 1) + c*log(tan(x/2) + 1) - log(tan(x/2) - 1) - log(tan(x/2) + 1) + log(tan(x/2)**2 + 1)), Eq(a, 0) & Eq(b, 0)), (-tan(x/2) - c*tan(x/2)/b - log(tan(x/2)**2 + 1)/b, Eq(a, -b)), (-1/tan(x/2) - c/(b*tan(x/2)) - log(tan(x/2)**2 + 1)/b + 2*log(tan(x/2))/b, Eq(a, b)), ((c*x - cos(x))/a, Eq(b, 0)), (a*sqrt(-a/(a + b) + b/(a + b))*log(-sqrt(-a/(a + b) + b/(a + b)) + tan(x/2))/(a*b*sqrt(-a/(a + b) + b/(a + b)) + b**2*sqrt(-a/(a + b) + b/(a + b))) + a*sqrt(-a/(a + b) + b/(a + b))*log(sqrt(-a/(a + b) + b/(a + b)) + tan(x/2))/(a*b*sqrt(-a/(a + b) + b/(a + b)) + b**2*sqrt(-a/(a + b) + b/(a + b))) - a*sqrt(-a/(a + b) + b/(a + b))*log(tan(x/2)**2 + 1)/(a*b*sqrt(-a/(a + b) + b/(a + b)) + b**2*sqrt(-a/(a + b) + b/(a + b))) + b**2*log(-sqrt(-a/(a + b) + b/(a + b)) + tan(x/2))/(a*b*sqrt(-a/(a + b) + b/(a + b)) + b**2*sqrt(-a/(a + b) + b/(a + b))) - b**2*log(sqrt(-a/(a + b) + b/(a + b)) + tan(x/2))/(a*b*sqrt(-a/(a + b) + b/(a + b)) + b**2*sqrt(-a/(a + b) + b/(a + b))) + b*c*log(-sqrt(-a/(a + b) + b/(a + b)) + tan(x/2))/(a*b*sqrt(-a/(a + b) + b/(a + b)) + b**2*sqrt(-a/(a + b) + b/(a + b))) - b*c*log(sqrt(-a/(a + b) + b/(a + b)) + tan(x/2))/(a*b*sqrt(-a/(a + b) + b/(a + b)) + b**2*sqrt(-a/(a + b) + b/(a + b))) + b*sqrt(-a/(a + b) + b/(a + b))*log(-sqrt(-a/(a + b) + b/(a + b)) + tan(x/2))/(a*b*sqrt(-a/(a + b) + b/(a + b)) + b**2*sqrt(-a/(a + b) + b/(a + b))) + b*sqrt(-a/(a + b) + b/(a + b))*log(sqrt(-a/(a + b) + b/(a + b)) + tan(x/2))/(a*b*sqrt(-a/(a + b) + b/(a + b)) + b**2*sqrt(-a/(a + b) + b/(a + b)))

```
b)) + b**2*sqrt(-a/(a + b) + b/(a + b))) - b*sqrt(-a/(a + b) + b/(a + b))*l  
og(tan(x/2)**2 + 1)/(a*b*sqrt(-a/(a + b) + b/(a + b)) + b**2*sqrt(-a/(a + b  
) + b/(a + b))), True))
```


$$3.6 \quad \int \frac{A+B \tan(x)}{a+b \cos(x)} dx$$

Optimal. Leaf size=65

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{B \log(a+b \cos(x))}{a} - \frac{B \log(\cos(x))}{a}$$

[Out] $-B \ln(\cos(x))/a + B \ln(a+b \cos(x))/a + 2A \arctan((a-b)^{(1/2)} \tan(1/2*x)/(a+b)^{(1/2)})/(a-b)^{(1/2)/(a+b)^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {4401, 2659, 205, 2721, 36, 29, 31}

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{B \log(a+b \cos(x))}{a} - \frac{B \log(\cos(x))}{a}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Tan[x])/(a + b*Cos[x]), x]

[Out] $(2*A*ArcTan[(Sqrt[a - b]*Tan[x/2])/Sqrt[a + b]])/(Sqrt[a - b]*Sqrt[a + b]) - (B*Log[Cos[x]])/a + (B*Log[a + b*Cos[x]])/a$

Rule 29

Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 36

Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :> Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2721

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*tan[(e_.) + (f_.)*(x_)]^(p
_.), x_Symbol] := Dist[1/f, Subst[Int[(x^p*(a + x)^m)/(b^2 - x^2)^((p + 1)/
2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && NeQ[a^2 - b^
2, 0] && IntegerQ[(p + 1)/2]
```

Rule 4401

```
Int[u_, x_Symbol] := With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /;
!InertTrigFreeQ[u]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \tan(x)}{a + b \cos(x)} dx &= \int \left(\frac{A}{a + b \cos(x)} + \frac{B \tan(x)}{a + b \cos(x)} \right) dx \\
&= A \int \frac{1}{a + b \cos(x)} dx + B \int \frac{\tan(x)}{a + b \cos(x)} dx \\
&= (2A) \text{Subst} \left(\int \frac{1}{a + b + (a - b)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right) - B \text{Subst} \left(\int \frac{1}{x(a + x)} dx, x, b \cos(x) \right) \\
&= \frac{2A \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}} - \frac{B \text{Subst} \left(\int \frac{1}{x} dx, x, b \cos(x) \right)}{a} + \frac{B \text{Subst} \left(\int \frac{1}{a+x} dx, x, b \cos(x) \right)}{a} \\
&= \frac{2A \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}} - \frac{B \log(\cos(x))}{a} + \frac{B \log(a + b \cos(x))}{a}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 61, normalized size = 0.94

$$\frac{B(\log(a + b \cos(x)) - \log(\cos(x)))}{a} - \frac{2A \tanh^{-1} \left(\frac{(a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{b^2 - a^2}} \right)}{\sqrt{b^2 - a^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Tan[x])/(a + b*Cos[x]),x]

[Out] $(-2*A*ArcTanh[((a - b)*Tan[x/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + (B*(-Log[Cos[x]] + Log[a + b*Cos[x]]))/a$

fricas [A] time = 0.79, size = 263, normalized size = 4.05

$$\frac{\sqrt{-a^2 + b^2} A a \log\left(\frac{2ab \cos(x) + (2a^2 - b^2) \cos(x)^2 + 2\sqrt{-a^2 + b^2}(a \cos(x) + b) \sin(x) - a^2 + 2b^2}{b^2 \cos(x)^2 + 2ab \cos(x) + a^2}\right) - (Ba^2 - Bb^2) \log(b^2 \cos(x)^2 + 2ab \cos(x) + a^2)}{2(a^3 - ab^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(x))/(a+b*cos(x)),x, algorithm="fricas")

[Out] $[-1/2*(sqrt(-a^2 + b^2)*A*a*log((2*a*b*cos(x) + (2*a^2 - b^2)*cos(x)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(x) + b)*sin(x) - a^2 + 2*b^2)/(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2)) - (B*a^2 - B*b^2)*log(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2) + 2*(B*a^2 - B*b^2)*log(-cos(x)))/(a^3 - a*b^2), 1/2*(2*sqrt(a^2 - b^2)*A*a*arctan(-(a*cos(x) + b)/(sqrt(a^2 - b^2)*sin(x))) + (B*a^2 - B*b^2)*log(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2) - 2*(B*a^2 - B*b^2)*log(-cos(x)))/(a^3 - a*b^2)]$

giac [B] time = 3.96, size = 121, normalized size = 1.86

$$\frac{2\left(\pi\left[\frac{x}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right)}{\sqrt{a^2 - b^2}}\right)\right)A + B \log\left(-a \tan\left(\frac{1}{2}x\right)^2 + b \tan\left(\frac{1}{2}x\right)^2 - a - b\right)}{\sqrt{a^2 - b^2} + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(x))/(a+b*cos(x)),x, algorithm="giac")

[Out] $-2*(pi*floor(1/2*x/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*x) - b*tan(1/2*x))/sqrt(a^2 - b^2)))*A/sqrt(a^2 - b^2) + B*log(-a*tan(1/2*x)^2 + b*tan(1/2*x)^2 - a - b)/a - B*log(abs(tan(1/2*x) + 1))/a - B*log(abs(tan(1/2*x) - 1))/a$

maple [B] time = 0.10, size = 129, normalized size = 1.98

$$\frac{\ln\left(a\left(\tan^2\left(\frac{x}{2}\right)\right) - \left(\tan^2\left(\frac{x}{2}\right)\right)b + a + b\right)B}{a - b} - \frac{\ln\left(a\left(\tan^2\left(\frac{x}{2}\right)\right) - \left(\tan^2\left(\frac{x}{2}\right)\right)b + a + b\right)Bb}{a(a - b)} + \frac{2A \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{\sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*tan(x))/(a+b*cos(x)),x)`

[Out] $\frac{1}{(a-b)*\ln(a*\tan(1/2*x)^2-\tan(1/2*x)^2*b+a+b)*B-1/a/(a-b)*\ln(a*\tan(1/2*x)^2-\tan(1/2*x)^2*b+a+b)*B*b+2*A/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*x)*(a-b)/((a-b)*(a+b))^{1/2})-B/a*\ln(\tan(1/2*x)-1)-B/a*\ln(\tan(1/2*x)+1)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*tan(x))/(a+b*cos(x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 5.66, size = 1540, normalized size = 23.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*tan(x))/(a + b*cos(x)),x)`

[Out] $(\log((a + b*\cos(x))/(\cos(x) + 1))*(2*B*a^3 - 2*B*a*b^2))/(2*(a^4 - a^2*b^2)) + (2*A*\operatorname{atan}(((a^2 - b^2)*((A*(64*A*B*a^3 + ((2*B*a^3 - 2*B*a*b^2)*(32*A*a^4 + 32*A*a^2*b^2 - 64*A*a^3*b)))/(2*(a^4 - a^2*b^2)) + 64*A*B*a*b^2 - 128*A*B*a^2*b)))/(a^2 - b^2)^{1/2} + (A*(2*B*a^3 - 2*B*a*b^2)*(32*A*a^4 + 32*A*a^2*b^2 - 64*A*a^3*b))/(2*(a^4 - a^2*b^2)*(a^2 - b^2)^{1/2})))*(A^2*a^2 - 4*B^2*a^2 + 4*B^2*b^2))/((32*A*a - 32*A*b)*(a - b)*(A^2*a^2 + 4*B^2*a^2 - 4*B^2*b^2)^2) - (\tan(x/2)*(a^2 - b^2)^{3/2}*(((2*B*a^3 - 2*B*a*b^2)*((A*(64*B*a^4 + 64*B*a^2*b^2 - 128*B*a^3*b - ((2*B*a^3 - 2*B*a*b^2)*(64*a^4*b + 64*a^2*b^3 - 128*a^3*b^2)))/(2*(a^4 - a^2*b^2)))))/(a^2 - b^2)^{1/2} - (A*(2*B*a^3 - 2*B*a*b^2)*(64*a^4*b + 64*a^2*b^3 - 128*a^3*b^2))/(2*(a^4 - a^2*b^2)*(a^2 - b^2)^{1/2}))))/(2*(a^4 - a^2*b^2)) + (A^3*(64*a^4*b + 64*a^2*b^3 - 128*a^3*b^2))/(a^2 - b^2)^{3/2} + (A*(64*B^2*b^3 - 32*A^2*a^3 + 32*A^2*a^2*b - 128*B^2*a*b^2 + 64*B^2*a^2*b + ((2*B*a^3 - 2*B*a*b^2)*(64*B*a^4 + 64*B*a^2*b^2 - 128*B*a^3*b - ((2*B*a^3 - 2*B*a*b^2)*(64*a^4*b + 64*a^2*b^3 - 128*a^3*b^2)))/(2*(a^4 - a^2*b^2)))))/(2*(a^4 - a^2*b^2)))/(a^2 - b^2)^{1/2})*(A^2*a^2 - 4*B^2*a^2 + 4*B^2*b^2))/((a^2 - b^2)^{1/2}*(a - b)*(A^2*a^2 + 4*B^2*a^2 - 4*B^2*b^2)^2) - (4*A*B*a*(64*B^3*a^2 + 64*B^3*b^2 + 32*A^2*B*a^2 + (A*(A*(64*B*a^4 + 64*B*a^2*b^2 - 128*B*a^3*b - ((2*B*a^3 - 2*B*a*b^2)*(64*a^4*b + 64*a^2*b^3 - 128*a^3*b^2)))/(2*(a^4 - a^2*b^2)))))/(a^2 - b^2)^{1/2} - (A*(2*B*a^3 - 2*B*a*b^2)*(64*a^4*b + 64*a^2*b^3 - 128*a^3*b^2))/(2*(a^4 - a^2$

```

*b^2)*(a^2 - b^2)^(1/2))))/(a^2 - b^2)^(1/2) - ((2*B*a^3 - 2*B*a*b^2)*(64*B
^2*b^3 - 32*A^2*a^3 + 32*A^2*a^2*b - 128*B^2*a*b^2 + 64*B^2*a^2*b + ((2*B*a
^3 - 2*B*a*b^2)*(64*B*a^4 + 64*B*a^2*b^2 - 128*B*a^3*b - ((2*B*a^3 - 2*B*a*
b^2)*(64*a^4*b + 64*a^2*b^3 - 128*a^3*b^2))/(2*(a^4 - a^2*b^2)))))/(2*(a^4 -
a^2*b^2))))/(2*(a^4 - a^2*b^2)) - 128*B^3*a*b - 32*A^2*B*a*b - (A^2*(2*B*a
^3 - 2*B*a*b^2)*(64*a^4*b + 64*a^2*b^3 - 128*a^3*b^2))/(2*(a^4 - a^2*b^2)*(
a^2 - b^2)))/((a - b)*(A^2*a^2 + 4*B^2*a^2 - 4*B^2*b^2)^2))/((32*A*a - 32*
A*b) + (4*A*B*a*(a^2 - b^2)^(3/2)*(32*A*B^2*a^2 + 32*A*B^2*b^2 + ((2*B*a^3
- 2*B*a*b^2)*(64*A*B*a^3 + ((2*B*a^3 - 2*B*a*b^2)*(32*A*a^4 + 32*A*a^2*b^2
- 64*A*a^3*b))/(2*(a^4 - a^2*b^2)) + 64*A*B*a*b^2 - 128*A*B*a^2*b))/(2*(a^4
- a^2*b^2)) - (A^2*(32*A*a^4 + 32*A*a^2*b^2 - 64*A*a^3*b))/(a^2 - b^2) - 6
4*A*B^2*a*b))/((32*A*a - 32*A*b)*(a - b)*(A^2*a^2 + 4*B^2*a^2 - 4*B^2*b^2)^
2)))/(a^2 - b^2)^(1/2) - (B*log(cos(x)/(cos(x) + 1)))/a

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \tan(x)}{a + b \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*tan(x))/(a+b*cos(x)),x)

[Out] Integral((A + B*tan(x))/(a + b*cos(x)), x)

$$3.7 \quad \int \frac{A+B \cot(x)}{a+b \cos(x)} dx$$

Optimal. Leaf size=100

$$-\frac{aB \log(a+b \cos(x))}{a^2-b^2} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{B \log(1-\cos(x))}{2(a+b)} + \frac{B \log(\cos(x)+1)}{2(a-b)}$$

[Out] $1/2*B*\ln(1-\cos(x))/(a+b)+1/2*B*\ln(1+\cos(x))/(a-b)-a*B*\ln(a+b*\cos(x))/(a^2-b^2)+2*A*\arctan((a-b)^{(1/2)}*\tan(1/2*x)/(a+b)^{(1/2)})/(a-b)^{(1/2)}/(a+b)^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4401, 2659, 205, 2721, 801}

$$-\frac{aB \log(a+b \cos(x))}{a^2-b^2} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{B \log(1-\cos(x))}{2(a+b)} + \frac{B \log(\cos(x)+1)}{2(a-b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cot[x])/(a + b*Cos[x]), x]

[Out] $(2*A*ArcTan[(Sqrt[a-b]*Tan[x/2])/Sqrt[a+b]])/(Sqrt[a-b]*Sqrt[a+b]) + (B*Log[1-Cos[x]])/(2*(a+b)) + (B*Log[1+Cos[x]])/(2*(a-b)) - (a*B*Log[a+b*Cos[x]])/(a^2-b^2)$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 801

Int[(((d_) + (e_)*(x_)^m)*((f_) + (g_)*(x_)))/((a_) + (c_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]

Rule 2659

Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2721

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*tan[(e_) + (f_)*(x_)]^(p_), x_Symbol] := Dist[1/f, Subst[Int[(x^p*(a + x)^m)/(b^2 - x^2)^((p + 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && NeQ[a^2 - b^2, 0] && IntegerQ[(p + 1)/2]

Rule 4401

Int[u_, x_Symbol] := With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /; !InertTrigFreeQ[u]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cot(x)}{a + b \cos(x)} dx &= \int \left(\frac{A}{a + b \cos(x)} + \frac{B \cot(x)}{a + b \cos(x)} \right) dx \\
 &= A \int \frac{1}{a + b \cos(x)} dx + B \int \frac{\cot(x)}{a + b \cos(x)} dx \\
 &= (2A) \text{Subst} \left(\int \frac{1}{a + b + (a - b)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right) - B \text{Subst} \left(\int \frac{x}{(a + x)(b^2 - x^2)} dx, x, b \cos(x) \right) \\
 &= \frac{2A \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}} - B \text{Subst} \left(\int \left(\frac{1}{2(a+b)(b-x)} + \frac{a}{(a-b)(a+b)(a+x)} - \frac{1}{2(a-b)(a+x)} \right) dx, x, b \cos(x) \right) \\
 &= \frac{2A \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{B \log(1 - \cos(x))}{2(a+b)} + \frac{B \log(1 + \cos(x))}{2(a-b)} - \frac{aB \log(a + b \cos(x))}{a^2 - b^2}
 \end{aligned}$$

Mathematica [A] time = 0.27, size = 134, normalized size = 1.34

$$\frac{\sin(x)(A + B \cot(x)) \left(B \sqrt{b^2 - a^2} \left((a - b) \log \left(\sin \left(\frac{x}{2} \right) \right) + (a + b) \log \left(\cos \left(\frac{x}{2} \right) \right) - a \log(a + b \cos(x)) \right) - 2A (a^2 - b^2) \right)}{(a - b)(a + b) \sqrt{b^2 - a^2} (A \sin(x) + B \cos(x))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cot[x])/(a + b*Cos[x]), x]

[Out] ((A + B*Cot[x])*(-2*A*(a^2 - b^2)*ArcTanh[((a - b)*Tan[x/2])/Sqrt[-a^2 + b^2]] + Sqrt[-a^2 + b^2]*B*((a + b)*Log[Cos[x/2]] - a*Log[a + b*Cos[x]] + (a

$-b) \cdot \text{Log}[\text{Sin}[x/2]]) \cdot \text{Sin}[x]] / ((a - b) \cdot (a + b) \cdot \text{Sqrt}[-a^2 + b^2] \cdot (B \cdot \text{Cos}[x] + A \cdot \text{Sin}[x]))$

fricas [A] time = 7.23, size = 266, normalized size = 2.66

$$\frac{Ba \log(b^2 \cos(x)^2 + 2ab \cos(x) + a^2) + \sqrt{-a^2 + b^2} A \log\left(\frac{2ab \cos(x) + (2a^2 - b^2) \cos(x)^2 + 2\sqrt{-a^2 + b^2} (a \cos(x) + b) \sin(x) - a^2 + 2b^2 \cos(x)^2 + 2ab \cos(x) + a^2}{b^2 \cos(x)^2 + 2ab \cos(x) + a^2}\right)}{2(a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cot(x))/(a+b*cos(x)),x, algorithm="fricas")

[Out] $[-1/2 \cdot (B \cdot a \cdot \log(b^2 \cdot \cos(x)^2 + 2 \cdot a \cdot b \cdot \cos(x) + a^2) + \text{sqrt}(-a^2 + b^2) \cdot A \cdot \log((2 \cdot a \cdot b \cdot \cos(x) + (2 \cdot a^2 - b^2) \cdot \cos(x)^2 + 2 \cdot \text{sqrt}(-a^2 + b^2) \cdot (a \cdot \cos(x) + b) \cdot \sin(x) - a^2 + 2 \cdot b^2) / (b^2 \cdot \cos(x)^2 + 2 \cdot a \cdot b \cdot \cos(x) + a^2))) - (B \cdot a + B \cdot b) \cdot \log(1/2 \cdot \cos(x) + 1/2) - (B \cdot a - B \cdot b) \cdot \log(-1/2 \cdot \cos(x) + 1/2)) / (a^2 - b^2), -1/2 \cdot (B \cdot a \cdot \log(b^2 \cdot \cos(x)^2 + 2 \cdot a \cdot b \cdot \cos(x) + a^2) - 2 \cdot \text{sqrt}(a^2 - b^2) \cdot A \cdot \arctan(-(a \cdot \cos(x) + b) / (\text{sqrt}(a^2 - b^2) \cdot \sin(x)))) - (B \cdot a + B \cdot b) \cdot \log(1/2 \cdot \cos(x) + 1/2) - (B \cdot a - B \cdot b) \cdot \log(-1/2 \cdot \cos(x) + 1/2)) / (a^2 - b^2)]$

giac [A] time = 0.38, size = 116, normalized size = 1.16

$$\frac{Ba \log\left(-a \tan\left(\frac{1}{2}x\right)^2 + b \tan\left(\frac{1}{2}x\right)^2 - a - b\right)}{a^2 - b^2} - \frac{2\left(\pi \left[\frac{x}{2\pi} + \frac{1}{2}\right] \text{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right)}{\sqrt{a^2 - b^2}}\right)\right)A}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cot(x))/(a+b*cos(x)),x, algorithm="giac")

[Out] $-B \cdot a \cdot \log(-a \cdot \tan(1/2 \cdot x)^2 + b \cdot \tan(1/2 \cdot x)^2 - a - b) / (a^2 - b^2) - 2 \cdot (\text{pi} \cdot \text{floor}(1/2 \cdot x / \text{pi} + 1/2) \cdot \text{sgn}(-2 \cdot a + 2 \cdot b) + \arctan(-(a \cdot \tan(1/2 \cdot x) - b \cdot \tan(1/2 \cdot x)) / \text{sqrt}(a^2 - b^2))) \cdot A / \text{sqrt}(a^2 - b^2) + B \cdot \log(\text{abs}(\tan(1/2 \cdot x))) / (a + b)$

maple [A] time = 0.10, size = 135, normalized size = 1.35

$$-\frac{aB \ln\left(a \left(\tan^2\left(\frac{x}{2}\right) - \left(\tan^2\left(\frac{x}{2}\right) b + a + b\right)\right)}{(a+b)(a-b)} + \frac{2 \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) a A}{(a+b) \sqrt{(a-b)(a+b)}} + \frac{2 \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) A b}{(a+b) \sqrt{(a-b)(a+b)}} + \frac{B \ln\left(\tan\left(\frac{x}{2}\right)\right)}{a+b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cot(x))/(a+b*cos(x)),x)


```
[Out] -1/(a+b)*a*B/(a-b)*ln(a*tan(1/2*x)^2-tan(1/2*x)^2*b+a+b)+2/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*x)*(a-b)/((a-b)*(a+b))^(1/2))*a*A+2/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*x)*(a-b)/((a-b)*(a+b))^(1/2))*A*b+1/(a+b)*B*ln(tan(1/2*x))
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cot(x))/(a+b*cos(x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?
```

mupad [B] time = 3.58, size = 419, normalized size = 4.19

$$\frac{B \ln\left(\tan\left(\frac{x}{2}\right)\right)}{a+b} + \frac{\ln\left(3 B a^2 b^2 - B b^4 - 2 B a^4 + A a \sqrt{-(a+b)^3 (a-b)^3} + A b \sqrt{-(a+b)^3 (a-b)^3} + A a^4 \tan\left(\frac{x}{2}\right)\right)}{a+b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cot(x))/(a + b*cos(x)),x)
```

```
[Out] (B*log(tan(x/2)))/(a + b) + (log(3*B*a^2*b^2 - B*b^4 - 2*B*a^4 + A*a*(-(a + b)^3*(a - b)^3)^(1/2) + A*b*(-(a + b)^3*(a - b)^3)^(1/2) + A*a^4*tan(x/2) + A*b^4*tan(x/2) + B*a*b^3 - B*a^3*b - 2*A*a^2*b^2*tan(x/2) + 2*B*a*tan(x/2))*(-(a + b)^3*(a - b)^3)^(1/2) - B*b*tan(x/2)*(-(a + b)^3*(a - b)^3)^(1/2))*(A*(-(a + b)^3*(a - b)^3)^(1/2) - B*a^3 + B*a*b^2))/(a^4 + b^4 - 2*a^2*b^2) - (log(2*B*a^4 + B*b^4 - 3*B*a^2*b^2 + A*a*(-(a + b)^3*(a - b)^3)^(1/2) + A*b*(-(a + b)^3*(a - b)^3)^(1/2) - A*a^4*tan(x/2) - A*b^4*tan(x/2) - B*a*b^3 + B*a^3*b + 2*A*a^2*b^2*tan(x/2) + 2*B*a*tan(x/2))*(-(a + b)^3*(a - b)^3)^(1/2) - B*b*tan(x/2)*(-(a + b)^3*(a - b)^3)^(1/2))*(B*a^3 + A*(-(a + b)^3*(a - b)^3)^(1/2) - B*a*b^2))/(a^4 + b^4 - 2*a^2*b^2)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cot(x)}{a + b \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cot(x))/(a+b*cos(x)),x)
```

```
[Out] Integral((A + B*cot(x))/(a + b*cos(x)), x)
```

3.8 $\int \frac{A+B \csc(x)}{a+b \cos(x)} dx$

Optimal. Leaf size=99

$$\frac{bB \log(a + b \cos(x))}{a^2 - b^2} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{B \log(1 - \cos(x))}{2(a+b)} - \frac{B \log(\cos(x) + 1)}{2(a-b)}$$

[Out] $1/2*B*\ln(1-\cos(x))/(a+b)-1/2*B*\ln(1+\cos(x))/(a-b)+b*B*\ln(a+b*\cos(x))/(a^2-b^2)+2*A*\arctan((a-b)^{(1/2)*\tan(1/2*x)/(a+b)^{(1/2)})/(a-b)^{(1/2)/(a+b)^{(1/2)}}$

Rubi [A] time = 0.25, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {4225, 4401, 2659, 205, 2668, 706, 31, 633}

$$\frac{bB \log(a + b \cos(x))}{a^2 - b^2} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{B \log(1 - \cos(x))}{2(a+b)} - \frac{B \log(\cos(x) + 1)}{2(a-b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Csc[x])/(a + b*Cos[x]),x]

[Out] $(2*A*ArcTan[(Sqrt[a - b]*Tan[x/2])/Sqrt[a + b]])/(Sqrt[a - b]*Sqrt[a + b]) + (B*Log[1 - Cos[x]])/(2*(a + b)) - (B*Log[1 + Cos[x]])/(2*(a - b)) + (b*B*Log[a + b*Cos[x]])/(a^2 - b^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 633

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]

Rule 706

```
Int[1/(((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)), x_Symbol] := Dist[e^2/(c
*d^2 + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d^2 + a*e^2), Int[(c*d -
c*e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2,
0]
```

Rule 2659

```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2668

```
Int[cos[(e_) + (f_)*(x_)]^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m
_), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/
2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p
- 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 4225

```
Int[(csc[(a_) + (b_)*(x_)]*(B_) + (A_))*(u_), x_Symbol] := Int[(Activate
Trig[u]*(B + A*Sin[a + b*x])/Sin[a + b*x], x] /; FreeQ[{a, b, A, B}, x] &&
KnownSineIntegrandQ[u, x]
```

Rule 4401

```
Int[u_, x_Symbol] := With[{v = ExpandTrig[u, x]}, Int[v, x] /; SumQ[v]] /;
!InertTrigFreeQ[u]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \csc(x)}{a + b \cos(x)} dx &= \int \frac{\csc(x)(B + A \sin(x))}{a + b \cos(x)} dx \\
&= \int \left(\frac{A}{a + b \cos(x)} + \frac{B \csc(x)}{a + b \cos(x)} \right) dx \\
&= A \int \frac{1}{a + b \cos(x)} dx + B \int \frac{\csc(x)}{a + b \cos(x)} dx \\
&= (2A) \text{Subst} \left(\int \frac{1}{a + b + (a - b)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right) - (bB) \text{Subst} \left(\int \frac{1}{(a + x)(b^2 - x^2)} dx, x, b \cos(x) \right) \\
&= \frac{2A \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{(bB) \text{Subst} \left(\int \frac{1}{a+x} dx, x, b \cos(x) \right)}{a^2 - b^2} + \frac{(bB) \text{Subst} \left(\int \frac{-a+x}{b^2-x^2} dx, x, b \cos(x) \right)}{a^2 - b^2} \\
&= \frac{2A \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{bB \log(a + b \cos(x))}{a^2 - b^2} + \frac{B \text{Subst} \left(\int \frac{1}{-b-x} dx, x, b \cos(x) \right)}{2(a - b)} - \frac{B \text{Subst} \left(\int \frac{1}{b-x} dx, x, b \cos(x) \right)}{2(a - b)} \\
&= \frac{2A \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}} + \frac{B \log(1 - \cos(x))}{2(a + b)} - \frac{B \log(1 + \cos(x))}{2(a - b)} + \frac{bB \log(a + b \cos(x))}{a^2 - b^2}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 116, normalized size = 1.17

$$\frac{-2A(a^2 - b^2) \tanh^{-1} \left(\frac{(a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{b^2 - a^2}} \right) - B\sqrt{b^2 - a^2} \left((b - a) \log \left(\sin\left(\frac{x}{2}\right) \right) + (a + b) \log \left(\cos\left(\frac{x}{2}\right) \right) - b \log(a + b \cos(x)) \right)}{(a - b)(a + b)\sqrt{b^2 - a^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Csc[x])/(a + b*Cos[x]), x]

[Out] (-2*A*(a^2 - b^2)*ArcTanh[((a - b)*Tan[x/2])/Sqrt[-a^2 + b^2]] - Sqrt[-a^2 + b^2]*B*((a + b)*Log[Cos[x/2]] - b*Log[a + b*Cos[x]] + (-a + b)*Log[Sin[x/2]]))/((a - b)*(a + b)*Sqrt[-a^2 + b^2])

fricas [A] time = 8.19, size = 265, normalized size = 2.68

$$\left[\frac{Bb \log(b^2 \cos(x)^2 + 2ab \cos(x) + a^2) - \sqrt{-a^2 + b^2} A \log \left(\frac{2ab \cos(x) + (2a^2 - b^2) \cos(x)^2 + 2\sqrt{-a^2 + b^2} (a \cos(x) + b) \sin(x) - a^2 + 2b^2}{b^2 \cos(x)^2 + 2ab \cos(x) + a^2} \right)}{2(a^2 - b^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*csc(x))/(a+b*cos(x)),x, algorithm="fricas")

[Out] $\left[\frac{1}{2} * (B * b * \log(b^2 * \cos(x)^2 + 2 * a * b * \cos(x) + a^2) - \sqrt{-a^2 + b^2} * A * \log((2 * a * b * \cos(x) + (2 * a^2 - b^2) * \cos(x)^2 + 2 * \sqrt{-a^2 + b^2} * (a * \cos(x) + b) * \sin(x) - a^2 + 2 * b^2) / (b^2 * \cos(x)^2 + 2 * a * b * \cos(x) + a^2)) - (B * a + B * b) * \log((1/2 * \cos(x) + 1/2) + (B * a - B * b) * \log(-1/2 * \cos(x) + 1/2)) / (a^2 - b^2), 1/2 * (B * b * \log(b^2 * \cos(x)^2 + 2 * a * b * \cos(x) + a^2) + 2 * \sqrt{a^2 - b^2} * A * \arctan(-(a * \cos(x) + b) / (\sqrt{a^2 - b^2} * \sin(x)))) - (B * a + B * b) * \log(1/2 * \cos(x) + 1/2) + (B * a - B * b) * \log(-1/2 * \cos(x) + 1/2)) / (a^2 - b^2) \right]$

giac [A] time = 0.41, size = 115, normalized size = 1.16

$$\frac{Bb \log\left(-a \tan\left(\frac{1}{2}x\right)^2 + b \tan\left(\frac{1}{2}x\right)^2 - a - b\right)}{a^2 - b^2} - \frac{2 \left(\pi \left[\frac{x}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right)}{\sqrt{a^2 - b^2}}\right) \right) A}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*csc(x))/(a+b*cos(x)),x, algorithm="giac")

[Out] $B * b * \log(-a * \tan(1/2 * x)^2 + b * \tan(1/2 * x)^2 - a - b) / (a^2 - b^2) - 2 * (\pi * \operatorname{floor}(1/2 * x / \pi + 1/2) * \operatorname{sgn}(-2 * a + 2 * b) + \arctan(-(a * \tan(1/2 * x) - b * \tan(1/2 * x)) / \sqrt{a^2 - b^2})) * A / \sqrt{a^2 - b^2} + B * \log(\operatorname{abs}(\tan(1/2 * x))) / (a + b)$

maple [A] time = 0.09, size = 134, normalized size = 1.35

$$\frac{Bb \ln\left(a \left(\tan^2\left(\frac{x}{2}\right) - \left(\tan^2\left(\frac{x}{2}\right) b + a + b\right)\right)}{(a + b)(a - b)} + \frac{2 \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a - b)}{\sqrt{(a - b)(a + b)}}\right) a A}{(a + b) \sqrt{(a - b)(a + b)}} + \frac{2 \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a - b)}{\sqrt{(a - b)(a + b)}}\right) A b}{(a + b) \sqrt{(a - b)(a + b)}} + \frac{B \ln\left(\tan\left(\frac{x}{2}\right)\right)}{a + b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*csc(x))/(a+b*cos(x)),x)

[Out] $1 / (a + b) * B * b / (a - b) * \ln(a * \tan(1/2 * x)^2 - \tan(1/2 * x)^2 * b + a + b) + 2 / (a + b) / ((a - b) * (a + b))^{1/2} * \arctan(\tan(1/2 * x) * (a - b) / ((a - b) * (a + b))^{1/2}) * a * A + 2 / (a + b) / ((a - b) * (a + b))^{1/2} * \arctan(\tan(1/2 * x) * (a - b) / ((a - b) * (a + b))^{1/2}) * A * b + 1 / (a + b) * B * \ln(\tan(1/2 * x))$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*csc(x))/(a+b*cos(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 3.54, size = 417, normalized size = 4.21

$$\frac{B \ln\left(\tan\left(\frac{x}{2}\right)\right)}{a+b} + \frac{\ln\left(3 B a^2 b^2 - 2 B b^4 - B a^4 + A a \sqrt{-(a+b)^3 (a-b)^3} + A b \sqrt{-(a+b)^3 (a-b)^3} + A a^4 \tan\left(\frac{x}{2}\right)\right)}{a+b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B/sin(x))/(a + b*cos(x)),x)

[Out] (B*log(tan(x/2)))/(a + b) + (log(3*B*a^2*b^2 - 2*B*b^4 - B*a^4 + A*a*(-(a + b)^3*(a - b)^3)^(1/2) + A*b*(-(a + b)^3*(a - b)^3)^(1/2) + A*a^4*tan(x/2) + A*b^4*tan(x/2) - B*a*b^3 + B*a^3*b - 2*A*a^2*b^2*tan(x/2) + B*a*tan(x/2)*(-(a + b)^3*(a - b)^3)^(1/2) - 2*B*b*tan(x/2)*(-(a + b)^3*(a - b)^3)^(1/2))*(A*(-(a + b)^3*(a - b)^3)^(1/2) - B*b^3 + B*a^2*b))/(a^4 + b^4 - 2*a^2*b^2) - (log(B*a^4 + 2*B*b^4 - 3*B*a^2*b^2 + A*a*(-(a + b)^3*(a - b)^3)^(1/2) + A*b*(-(a + b)^3*(a - b)^3)^(1/2) - A*a^4*tan(x/2) - A*b^4*tan(x/2) + B*a*b^3 - B*a^3*b + 2*A*a^2*b^2*tan(x/2) + B*a*tan(x/2)*(-(a + b)^3*(a - b)^3)^(1/2) - 2*B*b*tan(x/2)*(-(a + b)^3*(a - b)^3)^(1/2))*(B*b^3 + A*(-(a + b)^3*(a - b)^3)^(1/2) - B*a^2*b))/(a^4 + b^4 - 2*a^2*b^2)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \csc(x)}{a + b \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*csc(x))/(a+b*cos(x)),x)

[Out] Integral((A + B*csc(x))/(a + b*cos(x)), x)

$$3.9 \quad \int \frac{(c+d \sec(e+fx))^4}{a+b \cos(e+fx)} dx$$

Optimal. Leaf size=247

$$\frac{2(ac - bd)^4 \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}} \right)}{a^4 f \sqrt{a-b} \sqrt{a+b}} + \frac{d^3(4ac - bd) \tanh^{-1}(\sin(e + fx))}{2a^2 f} + \frac{d^3(4ac - bd) \tan(e + fx) \sec(e + fx)}{2a^2 f} +$$

[Out] $1/2*d^3*(4*a*c-b*d)*\operatorname{arctanh}(\sin(f*x+e))/a^2/f+d*(2*a*c-b*d)*(2*a^2*c^2-2*a*b*c*d+b^2*d^2)*\operatorname{arctanh}(\sin(f*x+e))/a^4/f+2*(a*c-b*d)^4*\operatorname{arctan}((a-b)^{(1/2)}*\tan(1/2*e+1/2*f*x)/(a+b)^{(1/2}))/a^4/f/(a-b)^{(1/2)/(a+b)^{(1/2)}+d^4*\tan(f*x+e)/a/f+d^2*(6*a^2*c^2-4*a*b*c*d+b^2*d^2)*\tan(f*x+e)/a^3/f+1/2*d^3*(4*a*c-b*d)*\sec(f*x+e)*\tan(f*x+e)/a^2/f+1/3*d^4*\tan(f*x+e)^3/a/f$

Rubi [A] time = 0.41, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$, Rules used = {2828, 2952, 2659, 205, 3770, 3767, 8, 3768}

$$\frac{d^2(6a^2c^2 - 4abcd + b^2d^2) \tan(e + fx)}{a^3 f} + \frac{d(2ac - bd)(2a^2c^2 - 2abcd + b^2d^2) \tanh^{-1}(\sin(e + fx))}{a^4 f} + \frac{d^3(4ac - bd) \tan(e + fx) \sec(e + fx)}{2a^2 f}$$

Antiderivative was successfully verified.

[In] Int[(c + d*Sec[e + f*x])^4/(a + b*Cos[e + f*x]),x]

[Out] $(2*(a*c - b*d)^4*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(e + f*x)/2])/(\operatorname{Sqrt}[a + b])]/(a^4*\operatorname{Sqrt}[a - b]*\operatorname{Sqrt}[a + b]*f) + (d^3*(4*a*c - b*d)*\operatorname{ArcTanh}[\operatorname{Sin}[e + f*x]])/(2*a^2*f) + (d*(2*a*c - b*d)*(2*a^2*c^2 - 2*a*b*c*d + b^2*d^2)*\operatorname{ArcTanh}[\operatorname{Sin}[e + f*x]])/(a^4*f) + (d^4*\operatorname{Tan}[e + f*x])/(a*f) + (d^2*(6*a^2*c^2 - 4*a*b*c*d + b^2*d^2)*\operatorname{Tan}[e + f*x])/(a^3*f) + (d^3*(4*a*c - b*d)*\operatorname{Sec}[e + f*x]*\operatorname{Tan}[e + f*x])/(2*a^2*f) + (d^4*\operatorname{Tan}[e + f*x]^3)/(3*a*f)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2828

```
Int[(csc[(e_) + (f_)*(x_)]*(d_) + (c_))^(n_)*((a_) + (b_)*sin[(e_) +
(f_)*(x_)])^(m_), x_Symbol] := Int[((a + b*Sin[e + f*x])^m*(d + c*Sin[e +
f*x])^n)/Sin[e + f*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ
[n]
```

Rule 2952

```
Int[((g_)*sin[(e_) + (f_)*(x_)])^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_
)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Int[Exp
andTrig[(g*sin[e + f*x])^p*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^n, x
], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[b*c - a*d, 0] && (Int
egersQ[m, n] || IntegersQ[m, p] || IntegersQ[n, p]) && NeQ[p, 2]
```

Rule 3767

```
Int[csc[(c_) + (d_)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3768

```
Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_) + (d_)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + d \sec(e + fx))^4}{a + b \cos(e + fx)} dx &= \int \frac{(d + c \cos(e + fx))^4 \sec^4(e + fx)}{a + b \cos(e + fx)} dx \\
&= \int \left(\frac{(ac - bd)^4}{a^4(a + b \cos(e + fx))} + \frac{d(2ac - bd)(2a^2c^2 - 2abcd + b^2d^2) \sec(e + fx)}{a^4} + \frac{d^2}{a^2} \right) dx \\
&= \frac{d^4 \int \sec^4(e + fx) dx}{a} + \frac{(ac - bd)^4 \int \frac{1}{a + b \cos(e + fx)} dx}{a^4} + \frac{(d^3(4ac - bd)) \int \sec^3(e + fx) dx}{a^2} \\
&= \frac{d(2ac - bd)(2a^2c^2 - 2abcd + b^2d^2) \tanh^{-1}(\sin(e + fx))}{a^4 f} + \frac{d^3(4ac - bd) \sec(e + fx)}{2a^2 f} \\
&= \frac{2(ac - bd)^4 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e + fx)\right)}{\sqrt{a+b}}\right)}{a^4 \sqrt{a-b} \sqrt{a+b} f} + \frac{d^3(4ac - bd) \tanh^{-1}(\sin(e + fx))}{2a^2 f} + \frac{d(2ac - bd)}{2a^2}
\end{aligned}$$

Mathematica [B] time = 4.00, size = 526, normalized size = 2.13

$$\frac{2a^3d^4 \sin\left(\frac{1}{2}(e+fx)\right)}{\left(\cos\left(\frac{1}{2}(e+fx)\right) - \sin\left(\frac{1}{2}(e+fx)\right)\right)^3} + \frac{2a^3d^4 \sin\left(\frac{1}{2}(e+fx)\right)}{\left(\sin\left(\frac{1}{2}(e+fx)\right) + \cos\left(\frac{1}{2}(e+fx)\right)\right)^3} + \frac{4ad^2(2a^2(9c^2+d^2) - 12abcd + 3b^2d^2) \sin\left(\frac{1}{2}(e+fx)\right)}{\cos\left(\frac{1}{2}(e+fx)\right) - \sin\left(\frac{1}{2}(e+fx)\right)} + \frac{4ad^2(2a^2(9c^2+d^2) - 12abcd + 3b^2d^2) \sin\left(\frac{1}{2}(e+fx)\right)}{\sin\left(\frac{1}{2}(e+fx)\right) + \cos\left(\frac{1}{2}(e+fx)\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c + d*Sec[e + f*x])^4/(a + b*Cos[e + f*x]),x]

[Out] $\frac{((-24*(a*c - b*d)^4*ArcTanh[((a - b)*Tan[(e + f*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - 6*d*(8*a*b^2*c*d^2 - 2*b^3*d^3 + 4*a^3*c*(2*c^2 + d^2) - a^2*b*d*(12*c^2 + d^2))*Log[Cos[(e + f*x)/2] - Sin[(e + f*x)/2]] - 6*d*(-8*a*b^2*c*d^2 + 2*b^3*d^3 - 4*a^3*c*(2*c^2 + d^2) + a^2*b*d*(12*c^2 + d^2))*Log[Cos[(e + f*x)/2] + Sin[(e + f*x)/2]] + (a^2*d^3*(-3*b*d + a*(12*c + d)))/(Cos[(e + f*x)/2] - Sin[(e + f*x)/2])^2 + (2*a^3*d^4*Sin[(e + f*x)/2])/(Cos[(e + f*x)/2] - Sin[(e + f*x)/2])^3 + (4*a*d^2*(-12*a*b*c*d + 3*b^2*d^2 + 2*a^2*(9*c^2 + d^2))*Sin[(e + f*x)/2])/(Cos[(e + f*x)/2] - Sin[(e + f*x)/2]) + (2*a^3*d^4*Sin[(e + f*x)/2])/(Cos[(e + f*x)/2] + Sin[(e + f*x)/2])^3 - (a^2*d^3*(-3*b*d + a*(12*c + d)))/(Cos[(e + f*x)/2] + Sin[(e + f*x)/2])^2 + (4*a*d^2*(-12*a*b*c*d + 3*b^2*d^2 + 2*a^2*(9*c^2 + d^2))*Sin[(e + f*x)/2])/(Cos[(e + f*x)/2] + Sin[(e + f*x)/2])/(12*a^4*f)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c+d*sec(f*x+e))^4/(a+b*cos(f*x+e)),x, algorithm="fricas")
```

```
[Out] Timed out
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c+d*sec(f*x+e))^4/(a+b*cos(f*x+e)),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Unable to check sign: (4*pi/x/2)>(-4*pi/x/2)Unable to check sign: (4*pi/x/2)>(-4*pi/x/2)2/f*((-2*c^4*a^4+8*c^3*b*a^3*d-12*c^2*b^2*a^2*d^2+8*c*b^3*a*d^3-2*b^4*d^4)*1/2/a^4/sqrt(a^2-b^2)*(atan((-a*tan((f*x+exp(1))/2)+b*tan((f*x+exp(1))/2))/sqrt(a^2-b^2))+pi*sign(2*b-2*a)*floor((f*x+exp(1))/2/pi+1/2))-(8*c^3*a^3*d-12*c^2*b*a^2*d^2+8*c*b^2*a*d^3+4*c*a^3*d^3-2*b^3*d^4-b*a^2*d^4)*1/4/a^4*ln(abs(tan((f*x+exp(1))/2)-1))+(8*c^3*a^3*d-12*c^2*b*a^2*d^2+8*c*b^2*a*d^3+4*c*a^3*d^3-2*b^3*d^4-b*a^2*d^4)*1/4/a^4*ln(abs(tan((f*x+exp(1))/2)+1))+(-36*tan((f*x+exp(1))/2)^5*c^2*a^2*d^2+24*tan((f*x+exp(1))/2)^5*c*b*a*d^3+12*tan((f*x+exp(1))/2)^5*c*a^2*d^3-6*tan((f*x+exp(1))/2)^5*b^2*d^4-3*tan((f*x+exp(1))/2)^5*b*a*d^4-6*tan((f*x+exp(1))/2)^5*a^2*d^4+72*tan((f*x+exp(1))/2)^3*c^2*a^2*d^2-48*tan((f*x+exp(1))/2)^3*c*b*a*d^3+12*tan((f*x+exp(1))/2)^3*b^2*d^4+4*tan((f*x+exp(1))/2)^3*a^2*d^4-36*tan((f*x+exp(1))/2)*c^2*a^2*d^2+24*tan((f*x+exp(1))/2)*c*b*a*d^3-12*tan((f*x+exp(1))/2)*c*a^2*d^3-6*tan((f*x+exp(1))/2)*b^2*d^4+3*tan((f*x+exp(1))/2)*b*a*d^4-6*tan((f*x+exp(1))/2)*a^2*d^4)*1/6/a^3/(tan((f*x+exp(1))/2)^2-1)^3
```

```
maple [B] time = 0.27, size = 1066, normalized size = 4.32
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c+d*sec(f*x+e))^4/(a+b*cos(f*x+e)),x)
```

```
[Out] 4/f*d^3/a^2/(tan(1/2*e+1/2*f*x)+1)*b*c-8/f/a/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))*b*c^3*d-8/f/a^3/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))*b^3*c*d^3+12/f/a^2/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))*b^2*c^2*d^2+2/f/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))*c^4-1/f*d^4/a/(tan(1/2*e+1/2*f*x)-1)-1/2/f*d^4/a/(tan(1/2*e+1/2*f*x)-1)^2-1/3/f*d^4/a/(tan(1/2*e+1/2*f*x)+1)^3-1/f*d^4/a/(tan(1/2*e+1/2*f*x)+1)+1/2/f*d^4/a/(tan(1/2*e+1/2*f*x)+1)^2-1/3/f*d^4/a/(tan(1/2*e+1/2*f*x)+1)
```

$$\begin{aligned}
& -1)^3 + 1/f*d^4/a^4*\ln(\tan(1/2*e+1/2*f*x)-1)*b^3 + 2/f*d^3/a/(\tan(1/2*e+1/2*f*x) \\
&)-1)*c-1/2/f*d^4/a^2/(\tan(1/2*e+1/2*f*x)-1)*b-4/f*d/a*\ln(\tan(1/2*e+1/2*f*x) \\
& -1)*c^3-6/f*d^2/a/(\tan(1/2*e+1/2*f*x)+1)*c^2+2/f*d^3/a/(\tan(1/2*e+1/2*f*x)+ \\
& 1)*c-1/2/f*d^4/a^2/(\tan(1/2*e+1/2*f*x)+1)*b-1/f*d^4/a^3/(\tan(1/2*e+1/2*f*x) \\
& +1)*b^2-2/f*d^3/a/(\tan(1/2*e+1/2*f*x)+1)^2*c+1/2/f*d^4/a^2/(\tan(1/2*e+1/2*f \\
& *x)+1)^2*b+4/f*d/a*\ln(\tan(1/2*e+1/2*f*x)+1)*c^3+2/f*d^3/a*\ln(\tan(1/2*e+1/2* \\
& f*x)+1)*c-1/2/f*d^4/a^2*\ln(\tan(1/2*e+1/2*f*x)+1)*b-1/f*d^4/a^4*\ln(\tan(1/2*e \\
& +1/2*f*x)+1)*b^3-1/f*d^4/a^3/(\tan(1/2*e+1/2*f*x)-1)*b^2+2/f*d^3/a/(\tan(1/2* \\
& e+1/2*f*x)-1)^2*c-1/2/f*d^4/a^2/(\tan(1/2*e+1/2*f*x)-1)^2*b-6/f*d^2/a/(\tan(1 \\
& /2*e+1/2*f*x)-1)*c^2+1/2/f*d^4/a^2*\ln(\tan(1/2*e+1/2*f*x)-1)*b-6/f*d^2/a^2*\ln \\
& n(\tan(1/2*e+1/2*f*x)+1)*b*c^2+4/f*d^3/a^3*\ln(\tan(1/2*e+1/2*f*x)+1)*b^2*c+4/ \\
& f*d^3/a^2/(\tan(1/2*e+1/2*f*x)-1)*b*c+6/f*d^2/a^2*\ln(\tan(1/2*e+1/2*f*x)-1)*b \\
& *c^2-4/f*d^3/a^3*\ln(\tan(1/2*e+1/2*f*x)-1)*b^2*c+2/f/a^4/((a-b)*(a+b))^(1/2) \\
& *arctan(\tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))*b^4*d^4-2/f*d^3/a*\ln(\tan \\
& (1/2*e+1/2*f*x)-1)*c
\end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))^4/(a+b*cos(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 11.82, size = 9992, normalized size = 40.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d/cos(e + f*x))^4/(a + b*cos(e + f*x)),x)

[Out] (atan(((((((8*(4*a^13*c^4 - 8*a^12*b*c^4 - 2*a^12*b*d^4 + 8*a^13*c*d^3 + 16*a^13*c^3*d + 4*a^11*b^2*c^4 - 4*a^8*b^5*d^4 + 6*a^9*b^4*d^4 - 2*a^10*b^3*d^4 + 2*a^11*b^2*d^4 + 16*a^9*b^4*c*d^3 - 24*a^10*b^3*c*d^3 + 8*a^11*b^2*c*d^3 + 16*a^11*b^2*c^3*d - 24*a^12*b*c^2*d^2 - 24*a^10*b^3*c^2*d^2 + 48*a^11*b^2*c^2*d^2 - 8*a^12*b*c*d^3 - 32*a^12*b*c^3*d)))/a^9 - (8*tan(e/2 + (f*x)/2)*(8*a^10*b + 8*a^8*b^3 - 16*a^9*b^2)*(a^2*((b*d^4)/2 + 6*b*c^2*d^2) - a^3*(2*c*d^3 + 4*c^3*d) + b^3*d^4 - 4*a*b^2*c*d^3))/a^10*(a^2*((b*d^4)/2 + 6*b*c^2*d^2) - a^3*(2*c*d^3 + 4*c^3*d) + b^3*d^4 - 4*a*b^2*c*d^3))/a^4 - (8*tan(e/2 + (f*x)/2)*(4*a^9*c^8 - 8*b^9*d^8 - 4*a^8*b*c^8 + 16*a*b^8*d^8 - 16*a^2*b^7*d^8 + 16*a^3*b^6*d^8 - 13*a^4*b^5*d^8 + 7*a^5*b^4*d^8 - 3*a^6*b^3*d^8

$$\begin{aligned}
& 8 + a^7 b^2 d^8 + 16 a^9 c^2 d^6 + 64 a^9 c^4 d^4 + 64 a^9 c^6 d^2 - 128 a^2 b^7 c d^7 + 128 a^3 b^6 c d^7 - 128 a^4 b^5 c d^7 + 104 a^5 b^4 c d^7 - 56 a^6 b^3 c d^7 + 24 a^7 b^2 c d^7 + 32 a^7 b^2 c^7 d - 48 a^8 b^2 c^2 d^6 - 112 a^8 b^2 c^3 d^5 - 192 a^8 b^2 c^4 d^4 - 192 a^8 b^2 c^5 d^3 - 192 a^8 b^2 c^6 d^2 - 224 a^2 b^7 c^2 d^6 + 448 a^3 b^6 c^2 d^6 + 448 a^3 b^6 c^3 d^5 - 424 a^4 b^5 c^2 d^6 - 896 a^4 b^5 c^3 d^5 - 552 a^4 b^5 c^4 d^4 + 376 a^5 b^4 c^2 d^6 + 784 a^5 b^4 c^3 d^5 + 1096 a^5 b^4 c^4 d^4 + 416 a^5 b^4 c^5 d^3 - 280 a^6 b^3 c^2 d^6 - 560 a^6 b^3 c^3 d^5 - 880 a^6 b^3 c^4 d^4 - 800 a^6 b^3 c^5 d^3 - 176 a^6 b^3 c^6 d^2 + 136 a^7 b^2 c^2 d^6 + 336 a^7 b^2 c^3 d^5 + 464 a^7 b^2 c^4 d^4 + 576 a^7 b^2 c^5 d^3 + 304 a^7 b^2 c^6 d^2 + 64 a^8 b^2 c^7 d - 8 a^8 b^2 c^2 d^6 - 32 a^8 b^2 c^3 d^5 + 464 a^7 b^2 c^4 d^4 + 576 a^7 b^2 c^5 d^3 + 304 a^7 b^2 c^6 d^2 + 64 a^8 b^2 c^7 d - 8 a^8 b^2 c^2 d^6 - 32 a^8 b^2 c^3 d^5) / a^6 * (a^2 * ((b^d^4) / 2 + 6 * b^2 c^2 d^2) - a^3 * (2 * c^2 d^3 + 4 * c^3 d) + b^3 d^4 - 4 * a * b^2 * c * d^3) * i) / a^4 - ((((((8 * (4 * a^13 * c^4 - 8 * a^12 * b * c^4 - 2 * a^12 * b * d^4 + 8 * a^13 * c^2 d^3 + 16 * a^13 * c^3 d^2 + 4 * a^11 * b^2 * c^4 - 4 * a^8 * b^5 * d^4 + 6 * a^9 * b^4 * d^4 - 2 * a^10 * b^3 * d^4 + 2 * a^11 * b^2 * d^4 + 16 * a^9 * b^4 * c * d^3 - 24 * a^10 * b^3 * c * d^3 + 8 * a^11 * b^2 * c * d^3 + 16 * a^11 * b^2 * c^3 * d - 24 * a^12 * b * c^2 * d^2 - 24 * a^10 * b^3 * c^2 * d^2 + 48 * a^11 * b^2 * c^2 * d^2 - 8 * a^12 * b * c * d^3 - 32 * a^12 * b * c^3 * d)) / a^9 + (8 * tan(e/2 + (f * x) / 2) * (8 * a^10 * b^2 + 8 * a^8 * b^3 - 16 * a^9 * b^2) * (a^2 * ((b^d^4) / 2 + 6 * b^2 c^2 d^2) - a^3 * (2 * c^2 d^3 + 4 * c^3 d) + b^3 d^4 - 4 * a * b^2 * c * d^3)) / a^10 * (a^2 * ((b^d^4) / 2 + 6 * b^2 c^2 d^2) - a^3 * (2 * c^2 d^3 + 4 * c^3 d) + b^3 d^4 - 4 * a * b^2 * c * d^3)) / a^4 + (8 * tan(e/2 + (f * x) / 2) * (4 * a^9 * c^8 - 8 * b^9 * d^8 - 4 * a^8 * b * c^8 + 16 * a * b^8 * d^8 - 16 * a^2 * b^7 * d^8 + 16 * a^3 * b^6 * d^8 - 13 * a^4 * b^5 * d^8 + 7 * a^5 * b^4 * d^8 - 3 * a^6 * b^3 * d^8 + a^7 * b^2 * d^8 + 16 * a^9 * c^2 * d^6 + 64 * a^9 * c^4 * d^4 + 64 * a^9 * c^6 * d^2 - 128 * a^2 * b^7 * c * d^7 + 128 * a^3 * b^6 * c * d^7 - 128 * a^4 * b^5 * c * d^7 + 104 * a^5 * b^4 * c * d^7 - 56 * a^6 * b^3 * c * d^7 + 24 * a^7 * b^2 * c * d^7 + 32 * a^7 * b^2 * c^7 * d - 48 * a^8 * b^2 * c^2 * d^6 - 112 * a^8 * b^2 * c^3 * d^5 - 192 * a^8 * b^2 * c^4 * d^4 - 192 * a^8 * b^2 * c^5 * d^3 - 192 * a^8 * b^2 * c^6 * d^2 - 224 * a^2 * b^7 * c^2 * d^6 + 448 * a^3 * b^6 * c^2 * d^6 + 448 * a^3 * b^6 * c^3 * d^5 - 424 * a^4 * b^5 * c^2 * d^6 - 896 * a^4 * b^5 * c^3 * d^5 - 552 * a^4 * b^5 * c^4 * d^4 + 376 * a^5 * b^4 * c^2 * d^6 + 784 * a^5 * b^4 * c^3 * d^5 + 1096 * a^5 * b^4 * c^4 * d^4 + 416 * a^5 * b^4 * c^5 * d^3 - 280 * a^6 * b^3 * c^2 * d^6 - 560 * a^6 * b^3 * c^3 * d^5 - 880 * a^6 * b^3 * c^4 * d^4 - 800 * a^6 * b^3 * c^5 * d^3 - 176 * a^6 * b^3 * c^6 * d^2 + 136 * a^7 * b^2 * c^2 * d^6 + 336 * a^7 * b^2 * c^3 * d^5 + 464 * a^7 * b^2 * c^4 * d^4 + 576 * a^7 * b^2 * c^5 * d^3 + 304 * a^7 * b^2 * c^6 * d^2 + 64 * a^8 * b^2 * c^7 * d - 8 * a^8 * b^2 * c^2 * d^6 - 32 * a^8 * b^2 * c^3 * d^5) / a^6 * (a^2 * ((b^d^4) / 2 + 6 * b^2 c^2 d^2) - a^3 * (2 * c^2 d^3 + 4 * c^3 d) + b^3 d^4 - 4 * a * b^2 * c * d^3) * i) / ((16 * (4 * b^11 * d^12 - 6 * a * b^10 * d^12 + 16 * a^11 * c^11 * d + 6 * a^2 * b^9 * d^12 - 5 * a^3 * b^8 * d^12 + 2 * a^4 * b^7 * d^12 - a^5 * b^6 * d^12 - 16 * a^11 * c^6 * d^6 - 64 * a^11 * c^8 * d^4 + 8 * a^11 * c^9 * d^3 - 64 * a^11 * c^10 * d^2 + 72 * a^2 * b^9 * c * d^11 - 72 * a^3 * b^8 * c * d^11 + 60 * a^4 * b^7 * c * d^11 - 24 * a^5 * b^6 * c * d^11 + 12 * a^6 * b^5 * c * d^11 + 72 * a^10 * b * c^5 * d^7 + 32 * a^10 * b * c^6 * d^6 + 368 * a^10 * b * c^7 * d^5 + 62 * a^10 * b * c^8 * d^4 + 440 * a^10 * b * c^9 * d^3 - 24 * a^10 * b * c^10 * d^2 + 264 * a^2 * b^9 * c^2 * d^10 - 384 * a^3 * b^8 * c^2 * d^10 - 880 * a^3 * b^8 * c^3 * d^9 + 4 * a^3 * b^8 * c^4 * d^8 + 360 * a^4 * b^7 * c^2 * d^10 + 1216 * a^4 * b^7 * c^3 * d^9 + 1968 * a^4 * b^7 * c^4 * d^8 - 32 * a^4 * b^7 * c^5 * d^7 - 294 * a^5 * b^6 * c^2 * d^10 - 1008 * a^5 * b^6 * c^3 * d^9 - 2556 * a^5 * b^6 * c^4 * d^8 - 3072 * a^5 * b^6 * c^5 * d^7 + 112 * a^5 * b^6 * c^6 * d^6 + 108 * a^6 * b^5 * c^2 * d^10 + 788 * a^6 * b^5 * c^3 * d^9 + 1756 * a^6 * b^5 * c^4 * d^8 + 3744 * a^6 * b^5 * c^5 * d^7 + 3360 * a^6 * b^5 * c^6 * d^6 - 224 * a^6 * b^5 * c^7 * d^5 - 5
\end{aligned}$$

$$\begin{aligned}
&4*a^7*b^4*c^2*d^{10} - 232*a^7*b^4*c^3*d^9 - 1301*a^7*b^4*c^4*d^8 - 1952*a^7*b^4*c^5*d^7 - 3888*a^7*b^4*c^6*d^6 - 2496*a^7*b^4*c^7*d^5 + 276*a^7*b^4*c^8*d^4 + 116*a^8*b^3*c^3*d^9 + 258*a^8*b^3*c^4*d^8 + 1384*a^8*b^3*c^5*d^7 + 1336*a^8*b^3*c^6*d^6 + 2848*a^8*b^3*c^7*d^5 + 1148*a^8*b^3*c^8*d^4 - 208*a^8*b^3*c^9*d^3 - 129*a^9*b^2*c^4*d^8 - 144*a^9*b^2*c^5*d^7 - 936*a^9*b^2*c^6*d^6 - 496*a^9*b^2*c^7*d^5 - 1422*a^9*b^2*c^8*d^4 - 240*a^9*b^2*c^9*d^3 + 88*a^9*b^2*c^{10}*d^2 - 48*a*b^{10}*c*d^{11} - 16*a^{10}*b*c^{11}*d)/a^9 + (((((8*(4*a^{13}*c^4 - 8*a^{12}*b*c^4 - 2*a^{12}*b*d^4 + 8*a^{13}*c*d^3 + 16*a^{13}*c^3*d + 4*a^{11}*b^2*c^4 - 4*a^8*b^5*d^4 + 6*a^9*b^4*d^4 - 2*a^{10}*b^3*d^4 + 2*a^{11}*b^2*d^4 + 16*a^9*b^4*c*d^3 - 24*a^{10}*b^3*c*d^3 + 8*a^{11}*b^2*c*d^3 + 16*a^{11}*b^2*c^3*d - 24*a^{12}*b*c^2*d^2 - 24*a^{10}*b^3*c^2*d^2 + 48*a^{11}*b^2*c^2*d^2 - 8*a^{12}*b*c*d^3 - 32*a^{12}*b*c^3*d))/a^9 - (8*tan(e/2 + (f*x)/2)*(8*a^{10}*b + 8*a^8*b^3 - 16*a^9*b^2)*(a^2*((b*d^4)/2 + 6*b*c^2*d^2) - a^3*(2*c*d^3 + 4*c^3*d) + b^3*d^4 - 4*a*b^2*c*d^3))/a^{10}*(a^2*((b*d^4)/2 + 6*b*c^2*d^2) - a^3*(2*c*d^3 + 4*c^3*d) + b^3*d^4 - 4*a*b^2*c*d^3))/a^4 - (8*tan(e/2 + (f*x)/2)*(4*a^9*c^8 - 8*b^9*d^8 - 4*a^8*b*c^8 + 16*a*b^8*d^8 - 16*a^2*b^7*d^8 + 16*a^3*b^6*d^8 - 13*a^4*b^5*d^8 + 7*a^5*b^4*d^8 - 3*a^6*b^3*d^8 + a^7*b^2*d^8 + 16*a^9*c^2*d^6 + 64*a^9*c^4*d^4 + 64*a^9*c^6*d^2 - 128*a^2*b^7*c*d^7 + 128*a^3*b^6*c*d^7 - 128*a^4*b^5*c*d^7 + 104*a^5*b^4*c*d^7 - 56*a^6*b^3*c*d^7 + 24*a^7*b^2*c*d^7 + 32*a^7*b^2*c^7*d - 48*a^8*b*c^2*d^6 - 112*a^8*b*c^3*d^5 - 192*a^8*b*c^4*d^4 - 192*a^8*b*c^5*d^3 - 192*a^8*b*c^6*d^2 - 224*a^2*b^7*c^2*d^6 + 448*a^3*b^6*c^2*d^6 + 448*a^3*b^6*c^3*d^5 - 424*a^4*b^5*c^2*d^6 - 896*a^4*b^5*c^3*d^5 - 552*a^4*b^5*c^4*d^4 + 376*a^5*b^4*c^2*d^6 + 784*a^5*b^4*c^3*d^5 + 1096*a^5*b^4*c^4*d^4 + 416*a^5*b^4*c^5*d^3 - 280*a^6*b^3*c^2*d^6 - 560*a^6*b^3*c^3*d^5 - 880*a^6*b^3*c^4*d^4 - 800*a^6*b^3*c^5*d^3 - 176*a^6*b^3*c^6*d^2 + 136*a^7*b^2*c^2*d^6 + 336*a^7*b^2*c^3*d^5 + 464*a^7*b^2*c^4*d^4 + 576*a^7*b^2*c^5*d^3 + 304*a^7*b^2*c^6*d^2 + 64*a*b^8*c*d^7 - 8*a^8*b*c*d^7 - 32*a^8*b*c^7*d))/a^6)*(a^2*((b*d^4)/2 + 6*b*c^2*d^2) - a^3*(2*c*d^3 + 4*c^3*d) + b^3*d^4 - 4*a*b^2*c*d^3))/a^4 + (((((8*(4*a^{13}*c^4 - 8*a^{12}*b*c^4 - 2*a^{12}*b*d^4 + 8*a^{13}*c*d^3 + 16*a^{13}*c^3*d + 4*a^{11}*b^2*c^4 - 4*a^8*b^5*d^4 + 6*a^9*b^4*d^4 - 2*a^{10}*b^3*d^4 + 2*a^{11}*b^2*d^4 + 16*a^9*b^4*c*d^3 - 24*a^{10}*b^3*c*d^3 + 8*a^{11}*b^2*c*d^3 + 16*a^{11}*b^2*c^3*d - 24*a^{12}*b*c^2*d^2 - 24*a^{10}*b^3*c^2*d^2 + 48*a^{11}*b^2*c^2*d^2 - 8*a^{12}*b*c*d^3 - 32*a^{12}*b*c^3*d))/a^9 + (8*tan(e/2 + (f*x)/2)*(8*a^{10}*b + 8*a^8*b^3 - 16*a^9*b^2)*(a^2*((b*d^4)/2 + 6*b*c^2*d^2) - a^3*(2*c*d^3 + 4*c^3*d) + b^3*d^4 - 4*a*b^2*c*d^3))/a^{10}*(a^2*((b*d^4)/2 + 6*b*c^2*d^2) - a^3*(2*c*d^3 + 4*c^3*d) + b^3*d^4 - 4*a*b^2*c*d^3))/a^4 + (8*tan(e/2 + (f*x)/2)*(4*a^9*c^8 - 8*b^9*d^8 - 4*a^8*b*c^8 + 16*a*b^8*d^8 - 16*a^2*b^7*d^8 + 16*a^3*b^6*d^8 - 13*a^4*b^5*d^8 + 7*a^5*b^4*d^8 - 3*a^6*b^3*d^8 + a^7*b^2*d^8 + 16*a^9*c^2*d^6 + 64*a^9*c^4*d^4 + 64*a^9*c^6*d^2 - 128*a^2*b^7*c*d^7 + 128*a^3*b^6*c*d^7 - 128*a^4*b^5*c*d^7 + 104*a^5*b^4*c*d^7 - 56*a^6*b^3*c*d^7 + 24*a^7*b^2*c*d^7 + 32*a^7*b^2*c^7*d - 48*a^8*b*c^2*d^6 - 112*a^8*b*c^3*d^5 - 192*a^8*b*c^4*d^4 - 192*a^8*b*c^5*d^3 - 192*a^8*b*c^6*d^2 - 224*a^2*b^7*c^2*d^6 + 448*a^3*b^6*c^2*d^6 + 448*a^3*b^6*c^3*d^5 - 424*a^4*b^5*c^2*d^6 - 896*a^4*b^5*c^3*d^5 - 552*a^4*b^5*c^4*d^4 + 376*a^5*b^4*c^2*d^6 + 784*a^5*b^4*c^3*d^5 + 10
\end{aligned}$$

$$\begin{aligned}
& 96*a^5*b^4*c^4*d^4 + 416*a^5*b^4*c^5*d^3 - 280*a^6*b^3*c^2*d^6 - 560*a^6*b^3*c^3*d^5 \\
& - 880*a^6*b^3*c^4*d^4 - 800*a^6*b^3*c^5*d^3 - 176*a^6*b^3*c^6*d^2 + 136*a^7*b^2*c^2*d^6 \\
& + 336*a^7*b^2*c^3*d^5 + 464*a^7*b^2*c^4*d^4 + 576*a^7*b^2*c^5*d^3 + 304*a^7*b^2*c^6*d^2 \\
& + 64*a*b^8*c*d^7 - 8*a^8*b*c*d^7 - 32*a^8*b*c^7*d)/a^6*(a^2*((b*d^4)/2 + 6*b*c^2*d^2) - a^3*(2*c*d^3 + 4*c^3*d) \\
& + b^3*d^4 - 4*a*b^2*c*d^3))/a^4)*(a^2*((b*d^4)/2 + 6*b*c^2*d^2) - a^3*(2*c*d^3 + 4*c^3*d) \\
& + b^3*d^4 - 4*a*b^2*c*d^3)*2i)/(a^4*f) - ((tan(e/2 + (f*x)/2)*(2*a^2*d^4 + 2*b^2*d^4 + 4*a^2*c*d^3 + 12*a^2*c^2*d^2 - a*b*d^4 - 8*a*b*c*d^3))/a^3 - (4*tan(e/2 + (f*x)/2)^3*(a^2*d^4 + 3*b^2*d^4 + 18*a^2*c^2*d^2 - 12*a*b*c*d^3))/(3*a^3) + (tan(e/2 + (f*x)/2)^5*(2*a^2*d^4 + 2*b^2*d^4 - 4*a^2*c*d^3 + 12*a^2*c^2*d^2 + a*b*d^4 - 8*a*b*c*d^3))/a^3)/(f*(3*tan(e/2 + (f*x)/2)^2 - 3*tan(e/2 + (f*x)/2)^4 + tan(e/2 + (f*x)/2)^6 - 1)) - (atan(((-(a + b)*(a - b))^(1/2)*((8*tan(e/2 + (f*x)/2)*(4*a^9*c^8 - 8*b^9*d^8 - 4*a^8*b*c^8 + 16*a*b^8*d^8 - 16*a^2*b^7*d^8 + 16*a^3*b^6*d^8 - 13*a^4*b^5*d^8 + 7*a^5*b^4*d^8 - 3*a^6*b^3*d^8 + a^7*b^2*d^8 + 16*a^9*c^2*d^6 + 64*a^9*c^4*d^4 + 64*a^9*c^6*d^2 - 128*a^2*b^7*c*d^7 + 128*a^3*b^6*c*d^7 - 128*a^4*b^5*c*d^7 + 104*a^5*b^4*c*d^7 - 56*a^6*b^3*c*d^7 + 24*a^7*b^2*c*d^7 + 32*a^7*b^2*c^7*d - 48*a^8*b*c^2*d^6 - 112*a^8*b*c^3*d^5 - 192*a^8*b*c^4*d^4 - 192*a^8*b*c^5*d^3 - 192*a^8*b*c^6*d^2 - 224*a^2*b^7*c^2*d^6 + 448*a^3*b^6*c^2*d^6 + 448*a^3*b^6*c^3*d^5 - 424*a^4*b^5*c^2*d^6 - 896*a^4*b^5*c^3*d^5 - 552*a^4*b^5*c^4*d^4 + 376*a^5*b^4*c^2*d^6 + 784*a^5*b^4*c^3*d^5 + 1096*a^5*b^4*c^4*d^4 + 416*a^5*b^4*c^5*d^3 - 280*a^6*b^3*c^2*d^6 - 560*a^6*b^3*c^3*d^5 - 880*a^6*b^3*c^4*d^4 - 800*a^6*b^3*c^5*d^3 - 176*a^6*b^3*c^6*d^2 + 136*a^7*b^2*c^2*d^6 + 336*a^7*b^2*c^3*d^5 + 464*a^7*b^2*c^4*d^4 + 576*a^7*b^2*c^5*d^3 + 304*a^7*b^2*c^6*d^2 + 64*a*b^8*c*d^7 - 8*a^8*b*c*d^7 - 32*a^8*b*c^7*d))/a^6 + (((-(a + b)*(a - b))^(1/2)*(a*c - b*d)^4*((8*(4*a^13*c^4 - 8*a^12*b*c^4 - 2*a^12*b*d^4 + 8*a^13*c*d^3 + 16*a^13*c^3*d + 4*a^11*b^2*c^4 - 4*a^8*b^5*d^4 + 6*a^9*b^4*d^4 - 2*a^10*b^3*d^4 + 2*a^11*b^2*d^4 + 16*a^9*b^4*c*d^3 - 24*a^10*b^3*c*d^3 + 8*a^11*b^2*c*d^3 + 16*a^11*b^2*c^3*d - 24*a^12*b*c^2*d^2 - 24*a^10*b^3*c^2*d^2 + 48*a^11*b^2*c^2*d^2 - 8*a^12*b*c*d^3 - 32*a^12*b*c^3*d))/a^9 + (8*tan(e/2 + (f*x)/2)*(-(a + b)*(a - b))^(1/2)*(a*c - b*d)^4*(8*a^10*b + 8*a^8*b^3 - 16*a^9*b^2))/(a^6*(a^6 - a^4*b^2))))/(a^6 - a^4*b^2))*(a*c - b*d)^4*1i)/(a^6 - a^4*b^2) + (((-(a + b)*(a - b))^(1/2)*((8*tan(e/2 + (f*x)/2)*(4*a^9*c^8 - 8*b^9*d^8 - 4*a^8*b*c^8 + 16*a*b^8*d^8 - 16*a^2*b^7*d^8 + 16*a^3*b^6*d^8 - 13*a^4*b^5*d^8 + 7*a^5*b^4*d^8 - 3*a^6*b^3*d^8 + a^7*b^2*d^8 + 16*a^9*c^2*d^6 + 64*a^9*c^4*d^4 + 64*a^9*c^6*d^2 - 128*a^2*b^7*c*d^7 + 128*a^3*b^6*c*d^7 - 128*a^4*b^5*c*d^7 + 104*a^5*b^4*c*d^7 - 56*a^6*b^3*c*d^7 + 24*a^7*b^2*c*d^7 + 32*a^7*b^2*c^7*d - 48*a^8*b*c^2*d^6 - 112*a^8*b*c^3*d^5 - 192*a^8*b*c^4*d^4 - 192*a^8*b*c^5*d^3 - 192*a^8*b*c^6*d^2 - 224*a^2*b^7*c^2*d^6 + 448*a^3*b^6*c^2*d^6 + 448*a^3*b^6*c^3*d^5 - 424*a^4*b^5*c^2*d^6 - 896*a^4*b^5*c^3*d^5 - 552*a^4*b^5*c^4*d^4 + 376*a^5*b^4*c^2*d^6 + 784*a^5*b^4*c^3*d^5 + 1096*a^5*b^4*c^4*d^4 + 416*a^5*b^4*c^5*d^3 - 280*a^6*b^3*c^2*d^6 - 560*a^6*b^3*c^3*d^5 - 880*a^6*b^3*c^4*d^4 - 800*a^6*b^3*c^5*d^3 - 176*a^6*b^3*c^6*d^2 + 136*a^7*b^2*c^2*d^6 + 336*a^7*b^2*c^3*d^5 + 464*a^7*b^2*c^4*d^4 + 576*a^7*b^2*c^5*d^3 + 304*a^7*b^2*c^6*d^2 + 64*
\end{aligned}$$

$$\begin{aligned}
& a*b^8*c*d^7 - 8*a^8*b*c*d^7 - 32*a^8*b*c^7*d)) / a^6 - ((-(a + b)*(a - b))^{(1/2)} * (a*c - b*d)^4 * ((8*(4*a^13*c^4 - 8*a^12*b*c^4 - 2*a^12*b*d^4 + 8*a^13*c*d^3 + 16*a^13*c^3*d + 4*a^11*b^2*c^4 - 4*a^8*b^5*d^4 + 6*a^9*b^4*d^4 - 2*a^10*b^3*d^4 + 2*a^11*b^2*d^4 + 16*a^9*b^4*c*d^3 - 24*a^10*b^3*c*d^3 + 8*a^11*b^2*c*d^3 + 16*a^11*b^2*c^3*d - 24*a^12*b*c^2*d^2 - 24*a^10*b^3*c^2*d^2 + 48*a^11*b^2*c^2*d^2 - 8*a^12*b*c*d^3 - 32*a^12*b*c^3*d)) / a^9 - (8*\tan(e/2 + (f*x)/2) * (-(a + b)*(a - b))^{(1/2)} * (a*c - b*d)^4 * (8*a^10*b + 8*a^8*b^3 - 16*a^9*b^2)) / (a^6*(a^6 - a^4*b^2))) / (a^6 - a^4*b^2)) * (a*c - b*d)^4 * 1i) / (a^6 - a^4*b^2)) / ((16*(4*b^11*d^12 - 6*a*b^10*d^12 + 16*a^11*c^11*d + 6*a^2*b^9*d^12 - 5*a^3*b^8*d^12 + 2*a^4*b^7*d^12 - a^5*b^6*d^12 - 16*a^11*c^6*d^6 - 6*4*a^11*c^8*d^4 + 8*a^11*c^9*d^3 - 64*a^11*c^10*d^2 + 72*a^2*b^9*c*d^11 - 72*a^3*b^8*c*d^11 + 60*a^4*b^7*c*d^11 - 24*a^5*b^6*c*d^11 + 12*a^6*b^5*c*d^11 + 72*a^10*b*c^5*d^7 + 32*a^10*b*c^6*d^6 + 368*a^10*b*c^7*d^5 + 62*a^10*b*c^8*d^4 + 440*a^10*b*c^9*d^3 - 24*a^10*b*c^10*d^2 + 264*a^2*b^9*c^2*d^10 - 3*84*a^3*b^8*c^2*d^10 - 880*a^3*b^8*c^3*d^9 + 4*a^3*b^8*c^4*d^8 + 360*a^4*b^7*c^2*d^10 + 1216*a^4*b^7*c^3*d^9 + 1968*a^4*b^7*c^4*d^8 - 32*a^4*b^7*c^5*d^7 - 294*a^5*b^6*c^2*d^10 - 1008*a^5*b^6*c^3*d^9 - 2556*a^5*b^6*c^4*d^8 - 30*72*a^5*b^6*c^5*d^7 + 112*a^5*b^6*c^6*d^6 + 108*a^6*b^5*c^2*d^10 + 788*a^6*b^5*c^3*d^9 + 1756*a^6*b^5*c^4*d^8 + 3744*a^6*b^5*c^5*d^7 + 3360*a^6*b^5*c^6*d^6 - 224*a^6*b^5*c^7*d^5 - 54*a^7*b^4*c^2*d^10 - 232*a^7*b^4*c^3*d^9 - 13*01*a^7*b^4*c^4*d^8 - 1952*a^7*b^4*c^5*d^7 - 3888*a^7*b^4*c^6*d^6 - 2496*a^7*b^4*c^7*d^5 + 276*a^7*b^4*c^8*d^4 + 116*a^8*b^3*c^3*d^9 + 258*a^8*b^3*c^4*d^8 + 1384*a^8*b^3*c^5*d^7 + 1336*a^8*b^3*c^6*d^6 + 2848*a^8*b^3*c^7*d^5 + 1148*a^8*b^3*c^8*d^4 - 208*a^8*b^3*c^9*d^3 - 129*a^9*b^2*c^4*d^8 - 144*a^9*b^2*c^5*d^7 - 936*a^9*b^2*c^6*d^6 - 496*a^9*b^2*c^7*d^5 - 1422*a^9*b^2*c^8*d^4 - 240*a^9*b^2*c^9*d^3 + 88*a^9*b^2*c^10*d^2 - 48*a*b^10*c*d^11 - 16*a^1*0*b*c^11*d)) / a^9 + ((-(a + b)*(a - b))^{(1/2)} * ((8*\tan(e/2 + (f*x)/2) * (4*a^9*c^8 - 8*b^9*d^8 - 4*a^8*b*c^8 + 16*a*b^8*d^8 - 16*a^2*b^7*d^8 + 16*a^3*b^6*d^8 - 13*a^4*b^5*d^8 + 7*a^5*b^4*d^8 - 3*a^6*b^3*d^8 + a^7*b^2*d^8 + 16*a^9*c^2*d^6 + 64*a^9*c^4*d^4 + 64*a^9*c^6*d^2 - 128*a^2*b^7*c*d^7 + 128*a^3*b^6*c*d^7 - 128*a^4*b^5*c*d^7 + 104*a^5*b^4*c*d^7 - 56*a^6*b^3*c*d^7 + 24*a^7*b^2*c*d^7 + 32*a^7*b^2*c^7*d - 48*a^8*b*c^2*d^6 - 112*a^8*b*c^3*d^5 - 192*a^8*b*c^4*d^4 - 192*a^8*b*c^5*d^3 - 192*a^8*b*c^6*d^2 - 224*a^2*b^7*c^2*d^6 + 448*a^3*b^6*c^2*d^6 + 448*a^3*b^6*c^3*d^5 - 424*a^4*b^5*c^2*d^6 - 896*a^4*b^5*c^3*d^5 - 552*a^4*b^5*c^4*d^4 + 376*a^5*b^4*c^2*d^6 + 784*a^5*b^4*c^3*d^5 + 1096*a^5*b^4*c^4*d^4 + 416*a^5*b^4*c^5*d^3 - 280*a^6*b^3*c^2*d^6 - 5*60*a^6*b^3*c^3*d^5 - 880*a^6*b^3*c^4*d^4 - 800*a^6*b^3*c^5*d^3 - 176*a^6*b^3*c^6*d^2 + 136*a^7*b^2*c^2*d^6 + 336*a^7*b^2*c^3*d^5 + 464*a^7*b^2*c^4*d^4 + 576*a^7*b^2*c^5*d^3 + 304*a^7*b^2*c^6*d^2 + 64*a*b^8*c*d^7 - 8*a^8*b*c*d^7 - 32*a^8*b*c^7*d)) / a^6 + ((-(a + b)*(a - b))^{(1/2)} * (a*c - b*d)^4 * ((8*(4*a^13*c^4 - 8*a^12*b*c^4 - 2*a^12*b*d^4 + 8*a^13*c*d^3 + 16*a^13*c^3*d + 4*a^11*b^2*c^4 - 4*a^8*b^5*d^4 + 6*a^9*b^4*d^4 - 2*a^10*b^3*d^4 + 2*a^11*b^2*d^4 + 16*a^9*b^4*c*d^3 - 24*a^10*b^3*c*d^3 + 8*a^11*b^2*c*d^3 + 16*a^11*b^2*c^3*d - 24*a^12*b*c^2*d^2 - 24*a^10*b^3*c^2*d^2 + 48*a^11*b^2*c^2*d^2 - 8*a^12*b*c*d^3 - 32*a^12*b*c^3*d)) / a^9 + (8*\tan(e/2 + (f*x)/2) * (-(a + b)*(a -
\end{aligned}$$

$$\frac{b)^{(1/2)}*(a*c - b*d)^4*(8*a^{10}*b + 8*a^8*b^3 - 16*a^9*b^2))/(a^6*(a^6 - a^4*b^2)))/(a^6 - a^4*b^2))*((a + b)*(a - b))^{(1/2)}*((8*\tan(e/2 + (f*x)/2)*(4*a^9*c^8 - 8*b^9*d^8 - 4*a^8*b*c^8 + 16*a*b^8*d^8 - 16*a^2*b^7*d^8 + 16*a^3*b^6*d^8 - 13*a^4*b^5*d^8 + 7*a^5*b^4*d^8 - 3*a^6*b^3*d^8 + a^7*b^2*d^8 + 16*a^9*c^2*d^6 + 64*a^9*c^4*d^4 + 64*a^9*c^6*d^2 - 128*a^2*b^7*c*d^7 + 128*a^3*b^6*c*d^7 - 128*a^4*b^5*c*d^7 + 104*a^5*b^4*c*d^7 - 56*a^6*b^3*c*d^7 + 24*a^7*b^2*c*d^7 + 32*a^7*b^2*c^7*d - 48*a^8*b*c^2*d^6 - 112*a^8*b*c^3*d^5 - 192*a^8*b*c^4*d^4 - 192*a^8*b*c^5*d^3 - 192*a^8*b*c^6*d^2 - 224*a^2*b^7*c^2*d^6 + 448*a^3*b^6*c^2*d^6 + 448*a^3*b^6*c^3*d^5 - 424*a^4*b^5*c^2*d^6 - 896*a^4*b^5*c^3*d^5 - 552*a^4*b^5*c^4*d^4 + 376*a^5*b^4*c^2*d^6 + 784*a^5*b^4*c^3*d^5 + 1096*a^5*b^4*c^4*d^4 + 416*a^5*b^4*c^5*d^3 - 280*a^6*b^3*c^2*d^6 - 560*a^6*b^3*c^3*d^5 - 880*a^6*b^3*c^4*d^4 - 800*a^6*b^3*c^5*d^3 - 176*a^6*b^3*c^6*d^2 + 136*a^7*b^2*c^2*d^6 + 336*a^7*b^2*c^3*d^5 + 464*a^7*b^2*c^4*d^4 + 576*a^7*b^2*c^5*d^3 + 304*a^7*b^2*c^6*d^2 + 64*a*b^8*c*d^7 - 8*a^8*b*c*d^7 - 32*a^8*b*c^7*d))/a^6 - (((a + b)*(a - b))^{(1/2)}*(a*c - b*d)^4*((8*(4*a^13*c^4 - 8*a^12*b*c^4 - 2*a^12*b*d^4 + 8*a^13*c*d^3 + 16*a^13*c^3*d + 4*a^11*b^2*c^4 - 4*a^8*b^5*d^4 + 6*a^9*b^4*d^4 - 2*a^10*b^3*d^4 + 2*a^11*b^2*d^4 + 16*a^9*b^4*c*d^3 - 24*a^10*b^3*c*d^3 + 8*a^11*b^2*c*d^3 + 16*a^11*b^2*c^3*d - 24*a^12*b*c^2*d^2 - 24*a^10*b^3*c^2*d^2 + 48*a^11*b^2*c^2*d^2 - 8*a^12*b*c*d^3 - 32*a^12*b*c^3*d))/a^9 - (8*\tan(e/2 + (f*x)/2)*(-(a + b)*(a - b))^{(1/2)}*(a*c - b*d)^4*(8*a^{10}*b + 8*a^8*b^3 - 16*a^9*b^2))/(a^6*(a^6 - a^4*b^2)))/(a^6 - a^4*b^2))*((a + b)*(a - b))^{(1/2)}*(a*c - b*d)^4*2i)/(f*(a^6 - a^4*b^2))$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + d \sec(e + fx))^4}{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))**4/(a+b*cos(f*x+e)),x)

[Out] Integral((c + d*sec(e + f*x))**4/(a + b*cos(e + f*x)), x)

$$3.10 \quad \int \frac{(c+d \sec(e+fx))^3}{a+b \cos(e+fx)} dx$$

Optimal. Leaf size=170

$$\frac{2(ac - bd)^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{a^3 f \sqrt{a-b} \sqrt{a+b}} + \frac{d^2(3ac - bd) \tan(e+fx)}{a^2 f} + \frac{d(3a^2c^2 - 3abcd + b^2d^2) \tanh^{-1}(\sin(e+fx))}{a^3 f}$$

[Out] $1/2*d^3*\operatorname{arctanh}(\sin(f*x+e))/a/f+d*(3*a^2*c^2-3*a*b*c*d+b^2*d^2)*\operatorname{arctanh}(\sin(f*x+e))/a^3/f+2*(a*c-b*d)^3*\operatorname{arctan}((a-b)^{(1/2)}*\tan(1/2*e+1/2*f*x)/(a+b)^{(1/2}))/a^3/f/(a-b)^{(1/2)/(a+b)^{(1/2)+d^2*(3*a*c-b*d)*\tan(f*x+e)/a^2/f+1/2*d^3*\sec(f*x+e)*\tan(f*x+e)/a/f$

Rubi [A] time = 0.33, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$, Rules used = {2828, 2952, 2659, 205, 3770, 3767, 8, 3768}

$$\frac{d(3a^2c^2 - 3abcd + b^2d^2) \tanh^{-1}(\sin(e+fx))}{a^3 f} + \frac{d^2(3ac - bd) \tan(e+fx)}{a^2 f} + \frac{2(ac - bd)^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{a^3 f \sqrt{a-b} \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*Sec[e + f*x])^3/(a + b*Cos[e + f*x]),x]

[Out] $(2*(a*c - b*d)^3*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(e + f*x)/2])/(\operatorname{Sqrt}[a + b])]/(a^3*\operatorname{Sqrt}[a - b]*\operatorname{Sqrt}[a + b]*f) + (d^3*\operatorname{ArcTanh}[\operatorname{Sin}[e + f*x]])/(2*a*f) + (d*(3*a^2*c^2 - 3*a*b*c*d + b^2*d^2)*\operatorname{ArcTanh}[\operatorname{Sin}[e + f*x]])/(a^3*f) + (d^2*(3*a*c - b*d)*\operatorname{Tan}[e + f*x])/(a^2*f) + (d^3*\operatorname{Sec}[e + f*x]*\operatorname{Tan}[e + f*x])/(2*a*f)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (

$a - b)e^{2x^2}$, x , $\tan[(c + dx)/2]/e$, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2828

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Int[((a + b*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n)/Sin[e + f*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

Rule 2952

Int[((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Int[ExpandTrig[(g*sin[e + f*x])^p*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[b*c - a*d, 0] && (IntegersQ[m, n] || IntegersQ[m, p] || IntegersQ[n, p]) && NeQ[p, 2]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(c + d \sec(e + fx))^3}{a + b \cos(e + fx)} dx &= \int \frac{(d + c \cos(e + fx))^3 \sec^3(e + fx)}{a + b \cos(e + fx)} dx \\
&= \int \left(\frac{(ac - bd)^3}{a^3(a + b \cos(e + fx))} + \frac{d(3a^2c^2 - 3abcd + b^2d^2) \sec(e + fx)}{a^3} + \frac{d^2(3ac - bd) \sec^2(e + fx)}{a^2} \right) dx \\
&= \frac{d^3 \int \sec^3(e + fx) dx}{a} + \frac{(ac - bd)^3 \int \frac{1}{a + b \cos(e + fx)} dx}{a^3} + \frac{(d^2(3ac - bd)) \int \sec^2(e + fx) dx}{a^2} \\
&= \frac{d(3a^2c^2 - 3abcd + b^2d^2) \tanh^{-1}(\sin(e + fx))}{a^3 f} + \frac{d^3 \sec(e + fx) \tan(e + fx)}{2af} + \frac{d^3 \int \sec^2(e + fx) dx}{a^2} \\
&= \frac{2(ac - bd)^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e + fx)\right)}{\sqrt{a+b}}\right)}{a^3 \sqrt{a-b} \sqrt{a+b} f} + \frac{d^3 \tanh^{-1}(\sin(e + fx))}{2af} + \frac{d(3a^2c^2 - 3abcd)}{a^2}
\end{aligned}$$

Mathematica [A] time = 1.29, size = 335, normalized size = 1.97

$$-2d(a^2(6c^2 + d^2) - 6abcd + 2b^2d^2) \log\left(\cos\left(\frac{1}{2}(e + fx)\right) - \sin\left(\frac{1}{2}(e + fx)\right)\right) + 2d(a^2(6c^2 + d^2) - 6abcd + 2b^2d^2)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*Sec[e + f*x])^3/(a + b*Cos[e + f*x]),x]

[Out] $\left(\frac{-8(a^2c - b^2d)^3 \operatorname{ArcTanh}\left[\frac{(a - b) \tan\left[\frac{e + fx}{2}\right]}{\sqrt{-a^2 + b^2}}\right]}{\sqrt{-a^2 + b^2}} - 2d(-6a^2bc^2d + 2b^2d^2 + a^2(6c^2 + d^2)) \operatorname{Log}\left[\frac{\cos\left[\frac{e + fx}{2}\right] - \sin\left[\frac{e + fx}{2}\right]}{\cos\left[\frac{e + fx}{2}\right] + \sin\left[\frac{e + fx}{2}\right]}\right] + 2d(-6a^2bc^2d + 2b^2d^2 + a^2(6c^2 + d^2)) \operatorname{Log}\left[\frac{\cos\left[\frac{e + fx}{2}\right] + \sin\left[\frac{e + fx}{2}\right]}{\cos\left[\frac{e + fx}{2}\right] - \sin\left[\frac{e + fx}{2}\right]}\right] + \frac{a^2d^3}{(\cos\left[\frac{e + fx}{2}\right] - \sin\left[\frac{e + fx}{2}\right])^2} + \frac{4ad^2(3ac - bd) \sin\left[\frac{e + fx}{2}\right]}{(\cos\left[\frac{e + fx}{2}\right] - \sin\left[\frac{e + fx}{2}\right])} - \frac{a^2d^3}{(\cos\left[\frac{e + fx}{2}\right] + \sin\left[\frac{e + fx}{2}\right])^2} + \frac{4ad^2(3ac - bd) \sin\left[\frac{e + fx}{2}\right]}{(\cos\left[\frac{e + fx}{2}\right] + \sin\left[\frac{e + fx}{2}\right])}\right)\right) / (4a^3f)$

fricas [B] time = 111.80, size = 747, normalized size = 4.39

$$\left[\frac{2(a^3c^3 - 3a^2bc^2d + 3ab^2cd^2 - b^3d^3) \sqrt{-a^2 + b^2} \cos^2(fx + e) \log\left(\frac{2ab \cos(fx + e) + (2a^2 - b^2) \cos^2(fx + e) - 2\sqrt{-a^2 + b^2} (a \cos(fx + e) + b)}{b^2 \cos^2(fx + e) + 2ab \cos(fx + e)}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))^3/(a+b*cos(f*x+e)),x, algorithm="fricas")

[Out] [1/4*(2*(a^3*c^3 - 3*a^2*b*c^2*d + 3*a*b^2*c*d^2 - b^3*d^3)*sqrt(-a^2 + b^2)*cos(f*x + e)^2*log((2*a*b*cos(f*x + e) + (2*a^2 - b^2)*cos(f*x + e)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(f*x + e) + b)*sin(f*x + e) - a^2 + 2*b^2)/(b^2*cos(f*x + e)^2 + 2*a*b*cos(f*x + e) + a^2)) + (6*(a^4 - a^2*b^2)*c^2*d - 6*(a^3*b - a*b^3)*c*d^2 + (a^4 + a^2*b^2 - 2*b^4)*d^3)*cos(f*x + e)^2*log(sin(f*x + e) + 1) - (6*(a^4 - a^2*b^2)*c^2*d - 6*(a^3*b - a*b^3)*c*d^2 + (a^4 + a^2*b^2 - 2*b^4)*d^3)*cos(f*x + e)^2*log(-sin(f*x + e) + 1) + 2*((a^4 - a^2*b^2)*d^3 + 2*(3*(a^4 - a^2*b^2)*c*d^2 - (a^3*b - a*b^3)*d^3)*cos(f*x + e))*sin(f*x + e))/((a^5 - a^3*b^2)*f*cos(f*x + e)^2), 1/4*(4*(a^3*c^3 - 3*a^2*b*c^2*d + 3*a*b^2*c*d^2 - b^3*d^3)*sqrt(a^2 - b^2)*arctan(-(a*cos(f*x + e) + b)/(sqrt(a^2 - b^2)*sin(f*x + e)))*cos(f*x + e)^2 + (6*(a^4 - a^2*b^2)*c^2*d - 6*(a^3*b - a*b^3)*c*d^2 + (a^4 + a^2*b^2 - 2*b^4)*d^3)*cos(f*x + e)^2*log(sin(f*x + e) + 1) - (6*(a^4 - a^2*b^2)*c^2*d - 6*(a^3*b - a*b^3)*c*d^2 + (a^4 + a^2*b^2 - 2*b^4)*d^3)*cos(f*x + e)^2*log(-sin(f*x + e) + 1) + 2*((a^4 - a^2*b^2)*d^3 + 2*(3*(a^4 - a^2*b^2)*c*d^2 - (a^3*b - a*b^3)*d^3)*cos(f*x + e))*sin(f*x + e))/((a^5 - a^3*b^2)*f*cos(f*x + e)^2)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))^3/(a+b*cos(f*x+e)),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Unable to check sign: (4*pi/x/2)>(-4*pi/x/2)Unable to check sign: (4*pi/x/2)>(-4*pi/x/2)2/f*((-2*c^3*a^3+6*c^2*b*a^2*d-6*c*b^2*a*d^2+2*b^3*d^3)*1/2/a^3/sqrt(a^2-b^2)*(atan((-a*tan((f*x+exp(1))/2)+b*tan((f*x+exp(1))/2))/sqrt(a^2-b^2))+pi*sign(2*b-2*a)*floor((f*x+exp(1))/2/pi+1/2))+(-6*c^2*a^2*d+6*c*b*a*d^2-2*b^2*d^3-a^2*d^3)*1/4/a^3*ln(abs(tan((f*x+exp(1))/2)-1))-(-6*c^2*a^2*d+6*c*b*a*d^2-2*b^2*d^3-a^2*d^3)*1/4/a^3*ln(abs(tan((f*x+exp(1))/2)+1))-6*tan((f*x+exp(1))/2)^3*c*a*d^2-2*tan((f*x+exp(1))/2)^3*b*d^3-tan((f*x+exp(1))/2)^3*a*d^3-6*tan((f*x+exp(1))/2)*c*a*d^2+2*tan((f*x+exp(1))/2)*b*d^3-tan((f*x+exp(1))/2)*a*d^3)*1/2/a^2/(tan((f*x+exp(1))/2)^2-1)^2)

maple [B] time = 0.26, size = 593, normalized size = 3.49

$$\frac{2 \arctan\left(\frac{\tan\left(\frac{e}{2} + \frac{fx}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) c^3}{f \sqrt{(a-b)(a+b)}} - \frac{6 \arctan\left(\frac{\tan\left(\frac{e}{2} + \frac{fx}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) b c^2 d}{f a \sqrt{(a-b)(a+b)}} + \frac{6 \arctan\left(\frac{\tan\left(\frac{e}{2} + \frac{fx}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) b^2 c d^2}{f a^2 \sqrt{(a-b)(a+b)}} - \frac{2 \arctan\left(\frac{\tan\left(\frac{e}{2} + \frac{fx}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) c^3}{f a^3 \sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c+d*sec(f*x+e))^3/(a+b*cos(f*x+e)),x)
```

```
[Out] 2/f/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))
)*c^3-6/f/a/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))
)*b*c^2*d+6/f/a^2/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))
)*b^2*c*d^2-2/f/a^3/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))
)*b^3*d^3+1/2/f*d^3/a/(tan(1/2*e+1/2*f*x)-1)^2-3/f*d/a*ln(tan(1/2*e+1/2*f*x)-1)*c^2-1/2/f*d^3/a*ln(tan(1/2*e+1/2*f*x)-1)
)+3/f*d^2/a^2*ln(tan(1/2*e+1/2*f*x)-1)*b*c-1/f*d^3/a^3*ln(tan(1/2*e+1/2*f*x)-1)*b^2-3/f*d^2/a/(tan(1/2*e+1/2*f*x)-1)*c+1/2/f*d^3/a/(tan(1/2*e+1/2*f*x)-1)
)+1/f*d^3/a^2/(tan(1/2*e+1/2*f*x)-1)*b-1/2/f*d^3/a/(tan(1/2*e+1/2*f*x)+1)^2+3/f*d/a*ln(tan(1/2*e+1/2*f*x)+1)*c^2+1/2/f*d^3/a*ln(tan(1/2*e+1/2*f*x)+1)
)-3/f*d^2/a^2*ln(tan(1/2*e+1/2*f*x)+1)*b*c+1/f*d^3/a^3*ln(tan(1/2*e+1/2*f*x)+1)*b^2-3/f*d^2/a/(tan(1/2*e+1/2*f*x)+1)*c+1/2/f*d^3/a/(tan(1/2*e+1/2*f*x)+1)
)+1/f*d^3/a^2/(tan(1/2*e+1/2*f*x)+1)*b
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c+d*sec(f*x+e))^3/(a+b*cos(f*x+e)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for
more details)Is 4*b^2-4*a^2 positive or negative?
```

mupad [B] time = 9.93, size = 6735, normalized size = 39.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d/cos(e + f*x))^3/(a + b*cos(e + f*x)),x)
```

```
[Out] ((tan(e/2 + (f*x)/2)*(a*d^3 - 2*b*d^3 + 6*a*c*d^2))/a^2 + (tan(e/2 + (f*x)/2)^3*(a*d^3 + 2*b*d^3 - 6*a*c*d^2))/a^2)/(f*(tan(e/2 + (f*x)/2)^4 - 2*tan(e/2 + (f*x)/2)^2 + 1)) + (atan((((8*tan(e/2 + (f*x)/2)*(4*a^7*c^6 + a^7*d^6 - 8*b^7*d^6 - 4*a^6*b*c^6 + 16*a*b^6*d^6 - 3*a^6*b*d^6 - 16*a^2*b^5*d^6 + 16*a^3*b^4*d^6 - 13*a^4*b^3*d^6 + 7*a^5*b^2*d^6 + 12*a^7*c^2*d^4 + 36*a^7*c^4*d^2 - 96*a^2*b^5*c*d^5 + 84*a^3*b^4*c*d^5 - 60*a^4*b^3*c*d^5 + 36*a^5*b^2*c*d^5 + 24*a^5*b^2*c^5*d - 36*a^6*b*c^2*d^4 - 72*a^6*b*c^3*d^3 - 108*a^6*b*c^4*d^2 - 120*a^2*b^5*c^2*d^4 + 240*a^3*b^4*c^2*d^4 + 152*a^3*b^4*c^3*d^3
```


$$\begin{aligned}
& 24*a^9*b*c^2*d)/a^6 - (8*\tan(e/2 + (f*x)/2)*(-(a + b)*(a - b))^{(1/2)}*(a*c \\
& - b*d)^3*(8*a^8*b + 8*a^6*b^3 - 16*a^7*b^2))/(a^4*(a^5 - a^3*b^2)))/((16*(4*b^8*d^9 - 6*a*b^7*d^9 - 12*a^8*c^8 \\
& *d + 6*a^2*b^6*d^9 - 5*a^3*b^5*d^9 + 2*a^4*b^4*d^9 - a^5*b^3*d^9 + a^8*c^3* \\
& d^6 + 12*a^8*c^5*d^4 - 2*a^8*c^6*d^3 + 36*a^8*c^7*d^2 + 48*a^2*b^6*c*d^8 - \\
& 36*a^3*b^5*c*d^8 + 27*a^4*b^4*c*d^8 - 6*a^5*b^3*c*d^8 + 3*a^6*b^2*c*d^8 - 3 \\
& *a^7*b*c^2*d^7 - 2*a^7*b*c^3*d^6 - 48*a^7*b*c^4*d^5 - 12*a^7*b*c^5*d^4 - 17 \\
& 8*a^7*b*c^6*d^3 + 12*a^7*b*c^7*d^2 + 144*a^2*b^6*c^2*d^7 - 4*a^2*b^6*c^3*d^ \\
& 6 - 174*a^3*b^5*c^2*d^7 - 324*a^3*b^5*c^3*d^6 + 24*a^3*b^5*c^4*d^5 + 90*a^4 \\
& *b^4*c^2*d^7 + 364*a^4*b^4*c^3*d^6 + 432*a^4*b^4*c^4*d^5 - 60*a^4*b^4*c^5*d \\
& ^4 - 63*a^5*b^3*c^2*d^7 - 112*a^5*b^3*c^3*d^6 - 474*a^5*b^3*c^4*d^5 - 324*a \\
& ^5*b^3*c^5*d^4 + 76*a^5*b^3*c^6*d^3 + 6*a^6*b^2*c^2*d^7 + 77*a^6*b^2*c^3*d^ \\
& 6 + 66*a^6*b^2*c^4*d^5 + 384*a^6*b^2*c^5*d^4 + 104*a^6*b^2*c^6*d^3 - 48*a^6 \\
& *b^2*c^7*d^2 - 36*a*b^7*c*d^8 + 12*a^7*b*c^8*d))/a^6 - (((- (a + b)*(a - b))^{(1/2)}*(a*c \\
& - b*d)^3*((8*\tan(e/2 + (f*x)/2)*(4*a^7*c^6 + a^7*d^6 - 8*b^7*d^6 \\
& - 4*a^6*b*c^6 + 16*a*b^6*d^6 - 3*a^6*b*d^6 - 16*a^2*b^5*d^6 + 16*a^3*b^4*d \\
& ^6 - 13*a^4*b^3*d^6 + 7*a^5*b^2*d^6 + 12*a^7*c^2*d^4 + 36*a^7*c^4*d^2 - 96* \\
& a^2*b^5*c*d^5 + 84*a^3*b^4*c*d^5 - 60*a^4*b^3*c*d^5 + 36*a^5*b^2*c*d^5 + 24 \\
& *a^5*b^2*c^5*d - 36*a^6*b*c^2*d^4 - 72*a^6*b*c^3*d^3 - 108*a^6*b*c^4*d^2 - \\
& 120*a^2*b^5*c^2*d^4 + 240*a^3*b^4*c^2*d^4 + 152*a^3*b^4*c^3*d^3 - 192*a^4*b \\
& ^3*c^2*d^4 - 296*a^4*b^3*c^3*d^3 - 96*a^4*b^3*c^4*d^2 + 96*a^5*b^2*c^2*d^4 \\
& + 216*a^5*b^2*c^3*d^3 + 168*a^5*b^2*c^4*d^2 + 48*a*b^6*c*d^5 - 12*a^6*b*c*d \\
& ^5 - 24*a^6*b*c^5*d))/a^4 + (((- (a + b)*(a - b))^{(1/2)}*(a*c - b*d)^3*((8*(4* \\
& a^10*c^3 + 2*a^10*d^3 - 8*a^9*b*c^3 - 2*a^9*b*d^3 + 12*a^10*c^2*d + 4*a^8*b \\
& ^2*c^3 + 4*a^6*b^4*d^3 - 6*a^7*b^3*d^3 + 2*a^8*b^2*d^3 - 12*a^7*b^3*c*d^2 + \\
& 24*a^8*b^2*c*d^2 + 12*a^8*b^2*c^2*d - 12*a^9*b*c*d^2 - 24*a^9*b*c^2*d))/a^ \\
& 6 + (8*\tan(e/2 + (f*x)/2)*(-(a + b)*(a - b))^{(1/2)}*(a*c - b*d)^3*(8*a^8*b + \\
& 8*a^6*b^3 - 16*a^7*b^2))/(a^4*(a^5 - a^3*b^2)))/((a^5 - a^3*b^2)))/((a^5 - \\
& a^3*b^2) + (((- (a + b)*(a - b))^{(1/2)}*(a*c - b*d)^3*((8*\tan(e/2 + (f*x)/2)*(\\
& 4*a^7*c^6 + a^7*d^6 - 8*b^7*d^6 - 4*a^6*b*c^6 + 16*a*b^6*d^6 - 3*a^6*b*d^6 \\
& - 16*a^2*b^5*d^6 + 16*a^3*b^4*d^6 - 13*a^4*b^3*d^6 + 7*a^5*b^2*d^6 + 12*a^7 \\
& *c^2*d^4 + 36*a^7*c^4*d^2 - 96*a^2*b^5*c*d^5 + 84*a^3*b^4*c*d^5 - 60*a^4*b^ \\
& 3*c*d^5 + 36*a^5*b^2*c*d^5 + 24*a^5*b^2*c^5*d - 36*a^6*b*c^2*d^4 - 72*a^6*b \\
& *c^3*d^3 - 108*a^6*b*c^4*d^2 - 120*a^2*b^5*c^2*d^4 + 240*a^3*b^4*c^2*d^4 + \\
& 152*a^3*b^4*c^3*d^3 - 192*a^4*b^3*c^2*d^4 - 296*a^4*b^3*c^3*d^3 - 96*a^4*b^ \\
& 3*c^4*d^2 + 96*a^5*b^2*c^2*d^4 + 216*a^5*b^2*c^3*d^3 + 168*a^5*b^2*c^4*d^2 \\
& + 48*a*b^6*c*d^5 - 12*a^6*b*c*d^5 - 24*a^6*b*c^5*d))/a^4 - (((- (a + b)*(a - \\
& b))^{(1/2)}*(a*c - b*d)^3*((8*(4*a^10*c^3 + 2*a^10*d^3 - 8*a^9*b*c^3 - 2*a^9* \\
& b*d^3 + 12*a^10*c^2*d + 4*a^8*b^2*c^3 + 4*a^6*b^4*d^3 - 6*a^7*b^3*d^3 + 2*a \\
& ^8*b^2*d^3 - 12*a^7*b^3*c*d^2 + 24*a^8*b^2*c*d^2 + 12*a^8*b^2*c^2*d - 12*a^ \\
& 9*b*c*d^2 - 24*a^9*b*c^2*d))/a^6 - (8*\tan(e/2 + (f*x)/2)*(-(a + b)*(a - b)) \\
& ^{(1/2)}*(a*c - b*d)^3*(8*a^8*b + 8*a^6*b^3 - 16*a^7*b^2))/(a^4*(a^5 - a^3*b^ \\
& 2)))/((a^5 - a^3*b^2)))/((a^5 - a^3*b^2))*(-(a + b)*(a - b))^{(1/2)}*(a*c - b \\
& *d)^3*2i)/(f*(a^5 - a^3*b^2))
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + d \sec(e + fx))^3}{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))**3/(a+b*cos(f*x+e)),x)

[Out] Integral((c + d*sec(e + f*x))**3/(a + b*cos(e + f*x)), x)

$$3.11 \quad \int \frac{(c+d \sec(e+fx))^2}{a+b \cos(e+fx)} dx$$

Optimal. Leaf size=103

$$\frac{2(ac - bd)^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{a^2 f \sqrt{a-b} \sqrt{a+b}} + \frac{d(2ac - bd) \tanh^{-1}(\sin(e + fx))}{a^2 f} + \frac{d^2 \tan(e + fx)}{af}$$

[Out] d*(2*a*c-b*d)*arctanh(sin(f*x+e))/a^2/f+2*(a*c-b*d)^2*arctan((a-b)^(1/2)*tan(1/2*e+1/2*f*x)/(a+b)^(1/2))/a^2/f/(a-b)^(1/2)/(a+b)^(1/2)+d^2*tan(f*x+e)/a/f

Rubi [A] time = 0.27, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {2828, 2952, 2659, 205, 3770, 3767, 8}

$$\frac{2(ac - bd)^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{a^2 f \sqrt{a-b} \sqrt{a+b}} + \frac{d(2ac - bd) \tanh^{-1}(\sin(e + fx))}{a^2 f} + \frac{d^2 \tan(e + fx)}{af}$$

Antiderivative was successfully verified.

[In] Int[(c + d*Sec[e + f*x])^2/(a + b*Cos[e + f*x]),x]

[Out] (2*(a*c - b*d)^2*ArcTan[(Sqrt[a - b]*Tan[(e + f*x)/2])/Sqrt[a + b]]/(a^2*Sqrt[a - b]*Sqrt[a + b]*f) + (d*(2*a*c - b*d)*ArcTanh[Sin[e + f*x]]/(a^2*f) + (d^2*Tan[e + f*x])/(a*f)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2828

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] := Int[((a + b*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n)/Sin[e + f*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

Rule 2952

Int[((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Int[ExpandTrig[(g*sin[e + f*x])^p*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[b*c - a*d, 0] && (IntegersQ[m, n] || IntegersQ[m, p] || IntegersQ[n, p]) && NeQ[p, 2]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(c + d \sec(e + fx))^2}{a + b \cos(e + fx)} dx &= \int \frac{(d + c \cos(e + fx))^2 \sec^2(e + fx)}{a + b \cos(e + fx)} dx \\
 &= \int \left(\frac{(ac - bd)^2}{a^2(a + b \cos(e + fx))} + \frac{d(2ac - bd) \sec(e + fx)}{a^2} + \frac{d^2 \sec^2(e + fx)}{a} \right) dx \\
 &= \frac{d^2 \int \sec^2(e + fx) dx}{a} + \frac{(ac - bd)^2 \int \frac{1}{a + b \cos(e + fx)} dx}{a^2} + \frac{(d(2ac - bd)) \int \sec(e + fx) dx}{a^2} \\
 &= \frac{d(2ac - bd) \tanh^{-1}(\sin(e + fx))}{a^2 f} - \frac{d^2 \text{Subst}(\int 1 dx, x, -\tan(e + fx))}{af} + \frac{(2(ac - bd) \tan(e + fx))}{af} \\
 &= \frac{2(ac - bd)^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{a^2 \sqrt{a-b} \sqrt{a+b} f} + \frac{d(2ac - bd) \tanh^{-1}(\sin(e + fx))}{a^2 f} + \frac{d^2 \tan(e + fx)}{af}
 \end{aligned}$$

Mathematica [A] time = 0.90, size = 135, normalized size = 1.31

$$\frac{d \left(ad \tan(e + fx) - (2ac - bd) \left(\log \left(\cos \left(\frac{1}{2}(e + fx) \right) - \sin \left(\frac{1}{2}(e + fx) \right) \right) - \log \left(\sin \left(\frac{1}{2}(e + fx) \right) + \cos \left(\frac{1}{2}(e + fx) \right) \right) \right)}{a^2 f}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*Sec[e + f*x])^2/(a + b*Cos[e + f*x]),x]

[Out] ((-2*(a*c - b*d)^2*ArcTanh[((a - b)*Tan[(e + f*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + d*(-((2*a*c - b*d)*(Log[Cos[(e + f*x)/2] - Sin[(e + f*x)/2]]) - Log[Cos[(e + f*x)/2] + Sin[(e + f*x)/2]])) + a*d*Tan[e + f*x]))/(a^2*f)

fricas [B] time = 12.85, size = 505, normalized size = 4.90

$$\left[\frac{2(a^3 - ab^2)d^2 \sin(fx + e) - (a^2c^2 - 2abcd + b^2d^2)\sqrt{-a^2 + b^2} \cos(fx + e) \log\left(\frac{2ab \cos(fx+e) + (2a^2 - b^2) \cos(fx+e)^2 + 2b^2 \cos(fx+e)^2}{b^2 \cos(fx+e)^2}\right)}{\right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))^2/(a+b*cos(f*x+e)),x, algorithm="fricas")

[Out] [1/2*(2*(a^3 - a*b^2)*d^2*sin(f*x + e) - (a^2*c^2 - 2*a*b*c*d + b^2*d^2)*sqrt(-a^2 + b^2)*cos(f*x + e)*log((2*a*b*cos(f*x + e) + (2*a^2 - b^2)*cos(f*x + e)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(f*x + e) + b)*sin(f*x + e) - a^2 + 2*b^2)/(b^2*cos(f*x + e)^2 + 2*a*b*cos(f*x + e) + a^2)) + (2*(a^3 - a*b^2)*c*d - (a^2*b - b^3)*d^2)*cos(f*x + e)*log(sin(f*x + e) + 1) - (2*(a^3 - a*b^2)*c*d - (a^2*b - b^3)*d^2)*cos(f*x + e)*log(-sin(f*x + e) + 1))/((a^4 - a^2*b^2)*f*cos(f*x + e)), 1/2*(2*(a^3 - a*b^2)*d^2*sin(f*x + e) + 2*(a^2*c^2 - 2*a*b*c*d + b^2*d^2)*sqrt(a^2 - b^2)*arctan(-(a*cos(f*x + e) + b)/(sqrt(a^2 - b^2)*sin(f*x + e)))*cos(f*x + e) + (2*(a^3 - a*b^2)*c*d - (a^2*b - b^3)*d^2)*cos(f*x + e)*log(sin(f*x + e) + 1) - (2*(a^3 - a*b^2)*c*d - (a^2*b - b^3)*d^2)*cos(f*x + e)*log(-sin(f*x + e) + 1))/((a^4 - a^2*b^2)*f*cos(f*x + e)))]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))^2/(a+b*cos(f*x+e)),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Unable to check sign: (4*pi/x/2)>(-4*pi/x/2)Unable to check sign: (4*pi/x/2)>(-4*pi/x/2)2/f*((-2*c^2*a^2+4*c*b*a*d-2*b^2*d^2)*1/2/a^2/sqrt(a^2-b^2)*(atan((-a*tan((f*x+exp(1))/2)+b*tan((f*x+exp(1))/2))/sqrt(a^2-b^2))+pi*sign(2*b-2*a)*floor((f*x+exp(1))/2/pi+1/2))-2*c*a*d-b*d^2)*1/2/a^2*ln(abs(tan((f*x+exp(1))/2)-1))+(2*c*a*d-b*d^2)*1/2/a^2*ln(abs(tan((f*x+exp(1))/2)+1))-tan((f*x+exp(1))/2)*d^2/a/(tan((f*x+exp(1))/2)^2-1))

maple [B] time = 0.23, size = 288, normalized size = 2.80

$$\frac{2 \arctan\left(\frac{\tan\left(\frac{e}{2} + \frac{fx}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) c^2}{f \sqrt{(a-b)(a+b)}} - \frac{4 \arctan\left(\frac{\tan\left(\frac{e}{2} + \frac{fx}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) bcd}{fa \sqrt{(a-b)(a+b)}} + \frac{2 \arctan\left(\frac{\tan\left(\frac{e}{2} + \frac{fx}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) b^2 d^2}{f a^2 \sqrt{(a-b)(a+b)}} - \frac{d^2}{fa \left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right) - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*sec(f*x+e))^2/(a+b*cos(f*x+e)),x)

[Out] 2/f/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))*c^2-4/f/a/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))*b*c*d+2/f/a^2/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^(1/2))*b^2*d^2-1/f*d^2/a/(tan(1/2*e+1/2*f*x)-1)-2/f*d/a*ln(tan(1/2*e+1/2*f*x)-1)*c+1/f*d^2/a^2*ln(tan(1/2*e+1/2*f*x)-1)*b-1/f*d^2/a/(tan(1/2*e+1/2*f*x)+1)+2/f*d/a*ln(tan(1/2*e+1/2*f*x)+1)*c-1/f*d^2/a^2*ln(tan(1/2*e+1/2*f*x)+1)*b

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))^2/(a+b*cos(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 7.47, size = 3577, normalized size = 34.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned}
& c*d^3 + 4*a^3*b^2*c^3*d - 12*a^4*b*c^2*d^2 - 10*a^2*b^3*c^2*d^2 + 18*a^3*b^2*c^2*d^2 + 8*a*b^4*c*d^3 - 4*a^4*b*c*d^3 - 4*a^4*b*c^3*d)/a^2 + (d*(2*a*c \\
& - b*d)*((32*(a^7*c^2 - 2*a^6*b*c^2 - a^6*b*d^2 + a^5*b^2*c^2 - a^4*b^3*d^2 \\
& + 2*a^5*b^2*d^2 + 2*a^7*c*d - 4*a^6*b*c*d + 2*a^5*b^2*c*d))/a^3 + (32*d*tan \\
& n(e/2 + (f*x)/2)*(2*a*c - b*d)*(2*a^6*b + 2*a^4*b^3 - 4*a^5*b^2))/a^4))/a^2 \\
&)*i)/a^2 + (d*(2*a*c - b*d)*((32*tan(e/2 + (f*x)/2)*(a^5*c^4 - 2*b^5*d^4 - \\
& a^4*b*c^4 + 4*a*b^4*d^4 - 3*a^2*b^3*d^4 + a^3*b^2*d^4 + 4*a^5*c^2*d^2 - 16 \\
& *a^2*b^3*c*d^3 + 12*a^3*b^2*c*d^3 + 4*a^3*b^2*c^3*d - 12*a^4*b*c^2*d^2 - 10 \\
& *a^2*b^3*c^2*d^2 + 18*a^3*b^2*c^2*d^2 + 8*a*b^4*c*d^3 - 4*a^4*b*c*d^3 - 4*a \\
& ^4*b*c^3*d))/a^2 - (d*(2*a*c - b*d)*((32*(a^7*c^2 - 2*a^6*b*c^2 - a^6*b*d^2 \\
& + a^5*b^2*c^2 - a^4*b^3*d^2 + 2*a^5*b^2*d^2 + 2*a^7*c*d - 4*a^6*b*c*d + 2* \\
& a^5*b^2*c*d))/a^3 - (32*d*tan(e/2 + (f*x)/2)*(2*a*c - b*d)*(2*a^6*b + 2*a^4 \\
& *b^3 - 4*a^5*b^2))/a^4))/a^2)*i)/a^2)/((64*(a*b^4*d^6 - b^5*d^6 - 2*a^5*c^ \\
& 5*d + 4*a^5*c^4*d^2 - a*b^4*c^2*d^4 - 6*a^2*b^3*c*d^5 - 12*a^4*b*c^3*d^3 + \\
& a^4*b*c^4*d^2 - 12*a^2*b^3*c^2*d^4 + 4*a^2*b^3*c^3*d^3 + 13*a^3*b^2*c^2*d^4 \\
& + 8*a^3*b^2*c^3*d^3 - 5*a^3*b^2*c^4*d^2 + 6*a*b^4*c*d^5 + 2*a^4*b*c^5*d))/ \\
& a^3 - (d*(2*a*c - b*d)*((32*tan(e/2 + (f*x)/2)*(a^5*c^4 - 2*b^5*d^4 - a^4*b \\
& *c^4 + 4*a*b^4*d^4 - 3*a^2*b^3*d^4 + a^3*b^2*d^4 + 4*a^5*c^2*d^2 - 16*a^2*b \\
& ^3*c*d^3 + 12*a^3*b^2*c*d^3 + 4*a^3*b^2*c^3*d - 12*a^4*b*c^2*d^2 - 10*a^2*b \\
& ^3*c^2*d^2 + 18*a^3*b^2*c^2*d^2 + 8*a*b^4*c*d^3 - 4*a^4*b*c*d^3 - 4*a^4*b*c \\
& ^3*d))/a^2 + (d*(2*a*c - b*d)*((32*(a^7*c^2 - 2*a^6*b*c^2 - a^6*b*d^2 + a^5 \\
& *b^2*c^2 - a^4*b^3*d^2 + 2*a^5*b^2*d^2 + 2*a^7*c*d - 4*a^6*b*c*d + 2*a^5*b^ \\
& 2*c*d))/a^3 + (32*d*tan(e/2 + (f*x)/2)*(2*a*c - b*d)*(2*a^6*b + 2*a^4*b^3 - \\
& 4*a^5*b^2))/a^4))/a^2))/a^2 + (d*(2*a*c - b*d)*((32*tan(e/2 + (f*x)/2)*(a^ \\
& 5*c^4 - 2*b^5*d^4 - a^4*b*c^4 + 4*a*b^4*d^4 - 3*a^2*b^3*d^4 + a^3*b^2*d^4 + \\
& 4*a^5*c^2*d^2 - 16*a^2*b^3*c*d^3 + 12*a^3*b^2*c*d^3 + 4*a^3*b^2*c^3*d - 12 \\
& *a^4*b*c^2*d^2 - 10*a^2*b^3*c^2*d^2 + 18*a^3*b^2*c^2*d^2 + 8*a*b^4*c*d^3 - \\
& 4*a^4*b*c*d^3 - 4*a^4*b*c^3*d))/a^2 - (d*(2*a*c - b*d)*((32*(a^7*c^2 - 2*a^ \\
& 6*b*c^2 - a^6*b*d^2 + a^5*b^2*c^2 - a^4*b^3*d^2 + 2*a^5*b^2*d^2 + 2*a^7*c*d \\
& - 4*a^6*b*c*d + 2*a^5*b^2*c*d))/a^3 - (32*d*tan(e/2 + (f*x)/2)*(2*a*c - b* \\
& d)*(2*a^6*b + 2*a^4*b^3 - 4*a^5*b^2))/a^4))/a^2))/a^2)*(2*a*c - b*d)*2i)/(\\
& a^2*f)
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c + d \sec(e + fx))^2}{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))**2/(a+b*cos(f*x+e)),x)

[Out] Integral((c + d*sec(e + f*x))**2/(a + b*cos(e + f*x)), x)

$$3.12 \quad \int \frac{c+d \sec(e+fx)}{a+b \cos(e+fx)} dx$$

Optimal. Leaf size=76

$$\frac{2(ac - bd) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}} \right)}{af\sqrt{a-b}\sqrt{a+b}} + \frac{d \tanh^{-1}(\sin(e+fx))}{af}$$

[Out] d*arctanh(sin(f*x+e))/a/f+2*(a*c-b*d)*arctan((a-b)^(1/2)*tan(1/2*e+1/2*f*x)/(a+b)^(1/2))/a/f/(a-b)^(1/2)/(a+b)^(1/2)

Rubi [A] time = 0.14, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {2828, 3001, 3770, 2659, 205}

$$\frac{2(ac - bd) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}} \right)}{af\sqrt{a-b}\sqrt{a+b}} + \frac{d \tanh^{-1}(\sin(e+fx))}{af}$$

Antiderivative was successfully verified.

[In] Int[(c + d*Sec[e + f*x])/(a + b*Cos[e + f*x]),x]

[Out] (2*(a*c - b*d)*ArcTan[(Sqrt[a - b]*Tan[(e + f*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*f) + (d*ArcTanh[Sin[e + f*x]])/(a*f)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2828

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] :> Int[((a + b*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n)/Sin[e + f*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ

[n]

Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*B - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + d \sec(e + fx)}{a + b \cos(e + fx)} dx &= \int \frac{(d + c \cos(e + fx)) \sec(e + fx)}{a + b \cos(e + fx)} dx \\
&= \frac{d \int \sec(e + fx) dx}{a} + \frac{(ac - bd) \int \frac{1}{a + b \cos(e + fx)} dx}{a} \\
&= \frac{d \tanh^{-1}(\sin(e + fx))}{af} + \frac{(2(ac - bd)) \text{Subst}\left(\int \frac{1}{a + b + (a - b)x^2} dx, x, \tan\left(\frac{1}{2}(e + fx)\right)\right)}{af} \\
&= \frac{2(ac - bd) \tan^{-1}\left(\frac{\sqrt{a - b} \tan\left(\frac{1}{2}(e + fx)\right)}{\sqrt{a + b}}\right)}{a\sqrt{a - b}\sqrt{a + b}f} + \frac{d \tanh^{-1}(\sin(e + fx))}{af}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 112, normalized size = 1.47

$$\frac{(2bd - 2ac) \tanh^{-1}\left(\frac{(a - b) \tan\left(\frac{1}{2}(e + fx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + \frac{d \left(\log\left(\sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(e + fx)\right) - \sin\left(\frac{1}{2}(e + fx)\right)\right) \right)}{af}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*Sec[e + f*x])/(a + b*Cos[e + f*x]),x]
```

[Out] $\frac{((-2ac + 2bd) \operatorname{ArcTanh}[\frac{(a-b)\tan(\frac{e+fx}{2})]}{\sqrt{-a^2+b^2}})]/\sqrt{-a^2+b^2} + d(-\log[\cos(\frac{e+fx}{2})] - \sin(\frac{e+fx}{2}) + \log[\cos(\frac{e+fx}{2}) + \sin(\frac{e+fx}{2})])}{af}$

fricas [A] time = 1.63, size = 296, normalized size = 3.89

$$\frac{\left((a^2 - b^2)d \log(\sin(fx + e) + 1) - (a^2 - b^2)d \log(-\sin(fx + e) + 1) + \sqrt{-a^2 + b^2} (ac - bd) \log\left(\frac{2ab \cos(fx + e) + (a^2 - b^2)}{2(a^3 - ab^2)}\right) \right)}{2(a^3 - ab^2)f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*sec(f*x+e))/(a+b*cos(f*x+e)),x, algorithm="fricas")`

[Out] $\frac{1}{2}((a^2 - b^2)d \log(\sin(fx + e) + 1) - (a^2 - b^2)d \log(-\sin(fx + e) + 1) + \sqrt{-a^2 + b^2}(ac - bd) \log\left(\frac{2ab \cos(fx + e) + (a^2 - b^2)}{2(a^3 - ab^2)}\right)) / ((a^3 - ab^2)f)$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*sec(f*x+e))/(a+b*cos(f*x+e)),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Unable to check sign: $(4\pi/x/2) > (-4\pi/x/2)$ Unable to check sign: $(4\pi/x/2) > (-4\pi/x/2)$ $\frac{2}{f} \left(-d \frac{1}{2} \frac{1}{a} \ln\left(\frac{\tan\left(\frac{fx+\exp(1)}{2}\right)-1}{2}\right) + d \frac{1}{2} \frac{1}{a} \ln\left(\frac{\tan\left(\frac{fx+\exp(1)}{2}\right)+1}{2}\right) \right) + \frac{-2ca+2bd}{a} \frac{1}{2} \frac{1}{\sqrt{a^2-b^2}} \left(\operatorname{atan}\left(\frac{-a \tan\left(\frac{fx+\exp(1)}{2}\right)+b}{\sqrt{a^2-b^2}}\right) + \pi \operatorname{sign}(2b-2a) \operatorname{floor}\left(\frac{fx+\exp(1)}{2\pi+1/2}\right) \right)$

maple [A] time = 0.21, size = 135, normalized size = 1.78

$$\frac{2 \arctan\left(\frac{\tan\left(\frac{e+fx}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) c}{f \sqrt{(a-b)(a+b)}} - \frac{2 \arctan\left(\frac{\tan\left(\frac{e+fx}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) bd}{fa \sqrt{(a-b)(a+b)}} - \frac{d \ln\left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right) - 1\right)}{fa} + \frac{d \ln\left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right) + 1\right)}{fa}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d*sec(f*x+e))/(a+b*cos(f*x+e)),x)`

[Out] $2/f/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^{1/2})$
 $*c-2/f/a/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^{1/2})$
 $*b*d-1/f*d/a*\ln(\tan(1/2*e+1/2*f*x)-1)+1/f*d/a*\ln(\tan(1/2*e+1/2*f*x)+1)$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*sec(f*x+e))/(a+b*cos(f*x+e)),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 3.55, size = 345, normalized size = 4.54

$$\frac{2d \operatorname{atanh}\left(\frac{\sin\left(\frac{e}{2} + \frac{fx}{2}\right)}{\cos\left(\frac{e}{2} + \frac{fx}{2}\right)}\right)}{af} - b \left(d \ln\left(\frac{a \cos\left(\frac{e}{2} + \frac{fx}{2}\right) + b \cos\left(\frac{e}{2} + \frac{fx}{2}\right) - \sin\left(\frac{e}{2} + \frac{fx}{2}\right) \sqrt{b^2 - a^2}}{\cos\left(\frac{e}{2} + \frac{fx}{2}\right)}\right) \sqrt{-(a+b)(a-b)} - d \ln\left(\frac{b \sin\left(\frac{e}{2} + \frac{fx}{2}\right)}{\cos\left(\frac{e}{2} + \frac{fx}{2}\right)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d/cos(e + f*x))/(a + b*cos(e + f*x)),x)`

[Out] $(2*d*\operatorname{atanh}(\sin(e/2 + (f*x)/2)/\cos(e/2 + (f*x)/2)))/(a*f) - (b*(d*\log((a*\cos(e/2 + (f*x)/2) + b*\cos(e/2 + (f*x)/2) - \sin(e/2 + (f*x)/2)*(b^2 - a^2)^{1/2}))/\cos(e/2 + (f*x)/2))*(-(a + b)*(a - b))^{1/2} - d*\log((b*\sin(e/2 + (f*x)/2) - a*\sin(e/2 + (f*x)/2) + \cos(e/2 + (f*x)/2)*(b^2 - a^2)^{1/2}))/\cos(e/2 + (f*x)/2))*((b^2 - a^2)^{1/2}) + a*c*\log((b*\sin(e/2 + (f*x)/2) - a*\sin(e/2 + (f*x)/2) + \cos(e/2 + (f*x)/2)*(b^2 - a^2)^{1/2}))/\cos(e/2 + (f*x)/2))*((b^2 - a^2)^{1/2} - a*c*\log((a*\cos(e/2 + (f*x)/2) + b*\cos(e/2 + (f*x)/2) - \sin(e/2 + (f*x)/2)*(b^2 - a^2)^{1/2}))/\cos(e/2 + (f*x)/2))*(-(a + b)*(a - b))^{1/2}))/((a*f*(a^2 - b^2))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c + d \sec(e + fx)}{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c+d*sec(f*x+e))/(a+b*cos(f*x+e)),x)
```

```
[Out] Integral((c + d*sec(e + f*x))/(a + b*cos(e + f*x)), x)
```

$$3.13 \quad \int \frac{1}{(a+b \cos(e+fx))(c+d \sec(e+fx))} dx$$

Optimal. Leaf size=121

$$\frac{2a \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{f\sqrt{a-b}\sqrt{a+b}(ac-bd)} - \frac{2d \tanh^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c+d}}\right)}{f\sqrt{c-d}\sqrt{c+d}(ac-bd)}$$

[Out] $2*a*\arctan((a-b)^{(1/2)}*\tan(1/2*e+1/2*f*x)/(a+b)^{(1/2)})/(a*c-b*d)/f/(a-b)^{(1/2)}/(a+b)^{(1/2)}-2*d*\operatorname{arctanh}((c-d)^{(1/2)}*\tan(1/2*e+1/2*f*x)/(c+d)^{(1/2)})/(a*c-b*d)/f/(c-d)^{(1/2)}/(c+d)^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2828, 3001, 2659, 205, 208}

$$\frac{2a \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{f\sqrt{a-b}\sqrt{a+b}(ac-bd)} - \frac{2d \tanh^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c+d}}\right)}{f\sqrt{c-d}\sqrt{c+d}(ac-bd)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[e + f*x])*(c + d*Sec[e + f*x])),x]

[Out] $(2*a*\operatorname{ArcTan}[(\operatorname{Sqrt}[a-b]*\operatorname{Tan}[(e+f*x)/2])/(\operatorname{Sqrt}[a+b])]/(\operatorname{Sqrt}[a-b]*\operatorname{Sqrt}[a+b]*(a*c-b*d)*f) - (2*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[c-d]*\operatorname{Tan}[(e+f*x)/2])/(\operatorname{Sqrt}[c+d])]/(\operatorname{Sqrt}[c-d]*\operatorname{Sqrt}[c+d]*(a*c-b*d)*f))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]

&& NeQ[a^2 - b^2, 0]

Rule 2828

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] :> Int[((a + b*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n)/Sin[e + f*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]

Rule 3001

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(e + fx))(c + d \sec(e + fx))} dx &= \int \frac{\cos(e + fx)}{(a + b \cos(e + fx))(d + c \cos(e + fx))} dx \\ &= \frac{a \int \frac{1}{a + b \cos(e + fx)} dx}{ac - bd} - \frac{d \int \frac{1}{d + c \cos(e + fx)} dx}{ac - bd} \\ &= \frac{(2a) \text{Subst}\left(\int \frac{1}{a + b + (a-b)x^2} dx, x, \tan\left(\frac{1}{2}(e + fx)\right)\right)}{(ac - bd)f} - \frac{(2d) \text{Subst}\left(\int \frac{1}{c + d + (c-d)x^2} dx, x, \tan\left(\frac{1}{2}(e + fx)\right)\right)}{(ac - bd)f} \\ &= \frac{2a \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e + fx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} \sqrt{a+b} (ac - bd)f} - \frac{2d \tanh^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}(e + fx)\right)}{\sqrt{c+d}}\right)}{\sqrt{c-d} \sqrt{c+d} (ac - bd)f} \end{aligned}$$

Mathematica [A] time = 0.26, size = 106, normalized size = 0.88

$$\frac{\frac{2d \tanh^{-1}\left(\frac{(d-c) \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c^2-d^2}}\right)}{\sqrt{c^2-d^2}} - \frac{2a \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}}}{acf - bdf}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*Cos[e + f*x])*(c + d*Sec[e + f*x])),x]

[Out] $((-2*a*ArcTanh[((a - b)*Tan[(e + f*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + (2*d*ArcTanh[(-c + d)*Tan[(e + f*x)/2])/Sqrt[c^2 - d^2])/Sqrt[c^2 - d^2])/(a*c*f - b*d*f)$

fricas [A] time = 5.92, size = 1022, normalized size = 8.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e)),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [-1/2*((a^2 - b^2)*sqrt(c^2 - d^2)*d*log((2*c*d*cos(f*x + e) - (c^2 - 2*d^2) \\ &)*cos(f*x + e)^2 + 2*sqrt(c^2 - d^2)*(d*cos(f*x + e) + c)*sin(f*x + e) + 2* \\ & c^2 - d^2)/(c^2*cos(f*x + e)^2 + 2*c*d*cos(f*x + e) + d^2)) - (a*c^2 - a*d^2 \\ &)*sqrt(-a^2 + b^2)*log((2*a*b*cos(f*x + e) + (2*a^2 - b^2)*cos(f*x + e)^2 \\ & - 2*sqrt(-a^2 + b^2)*(a*cos(f*x + e) + b)*sin(f*x + e) - a^2 + 2*b^2)/(b^2*cos \\ & (f*x + e)^2 + 2*a*b*cos(f*x + e) + a^2)))/(((a^3 - a*b^2)*c^3 - (a^2*b - \\ & b^3)*c^2*d - (a^3 - a*b^2)*c*d^2 + (a^2*b - b^3)*d^3)*f), -1/2*(2*(a^2 - b \\ & ^2)*sqrt(-c^2 + d^2)*d*arctan(-sqrt(-c^2 + d^2)*(d*cos(f*x + e) + c)/((c^2 \\ & - d^2)*sin(f*x + e))) - (a*c^2 - a*d^2)*sqrt(-a^2 + b^2)*log((2*a*b*cos(f*x \\ & + e) + (2*a^2 - b^2)*cos(f*x + e)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(f*x + e) + \\ & b)*sin(f*x + e) - a^2 + 2*b^2)/(b^2*cos(f*x + e)^2 + 2*a*b*cos(f*x + e) + \\ & a^2)))/(((a^3 - a*b^2)*c^3 - (a^2*b - b^3)*c^2*d - (a^3 - a*b^2)*c*d^2 + (a \\ & ^2*b - b^3)*d^3)*f), -1/2*((a^2 - b^2)*sqrt(c^2 - d^2)*d*log((2*c*d*cos(f*x \\ & + e) - (c^2 - 2*d^2)*cos(f*x + e)^2 + 2*sqrt(c^2 - d^2)*(d*cos(f*x + e) + \\ & c)*sin(f*x + e) + 2*c^2 - d^2)/(c^2*cos(f*x + e)^2 + 2*c*d*cos(f*x + e) + d \\ & ^2)) - 2*(a*c^2 - a*d^2)*sqrt(a^2 - b^2)*arctan(-(a*cos(f*x + e) + b)/(sqrt \\ & (a^2 - b^2)*sin(f*x + e)))/(((a^3 - a*b^2)*c^3 - (a^2*b - b^3)*c^2*d - (a^3 \\ & - a*b^2)*c*d^2 + (a^2*b - b^3)*d^3)*f), -((a^2 - b^2)*sqrt(-c^2 + d^2)*d* \\ & arctan(-sqrt(-c^2 + d^2)*(d*cos(f*x + e) + c)/((c^2 - d^2)*sin(f*x + e))) - \\ & (a*c^2 - a*d^2)*sqrt(a^2 - b^2)*arctan(-(a*cos(f*x + e) + b)/(sqrt(a^2 - b \\ & ^2)*sin(f*x + e)))/(((a^3 - a*b^2)*c^3 - (a^2*b - b^3)*c^2*d - (a^3 - a*b^ \\ & ^2)*c*d^2 + (a^2*b - b^3)*d^3)*f)] \end{aligned}$$

giac [B] time = 0.77, size = 511, normalized size = 4.22

$$\frac{\left(\sqrt{a^2-b^2}ac|a-b|-\sqrt{a^2-b^2}(2a-b)d|a-b|+\sqrt{a^2-b^2}|ac-bd||a-b|\right)\left(\pi\left[\frac{fx+e}{2\pi}+\frac{1}{2}\right]+\arctan\left(\frac{\tan\left(\frac{1}{2}fx+\frac{1}{2}e\right)}{\sqrt{\frac{bc-ad+\sqrt{(ac+bc+ad+bd)(ac-bc-ad+bd)+(bc-ad)^2}}{ac-bc-ad+bd}}}\right)\right)}{(a^2-2ab+b^2)(ac-bd)^2+(a^2b-2ab^2+b^3)c|ac-bd|-(a^3-2a^2b+ab^2)d|ac-bd|} + \frac{(\sqrt{-c^2+d^2})}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e)),x, algorithm="giac")`

```
[Out] ((sqrt(a^2 - b^2)*a*c*abs(a - b) - sqrt(a^2 - b^2)*(2*a - b)*d*abs(a - b) +
sqrt(a^2 - b^2)*abs(a*c - b*d)*abs(a - b))*(pi*floor(1/2*(f*x + e)/pi + 1/
2) + arctan(tan(1/2*f*x + 1/2*e)/sqrt((b*c - a*d + sqrt((a*c + b*c + a*d +
b*d)*(a*c - b*c - a*d + b*d) + (b*c - a*d)^2))/(a*c - b*c - a*d + b*d))))/(
(a^2 - 2*a*b + b^2)*(a*c - b*d)^2 + (a^2*b - 2*a*b^2 + b^3)*c*abs(a*c - b*d
) - (a^3 - 2*a^2*b + a*b^2)*d*abs(a*c - b*d)) + (sqrt(-c^2 + d^2)*a*(c - 2*
d)*abs(-c + d) + sqrt(-c^2 + d^2)*b*d*abs(-c + d) - sqrt(-c^2 + d^2)*abs(a*
c - b*d)*abs(-c + d))*(pi*floor(1/2*(f*x + e)/pi + 1/2) + arctan(tan(1/2*f*
x + 1/2*e)/sqrt((b*c - a*d - sqrt((a*c + b*c + a*d + b*d)*(a*c - b*c - a*d
+ b*d) + (b*c - a*d)^2))/(a*c - b*c - a*d + b*d))))/((a*c - b*d)^2*(c^2 - 2
*c*d + d^2) + (c^2*d - 2*c*d^2 + d^3)*a*abs(a*c - b*d) - (c^3 - 2*c^2*d + c
*d^2)*b*abs(a*c - b*d))/f
```

maple [A] time = 0.26, size = 110, normalized size = 0.91

$$-\frac{2d \operatorname{arctanh}\left(\frac{(c-d) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{\sqrt{(c+d)(c-d)}}\right)}{f(ca - bd) \sqrt{(c+d)(c-d)}} + \frac{2a \operatorname{arctan}\left(\frac{\tan\left(\frac{e}{2} + \frac{fx}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{f(ca - bd) \sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e)),x)
```

```
[Out] -2/f*d/(a*c-b*d)/((c+d)*(c-d))^(1/2)*arctanh((c-d)*tan(1/2*e+1/2*f*x)/((c+d
)*(c-d))^(1/2))+2/f*a/(a*c-b*d)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e+1/2*f*
x)*(a-b)/((a-b)*(a+b))^(1/2))
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(4*c^2-4*d^2>0)', see `assume?` for
more details)Is 4*c^2-4*d^2 positive or negative?
```

mupad [B] time = 4.79, size = 2665, normalized size = 22.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((c + d/cos(e + f*x))*(a + b*cos(e + f*x))),x)

[Out] $(a^2 c^2 \operatorname{atan}\left(\frac{a^5 c^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^3 d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{3/2} i}{b^5 d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i - a^2 b^3 c^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^3 b^2 c^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^2 b^3 d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i - a^3 b^2 d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^3 c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{3/2} i - a^5 c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^2 b c^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{3/2} i + a^4 b c^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^2 b^3 c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^3 b^2 c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^2 b c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{3/2} i - a^4 b c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i\right) / (a^6 c^2 - b^6 d^2 + a^2 b^4 c^2 - 2 a^4 b^2 c^2 + 2 a^2 b^4 d^2 - a^4 b^2 d^2) (b^2 - a^2)^{1/2} i / (f (a^3 c^3 - b^3 d^3 - a b^2 c^3 + a^2 b d^3 - a^3 c d^2 + b^3 c^2 d + a b^2 c d^2 - a^2 b c^2 d)) - (a d^2 \operatorname{atan}\left(\frac{a^5 c^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^3 d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{3/2} i}{b^5 d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i - a^2 b^3 c^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i - a^3 b^2 c^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^2 b^3 d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i - a^3 b^2 d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + (f x)/2) (b^2 - a^2)^{1/2} i + a^3 c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{3/2} i - a^5 c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^2 b c^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{3/2} i + a^4 b c^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^2 b^3 c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i + a^3 b^2 c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i - a^2 b c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{3/2} i - a^4 b c d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (b^2 - a^2)^{1/2} i) / (a^6 c^2 - b^6 d^2 + a^2 b^4 c^2 - 2 a^4 b^2 c^2 + 2 a^2 b^4 d^2 - a^4 b^2 d^2) (b^2 - a^2)^{1/2} i / (f (a^3 c^3 - b^3 d^3 - a b^2 c^3 + a^2 b d^3 - a^3 c d^2 + b^3 c^2 d + a b^2 c d^2 - a^2 b c^2 d)) - (a^2 d \operatorname{atan}\left(\frac{a^2 d^3 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{3/2} i - a^2 c^5 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{1/2} i + a^2 d^5 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{1/2} i + b^2 d^5 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{1/2} i - a^2 c^2 d^3 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{1/2} i + a^2 c^3 d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{1/2} i + a^2 c^4 d \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{1/2} i + b^2 c d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{3/2} i + b^2 c d^4 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{1/2} i + a b c^2 d^3 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{1/2} i + a b c^3 d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{1/2} i - a b c d^2 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{3/2} i - a b c^2 d^4 \tan\left(\frac{e}{2} + \frac{f x}{2}\right) (c^2 - d^2)^{1/2} i) / (a^2 c^6 - b^2 d^6 + a^2 c^2 d^4 - 2 a^2 c^4 d^2 + 2 b^2 c^2 d^4 - b^2 c^4 d^2) (c^2 - d^2)^{1/2} i) / (f (a^3 c^3 - b^3 d^3 -$

```

a*b^2*c^3 + a^2*b*d^3 - a^3*c*d^2 + b^3*c^2*d + a*b^2*c*d^2 - a^2*b*c^2*d))
+ (b^2*d*atan((a^2*d^3*tan(e/2 + (f*x)/2)*(c^2 - d^2)^(3/2)*2i - a^2*c^5*t
an(e/2 + (f*x)/2)*(c^2 - d^2)^(1/2)*1i + a^2*d^5*tan(e/2 + (f*x)/2)*(c^2 -
d^2)^(1/2)*2i + b^2*d^5*tan(e/2 + (f*x)/2)*(c^2 - d^2)^(1/2)*1i - a^2*c^2*d
^3*tan(e/2 + (f*x)/2)*(c^2 - d^2)^(1/2)*3i + a^2*c^3*d^2*tan(e/2 + (f*x)/2)
*(c^2 - d^2)^(1/2)*1i - b^2*c^2*d^3*tan(e/2 + (f*x)/2)*(c^2 - d^2)^(1/2)*1i
- b^2*c^3*d^2*tan(e/2 + (f*x)/2)*(c^2 - d^2)^(1/2)*1i - a*b*d^3*tan(e/2 +
(f*x)/2)*(c^2 - d^2)^(3/2)*2i - a*b*d^5*tan(e/2 + (f*x)/2)*(c^2 - d^2)^(1/2)
*2i + a^2*c^4*d*tan(e/2 + (f*x)/2)*(c^2 - d^2)^(1/2)*1i + b^2*c*d^2*tan(e/
2 + (f*x)/2)*(c^2 - d^2)^(3/2)*2i + b^2*c*d^4*tan(e/2 + (f*x)/2)*(c^2 - d^2)
^(1/2)*1i + a*b*c^2*d^3*tan(e/2 + (f*x)/2)*(c^2 - d^2)^(1/2)*2i + a*b*c^3*
d^2*tan(e/2 + (f*x)/2)*(c^2 - d^2)^(1/2)*2i - a*b*c*d^2*tan(e/2 + (f*x)/2)*
(c^2 - d^2)^(3/2)*2i - a*b*c*d^4*tan(e/2 + (f*x)/2)*(c^2 - d^2)^(1/2)*2i)/(
a^2*c^6 - b^2*d^6 + a^2*c^2*d^4 - 2*a^2*c^4*d^2 + 2*b^2*c^2*d^4 - b^2*c^4*d
^2))*(c^2 - d^2)^(1/2)*2i)/(f*(a^3*c^3 - b^3*d^3 - a*b^2*c^3 + a^2*b*d^3 -
a^3*c*d^2 + b^3*c^2*d + a*b^2*c*d^2 - a^2*b*c^2*d))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(e + fx))(c + d \sec(e + fx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e)),x)

[Out] Integral(1/((a + b*cos(e + f*x))*(c + d*sec(e + f*x))), x)

$$3.14 \quad \int \frac{1}{(a+b \cos(e+fx))(c+d \sec(e+fx))^2} dx$$

Optimal. Leaf size=187

$$\frac{2a^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{f\sqrt{a-b}\sqrt{a+b}(ac-bd)^2} + \frac{d^2 \sin(e+fx)}{f(c^2-d^2)(ac-bd)(c \cos(e+fx)+d)} - \frac{2d(2ac^2-ad^2-bcd) \tanh^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}\right)}{\sqrt{c+d}}\right)}{f(c-d)^{3/2}(c+d)^{3/2}(ac-bd)^2}$$

[Out] $-2*d*(2*a*c^2-a*d^2-b*c*d)*\operatorname{arctanh}((c-d)^{(1/2)}*\tan(1/2*e+1/2*f*x)/(c+d)^{(1/2)})/(c-d)^{(3/2)/(c+d)^{(3/2)/(a*c-b*d)^2/f+d^2*\sin(f*x+e)/(a*c-b*d)/(c^2-d^2)}/f/(d+c*\cos(f*x+e))+2*a^2*\operatorname{arctan}((a-b)^{(1/2)}*\tan(1/2*e+1/2*f*x)/(a+b)^{(1/2)})/(a*c-b*d)^2/f/(a-b)^{(1/2)/(a+b)^{(1/2)}$

Rubi [A] time = 0.63, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {2828, 3056, 3001, 2659, 205, 208}

$$\frac{2a^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{f\sqrt{a-b}\sqrt{a+b}(ac-bd)^2} + \frac{d^2 \sin(e+fx)}{f(c^2-d^2)(ac-bd)(c \cos(e+fx)+d)} - \frac{2d(2ac^2-ad^2-bcd) \tanh^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}\right)}{\sqrt{c+d}}\right)}{f(c-d)^{3/2}(c+d)^{3/2}(ac-bd)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[e + f*x])*(c + d*Sec[e + f*x])^2), x]

[Out] $(2*a^2*\operatorname{ArcTan}[(\operatorname{Sqrt}[a-b]*\operatorname{Tan}[(e+f*x)/2])/(\operatorname{Sqrt}[a+b])]/(\operatorname{Sqrt}[a-b]*\operatorname{Sqrt}[a+b]*(a*c-b*d)^2*f) - (2*d*(2*a*c^2-b*c*d-a*d^2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[c-d]*\operatorname{Tan}[(e+f*x)/2])/(\operatorname{Sqrt}[c+d])]/((c-d)^{(3/2)}*(c+d)^{(3/2)}*(a*c-b*d)^2*f) + (d^2*\operatorname{Sin}[e+f*x])/((a*c-b*d)*(c^2-d^2)*f*(d+c*\operatorname{Cos}[e+f*x]))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 2659

```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2828

```
Int[(csc[(e_) + (f_)*(x_)]*(d_) + (c_))^(n_)*((a_) + (b_)*sin[(e_) +
(f_)*(x_)])^(m_), x_Symbol] := Int[((a + b*Sin[e + f*x])^m*(d + c*Sin[e +
f*x])^n)/Sin[e + f*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ
[n]
```

Rule 3001

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3056

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :=
-Simp[((A*b^2 + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin
[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m +
1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^n*Simp[a*(m + 1)*(b*c - a*d)*(A + C) + d*(A*b^2 + a^2*C)*(m + n + 2
) - (c*(A*b^2 + a^2*C) + b*(m + 1)*(b*c - a*d)*(A + C))*Sin[e + f*x] - d*(A
*b^2 + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(
IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]
)))
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(e + fx))(c + d \sec(e + fx))^2} dx &= \int \frac{\cos^2(e + fx)}{(a + b \cos(e + fx))(d + c \cos(e + fx))^2} dx \\
&= \frac{d^2 \sin(e + fx)}{(ac - bd)(c^2 - d^2)f(d + c \cos(e + fx))} + \frac{\int \frac{-acd - (bcd - a(c^2 - d^2)) \cos(e + fx)}{(a + b \cos(e + fx))(d + c \cos(e + fx))} dx}{(ac - bd)(c^2 - d^2)} \\
&= \frac{d^2 \sin(e + fx)}{(ac - bd)(c^2 - d^2)f(d + c \cos(e + fx))} + \frac{a^2 \int \frac{1}{a + b \cos(e + fx)} dx}{(ac - bd)^2} + \frac{2cd}{(ac - bd)^2} \int \frac{1}{a + b \cos(e + fx)} dx \\
&= \frac{d^2 \sin(e + fx)}{(ac - bd)(c^2 - d^2)f(d + c \cos(e + fx))} + \frac{(2a^2) \text{Subst} \left(\int \frac{1}{a + b + (a^2 - b^2) \cos^2(u)} du \right)}{(ac - bd)^2} \\
&= \frac{2a^2 \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b} (ac - bd)^2 f} - \frac{2d(2ac^2 - bcd - ad^2) \tanh^{-1} \left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c+d}} \right)}{(c-d)^{3/2} (c+d)^{3/2} (ac - bd)^2}
\end{aligned}$$

Mathematica [A] time = 0.85, size = 205, normalized size = 1.10

$$\frac{\sec^2(e + fx)(c \cos(e + fx) + d) \left(-\frac{2a^2(c \cos(e + fx) + d) \tanh^{-1} \left(\frac{(a-b) \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{b^2 - a^2}} \right)}{\sqrt{b^2 - a^2}} - \frac{2d(a(d^2 - 2c^2) + bcd)(c \cos(e + fx) + d) \tanh^{-1} \left(\frac{(d-c) \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c^2 - d^2}} \right)}{(c^2 - d^2)^{3/2}} \right)}{f(ac - bd)^2(c + d \sec(e + fx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*Cos[e + f*x])*(c + d*Sec[e + f*x])^2),x]

[Out] ((d + c*Cos[e + f*x])*Sec[e + f*x]^2*((-2*a^2*ArcTanh[((a - b)*Tan[(e + f*x)/2])/Sqrt[-a^2 + b^2]]*(d + c*Cos[e + f*x])/Sqrt[-a^2 + b^2] - (2*d*(b*c*d + a*(-2*c^2 + d^2))*ArcTanh[(-c + d)*Tan[(e + f*x)/2])/Sqrt[c^2 - d^2]]*(d + c*Cos[e + f*x]))/(c^2 - d^2)^(3/2) + (d^2*(a*c - b*d)*Sin[e + f*x])/((c - d)*(c + d)))/((a*c - b*d)^2*f*(c + d*Sec[e + f*x])^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 1.65, size = 342, normalized size = 1.83

$$2 \frac{\left(\left(\pi \left[\frac{fx+e}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - b \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)}{\sqrt{a^2-b^2}} \right) \right) a^2}{(a^2c^2 - 2abcd + b^2d^2)\sqrt{a^2-b^2}} - \frac{d^2 \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)}{(ac^3 - bc^2d - acd^2 + bd^3) \left(c \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - d \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)^2 - c - d \right)} - \frac{(2a^2c^2 - 2abcd + b^2d^2)\sqrt{a^2-b^2}}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^2,x, algorithm="giac")

[Out] $2 * ((\pi * \text{floor}(1/2 * (f * x + e) / \pi + 1/2) * \text{sgn}(2 * a - 2 * b) + \arctan((a * \tan(1/2 * f * x + 1/2 * e) - b * \tan(1/2 * f * x + 1/2 * e)) / \sqrt{a^2 - b^2}))) * a^2 / ((a^2 * c^2 - 2 * a * b * c * d + b^2 * d^2) * \sqrt{a^2 - b^2}) - d^2 * \tan(1/2 * f * x + 1/2 * e) / ((a * c^3 - b * c^2 * d - a * c * d^2 + b * d^3) * (c * \tan(1/2 * f * x + 1/2 * e)^2 - d * \tan(1/2 * f * x + 1/2 * e)^2 - c - d)) - (2 * a * c^2 * d - b * c * d^2 - a * d^3) * (\pi * \text{floor}(1/2 * (f * x + e) / \pi + 1/2) * \text{sgn}(-2 * c + 2 * d) + \arctan(-(c * \tan(1/2 * f * x + 1/2 * e) - d * \tan(1/2 * f * x + 1/2 * e)) / \sqrt{-c^2 + d^2})) / ((a^2 * c^4 - 2 * a * b * c^3 * d - a^2 * c^2 * d^2 + b^2 * c^2 * d^2 + 2 * a * b * c * d^3 - b^2 * d^4) * \sqrt{-c^2 + d^2})) / f$

maple [B] time = 0.28, size = 418, normalized size = 2.24

$$\frac{2d^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) ca}{f(ca - bd)^2 (c^2 - d^2) \left(\left(\tan^2\left(\frac{e}{2} + \frac{fx}{2}\right) \right) c - \left(\tan^2\left(\frac{e}{2} + \frac{fx}{2}\right) \right) d - c - d \right)} + \frac{2d^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) c}{f(ca - bd)^2 (c^2 - d^2) \left(\left(\tan^2\left(\frac{e}{2} + \frac{fx}{2}\right) \right) c - \left(\tan^2\left(\frac{e}{2} + \frac{fx}{2}\right) \right) d - c - d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^2,x)

[Out] $-2/f*d^2/(a*c-b*d)^2/(c^2-d^2)*\tan(1/2*e+1/2*f*x)/(\tan(1/2*e+1/2*f*x)^2*c-\tan(1/2*e+1/2*f*x)^2*d-c-d)*c*a+2/f*d^3/(a*c-b*d)^2/(c^2-d^2)*\tan(1/2*e+1/2*f*x)/(\tan(1/2*e+1/2*f*x)^2*c-\tan(1/2*e+1/2*f*x)^2*d-c-d)*b-4/f*d/(a*c-b*d)^2/(c+d)/(c-d)/((c+d)*(c-d))^{1/2}*\operatorname{arctanh}((c-d)*\tan(1/2*e+1/2*f*x)/((c+d)*(c-d))^{1/2})*a*c^2+2/f*d^3/(a*c-b*d)^2/(c+d)/(c-d)/((c+d)*(c-d))^{1/2}*\operatorname{arctanh}((c-d)*\tan(1/2*e+1/2*f*x)/((c+d)*(c-d))^{1/2})*a+2/f*d^2/(a*c-b*d)^2/(c+d)/(c-d)/((c+d)*(c-d))^{1/2}*\operatorname{arctanh}((c-d)*\tan(1/2*e+1/2*f*x)/((c+d)*(c-d))^{1/2})*b*c+2/f*a^2/(a*c-b*d)^2/((a-b)*(a+b))^{1/2}*\operatorname{arctan}(\tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b))^{1/2}))$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 15.23, size = 20827, normalized size = 111.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((c + d/cos(e + f*x))^2*(a + b*cos(e + f*x))),x)

[Out]
$$\frac{(a^2 \operatorname{atan}\left(\frac{(a^2(b^2 - a^2)^{1/2} \left((32 \tan(e/2 + (f*x)/2) (a^5 c^6 + 2 a^5 d^6 - a^4 b c^6 - 4 a^4 b d^6 - 2 a^5 c^5 d - 2 a^5 c^5 d - a^2 b^3 d^6 + 3 a^3 b^2 d^6 - 5 a^5 c^2 d^4 + 4 a^5 c^3 d^3 + 3 a^5 c^4 d^2 - b^5 c^2 d^4 + 3 a b^4 c^2 d^4 + 4 a b^4 c^3 d^3 + 6 a^2 b^3 c d^5 - 6 a^3 b^2 c d^5 + 13 a^4 b c^2 d^4 - 8 a^4 b c^3 d^3 - 11 a^4 b c^4 d^2 + a^2 b^3 c^2 d^4 - 12 a^2 b^3 c^3 d^3 - 4 a^2 b^3 c^4 d^2 - 11 a^3 b^2 c^2 d^4 + 12 a^3 b^2 c^3 d^3 + 12 a^3 b^2 c^4 d^2 - 2 a b^4 c d^5 + 4 a^4 b c d^5 + 2 a^4 b c^5 d) \right)}{(a^2 c^5 - b^2 d^5 + a^2 c^4 d - b^2 c^4 d - a^2 c^2 d^3 - a^2 c^3 d^2 + b^2 c^2 d^3 + b^2 c^3 d^2 + 2 a b c^4 d - 2 a b c^4 d + 2 a b c^2 d^3 - 2 a b c^3 d^2) + (a^2 (b^2 - a^2)^{1/2} \left((32 (2 a^6 b c^9 - a^7 c^9 + a b^6 d^9 + 2 a^7 c^8 d + b^7 c^8 d - a^5 b^2 c^9 - 2 a^2 b^5 d^9 + a^3 b^4 d^9 + a^7 c^4 d^5 - 3 a^7 c^6 d^3 + a^7 c^7 d^2 - b^7 c^2 d^7 - b^7 c^3 d^6 + b^7 c^4 d^5 - 5 a b^6 c^2 d^7 + 7 a b^6 c^3 d^6 + 4 a b^6 c^4 d^5 - 5 a b^6 c^5 d^4 - 3 a^2 b^5 c d^8 + 8 a^3 b^4 c d^8 - 4 a^4 b^3 c d^8 + 5 a^4 b^3 c^8 d - 8 a^5 b^2 c^8 d - 4 a^6 b c^3 d^6 - 2 a^6 b c^4 d^5 + 13 a^6 b c^5 d^4 + a^6 b c^6 d^3 - 11 a^6 b c^7 d^2 + 13 a^2 b^5 c^2 d^7 + 7 a^2 b^5 c^3 d^6 - 21 a^2 b^5 c^4 d^5 - 4 a^2 b^5 c^5 d^4 + 10 a^2 b^5 c^6 d^3 - a^3 b^4 c^2 d^7 - 31 a^3 b^4 c^3 d^6 + 4 a^3 b^4 c^4 d^5 + 33 a^3 b^4 c^5 d^4 - 4 a^3 b^4 c^6 d^3 - 10 a^3 b^4 c^7 d^2 - 12 a^4 b^3 c^2 d^7 + 14 a^4 b^3 c^3 d^6 + 34 a^4 b^3 c^4 d^5 - 21 a^4 b^3 c^5 d^4 - 27 a^4 b^3 c^6 d^3 + 11 a^4 b^3 c^7 d^2 + 6 a^5 b^2 c^2 d^7 + 8 a^5 b^2 c^3 d^6 - 21 a^5 b^2 c^4 d^5 - 16 a^5 b^2 c^5 d^4 + 23 a^5 b^2 c^6 d^3 + 9 a^5 b^2 c^7 d^2 - 2 a b^6 c^8 d) \right)}{(a^3 c^6 + b^3 d^6 + a^3 c^5 d + b^3 c^4 d^5 - a^3 c^3 d^3 - a^3 c^4 d^2 - b^3 c^2 d^4 - b^3 c^3 d^3 - 3 a b^2 c^2 d^4 + 3 a b^2 c^3 d^3 + 3 a b^2 c^4 d^2 + 3 a^2 b c^2 d^4 + 3 a^2 b c^3 d^3 - 3 a^2 b c^4 d^2 - 3 a b^2 c^5 d - 3 a^2 b c^5 d) + (32 a^2 \tan(e/2 + (f*x)/2) (b^2 - a^2)^{1/2} (2 a^6 b c^{10} + 2 a b^6 d^{10} - 2 a^7 c^9 d - 2 b^7 c^9 d + 2 a^4 b^3 c^{10} - 4 a^5 b^2 c^{10} - 4 a^2 b^5 d^{10} + 2 a^3 b^4 d^{10} + 2 a^7 c^4 d^6 - 2 a^7 c^5 d^5 - 4 a^7 c^6 d^4 + 4 a^7 c^7 d^3 + 2 a^7 c^8 d^2 + 2 b^7 c^2 d^8 + 4 a^7 c^9 d) \right)}{(a^2 (b^2 - a^2)^{1/2} \left((32 (2 a^6 b c^9 - a^7 c^9 + a b^6 d^9 + 2 a^7 c^8 d + b^7 c^8 d - a^5 b^2 c^9 - 2 a^2 b^5 d^9 + a^3 b^4 d^9 + a^7 c^4 d^5 - 3 a^7 c^6 d^3 + a^7 c^7 d^2 - b^7 c^2 d^7 - b^7 c^3 d^6 + b^7 c^4 d^5 - 5 a b^6 c^2 d^7 + 7 a b^6 c^3 d^6 + 4 a b^6 c^4 d^5 - 5 a b^6 c^5 d^4 - 3 a^2 b^5 c d^8 + 8 a^3 b^4 c d^8 - 4 a^4 b^3 c d^8 + 5 a^4 b^3 c^8 d - 8 a^5 b^2 c^8 d - 4 a^6 b c^3 d^6 - 2 a^6 b c^4 d^5 + 13 a^6 b c^5 d^4 + a^6 b c^6 d^3 - 11 a^6 b c^7 d^2 + 13 a^2 b^5 c^2 d^7 + 7 a^2 b^5 c^3 d^6 - 21 a^2 b^5 c^4 d^5 - 4 a^2 b^5 c^5 d^4 + 10 a^2 b^5 c^6 d^3 - a^3 b^4 c^2 d^7 - 31 a^3 b^4 c^3 d^6 + 4 a^3 b^4 c^4 d^5 + 33 a^3 b^4 c^5 d^4 - 4 a^3 b^4 c^6 d^3 - 10 a^3 b^4 c^7 d^2 - 12 a^4 b^3 c^2 d^7 + 14 a^4 b^3 c^3 d^6 + 34 a^4 b^3 c^4 d^5 - 21 a^4 b^3 c^5 d^4 - 27 a^4 b^3 c^6 d^3 + 11 a^4 b^3 c^7 d^2 + 6 a^5 b^2 c^2 d^7 + 8 a^5 b^2 c^3 d^6 - 21 a^5 b^2 c^4 d^5 - 16 a^5 b^2 c^5 d^4 + 23 a^5 b^2 c^6 d^3 + 9 a^5 b^2 c^7 d^2 - 2 a b^6 c^8 d) \right)}{(a^2 (b^2 - a^2)^{1/2} \left((32 (2 a^6 b c^9 - a^7 c^9 + a b^6 d^9 + 2 a^7 c^8 d + b^7 c^8 d - a^5 b^2 c^9 - 2 a^2 b^5 d^9 + a^3 b^4 d^9 + a^7 c^4 d^5 - 3 a^7 c^6 d^3 + a^7 c^7 d^2 - b^7 c^2 d^7 - b^7 c^3 d^6 + b^7 c^4 d^5 - 5 a b^6 c^2 d^7 + 7 a b^6 c^3 d^6 + 4 a b^6 c^4 d^5 - 5 a b^6 c^5 d^4 - 3 a^2 b^5 c d^8 + 8 a^3 b^4 c d^8 - 4 a^4 b^3 c d^8 + 5 a^4 b^3 c^8 d - 8 a^5 b^2 c^8 d - 4 a^6 b c^3 d^6 - 2 a^6 b c^4 d^5 + 13 a^6 b c^5 d^4 + a^6 b c^6 d^3 - 11 a^6 b c^7 d^2 + 13 a^2 b^5 c^2 d^7 + 7 a^2 b^5 c^3 d^6 - 21 a^2 b^5 c^4 d^5 - 4 a^2 b^5 c^5 d^4 + 10 a^2 b^5 c^6 d^3 - a^3 b^4 c^2 d^7 - 31 a^3 b^4 c^3 d^6 + 4 a^3 b^4 c^4 d^5 + 33 a^3 b^4 c^5 d^4 - 4 a^3 b^4 c^6 d^3 - 10 a^3 b^4 c^7 d^2 - 12 a^4 b^3 c^2 d^7 + 14 a^4 b^3 c^3 d^6 + 34 a^4 b^3 c^4 d^5 - 21 a^4 b^3 c^5 d^4 - 27 a^4 b^3 c^6 d^3 + 11 a^4 b^3 c^7 d^2 + 6 a^5 b^2 c^2 d^7 + 8 a^5 b^2 c^3 d^6 - 21 a^5 b^2 c^4 d^5 - 16 a^5 b^2 c^5 d^4 + 23 a^5 b^2 c^6 d^3 + 9 a^5 b^2 c^7 d^2 - 2 a b^6 c^8 d) \right)}{(a^2 (b^2 - a^2)^{1/2} \left((32 (2 a^6 b c^9 - a^7 c^9 + a b^6 d^9 + 2 a^7 c^8 d + b^7 c^8 d - a^5 b^2 c^9 - 2 a^2 b^5 d^9 + a^3 b^4 d^9 + a^7 c^4 d^5 - 3 a^7 c^6 d^3 + a^7 c^7 d^2 - b^7 c^2 d^7 - b^7 c^3 d^6 + b^7 c^4 d^5 - 5 a b^6 c^2 d^7 + 7 a b^6 c^3 d^6 + 4 a b^6 c^4 d^5 - 5 a b^6 c^5 d^4 - 3 a^2 b^5 c d^8 + 8 a^3 b^4 c d^8 - 4 a^4 b^3 c d^8 + 5 a^4 b^3 c^8 d - 8 a^5 b^2 c^8 d - 4 a^6 b c^3 d^6 - 2 a^6 b c^4 d^5 + 13 a^6 b c^5 d^4 + a^6 b c^6 d^3 - 11 a^6 b c^7 d^2 + 13 a^2 b^5 c^2 d^7 + 7 a^2 b^5 c^3 d^6 - 21 a^2 b^5 c^4 d^5 - 4 a^2 b^5 c^5 d^4 + 10 a^2 b^5 c^6 d^3 - a^3 b^4 c^2 d^7 - 31 a^3 b^4 c^3 d^6 + 4 a^3 b^4 c^4 d^5 + 33 a^3 b^4 c^5 d^4 - 4 a^3 b^4 c^6 d^3 - 10 a^3 b^4 c^7 d^2 - 12 a^4 b^3 c^2 d^7 + 14 a^4 b^3 c^3 d^6 + 34 a^4 b^3 c^4 d^5 - 21 a^4 b^3 c^5 d^4 - 27 a^4 b^3 c^6 d^3 + 11 a^4 b^3 c^7 d^2 + 6 a^5 b^2 c^2 d^7 + 8 a^5 b^2 c^3 d^6 - 21 a^5 b^2 c^4 d^5 - 16 a^5 b^2 c^5 d^4 + 23 a^5 b^2 c^6 d^3 + 9 a^5 b^2 c^7 d^2 - 2 a b^6 c^8 d) \right)}$$

$$\begin{aligned}
& b^7c^3d^7 - 4b^7c^4d^6 - 2b^7c^5d^5 + 2b^7c^6d^4 - 12ab^6c^3d^7 - 6ab^6c^4d^6 + 18ab^6c^5d^5 + 4ab^6c^6d^4 - 8ab^6c^7d^3 \\
& - 6a^2b^5c^4d^9 + 14a^3b^4c^4d^9 - 8a^3b^4c^9d - 8a^4b^3c^4d^9 + 14a^4b^3c^9d - 6a^5b^2c^9d - 8a^6b^2c^3d^7 + 4a^6b^2c^4d^6 + \\
& 18a^6b^2c^5d^5 - 6a^6b^2c^6d^4 - 12a^6b^2c^7d^3 + 2a^2b^5c^2d^8 + 16a^2b^5c^3d^7 + 20a^2b^5c^4d^6 - 14a^2b^5c^5d^5 - 30a^2b^5c^6d^4 \\
& + 4a^2b^5c^7d^3 + 12a^2b^5c^8d^2 - 24a^3b^4c^3d^7 - 22a^3b^4c^4d^6 - 2a^3b^4c^5d^5 + 36a^3b^4c^6d^4 + 20a^3b^4c^7d^3 - 16a^3b^4c^8d^2 \\
& - 16a^4b^3c^2d^8 + 20a^4b^3c^3d^7 + 36a^4b^3c^4d^6 - 2a^4b^3c^5d^5 - 22a^4b^3c^6d^4 - 24a^4b^3c^7d^3 + 12a^5b^2c^2d^8 + 4a^5b^2c^3d^7 \\
& - 30a^5b^2c^4d^6 - 14a^5b^2c^5d^5 + 20a^5b^2c^6d^4 + 16a^5b^2c^7d^3 + 2a^5b^2c^8d^2 + 2ab^6c^4d^9 + 2a^6b^2c^9d) / ((a^4c^2 - b^4d^2 - a^2b^2c^2 + a^2b^2d^2 \\
& + 2ab^3cd - 2a^3b^2cd) * (a^2c^5 - b^2d^5 + a^2c^4d - b^2cd^4 - a^2c^2d^3 - a^2c^3d^2 + b^2c^2d^3 + b^2c^3d^2 + 2ab^2cd^4 - 2ab^2cd^4 \\
& + 2ab^2cd^4 + 2ab^2cd^3 - 2ab^2cd^3 - 2ab^2cd^2)) / (a^4c^2 - b^4d^2 - a^2b^2c^2 + a^2b^2d^2 + 2ab^3cd - 2a^3b^2cd) * i / (a^4c^2 - b^4d^2 - a^2b^2c^2 \\
& + a^2b^2d^2 + 2ab^3cd - 2a^3b^2cd) + (a^2(b^2 - a^2))^{1/2} * ((32 * \tan(e/2 + (f*x)/2) * (a^5c^6 + 2a^5d^6 - a^4b^2c^6 - 4a^4b^2d^6 - 2a^5c^4d^5 - 2a^5c^5d^5 - a^2b^3d^6 + 3a^3b^2d^6 - 5a^5c^2d^4 + 4a^5c^3d^3 + 3a^5c^4d^2 - b^5c^2d^4 + 3ab^4c^2d^4 + 4ab^4c^3d^3 + 6a^2b^3c^4d^5 - 6a^3b^2c^4d^5 + 13a^4b^2c^2d^4 - 8a^4b^2c^3d^3 - 11a^4b^2c^4d^2 + a^2b^3c^2d^4 - 12a^2b^3c^3d^3 - 4a^2b^3c^4d^2 - 11a^3b^2c^2d^4 + 12a^3b^2c^3d^3 + 12a^3b^2c^4d^2 - 2ab^4c^2d^5 + 4a^4b^2c^4d^5 + 2a^4b^2c^5d^4) / (a^2c^5 - b^2d^5 + a^2c^4d - b^2cd^4 - a^2c^2d^3 - a^2c^3d^2 + b^2c^2d^3 + b^2c^3d^2 + 2ab^2cd^4 - 2ab^2cd^4 + 2ab^2cd^3 - 2ab^2cd^3 - 2ab^2cd^2) - (a^2(b^2 - a^2))^{1/2} * ((32 * (2a^6b^2c^9 - a^7c^9 + ab^6d^9 + 2a^7c^8d + b^7c^8d - a^5b^2c^9 - 2a^2b^5d^9 + a^3b^4d^9 + a^7c^4d^5 - 3a^7c^6d^3 + a^7c^7d^2 - b^7c^2d^7 - b^7c^3d^6 + b^7c^4d^5 - 5ab^6c^2d^7 + 7ab^6c^3d^6 + 4ab^6c^4d^5 - 5ab^6c^5d^4 - 3a^2b^5c^8d + 8a^3b^4c^8d - 4a^4b^3c^8d + 5a^4b^3c^8d - 8a^5b^2c^8d - 4a^6b^2c^3d^6 - 2a^6b^2c^4d^5 + 13a^6b^2c^5d^4 + a^6b^2c^6d^3 - 11a^6b^2c^7d^2 + 13a^2b^5c^2d^7 + 7a^2b^5c^3d^6 - 21a^2b^5c^4d^5 - 4a^2b^5c^5d^4 + 10a^2b^5c^6d^3 - a^3b^4c^2d^7 - 31a^3b^4c^3d^6 + 4a^3b^4c^4d^5 + 33a^3b^4c^5d^4 - 4a^3b^4c^6d^3 - 10a^3b^4c^7d^2 - 12a^4b^3c^2d^7 + 14a^4b^3c^3d^6 + 34a^4b^3c^4d^5 - 21a^4b^3c^5d^4 - 27a^4b^3c^6d^3 + 11a^4b^3c^7d^2 + 6a^5b^2c^2d^7 + 8a^5b^2c^3d^6 - 21a^5b^2c^4d^5 - 16a^5b^2c^5d^4 + 23a^5b^2c^6d^3 + 9a^5b^2c^7d^2 - 2ab^6c^8d + a^6b^2c^8d) / (a^3c^6 + b^3d^6 + a^3c^5d + b^3cd^5 - a^3c^3d^3 - a^3c^4d^2 - b^3c^2d^4 - b^3c^3d^3 - 3ab^2c^2d^4 + 3ab^2c^3d^3 + 3ab^2c^4d^2 + 3a^2b^2c^2d^4 + 3a^2b^2c^3d^3 - 3a^2b^2c^4d^2 - 3ab^2c^5d^5 - 3a^2b^2c^5d^5) - (32 * a^2 * \tan(e/2 + (f*x)/2) * (b^2 - a^2))^{1/2} * (2a^6b^2c^10 + 2ab^6d^10 - 2a^7c^9d - 2b^7c^9d + 2a^4b^3c^10 - 4a^5b^2c^10 - 4a^2b^5d^10 +
\end{aligned}$$

$$\begin{aligned}
& 2a^3b^4d^{10} + 2a^7c^4d^6 - 2a^7c^5d^5 - 4a^7c^6d^4 + 4a^7c^7d^3 + 2a^7c^8d^2 + 2b^7c^2d^8 + 4b^7c^3d^7 - 4b^7c^4d^6 - 2b^7c^5d^5 + 2b^7c^6d^4 - 12a^6b^6c^3d^7 - 6a^6b^6c^4d^6 + 18a^6b^6c^5d^5 + 4a^6b^6c^6d^4 - 8a^6b^6c^7d^3 - 6a^2b^5c^5d^9 + 14a^3b^4c^5d^9 - 8a^3b^4c^9d - 8a^4b^3c^5d^9 + 14a^4b^3c^9d - 6a^5b^2c^9d - 8a^6b^3c^3d^7 + 4a^6b^3c^4d^6 + 18a^6b^3c^5d^5 - 6a^6b^3c^6d^4 - 12a^6b^3c^7d^3 + 2a^2b^5c^2d^8 + 16a^2b^5c^3d^7 + 20a^2b^5c^4d^6 - 14a^2b^5c^5d^5 - 30a^2b^5c^6d^4 + 4a^2b^5c^7d^3 + 12a^2b^5c^8d^2 - 24a^3b^4c^3d^7 - 22a^3b^4c^4d^6 - 2a^3b^4c^5d^5 + 36a^3b^4c^6d^4 + 20a^3b^4c^7d^3 - 16a^3b^4c^8d^2 - 16a^4b^3c^2d^8 + 20a^4b^3c^3d^7 + 36a^4b^3c^4d^6 - 2a^4b^3c^5d^5 - 22a^4b^3c^6d^4 - 24a^4b^3c^7d^3 + 12a^5b^2c^2d^8 + 4a^5b^2c^3d^7 - 30a^5b^2c^4d^6 - 14a^5b^2c^5d^5 + 20a^5b^2c^6d^4 + 16a^5b^2c^7d^3 + 2a^5b^2c^8d^2 + 2a^6b^3c^5d^9 + 2a^6b^3c^9d)/((a^4c^2 - b^4d^2 - a^2b^2c^2 + a^2b^2d^2 + 2a^3b^3cd - 2a^3b^3cd)*(a^2c^5 - b^2d^5 + a^2c^4d - b^2cd^4 - a^2c^2d^3 - a^2c^3d^2 + b^2c^2d^3 + b^2c^3d^2 + 2a^3b^3cd^4 - 2a^3b^3cd^4 + 2a^3b^3cd^2d^3 - 2a^3b^3cd^3d^2)))/(a^4c^2 - b^4d^2 - a^2b^2c^2 + a^2b^2d^2 + 2a^3b^3cd - 2a^3b^3cd)*(a^4c^2 - b^4d^2 - a^2b^2c^2 + a^2b^2d^2 + 2a^3b^3cd - 2a^3b^3cd))/((64*(a^5d^5 - a^4b^4d^5 - a^5c^4d^4 + 2a^5c^4d^4 - 3a^5c^2d^3 + 2a^5c^3d^2 - 2a^3b^2c^2d^4 + 2a^4b^3c^2d^3 - 5a^4b^3c^3d^2 - a^2b^3c^2d^3 + 2a^3b^2c^2d^3 + 3a^3b^2c^3d^2 + 3a^4b^3c^4d - 2a^4b^3c^4d))/(a^3c^6 + b^3d^6 + a^3c^5d + b^3c^4d^5 - a^3c^3d^3 - a^3c^4d^2 - b^3c^2d^4 - b^3c^3d^3 - 3a^2b^2c^2d^4 + 3a^2b^2c^3d^3 + 3a^2b^2c^4d^2 + 3a^2b^2c^5d + 3a^2b^2c^3d^3 - 3a^2b^2c^4d^2 - 3a^2b^2c^5d) + (a^2*(b^2 - a^2)^(1/2))*((32*tan(e/2 + (f*x)/2)*(a^5c^6 + 2a^5d^6 - a^4b^4c^6 - 4a^4b^4d^6 - 2a^5c^4d^5 - 2a^5c^5d - a^2b^3d^6 + 3a^3b^2d^6 - 5a^5c^2d^4 + 4a^5c^3d^3 + 3a^5c^4d^2 - b^5c^2d^4 + 3a^2b^4c^2d^4 + 4a^2b^4c^3d^3 + 6a^2b^3c^4d^5 - 6a^3b^2c^4d^5 + 13a^4b^3c^2d^4 - 8a^4b^3c^3d^3 - 11a^4b^3c^4d^2 + a^2b^3c^2d^4 - 12a^2b^3c^3d^3 - 4a^2b^3c^4d^2 - 11a^3b^2c^2d^4 + 12a^3b^2c^3d^3 + 12a^3b^2c^4d^2 - 2a^2b^4c^4d^5 + 4a^4b^3c^4d^5 + 2a^4b^3c^5d) + (a^2c^5 - b^2d^5 + a^2c^4d - b^2cd^4 - a^2c^2d^3 - a^2c^3d^2 + b^2c^2d^3 + b^2c^3d^2 + 2a^3b^3cd^4 - 2a^3b^3cd^4 + 2a^3b^3cd^2d^3 - 2a^3b^3cd^3d^2) + (a^2*(b^2 - a^2)^(1/2))*((32*(2a^6b^3c^9 - a^7c^9 + a^6b^6d^9 + 2a^7c^8d + b^7c^8d - a^5b^2c^9 - 2a^2b^5d^9 + a^3b^4d^9 + a^7c^4d^5 - 3a^7c^6d^3 + a^7c^7d^2 - b^7c^2d^7 - b^7c^3d^6 + b^7c^4d^5 - 5a^2b^6c^2d^7 + 7a^2b^6c^3d^6 + 4a^2b^6c^4d^5 - 5a^2b^6c^5d^4 - 3a^2b^5c^5d^8 + 8a^3b^4c^5d^8 - 4a^4b^3c^5d^8 + 5a^4b^3c^8d - 8a^5b^2c^8d - 4a^6b^3c^3d^6 - 2a^6b^3c^4d^5 + 13a^6b^3c^5d^4 + a^6b^3c^6d^3 - 11a^6b^3c^7d^2 + 13a^2b^5c^2d^7 + 7a^2b^5c^3d^6 - 21a^2b^5c^4d^5 - 4a^2b^5c^5d^4 + 10a^2b^5c^6d^3 - a^3b^4c^2d^7 - 31a^3b^4c^3d^6 + 4a^3b^4c^4d^5 + 33a^3b^4c^5d^4 - 4a^3b^4c^6d^3 - 10a^3b^4c^7d^2 - 12a^4b^3c^2d^7 + 14a^4b^3c^3d^6 + 34a^4b^3c^4d^5 - 21a^4b^3c^5d^4 - 27a
\end{aligned}$$

$$\begin{aligned}
& ^4b^3c^6d^3 + 11a^4b^3c^7d^2 + 6a^5b^2c^2d^7 + 8a^5b^2c^3d^6 \\
& - 21a^5b^2c^4d^5 - 16a^5b^2c^5d^4 + 23a^5b^2c^6d^3 + 9a^5b^2 \\
& *c^7d^2 - 2a*b^6*c*d^8 + a^6*b*c^8*d))/ (a^3*c^6 + b^3*d^6 + a^3*c^5*d + b \\
& ^3*c*d^5 - a^3*c^3*d^3 - a^3*c^4*d^2 - b^3*c^2*d^4 - b^3*c^3*d^3 - 3a*b^2* \\
& c^2*d^4 + 3a*b^2*c^3*d^3 + 3a*b^2*c^4*d^2 + 3a^2*b*c^2*d^4 + 3a^2*b*c^3 \\
& *d^3 - 3a^2*b*c^4*d^2 - 3a*b^2*c*d^5 - 3a^2*b*c^5*d) + (32*a^2*tan(e/2 + \\
& (f*x)/2)*(b^2 - a^2)^(1/2)*(2*a^6*b*c^10 + 2*a*b^6*d^10 - 2*a^7*c^9*d - 2* \\
& b^7*c*d^9 + 2*a^4*b^3*c^10 - 4*a^5*b^2*c^10 - 4*a^2*b^5*d^10 + 2*a^3*b^4*d^ \\
& 10 + 2*a^7*c^4*d^6 - 2*a^7*c^5*d^5 - 4*a^7*c^6*d^4 + 4*a^7*c^7*d^3 + 2*a^7* \\
& c^8*d^2 + 2*b^7*c^2*d^8 + 4*b^7*c^3*d^7 - 4*b^7*c^4*d^6 - 2*b^7*c^5*d^5 + 2 \\
& *b^7*c^6*d^4 - 12*a*b^6*c^3*d^7 - 6*a*b^6*c^4*d^6 + 18*a*b^6*c^5*d^5 + 4*a* \\
& b^6*c^6*d^4 - 8*a*b^6*c^7*d^3 - 6*a^2*b^5*c*d^9 + 14*a^3*b^4*c*d^9 - 8*a^3* \\
& b^4*c^9*d - 8*a^4*b^3*c*d^9 + 14*a^4*b^3*c^9*d - 6*a^5*b^2*c^9*d - 8*a^6*b* \\
& c^3*d^7 + 4*a^6*b*c^4*d^6 + 18*a^6*b*c^5*d^5 - 6*a^6*b*c^6*d^4 - 12*a^6*b*c \\
& ^7*d^3 + 2*a^2*b^5*c^2*d^8 + 16*a^2*b^5*c^3*d^7 + 20*a^2*b^5*c^4*d^6 - 14*a \\
& ^2*b^5*c^5*d^5 - 30*a^2*b^5*c^6*d^4 + 4*a^2*b^5*c^7*d^3 + 12*a^2*b^5*c^8*d^ \\
& 2 - 24*a^3*b^4*c^3*d^7 - 22*a^3*b^4*c^4*d^6 - 2*a^3*b^4*c^5*d^5 + 36*a^3*b^ \\
& 4*c^6*d^4 + 20*a^3*b^4*c^7*d^3 - 16*a^3*b^4*c^8*d^2 - 16*a^4*b^3*c^2*d^8 + \\
& 20*a^4*b^3*c^3*d^7 + 36*a^4*b^3*c^4*d^6 - 2*a^4*b^3*c^5*d^5 - 22*a^4*b^3*c^ \\
& 6*d^4 - 24*a^4*b^3*c^7*d^3 + 12*a^5*b^2*c^2*d^8 + 4*a^5*b^2*c^3*d^7 - 30*a^ \\
& 5*b^2*c^4*d^6 - 14*a^5*b^2*c^5*d^5 + 20*a^5*b^2*c^6*d^4 + 16*a^5*b^2*c^7*d^ \\
& 3 + 2*a^5*b^2*c^8*d^2 + 2*a*b^6*c*d^9 + 2*a^6*b*c^9*d))/ ((a^4*c^2 - b^4*d^2 \\
& - a^2*b^2*c^2 + a^2*b^2*d^2 + 2*a*b^3*c*d - 2*a^3*b*c*d)*(a^2*c^5 - b^2*d^ \\
& 5 + a^2*c^4*d - b^2*c*d^4 - a^2*c^2*d^3 - a^2*c^3*d^2 + b^2*c^2*d^3 + b^2*c \\
& ^3*d^2 + 2*a*b*c*d^4 - 2*a*b*c^4*d + 2*a*b*c^2*d^3 - 2*a*b*c^3*d^2))))/(a^4 \\
& *c^2 - b^4*d^2 - a^2*b^2*c^2 + a^2*b^2*d^2 + 2*a*b^3*c*d - 2*a^3*b*c*d))/ (\\
& a^4*c^2 - b^4*d^2 - a^2*b^2*c^2 + a^2*b^2*d^2 + 2*a*b^3*c*d - 2*a^3*b*c*d) \\
& - (a^2*(b^2 - a^2)^(1/2))*((32*tan(e/2 + (f*x)/2)*(a^5*c^6 + 2*a^5*d^6 - a^4 \\
& *b*c^6 - 4*a^4*b*d^6 - 2*a^5*c*d^5 - 2*a^5*c^5*d - a^2*b^3*d^6 + 3*a^3*b^2* \\
& d^6 - 5*a^5*c^2*d^4 + 4*a^5*c^3*d^3 + 3*a^5*c^4*d^2 - b^5*c^2*d^4 + 3*a*b^4 \\
& *c^2*d^4 + 4*a*b^4*c^3*d^3 + 6*a^2*b^3*c*d^5 - 6*a^3*b^2*c*d^5 + 13*a^4*b*c \\
& ^2*d^4 - 8*a^4*b*c^3*d^3 - 11*a^4*b*c^4*d^2 + a^2*b^3*c^2*d^4 - 12*a^2*b^3* \\
& c^3*d^3 - 4*a^2*b^3*c^4*d^2 - 11*a^3*b^2*c^2*d^4 + 12*a^3*b^2*c^3*d^3 + 12* \\
& a^3*b^2*c^4*d^2 - 2*a*b^4*c*d^5 + 4*a^4*b*c*d^5 + 2*a^4*b*c^5*d)))/(a^2*c^5 \\
& - b^2*d^5 + a^2*c^4*d - b^2*c*d^4 - a^2*c^2*d^3 - a^2*c^3*d^2 + b^2*c^2*d^3 \\
& + b^2*c^3*d^2 + 2*a*b*c*d^4 - 2*a*b*c^4*d + 2*a*b*c^2*d^3 - 2*a*b*c^3*d^2) \\
& - (a^2*(b^2 - a^2)^(1/2))*((32*(2*a^6*b*c^9 - a^7*c^9 + a*b^6*d^9 + 2*a^7*c \\
& ^8*d + b^7*c*d^8 - a^5*b^2*c^9 - 2*a^2*b^5*d^9 + a^3*b^4*d^9 + a^7*c^4*d^5 \\
& - 3*a^7*c^6*d^3 + a^7*c^7*d^2 - b^7*c^2*d^7 - b^7*c^3*d^6 + b^7*c^4*d^5 - 5 \\
& *a*b^6*c^2*d^7 + 7*a*b^6*c^3*d^6 + 4*a*b^6*c^4*d^5 - 5*a*b^6*c^5*d^4 - 3*a^ \\
& 2*b^5*c*d^8 + 8*a^3*b^4*c*d^8 - 4*a^4*b^3*c*d^8 + 5*a^4*b^3*c^8*d - 8*a^5*b \\
& ^2*c^8*d - 4*a^6*b*c^3*d^6 - 2*a^6*b*c^4*d^5 + 13*a^6*b*c^5*d^4 + a^6*b*c^6 \\
& *d^3 - 11*a^6*b*c^7*d^2 + 13*a^2*b^5*c^2*d^7 + 7*a^2*b^5*c^3*d^6 - 21*a^2*b \\
& ^5*c^4*d^5 - 4*a^2*b^5*c^5*d^4 + 10*a^2*b^5*c^6*d^3 - a^3*b^4*c^2*d^7 - 31* \\
& a^3*b^4*c^3*d^6 + 4*a^3*b^4*c^4*d^5 + 33*a^3*b^4*c^5*d^4 - 4*a^3*b^4*c^6*d^
\end{aligned}$$

$$\begin{aligned}
& *c^8*d - 4*a^6*b*c^3*d^6 - 2*a^6*b*c^4*d^5 + 13*a^6*b*c^5*d^4 + a^6*b*c^6*d^3 \\
& - 11*a^6*b*c^7*d^2 + 13*a^2*b^5*c^2*d^7 + 7*a^2*b^5*c^3*d^6 - 21*a^2*b^5*c^4*d^5 - 4*a^2*b^5*c^5*d^4 \\
& + 10*a^2*b^5*c^6*d^3 - a^3*b^4*c^2*d^7 - 31*a^3*b^4*c^3*d^6 + 4*a^3*b^4*c^4*d^5 + 33*a^3*b^4*c^5*d^4 \\
& - 4*a^3*b^4*c^6*d^3 - 10*a^3*b^4*c^7*d^2 - 12*a^4*b^3*c^2*d^7 + 14*a^4*b^3*c^3*d^6 + 34*a^4*b^3*c^4*d^5 \\
& - 21*a^4*b^3*c^5*d^4 - 27*a^4*b^3*c^6*d^3 + 11*a^4*b^3*c^7*d^2 + 6*a^5*b^2*c^2*d^7 \\
& + 8*a^5*b^2*c^3*d^6 - 21*a^5*b^2*c^4*d^5 - 16*a^5*b^2*c^5*d^4 + 23*a^5*b^2*c^6*d^3 \\
& + 9*a^5*b^2*c^7*d^2 - 2*a*b^6*c*d^8 + a^6*b*c^8*d) / (a^3*c^6 + b^3*d^6 + a^3*c^5*d + b^3*c*d^5 \\
& - a^3*c^3*d^3 - a^3*c^4*d^2 - b^3*c^2*d^4 - b^3*c^3*d^3 - 3*a*b^2*c^2*d^4 + 3*a*b^2*c^3*d^3 + 3*a*b^2*c^4*d^2 \\
& + 3*a^2*b*c^2*d^4 + 3*a^2*b*c^3*d^3 - 3*a^2*b*c^4*d^2 - 3*a*b^2*c*d^5 - 3*a^2*b*c^5*d) \\
& + (32*d*\tan(e/2 + (f*x)/2)*((c + d)^3*(c - d)^3)^(1/2)*(a*d^2 - 2*a*c^2 + b*c*d) \\
& *(2*a^6*b*c^10 + 2*a*b^6*d^10 - 2*a^7*c^9*d - 2*b^7*c^9*d + 2*a^4*b^3*c^10 - 4*a^5*b^2*c^10 \\
& - 4*a^2*b^5*d^10 + 2*a^3*b^4*d^10 + 2*a^7*c^4*d^6 - 2*a^7*c^5*d^5 - 4*a^7*c^6*d^4 + 4*a^7*c^7*d^3 \\
& + 2*a^7*c^8*d^2 + 2*b^7*c^2*d^8 + 4*b^7*c^3*d^7 - 4*b^7*c^4*d^6 - 2*b^7*c^5*d^5 + 2*b^7*c^6*d^4 \\
& - 12*a*b^6*c^3*d^7 - 6*a*b^6*c^4*d^6 + 18*a*b^6*c^5*d^5 + 4*a*b^6*c^6*d^4 - 8*a*b^6*c^7*d^3 \\
& - 6*a^2*b^5*c*d^9 + 14*a^3*b^4*c*d^9 - 8*a^3*b^4*c^9*d - 8*a^4*b^3*c*d^9 + 14*a^4*b^3*c^9*d \\
& - 6*a^5*b^2*c^9*d - 8*a^6*b*c^3*d^7 + 4*a^6*b*c^4*d^6 + 18*a^6*b*c^5*d^5 - 6*a^6*b*c^6*d^4 \\
& - 12*a^6*b*c^7*d^3 + 2*a^2*b^5*c^2*d^8 + 16*a^2*b^5*c^3*d^7 + 20*a^2*b^5*c^4*d^6 - 14*a^2*b^5*c^5*d^5 \\
& - 30*a^2*b^5*c^6*d^4 + 4*a^2*b^5*c^7*d^3 + 12*a^2*b^5*c^8*d^2 - 24*a^3*b^4*c^3*d^7 - 22*a^3*b^4*c^4*d^6 \\
& - 2*a^3*b^4*c^5*d^5 + 36*a^3*b^4*c^6*d^4 + 20*a^3*b^4*c^7*d^3 - 16*a^3*b^4*c^8*d^2 - 16*a^4*b^3*c^2*d^8 \\
& + 20*a^4*b^3*c^3*d^7 + 36*a^4*b^3*c^4*d^6 - 2*a^4*b^3*c^5*d^5 - 22*a^4*b^3*c^6*d^4 - 24*a^4*b^3*c^7*d^3 \\
& + 12*a^5*b^2*c^2*d^8 + 4*a^5*b^2*c^3*d^7 - 30*a^5*b^2*c^4*d^6 - 14*a^5*b^2*c^5*d^5 + 20*a^5*b^2*c^6*d^4 \\
& + 16*a^5*b^2*c^7*d^3 + 2*a^5*b^2*c^8*d^2 + 2*a*b^6*c*d^9 + 2*a^6*b*c^9*d) / ((a^2*c^5 - b^2*d^5 + a^2*c^4*d \\
& - b^2*c*d^4 - a^2*c^2*d^3 - a^2*c^3*d^2 + b^2*c^2*d^3 + b^2*c^3*d^2 + 2*a*b*c*d^4 - 2*a*b*c^4*d \\
& + 2*a*b*c^2*d^3 - 2*a*b*c^3*d^2)*(a^2*c^8 - b^2*d^8 - a^2*c^2*d^6 + 3*a^2*c^4*d^4 - 3*a^2*c^6*d^2 \\
& + 3*b^2*c^2*d^6 - 3*b^2*c^4*d^4 + b^2*c^6*d^2 + 2*a*b*c*d^7 - 2*a*b*c^7*d - 6*a*b*c^3*d^5 + 6*a*b*c^5*d^3)) \\
& *((c + d)^3*(c - d)^3)^(1/2)*(a*d^2 - 2*a*c^2 + b*c*d) / (a^2*c^8 - b^2*d^8 - a^2*c^2*d^6 \\
& + 3*a^2*c^4*d^4 - 3*a^2*c^6*d^2 + 3*b^2*c^2*d^6 - 3*b^2*c^4*d^4 + b^2*c^6*d^2 + 2*a*b*c*d^7 \\
& - 2*a*b*c^7*d - 6*a*b*c^3*d^5 + 6*a*b*c^5*d^3) * ((c + d)^3*(c - d)^3)^(1/2)*(a*d^2 - 2*a*c^2 + b*c*d) * 1i) / (a^2*c^8 \\
& - b^2*d^8 - a^2*c^2*d^6 + 3*a^2*c^4*d^4 - 3*a^2*c^6*d^2 + 3*b^2*c^2*d^6 - 3*b^2*c^4*d^4 + b^2*c^6*d^2 \\
& + 2*a*b*c*d^7 - 2*a*b*c^7*d - 6*a*b*c^3*d^5 + 6*a*b*c^5*d^3) + (d*((32*\tan(e/2 + (f*x)/2) \\
& *(a^5*c^6 + 2*a^5*d^6 - a^4*b*c^6 - 4*a^4*b*d^6 - 2*a^5*c*d^5 - 2*a^5*c^5*d - a^2*b^3*d^6 + 3*a^3*b^2*d^6 \\
& - 5*a^5*c^2*d^4 + 4*a^5*c^3*d^3 + 3*a^5*c^4*d^2 - b^5*c^2*d^4 + 3*a*b^4*c^2*d^4 + 4*a*b^4*c^3*d^3 \\
& + 6*a^2*b^3*c*d^5 - 6*a^3*b^2*c*d^5 + 13*a^4*b*c^2*d^4 - 8*a^4*b*c^3*d^3 - 11*a^4*b*c^4*d^2 \\
& + a^2*b^3*c^2*d^4 - 12*a^2*b^3*c^3*d^3 - 4*a^2*b^3*c^4*d^2 - 11*a^3*b^2*c^2*d^4 + 12*a^3*b^2*c^3*d^3 \\
& + 12*a^3*b^2*c^4*d^2 - 2*a*b^4*c*d^5 + 4*a^4*b*c*d^5 + 2*a^4*b*c^5*d)) / (a^2*c^5 -
\end{aligned}$$

$$\begin{aligned}
& b^2d^5 + a^2c^4d - b^2c^3d^4 - a^2c^2d^3 - a^2c^3d^2 + b^2c^2d^3 \\
& + b^2c^3d^2 + 2a^2b^2c^2d^4 - 2a^2b^2c^4d + 2a^2b^2c^2d^3 - 2a^2b^2c^3d^2) \\
& - (d*((32*(2a^6b^2c^9 - a^7c^9 + a^2b^6d^9 + 2a^7c^8d + b^7c^8d^8 - a^5b^2c^9 \\
& - 2a^2b^5d^9 + a^3b^4d^9 + a^7c^4d^5 - 3a^7c^6d^3 + a^7c^7d^2 - b^7c^2d^7 - b^7c^3d^6 + b^7c^4d^5 - 5a^2b^6c^2d^7 + 7a^2b^6c^3d^6 \\
& + 4a^2b^6c^4d^5 - 5a^2b^6c^5d^4 - 3a^2b^5c^2d^8 + 8a^3b^4c^2d^8 - 4a^4b^3c^2d^8 + 5a^4b^3c^8d - 8a^5b^2c^8d - 4a^6b^2c^3d^6 \\
& - 2a^6b^2c^4d^5 + 13a^6b^2c^5d^4 + a^6b^2c^6d^3 - 11a^6b^2c^7d^2 + 13a^2b^5c^2d^7 + 7a^2b^5c^3d^6 - 21a^2b^5c^4d^5 - 4a^2b^5c^5d^4 \\
& + 10a^2b^5c^6d^3 - a^3b^4c^2d^7 - 31a^3b^4c^3d^6 + 4a^3b^4c^4d^5 + 33a^3b^4c^5d^4 - 4a^3b^4c^6d^3 - 10a^3b^4c^7d^2 - 12a^4b^3c^2d^7 \\
& + 14a^4b^3c^3d^6 + 34a^4b^3c^4d^5 - 21a^4b^3c^5d^4 - 27a^4b^3c^6d^3 + 11a^4b^3c^7d^2 + 6a^5b^2c^2d^7 + 8a^5b^2c^3d^6 \\
& - 21a^5b^2c^4d^5 - 16a^5b^2c^5d^4 + 23a^5b^2c^6d^3 + 9a^5b^2c^7d^2 - 2a^2b^6c^2d^8 + a^6b^2c^8d)) / (a^3c^6 + b^3d^6 \\
& + a^3c^5d + b^3c^2d^5 - a^3c^3d^3 - a^3c^4d^2 - b^3c^2d^4 - b^3c^3d^3 - 3a^2b^2c^2d^4 + 3a^2b^2c^3d^3 + 3a^2b^2c^4d^2 + 3a^2b^2c^5d \\
& d^4 + 3a^2b^2c^3d^3 - 3a^2b^2c^4d^2 - 3a^2b^2c^5d - 3a^2b^2c^6d) - \\
& (32d*\tan(e/2 + (f*x)/2)*((c + d)^3*(c - d)^3)^(1/2)*(a*d^2 - 2a*c^2 + b*c*d)*(2a^6b^2c^10 + 2a^2b^6d^10 - 2a^7c^9d - 2b^7c^9d^9 + 2a^4b^3c^10 \\
& - 4a^5b^2c^10 - 4a^2b^5d^10 + 2a^3b^4d^10 + 2a^7c^4d^6 - 2a^7c^5d^5 - 4a^7c^6d^4 + 4a^7c^7d^3 + 2a^7c^8d^2 + 2b^7c^2d^8 \\
& + 4b^7c^3d^7 - 4b^7c^4d^6 - 2b^7c^5d^5 + 2b^7c^6d^4 - 12a^2b^6c^3d^7 - 6a^2b^6c^4d^6 + 18a^2b^6c^5d^5 + 4a^2b^6c^6d^4 - 8a^2b^6c^7d^3 \\
& - 6a^2b^5c^2d^9 + 14a^3b^4c^2d^9 - 8a^3b^4c^9d - 8a^4b^3c^2d^9 + 14a^4b^3c^9d - 6a^5b^2c^9d - 8a^6b^2c^3d^7 + 4a^6b^2c^4d^6 \\
& + 18a^6b^2c^5d^5 - 6a^6b^2c^6d^4 - 12a^6b^2c^7d^3 + 2a^2b^5c^2d^8 + 16a^2b^5c^3d^7 + 20a^2b^5c^4d^6 - 14a^2b^5c^5d^5 - 30a^2b^5c^6d^4 \\
& + 4a^2b^5c^7d^3 + 12a^2b^5c^8d^2 - 24a^3b^4c^3d^7 - 22a^3b^4c^4d^6 - 2a^3b^4c^5d^5 + 36a^3b^4c^6d^4 + 20a^3b^4c^7d^3 - 16a^3b^4c^8d^2 \\
& - 16a^4b^3c^2d^8 + 20a^4b^3c^3d^7 + 36a^4b^3c^4d^6 - 2a^4b^3c^5d^5 - 22a^4b^3c^6d^4 - 24a^4b^3c^7d^3 + 12a^5b^2c^2d^8 + 4a^5b^2c^3d^7 \\
& - 30a^5b^2c^4d^6 - 14a^5b^2c^5d^5 + 20a^5b^2c^6d^4 + 16a^5b^2c^7d^3 + 2a^5b^2c^8d^2 + 2a^2b^6c^2d^9 + 2a^6b^2c^9d)) / ((a^2c^5 - b^2d^5 + a^2c^4d - b^2c^3d^4 \\
& - a^2c^2d^3 - a^2c^3d^2 + b^2c^2d^3 + b^2c^3d^2 + 2a^2b^2c^2d^4 - 2a^2b^2c^4d + 2a^2b^2c^2d^3 - 2a^2b^2c^3d^2)*(a^2c^8 - b^2d^8 - a^2c^2d^6 \\
& + 3a^2c^4d^4 - 3a^2c^6d^2 + 3b^2c^2d^6 - 3b^2c^4d^4 + b^2c^6d^2 + 2a^2b^2c^2d^7 - 2a^2b^2c^7d - 6a^2b^2c^3d^5 + 6a^2b^2c^5d^3)) * ((c + d)^3*(c - d)^3)^(1/2)*(a*d^2 - 2a*c^2 + b*c*d)) / (a^2c^8 - b^2d^8 - a^2c^2d^6 \\
& + 3a^2c^4d^4 - 3a^2c^6d^2 + 3b^2c^2d^6 - 3b^2c^4d^4 + b^2c^6d^2 + 2a^2b^2c^2d^7 - 2a^2b^2c^7d - 6a^2b^2c^3d^5 + 6a^2b^2c^5d^3)) * ((c + d)^3*(c - d)^3)^(1/2)*(a*d^2 - 2a*c^2 + b*c*d)*1i) / (a^2c^8 - b^2d^8 - a^2c^2d^6 + 3a^2c^4d^4 - 3a^2c^6d^2 + 3b^2c^2d^6 - 3b^2c^4d^4 + b^2c^6d^2 + 2a^2b^2c^2d^7 - 2a^2b^2c^7d - 6a^2b^2c^3d^5 + 6a^2b^2c^5d^3))
\end{aligned}$$

$$\begin{aligned}
& /((64*(a^5*d^5 - a^4*b*d^5 - a^5*c*d^4 + 2*a^5*c^4*d - 3*a^5*c^2*d^3 + 2*a^5*c^3*d^2 - 2*a^3*b^2*c*d^4 + 2*a^4*b*c^2*d^3 - 5*a^4*b*c^3*d^2 - a^2*b^3*c^2*d^3 + 2*a^3*b^2*c^2*d^3 + 3*a^3*b^2*c^3*d^2 + 3*a^4*b*c*d^4 - 2*a^4*b*c^4*d^4)) / (a^3*c^6 + b^3*d^6 + a^3*c^5*d + b^3*c*d^5 - a^3*c^3*d^3 - a^3*c^4*d^2 - b^3*c^2*d^4 - b^3*c^3*d^3 - 3*a*b^2*c^2*d^4 + 3*a*b^2*c^3*d^3 + 3*a*b^2*c^4*d^2 + 3*a^2*b*c^2*d^4 + 3*a^2*b*c^3*d^3 - 3*a^2*b*c^4*d^2 - 3*a*b^2*c*d^5 - 3*a^2*b*c^5*d) + (d*((32*\tan(e/2 + (f*x)/2)*(a^5*c^6 + 2*a^5*d^6 - a^4*b*c^6 - 4*a^4*b*d^6 - 2*a^5*c*d^5 - 2*a^5*c^5*d - a^2*b^3*d^6 + 3*a^3*b^2*d^6 - 5*a^5*c^2*d^4 + 4*a^5*c^3*d^3 + 3*a^5*c^4*d^2 - b^5*c^2*d^4 + 3*a*b^4*c^2*d^4 + 4*a*b^4*c^3*d^3 + 6*a^2*b^3*c*d^5 - 6*a^3*b^2*c*d^5 + 13*a^4*b*c^2*d^4 - 8*a^4*b*c^3*d^3 - 11*a^4*b*c^4*d^2 + a^2*b^3*c^2*d^4 - 12*a^2*b^3*c^3*d^3 - 4*a^2*b^3*c^4*d^2 - 11*a^3*b^2*c^2*d^4 + 12*a^3*b^2*c^3*d^3 + 12*a^3*b^2*c^4*d^2 - 2*a*b^4*c*d^5 + 4*a^4*b*c*d^5 + 2*a^4*b*c^5*d)) / (a^2*c^5 - b^2*d^5 + a^2*c^4*d - b^2*c*d^4 - a^2*c^2*d^3 - a^2*c^3*d^2 + b^2*c^2*d^3 + b^2*c^3*d^2 + 2*a*b*c*d^4 - 2*a*b*c^4*d + 2*a*b*c^2*d^3 - 2*a*b*c^3*d^2) + (d*((32*(2*a^6*b*c^9 - a^7*c^9 + a*b^6*d^9 + 2*a^7*c^8*d + b^7*c*d^8 - a^5*b^2*c^9 - 2*a^2*b^5*d^9 + a^3*b^4*d^9 + a^7*c^4*d^5 - 3*a^7*c^6*d^3 + a^7*c^7*d^2 - b^7*c^2*d^7 - b^7*c^3*d^6 + b^7*c^4*d^5 - 5*a*b^6*c^2*d^7 + 7*a*b^6*c^3*d^6 + 4*a*b^6*c^4*d^5 - 5*a*b^6*c^5*d^4 - 3*a^2*b^5*c*d^8 + 8*a^3*b^4*c*d^8 - 4*a^4*b^3*c*d^8 + 5*a^4*b^3*c^8*d - 8*a^5*b^2*c^8*d - 4*a^6*b*c^3*d^6 - 2*a^6*b*c^4*d^5 + 13*a^6*b*c^5*d^4 + a^6*b*c^6*d^3 - 11*a^6*b*c^7*d^2 + 13*a^2*b^5*c^2*d^7 + 7*a^2*b^5*c^3*d^6 - 21*a^2*b^5*c^4*d^5 - 4*a^2*b^5*c^5*d^4 + 10*a^2*b^5*c^6*d^3 - a^3*b^4*c^2*d^7 - 31*a^3*b^4*c^3*d^6 + 4*a^3*b^4*c^4*d^5 + 33*a^3*b^4*c^5*d^4 - 4*a^3*b^4*c^6*d^3 - 10*a^3*b^4*c^7*d^2 - 12*a^4*b^3*c^2*d^7 + 14*a^4*b^3*c^3*d^6 + 34*a^4*b^3*c^4*d^5 - 21*a^4*b^3*c^5*d^4 - 27*a^4*b^3*c^6*d^3 + 11*a^4*b^3*c^7*d^2 + 6*a^5*b^2*c^2*d^7 + 8*a^5*b^2*c^3*d^6 - 21*a^5*b^2*c^4*d^5 - 16*a^5*b^2*c^5*d^4 + 23*a^5*b^2*c^6*d^3 + 9*a^5*b^2*c^7*d^2 - 2*a*b^6*c*d^8 + a^6*b*c^8*d)) / (a^3*c^6 + b^3*d^6 + a^3*c^5*d + b^3*c*d^5 - a^3*c^3*d^3 - a^3*c^4*d^2 - b^3*c^2*d^4 - b^3*c^3*d^3 - 3*a*b^2*c^2*d^4 + 3*a*b^2*c^3*d^3 + 3*a*b^2*c^4*d^2 + 3*a^2*b*c^2*d^4 + 3*a^2*b*c^3*d^3 - 3*a^2*b*c^4*d^2 - 3*a*b^2*c*d^5 - 3*a^2*b*c^5*d) + (32*d*\tan(e/2 + (f*x)/2)*((c + d)^3*(c - d)^3)^(1/2)*(a*d^2 - 2*a*c^2 + b*c*d)*(2*a^6*b*c^10 + 2*a*b^6*d^10 - 2*a^7*c^9*d - 2*b^7*c*d^9 + 2*a^4*b^3*c^10 - 4*a^5*b^2*c^10 - 4*a^2*b^5*d^10 + 2*a^3*b^4*d^10 + 2*a^7*c^4*d^6 - 2*a^7*c^5*d^5 - 4*a^7*c^6*d^4 + 4*a^7*c^7*d^3 + 2*a^7*c^8*d^2 + 2*b^7*c^2*d^8 + 4*b^7*c^3*d^7 - 4*b^7*c^4*d^6 - 2*b^7*c^5*d^5 + 2*b^7*c^6*d^4 - 12*a*b^6*c^3*d^7 - 6*a*b^6*c^4*d^6 + 18*a*b^6*c^5*d^5 + 4*a*b^6*c^6*d^4 - 8*a*b^6*c^7*d^3 - 6*a^2*b^5*c*d^9 + 14*a^3*b^4*c*d^9 - 8*a^3*b^4*c^9*d - 8*a^4*b^3*c*d^9 + 14*a^4*b^3*c^9*d - 6*a^5*b^2*c^9*d - 8*a^6*b*c^3*d^7 + 4*a^6*b*c^4*d^6 + 18*a^6*b*c^5*d^5 - 6*a^6*b*c^6*d^4 - 12*a^6*b*c^7*d^3 + 2*a^2*b^5*c^2*d^8 + 16*a^2*b^5*c^3*d^7 + 20*a^2*b^5*c^4*d^6 - 14*a^2*b^5*c^5*d^5 - 30*a^2*b^5*c^6*d^4 + 4*a^2*b^5*c^7*d^3 + 12*a^2*b^5*c^8*d^2 - 24*a^3*b^4*c^3*d^7 - 22*a^3*b^4*c^4*d^6 - 2*a^3*b^4*c^5*d^5 + 36*a^3*b^4*c^6*d^4 + 20*a^3*b^4*c^7*d^3 - 16*a^3*b^4*c^8*d^2 - 16*a^4*b^3*c^2*d^8 + 20*a^4*b^3*c^3*d^7 + 36*a^4*b^3*c^4*d^6 - 2*a^4*b^3*c^5*d^5 - 22*a^4*b^3*c^6*d^4 - 24*a^4*b^3*c^7
\end{aligned}$$

$$\begin{aligned}
& d^3 + 12a^5b^2c^2d^8 + 4a^5b^2c^3d^7 - 30a^5b^2c^4d^6 - 14a^5b^2c^5d^5 + 20a^5b^2c^6d^4 + 16a^5b^2c^7d^3 + 2a^5b^2c^8d^2 \\
& + 2a^5b^2c^9d + 2a^6b^2c^9d) / ((a^2c^5 - b^2d^5 + a^2c^4d - b^2c^3d^2 - a^2c^2d^3 - a^2c^3d^2 + b^2c^2d^3 + b^2c^3d^2 + 2a^2b^2c^2d^4 - 2a^2b^2c^4d + 2a^2b^2c^2d^3 - 2a^2b^2c^3d^2) * (a^2c^8 - b^2d^8 - a^2c^2d^6 + 3a^2c^4d^4 - 3a^2c^6d^2 + 3b^2c^2d^6 - 3b^2c^4d^4 + b^2c^6d^2 + 2a^2b^2c^2d^7 - 2a^2b^2c^7d - 6a^2b^2c^3d^5 + 6a^2b^2c^5d^3)) * ((c + d)^3 * (c - d)^3)^{(1/2)} * (ad^2 - 2ac^2 + bcd) / (a^2c^8 - b^2d^8 - a^2c^2d^6 + 3a^2c^4d^4 - 3a^2c^6d^2 + 3b^2c^2d^6 - 3b^2c^4d^4 + b^2c^6d^2 + 2a^2b^2c^2d^7 - 2a^2b^2c^7d - 6a^2b^2c^3d^5 + 6a^2b^2c^5d^3)) * ((c + d)^3 * (c - d)^3)^{(1/2)} * (ad^2 - 2ac^2 + bcd) / (a^2c^8 - b^2d^8 - a^2c^2d^6 + 3a^2c^4d^4 - 3a^2c^6d^2 + 3b^2c^2d^6 - 3b^2c^4d^4 + b^2c^6d^2 + 2a^2b^2c^2d^7 - 2a^2b^2c^7d - 6a^2b^2c^3d^5 + 6a^2b^2c^5d^3) - (d * ((32 * \tan(e/2 + (f*x)/2) * (a^5c^6 + 2a^5d^6 - a^4b^2c^6 - 4a^4b^2d^6 - 2a^5c^2d^5 - 2a^5c^5d - a^2b^3d^6 + 3a^3b^2d^6 - 5a^5c^2d^4 + 4a^5c^3d^3 + 3a^5c^4d^2 - b^5c^2d^4 + 3a^2b^4c^2d^4 + 4a^2b^4c^3d^3 + 6a^2b^3c^2d^5 - 6a^3b^2c^2d^5 + 13a^4b^2c^2d^4 - 8a^4b^2c^3d^3 - 11a^4b^2c^4d^2 + a^2b^3c^2d^4 - 12a^2b^3c^3d^3 - 4a^2b^3c^4d^2 - 11a^3b^2c^2d^4 + 12a^3b^2c^3d^3 + 12a^3b^2c^4d^2 - 2a^2b^4c^2d^5 + 4a^4b^2c^2d^5 + 2a^4b^2c^5d)) / (a^2c^5 - b^2d^5 + a^2c^4d - b^2c^3d^2 - a^2c^2d^3 - a^2c^3d^2 + b^2c^2d^3 + b^2c^3d^2 + 2a^2b^2c^2d^4 - 2a^2b^2c^4d + 2a^2b^2c^2d^3 - 2a^2b^2c^3d^2) - (d * ((32 * (2a^6b^2c^9 - a^7c^9 + a^2b^6d^9 + 2a^7c^8d + b^7c^2d^8 - a^5b^2c^9 - 2a^2b^5d^9 + a^3b^4d^9 + a^7c^4d^5 - 3a^7c^6d^3 + a^7c^7d^2 - b^7c^2d^7 - b^7c^3d^6 + b^7c^4d^5 - 5a^2b^6c^2d^7 + 7a^2b^6c^3d^6 + 4a^2b^6c^4d^5 - 5a^2b^6c^5d^4 - 3a^2b^5c^2d^8 + 8a^3b^4c^2d^8 - 4a^4b^3c^2d^8 + 5a^4b^3c^8d - 8a^5b^2c^8d - 4a^6b^2c^3d^6 - 2a^6b^2c^4d^5 + 13a^6b^2c^5d^4 + a^6b^2c^6d^3 - 11a^6b^2c^7d^2 + 13a^2b^5c^2d^7 + 7a^2b^5c^3d^6 - 21a^2b^5c^4d^5 - 4a^2b^5c^5d^4 + 10a^2b^5c^6d^3 - a^3b^4c^2d^7 - 31a^3b^4c^3d^6 + 4a^3b^4c^4d^5 + 33a^3b^4c^5d^4 - 4a^3b^4c^6d^3 - 10a^3b^4c^7d^2 - 12a^4b^3c^2d^7 + 14a^4b^3c^3d^6 + 34a^4b^3c^4d^5 - 21a^4b^3c^5d^4 - 27a^4b^3c^6d^3 + 11a^4b^3c^7d^2 + 6a^5b^2c^2d^7 + 8a^5b^2c^3d^6 - 21a^5b^2c^4d^5 - 16a^5b^2c^5d^4 + 23a^5b^2c^6d^3 + 9a^5b^2c^7d^2 - 2a^2b^6c^2d^8 + a^6b^2c^8d)) / (a^3c^6 + b^3d^6 + a^3c^5d + b^3c^2d^5 - a^3c^3d^3 - a^3c^4d^2 - b^3c^2d^4 - b^3c^3d^3 - 3a^2b^2c^2d^4 + 3a^2b^2c^3d^3 + 3a^2b^2c^4d^2 + 3a^2b^2c^2d^4 + 3a^2b^2c^3d^3 - 3a^2b^2c^4d^2 - 3a^2b^2c^2d^5 - 3a^2b^2c^5d) - (32 * d * \tan(e/2 + (f*x)/2) * ((c + d)^3 * (c - d)^3)^{(1/2)} * (ad^2 - 2ac^2 + bcd) * (2a^6b^2c^10 + 2a^2b^6d^10 - 2a^7c^9d - 2b^7c^2d^9 + 2a^4b^3c^10 - 4a^5b^2c^10 - 4a^2b^5d^10 + 2a^3b^4d^10 + 2a^7c^4d^6 - 2a^7c^5d^5 - 4a^7c^6d^4 + 4a^7c^7d^3 + 2a^7c^8d^2 + 2b^7c^2d^8 + 4b^7c^3d^7 - 4b^7c^4d^6 - 2b^7c^5d^5 + 2b^7c^6d^4 - 12a^2b^6c^3d^7 - 6a^2b^6c^4d^6 + 18a^2b^6c^5d^5 + 4a^2b^6c^6d^4 - 8a^2b^6c^7d^3 - 6a^2b^5c^2d^9 + 14a^3b^4c^2d^9 - 8a^3b^4c^9d - 8a^4b^3c^2d^9 + 14a^4b^3c^9
\end{aligned}$$

```

*d - 6*a^5*b^2*c^9*d - 8*a^6*b*c^3*d^7 + 4*a^6*b*c^4*d^6 + 18*a^6*b*c^5*d^5
- 6*a^6*b*c^6*d^4 - 12*a^6*b*c^7*d^3 + 2*a^2*b^5*c^2*d^8 + 16*a^2*b^5*c^3*
d^7 + 20*a^2*b^5*c^4*d^6 - 14*a^2*b^5*c^5*d^5 - 30*a^2*b^5*c^6*d^4 + 4*a^2*
b^5*c^7*d^3 + 12*a^2*b^5*c^8*d^2 - 24*a^3*b^4*c^3*d^7 - 22*a^3*b^4*c^4*d^6
- 2*a^3*b^4*c^5*d^5 + 36*a^3*b^4*c^6*d^4 + 20*a^3*b^4*c^7*d^3 - 16*a^3*b^4*
c^8*d^2 - 16*a^4*b^3*c^2*d^8 + 20*a^4*b^3*c^3*d^7 + 36*a^4*b^3*c^4*d^6 - 2*
a^4*b^3*c^5*d^5 - 22*a^4*b^3*c^6*d^4 - 24*a^4*b^3*c^7*d^3 + 12*a^5*b^2*c^2*
d^8 + 4*a^5*b^2*c^3*d^7 - 30*a^5*b^2*c^4*d^6 - 14*a^5*b^2*c^5*d^5 + 20*a^5*
b^2*c^6*d^4 + 16*a^5*b^2*c^7*d^3 + 2*a^5*b^2*c^8*d^2 + 2*a*b^6*c*d^9 + 2*a^
6*b*c^9*d))/((a^2*c^5 - b^2*d^5 + a^2*c^4*d - b^2*c*d^4 - a^2*c^2*d^3 - a^2
*c^3*d^2 + b^2*c^2*d^3 + b^2*c^3*d^2 + 2*a*b*c*d^4 - 2*a*b*c^4*d + 2*a*b*c^
2*d^3 - 2*a*b*c^3*d^2)*(a^2*c^8 - b^2*d^8 - a^2*c^2*d^6 + 3*a^2*c^4*d^4 - 3
*a^2*c^6*d^2 + 3*b^2*c^2*d^6 - 3*b^2*c^4*d^4 + b^2*c^6*d^2 + 2*a*b*c*d^7 -
2*a*b*c^7*d - 6*a*b*c^3*d^5 + 6*a*b*c^5*d^3)))*((c + d)^3*(c - d)^3)^(1/2)*
(a*d^2 - 2*a*c^2 + b*c*d))/(a^2*c^8 - b^2*d^8 - a^2*c^2*d^6 + 3*a^2*c^4*d^4
- 3*a^2*c^6*d^2 + 3*b^2*c^2*d^6 - 3*b^2*c^4*d^4 + b^2*c^6*d^2 + 2*a*b*c*d^
7 - 2*a*b*c^7*d - 6*a*b*c^3*d^5 + 6*a*b*c^5*d^3))*((c + d)^3*(c - d)^3)^(1/
2)*(a*d^2 - 2*a*c^2 + b*c*d))/(a^2*c^8 - b^2*d^8 - a^2*c^2*d^6 + 3*a^2*c^4*
d^4 - 3*a^2*c^6*d^2 + 3*b^2*c^2*d^6 - 3*b^2*c^4*d^4 + b^2*c^6*d^2 + 2*a*b*c*
d^7 - 2*a*b*c^7*d - 6*a*b*c^3*d^5 + 6*a*b*c^5*d^3))*((c + d)^3*(c - d)^3)
^(1/2)*(a*d^2 - 2*a*c^2 + b*c*d)*2i)/(f*(a^2*c^8 - b^2*d^8 - a^2*c^2*d^6 +
3*a^2*c^4*d^4 - 3*a^2*c^6*d^2 + 3*b^2*c^2*d^6 - 3*b^2*c^4*d^4 + b^2*c^6*d^2
+ 2*a*b*c*d^7 - 2*a*b*c^7*d - 6*a*b*c^3*d^5 + 6*a*b*c^5*d^3))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(e + fx))(c + d \sec(e + fx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))**2,x)

[Out] Integral(1/((a + b*cos(e + f*x))*(c + d*sec(e + f*x))**2), x)

$$3.15 \quad \int \frac{1}{(a+b \cos(e+fx))(c+d \sec(e+fx))^3} dx$$

Optimal. Leaf size=458

$$\frac{2a^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{f\sqrt{a-b}\sqrt{a+b}(ac-bd)^3} - \frac{2d(3a^2c^2 - 3abcd + b^2d^2) \tanh^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c+d}}\right)}{c^2f\sqrt{c-d}\sqrt{c+d}(ac-bd)^3} - \frac{2d^3(3ac - 2bd) \tanh^{-1}\left(\frac{\sqrt{c-d}}{\sqrt{c+d}}\right)}{c^2f(c-d)^{3/2}(c+d)^{3/2}}$$

[Out] $-2*d^3*(3*a*c-2*b*d)*\operatorname{arctanh}((c-d)^{(1/2)}*\tan(1/2*e+1/2*f*x)/(c+d)^{(1/2)})/c^2/(c-d)^{(3/2)}/(c+d)^{(3/2)}/(a*c-b*d)^2/f-d^3*(c^2+2*d^2)*\operatorname{arctanh}((c-d)^{(1/2)}*\tan(1/2*e+1/2*f*x)/(c+d)^{(1/2)})/c^2/(c-d)^{(5/2)}/(c+d)^{(5/2)}/(a*c-b*d)/f-1/2*d^3*\sin(f*x+e)/c/(a*c-b*d)/(c^2-d^2)/f/(d+c*\cos(f*x+e))^2+3/2*d^4*\sin(f*x+e)/c/(a*c-b*d)/(c^2-d^2)^2/f/(d+c*\cos(f*x+e))+d^2*(3*a*c-2*b*d)*\sin(f*x+e)/c/(a*c-b*d)^2/(c^2-d^2)/f/(d+c*\cos(f*x+e))+2*a^3*\operatorname{arctan}((a-b)^{(1/2)}*\tan(1/2*e+1/2*f*x)/(a+b)^{(1/2)})/(a*c-b*d)^3/f/(a-b)^{(1/2)}/(a+b)^{(1/2)}-2*d*(3*a^2*c^2-3*a*b*c*d+b^2*d^2)*\operatorname{arctanh}((c-d)^{(1/2)}*\tan(1/2*e+1/2*f*x)/(c+d)^{(1/2)})/c^2/(a*c-b*d)^3/f/(c-d)^{(1/2)}/(c+d)^{(1/2)}$

Rubi [A] time = 0.97, antiderivative size = 458, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$, Rules used = {2828, 2952, 2659, 205, 2664, 2754, 12, 208}

$$\frac{2d(3a^2c^2 - 3abcd + b^2d^2) \tanh^{-1}\left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c+d}}\right)}{c^2f\sqrt{c-d}\sqrt{c+d}(ac-bd)^3} + \frac{2a^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}}\right)}{f\sqrt{a-b}\sqrt{a+b}(ac-bd)^3} + \frac{3d^4 \sin(e+fx)}{2cf(c^2-d^2)^2(ac-bd)(c+d)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[e + f*x])*(c + d*Sec[e + f*x])^3), x]

[Out] $(2*a^3*\operatorname{ArcTan}[(\operatorname{Sqrt}[a-b]*\operatorname{Tan}[(e+f*x)/2])/(\operatorname{Sqrt}[a+b])]/(\operatorname{Sqrt}[a-b]*\operatorname{Sqrt}[a+b]*(a*c-b*d)^3*f) - (2*d^3*(3*a*c-2*b*d)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[c-d]*\operatorname{Tan}[(e+f*x)/2])/(\operatorname{Sqrt}[c+d])]/(c^2*(c-d)^{(3/2)}*(c+d)^{(3/2)}*(a*c-b*d)^2*f) - (d^3*(c^2+2*d^2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[c-d]*\operatorname{Tan}[(e+f*x)/2])/(\operatorname{Sqrt}[c+d])]/(c^2*(c-d)^{(5/2)}*(c+d)^{(5/2)}*(a*c-b*d)*f) - (2*d*(3*a^2*c^2-3*a*b*c*d+b^2*d^2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[c-d]*\operatorname{Tan}[(e+f*x)/2])/(\operatorname{Sqrt}[c+d])]/(c^2*\operatorname{Sqrt}[c-d]*\operatorname{Sqrt}[c+d]*(a*c-b*d)^3*f) - (d^3*\sin[e+f*x]))/(2*c*(a*c-b*d)*(c^2-d^2)*f*(d+c*\cos[e+f*x])^2) + (3*d^4*\sin[e+f*x])/(2*c*(a*c-b*d)*(c^2-d^2)^2*f*(d+c*\cos[e+f*x])) + (d^2*(3*a*c-2*b*d)*\sin[e+f*x])/(c*(a*c-b*d)^2*(c^2-d^2)*f*(d+c*\cos[e+f*x]))$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 2659

`Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

Rule 2664

`Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]*(a + b*sin[c + d*x])^(n + 1))/(d*(n + 1)*(a^2 - b^2)), x] + Dist[1/((n + 1)*(a^2 - b^2)), Int[(a + b*sin[c + d*x])^(n + 1)*Simp[a*(n + 1) - b*(n + 2)*sin[c + d*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]`

Rule 2754

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]`

Rule 2828

`Int[(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_)^(n_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Int[(a + b*sin[e + f*x])^m*(d + c*sin[e + f*x])^n/Sin[e + f*x]^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IntegerQ[n]`

Rule 2952

Int[((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Int[ExpandTrig[(g*sin[e + f*x])^p*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[b*c - a*d, 0] && (IntegersQ[m, n] || IntegersQ[m, p] || IntegersQ[n, p]) && NeQ[p, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + b \cos(e + fx))(c + d \sec(e + fx))^3} dx &= \int \frac{\cos^3(e + fx)}{(a + b \cos(e + fx))(d + c \cos(e + fx))^3} dx \\
 &= \int \left(\frac{a^3}{(ac - bd)^3(a + b \cos(e + fx))} - \frac{d^3}{c^2(ac - bd)(d + c \cos(e + fx))} \right) dx \\
 &= \frac{a^3 \int \frac{1}{a + b \cos(e + fx)} dx}{(ac - bd)^3} + \frac{(d^2(3ac - 2bd)) \int \frac{1}{(d + c \cos(e + fx))^2} dx}{c^2(ac - bd)^2} - \frac{d^3}{c^2} \int \frac{1}{d + c \cos(e + fx)} dx \\
 &= -\frac{d^3 \sin(e + fx)}{2c(ac - bd)(c^2 - d^2)f(d + c \cos(e + fx))^2} + \frac{d^2(3ac - 2bd)}{c(ac - bd)^2(c^2 - d^2)} \int \frac{1}{d + c \cos(e + fx)} dx \\
 &= \frac{2a^3 \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b} (ac - bd)^3 f} - \frac{2d(3a^2c^2 - 3abcd + b^2d^2) \tanh^{-1} \left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c+d}} \right)}{c^2 \sqrt{c-d} \sqrt{c+d} (ac - bd)^2} \\
 &= \frac{2a^3 \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b} (ac - bd)^3 f} - \frac{2d(3a^2c^2 - 3abcd + b^2d^2) \tanh^{-1} \left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c+d}} \right)}{c^2 \sqrt{c-d} \sqrt{c+d} (ac - bd)^2} \\
 &= \frac{2a^3 \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b} (ac - bd)^3 f} - \frac{2d^3(3ac - 2bd) \tanh^{-1} \left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c+d}} \right)}{c^2(c-d)^{3/2}(c+d)^{3/2}(ac - bd)} \\
 &= \frac{2a^3 \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b} (ac - bd)^3 f} - \frac{2d^3(3ac - 2bd) \tanh^{-1} \left(\frac{\sqrt{c-d} \tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c+d}} \right)}{c^2(c-d)^{3/2}(c+d)^{3/2}(ac - bd)}
 \end{aligned}$$

Mathematica [A] time = 2.47, size = 319, normalized size = 0.70

$$\sec^3(e + fx)(c \cos(e + fx) + d) \left(\frac{2d(a^2(6c^4 - 5c^2d^2 + 2d^4) - 6abc^3d + b^2d^2(2c^2 + d^2))(c \cos(e + fx) + d)^2 \tanh^{-1}\left(\frac{(d-c)\tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c^2-d^2}}\right)}{(c^2-d^2)^{5/2}} - \frac{4a^3(c \cos(e + fx) + d)^2}{2f(ac - bd)^3(c + d \sec(e + fx))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*Cos[e + f*x])*(c + d*Sec[e + f*x])^3), x]

[Out] ((d + c*Cos[e + f*x])*Sec[e + f*x]^3*((-4*a^3*ArcTanh[((a - b)*Tan[(e + f*x)/2])/Sqrt[-a^2 + b^2]]*(d + c*Cos[e + f*x])^2)/Sqrt[-a^2 + b^2] + (2*d*(-6*a*b*c^3*d + b^2*d^2*(2*c^2 + d^2) + a^2*(6*c^4 - 5*c^2*d^2 + 2*d^4))*ArcTanh[((-c + d)*Tan[(e + f*x)/2])/Sqrt[c^2 - d^2]]*(d + c*Cos[e + f*x])^2)/(c^2 - d^2)^(5/2) - (d^3*(a*c - b*d)^2*Sin[e + f*x])/(c*(c - d)*(c + d)) + (d^2*(a*c - b*d)*(6*a*c^3 - 4*b*c^2*d - 3*a*c*d^2 + b*d^3)*(d + c*Cos[e + f*x])*Sin[e + f*x])/(c*(c - d)^2*(c + d)^2))/(2*(a*c - b*d)^3*f*(c + d*Sec[e + f*x])^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 3.85, size = 770, normalized size = 1.68

$$\frac{2\left(\pi\left[\frac{fx+e}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right) - b \tan\left(\frac{1}{2}fx + \frac{1}{2}e\right)}{\sqrt{a^2-b^2}}\right)\right)a^3}{(a^3c^3 - 3a^2bc^2d + 3ab^2cd^2 - b^3d^3)\sqrt{a^2-b^2}} + \frac{(6a^2c^4d - 6abc^3d^2 - 5a^2c^2d^3 + 2b^2c^2d^3 + 2a^2d^5 + b^2d^5)\left(\pi\left[\frac{fx+e}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(2c-d) + \arctan\left(\frac{(d-c)\tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{c^2-d^2}}\right)\right)}{(a^3c^7 - 3a^2bc^6d - 2a^3c^5d^2 + 3ab^2c^5d^2 + 6a^2bc^4d^3 - b^3c^4d^3 + a^3c^3d^4 - 6ab^2c^3d^4 - b^3d^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^3,x, algorithm="giac")

[Out] (2*(pi*floor(1/2*(f*x + e)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*f*x + 1/2*e) - b*tan(1/2*f*x + 1/2*e))/sqrt(a^2 - b^2)))*a^3/((a^3*c^3 - 3*a^2*b*c^2*d + 3*a*b^2*c*d^2 - b^3*d^3)*sqrt(a^2 - b^2)) + (6*a^2*c^4*d - 6*a*b*c^3*d^2 - 5*a^2*c^2*d^3 + 2*b^2*c^2*d^3 + 2*a^2*d^5 + b^2*d^5)*(pi*floor(1/2*(f*x + e)/pi + 1/2)*sgn(2*c - d) + arctan((d-c)*tan(1/2*(e+fx))/sqrt(c^2-d^2)))/((a^3*c^7 - 3*a^2*b*c^6*d - 2*a^3*c^5*d^2 + 3*a*b^2*c^5*d^2 + 6*a^2*b*c^4*d^3 - b^3*c^4*d^3 + a^3*c^3*d^4 - 6*a*b^2*c^3*d^4 - b^3*d^5))

$$\begin{aligned} & *c^3*d^2 - 5*a^2*c^2*d^3 + 2*b^2*c^2*d^3 + 2*a^2*d^5 + b^2*d^5)*(pi*floor(1 \\ & /2*(f*x + e)/pi + 1/2)*sgn(2*c - 2*d) + arctan((c*tan(1/2*f*x + 1/2*e) - d* \\ & tan(1/2*f*x + 1/2*e))/sqrt(-c^2 + d^2)))/((a^3*c^7 - 3*a^2*b*c^6*d - 2*a^3* \\ & c^5*d^2 + 3*a*b^2*c^5*d^2 + 6*a^2*b*c^4*d^3 - b^3*c^4*d^3 + a^3*c^3*d^4 - 6 \\ & *a*b^2*c^3*d^4 - 3*a^2*b*c^2*d^5 + 2*b^3*c^2*d^5 + 3*a*b^2*c*d^6 - b^3*d^7) \\ & *sqrt(-c^2 + d^2)) - (6*a*c^3*d^2*tan(1/2*f*x + 1/2*e)^3 - 5*a*c^2*d^3*tan(\\ & 1/2*f*x + 1/2*e)^3 - 4*b*c^2*d^3*tan(1/2*f*x + 1/2*e)^3 - 3*a*c*d^4*tan(1/2 \\ & *f*x + 1/2*e)^3 + 3*b*c*d^4*tan(1/2*f*x + 1/2*e)^3 + 2*a*d^5*tan(1/2*f*x + \\ & 1/2*e)^3 + b*d^5*tan(1/2*f*x + 1/2*e)^3 - 6*a*c^3*d^2*tan(1/2*f*x + 1/2*e) \\ & - 5*a*c^2*d^3*tan(1/2*f*x + 1/2*e) + 4*b*c^2*d^3*tan(1/2*f*x + 1/2*e) + 3*a \\ & *c*d^4*tan(1/2*f*x + 1/2*e) + 3*b*c*d^4*tan(1/2*f*x + 1/2*e) + 2*a*d^5*tan(\\ & 1/2*f*x + 1/2*e) - b*d^5*tan(1/2*f*x + 1/2*e))/((a^2*c^6 - 2*a*b*c^5*d - 2* \\ & a^2*c^4*d^2 + b^2*c^4*d^2 + 4*a*b*c^3*d^3 + a^2*c^2*d^4 - 2*b^2*c^2*d^4 - 2 \\ & *a*b*c*d^5 + b^2*d^6)*(c*tan(1/2*f*x + 1/2*e)^2 - d*tan(1/2*f*x + 1/2*e)^2 \\ & - c - d)^2))/f \end{aligned}$$

maple [B] time = 0.33, size = 1869, normalized size = 4.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^3,x)

[Out]
$$\begin{aligned} & -6/f*d^2/(a*c-b*d)^3/(tan(1/2*e+1/2*f*x)^2*c-tan(1/2*e+1/2*f*x)^2*d-c-d)^2/ \\ & (c-d)/(c^2+2*c*d+d^2)*tan(1/2*e+1/2*f*x)^3*a^2*c^3-1/f*d^3/(a*c-b*d)^3/(tan \\ & (1/2*e+1/2*f*x)^2*c-tan(1/2*e+1/2*f*x)^2*d-c-d)^2/(c-d)/(c^2+2*c*d+d^2)*tan \\ & (1/2*e+1/2*f*x)^3*a^2*c^2+2/f*d^4/(a*c-b*d)^3/(tan(1/2*e+1/2*f*x)^2*c-tan(1 \\ & /2*e+1/2*f*x)^2*d-c-d)^2/(c-d)/(c^2+2*c*d+d^2)*tan(1/2*e+1/2*f*x)^3*a^2*c+1 \\ & 0/f*d^3/(a*c-b*d)^3/(tan(1/2*e+1/2*f*x)^2*c-tan(1/2*e+1/2*f*x)^2*d-c-d)^2/(\\ & c-d)/(c^2+2*c*d+d^2)*tan(1/2*e+1/2*f*x)^3*a*b*c^2+2/f*d^4/(a*c-b*d)^3/(tan(\\ & 1/2*e+1/2*f*x)^2*c-tan(1/2*e+1/2*f*x)^2*d-c-d)^2/(c-d)/(c^2+2*c*d+d^2)*tan(\\ & 1/2*e+1/2*f*x)^3*a*b*c-2/f*d^5/(a*c-b*d)^3/(tan(1/2*e+1/2*f*x)^2*c-tan(1/2* \\ & e+1/2*f*x)^2*d-c-d)^2/(c-d)/(c^2+2*c*d+d^2)*tan(1/2*e+1/2*f*x)^3*a*b-4/f*d^ \\ & 4/(a*c-b*d)^3/(tan(1/2*e+1/2*f*x)^2*c-tan(1/2*e+1/2*f*x)^2*d-c-d)^2/(c-d)/(\\ & c^2+2*c*d+d^2)*tan(1/2*e+1/2*f*x)^3*b^2*c-1/f*d^5/(a*c-b*d)^3/(tan(1/2*e+1/ \\ & 2*f*x)^2*c-tan(1/2*e+1/2*f*x)^2*d-c-d)^2/(c-d)/(c^2+2*c*d+d^2)*tan(1/2*e+1/ \\ & 2*f*x)^3*b^2+6/f*d^2/(a*c-b*d)^3/(tan(1/2*e+1/2*f*x)^2*c-tan(1/2*e+1/2*f*x) \\ & ^2*d-c-d)^2/(c+d)/(c-d)^2*tan(1/2*e+1/2*f*x)*a^2*c^3-1/f*d^3/(a*c-b*d)^3/(t \\ & an(1/2*e+1/2*f*x)^2*c-tan(1/2*e+1/2*f*x)^2*d-c-d)^2/(c+d)/(c-d)^2*tan(1/2*e \\ & +1/2*f*x)*a^2*c^2-2/f*d^4/(a*c-b*d)^3/(tan(1/2*e+1/2*f*x)^2*c-tan(1/2*e+1/2 \\ & *f*x)^2*d-c-d)^2/(c+d)/(c-d)^2*tan(1/2*e+1/2*f*x)*a^2*c-10/f*d^3/(a*c-b*d)^ \\ & 3/(tan(1/2*e+1/2*f*x)^2*c-tan(1/2*e+1/2*f*x)^2*d-c-d)^2/(c+d)/(c-d)^2*tan(1 \\ & /2*e+1/2*f*x)*a*b*c^2+2/f*d^4/(a*c-b*d)^3/(tan(1/2*e+1/2*f*x)^2*c-tan(1/2*e \\ & +1/2*f*x)^2*d-c-d)^2/(c+d)/(c-d)^2*tan(1/2*e+1/2*f*x)*a*b*c+2/f*d^5/(a*c-b* \\ & d)^3/(tan(1/2*e+1/2*f*x)^2*c-tan(1/2*e+1/2*f*x)^2*d-c-d)^2/(c+d)/(c-d)^2*ta \end{aligned}$$

$$\begin{aligned} & n(1/2*e+1/2*f*x)*a*b+4/f*d^4/(a*c-b*d)^3/(\tan(1/2*e+1/2*f*x)^2*c-\tan(1/2*e+ \\ & 1/2*f*x)^2*d-c-d)^2/(c+d)/(c-d)^2*\tan(1/2*e+1/2*f*x)*b^2*c-1/f*d^5/(a*c-b*d \\ &)^3/(\tan(1/2*e+1/2*f*x)^2*c-\tan(1/2*e+1/2*f*x)^2*d-c-d)^2/(c+d)/(c-d)^2*\tan \\ & (1/2*e+1/2*f*x)*b^2-6/f*d/(a*c-b*d)^3/(c^4-2*c^2*d^2+d^4)/((c+d)*(c-d))^(1/ \\ & 2)*\operatorname{arctanh}((c-d)*\tan(1/2*e+1/2*f*x)/((c+d)*(c-d))^(1/2))*a^2*c^4+5/f*d^3/(a \\ & *c-b*d)^3/(c^4-2*c^2*d^2+d^4)/((c+d)*(c-d))^(1/2)*\operatorname{arctanh}((c-d)*\tan(1/2*e+1 \\ & /2*f*x)/((c+d)*(c-d))^(1/2))*a^2*c^2-2/f*d^5/(a*c-b*d)^3/(c^4-2*c^2*d^2+d^4 \\ &)/((c+d)*(c-d))^(1/2)*\operatorname{arctanh}((c-d)*\tan(1/2*e+1/2*f*x)/((c+d)*(c-d))^(1/2)) \\ & *a^2+6/f*d^2/(a*c-b*d)^3/(c^4-2*c^2*d^2+d^4)/((c+d)*(c-d))^(1/2)*\operatorname{arctanh}((c \\ & -d)*\tan(1/2*e+1/2*f*x)/((c+d)*(c-d))^(1/2))*a*b*c^3-2/f*d^3/(a*c-b*d)^3/(c^ \\ & 4-2*c^2*d^2+d^4)/((c+d)*(c-d))^(1/2)*\operatorname{arctanh}((c-d)*\tan(1/2*e+1/2*f*x)/((c+d \\ &)*(c-d))^(1/2))*b^2*c^2-1/f*d^5/(a*c-b*d)^3/(c^4-2*c^2*d^2+d^4)/((c+d)*(c-d \\ &))^(1/2)*\operatorname{arctanh}((c-d)*\tan(1/2*e+1/2*f*x)/((c+d)*(c-d))^(1/2))*b^2+2/f*a^3/ \\ & (a*c-b*d)^3/((a-b)*(a+b))^(1/2)*\operatorname{arctan}(\tan(1/2*e+1/2*f*x)*(a-b)/((a-b)*(a+b \\ &))^(1/2)) \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 20.25, size = 52103, normalized size = 113.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((c + d/cos(e + f*x))^3*(a + b*cos(e + f*x))),x)

[Out]
$$\begin{aligned} & ((\tan(e/2 + (f*x)/2)^3*(2*a*d^4 + b*d^4 - 6*a*c^2*d^2 - a*c*d^3 + 4*b*c*d^3 \\ &))/((c + d)^2*(a^2*c^3 - b^2*d^3 - a^2*c^2*d + b^2*c*d^2 + 2*a*b*c*d^2 - 2* \\ & a*b*c^2*d)) - (\tan(e/2 + (f*x)/2)*(2*a*d^4 - b*d^4 - 6*a*c^2*d^2 + a*c*d^3 \\ & + 4*b*c*d^3))/((c + d)*(a^2*c^4 + b^2*d^4 - 2*a^2*c^3*d - 2*b^2*c*d^3 + a^2 \\ & *c^2*d^2 + b^2*c^2*d^2 - 2*a*b*c*d^3 - 2*a*b*c^3*d + 4*a*b*c^2*d^2)))/(f*(2 \\ & *c*d - \tan(e/2 + (f*x)/2)^2*(2*c^2 - 2*d^2) + \tan(e/2 + (f*x)/2)^4*(c^2 - 2 \\ & *c*d + d^2) + c^2 + d^2)) + (a^3*\operatorname{atan}(((a^3*(b^2 - a^2))^(1/2))*((8*\tan(e/2 + \\ & (f*x)/2)*(b^7*d^10 - 8*a^7*d^10 - 4*a^7*c^10 + 4*a^6*b*c^10 - 3*a*b^6*d^10 \\ & + 16*a^6*b*d^10 + 8*a^7*c*d^9 + 8*a^7*c^9*d + 7*a^2*b^5*d^10 - 13*a^3*b^4*d \\ & d^10 + 16*a^4*b^3*d^10 - 16*a^5*b^2*d^10 + 32*a^7*c^2*d^8 - 32*a^7*c^3*d^7 \end{aligned}$$

$$\begin{aligned}
& - 57a^7c^4d^6 + 48a^7c^5d^5 + 52a^7c^6d^4 - 32a^7c^7d^3 - 24a^7c^8d^2 + 4b^7c^2d^8 + 4b^7c^4d^6 - 12ab^6c^2d^8 - 12ab^6c^3d^7 - 12ab^6c^4d^6 - 24ab^6c^5d^5 - 72a^6b^2c^2d^8 + 56a^6b^3c^3d^7 + 155a^6b^4c^4d^6 - 108a^6b^5c^5d^5 - 172a^6b^6c^6d^4 + 104a^6b^7c^7d^3 + 96a^6b^8c^8d^2 + 10a^2b^5c^2d^8 + 36a^2b^5c^3d^7 + 4a^2b^5c^4d^6 + 72a^2b^5c^5d^5 + 60a^2b^5c^6d^4 + 2a^3b^4c^2d^8 - 60a^3b^4c^3d^7 + 20a^3b^4c^4d^6 - 12a^3b^4c^5d^5 - 180a^3b^4c^6d^4 - 72a^3b^4c^7d^3 - 26a^4b^3c^2d^8 + 84a^4b^3c^3d^7 + 25a^4b^3c^4d^6 - 156a^4b^3c^5d^5 + 120a^4b^3c^6d^4 + 216a^4b^3c^7d^3 + 36a^4b^3c^8d^2 + 62a^5b^2c^2d^8 - 72a^5b^2c^3d^7 - 139a^5b^2c^4d^6 + 180a^5b^2c^5d^5 + 120a^5b^2c^6d^4 - 216a^5b^2c^7d^3 - 108a^5b^2c^8d^2 - 8a^6b^3c^9d - 8a^6b^3c^9d) / (a^4c^11 - b^4d^11 + a^4c^10d - b^4c^10d - a^4c^4d^7 - a^4c^5d^6 + 3a^4c^6d^5 + 3a^4c^7d^4 - 3a^4c^8d^3 - 3a^4c^9d^2 + 3b^4c^2d^9 + 3b^4c^3d^8 - 3b^4c^4d^7 - 3b^4c^5d^6 + b^4c^6d^5 + b^4c^7d^4 + 4ab^3c^2d^9 - 12ab^3c^3d^8 - 12ab^3c^4d^7 + 12ab^3c^5d^6 + 12ab^3c^6d^5 - 4ab^3c^7d^4 - 4ab^3c^8d^3 + 4a^3b^3c^3d^8 + 4a^3b^3c^4d^7 - 12a^3b^3c^5d^6 - 12a^3b^3c^6d^5 + 12a^3b^3c^7d^4 + 12a^3b^3c^8d^3 - 4a^3b^3c^9d^2 - 6a^2b^2c^2d^9 - 6a^2b^2c^3d^8 + 18a^2b^2c^4d^7 + 18a^2b^2c^5d^6 - 18a^2b^2c^6d^5 - 18a^2b^2c^7d^4 + 6a^2b^2c^8d^3 + 6a^2b^2c^9d^2 + 4ab^3c^4d^10 - 4a^3b^3c^10d) + (a^3(b^2 - a^2)^(1/2)) * ((8*(2b^10d^15 - 4a^10c^15 + 8a^9b^3c^15 - 2ab^9d^15 + 12a^10c^14d - 2b^10c^14d - 4a^8b^2c^15 + 2a^2b^8d^15 - 6a^3b^7d^15 + 4a^4b^6d^15 + 4a^10c^6d^9 - 2a^10c^7d^8 - 18a^10c^8d^7 + 4a^10c^9d^6 + 36a^10c^10d^5 - 6a^10c^11d^4 - 34a^10c^12d^3 + 8a^10c^13d^2 - 6b^10c^4d^11 + 6b^10c^5d^10 + 4b^10c^6d^9 - 4b^10c^7d^8 + 10ab^9c^2d^13 - 12ab^9c^3d^12 + 18ab^9c^4d^11 + 48ab^9c^5d^10 - 58ab^9c^6d^9 - 28ab^9c^7d^8 + 32ab^9c^8d^7 + 8a^2b^8c^4d^14 - 8a^3b^7c^4d^14 + 34a^4b^6c^4d^14 - 24a^5b^5c^4d^14 + 32a^7b^3c^14d - 52a^8b^2c^14d - 24a^9b^2c^5d^10 + 6a^9b^2c^6d^9 + 112a^9b^2c^7d^8 + 10a^9b^2c^8d^7 - 236a^9b^2c^9d^6 - 30a^9b^2c^10d^5 + 240a^9b^2c^11d^4 + 6a^9b^2c^12d^3 - 100a^9b^2c^13d^2 - 8a^2b^8c^2d^13 + 10a^2b^8c^3d^12 + 90a^2b^8c^4d^11 - 156a^2b^8c^5d^10 - 164a^2b^8c^6d^9 + 250a^2b^8c^7d^8 + 80a^2b^8c^8d^7 - 112a^2b^8c^9d^6 + 28a^3b^7c^2d^13 + 84a^3b^7c^3d^12 - 224a^3b^7c^4d^11 - 252a^3b^7c^5d^10 + 612a^3b^7c^6d^9 + 284a^3b^7c^7d^8 - 634a^3b^7c^8d^7 - 108a^3b^7c^9d^6 + 224a^3b^7c^10d^5 - 12a^4b^6c^2d^13 - 220a^4b^6c^3d^12 - 104a^4b^6c^4d^11 + 820a^4b^6c^5d^10 + 260a^4b^6c^6d^9 - 1396a^4b^6c^7d^8 - 180a^4b^6c^8d^7 + 1042a^4b^6c^9d^6 + 32a^4b^6c^10d^5 - 280a^4b^6c^11d^4 - 78a^5b^5c^2d^13 + 128a^5b^5c^3d^12 + 536a^5b^5c^4d^11 - 188a^5b^5c^5d^10 - 1532a^5b^5c^6d^9 + 204a^5b^5c^7d^8 + 1992a^5b^5c^8d^7 - 236a^5b^5c^9d^6 - 1142a^5b^5c^10d^5 + 116a^5b^5c^11d^4 + 224a^5b^5c^12d^3 + 60a^6b^4c^2d^13 + 90a^6b^4c^3d^12 - 320a^6b^4c^4d^11 - 668a^6b^4c^5d^10 + 708a^6b^4c^6d^9 - 284a^6b^4c^7d^8 + 284a^6b^4c^8d^7 - 108a^6b^4c^9d^6 + 224a^6b^4c^10d^5 - 104a^6b^4c^11d^4 + 820a^6b^4c^12d^3 - 220a^6b^4c^13d^2 + 612a^6b^4c^14d - 252a^6b^4c^15d)
\end{aligned}$$

$$\begin{aligned}
& *c^6*d^9 + 1660*a^6*b^4*c^7*d^8 - 888*a^6*b^4*c^8*d^7 - 1788*a^6*b^4*c^9*d^6 \\
& + 632*a^6*b^4*c^{10}*d^5 + 818*a^6*b^4*c^{11}*d^4 - 192*a^6*b^4*c^{12}*d^3 - 11 \\
& 2*a^6*b^4*c^{13}*d^2 - 80*a^7*b^3*c^3*d^{12} - 50*a^7*b^3*c^4*d^{11} + 408*a^7*b^3 \\
& c^5*d^{10} + 452*a^7*b^3*c^6*d^9 - 932*a^7*b^3*c^7*d^8 - 1040*a^7*b^3*c^8*d^7 \\
& + 1100*a^7*b^3*c^9*d^6 + 956*a^7*b^3*c^{10}*d^5 - 636*a^7*b^3*c^{11}*d^4 - 3 \\
& 50*a^7*b^3*c^{12}*d^3 + 140*a^7*b^3*c^{13}*d^2 + 60*a^8*b^2*c^4*d^{11} + 6*a^8*b^2 \\
& c^5*d^{10} - 292*a^8*b^2*c^6*d^9 - 148*a^8*b^2*c^7*d^8 + 646*a^8*b^2*c^8*d^7 \\
& + 334*a^8*b^2*c^9*d^6 - 708*a^8*b^2*c^{10}*d^5 - 252*a^8*b^2*c^{11}*d^4 + 346 \\
& *a^8*b^2*c^{12}*d^3 + 64*a^8*b^2*c^{13}*d^2 - 8*a*b^9*c*d^{14} + 8*a^9*b*c^{14}*d) \\
& / (a^6*c^{13} - b^6*d^{13} + a^6*c^{12}*d - b^6*c*d^{12} - a^6*c^6*d^7 - a^6*c^7*d^6 \\
& + 3*a^6*c^8*d^5 + 3*a^6*c^9*d^4 - 3*a^6*c^{10}*d^3 - 3*a^6*c^{11}*d^2 + 3*b^6*c^2 \\
& d^{11} + 3*b^6*c^3*d^{10} - 3*b^6*c^4*d^9 - 3*b^6*c^5*d^8 + b^6*c^6*d^7 + b^6*c^7*d^6 \\
& + 6*a*b^5*c^2*d^{11} - 18*a*b^5*c^3*d^{10} - 18*a*b^5*c^4*d^9 + 18*a*b^5*c^5*d^8 \\
& + 18*a*b^5*c^6*d^7 - 6*a*b^5*c^7*d^6 - 6*a*b^5*c^8*d^5 + 6*a^5*b*c^5*d^8 + 6*a^5*b*c^6 \\
& d^7 - 18*a^5*b*c^7*d^6 - 18*a^5*b*c^8*d^5 + 18*a^5*b*c^9*d^4 + 18*a^5*b*c^{10}*d^3 - 6*a^5 \\
& b*c^{11}*d^2 - 15*a^2*b^4*c^2*d^{11} - 15*a^2*b^4*c^3*d^{10} + 45*a^2*b^4*c^4*d^9 + 45*a^2*b^4*c^5 \\
& d^8 - 45*a^2*b^4*c^6*d^7 - 45*a^2*b^4*c^7*d^6 + 15*a^2*b^4*c^8*d^5 + 15*a^2*b^4*c^9*d^4 + 20 \\
& a^3*b^3*c^3*d^{10} + 20*a^3*b^3*c^4*d^9 - 60*a^3*b^3*c^5*d^8 - 60*a^3*b^3*c^6*d^7 + 60*a^3*b^3 \\
& c^7*d^6 + 60*a^3*b^3*c^8*d^5 - 20*a^3*b^3*c^9*d^4 - 20*a^3*b^3*c^{10}*d^3 - 15*a^4*b^2*c^4 \\
& d^9 - 15*a^4*b^2*c^5*d^8 + 45*a^4*b^2*c^6*d^7 + 45*a^4*b^2*c^7*d^6 - 45*a^4*b^2*c^8*d^5 - 45*a^4 \\
& b^2*c^9*d^4 + 15*a^4*b^2*c^{10}*d^3 + 15*a^4*b^2*c^{11}*d^2 + 6*a*b^5*c*d^{12} - 6*a^5*b*c^{12}*d) - \\
& (8*a^3*\tan(e/2 + (f*x)/2)*(b^2 - a^2)^{(1/2)}*(8*a^8*b*c^{16} + 8*a*b^8*d^{16} - 8*a^9*c^{15}*d \\
& - 8*b^9*c*d^{15} + 8*a^6*b^3*c^{16} - 16*a^7*b^2*c^{16} - 16*a^2*b^7*d^{16} + 8*a^3*b^6*d^{16} + 8*a^9*c^6 \\
& d^{10} - 8*a^9*c^7*d^9 - 32*a^9*c^8*d^8 + 32*a^9*c^9*d^7 + 48*a^9*c^{10}*d^6 - 48*a^9*c^{11}*d^5 - 32*a^9*c^{12} \\
& d^4 + 32*a^9*c^{13}*d^3 + 8*a^9*c^{14}*d^2 + 8*b^9*c^2*d^{14} + 32*b^9*c^3*d^{13} - 32*b^9*c^4*d^{12} - 48*b^9 \\
& c^5*d^{11} + 48*b^9*c^6*d^{10} + 32*b^9*c^7*d^9 - 32*b^9*c^8*d^8 - 8*b^9*c^9*d^7 + 8*b^9*c^{10}*d^6 - 80*a \\
& b^8*c^3*d^{13} - 80*a*b^8*c^4*d^{12} + 240*a*b^8*c^5*d^{11} + 160*a*b^8*c^6*d^{10} - 320*a*b^8*c^7*d^9 - 120 \\
& a*b^8*c^8*d^8 + 200*a*b^8*c^9*d^7 + 32*a*b^8*c^{10}*d^6 - 48*a*b^8*c^{11}*d^5 - 40*a^2*b^7*c*d^{15} + 88*a^3 \\
& b^6*c*d^{15} - 48*a^4*b^5*c*d^{15} - 48*a^5*b^4*c^{15}*d + 88*a^6*b^3*c^{15}*d - 40*a^7*b^2*c^{15}*d - 48*a^8 \\
& b*c^5*d^{11} + 32*a^8*b*c^6*d^{10} + 200*a^8*b*c^7*d^9 - 120*a^8*b*c^8*d^8 - 320*a^8*b*c^9*d^7 + 160*a^8*b*c^{10} \\
& d^6 + 240*a^8*b*c^{11}*d^5 - 80*a^8*b*c^{12}*d^4 - 80*a^8*b*c^{13}*d^3 + 24*a^2*b^7*c^2*d^{14} + 136*a^2*b^7 \\
& c^3*d^{13} + 184*a^2*b^7*c^4*d^{12} - 144*a^2*b^7*c^5*d^{11} - 656*a^2*b^7*c^6*d^{10} + 16*a^2*b^7*c^7*d^9 + 864 \\
& a^2*b^7*c^8*d^8 + 56*a^2*b^7*c^9*d^7 - 520*a^2*b^7*c^{10}*d^6 - 24*a^2*b^7*c^{11}*d^5 + 120*a^2*b^7*c^{12}*d^4 \\
& + 40*a^3*b^6*c^2*d^{14} - 280*a^3*b^6*c^3*d^{13} - 320*a^3*b^6*c^4*d^{12} + 80*a^3*b^6*c^5*d^{11} + 720*a^3 \\
& b^6*c^6*d^{10} + 720*a^3*b^6*c^7*d^9 - 760*a^3*b^6*c^8*d^8 - 1160*a^3*b^6*c^9*d^7 + 392*a^3*b^6*c^{10}*d^6 + 712 \\
& a^3*b^6*c^{11}*d^5 - 80*a^3*b^6*c^{12}*d^4 - 160*a^3*b^6*c^{13}*d^3 - 192*a^4*b^5*c^2*d^{14} + 152*a^4*b^5*c^3 \\
& d^{13} + 728*a^4*b^5*c^4*d^{12} + 72*a^4*b^5*c^5*d^{11} - 872*a^4*b^5*c^6*d^{10} - 848*a^4*b^5*c^7*d^9 + 48 \\
& a^4*b^5*c^8*d^8 + 1312*a^4
\end{aligned}$$

$$\begin{aligned}
& 4*c^5*d^6 + b^4*c^6*d^5 + b^4*c^7*d^4 + 4*a*b^3*c^2*d^9 - 12*a*b^3*c^3*d^8 \\
& - 12*a*b^3*c^4*d^7 + 12*a*b^3*c^5*d^6 + 12*a*b^3*c^6*d^5 - 4*a*b^3*c^7*d^4 \\
& - 4*a*b^3*c^8*d^3 + 4*a^3*b*c^3*d^8 + 4*a^3*b*c^4*d^7 - 12*a^3*b*c^5*d^6 - \\
& 12*a^3*b*c^6*d^5 + 12*a^3*b*c^7*d^4 + 12*a^3*b*c^8*d^3 - 4*a^3*b*c^9*d^2 - \\
& 6*a^2*b^2*c^2*d^9 - 6*a^2*b^2*c^3*d^8 + 18*a^2*b^2*c^4*d^7 + 18*a^2*b^2*c^5* \\
& *d^6 - 18*a^2*b^2*c^6*d^5 - 18*a^2*b^2*c^7*d^4 + 6*a^2*b^2*c^8*d^3 + 6*a^2*b^2* \\
& b^2*c^9*d^2 + 4*a*b^3*c*d^10 - 4*a^3*b*c^10*d) - (a^3*(b^2 - a^2)^(1/2))*((8 \\
& *(2*b^10*d^15 - 4*a^10*c^15 + 8*a^9*b*c^15 - 2*a*b^9*d^15 + 12*a^10*c^14*d \\
& - 2*b^10*c*d^14 - 4*a^8*b^2*c^15 + 2*a^2*b^8*d^15 - 6*a^3*b^7*d^15 + 4*a^4*b^6* \\
& b^6*d^15 + 4*a^10*c^6*d^9 - 2*a^10*c^7*d^8 - 18*a^10*c^8*d^7 + 4*a^10*c^9*d^6 + \\
& 36*a^10*c^10*d^5 - 6*a^10*c^11*d^4 - 34*a^10*c^12*d^3 + 8*a^10*c^13*d^2 - \\
& 6*b^10*c^4*d^11 + 6*b^10*c^5*d^10 + 4*b^10*c^6*d^9 - 4*b^10*c^7*d^8 + 1 \\
& 0*a*b^9*c^2*d^13 - 12*a*b^9*c^3*d^12 + 18*a*b^9*c^4*d^11 + 48*a*b^9*c^5*d^1 \\
& 0 - 58*a*b^9*c^6*d^9 - 28*a*b^9*c^7*d^8 + 32*a*b^9*c^8*d^7 + 8*a^2*b^8*c*d^ \\
& 14 - 8*a^3*b^7*c*d^14 + 34*a^4*b^6*c*d^14 - 24*a^5*b^5*c*d^14 + 32*a^7*b^3* \\
& c^14*d - 52*a^8*b^2*c^14*d - 24*a^9*b*c^5*d^10 + 6*a^9*b*c^6*d^9 + 112*a^9*b* \\
& b*c^7*d^8 + 10*a^9*b*c^8*d^7 - 236*a^9*b*c^9*d^6 - 30*a^9*b*c^10*d^5 + 240* \\
& a^9*b*c^11*d^4 + 6*a^9*b*c^12*d^3 - 100*a^9*b*c^13*d^2 - 8*a^2*b^8*c^2*d^13 \\
& + 10*a^2*b^8*c^3*d^12 + 90*a^2*b^8*c^4*d^11 - 156*a^2*b^8*c^5*d^10 - 164*a^ \\
& ^2*b^8*c^6*d^9 + 250*a^2*b^8*c^7*d^8 + 80*a^2*b^8*c^8*d^7 - 112*a^2*b^8*c^9* \\
& *d^6 + 28*a^3*b^7*c^2*d^13 + 84*a^3*b^7*c^3*d^12 - 224*a^3*b^7*c^4*d^11 - 2 \\
& 52*a^3*b^7*c^5*d^10 + 612*a^3*b^7*c^6*d^9 + 284*a^3*b^7*c^7*d^8 - 634*a^3*b^ \\
& ^7*c^8*d^7 - 108*a^3*b^7*c^9*d^6 + 224*a^3*b^7*c^10*d^5 - 12*a^4*b^6*c^2*d^ \\
& 13 - 220*a^4*b^6*c^3*d^12 - 104*a^4*b^6*c^4*d^11 + 820*a^4*b^6*c^5*d^10 + 2 \\
& 60*a^4*b^6*c^6*d^9 - 1396*a^4*b^6*c^7*d^8 - 180*a^4*b^6*c^8*d^7 + 1042*a^4*b^ \\
& b^6*c^9*d^6 + 32*a^4*b^6*c^10*d^5 - 280*a^4*b^6*c^11*d^4 - 78*a^5*b^5*c^2*d^ \\
& ^13 + 128*a^5*b^5*c^3*d^12 + 536*a^5*b^5*c^4*d^11 - 188*a^5*b^5*c^5*d^10 - \\
& 1532*a^5*b^5*c^6*d^9 + 204*a^5*b^5*c^7*d^8 + 1992*a^5*b^5*c^8*d^7 - 236*a^5* \\
& b^5*c^9*d^6 - 1142*a^5*b^5*c^10*d^5 + 116*a^5*b^5*c^11*d^4 + 224*a^5*b^5*c^ \\
& ^12*d^3 + 60*a^6*b^4*c^2*d^13 + 90*a^6*b^4*c^3*d^12 - 320*a^6*b^4*c^4*d^11 \\
& - 668*a^6*b^4*c^5*d^10 + 708*a^6*b^4*c^6*d^9 + 1660*a^6*b^4*c^7*d^8 - 888*a^ \\
& ^6*b^4*c^8*d^7 - 1788*a^6*b^4*c^9*d^6 + 632*a^6*b^4*c^10*d^5 + 818*a^6*b^4* \\
& c^11*d^4 - 192*a^6*b^4*c^12*d^3 - 112*a^6*b^4*c^13*d^2 - 80*a^7*b^3*c^3*d^1 \\
& 2 - 50*a^7*b^3*c^4*d^11 + 408*a^7*b^3*c^5*d^10 + 452*a^7*b^3*c^6*d^9 - 932*a^ \\
& ^7*b^3*c^7*d^8 - 1040*a^7*b^3*c^8*d^7 + 1100*a^7*b^3*c^9*d^6 + 956*a^7*b^3* \\
& c^10*d^5 - 636*a^7*b^3*c^11*d^4 - 350*a^7*b^3*c^12*d^3 + 140*a^7*b^3*c^13* \\
& d^2 + 60*a^8*b^2*c^4*d^11 + 6*a^8*b^2*c^5*d^10 - 292*a^8*b^2*c^6*d^9 - 148*a^ \\
& ^8*b^2*c^7*d^8 + 646*a^8*b^2*c^8*d^7 + 334*a^8*b^2*c^9*d^6 - 708*a^8*b^2*c^ \\
& ^10*d^5 - 252*a^8*b^2*c^11*d^4 + 346*a^8*b^2*c^12*d^3 + 64*a^8*b^2*c^13*d^2 \\
& - 8*a*b^9*c*d^14 + 8*a^9*b*c^14*d))/ (a^6*c^13 - b^6*d^13 + a^6*c^12*d - b^ \\
& 6*c*d^12 - a^6*c^6*d^7 - a^6*c^7*d^6 + 3*a^6*c^8*d^5 + 3*a^6*c^9*d^4 - 3*a^ \\
& 6*c^10*d^3 - 3*a^6*c^11*d^2 + 3*b^6*c^2*d^11 + 3*b^6*c^3*d^10 - 3*b^6*c^4*d^ \\
& ^9 - 3*b^6*c^5*d^8 + b^6*c^6*d^7 + b^6*c^7*d^6 + 6*a*b^5*c^2*d^11 - 18*a*b^ \\
& 5*c^3*d^10 - 18*a*b^5*c^4*d^9 + 18*a*b^5*c^5*d^8 + 18*a*b^5*c^6*d^7 - 6*a*b^ \\
& 5*c^7*d^6 - 6*a*b^5*c^8*d^5 + 6*a^5*b*c^5*d^8 + 6*a^5*b*c^6*d^7 - 18*a^5*b
\end{aligned}$$

$$\begin{aligned}
& c^7 d^6 - 18 a^5 b c^8 d^5 + 18 a^5 b c^9 d^4 + 18 a^5 b c^{10} d^3 - 6 a^5 b c^{11} d^2 - 15 a^2 b^4 c^2 d^{11} - 15 a^2 b^4 c^3 d^{10} + 45 a^2 b^4 c^4 d^9 \\
& + 45 a^2 b^4 c^5 d^8 - 45 a^2 b^4 c^6 d^7 - 45 a^2 b^4 c^7 d^6 + 15 a^2 b^4 c^8 d^5 + 15 a^2 b^4 c^9 d^4 + 20 a^3 b^3 c^3 d^{10} + 20 a^3 b^3 c^4 d^9 - \\
& 60 a^3 b^3 c^5 d^8 - 60 a^3 b^3 c^6 d^7 + 60 a^3 b^3 c^7 d^6 + 60 a^3 b^3 c^8 d^5 - 20 a^3 b^3 c^9 d^4 - 20 a^3 b^3 c^{10} d^3 - 15 a^4 b^2 c^4 d^9 - 1 \\
& 5 a^4 b^2 c^5 d^8 + 45 a^4 b^2 c^6 d^7 + 45 a^4 b^2 c^7 d^6 - 45 a^4 b^2 c^8 d^5 - 45 a^4 b^2 c^9 d^4 + 15 a^4 b^2 c^{10} d^3 + 15 a^4 b^2 c^{11} d^2 + 6 \\
& a b^5 c d^{12} - 6 a^5 b c^{12} d) + (8 a^3 \tan(e/2 + (f x)/2) (b^2 - a^2)^{(1/2)} (8 a^8 b c^{16} + 8 a b^8 d^{16} - 8 a^9 c^{15} d - 8 b^9 c d^{15} + 8 a^6 b^3 c^{16} \\
& - 16 a^7 b^2 c^{16} - 16 a^2 b^7 d^{16} + 8 a^3 b^6 d^{16} + 8 a^9 c^6 d^{10} - 8 a^9 c^7 d^9 - 32 a^9 c^8 d^8 + 32 a^9 c^9 d^7 + 48 a^9 c^{10} d^6 - 48 a^9 c^{11} d^5 \\
& - 32 a^9 c^{12} d^4 + 32 a^9 c^{13} d^3 + 8 a^9 c^{14} d^2 + 8 b^9 c^2 d^{14} + 32 b^9 c^3 d^{13} - 32 b^9 c^4 d^{12} - 48 b^9 c^5 d^{11} + 48 b^9 c^6 d^{10} \\
& + 32 b^9 c^7 d^9 - 32 b^9 c^8 d^8 - 8 b^9 c^9 d^7 + 8 b^9 c^{10} d^6 - 80 a a b^8 c^3 d^{13} - 80 a a b^8 c^4 d^{12} + 240 a a b^8 c^5 d^{11} + 160 a a b^8 c^6 d^{10} \\
& - 320 a a b^8 c^7 d^9 - 120 a a b^8 c^8 d^8 + 200 a a b^8 c^9 d^7 + 32 a a b^8 c^{10} d^6 - 48 a a b^8 c^{11} d^5 - 40 a^2 b^7 c^4 d^{15} + 88 a^3 b^6 c^4 d^{15} - 48 a^4 b^5 c^4 d^{15} \\
& - 48 a^5 b^4 c^4 d^{15} + 88 a^6 b^3 c^4 d^{15} - 40 a^7 b^2 c^4 d^{15} - 48 a^8 b c^4 d^{15} + 32 a^8 b c^5 d^{11} + 200 a^8 b c^6 d^{10} + 200 a^8 b c^7 d^9 - 120 a^8 b c^8 d^8 \\
& - 320 a^8 b c^9 d^7 + 160 a^8 b c^{10} d^6 + 240 a^8 b c^{11} d^5 - 80 a^8 b c^{12} d^4 - 80 a^8 b c^{13} d^3 + 24 a^2 b^7 c^2 d^{14} + 136 a^2 b^7 c^3 d^{13} + 1 \\
& 84 a^2 b^7 c^4 d^{12} - 144 a^2 b^7 c^5 d^{11} - 656 a^2 b^7 c^6 d^{10} + 16 a^2 b^7 c^7 d^9 + 864 a^2 b^7 c^8 d^8 + 56 a^2 b^7 c^9 d^7 - 520 a^2 b^7 c^{10} d^6 \\
& - 24 a^2 b^7 c^{11} d^5 + 120 a^2 b^7 c^{12} d^4 + 40 a^3 b^6 c^2 d^{14} - 280 a^3 b^6 c^3 d^{13} - 320 a^3 b^6 c^4 d^{12} + 80 a^3 b^6 c^5 d^{11} + 720 a^3 b^6 c^6 d^{10} \\
& + 720 a^3 b^6 c^7 d^9 - 760 a^3 b^6 c^8 d^8 - 1160 a^3 b^6 c^9 d^7 + 392 a^3 b^6 c^{10} d^6 + 712 a^3 b^6 c^{11} d^5 - 80 a^3 b^6 c^{12} d^4 - 16 \\
& 0 a^3 b^6 c^{13} d^3 - 192 a^4 b^5 c^2 d^{14} + 152 a^4 b^5 c^3 d^{13} + 728 a^4 b^5 c^4 d^{12} + 72 a^4 b^5 c^5 d^{11} - 872 a^4 b^5 c^6 d^{10} - 848 a^4 b^5 c^7 d^9 \\
& + 48 a^4 b^5 c^8 d^8 + 1312 a^4 b^5 c^9 d^7 + 688 a^4 b^5 c^{10} d^6 - 840 a^4 b^5 c^{11} d^5 - 520 a^4 b^5 c^{12} d^4 + 200 a^4 b^5 c^{13} d^3 + 120 a^4 b^5 c^{14} d^2 \\
& + 120 a^5 b^4 c^2 d^{14} + 200 a^5 b^4 c^3 d^{13} - 520 a^5 b^4 c^4 d^{12} - 840 a^5 b^4 c^5 d^{11} + 688 a^5 b^4 c^6 d^{10} + 1312 a^5 b^4 c^7 d^9 + 48 a^5 b^4 c^8 d^8 \\
& - 848 a^5 b^4 c^9 d^7 - 872 a^5 b^4 c^{10} d^6 + 72 a^5 b^4 c^{11} d^5 + 728 a^5 b^4 c^{12} d^4 + 152 a^5 b^4 c^{13} d^3 - 192 a^5 b^4 c^{14} d^2 - 160 a^6 b^3 c^3 d^{13} \\
& - 80 a^6 b^3 c^4 d^{12} + 712 a^6 b^3 c^5 d^{11} + 392 a^6 b^3 c^6 d^{10} - 1160 a^6 b^3 c^7 d^9 - 760 a^6 b^3 c^8 d^8 + 720 a^6 b^3 c^9 d^7 + 720 a^6 b^3 c^{10} d^6 \\
& + 80 a^6 b^3 c^{11} d^5 - 320 a^6 b^3 c^{12} d^4 - 280 a^6 b^3 c^{13} d^3 + 40 a^6 b^3 c^{14} d^2 + 120 a^7 b^2 c^4 d^{12} - 24 a^7 b^2 c^5 d^{11} - 520 a^7 b^2 c^6 d^{10} \\
& + 56 a^7 b^2 c^7 d^9 + 864 a^7 b^2 c^8 d^8 + 16 a^7 b^2 c^9 d^7 - 656 a^7 b^2 c^{10} d^6 - 144 a^7 b^2 c^{11} d^5 + 184 a^7 b^2 c^{12} d^4 + 136 a^7 b^2 c^{13} d^3 \\
& + 24 a^7 b^2 c^{14} d^2 + 8 a a b^8 c d^{15} + 8 a^8 b c^{15} d) / ((a^5 c^3 + b^5 d^3 - a^3 b^2 c^3 - a^2 b^3 d^3 + 3 a^2 b^3 c^2 d + 3 a^3 b^2 c d^2 - 3 a b^4 c d^2 - 3 a^4 b c^2
\end{aligned}$$

$$\begin{aligned}
& *d)*(a^4*c^{11} - b^4*d^{11} + a^4*c^{10}*d - b^4*c*d^{10} - a^4*c^4*d^7 - a^4*c^5*d^6 + 3*a^4*c^6*d^5 + 3*a^4*c^7*d^4 - 3*a^4*c^8*d^3 - 3*a^4*c^9*d^2 + 3*b^4*c^2*d^9 + 3*b^4*c^3*d^8 - 3*b^4*c^4*d^7 - 3*b^4*c^5*d^6 + b^4*c^6*d^5 + b^4*c^7*d^4 + 4*a*b^3*c^2*d^9 - 12*a*b^3*c^3*d^8 - 12*a*b^3*c^4*d^7 + 12*a*b^3*c^5*d^6 + 12*a*b^3*c^6*d^5 - 4*a*b^3*c^7*d^4 - 4*a*b^3*c^8*d^3 + 4*a^3*b*c^3*d^8 + 4*a^3*b*c^4*d^7 - 12*a^3*b*c^5*d^6 - 12*a^3*b*c^6*d^5 + 12*a^3*b*c^7*d^4 + 12*a^3*b*c^8*d^3 - 4*a^3*b*c^9*d^2 - 6*a^2*b^2*c^2*d^9 - 6*a^2*b^2*c^3*d^8 + 18*a^2*b^2*c^4*d^7 + 18*a^2*b^2*c^5*d^6 - 18*a^2*b^2*c^6*d^5 - 18*a^2*b^2*c^7*d^4 + 6*a^2*b^2*c^8*d^3 + 6*a^2*b^2*c^9*d^2 + 4*a*b^3*c*d^{10} - 4*a^3*b*c^{10}*d)))/(a^5*c^3 + b^5*d^3 - a^3*b^2*c^3 - a^2*b^3*d^3 + 3*a^2*b^3*c^2*d + 3*a^3*b^2*c*d^2 - 3*a*b^4*c*d^2 - 3*a^4*b*c^2*d)))*1i)/(a^5*c^3 + b^5*d^3 - a^3*b^2*c^3 - a^2*b^3*d^3 + 3*a^2*b^3*c^2*d + 3*a^3*b^2*c*d^2 - 3*a*b^4*c*d^2 - 3*a^4*b*c^2*d))/((16*(6*a^7*b*d^9 - 4*a^8*d^9 + 2*a^8*c*d^8 - 12*a^8*c^2*d^7 + a^3*b^5*d^9 - 2*a^4*b^4*d^9 + 5*a^5*b^3*d^9 - 6*a^6*b^2*d^9 + 18*a^8*c^2*d^7 - 13*a^8*c^3*d^6 - 36*a^8*c^4*d^5 + 26*a^8*c^5*d^4 + 34*a^8*c^6*d^3 - 24*a^8*c^7*d^2 + a^4*b^4*c*d^8 - 2*a^5*b^3*c*d^8 + 3*a^6*b^2*c*d^8 - 19*a^7*b*c^2*d^7 + 38*a^7*b*c^3*d^6 + 26*a^7*b*c^4*d^5 - 76*a^7*b*c^5*d^4 + 2*a^7*b*c^6*d^3 + 60*a^7*b*c^7*d^2 + 4*a^3*b^5*c^2*d^7 + 4*a^3*b^5*c^4*d^5 - 8*a^4*b^4*c^2*d^7 - 8*a^4*b^4*c^3*d^6 - 8*a^4*b^4*c^4*d^5 - 20*a^4*b^4*c^5*d^4 + 3*a^5*b^3*c^2*d^7 + 16*a^5*b^3*c^3*d^6 - 12*a^5*b^3*c^4*d^5 + 40*a^5*b^3*c^5*d^4 + 40*a^5*b^3*c^6*d^3 + 2*a^6*b^2*c^2*d^7 - 33*a^6*b^2*c^3*d^6 + 26*a^6*b^2*c^4*d^5 + 30*a^6*b^2*c^5*d^4 - 76*a^6*b^2*c^6*d^3 - 36*a^6*b^2*c^7*d^2 - 4*a^7*b*c*d^8 + 12*a^7*b*c^8*d))/((a^6*c^{13} - b^6*d^{13} + a^6*c^{12}*d - b^6*c*d^{12} - a^6*c^6*d^7 - a^6*c^7*d^6 + 3*a^6*c^8*d^5 + 3*a^6*c^9*d^4 - 3*a^6*c^{10}*d^3 - 3*a^6*c^{11}*d^2 + 3*b^6*c^2*d^{11} + 3*b^6*c^3*d^{10} - 3*b^6*c^4*d^9 - 3*b^6*c^5*d^8 + b^6*c^6*d^7 + b^6*c^7*d^6 + 6*a*b^5*c^2*d^{11} - 18*a*b^5*c^3*d^{10} - 18*a*b^5*c^4*d^9 + 18*a*b^5*c^5*d^8 + 18*a*b^5*c^6*d^7 - 6*a*b^5*c^7*d^6 - 6*a*b^5*c^8*d^5 + 6*a^5*b*c^5*d^8 + 6*a^5*b*c^6*d^7 - 18*a^5*b*c^7*d^6 - 18*a^5*b*c^8*d^5 + 18*a^5*b*c^9*d^4 + 18*a^5*b*c^{10}*d^3 - 6*a^5*b*c^{11}*d^2 - 15*a^2*b^4*c^2*d^{11} - 15*a^2*b^4*c^3*d^{10} + 45*a^2*b^4*c^4*d^9 + 45*a^2*b^4*c^5*d^8 - 45*a^2*b^4*c^6*d^7 - 45*a^2*b^4*c^7*d^6 + 15*a^2*b^4*c^8*d^5 + 15*a^2*b^4*c^9*d^4 + 20*a^3*b^3*c^3*d^{10} + 20*a^3*b^3*c^4*d^9 - 60*a^3*b^3*c^5*d^8 - 60*a^3*b^3*c^6*d^7 + 60*a^3*b^3*c^7*d^6 + 60*a^3*b^3*c^8*d^5 - 20*a^3*b^3*c^9*d^4 - 20*a^3*b^3*c^{10}*d^3 - 15*a^4*b^2*c^4*d^9 - 15*a^4*b^2*c^5*d^8 + 45*a^4*b^2*c^6*d^7 + 45*a^4*b^2*c^7*d^6 - 45*a^4*b^2*c^8*d^5 - 45*a^4*b^2*c^9*d^4 + 15*a^4*b^2*c^{10}*d^3 + 15*a^4*b^2*c^{11}*d^2 + 6*a*b^5*c*d^{12} - 6*a^5*b*c^{12}*d) - (a^3*(b^2 - a^2)^{(1/2)})*((8*tan(e/2 + (f*x)/2)*(b^7*d^{10} - 8*a^7*d^{10} - 4*a^7*c^{10} + 4*a^6*b*c^{10} - 3*a*b^6*d^{10} + 16*a^6*b*d^{10} + 8*a^7*c*d^9 + 8*a^7*c^9*d + 7*a^2*b^5*d^{10} - 13*a^3*b^4*d^{10} + 16*a^4*b^3*d^{10} - 16*a^5*b^2*d^{10} + 32*a^7*c^2*d^8 - 32*a^7*c^3*d^7 - 57*a^7*c^4*d^6 + 48*a^7*c^5*d^5 + 52*a^7*c^6*d^4 - 32*a^7*c^7*d^3 - 24*a^7*c^8*d^2 + 4*b^7*c^2*d^8 + 4*b^7*c^4*d^6 - 12*a*b^6*c^2*d^8 - 12*a*b^6*c^3*d^7 - 12*a*b^6*c^4*d^6 - 24*a*b^6*c^5*d^5 - 72*a^6*b*c^2*d^8 + 56*a^6*b*c^3*d^7 + 155*a^6*b*c^4*d^6 - 108*a^6*b*c^5*d^5 - 172*a^6*b*c^6*d^4 + 104*a^6*b*c^7*d^3 + 96*a^6*b*c^8*d^2 + 10*a^2*b^5*c^2*d^8 + 36*a^2*
\end{aligned}$$

$$\begin{aligned}
& b^5c^3d^7 + 4a^2b^5c^4d^6 + 72a^2b^5c^5d^5 + 60a^2b^5c^6d^4 + \\
& 2a^3b^4c^2d^8 - 60a^3b^4c^3d^7 + 20a^3b^4c^4d^6 - 12a^3b^4c^5d^5 - 180a^3b^4c^6d^4 - 72a^3b^4c^7d^3 - 26a^4b^3c^2d^8 + 84 \\
& a^4b^3c^3d^7 + 25a^4b^3c^4d^6 - 156a^4b^3c^5d^5 + 120a^4b^3c^6d^4 + 216a^4b^3c^7d^3 + 36a^4b^3c^8d^2 + 62a^5b^2c^2d^8 - 72 \\
& a^5b^2c^3d^7 - 139a^5b^2c^4d^6 + 180a^5b^2c^5d^5 + 120a^5b^2c^6d^4 - 216a^5b^2c^7d^3 - 108a^5b^2c^8d^2 - 8a^6b^*c^*d^9 - 8a^6 \\
& *b^*c^9d)) / (a^4c^{11} - b^4d^{11} + a^4c^{10}d - b^4c^*d^{10} - a^4c^4d^7 - a \\
& ^4c^5d^6 + 3a^4c^6d^5 + 3a^4c^7d^4 - 3a^4c^8d^3 - 3a^4c^9d^2 \\
& + 3b^4c^2d^9 + 3b^4c^3d^8 - 3b^4c^4d^7 - 3b^4c^5d^6 + b^4c^6d^5 + b^4c^7d^4 + 4a^*b^3c^2d^9 - 12a^*b^3c^3d^8 - 12a^*b^3c^4d^7 + \\
& 12a^*b^3c^5d^6 + 12a^*b^3c^6d^5 - 4a^*b^3c^7d^4 - 4a^*b^3c^8d^3 + 4 \\
& *a^3b^*c^3d^8 + 4a^3b^*c^4d^7 - 12a^3b^*c^5d^6 - 12a^3b^*c^6d^5 + 12 \\
& *a^3b^*c^7d^4 + 12a^3b^*c^8d^3 - 4a^3b^*c^9d^2 - 6a^2b^2c^2d^9 - 6 \\
& *a^2b^2c^3d^8 + 18a^2b^2c^4d^7 + 18a^2b^2c^5d^6 - 18a^2b^2c^6 \\
& *d^5 - 18a^2b^2c^7d^4 + 6a^2b^2c^8d^3 + 6a^2b^2c^9d^2 + 4a^*b^3 \\
& *c^d^{10} - 4a^3b^*c^{10}d) + (a^3(b^2 - a^2)^{(1/2)} * ((8*(2b^{10}d^{15} - 4a^1 \\
& 0c^{15} + 8a^9b^*c^{15} - 2a^*b^9d^{15} + 12a^{10}c^{14}d - 2b^{10}c^*d^{14} - 4a^ \\
& ^8b^2c^{15} + 2a^2b^8d^{15} - 6a^3b^7d^{15} + 4a^4b^6d^{15} + 4a^{10}c^6 \\
& *d^9 - 2a^{10}c^7d^8 - 18a^{10}c^8d^7 + 4a^{10}c^9d^6 + 36a^{10}c^{10}d^5 \\
& - 6a^{10}c^{11}d^4 - 34a^{10}c^{12}d^3 + 8a^{10}c^{13}d^2 - 6b^{10}c^4d^{11} + \\
& 6b^{10}c^5d^{10} + 4b^{10}c^6d^9 - 4b^{10}c^7d^8 + 10a^*b^9c^2d^{13} - 12 \\
& *a^*b^9c^3d^{12} + 18a^*b^9c^4d^{11} + 48a^*b^9c^5d^{10} - 58a^*b^9c^6d^9 \\
& - 28a^*b^9c^7d^8 + 32a^*b^9c^8d^7 + 8a^2b^8c^*d^{14} - 8a^3b^7c^*d^{14} \\
& + 34a^4b^6c^*d^{14} - 24a^5b^5c^*d^{14} + 32a^7b^3c^{14}d - 52a^8b^2c^ \\
& ^{14}d - 24a^9b^*c^5d^{10} + 6a^9b^*c^6d^9 + 112a^9b^*c^7d^8 + 10a^9b^* \\
& c^8d^7 - 236a^9b^*c^9d^6 - 30a^9b^*c^{10}d^5 + 240a^9b^*c^{11}d^4 + 6a^ \\
& 9b^*c^{12}d^3 - 100a^9b^*c^{13}d^2 - 8a^2b^8c^2d^{13} + 10a^2b^8c^3d^{1 \\
& 2} + 90a^2b^8c^4d^{11} - 156a^2b^8c^5d^{10} - 164a^2b^8c^6d^9 + 250 \\
& a^2b^8c^7d^8 + 80a^2b^8c^8d^7 - 112a^2b^8c^9d^6 + 28a^3b^7c^2 \\
& *d^{13} + 84a^3b^7c^3d^{12} - 224a^3b^7c^4d^{11} - 252a^3b^7c^5d^{10} + \\
& 612a^3b^7c^6d^9 + 284a^3b^7c^7d^8 - 634a^3b^7c^8d^7 - 108a^3b^ \\
& 7c^9d^6 + 224a^3b^7c^{10}d^5 - 12a^4b^6c^2d^{13} - 220a^4b^6c^3 \\
& d^{12} - 104a^4b^6c^4d^{11} + 820a^4b^6c^5d^{10} + 260a^4b^6c^6d^9 - \\
& 1396a^4b^6c^7d^8 - 180a^4b^6c^8d^7 + 1042a^4b^6c^9d^6 + 32a^4b^ \\
& 6c^{10}d^5 - 280a^4b^6c^{11}d^4 - 78a^5b^5c^2d^{13} + 128a^5b^5c^3 \\
& *d^{12} + 536a^5b^5c^4d^{11} - 188a^5b^5c^5d^{10} - 1532a^5b^5c^6d^9 \\
& + 204a^5b^5c^7d^8 + 1992a^5b^5c^8d^7 - 236a^5b^5c^9d^6 - 1142a^ \\
& ^5b^5c^{10}d^5 + 116a^5b^5c^{11}d^4 + 224a^5b^5c^{12}d^3 + 60a^6b^4c^ \\
& ^2d^{13} + 90a^6b^4c^3d^{12} - 320a^6b^4c^4d^{11} - 668a^6b^4c^5d^{1 \\
& 0} + 708a^6b^4c^6d^9 + 1660a^6b^4c^7d^8 - 888a^6b^4c^8d^7 - 1788 \\
& *a^6b^4c^9d^6 + 632a^6b^4c^{10}d^5 + 818a^6b^4c^{11}d^4 - 192a^6b^ \\
& 4c^{12}d^3 - 112a^6b^4c^{13}d^2 - 80a^7b^3c^3d^{12} - 50a^7b^3c^4d^ \\
& 11 + 408a^7b^3c^5d^{10} + 452a^7b^3c^6d^9 - 932a^7b^3c^7d^8 - 104 \\
& 0a^7b^3c^8d^7 + 1100a^7b^3c^9d^6 + 956a^7b^3c^{10}d^5 - 636a^7b^
\end{aligned}$$

$$\begin{aligned}
& ^3c^{11}d^4 - 350a^7b^3c^{12}d^3 + 140a^7b^3c^{13}d^2 + 60a^8b^2c^4d^{11} + 6a^8b^2c^5d^{10} - 292a^8b^2c^6d^9 - 148a^8b^2c^7d^8 + 646 \\
& *a^8b^2c^8d^7 + 334a^8b^2c^9d^6 - 708a^8b^2c^{10}d^5 - 252a^8b^2 \\
& *c^{11}d^4 + 346a^8b^2c^{12}d^3 + 64a^8b^2c^{13}d^2 - 8a^9b^9c^d^{14} + 8 \\
& *a^9b^9c^{14}d)) / (a^6c^{13} - b^6d^{13} + a^6c^{12}d - b^6c^d^{12} - a^6c^6d^7 - a^6c^7d^6 + 3a^6c^8d^5 + 3a^6c^9d^4 - 3a^6c^{10}d^3 - 3a^6c^{11}d^2 + 3b^6c^2d^{11} + 3b^6c^3d^{10} - 3b^6c^4d^9 - 3b^6c^5d^8 + b^6c^6d^7 + b^6c^7d^6 + 6a^5b^5c^2d^{11} - 18a^5b^5c^3d^{10} - 18a^5b^5c^4d^9 + 18a^5b^5c^5d^8 + 18a^5b^5c^6d^7 - 6a^5b^5c^7d^6 - 6a^5b^5c^8d^5 + 6a^5b^5c^9d^4 + 6a^5b^5c^{10}d^3 - 18a^5b^5c^{11}d^2 - 15a^2b^4c^2d^{11} - 15a^2b^4c^3d^{10} + 45a^2b^4c^4d^9 + 45a^2b^4c^5d^8 - 45a^2b^4c^6d^7 - 45a^2b^4c^7d^6 + 15a^2b^4c^8d^5 + 15a^2b^4c^9d^4 + 20a^3b^3c^3d^{10} + 20a^3b^3c^4d^9 - 60a^3b^3c^5d^8 - 60a^3b^3c^6d^7 + 60a^3b^3c^7d^6 + 60a^3b^3c^8d^5 - 20a^3b^3c^9d^4 - 20a^3b^3c^{10}d^3 - 15a^4b^2c^4d^9 - 15a^4b^2c^5d^8 + 45a^4b^2c^6d^7 + 45a^4b^2c^7d^6 - 45a^4b^2c^8d^5 - 45a^4b^2c^9d^4 + 15a^4b^2c^{10}d^3 + 15a^4b^2c^{11}d^2 + 6a^5b^5c^d^{12} - 6a^5b^5c^{12}d) - (8a^3\tan(e/2 + (f*x)/2)*(b^2 - a^2)^{(1/2)}*(8a^8b^9c^{16} + 8a^8b^8d^{16} - 8a^9c^{15}d - 8b^9c^d^{15} + 8a^6b^3c^{16} - 16a^7b^2c^{16} - 16a^2b^7d^{16} + 8a^3b^6d^{16} + 8a^9c^6d^{10} - 8a^9c^7d^9 - 32a^9c^8d^8 + 32a^9c^9d^7 + 48a^9c^{10}d^6 - 48a^9c^{11}d^5 - 32a^9c^{12}d^4 + 32a^9c^{13}d^3 + 8a^9c^{14}d^2 + 8b^9c^2d^{14} + 32b^9c^3d^{13} - 32b^9c^4d^{12} - 48b^9c^5d^{11} + 48b^9c^6d^{10} + 32b^9c^7d^9 - 32b^9c^8d^8 - 8b^9c^9d^7 + 8b^9c^{10}d^6 - 80a^8b^8c^3d^{13} - 80a^8b^8c^4d^{12} + 240a^8b^8c^5d^{11} + 160a^8b^8c^6d^{10} - 320a^8b^8c^7d^9 - 120a^8b^8c^8d^8 + 200a^8b^8c^9d^7 + 32a^8b^8c^{10}d^6 - 48a^8b^8c^{11}d^5 - 40a^2b^7c^d^{15} + 88a^3b^6c^d^{15} - 48a^4b^5c^d^{15} - 48a^5b^4c^15d + 88a^6b^3c^{15}d - 40a^7b^2c^{15}d - 48a^8b^9c^5d^{11} + 32a^8b^9c^6d^{10} + 200a^8b^9c^7d^9 - 120a^8b^9c^8d^8 - 320a^8b^9c^9d^7 + 160a^8b^9c^{10}d^6 + 240a^8b^9c^{11}d^5 - 80a^8b^9c^{12}d^4 - 80a^8b^9c^{13}d^3 + 24a^2b^7c^2d^{14} + 136a^2b^7c^3d^{13} + 184a^2b^7c^4d^{12} - 144a^2b^7c^5d^{11} - 656a^2b^7c^6d^{10} + 16a^2b^7c^7d^9 + 864a^2b^7c^8d^8 + 56a^2b^7c^9d^7 - 520a^2b^7c^{10}d^6 - 24a^2b^7c^{11}d^5 + 120a^2b^7c^{12}d^4 + 40a^3b^6c^2d^{14} - 280a^3b^6c^3d^{13} - 320a^3b^6c^4d^{12} + 80a^3b^6c^5d^{11} + 720a^3b^6c^6d^{10} + 720a^3b^6c^7d^9 - 760a^3b^6c^8d^8 - 1160a^3b^6c^9d^7 + 392a^3b^6c^{10}d^6 + 712a^3b^6c^{11}d^5 - 80a^3b^6c^{12}d^4 - 160a^3b^6c^{13}d^3 - 192a^4b^5c^2d^{14} + 152a^4b^5c^3d^{13} + 728a^4b^5c^4d^{12} + 72a^4b^5c^5d^{11} - 872a^4b^5c^6d^{10} - 848a^4b^5c^7d^9 + 48a^4b^5c^8d^8 + 1312a^4b^5c^9d^7 + 688a^4b^5c^{10}d^6 - 840a^4b^5c^{11}d^5 - 520a^4b^5c^{12}d^4 + 200a^4b^5c^{13}d^3 + 120a^4b^5c^{14}d^2 + 120a^5b^4c^2d^{14} + 200a^5b^4c^3d^{13} - 520a^5b^4c^4d^{12} - 840a^5b^4c^5d^{11} + 688a^5b^4c^6d^{10} + 1312a^5b^4c^7d^9 + 48a^5b^4c^8d^8 - 848a^5b^4c^9d^7 - 872a^5b^4c^{10}d^6 + 72a^5b^4c^{11}d^5 + 728
\end{aligned}$$

$$\begin{aligned}
& *a^2*b^2*c^5*d^6 - 18*a^2*b^2*c^6*d^5 - 18*a^2*b^2*c^7*d^4 + 6*a^2*b^2*c^8* \\
& d^3 + 6*a^2*b^2*c^9*d^2 + 4*a*b^3*c*d^{10} - 4*a^3*b*c^{10}*d) - (a^3*(b^2 - a^ \\
& 2)^{(1/2))*((8*(2*b^{10}*d^{15} - 4*a^{10}*c^{15} + 8*a^9*b*c^{15} - 2*a*b^9*d^{15} + 12* \\
& a^{10}*c^{14}*d - 2*b^{10}*c*d^{14} - 4*a^8*b^2*c^{15} + 2*a^2*b^8*d^{15} - 6*a^3*b^7*d \\
& ^{15} + 4*a^4*b^6*d^{15} + 4*a^{10}*c^6*d^9 - 2*a^{10}*c^7*d^8 - 18*a^{10}*c^8*d^7 + \\
& 4*a^{10}*c^9*d^6 + 36*a^{10}*c^{10}*d^5 - 6*a^{10}*c^{11}*d^4 - 34*a^{10}*c^{12}*d^3 + 8* \\
& a^{10}*c^{13}*d^2 - 6*b^{10}*c^4*d^{11} + 6*b^{10}*c^5*d^{10} + 4*b^{10}*c^6*d^9 - 4*b^{10} \\
& *c^7*d^8 + 10*a*b^9*c^2*d^{13} - 12*a*b^9*c^3*d^{12} + 18*a*b^9*c^4*d^{11} + 48*a \\
& *b^9*c^5*d^{10} - 58*a*b^9*c^6*d^9 - 28*a*b^9*c^7*d^8 + 32*a*b^9*c^8*d^7 + 8* \\
& a^2*b^8*c*d^{14} - 8*a^3*b^7*c*d^{14} + 34*a^4*b^6*c*d^{14} - 24*a^5*b^5*c*d^{14} + \\
& 32*a^7*b^3*c^{14}*d - 52*a^8*b^2*c^{14}*d - 24*a^9*b*c^5*d^{10} + 6*a^9*b*c^6*d^ \\
& 9 + 112*a^9*b*c^7*d^8 + 10*a^9*b*c^8*d^7 - 236*a^9*b*c^9*d^6 - 30*a^9*b*c^1 \\
& 0*d^5 + 240*a^9*b*c^{11}*d^4 + 6*a^9*b*c^{12}*d^3 - 100*a^9*b*c^{13}*d^2 - 8*a^2* \\
& b^8*c^2*d^{13} + 10*a^2*b^8*c^3*d^{12} + 90*a^2*b^8*c^4*d^{11} - 156*a^2*b^8*c^5* \\
& d^{10} - 164*a^2*b^8*c^6*d^9 + 250*a^2*b^8*c^7*d^8 + 80*a^2*b^8*c^8*d^7 - 112 \\
& *a^2*b^8*c^9*d^6 + 28*a^3*b^7*c^2*d^{13} + 84*a^3*b^7*c^3*d^{12} - 224*a^3*b^7* \\
& c^4*d^{11} - 252*a^3*b^7*c^5*d^{10} + 612*a^3*b^7*c^6*d^9 + 284*a^3*b^7*c^7*d^8 \\
& - 634*a^3*b^7*c^8*d^7 - 108*a^3*b^7*c^9*d^6 + 224*a^3*b^7*c^{10}*d^5 - 12*a^ \\
& 4*b^6*c^2*d^{13} - 220*a^4*b^6*c^3*d^{12} - 104*a^4*b^6*c^4*d^{11} + 820*a^4*b^6* \\
& c^5*d^{10} + 260*a^4*b^6*c^6*d^9 - 1396*a^4*b^6*c^7*d^8 - 180*a^4*b^6*c^8*d^7 \\
& + 1042*a^4*b^6*c^9*d^6 + 32*a^4*b^6*c^{10}*d^5 - 280*a^4*b^6*c^{11}*d^4 - 78*a \\
& ^5*b^5*c^2*d^{13} + 128*a^5*b^5*c^3*d^{12} + 536*a^5*b^5*c^4*d^{11} - 188*a^5*b^5 \\
& *c^5*d^{10} - 1532*a^5*b^5*c^6*d^9 + 204*a^5*b^5*c^7*d^8 + 1992*a^5*b^5*c^8*d \\
& ^7 - 236*a^5*b^5*c^9*d^6 - 1142*a^5*b^5*c^{10}*d^5 + 116*a^5*b^5*c^{11}*d^4 + 2 \\
& 24*a^5*b^5*c^{12}*d^3 + 60*a^6*b^4*c^2*d^{13} + 90*a^6*b^4*c^3*d^{12} - 320*a^6*b \\
& ^4*c^4*d^{11} - 668*a^6*b^4*c^5*d^{10} + 708*a^6*b^4*c^6*d^9 + 1660*a^6*b^4*c^7 \\
& *d^8 - 888*a^6*b^4*c^8*d^7 - 1788*a^6*b^4*c^9*d^6 + 632*a^6*b^4*c^{10}*d^5 + \\
& 818*a^6*b^4*c^{11}*d^4 - 192*a^6*b^4*c^{12}*d^3 - 112*a^6*b^4*c^{13}*d^2 - 80*a^7 \\
& *b^3*c^3*d^{12} - 50*a^7*b^3*c^4*d^{11} + 408*a^7*b^3*c^5*d^{10} + 452*a^7*b^3*c^ \\
& 6*d^9 - 932*a^7*b^3*c^7*d^8 - 1040*a^7*b^3*c^8*d^7 + 1100*a^7*b^3*c^9*d^6 + \\
& 956*a^7*b^3*c^{10}*d^5 - 636*a^7*b^3*c^{11}*d^4 - 350*a^7*b^3*c^{12}*d^3 + 140*a \\
& ^7*b^3*c^{13}*d^2 + 60*a^8*b^2*c^4*d^{11} + 6*a^8*b^2*c^5*d^{10} - 292*a^8*b^2*c^ \\
& 6*d^9 - 148*a^8*b^2*c^7*d^8 + 646*a^8*b^2*c^8*d^7 + 334*a^8*b^2*c^9*d^6 - 7 \\
& 08*a^8*b^2*c^{10}*d^5 - 252*a^8*b^2*c^{11}*d^4 + 346*a^8*b^2*c^{12}*d^3 + 64*a^8* \\
& b^2*c^{13}*d^2 - 8*a*b^9*c*d^{14} + 8*a^9*b*c^{14}*d))/ (a^6*c^{13} - b^6*d^{13} + a^6 \\
& *c^{12}*d - b^6*c*d^{12} - a^6*c^6*d^7 - a^6*c^7*d^6 + 3*a^6*c^8*d^5 + 3*a^6*c^ \\
& 9*d^4 - 3*a^6*c^{10}*d^3 - 3*a^6*c^{11}*d^2 + 3*b^6*c^2*d^{11} + 3*b^6*c^3*d^{10} - \\
& 3*b^6*c^4*d^9 - 3*b^6*c^5*d^8 + b^6*c^6*d^7 + b^6*c^7*d^6 + 6*a*b^5*c^2*d^ \\
& 11 - 18*a*b^5*c^3*d^{10} - 18*a*b^5*c^4*d^9 + 18*a*b^5*c^5*d^8 + 18*a*b^5*c^6 \\
& *d^7 - 6*a*b^5*c^7*d^6 - 6*a*b^5*c^8*d^5 + 6*a^5*b*c^5*d^8 + 6*a^5*b*c^6*d^ \\
& 7 - 18*a^5*b*c^7*d^6 - 18*a^5*b*c^8*d^5 + 18*a^5*b*c^9*d^4 + 18*a^5*b*c^{10} \\
& d^3 - 6*a^5*b*c^{11}*d^2 - 15*a^2*b^4*c^2*d^{11} - 15*a^2*b^4*c^3*d^{10} + 45*a^2 \\
& *b^4*c^4*d^9 + 45*a^2*b^4*c^5*d^8 - 45*a^2*b^4*c^6*d^7 - 45*a^2*b^4*c^7*d^6 \\
& + 15*a^2*b^4*c^8*d^5 + 15*a^2*b^4*c^9*d^4 + 20*a^3*b^3*c^3*d^{10} + 20*a^3*b \\
& ^3*c^4*d^9 - 60*a^3*b^3*c^5*d^8 - 60*a^3*b^3*c^6*d^7 + 60*a^3*b^3*c^7*d^6 +
\end{aligned}$$

$$\begin{aligned}
& 60a^3b^3c^8d^5 - 20a^3b^3c^9d^4 - 20a^3b^3c^{10}d^3 - 15a^4b^2c^4d^9 - 15a^4b^2c^5d^8 + 45a^4b^2c^6d^7 + 45a^4b^2c^7d^6 - 4 \\
& 5a^4b^2c^8d^5 - 45a^4b^2c^9d^4 + 15a^4b^2c^{10}d^3 + 15a^4b^2c^{11}d^2 + 6a^5b^5c^4d^{12} - 6a^5b^5c^{12}d) + (8a^3\tan(e/2 + (f*x)/2)*(b^2 \\
& - a^2)^{(1/2)}*(8a^8b^8c^{16} + 8a^8b^8d^{16} - 8a^9c^{15}d - 8b^9c^8d^{15} + \\
& 8a^6b^3c^{16} - 16a^7b^2c^{16} - 16a^2b^7d^{16} + 8a^3b^6d^{16} + 8a^9 \\
& c^6d^{10} - 8a^9c^7d^9 - 32a^9c^8d^8 + 32a^9c^9d^7 + 48a^9c^{10}d^6 - 48a^9c^{11}d^5 - 32a^9c^{12}d^4 + 32a^9c^{13}d^3 + 8a^9c^{14}d^2 + \\
& 8b^9c^2d^{14} + 32b^9c^3d^{13} - 32b^9c^4d^{12} - 48b^9c^5d^{11} + 48b^9c^6d^{10} + 32b^9c^7d^9 - 32b^9c^8d^8 - 8b^9c^9d^7 + 8b^9c^{10} \\
& d^6 - 80a^8b^8c^3d^{13} - 80a^8b^8c^4d^{12} + 240a^8b^8c^5d^{11} + 160a^8b^8c^6d^{10} - 320a^8b^8c^7d^9 - 120a^8b^8c^8d^8 + 200a^8b^8c^9d^7 + 3 \\
& 2a^8b^8c^{10}d^6 - 48a^8b^8c^{11}d^5 - 40a^2b^7c^4d^{15} + 88a^3b^6c^4d^{15} - 48a^4b^5c^4d^{15} - 48a^5b^4c^4d^{15} + 88a^6b^3c^4d^{15} - 40a^7b^2c^4d^{15} \\
& - 48a^8b^2c^4d^{15} + 32a^8b^2c^6d^{10} + 200a^8b^2c^7d^9 - 120a^8b^2c^8d^8 - 320a^8b^2c^9d^7 + 160a^8b^2c^{10}d^6 + 240a^8b^2c^{11}d^5 - \\
& 80a^8b^2c^{12}d^4 - 80a^8b^2c^{13}d^3 + 24a^2b^7c^2d^{14} + 136a^2b^7c^3d^{13} + 184a^2b^7c^4d^{12} - 144a^2b^7c^5d^{11} - 656a^2b^7c^6d^{10} \\
& + 16a^2b^7c^7d^9 + 864a^2b^7c^8d^8 + 56a^2b^7c^9d^7 - 520a^2b^7c^{10}d^6 - 24a^2b^7c^{11}d^5 + 120a^2b^7c^{12}d^4 + 40a^3b^6c^2d^{14} - 280a^3b^6c^3d^{13} \\
& - 320a^3b^6c^4d^{12} + 80a^3b^6c^5d^{11} + 720a^3b^6c^6d^{10} + 720a^3b^6c^7d^9 - 760a^3b^6c^8d^8 - 1160a^3b^6c^9d^7 + 392a^3b^6c^{10}d^6 + 712a^3b^6c^{11}d^5 \\
& - 80a^3b^6c^{12}d^4 - 160a^3b^6c^{13}d^3 - 192a^4b^5c^2d^{14} + 152a^4b^5c^3d^{13} + 728a^4b^5c^4d^{12} + 72a^4b^5c^5d^{11} - 872a^4b^5c^6d^{10} - 848 \\
& a^4b^5c^7d^9 + 48a^4b^5c^8d^8 + 1312a^4b^5c^9d^7 + 688a^4b^5c^{10}d^6 - 840a^4b^5c^{11}d^5 - 520a^4b^5c^{12}d^4 + 200a^4b^5c^{13}d^3 + 120a^4b^5c^{14}d^2 \\
& + 120a^5b^4c^2d^{14} + 200a^5b^4c^3d^{13} - 520a^5b^4c^4d^{12} - 840a^5b^4c^5d^{11} + 688a^5b^4c^6d^{10} + 1312a^5b^4c^7d^9 + 48a^5b^4c^8d^8 - 848a^5b^4c^9d^7 \\
& - 872a^5b^4c^{10}d^6 + 72a^5b^4c^{11}d^5 + 728a^5b^4c^{12}d^4 + 152a^5b^4c^{13}d^3 - 192a^5b^4c^{14}d^2 - 160a^6b^3c^3d^{13} - 80a^6b^3c^4d^{12} + 712a^6 \\
& b^3c^5d^{11} + 392a^6b^3c^6d^{10} - 1160a^6b^3c^7d^9 - 760a^6b^3c^8d^8 + 720a^6b^3c^9d^7 + 720a^6b^3c^{10}d^6 + 80a^6b^3c^{11}d^5 - 320a^6b^3c^{12}d^4 \\
& - 280a^6b^3c^{13}d^3 + 40a^6b^3c^{14}d^2 + 120a^7b^2c^4d^{12} - 24a^7b^2c^5d^{11} - 520a^7b^2c^6d^{10} + 56a^7b^2c^7d^9 + 864a^7b^2c^8d^8 + 16a^7b^2c^9d^7 \\
& - 656a^7b^2c^{10}d^6 - 144a^7b^2c^{11}d^5 + 184a^7b^2c^{12}d^4 + 136a^7b^2c^{13}d^3 + 24a^7b^2c^{14}d^2 + 8a^8b^3c^4d^{15} + 8a^8b^3c^{15}d)) / ((a^5c^3 + b^5d^3 - a^3b^2c^3 \\
& - a^2b^3d^3 + 3a^2b^3c^2d + 3a^3b^2c^2d^2 - 3a^4b^2c^2d^2 - 3a^4b^2c^2d) * (a^4c^{11} - b^4d^{11} + a^4c^{10}d - b^4c^4d^{10} - a^4c^4d^7 - a^4c^5d^6 \\
& + 3a^4c^6d^5 + 3a^4c^7d^4 - 3a^4c^8d^3 - 3a^4c^9d^2 + 3b^4c^2d^9 + 3b^4c^3d^8 - 3b^4c^4d^7 - 3b^4c^5d^6 + b^4c^6d^5 + b^4c^7d^4 + 4a^8b^3c^2d^9 \\
& - 12a^8b^3c^3d^8 - 12a^8b^3c^4d^7 + 12a^8b^3c^5d^6 + 12a^8b^3c^6d^5 - 4a^8b^3c^7d^4 - 4a^8b^3c^8d^3
\end{aligned}$$

$$\begin{aligned}
& 3 + 4a^3bc^3d^8 + 4a^3b^2c^4d^7 - 12a^3b^2c^5d^6 - 12a^3b^2c^6d^5 \\
& + 12a^3b^2c^7d^4 + 12a^3b^2c^8d^3 - 4a^3b^2c^9d^2 - 6a^2b^2c^2d^9 \\
& - 6a^2b^2c^3d^8 + 18a^2b^2c^4d^7 + 18a^2b^2c^5d^6 - 18a^2b^2c^6d^5 \\
& - 18a^2b^2c^7d^4 + 6a^2b^2c^8d^3 + 6a^2b^2c^9d^2 + 4a^2b^3c^2d^10 \\
& - 4a^3b^2c^10d)))/(a^5c^3 + b^5d^3 - a^3b^2c^3 - a^2b^3c^2d^3 \\
& + 3a^2b^3c^2d + 3a^3b^2c^2d^2 - 3a^2b^4c^2d^2 - 3a^4b^2c^2d)) \\
&)/(a^5c^3 + b^5d^3 - a^3b^2c^3 - a^2b^3c^2d + 3a^2b^3c^2d + 3a^3b^2c^2d \\
& - 3a^2b^4c^2d - 3a^4b^2c^2d)) * (b^2 - a^2)^{(1/2)} * 2i) / (f * (a^5c^3 \\
& + b^5d^3 - a^3b^2c^3 - a^2b^3c^2d + 3a^2b^3c^2d + 3a^3b^2c^2d \\
& - 3a^2b^4c^2d - 3a^4b^2c^2d)) + (d * \operatorname{atan}(((d * ((c + d)^5 * (c - d)^5)^{(1/2)} \\
& * ((8 * \tan(e/2 + (f * x)/2) * (b^7d^{10} - 8a^7d^{10} - 4a^7c^{10} + 4a^6b^2c^{10} \\
& - 3a^2b^6d^{10} + 16a^6b^2d^{10} + 8a^7c^2d^9 + 8a^7c^9d + 7a^2b^5d^{10} \\
& - 13a^3b^4d^{10} + 16a^4b^3d^{10} - 16a^5b^2d^{10} + 32a^7c^2d^8 \\
& - 32a^7c^3d^7 - 57a^7c^4d^6 + 48a^7c^5d^5 + 52a^7c^6d^4 - 32a^7c^7d^3 \\
& - 24a^7c^8d^2 + 4b^7c^2d^8 + 4b^7c^4d^6 - 12a^2b^6c^2d^8 \\
& - 12a^2b^6c^3d^7 - 12a^2b^6c^4d^6 - 24a^2b^6c^5d^5 - 72a^6b^2c^2d^8 \\
& + 56a^6b^2c^3d^7 + 155a^6b^2c^4d^6 - 108a^6b^2c^5d^5 - 172a^6b^2c^6d^4 \\
& + 104a^6b^2c^7d^3 + 96a^6b^2c^8d^2 + 10a^2b^5c^2d^8 + 36a^2b^5c^3d^7 \\
& + 4a^2b^5c^4d^6 + 72a^2b^5c^5d^5 + 60a^2b^5c^6d^4 + 2a^3b^4c^2d^8 \\
& - 60a^3b^4c^3d^7 + 20a^3b^4c^4d^6 - 12a^3b^4c^5d^5 - 180a^3b^4c^6d^4 \\
& - 72a^3b^4c^7d^3 - 26a^4b^3c^2d^8 + 84a^4b^3c^3d^7 + 25a^4b^3c^4d^6 \\
& - 156a^4b^3c^5d^5 + 120a^4b^3c^6d^4 + 216a^4b^3c^7d^3 + 36a^4b^3c^8d^2 \\
& + 62a^5b^2c^2d^8 - 72a^5b^2c^3d^7 - 139a^5b^2c^4d^6 + 180a^5b^2c^5d^5 \\
& + 120a^5b^2c^6d^4 - 216a^5b^2c^7d^3 - 108a^5b^2c^8d^2 - 8a^6b^2c^9d \\
& - 8a^6b^2c^9d)))/(a^4c^{11} - b^4d^{11} + a^4c^{10}d - b^4c^2d^{10} - a^4c^4d^7 \\
& - a^4c^5d^6 + 3a^4c^6d^5 + 3a^4c^7d^4 - 3a^4c^8d^3 - 3a^4c^9d^2 \\
& + 3b^4c^2d^9 + 3b^4c^3d^8 - 3b^4c^4d^7 - 3b^4c^5d^6 + b^4c^6d^5 \\
& + b^4c^7d^4 + 4a^2b^3c^2d^9 - 12a^2b^3c^3d^8 - 12a^2b^3c^4d^7 \\
& + 12a^2b^3c^5d^6 + 12a^2b^3c^6d^5 - 4a^2b^3c^7d^4 - 4a^2b^3c^8d^3 + \\
& 4a^3b^2c^3d^8 + 4a^3b^2c^4d^7 - 12a^3b^2c^5d^6 - 12a^3b^2c^6d^5 + \\
& 12a^3b^2c^7d^4 + 12a^3b^2c^8d^3 - 4a^3b^2c^9d^2 - 6a^2b^2c^2d^9 - \\
& 6a^2b^2c^3d^8 + 18a^2b^2c^4d^7 + 18a^2b^2c^5d^6 - 18a^2b^2c^6d^5 \\
& - 18a^2b^2c^7d^4 + 6a^2b^2c^8d^3 + 6a^2b^2c^9d^2 + 4a^2b^3c^2d^10 \\
& - 4a^3b^2c^10d) + (d * ((c + d)^5 * (c - d)^5)^{(1/2)} * ((8 * (2b^{10}d^{15} \\
& - 4a^{10}c^{15} + 8a^9b^2c^{15} - 2a^2b^9d^{15} + 12a^{10}c^{14}d - 2b^{10}c^8d^{14} \\
& - 4a^8b^2c^{15} + 2a^2b^8d^{15} - 6a^3b^7d^{15} + 4a^4b^6d^{15} + 4a^{10}c^6d^9 \\
& - 2a^{10}c^7d^8 - 18a^{10}c^8d^7 + 4a^{10}c^9d^6 + 36a^{10}c^{10}d^5 - 6a^{10}c^{11}d^4 \\
& - 34a^{10}c^{12}d^3 + 8a^{10}c^{13}d^2 - 6b^{10}c^4d^{11} + 6b^{10}c^5d^{10} \\
& + 4b^{10}c^6d^9 - 4b^{10}c^7d^8 + 10a^2b^9c^2d^{13} - 12a^2b^9c^3d^{12} \\
& + 18a^2b^9c^4d^{11} + 48a^2b^9c^5d^{10} - 58a^2b^9c^6d^9 - 28a^2b^9c^7d^8 \\
& + 32a^2b^9c^8d^7 + 8a^2b^8c^2d^{14} - 8a^3b^7c^2d^{14} + 34a^4b^6c^2d^{14} \\
& - 24a^5b^5c^2d^{14} + 32a^7b^3c^2d^{14} - 52a^8b^2c^2d^{14} - 24a^9b^2c^5d^{10} \\
& + 6a^9b^2c^6d^9 + 112a^9b^2c^7d^8 + 10a^9b^2c^8d^7 - 236a^9b^2c^9d^6 \\
& - 30a^9b^2c^{10}d^5 + 240a^9b^2c^{11}d^4
\end{aligned}$$

$$\begin{aligned}
& d^4 + 6a^9b^8c^{12}d^3 - 100a^9b^8c^{13}d^2 - 8a^2b^8c^2d^{13} + 10a^2b^8c^3d^{12} + 90a^2b^8c^4d^{11} - 156a^2b^8c^5d^{10} - 164a^2b^8c^6d^9 + 250a^2b^8c^7d^8 + 80a^2b^8c^8d^7 - 112a^2b^8c^9d^6 + 28a^3b^7c^2d^{13} + 84a^3b^7c^3d^{12} - 224a^3b^7c^4d^{11} - 252a^3b^7c^5d^{10} + 612a^3b^7c^6d^9 + 284a^3b^7c^7d^8 - 634a^3b^7c^8d^7 - 108a^3b^7c^9d^6 + 224a^3b^7c^{10}d^5 - 12a^4b^6c^2d^{13} - 220a^4b^6c^3d^{12} - 104a^4b^6c^4d^{11} + 820a^4b^6c^5d^{10} + 260a^4b^6c^6d^9 - 1396a^4b^6c^7d^8 - 180a^4b^6c^8d^7 + 1042a^4b^6c^9d^6 + 32a^4b^6c^{10}d^5 - 280a^4b^6c^{11}d^4 - 78a^5b^5c^2d^{13} + 128a^5b^5c^3d^{12} + 536a^5b^5c^4d^{11} - 188a^5b^5c^5d^{10} - 1532a^5b^5c^6d^9 + 204a^5b^5c^7d^8 + 1992a^5b^5c^8d^7 - 236a^5b^5c^9d^6 - 1142a^5b^5c^{10}d^5 + 116a^5b^5c^{11}d^4 + 224a^5b^5c^{12}d^3 + 60a^6b^4c^2d^{13} + 90a^6b^4c^3d^{12} - 320a^6b^4c^4d^{11} - 668a^6b^4c^5d^{10} + 708a^6b^4c^6d^9 + 1660a^6b^4c^7d^8 - 888a^6b^4c^8d^7 - 1788a^6b^4c^9d^6 + 632a^6b^4c^{10}d^5 + 818a^6b^4c^{11}d^4 - 192a^6b^4c^{12}d^3 - 112a^6b^4c^{13}d^2 - 80a^7b^3c^3d^{12} - 50a^7b^3c^4d^{11} + 408a^7b^3c^5d^{10} + 452a^7b^3c^6d^9 - 932a^7b^3c^7d^8 - 1040a^7b^3c^8d^7 + 1100a^7b^3c^9d^6 + 956a^7b^3c^{10}d^5 - 636a^7b^3c^{11}d^4 - 350a^7b^3c^{12}d^3 + 140a^7b^3c^{13}d^2 + 60a^8b^2c^4d^{11} + 6a^8b^2c^5d^{10} - 292a^8b^2c^6d^9 - 148a^8b^2c^7d^8 + 646a^8b^2c^8d^7 + 334a^8b^2c^9d^6 - 708a^8b^2c^{10}d^5 - 252a^8b^2c^{11}d^4 + 346a^8b^2c^{12}d^3 + 64a^8b^2c^{13}d^2 - 8a^9b^8c^{14}d + 8a^9b^8c^{14}d)/((a^6c^{13} - b^6d^{13} + a^6c^{12}d - b^6c^6d^{12} - a^6c^6d^7 - a^6c^7d^6 + 3a^6c^8d^5 + 3a^6c^9d^4 - 3a^6c^{10}d^3 - 3a^6c^{11}d^2 + 3b^6c^2d^{11} + 3b^6c^3d^{10} - 3b^6c^4d^9 - 3b^6c^5d^8 + b^6c^6d^7 + b^6c^7d^6 + 6a^5b^5c^2d^{11} - 18a^5b^5c^3d^{10} - 18a^5b^5c^4d^9 + 18a^5b^5c^5d^8 + 18a^5b^5c^6d^7 - 6a^5b^5c^7d^6 - 6a^5b^5c^8d^5 + 6a^5b^5c^9d^4 + 6a^5b^5c^{10}d^3 - 6a^5b^5c^{11}d^2 - 15a^2b^4c^2d^{11} - 15a^2b^4c^3d^{10} + 45a^2b^4c^4d^9 + 45a^2b^4c^5d^8 - 45a^2b^4c^6d^7 - 45a^2b^4c^7d^6 + 15a^2b^4c^8d^5 + 15a^2b^4c^9d^4 + 20a^3b^3c^3d^{10} + 20a^3b^3c^4d^9 - 60a^3b^3c^5d^8 - 60a^3b^3c^6d^7 + 60a^3b^3c^7d^6 + 60a^3b^3c^8d^5 - 20a^3b^3c^9d^4 - 20a^3b^3c^{10}d^3 - 15a^4b^2c^4d^9 - 15a^4b^2c^5d^8 + 45a^4b^2c^6d^7 + 45a^4b^2c^7d^6 - 45a^4b^2c^8d^5 - 45a^4b^2c^9d^4 + 15a^4b^2c^{10}d^3 + 15a^4b^2c^{11}d^2 + 6a^5b^5c^6d^7 - 6a^5b^5c^7d^6 + 6a^5b^5c^8d^5 - 6a^5b^5c^9d^4 + 6a^5b^5c^{10}d^3 - 6a^5b^5c^{11}d^2 + 6a^5b^5c^{12}d) - (4d*\tan(e/2 + (f*x)/2)*((c + d)^5*(c - d)^5)^(1/2)*(6a^2c^4 + 2a^2d^4 + b^2d^4 - 5a^2c^2d^2 + 2b^2c^2d^2 - 6a^5b^5c^3*d)*(8a^8b^8c^{16} + 8a^8b^8d^{16} - 8a^9c^{15}d - 8b^9c^15d + 8a^6b^3c^{16} - 16a^7b^2c^{16} - 16a^2b^7d^{16} + 8a^3b^6d^{16} + 8a^9c^6d^{10} - 8a^9c^7d^9 - 32a^9c^8d^8 + 32a^9c^9d^7 + 48a^9c^{10}d^6 - 48a^9c^{11}d^5 - 32a^9c^{12}d^4 + 32a^9c^{13}d^3 + 8a^9c^{14}d^2 + 8b^9c^2d^{14} + 32b^9c^3d^{13} - 32b^9c^4d^{12} - 48b^9c^5d^{11} + 48b^9c^6d^{10} + 32b^9c^7d^9 - 32b^9c^8d^8 - 8b^9c^9d^7 + 8b^9c^{10}d^6 - 80a^8b^8c^3d^{13} - 80a^8b^8c^4d^{12} + 240a^8b^8c^5d^{11} + 160a^8b^8c^6d^{10}
\end{aligned}$$

$$\begin{aligned}
& 0 - 320*a*b^8*c^7*d^9 - 120*a*b^8*c^8*d^8 + 200*a*b^8*c^9*d^7 + 32*a*b^8*c^10*d^6 - 48*a*b^8*c^11*d^5 - 40*a^2*b^7*c*d^15 + 88*a^3*b^6*c*d^15 - 48*a^4 \\
& *b^5*c*d^15 - 48*a^5*b^4*c^15*d + 88*a^6*b^3*c^15*d - 40*a^7*b^2*c^15*d - 4 \\
& 8*a^8*b*c^5*d^11 + 32*a^8*b*c^6*d^10 + 200*a^8*b*c^7*d^9 - 120*a^8*b*c^8*d^8 - 320*a^8*b*c^9*d^7 + 160*a^8*b*c^10*d^6 + 240*a^8*b*c^11*d^5 - 80*a^8*b* \\
& c^12*d^4 - 80*a^8*b*c^13*d^3 + 24*a^2*b^7*c^2*d^14 + 136*a^2*b^7*c^3*d^13 + \\
& 184*a^2*b^7*c^4*d^12 - 144*a^2*b^7*c^5*d^11 - 656*a^2*b^7*c^6*d^10 + 16*a^2 \\
& *b^7*c^7*d^9 + 864*a^2*b^7*c^8*d^8 + 56*a^2*b^7*c^9*d^7 - 520*a^2*b^7*c^10 \\
& *d^6 - 24*a^2*b^7*c^11*d^5 + 120*a^2*b^7*c^12*d^4 + 40*a^3*b^6*c^2*d^14 - 2 \\
& 80*a^3*b^6*c^3*d^13 - 320*a^3*b^6*c^4*d^12 + 80*a^3*b^6*c^5*d^11 + 720*a^3*b^6 \\
& *c^6*d^10 + 720*a^3*b^6*c^7*d^9 - 760*a^3*b^6*c^8*d^8 - 1160*a^3*b^6*c^9 \\
& *d^7 + 392*a^3*b^6*c^10*d^6 + 712*a^3*b^6*c^11*d^5 - 80*a^3*b^6*c^12*d^4 - \\
& 160*a^3*b^6*c^13*d^3 - 192*a^4*b^5*c^2*d^14 + 152*a^4*b^5*c^3*d^13 + 728*a^4 \\
& *b^5*c^4*d^12 + 72*a^4*b^5*c^5*d^11 - 872*a^4*b^5*c^6*d^10 - 848*a^4*b^5*c^7 \\
& *d^9 + 48*a^4*b^5*c^8*d^8 + 1312*a^4*b^5*c^9*d^7 + 688*a^4*b^5*c^10*d^6 - \\
& 840*a^4*b^5*c^11*d^5 - 520*a^4*b^5*c^12*d^4 + 200*a^4*b^5*c^13*d^3 + 120*a^4 \\
& *b^5*c^14*d^2 + 120*a^5*b^4*c^2*d^14 + 200*a^5*b^4*c^3*d^13 - 520*a^5*b^4 \\
& *c^4*d^12 - 840*a^5*b^4*c^5*d^11 + 688*a^5*b^4*c^6*d^10 + 1312*a^5*b^4*c^7* \\
& d^9 + 48*a^5*b^4*c^8*d^8 - 848*a^5*b^4*c^9*d^7 - 872*a^5*b^4*c^10*d^6 + 72* \\
& a^5*b^4*c^11*d^5 + 728*a^5*b^4*c^12*d^4 + 152*a^5*b^4*c^13*d^3 - 192*a^5*b^4 \\
& *c^14*d^2 - 160*a^6*b^3*c^3*d^13 - 80*a^6*b^3*c^4*d^12 + 712*a^6*b^3*c^5*d^11 + \\
& 392*a^6*b^3*c^6*d^10 - 1160*a^6*b^3*c^7*d^9 - 760*a^6*b^3*c^8*d^8 + 7 \\
& 20*a^6*b^3*c^9*d^7 + 720*a^6*b^3*c^10*d^6 + 80*a^6*b^3*c^11*d^5 - 320*a^6*b^3 \\
& *c^12*d^4 - 280*a^6*b^3*c^13*d^3 + 40*a^6*b^3*c^14*d^2 + 120*a^7*b^2*c^4* \\
& d^12 - 24*a^7*b^2*c^5*d^11 - 520*a^7*b^2*c^6*d^10 + 56*a^7*b^2*c^7*d^9 + 86 \\
& 4*a^7*b^2*c^8*d^8 + 16*a^7*b^2*c^9*d^7 - 656*a^7*b^2*c^10*d^6 - 144*a^7*b^2 \\
& *c^11*d^5 + 184*a^7*b^2*c^12*d^4 + 136*a^7*b^2*c^13*d^3 + 24*a^7*b^2*c^14*d^2 \\
& + 8*a*b^8*c*d^15 + 8*a^8*b*c^15*d))/((a^3*c^13 + b^3*d^13 - a^3*c^3*d^10 \\
& + 5*a^3*c^5*d^8 - 10*a^3*c^7*d^6 + 10*a^3*c^9*d^4 - 5*a^3*c^11*d^2 - 5*b^3 \\
& *c^2*d^11 + 10*b^3*c^4*d^9 - 10*b^3*c^6*d^7 + 5*b^3*c^8*d^5 - b^3*c^10*d^3 \\
& + 15*a*b^2*c^3*d^10 - 30*a*b^2*c^5*d^8 + 30*a*b^2*c^7*d^6 - 15*a*b^2*c^9*d^4 \\
& + 3*a*b^2*c^11*d^2 + 3*a^2*b*c^2*d^11 - 15*a^2*b*c^4*d^9 + 30*a^2*b*c^6*d^7 - \\
& 30*a^2*b*c^8*d^5 + 15*a^2*b*c^10*d^3 - 3*a*b^2*c*d^12 - 3*a^2*b*c^12*d^4) \\
& *(a^4*c^11 - b^4*d^11 + a^4*c^10*d - b^4*c*d^10 - a^4*c^4*d^7 - a^4*c^5*d^6 \\
& + 3*a^4*c^6*d^5 + 3*a^4*c^7*d^4 - 3*a^4*c^8*d^3 - 3*a^4*c^9*d^2 + 3*b^4*c^2*d^9 \\
& + 3*b^4*c^3*d^8 - 3*b^4*c^4*d^7 - 3*b^4*c^5*d^6 + b^4*c^6*d^5 + b^4*c^7*d^4 + \\
& 4*a*b^3*c^2*d^9 - 12*a*b^3*c^3*d^8 - 12*a*b^3*c^4*d^7 + 12*a*b^3*c^5*d^6 + \\
& 12*a*b^3*c^6*d^5 - 4*a*b^3*c^7*d^4 - 4*a*b^3*c^8*d^3 + 4*a^3*b*c^3*d^8 + \\
& 4*a^3*b*c^4*d^7 - 12*a^3*b*c^5*d^6 - 12*a^3*b*c^6*d^5 + 12*a^3*b*c^7*d^4 + \\
& 12*a^3*b*c^8*d^3 - 4*a^3*b*c^9*d^2 - 6*a^2*b^2*c^2*d^9 - 6*a^2*b^2*c^3*d^8 + \\
& 18*a^2*b^2*c^4*d^7 + 18*a^2*b^2*c^5*d^6 - 18*a^2*b^2*c^6*d^5 - 18 \\
& *a^2*b^2*c^7*d^4 + 6*a^2*b^2*c^8*d^3 + 6*a^2*b^2*c^9*d^2 + 4*a*b^3*c*d^10 - \\
& 4*a^3*b*c^10*d)))*(6*a^2*c^4 + 2*a^2*d^4 + b^2*d^4 - 5*a^2*c^2*d^2 + 2*b^2 \\
& *c^2*d^2 - 6*a*b*c^3*d))/((2*(a^3*c^13 + b^3*d^13 - a^3*c^3*d^10 + 5*a^3*c^5 \\
& *d^8 - 10*a^3*c^7*d^6 + 10*a^3*c^9*d^4 - 5*a^3*c^11*d^2 - 5*b^3*c^2*d^11 +
\end{aligned}$$

$$\begin{aligned}
& 10*b^3*c^4*d^9 - 10*b^3*c^6*d^7 + 5*b^3*c^8*d^5 - b^3*c^{10}*d^3 + 15*a*b^2*c^3*d^{10} - 30*a*b^2*c^5*d^8 + 30*a*b^2*c^7*d^6 - 15*a*b^2*c^9*d^4 + 3*a*b^2*c^{11}*d^2 + 3*a^2*b*c^2*d^{11} - 15*a^2*b*c^4*d^9 + 30*a^2*b*c^6*d^7 - 30*a^2*b*c^8*d^5 + 15*a^2*b*c^{10}*d^3 - 3*a*b^2*c*d^{12} - 3*a^2*b*c^{12}*d)) * (6*a^2*c^4 + 2*a^2*d^4 + b^2*d^4 - 5*a^2*c^2*d^2 + 2*b^2*c^2*d^2 - 6*a*b*c^3*d) * i) \\
& / (2*(a^3*c^{13} + b^3*d^{13} - a^3*c^3*d^{10} + 5*a^3*c^5*d^8 - 10*a^3*c^7*d^6 + 10*a^3*c^9*d^4 - 5*a^3*c^{11}*d^2 - 5*b^3*c^2*d^{11} + 10*b^3*c^4*d^9 - 10*b^3*c^6*d^7 + 5*b^3*c^8*d^5 - b^3*c^{10}*d^3 + 15*a*b^2*c^3*d^{10} - 30*a*b^2*c^5*d^8 + 30*a*b^2*c^7*d^6 - 15*a*b^2*c^9*d^4 + 3*a*b^2*c^{11}*d^2 + 3*a^2*b*c^2*d^{11} - 15*a^2*b*c^4*d^9 + 30*a^2*b*c^6*d^7 - 30*a^2*b*c^8*d^5 + 15*a^2*b*c^{10}*d^3 - 3*a*b^2*c*d^{12} - 3*a^2*b*c^{12}*d)) + (d*((c + d)^5*(c - d)^5)^{(1/2)} * ((8*tan(e/2 + (f*x)/2)*(b^7*d^{10} - 8*a^7*d^{10} - 4*a^7*c^{10} + 4*a^6*b*c^{10} - 3*a*b^6*d^{10} + 16*a^6*b*d^{10} + 8*a^7*c^9*d + 8*a^7*c^9*d + 7*a^2*b^5*d^{10} - 13*a^3*b^4*d^{10} + 16*a^4*b^3*d^{10} - 16*a^5*b^2*d^{10} + 32*a^7*c^2*d^8 - 32*a^7*c^3*d^7 - 57*a^7*c^4*d^6 + 48*a^7*c^5*d^5 + 52*a^7*c^6*d^4 - 32*a^7*c^7*d^3 - 24*a^7*c^8*d^2 + 4*b^7*c^2*d^8 + 4*b^7*c^4*d^6 - 12*a*b^6*c^2*d^8 - 12*a*b^6*c^3*d^7 - 12*a*b^6*c^4*d^6 - 24*a*b^6*c^5*d^5 - 72*a^6*b*c^2*d^8 + 56*a^6*b*c^3*d^7 + 155*a^6*b*c^4*d^6 - 108*a^6*b*c^5*d^5 - 172*a^6*b*c^6*d^4 + 104*a^6*b*c^7*d^3 + 96*a^6*b*c^8*d^2 + 10*a^2*b^5*c^2*d^8 + 36*a^2*b^5*c^3*d^7 + 4*a^2*b^5*c^4*d^6 + 72*a^2*b^5*c^5*d^5 + 60*a^2*b^5*c^6*d^4 + 2*a^3*b^4*c^2*d^8 - 60*a^3*b^4*c^3*d^7 + 20*a^3*b^4*c^4*d^6 - 12*a^3*b^4*c^5*d^5 - 180*a^3*b^4*c^6*d^4 - 72*a^3*b^4*c^7*d^3 - 26*a^4*b^3*c^2*d^8 + 84*a^4*b^3*c^3*d^7 + 25*a^4*b^3*c^4*d^6 - 156*a^4*b^3*c^5*d^5 + 120*a^4*b^3*c^6*d^4 + 216*a^4*b^3*c^7*d^3 + 36*a^4*b^3*c^8*d^2 + 62*a^5*b^2*c^2*d^8 - 72*a^5*b^2*c^3*d^7 - 139*a^5*b^2*c^4*d^6 + 180*a^5*b^2*c^5*d^5 + 120*a^5*b^2*c^6*d^4 - 216*a^5*b^2*c^7*d^3 - 108*a^5*b^2*c^8*d^2 - 8*a^6*b*c*d^9 - 8*a^6*b*c^9*d)) / (a^4*c^{11} - b^4*d^{11} + a^4*c^{10}*d - b^4*c*d^{10} - a^4*c^4*d^7 - a^4*c^5*d^6 + 3*a^4*c^6*d^5 + 3*a^4*c^7*d^4 - 3*a^4*c^8*d^3 - 3*a^4*c^9*d^2 + 3*b^4*c^2*d^9 + 3*b^4*c^3*d^8 - 3*b^4*c^4*d^7 - 3*b^4*c^5*d^6 + b^4*c^6*d^5 + b^4*c^7*d^4 + 4*a*b^3*c^2*d^9 - 12*a*b^3*c^3*d^8 - 12*a*b^3*c^4*d^7 + 12*a*b^3*c^5*d^6 + 12*a*b^3*c^6*d^5 - 4*a*b^3*c^7*d^4 - 4*a*b^3*c^8*d^3 + 4*a^3*b*c^3*d^8 + 4*a^3*b*c^4*d^7 - 12*a^3*b*c^5*d^6 - 12*a^3*b*c^6*d^5 + 12*a^3*b*c^7*d^4 + 12*a^3*b*c^8*d^3 - 4*a^3*b*c^9*d^2 - 6*a^2*b^2*c^2*d^9 - 6*a^2*b^2*c^3*d^8 + 18*a^2*b^2*c^4*d^7 + 18*a^2*b^2*c^5*d^6 - 18*a^2*b^2*c^6*d^5 - 18*a^2*b^2*c^7*d^4 + 6*a^2*b^2*c^8*d^3 + 6*a^2*b^2*c^9*d^2 + 4*a*b^3*c*d^{10} - 4*a^3*b*c^{10}*d) - (d*((c + d)^5*(c - d)^5)^{(1/2)} * ((8*(2*b^{10}*d^{15} - 4*a^{10}*c^{15} + 8*a^9*b*c^{15} - 2*a*b^9*d^{15} + 12*a^{10}*c^{14}*d - 2*b^{10}*c*d^{14} - 4*a^8*b^2*c^{15} + 2*a^2*b^8*d^{15} - 6*a^3*b^7*d^{15} + 4*a^4*b^6*d^{15} + 4*a^{10}*c^6*d^9 - 2*a^{10}*c^7*d^8 - 18*a^{10}*c^8*d^7 + 4*a^{10}*c^9*d^6 + 36*a^{10}*c^{10}*d^5 - 6*a^{10}*c^{11}*d^4 - 34*a^{10}*c^{12}*d^3 + 8*a^{10}*c^{13}*d^2 - 6*b^{10}*c^4*d^{11} + 6*b^{10}*c^5*d^{10} + 4*b^{10}*c^6*d^9 - 4*b^{10}*c^7*d^8 + 10*a*b^9*c^2*d^{13} - 12*a*b^9*c^3*d^{12} + 18*a*b^9*c^4*d^{11} + 48*a*b^9*c^5*d^{10} - 58*a*b^9*c^6*d^9 - 28*a*b^9*c^7*d^8 + 32*a*b^9*c^8*d^7 + 8*a^2*b^8*c*d^{14} - 8*a^3*b^7*c*d^{14} + 34*a^4*b^6*c*d^{14} - 24*a^5*b^5*c*d^{14} + 32*a^7*b^3*c^{14}*d - 52*a^8*b^2*c^{14}*d - 24*a^9*b*c^5*d^{10} + 6*a^9*b*c^6*d^9 + 112*a^9*b*c^7*d^8 + 10*
\end{aligned}$$

$$\begin{aligned}
& a^9 b^3 c^8 d^7 - 236 a^9 b^3 c^9 d^6 - 30 a^9 b^3 c^{10} d^5 + 240 a^9 b^3 c^{11} d^4 \\
& + 6 a^9 b^3 c^{12} d^3 - 100 a^9 b^3 c^{13} d^2 - 8 a^2 b^8 c^2 d^{13} + 10 a^2 b^8 c^3 d^{12} + 90 a^2 b^8 c^4 d^{11} - 156 a^2 b^8 c^5 d^{10} - 164 a^2 b^8 c^6 d^9 \\
& + 250 a^2 b^8 c^7 d^8 + 80 a^2 b^8 c^8 d^7 - 112 a^2 b^8 c^9 d^6 + 28 a^3 b^7 c^2 d^{13} + 84 a^3 b^7 c^3 d^{12} - 224 a^3 b^7 c^4 d^{11} - 252 a^3 b^7 c^5 d^{10} \\
& + 612 a^3 b^7 c^6 d^9 + 284 a^3 b^7 c^7 d^8 - 634 a^3 b^7 c^8 d^7 - 108 a^3 b^7 c^9 d^6 + 224 a^3 b^7 c^{10} d^5 - 12 a^4 b^6 c^2 d^{13} - 220 a^4 b^6 c^3 d^{12} \\
& - 104 a^4 b^6 c^4 d^{11} + 820 a^4 b^6 c^5 d^{10} + 260 a^4 b^6 c^6 d^9 - 1396 a^4 b^6 c^7 d^8 - 180 a^4 b^6 c^8 d^7 + 1042 a^4 b^6 c^9 d^6 + 32 a^4 b^6 c^{10} d^5 \\
& - 280 a^4 b^6 c^{11} d^4 - 78 a^5 b^5 c^2 d^{13} + 128 a^5 b^5 c^3 d^{12} + 536 a^5 b^5 c^4 d^{11} - 188 a^5 b^5 c^5 d^{10} - 1532 a^5 b^5 c^6 d^9 + 204 a^5 b^5 c^7 d^8 \\
& + 1992 a^5 b^5 c^8 d^7 - 236 a^5 b^5 c^9 d^6 - 1142 a^5 b^5 c^{10} d^5 + 116 a^5 b^5 c^{11} d^4 + 224 a^5 b^5 c^{12} d^3 + 60 a^6 b^4 c^2 d^{13} \\
& + 90 a^6 b^4 c^3 d^{12} - 320 a^6 b^4 c^4 d^{11} - 668 a^6 b^4 c^5 d^{10} + 708 a^6 b^4 c^6 d^9 + 1660 a^6 b^4 c^7 d^8 - 888 a^6 b^4 c^8 d^7 \\
& - 1788 a^6 b^4 c^9 d^6 + 632 a^6 b^4 c^{10} d^5 + 818 a^6 b^4 c^{11} d^4 - 192 a^6 b^4 c^{12} d^3 - 112 a^6 b^4 c^{13} d^2 - 80 a^7 b^3 c^3 d^{12} \\
& - 50 a^7 b^3 c^4 d^{11} + 408 a^7 b^3 c^5 d^{10} + 452 a^7 b^3 c^6 d^9 - 932 a^7 b^3 c^7 d^8 - 1040 a^7 b^3 c^8 d^7 + 1100 a^7 b^3 c^9 d^6 \\
& + 956 a^7 b^3 c^{10} d^5 - 636 a^7 b^3 c^{11} d^4 - 350 a^7 b^3 c^{12} d^3 + 140 a^7 b^3 c^{13} d^2 + 60 a^8 b^2 c^4 d^{11} + 6 a^8 b^2 c^5 d^{10} \\
& - 292 a^8 b^2 c^6 d^9 - 148 a^8 b^2 c^7 d^8 + 646 a^8 b^2 c^8 d^7 + 334 a^8 b^2 c^9 d^6 - 708 a^8 b^2 c^{10} d^5 - 252 a^8 b^2 c^{11} d^4 \\
& + 346 a^8 b^2 c^{12} d^3 + 64 a^8 b^2 c^{13} d^2 - 8 a^8 b^9 c^4 d^{14} + 8 a^9 b^3 c^{14} d) / (a^6 c^{13} - b^6 d^{13} + a^6 c^{12} d - b^6 c^6 d^{12} - a^6 c^6 d^7 \\
& - a^6 c^7 d^6 + 3 a^6 c^8 d^5 + 3 a^6 c^9 d^4 - 3 a^6 c^{10} d^3 - 3 a^6 c^{11} d^2 + 3 b^6 c^2 d^{11} + 3 b^6 c^3 d^{10} - 3 b^6 c^4 d^9 - 3 b^6 c^5 d^8 \\
& + b^6 c^6 d^7 + b^6 c^7 d^6 + 6 a^5 b^5 c^2 d^{11} - 18 a^5 b^5 c^3 d^{10} - 18 a^5 b^5 c^4 d^9 + 18 a^5 b^5 c^5 d^8 + 18 a^5 b^5 c^6 d^7 - 6 a^5 b^5 c^7 d^6 - 6 a^5 b^5 c^8 d^5 \\
& + 6 a^5 b^5 c^9 d^4 + 18 a^5 b^5 c^{10} d^3 - 6 a^5 b^5 c^{11} d^2 - 15 a^2 b^4 c^2 d^{11} - 15 a^2 b^4 c^3 d^{10} + 45 a^2 b^4 c^4 d^9 + 45 a^2 b^4 c^5 d^8 - 45 a^2 b^4 c^6 d^7 \\
& - 45 a^2 b^4 c^7 d^6 + 15 a^2 b^4 c^8 d^5 + 15 a^2 b^4 c^9 d^4 + 20 a^3 b^3 c^3 d^{10} + 20 a^3 b^3 c^4 d^9 - 60 a^3 b^3 c^5 d^8 - 60 a^3 b^3 c^6 d^7 + 60 a^3 b^3 c^7 d^6 \\
& + 60 a^3 b^3 c^8 d^5 - 20 a^3 b^3 c^9 d^4 - 20 a^3 b^3 c^{10} d^3 - 15 a^4 b^2 c^4 d^9 - 15 a^4 b^2 c^5 d^8 + 45 a^4 b^2 c^6 d^7 + 45 a^4 b^2 c^7 d^6 - 45 a^4 b^2 c^8 d^5 \\
& - 45 a^4 b^2 c^9 d^4 + 15 a^4 b^2 c^{10} d^3 + 15 a^4 b^2 c^{11} d^2 + 6 a^5 b^5 c^4 d^{12} - 6 a^5 b^5 c^5 d^{11} + (4 d \tan(e/2 + (f x)/2) * ((c + d)^5 * (c - d)^5)^{(1/2)} * (6 a^2 c^4 \\
& + 2 a^2 d^4 + b^2 d^4 - 5 a^2 c^2 d^2 + 2 b^2 c^2 d^2 - 6 a^5 b^5 c^3 d) * (8 a^8 b^3 c^{16} + 8 a^8 b^3 c^{15} d - 8 a^9 c^{15} d - 8 b^9 c^{15} d + 8 a^6 b^3 c^{16} \\
& - 16 a^7 b^2 c^{16} - 16 a^2 b^7 d^{16} + 8 a^3 b^6 d^{16} + 8 a^9 c^6 d^{10} - 8 a^9 c^7 d^9 - 32 a^9 c^8 d^8 + 32 a^9 c^9 d^7 + 48 a^9 c^{10} d^6 - 48 a^9 c^{11} d^5 \\
& - 32 a^9 c^{12} d^4 + 32 a^9 c^{13} d^3 + 8 a^9 c^{14} d^2 + 8 b^9 c^2 d^14 + 32 b^9 c^3 d^{13} - 32 b^9 c^4 d^{12} - 48 b^9 c^5 d^{11} + 48 b^9 c^6 d^{10} + 32 b^9 c^7 d^9 \\
& - 32 b^9 c^8 d^8 - 8 b^9 c^9 d^7 + 8 b^9 c^{10} d^6 - 80 a^8 b^9 c^4 d^{14}
\end{aligned}$$

$$\begin{aligned}
& 8*c^3*d^13 - 80*a*b^8*c^4*d^12 + 240*a*b^8*c^5*d^11 + 160*a*b^8*c^6*d^10 - \\
& 320*a*b^8*c^7*d^9 - 120*a*b^8*c^8*d^8 + 200*a*b^8*c^9*d^7 + 32*a*b^8*c^10*d \\
& ^6 - 48*a*b^8*c^11*d^5 - 40*a^2*b^7*c^d^15 + 88*a^3*b^6*c^d^15 - 48*a^4*b^5 \\
& *c^d^15 - 48*a^5*b^4*c^15*d + 88*a^6*b^3*c^15*d - 40*a^7*b^2*c^15*d - 48*a^ \\
& 8*b*c^5*d^11 + 32*a^8*b*c^6*d^10 + 200*a^8*b*c^7*d^9 - 120*a^8*b*c^8*d^8 - \\
& 320*a^8*b*c^9*d^7 + 160*a^8*b*c^10*d^6 + 240*a^8*b*c^11*d^5 - 80*a^8*b*c^12 \\
& *d^4 - 80*a^8*b*c^13*d^3 + 24*a^2*b^7*c^2*d^14 + 136*a^2*b^7*c^3*d^13 + 184 \\
& *a^2*b^7*c^4*d^12 - 144*a^2*b^7*c^5*d^11 - 656*a^2*b^7*c^6*d^10 + 16*a^2*b^ \\
& 7*c^7*d^9 + 864*a^2*b^7*c^8*d^8 + 56*a^2*b^7*c^9*d^7 - 520*a^2*b^7*c^10*d^6 \\
& - 24*a^2*b^7*c^11*d^5 + 120*a^2*b^7*c^12*d^4 + 40*a^3*b^6*c^2*d^14 - 280*a \\
& ^3*b^6*c^3*d^13 - 320*a^3*b^6*c^4*d^12 + 80*a^3*b^6*c^5*d^11 + 720*a^3*b^6* \\
& c^6*d^10 + 720*a^3*b^6*c^7*d^9 - 760*a^3*b^6*c^8*d^8 - 1160*a^3*b^6*c^9*d^7 \\
& + 392*a^3*b^6*c^10*d^6 + 712*a^3*b^6*c^11*d^5 - 80*a^3*b^6*c^12*d^4 - 160* \\
& a^3*b^6*c^13*d^3 - 192*a^4*b^5*c^2*d^14 + 152*a^4*b^5*c^3*d^13 + 728*a^4*b^ \\
& 5*c^4*d^12 + 72*a^4*b^5*c^5*d^11 - 872*a^4*b^5*c^6*d^10 - 848*a^4*b^5*c^7*d \\
& ^9 + 48*a^4*b^5*c^8*d^8 + 1312*a^4*b^5*c^9*d^7 + 688*a^4*b^5*c^10*d^6 - 840 \\
& *a^4*b^5*c^11*d^5 - 520*a^4*b^5*c^12*d^4 + 200*a^4*b^5*c^13*d^3 + 120*a^4*b \\
& ^5*c^14*d^2 + 120*a^5*b^4*c^2*d^14 + 200*a^5*b^4*c^3*d^13 - 520*a^5*b^4*c^4 \\
& *d^12 - 840*a^5*b^4*c^5*d^11 + 688*a^5*b^4*c^6*d^10 + 1312*a^5*b^4*c^7*d^9 \\
& + 48*a^5*b^4*c^8*d^8 - 848*a^5*b^4*c^9*d^7 - 872*a^5*b^4*c^10*d^6 + 72*a^5* \\
& b^4*c^11*d^5 + 728*a^5*b^4*c^12*d^4 + 152*a^5*b^4*c^13*d^3 - 192*a^5*b^4*c^ \\
& 14*d^2 - 160*a^6*b^3*c^3*d^13 - 80*a^6*b^3*c^4*d^12 + 712*a^6*b^3*c^5*d^11 \\
& + 392*a^6*b^3*c^6*d^10 - 1160*a^6*b^3*c^7*d^9 - 760*a^6*b^3*c^8*d^8 + 720*a \\
& ^6*b^3*c^9*d^7 + 720*a^6*b^3*c^10*d^6 + 80*a^6*b^3*c^11*d^5 - 320*a^6*b^3*c \\
& ^12*d^4 - 280*a^6*b^3*c^13*d^3 + 40*a^6*b^3*c^14*d^2 + 120*a^7*b^2*c^4*d^12 \\
& - 24*a^7*b^2*c^5*d^11 - 520*a^7*b^2*c^6*d^10 + 56*a^7*b^2*c^7*d^9 + 864*a^ \\
& 7*b^2*c^8*d^8 + 16*a^7*b^2*c^9*d^7 - 656*a^7*b^2*c^10*d^6 - 144*a^7*b^2*c^1 \\
& 1*d^5 + 184*a^7*b^2*c^12*d^4 + 136*a^7*b^2*c^13*d^3 + 24*a^7*b^2*c^14*d^2 + \\
& 8*a*b^8*c*d^15 + 8*a^8*b*c^15*d))/((a^3*c^13 + b^3*d^13 - a^3*c^3*d^10 + 5 \\
& *a^3*c^5*d^8 - 10*a^3*c^7*d^6 + 10*a^3*c^9*d^4 - 5*a^3*c^11*d^2 - 5*b^3*c^2 \\
& *d^11 + 10*b^3*c^4*d^9 - 10*b^3*c^6*d^7 + 5*b^3*c^8*d^5 - b^3*c^10*d^3 + 15 \\
& *a*b^2*c^3*d^10 - 30*a*b^2*c^5*d^8 + 30*a*b^2*c^7*d^6 - 15*a*b^2*c^9*d^4 + \\
& 3*a*b^2*c^11*d^2 + 3*a^2*b*c^2*d^11 - 15*a^2*b*c^4*d^9 + 30*a^2*b*c^6*d^7 - \\
& 30*a^2*b*c^8*d^5 + 15*a^2*b*c^10*d^3 - 3*a*b^2*c*d^12 - 3*a^2*b*c^12*d)*(a \\
& ^4*c^11 - b^4*d^11 + a^4*c^10*d - b^4*c*d^10 - a^4*c^4*d^7 - a^4*c^5*d^6 + \\
& 3*a^4*c^6*d^5 + 3*a^4*c^7*d^4 - 3*a^4*c^8*d^3 - 3*a^4*c^9*d^2 + 3*b^4*c^2*d \\
& ^9 + 3*b^4*c^3*d^8 - 3*b^4*c^4*d^7 - 3*b^4*c^5*d^6 + b^4*c^6*d^5 + b^4*c^7* \\
& d^4 + 4*a*b^3*c^2*d^9 - 12*a*b^3*c^3*d^8 - 12*a*b^3*c^4*d^7 + 12*a*b^3*c^5* \\
& d^6 + 12*a*b^3*c^6*d^5 - 4*a*b^3*c^7*d^4 - 4*a*b^3*c^8*d^3 + 4*a^3*b*c^3*d^ \\
& 8 + 4*a^3*b*c^4*d^7 - 12*a^3*b*c^5*d^6 - 12*a^3*b*c^6*d^5 + 12*a^3*b*c^7*d^ \\
& 4 + 12*a^3*b*c^8*d^3 - 4*a^3*b*c^9*d^2 - 6*a^2*b^2*c^2*d^9 - 6*a^2*b^2*c^3* \\
& d^8 + 18*a^2*b^2*c^4*d^7 + 18*a^2*b^2*c^5*d^6 - 18*a^2*b^2*c^6*d^5 - 18*a^2 \\
& *b^2*c^7*d^4 + 6*a^2*b^2*c^8*d^3 + 6*a^2*b^2*c^9*d^2 + 4*a*b^3*c*d^10 - 4*a \\
& ^3*b*c^10*d)))*(6*a^2*c^4 + 2*a^2*d^4 + b^2*d^4 - 5*a^2*c^2*d^2 + 2*b^2*c^2 \\
& *d^2 - 6*a*b*c^3*d))/(2*(a^3*c^13 + b^3*d^13 - a^3*c^3*d^10 + 5*a^3*c^5*d^8
\end{aligned}$$

$$\begin{aligned}
&^2 + 60*a^8*b^2*c^4*d^11 + 6*a^8*b^2*c^5*d^10 - 292*a^8*b^2*c^6*d^9 - 148*a^8*b^2*c^7*d^8 + 646*a^8*b^2*c^8*d^7 + 334*a^8*b^2*c^9*d^6 - 708*a^8*b^2*c^10*d^5 - 252*a^8*b^2*c^11*d^4 + 346*a^8*b^2*c^12*d^3 + 64*a^8*b^2*c^13*d^2 - 8*a^8*b^2*c^14*d^1 + 8*a^9*b*c^14*d) / (a^6*c^13 - b^6*d^13 + a^6*c^12*d - b^6*c*d^12 - a^6*c^6*d^7 - a^6*c^7*d^6 + 3*a^6*c^8*d^5 + 3*a^6*c^9*d^4 - 3*a^6*c^10*d^3 - 3*a^6*c^11*d^2 + 3*b^6*c^2*d^11 + 3*b^6*c^3*d^10 - 3*b^6*c^4*d^9 - 3*b^6*c^5*d^8 + b^6*c^6*d^7 + b^6*c^7*d^6 + 6*a*b^5*c^2*d^11 - 18*a*b^5*c^3*d^10 - 18*a*b^5*c^4*d^9 + 18*a*b^5*c^5*d^8 + 18*a*b^5*c^6*d^7 - 6*a*b^5*c^7*d^6 - 6*a*b^5*c^8*d^5 + 6*a^5*b*c^5*d^8 + 6*a^5*b*c^6*d^7 - 18*a^5*b*c^7*d^6 - 18*a^5*b*c^8*d^5 + 18*a^5*b*c^9*d^4 + 18*a^5*b*c^10*d^3 - 6*a^5*b*c^11*d^2 - 15*a^2*b^4*c^2*d^11 - 15*a^2*b^4*c^3*d^10 + 45*a^2*b^4*c^4*d^9 + 45*a^2*b^4*c^5*d^8 - 45*a^2*b^4*c^6*d^7 - 45*a^2*b^4*c^7*d^6 + 15*a^2*b^4*c^8*d^5 + 15*a^2*b^4*c^9*d^4 + 20*a^3*b^3*c^3*d^10 + 20*a^3*b^3*c^4*d^9 - 60*a^3*b^3*c^5*d^8 - 60*a^3*b^3*c^6*d^7 + 60*a^3*b^3*c^7*d^6 + 60*a^3*b^3*c^8*d^5 - 20*a^3*b^3*c^9*d^4 - 20*a^3*b^3*c^10*d^3 - 15*a^4*b^2*c^4*d^9 - 15*a^4*b^2*c^5*d^8 + 45*a^4*b^2*c^6*d^7 + 45*a^4*b^2*c^7*d^6 - 45*a^4*b^2*c^8*d^5 - 45*a^4*b^2*c^9*d^4 + 15*a^4*b^2*c^10*d^3 + 15*a^4*b^2*c^11*d^2 + 6*a*b^5*c*d^12 - 6*a^5*b*c^12*d) - (4*d*tan(e/2 + (f*x)/2)*((c + d)^5*(c - d)^5)^(1/2)*(6*a^2*c^4 + 2*a^2*d^4 + b^2*d^4 - 5*a^2*c^2*d^2 + 2*b^2*c^2*d^2 - 6*a*b*c^3*d)*(8*a^8*b*c^16 + 8*a*b^8*d^16 - 8*a^9*c^15*d - 8*b^9*c*d^15 + 8*a^6*b^3*c^16 - 16*a^7*b^2*c^16 - 16*a^2*b^7*d^16 + 8*a^3*b^6*d^16 + 8*a^9*c^6*d^10 - 8*a^9*c^7*d^9 - 32*a^9*c^8*d^8 + 32*a^9*c^9*d^7 + 48*a^9*c^10*d^6 - 48*a^9*c^11*d^5 - 32*a^9*c^12*d^4 + 32*a^9*c^13*d^3 + 8*a^9*c^14*d^2 + 8*b^9*c^2*d^14 + 32*b^9*c^3*d^13 - 32*b^9*c^4*d^12 - 48*b^9*c^5*d^11 + 48*b^9*c^6*d^10 + 32*b^9*c^7*d^9 - 32*b^9*c^8*d^8 - 8*b^9*c^9*d^7 + 8*b^9*c^10*d^6 - 80*a*b^8*c^3*d^13 - 80*a*b^8*c^4*d^12 + 240*a*b^8*c^5*d^11 + 160*a*b^8*c^6*d^10 - 320*a*b^8*c^7*d^9 - 120*a*b^8*c^8*d^8 + 200*a*b^8*c^9*d^7 + 320*a*b^8*c^10*d^6 - 48*a*b^8*c^11*d^5 - 40*a^2*b^7*c*d^15 + 88*a^3*b^6*c*d^15 - 48*a^4*b^5*c*d^15 - 48*a^5*b^4*c^15*d + 88*a^6*b^3*c^15*d - 40*a^7*b^2*c^15*d - 48*a^8*b*c^5*d^11 + 32*a^8*b*c^6*d^10 + 200*a^8*b*c^7*d^9 - 120*a^8*b*c^8*d^8 - 320*a^8*b*c^9*d^7 + 160*a^8*b*c^10*d^6 + 240*a^8*b*c^11*d^5 - 80*a^8*b*c^12*d^4 - 80*a^8*b*c^13*d^3 + 24*a^2*b^7*c^2*d^14 + 136*a^2*b^7*c^3*d^13 + 184*a^2*b^7*c^4*d^12 - 144*a^2*b^7*c^5*d^11 - 656*a^2*b^7*c^6*d^10 + 16*a^2*b^7*c^7*d^9 + 864*a^2*b^7*c^8*d^8 + 56*a^2*b^7*c^9*d^7 - 520*a^2*b^7*c^10*d^6 - 24*a^2*b^7*c^11*d^5 + 120*a^2*b^7*c^12*d^4 + 40*a^3*b^6*c^2*d^14 - 280*a^3*b^6*c^3*d^13 - 320*a^3*b^6*c^4*d^12 + 80*a^3*b^6*c^5*d^11 + 720*a^3*b^6*c^6*d^10 + 720*a^3*b^6*c^7*d^9 - 760*a^3*b^6*c^8*d^8 - 1160*a^3*b^6*c^9*d^7 + 392*a^3*b^6*c^10*d^6 + 712*a^3*b^6*c^11*d^5 - 80*a^3*b^6*c^12*d^4 - 160*a^3*b^6*c^13*d^3 - 192*a^4*b^5*c^2*d^14 + 152*a^4*b^5*c^3*d^13 + 728*a^4*b^5*c^4*d^12 + 72*a^4*b^5*c^5*d^11 - 872*a^4*b^5*c^6*d^10 - 848*a^4*b^5*c^7*d^9 + 48*a^4*b^5*c^8*d^8 + 1312*a^4*b^5*c^9*d^7 + 688*a^4*b^5*c^10*d^6 - 840*a^4*b^5*c^11*d^5 - 520*a^4*b^5*c^12*d^4 + 200*a^4*b^5*c^13*d^3 + 120*a^4*b^5*c^14*d^2 + 120*a^5*b^4*c^2*d^14 + 200*a^5*b^4*c^3*d^13 - 520*a^5*b^4*c^4*d^12 - 840*a^5*b^4*c^5*d^11 + 688*a^5*b^4*c^6*d^10 + 1312*a^5*b^4*c^7*d^9 + 48*a^5*b^4*c^8*d^8 - 848*a^5*b^4*c^9*d^7 - 872*a^5*b^4*c^10
\end{aligned}$$

$$\begin{aligned}
& *d^6 + 72*a^5*b^4*c^{11}*d^5 + 728*a^5*b^4*c^{12}*d^4 + 152*a^5*b^4*c^{13}*d^3 - \\
& 192*a^5*b^4*c^{14}*d^2 - 160*a^6*b^3*c^3*d^{13} - 80*a^6*b^3*c^4*d^{12} + 712*a^6 \\
& *b^3*c^5*d^{11} + 392*a^6*b^3*c^6*d^{10} - 1160*a^6*b^3*c^7*d^9 - 760*a^6*b^3*c \\
& ^8*d^8 + 720*a^6*b^3*c^9*d^7 + 720*a^6*b^3*c^{10}*d^6 + 80*a^6*b^3*c^{11}*d^5 - \\
& 320*a^6*b^3*c^{12}*d^4 - 280*a^6*b^3*c^{13}*d^3 + 40*a^6*b^3*c^{14}*d^2 + 120*a^ \\
& 7*b^2*c^4*d^{12} - 24*a^7*b^2*c^5*d^{11} - 520*a^7*b^2*c^6*d^{10} + 56*a^7*b^2*c^ \\
& 7*d^9 + 864*a^7*b^2*c^8*d^8 + 16*a^7*b^2*c^9*d^7 - 656*a^7*b^2*c^{10}*d^6 - 1 \\
& 44*a^7*b^2*c^{11}*d^5 + 184*a^7*b^2*c^{12}*d^4 + 136*a^7*b^2*c^{13}*d^3 + 24*a^7* \\
& b^2*c^{14}*d^2 + 8*a*b^8*c*d^{15} + 8*a^8*b*c^{15}*d)) / ((a^3*c^{13} + b^3*d^{13} - a^ \\
& 3*c^3*d^{10} + 5*a^3*c^5*d^8 - 10*a^3*c^7*d^6 + 10*a^3*c^9*d^4 - 5*a^3*c^{11}*d \\
& ^2 - 5*b^3*c^2*d^{11} + 10*b^3*c^4*d^9 - 10*b^3*c^6*d^7 + 5*b^3*c^8*d^5 - b^3 \\
& *c^{10}*d^3 + 15*a*b^2*c^3*d^{10} - 30*a*b^2*c^5*d^8 + 30*a*b^2*c^7*d^6 - 15*a* \\
& b^2*c^9*d^4 + 3*a*b^2*c^{11}*d^2 + 3*a^2*b*c^2*d^{11} - 15*a^2*b*c^4*d^9 + 30*a \\
& ^2*b*c^6*d^7 - 30*a^2*b*c^8*d^5 + 15*a^2*b*c^{10}*d^3 - 3*a*b^2*c*d^{12} - 3*a^ \\
& 2*b*c^{12}*d) * (a^4*c^{11} - b^4*d^{11} + a^4*c^{10}*d - b^4*c*d^{10} - a^4*c^4*d^7 - \\
& a^4*c^5*d^6 + 3*a^4*c^6*d^5 + 3*a^4*c^7*d^4 - 3*a^4*c^8*d^3 - 3*a^4*c^9*d^2 \\
& + 3*b^4*c^2*d^9 + 3*b^4*c^3*d^8 - 3*b^4*c^4*d^7 - 3*b^4*c^5*d^6 + b^4*c^6* \\
& d^5 + b^4*c^7*d^4 + 4*a*b^3*c^2*d^9 - 12*a*b^3*c^3*d^8 - 12*a*b^3*c^4*d^7 + \\
& 12*a*b^3*c^5*d^6 + 12*a*b^3*c^6*d^5 - 4*a*b^3*c^7*d^4 - 4*a*b^3*c^8*d^3 + \\
& 4*a^3*b*c^3*d^8 + 4*a^3*b*c^4*d^7 - 12*a^3*b*c^5*d^6 - 12*a^3*b*c^6*d^5 + 1 \\
& 2*a^3*b*c^7*d^4 + 12*a^3*b*c^8*d^3 - 4*a^3*b*c^9*d^2 - 6*a^2*b^2*c^2*d^9 - \\
& 6*a^2*b^2*c^3*d^8 + 18*a^2*b^2*c^4*d^7 + 18*a^2*b^2*c^5*d^6 - 18*a^2*b^2*c^ \\
& 6*d^5 - 18*a^2*b^2*c^7*d^4 + 6*a^2*b^2*c^8*d^3 + 6*a^2*b^2*c^9*d^2 + 4*a*b^ \\
& 3*c*d^{10} - 4*a^3*b*c^{10}*d)) * (6*a^2*c^4 + 2*a^2*d^4 + b^2*d^4 - 5*a^2*c^2*d \\
& ^2 + 2*b^2*c^2*d^2 - 6*a*b*c^3*d)) / (2*(a^3*c^{13} + b^3*d^{13} - a^3*c^3*d^{10} + \\
& 5*a^3*c^5*d^8 - 10*a^3*c^7*d^6 + 10*a^3*c^9*d^4 - 5*a^3*c^{11}*d^2 - 5*b^3*c \\
& ^2*d^{11} + 10*b^3*c^4*d^9 - 10*b^3*c^6*d^7 + 5*b^3*c^8*d^5 - b^3*c^{10}*d^3 + \\
& 15*a*b^2*c^3*d^{10} - 30*a*b^2*c^5*d^8 + 30*a*b^2*c^7*d^6 - 15*a*b^2*c^9*d^4 \\
& + 3*a*b^2*c^{11}*d^2 + 3*a^2*b*c^2*d^{11} - 15*a^2*b*c^4*d^9 + 30*a^2*b*c^6*d^7 \\
& - 30*a^2*b*c^8*d^5 + 15*a^2*b*c^{10}*d^3 - 3*a*b^2*c*d^{12} - 3*a^2*b*c^{12}*d)) \\
&) * (6*a^2*c^4 + 2*a^2*d^4 + b^2*d^4 - 5*a^2*c^2*d^2 + 2*b^2*c^2*d^2 - 6*a*b* \\
& c^3*d)) / (2*(a^3*c^{13} + b^3*d^{13} - a^3*c^3*d^{10} + 5*a^3*c^5*d^8 - 10*a^3*c^7 \\
& *d^6 + 10*a^3*c^9*d^4 - 5*a^3*c^{11}*d^2 - 5*b^3*c^2*d^{11} + 10*b^3*c^4*d^9 - \\
& 10*b^3*c^6*d^7 + 5*b^3*c^8*d^5 - b^3*c^{10}*d^3 + 15*a*b^2*c^3*d^{10} - 30*a*b^ \\
& 2*c^5*d^8 + 30*a*b^2*c^7*d^6 - 15*a*b^2*c^9*d^4 + 3*a*b^2*c^{11}*d^2 + 3*a^2* \\
& b*c^2*d^{11} - 15*a^2*b*c^4*d^9 + 30*a^2*b*c^6*d^7 - 30*a^2*b*c^8*d^5 + 15*a^ \\
& 2*b*c^{10}*d^3 - 3*a*b^2*c*d^{12} - 3*a^2*b*c^{12}*d)) + (d*((c + d)^5*(c - d)^5) \\
& ^{(1/2)} * ((8*\tan(e/2 + (f*x)/2) * (b^7*d^{10} - 8*a^7*d^{10} - 4*a^7*c^{10} + 4*a^6*b \\
& *c^{10} - 3*a*b^6*d^{10} + 16*a^6*b*d^{10} + 8*a^7*c*d^9 + 8*a^7*c^9*d + 7*a^2*b^ \\
& 5*d^{10} - 13*a^3*b^4*d^{10} + 16*a^4*b^3*d^{10} - 16*a^5*b^2*d^{10} + 32*a^7*c^2*d \\
& ^8 - 32*a^7*c^3*d^7 - 57*a^7*c^4*d^6 + 48*a^7*c^5*d^5 + 52*a^7*c^6*d^4 - 32 \\
& *a^7*c^7*d^3 - 24*a^7*c^8*d^2 + 4*b^7*c^2*d^8 + 4*b^7*c^4*d^6 - 12*a*b^6*c^ \\
& 2*d^8 - 12*a*b^6*c^3*d^7 - 12*a*b^6*c^4*d^6 - 24*a*b^6*c^5*d^5 - 72*a^6*b*c \\
& ^2*d^8 + 56*a^6*b*c^3*d^7 + 155*a^6*b*c^4*d^6 - 108*a^6*b*c^5*d^5 - 172*a^6 \\
& *b*c^6*d^4 + 104*a^6*b*c^7*d^3 + 96*a^6*b*c^8*d^2 + 10*a^2*b^5*c^2*d^8 + 36
\end{aligned}$$

$$\begin{aligned}
& *a^2*b^5*c^3*d^7 + 4*a^2*b^5*c^4*d^6 + 72*a^2*b^5*c^5*d^5 + 60*a^2*b^5*c^6*d^4 + 2*a^3*b^4*c^2*d^8 - 60*a^3*b^4*c^3*d^7 + 20*a^3*b^4*c^4*d^6 - 12*a^3*b^4*c^5*d^5 - 180*a^3*b^4*c^6*d^4 - 72*a^3*b^4*c^7*d^3 - 26*a^4*b^3*c^2*d^8 + 84*a^4*b^3*c^3*d^7 + 25*a^4*b^3*c^4*d^6 - 156*a^4*b^3*c^5*d^5 + 120*a^4*b^3*c^6*d^4 + 216*a^4*b^3*c^7*d^3 + 36*a^4*b^3*c^8*d^2 + 62*a^5*b^2*c^2*d^8 - 72*a^5*b^2*c^3*d^7 - 139*a^5*b^2*c^4*d^6 + 180*a^5*b^2*c^5*d^5 + 120*a^5*b^2*c^6*d^4 - 216*a^5*b^2*c^7*d^3 - 108*a^5*b^2*c^8*d^2 - 8*a^6*b*c*d^9 - 8*a^6*b*c^9*d) / (a^4*c^11 - b^4*d^11 + a^4*c^10*d - b^4*c*d^10 - a^4*c^4*d^7 - a^4*c^5*d^6 + 3*a^4*c^6*d^5 + 3*a^4*c^7*d^4 - 3*a^4*c^8*d^3 - 3*a^4*c^9*d^2 + 3*b^4*c^2*d^9 + 3*b^4*c^3*d^8 - 3*b^4*c^4*d^7 - 3*b^4*c^5*d^6 + b^4*c^6*d^5 + b^4*c^7*d^4 + 4*a*b^3*c^2*d^9 - 12*a*b^3*c^3*d^8 - 12*a*b^3*c^4*d^7 + 12*a*b^3*c^5*d^6 + 12*a*b^3*c^6*d^5 - 4*a*b^3*c^7*d^4 - 4*a*b^3*c^8*d^3 + 4*a^3*b*c^3*d^8 + 4*a^3*b*c^4*d^7 - 12*a^3*b*c^5*d^6 - 12*a^3*b*c^6*d^5 + 12*a^3*b*c^7*d^4 + 12*a^3*b*c^8*d^3 - 4*a^3*b*c^9*d^2 - 6*a^2*b^2*c^2*d^9 - 6*a^2*b^2*c^3*d^8 + 18*a^2*b^2*c^4*d^7 + 18*a^2*b^2*c^5*d^6 - 18*a^2*b^2*c^6*d^5 - 18*a^2*b^2*c^7*d^4 + 6*a^2*b^2*c^8*d^3 + 6*a^2*b^2*c^9*d^2 + 4*a*b^3*c*d^10 - 4*a^3*b*c^10*d) - (d*((c + d)^5*(c - d)^5)^(1/2)*((8*(2*b^10*d^15 - 4*a^10*c^15 + 8*a^9*b*c^15 - 2*a*b^9*d^15 + 12*a^10*c^14*d - 2*b^10*c*d^14 - 4*a^8*b^2*c^15 + 2*a^2*b^8*d^15 - 6*a^3*b^7*d^15 + 4*a^4*b^6*d^15 + 4*a^10*c^6*d^9 - 2*a^10*c^7*d^8 - 18*a^10*c^8*d^7 + 4*a^10*c^9*d^6 + 36*a^10*c^10*d^5 - 6*a^10*c^11*d^4 - 34*a^10*c^12*d^3 + 8*a^10*c^13*d^2 - 6*b^10*c^4*d^11 + 6*b^10*c^5*d^10 + 4*b^10*c^6*d^9 - 4*b^10*c^7*d^8 + 10*a*b^9*c^2*d^13 - 12*a*b^9*c^3*d^12 + 18*a*b^9*c^4*d^11 + 48*a*b^9*c^5*d^10 - 58*a*b^9*c^6*d^9 - 28*a*b^9*c^7*d^8 + 32*a*b^9*c^8*d^7 + 8*a^2*b^8*c*d^14 - 8*a^3*b^7*c*d^14 + 34*a^4*b^6*c*d^14 - 24*a^5*b^5*c*d^14 + 32*a^7*b^3*c^14*d - 52*a^8*b^2*c^14*d - 24*a^9*b*c^5*d^10 + 6*a^9*b*c^6*d^9 + 112*a^9*b*c^7*d^8 + 10*a^9*b*c^8*d^7 - 236*a^9*b*c^9*d^6 - 30*a^9*b*c^10*d^5 + 240*a^9*b*c^11*d^4 + 6*a^9*b*c^12*d^3 - 100*a^9*b*c^13*d^2 - 8*a^2*b^8*c^2*d^13 + 10*a^2*b^8*c^3*d^12 + 90*a^2*b^8*c^4*d^11 - 156*a^2*b^8*c^5*d^10 - 164*a^2*b^8*c^6*d^9 + 250*a^2*b^8*c^7*d^8 + 80*a^2*b^8*c^8*d^7 - 112*a^2*b^8*c^9*d^6 + 28*a^3*b^7*c^2*d^13 + 84*a^3*b^7*c^3*d^12 - 224*a^3*b^7*c^4*d^11 - 252*a^3*b^7*c^5*d^10 + 612*a^3*b^7*c^6*d^9 + 284*a^3*b^7*c^7*d^8 - 634*a^3*b^7*c^8*d^7 - 108*a^3*b^7*c^9*d^6 + 224*a^3*b^7*c^10*d^5 - 12*a^4*b^6*c^2*d^13 - 220*a^4*b^6*c^3*d^12 - 104*a^4*b^6*c^4*d^11 + 820*a^4*b^6*c^5*d^10 + 260*a^4*b^6*c^6*d^9 - 1396*a^4*b^6*c^7*d^8 - 180*a^4*b^6*c^8*d^7 + 1042*a^4*b^6*c^9*d^6 + 32*a^4*b^6*c^10*d^5 - 280*a^4*b^6*c^11*d^4 - 78*a^5*b^5*c^2*d^13 + 128*a^5*b^5*c^3*d^12 + 536*a^5*b^5*c^4*d^11 - 188*a^5*b^5*c^5*d^10 - 1532*a^5*b^5*c^6*d^9 + 204*a^5*b^5*c^7*d^8 + 1992*a^5*b^5*c^8*d^7 - 236*a^5*b^5*c^9*d^6 - 1142*a^5*b^5*c^10*d^5 + 116*a^5*b^5*c^11*d^4 + 224*a^5*b^5*c^12*d^3 + 60*a^6*b^4*c^2*d^13 + 90*a^6*b^4*c^3*d^12 - 320*a^6*b^4*c^4*d^11 - 668*a^6*b^4*c^5*d^10 + 708*a^6*b^4*c^6*d^9 + 1660*a^6*b^4*c^7*d^8 - 888*a^6*b^4*c^8*d^7 - 1788*a^6*b^4*c^9*d^6 + 632*a^6*b^4*c^10*d^5 + 818*a^6*b^4*c^11*d^4 - 192*a^6*b^4*c^12*d^3 - 112*a^6*b^4*c^13*d^2 - 80*a^7*b^3*c^3*d^12 - 50*a^7*b^3*c^4*d^11 + 408*a^7*b^3*c^5*d^10 + 452*a^7*b^3*c^6*d^9 - 932*a^7*b^3*c^7*d^8 - 1040*a^7*b^3*c^8*d^7 + 1100*a^7*b^3*c^9*d^6 + 956*a^7*b^3*c^10*d^5
\end{aligned}$$

$$\begin{aligned}
& 5 - 636a^7b^3c^{11}d^4 - 350a^7b^3c^{12}d^3 + 140a^7b^3c^{13}d^2 + 60 \\
& a^8b^2c^4d^{11} + 6a^8b^2c^5d^{10} - 292a^8b^2c^6d^9 - 148a^8b^2c^7d^8 + 646a^8b^2c^8d^7 + 334a^8b^2c^9d^6 - 708a^8b^2c^{10}d^5 \\
& - 252a^8b^2c^{11}d^4 + 346a^8b^2c^{12}d^3 + 64a^8b^2c^{13}d^2 - 8a^8b^2c^{14}d + 8a^9b^3c^{14}d) / (a^6c^{13} - b^6d^{13} + a^6c^{12}d - b^6c^{12}d^2 \\
& - a^6c^6d^7 - a^6c^7d^6 + 3a^6c^8d^5 + 3a^6c^9d^4 - 3a^6c^{10}d^3 - 3a^6c^{11}d^2 + 3b^6c^2d^{11} + 3b^6c^3d^{10} - 3b^6c^4d^9 - 3b^6c^5d^8 \\
& + b^6c^6d^7 + b^6c^7d^6 + 6a^5b^5c^2d^{11} - 18a^5b^5c^3d^{10} - 18a^5b^5c^4d^9 + 18a^5b^5c^5d^8 + 18a^5b^5c^6d^7 - 6a^5b^5c^7d^6 \\
& - 6a^5b^5c^8d^5 + 6a^5b^5c^9d^4 + 6a^5b^5c^{10}d^3 - 18a^5b^5c^{11}d^2 - 15a^2b^4c^2d^{11} - 15a^2b^4c^3d^{10} + 45a^2b^4c^4d^9 + 45a^2b^4c^5d^8 \\
& - 45a^2b^4c^6d^7 - 45a^2b^4c^7d^6 + 15a^2b^4c^8d^5 + 15a^2b^4c^9d^4 + 20a^3b^3c^3d^{10} + 20a^3b^3c^4d^9 - 60a^3b^3c^5d^8 - 60a^3b^3c^6d^7 \\
& + 60a^3b^3c^7d^6 + 60a^3b^3c^8d^5 - 20a^3b^3c^9d^4 - 20a^3b^3c^{10}d^3 - 15a^4b^2c^4d^9 - 15a^4b^2c^5d^8 + 45a^4b^2c^6d^7 + 45a^4b^2c^7d^6 - 45a^4b^2c^8d^5 - \\
& 45a^4b^2c^9d^4 + 15a^4b^2c^{10}d^3 + 15a^4b^2c^{11}d^2 + 6a^5b^5c^2d^{12} - 6a^5b^5c^3d^{11} + (4d \tan(e/2 + (f*x)/2) * ((c + d)^5 * (c - d)^5)^{(1/2)} \\
&) * (6a^2c^4 + 2a^2d^4 + b^2d^4 - 5a^2c^2d^2 + 2b^2c^2d^2 - 6a^5b^5c^3d) * (8a^8b^3c^{16} + 8a^8b^8d^{16} - 8a^9c^{15}d - 8b^9c^{15}d + 8a^6b^3c^{16} \\
& - 16a^7b^2c^{16} - 16a^2b^7d^{16} + 8a^3b^6d^{16} + 8a^9c^6d^{10} - 8a^9c^7d^9 - 32a^9c^8d^8 + 32a^9c^9d^7 + 48a^9c^{10}d^6 - 48a^9c^{11}d^5 - 32a^9c^{12}d^4 \\
& + 32a^9c^{13}d^3 + 8a^9c^{14}d^2 + 8b^9c^2d^{14} + 32b^9c^3d^{13} - 32b^9c^4d^{12} - 48b^9c^5d^{11} + 48b^9c^6d^{10} + 32b^9c^7d^9 - 32b^9c^8d^8 - 8b^9c^9d^7 + 8b^9c^{10}d^6 - \\
& 80a^8b^8c^3d^{13} - 80a^8b^8c^4d^{12} + 240a^8b^8c^5d^{11} + 160a^8b^8c^6d^{10} - 320a^8b^8c^7d^9 - 120a^8b^8c^8d^8 + 200a^8b^8c^9d^7 + 32a^8b^8c^{10}d^6 - 48a^8b^8c^{11}d^5 - 40a^2b^7c^2d^{15} \\
& + 88a^3b^6c^2d^{15} - 48a^4b^5c^2d^{15} - 48a^5b^4c^2d^{15} + 88a^6b^3c^2d^{15} - 40a^7b^2c^2d^{15} - 48a^8b^2c^5d^{11} + 32a^8b^2c^6d^{10} + 200a^8b^2c^7d^9 - 120a^8b^2c^8d^8 \\
& - 320a^8b^2c^9d^7 + 160a^8b^2c^{10}d^6 + 240a^8b^2c^{11}d^5 - 80a^8b^2c^{12}d^4 - 80a^8b^2c^{13}d^3 + 24a^2b^7c^2d^{14} + 136a^2b^7c^3d^{13} + 184a^2b^7c^4d^{12} \\
& - 144a^2b^7c^5d^{11} - 656a^2b^7c^6d^{10} + 16a^2b^7c^7d^9 + 864a^2b^7c^8d^8 + 56a^2b^7c^9d^7 - 520a^2b^7c^{10}d^6 - 24a^2b^7c^{11}d^5 + 120a^2b^7c^{12}d^4 + 40a^3b^6c^2d^{14} \\
& - 280a^3b^6c^3d^{13} - 320a^3b^6c^4d^{12} + 80a^3b^6c^5d^{11} + 720a^3b^6c^6d^{10} + 720a^3b^6c^7d^9 - 760a^3b^6c^8d^8 - 1160a^3b^6c^9d^7 + 392a^3b^6c^{10}d^6 + 712a^3b^6c^{11}d^5 - 80a^3b^6c^{12}d^4 \\
& - 160a^3b^6c^{13}d^3 - 192a^4b^5c^2d^{14} + 152a^4b^5c^3d^{13} + 728a^4b^5c^4d^{12} + 72a^4b^5c^5d^{11} - 872a^4b^5c^6d^{10} - 848a^4b^5c^7d^9 + 48a^4b^5c^8d^8 + 1312a^4b^5c^9d^7 + 688a^4b^5c^{10}d^6 \\
& - 840a^4b^5c^{11}d^5 - 520a^4b^5c^{12}d^4 + 200a^4b^5c^{13}d^3 + 120a^4b^5c^{14}d^2 + 120a^5b^4c^2d^{14} + 200a^5b^4c^3d^{13} - 520a^5b^4c^4d^{12} - 840a^5b^4c^5d^{11} + 688a^5b^4c^6d^{10} + 1312a^5b^4c^7d^9
\end{aligned}$$

$$\begin{aligned}
& ^7d^9 + 48a^5b^4c^8d^8 - 848a^5b^4c^9d^7 - 872a^5b^4c^{10}d^6 + \\
& 72a^5b^4c^{11}d^5 + 728a^5b^4c^{12}d^4 + 152a^5b^4c^{13}d^3 - 192a^5 \\
& *b^4c^{14}d^2 - 160a^6b^3c^3d^{13} - 80a^6b^3c^4d^{12} + 712a^6b^3c^ \\
& 5d^{11} + 392a^6b^3c^6d^{10} - 1160a^6b^3c^7d^9 - 760a^6b^3c^8d^8 \\
& + 720a^6b^3c^9d^7 + 720a^6b^3c^{10}d^6 + 80a^6b^3c^{11}d^5 - 320a^ \\
& 6b^3c^{12}d^4 - 280a^6b^3c^{13}d^3 + 40a^6b^3c^{14}d^2 + 120a^7b^2c \\
& ^4d^{12} - 24a^7b^2c^5d^{11} - 520a^7b^2c^6d^{10} + 56a^7b^2c^7d^9 + \\
& 864a^7b^2c^8d^8 + 16a^7b^2c^9d^7 - 656a^7b^2c^{10}d^6 - 144a^7* \\
& b^2c^{11}d^5 + 184a^7b^2c^{12}d^4 + 136a^7b^2c^{13}d^3 + 24a^7b^2c^1 \\
& 4d^2 + 8a^8b^3c^4d^{15} + 8a^8b^3c^{15}d)) / ((a^3c^{13} + b^3d^{13} - a^3c^3d \\
& ^{10} + 5a^3c^5d^8 - 10a^3c^7d^6 + 10a^3c^9d^4 - 5a^3c^{11}d^2 - 5* \\
& b^3c^2d^{11} + 10b^3c^4d^9 - 10b^3c^6d^7 + 5b^3c^8d^5 - b^3c^{10}d \\
& ^3 + 15a^2b^2c^3d^{10} - 30a^2b^2c^5d^8 + 30a^2b^2c^7d^6 - 15a^2b^2c^9 \\
& *d^4 + 3a^2b^2c^{11}d^2 + 3a^2b^2c^{12}d^11 - 15a^2b^2c^4d^9 + 30a^2b^2c^ \\
& 6d^7 - 30a^2b^2c^8d^5 + 15a^2b^2c^{10}d^3 - 3a^2b^2c^12d^12 - 3a^2b^2c^1 \\
& 2d^12) * (a^4c^{11} - b^4d^{11} + a^4c^{10}d - b^4c^4d^{10} - a^4c^4d^7 - a^4c^5 \\
& *d^6 + 3a^4c^6d^5 + 3a^4c^7d^4 - 3a^4c^8d^3 - 3a^4c^9d^2 + 3b^ \\
& 4c^2d^9 + 3b^4c^3d^8 - 3b^4c^4d^7 - 3b^4c^5d^6 + b^4c^6d^5 + b \\
& ^4c^7d^4 + 4a^3b^3c^2d^9 - 12a^3b^3c^3d^8 - 12a^3b^3c^4d^7 + 12a^3b \\
& ^3c^5d^6 + 12a^3b^3c^6d^5 - 4a^3b^3c^7d^4 - 4a^3b^3c^8d^3 + 4a^3b \\
& *c^3d^8 + 4a^3b^3c^4d^7 - 12a^3b^3c^5d^6 - 12a^3b^3c^6d^5 + 12a^3b \\
& *c^7d^4 + 12a^3b^3c^8d^3 - 4a^3b^3c^9d^2 - 6a^2b^2c^2d^9 - 6a^2b \\
& ^2c^3d^8 + 18a^2b^2c^4d^7 + 18a^2b^2c^5d^6 - 18a^2b^2c^6d^5 - \\
& 18a^2b^2c^7d^4 + 6a^2b^2c^8d^3 + 6a^2b^2c^9d^2 + 4a^2b^3c^4d^1 \\
& 0 - 4a^3b^3c^{10}d)) * (6a^2c^4 + 2a^2d^4 + b^2d^4 - 5a^2c^2d^2 + 2* \\
& b^2c^2d^2 - 6a^2b^3c^3d)) / (2 * (a^3c^{13} + b^3d^{13} - a^3c^3d^{10} + 5a^3* \\
& c^5d^8 - 10a^3c^7d^6 + 10a^3c^9d^4 - 5a^3c^{11}d^2 - 5b^3c^2d^{11} \\
& + 10b^3c^4d^9 - 10b^3c^6d^7 + 5b^3c^8d^5 - b^3c^{10}d^3 + 15a^2b^ \\
& 2c^3d^{10} - 30a^2b^2c^5d^8 + 30a^2b^2c^7d^6 - 15a^2b^2c^9d^4 + 3a^2b \\
& ^2c^{11}d^2 + 3a^2b^2c^{12}d^11 - 15a^2b^2c^4d^9 + 30a^2b^2c^6d^7 - 30a \\
& ^2b^2c^8d^5 + 15a^2b^2c^{10}d^3 - 3a^2b^2c^{12}d^12)) * (6a^ \\
& 2c^4 + 2a^2d^4 + b^2d^4 - 5a^2c^2d^2 + 2b^2c^2d^2 - 6a^2b^3c^3d \\
&) * i) / (f * (a^3c^{13} + b^3d^{13} - a^3c^3d^{10} + 5a^3c^5d^8 - 10a^3c^7d \\
& ^6 + 10a^3c^9d^4 - 5a^3c^{11}d^2 - 5b^3c^2d^{11} + 10b^3c^4d^9 - 10 \\
& *b^3c^6d^7 + 5b^3c^8d^5 - b^3c^{10}d^3 + 15a^2b^2c^3d^{10} - 30a^2b^2* \\
& c^5d^8 + 30a^2b^2c^7d^6 - 15a^2b^2c^9d^4 + 3a^2b^2c^{11}d^2 + 3a^2b^2* \\
& c^2d^{11} - 15a^2b^2c^4d^9 + 30a^2b^2c^6d^7 - 30a^2b^2c^8d^5 + 15a^2* \\
& b^2c^{10}d^3 - 3a^2b^2c^12d^12))
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(e + fx))(c + d \sec(e + fx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))**3,x)

[Out] Integral(1/((a + b*cos(e + f*x))*(c + d*sec(e + f*x))**3), x)

$$3.16 \quad \int \frac{\sqrt{c+d \sec(e+fx)}}{a+b \cos(e+fx)} dx$$

Optimal. Leaf size=213

$$\frac{2(ac - bd) \tan(e + fx) \sqrt{\frac{c+d \sec(e+fx)}{c+d}} \Pi\left(\frac{2a}{a+b}; \sin^{-1}\left(\frac{\sqrt{1-\sec(e+fx)}}{\sqrt{2}}\right) \middle| \frac{2d}{c+d}\right) + 2\sqrt{c+d} \cot(e + fx) \sqrt{\frac{d(1-\sec(e+fx))}{c+d}} \sqrt{-\frac{d(s}{af(a+b) \sqrt{-\tan^2(e+fx)} \sqrt{c+d \sec(e+fx)}} + \frac{\sqrt{-\frac{d(s}{af$$

[Out] 2*cot(f*x+e)*EllipticF((c+d*sec(f*x+e))^(1/2)/(c+d)^(1/2), ((c+d)/(c-d))^(1/2))*(c+d)^(1/2)*(d*(1-sec(f*x+e))/(c+d)^(1/2)*(-d*(1+sec(f*x+e))/(c-d))^(1/2)/a/f+2*(a*c-b*d)*EllipticPi(1/2*(1-sec(f*x+e))^(1/2)*2^(1/2), 2*a/(a+b), 2^(1/2)*(d/(c+d))^(1/2))*((c+d*sec(f*x+e))/(c+d)^(1/2)*tan(f*x+e)/a/(a+b)/f/(c+d*sec(f*x+e))^(1/2)/(-tan(f*x+e)^2)^(1/2)

Rubi [A] time = 0.38, antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {2829, 3969, 3832, 3973}

$$\frac{2(ac - bd) \tan(e + fx) \sqrt{\frac{c+d \sec(e+fx)}{c+d}} \Pi\left(\frac{2a}{a+b}; \sin^{-1}\left(\frac{\sqrt{1-\sec(e+fx)}}{\sqrt{2}}\right) \middle| \frac{2d}{c+d}\right) + 2\sqrt{c+d} \cot(e + fx) \sqrt{\frac{d(1-\sec(e+fx))}{c+d}} \sqrt{-\frac{d(s}{af(a+b) \sqrt{-\tan^2(e+fx)} \sqrt{c+d \sec(e+fx)}} + \frac{\sqrt{-\frac{d(s}{af$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c + d*Sec[e + f*x]]/(a + b*Cos[e + f*x]),x]

[Out] (2*Sqrt[c + d]*Cot[e + f*x]*EllipticF[ArcSin[Sqrt[c + d*Sec[e + f*x]]/Sqrt[c + d]], (c + d)/(c - d)]*Sqrt[(d*(1 - Sec[e + f*x]))/(c + d)]*Sqrt[-((d*(1 + Sec[e + f*x]))/(c - d))]/(a*f) + (2*(a*c - b*d)*EllipticPi[(2*a)/(a + b), ArcSin[Sqrt[1 - Sec[e + f*x]]/Sqrt[2]], (2*d)/(c + d)]*Sqrt[(c + d*Sec[e + f*x])/(c + d)]*Tan[e + f*x])/(a*(a + b)*f*Sqrt[c + d*Sec[e + f*x]]*Sqrt[-Tan[e + f*x]^2])

Rule 2829

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Int[((b + a*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/Csc[e + f*x]^m, x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-


```
((b*(1 + Csc[e + f*x]))/(a - b))*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3969

```
Int[(csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)])/(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_)), x_Symbol] :> Dist[b/d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/d, Int[Csc[e + f*x]/(Sqrt[a + b*Csc[e + f*x]]*(c + d*Csc[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3973

```
Int[csc[(e_.) + (f_.)*(x_)]/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)])*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_)), x_Symbol] :> Simp[(-2*Cot[e + f*x]*Sqrt[(a + b*Csc[e + f*x])/(a + b)]*EllipticPi[(2*d)/(c + d), ArcSin[Sqrt[1 - Csc[e + f*x]]/Sqrt[2]], (2*b)/(a + b)])/(f*(c + d)*Sqrt[a + b*Csc[e + f*x]]*Sqrt[-Cot[e + f*x]^2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{c+d \sec(e+fx)}}{a+b \cos(e+fx)} dx &= \int \frac{\sec(e+fx) \sqrt{c+d \sec(e+fx)}}{b+a \sec(e+fx)} dx \\ &= \frac{d \int \frac{\sec(e+fx)}{\sqrt{c+d \sec(e+fx)}} dx}{a} - \frac{(-ac+bd) \int \frac{\sec(e+fx)}{(b+a \sec(e+fx)) \sqrt{c+d \sec(e+fx)}} dx}{a} \\ &= \frac{2\sqrt{c+d} \cot(e+fx) F\left(\sin^{-1}\left(\frac{\sqrt{c+d \sec(e+fx)}}{\sqrt{c+d}}\right) \middle| \frac{c+d}{c-d}\right) \sqrt{\frac{d(1-\sec(e+fx))}{c+d}} \sqrt{\frac{d(1+\sec(e+fx))}{c-d}}}{af} \end{aligned}$$

Mathematica [A] time = 4.16, size = 184, normalized size = 0.86

$$\frac{4 \cos^2\left(\frac{1}{2}(e+fx)\right) \sqrt{\frac{\cos(e+fx)}{\cos(e+fx)+1}} \sqrt{\frac{c \cos(e+fx)+d}{(c+d)(\cos(e+fx)+1)}} \sqrt{c+d \sec(e+fx)} \left(2(ac-bd) \Pi\left(\frac{b-a}{a+b}; \sin^{-1}\left(\tan\left(\frac{1}{2}(e+fx)\right)\right)\right)\right)}{f(a-b)(a+b)(c \cos(e+fx)+d)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[c + d*Sec[e + f*x]]/(a + b*Cos[e + f*x]), x]
```

[Out] $(4*\cos[(e + f*x)/2]^2*\sqrt{\cos[e + f*x]/(1 + \cos[e + f*x])}*\sqrt{(d + c*\cos[e + f*x])/((c + d)*(1 + \cos[e + f*x]))})*(-((a + b)*(c - d)*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(e + f*x)/2]], (c - d)/(c + d)]) + 2*(a*c - b*d)*\text{EllipticPi}[(-a + b)/(a + b), \text{ArcSin}[\text{Tan}[(e + f*x)/2]], (c - d)/(c + d)])*\sqrt{c + d*\sec[e + f*x]})/((a - b)*(a + b)*f*(d + c*\cos[e + f*x]))$

fricas [F] time = 2.06, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{d \sec(fx + e) + c}}{b \cos(fx + e) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*sec(f*x+e))^(1/2)/(a+b*cos(f*x+e)),x, algorithm="fricas")`

[Out] `integral(sqrt(d*sec(f*x + e) + c)/(b*cos(f*x + e) + a), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d \sec(fx + e) + c}}{b \cos(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*sec(f*x+e))^(1/2)/(a+b*cos(f*x+e)),x, algorithm="giac")`

[Out] `integrate(sqrt(d*sec(f*x + e) + c)/(b*cos(f*x + e) + a), x)`

maple [A] time = 0.68, size = 357, normalized size = 1.68

$$2\sqrt{\frac{d+c\cos(fx+e)}{\cos(fx+e)}}\sqrt{\frac{\cos(fx+e)}{1+\cos(fx+e)}}\sqrt{\frac{d+c\cos(fx+e)}{(1+\cos(fx+e))(c+d)}}(1+\cos(fx+e))^2(-1+\cos(fx+e))\left(\text{EllipticF}\left(\frac{-1+\cos(fx+e)}{\sin(fx+e)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d*sec(f*x+e))^(1/2)/(a+b*cos(f*x+e)),x)`

[Out] $-2/f*((d+c*\cos(f*x+e))/\cos(f*x+e))^{1/2}*(\cos(f*x+e)/(1+\cos(f*x+e)))^{1/2}*((d+c*\cos(f*x+e))/(1+\cos(f*x+e))/(c+d))^{1/2}*(1+\cos(f*x+e))^2*(-1+\cos(f*x+e))*(\text{EllipticF}((-1+\cos(f*x+e))/\sin(f*x+e),((c-d)/(c+d))^{1/2})*a*c-\text{EllipticF}((-1+\cos(f*x+e))/\sin(f*x+e),((c-d)/(c+d))^{1/2})*a*d+\text{EllipticF}((-1+\cos(f*x+e))/\sin(f*x+e),((c-d)/(c+d))^{1/2})*b*c-\text{EllipticF}((-1+\cos(f*x+e))/\sin(f*x+e),((c-d)/(c+d))^{1/2})*a*c)$

$e), ((c-d)/(c+d))^{1/2}) * b * d - 2 * \text{EllipticPi}((-1 + \cos(f * x + e)) / \sin(f * x + e), -(a-b) / (a+b), ((c-d)/(c+d))^{1/2}) * a * c + 2 * \text{EllipticPi}((-1 + \cos(f * x + e)) / \sin(f * x + e), -(a-b) / (a+b), ((c-d)/(c+d))^{1/2}) * b * d) / (d + c * \cos(f * x + e)) / \sin(f * x + e)^2 / (a-b) / (a+b)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d \sec(fx + e) + c}}{b \cos(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))^(1/2)/(a+b*cos(f*x+e)),x, algorithm="maxima")

[Out] integrate(sqrt(d*sec(f*x + e) + c)/(b*cos(f*x + e) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{c + \frac{d}{\cos(e+fx)}}}{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d/cos(e + f*x))^(1/2)/(a + b*cos(e + f*x)),x)

[Out] int((c + d/cos(e + f*x))^(1/2)/(a + b*cos(e + f*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + d \sec(e + fx)}}{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*sec(f*x+e))**(1/2)/(a+b*cos(f*x+e)),x)

[Out] Integral(sqrt(c + d*sec(e + f*x))/(a + b*cos(e + f*x)), x)

$$3.17 \quad \int \frac{1}{(a+b \cos(e+fx)) \sqrt{c+d \sec(e+fx)}} dx$$

Optimal. Leaf size=102

$$\frac{2 \tan(e+fx) \sqrt{\frac{c+d \sec(e+fx)}{c+d}} \Pi\left(\frac{2a}{a+b}; \sin^{-1}\left(\frac{\sqrt{1-\sec(e+fx)}}{\sqrt{2}}\right) \middle| \frac{2d}{c+d}\right)}{f(a+b) \sqrt{-\tan^2(e+fx)} \sqrt{c+d \sec(e+fx)}}$$

[Out] 2*EllipticPi(1/2*(1-sec(f*x+e))^(1/2)*2^(1/2), 2*a/(a+b), 2^(1/2)*(d/(c+d))^(1/2))*((c+d*sec(f*x+e))/(c+d))^(1/2)*tan(f*x+e)/(a+b)/f/(c+d*sec(f*x+e))^(1/2)/(-tan(f*x+e)^2)^(1/2)

Rubi [A] time = 0.20, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$, Rules used = {2829, 3973}

$$\frac{2 \tan(e+fx) \sqrt{\frac{c+d \sec(e+fx)}{c+d}} \Pi\left(\frac{2a}{a+b}; \sin^{-1}\left(\frac{\sqrt{1-\sec(e+fx)}}{\sqrt{2}}\right) \middle| \frac{2d}{c+d}\right)}{f(a+b) \sqrt{-\tan^2(e+fx)} \sqrt{c+d \sec(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[e + f*x])*Sqrt[c + d*Sec[e + f*x]]), x]

[Out] (2*EllipticPi[(2*a)/(a + b), ArcSin[Sqrt[1 - Sec[e + f*x]]/Sqrt[2]], (2*d)/(c + d)]*Sqrt[(c + d*Sec[e + f*x])/(c + d)]*Tan[e + f*x])/((a + b)*f*Sqrt[c + d*Sec[e + f*x]]*Sqrt[-Tan[e + f*x]^2])

Rule 2829

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] := Int[((b + a*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/Csc[e + f*x]^m, x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !IntegerQ[n] && IntegerQ[m]

Rule 3973

Int[csc[(e_.) + (f_.)*(x_.)]/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))), x_Symbol] := Simp[(-2*Cot[e + f*x]*Sqrt[(a + b*Csc[e + f*x])/(a + b)]*EllipticPi[(2*d)/(c + d), ArcSin[Sqrt[1 - Csc[e + f*x]]/Sqrt[2]], (2*b)/(a + b)])/(f*(c + d)*Sqrt[a + b*Csc[e + f*x]]*Sqrt[-Cot[e + f*x]^2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{1}{(a + b \cos(e + fx))\sqrt{c + d \sec(e + fx)}} dx = \int \frac{\sec(e + fx)}{(b + a \sec(e + fx))\sqrt{c + d \sec(e + fx)}} dx$$

$$= \frac{2\Pi\left(\frac{2a}{a+b}; \sin^{-1}\left(\frac{\sqrt{1-\sec(e+fx)}}{\sqrt{2}}\right) \middle| \frac{2d}{c+d}\right) \sqrt{\frac{c+d \sec(e+fx)}{c+d}} \tan(e + fx)}{(a + b)f\sqrt{c + d \sec(e + fx)}\sqrt{-\tan^2(e + fx)}}$$

Mathematica [A] time = 4.40, size = 187, normalized size = 1.83

$$\frac{2\sqrt{\sec(e + fx)}\sqrt{\sec(e + fx) + 1}\sqrt{\cos(e + fx)\sec^2\left(\frac{1}{2}(e + fx)\right)}\sqrt{\frac{c\cos(e+fx)+d}{(c+d)(\cos(e+fx)+1)}}\left((a + b)F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(e + fx)\right)\right)\right)\right)}{f(a - b)(a + b)\sqrt{\sec^2\left(\frac{1}{2}(e + fx)\right)}\sqrt{c + d \sec(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*Cos[e + f*x])*Sqrt[c + d*Sec[e + f*x]]),x]

[Out] (-2*Sqrt[(d + c*Cos[e + f*x])/((c + d)*(1 + Cos[e + f*x]))]*((a + b)*EllipticF[ArcSin[Tan[(e + f*x)/2]], (c - d)/(c + d)] - 2*a*EllipticPi[(-a + b)/(a + b), ArcSin[Tan[(e + f*x)/2]], (c - d)/(c + d)]*Sqrt[Cos[e + f*x]*Sec[(e + f*x)/2]^2]*Sqrt[Sec[e + f*x]]*Sqrt[1 + Sec[e + f*x]]/((a - b)*(a + b)*f*Sqrt[Sec[(e + f*x)/2]^2]*Sqrt[c + d*Sec[e + f*x]]))

fricas [F] time = 2.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{d \sec(fx + e) + c}}{bc \cos(fx + e) + ac + (bd \cos(fx + e) + ad) \sec(fx + e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(d*sec(f*x + e) + c)/(b*c*cos(f*x + e) + a*c + (b*d*cos(f*x + e) + a*d)*sec(f*x + e)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(fx + e) + a)\sqrt{d \sec(fx + e) + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^(1/2),x, algorithm="giac")

[Out] integrate(1/((b*cos(f*x + e) + a)*sqrt(d*sec(f*x + e) + c)), x)

maple [B] time = 0.58, size = 239, normalized size = 2.34

$$2\sqrt{\frac{d+c\cos(fx+e)}{\cos(fx+e)}}\sqrt{\frac{\cos(fx+e)}{1+\cos(fx+e)}}\sqrt{\frac{d+c\cos(fx+e)}{(1+\cos(fx+e))(c+d)}}(1+\cos(fx+e))^2\left(2a\operatorname{EllipticPi}\left(\frac{-1+\cos(fx+e)}{\sin(fx+e)},-\frac{a-b}{a+b},\sqrt{\frac{c-d}{c+d}}\right)-\frac{f(d+c\cos(fx+e))\sin(fx+e)^2}{(c+d)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^(1/2),x)

[Out] 2/f*((d+c*cos(f*x+e))/cos(f*x+e))^(1/2)*(cos(f*x+e)/(1+cos(f*x+e)))^(1/2)*((d+c*cos(f*x+e))/(1+cos(f*x+e))/(c+d))^(1/2)*(1+cos(f*x+e))^2*(2*a*EllipticPi((-1+cos(f*x+e))/sin(f*x+e),-(a-b)/(a+b),((c-d)/(c+d))^(1/2))-a*EllipticF((-1+cos(f*x+e))/sin(f*x+e),((c-d)/(c+d))^(1/2))-b*EllipticF((-1+cos(f*x+e))/sin(f*x+e),((c-d)/(c+d))^(1/2)))*(-1+cos(f*x+e))/(d+c*cos(f*x+e))/sin(f*x+e)^2/(a-b)/(a+b)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b\cos(fx+e)+a)\sqrt{d\sec(fx+e)+c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate(1/((b*cos(f*x + e) + a)*sqrt(d*sec(f*x + e) + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{c + \frac{d}{\cos(e+fx)}}(a+b\cos(e+fx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((c + d/cos(e + f*x))^(1/2)*(a + b*cos(e + f*x))),x)

[Out] int(1/((c + d/cos(e + f*x))^(1/2)*(a + b*cos(e + f*x))), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(e + fx)) \sqrt{c + d \sec(e + fx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(f*x+e))/(c+d*sec(f*x+e))**(1/2),x)

[Out] Integral(1/((a + b*cos(e + f*x))*sqrt(c + d*sec(e + f*x))), x)

$$3.18 \quad \int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{a+b \cos(d+ex)} dx$$

Optimal. Leaf size=87

$$\frac{2(Ab - aB) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}} \right)}{be\sqrt{a-b}\sqrt{a+b}} - \frac{C \log(a + b \cos(d + ex))}{be} + \frac{Bx}{b}$$

[Out] $B*x/b - C*\ln(a+b*\cos(e*x+d))/b/e + 2*(A*b - B*a)*\arctan((a-b)^{(1/2)}*\tan(1/2*e*x+1/2*d)/(a+b)^{(1/2}))/b/e/(a-b)^{(1/2})*(a+b)^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4377, 2735, 2659, 205, 2668, 31}

$$\frac{2(Ab - aB) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}} \right)}{be\sqrt{a-b}\sqrt{a+b}} - \frac{C \log(a + b \cos(d + ex))}{be} + \frac{Bx}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[d + e*x] + C*\text{Sin}[d + e*x])/(a + b*\text{Cos}[d + e*x]), x]$

[Out] $(B*x)/b + (2*(A*b - a*B)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(d + e*x)/2])/ \text{Sqrt}[a + b]])/(\text{Sqrt}[a - b]*b*\text{Sqrt}[a + b]*e) - (C*\text{Log}[a + b*\text{Cos}[d + e*x]])/(b*e)$

Rule 31

$\text{Int}[(a_) + (b_)*(x_)^(-1), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \text{ /; FreeQ}\{a, b\}, x]$

Rule 205

$\text{Int}[(a_) + (b_)*(x_)^2)^(-1), x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \text{ /; FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$

Rule 2659

$\text{Int}[(a_) + (b_)*\sin[\text{Pi}/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] \rightarrow \text{With}\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] \text{ /; FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 2668

```
Int[cos[(e_.) + (f_.)*(x_.)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 4377

```
Int[(u_)*((v_) + (d_.)*(F_)[(c_.)*((a_.) + (b_.)*(x_.))]^(n_.)), x_Symbol] :> With[{e = FreeFactors[Cos[c*(a + b*x)], x]}, Int[ActivateTrig[u*v], x] + Dist[d, Int[ActivateTrig[u]*Sin[c*(a + b*x)]^n, x], x] /; FunctionOfQ[Cos[c*(a + b*x)]/e, u, x] /; FreeQ[{a, b, c, d}, x] && !FreeQ[v, x] && IntegerQ[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Sin] || EqQ[F, sin])
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(d + ex) + C \sin(d + ex)}{a + b \cos(d + ex)} dx &= C \int \frac{\sin(d + ex)}{a + b \cos(d + ex)} dx + \int \frac{A + B \cos(d + ex)}{a + b \cos(d + ex)} dx \\ &= \frac{Bx}{b} - \frac{(-Ab + aB) \int \frac{1}{a + b \cos(d + ex)} dx}{b} - \frac{C \operatorname{Subst}\left(\int \frac{1}{a + x} dx, x, b \cos(d + ex)\right)}{be} \\ &= \frac{Bx}{b} - \frac{C \log(a + b \cos(d + ex))}{be} + \frac{(2(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{a + b + (a - b)x^2} dx\right)}{be} \\ &= \frac{Bx}{b} + \frac{2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a - b} \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{a + b}}\right)}{\sqrt{a - b} b \sqrt{a + b} e} - \frac{C \log(a + b \cos(d + ex))}{be} \end{aligned}$$

Mathematica [A] time = 0.25, size = 82, normalized size = 0.94

$$\frac{2(aB - Ab) \tanh^{-1}\left(\frac{(a - b) \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} - \frac{C \log(a + b \cos(d + ex)) + B(d + ex)}{be}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[d + e*x] + C*Sin[d + e*x])/(a + b*Cos[d + e*x]),x]

[Out] (B*(d + e*x) + (2*(-(A*b) + a*B)*ArcTanh[((a - b)*Tan[(d + e*x)/2])/Sqrt[-a^2 + b^2]))/Sqrt[-a^2 + b^2] - C*Log[a + b*Cos[d + e*x]])/(b*e)

fricas [A] time = 0.88, size = 326, normalized size = 3.75

$$\left[\frac{2(Ba^2 - Bb^2)ex + (Ba - Ab)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(ex+d) + (2a^2 - b^2) \cos(ex+d)^2 + 2\sqrt{-a^2 + b^2}(a \cos(ex+d) + b) \sin(ex+d) - a^2 + 2b^2}{b^2 \cos(ex+d)^2 + 2ab \cos(ex+d) + a^2}\right)}{2(a^2b - b^3)e} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d)),x, algorithm="fricas")

[Out] [1/2*(2*(B*a^2 - B*b^2)*e*x + (B*a - A*b)*sqrt(-a^2 + b^2)*log((2*a*b*cos(e*x + d) + (2*a^2 - b^2)*cos(e*x + d)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(e*x + d) + b)*sin(e*x + d) - a^2 + 2*b^2)/(b^2*cos(e*x + d)^2 + 2*a*b*cos(e*x + d) + a^2)) - (C*a^2 - C*b^2)*log(b^2*cos(e*x + d)^2 + 2*a*b*cos(e*x + d) + a^2))/((a^2*b - b^3)*e), 1/2*(2*(B*a^2 - B*b^2)*e*x - 2*(B*a - A*b)*sqrt(a^2 - b^2)*arctan(-(a*cos(e*x + d) + b)/(sqrt(a^2 - b^2)*sin(e*x + d))) - (C*a^2 - C*b^2)*log(b^2*cos(e*x + d)^2 + 2*a*b*cos(e*x + d) + a^2))/((a^2*b - b^3)*e)]

giac [B] time = 0.45, size = 459, normalized size = 5.28

$$\left[\frac{C(a+b)(a-b)^2 \log\left(\tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)^2 + \frac{2a + \sqrt{-4(a+b)(a-b) + 4a^2}}{2(a-b)}\right)}{(a^2 - 2ab + b^2)b^2 + (a^3 - 2a^2b + ab^2)|b|} + \frac{\left(\sqrt{a^2 - b^2} B(2a - b)|a - b| - \sqrt{a^2 - b^2} Ab|a - b|\right)}{2(a-b)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d)),x, algorithm="giac")

[Out] -(C*(a + b)*(a - b)^2*log(tan(1/2*x*e + 1/2*d)^2 + 1/2*(2*a + sqrt(-4*(a + b)*(a - b) + 4*a^2))/(a - b)))/((a^2 - 2*a*b + b^2)*b^2 + (a^3 - 2*a^2*b + a

$b^2 \cdot \text{abs}(b)) + (\text{sqrt}(a^2 - b^2) \cdot B \cdot (2a - b) \cdot \text{abs}(a - b) - \text{sqrt}(a^2 - b^2) \cdot A \cdot b \cdot \text{abs}(a - b) - \text{sqrt}(a^2 - b^2) \cdot A \cdot \text{abs}(a - b) \cdot \text{abs}(b) + \text{sqrt}(a^2 - b^2) \cdot B \cdot \text{abs}(a - b) \cdot \text{abs}(b)) \cdot (\text{pi} \cdot \text{floor}(1/2 \cdot (x \cdot e + d) / \text{pi} + 1/2) + \text{arctan}(2 \cdot \text{sqrt}(1/2) \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) / \text{sqrt}((2a + \text{sqrt}(-4 \cdot (a + b) \cdot (a - b) + 4 \cdot a^2)) / (a - b)))) / ((a^2 - 2 \cdot a \cdot b + b^2) \cdot b^2 + (a^3 - 2 \cdot a^2 \cdot b + a \cdot b^2) \cdot \text{abs}(b)) + (2 \cdot B \cdot a - A \cdot b - B \cdot b + A \cdot \text{abs}(b) - B \cdot \text{abs}(b)) \cdot (\text{pi} \cdot \text{floor}(1/2 \cdot (x \cdot e + d) / \text{pi} + 1/2) + \text{arctan}(2 \cdot \text{sqrt}(1/2) \cdot \tan(1/2 \cdot x \cdot e + 1/2 \cdot d) / \text{sqrt}((2a - \text{sqrt}(-4 \cdot (a + b) \cdot (a - b) + 4 \cdot a^2)) / (a - b)))) / (b^2 - a \cdot \text{abs}(b)) + (C \cdot a - C \cdot b) \cdot \log(\tan(1/2 \cdot x \cdot e + 1/2 \cdot d)^2 + 1/2 \cdot (2a - \text{sqrt}(-4 \cdot (a + b) \cdot (a - b) + 4 \cdot a^2)) / (a - b)) / (b^2 - a \cdot \text{abs}(b))) \cdot e^{-1}$

maple [B] time = 0.18, size = 226, normalized size = 2.60

$$\frac{\ln\left(a\left(\tan^2\left(\frac{ex}{2} + \frac{d}{2}\right)\right) - \left(\tan^2\left(\frac{ex}{2} + \frac{d}{2}\right)\right)b + a + b\right)aC}{eb(a-b)} + \frac{\ln\left(a\left(\tan^2\left(\frac{ex}{2} + \frac{d}{2}\right)\right) - \left(\tan^2\left(\frac{ex}{2} + \frac{d}{2}\right)\right)b + a + b\right)C}{e(a-b)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d)),x)`

[Out] $-1/e/b/(a-b) \cdot \ln(a \cdot \tan(1/2 \cdot e \cdot x + 1/2 \cdot d)^2 - \tan(1/2 \cdot e \cdot x + 1/2 \cdot d)^2 \cdot b + a + b) \cdot a \cdot C + 1/e/(a-b) \cdot \ln(a \cdot \tan(1/2 \cdot e \cdot x + 1/2 \cdot d)^2 - \tan(1/2 \cdot e \cdot x + 1/2 \cdot d)^2 \cdot b + a + b) \cdot C + 2/e/((a-b) \cdot (a+b))^{1/2} \cdot \arctan(\tan(1/2 \cdot e \cdot x + 1/2 \cdot d) \cdot (a-b)/((a-b) \cdot (a+b))^{1/2}) \cdot A - 2/e/b/((a-b) \cdot (a+b))^{1/2} \cdot \arctan(\tan(1/2 \cdot e \cdot x + 1/2 \cdot d) \cdot (a-b)/((a-b) \cdot (a+b))^{1/2}) \cdot a \cdot B + 1/e/b \cdot C \cdot \ln(\tan(1/2 \cdot e \cdot x + 1/2 \cdot d)^2 + 1) + 2/e/b \cdot B \cdot \arctan(\tan(1/2 \cdot e \cdot x + 1/2 \cdot d))$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d)),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 4.16, size = 886, normalized size = 10.18

$$\frac{\ln\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) - i\right) (-C + B1i)}{be} + \frac{\ln\left(\tan\left(\frac{d}{2} + \frac{ex}{2}\right) + i\right) (C + B1i)}{be} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(d + e*x) + C*sin(d + e*x))/(a + b*cos(d + e*x)),x)

[Out] (log(tan(d/2 + (e*x)/2) + 1i)*(B*1i + C))/(b*e) - (log(tan(d/2 + (e*x)/2) - 1i)*(B*1i - C))/(b*e) - (log(A^2*b^3 + B^2*b^3 - 4*C^2*a^3 + 4*C^2*b^3 + A^2*a*b^2 + B^2*a*b^2 + 4*C^2*a*b^2 - 4*C^2*a^2*b - 2*A*B*a*b^2 - 2*A*B*a^2*b + A^2*b^2*tan(d/2 + (e*x)/2)*(b^2 - a^2)^(1/2) + B^2*b^2*tan(d/2 + (e*x)/2)*(b^2 - a^2)^(1/2) - 4*C^2*a^2*tan(d/2 + (e*x)/2)*(b^2 - a^2)^(1/2) + 4*C^2*b^2*tan(d/2 + (e*x)/2)*(b^2 - a^2)^(1/2) - 4*A*C*b^2*(b^2 - a^2)^(1/2) + 4*B*C*a^2*(b^2 - a^2)^(1/2) - 4*A*C*b^3*tan(d/2 + (e*x)/2) - 4*B*C*a^3*tan(d/2 + (e*x)/2) - 4*A*C*a*b*(b^2 - a^2)^(1/2) + 4*B*C*a*b*(b^2 - a^2)^(1/2) + 4*A*C*a^2*b*tan(d/2 + (e*x)/2) + 4*B*C*a*b^2*tan(d/2 + (e*x)/2) - 2*A*B*a*b*tan(d/2 + (e*x)/2)*(b^2 - a^2)^(1/2))*(C*a^2 - C*b^2 + A*b*(b^2 - a^2)^(1/2) - B*a*(b^2 - a^2)^(1/2)))/(b*e*(a^2 - b^2)) - (log(A^2*b^3 + B^2*b^3 - 4*C^2*a^3 + 4*C^2*b^3 + A^2*a*b^2 + B^2*a*b^2 + 4*C^2*a*b^2 - 4*C^2*a^2*b - 2*A*B*a*b^2 - 2*A*B*a^2*b - A^2*b^2*tan(d/2 + (e*x)/2)*(b^2 - a^2)^(1/2) - B^2*b^2*tan(d/2 + (e*x)/2)*(b^2 - a^2)^(1/2) + 4*C^2*a^2*tan(d/2 + (e*x)/2)*(b^2 - a^2)^(1/2) - 4*C^2*b^2*tan(d/2 + (e*x)/2)*(b^2 - a^2)^(1/2) + 4*A*C*b^2*(b^2 - a^2)^(1/2) - 4*B*C*a^2*(b^2 - a^2)^(1/2) - 4*A*C*b^3*tan(d/2 + (e*x)/2) - 4*B*C*a^3*tan(d/2 + (e*x)/2) + 4*A*C*a*b*(b^2 - a^2)^(1/2) - 4*B*C*a*b*(b^2 - a^2)^(1/2) + 4*A*C*a^2*b*tan(d/2 + (e*x)/2) + 4*B*C*a*b^2*tan(d/2 + (e*x)/2) + 2*A*B*a*b*tan(d/2 + (e*x)/2)*(b^2 - a^2)^(1/2))*(C*a^2 - C*b^2 - A*b*(b^2 - a^2)^(1/2) + B*a*(b^2 - a^2)^(1/2)))/(b*e*(a^2 - b^2))

sympy [A] time = 26.56, size = 672, normalized size = 7.72

$$\left\{ \begin{array}{l} \frac{\infty x(A+B \cos (d)+C \sin (d))}{\cos (d)} \\ \frac{A \tan \left(\frac{d}{2}+\frac{e x}{2}\right)}{b e}+\frac{B x}{b}-\frac{B \tan \left(\frac{d}{2}+\frac{e x}{2}\right)}{b e}+\frac{C \log \left(\tan ^2\left(\frac{d}{2}+\frac{e x}{2}\right)+1\right)}{b e} \\ \frac{A}{b e \tan \left(\frac{d}{2}+\frac{e x}{2}\right)}+\frac{B x}{b}+\frac{B}{b e \tan \left(\frac{d}{2}+\frac{e x}{2}\right)}+\frac{C \log \left(\tan ^2\left(\frac{d}{2}+\frac{e x}{2}\right)+1\right)}{b e}-\frac{2 C \log \left(\tan \left(\frac{d}{2}+\frac{e x}{2}\right)\right)}{b e} \\ A x+\frac{B \sin (d+e x)}{e}-\frac{C \cos (d+e x)}{e} \\ \frac{x(A+B \cos (d)+C \sin (d))}{a+b \cos (d)} \\ -\frac{A b \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} \log \left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}+\tan \left(\frac{d}{2}+\frac{e x}{2}\right)\right)}{a b e+b^2 e}+\frac{A b \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} \log \left(\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}+\tan \left(\frac{d}{2}+\frac{e x}{2}\right)\right)}{a b e+b^2 e}+\frac{B a e x}{a b e+b^2 e}+\frac{B a \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} \log \left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}\right)}{a b e+b^2 e} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d)),x)

```
[Out] Piecewise((zoo*x*(A + B*cos(d) + C*sin(d))/cos(d), Eq(a, 0) & Eq(b, 0) & Eq
(e, 0)), (A*tan(d/2 + e*x/2)/(b*e) + B*x/b - B*tan(d/2 + e*x/2)/(b*e) + C*log(tan(d/2 + e*x/2)**2 + 1)/(b*e), Eq(a, b)), (A/(b*e*tan(d/2 + e*x/2)) + B*x/b + B/(b*e*tan(d/2 + e*x/2)) + C*log(tan(d/2 + e*x/2)**2 + 1)/(b*e) - 2*C*log(tan(d/2 + e*x/2))/(b*e), Eq(a, -b)), ((A*x + B*sin(d + e*x)/e - C*cos(d + e*x)/e)/a, Eq(b, 0)), (x*(A + B*cos(d) + C*sin(d))/(a + b*cos(d)), Eq(e, 0)), (-A*b*sqrt(-a/(a - b) - b/(a - b))*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(d/2 + e*x/2))/(a*b*e + b**2*e) + A*b*sqrt(-a/(a - b) - b/(a - b))*log(sqrt(-a/(a - b) - b/(a - b)) + tan(d/2 + e*x/2))/(a*b*e + b**2*e) + B*a*e*x/(a*b*e + b**2*e) + B*a*sqrt(-a/(a - b) - b/(a - b))*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(d/2 + e*x/2))/(a*b*e + b**2*e) - B*a*sqrt(-a/(a - b) - b/(a - b))*log(sqrt(-a/(a - b) - b/(a - b)) + tan(d/2 + e*x/2))/(a*b*e + b**2*e) + B*b*e*x/(a*b*e + b**2*e) - C*a*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(d/2 + e*x/2))/(a*b*e + b**2*e) - C*a*log(sqrt(-a/(a - b) - b/(a - b)) + tan(d/2 + e*x/2))/(a*b*e + b**2*e) + C*a*log(tan(d/2 + e*x/2)**2 + 1)/(a*b*e + b**2*e) - C*b*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(d/2 + e*x/2))/(a*b*e + b**2*e) - C*b*log(sqrt(-a/(a - b) - b/(a - b)) + tan(d/2 + e*x/2))/(a*b*e + b**2*e) + C*b*log(tan(d/2 + e*x/2)**2 + 1)/(a*b*e + b**2*e), True)
)
```

$$3.19 \quad \int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+b \cos(d+ex))^2} dx$$

Optimal. Leaf size=120

$$-\frac{(Ab - aB) \sin(d + ex)}{e(a^2 - b^2)(a + b \cos(d + ex))} + \frac{2(aA - bB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{e(a-b)^{3/2}(a+b)^{3/2}} + \frac{C}{be(a + b \cos(d + ex))}$$

[Out] $2*(A*a-B*b)*\arctan((a-b)^{(1/2)}*\tan(1/2*e*x+1/2*d)/(a+b)^{(1/2)))/(a-b)^{(3/2)}/(a+b)^{(3/2)}/e+C/b/e/(a+b*\cos(e*x+d))-(A*b-B*a)*\sin(e*x+d)/(a^2-b^2)/e/(a+b*\cos(e*x+d))$

Rubi [A] time = 0.17, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4377, 2754, 12, 2659, 205, 2668, 32}

$$-\frac{(Ab - aB) \sin(d + ex)}{e(a^2 - b^2)(a + b \cos(d + ex))} + \frac{2(aA - bB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{e(a-b)^{3/2}(a+b)^{3/2}} + \frac{C}{be(a + b \cos(d + ex))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Cos}[d + e*x] + C*\text{Sin}[d + e*x])/(a + b*\text{Cos}[d + e*x])^2, x]$

[Out] $(2*(a*A - b*B)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(d + e*x)/2])/(\text{Sqrt}[a + b])]/((a - b)^{(3/2)}*(a + b)^{(3/2)}*e) + C/(b*e*(a + b*\text{Cos}[d + e*x])) - ((A*b - a*B)*\text{Sin}[d + e*x])/((a^2 - b^2)*e*(a + b*\text{Cos}[d + e*x]))$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

Rule 32

$\text{Int}[(a_.) + (b_.)*(x_)^m, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{(m + 1)}/(b*(m + 1)), x] /; \text{FreeQ}[\{a, b, m\}, x] \ \&\& \ \text{NeQ}[m, -1]$

Rule 205

$\text{Int}[(a_.) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 2659

```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2668

```
Int[cos[(e_) + (f_)*(x_)]^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m
_), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/
2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p
- 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 2754

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f
*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), I
nt[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m +
2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a
*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

Rule 4377

```
Int[(u_)*((v_) + (d_)*(F_)[(c_)*((a_) + (b_)*(x_))]^(n_)), x_Symbol] :
> With[{e = FreeFactors[Cos[c*(a + b*x)], x]}, Int[ActivateTrig[u*v], x] +
Dist[d, Int[ActivateTrig[u]*Sin[c*(a + b*x)]^n, x], x] /; FunctionOfQ[Cos[c
*(a + b*x)]/e, u, x] /; FreeQ[{a, b, c, d}, x] && !FreeQ[v, x] && Integer
Q[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Sin] || EqQ[F, sin])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(d + ex) + C \sin(d + ex)}{(a + b \cos(d + ex))^2} dx &= C \int \frac{\sin(d + ex)}{(a + b \cos(d + ex))^2} dx + \int \frac{A + B \cos(d + ex)}{(a + b \cos(d + ex))^2} dx \\
&= -\frac{(Ab - aB) \sin(d + ex)}{(a^2 - b^2) e(a + b \cos(d + ex))} + \frac{\int \frac{-aA + bB}{a + b \cos(d + ex)} dx}{-a^2 + b^2} - \frac{C \operatorname{Subst}\left(\int \frac{1}{(a + x)} dx\right)}{a^2 - b^2} \\
&= \frac{C}{be(a + b \cos(d + ex))} - \frac{(Ab - aB) \sin(d + ex)}{(a^2 - b^2) e(a + b \cos(d + ex))} + \frac{(aA - bB) \int \frac{1}{a + x} dx}{a^2 - b^2} \\
&= \frac{C}{be(a + b \cos(d + ex))} - \frac{(Ab - aB) \sin(d + ex)}{(a^2 - b^2) e(a + b \cos(d + ex))} + \frac{(2(aA - bB)) \operatorname{atanh}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}(a+b)^{3/2}e} + \frac{C}{be(a + b \cos(d + ex))} - \frac{(aA - bB)}{(a^2 - b^2)}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 115, normalized size = 0.96

$$\frac{\frac{C(a^2 - b^2) - b(Ab - aB) \sin(d + ex)}{b(a - b)(a + b)(a + b \cos(d + ex))} + \frac{2(aA - bB) \operatorname{atanh}\left(\frac{(a - b) \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}}}{e}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[d + e*x] + C*Sin[d + e*x])/(a + b*Cos[d + e*x])^2,x]

[Out] ((2*(a*A - b*B)*ArcTanh[((a - b)*Tan[(d + e*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + ((a^2 - b^2)*C - b*(A*b - a*B)*Sin[d + e*x])/((a - b)*b*(a + b)*(a + b*Cos[d + e*x]))/e

fricas [A] time = 1.25, size = 444, normalized size = 3.70

$$\left[\frac{2Ca^4 - 4Ca^2b^2 + 2Cb^4 - (Aa^2b - Bab^2 + (Aab^2 - Bb^3) \cos(ex + d)) \sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(ex + d) + (2a^2 - b^2) \cos(ex + d)}{b^2 \cos(ex + d)}\right)}{2((a^4b^2 - 2a^2b^4 + b^6)e \cos(ex + d) + (a^5b^2 - b^7) \sin(ex + d))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^2,x, algorithm="fricas")


```
[Out] [1/2*(2*C*a^4 - 4*C*a^2*b^2 + 2*C*b^4 - (A*a^2*b - B*a*b^2 + (A*a*b^2 - B*b^3)*cos(e*x + d))*sqrt(-a^2 + b^2)*log((2*a*b*cos(e*x + d) + (2*a^2 - b^2)*cos(e*x + d)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(e*x + d) + b)*sin(e*x + d) - a^2 + 2*b^2)/(b^2*cos(e*x + d)^2 + 2*a*b*cos(e*x + d) + a^2)) + 2*(B*a^3*b - A*a^2*b^2 - B*a*b^3 + A*b^4)*sin(e*x + d))/((a^4*b^2 - 2*a^2*b^4 + b^6)*e*cos(e*x + d) + (a^5*b - 2*a^3*b^3 + a*b^5)*e), (C*a^4 - 2*C*a^2*b^2 + C*b^4 + (A*a^2*b - B*a*b^2 + (A*a*b^2 - B*b^3)*cos(e*x + d))*sqrt(a^2 - b^2)*arctan(-(a*cos(e*x + d) + b)/(sqrt(a^2 - b^2)*sin(e*x + d))) + (B*a^3*b - A*a^2*b^2 - B*a*b^3 + A*b^4)*sin(e*x + d))/((a^4*b^2 - 2*a^2*b^4 + b^6)*e*cos(e*x + d) + (a^5*b - 2*a^3*b^3 + a*b^5)*e)]
```

giac [A] time = 0.92, size = 173, normalized size = 1.44

$$-2 \left[\frac{\left(\pi \left[\frac{xe+d}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - b \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{\sqrt{a^2-b^2}} \right) \right) (Aa - Bb)}{(a^2 - b^2)^{\frac{3}{2}}} - \frac{Ba \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{\left(a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)\right)^2 - b^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^2,x, algorithm="giac")
```

```
[Out] -2*((pi*floor(1/2*(x*e + d)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*x*e + 1/2*d) - b*tan(1/2*x*e + 1/2*d))/sqrt(a^2 - b^2)))*(A*a - B*b)/(a^2 - b^2)^(3/2) - (B*a*tan(1/2*x*e + 1/2*d) - A*b*tan(1/2*x*e + 1/2*d) - C*a - C*b)/((a*tan(1/2*x*e + 1/2*d)^2 - b*tan(1/2*x*e + 1/2*d)^2 + a + b)*(a^2 - b^2)))*e^(-1)
```

maple [B] time = 0.17, size = 279, normalized size = 2.32

$$\frac{2 \tan\left(\frac{ex}{2} + \frac{d}{2}\right) Ab}{e \left(a \left(\tan^2\left(\frac{ex}{2} + \frac{d}{2}\right) \right) - \left(\tan^2\left(\frac{ex}{2} + \frac{d}{2}\right) \right) b + a + b \right) (a^2 - b^2)} + \frac{2 \tan\left(\frac{ex}{2} + \frac{d}{2}\right) aB}{e \left(a \left(\tan^2\left(\frac{ex}{2} + \frac{d}{2}\right) \right) - \left(\tan^2\left(\frac{ex}{2} + \frac{d}{2}\right) \right) b + a + b \right) (a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^2,x)
```

```
[Out] -2/e/(a*tan(1/2*e*x+1/2*d)^2-tan(1/2*e*x+1/2*d)^2*b+a+b)/(a^2-b^2)*tan(1/2*e*x+1/2*d)*A*b+2/e/(a*tan(1/2*e*x+1/2*d)^2-tan(1/2*e*x+1/2*d)^2*b+a+b)/(a^2-b^2)*tan(1/2*e*x+1/2*d)*a*B-2/e/(a*tan(1/2*e*x+1/2*d)^2-tan(1/2*e*x+1/2*d)^2*b+a+b)*C/(a-b)+2/e/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*e*x+1/2*d))
```

$2*d)*(a-b)/((a-b)*(a+b))^{(1/2)})*a*A-2/e/(a-b)/(a+b)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*e*x+1/2*d)*(a-b)/((a-b)*(a+b))^{(1/2)})*B*b$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 2.57, size = 126, normalized size = 1.05

$$\frac{2 \operatorname{atan}\left(\frac{\tan\left(\frac{d}{2} + \frac{ex}{2}\right)(2a-2b)}{2\sqrt{a+b}\sqrt{a-b}}\right)(Aa - Bb)}{e(a+b)^{3/2}(a-b)^{3/2}} - \frac{\frac{2C}{a-b} + \frac{2 \tan\left(\frac{d}{2} + \frac{ex}{2}\right)(Ab - Ba)}{(a+b)(a-b)}}{e\left((a-b)\tan\left(\frac{d}{2} + \frac{ex}{2}\right)^2 + a + b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*cos(d + e*x) + C*sin(d + e*x))/(a + b*cos(d + e*x))^2,x)

[Out] (2*atan((tan(d/2 + (e*x)/2)*(2*a - 2*b))/(2*(a + b)^(1/2)*(a - b)^(1/2)))*(A*a - B*b))/(e*(a + b)^(3/2)*(a - b)^(3/2)) - ((2*C)/(a - b) + (2*tan(d/2 + (e*x)/2)*(A*b - B*a))/((a + b)*(a - b)))/(e*(a + b + tan(d/2 + (e*x)/2)^2*(a - b)))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))**2,x)

[Out] Timed out

$$3.20 \quad \int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+b \cos(d+ex))^3} dx$$

Optimal. Leaf size=187

$$\frac{(2a^2A - 3abB + Ab^2) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}} \right)}{e(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2(-B) + 3aAb - 2b^2B) \sin(d+ex)}{2e(a^2 - b^2)^2 (a+b \cos(d+ex))} - \frac{(Ab - aB) \sin(d+ex)}{2e(a^2 - b^2) (a+b \cos(d+ex))}$$

[Out] (2*A*a^2+A*b^2-3*B*a*b)*arctan((a-b)^(1/2)*tan(1/2*e*x+1/2*d)/(a+b)^(1/2))/(a-b)^(5/2)/(a+b)^(5/2)/e+1/2*C/b/e/(a+b*cos(e*x+d))^2-1/2*(A*b-B*a)*sin(e*x+d)/(a^2-b^2)/e/(a+b*cos(e*x+d))^2-1/2*(3*A*a*b-B*a^2-2*B*b^2)*sin(e*x+d)/(a^2-b^2)^2/e/(a+b*cos(e*x+d))

Rubi [A] time = 0.28, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4377, 2754, 12, 2659, 205, 2668, 32}

$$\frac{(2a^2A - 3abB + Ab^2) \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}} \right)}{e(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2(-B) + 3aAb - 2b^2B) \sin(d+ex)}{2e(a^2 - b^2)^2 (a+b \cos(d+ex))} - \frac{(Ab - aB) \sin(d+ex)}{2e(a^2 - b^2) (a+b \cos(d+ex))}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[d + e*x] + C*Sin[d + e*x])/(a + b*Cos[d + e*x])^3,x]

[Out] (((2*a^2*A + A*b^2 - 3*a*b*B)*ArcTan[(Sqrt[a - b]*Tan[(d + e*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*e) + C/(2*b*e*(a + b*Cos[d + e*x])^2) - ((A*b - a*B)*Sin[d + e*x])/(2*(a^2 - b^2)*e*(a + b*Cos[d + e*x])^2) - ((3*a*A*b - a^2*B - 2*b^2*B)*Sin[d + e*x])/(2*(a^2 - b^2)^2*e*(a + b*Cos[d + e*x]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2668

```
Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 2754

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

Rule 4377

```
Int[(u_)*((v_) + (d_.)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^(n_.)), x_Symbol] := With[{e = FreeFactors[Cos[c*(a + b*x)], x]}, Int[ActivateTrig[u*v], x] + Dist[d, Int[ActivateTrig[u]*Sin[c*(a + b*x)]^n, x], x] /; FunctionOfQ[Cos[c*(a + b*x)]/e, u, x] /; FreeQ[{a, b, c, d}, x] && !FreeQ[v, x] && IntegerQ[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Sin] || EqQ[F, sin])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(d + ex) + C \sin(d + ex)}{(a + b \cos(d + ex))^3} dx &= C \int \frac{\sin(d + ex)}{(a + b \cos(d + ex))^3} dx + \int \frac{A + B \cos(d + ex)}{(a + b \cos(d + ex))^3} dx \\
&= -\frac{(Ab - aB) \sin(d + ex)}{2(a^2 - b^2)e(a + b \cos(d + ex))^2} - \frac{\int \frac{-2(aA - bB) + (Ab - aB) \cos(d + ex)}{(a + b \cos(d + ex))^2} dx}{2(a^2 - b^2)} \\
&= \frac{C}{2be(a + b \cos(d + ex))^2} - \frac{(Ab - aB) \sin(d + ex)}{2(a^2 - b^2)e(a + b \cos(d + ex))^2} - \frac{(3aAb)}{2(a^2 - b^2)} \\
&= \frac{C}{2be(a + b \cos(d + ex))^2} - \frac{(Ab - aB) \sin(d + ex)}{2(a^2 - b^2)e(a + b \cos(d + ex))^2} - \frac{(3aAb)}{2(a^2 - b^2)} \\
&= \frac{C}{2be(a + b \cos(d + ex))^2} - \frac{(Ab - aB) \sin(d + ex)}{2(a^2 - b^2)e(a + b \cos(d + ex))^2} - \frac{(3aAb)}{2(a^2 - b^2)} \\
&= \frac{(2a^2A + Ab^2 - 3abB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}e} + \frac{C}{2be(a + b \cos(d + ex))^2}
\end{aligned}$$

Mathematica [A] time = 0.86, size = 175, normalized size = 0.94

$$\frac{\frac{C(a^2 - b^2) - b(Ab - aB) \sin(d + ex)}{b(a - b)(a + b)(a + b \cos(d + ex))^2} + \frac{(a^2B - 3aAb + 2b^2B) \sin(d + ex)}{(a - b)^2(a + b)^2(a + b \cos(d + ex))} - \frac{2(2a^2A - 3abB + Ab^2) \tanh^{-1}\left(\frac{(a - b) \tan\left(\frac{1}{2}(d + ex)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}}}{2e}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[d + e*x] + C*Sin[d + e*x])/(a + b*Cos[d + e*x])^3,x]

[Out] ((-2*(2*a^2*A + A*b^2 - 3*a*b*B)*ArcTanh[((a - b)*Tan[(d + e*x)/2])/Sqrt[-a^2 + b^2]])/((-a^2 + b^2)^(5/2) + ((-3*a*A*b + a^2*B + 2*b^2*B)*Sin[d + e*x])/((a - b)^2*(a + b)^2*(a + b*Cos[d + e*x])) + ((a^2 - b^2)*C - b*(A*b - a*B)*Sin[d + e*x])/((a - b)*b*(a + b)*(a + b*Cos[d + e*x])^2))/(2*e)

fricas [B] time = 1.81, size = 830, normalized size = 4.44

$$\left[\frac{2Ca^6 - 6Ca^4b^2 + 6Ca^2b^4 - 2Cb^6 - (2Aa^4b - 3Ba^3b^2 + Aa^2b^3 + (2Aa^2b^3 - 3Bab^4 + Ab^5) \cos(ex + d)^2 + 2}{2e} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^3,x, algorithm="fricas")

[Out] [1/4*(2*C*a^6 - 6*C*a^4*b^2 + 6*C*a^2*b^4 - 2*C*b^6 - (2*A*a^4*b - 3*B*a^3*b^2 + A*a^2*b^3 + (2*A*a^2*b^3 - 3*B*a*b^4 + A*b^5)*cos(e*x + d)^2 + 2*(2*A*a^3*b^2 - 3*B*a^2*b^3 + A*a*b^4)*cos(e*x + d))*sqrt(-a^2 + b^2)*log((2*a*b*cos(e*x + d) + (2*a^2 - b^2)*cos(e*x + d)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(e*x + d) + b)*sin(e*x + d) - a^2 + 2*b^2)/(b^2*cos(e*x + d)^2 + 2*a*b*cos(e*x + d) + a^2)) + 2*(2*B*a^5*b - 4*A*a^4*b^2 - B*a^3*b^3 + 5*A*a^2*b^4 - B*a*b^5 - A*b^6 + (B*a^4*b^2 - 3*A*a^3*b^3 + B*a^2*b^4 + 3*A*a*b^5 - 2*B*b^6)*cos(e*x + d))*sin(e*x + d))/((a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*e*cos(e*x + d)^2 + 2*(a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8)*e*cos(e*x + d) + (a^8*b - 3*a^6*b^3 + 3*a^4*b^5 - a^2*b^7)*e), 1/2*(C*a^6 - 3*C*a^4*b^2 + 3*C*a^2*b^4 - C*b^6 + (2*A*a^4*b - 3*B*a^3*b^2 + A*a^2*b^3 + (2*A*a^2*b^3 - 3*B*a*b^4 + A*b^5)*cos(e*x + d)^2 + 2*(2*A*a^3*b^2 - 3*B*a^2*b^3 + A*a*b^4)*cos(e*x + d))*sqrt(a^2 - b^2)*arctan(-(a*cos(e*x + d) + b)/(sqrt(a^2 - b^2)*sin(e*x + d))) + (2*B*a^5*b - 4*A*a^4*b^2 - B*a^3*b^3 + 5*A*a^2*b^4 - B*a*b^5 - A*b^6 + (B*a^4*b^2 - 3*A*a^3*b^3 + B*a^2*b^4 + 3*A*a*b^5 - 2*B*b^6)*cos(e*x + d))*sin(e*x + d))/((a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*e*cos(e*x + d)^2 + 2*(a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8)*e*cos(e*x + d) + (a^8*b - 3*a^6*b^3 + 3*a^4*b^5 - a^2*b^7)*e)]

giac [B] time = 0.75, size = 502, normalized size = 2.68

$$\left(\frac{(2Aa^2 - 3Bab + Ab^2) \left(\pi \left[\frac{xe+d}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a - 2b) + \arctan \left(\frac{a \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right) - b \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4 - 2a^2b^2 + b^4)\sqrt{a^2 - b^2}} \right) + \frac{2Ba^3 \tan\left(\frac{1}{2}xe + \frac{1}{2}d\right)}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^3,x, algorithm="giac")

[Out] ((2*A*a^2 - 3*B*a*b + A*b^2)*(pi*floor(1/2*(x*e + d)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*x*e + 1/2*d) - b*tan(1/2*x*e + 1/2*d))/sqrt(a^2 - b^2)))/((a^4 - 2*a^2*b^2 + b^4)*sqrt(a^2 - b^2)) + (2*B*a^3*tan(1/2*x*e + 1/2*d)^3 - 4*A*a^2*b*tan(1/2*x*e + 1/2*d)^3 - B*a^2*b*tan(1/2*x*e + 1/2*d)^3 + 3*A*a*b^2*tan(1/2*x*e + 1/2*d)^3 + B*a*b^2*tan(1/2*x*e + 1/2*d)^3 + A*b^3*tan(1/2*x*e + 1/2*d)^3 - 2*B*b^3*tan(1/2*x*e + 1/2*d)^3 - 2*C*a^3*tan(1/2*x*e + 1/2*d)^2 - 2*C*a^2*b*tan(1/2*x*e + 1/2*d)^2 + 2*C*a*b^2*tan(1/2*x*e + 1/2*d)^2 + 2*C*b^3*tan(1/2*x*e + 1/2*d)^2 + 2*B*a^3*tan(1/2*x*e + 1/2*d) - 4*A*a^2*b*tan(1/2*x*e + 1/2*d) + B*a^2*b*tan(1/2*x*e + 1/2*d) - 3*A*a*b^2*tan(1/2*x*e + 1/2*d) + A*b^3*tan(1/2*x*e + 1/2*d))

$$\frac{a \tan\left(\frac{1}{2}x e + \frac{1}{2}d\right) + B a^2 b \tan\left(\frac{1}{2}x e + \frac{1}{2}d\right) + A b^3 \tan\left(\frac{1}{2}x e + \frac{1}{2}d\right) + 2 B b^3 \tan\left(\frac{1}{2}x e + \frac{1}{2}d\right) - 2 C a^3 - 4 C a^2 b - 2 C a b^2}{(a^4 - 2 a^2 b^2 + b^4) (a \tan\left(\frac{1}{2}x e + \frac{1}{2}d\right)^2 - b \tan\left(\frac{1}{2}x e + \frac{1}{2}d\right)^2 + a + b)^2} e^{-1}$$

maple [B] time = 0.18, size = 994, normalized size = 5.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^3,x)`

[Out]
$$\begin{aligned} & -4/e/(a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 / (a-b) / (a^2 + 2 a b + b^2) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^3 A a b - 1/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 / (a-b) / (a^2 + 2 a b + b^2) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^3 A b^2 + 2/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 / (a-b) / (a^2 + 2 a b + b^2) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^3 a^2 B + 1/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 / (a-b) / (a^2 + 2 a b + b^2) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^3 B a b + 2/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 / (a-b) / (a^2 + 2 a b + b^2) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^3 b^2 B - 2/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 C / (a-b) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - 4/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 / (a+b) / (a^2 - 2 a b + b^2) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right) A a b + 1/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 / (a+b) / (a^2 - 2 a b + b^2) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right) A b^2 + 2/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 / (a+b) / (a^2 - 2 a b + b^2) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right) a^2 B - 1/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 / (a+b) / (a^2 - 2 a b + b^2) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right) B a b + 2/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 / (a+b) / (a^2 - 2 a b + b^2) \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right) b^2 B - 2/e / (a \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 - \tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right)^2 b + a + b)^2 a C / (a^2 - 2 a b + b^2) + 2/e / (a^4 - 2 a^2 b^2 + b^4) / ((a-b) * (a+b))^{(1/2)} \arctan(\tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right) * (a-b) / ((a-b) * (a+b))^{(1/2)}) * a^2 A + 1/e / (a^4 - 2 a^2 b^2 + b^4) / ((a-b) * (a+b))^{(1/2)} \arctan(\tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right) * (a-b) / ((a-b) * (a+b))^{(1/2)}) * A b^2 - 3/e / (a^4 - 2 a^2 b^2 + b^4) / ((a-b) * (a+b))^{(1/2)} \arctan(\tan\left(\frac{1}{2}e*x+\frac{1}{2}d\right) * (a-b) / ((a-b) * (a+b))^{(1/2)}) * B a b \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* h

elp (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 5.50, size = 283, normalized size = 1.51

$$\frac{\operatorname{atan}\left(\frac{\tan\left(\frac{d}{2}+\frac{ex}{2}\right)(2a-2b)(a^2-2ab+b^2)}{2\sqrt{a+b}(a-b)^{5/2}}\right)(2Aa^2-3Bab+Ab^2)}{e(a+b)^{5/2}(a-b)^{5/2}} - \frac{\frac{2C\tan\left(\frac{d}{2}+\frac{ex}{2}\right)^2}{a-b} + \frac{2Ca}{(a-b)^2} - \frac{\tan\left(\frac{d}{2}+\frac{ex}{2}\right)^3(2Ba^2-Ab^2+2Bb^2-4Ab)}{(a+b)^2(a-b)}}{e\left(2ab+\tan\left(\frac{d}{2}+\frac{ex}{2}\right)^2(2a^2-2b^2)+\tan\left(\frac{d}{2}+\frac{ex}{2}\right)(2a^2-2b^2)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(d + e*x) + C*sin(d + e*x))/(a + b*cos(d + e*x))^3,x)`

[Out] `(atan((tan(d/2 + (e*x)/2)*(2*a - 2*b)*(a^2 - 2*a*b + b^2))/(2*(a + b)^(1/2)*(a - b)^(5/2)))*(2*A*a^2 + A*b^2 - 3*B*a*b))/(e*(a + b)^(5/2)*(a - b)^(5/2)) - ((2*C*tan(d/2 + (e*x)/2)^2)/(a - b) + (2*C*a)/(a - b)^2 - (tan(d/2 + (e*x)/2)^3*(2*B*a^2 - A*b^2 + 2*B*b^2 - 4*A*a*b + B*a*b))/((a + b)^2*(a - b)) - (tan(d/2 + (e*x)/2)*(A*b^2 + 2*B*a^2 + 2*B*b^2 - 4*A*a*b - B*a*b))/((a + b)*(a^2 - 2*a*b + b^2)))/(e*(2*a*b + tan(d/2 + (e*x)/2)^2*(2*a^2 - 2*b^2) + tan(d/2 + (e*x)/2)^4*(a^2 - 2*a*b + b^2) + a^2 + b^2))`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))**3,x)`

[Out] Timed out

$$3.21 \quad \int \frac{A+B \cos(d+ex)+C \sin(d+ex)}{(a+b \cos(d+ex))^4} dx$$

Optimal. Leaf size=260

$$\frac{(-2a^2B + 5aAb - 3b^2B) \sin(d+ex)}{6e(a^2 - b^2)^2 (a+b \cos(d+ex))^2} - \frac{(Ab - aB) \sin(d+ex)}{3e(a^2 - b^2)(a+b \cos(d+ex))^3} + \frac{(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \tan^{-1}}{e(a-b)^{7/2}(a+b)^{7/2}}$$

[Out] (2*A*a^3+3*A*a*b^2-4*B*a^2*b-B*b^3)*arctan((a-b)^(1/2)*tan(1/2*e*x+1/2*d)/(a+b)^(1/2))/(a-b)^(7/2)/(a+b)^(7/2)/e+1/3*C/b/e/(a+b*cos(e*x+d))^3-1/3*(A*b-B*a)*sin(e*x+d)/(a^2-b^2)/e/(a+b*cos(e*x+d))^3-1/6*(5*A*a*b-2*B*a^2-3*B*b^2)*sin(e*x+d)/(a^2-b^2)^2/e/(a+b*cos(e*x+d))^2-1/6*(11*A*a^2*b+4*A*b^3-2*B*a^3-13*B*a*b^2)*sin(e*x+d)/(a^2-b^2)^3/e/(a+b*cos(e*x+d))

Rubi [A] time = 0.50, antiderivative size = 260, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4377, 2754, 12, 2659, 205, 2668, 32}

$$\frac{(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{e(a-b)^{7/2}(a+b)^{7/2}} - \frac{(11a^2Ab - 2a^3B - 13ab^2B + 4Ab^3) \sin(d+ex)}{6e(a^2 - b^2)^3 (a+b \cos(d+ex))} - \frac{(-2a^2B + 5aAb - 3b^2B) \sin(d+ex)}{6e(a^2 - b^2)^2 (a+b \cos(d+ex))^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Cos[d + e*x] + C*Sin[d + e*x])/(a + b*Cos[d + e*x])^4,x]

[Out] ((2*a^3*A + 3*a*A*b^2 - 4*a^2*b*B - b^3*B)*ArcTan[(Sqrt[a - b]*Tan[(d + e*x)/2])/Sqrt[a + b]])/(a - b)^(7/2)*(a + b)^(7/2)*e + C/(3*b*e*(a + b*Cos[d + e*x])^3) - ((A*b - a*B)*Sin[d + e*x])/(3*(a^2 - b^2)*e*(a + b*Cos[d + e*x])^3) - ((5*a*A*b - 2*a^2*B - 3*b^2*B)*Sin[d + e*x])/(6*(a^2 - b^2)^2*e*(a + b*Cos[d + e*x])^2) - ((11*a^2*A*b + 4*A*b^3 - 2*a^3*B - 13*a*b^2*B)*Sin[d + e*x])/(6*(a^2 - b^2)^3*e*(a + b*Cos[d + e*x]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2668

```
Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 2754

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

Rule 4377

```
Int[(u_)*((v_) + (d_.)*(F_)[(c_.)*((a_.) + (b_.)*(x_))]^(n_.)), x_Symbol] := With[{e = FreeFactors[Cos[c*(a + b*x)], x]}, Int[ActivateTrig[u*v], x] + Dist[d, Int[ActivateTrig[u]*Sin[c*(a + b*x)]^n, x], x] /; FunctionOfQ[Cos[c*(a + b*x)]/e, u, x] /; FreeQ[{a, b, c, d}, x] && !FreeQ[v, x] && IntegerQ[(n - 1)/2] && NonsumQ[u] && (EqQ[F, Sin] || EqQ[F, sin])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(d + ex) + C \sin(d + ex)}{(a + b \cos(d + ex))^4} dx &= C \int \frac{\sin(d + ex)}{(a + b \cos(d + ex))^4} dx + \int \frac{A + B \cos(d + ex)}{(a + b \cos(d + ex))^4} dx \\
&= -\frac{(Ab - aB) \sin(d + ex)}{3(a^2 - b^2) e(a + b \cos(d + ex))^3} - \frac{\int \frac{-3(aA - bB) + 2(Ab - aB) \cos(d + ex)}{(a + b \cos(d + ex))^3} dx}{3(a^2 - b^2)} \\
&= \frac{C}{3be(a + b \cos(d + ex))^3} - \frac{(Ab - aB) \sin(d + ex)}{3(a^2 - b^2) e(a + b \cos(d + ex))^3} - \frac{(5aAb - 4a^2B - 3a^2bB + b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{6(a^2 - b^2)^{7/2}} \\
&= \frac{C}{3be(a + b \cos(d + ex))^3} - \frac{(Ab - aB) \sin(d + ex)}{3(a^2 - b^2) e(a + b \cos(d + ex))^3} - \frac{(5aAb - 4a^2B - 3a^2bB + b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{6(a^2 - b^2)^{7/2}} \\
&= \frac{C}{3be(a + b \cos(d + ex))^3} - \frac{(Ab - aB) \sin(d + ex)}{3(a^2 - b^2) e(a + b \cos(d + ex))^3} - \frac{(5aAb - 4a^2B - 3a^2bB + b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{6(a^2 - b^2)^{7/2}} \\
&= \frac{C}{3be(a + b \cos(d + ex))^3} - \frac{(Ab - aB) \sin(d + ex)}{3(a^2 - b^2) e(a + b \cos(d + ex))^3} - \frac{(5aAb - 4a^2B - 3a^2bB + b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{6(a^2 - b^2)^{7/2}} \\
&= \frac{(2a^3A + 3aAb^2 - 4a^2bB - b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{a+b}}\right)}{(a - b)^{7/2}(a + b)^{7/2}e} + \frac{3be(a + b \cos(d + ex))^3}{(a - b)^{7/2}(a + b)^{7/2}e}
\end{aligned}$$

Mathematica [A] time = 1.19, size = 302, normalized size = 1.16

$$\frac{24(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \operatorname{tanh}^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(d+ex)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{7/2}} + \frac{-8a^6C + 24a^4b^2C - 2a^3b^3B \sin(3(d+ex)) + 11a^2Ab^4 \sin(3(d+ex)) - 24a^2b^4C + 6b^2(-2a^4B + 4a^2b^2C + 8b^6C - 3b(-24a^4A*b + 3a^2A*b^3 - 4A*b^5 + 8a^5B + 14a^3b^2B + 3a*b^4B)) \sin(d+ex) + 6b^2(9a^3A*b + aA*b^3 - 2a^4B - 9a^2b^2B + b^4B) \sin[2*(d+ex)] + 11a^2A*b^4 \sin[3*(d+ex)]}{(a-b)^{7/2}(a+b)^{7/2}e}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Cos[d + e*x] + C*Sin[d + e*x])/(a + b*Cos[d + e*x])^4,x]

[Out] ((24*(2*a^3*A + 3*a*A*b^2 - 4*a^2*b*B - b^3*B)*ArcTanh[((a - b)*Tan[(d + e*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(7/2) + (-8*a^6*C + 24*a^4*b^2*C - 24*a^2*b^4*C + 8*b^6*C - 3*b*(-24*a^4*A*b + 3*a^2*A*b^3 - 4*A*b^5 + 8*a^5*B + 14*a^3*b^2*B + 3*a*b^4*B))*Sin[d + e*x] + 6*b^2*(9*a^3*A*b + a*A*b^3 - 2*a^4*B - 9*a^2*b^2*B + b^4*B)*Sin[2*(d + e*x)] + 11*a^2*A*b^4*Sin[3*(d + e*x)]

$] + 4*A*b^6*\sin[3*(d + e*x)] - 2*a^3*b^3*B*\sin[3*(d + e*x)] - 13*a*b^5*B*\sin[3*(d + e*x)]/(b*(-a^2 + b^2)^3*(a + b*\cos[d + e*x])^3)/(24*e)$

fricas [B] time = 1.19, size = 1334, normalized size = 5.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^4,x, algorithm="fricas")

[Out] $[1/12*(4*C*a^8 - 16*C*a^6*b^2 + 24*C*a^4*b^4 - 16*C*a^2*b^6 + 4*C*b^8 - 3*(2*A*a^6*b - 4*B*a^5*b^2 + 3*A*a^4*b^3 - B*a^3*b^4 + (2*A*a^3*b^4 - 4*B*a^2*b^5 + 3*A*a*b^6 - B*b^7)*\cos(e*x + d)^3 + 3*(2*A*a^4*b^3 - 4*B*a^3*b^4 + 3*A*a^2*b^5 - B*a*b^6)*\cos(e*x + d)^2 + 3*(2*A*a^5*b^2 - 4*B*a^4*b^3 + 3*A*a^3*b^4 - B*a^2*b^5)*\cos(e*x + d))*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(e*x + d) + (2*a^2 - b^2)*\cos(e*x + d)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(e*x + d) + b)*\sin(e*x + d) - a^2 + 2*b^2)/(b^2*\cos(e*x + d)^2 + 2*a*b*\cos(e*x + d) + a^2)) + 2*(6*B*a^7*b - 18*A*a^6*b^2 + 4*B*a^5*b^3 + 23*A*a^4*b^4 - 11*B*a^3*b^5 - 7*A*a^2*b^6 + B*a*b^7 + 2*A*b^8 + (2*B*a^5*b^3 - 11*A*a^4*b^4 + 11*B*a^3*b^5 + 7*A*a^2*b^6 - 13*B*a*b^7 + 4*A*b^8)*\cos(e*x + d)^2 + 3*(2*B*a^6*b^2 - 9*A*a^5*b^3 + 7*B*a^4*b^4 + 8*A*a^3*b^5 - 10*B*a^2*b^6 + A*a*b^7 + B*b^8)*\cos(e*x + d))*\sin(e*x + d))/((a^8*b^4 - 4*a^6*b^6 + 6*a^4*b^8 - 4*a^2*b^10 + b^12)*e*\cos(e*x + d)^3 + 3*(a^9*b^3 - 4*a^7*b^5 + 6*a^5*b^7 - 4*a^3*b^9 + a*b^11)*e*\cos(e*x + d)^2 + 3*(a^10*b^2 - 4*a^8*b^4 + 6*a^6*b^6 - 4*a^4*b^8 + a^2*b^10)*e*\cos(e*x + d) + (a^11*b - 4*a^9*b^3 + 6*a^7*b^5 - 4*a^5*b^7 + a^3*b^9)*e), 1/6*(2*C*a^8 - 8*C*a^6*b^2 + 12*C*a^4*b^4 - 8*C*a^2*b^6 + 2*C*b^8 + 3*(2*A*a^6*b - 4*B*a^5*b^2 + 3*A*a^4*b^3 - B*a^3*b^4 + (2*A*a^3*b^4 - 4*B*a^2*b^5 + 3*A*a*b^6 - B*b^7)*\cos(e*x + d)^3 + 3*(2*A*a^4*b^3 - 4*B*a^3*b^4 + 3*A*a^2*b^5 - B*a*b^6)*\cos(e*x + d)^2 + 3*(2*A*a^5*b^2 - 4*B*a^4*b^3 + 3*A*a^3*b^4 - B*a^2*b^5)*\cos(e*x + d))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(e*x + d) + b)/(\sqrt{a^2 - b^2}*\sin(e*x + d))) + (6*B*a^7*b - 18*A*a^6*b^2 + 4*B*a^5*b^3 + 23*A*a^4*b^4 - 11*B*a^3*b^5 - 7*A*a^2*b^6 + B*a*b^7 + 2*A*b^8 + (2*B*a^5*b^3 - 11*A*a^4*b^4 + 11*B*a^3*b^5 + 7*A*a^2*b^6 - 13*B*a*b^7 + 4*A*b^8)*\cos(e*x + d)^2 + 3*(2*B*a^6*b^2 - 9*A*a^5*b^3 + 7*B*a^4*b^4 + 8*A*a^3*b^5 - 10*B*a^2*b^6 + A*a*b^7 + B*b^8)*\cos(e*x + d))*\sin(e*x + d))/((a^8*b^4 - 4*a^6*b^6 + 6*a^4*b^8 - 4*a^2*b^10 + b^12)*e*\cos(e*x + d)^3 + 3*(a^9*b^3 - 4*a^7*b^5 + 6*a^5*b^7 - 4*a^3*b^9 + a*b^11)*e*\cos(e*x + d)^2 + 3*(a^10*b^2 - 4*a^8*b^4 + 6*a^6*b^6 - 4*a^4*b^8 + a^2*b^10)*e*\cos(e*x + d) + (a^11*b - 4*a^9*b^3 + 6*a^7*b^5 - 4*a^5*b^7 + a^3*b^9)*e)]$

giac [B] time = 1.44, size = 960, normalized size = 3.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^4,x, algorithm="giac")

[Out]
$$-1/3*(3*(2*A*a^3 - 4*B*a^2*b + 3*A*a*b^2 - B*b^3)*(pi*floor(1/2*(x*e + d)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*\tan(1/2*x*e + 1/2*d) - b*\tan(1/2*x*e + 1/2*d))/\sqrt{a^2 - b^2}))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*\sqrt{a^2 - b^2}) - (6*B*a^5*\tan(1/2*x*e + 1/2*d)^5 - 18*A*a^4*b*\tan(1/2*x*e + 1/2*d)^5 - 6*B*a^4*b*\tan(1/2*x*e + 1/2*d)^5 + 27*A*a^3*b^2*\tan(1/2*x*e + 1/2*d)^5 + 12*B*a^3*b^2*\tan(1/2*x*e + 1/2*d)^5 - 6*A*a^2*b^3*\tan(1/2*x*e + 1/2*d)^5 - 27*B*a^2*b^3*\tan(1/2*x*e + 1/2*d)^5 + 3*A*a*b^4*\tan(1/2*x*e + 1/2*d)^5 + 12*B*a*b^4*\tan(1/2*x*e + 1/2*d)^5 - 6*A*b^5*\tan(1/2*x*e + 1/2*d)^5 + 3*B*b^5*\tan(1/2*x*e + 1/2*d)^5 - 6*C*a^5*\tan(1/2*x*e + 1/2*d)^4 - 6*C*a^4*b*\tan(1/2*x*e + 1/2*d)^4 + 12*C*a^3*b^2*\tan(1/2*x*e + 1/2*d)^4 + 12*C*a^2*b^3*\tan(1/2*x*e + 1/2*d)^4 - 6*C*a*b^4*\tan(1/2*x*e + 1/2*d)^4 - 6*C*b^5*\tan(1/2*x*e + 1/2*d)^4 + 12*B*a^5*\tan(1/2*x*e + 1/2*d)^3 - 36*A*a^4*b*\tan(1/2*x*e + 1/2*d)^3 + 16*B*a^3*b^2*\tan(1/2*x*e + 1/2*d)^3 + 32*A*a^2*b^3*\tan(1/2*x*e + 1/2*d)^3 - 28*B*a*b^4*\tan(1/2*x*e + 1/2*d)^3 + 4*A*b^5*\tan(1/2*x*e + 1/2*d)^3 - 12*C*a^5*\tan(1/2*x*e + 1/2*d)^2 - 24*C*a^4*b*\tan(1/2*x*e + 1/2*d)^2 + 24*C*a^2*b^3*\tan(1/2*x*e + 1/2*d)^2 + 12*C*a*b^4*\tan(1/2*x*e + 1/2*d)^2 + 6*B*a^5*\tan(1/2*x*e + 1/2*d) - 18*A*a^4*b*\tan(1/2*x*e + 1/2*d) + 6*B*a^4*b*\tan(1/2*x*e + 1/2*d) - 27*A*a^3*b^2*\tan(1/2*x*e + 1/2*d) + 12*B*a^3*b^2*\tan(1/2*x*e + 1/2*d) - 6*A*a^2*b^3*\tan(1/2*x*e + 1/2*d) + 27*B*a^2*b^3*\tan(1/2*x*e + 1/2*d) - 3*A*a*b^4*\tan(1/2*x*e + 1/2*d) + 12*B*a*b^4*\tan(1/2*x*e + 1/2*d) - 6*A*b^5*\tan(1/2*x*e + 1/2*d) - 3*B*b^5*\tan(1/2*x*e + 1/2*d) - 6*C*a^5 - 18*C*a^4*b - 20*C*a^3*b^2 - 12*C*a^2*b^3 - 6*C*a*b^4 - 2*C*b^5)/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*\tan(1/2*x*e + 1/2*d)^2 - b*\tan(1/2*x*e + 1/2*d)^2 + a + b)^3))*e^(-1)$$

maple [B] time = 0.19, size = 1974, normalized size = 7.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^4,x)

[Out]
$$-6/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*e*x+1/2*d)^5*A*a^2*b-3/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*e*x+1/2*d)^5*A*a*b^2+2/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*e*x+1/2*d)^5*a^2*b*B+6/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*e*x+1/2*d)^5*B*a*b^2-12/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*e*x+1/2*d)^3*A*a^2*b+28/3/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*e*x+1/2*d)^3*B*a*b^2-6/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan$$

$$\begin{aligned} & (1/2*e*x+1/2*d)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*e*x+1/2*d) \\ & *A*a^2*b+3/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a+b)/ \\ & (a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*e*x+1/2*d)*A*a*b^2-2/e/(a*\tan(1/2*e*x+1/2*d) \\ & *d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2 \\ & *e*x+1/2*d)*a^2*b*B+6/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b) \\ & ^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*e*x+1/2*d)*B*a*b^2-2/3/e/(a*\tan(\\ & 1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3*C/(a^3-3*a^2*b+3*a*b^2-b^3)* \\ & b^2-2/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3*C/(a-b)*\tan(1 \\ & /2*e*x+1/2*d)^4+2/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(\\ & a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*e*x+1/2*d)^5*a^3*B+1/e/(a*\tan(1/2*e* \\ & x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan \\ & (1/2*e*x+1/2*d)^5*b^3*B-4/3/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2 \\ & *b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*e*x+1/2*d)^3*A*b^3+4/e/(a \\ & *\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2* \\ & a*b+b^2)*\tan(1/2*e*x+1/2*d)^3*a^3*B-2/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x \\ & +1/2*d)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*e*x+1/2*d)*A*b^3 \\ & +2/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3/(a+b)/(a^3-3*a^2 \\ & *b+3*a*b^2-b^3)*\tan(1/2*e*x+1/2*d)*a^3*B-1/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan(1/ \\ & 2*e*x+1/2*d)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*e*x+1/2*d)* \\ & b^3*B+3/e/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2* \\ & e*x+1/2*d)*(a-b)/((a-b)*(a+b))^(1/2))*A*a*b^2-2/e/(a*\tan(1/2*e*x+1/2*d)^2-\tan \\ & (1/2*e*x+1/2*d)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*e*x+1/ \\ & 2*d)^5*A*b^3-4/e/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan \\ & (1/2*e*x+1/2*d)*(a-b)/((a-b)*(a+b))^(1/2))*a^2*b*B-2/e/(a*\tan(1/2*e*x+1/2* \\ & d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3*C/(a^3-3*a^2*b+3*a*b^2-b^3)*a^2+2/e/(a^ \\ & 6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*e*x+1/2*d)*(a \\ & -b)/((a-b)*(a+b))^(1/2))*A*a^3-1/e/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+ \\ & b))^(1/2)*\arctan(\tan(1/2*e*x+1/2*d)*(a-b)/((a-b)*(a+b))^(1/2))*b^3*B-4/e/(a \\ & *\tan(1/2*e*x+1/2*d)^2-\tan(1/2*e*x+1/2*d)^2*b+a+b)^3*a*C/(a^2-2*a*b+b^2)*\tan \\ & (1/2*e*x+1/2*d)^2 \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 5.22, size = 502, normalized size = 1.93

$$\frac{\operatorname{atan}\left(\frac{\tan\left(\frac{d}{2}+\frac{ex}{2}\right)(2a-2b)(a^3-3a^2b+3ab^2-b^3)}{2\sqrt{a+b}(a-b)^{7/2}}\right)(2Aa^3-4Ba^2b+3Aab^2-Bb^3)}{e(a+b)^{7/2}(a-b)^{7/2}} - \frac{\frac{2C\tan\left(\frac{d}{2}+\frac{ex}{2}\right)^4}{a-b} + \frac{2C(3a^2+b^2)}{3(a-b)^3} + \frac{4Ca}{a-b}}{e\left(3ab^2 - \tan\left(\frac{d}{2} + \frac{ex}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(d + e*x) + C*sin(d + e*x))/(a + b*cos(d + e*x))^4,x)`

[Out] `(atan((tan(d/2 + (e*x)/2)*(2*a - 2*b)*(3*a*b^2 - 3*a^2*b + a^3 - b^3))/(2*(a + b)^(1/2)*(a - b)^(7/2)))*(2*A*a^3 - B*b^3 + 3*A*a*b^2 - 4*B*a^2*b))/(e*(a + b)^(7/2)*(a - b)^(7/2)) - ((2*C*tan(d/2 + (e*x)/2)^4)/(a - b) + (2*C*(3*a^2 + b^2))/(3*(a - b)^3) + (4*C*a*tan(d/2 + (e*x)/2)^2)/(a - b)^2 + (4*tan(d/2 + (e*x)/2)^3*(A*b^3 - 3*B*a^3 + 9*A*a^2*b - 7*B*a*b^2))/(3*(a + b)^2*(a^2 - 2*a*b + b^2)) - (tan(d/2 + (e*x)/2)^5*(2*B*a^3 - 2*A*b^3 + B*b^3 - 3*A*a*b^2 - 6*A*a^2*b + 6*B*a*b^2 + 2*B*a^2*b))/((a + b)^3*(a - b)) + (tan(d/2 + (e*x)/2)*(2*A*b^3 - 2*B*a^3 + B*b^3 - 3*A*a*b^2 + 6*A*a^2*b - 6*B*a*b^2 + 2*B*a^2*b))/((a + b)*(3*a*b^2 - 3*a^2*b + a^3 - b^3)))/(e*(3*a*b^2 - tan(d/2 + (e*x)/2)^4*(3*a*b^2 + 3*a^2*b - 3*a^3 - 3*b^3) - tan(d/2 + (e*x)/2)^2*(3*a*b^2 - 3*a^2*b - 3*a^3 + 3*b^3) + 3*a^2*b + a^3 + b^3 + tan(d/2 + (e*x)/2)^6*(3*a*b^2 - 3*a^2*b + a^3 - b^3)))`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(e*x+d)+C*sin(e*x+d))/(a+b*cos(e*x+d))**4,x)`

[Out] Timed out

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
  If[Head[expn]===Plus || Head[expn]===Times,
    Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
  If[ElementaryFunctionQ[Head[expn]],
    Max[3,ExpnType[expn[[1]]],
  If[SpecialFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
  If[HypergeometricFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
  If[AppellFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],

```

```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
            ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
        ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
        ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```



```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
    ))
    else:
        return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
    ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
    (expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```