

Computer algebra independent integration tests

5-Inverse-trig-functions/5.2-Inverse-cosine/5.2.2-d-x-^m+b-arccos-c-x-ⁿ

Nasser M. Abbasi

July 22, 2021

Compiled on July 22, 2021 at 2:29am

Contents

1	Introduction	11
1.1	Listing of CAS systems tested	11
1.2	Results	12
1.3	Performance	16
1.4	list of integrals that has no closed form antiderivative	17
1.5	list of integrals solved by CAS but has no known antiderivative	18
1.6	list of integrals solved by CAS but failed verification	18
1.7	Timing	19
1.8	Verification	19
1.9	Important notes about some of the results	19
1.9.1	Important note about Maxima results	19
1.9.2	Important note about FriCAS and Giac/XCAS results	20
1.9.3	Important note about finding leaf size of antiderivative	20
1.9.4	Important note about Mupad results	21
1.10	Design of the test system	22
2	detailed summary tables of results	23
2.1	List of integrals sorted by grade for each CAS	23
2.1.1	Rubi	23
2.1.2	Mathematica	23
2.1.3	Maple	24
2.1.4	Maxima	24

2.1.5	FriCAS	25
2.1.6	Sympy	25
2.1.7	Giac	25
2.1.8	Mupad	26
2.2	Detailed conclusion table per each integral for all CAS systems	27
2.3	Detailed conclusion table specific for Rubi results	72
3	Listing of integrals	83
3.1	$\int x^4 \cos^{-1}(ax) dx$	83
3.2	$\int x^3 \cos^{-1}(ax) dx$	87
3.3	$\int x^2 \cos^{-1}(ax) dx$	91
3.4	$\int x \cos^{-1}(ax) dx$	95
3.5	$\int \cos^{-1}(ax) dx$	98
3.6	$\int \frac{\cos^{-1}(ax)}{x} dx$	101
3.7	$\int \frac{\cos^{-1}(ax)}{x^2} dx$	105
3.8	$\int \frac{\cos^{-1}(ax)}{x^3} dx$	109
3.9	$\int \frac{\cos^{-1}(ax)}{x^4} dx$	112
3.10	$\int \frac{\cos^{-1}(ax)}{x^5} dx$	116
3.11	$\int \frac{\cos^{-1}(ax)}{x^6} dx$	120
3.12	$\int x^4 \cos^{-1}(ax)^2 dx$	124
3.13	$\int x^3 \cos^{-1}(ax)^2 dx$	128
3.14	$\int x^2 \cos^{-1}(ax)^2 dx$	132
3.15	$\int x \cos^{-1}(ax)^2 dx$	136
3.16	$\int \cos^{-1}(ax)^2 dx$	140
3.17	$\int \frac{\cos^{-1}(ax)^2}{x} dx$	143
3.18	$\int \frac{\cos^{-1}(ax)^2}{x^2} dx$	147
3.19	$\int \frac{\cos^{-1}(ax)^2}{x^3} dx$	151
3.20	$\int \frac{\cos^{-1}(ax)^2}{x^4} dx$	154
3.21	$\int \frac{\cos^{-1}(ax)^2}{x^5} dx$	159
3.22	$\int x^4 \cos^{-1}(ax)^3 dx$	163
3.23	$\int x^3 \cos^{-1}(ax)^3 dx$	168
3.24	$\int x^2 \cos^{-1}(ax)^3 dx$	172
3.25	$\int x \cos^{-1}(ax)^3 dx$	177
3.26	$\int \cos^{-1}(ax)^3 dx$	181
3.27	$\int \frac{\cos^{-1}(ax)^3}{x} dx$	185

3.28	$\int \frac{\cos^{-1}(ax)^3}{x^2} dx$	190
3.29	$\int \frac{\cos^{-1}(ax)^3}{x^3} dx$	194
3.30	$\int \frac{\cos^{-1}(ax)^3}{x^4} dx$	199
3.31	$\int \frac{\cos^{-1}(ax)^3}{x^5} dx$	204
3.32	$\int x^5 \cos^{-1}(ax)^4 dx$	209
3.33	$\int x^4 \cos^{-1}(ax)^4 dx$	214
3.34	$\int x^3 \cos^{-1}(ax)^4 dx$	219
3.35	$\int x^2 \cos^{-1}(ax)^4 dx$	223
3.36	$\int x \cos^{-1}(ax)^4 dx$	227
3.37	$\int \cos^{-1}(ax)^4 dx$	231
3.38	$\int \frac{\cos^{-1}(ax)^4}{x} dx$	235
3.39	$\int \frac{\cos^{-1}(ax)^4}{x^2} dx$	240
3.40	$\int \frac{\cos^{-1}(ax)^4}{x^3} dx$	245
3.41	$\int \frac{\cos^{-1}(ax)^4}{x^4} dx$	250
3.42	$\int \frac{\cos^{-1}(ax)^4}{x^6} dx$	257
3.43	$\int \frac{\cos^{-1}(ax)^4}{x^5} dx$	260
3.44	$\int \frac{\cos^{-1}(ax)^4}{x^4} dx$	263
3.45	$\int \frac{\cos^{-1}(ax)^4}{x^3} dx$	266
3.46	$\int \frac{\cos^{-1}(ax)^4}{x^2} dx$	269
3.47	$\int \frac{\cos^{-1}(ax)^4}{x} dx$	272
3.48	$\int \frac{1}{\cos^{-1}(ax)} dx$	275
3.49	$\int \frac{1}{x \cos^{-1}(ax)} dx$	278
3.50	$\int \frac{1}{x^2 \cos^{-1}(ax)} dx$	281
3.51	$\int \frac{x^6}{\cos^{-1}(ax)^2} dx$	284
3.52	$\int \frac{x^5}{\cos^{-1}(ax)^2} dx$	287
3.53	$\int \frac{x^4}{\cos^{-1}(ax)^2} dx$	290
3.54	$\int \frac{x^3}{\cos^{-1}(ax)^2} dx$	293
3.55	$\int \frac{x^2}{\cos^{-1}(ax)^2} dx$	296
3.56	$\int \frac{x}{\cos^{-1}(ax)^2} dx$	299
3.57	$\int \frac{1}{\cos^{-1}(ax)^2} dx$	302

3.58	$\int \frac{1}{x \cos^{-1}(ax)^2} dx$	305
3.59	$\int \frac{1}{x^2 \cos^{-1}(ax)^2} dx$	308
3.60	$\int \frac{x^4}{\cos^{-1}(ax)^3} dx$	311
3.61	$\int \frac{x^3}{\cos^{-1}(ax)^3} dx$	315
3.62	$\int \frac{x^2}{\cos^{-1}(ax)^3} dx$	319
3.63	$\int \frac{x}{\cos^{-1}(ax)^3} dx$	323
3.64	$\int \frac{1}{\cos^{-1}(ax)^3} dx$	328
3.65	$\int \frac{1}{x \cos^{-1}(ax)^3} dx$	332
3.66	$\int \frac{1}{x^2 \cos^{-1}(ax)^3} dx$	335
3.67	$\int \frac{x^4}{\cos^{-1}(ax)^4} dx$	338
3.68	$\int \frac{x^3}{\cos^{-1}(ax)^4} dx$	342
3.69	$\int \frac{x^2}{\cos^{-1}(ax)^4} dx$	346
3.70	$\int \frac{x}{\cos^{-1}(ax)^4} dx$	351
3.71	$\int \frac{1}{\cos^{-1}(ax)^4} dx$	355
3.72	$\int \frac{1}{x \cos^{-1}(ax)^4} dx$	359
3.73	$\int \frac{1}{x^2 \cos^{-1}(ax)^4} dx$	362
3.74	$\int x^4 \sqrt{\cos^{-1}(ax)} dx$	365
3.75	$\int x^3 \sqrt{\cos^{-1}(ax)} dx$	369
3.76	$\int x^2 \sqrt{\cos^{-1}(ax)} dx$	373
3.77	$\int x \sqrt{\cos^{-1}(ax)} dx$	377
3.78	$\int \sqrt{\cos^{-1}(ax)} dx$	381
3.79	$\int \frac{\sqrt{\cos^{-1}(ax)}}{x} dx$	385
3.80	$\int x^4 \cos^{-1}(ax)^{3/2} dx$	388
3.81	$\int x^3 \cos^{-1}(ax)^{3/2} dx$	393
3.82	$\int x^2 \cos^{-1}(ax)^{3/2} dx$	398
3.83	$\int x \cos^{-1}(ax)^{3/2} dx$	403
3.84	$\int \cos^{-1}(ax)^{3/2} dx$	408
3.85	$\int \frac{\cos^{-1}(ax)^{3/2}}{x} dx$	412
3.86	$\int x^4 \cos^{-1}(ax)^{5/2} dx$	415
3.87	$\int x^3 \cos^{-1}(ax)^{5/2} dx$	420
3.88	$\int x^2 \cos^{-1}(ax)^{5/2} dx$	425
3.89	$\int x \cos^{-1}(ax)^{5/2} dx$	430

3.90	$\int \cos^{-1}(ax)^{5/2} dx$	435
3.91	$\int \frac{\cos^{-1}(ax)^{5/2}}{x} dx$	439
3.92	$\int \frac{x^4}{\sqrt{\cos^{-1}(ax)}} dx$	442
3.93	$\int \frac{x^3}{\sqrt{\cos^{-1}(ax)}} dx$	446
3.94	$\int \frac{x^2}{\sqrt{\cos^{-1}(ax)}} dx$	450
3.95	$\int \frac{x}{\sqrt{\cos^{-1}(ax)}} dx$	454
3.96	$\int \frac{1}{\sqrt{\cos^{-1}(ax)}} dx$	458
3.97	$\int \frac{1}{x\sqrt{\cos^{-1}(ax)}} dx$	461
3.98	$\int \frac{1}{x^2\sqrt{\cos^{-1}(ax)}} dx$	464
3.99	$\int \frac{x^6}{\cos^{-1}(ax)^{3/2}} dx$	467
3.100	$\int \frac{x^5}{\cos^{-1}(ax)^{3/2}} dx$	471
3.101	$\int \frac{x^4}{\cos^{-1}(ax)^{3/2}} dx$	475
3.102	$\int \frac{x^3}{\cos^{-1}(ax)^{3/2}} dx$	479
3.103	$\int \frac{x^2}{\cos^{-1}(ax)^{3/2}} dx$	483
3.104	$\int \frac{x}{\cos^{-1}(ax)^{3/2}} dx$	487
3.105	$\int \frac{1}{\cos^{-1}(ax)^{3/2}} dx$	490
3.106	$\int \frac{1}{x \cos^{-1}(ax)^{3/2}} dx$	494
3.107	$\int \frac{x^4}{\cos^{-1}(ax)^{5/2}} dx$	497
3.108	$\int \frac{x^3}{\cos^{-1}(ax)^{5/2}} dx$	502
3.109	$\int \frac{x^2}{\cos^{-1}(ax)^{5/2}} dx$	507
3.110	$\int \frac{x}{\cos^{-1}(ax)^{5/2}} dx$	512
3.111	$\int \frac{1}{\cos^{-1}(ax)^{5/2}} dx$	517
3.112	$\int \frac{1}{x \cos^{-1}(ax)^{5/2}} dx$	521
3.113	$\int \frac{x^4}{\cos^{-1}(ax)^{7/2}} dx$	524
3.114	$\int \frac{x^3}{\cos^{-1}(ax)^{7/2}} dx$	529
3.115	$\int \frac{x^2}{\cos^{-1}(ax)^{7/2}} dx$	534
3.116	$\int \frac{x}{\cos^{-1}(ax)^{7/2}} dx$	539

3.117	$\int \frac{1}{\cos^{-1}(ax)^{7/2}} dx$	544
3.118	$\int \frac{1}{x \cos^{-1}(ax)^{7/2}} dx$	548
3.119	$\int (bx)^m \cos^{-1}(ax)^4 dx$	551
3.120	$\int (bx)^m \cos^{-1}(ax)^3 dx$	554
3.121	$\int (bx)^m \cos^{-1}(ax)^2 dx$	557
3.122	$\int (bx)^m \cos^{-1}(ax) dx$	560
3.123	$\int \frac{(bx)^m}{\cos^{-1}(ax)} dx$	563
3.124	$\int \frac{(bx)^m}{\cos^{-1}(ax)^2} dx$	566
3.125	$\int (bx)^m \cos^{-1}(ax)^{3/2} dx$	569
3.126	$\int (bx)^m \sqrt{\cos^{-1}(ax)} dx$	572
3.127	$\int \frac{(bx)^m}{\sqrt{\cos^{-1}(ax)}} dx$	574
3.128	$\int \frac{(bx)^m}{\cos^{-1}(ax)^{3/2}} dx$	577
3.129	$\int (bx)^m \cos^{-1}(ax)^n dx$	580
3.130	$\int x^3 \cos^{-1}(ax)^n dx$	582
3.131	$\int x^2 \cos^{-1}(ax)^n dx$	586
3.132	$\int x \cos^{-1}(ax)^n dx$	590
3.133	$\int \cos^{-1}(ax)^n dx$	594
3.134	$\int \frac{\cos^{-1}(ax)^n}{x} dx$	597
3.135	$\int \frac{\cos^{-1}(ax)^n}{x^2} dx$	600
3.136	$\int (bx)^{3/2} \cos^{-1}(ax)^n dx$	603
3.137	$\int \sqrt{bx} \cos^{-1}(ax)^n dx$	605
3.138	$\int \frac{\cos^{-1}(ax)^n}{\sqrt{bx}} dx$	607
3.139	$\int \frac{\cos^{-1}(ax)^n}{(bx)^{3/2}} dx$	610
3.140	$\int x^3 (a + b \cos^{-1}(cx)) dx$	613
3.141	$\int x^2 (a + b \cos^{-1}(cx)) dx$	617
3.142	$\int x (a + b \cos^{-1}(cx)) dx$	621
3.143	$\int (a + b \cos^{-1}(cx)) dx$	625
3.144	$\int \frac{a+b \cos^{-1}(cx)}{x} dx$	628
3.145	$\int \frac{a+b \cos^{-1}(cx)}{x^2} dx$	632
3.146	$\int \frac{a+b \cos^{-1}(cx)}{x^3} dx$	636
3.147	$\int \frac{a+b \cos^{-1}(cx)}{x^4} dx$	639
3.148	$\int x^2 (a + b \cos^{-1}(cx))^2 dx$	644

3.149	$\int x (a + b \cos^{-1}(cx))^2 dx$	648
3.150	$\int (a + b \cos^{-1}(cx))^2 dx$	652
3.151	$\int \frac{(a+b \cos^{-1}(cx))^2}{x} dx$	656
3.152	$\int \frac{(a+b \cos^{-1}(cx))^2}{x^2} dx$	661
3.153	$\int x^2 (a + b \cos^{-1}(cx))^3 dx$	665
3.154	$\int x (a + b \cos^{-1}(cx))^3 dx$	670
3.155	$\int (a + b \cos^{-1}(cx))^3 dx$	675
3.156	$\int \frac{(a+b \cos^{-1}(cx))^3}{x} dx$	679
3.157	$\int \frac{(a+b \cos^{-1}(cx))^3}{x^2} dx$	684
3.158	$\int \frac{1}{a+b \cos^{-1}(cx)} dx$	689
3.159	$\int \frac{1}{x(a+b \cos^{-1}(cx))} dx$	693
3.160	$\int \frac{1}{x^2(a+b \cos^{-1}(cx))} dx$	697
3.161	$\int \frac{1}{x^3(a+b \cos^{-1}(cx))} dx$	700
3.162	$\int \frac{1}{x^4(a+b \cos^{-1}(cx))} dx$	703
3.163	$\int \frac{x^2}{(a+b \cos^{-1}(cx))^2} dx$	706
3.164	$\int \frac{x}{(a+b \cos^{-1}(cx))^2} dx$	710
3.165	$\int \frac{1}{(a+b \cos^{-1}(cx))^2} dx$	714
3.166	$\int \frac{1}{x(a+b \cos^{-1}(cx))^2} dx$	718
3.167	$\int \frac{1}{x^2(a+b \cos^{-1}(cx))^2} dx$	721
3.168	$\int \frac{x^2}{(a+b \cos^{-1}(cx))^3} dx$	724
3.169	$\int \frac{x}{(a+b \cos^{-1}(cx))^3} dx$	730
3.170	$\int \frac{1}{(a+b \cos^{-1}(cx))^3} dx$	735
3.171	$\int \frac{1}{x(a+b \cos^{-1}(cx))^3} dx$	740
3.172	$\int \frac{1}{x^2(a+b \cos^{-1}(cx))^3} dx$	743
3.173	$\int x^2 \sqrt{a + b \cos^{-1}(cx)} dx$	746

3.174	$\int x\sqrt{a+b\cos^{-1}(cx)} dx$	752
3.175	$\int \sqrt{a+b\cos^{-1}(cx)} dx$	757
3.176	$\int \frac{\sqrt{a+b\cos^{-1}(cx)}}{x} dx$	762
3.177	$\int \frac{\sqrt{a+b\cos^{-1}(cx)}}{x^2} dx$	765
3.178	$\int x^2(a+b\cos^{-1}(cx))^{3/2} dx$	768
3.179	$\int x(a+b\cos^{-1}(cx))^{3/2} dx$	776
3.180	$\int (a+b\cos^{-1}(cx))^{3/2} dx$	782
3.181	$\int \frac{(a+b\cos^{-1}(cx))^{3/2}}{x} dx$	787
3.182	$\int \frac{(a+b\cos^{-1}(cx))^{3/2}}{x^2} dx$	790
3.183	$\int x^2(a+b\cos^{-1}(cx))^{5/2} dx$	793
3.184	$\int x(a+b\cos^{-1}(cx))^{5/2} dx$	802
3.185	$\int (a+b\cos^{-1}(cx))^{5/2} dx$	808
3.186	$\int \frac{(a+b\cos^{-1}(cx))^{5/2}}{x} dx$	814
3.187	$\int \frac{(a+b\cos^{-1}(cx))^{5/2}}{x^2} dx$	817
3.188	$\int \frac{1}{\sqrt{a+b\cos^{-1}(cx)}} dx$	820
3.189	$\int \frac{1}{x\sqrt{a+b\cos^{-1}(cx)}} dx$	825
3.190	$\int \frac{1}{x^2\sqrt{a+b\cos^{-1}(cx)}} dx$	830
3.191	$\int \frac{1}{x\sqrt{a+b\cos^{-1}(cx)}} dx$	834
3.192	$\int \frac{1}{x^2\sqrt{a+b\cos^{-1}(cx)}} dx$	837
3.193	$\int \frac{1}{(a+b\cos^{-1}(cx))^{3/2}} dx$	840
3.194	$\int \frac{1}{x(a+b\cos^{-1}(cx))^{3/2}} dx$	845
3.195	$\int \frac{1}{x^2(a+b\cos^{-1}(cx))^{3/2}} dx$	849
3.196	$\int \frac{1}{x(a+b\cos^{-1}(cx))^{3/2}} dx$	854
3.197	$\int \frac{1}{x^2(a+b\cos^{-1}(cx))^{3/2}} dx$	857
3.198	$\int \frac{1}{(a+b\cos^{-1}(cx))^{5/2}} dx$	860
3.199	$\int \frac{1}{x(a+b\cos^{-1}(cx))^{5/2}} dx$	867

3.200	$\int \frac{1}{(a+b \cos^{-1}(cx))^{5/2}} dx$	873
3.201	$\int \frac{1}{x(a+b \cos^{-1}(cx))^{5/2}} dx$	878
3.202	$\int \frac{1}{x^2(a+b \cos^{-1}(cx))^{5/2}} dx$	881
3.203	$\int (dx)^{5/2} (a+b \cos^{-1}(cx)) dx$	884
3.204	$\int (dx)^{3/2} (a+b \cos^{-1}(cx)) dx$	888
3.205	$\int \sqrt{dx} (a+b \cos^{-1}(cx)) dx$	893
3.206	$\int \frac{a+b \cos^{-1}(cx)}{\sqrt{dx}} dx$	897
3.207	$\int \frac{a+b \cos^{-1}(cx)}{(dx)^{3/2}} dx$	902
3.208	$\int \frac{a+b \cos^{-1}(cx)}{(dx)^{5/2}} dx$	906
3.209	$\int (dx)^{5/2} (a+b \cos^{-1}(cx))^2 dx$	911
3.210	$\int (dx)^{3/2} (a+b \cos^{-1}(cx))^2 dx$	915
3.211	$\int \sqrt{dx} (a+b \cos^{-1}(cx))^2 dx$	919
3.212	$\int \frac{(a+b \cos^{-1}(cx))^2}{\sqrt{dx}} dx$	923
3.213	$\int \frac{(a+b \cos^{-1}(cx))^2}{(dx)^{3/2}} dx$	926
3.214	$\int \frac{(a+b \cos^{-1}(cx))^2}{(dx)^{5/2}} dx$	929
3.215	$\int (dx)^{3/2} (a+b \cos^{-1}(cx))^3 dx$	933
3.216	$\int \sqrt{dx} (a+b \cos^{-1}(cx))^3 dx$	936
3.217	$\int \frac{(a+b \cos^{-1}(cx))^3}{\sqrt{dx}} dx$	939
3.218	$\int \frac{(a+b \cos^{-1}(cx))^3}{(dx)^{3/2}} dx$	942
3.219	$\int \frac{(a+b \cos^{-1}(cx))^3}{(dx)^{5/2}} dx$	945
3.220	$\int \frac{(dx)^{3/2}}{a+b \cos^{-1}(cx)} dx$	948
3.221	$\int \frac{\sqrt{dx}}{a+b \cos^{-1}(cx)} dx$	951
3.222	$\int \frac{1}{\sqrt{dx}(a+b \cos^{-1}(cx))} dx$	954
3.223	$\int \frac{1}{(dx)^{3/2}(a+b \cos^{-1}(cx))} dx$	957
3.224	$\int \frac{(dx)^{3/2}}{(a+b \cos^{-1}(cx))^2} dx$	960

3.225	$\int \frac{\sqrt{dx}}{(a+b \cos^{-1}(cx))^2} dx$	963
3.226	$\int \frac{1}{\sqrt{dx} (a+b \cos^{-1}(cx))^2} dx$	966
3.227	$\int \frac{1}{(dx)^{3/2} (a+b \cos^{-1}(cx))^2} dx$	969
4	Listing of Grading functions	973
4.0.1	Mathematica and Rubi grading function	973
4.0.2	Maple grading function	975
4.0.3	Sympy grading function	980
4.0.4	SageMath grading function	983

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [227]. This is test number [145].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (227)	% 0.00 (0)
Mathematica	% 100.00 (227)	% 0.00 (0)
Maple	% 94.27 (214)	% 5.73 (13)
Maxima	% 29.52 (67)	% 70.48 (160)
Fricas	% 34.80 (79)	% 65.20 (148)
Sympy	% 44.05 (100)	% 55.95 (127)
Giac	% 71.81 (163)	% 28.19 (64)
Mupad	% 32.16 (73)	% 67.84 (154)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	76.65	1.76	21.59	0.00
Maple	88.99	3.96	1.32	5.73
Maxima	29.52	0.00	0.00	70.48
Fricas	33.04	1.76	0.00	65.20
Sympy	41.85	0.00	2.20	55.95
Giac	53.74	18.06	0.00	28.19
Mupad	27.31	4.85	0.00	67.84

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	13	84.62 %	0.00 %	15.38 %
Maxima	160	51.25 %	11.25 %	37.50 %
Fricas	148	46.62 %	0.00 %	53.38 %
Sympy	127	90.55 %	2.36 %	7.09 %
Giac	64	79.69 %	0.00 %	20.31 %
Mupad	154	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.16	82.33	0.73	75.00	1.00
Mathematica	3.08	98.51	0.82	69.00	0.88
Maple	0.20	93.09	0.79	66.50	0.87
Maxima	0.26	38.79	0.50	0.00	0.00
Fricas	0.49	40.61	0.53	27.00	0.54
Sympy	1.98	47.35	0.52	0.00	0.00
Giac	0.86	174.83	1.48	57.00	0.87
Mupad	0.04	7.66	0.13	-1.00	-0.05

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.



1.4 list of integrals that has no closed form antiderivative

{49, 50, 58, 59, 65, 66, 72, 73, 79, 85, 91, 97, 98, 106, 112, 118, 119, 120, 123, 124, 125, 126, 127, 128, 129, 134, 135, 136, 137, 138, 139, 161, 162, 166, 167, 171, 172, 176, 177, 181, 182, 186, 187, 191, 192, 196, 197, 201, 202, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {18, 20, 28, 39, 41, 74, 75, 76, 78, 80, 81, 82, 84, 86, 87, 88, 90, 92, 93, 94, 96, 99, 100, 101, 102, 103, 105, 107, 108, 109, 111, 113, 114, 115, 117, 121, 144, 151, 152, 156, 157, 173, 175, 178, 180, 183, 185, 188, 190, 193, 195, 198, 200, 209, 210, 211, 212, 213, 214}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at <https://>

ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
 2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
 3. integer. Leaf size of result.
 4. integer. Leaf size of the optimal antiderivative.
 5. number. CPU time used to solve this integral. 0 if failed.
 6. string. The integral in Latex format
 7. string. The input used in CAS own syntax.
 8. string. The result (antiderivative) produced by CAS in Latex format
 9. string. The optimal antiderivative in Latex format.
 10. integer. 0 or 1. Indicates if problem has known antiderivative or not
 11. String. The result (antiderivative) in CAS own syntax.
 12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
 15. integer. Integrand leaf size.
 16. real number. Ratio of field 14 over field 15
 17. integer. 1 if result was verified or 0 if not verified.
 18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 77, 79, 83, 85, 89, 91, 95, 97, 98, 104, 106, 110, 112, 116, 118, 119, 120, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 174, 176, 177, 179, 181, 182, 184,

186, 187, 189, 191, 192, 194, 196, 197, 199, 201, 202, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { 39, 41, 157, 209 }

C grade: { 74, 75, 76, 78, 80, 81, 82, 84, 86, 87, 88, 90, 92, 93, 94, 96, 99, 100, 101, 102, 103, 105, 107, 108, 109, 111, 113, 114, 115, 117, 121, 173, 175, 178, 180, 183, 185, 188, 190, 193, 195, 198, 200, 203, 204, 205, 206, 207, 208 }

F grade: { }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 123, 124, 125, 126, 127, 128, 129, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 179, 181, 182, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 201, 202, 203, 204, 205, 206, 207, 208, 215, 216, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { 156, 178, 180, 183, 184, 185, 198, 199, 200 }

C grade: { 130, 132, 133 }

F grade: { 28, 39, 121, 122, 131, 157, 209, 210, 211, 212, 213, 214, 217 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 14, 16, 19, 21, 22, 24, 26, 33, 35, 37, 49, 50, 58, 65, 66, 72, 73, 123, 140, 141, 142, 143, 145, 146, 147, 148, 150, 153, 155, 161, 162, 166, 171, 172, 176, 177, 181, 182, 186, 187, 191, 192, 196, 197, 201, 202, 215, 216, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { }

C grade: { }

F grade: { 6, 13, 15, 17, 18, 20, 23, 25, 27, 28, 29, 30, 31, 32, 34, 36, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 56, 57, 59, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 144, 149, 151, 152, 154, 156, 157, 158, 159, 160, 163, 164, 165, 167, 168, 169, 170, 173, 174, 175, 178, 179, 180, 183, 184, 185, 188, 189, 190, 193, 194, 195, 198, 199, 200, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 217, 218, 219 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 8, 10, 11, 12, 13, 14, 15, 16, 19, 21, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 49, 50, 58, 59, 65, 66, 72, 73, 119, 120, 123, 124, 129, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 146, 148, 149, 150, 153, 154, 155, 161, 162, 166, 167, 171, 172, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { 7, 9, 145, 147 }

C grade: { }

F grade: { 6, 17, 18, 20, 27, 28, 29, 30, 31, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 56, 57, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 121, 122, 125, 126, 127, 128, 130, 131, 132, 133, 144, 151, 152, 156, 157, 158, 159, 160, 163, 164, 165, 168, 169, 170, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214 }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 12, 13, 14, 15, 16, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 49, 50, 58, 59, 65, 66, 72, 73, 79, 85, 91, 97, 98, 106, 112, 118, 119, 120, 123, 124, 125, 126, 127, 128, 129, 134, 135, 137, 138, 139, 140, 141, 142, 143, 145, 146, 147, 148, 149, 150, 153, 154, 155, 161, 162, 166, 167, 171, 172, 176, 177, 181, 182, 186, 187, 191, 192, 196, 197, 201, 202, 203, 204, 205, 215, 216, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { }

C grade: { 7, 8, 9, 10, 11 }

F grade: { 6, 17, 18, 19, 20, 21, 27, 28, 29, 30, 31, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 56, 57, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 86, 87, 88, 89, 90, 92, 93, 94, 95, 96, 99, 100, 101, 102, 103, 104, 105, 107, 108, 109, 110, 111, 113, 114, 115, 116, 117, 121, 122, 130, 131, 132, 133, 136, 144, 151, 152, 156, 157, 158, 159, 160, 163, 164, 165, 168, 169, 170, 173, 174, 175, 178, 179, 180, 183, 184, 185, 188, 189, 190, 193, 194, 195, 198, 199, 200, 206, 207, 208, 209, 210, 211, 212, 213, 214, 217, 218, 219 }

2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 7, 9, 11, 12, 13, 14, 15, 16, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 79, 83, 85, 89, 91, 97, 98, 106, 112, 118, 119, 120, 123, 124, 125, 126, 127, 128, 129, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 148, 149, 150, 153, 155, 158, 159, 160, 162, 166, 167, 171, 172, 176, 177, 181, 182, 186, 187, 188, 189, 190, 191, 192, 197, 202, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { 8, 10, 19, 21, 74, 75, 76, 77, 78, 80, 81, 82, 84, 86, 87, 88, 90, 92, 93, 94, 95, 96, 145, 146, 147, 154, 163, 164, 165, 168, 169, 170, 173, 174, 175, 178, 179, 180, 183, 184, 185 }

C grade: { }

F grade: { 6, 17, 18, 20, 27, 28, 29, 30, 31, 38, 39, 40, 41, 99, 100, 101, 102, 103, 104, 105, 107, 108, 109, 110, 111, 113, 114, 115, 116, 117, 121, 122, 130, 131, 132, 133, 144, 151, 152, 156, 157, 161, 193, 194, 195, 196, 198, 199, 200, 201, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216 }

2.1.8 Mupad

A grade: { 49, 50, 58, 59, 65, 66, 72, 73, 79, 85, 91, 97, 98, 106, 112, 118, 119, 120, 123, 124, 125, 126, 127, 128, 129, 134, 135, 136, 137, 138, 139, 161, 162, 166, 167, 171, 172, 176, 177, 181, 182, 186, 187, 191, 192, 196, 197, 201, 202, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227 }

B grade: { 4, 5, 7, 16, 26, 37, 142, 143, 145, 150, 155 }

C grade: { }

F grade: { 1, 2, 3, 6, 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 56, 57, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 86, 87, 88, 89, 90, 92, 93, 94, 95, 96, 99, 100, 101, 102, 103, 104, 105, 107, 108, 109, 110, 111, 113, 114, 115, 116, 117, 121, 122, 130, 131, 132, 133, 140, 141, 144, 146, 147, 148, 149, 151, 152, 153, 154, 156, 157, 158, 159, 160, 163, 164, 165, 168, 169, 170, 173, 174, 175, 178, 179, 180, 183, 184, 185, 188, 189, 190, 193, 194, 195, 198, 199, 200, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	51	72	71	50	75	67	-1
normalized size	1	1.00	0.68	0.96	0.95	0.67	1.00	0.89	-0.01
time (sec)	N/A	0.048	0.034	0.006	0.405	0.433	1.710	2.540	0.000
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	54	60	61	48	66	57	-1
normalized size	1	1.00	0.78	0.87	0.88	0.70	0.96	0.83	-0.01
time (sec)	N/A	0.031	0.038	0.005	0.401	0.404	0.874	0.952	0.000
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	42	52	50	41	53	47	-1
normalized size	1	1.00	0.78	0.96	0.93	0.76	0.98	0.87	-0.02
time (sec)	N/A	0.035	0.030	0.004	0.419	1.315	0.430	0.998	0.000

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	42	40	40	37	42	37	38
normalized size	1	1.00	0.93	0.89	0.89	0.82	0.93	0.82	0.84
time (sec)	N/A	0.016	0.018	0.005	0.401	0.415	0.195	3.967	0.036

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	26	27	26	26	24	26	24
normalized size	1	1.00	1.00	1.04	1.00	1.00	0.92	1.00	0.92
time (sec)	N/A	0.008	0.008	0.003	0.397	0.465	0.123	0.966	0.069

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	51	68	0	0	0	0	-1
normalized size	1	1.00	1.00	1.33	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.057	0.017	0.093	0.000	0.449	0.000	0.000	0.000

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	34	29	38	82	34	48	25
normalized size	1	1.00	1.26	1.07	1.41	3.04	1.26	1.78	0.93
time (sec)	N/A	0.022	0.014	0.009	0.402	0.469	1.425	0.197	0.023

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	31	38	28	27	53	68	-1
normalized size	1	1.00	0.91	1.12	0.82	0.79	1.56	2.00	-0.03
time (sec)	N/A	0.016	0.018	0.004	0.401	0.509	1.125	0.179	0.000

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	C	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	67	53	60	110	110	77	-1
normalized size	1	1.00	1.20	0.95	1.07	1.96	1.96	1.38	-0.02
time (sec)	N/A	0.035	0.028	0.004	0.405	0.644	2.289	0.206	0.000

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	41	58	50	37	102	130	-1
normalized size	1	1.00	0.71	1.00	0.86	0.64	1.76	2.24	-0.02
time (sec)	N/A	0.022	0.030	0.006	0.402	0.443	1.651	2.126	0.000

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	72	73	82	122	184	101	-1
normalized size	1	1.00	0.90	0.91	1.02	1.52	2.30	1.26	-0.01
time (sec)	N/A	0.047	0.081	0.005	0.402	0.628	3.967	1.959	0.000

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	82	76	102	76	121	100	-1
normalized size	1	1.00	0.68	0.63	0.85	0.63	1.01	0.83	-0.01
time (sec)	N/A	0.196	0.067	0.056	0.407	0.578	2.939	3.945	0.000

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	74	93	0	70	97	87	-1
normalized size	1	1.00	0.76	0.95	0.00	0.71	0.99	0.89	-0.01
time (sec)	N/A	0.170	0.046	0.062	0.000	0.457	1.802	5.965	0.000

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	63	59	72	59	83	68	-1
normalized size	1	1.00	0.77	0.72	0.88	0.72	1.01	0.83	-0.01
time (sec)	N/A	0.126	0.056	0.050	0.523	0.454	0.852	0.193	0.000

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	57	63	0	51	58	55	-1
normalized size	1	1.00	0.95	1.05	0.00	0.85	0.97	0.92	-0.02
time (sec)	N/A	0.097	0.028	0.056	0.000	0.479	0.428	0.187	0.000

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	35	37	33	36	37	33	45
normalized size	1	1.00	1.00	1.06	0.94	1.03	1.06	0.94	1.29
time (sec)	N/A	0.047	0.017	0.071	1.442	0.438	0.183	0.194	0.314

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	73	101	0	0	0	0	-1
normalized size	1	1.00	1.00	1.38	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.093	0.020	0.109	0.000	0.501	0.000	0.000	0.000

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	98	135	0	0	0	0	-1
normalized size	1	1.00	1.32	1.82	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.107	0.161	0.110	0.000	0.878	0.000	0.000	0.000

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	43	42	39	44	0	82	-1
normalized size	1	1.00	1.00	0.98	0.91	1.02	0.00	1.91	-0.02
time (sec)	N/A	0.078	0.034	0.115	0.738	0.430	0.000	0.251	0.000

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	152	173	0	0	0	0	-1
normalized size	1	1.00	1.23	1.40	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.177	0.667	0.493	0.000	0.419	0.000	0.000	0.000

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	69	76	74	62	0	185	-1
normalized size	1	1.00	0.79	0.87	0.85	0.71	0.00	2.13	-0.01
time (sec)	N/A	0.152	0.046	0.109	0.564	0.423	0.000	3.353	0.000

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	122	159	171	104	202	175	-1
normalized size	1	1.00	0.61	0.79	0.85	0.52	1.00	0.87	-0.00
time (sec)	N/A	0.403	0.074	0.050	0.754	0.472	5.371	0.214	0.000

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	167	167	115	151	0	96	167	141	-1
normalized size	1	1.00	0.69	0.90	0.00	0.57	1.00	0.84	-0.01
time (sec)	N/A	0.315	0.073	0.080	0.000	0.462	3.126	0.213	0.000

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	95	106	120	78	134	117	-1
normalized size	1	1.00	0.70	0.78	0.88	0.57	0.99	0.86	-0.01
time (sec)	N/A	0.241	0.054	0.042	1.578	0.459	1.793	0.195	0.000

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	85	90	0	69	99	83	-1
normalized size	1	1.00	0.86	0.91	0.00	0.70	1.00	0.84	-0.01
time (sec)	N/A	0.156	0.044	0.074	0.000	0.432	0.872	0.210	0.000

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	60	57	59	44	60	56	59
normalized size	1	1.00	1.00	0.95	0.98	0.73	1.00	0.93	0.98
time (sec)	N/A	0.081	0.019	0.070	0.557	0.595	0.420	0.180	0.309

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	101	135	0	0	0	0	-1
normalized size	1	1.00	1.00	1.34	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.111	0.023	0.128	0.000	1.826	0.000	0.000	0.000

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	139	0	0	0	0	0	-1
normalized size	1	1.00	1.14	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.175	0.118	0.365	0.000	0.429	0.000	0.000	0.000

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	92	113	0	0	0	0	-1
normalized size	1	1.00	0.90	1.11	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.175	0.212	0.342	0.000	0.413	0.000	0.000	0.000

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	165	272	0	0	0	0	-1
normalized size	1	1.00	0.86	1.42	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.304	0.832	0.425	0.000	0.448	0.000	0.000	0.000

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	149	176	0	0	0	0	-1
normalized size	1	1.00	0.88	1.04	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.290	0.528	0.449	0.000	0.434	0.000	0.000	0.000

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	282	282	167	318	0	153	275	245	-1
normalized size	1	1.00	0.59	1.13	0.00	0.54	0.98	0.87	-0.00
time (sec)	N/A	0.874	0.094	0.160	0.000	0.431	14.824	0.196	0.000

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	250	250	150	197	206	134	248	212	-1
normalized size	1	1.00	0.60	0.79	0.82	0.54	0.99	0.85	-0.00
time (sec)	N/A	0.669	0.087	0.049	0.697	0.418	8.810	3.292	0.000

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	135	207	0	121	197	173	-1
normalized size	1	1.00	0.68	1.05	0.00	0.61	0.99	0.87	-0.01
time (sec)	N/A	0.520	0.078	0.069	0.000	0.433	5.507	0.199	0.000

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	114	130	146	99	165	140	-1
normalized size	1	1.00	0.69	0.78	0.88	0.60	0.99	0.84	-0.01
time (sec)	N/A	0.366	0.083	0.046	1.070	0.445	3.039	0.196	0.000

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	112	112	96	113	0	82	110	101	-1
normalized size	1	1.00	0.86	1.01	0.00	0.73	0.98	0.90	-0.01
time (sec)	N/A	0.237	0.047	0.060	0.000	0.439	1.740	0.190	0.000

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	69	67	74	55	70	65	63
normalized size	1	1.00	1.00	0.97	1.07	0.80	1.01	0.94	0.91
time (sec)	N/A	0.120	0.025	0.074	0.515	0.435	0.812	0.180	0.305

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	119	168	0	0	0	0	-1
normalized size	1	1.00	1.00	1.41	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.125	0.023	0.123	0.000	0.440	0.000	0.000	0.000

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	176	176	549	0	0	0	0	0	-1
normalized size	1	1.00	3.12	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.204	1.201	0.347	0.000	0.428	0.000	0.000	0.000

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	115	149	0	0	0	0	-1
normalized size	1	1.00	0.95	1.23	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.213	0.413	0.341	0.000	0.567	0.000	0.000	0.000

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	304	304	1475	451	0	0	0	0	-1
normalized size	1	1.00	4.85	1.48	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.421	12.075	0.427	0.000	0.530	0.000	0.000	0.000

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	40	40	0	0	0	47	-1
normalized size	1	1.00	0.73	0.73	0.00	0.00	0.00	0.85	-0.02
time (sec)	N/A	0.091	0.121	0.165	0.000	0.389	0.000	2.975	0.000

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	33	33	0	0	0	37	-1
normalized size	1	1.00	0.77	0.77	0.00	0.00	0.00	0.86	-0.02
time (sec)	N/A	0.079	0.099	0.147	0.000	0.394	0.000	0.173	0.000

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	31	31	0	0	0	35	-1
normalized size	1	1.00	0.76	0.76	0.00	0.00	0.00	0.85	-0.02
time (sec)	N/A	0.075	0.089	0.040	0.000	0.443	0.000	2.814	0.000

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	24	24	0	0	0	25	-1
normalized size	1	1.00	0.83	0.83	0.00	0.00	0.00	0.86	-0.03
time (sec)	N/A	0.064	0.072	0.039	0.000	0.406	0.000	1.975	0.000

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	20	22	0	0	0	23	-1
normalized size	1	1.00	0.74	0.81	0.00	0.00	0.00	0.85	-0.04
time (sec)	N/A	0.060	0.062	0.038	0.000	0.475	0.000	1.929	0.000

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	14	13	0	0	0	12	-1
normalized size	1	1.00	1.00	0.93	0.00	0.00	0.00	0.86	-0.07
time (sec)	N/A	0.035	0.022	0.038	0.000	0.479	0.000	1.021	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	10	11	0	0	0	10	-1
normalized size	1	1.00	1.00	1.10	0.00	0.00	0.00	1.00	-0.10
time (sec)	N/A	0.015	0.026	0.032	0.000	2.118	0.000	0.978	0.000

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.013	0.252	0.194	0.000	0.438	0.000	0.000	0.000

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.014	0.929	0.327	0.000	0.435	0.000	0.000	0.000

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	86	105	0	0	0	72	-1
normalized size	1	1.00	1.05	1.28	0.00	0.00	0.00	0.88	-0.01
time (sec)	N/A	0.079	0.166	0.209	0.000	0.407	0.000	0.186	0.000

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	63	78	0	0	0	62	-1
normalized size	1	1.00	0.90	1.11	0.00	0.00	0.00	0.89	-0.01
time (sec)	N/A	0.064	0.171	0.152	0.000	0.416	0.000	0.189	0.000

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	61	81	0	0	0	60	-1
normalized size	1	1.00	0.90	1.19	0.00	0.00	0.00	0.88	-0.01
time (sec)	N/A	0.063	0.172	0.046	0.000	0.483	0.000	2.525	0.000

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	50	54	0	0	0	50	-1
normalized size	1	1.00	0.89	0.96	0.00	0.00	0.00	0.89	-0.02
time (sec)	N/A	0.050	0.144	0.042	0.000	0.456	0.000	0.186	0.000

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	50	57	0	0	0	48	-1
normalized size	1	1.00	0.93	1.06	0.00	0.00	0.00	0.89	-0.02
time (sec)	N/A	0.046	0.133	0.042	0.000	0.393	0.000	2.806	0.000

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	37	30	0	0	0	36	-1
normalized size	1	1.00	0.97	0.79	0.00	0.00	0.00	0.95	-0.03
time (sec)	N/A	0.024	0.097	0.034	0.000	0.407	0.000	0.181	0.000

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	35	32	0	0	0	33	-1
normalized size	1	1.00	1.00	0.91	0.00	0.00	0.00	0.94	-0.03
time (sec)	N/A	0.081	0.042	0.036	0.000	0.416	0.000	1.715	0.000

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.012	1.034	0.194	0.000	0.413	0.000	0.000	0.000

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.013	18.260	0.334	0.000	0.480	0.000	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	103	121	0	0	0	86	-1
normalized size	1	1.00	1.05	1.23	0.00	0.00	0.00	0.88	-0.01
time (sec)	N/A	0.344	0.144	0.133	0.000	0.464	0.000	0.254	0.000

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	70	82	0	0	0	75	-1
normalized size	1	1.00	0.84	0.99	0.00	0.00	0.00	0.90	-0.01
time (sec)	N/A	0.305	0.150	0.108	0.000	0.404	0.000	0.234	0.000

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	65	82	0	0	0	72	-1
normalized size	1	1.00	0.79	1.00	0.00	0.00	0.00	0.88	-0.01
time (sec)	N/A	0.243	0.139	0.040	0.000	0.404	0.000	0.234	0.000

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	63	43	0	0	0	57	-1
normalized size	1	1.00	1.00	0.68	0.00	0.00	0.00	0.90	-0.02
time (sec)	N/A	0.165	0.044	0.038	0.000	0.393	0.000	0.379	0.000

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	47	43	0	0	0	43	-1
normalized size	1	1.00	0.92	0.84	0.00	0.00	0.00	0.84	-0.02
time (sec)	N/A	0.083	0.033	0.041	0.000	0.386	0.000	0.227	0.000

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.012	0.756	0.210	0.000	0.396	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.013	10.195	0.327	0.000	0.419	0.000	0.000	0.000

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	158	158	159	171	0	0	0	138	-1
normalized size	1	1.00	1.01	1.08	0.00	0.00	0.00	0.87	-0.01
time (sec)	N/A	0.338	0.185	0.143	0.000	0.452	0.000	0.219	0.000

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	107	114	0	0	0	125	-1
normalized size	1	1.00	0.75	0.80	0.00	0.00	0.00	0.87	-0.01
time (sec)	N/A	0.291	0.300	0.122	0.000	0.616	0.000	0.385	0.000

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	129	117	0	0	0	121	-1
normalized size	1	1.00	0.91	0.83	0.00	0.00	0.00	0.86	-0.01
time (sec)	N/A	0.312	0.153	0.044	0.000	0.437	0.000	0.187	0.000

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	86	60	0	0	0	83	-1
normalized size	1	1.00	0.89	0.62	0.00	0.00	0.00	0.86	-0.01
time (sec)	N/A	0.166	0.120	0.037	0.000	0.447	0.000	0.573	0.000

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	71	63	0	0	0	66	-1
normalized size	1	1.00	0.91	0.81	0.00	0.00	0.00	0.85	-0.01
time (sec)	N/A	0.156	0.052	0.036	0.000	0.525	0.000	0.190	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.026	3.049	0.207	0.000	0.486	0.000	0.000	0.000

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.016	29.951	0.347	0.000	0.497	0.000	0.000	0.000

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	212	143	0	0	0	315	-1
normalized size	1	1.00	1.75	1.18	0.00	0.00	0.00	2.60	-0.01
time (sec)	N/A	0.281	0.325	0.307	0.000	0.000	0.000	0.536	0.000

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	125	91	0	0	0	189	-1
normalized size	1	1.00	1.32	0.96	0.00	0.00	0.00	1.99	-0.01
time (sec)	N/A	0.195	0.135	0.250	0.000	0.000	0.000	0.875	0.000

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	122	96	0	0	0	210	-1
normalized size	1	1.00	1.42	1.12	0.00	0.00	0.00	2.44	-0.01
time (sec)	N/A	0.184	0.217	0.201	0.000	0.000	0.000	0.280	0.000

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	49	42	0	0	0	89	-1
normalized size	1	1.00	0.83	0.71	0.00	0.00	0.00	1.51	-0.02
time (sec)	N/A	0.151	0.043	0.164	0.000	0.000	0.000	1.569	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	76	49	0	0	0	105	-1
normalized size	1	1.00	1.73	1.11	0.00	0.00	0.00	2.39	-0.02
time (sec)	N/A	0.090	0.041	0.146	0.000	0.000	0.000	0.215	0.000

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.012	0.447	0.219	0.000	0.000	0.000	0.000	0.000

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	282	282	185	193	0	0	0	434	-1
normalized size	1	1.00	0.66	0.68	0.00	0.00	0.00	1.54	-0.00
time (sec)	N/A	0.515	0.139	0.286	0.000	0.000	0.000	0.504	0.000

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	128	121	0	0	0	269	-1
normalized size	1	1.00	0.82	0.77	0.00	0.00	0.00	1.71	-0.01
time (sec)	N/A	0.368	0.089	0.248	0.000	0.000	0.000	0.318	0.000

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	125	130	0	0	0	289	-1
normalized size	1	1.00	0.85	0.88	0.00	0.00	0.00	1.97	-0.01
time (sec)	N/A	0.302	0.101	0.235	0.000	0.000	0.000	0.314	0.000

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	64	64	0	0	0	129	-1
normalized size	1	1.00	0.72	0.72	0.00	0.00	0.00	1.45	-0.01
time (sec)	N/A	0.179	0.073	0.173	0.000	0.000	0.000	1.115	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	66	72	0	0	0	144	-1
normalized size	1	1.00	0.88	0.96	0.00	0.00	0.00	1.92	-0.01
time (sec)	N/A	0.101	0.030	0.131	0.000	0.000	0.000	0.327	0.000

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.013	0.453	0.229	0.000	0.000	0.000	0.000	0.000

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F(-1)	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	212	233	0	0	0	547	-1
normalized size	1	1.00	0.71	0.78	0.00	0.00	0.00	1.84	-0.00
time (sec)	N/A	0.790	0.229	0.299	0.000	0.000	0.000	0.350	0.000

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	140	154	0	0	0	345	-1
normalized size	1	1.00	0.68	0.75	0.00	0.00	0.00	1.68	-0.00
time (sec)	N/A	0.589	0.155	0.264	0.000	0.000	0.000	2.580	0.000

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	122	156	0	0	0	364	-1
normalized size	1	1.00	0.69	0.88	0.00	0.00	0.00	2.04	-0.01
time (sec)	N/A	0.457	0.135	0.235	0.000	0.000	0.000	2.965	0.000

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	73	79	0	0	0	167	-1
normalized size	1	1.00	0.61	0.66	0.00	0.00	0.00	1.40	-0.01
time (sec)	N/A	0.287	0.100	0.176	0.000	0.000	0.000	0.253	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	76	88	0	0	0	181	-1
normalized size	1	1.00	0.86	1.00	0.00	0.00	0.00	2.06	-0.01
time (sec)	N/A	0.160	0.039	0.139	0.000	0.000	0.000	2.682	0.000

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.012	0.459	0.202	0.000	0.000	0.000	0.000	0.000

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	192	72	0	0	0	202	-1
normalized size	1	1.00	1.81	0.68	0.00	0.00	0.00	1.91	-0.01
time (sec)	N/A	0.105	0.121	0.196	0.000	0.000	0.000	0.382	0.000

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	130	43	0	0	0	113	-1
normalized size	1	1.00	2.00	0.66	0.00	0.00	0.00	1.74	-0.02
time (sec)	N/A	0.078	0.091	0.192	0.000	0.000	0.000	3.604	0.000

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	126	50	0	0	0	135	-1
normalized size	1	1.00	1.77	0.70	0.00	0.00	0.00	1.90	-0.01
time (sec)	N/A	0.079	0.099	0.170	0.000	0.000	0.000	0.342	0.000

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	28	21	0	0	0	51	-1
normalized size	1	1.00	1.00	0.75	0.00	0.00	0.00	1.82	-0.04
time (sec)	N/A	0.040	0.029	0.115	0.000	0.000	0.000	2.590	0.000

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	68	26	0	0	0	68	-1
normalized size	1	1.00	2.19	0.84	0.00	0.00	0.00	2.19	-0.03
time (sec)	N/A	0.023	0.032	0.060	0.000	0.000	0.000	3.159	0.000

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.013	0.353	0.177	0.000	0.000	0.000	0.000	0.000

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.013	3.976	0.482	0.000	0.000	0.000	0.000	0.000

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	306	182	0	0	0	0	-1
normalized size	1	1.00	1.79	1.06	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.146	0.349	0.329	0.000	0.000	0.000	0.000	0.000

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	226	121	0	0	0	0	-1
normalized size	1	1.00	1.78	0.95	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.104	0.561	0.260	0.000	0.000	0.000	0.000	0.000

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	233	140	0	0	0	0	-1
normalized size	1	1.00	1.71	1.03	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.095	0.234	0.185	0.000	0.000	0.000	0.000	0.000

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	154	81	0	0	0	0	-1
normalized size	1	1.00	1.69	0.89	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.065	0.477	0.200	0.000	0.000	0.000	0.000	0.000

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	159	96	0	0	0	0	-1
normalized size	1	1.00	1.64	0.99	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.069	0.130	0.154	0.000	0.000	0.000	0.000	0.000

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	44	42	0	0	0	0	-1
normalized size	1	1.00	0.80	0.76	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.031	0.051	0.151	0.000	0.000	0.000	0.000	0.000

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	86	66	0	0	0	0	-1
normalized size	1	1.00	1.46	1.12	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.087	0.038	0.132	0.000	0.000	0.000	0.000	0.000

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.012	0.513	0.199	0.000	0.000	0.000	0.000	0.000

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	235	235	322	173	0	0	0	0	-1
normalized size	1	1.00	1.37	0.74	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.410	1.820	0.241	0.000	0.000	0.000	0.000	0.000

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	203	107	0	0	0	0	-1
normalized size	1	1.00	1.61	0.85	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.325	0.978	0.217	0.000	0.000	0.000	0.000	0.000

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	220	115	0	0	0	0	-1
normalized size	1	1.00	1.76	0.92	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.286	0.907	0.177	0.000	0.000	0.000	0.000	0.000

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	61	56	0	0	0	0	-1
normalized size	1	1.00	0.69	0.63	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.173	0.098	0.145	0.000	0.000	0.000	0.000	0.000

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	122	83	0	0	0	0	-1
normalized size	1	1.00	1.61	1.09	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.093	0.262	0.174	0.000	0.000	0.000	0.000	0.000

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.013	0.515	0.201	0.000	0.000	0.000	0.000	0.000

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	264	264	418	225	0	0	0	0	-1
normalized size	1	1.00	1.58	0.85	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.383	8.062	0.248	0.000	0.000	0.000	0.000	0.000

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	190	190	264	139	0	0	0	0	-1
normalized size	1	1.00	1.39	0.73	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.323	4.330	0.203	0.000	0.000	0.000	0.000	0.000

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	191	191	281	154	0	0	0	0	-1
normalized size	1	1.00	1.47	0.81	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.341	2.864	0.185	0.000	0.000	0.000	0.000	0.000

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	75	73	0	0	0	0	-1
normalized size	1	1.00	0.63	0.61	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.172	0.104	0.161	0.000	0.000	0.000	0.000	0.000

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-2)	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	151	110	0	0	0	0	-1
normalized size	1	1.00	1.44	1.05	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.166	1.174	0.162	0.000	0.000	0.000	0.000	0.000

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.013	0.532	0.206	0.000	0.000	0.000	0.000	0.000

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	65	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.117	1.301	1.119	0.000	0.613	0.000	0.000	0.000

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	65	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.114	1.184	0.841	0.000	0.575	0.000	0.000	0.000

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F(-1)	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	150	150	132	0	0	0	0	0	-1
normalized size	1	1.00	0.88	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.107	2.380	1.484	0.000	0.655	0.000	0.000	0.000

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	54	0	0	0	0	0	-1
normalized size	1	1.00	0.79	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.026	0.035	1.595	0.000	0.448	0.000	0.000	0.000

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.017	0.710	0.824	0.000	0.403	0.000	0.000	0.000

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.015	0.754	1.046	0.000	0.407	0.000	0.000	0.000

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.015	6.451	0.169	0.000	0.000	0.000	0.000	0.000

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.016	6.682	0.140	0.000	0.000	0.000	0.000	0.000

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.016	6.261	0.161	0.000	0.000	0.000	0.000	0.000

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.015	3.724	0.138	0.000	0.000	0.000	0.000	0.000

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.016	1.124	1.234	0.000	0.489	0.000	0.000	0.000

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	130	287	0	0	0	0	-1
normalized size	1	1.00	0.79	1.74	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.176	0.127	0.546	0.000	0.544	0.000	0.000	0.000

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-2)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	152	0	0	0	0	0	-1
normalized size	1	1.00	0.93	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.149	0.218	0.319	0.000	0.492	0.000	0.000	0.000

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	74	138	0	0	0	0	-1
normalized size	1	1.00	0.89	1.66	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.083	0.066	0.154	0.000	0.524	0.000	0.000	0.000

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F(-2)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	70	148	0	0	0	0	-1
normalized size	1	1.00	0.93	1.97	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.049	0.040	0.116	0.000	0.465	0.000	0.000	0.000

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.015	0.361	0.234	0.000	0.440	0.000	0.000	0.000

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.08
time (sec)	N/A	0.015	0.953	0.261	0.000	0.444	0.000	0.000	0.000

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.021	4.720	0.197	0.000	0.485	0.000	0.000	0.000

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.018	5.951	0.181	0.000	0.542	0.000	0.000	0.000

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.019	1.919	0.181	0.000	0.582	0.000	0.000	0.000

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.022	2.005	0.194	0.000	0.454	0.000	0.000	0.000

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	68	72	71	62	85	67	-1
normalized size	1	1.00	0.89	0.95	0.93	0.82	1.12	0.88	-0.01
time (sec)	N/A	0.036	0.057	0.023	0.408	0.472	0.919	0.172	0.000

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	55	64	60	54	70	56	-1
normalized size	1	1.00	0.92	1.07	1.00	0.90	1.17	0.93	-0.02
time (sec)	N/A	0.042	0.050	0.007	0.416	0.467	0.450	0.150	0.000

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	56	52	50	50	60	46	45
normalized size	1	1.00	1.10	1.02	0.98	0.98	1.18	0.90	0.88
time (sec)	N/A	0.019	0.041	0.006	0.412	0.466	0.240	0.197	0.302

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	31	32	31	32	29	31	29
normalized size	1	1.00	1.00	1.03	1.00	1.03	0.94	1.00	0.94
time (sec)	N/A	0.019	0.012	0.003	0.407	0.413	0.126	0.183	0.327

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	58	77	0	0	0	0	-1
normalized size	1	1.00	0.92	1.22	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.072	0.019	0.039	0.000	0.435	0.000	0.000	0.000

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	43	41	47	92	41	347	33
normalized size	1	1.00	1.34	1.28	1.47	2.88	1.28	10.84	1.03
time (sec)	N/A	0.028	0.013	0.005	0.408	0.461	1.632	0.460	0.286

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	44	50	37	37	63	492	-1
normalized size	1	1.00	1.13	1.28	0.95	0.95	1.62	12.62	-0.03
time (sec)	N/A	0.019	0.025	0.006	0.409	0.452	1.337	0.162	0.000

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	62	62	79	65	69	121	121	1634	-1
normalized size	1	1.00	1.27	1.05	1.11	1.95	1.95	26.35	-0.02
time (sec)	N/A	0.037	0.029	0.005	0.409	0.462	2.552	1.668	0.000

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	121	126	142	111	175	143	-1
normalized size	1	1.00	1.19	1.24	1.39	1.09	1.72	1.40	-0.01
time (sec)	N/A	0.152	0.157	0.054	0.424	0.488	1.050	2.245	0.000

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	104	118	0	99	131	119	-1
normalized size	1	1.00	1.37	1.55	0.00	1.30	1.72	1.57	-0.01
time (sec)	N/A	0.118	0.133	0.062	0.000	0.543	0.536	2.040	0.000

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	76	74	73	65	87	75	96
normalized size	1	1.00	1.62	1.57	1.55	1.38	1.85	1.60	2.04
time (sec)	N/A	0.058	0.072	0.057	0.417	0.433	0.255	0.190	0.462

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	128	194	0	0	0	0	-1
normalized size	1	1.00	1.39	2.11	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.118	0.132	0.094	0.000	0.467	0.000	0.000	0.000

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	134	187	0	0	0	0	-1
normalized size	1	1.00	1.51	2.10	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.128	0.233	0.110	0.000	0.483	0.000	0.000	0.000

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	218	235	273	195	333	289	-1
normalized size	1	1.00	1.22	1.32	1.53	1.10	1.87	1.62	-0.01
time (sec)	N/A	0.295	0.247	0.053	0.428	0.471	2.321	3.982	0.000

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	185	211	0	169	269	231	-1
normalized size	1	1.00	1.48	1.69	0.00	1.35	2.15	1.85	-0.01
time (sec)	N/A	0.208	0.180	0.063	0.000	0.441	1.204	0.217	0.000

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	128	134	144	108	165	150	164
normalized size	1	1.00	1.56	1.63	1.76	1.32	2.01	1.83	2.00
time (sec)	N/A	0.108	0.122	0.075	0.405	0.473	0.582	0.189	0.470

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	204	353	0	0	0	0	-1
normalized size	1	1.00	1.61	2.78	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.141	0.188	0.100	0.000	0.547	0.000	0.000	0.000

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	308	0	0	0	0	0	-1
normalized size	1	1.00	2.04	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.214	0.320	0.254	0.000	0.487	0.000	0.000	0.000

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	117	91	102	0	0	0	172	-1
normalized size	1	0.97	0.75	0.84	0.00	0.00	0.00	1.42	-0.01
time (sec)	N/A	0.216	0.193	0.044	0.000	0.611	0.000	0.202	0.000

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	56	58	0	0	0	86	-1
normalized size	1	1.00	0.89	0.92	0.00	0.00	0.00	1.37	-0.02
time (sec)	N/A	0.121	0.071	0.047	0.000	0.526	0.000	0.193	0.000

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	46	49	0	0	0	50	-1
normalized size	1	1.00	0.85	0.91	0.00	0.00	0.00	0.93	-0.02
time (sec)	N/A	0.062	0.074	0.070	0.000	0.526	0.000	0.180	0.000

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	F(-2)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.023	0.334	0.441	0.000	0.541	0.000	0.000	0.000

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.024	3.942	0.309	0.000	0.444	0.000	0.000	0.000

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	151	124	147	0	0	0	615	-1
normalized size	1	0.97	0.80	0.95	0.00	0.00	0.00	3.97	-0.01
time (sec)	N/A	0.183	0.613	0.053	0.000	0.428	0.000	0.227	0.000

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	80	78	0	0	0	323	-1
normalized size	1	1.00	0.88	0.86	0.00	0.00	0.00	3.55	-0.01
time (sec)	N/A	0.097	0.268	0.041	0.000	1.182	0.000	0.225	0.000

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	82	72	74	0	0	0	193	-1
normalized size	1	0.95	0.84	0.86	0.00	0.00	0.00	2.24	-0.01
time (sec)	N/A	0.168	0.160	0.075	0.000	0.434	0.000	0.191	0.000

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.021	7.120	0.441	0.000	0.474	0.000	0.000	0.000

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.022	56.120	0.352	0.000	0.454	0.000	0.000	0.000

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	197	246	169	290	0	0	0	1479	-1
normalized size	1	1.25	0.86	1.47	0.00	0.00	0.00	7.51	-0.01
time (sec)	N/A	0.535	0.490	0.049	0.000	0.454	0.000	1.144	0.000

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	107	157	0	0	0	860	-1
normalized size	1	1.00	0.82	1.21	0.00	0.00	0.00	6.62	-0.01
time (sec)	N/A	0.311	0.305	0.041	0.000	0.565	0.000	1.770	0.000

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	89	139	0	0	0	481	-1
normalized size	1	1.00	0.80	1.25	0.00	0.00	0.00	4.33	-0.01
time (sec)	N/A	0.166	0.247	0.081	0.000	0.425	0.000	1.887	0.000

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.023	3.668	0.585	0.000	0.453	0.000	0.000	0.000

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.024	35.443	0.934	0.000	0.452	0.000	0.000	0.000

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	242	242	243	357	0	0	0	1095	-1
normalized size	1	1.00	1.00	1.48	0.00	0.00	0.00	4.52	-0.00
time (sec)	N/A	0.702	0.534	0.379	0.000	0.000	0.000	4.433	0.000

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	123	173	0	0	0	469	-1
normalized size	1	1.00	0.90	1.26	0.00	0.00	0.00	3.42	-0.01
time (sec)	N/A	0.400	0.243	0.272	0.000	0.000	0.000	1.154	0.000

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	120	179	0	0	0	546	-1
normalized size	1	1.00	0.99	1.48	0.00	0.00	0.00	4.51	-0.01
time (sec)	N/A	0.278	0.247	0.209	0.000	0.000	0.000	0.791	0.000

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.034	4.204	0.293	0.000	0.000	0.000	0.000	0.000

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.034	11.598	0.632	0.000	0.000	0.000	0.000	0.000

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	313	313	589	541	0	0	0	2037	-1
normalized size	1	1.00	1.88	1.73	0.00	0.00	0.00	6.51	-0.00
time (sec)	N/A	0.949	10.110	0.372	0.000	0.000	0.000	3.441	0.000

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	155	267	0	0	0	884	-1
normalized size	1	1.00	0.90	1.55	0.00	0.00	0.00	5.14	-0.01
time (sec)	N/A	0.461	0.950	0.246	0.000	0.000	0.000	5.416	0.000

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	295	270	0	0	0	1022	-1
normalized size	1	1.00	1.86	1.70	0.00	0.00	0.00	6.43	-0.01
time (sec)	N/A	0.237	2.645	0.220	0.000	0.000	0.000	3.976	0.000

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.039	3.857	0.293	0.000	0.000	0.000	0.000	0.000

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.039	11.160	0.636	0.000	0.000	0.000	0.000	0.000

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	358	358	1002	792	0	0	0	2760	-1
normalized size	1	1.00	2.80	2.21	0.00	0.00	0.00	7.71	-0.00
time (sec)	N/A	1.316	17.230	0.405	0.000	0.000	0.000	5.424	0.000

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-2)	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	216	216	201	394	0	0	0	1366	-1
normalized size	1	1.00	0.93	1.82	0.00	0.00	0.00	6.32	-0.00
time (sec)	N/A	0.703	2.199	0.283	0.000	0.000	0.000	5.507	0.000

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	B	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	179	179	383	393	0	0	0	1209	-1
normalized size	1	1.00	2.14	2.20	0.00	0.00	0.00	6.75	-0.01
time (sec)	N/A	0.428	4.851	0.234	0.000	0.000	0.000	6.930	0.000

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.041	3.880	0.308	0.000	0.000	0.000	0.000	0.000

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.040	10.989	0.626	0.000	0.000	0.000	0.000	0.000

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	A	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	225	167	0	0	0	330	-1
normalized size	1	1.00	1.01	0.75	0.00	0.00	0.00	1.48	-0.00
time (sec)	N/A	0.371	0.462	0.273	0.000	0.000	0.000	1.447	0.000

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	91	80	0	0	0	139	-1
normalized size	1	1.00	0.92	0.81	0.00	0.00	0.00	1.40	-0.01
time (sec)	N/A	0.171	0.174	0.107	0.000	0.000	0.000	1.279	0.000

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	A	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	118	85	0	0	0	163	-1
normalized size	1	1.00	1.16	0.83	0.00	0.00	0.00	1.60	-0.01
time (sec)	N/A	0.090	0.093	0.091	0.000	0.000	0.000	1.213	0.000

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.036	3.995	0.273	0.000	0.000	0.000	0.000	0.000

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.035	13.663	0.598	0.000	0.000	0.000	0.000	0.000

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	252	252	273	295	0	0	0	0	-1
normalized size	1	1.00	1.08	1.17	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.388	0.571	0.266	0.000	0.000	0.000	0.000	0.000

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	124	142	0	0	0	0	-1
normalized size	1	1.00	0.95	1.09	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.154	0.368	0.183	0.000	0.000	0.000	0.000	0.000

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	150	150	0	0	0	0	-1
normalized size	1	1.00	1.09	1.09	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.266	0.188	0.192	0.000	0.000	0.000	0.000	0.000

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	F(-2)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.043	4.720	0.236	0.000	0.000	0.000	0.000	0.000

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.041	13.943	0.638	0.000	0.000	0.000	0.000	0.000

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	322	659	0	0	0	0	-1
normalized size	1	1.00	1.10	2.26	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.945	2.883	0.328	0.000	0.000	0.000	0.000	0.000

Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	176	311	0	0	0	0	-1
normalized size	1	1.00	0.98	1.73	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.487	0.764	0.218	0.000	0.000	0.000	0.000	0.000

Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	194	324	0	0	0	0	-1
normalized size	1	1.00	1.19	1.99	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.259	1.725	0.230	0.000	0.000	0.000	0.000	0.000

Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	F(-2)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.041	4.889	0.236	0.000	0.000	0.000	0.000	0.000

Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.041	14.415	0.616	0.000	0.000	0.000	0.000	0.000

Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	158	144	0	0	82	0	-1
normalized size	1	1.00	1.32	1.20	0.00	0.00	0.68	0.00	-0.01
time (sec)	N/A	0.067	0.286	0.026	0.000	0.603	98.831	0.000	0.000

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	66	138	0	0	82	0	-1
normalized size	1	1.00	0.53	1.11	0.00	0.00	0.66	0.00	-0.01
time (sec)	N/A	0.091	0.083	0.015	0.000	0.551	16.855	0.000	0.000

Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	113	119	0	0	76	0	-1
normalized size	1	1.00	1.28	1.35	0.00	0.00	0.86	0.00	-0.01
time (sec)	N/A	0.046	0.212	0.008	0.000	0.450	2.498	0.000	0.000

Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	45	98	0	0	0	0	-1
normalized size	1	1.00	0.51	1.10	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.074	0.036	0.010	0.000	0.593	0.000	0.000	0.000

Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	93	85	0	0	0	0	-1
normalized size	1	1.00	1.69	1.55	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.034	0.165	0.010	0.000	0.657	0.000	0.000	0.000

Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	68	129	0	0	0	0	-1
normalized size	1	1.00	0.54	1.03	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.092	0.088	0.007	0.000	0.715	0.000	0.000	0.000

Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	234	0	0	0	0	0	-1
normalized size	1	1.00	2.15	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.139	1.453	0.371	0.000	0.515	0.000	0.000	0.000

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	176	0	0	0	0	0	-1
normalized size	1	1.00	1.61	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.140	8.617	0.338	0.000	0.511	0.000	0.000	0.000

Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	202	0	0	0	0	0	-1
normalized size	1	1.00	1.85	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.134	0.622	0.347	0.000	0.486	0.000	0.000	0.000

Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F(-2)	F(-1)	F	F(-2)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	142	0	0	0	0	0	-1
normalized size	1	1.00	1.33	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.125	1.486	180.000	0.000	0.684	0.000	0.000	0.000

Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-1)	F	F(-2)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	129	0	0	0	0	0	-1
normalized size	1	1.00	1.23	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.130	0.520	0.359	0.000	0.462	0.000	0.000	0.000

Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	198	0	0	0	0	0	-1
normalized size	1	1.00	1.82	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.142	0.933	0.389	0.000	0.491	0.000	0.000	0.000

Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	F(-2)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	69	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.164	34.992	0.344	0.000	0.528	0.000	0.000	0.000

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	F(-2)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	67	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.167	147.328	0.372	0.000	0.727	0.000	0.000	0.000

Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F(-2)	F(-1)	A	F(-2)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	65	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.147	11.330	180.000	0.000	0.515	0.000	0.000	0.000

Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	F(-2)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	65	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.158	8.064	0.366	0.000	0.565	0.000	0.000	0.000

Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	F(-2)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	67	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.167	12.964	0.374	0.000	0.525	0.000	0.000	0.000

Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.028	3.783	0.244	0.000	0.513	0.000	0.000	0.000

Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.025	2.458	0.264	0.000	0.458	0.000	0.000	0.000

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.026	0.947	0.276	0.000	0.447	0.000	0.000	0.000

Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.029	3.427	0.244	0.000	0.485	0.000	0.000	0.000

Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.027	7.101	0.244	0.000	0.458	0.000	0.000	0.000

Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.023	5.441	0.253	0.000	0.510	0.000	0.000	0.000

Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.024	10.431	0.266	0.000	0.503	0.000	0.000	0.000

Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.029	15.212	0.253	0.000	0.459	0.000	0.000	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules**

column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [30] had the largest ratio of [1.000]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	4	3	1.00	8	0.375
2	A	4	3	1.00	8	0.375
3	A	4	3	1.00	8	0.375
4	A	3	3	1.00	6	0.500
5	A	2	2	1.00	4	0.500
6	A	5	5	1.00	8	0.625
7	A	4	4	1.00	8	0.500
8	A	2	2	1.00	8	0.250
9	A	5	5	1.00	8	0.625
10	A	3	3	1.00	8	0.375
11	A	6	5	1.00	8	0.625
12	A	7	5	1.00	10	0.500
13	A	6	4	1.00	10	0.400
14	A	5	5	1.00	10	0.500
15	A	4	4	1.00	8	0.500
16	A	3	3	1.00	6	0.500
17	A	6	6	1.00	10	0.600
18	A	7	5	1.00	10	0.500
19	A	3	3	1.00	10	0.300
20	A	9	7	1.00	10	0.700
21	A	5	5	1.00	10	0.500
22	A	14	7	1.00	10	0.700

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
23	A	11	5	1.00	10	0.500
24	A	9	7	1.00	10	0.700
25	A	6	5	1.00	8	0.625
26	A	4	3	1.00	6	0.500
27	A	7	7	1.00	10	0.700
28	A	9	6	1.00	10	0.600
29	A	7	7	1.00	10	0.700
30	A	14	10	1.00	10	1.000
31	A	10	9	1.00	10	0.900
32	A	23	4	1.00	10	0.400
33	A	19	6	1.00	10	0.600
34	A	14	4	1.00	10	0.400
35	A	11	6	1.00	10	0.600
36	A	7	4	1.00	8	0.500
37	A	5	3	1.00	6	0.500
38	A	8	7	1.00	10	0.700
39	A	11	7	1.00	10	0.700
40	A	8	8	1.00	10	0.800
41	A	19	10	1.00	10	1.000
42	A	7	3	1.00	10	0.300
43	A	6	3	1.00	10	0.300
44	A	6	3	1.00	10	0.300
45	A	5	3	1.00	10	0.300
46	A	5	3	1.00	10	0.300
47	A	4	4	1.00	8	0.500
48	A	2	2	1.00	6	0.333

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
49	A	0	0	0.00	0	0.000
50	A	0	0	0.00	0	0.000
51	A	6	2	1.00	10	0.200
52	A	5	2	1.00	10	0.200
53	A	5	2	1.00	10	0.200
54	A	4	2	1.00	10	0.200
55	A	4	2	1.00	10	0.200
56	A	2	2	1.00	8	0.250
57	A	3	3	1.00	6	0.500
58	A	0	0	0.00	0	0.000
59	A	0	0	0.00	0	0.000
60	A	14	5	1.00	10	0.500
61	A	12	6	1.00	10	0.600
62	A	10	6	1.00	10	0.600
63	A	7	7	1.00	8	0.875
64	A	4	4	1.00	6	0.667
65	A	0	0	0.00	0	0.000
66	A	0	0	0.00	0	0.000
67	A	12	4	1.00	10	0.400
68	A	9	4	1.00	10	0.400
69	A	10	6	1.00	10	0.600
70	A	5	5	1.00	8	0.625
71	A	5	4	1.00	6	0.667
72	A	0	0	0.00	0	0.000
73	A	0	0	0.00	0	0.000
74	A	10	5	1.00	12	0.417

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
75	A	8	5	1.00	12	0.417
76	A	8	5	1.00	12	0.417
77	A	6	5	1.00	10	0.500
78	A	4	4	1.00	8	0.500
79	A	0	0	0.00	0	0.000
80	A	23	8	1.00	12	0.667
81	A	16	8	1.00	12	0.667
82	A	13	8	1.00	12	0.667
83	A	8	8	1.00	10	0.800
84	A	5	5	1.00	8	0.625
85	A	0	0	0.00	0	0.000
86	A	26	8	1.00	12	0.667
87	A	18	7	1.00	12	0.583
88	A	15	8	1.00	12	0.667
89	A	9	7	1.00	10	0.700
90	A	6	5	1.00	8	0.625
91	A	0	0	0.00	0	0.000
92	A	9	4	1.00	12	0.333
93	A	7	4	1.00	12	0.333
94	A	7	4	1.00	12	0.333
95	A	5	5	1.00	10	0.500
96	A	3	3	1.00	8	0.375
97	A	0	0	0.00	0	0.000
98	A	0	0	0.00	0	0.000
99	A	10	3	1.00	12	0.250
100	A	8	3	1.00	12	0.250

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
101	A	8	3	1.00	12	0.250
102	A	6	3	1.00	12	0.250
103	A	6	3	1.00	12	0.250
104	A	3	3	1.00	10	0.300
105	A	4	4	1.00	8	0.500
106	A	0	0	0.00	0	0.000
107	A	19	6	1.00	12	0.500
108	A	15	7	1.00	12	0.583
109	A	13	7	1.00	12	0.583
110	A	8	8	1.00	10	0.800
111	A	5	5	1.00	8	0.625
112	A	0	0	0.00	0	0.000
113	A	17	5	1.00	12	0.417
114	A	12	5	1.00	12	0.417
115	A	13	7	1.00	12	0.583
116	A	6	6	1.00	10	0.600
117	A	6	5	1.00	8	0.625
118	A	0	0	0.00	0	0.000
119	A	0	0	0.00	0	0.000
120	A	0	0	0.00	0	0.000
121	A	2	2	1.00	12	0.167
122	A	2	2	1.00	10	0.200
123	A	0	0	0.00	0	0.000
124	A	0	0	0.00	0	0.000
125	A	0	0	0.00	0	0.000
126	A	0	0	0.00	0	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
127	A	0	0	0.00	0	0.000
128	A	0	0	0.00	0	0.000
129	A	0	0	0.00	0	0.000
130	A	9	4	1.00	10	0.400
131	A	9	4	1.00	10	0.400
132	A	6	5	1.00	8	0.625
133	A	4	3	1.00	6	0.500
134	A	0	0	0.00	0	0.000
135	A	0	0	0.00	0	0.000
136	A	0	0	0.00	0	0.000
137	A	0	0	0.00	0	0.000
138	A	0	0	0.00	0	0.000
139	A	0	0	0.00	0	0.000
140	A	4	3	1.00	12	0.250
141	A	4	3	1.00	12	0.250
142	A	3	3	1.00	10	0.300
143	A	3	2	1.00	8	0.250
144	A	5	5	1.00	12	0.417
145	A	4	4	1.00	12	0.333
146	A	2	2	1.00	12	0.167
147	A	5	5	1.00	12	0.417
148	A	5	5	1.00	14	0.357
149	A	4	4	1.00	12	0.333
150	A	3	3	1.00	10	0.300
151	A	6	6	1.00	14	0.429
152	A	7	5	1.00	14	0.357

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
153	A	10	7	1.00	14	0.500
154	A	6	5	1.00	12	0.417
155	A	5	3	1.00	10	0.300
156	A	7	7	1.00	14	0.500
157	A	9	6	1.00	14	0.429
158	A	9	5	0.97	14	0.357
159	A	6	6	1.00	12	0.500
160	A	4	4	1.00	10	0.400
161	A	0	0	0.00	0	0.000
162	A	0	0	0.00	0	0.000
163	A	8	4	0.97	14	0.286
164	A	4	4	1.00	12	0.333
165	A	5	5	0.95	10	0.500
166	A	0	0	0.00	0	0.000
167	A	0	0	0.00	0	0.000
168	A	16	8	1.25	14	0.571
169	A	9	9	1.00	12	0.750
170	A	6	6	1.00	10	0.600
171	A	0	0	0.00	0	0.000
172	A	0	0	0.00	0	0.000
173	A	14	8	1.00	16	0.500
174	A	9	8	1.00	14	0.571
175	A	7	7	1.00	12	0.583
176	A	0	0	0.00	0	0.000
177	A	0	0	0.00	0	0.000
178	A	22	11	1.00	16	0.688

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
179	A	11	11	1.00	14	0.786
180	A	8	8	1.00	12	0.667
181	A	0	0	0.00	0	0.000
182	A	0	0	0.00	0	0.000
183	A	24	11	1.00	16	0.688
184	A	12	10	1.00	14	0.714
185	A	9	8	1.00	12	0.667
186	A	0	0	0.00	0	0.000
187	A	0	0	0.00	0	0.000
188	A	13	7	1.00	16	0.438
189	A	8	8	1.00	14	0.571
190	A	6	6	1.00	12	0.500
191	A	0	0	0.00	0	0.000
192	A	0	0	0.00	0	0.000
193	A	12	6	1.00	16	0.375
194	A	6	6	1.00	14	0.429
195	A	7	7	1.00	12	0.583
196	A	0	0	0.00	0	0.000
197	A	0	0	0.00	0	0.000
198	A	22	10	1.00	16	0.625
199	A	11	11	1.00	14	0.786
200	A	8	8	1.00	12	0.667
201	A	0	0	0.00	0	0.000
202	A	0	0	0.00	0	0.000
203	A	5	4	1.00	16	0.250
204	A	7	7	1.00	16	0.438

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
205	A	4	4	1.00	16	0.250
206	A	6	6	1.00	16	0.375
207	A	3	3	1.00	16	0.188
208	A	7	7	1.00	16	0.438
209	A	2	2	1.00	18	0.111
210	A	2	2	1.00	18	0.111
211	A	2	2	1.00	18	0.111
212	A	2	2	1.00	18	0.111
213	A	2	2	1.00	18	0.111
214	A	2	2	1.00	18	0.111
215	A	0	0	0.00	0	0.000
216	A	0	0	0.00	0	0.000
217	A	0	0	0.00	0	0.000
218	A	0	0	0.00	0	0.000
219	A	0	0	0.00	0	0.000
220	A	0	0	0.00	0	0.000
221	A	0	0	0.00	0	0.000
222	A	0	0	0.00	0	0.000
223	A	0	0	0.00	0	0.000
224	A	0	0	0.00	0	0.000
225	A	0	0	0.00	0	0.000
226	A	0	0	0.00	0	0.000
227	A	0	0	0.00	0	0.000

Chapter 3

Listing of integrals

3.1 $\int x^4 \cos^{-1}(ax) dx$

Optimal. Leaf size=75

$$-\frac{(1-a^2x^2)^{5/2}}{25a^5} + \frac{2(1-a^2x^2)^{3/2}}{15a^5} - \frac{\sqrt{1-a^2x^2}}{5a^5} + \frac{1}{5}x^5 \cos^{-1}(ax)$$

[Out] $2/15*(-a^2*x^2+1)^{(3/2)}/a^5-1/25*(-a^2*x^2+1)^{(5/2)}/a^5+1/5*x^5*\arccos(a*x)-1/5*(-a^2*x^2+1)^{(1/2)}/a^5$

Rubi [A] time = 0.05, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4628, 266, 43}

$$-\frac{(1-a^2x^2)^{5/2}}{25a^5} + \frac{2(1-a^2x^2)^{3/2}}{15a^5} - \frac{\sqrt{1-a^2x^2}}{5a^5} + \frac{1}{5}x^5 \cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^4*ArcCos[a*x],x]

[Out] $-\text{Sqrt}[1-a^2*x^2]/(5*a^5) + (2*(1-a^2*x^2)^{(3/2)})/(15*a^5) - (1-a^2*x^2)^{(5/2)}/(25*a^5) + (x^5*\text{ArcCos}[a*x])/5$

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int x^4 \cos^{-1}(ax) dx &= \frac{1}{5}x^5 \cos^{-1}(ax) + \frac{1}{5}a \int \frac{x^5}{\sqrt{1-a^2x^2}} dx \\
&= \frac{1}{5}x^5 \cos^{-1}(ax) + \frac{1}{10}a \operatorname{Subst}\left(\int \frac{x^2}{\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= \frac{1}{5}x^5 \cos^{-1}(ax) + \frac{1}{10}a \operatorname{Subst}\left(\int \left(\frac{1}{a^4\sqrt{1-a^2x}} - \frac{2\sqrt{1-a^2x}}{a^4} + \frac{(1-a^2x)^{3/2}}{a^4}\right) dx, x, x^2\right) \\
&= -\frac{\sqrt{1-a^2x^2}}{5a^5} + \frac{2(1-a^2x^2)^{3/2}}{15a^5} - \frac{(1-a^2x^2)^{5/2}}{25a^5} + \frac{1}{5}x^5 \cos^{-1}(ax)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 51, normalized size = 0.68

$$\frac{1}{5}x^5 \cos^{-1}(ax) - \frac{\sqrt{1-a^2x^2} (3a^4x^4 + 4a^2x^2 + 8)}{75a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*ArcCos[a*x], x]

[Out] -1/75*(Sqrt[1 - a^2*x^2]*(8 + 4*a^2*x^2 + 3*a^4*x^4))/a^5 + (x^5*ArcCos[a*x])/5

fricas [A] time = 0.43, size = 50, normalized size = 0.67

$$\frac{15 a^5 x^5 \arccos(ax) - (3 a^4 x^4 + 4 a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1}}{75 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x),x, algorithm="fricas")

[Out] 1/75*(15*a^5*x^5*arccos(a*x) - (3*a^4*x^4 + 4*a^2*x^2 + 8)*sqrt(-a^2*x^2 + 1))/a^5

giac [A] time = 2.54, size = 67, normalized size = 0.89

$$\frac{1}{5} x^5 \arccos(ax) - \frac{\sqrt{-a^2x^2 + 1} x^4}{25 a} - \frac{4 \sqrt{-a^2x^2 + 1} x^2}{75 a^3} - \frac{8 \sqrt{-a^2x^2 + 1}}{75 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x),x, algorithm="giac")

[Out] 1/5*x^5*arccos(a*x) - 1/25*sqrt(-a^2*x^2 + 1)*x^4/a - 4/75*sqrt(-a^2*x^2 + 1)*x^2/a^3 - 8/75*sqrt(-a^2*x^2 + 1)/a^5

maple [A] time = 0.01, size = 72, normalized size = 0.96

$$\frac{\frac{a^5 x^5 \arccos(ax)}{5} - \frac{a^4 x^4 \sqrt{-a^2 x^2 + 1}}{25} - \frac{4 a^2 x^2 \sqrt{-a^2 x^2 + 1}}{75} - \frac{8 \sqrt{-a^2 x^2 + 1}}{75}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*arccos(a*x),x)

[Out] 1/a^5*(1/5*a^5*x^5*arccos(a*x)-1/25*a^4*x^4*(-a^2*x^2+1)^(1/2)-4/75*a^2*x^2*(-a^2*x^2+1)^(1/2)-8/75*(-a^2*x^2+1)^(1/2))

maxima [A] time = 0.40, size = 71, normalized size = 0.95

$$\frac{1}{5} x^5 \arccos(ax) - \frac{1}{75} \left(\frac{3 \sqrt{-a^2x^2 + 1} x^4}{a^2} + \frac{4 \sqrt{-a^2x^2 + 1} x^2}{a^4} + \frac{8 \sqrt{-a^2x^2 + 1}}{a^6} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x),x, algorithm="maxima")

[Out] 1/5*x^5*arccos(a*x) - 1/75*(3*sqrt(-a^2*x^2 + 1)*x^4/a^2 + 4*sqrt(-a^2*x^2 + 1)*x^2/a^4 + 8*sqrt(-a^2*x^2 + 1)/a^6)*a

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \arccos(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*acos(a*x), x)`

[Out] `int(x^4*acos(a*x), x)`

sympy [A] time = 1.71, size = 75, normalized size = 1.00

$$\begin{cases} \frac{x^5 \operatorname{acos}(ax)}{5} - \frac{x^4 \sqrt{-a^2 x^2 + 1}}{25a} - \frac{4x^2 \sqrt{-a^2 x^2 + 1}}{75a^3} - \frac{8\sqrt{-a^2 x^2 + 1}}{75a^5} & \text{for } a \neq 0 \\ \frac{\pi x^5}{10} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*acos(a*x), x)`

[Out] `Piecewise((x**5*acos(a*x)/5 - x**4*sqrt(-a**2*x**2 + 1)/(25*a) - 4*x**2*sqrt(-a**2*x**2 + 1)/(75*a**3) - 8*sqrt(-a**2*x**2 + 1)/(75*a**5), Ne(a, 0)), (pi*x**5/10, True))`

3.2 $\int x^3 \cos^{-1}(ax) dx$

Optimal. Leaf size=69

$$\frac{3 \sin^{-1}(ax)}{32a^4} - \frac{x^3 \sqrt{1-a^2x^2}}{16a} - \frac{3x \sqrt{1-a^2x^2}}{32a^3} + \frac{1}{4} x^4 \cos^{-1}(ax)$$

[Out] $1/4*x^4*\arccos(a*x)+3/32*\arcsin(a*x)/a^4-3/32*x*(-a^2*x^2+1)^(1/2)/a^3-1/16*x^3*(-a^2*x^2+1)^(1/2)/a$

Rubi [A] time = 0.03, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4628, 321, 216}

$$-\frac{x^3 \sqrt{1-a^2x^2}}{16a} - \frac{3x \sqrt{1-a^2x^2}}{32a^3} + \frac{3 \sin^{-1}(ax)}{32a^4} + \frac{1}{4} x^4 \cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^3*ArcCos[a*x], x]

[Out] $(-3*x*\text{Sqrt}[1 - a^2*x^2])/(32*a^3) - (x^3*\text{Sqrt}[1 - a^2*x^2])/(16*a) + (x^4*\text{ArcCos}[a*x])/4 + (3*\text{ArcSin}[a*x])/(32*a^4)$

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 321

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n-1)*(c*x)^(m-n+1)*(a+b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[(a*c^n*(m-n+1))/(b*(m+n*p+1)), Int[(c*x)^(m-n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4628

Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol] :> Simp[((d*x)^(m+1)*(a+b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c^n)/(d*(m+1)), Int[((d*x)^(m+1)*(a+b*ArcCos[c*x])^(n-1))/Sqrt[1-c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x^3 \cos^{-1}(ax) dx &= \frac{1}{4}x^4 \cos^{-1}(ax) + \frac{1}{4}a \int \frac{x^4}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{x^3\sqrt{1-a^2x^2}}{16a} + \frac{1}{4}x^4 \cos^{-1}(ax) + \frac{3 \int \frac{x^2}{\sqrt{1-a^2x^2}} dx}{16a} \\
&= -\frac{3x\sqrt{1-a^2x^2}}{32a^3} - \frac{x^3\sqrt{1-a^2x^2}}{16a} + \frac{1}{4}x^4 \cos^{-1}(ax) + \frac{3 \int \frac{1}{\sqrt{1-a^2x^2}} dx}{32a^3} \\
&= -\frac{3x\sqrt{1-a^2x^2}}{32a^3} - \frac{x^3\sqrt{1-a^2x^2}}{16a} + \frac{1}{4}x^4 \cos^{-1}(ax) + \frac{3 \sin^{-1}(ax)}{32a^4}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 54, normalized size = 0.78

$$\frac{8a^4x^4 \cos^{-1}(ax) - ax\sqrt{1-a^2x^2} (2a^2x^2 + 3) + 3 \sin^{-1}(ax)}{32a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcCos[a*x],x]

[Out] $(-(a*x*\text{Sqrt}[1 - a^2*x^2])*(3 + 2*a^2*x^2)) + 8*a^4*x^4*\text{ArcCos}[a*x] + 3*\text{ArcSin}[a*x])/(32*a^4)$

fricas [A] time = 0.40, size = 48, normalized size = 0.70

$$\frac{(8a^4x^4 - 3) \arccos(ax) - (2a^3x^3 + 3ax)\sqrt{-a^2x^2 + 1}}{32a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x),x, algorithm="fricas")

[Out] $1/32*((8*a^4*x^4 - 3)*\arccos(a*x) - (2*a^3*x^3 + 3*a*x)*\text{sqrt}(-a^2*x^2 + 1))/a^4$

giac [A] time = 0.95, size = 57, normalized size = 0.83

$$\frac{1}{4}x^4 \arccos(ax) - \frac{\sqrt{-a^2x^2 + 1}x^3}{16a} - \frac{3\sqrt{-a^2x^2 + 1}x}{32a^3} - \frac{3 \arccos(ax)}{32a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x),x, algorithm="giac")

[Out] $\frac{1}{4}x^4 \arccos(ax) - \frac{1}{16}\sqrt{-a^2x^2 + 1}x^3/a - \frac{3}{32}\sqrt{-a^2x^2 + 1}x/a^3 - \frac{3}{32}\arccos(ax)/a^4$

maple [A] time = 0.00, size = 60, normalized size = 0.87

$$\frac{\frac{a^4 x^4 \arccos(ax)}{4} - \frac{a^3 x^3 \sqrt{-a^2 x^2 + 1}}{16} - \frac{3ax \sqrt{-a^2 x^2 + 1}}{32} + \frac{3 \arcsin(ax)}{32}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*arccos(a*x),x)`

[Out] $\frac{1}{a^4} \left(\frac{1}{4} a^4 x^4 \arccos(ax) - \frac{1}{16} a^3 x^3 (-a^2 x^2 + 1)^{1/2} - \frac{3}{32} a x (-a^2 x^2 + 1)^{1/2} + \frac{3}{32} \arcsin(ax) \right)$

maxima [A] time = 0.40, size = 61, normalized size = 0.88

$$\frac{1}{4} x^4 \arccos(ax) - \frac{1}{32} \left(\frac{2 \sqrt{-a^2 x^2 + 1} x^3}{a^2} + \frac{3 \sqrt{-a^2 x^2 + 1} x}{a^4} - \frac{3 \arcsin(ax)}{a^5} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arccos(a*x),x, algorithm="maxima")`

[Out] $\frac{1}{4}x^4 \arccos(ax) - \frac{1}{32} \left(2\sqrt{-a^2x^2 + 1}x^3/a^2 + 3\sqrt{-a^2x^2 + 1}x/a^4 - 3\arcsin(ax)/a^5 \right) a$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{acos}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*acos(a*x),x)`

[Out] `int(x^3*acos(a*x), x)`

sympy [A] time = 0.87, size = 66, normalized size = 0.96

$$\begin{cases} \frac{x^4 \operatorname{acos}(ax)}{4} - \frac{x^3 \sqrt{-a^2 x^2 + 1}}{16a} - \frac{3x \sqrt{-a^2 x^2 + 1}}{32a^3} - \frac{3 \operatorname{acos}(ax)}{32a^4} & \text{for } a \neq 0 \\ \frac{\pi x^4}{8} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*acos(a*x),x)
```

```
[Out] Piecewise((x**4*acos(a*x)/4 - x**3*sqrt(-a**2*x**2 + 1)/(16*a) - 3*x*sqrt(-  
a**2*x**2 + 1)/(32*a**3) - 3*acos(a*x)/(32*a**4), Ne(a, 0)), (pi*x**4/8, Tr  
ue))
```

3.3 $\int x^2 \cos^{-1}(ax) dx$

Optimal. Leaf size=54

$$\frac{(1 - a^2x^2)^{3/2}}{9a^3} - \frac{\sqrt{1 - a^2x^2}}{3a^3} + \frac{1}{3}x^3 \cos^{-1}(ax)$$

[Out] $1/9*(-a^2*x^2+1)^{(3/2)}/a^3+1/3*x^3*\arccos(a*x)-1/3*(-a^2*x^2+1)^{(1/2)}/a^3$

Rubi [A] time = 0.03, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4628, 266, 43}

$$\frac{(1 - a^2x^2)^{3/2}}{9a^3} - \frac{\sqrt{1 - a^2x^2}}{3a^3} + \frac{1}{3}x^3 \cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCos[a*x], x]

[Out] $-\text{Sqrt}[1 - a^2*x^2]/(3*a^3) + (1 - a^2*x^2)^{(3/2)}/(9*a^3) + (x^3*\text{ArcCos}[a*x])/3$

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x^2 \cos^{-1}(ax) dx &= \frac{1}{3}x^3 \cos^{-1}(ax) + \frac{1}{3}a \int \frac{x^3}{\sqrt{1-a^2x^2}} dx \\
&= \frac{1}{3}x^3 \cos^{-1}(ax) + \frac{1}{6}a \operatorname{Subst}\left(\int \frac{x}{\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= \frac{1}{3}x^3 \cos^{-1}(ax) + \frac{1}{6}a \operatorname{Subst}\left(\int \left(\frac{1}{a^2\sqrt{1-a^2x}} - \frac{\sqrt{1-a^2x}}{a^2}\right) dx, x, x^2\right) \\
&= -\frac{\sqrt{1-a^2x^2}}{3a^3} + \frac{(1-a^2x^2)^{3/2}}{9a^3} + \frac{1}{3}x^3 \cos^{-1}(ax)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 42, normalized size = 0.78

$$\frac{1}{3}x^3 \cos^{-1}(ax) - \frac{\sqrt{1-a^2x^2} (a^2x^2 + 2)}{9a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCos[a*x], x]

[Out] -1/9*(Sqrt[1 - a^2*x^2]*(2 + a^2*x^2))/a^3 + (x^3*ArcCos[a*x])/3

fricas [A] time = 1.31, size = 41, normalized size = 0.76

$$\frac{3a^3x^3 \arccos(ax) - (a^2x^2 + 2)\sqrt{-a^2x^2 + 1}}{9a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x), x, algorithm="fricas")

[Out] 1/9*(3*a^3*x^3*arccos(a*x) - (a^2*x^2 + 2)*sqrt(-a^2*x^2 + 1))/a^3

giac [A] time = 1.00, size = 47, normalized size = 0.87

$$\frac{1}{3}x^3 \arccos(ax) - \frac{\sqrt{-a^2x^2 + 1}x^2}{9a} - \frac{2\sqrt{-a^2x^2 + 1}}{9a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x), x, algorithm="giac")

[Out] 1/3*x^3*arccos(a*x) - 1/9*sqrt(-a^2*x^2 + 1)*x^2/a - 2/9*sqrt(-a^2*x^2 + 1)/a^3

maple [A] time = 0.00, size = 52, normalized size = 0.96

$$\frac{\frac{a^3 x^3 \arccos(ax)}{3} - \frac{a^2 x^2 \sqrt{-a^2 x^2 + 1}}{9} - \frac{2 \sqrt{-a^2 x^2 + 1}}{9}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccos(a*x),x)

[Out] 1/a^3*(1/3*a^3*x^3*arccos(a*x)-1/9*a^2*x^2*(-a^2*x^2+1)^(1/2)-2/9*(-a^2*x^2+1)^(1/2))

maxima [A] time = 0.42, size = 50, normalized size = 0.93

$$\frac{1}{3} x^3 \arccos(ax) - \frac{1}{9} a \left(\frac{\sqrt{-a^2 x^2 + 1} x^2}{a^2} + \frac{2 \sqrt{-a^2 x^2 + 1}}{a^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x),x, algorithm="maxima")

[Out] 1/3*x^3*arccos(a*x) - 1/9*a*(sqrt(-a^2*x^2 + 1)*x^2/a^2 + 2*sqrt(-a^2*x^2 + 1)/a^4)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\begin{cases} \frac{x^3 \arccos(ax)}{3} - \frac{\sqrt{\frac{1}{a^2} - x^2} \left(\frac{2}{a^2} + x^2 \right)}{9} & \text{if } 0 < a \\ \int x^2 \arccos(ax) dx & \text{if } -0 < a \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*acos(a*x),x)

[Out] piecewise(0 < a, -((1/a^2 - x^2)^(1/2)*(2/a^2 + x^2))/9 + (x^3*acos(a*x))/3, ~0 < a, int(x^2*acos(a*x), x))

sympy [A] time = 0.43, size = 53, normalized size = 0.98

$$\begin{cases} \frac{x^3 \arccos(ax)}{3} - \frac{x^2 \sqrt{-a^2 x^2 + 1}}{9a} - \frac{2 \sqrt{-a^2 x^2 + 1}}{9a^3} & \text{for } a \neq 0 \\ \frac{\pi x^3}{6} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*acos(a*x),x)
```

```
[Out] Piecewise((x**3*acos(a*x)/3 - x**2*sqrt(-a**2*x**2 + 1)/(9*a) - 2*sqrt(-a**2*x**2 + 1)/(9*a**3), Ne(a, 0)), (pi*x**3/6, True))
```

3.4 $\int x \cos^{-1}(ax) dx$

Optimal. Leaf size=45

$$-\frac{x\sqrt{1-a^2x^2}}{4a} + \frac{\sin^{-1}(ax)}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)$$

[Out] $1/2*x^2*\arccos(a*x)+1/4*\arcsin(a*x)/a^2-1/4*x*(-a^2*x^2+1)^(1/2)/a$

Rubi [A] time = 0.02, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4628, 321, 216}

$$-\frac{x\sqrt{1-a^2x^2}}{4a} + \frac{\sin^{-1}(ax)}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x*ArcCos[a*x],x]

[Out] $-(x*\text{Sqrt}[1 - a^2*x^2])/(4*a) + (x^2*\text{ArcCos}[a*x])/2 + \text{ArcSin}[a*x]/(4*a^2)$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n-1)*(c*x)^(m-n+1)*(a+b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[(a*c^n*(m-n+1))/(b*(m+n*p+1)), Int[(c*x)^(m-n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m+1)*(a+b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a+b*ArcCos[c*x])^(n-1))/Sqrt[1-c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x \cos^{-1}(ax) dx &= \frac{1}{2}x^2 \cos^{-1}(ax) + \frac{1}{2}a \int \frac{x^2}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{x\sqrt{1-a^2x^2}}{4a} + \frac{1}{2}x^2 \cos^{-1}(ax) + \frac{\int \frac{1}{\sqrt{1-a^2x^2}} dx}{4a} \\
&= -\frac{x\sqrt{1-a^2x^2}}{4a} + \frac{1}{2}x^2 \cos^{-1}(ax) + \frac{\sin^{-1}(ax)}{4a^2}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 0.93

$$\frac{-ax\sqrt{1-a^2x^2} + 2a^2x^2 \cos^{-1}(ax) + \sin^{-1}(ax)}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCos[a*x],x]

[Out] $(-(a*x*\text{Sqrt}[1 - a^2*x^2]) + 2*a^2*x^2*\text{ArcCos}[a*x] + \text{ArcSin}[a*x])/ (4*a^2)$

fricas [A] time = 0.41, size = 37, normalized size = 0.82

$$-\frac{\sqrt{-a^2x^2+1}ax - (2a^2x^2-1)\arccos(ax)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x),x, algorithm="fricas")

[Out] $-1/4*(\text{sqrt}(-a^2*x^2 + 1)*a*x - (2*a^2*x^2 - 1)*\arccos(a*x))/a^2$

giac [A] time = 3.97, size = 37, normalized size = 0.82

$$\frac{1}{2}x^2 \arccos(ax) - \frac{\sqrt{-a^2x^2+1}x}{4a} - \frac{\arccos(ax)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x),x, algorithm="giac")

[Out] $1/2*x^2*\arccos(a*x) - 1/4*\text{sqrt}(-a^2*x^2 + 1)*x/a - 1/4*\arccos(a*x)/a^2$

maple [A] time = 0.00, size = 40, normalized size = 0.89

$$\frac{\frac{a^2x^2 \arccos(ax)}{2} - \frac{ax\sqrt{-a^2x^2+1}}{4} + \frac{\arcsin(ax)}{4}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*arccos(a*x),x)`

[Out] $1/a^2*(1/2*a^2*x^2*arccos(a*x)-1/4*a*x*(-a^2*x^2+1)^{(1/2)}+1/4*arcsin(a*x))$

maxima [A] time = 0.40, size = 40, normalized size = 0.89

$$\frac{1}{2}x^2 \arccos(ax) - \frac{1}{4}a \left(\frac{\sqrt{-a^2x^2+1}x}{a^2} - \frac{\arcsin(ax)}{a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccos(a*x),x, algorithm="maxima")`

[Out] $1/2*x^2*arccos(a*x) - 1/4*a*(sqrt(-a^2*x^2 + 1)*x/a^2 - arcsin(a*x)/a^3)$

mupad [B] time = 0.04, size = 38, normalized size = 0.84

$$\frac{\arccos(ax) (2a^2x^2 - 1)}{4a^2} - \frac{x\sqrt{1 - a^2x^2}}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*acos(a*x),x)`

[Out] $(\arccos(a*x)*(2*a^2*x^2 - 1))/(4*a^2) - (x*(1 - a^2*x^2)^{(1/2)})/(4*a)$

sympy [A] time = 0.20, size = 42, normalized size = 0.93

$$\begin{cases} \frac{x^2 \arccos(ax)}{2} - \frac{x\sqrt{-a^2x^2+1}}{4a} - \frac{\arccos(ax)}{4a^2} & \text{for } a \neq 0 \\ \frac{\pi x^2}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*acos(a*x),x)`

[Out] `Piecewise((x**2*acos(a*x)/2 - x*sqrt(-a**2*x**2 + 1)/(4*a) - acos(a*x)/(4*a**2), Ne(a, 0)), (pi*x**2/4, True))`

3.5 $\int \cos^{-1}(ax) dx$

Optimal. Leaf size=26

$$x \cos^{-1}(ax) - \frac{\sqrt{1 - a^2x^2}}{a}$$

[Out] x*arccos(a*x)-(-a^2*x^2+1)^(1/2)/a

Rubi [A] time = 0.01, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4620, 261}

$$x \cos^{-1}(ax) - \frac{\sqrt{1 - a^2x^2}}{a}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x], x]

[Out] -(Sqrt[1 - a^2*x^2]/a) + x*ArcCos[a*x]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4620

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \cos^{-1}(ax) dx &= x \cos^{-1}(ax) + a \int \frac{x}{\sqrt{1 - a^2x^2}} dx \\ &= -\frac{\sqrt{1 - a^2x^2}}{a} + x \cos^{-1}(ax) \end{aligned}$$

Mathematica [A] time = 0.01, size = 26, normalized size = 1.00

$$x \cos^{-1}(ax) - \frac{\sqrt{1 - a^2x^2}}{a}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x], x]

[Out] -(Sqrt[1 - a^2*x^2]/a) + x*ArcCos[a*x]

fricas [A] time = 0.47, size = 26, normalized size = 1.00

$$\frac{ax \arccos(ax) - \sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x), x, algorithm="fricas")

[Out] (a*x*arccos(a*x) - sqrt(-a^2*x^2 + 1))/a

giac [A] time = 0.97, size = 26, normalized size = 1.00

$$\frac{ax \arccos(ax) - \sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x), x, algorithm="giac")

[Out] (a*x*arccos(a*x) - sqrt(-a^2*x^2 + 1))/a

maple [A] time = 0.00, size = 27, normalized size = 1.04

$$\frac{ax \arccos(ax) - \sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x), x)

[Out] 1/a*(a*x*arccos(a*x) - (-a^2*x^2+1)^(1/2))

maxima [A] time = 0.40, size = 26, normalized size = 1.00

$$\frac{ax \arccos(ax) - \sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x), x, algorithm="maxima")

[Out] $(a*x*\arccos(a*x) - \sqrt{-a^2*x^2 + 1})/a$

mupad [B] time = 0.07, size = 24, normalized size = 0.92

$$x \operatorname{acos}(ax) - \frac{\sqrt{1 - a^2 x^2}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acos(a*x), x)`

[Out] $x*\operatorname{acos}(a*x) - (1 - a^2*x^2)^{(1/2)}/a$

sympy [A] time = 0.12, size = 24, normalized size = 0.92

$$\begin{cases} x \operatorname{acos}(ax) - \frac{\sqrt{-a^2x^2+1}}{a} & \text{for } a \neq 0 \\ \frac{\pi x}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acos(a*x), x)`

[Out] `Piecewise((x*acos(a*x) - sqrt(-a**2*x**2 + 1)/a, Ne(a, 0)), (pi*x/2, True))`

3.6 $\int \frac{\cos^{-1}(ax)}{x} dx$

Optimal. Leaf size=51

$$-\frac{1}{2}i\text{Li}_2\left(-e^{2i\cos^{-1}(ax)}\right) - \frac{1}{2}i\cos^{-1}(ax)^2 + \cos^{-1}(ax)\log\left(1 + e^{2i\cos^{-1}(ax)}\right)$$

[Out] $-1/2*I*\arccos(a*x)^2 + \arccos(a*x)*\ln(1+(a*x+I*(-a^2*x^2+1)^{(1/2)})^2) - 1/2*I*\text{polylog}(2, -(a*x+I*(-a^2*x^2+1)^{(1/2)})^2)$

Rubi [A] time = 0.06, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4626, 3719, 2190, 2279, 2391}

$$-\frac{1}{2}i\text{PolyLog}\left(2, -e^{2i\cos^{-1}(ax)}\right) - \frac{1}{2}i\cos^{-1}(ax)^2 + \cos^{-1}(ax)\log\left(1 + e^{2i\cos^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]/x, x]

[Out] $(-I/2)*\text{ArcCos}[a*x]^2 + \text{ArcCos}[a*x]*\text{Log}[1 + E^{((2*I)*\text{ArcCos}[a*x])}] - (I/2)*\text{PolyLog}[2, -E^{((2*I)*\text{ArcCos}[a*x])}]$

Rule 2190

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1)/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4626

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0
]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)}{x} dx &= -\text{Subst}\left(\int x \tan(x) dx, x, \cos^{-1}(ax)\right) \\
&= -\frac{1}{2}i \cos^{-1}(ax)^2 + 2i \text{Subst}\left(\int \frac{e^{2ix}x}{1 + e^{2ix}} dx, x, \cos^{-1}(ax)\right) \\
&= -\frac{1}{2}i \cos^{-1}(ax)^2 + \cos^{-1}(ax) \log(1 + e^{2i \cos^{-1}(ax)}) - \text{Subst}\left(\int \log(1 + e^{2ix}) dx, x, \cos^{-1}(ax)\right) \\
&= -\frac{1}{2}i \cos^{-1}(ax)^2 + \cos^{-1}(ax) \log(1 + e^{2i \cos^{-1}(ax)}) + \frac{1}{2}i \text{Subst}\left(\int \frac{\log(1 + x)}{x} dx, x, e^{2i \cos^{-1}(ax)}\right) \\
&= -\frac{1}{2}i \cos^{-1}(ax)^2 + \cos^{-1}(ax) \log(1 + e^{2i \cos^{-1}(ax)}) - \frac{1}{2}i \text{Li}_2(-e^{2i \cos^{-1}(ax)})
\end{aligned}$$

Mathematica [A] time = 0.02, size = 51, normalized size = 1.00

$$-\frac{1}{2}i \text{Li}_2(-e^{2i \cos^{-1}(ax)}) - \frac{1}{2}i \cos^{-1}(ax)^2 + \cos^{-1}(ax) \log(1 + e^{2i \cos^{-1}(ax)})$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcCos[a*x]/x, x]
```

```
[Out] (-1/2*I)*ArcCos[a*x]^2 + ArcCos[a*x]*Log[1 + E^((2*I)*ArcCos[a*x])] - (I/2)
*PolyLog[2, -E^((2*I)*ArcCos[a*x])]
```

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\arccos(ax)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x,x, algorithm="fricas")

[Out] integral(arccos(a*x)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x,x, algorithm="giac")

[Out] integrate(arccos(a*x)/x, x)

maple [A] time = 0.09, size = 68, normalized size = 1.33

$$-\frac{i \arccos(ax)^2}{2} + \arccos(ax) \ln\left(1 + \left(i\sqrt{-a^2x^2 + 1} + ax\right)^2\right) - \frac{i \operatorname{polylog}\left(2, -\left(i\sqrt{-a^2x^2 + 1} + ax\right)^2\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)/x,x)

[Out] -1/2*I*arccos(a*x)^2+arccos(a*x)*ln(1+(I*(-a^2*x^2+1)^(1/2)+a*x)^2)-1/2*I*polylog(2,-(I*(-a^2*x^2+1)^(1/2)+a*x)^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x,x, algorithm="maxima")

[Out] integrate(arccos(a*x)/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\operatorname{acos}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)/x,x)

[Out] int(acos(a*x)/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)/x,x)

[Out] Integral(acos(a*x)/x, x)

$$3.7 \quad \int \frac{\cos^{-1}(ax)}{x^2} dx$$

Optimal. Leaf size=27

$$a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) - \frac{\cos^{-1}(ax)}{x}$$

[Out] $-\arccos(ax)/x + a \operatorname{arctanh}((-a^2x^2+1)^{(1/2)})$

Rubi [A] time = 0.02, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4628, 266, 63, 208}

$$a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) - \frac{\cos^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{ArcCos}[a*x]/x^2, x]$

[Out] $-(\operatorname{ArcCos}[a*x]/x) + a*\operatorname{ArcTanh}[\operatorname{Sqrt}[1 - a^2*x^2]]$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\operatorname{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$

Rule 266

$\operatorname{Int}[(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m+1)/n] - 1)}*(a + b*x)^p, x], x, x^n], x] /; \operatorname{FreeQ}[\{a, b, m, n, p\}, x] \&\& \operatorname{IntegerQ}[\operatorname{Simplify}[(m+1)/n]]$

Rule 4628

$\operatorname{Int}[(a_.) + \operatorname{ArcCos}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(d*x)^{(m+1)}*(a + b*\operatorname{ArcCos}[c*x])^n/(d*(m+1)), x] + \operatorname{Dist}[(b*c*n)/(d*(m+1)), \operatorname{Int}[(d*x)^{(m+1)}*(a + b*\operatorname{ArcCos}[c*x])^{(n-1)}/\operatorname{Sqrt}[1 - c^2$

*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{-1}(ax)}{x^2} dx &= -\frac{\cos^{-1}(ax)}{x} - a \int \frac{1}{x\sqrt{1-a^2x^2}} dx \\
 &= -\frac{\cos^{-1}(ax)}{x} - \frac{1}{2}a \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-a^2x}} dx, x, x^2\right) \\
 &= -\frac{\cos^{-1}(ax)}{x} + \frac{\operatorname{Subst}\left(\int \frac{1}{\frac{1}{a^2} - \frac{x^2}{a^2}} dx, x, \sqrt{1-a^2x^2}\right)}{a} \\
 &= -\frac{\cos^{-1}(ax)}{x} + a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 34, normalized size = 1.26

$$a \log\left(\sqrt{1-a^2x^2} + 1\right) - a \log(x) - \frac{\cos^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]/x^2,x]

[Out] -(ArcCos[a*x]/x) - a*Log[x] + a*Log[1 + Sqrt[1 - a^2*x^2]]

fricas [B] time = 0.47, size = 82, normalized size = 3.04

$$\frac{ax \log\left(\sqrt{-a^2x^2 + 1} + 1\right) - ax \log\left(\sqrt{-a^2x^2 + 1} - 1\right) + 2(x-1) \arccos(ax) - 2x \arctan\left(\frac{\sqrt{-a^2x^2 + 1} ax}{a^2x^2 - 1}\right)}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^2,x, algorithm="fricas")

[Out] 1/2*(a*x*log(sqrt(-a^2*x^2 + 1) + 1) - a*x*log(sqrt(-a^2*x^2 + 1) - 1) + 2*(x - 1)*arccos(a*x) - 2*x*arctan(sqrt(-a^2*x^2 + 1)*a*x/(a^2*x^2 - 1)))/x

giac [A] time = 0.20, size = 48, normalized size = 1.78

$$\frac{1}{2} a \left(\log\left(\sqrt{-a^2x^2 + 1} + 1\right) - \log\left(-\sqrt{-a^2x^2 + 1} + 1\right) \right) - \frac{\arccos(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^2,x, algorithm="giac")

[Out] $\frac{1}{2}a*(\log(\sqrt{-a^2x^2 + 1}) + 1) - \log(-\sqrt{-a^2x^2 + 1} + 1) - \arccos(a*x)/x$

maple [A] time = 0.01, size = 29, normalized size = 1.07

$$a \left(-\frac{\arccos(ax)}{ax} + \operatorname{arctanh} \left(\frac{1}{\sqrt{-a^2x^2 + 1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)/x^2,x)

[Out] $a*(-\arccos(a*x)/a/x + \operatorname{arctanh}(1/(-a^2*x^2+1)^{(1/2)}))$

maxima [A] time = 0.40, size = 38, normalized size = 1.41

$$a \log \left(\frac{2\sqrt{-a^2x^2 + 1}}{|x|} + \frac{2}{|x|} \right) - \frac{\arccos(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^2,x, algorithm="maxima")

[Out] $a*\log(2*\sqrt{-a^2*x^2 + 1}/\operatorname{abs}(x) + 2/\operatorname{abs}(x)) - \arccos(a*x)/x$

mupad [B] time = 0.02, size = 25, normalized size = 0.93

$$a \operatorname{atanh} \left(\frac{1}{\sqrt{1 - a^2 x^2}} \right) - \frac{\operatorname{acos}(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)/x^2,x)

[Out] $a*\operatorname{atanh}(1/(1 - a^2*x^2)^{(1/2)}) - \operatorname{acos}(a*x)/x$

sympy [C] time = 1.43, size = 34, normalized size = 1.26

$$-a \left(\begin{cases} -\operatorname{acosh} \left(\frac{1}{ax} \right) & \text{for } \frac{1}{|a^2x^2|} > 1 \\ i \operatorname{asin} \left(\frac{1}{ax} \right) & \text{otherwise} \end{cases} \right) - \frac{\operatorname{acos}(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)/x**2,x)
```

```
[Out] -a*Piecewise((-acosh(1/(a*x)), 1/Abs(a**2*x**2) > 1), (I*asin(1/(a*x)), True)) - acos(a*x)/x
```

$$3.8 \quad \int \frac{\cos^{-1}(ax)}{x^3} dx$$

Optimal. Leaf size=34

$$\frac{a\sqrt{1-a^2x^2}}{2x} - \frac{\cos^{-1}(ax)}{2x^2}$$

[Out] $-1/2*\arccos(a*x)/x^2+1/2*a*(-a^2*x^2+1)^{(1/2)}/x$

Rubi [A] time = 0.02, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4628, 264}

$$\frac{a\sqrt{1-a^2x^2}}{2x} - \frac{\cos^{-1}(ax)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]/x^3, x]

[Out] $(a*\text{Sqrt}[1 - a^2*x^2])/(2*x) - \text{ArcCos}[a*x]/(2*x^2)$

Rule 264

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m+1)*(a+b*x^n)^(p+1))/(a*c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m+1)*(a+b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a+b*ArcCos[c*x])^(n-1))/Sqrt[1-c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\cos^{-1}(ax)}{x^3} dx &= -\frac{\cos^{-1}(ax)}{2x^2} - \frac{1}{2}a \int \frac{1}{x^2\sqrt{1-a^2x^2}} dx \\ &= \frac{a\sqrt{1-a^2x^2}}{2x} - \frac{\cos^{-1}(ax)}{2x^2} \end{aligned}$$

Mathematica [A] time = 0.02, size = 31, normalized size = 0.91

$$\frac{ax\sqrt{1-a^2x^2} - \cos^{-1}(ax)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]/x^3,x]

[Out] (a*x*Sqrt[1 - a^2*x^2] - ArcCos[a*x])/(2*x^2)

fricas [A] time = 0.51, size = 27, normalized size = 0.79

$$\frac{\sqrt{-a^2x^2+1}ax - \arccos(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^3,x, algorithm="fricas")

[Out] 1/2*(sqrt(-a^2*x^2 + 1)*a*x - arccos(a*x))/x^2

giac [B] time = 0.18, size = 68, normalized size = 2.00

$$-\frac{1}{4} \left(\frac{a^4x}{(\sqrt{-a^2x^2+1}|a|+a)|a|} - \frac{\sqrt{-a^2x^2+1}|a|+a}{x|a|} \right) a - \frac{\arccos(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^3,x, algorithm="giac")

[Out] -1/4*(a^4*x/((sqrt(-a^2*x^2 + 1)*abs(a) + a)*abs(a)) - (sqrt(-a^2*x^2 + 1)*abs(a) + a)/(x*abs(a)))*a - 1/2*arccos(a*x)/x^2

maple [A] time = 0.00, size = 38, normalized size = 1.12

$$a^2 \left(-\frac{\arccos(ax)}{2a^2x^2} + \frac{\sqrt{-a^2x^2+1}}{2ax} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)/x^3,x)

[Out] a^2*(-1/2*arccos(a*x)/a^2/x^2+1/2*(-a^2*x^2+1)^(1/2)/a/x)

maxima [A] time = 0.40, size = 28, normalized size = 0.82

$$\frac{\sqrt{-a^2x^2 + 1} a}{2x} - \frac{\arccos(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^3,x, algorithm="maxima")

[Out] 1/2*sqrt(-a^2*x^2 + 1)*a/x - 1/2*arccos(a*x)/x^2

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\arccos(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)/x^3,x)

[Out] int(acos(a*x)/x^3, x)

sympy [C] time = 1.12, size = 53, normalized size = 1.56

$$\frac{a \left(\begin{cases} -\frac{i\sqrt{a^2x^2-1}}{x} & \text{for } |a^2x^2| > 1 \\ -\frac{\sqrt{-a^2x^2+1}}{x} & \text{otherwise} \end{cases} \right)}{2} - \frac{\arccos(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)/x**3,x)

[Out] -a*Piecewise((-I*sqrt(a**2*x**2 - 1)/x, Abs(a**2*x**2) > 1), (-sqrt(-a**2*x**2 + 1)/x, True))/2 - acos(a*x)/(2*x**2)

3.9 $\int \frac{\cos^{-1}(ax)}{x^4} dx$

Optimal. Leaf size=56

$$\frac{a\sqrt{1-a^2x^2}}{6x^2} + \frac{1}{6}a^3 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) - \frac{\cos^{-1}(ax)}{3x^3}$$

[Out] $-1/3*\arccos(a*x)/x^3+1/6*a^3*\arctanh((-a^2*x^2+1)^(1/2))+1/6*a*(-a^2*x^2+1)^(1/2)/x^2$

Rubi [A] time = 0.04, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4628, 266, 51, 63, 208}

$$\frac{a\sqrt{1-a^2x^2}}{6x^2} + \frac{1}{6}a^3 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) - \frac{\cos^{-1}(ax)}{3x^3}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]/x^4,x]

[Out] $(a*\text{Sqrt}[1 - a^2*x^2])/(6*x^2) - \text{ArcCos}[a*x]/(3*x^3) + (a^3*\text{ArcTanh}[\text{Sqrt}[1 - a^2*x^2]])/6$

Rule 51

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)}{x^4} dx &= -\frac{\cos^{-1}(ax)}{3x^3} - \frac{1}{3}a \int \frac{1}{x^3\sqrt{1-a^2x^2}} dx \\
&= -\frac{\cos^{-1}(ax)}{3x^3} - \frac{1}{6}a \operatorname{Subst}\left(\int \frac{1}{x^2\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= \frac{a\sqrt{1-a^2x^2}}{6x^2} - \frac{\cos^{-1}(ax)}{3x^3} - \frac{1}{12}a^3 \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= \frac{a\sqrt{1-a^2x^2}}{6x^2} - \frac{\cos^{-1}(ax)}{3x^3} + \frac{1}{6}a \operatorname{Subst}\left(\int \frac{1}{\frac{1}{a^2} - \frac{x^2}{a^2}} dx, x, \sqrt{1-a^2x^2}\right) \\
&= \frac{a\sqrt{1-a^2x^2}}{6x^2} - \frac{\cos^{-1}(ax)}{3x^3} + \frac{1}{6}a^3 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 67, normalized size = 1.20

$$-\frac{1}{6}a^3 \log(x) + \frac{a\sqrt{1-a^2x^2}}{6x^2} + \frac{1}{6}a^3 \log\left(\sqrt{1-a^2x^2} + 1\right) - \frac{\cos^{-1}(ax)}{3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]/x^4, x]

[Out] (a*Sqrt[1 - a^2*x^2])/(6*x^2) - ArcCos[a*x]/(3*x^3) - (a^3*Log[x])/6 + (a^3*Log[1 + Sqrt[1 - a^2*x^2]])/6

fricas [B] time = 0.64, size = 110, normalized size = 1.96

$$\frac{a^3 x^3 \log\left(\sqrt{-a^2 x^2 + 1} + 1\right) - a^3 x^3 \log\left(\sqrt{-a^2 x^2 + 1} - 1\right) - 4 x^3 \arctan\left(\frac{\sqrt{-a^2 x^2 + 1} a x}{a^2 x^2 - 1}\right) + 2 \sqrt{-a^2 x^2 + 1} a x + 4\left(x^3 - 1\right) \arccos(ax)}{12 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^4,x, algorithm="fricas")

[Out] 1/12*(a^3*x^3*log(sqrt(-a^2*x^2 + 1) + 1) - a^3*x^3*log(sqrt(-a^2*x^2 + 1) - 1) - 4*x^3*arctan(sqrt(-a^2*x^2 + 1)*a*x/(a^2*x^2 - 1)) + 2*sqrt(-a^2*x^2 + 1)*a*x + 4*(x^3 - 1)*arccos(a*x))/x^3

giac [A] time = 0.21, size = 77, normalized size = 1.38

$$\frac{a^4 \log\left(\sqrt{-a^2 x^2 + 1} + 1\right) - a^4 \log\left(-\sqrt{-a^2 x^2 + 1} + 1\right) + \frac{2 \sqrt{-a^2 x^2 + 1} a^2}{x^2}}{12 a} - \frac{\arccos(ax)}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^4,x, algorithm="giac")

[Out] 1/12*(a^4*log(sqrt(-a^2*x^2 + 1) + 1) - a^4*log(-sqrt(-a^2*x^2 + 1) + 1) + 2*sqrt(-a^2*x^2 + 1)*a^2/x^2)/a - 1/3*arccos(a*x)/x^3

maple [A] time = 0.00, size = 53, normalized size = 0.95

$$a^3 \left(-\frac{\arccos(ax)}{3a^3x^3} + \frac{\sqrt{-a^2x^2+1}}{6a^2x^2} + \frac{\operatorname{arctanh}\left(\frac{1}{\sqrt{-a^2x^2+1}}\right)}{6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)/x^4,x)

[Out] a^3*(-1/3*arccos(a*x)/a^3/x^3+1/6/a^2/x^2*(-a^2*x^2+1)^(1/2)+1/6*arctanh(1/(-a^2*x^2+1)^(1/2)))

maxima [A] time = 0.41, size = 60, normalized size = 1.07

$$\frac{1}{6} \left(a^2 \log\left(\frac{2 \sqrt{-a^2 x^2 + 1}}{|x|} + \frac{2}{|x|}\right) + \frac{\sqrt{-a^2 x^2 + 1}}{x^2} \right) a - \frac{\arccos(ax)}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^4,x, algorithm="maxima")

[Out] $\frac{1}{6}*(a^2*\log(2*\sqrt{-a^2*x^2 + 1})/abs(x) + 2/abs(x)) + \sqrt{-a^2*x^2 + 1}/x^2)*a - 1/3*\arccos(a*x)/x^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\arccos(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)/x^4,x)

[Out] int(acos(a*x)/x^4, x)

sympy [C] time = 2.29, size = 110, normalized size = 1.96

$$\frac{a \left(\begin{array}{l} \left(\begin{array}{l} \frac{a^2 \operatorname{acosh}\left(\frac{1}{ax}\right)}{2} - \frac{a \sqrt{-1 + \frac{1}{a^2 x^2}}}{2x} \\ \frac{ia^2 \operatorname{asin}\left(\frac{1}{ax}\right)}{2} - \frac{ia}{2x \sqrt{1 - \frac{1}{a^2 x^2}}} + \frac{i}{2ax^3 \sqrt{1 - \frac{1}{a^2 x^2}}} \end{array} \right) \end{array} \right)}{3} - \frac{\arccos(ax)}{3x^3}$$

for $\frac{1}{|a^2 x^2|} > 1$ otherwise

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)/x**4,x)

[Out] $-a*\text{Piecewise}((-a**2*\operatorname{acosh}(1/(a*x)))/2 - a*\sqrt{-1 + 1/(a**2*x**2)})/(2*x), 1/\text{Abs}(a**2*x**2) > 1), (I*a**2*\operatorname{asin}(1/(a*x)))/2 - I*a/(2*x*\sqrt{1 - 1/(a**2*x**2)}) + I/(2*a*x**3*\sqrt{1 - 1/(a**2*x**2)}), \text{True}))/3 - \arccos(a*x)/(3*x**3)$

3.10 $\int \frac{\cos^{-1}(ax)}{x^5} dx$

Optimal. Leaf size=58

$$\frac{a\sqrt{1-a^2x^2}}{12x^3} + \frac{a^3\sqrt{1-a^2x^2}}{6x} - \frac{\cos^{-1}(ax)}{4x^4}$$

[Out] $-1/4*\arccos(a*x)/x^4+1/12*a*(-a^2*x^2+1)^(1/2)/x^3+1/6*a^3*(-a^2*x^2+1)^(1/2)/x$

Rubi [A] time = 0.02, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4628, 271, 264}

$$\frac{a^3\sqrt{1-a^2x^2}}{6x} + \frac{a\sqrt{1-a^2x^2}}{12x^3} - \frac{\cos^{-1}(ax)}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]/x^5,x]

[Out] $(a*\text{Sqrt}[1 - a^2*x^2])/(12*x^3) + (a^3*\text{Sqrt}[1 - a^2*x^2])/(6*x) - \text{ArcCos}[a*x]/(4*x^4)$

Rule 264

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m+1)*(a+b*x^n)^(p+1))/(a*c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 271

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m+1)*(a+b*x^n)^(p+1))/(a*(m+1)), x] - Dist[(b*(m+n*(p+1)+1))/(a*(m+1)), Int[x^(m+n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n+p+1], 0] && NeQ[m, -1]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_)^(m_.), x_Symbol] := Simp[((d*x)^(m+1)*(a+b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a+b*ArcCos[c*x])^(n-1))/Sqrt[1-c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)}{x^5} dx &= -\frac{\cos^{-1}(ax)}{4x^4} - \frac{1}{4}a \int \frac{1}{x^4\sqrt{1-a^2x^2}} dx \\
&= \frac{a\sqrt{1-a^2x^2}}{12x^3} - \frac{\cos^{-1}(ax)}{4x^4} - \frac{1}{6}a^3 \int \frac{1}{x^2\sqrt{1-a^2x^2}} dx \\
&= \frac{a\sqrt{1-a^2x^2}}{12x^3} + \frac{a^3\sqrt{1-a^2x^2}}{6x} - \frac{\cos^{-1}(ax)}{4x^4}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 41, normalized size = 0.71

$$\frac{ax\sqrt{1-a^2x^2}(2a^2x^2+1)-3\cos^{-1}(ax)}{12x^4}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]/x^5,x]

[Out] (a*x*Sqrt[1-a^2*x^2]*(1+2*a^2*x^2)-3*ArcCos[a*x])/(12*x^4)

fricas [A] time = 0.44, size = 37, normalized size = 0.64

$$\frac{(2a^3x^3+ax)\sqrt{-a^2x^2+1}-3\arccos(ax)}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^5,x, algorithm="fricas")

[Out] 1/12*((2*a^3*x^3+a*x)*sqrt(-a^2*x^2+1)-3*arccos(a*x))/x^4

giac [B] time = 2.13, size = 130, normalized size = 2.24

$$-\frac{1}{96} \left(\frac{\left(a^4 + \frac{9(\sqrt{-a^2x^2+1}|a+a|)^2}{x^2} \right) a^6 x^3}{\left(\sqrt{-a^2x^2+1}|a+a| \right)^3 |a|} - \frac{\frac{9(\sqrt{-a^2x^2+1}|a+a|)a^4}{x} + \frac{(\sqrt{-a^2x^2+1}|a+a|)^3}{x^3}}{a^2|a|} \right) a - \frac{\arccos(ax)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^5,x, algorithm="giac")

[Out] $-1/96*((a^4 + 9*(\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)^2/x^2)*a^6*x^3/((\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)^3*\text{abs}(a) - (9*(\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)*a^4/x + (\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)^3/x^3)/(a^2*\text{abs}(a)))*a - 1/4*\arccos(ax)/x^4$

maple [A] time = 0.01, size = 58, normalized size = 1.00

$$a^4 \left(-\frac{\arccos(ax)}{4a^4x^4} + \frac{\sqrt{-a^2x^2+1}}{12a^3x^3} + \frac{\sqrt{-a^2x^2+1}}{6ax} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccos(a*x)/x^5,x)`

[Out] $a^4*(-1/4*\arccos(ax)/a^4/x^4+1/12/a^3/x^3*(-a^2*x^2+1)^{(1/2)}+1/6*(-a^2*x^2+1)^{(1/2)}/a/x)$

maxima [A] time = 0.40, size = 50, normalized size = 0.86

$$\frac{1}{12} \left(\frac{2\sqrt{-a^2x^2+1}a^2}{x} + \frac{\sqrt{-a^2x^2+1}}{x^3} \right) a - \frac{\arccos(ax)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccos(a*x)/x^5,x, algorithm="maxima")`

[Out] $1/12*(2*\sqrt{-a^2*x^2 + 1})*a^2/x + \sqrt{-a^2*x^2 + 1}/x^3)*a - 1/4*\arccos(ax)/x^4$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\arccos(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acos(a*x)/x^5,x)`

[Out] `int(acos(a*x)/x^5, x)`

sympy [C] time = 1.65, size = 102, normalized size = 1.76

$$\frac{a \left(\begin{cases} -\frac{2ia^2\sqrt{a^2x^2-1}}{3x} - \frac{i\sqrt{a^2x^2-1}}{3x^3} & \text{for } |a^2x^2| > 1 \\ -\frac{2a^2\sqrt{-a^2x^2+1}}{3x} - \frac{\sqrt{-a^2x^2+1}}{3x^3} & \text{otherwise} \end{cases} \right)}{4} - \frac{\arccos(ax)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)/x**5,x)
```

```
[Out] -a*Piecewise((-2*I*a**2*sqrt(a**2*x**2 - 1)/(3*x) - I*sqrt(a**2*x**2 - 1)/(3*x**3), Abs(a**2*x**2) > 1), (-2*a**2*sqrt(-a**2*x**2 + 1)/(3*x) - sqrt(-a**2*x**2 + 1)/(3*x**3), True))/4 - acos(a*x)/(4*x**4)
```

3.11 $\int \frac{\cos^{-1}(ax)}{x^6} dx$

Optimal. Leaf size=80

$$\frac{a\sqrt{1-a^2x^2}}{20x^4} + \frac{3}{40}a^5 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) + \frac{3a^3\sqrt{1-a^2x^2}}{40x^2} - \frac{\cos^{-1}(ax)}{5x^5}$$

[Out] $-1/5*\arccos(a*x)/x^5+3/40*a^5*\arctanh((-a^2*x^2+1)^(1/2))+1/20*a*(-a^2*x^2+1)^(1/2)/x^4+3/40*a^3*(-a^2*x^2+1)^(1/2)/x^2$

Rubi [A] time = 0.05, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4628, 266, 51, 63, 208}

$$\frac{3a^3\sqrt{1-a^2x^2}}{40x^2} + \frac{a\sqrt{1-a^2x^2}}{20x^4} + \frac{3}{40}a^5 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) - \frac{\cos^{-1}(ax)}{5x^5}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]/x^6,x]

[Out] $(a*\text{Sqrt}[1 - a^2*x^2])/(20*x^4) + (3*a^3*\text{Sqrt}[1 - a^2*x^2])/(40*x^2) - \text{ArcCos}[a*x]/(5*x^5) + (3*a^5*\text{ArcTanh}[\text{Sqrt}[1 - a^2*x^2]])/40$

Rule 51

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)}{x^6} dx &= -\frac{\cos^{-1}(ax)}{5x^5} - \frac{1}{5}a \int \frac{1}{x^5\sqrt{1-a^2x^2}} dx \\
&= -\frac{\cos^{-1}(ax)}{5x^5} - \frac{1}{10}a \operatorname{Subst}\left(\int \frac{1}{x^3\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= \frac{a\sqrt{1-a^2x^2}}{20x^4} - \frac{\cos^{-1}(ax)}{5x^5} - \frac{1}{40}(3a^3) \operatorname{Subst}\left(\int \frac{1}{x^2\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= \frac{a\sqrt{1-a^2x^2}}{20x^4} + \frac{3a^3\sqrt{1-a^2x^2}}{40x^2} - \frac{\cos^{-1}(ax)}{5x^5} - \frac{1}{80}(3a^5) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-a^2x}} dx, x, x^2\right) \\
&= \frac{a\sqrt{1-a^2x^2}}{20x^4} + \frac{3a^3\sqrt{1-a^2x^2}}{40x^2} - \frac{\cos^{-1}(ax)}{5x^5} + \frac{1}{40}(3a^3) \operatorname{Subst}\left(\int \frac{1}{\frac{1}{a^2} - \frac{x^2}{a^2}} dx, x, \sqrt{1-a^2x^2}\right) \\
&= \frac{a\sqrt{1-a^2x^2}}{20x^4} + \frac{3a^3\sqrt{1-a^2x^2}}{40x^2} - \frac{\cos^{-1}(ax)}{5x^5} + \frac{3}{40}a^5 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)
\end{aligned}$$

Mathematica [A] time = 0.08, size = 72, normalized size = 0.90

$$\frac{1}{40} \left(-3a^5 \log(x) + \frac{a\sqrt{1-a^2x^2}(3a^2x^2+2)}{x^4} + 3a^5 \log\left(\sqrt{1-a^2x^2}+1\right) - \frac{8\cos^{-1}(ax)}{x^5} \right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]/x^6,x]

[Out] ((a*Sqrt[1 - a^2*x^2]*(2 + 3*a^2*x^2))/x^4 - (8*ArcCos[a*x])/x^5 - 3*a^5*Log[x] + 3*a^5*Log[1 + Sqrt[1 - a^2*x^2]])/40

fricas [A] time = 0.63, size = 122, normalized size = 1.52

$$\frac{3 a^5 x^5 \log\left(\sqrt{-a^2 x^2 + 1} + 1\right) - 3 a^5 x^5 \log\left(\sqrt{-a^2 x^2 + 1} - 1\right) - 16 x^5 \arctan\left(\frac{\sqrt{-a^2 x^2 + 1} a x}{a^2 x^2 - 1}\right) + 16 (x^5 - 1) \arccos(ax)}{80 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^6,x, algorithm="fricas")

[Out] 1/80*(3*a^5*x^5*log(sqrt(-a^2*x^2 + 1) + 1) - 3*a^5*x^5*log(sqrt(-a^2*x^2 + 1) - 1) - 16*x^5*arctan(sqrt(-a^2*x^2 + 1)*a*x/(a^2*x^2 - 1)) + 16*(x^5 - 1)*arccos(a*x) + 2*(3*a^3*x^3 + 2*a*x)*sqrt(-a^2*x^2 + 1))/x^5

giac [A] time = 1.96, size = 101, normalized size = 1.26

$$\frac{3 a^6 \log\left(\sqrt{-a^2 x^2 + 1} + 1\right) - 3 a^6 \log\left(-\sqrt{-a^2 x^2 + 1} + 1\right) - \frac{2\left(3(-a^2 x^2 + 1)^{\frac{3}{2}} a^6 - 5 \sqrt{-a^2 x^2 + 1} a^6\right)}{a^4 x^4}}{80 a} - \frac{\arccos(ax)}{5 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^6,x, algorithm="giac")

[Out] 1/80*(3*a^6*log(sqrt(-a^2*x^2 + 1) + 1) - 3*a^6*log(-sqrt(-a^2*x^2 + 1) + 1) - 2*(3*(-a^2*x^2 + 1)^(3/2)*a^6 - 5*sqrt(-a^2*x^2 + 1)*a^6)/(a^4*x^4))/a - 1/5*arccos(a*x)/x^5

maple [A] time = 0.00, size = 73, normalized size = 0.91

$$a^5 \left(-\frac{\arccos(ax)}{5a^5x^5} + \frac{\sqrt{-a^2x^2+1}}{20a^4x^4} + \frac{3\sqrt{-a^2x^2+1}}{40a^2x^2} + \frac{3 \operatorname{arctanh}\left(\frac{1}{\sqrt{-a^2x^2+1}}\right)}{40} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)/x^6,x)

[Out] a^5*(-1/5*arccos(a*x)/a^5/x^5+1/20/a^4/x^4*(-a^2*x^2+1)^(1/2)+3/40/a^2/x^2*(-a^2*x^2+1)^(1/2)+3/40*arctanh(1/(-a^2*x^2+1)^(1/2)))

maxima [A] time = 0.40, size = 82, normalized size = 1.02

$$\frac{1}{40} \left(3 a^4 \log\left(\frac{2 \sqrt{-a^2 x^2 + 1}}{|x|} + \frac{2}{|x|}\right) + \frac{3 \sqrt{-a^2 x^2 + 1} a^2}{x^2} + \frac{2 \sqrt{-a^2 x^2 + 1}}{x^4} \right) a - \frac{\arccos(ax)}{5 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)/x^6,x, algorithm="maxima")

[Out] $\frac{1}{40}*(3*a^4*\log(2*\sqrt{-a^2*x^2 + 1})/abs(x) + 2/abs(x)) + 3*\sqrt{-a^2*x^2 + 1}*a^2/x^2 + 2*\sqrt{-a^2*x^2 + 1}/x^4)*a - 1/5*\arccos(a*x)/x^5$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\arccos(ax)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)/x^6,x)

[Out] int(acos(a*x)/x^6, x)

sympy [C] time = 3.97, size = 184, normalized size = 2.30

$$\frac{a \left(\begin{array}{l} \left(\frac{3a^4 \operatorname{acosh}\left(\frac{1}{ax}\right)}{8} + \frac{3a^3}{8x\sqrt{-1+\frac{1}{a^2x^2}}} - \frac{a}{8x^3\sqrt{-1+\frac{1}{a^2x^2}}} - \frac{1}{4ax^5\sqrt{-1+\frac{1}{a^2x^2}}} \right) \text{ for } \frac{1}{|a^2x^2|} > 1 \\ \left(\frac{3ia^4 \operatorname{asin}\left(\frac{1}{ax}\right)}{8} - \frac{3ia^3}{8x\sqrt{1-\frac{1}{a^2x^2}}} + \frac{ia}{8x^3\sqrt{1-\frac{1}{a^2x^2}}} + \frac{i}{4ax^5\sqrt{1-\frac{1}{a^2x^2}}} \right) \text{ otherwise} \end{array} \right)}{5} - \frac{\arccos(ax)}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)/x**6,x)

[Out] $-a*\text{Piecewise}((-3*a**4*\operatorname{acosh}(1/(a*x))/8 + 3*a**3/(8*x*\sqrt{-1 + 1/(a**2*x**2)}) - a/(8*x**3*\sqrt{-1 + 1/(a**2*x**2)}) - 1/(4*a*x**5*\sqrt{-1 + 1/(a**2*x**2)})), 1/\text{Abs}(a**2*x**2) > 1), (3*I*a**4*\operatorname{asin}(1/(a*x))/8 - 3*I*a**3/(8*x*\sqrt{1 - 1/(a**2*x**2)}) + I*a/(8*x**3*\sqrt{1 - 1/(a**2*x**2)}) + I/(4*a*x**5*\sqrt{1 - 1/(a**2*x**2)})), \text{True}))/5 - \arccos(a*x)/(5*x**5)$

3.12 $\int x^4 \cos^{-1}(ax)^2 dx$

Optimal. Leaf size=120

$$\frac{16x}{75a^4} - \frac{8x^3}{225a^2} - \frac{2x^4\sqrt{1-a^2x^2}\cos^{-1}(ax)}{25a} - \frac{16\sqrt{1-a^2x^2}\cos^{-1}(ax)}{75a^5} - \frac{8x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)}{75a^3} + \frac{1}{5}x^5\cos^{-1}(ax)^2 - \frac{2x}{12}$$

[Out] $-16/75*x/a^4-8/225*x^3/a^2-2/125*x^5+1/5*x^5*\arccos(a*x)^2-16/75*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a^5-8/75*x^2*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a^3-2/25*x^4*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A] time = 0.20, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4628, 4708, 4678, 8, 30}

$$\frac{8x^3}{225a^2} - \frac{2x^4\sqrt{1-a^2x^2}\cos^{-1}(ax)}{25a} - \frac{8x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)}{75a^3} - \frac{16\sqrt{1-a^2x^2}\cos^{-1}(ax)}{75a^5} - \frac{16x}{75a^4} + \frac{1}{5}x^5\cos^{-1}(ax)^2 - \frac{2x}{12}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*\text{ArcCos}[a*x]^2, x]$

[Out] $(-16*x)/(75*a^4) - (8*x^3)/(225*a^2) - (2*x^5)/125 - (16*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(75*a^5) - (8*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(75*a^3) - (2*x^4*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(25*a) + (x^5*\text{ArcCos}[a*x]^2)/5$

Rule 8

$\text{Int}[a_, x_Symbol] := \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 30

$\text{Int}[(x_)^{(m_.)}, x_Symbol] := \text{Simp}[x^{(m+1)}/(m+1), x] /; \text{FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1]$

Rule 4628

$\text{Int}[(a_. + \text{ArcCos}[(c_.)*(x_)])*(b_.)^{(n_.)*((d_.)*(x_))^{(m_.)}, x_Symbol] := \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^n/(d*(m+1)), x] + \text{Dist}[(b*c*n)/(d*(m+1)), \text{Int}[(d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^{(n-1)}/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rule 4678

$\text{Int}[(a_. + \text{ArcCos}[(c_.)*(x_)])*(b_.)^{(n_.)*(x_)*((d_. + (e_.)*(x_)^2)^{(p_.)}, x_Symbol] := \text{Simp}[(d + e*x^2)^{(p+1)}*(a + b*\text{ArcCos}[c*x])^n]/(2*e*(p + 1)), x]$

1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4708

Int[(((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^4 \cos^{-1}(ax)^2 dx &= \frac{1}{5}x^5 \cos^{-1}(ax)^2 + \frac{1}{5}(2a) \int \frac{x^5 \cos^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx \\ &= -\frac{2x^4\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{25a} + \frac{1}{5}x^5 \cos^{-1}(ax)^2 - \frac{2 \int x^4 dx}{25} + \frac{8 \int \frac{x^3 \cos^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx}{25a} \\ &= -\frac{2x^5}{125} - \frac{8x^2\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{75a^3} - \frac{2x^4\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{25a} + \frac{1}{5}x^5 \cos^{-1}(ax)^2 + \frac{16 \int \frac{x \cos^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx}{75a} \\ &= -\frac{8x^3}{225a^2} - \frac{2x^5}{125} - \frac{16\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{75a^5} - \frac{8x^2\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{75a^3} - \frac{2x^4\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{25a} \\ &= -\frac{16x}{75a^4} - \frac{8x^3}{225a^2} - \frac{2x^5}{125} - \frac{16\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{75a^5} - \frac{8x^2\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{75a^3} - \frac{2x^4\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{25a} \end{aligned}$$

Mathematica [A] time = 0.07, size = 82, normalized size = 0.68

$$-\frac{16x}{75a^4} - \frac{8x^3}{225a^2} - \frac{2\sqrt{1 - a^2x^2} (3a^4x^4 + 4a^2x^2 + 8) \cos^{-1}(ax)}{75a^5} + \frac{1}{5}x^5 \cos^{-1}(ax)^2 - \frac{2x^5}{125}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*ArcCos[a*x]^2, x]

[Out] (-16*x)/(75*a^4) - (8*x^3)/(225*a^2) - (2*x^5)/125 - (2*Sqrt[1 - a^2*x^2]*(8 + 4*a^2*x^2 + 3*a^4*x^4)*ArcCos[a*x])/(75*a^5) + (x^5*ArcCos[a*x]^2)/5

fricas [A] time = 0.58, size = 76, normalized size = 0.63

$$\frac{225 a^5 x^5 \arccos(ax)^2 - 18 a^5 x^5 - 40 a^3 x^3 - 30 (3 a^4 x^4 + 4 a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1} \arccos(ax) - 240 ax}{1125 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^2,x, algorithm="fricas")

[Out] 1/1125*(225*a^5*x^5*arccos(a*x)^2 - 18*a^5*x^5 - 40*a^3*x^3 - 30*(3*a^4*x^4 + 4*a^2*x^2 + 8)*sqrt(-a^2*x^2 + 1)*arccos(a*x) - 240*a*x)/a^5

giac [A] time = 3.95, size = 100, normalized size = 0.83

$$\frac{1}{5} x^5 \arccos(ax)^2 - \frac{2}{125} x^5 - \frac{2 \sqrt{-a^2 x^2 + 1} x^4 \arccos(ax)}{25 a} - \frac{8 x^3}{225 a^2} - \frac{8 \sqrt{-a^2 x^2 + 1} x^2 \arccos(ax)}{75 a^3} - \frac{16 x}{75 a^4} - \frac{16 \sqrt{-a^2 x^2 + 1}}{75 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^2,x, algorithm="giac")

[Out] 1/5*x^5*arccos(a*x)^2 - 2/125*x^5 - 2/25*sqrt(-a^2*x^2 + 1)*x^4*arccos(a*x)/a - 8/225*x^3/a^2 - 8/75*sqrt(-a^2*x^2 + 1)*x^2*arccos(a*x)/a^3 - 16/75*x/a^4 - 16/75*sqrt(-a^2*x^2 + 1)*arccos(a*x)/a^5

maple [A] time = 0.06, size = 76, normalized size = 0.63

$$\frac{\frac{\arccos(ax)^2 a^5 x^5}{5} - \frac{2 \arccos(ax) (3 a^4 x^4 + 4 a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1}}{75} - \frac{2 a^5 x^5}{125} - \frac{8 a^3 x^3}{225} - \frac{16 a x}{75}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*arccos(a*x)^2,x)

[Out] 1/a^5*(1/5*arccos(a*x)^2*a^5*x^5-2/75*arccos(a*x)*(3*a^4*x^4+4*a^2*x^2+8)*(-a^2*x^2+1)^(1/2)-2/125*a^5*x^5-8/225*a^3*x^3-16/75*a*x)

maxima [A] time = 0.41, size = 102, normalized size = 0.85

$$\frac{1}{5} x^5 \arccos(ax)^2 - \frac{2}{75} \left(\frac{3 \sqrt{-a^2 x^2 + 1} x^4}{a^2} + \frac{4 \sqrt{-a^2 x^2 + 1} x^2}{a^4} + \frac{8 \sqrt{-a^2 x^2 + 1}}{a^6} \right) a \arccos(ax) - \frac{2 (9 a^4 x^5 + 20 a^2 x^3 + 8 a)}{1125 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^2,x, algorithm="maxima")

[Out] $\frac{1}{5}x^5 \arccos(ax)^2 - \frac{2}{75}(3\sqrt{-a^2x^2 + 1})x^4/a^2 + 4\sqrt{-a^2x^2 + 1}x^2/a^4 + 8\sqrt{-a^2x^2 + 1}/a^6)ax \arccos(ax) - \frac{2}{1125}(9a^4x^5 + 20a^2x^3 + 120x)/a^4$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \arccos(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*acos(a*x)^2,x)`

[Out] `int(x^4*acos(a*x)^2, x)`

sympy [A] time = 2.94, size = 121, normalized size = 1.01

$$\begin{cases} \frac{x^5 \arccos^2(ax)}{5} - \frac{2x^5}{125} - \frac{2x^4 \sqrt{-a^2x^2+1} \arccos(ax)}{25a} - \frac{8x^3}{225a^2} - \frac{8x^2 \sqrt{-a^2x^2+1} \arccos(ax)}{75a^3} - \frac{16x}{75a^4} - \frac{16 \sqrt{-a^2x^2+1} \arccos(ax)}{75a^5} & \text{for } a \neq 0 \\ \frac{\pi^2 x^5}{20} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*acos(a*x)**2,x)`

[Out] `Piecewise((x**5*acos(a*x)**2/5 - 2*x**5/125 - 2*x**4*sqrt(-a**2*x**2 + 1)*a cos(a*x)/(25*a) - 8*x**3/(225*a**2) - 8*x**2*sqrt(-a**2*x**2 + 1)*acos(a*x)/(75*a**3) - 16*x/(75*a**4) - 16*sqrt(-a**2*x**2 + 1)*acos(a*x)/(75*a**5), Ne(a, 0)), (pi**2*x**5/20, True))`

3.13 $\int x^3 \cos^{-1}(ax)^2 dx$

Optimal. Leaf size=98

$$-\frac{3 \cos^{-1}(ax)^2}{32a^4} - \frac{3x^2}{32a^2} - \frac{x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{8a} - \frac{3x \sqrt{1-a^2x^2} \cos^{-1}(ax)}{16a^3} + \frac{1}{4} x^4 \cos^{-1}(ax)^2 - \frac{x^4}{32}$$

[Out] $-3/32*x^2/a^2-1/32*x^4-3/32*\arccos(a*x)^2/a^4+1/4*x^4*\arccos(a*x)^2-3/16*x*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a^3-1/8*x^3*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A] time = 0.17, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {4628, 4708, 4642, 30}

$$-\frac{3x^2}{32a^2} - \frac{x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{8a} - \frac{3x \sqrt{1-a^2x^2} \cos^{-1}(ax)}{16a^3} - \frac{3 \cos^{-1}(ax)^2}{32a^4} + \frac{1}{4} x^4 \cos^{-1}(ax)^2 - \frac{x^4}{32}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*\text{ArcCos}[a*x]^2, x]$

[Out] $(-3*x^2)/(32*a^2) - x^4/32 - (3*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(16*a^3) - (x^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(8*a) - (3*\text{ArcCos}[a*x]^2)/(32*a^4) + (x^4*\text{ArcCos}[a*x]^2)/4$

Rule 30

$\text{Int}[(x_)^{(m_.)}, x_Symbol] :> \text{Simp}[x^{(m+1)}/(m+1), x] /; \text{FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1]$

Rule 4628

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_)]*(b_.)]^{(n_.)*((d_.)*(x_))^{(m_.)}, x_Symbol] :> \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^n/(d*(m+1)), x] + \text{Dist}[(b*c*n)/(d*(m+1)), \text{Int}[(d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^{(n-1)}/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rule 4642

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_)]*(b_.)]^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_)^2], x_Symbol] :> -\text{Simp}[(a + b*\text{ArcCos}[c*x])^{(n+1)}/(b*c*\text{Sqrt}[d]*(n+1)), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{NeQ}[n, -1]$

Rule 4708


```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_.)*((f_.)*(x_))^(m_)]/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int x^3 \cos^{-1}(ax)^2 dx &= \frac{1}{4}x^4 \cos^{-1}(ax)^2 + \frac{1}{2}a \int \frac{x^4 \cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx \\ &= -\frac{x^3\sqrt{1-a^2x^2} \cos^{-1}(ax)}{8a} + \frac{1}{4}x^4 \cos^{-1}(ax)^2 - \frac{\int x^3 dx}{8} + \frac{3 \int \frac{x^2 \cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{8a} \\ &= -\frac{x^4}{32} - \frac{3x\sqrt{1-a^2x^2} \cos^{-1}(ax)}{16a^3} - \frac{x^3\sqrt{1-a^2x^2} \cos^{-1}(ax)}{8a} + \frac{1}{4}x^4 \cos^{-1}(ax)^2 + \frac{3 \int \frac{\cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{16a^3} \\ &= -\frac{3x^2}{32a^2} - \frac{x^4}{32} - \frac{3x\sqrt{1-a^2x^2} \cos^{-1}(ax)}{16a^3} - \frac{x^3\sqrt{1-a^2x^2} \cos^{-1}(ax)}{8a} - \frac{3 \cos^{-1}(ax)^2}{32a^4} + \frac{1}{4}x^4 \cos^{-1}(ax)^2 \end{aligned}$$

Mathematica [A] time = 0.05, size = 74, normalized size = 0.76

$$\frac{(8a^4x^4 - 3) \cos^{-1}(ax)^2 - a^2x^2 (a^2x^2 + 3) - 2ax\sqrt{1-a^2x^2} (2a^2x^2 + 3) \cos^{-1}(ax)}{32a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcCos[a*x]^2,x]

[Out] $(-(a^2x^2(3 + a^2x^2)) - 2a^2x\sqrt{1 - a^2x^2})(3 + 2a^2x^2)\text{ArcCos}[ax] + (-3 + 8a^4x^4)\text{ArcCos}[ax]^2)/(32a^4)$

fricas [A] time = 0.46, size = 70, normalized size = 0.71

$$\frac{a^4x^4 + 3a^2x^2 - (8a^4x^4 - 3) \arccos(ax)^2 + 2(2a^3x^3 + 3ax)\sqrt{-a^2x^2 + 1} \arccos(ax)}{32a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^2,x, algorithm="fricas")

[Out] $-1/32*(a^4*x^4 + 3*a^2*x^2 - (8*a^4*x^4 - 3)*\arccos(a*x)^2 + 2*(2*a^3*x^3 + 3*a*x)*\sqrt{-a^2*x^2 + 1}*\arccos(a*x))/a^4$

giac [A] time = 5.97, size = 87, normalized size = 0.89

$$\frac{1}{4}x^4 \arccos(ax)^2 - \frac{1}{32}x^4 - \frac{\sqrt{-a^2x^2+1}x^3 \arccos(ax)}{8a} - \frac{3x^2}{32a^2} - \frac{3\sqrt{-a^2x^2+1}x \arccos(ax)}{16a^3} - \frac{3 \arccos(ax)^2}{32a^4} + \frac{15}{256a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arccos(a*x)^2,x, algorithm="giac")`

[Out] $1/4*x^4*\arccos(a*x)^2 - 1/32*x^4 - 1/8*\sqrt{-a^2*x^2 + 1}*x^3*\arccos(a*x)/a - 3/32*x^2/a^2 - 3/16*\sqrt{-a^2*x^2 + 1}*x*\arccos(a*x)/a^3 - 3/32*\arccos(a*x)^2/a^4 + 15/256/a^4$

maple [A] time = 0.06, size = 93, normalized size = 0.95

$$\frac{\frac{a^4x^4 \arccos(ax)^2}{4} - \frac{\arccos(ax)(2a^3x^3\sqrt{-a^2x^2+1}+3ax\sqrt{-a^2x^2+1}+3\arccos(ax))}{16}}{a^4} + \frac{3 \arccos(ax)^2}{32} - \frac{a^4x^4}{32} - \frac{3a^2x^2}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*arccos(a*x)^2,x)`

[Out] $1/a^4*(1/4*a^4*x^4*\arccos(a*x)^2-1/16*\arccos(a*x)*(2*a^3*x^3*(-a^2*x^2+1)^(1/2)+3*a*x*(-a^2*x^2+1)^(1/2)+3*\arccos(a*x))+3/32*\arccos(a*x)^2-1/32*a^4*x^4-3/32*a^2*x^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4}x^4 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^2 - a \int \frac{\sqrt{ax+1}\sqrt{-ax+1}x^4 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)}{2(a^2x^2-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arccos(a*x)^2,x, algorithm="maxima")`

[Out] $1/4*x^4*\arctan2(\sqrt{a*x + 1}*\sqrt{-a*x + 1}, a*x)^2 - a*\integrate(1/2*\sqrt{a*x + 1}*\sqrt{-a*x + 1}*x^4*\arctan2(\sqrt{a*x + 1}*\sqrt{-a*x + 1}, a*x)/(a^2*x^2 - 1), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \arccos(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*acos(a*x)^2,x)`

[Out] `int(x^3*acos(a*x)^2, x)`

sympy [A] time = 1.80, size = 97, normalized size = 0.99

$$\begin{cases} \frac{x^4 \operatorname{acos}^2(ax)}{4} - \frac{x^4}{32} - \frac{x^3 \sqrt{-a^2 x^2 + 1} \operatorname{acos}(ax)}{8a} - \frac{3x^2}{32a^2} - \frac{3x \sqrt{-a^2 x^2 + 1} \operatorname{acos}(ax)}{16a^3} - \frac{3 \operatorname{acos}^2(ax)}{32a^4} & \text{for } a \neq 0 \\ \frac{\pi^2 x^4}{16} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*acos(a*x)**2,x)`

[Out] `Piecewise((x**4*acos(a*x)**2/4 - x**4/32 - x**3*sqrt(-a**2*x**2 + 1)*acos(a*x)/(8*a) - 3*x**2/(32*a**2) - 3*x*sqrt(-a**2*x**2 + 1)*acos(a*x)/(16*a**3) - 3*acos(a*x)**2/(32*a**4), Ne(a, 0)), (pi**2*x**4/16, True))`

3.14 $\int x^2 \cos^{-1}(ax)^2 dx$

Optimal. Leaf size=82

$$-\frac{2x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)}{9a} - \frac{4x}{9a^2} - \frac{4\sqrt{1-a^2x^2}\cos^{-1}(ax)}{9a^3} + \frac{1}{3}x^3\cos^{-1}(ax)^2 - \frac{2x^3}{27}$$

[Out] $-4/9*x/a^2-2/27*x^3+1/3*x^3*\arccos(a*x)^2-4/9*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a^3-2/9*x^2*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A] time = 0.13, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4628, 4708, 4678, 8, 30}

$$-\frac{2x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)}{9a} - \frac{4\sqrt{1-a^2x^2}\cos^{-1}(ax)}{9a^3} - \frac{4x}{9a^2} + \frac{1}{3}x^3\cos^{-1}(ax)^2 - \frac{2x^3}{27}$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCos[a*x]^2,x]

[Out] $(-4*x)/(9*a^2) - (2*x^3)/27 - (4*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(9*a^3) - (2*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(9*a) + (x^3*\text{ArcCos}[a*x]^2)/3$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4628

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((d_)*(x_)^(m_)), x_Symbol] := Simp[((d*x)^(m+1)*(a + b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a + b*ArcCos[c*x])^(n-1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4678

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x^2)^(p+1)*(a + b*ArcCos[c*x])^n)/(2*e*(p+1)), x] - Dist[(b*n*d*IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p+1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p+1/2)*(a + b*ArcCos[c*x])^n]

- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4708

Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n_.)*((f_.)*(x_.))^m_)/Sqrt[(d_. + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^2 \cos^{-1}(ax)^2 dx &= \frac{1}{3}x^3 \cos^{-1}(ax)^2 + \frac{1}{3}(2a) \int \frac{x^3 \cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx \\ &= -\frac{2x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{9a} + \frac{1}{3}x^3 \cos^{-1}(ax)^2 - \frac{2 \int x^2 dx}{9} + \frac{4 \int \frac{x \cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{9a} \\ &= -\frac{2x^3}{27} - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)}{9a^3} - \frac{2x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{9a} + \frac{1}{3}x^3 \cos^{-1}(ax)^2 - \frac{4 \int 1 dx}{9a^2} \\ &= -\frac{4x}{9a^2} - \frac{2x^3}{27} - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)}{9a^3} - \frac{2x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{9a} + \frac{1}{3}x^3 \cos^{-1}(ax)^2 \end{aligned}$$

Mathematica [A] time = 0.06, size = 63, normalized size = 0.77

$$-\frac{4x}{9a^2} - \frac{2\sqrt{1-a^2x^2} (a^2x^2 + 2) \cos^{-1}(ax)}{9a^3} + \frac{1}{3}x^3 \cos^{-1}(ax)^2 - \frac{2x^3}{27}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCos[a*x]^2,x]

[Out] (-4*x)/(9*a^2) - (2*x^3)/27 - (2*Sqrt[1 - a^2*x^2]*(2 + a^2*x^2)*ArcCos[a*x])/ (9*a^3) + (x^3*ArcCos[a*x]^2)/3

fricas [A] time = 0.45, size = 59, normalized size = 0.72

$$\frac{9a^3x^3 \arccos(ax)^2 - 2a^3x^3 - 6(a^2x^2 + 2)\sqrt{-a^2x^2 + 1} \arccos(ax) - 12ax}{27a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^2,x, algorithm="fricas")

[Out] $\frac{1}{27}*(9*a^3*x^3*arccos(a*x)^2 - 2*a^3*x^3 - 6*(a^2*x^2 + 2)*sqrt(-a^2*x^2 + 1)*arccos(a*x) - 12*a*x)/a^3$

giac [A] time = 0.19, size = 68, normalized size = 0.83

$$\frac{1}{3}x^3 \arccos(ax)^2 - \frac{2}{27}x^3 - \frac{2\sqrt{-a^2x^2+1}x^2 \arccos(ax)}{9a} - \frac{4x}{9a^2} - \frac{4\sqrt{-a^2x^2+1} \arccos(ax)}{9a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^2,x, algorithm="giac")

[Out] $\frac{1}{3}*x^3*arccos(a*x)^2 - 2/27*x^3 - 2/9*sqrt(-a^2*x^2 + 1)*x^2*arccos(a*x)/a - 4/9*x/a^2 - 4/9*sqrt(-a^2*x^2 + 1)*arccos(a*x)/a^3$

maple [A] time = 0.05, size = 59, normalized size = 0.72

$$\frac{\frac{a^3x^3 \arccos(ax)^2}{3} - \frac{2 \arccos(ax)(a^2x^2+2)\sqrt{-a^2x^2+1}}{9} - \frac{2a^3x^3}{27} - \frac{4ax}{9}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccos(a*x)^2,x)

[Out] $\frac{1}{a^3}*(\frac{1}{3}*a^3*x^3*arccos(a*x)^2-2/9*arccos(a*x)*(a^2*x^2+2)*(-a^2*x^2+1)^{(1/2)}-2/27*a^3*x^3-4/9*a*x)$

maxima [A] time = 0.52, size = 72, normalized size = 0.88

$$\frac{1}{3}x^3 \arccos(ax)^2 - \frac{2}{9}a \left(\frac{\sqrt{-a^2x^2+1}x^2}{a^2} + \frac{2\sqrt{-a^2x^2+1}}{a^4} \right) \arccos(ax) - \frac{2(a^2x^3+6x)}{27a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}*x^3*arccos(a*x)^2 - 2/9*a*(sqrt(-a^2*x^2 + 1)*x^2/a^2 + 2*sqrt(-a^2*x^2 + 1)/a^4)*arccos(a*x) - 2/27*(a^2*x^3 + 6*x)/a^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \arccos(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*acos(a*x)^2,x)`

[Out] `int(x^2*acos(a*x)^2, x)`

sympy [A] time = 0.85, size = 83, normalized size = 1.01

$$\begin{cases} \frac{x^3 \operatorname{acos}^2(ax)}{3} - \frac{2x^3}{27} - \frac{2x^2 \sqrt{-a^2x^2+1} \operatorname{acos}(ax)}{9a} - \frac{4x}{9a^2} - \frac{4\sqrt{-a^2x^2+1} \operatorname{acos}(ax)}{9a^3} & \text{for } a \neq 0 \\ \frac{\pi^2 x^3}{12} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*acos(a*x)**2,x)`

[Out] `Piecewise((x**3*acos(a*x)**2/3 - 2*x**3/27 - 2*x**2*sqrt(-a**2*x**2 + 1)*acos(a*x)/(9*a) - 4*x/(9*a**2) - 4*sqrt(-a**2*x**2 + 1)*acos(a*x)/(9*a**3), Ne(a, 0)), (pi**2*x**3/12, True))`

3.15 $\int x \cos^{-1}(ax)^2 dx$

Optimal. Leaf size=60

$$-\frac{x\sqrt{1-a^2x^2} \cos^{-1}(ax)}{2a} - \frac{\cos^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^2 - \frac{x^2}{4}$$

[Out] $-1/4*x^2-1/4*arccos(a*x)^2/a^2+1/2*x^2*arccos(a*x)^2-1/2*x*arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A] time = 0.10, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4628, 4708, 4642, 30}

$$-\frac{x\sqrt{1-a^2x^2} \cos^{-1}(ax)}{2a} - \frac{\cos^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^2 - \frac{x^2}{4}$$

Antiderivative was successfully verified.

[In] Int[x*ArcCos[a*x]^2,x]

[Out] $-x^2/4 - (x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(2*a) - \text{ArcCos}[a*x]^2/(4*a^2) + (x^2*\text{ArcCos}[a*x]^2)/2$

Rule 30

Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4642

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] :> -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4708

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*

$\text{ArcCos}[c*x]^n)/(e*m), x] + (\text{Dist}[(f^2*(m - 1))/(c^2*m), \text{Int}[(f*x)^{(m - 2)} * (a + b*\text{ArcCos}[c*x])^n]/\text{Sqrt}[d + e*x^2], x], x] - \text{Dist}[(b*f*n*\text{Sqrt}[1 - c^2*x^2])/(c*m*\text{Sqrt}[d + e*x^2]), \text{Int}[(f*x)^{(m - 1)}*(a + b*\text{ArcCos}[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$

Rubi steps

$$\begin{aligned} \int x \cos^{-1}(ax)^2 dx &= \frac{1}{2}x^2 \cos^{-1}(ax)^2 + a \int \frac{x^2 \cos^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx \\ &= -\frac{x\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{2a} + \frac{1}{2}x^2 \cos^{-1}(ax)^2 - \frac{\int x dx}{2} + \frac{\int \frac{\cos^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx}{2a} \\ &= -\frac{x^2}{4} - \frac{x\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{2a} - \frac{\cos^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^2 \end{aligned}$$

Mathematica [A] time = 0.03, size = 57, normalized size = 0.95

$$-\frac{x\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{2a} + \frac{(2a^2x^2 - 1) \cos^{-1}(ax)^2}{4a^2} - \frac{x^2}{4}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCos[a*x]^2,x]

[Out] $-1/4*x^2 - (x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(2*a) + ((-1 + 2*a^2*x^2)*\text{ArcCos}[a*x]^2)/(4*a^2)$

fricas [A] time = 0.48, size = 51, normalized size = 0.85

$$-\frac{a^2x^2 + 2\sqrt{-a^2x^2 + 1}ax \arccos(ax) - (2a^2x^2 - 1) \arccos(ax)^2}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^2,x, algorithm="fricas")

[Out] $-1/4*(a^2*x^2 + 2*\text{sqrt}(-a^2*x^2 + 1)*a*x*\arccos(a*x) - (2*a^2*x^2 - 1)*\arccos(a*x)^2)/a^2$

giac [A] time = 0.19, size = 55, normalized size = 0.92

$$\frac{1}{2}x^2 \arccos(ax)^2 - \frac{1}{4}x^2 - \frac{\sqrt{-a^2x^2 + 1}x \arccos(ax)}{2a} - \frac{\arccos(ax)^2}{4a^2} + \frac{1}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^2,x, algorithm="giac")

[Out] $1/2*x^2*arccos(a*x)^2 - 1/4*x^2 - 1/2*sqrt(-a^2*x^2 + 1)*x*arccos(a*x)/a - 1/4*arccos(a*x)^2/a^2 + 1/8/a^2$

maple [A] time = 0.06, size = 63, normalized size = 1.05

$$\frac{\frac{a^2 x^2 \arccos(ax)^2}{2} - \frac{\arccos(ax) \left(ax \sqrt{-a^2 x^2 + 1} + \arccos(ax) \right)}{2} + \frac{\arccos(ax)^2}{4} - \frac{a^2 x^2}{4} + \frac{1}{4}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccos(a*x)^2,x)

[Out] $1/a^2*(1/2*a^2*x^2*arccos(a*x)^2-1/2*arccos(a*x)*(a*x*(-a^2*x^2+1)^(1/2)+arccos(a*x))+1/4*arccos(a*x)^2-1/4*a^2*x^2+1/4)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2} x^2 \arctan \left(\sqrt{ax+1} \sqrt{-ax+1}, ax \right)^2 - a \int \frac{\sqrt{ax+1} \sqrt{-ax+1} x^2 \arctan \left(\sqrt{ax+1} \sqrt{-ax+1}, ax \right)}{a^2 x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^2,x, algorithm="maxima")

[Out] $1/2*x^2*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2 - a*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*x^2*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)/(a^2*x^2 - 1), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x \arccos(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*acos(a*x)^2,x)

[Out] int(x*acos(a*x)^2, x)

sympy [A] time = 0.43, size = 58, normalized size = 0.97

$$\begin{cases} \frac{x^2 \arccos^2(ax)}{2} - \frac{x^2}{4} - \frac{x \sqrt{-a^2 x^2 + 1} \arccos(ax)}{2a} - \frac{\arccos^2(ax)}{4a^2} & \text{for } a \neq 0 \\ \frac{\pi^2 x^2}{8} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acos(a*x)**2,x)
```

```
[Out] Piecewise((x**2*acos(a*x)**2/2 - x**2/4 - x*sqrt(-a**2*x**2 + 1)*acos(a*x)/  
(2*a) - acos(a*x)**2/(4*a**2), Ne(a, 0)), (pi**2*x**2/8, True))
```

3.16 $\int \cos^{-1}(ax)^2 dx$

Optimal. Leaf size=35

$$-\frac{2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{a} + x \cos^{-1}(ax)^2 - 2x$$

[Out] $-2*x+x*\arccos(a*x)^2-2*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A] time = 0.05, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.500, Rules used = {4620, 4678, 8}

$$-\frac{2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{a} + x \cos^{-1}(ax)^2 - 2x$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^2,x]

[Out] $-2*x - (2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/a + x*\text{ArcCos}[a*x]^2$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^ (n_.), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^ (n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d*IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \cos^{-1}(ax)^2 dx &= x \cos^{-1}(ax)^2 + (2a) \int \frac{x \cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{a} + x \cos^{-1}(ax)^2 - 2 \int 1 dx \\
&= -2x - \frac{2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{a} + x \cos^{-1}(ax)^2
\end{aligned}$$

Mathematica [A] time = 0.02, size = 35, normalized size = 1.00

$$-\frac{2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{a} + x \cos^{-1}(ax)^2 - 2x$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^2,x]

[Out] -2*x - (2*Sqrt[1 - a^2*x^2]*ArcCos[a*x])/a + x*ArcCos[a*x]^2

fricas [A] time = 0.44, size = 36, normalized size = 1.03

$$\frac{ax \arccos(ax)^2 - 2ax - 2\sqrt{-a^2x^2 + 1} \arccos(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2,x, algorithm="fricas")

[Out] (a*x*arccos(a*x)^2 - 2*a*x - 2*sqrt(-a^2*x^2 + 1)*arccos(a*x))/a

giac [A] time = 0.19, size = 33, normalized size = 0.94

$$x \arccos(ax)^2 - 2x - \frac{2\sqrt{-a^2x^2 + 1} \arccos(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2,x, algorithm="giac")

[Out] x*arccos(a*x)^2 - 2*x - 2*sqrt(-a^2*x^2 + 1)*arccos(a*x)/a

maple [A] time = 0.07, size = 37, normalized size = 1.06

$$\frac{ax \arccos(ax)^2 - 2ax - 2 \arccos(ax) \sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccos(a*x)^2,x)`

[Out] `1/a*(a*x*arccos(a*x)^2-2*a*x-2*arccos(a*x)*(-a^2*x^2+1)^(1/2))`

maxima [A] time = 1.44, size = 33, normalized size = 0.94

$$x \arccos(ax)^2 - 2x - \frac{2\sqrt{-a^2x^2+1} \arccos(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccos(a*x)^2,x, algorithm="maxima")`

[Out] `x*arccos(a*x)^2 - 2*x - 2*sqrt(-a^2*x^2 + 1)*arccos(a*x)/a`

mupad [B] time = 0.31, size = 45, normalized size = 1.29

$$\begin{cases} \frac{x\pi^2}{4} & \text{if } a = 0 \\ x(\arccos(ax)^2 - 2) - \frac{2\arccos(ax)\sqrt{1-a^2x^2}}{a} & \text{if } a \neq 0 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acos(a*x)^2,x)`

[Out] `piecewise(a == 0, (x*pi^2)/4, a ~= 0, x*(acos(a*x)^2 - 2) - (2*acos(a*x)*(-a^2*x^2 + 1)^(1/2))/a)`

sympy [A] time = 0.18, size = 37, normalized size = 1.06

$$\begin{cases} x \arccos^2(ax) - 2x - \frac{2\sqrt{-a^2x^2+1} \arccos(ax)}{a} & \text{for } a \neq 0 \\ \frac{\pi^2x}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acos(a*x)**2,x)`

[Out] `Piecewise((x*acos(a*x)**2 - 2*x - 2*sqrt(-a**2*x**2 + 1)*acos(a*x)/a, Ne(a, 0)), (pi**2*x/4, True))`

$$3.17 \quad \int \frac{\cos^{-1}(ax)^2}{x} dx$$

Optimal. Leaf size=73

$$-i \cos^{-1}(ax) \operatorname{Li}_2(-e^{2i \cos^{-1}(ax)}) + \frac{1}{2} \operatorname{Li}_3(-e^{2i \cos^{-1}(ax)}) - \frac{1}{3} i \cos^{-1}(ax)^3 + \cos^{-1}(ax)^2 \log(1 + e^{2i \cos^{-1}(ax)})$$

[Out] $-1/3*I*\arccos(a*x)^3 + \arccos(a*x)^2*\ln(1+(a*x+I*(-a^2*x^2+1))^{(1/2)})^2) - I*\arccos(a*x)*\operatorname{polylog}(2, -(a*x+I*(-a^2*x^2+1))^{(1/2)})^2) + 1/2*\operatorname{polylog}(3, -(a*x+I*(-a^2*x^2+1))^{(1/2)})^2)$

Rubi [A] time = 0.09, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {4626, 3719, 2190, 2531, 2282, 6589}

$$-i \cos^{-1}(ax) \operatorname{PolyLog}(2, -e^{2i \cos^{-1}(ax)}) + \frac{1}{2} \operatorname{PolyLog}(3, -e^{2i \cos^{-1}(ax)}) - \frac{1}{3} i \cos^{-1}(ax)^3 + \cos^{-1}(ax)^2 \log(1 + e^{2i \cos^{-1}(ax)})$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^2/x, x]

[Out] $(-I/3)*\operatorname{ArcCos}[a*x]^3 + \operatorname{ArcCos}[a*x]^2*\operatorname{Log}[1 + E^{((2*I)*\operatorname{ArcCos}[a*x])}] - I*\operatorname{ArcCos}[a*x]*\operatorname{PolyLog}[2, -E^{((2*I)*\operatorname{ArcCos}[a*x])}] + \operatorname{PolyLog}[3, -E^{((2*I)*\operatorname{ArcCos}[a*x])}]/2$

Rule 2190

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n])/a)]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n])/a], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

Int[Log[1 + (e_)*((F_)^(c_)*((a_) + (b_)*(x_)))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))

)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3719

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 4626

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.)^(n_.)/(x_), x_Symbol] := -Subst[Int[(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{-1}(ax)^2}{x} dx &= -\text{Subst}\left(\int x^2 \tan(x) dx, x, \cos^{-1}(ax)\right) \\
 &= -\frac{1}{3}i \cos^{-1}(ax)^3 + 2i \text{Subst}\left(\int \frac{e^{2ix}x^2}{1 + e^{2ix}} dx, x, \cos^{-1}(ax)\right) \\
 &= -\frac{1}{3}i \cos^{-1}(ax)^3 + \cos^{-1}(ax)^2 \log(1 + e^{2i \cos^{-1}(ax)}) - 2 \text{Subst}\left(\int x \log(1 + e^{2ix}) dx, x, \cos^{-1}(ax)\right) \\
 &= -\frac{1}{3}i \cos^{-1}(ax)^3 + \cos^{-1}(ax)^2 \log(1 + e^{2i \cos^{-1}(ax)}) - i \cos^{-1}(ax) \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + i \text{Subst}\left(\int \frac{e^{2ix}}{1 + e^{2ix}} dx, x, \cos^{-1}(ax)\right) \\
 &= -\frac{1}{3}i \cos^{-1}(ax)^3 + \cos^{-1}(ax)^2 \log(1 + e^{2i \cos^{-1}(ax)}) - i \cos^{-1}(ax) \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + \frac{1}{2} \text{Subst}\left(\int \frac{e^{2ix}}{1 + e^{2ix}} dx, x, \cos^{-1}(ax)\right) \\
 &= -\frac{1}{3}i \cos^{-1}(ax)^3 + \cos^{-1}(ax)^2 \log(1 + e^{2i \cos^{-1}(ax)}) - i \cos^{-1}(ax) \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + \frac{1}{2} \text{Li}_3(-e^{2i \cos^{-1}(ax)})
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 73, normalized size = 1.00

$$-i \cos^{-1}(ax) \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + \frac{1}{2} \text{Li}_3(-e^{2i \cos^{-1}(ax)}) - \frac{1}{3}i \cos^{-1}(ax)^3 + \cos^{-1}(ax)^2 \log(1 + e^{2i \cos^{-1}(ax)})$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^2/x,x]

[Out] $(-1/3*I)*\text{ArcCos}[a*x]^3 + \text{ArcCos}[a*x]^2*\text{Log}[1 + E^{((2*I)*\text{ArcCos}[a*x])}] - I*\text{ArcCos}[a*x]*\text{PolyLog}[2, -E^{((2*I)*\text{ArcCos}[a*x])}] + \text{PolyLog}[3, -E^{((2*I)*\text{ArcCos}[a*x])}]/2$

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\arccos(ax)^2}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x,x, algorithm="fricas")

[Out] integral(arccos(a*x)^2/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x,x, algorithm="giac")

[Out] integrate(arccos(a*x)^2/x, x)

maple [A] time = 0.11, size = 101, normalized size = 1.38

$$-\frac{i \arccos(ax)^3}{3} + \arccos(ax)^2 \ln\left(1 + \left(i\sqrt{-a^2x^2 + 1} + ax\right)^2\right) - i \arccos(ax) \text{polylog}\left(2, -\left(i\sqrt{-a^2x^2 + 1} + ax\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^2/x,x)

[Out] $-1/3*I*\arccos(a*x)^3 + \arccos(a*x)^2*\ln(1 + (I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) - I*\arccos(a*x)*\text{polylog}(2, -(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) + 1/2*\text{polylog}(3, -(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x,x, algorithm="maxima")

[Out] integrate(arccos(a*x)^2/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\arccos(ax)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^2/x,x)

[Out] int(acos(a*x)^2/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos^2(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)**2/x,x)

[Out] Integral(acos(a*x)**2/x, x)

$$3.18 \quad \int \frac{\cos^{-1}(ax)^2}{x^2} dx$$

Optimal. Leaf size=74

$$2ia\text{Li}_2\left(-ie^{i\cos^{-1}(ax)}\right) - 2ia\text{Li}_2\left(ie^{i\cos^{-1}(ax)}\right) - \frac{\cos^{-1}(ax)^2}{x} - 4ia\cos^{-1}(ax)\tan^{-1}\left(e^{i\cos^{-1}(ax)}\right)$$

[Out] $-\arccos(ax)^2/x - 4Ia\arccos(ax)\arctan(ax + I(-a^2x^2+1)^{1/2}) + 2Ia\text{polylog}(2, -I(a + I(-a^2x^2+1)^{1/2})) - 2Ia\text{polylog}(2, I(a + I(-a^2x^2+1)^{1/2}))$

Rubi [A] time = 0.11, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4628, 4710, 4181, 2279, 2391}

$$2ia\text{PolyLog}\left(2, -ie^{i\cos^{-1}(ax)}\right) - 2ia\text{PolyLog}\left(2, ie^{i\cos^{-1}(ax)}\right) - \frac{\cos^{-1}(ax)^2}{x} - 4ia\cos^{-1}(ax)\tan^{-1}\left(e^{i\cos^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^2/x^2, x]

[Out] $-(\text{ArcCos}[a*x]^2/x) - (4*I)*a*\text{ArcCos}[a*x]*\text{ArcTan}[E^{(I*\text{ArcCos}[a*x])}] + (2*I)*a*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcCos}[a*x])}] - (2*I)*a*\text{PolyLog}[2, I*E^{(I*\text{ArcCos}[a*x])}]$

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4181

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4710

```
Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] :> -Dist[(c^(m + 1)*Sqrt[d])^(-1), Subst[Int[(a + b*x)^n
*Cos[x]^m, x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*
d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^{-1}(ax)^2}{x^2} dx &= -\frac{\cos^{-1}(ax)^2}{x} - (2a) \int \frac{\cos^{-1}(ax)}{x\sqrt{1-a^2x^2}} dx \\ &= -\frac{\cos^{-1}(ax)^2}{x} + (2a) \text{Subst} \left(\int x \sec(x) dx, x, \cos^{-1}(ax) \right) \\ &= -\frac{\cos^{-1}(ax)^2}{x} - 4ia \cos^{-1}(ax) \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) - (2a) \text{Subst} \left(\int \log(1 - ie^{ix}) dx, x, \cos^{-1}(ax) \right) \\ &= -\frac{\cos^{-1}(ax)^2}{x} - 4ia \cos^{-1}(ax) \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) + (2ia) \text{Subst} \left(\int \frac{\log(1 - ix)}{x} dx, x, e^{i \cos^{-1}(ax)} \right) \\ &= -\frac{\cos^{-1}(ax)^2}{x} - 4ia \cos^{-1}(ax) \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) + 2ia \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) - 2ia \text{Li}_2 \left(ie^{i \cos^{-1}(ax)} \right) \end{aligned}$$

Mathematica [A] time = 0.16, size = 98, normalized size = 1.32

$$2ia \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) - 2ia \text{Li}_2 \left(ie^{i \cos^{-1}(ax)} \right) - \frac{\cos^{-1}(ax) \left(\cos^{-1}(ax) + 2ax \left(\log \left(1 + ie^{i \cos^{-1}(ax)} \right) - \log \left(1 - ie^{i \cos^{-1}(ax)} \right) \right) \right)}{x}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCos[a*x]^2/x^2, x]

```
[Out] -((ArcCos[a*x]*(ArcCos[a*x] + 2*a*x*(-Log[1 - I*E^(I*ArcCos[a*x]])] + Log[1
+ I*E^(I*ArcCos[a*x]]))))/x) + (2*I)*a*PolyLog[2, (-I)*E^(I*ArcCos[a*x])] -
(2*I)*a*PolyLog[2, I*E^(I*ArcCos[a*x])]
```

fricas [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\arccos(ax)^2}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^2,x, algorithm="fricas")

[Out] integral(arccos(a*x)^2/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^2,x, algorithm="giac")

[Out] integrate(arccos(a*x)^2/x^2, x)

maple [A] time = 0.11, size = 135, normalized size = 1.82

$$-\frac{\arccos(ax)^2}{x} - 2a \arccos(ax) \ln\left(1 + i\left(i\sqrt{-a^2x^2 + 1} + ax\right)\right) + 2a \arccos(ax) \ln\left(1 - i\left(i\sqrt{-a^2x^2 + 1} + ax\right)\right) + 2ia$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^2/x^2,x)

[Out] -arccos(a*x)^2/x - 2*a*arccos(a*x)*ln(1+I*(I*(-a^2*x^2+1)^(1/2)+a*x))+2*a*arccos(a*x)*ln(1-I*(I*(-a^2*x^2+1)^(1/2)+a*x))+2*I*a*dilog(1+I*(I*(-a^2*x^2+1)^(1/2)+a*x))-2*I*a*dilog(1-I*(I*(-a^2*x^2+1)^(1/2)+a*x))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2ax \int \frac{\sqrt{-ax+1} \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)}{\sqrt{ax+1}(ax-1)x} dx - \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^2,x, algorithm="maxima")

[Out] (2*a*x*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)/(a^2*x^3 - x), x) - arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2)/x

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\arccos(ax)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(acos(a*x)^2/x^2, x)
```

```
[Out] int(acos(a*x)^2/x^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acos}^2(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**2/x**2, x)
```

```
[Out] Integral(acos(a*x)**2/x**2, x)
```

$$3.19 \quad \int \frac{\cos^{-1}(ax)^2}{x^3} dx$$

Optimal. Leaf size=43

$$\frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{x} + a^2 \log(x) - \frac{\cos^{-1}(ax)^2}{2x^2}$$

[Out] $-1/2*\arccos(a*x)^2/x^2+a^2*\ln(x)+a*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/x$

Rubi [A] time = 0.08, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {4628, 4682, 29}

$$\frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{x} + a^2 \log(x) - \frac{\cos^{-1}(ax)^2}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^2/x^3,x]

[Out] (a*Sqrt[1 - a^2*x^2]*ArcCos[a*x])/x - ArcCos[a*x]^2/(2*x^2) + a^2*Log[x]

Rule 29

Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^ (n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4682

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^ (n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(d*f*(m + 1)), x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\cos^{-1}(ax)^2}{x^3} dx &= -\frac{\cos^{-1}(ax)^2}{2x^2} - a \int \frac{\cos^{-1}(ax)}{x^2 \sqrt{1-a^2x^2}} dx \\ &= \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{x} - \frac{\cos^{-1}(ax)^2}{2x^2} + a^2 \int \frac{1}{x} dx \\ &= \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{x} - \frac{\cos^{-1}(ax)^2}{2x^2} + a^2 \log(x) \end{aligned}$$

Mathematica [A] time = 0.03, size = 43, normalized size = 1.00

$$\frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{x} + a^2 \log(x) - \frac{\cos^{-1}(ax)^2}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^2/x^3,x]

[Out] (a*Sqrt[1 - a^2*x^2]*ArcCos[a*x])/x - ArcCos[a*x]^2/(2*x^2) + a^2*Log[x]

fricas [A] time = 0.43, size = 44, normalized size = 1.02

$$\frac{2a^2x^2 \log(x) + 2\sqrt{-a^2x^2+1}ax \arccos(ax) - \arccos(ax)^2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^3,x, algorithm="fricas")

[Out] 1/2*(2*a^2*x^2*log(x) + 2*sqrt(-a^2*x^2 + 1)*a*x*arccos(a*x) - arccos(a*x)^2)/x^2

giac [B] time = 0.25, size = 82, normalized size = 1.91

$$-\frac{1}{2} \left(\left(\frac{a^4x}{\left(\sqrt{-a^2x^2+1} |a| + a \right) |a|} - \frac{\sqrt{-a^2x^2+1} |a| + a}{x|a|} \right) \arccos(ax) - 2a \log(|x|) \right) a - \frac{\arccos(ax)^2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^3,x, algorithm="giac")

[Out] -1/2*((a^4*x/((sqrt(-a^2*x^2 + 1)*abs(a) + a)*abs(a)) - (sqrt(-a^2*x^2 + 1)*abs(a) + a)/(x*abs(a)))*arccos(a*x) - 2*a*log(abs(x)))*a - 1/2*arccos(a*x)^2/x^2

maple [A] time = 0.12, size = 42, normalized size = 0.98

$$-\frac{\arccos(ax)^2}{2x^2} + \frac{a \arccos(ax) \sqrt{-a^2x^2 + 1}}{x} + a^2 \ln(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^2/x^3,x)

[Out] -1/2*arccos(a*x)^2/x^2+a*arccos(a*x)*(-a^2*x^2+1)^(1/2)/x+a^2*ln(a*x)

maxima [A] time = 0.74, size = 39, normalized size = 0.91

$$a^2 \log(x) + \frac{\sqrt{-a^2x^2 + 1} a \arccos(ax)}{x} - \frac{\arccos(ax)^2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^3,x, algorithm="maxima")

[Out] a^2*log(x) + sqrt(-a^2*x^2 + 1)*a*arccos(a*x)/x - 1/2*arccos(a*x)^2/x^2

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\arccos(ax)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^2/x^3,x)

[Out] int(acos(a*x)^2/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos^2(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)**2/x**3,x)

[Out] Integral(acos(a*x)**2/x**3, x)

$$3.20 \quad \int \frac{\cos^{-1}(ax)^2}{x^4} dx$$

Optimal. Leaf size=124

$$\frac{1}{3}ia^3\text{Li}_2(-ie^{i\cos^{-1}(ax)}) - \frac{1}{3}ia^3\text{Li}_2(ie^{i\cos^{-1}(ax)}) - \frac{2}{3}ia^3\cos^{-1}(ax)\tan^{-1}(e^{i\cos^{-1}(ax)}) + \frac{a\sqrt{1-a^2x^2}\cos^{-1}(ax)}{3x^2} - \frac{a^2}{3x} - \frac{\cos^{-1}(ax)}{3x}$$

[Out] $-1/3*a^2/x - 1/3*\arccos(a*x)^2/x^3 - 2/3*I*a^3*\arccos(a*x)*\arctan(a*x + I*(-a^2*x^2+1)^{(1/2)}) + 1/3*I*a^3*\text{polylog}(2, -I*(a*x + I*(-a^2*x^2+1)^{(1/2)})) - 1/3*I*a^3*\text{polylog}(2, I*(a*x + I*(-a^2*x^2+1)^{(1/2)})) + 1/3*a*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/x^2$

Rubi [A] time = 0.18, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {4628, 4702, 4710, 4181, 2279, 2391, 30}

$$\frac{1}{3}ia^3\text{PolyLog}(2, -ie^{i\cos^{-1}(ax)}) - \frac{1}{3}ia^3\text{PolyLog}(2, ie^{i\cos^{-1}(ax)}) + \frac{a\sqrt{1-a^2x^2}\cos^{-1}(ax)}{3x^2} - \frac{a^2}{3x} - \frac{2}{3}ia^3\cos^{-1}(ax)\tan^{-1}(e^{i\cos^{-1}(ax)})$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^2/x^4, x]

[Out] $-a^2/(3*x) + (a*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(3*x^2) - \text{ArcCos}[a*x]^2/(3*x^3) - ((2*I)/3)*a^3*\text{ArcCos}[a*x]*\text{ArcTan}[E^{(I*\text{ArcCos}[a*x])}] + (I/3)*a^3*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcCos}[a*x])}] - (I/3)*a^3*\text{PolyLog}[2, I*E^{(I*\text{ArcCos}[a*x])}]$

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4702

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcCos[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]
```

Rule 4710

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol]
:> -Dist[(c^(m + 1)*Sqrt[d])^(-1), Subst[Int[(a + b*x)^n * Cos[x]^m, x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)^2}{x^4} dx &= -\frac{\cos^{-1}(ax)^2}{3x^3} - \frac{1}{3}(2a) \int \frac{\cos^{-1}(ax)}{x^3\sqrt{1-a^2x^2}} dx \\
&= \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{3x^2} - \frac{\cos^{-1}(ax)^2}{3x^3} + \frac{1}{3}a^2 \int \frac{1}{x^2} dx - \frac{1}{3}a^3 \int \frac{\cos^{-1}(ax)}{x\sqrt{1-a^2x^2}} dx \\
&= -\frac{a^2}{3x} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{3x^2} - \frac{\cos^{-1}(ax)^2}{3x^3} + \frac{1}{3}a^3 \text{Subst} \left(\int x \sec(x) dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{a^2}{3x} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{3x^2} - \frac{\cos^{-1}(ax)^2}{3x^3} - \frac{2}{3}ia^3 \cos^{-1}(ax) \tan^{-1} \left(e^{i\cos^{-1}(ax)} \right) - \frac{1}{3}a^3 \text{Subst} \left(\int \frac{1}{x} dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{a^2}{3x} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{3x^2} - \frac{\cos^{-1}(ax)^2}{3x^3} - \frac{2}{3}ia^3 \cos^{-1}(ax) \tan^{-1} \left(e^{i\cos^{-1}(ax)} \right) + \frac{1}{3}(ia^3) \text{Subst} \left(\int \frac{1}{x} dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{a^2}{3x} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{3x^2} - \frac{\cos^{-1}(ax)^2}{3x^3} - \frac{2}{3}ia^3 \cos^{-1}(ax) \tan^{-1} \left(e^{i\cos^{-1}(ax)} \right) + \frac{1}{3}ia^3 \text{Li}_2 \left(-e^{i\cos^{-1}(ax)} \right)
\end{aligned}$$

Mathematica [A] time = 0.67, size = 152, normalized size = 1.23

$$\frac{-ia^3x^3\text{Li}_2\left(-ie^{i\cos^{-1}(ax)}\right) + ia^3x^3\text{Li}_2\left(ie^{i\cos^{-1}(ax)}\right) - a^3x^3\cos^{-1}(ax)\log\left(1-ie^{i\cos^{-1}(ax)}\right) + a^3x^3\cos^{-1}(ax)\log\left(1+ie^{i\cos^{-1}(ax)}\right)}{3x^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCos[a*x]^2/x^4,x]

[Out] $-1/3*(a^2*x^2 - a*x*\text{Sqrt}[1 - a^2*x^2])*ArcCos[a*x] + ArcCos[a*x]^2 - a^3*x^3$
 $*ArcCos[a*x]*Log[1 - I*E^(I*ArcCos[a*x])] + a^3*x^3*ArcCos[a*x]*Log[1 + I*E$
 $^(I*ArcCos[a*x])] - I*a^3*x^3*PolyLog[2, (-I)*E^(I*ArcCos[a*x])] + I*a^3*x^3$
 $*PolyLog[2, I*E^(I*ArcCos[a*x])]/x^3$

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\arccos(ax)^2}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^4,x, algorithm="fricas")

[Out] integral(arccos(a*x)^2/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^4,x, algorithm="giac")

[Out] integrate(arccos(a*x)^2/x^4, x)

maple [A] time = 0.49, size = 173, normalized size = 1.40

$$\frac{a \arccos(ax) \sqrt{-a^2x^2 + 1}}{3x^2} - \frac{a^2 \arccos(ax)^2}{3x} - \frac{a^3 \arccos(ax) \ln\left(1 + i\left(i\sqrt{-a^2x^2 + 1} + ax\right)\right)}{3} + \frac{a^3 \arccos(ax) \ln\left(1 - i\left(i\sqrt{-a^2x^2 + 1} + ax\right)\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^2/x^4,x)

[Out] 1/3*a*arccos(a*x)*(-a^2*x^2+1)^(1/2)/x^2-1/3*a^2/x-1/3*arccos(a*x)^2/x^3-1/3*a^3*arccos(a*x)*ln(1+I*(I*(-a^2*x^2+1)^(1/2)+a*x))+1/3*a^3*arccos(a*x)*ln(1-I*(I*(-a^2*x^2+1)^(1/2)+a*x))+1/3*I*a^3*dilog(1+I*(I*(-a^2*x^2+1)^(1/2)+a*x))-1/3*I*a^3*dilog(1-I*(I*(-a^2*x^2+1)^(1/2)+a*x))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2ax^3 \int \frac{\sqrt{ax+1} \sqrt{-ax+1} \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)}{a^2x^5-x^3} dx - \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^4,x, algorithm="maxima")

[Out] 1/3*(6*a*x^3*integrate(1/3*sqrt(a*x + 1)*sqrt(-a*x + 1)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)/(a^2*x^5 - x^3), x) - arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2)/x^3

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\arccos(ax)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^2/x^4,x)

[Out] int(acos(a*x)^2/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos^2(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**2/x**4,x)
```

```
[Out] Integral(acos(a*x)**2/x**4, x)
```

3.21 $\int \frac{\cos^{-1}(ax)^2}{x^5} dx$

Optimal. Leaf size=87

$$\frac{1}{3}a^4 \log(x) - \frac{a^2}{12x^2} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{6x^3} + \frac{a^3\sqrt{1-a^2x^2} \cos^{-1}(ax)}{3x} - \frac{\cos^{-1}(ax)^2}{4x^4}$$

[Out] $-1/12*a^2/x^2-1/4*\arccos(a*x)^2/x^4+1/3*a^4*\ln(x)+1/6*a*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/x^3+1/3*a^3*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/x$

Rubi [A] time = 0.15, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4628, 4702, 4682, 29, 30}

$$-\frac{a^2}{12x^2} + \frac{a^3\sqrt{1-a^2x^2} \cos^{-1}(ax)}{3x} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{6x^3} + \frac{1}{3}a^4 \log(x) - \frac{\cos^{-1}(ax)^2}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^2/x^5,x]

[Out] $-a^2/(12*x^2) + (a*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(6*x^3) + (a^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(3*x) - \text{ArcCos}[a*x]^2/(4*x^4) + (a^4*\text{Log}[x])/3$

Rule 29

Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]

Rule 30

Int[(x_)^(m_), x_Symbol] :> Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4628

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((d_)*(x_))^(m_), x_Symbol] :> Simp[((d*x)^(m+1)*(a + b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a + b*ArcCos[c*x])^(n-1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4682

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] :> Simp[((f*x)^(m+1)*(d + e*x^2)^(p+1)*(a + b*ArcCos[c*x])^n)/(d*f*(m+1)), x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^F

$\text{racPart}[p])/(f*(m+1)*(1-c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1-c^2*x^2)^{(p+1/2)}*(a+b*\text{ArcCos}[c*x])^{(n-1)}, x], x] /;$ FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] && NeQ[m, -1]

Rule 4702

$\text{Int}[(a_. + \text{ArcCos}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_Symbol] :> \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcCos}[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)], \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^p*(a + b*\text{ArcCos}[c*x])^n, x], x] + \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m+1)*(1-c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1-c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcCos}[c*x])^{(n-1)}, x], x]) /;$ FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{\cos^{-1}(ax)^2}{x^5} dx &= -\frac{\cos^{-1}(ax)^2}{4x^4} - \frac{1}{2}a \int \frac{\cos^{-1}(ax)}{x^4\sqrt{1-a^2x^2}} dx \\ &= \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{6x^3} - \frac{\cos^{-1}(ax)^2}{4x^4} + \frac{1}{6}a^2 \int \frac{1}{x^3} dx - \frac{1}{3}a^3 \int \frac{\cos^{-1}(ax)}{x^2\sqrt{1-a^2x^2}} dx \\ &= -\frac{a^2}{12x^2} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{6x^3} + \frac{a^3\sqrt{1-a^2x^2} \cos^{-1}(ax)}{3x} - \frac{\cos^{-1}(ax)^2}{4x^4} + \frac{1}{3}a^4 \int \frac{1}{x} dx \\ &= -\frac{a^2}{12x^2} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)}{6x^3} + \frac{a^3\sqrt{1-a^2x^2} \cos^{-1}(ax)}{3x} - \frac{\cos^{-1}(ax)^2}{4x^4} + \frac{1}{3}a^4 \log(x) \end{aligned}$$

Mathematica [A] time = 0.05, size = 69, normalized size = 0.79

$$\frac{1}{3}a^4 \log(x) - \frac{a^2}{12x^2} + \frac{a\sqrt{1-a^2x^2} (2a^2x^2 + 1) \cos^{-1}(ax)}{6x^3} - \frac{\cos^{-1}(ax)^2}{4x^4}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^2/x^5, x]

[Out] -1/12*a^2/x^2 + (a*Sqrt[1 - a^2*x^2]*(1 + 2*a^2*x^2)*ArcCos[a*x])/(6*x^3) - ArcCos[a*x]^2/(4*x^4) + (a^4*Log[x])/3

fricas [A] time = 0.42, size = 62, normalized size = 0.71

$$\frac{4a^4x^4 \log(x) - a^2x^2 + 2(2a^3x^3 + ax)\sqrt{-a^2x^2 + 1} \arccos(ax) - 3 \arccos(ax)^2}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^5,x, algorithm="fricas")

[Out] $\frac{1}{12}*(4*a^4*x^4*\log(x) - a^2*x^2 + 2*(2*a^3*x^3 + a*x)*\sqrt{-a^2*x^2 + 1})*\arccos(a*x) - 3*\arccos(a*x)^2/x^4$

giac [B] time = 3.35, size = 185, normalized size = 2.13

$$-\frac{1}{48} \left(\left(\frac{a^4 + \frac{9(\sqrt{-a^2x^2+1}|a|+a)^2}{x^2}}{(\sqrt{-a^2x^2+1}|a|+a)^3|a|} \right) a^6 x^3 - \frac{9(\sqrt{-a^2x^2+1}|a|+a)a^4}{x} + \frac{(\sqrt{-a^2x^2+1}|a|+a)^3}{x^3} \right) \arccos(ax) - \frac{4 \left(2a^4 \log(a^2x^2) - \frac{2}{a} \right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^5,x, algorithm="giac")

[Out] $-1/48*((a^4 + 9*(\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)^2/x^2)*a^6*x^3/((\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)^3*\text{abs}(a)) - (9*(\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)*a^4/x + (\sqrt{-a^2*x^2 + 1})*\text{abs}(a) + a)^3/x^3)/(a^2*\text{abs}(a))*\arccos(a*x) - 4*(2*a^4*\log(a^2*x^2) - (2*(a^2*x^2 - 1)*a^4 + 3*a^4)/(a^2*x^2))/a)*a - 1/4*\arccos(a*x)^2/x^4$

maple [A] time = 0.11, size = 76, normalized size = 0.87

$$-\frac{\arccos(ax)^2}{4x^4} + \frac{a \arccos(ax) \sqrt{-a^2x^2+1}}{6x^3} - \frac{a^2}{12x^2} + \frac{a^3 \arccos(ax) \sqrt{-a^2x^2+1}}{3x} + \frac{a^4 \ln(ax)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^2/x^5,x)

[Out] $-1/4*\arccos(a*x)^2/x^4+1/6*a*\arccos(a*x)*(-a^2*x^2+1)^(1/2)/x^3-1/12*a^2/x^2+1/3*a^3*\arccos(a*x)*(-a^2*x^2+1)^(1/2)/x+1/3*a^4*\ln(a*x)$

maxima [A] time = 0.56, size = 74, normalized size = 0.85

$$\frac{1}{12} \left(4a^2 \log(x) - \frac{1}{x^2} \right) a^2 + \frac{1}{6} \left(\frac{2\sqrt{-a^2x^2+1}a^2}{x} + \frac{\sqrt{-a^2x^2+1}}{x^3} \right) a \arccos(ax) - \frac{\arccos(ax)^2}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^2/x^5,x, algorithm="maxima")

[Out] $1/12*(4*a^2*\log(x) - 1/x^2)*a^2 + 1/6*(2*\sqrt{-a^2*x^2 + 1})*a^2/x + \sqrt{-a^2*x^2 + 1}/x^3)*a*\arccos(ax) - 1/4*\arccos(ax)^2/x^4$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\arccos(ax)^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acos(a*x)^2/x^5, x)`

[Out] `int(acos(a*x)^2/x^5, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos^2(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acos(a*x)**2/x**5, x)`

[Out] `Integral(acos(a*x)**2/x**5, x)`

3.22 $\int x^4 \cos^{-1}(ax)^3 dx$

Optimal. Leaf size=201

$$\frac{16x \cos^{-1}(ax)}{25a^4} - \frac{8x^3 \cos^{-1}(ax)}{75a^2} - \frac{3x^4 \sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{25a} + \frac{6(1-a^2x^2)^{5/2}}{625a^5} - \frac{76(1-a^2x^2)^{3/2}}{1125a^5} + \frac{298\sqrt{1-a^2x^2}}{375a^5} - \frac{8x^5 \cos^{-1}(ax)^3}{125a^3}$$

[Out] $-76/1125*(-a^2*x^2+1)^{(3/2)}/a^5+6/625*(-a^2*x^2+1)^{(5/2)}/a^5-16/25*x*\arccos(a*x)/a^4-8/75*x^3*\arccos(a*x)/a^2-6/125*x^5*\arccos(a*x)+1/5*x^5*\arccos(a*x)^3+298/375*(-a^2*x^2+1)^{(1/2)}/a^5-8/25*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a^5-4/25*x^2*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a^3-3/25*x^4*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a^3$

Rubi [A] time = 0.40, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {4628, 4708, 4678, 4620, 261, 266, 43}

$$\frac{6(1-a^2x^2)^{5/2}}{625a^5} - \frac{76(1-a^2x^2)^{3/2}}{1125a^5} + \frac{298\sqrt{1-a^2x^2}}{375a^5} - \frac{3x^4\sqrt{1-a^2x^2}\cos^{-1}(ax)^2}{25a} - \frac{8x^3\cos^{-1}(ax)}{75a^2} - \frac{4x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)}{25a^3} - \frac{8x^5\cos^{-1}(ax)^3}{125a^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*\text{ArcCos}[a*x]^3, x]$

[Out] $(298*\text{Sqrt}[1-a^2*x^2])/(375*a^5) - (76*(1-a^2*x^2)^{(3/2)})/(1125*a^5) + (6*(1-a^2*x^2)^{(5/2)})/(625*a^5) - (16*x*\text{ArcCos}[a*x])/(25*a^4) - (8*x^3*\text{ArcCos}[a*x])/(75*a^2) - (6*x^5*\text{ArcCos}[a*x])/125 - (8*\text{Sqrt}[1-a^2*x^2]*\text{ArcCos}[a*x]^2)/(25*a^5) - (4*x^2*\text{Sqrt}[1-a^2*x^2]*\text{ArcCos}[a*x]^2)/(25*a^3) - (3*x^4*\text{Sqrt}[1-a^2*x^2]*\text{ArcCos}[a*x]^2)/(25*a) + (x^5*\text{ArcCos}[a*x]^3)/5$

Rule 43

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] || (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) || \text{LtQ}[9*m + 5*(n + 1), 0] || \text{GtQ}[m + n + 2, 0])$

Rule 261

$\text{Int}[(x_.)^{(m_.)*((a_.) + (b_.)*(x_.))^{(n_.))^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(a + b*x^n)^{(p+1)}/(b*n*(p+1)), x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \&\& \text{EqQ}[m, n-1] \&\& \text{NeQ}[p, -1]$

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 4620

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_), x_Symbol] := Simp[x*(a + b*Ar
cCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4628

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4678

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*(x_)*((d_) + (e_)*(x_)^2)^(p_
), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p +
1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 4708

```
Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_)/Sqrt[(d_)
+ (e_)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x^4 \cos^{-1}(ax)^3 dx &= \frac{1}{5}x^5 \cos^{-1}(ax)^3 + \frac{1}{5}(3a) \int \frac{x^5 \cos^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{3x^4\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{25a} + \frac{1}{5}x^5 \cos^{-1}(ax)^3 - \frac{6}{25} \int x^4 \cos^{-1}(ax) dx + \frac{12 \int \frac{x^3 \cos^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx}{25a} \\
&= -\frac{6}{125}x^5 \cos^{-1}(ax) - \frac{4x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{25a^3} - \frac{3x^4\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{25a} + \frac{1}{5}x^5 \cos^{-1}(ax) \\
&= -\frac{8x^3 \cos^{-1}(ax)}{75a^2} - \frac{6}{125}x^5 \cos^{-1}(ax) - \frac{8\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{25a^5} - \frac{4x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{25a^3} \\
&= -\frac{16x \cos^{-1}(ax)}{25a^4} - \frac{8x^3 \cos^{-1}(ax)}{75a^2} - \frac{6}{125}x^5 \cos^{-1}(ax) - \frac{8\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{25a^5} - \frac{4x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{25a^3} \\
&= \frac{86\sqrt{1-a^2x^2}}{125a^5} - \frac{4(1-a^2x^2)^{3/2}}{125a^5} + \frac{6(1-a^2x^2)^{5/2}}{625a^5} - \frac{16x \cos^{-1}(ax)}{25a^4} - \frac{8x^3 \cos^{-1}(ax)}{75a^2} - \frac{6}{125}x^5 \cos^{-1}(ax) \\
&= \frac{298\sqrt{1-a^2x^2}}{375a^5} - \frac{76(1-a^2x^2)^{3/2}}{1125a^5} + \frac{6(1-a^2x^2)^{5/2}}{625a^5} - \frac{16x \cos^{-1}(ax)}{25a^4} - \frac{8x^3 \cos^{-1}(ax)}{75a^2} - \frac{6}{125}x^5 \cos^{-1}(ax)
\end{aligned}$$

Mathematica [A] time = 0.07, size = 122, normalized size = 0.61

$$\frac{1125a^5x^5 \cos^{-1}(ax)^3 + 2\sqrt{1-a^2x^2} (27a^4x^4 + 136a^2x^2 + 2072) - 30ax (9a^4x^4 + 20a^2x^2 + 120) \cos^{-1}(ax) - 225a^5}{5625a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*ArcCos[a*x]^3,x]

[Out] (2*Sqrt[1 - a^2*x^2]*(2072 + 136*a^2*x^2 + 27*a^4*x^4) - 30*a*x*(120 + 20*a^2*x^2 + 9*a^4*x^4)*ArcCos[a*x] - 225*Sqrt[1 - a^2*x^2]*(8 + 4*a^2*x^2 + 3*a^4*x^4)*ArcCos[a*x]^2 + 1125*a^5*x^5*ArcCos[a*x]^3)/(5625*a^5)

fricas [A] time = 0.47, size = 104, normalized size = 0.52

$$\frac{1125 a^5 x^5 \arccos(ax)^3 - 30 (9 a^5 x^5 + 20 a^3 x^3 + 120 ax) \arccos(ax) + (54 a^4 x^4 + 272 a^2 x^2 - 225 (3 a^4 x^4 + 4 a^2 x^2 + 120)) \arccos(ax)^2}{5625 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^3,x, algorithm="fricas")

[Out] $\frac{1}{5625}*(1125*a^5*x^5*\arccos(a*x)^3 - 30*(9*a^5*x^5 + 20*a^3*x^3 + 120*a*x)*\arccos(a*x) + (54*a^4*x^4 + 272*a^2*x^2 - 225*(3*a^4*x^4 + 4*a^2*x^2 + 8)*a*\arccos(a*x)^2 + 4144)*\sqrt{-a^2*x^2 + 1})/a^5$

giac [A] time = 0.21, size = 175, normalized size = 0.87

$$\frac{1}{5}x^5\arccos(ax)^3 - \frac{6}{125}x^5\arccos(ax) - \frac{3\sqrt{-a^2x^2+1}x^4\arccos(ax)^2}{25a} + \frac{6\sqrt{-a^2x^2+1}x^4}{625a} - \frac{8x^3\arccos(ax)}{75a^2} - \frac{4\sqrt{-a^2x^2+1}}{75a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arccos(a*x)^3,x, algorithm="giac")`

[Out] $\frac{1}{5}*x^5*\arccos(a*x)^3 - \frac{6}{125}*x^5*\arccos(a*x) - \frac{3}{25}*\sqrt{-a^2*x^2 + 1}*x^4*\arccos(a*x)^2/a + \frac{6}{625}*\sqrt{-a^2*x^2 + 1}*x^4/a - \frac{8}{75}*x^3*\arccos(a*x)/a^2 - \frac{4}{25}*\sqrt{-a^2*x^2 + 1}*x^2*\arccos(a*x)^2/a^3 + \frac{272}{5625}*\sqrt{-a^2*x^2 + 1}*x^2/a^3 - \frac{16}{25}*x*\arccos(a*x)/a^4 - \frac{8}{25}*\sqrt{-a^2*x^2 + 1}*\arccos(a*x)^2/a^5 + \frac{4144}{5625}*\sqrt{-a^2*x^2 + 1}/a^5$

maple [A] time = 0.05, size = 159, normalized size = 0.79

$$\frac{a^5x^5\arccos(ax)^3}{5} - \frac{\arccos(ax)^2(3a^4x^4+4a^2x^2+8)\sqrt{-a^2x^2+1}}{25} + \frac{16\sqrt{-a^2x^2+1}}{25} - \frac{16ax\arccos(ax)}{25} - \frac{6a^5x^5\arccos(ax)}{125} + \frac{2(3a^4x^4+4a^2x^2+8)\sqrt{-a^2x^2+1}}{625}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*arccos(a*x)^3,x)`

[Out] $\frac{1}{a^5}*(\frac{1}{5}*a^5*x^5*\arccos(a*x)^3 - \frac{1}{25}*\arccos(a*x)^2*(3*a^4*x^4+4*a^2*x^2+8)*(-a^2*x^2+1)^{(1/2)} + \frac{16}{25}*(-a^2*x^2+1)^{(1/2)} - \frac{16}{25}*a*x*\arccos(a*x) - \frac{6}{125}*a^5*x^5*\arccos(a*x) + \frac{2}{625}*(3*a^4*x^4+4*a^2*x^2+8)*(-a^2*x^2+1)^{(1/2)} - \frac{8}{75}*a^3*x^3*\arccos(a*x) + \frac{8}{225}*(a^2*x^2+2)*(-a^2*x^2+1)^{(1/2)})$

maxima [A] time = 0.75, size = 171, normalized size = 0.85

$$\frac{1}{5}x^5\arccos(ax)^3 - \frac{1}{25}\left(\frac{3\sqrt{-a^2x^2+1}x^4}{a^2} + \frac{4\sqrt{-a^2x^2+1}x^2}{a^4} + \frac{8\sqrt{-a^2x^2+1}}{a^6}\right)a\arccos(ax)^2 + \frac{2}{5625}a\left(\frac{27\sqrt{-a^2x^2+1}}{a^2} + \frac{4\sqrt{-a^2x^2+1}x^2}{a^4} + \frac{8\sqrt{-a^2x^2+1}}{a^6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arccos(a*x)^3,x, algorithm="maxima")`

[Out] $\frac{1}{5}*x^5*\arccos(a*x)^3 - \frac{1}{25}*(3*\sqrt{-a^2*x^2 + 1}*x^4/a^2 + 4*\sqrt{-a^2*x^2 + 1}*x^2/a^4 + 8*\sqrt{-a^2*x^2 + 1}/a^6)*a*\arccos(a*x)^2 + \frac{2}{5625}*a*((27*\sqrt{-a^2*x^2 + 1}*a^2*x^4 + 136*\sqrt{-a^2*x^2 + 1}*x^2 + 2072*\sqrt{-a^2*x^2 + 1})/a^2)/a^4 - \frac{15}{5625}*(9*a^4*x^5 + 20*a^2*x^3 + 120*x)*\arccos(a*x)/a^5$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{acos}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*acos(a*x)^3,x)`

[Out] `int(x^4*acos(a*x)^3, x)`

sympy [A] time = 5.37, size = 202, normalized size = 1.00

$$\left\{ \begin{array}{l} \frac{x^5 \operatorname{acos}^3(ax)}{5} - \frac{6x^5 \operatorname{acos}(ax)}{125} - \frac{3x^4 \sqrt{-a^2x^2+1} \operatorname{acos}^2(ax)}{25a} + \frac{6x^4 \sqrt{-a^2x^2+1}}{625a} - \frac{8x^3 \operatorname{acos}(ax)}{75a^2} - \frac{4x^2 \sqrt{-a^2x^2+1} \operatorname{acos}^2(ax)}{25a^3} + \frac{272x^2 \sqrt{-a^2x^2+1}}{5625a^3} \\ \frac{\pi^3 x^5}{40} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*acos(a*x)**3,x)`

[Out] `Piecewise((x**5*acos(a*x)**3/5 - 6*x**5*acos(a*x)/125 - 3*x**4*sqrt(-a**2*x**2 + 1)*acos(a*x)**2/(25*a) + 6*x**4*sqrt(-a**2*x**2 + 1)/(625*a) - 8*x**3*acos(a*x)/(75*a**2) - 4*x**2*sqrt(-a**2*x**2 + 1)*acos(a*x)**2/(25*a**3) + 272*x**2*sqrt(-a**2*x**2 + 1)/(5625*a**3) - 16*x*acos(a*x)/(25*a**4) - 8*sqrt(-a**2*x**2 + 1)*acos(a*x)**2/(25*a**5) + 4144*sqrt(-a**2*x**2 + 1)/(5625*a**5), Ne(a, 0)), (pi**3*x**5/40, True))`

3.23 $\int x^3 \cos^{-1}(ax)^3 dx$

Optimal. Leaf size=167

$$\frac{45 \sin^{-1}(ax)}{256a^4} - \frac{3 \cos^{-1}(ax)^3}{32a^4} - \frac{9x^2 \cos^{-1}(ax)}{32a^2} + \frac{3x^3 \sqrt{1-a^2x^2}}{128a} - \frac{3x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{16a} + \frac{45x \sqrt{1-a^2x^2}}{256a^3} - \frac{9x \sqrt{1-a^2x^2}}{256a^3}$$

[Out] $-9/32*x^2*\arccos(a*x)/a^2-3/32*x^4*\arccos(a*x)-3/32*\arccos(a*x)^3/a^4+1/4*x^4*\arccos(a*x)^3-45/256*\arcsin(a*x)/a^4+45/256*x*(-a^2*x^2+1)^{(1/2)}/a^3+3/128*x^3*(-a^2*x^2+1)^{(1/2)}/a-9/32*x*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a^3-3/16*x^3*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A] time = 0.31, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4628, 4708, 4642, 321, 216}

$$\frac{3x^3 \sqrt{1-a^2x^2}}{128a} + \frac{45x \sqrt{1-a^2x^2}}{256a^3} - \frac{3x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{16a} - \frac{9x^2 \cos^{-1}(ax)}{32a^2} - \frac{9x \sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{32a^3} - \frac{45 \sin^{-1}(ax)}{256a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3*ArcCos[a*x]^3,x]

[Out] $(45*x*\text{Sqrt}[1 - a^2*x^2])/(256*a^3) + (3*x^3*\text{Sqrt}[1 - a^2*x^2])/(128*a) - (9*x^2*\text{ArcCos}[a*x])/(32*a^2) - (3*x^4*\text{ArcCos}[a*x])/32 - (9*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^2)/(32*a^3) - (3*x^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^2)/(16*a) - (3*\text{ArcCos}[a*x]^3)/(32*a^4) + (x^4*\text{ArcCos}[a*x]^3)/4 - (45*\text{ArcSin}[a*x])/(256*a^4)$

Rule 216

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 321

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n-1)*(c*x)^(m-n+1)*(a+b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[(a*c^n*(m-n+1))/(b*(m+n*p+1)), Int[(c*x)^(m-n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4628

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((d_)*(x_))^(m_), x_Symbol] := Simp[((d*x)^(m+1)*(a+b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c^n

)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4642

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4708

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int x^3 \cos^{-1}(ax)^3 dx &= \frac{1}{4}x^4 \cos^{-1}(ax)^3 + \frac{1}{4}(3a) \int \frac{x^4 \cos^{-1}(ax)^2}{\sqrt{1 - a^2x^2}} dx \\
 &= -\frac{3x^3 \sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{16a} + \frac{1}{4}x^4 \cos^{-1}(ax)^3 - \frac{3}{8} \int x^3 \cos^{-1}(ax) dx + \frac{9 \int \frac{x^2 \cos^{-1}(ax)^2}{\sqrt{1 - a^2x^2}} dx}{16a} \\
 &= -\frac{3}{32}x^4 \cos^{-1}(ax) - \frac{9x \sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{32a^3} - \frac{3x^3 \sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{16a} + \frac{1}{4}x^4 \cos^{-1}(ax) \\
 &= \frac{3x^3 \sqrt{1 - a^2x^2}}{128a} - \frac{9x^2 \cos^{-1}(ax)}{32a^2} - \frac{3}{32}x^4 \cos^{-1}(ax) - \frac{9x \sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{32a^3} - \frac{3x^3 \sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{16a} \\
 &= \frac{45x \sqrt{1 - a^2x^2}}{256a^3} + \frac{3x^3 \sqrt{1 - a^2x^2}}{128a} - \frac{9x^2 \cos^{-1}(ax)}{32a^2} - \frac{3}{32}x^4 \cos^{-1}(ax) - \frac{9x \sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{32a^3} \\
 &= \frac{45x \sqrt{1 - a^2x^2}}{256a^3} + \frac{3x^3 \sqrt{1 - a^2x^2}}{128a} - \frac{9x^2 \cos^{-1}(ax)}{32a^2} - \frac{3}{32}x^4 \cos^{-1}(ax) - \frac{9x \sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{32a^3}
 \end{aligned}$$

Mathematica [A] time = 0.07, size = 115, normalized size = 0.69

$$\frac{8(8a^4x^4 - 3) \cos^{-1}(ax)^3 + 3ax \sqrt{1 - a^2x^2} (2a^2x^2 + 15) - 24ax \sqrt{1 - a^2x^2} (2a^2x^2 + 3) \cos^{-1}(ax)^2 - 24a^2x^2 (a^2x^2 + 3) \cos^{-1}(ax)}{256a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcCos[a*x]^3,x]

[Out] (3*a*x*Sqrt[1 - a^2*x^2]*(15 + 2*a^2*x^2) - 24*a^2*x^2*(3 + a^2*x^2)*ArcCos[a*x] - 24*a*x*Sqrt[1 - a^2*x^2]*(3 + 2*a^2*x^2)*ArcCos[a*x]^2 + 8*(-3 + 8*a^4*x^4)*ArcCos[a*x]^3 - 45*ArcSin[a*x])/(256*a^4)

fricas [A] time = 0.46, size = 96, normalized size = 0.57

$$\frac{8(8a^4x^4 - 3)\arccos(ax)^3 - 3(8a^4x^4 + 24a^2x^2 - 15)\arccos(ax) + 3(2a^3x^3 - 8(2a^3x^3 + 3ax)\arccos(ax)^2 + 15a^2x^2\arccos(ax) - 45\arcsin(ax))}{256a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^3,x, algorithm="fricas")

[Out] 1/256*(8*(8*a^4*x^4 - 3)*arccos(a*x)^3 - 3*(8*a^4*x^4 + 24*a^2*x^2 - 15)*arccos(a*x) + 3*(2*a^3*x^3 - 8*(2*a^3*x^3 + 3*a*x)*arccos(a*x)^2 + 15*a*x)*sqrt(-a^2*x^2 + 1))/a^4

giac [A] time = 0.21, size = 141, normalized size = 0.84

$$\frac{1}{4}x^4\arccos(ax)^3 - \frac{3}{32}x^4\arccos(ax) - \frac{3\sqrt{-a^2x^2+1}x^3\arccos(ax)^2}{16a} + \frac{3\sqrt{-a^2x^2+1}x^3}{128a} - \frac{9x^2\arccos(ax)}{32a^2} - \frac{9\sqrt{-a^2x^2+1}}{256a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^3,x, algorithm="giac")

[Out] 1/4*x^4*arccos(a*x)^3 - 3/32*x^4*arccos(a*x) - 3/16*sqrt(-a^2*x^2 + 1)*x^3*arccos(a*x)^2/a + 3/128*sqrt(-a^2*x^2 + 1)*x^3/a - 9/32*x^2*arccos(a*x)/a^2 - 9/32*sqrt(-a^2*x^2 + 1)*x*arccos(a*x)^2/a^3 - 3/32*arccos(a*x)^3/a^4 + 45/256*sqrt(-a^2*x^2 + 1)*x/a^3 + 45/256*arccos(a*x)/a^4

maple [A] time = 0.08, size = 151, normalized size = 0.90

$$\frac{\frac{a^4x^4\arccos(ax)^3}{4} - \frac{3\arccos(ax)^2(2a^3x^3\sqrt{-a^2x^2+1}+3ax\sqrt{-a^2x^2+1}+3\arccos(ax))}{32}}{a^4} - \frac{3a^4x^4\arccos(ax)}{32} + \frac{3ax(2a^2x^2+3)\sqrt{-a^2x^2+1}}{256} + \frac{45\arccos(ax)}{256}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*arccos(a*x)^3,x)

[Out] 1/a^4*(1/4*a^4*x^4*arccos(a*x)^3-3/32*arccos(a*x)^2*(2*a^3*x^3*(-a^2*x^2+1)^(1/2)+3*a*x*(-a^2*x^2+1)^(1/2)+3*arccos(a*x))-3/32*a^4*x^4*arccos(a*x)+3/2

$56*a*x*(2*a^2*x^2+3)*(-a^2*x^2+1)^{(1/2)}+45/256*\arccos(a*x)-9/32*a^2*x^2*\arccos(a*x)+9/64*a*x*(-a^2*x^2+1)^{(1/2)}+3/16*\arccos(a*x)^3$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4}x^4 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3 - 3a \int \frac{\sqrt{ax+1}\sqrt{-ax+1}x^4 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^2}{4(a^2x^2-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^3,x, algorithm="maxima")

[Out] $1/4*x^4*\arctan2(\sqrt{a*x+1}*\sqrt{-a*x+1}, a*x)^3 - 3*a*\int(1/4*\sqrt{a*x+1}*\sqrt{-a*x+1}*x^4*\arctan2(\sqrt{a*x+1}*\sqrt{-a*x+1}, a*x)^2/(a^2*x^2-1), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \arccos(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*acos(a*x)^3,x)

[Out] int(x^3*acos(a*x)^3, x)

sympy [A] time = 3.13, size = 167, normalized size = 1.00

$$\left\{ \begin{array}{l} \frac{x^4 \arccos^3(ax)}{4} - \frac{3x^4 \arccos(ax)}{32} - \frac{3x^3 \sqrt{-a^2x^2+1} \arccos^2(ax)}{16a} + \frac{3x^3 \sqrt{-a^2x^2+1}}{128a} - \frac{9x^2 \arccos(ax)}{32a^2} - \frac{9x \sqrt{-a^2x^2+1} \arccos^2(ax)}{32a^3} + \frac{45x \sqrt{-a^2x^2+1}}{256a^3} \\ \frac{\pi^3 x^4}{32} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*acos(a*x)**3,x)

[Out] Piecewise((x**4*acos(a*x)**3/4 - 3*x**4*acos(a*x)/32 - 3*x**3*sqrt(-a**2*x**2 + 1)*acos(a*x)**2/(16*a) + 3*x**3*sqrt(-a**2*x**2 + 1)/(128*a) - 9*x**2*acos(a*x)/(32*a**2) - 9*x*sqrt(-a**2*x**2 + 1)*acos(a*x)**2/(32*a**3) + 45*x*sqrt(-a**2*x**2 + 1)/(256*a**3) - 3*acos(a*x)**3/(32*a**4) + 45*acos(a*x)/(256*a**4), Ne(a, 0)), (pi**3*x**4/32, True))

3.24 $\int x^2 \cos^{-1}(ax)^3 dx$

Optimal. Leaf size=136

$$\frac{x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)^2}{3a} - \frac{4x\cos^{-1}(ax)}{3a^2} - \frac{2(1-a^2x^2)^{3/2}}{27a^3} + \frac{14\sqrt{1-a^2x^2}}{9a^3} - \frac{2\sqrt{1-a^2x^2}\cos^{-1}(ax)^2}{3a^3} + \frac{1}{3}x^3\cos^{-1}(ax)$$

[Out] $-2/27*(-a^2*x^2+1)^{(3/2)}/a^3-4/3*x*\arccos(a*x)/a^2-2/9*x^3*\arccos(a*x)+1/3*x^3*\arccos(a*x)^3+14/9*(-a^2*x^2+1)^{(1/2)}/a^3-2/3*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a^3-1/3*x^2*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A] time = 0.24, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {4628, 4708, 4678, 4620, 261, 266, 43}

$$-\frac{2(1-a^2x^2)^{3/2}}{27a^3} + \frac{14\sqrt{1-a^2x^2}}{9a^3} - \frac{x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)^2}{3a} - \frac{2\sqrt{1-a^2x^2}\cos^{-1}(ax)^2}{3a^3} - \frac{4x\cos^{-1}(ax)}{3a^2} + \frac{1}{3}x^3\cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCos[a*x]^3,x]

[Out] $(14*\text{Sqrt}[1 - a^2*x^2])/(9*a^3) - (2*(1 - a^2*x^2)^{(3/2)})/(27*a^3) - (4*x*\text{ArcCos}[a*x])/(3*a^2) - (2*x^3*\text{ArcCos}[a*x])/9 - (2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^2)/(3*a^3) - (x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^2)/(3*a) + (x^3*\text{ArcCos}[a*x]^3)/3$

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 4620

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4678

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4708

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x^2 \cos^{-1}(ax)^3 dx &= \frac{1}{3}x^3 \cos^{-1}(ax)^3 + a \int \frac{x^3 \cos^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{3a} + \frac{1}{3}x^3 \cos^{-1}(ax)^3 - \frac{2}{3} \int x^2 \cos^{-1}(ax) dx + \frac{2 \int \frac{x \cos^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx}{3a} \\
&= -\frac{2}{9}x^3 \cos^{-1}(ax) - \frac{2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{3a^3} - \frac{x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{3a} + \frac{1}{3}x^3 \cos^{-1}(ax)^3 - \frac{4}{3} \int x \cos^{-1}(ax) dx \\
&= -\frac{4x \cos^{-1}(ax)}{3a^2} - \frac{2}{9}x^3 \cos^{-1}(ax) - \frac{2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{3a^3} - \frac{x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{3a} + \frac{1}{3}x^3 \cos^{-1}(ax)^3 - \frac{4}{3} \int x \cos^{-1}(ax) dx \\
&= \frac{4\sqrt{1-a^2x^2}}{3a^3} - \frac{4x \cos^{-1}(ax)}{3a^2} - \frac{2}{9}x^3 \cos^{-1}(ax) - \frac{2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{3a^3} - \frac{x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{3a} \\
&= \frac{14\sqrt{1-a^2x^2}}{9a^3} - \frac{2(1-a^2x^2)^{3/2}}{27a^3} - \frac{4x \cos^{-1}(ax)}{3a^2} - \frac{2}{9}x^3 \cos^{-1}(ax) - \frac{2\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{3a^3}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 95, normalized size = 0.70

$$\frac{9a^3x^3 \cos^{-1}(ax)^3 + 2\sqrt{1-a^2x^2} (a^2x^2 + 20) - 9\sqrt{1-a^2x^2} (a^2x^2 + 2) \cos^{-1}(ax)^2 - 6ax (a^2x^2 + 6) \cos^{-1}(ax)}{27a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCos[a*x]^3,x]

[Out] (2*Sqrt[1 - a^2*x^2]*(20 + a^2*x^2) - 6*a*x*(6 + a^2*x^2)*ArcCos[a*x] - 9*Sqrt[1 - a^2*x^2]*(2 + a^2*x^2)*ArcCos[a*x]^2 + 9*a^3*x^3*ArcCos[a*x]^3)/(27*a^3)

fricas [A] time = 0.46, size = 78, normalized size = 0.57

$$\frac{9a^3x^3 \arccos(ax)^3 - 6(a^3x^3 + 6ax) \arccos(ax) + (2a^2x^2 - 9(a^2x^2 + 2) \arccos(ax)^2 + 40)\sqrt{-a^2x^2 + 1}}{27a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^3,x, algorithm="fricas")

[Out] 1/27*(9*a^3*x^3*arccos(a*x)^3 - 6*(a^3*x^3 + 6*a*x)*arccos(a*x) + (2*a^2*x^2 - 9*(a^2*x^2 + 2)*arccos(a*x)^2 + 40)*sqrt(-a^2*x^2 + 1))/a^3

giac [A] time = 0.19, size = 117, normalized size = 0.86

$$\frac{1}{3} x^3 \arccos(ax)^3 - \frac{2}{9} x^3 \arccos(ax) - \frac{\sqrt{-a^2x^2+1} x^2 \arccos(ax)^2}{3a} + \frac{2\sqrt{-a^2x^2+1} x^2}{27a} - \frac{4x \arccos(ax)}{3a^2} - \frac{2\sqrt{-a^2x^2+1}}{3a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^3,x, algorithm="giac")

[Out] 1/3*x^3*arccos(a*x)^3 - 2/9*x^3*arccos(a*x) - 1/3*sqrt(-a^2*x^2 + 1)*x^2*arccos(a*x)^2/a + 2/27*sqrt(-a^2*x^2 + 1)*x^2/a - 4/3*x*arccos(a*x)/a^2 - 2/3*sqrt(-a^2*x^2 + 1)*arccos(a*x)^2/a^3 + 40/27*sqrt(-a^2*x^2 + 1)/a^3

maple [A] time = 0.04, size = 106, normalized size = 0.78

$$\frac{\frac{a^3 x^3 \arccos(ax)^3}{3} - \frac{\arccos(ax)^2 (a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{3} + \frac{4 \sqrt{-a^2 x^2 + 1}}{3} - \frac{4 a x \arccos(ax)}{3} - \frac{2 a^3 x^3 \arccos(ax)}{9} + \frac{2 (a^2 x^2 + 2) \sqrt{-a^2 x^2 + 1}}{27}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccos(a*x)^3,x)

[Out] 1/a^3*(1/3*a^3*x^3*arccos(a*x)^3-1/3*arccos(a*x)^2*(a^2*x^2+2)*(-a^2*x^2+1)^(1/2)+4/3*(-a^2*x^2+1)^(1/2)-4/3*a*x*arccos(a*x)-2/9*a^3*x^3*arccos(a*x)+2/27*(a^2*x^2+2)*(-a^2*x^2+1)^(1/2))

maxima [A] time = 1.58, size = 120, normalized size = 0.88

$$\frac{1}{3} x^3 \arccos(ax)^3 - \frac{1}{3} a \left(\frac{\sqrt{-a^2x^2+1} x^2}{a^2} + \frac{2\sqrt{-a^2x^2+1}}{a^4} \right) \arccos(ax)^2 + \frac{2}{27} a \left(\frac{\sqrt{-a^2x^2+1} x^2 + \frac{20\sqrt{-a^2x^2+1}}{a^2}}{a^2} - 3 \left(\frac{\sqrt{-a^2x^2+1}}{a^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^3,x, algorithm="maxima")

[Out] 1/3*x^3*arccos(a*x)^3 - 1/3*a*(sqrt(-a^2*x^2 + 1)*x^2/a^2 + 2*sqrt(-a^2*x^2 + 1)/a^4)*arccos(a*x)^2 + 2/27*a*((sqrt(-a^2*x^2 + 1)*x^2 + 20*sqrt(-a^2*x^2 + 1)/a^2)/a^2 - 3*(a^2*x^3 + 6*x)*arccos(a*x)/a^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \arccos(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*acos(a*x)^3,x)
```

```
[Out] int(x^2*acos(a*x)^3, x)
```

sympy [A] time = 1.79, size = 134, normalized size = 0.99

$$\left\{ \begin{array}{l} \frac{x^3 \operatorname{acos}^3(ax)}{3} - \frac{2x^3 \operatorname{acos}(ax)}{9} - \frac{x^2 \sqrt{-a^2x^2+1} \operatorname{acos}^2(ax)}{3a} + \frac{2x^2 \sqrt{-a^2x^2+1}}{27a} - \frac{4x \operatorname{acos}(ax)}{3a^2} - \frac{2\sqrt{-a^2x^2+1} \operatorname{acos}^2(ax)}{3a^3} + \frac{40\sqrt{-a^2x^2+1}}{27a^3} \\ \frac{\pi^3 x^3}{24} \end{array} \right.$$

for a

othe

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*acos(a*x)**3,x)
```

```
[Out] Piecewise((x**3*acos(a*x)**3/3 - 2*x**3*acos(a*x)/9 - x**2*sqrt(-a**2*x**2 + 1)*acos(a*x)**2/(3*a) + 2*x**2*sqrt(-a**2*x**2 + 1)/(27*a) - 4*x*acos(a*x)/(3*a**2) - 2*sqrt(-a**2*x**2 + 1)*acos(a*x)**2/(3*a**3) + 40*sqrt(-a**2*x**2 + 1)/(27*a**3), Ne(a, 0)), (pi**3*x**3/24, True))
```


3.25 $\int x \cos^{-1}(ax)^3 dx$

Optimal. Leaf size=99

$$\frac{3x\sqrt{1-a^2x^2}}{8a} - \frac{3x\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{4a} - \frac{3 \sin^{-1}(ax)}{8a^2} - \frac{\cos^{-1}(ax)^3}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^3 - \frac{3}{4}x^2 \cos^{-1}(ax)$$

[Out] $-3/4*x^2*\arccos(a*x)-1/4*\arccos(a*x)^3/a^2+1/2*x^2*\arccos(a*x)^3-3/8*\arcsin(a*x)/a^2+3/8*x*(-a^2*x^2+1)^{(1/2)}/a-3/4*x*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A] time = 0.16, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4628, 4708, 4642, 321, 216}

$$\frac{3x\sqrt{1-a^2x^2}}{8a} - \frac{3x\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{4a} - \frac{3 \sin^{-1}(ax)}{8a^2} - \frac{\cos^{-1}(ax)^3}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^3 - \frac{3}{4}x^2 \cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x*ArcCos[a*x]^3,x]

[Out] $(3*x*\text{Sqrt}[1 - a^2*x^2])/(8*a) - (3*x^2*\text{ArcCos}[a*x])/4 - (3*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^2)/(4*a) - \text{ArcCos}[a*x]^3/(4*a^2) + (x^2*\text{ArcCos}[a*x]^3)/2 - (3*\text{ArcSin}[a*x])/(8*a^2)$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4642

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] :> -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4708

Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^m)/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int x \cos^{-1}(ax)^3 dx &= \frac{1}{2}x^2 \cos^{-1}(ax)^3 + \frac{1}{2}(3a) \int \frac{x^2 \cos^{-1}(ax)^2}{\sqrt{1 - a^2x^2}} dx \\
 &= -\frac{3x\sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{4a} + \frac{1}{2}x^2 \cos^{-1}(ax)^3 - \frac{3}{2} \int x \cos^{-1}(ax) dx + \frac{3 \int \frac{\cos^{-1}(ax)^2}{\sqrt{1 - a^2x^2}} dx}{4a} \\
 &= -\frac{3}{4}x^2 \cos^{-1}(ax) - \frac{3x\sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{4a} - \frac{\cos^{-1}(ax)^3}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^3 - \frac{1}{4}(3a) \int \frac{x}{\sqrt{1 - a^2x^2}} dx \\
 &= \frac{3x\sqrt{1 - a^2x^2}}{8a} - \frac{3}{4}x^2 \cos^{-1}(ax) - \frac{3x\sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{4a} - \frac{\cos^{-1}(ax)^3}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^3 - \frac{3}{4} \sin^{-1}(ax) \\
 &= \frac{3x\sqrt{1 - a^2x^2}}{8a} - \frac{3}{4}x^2 \cos^{-1}(ax) - \frac{3x\sqrt{1 - a^2x^2} \cos^{-1}(ax)^2}{4a} - \frac{\cos^{-1}(ax)^3}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^3 - \frac{3}{4} \sin^{-1}(ax)
 \end{aligned}$$

Mathematica [A] time = 0.04, size = 85, normalized size = 0.86

$$\frac{3ax\sqrt{1 - a^2x^2} + (4a^2x^2 - 2) \cos^{-1}(ax)^3 - 6ax\sqrt{1 - a^2x^2} \cos^{-1}(ax)^2 - 6a^2x^2 \cos^{-1}(ax) - 3 \sin^{-1}(ax)}{8a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCos[a*x]^3, x]

[Out] (3*a*x*Sqrt[1 - a^2*x^2] - 6*a^2*x^2*ArcCos[a*x] - 6*a*x*Sqrt[1 - a^2*x^2]*ArcCos[a*x]^2 + (-2 + 4*a^2*x^2)*ArcCos[a*x]^3 - 3*ArcSin[a*x])/(8*a^2)

fricas [A] time = 0.43, size = 69, normalized size = 0.70

$$\frac{2(2a^2x^2 - 1)\arccos(ax)^3 - 3(2a^2x^2 - 1)\arccos(ax) - 3\sqrt{-a^2x^2 + 1}(2ax\arccos(ax)^2 - ax)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^3,x, algorithm="fricas")

[Out] 1/8*(2*(2*a^2*x^2 - 1)*arccos(a*x)^3 - 3*(2*a^2*x^2 - 1)*arccos(a*x) - 3*sqrt(-a^2*x^2 + 1)*(2*a*x*arccos(a*x)^2 - a*x))/a^2

giac [A] time = 0.21, size = 83, normalized size = 0.84

$$\frac{1}{2}x^2\arccos(ax)^3 - \frac{3}{4}x^2\arccos(ax) - \frac{3\sqrt{-a^2x^2+1}x\arccos(ax)^2}{4a} - \frac{\arccos(ax)^3}{4a^2} + \frac{3\sqrt{-a^2x^2+1}x}{8a} + \frac{3\arccos(ax)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^3,x, algorithm="giac")

[Out] 1/2*x^2*arccos(a*x)^3 - 3/4*x^2*arccos(a*x) - 3/4*sqrt(-a^2*x^2 + 1)*x*arccos(a*x)^2/a - 1/4*arccos(a*x)^3/a^2 + 3/8*sqrt(-a^2*x^2 + 1)*x/a + 3/8*arccos(a*x)/a^2

maple [A] time = 0.07, size = 90, normalized size = 0.91

$$\frac{\frac{a^2x^2\arccos(ax)^3}{2} - \frac{3\arccos(ax)^2(ax\sqrt{-a^2x^2+1} + \arccos(ax))}{4} - \frac{3a^2x^2\arccos(ax)}{4} + \frac{3ax\sqrt{-a^2x^2+1}}{8} + \frac{3\arccos(ax)}{8} + \frac{\arccos(ax)^3}{2}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccos(a*x)^3,x)

[Out] 1/a^2*(1/2*a^2*x^2*arccos(a*x)^3 - 3/4*arccos(a*x)^2*(a*x*(-a^2*x^2+1)^(1/2) + arccos(a*x)) - 3/4*a^2*x^2*arccos(a*x) + 3/8*a*x*(-a^2*x^2+1)^(1/2) + 3/8*arccos(a*x) + 1/2*arccos(a*x)^3)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2}x^2\arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3 - 3a\int\frac{\sqrt{ax+1}\sqrt{-ax+1}x^2\arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^2}{2(a^2x^2-1)}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^3,x, algorithm="maxima")

[Out] $\frac{1}{2}x^2 \arctan 2(\sqrt{ax+1} \sqrt{-ax+1}), ax)^3 - 3a \int \frac{1}{2} \sqrt{ax+1} \sqrt{-ax+1} x^2 \arctan 2(\sqrt{ax+1} \sqrt{-ax+1}), ax)^2 / (a^2 x^2 - 1), x$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \arccos(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*acos(a*x)^3,x)

[Out] int(x*acos(a*x)^3, x)

sympy [A] time = 0.87, size = 99, normalized size = 1.00

$$\begin{cases} \frac{x^2 \arccos^3(ax)}{2} - \frac{3x^2 \arccos(ax)}{4} - \frac{3x \sqrt{-a^2 x^2 + 1} \arccos^2(ax)}{4a} + \frac{3x \sqrt{-a^2 x^2 + 1}}{8a} - \frac{\arccos^3(ax)}{4a^2} + \frac{3 \arccos(ax)}{8a^2} & \text{for } a \neq 0 \\ \frac{\pi^3 x^2}{16} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acos(a*x)**3,x)

[Out] Piecewise((x**2*acos(a*x)**3/2 - 3*x**2*acos(a*x)/4 - 3*x*sqrt(-a**2*x**2 + 1)*acos(a*x)**2/(4*a) + 3*x*sqrt(-a**2*x**2 + 1)/(8*a) - acos(a*x)**3/(4*a**2) + 3*acos(a*x)/(8*a**2), Ne(a, 0)), (pi**3*x**2/16, True))

3.26 $\int \cos^{-1}(ax)^3 dx$

Optimal. Leaf size=60

$$\frac{6\sqrt{1-a^2x^2}}{a} - \frac{3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{a} + x \cos^{-1}(ax)^3 - 6x \cos^{-1}(ax)$$

[Out] $-6*x*\arccos(a*x)+x*\arccos(a*x)^3+6*(-a^2*x^2+1)^{(1/2)}/a-3*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A] time = 0.08, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4620, 4678, 261}

$$\frac{6\sqrt{1-a^2x^2}}{a} - \frac{3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{a} + x \cos^{-1}(ax)^3 - 6x \cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^3,x]

[Out] $(6*\text{Sqrt}[1 - a^2*x^2])/a - 6*x*\text{ArcCos}[a*x] - (3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^2)/a + x*\text{ArcCos}[a*x]^3$

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] :> Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x]))^(n - 1)]/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \cos^{-1}(ax)^3 dx &= x \cos^{-1}(ax)^3 + (3a) \int \frac{x \cos^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{a} + x \cos^{-1}(ax)^3 - 6 \int \cos^{-1}(ax) dx \\
&= -6x \cos^{-1}(ax) - \frac{3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{a} + x \cos^{-1}(ax)^3 - (6a) \int \frac{x}{\sqrt{1-a^2x^2}} dx \\
&= \frac{6\sqrt{1-a^2x^2}}{a} - 6x \cos^{-1}(ax) - \frac{3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{a} + x \cos^{-1}(ax)^3
\end{aligned}$$

Mathematica [A] time = 0.02, size = 60, normalized size = 1.00

$$\frac{6\sqrt{1-a^2x^2}}{a} - \frac{3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{a} + x \cos^{-1}(ax)^3 - 6x \cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^3,x]

[Out] (6*Sqrt[1 - a^2*x^2])/a - 6*x*ArcCos[a*x] - (3*Sqrt[1 - a^2*x^2]*ArcCos[a*x]^2)/a + x*ArcCos[a*x]^3

fricas [A] time = 0.60, size = 44, normalized size = 0.73

$$\frac{ax \arccos(ax)^3 - 6ax \arccos(ax) - 3\sqrt{-a^2x^2 + 1}(\arccos(ax)^2 - 2)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3,x, algorithm="fricas")

[Out] (a*x*arccos(a*x)^3 - 6*a*x*arccos(a*x) - 3*sqrt(-a^2*x^2 + 1)*(arccos(a*x)^2 - 2))/a

giac [A] time = 0.18, size = 56, normalized size = 0.93

$$x \arccos(ax)^3 - 6x \arccos(ax) - \frac{3\sqrt{-a^2x^2 + 1} \arccos(ax)^2}{a} + \frac{6\sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3,x, algorithm="giac")

[Out] $x*\arccos(a*x)^3 - 6*x*\arccos(a*x) - 3*\sqrt{-a^2*x^2 + 1}*\arccos(a*x)^2/a + 6*\sqrt{-a^2*x^2 + 1}/a$

maple [A] time = 0.07, size = 57, normalized size = 0.95

$$\frac{ax \arccos(ax)^3 - 3 \arccos(ax)^2 \sqrt{-a^2x^2 + 1} + 6\sqrt{-a^2x^2 + 1} - 6ax \arccos(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^3,x)

[Out] $1/a*(a*x*\arccos(a*x)^3 - 3*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)} + 6*(-a^2*x^2+1)^{(1/2)} - 6*a*x*\arccos(a*x))$

maxima [A] time = 0.56, size = 59, normalized size = 0.98

$$x \arccos(ax)^3 - \frac{3 \sqrt{-a^2x^2 + 1} \arccos(ax)^2}{a} - \frac{6 \left(ax \arccos(ax) - \sqrt{-a^2x^2 + 1} \right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3,x, algorithm="maxima")

[Out] $x*\arccos(a*x)^3 - 3*\sqrt{-a^2*x^2 + 1}*\arccos(a*x)^2/a - 6*(a*x*\arccos(a*x) - \sqrt{-a^2*x^2 + 1})/a$

mupad [B] time = 0.31, size = 59, normalized size = 0.98

$$\begin{cases} \frac{x\pi^3}{8} & \text{if } a = 0 \\ -x \left(6 \arccos(ax) - \arccos(ax)^3 \right) - \frac{\sqrt{1-a^2x^2} (3 \arccos(ax)^2 - 6)}{a} & \text{if } a \neq 0 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^3,x)

[Out] $\text{piecewise}(a == 0, (x*\pi^3)/8, a \neq 0, -x*(6*\arccos(a*x) - \arccos(a*x)^3) - ((-a^2*x^2 + 1)^{(1/2)}*(3*\arccos(a*x)^2 - 6))/a)$

sympy [A] time = 0.42, size = 60, normalized size = 1.00

$$\begin{cases} x \arccos^3(ax) - 6x \arccos(ax) - \frac{3\sqrt{-a^2x^2+1} \arccos^2(ax)}{a} + \frac{6\sqrt{-a^2x^2+1}}{a} & \text{for } a \neq 0 \\ \frac{\pi^3x}{8} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**3,x)
```

```
[Out] Piecewise((x*acos(a*x)**3 - 6*x*acos(a*x) - 3*sqrt(-a**2*x**2 + 1)*acos(a*x)  
)**2/a + 6*sqrt(-a**2*x**2 + 1)/a, Ne(a, 0)), (pi**3*x/8, True))
```


$$3.27 \quad \int \frac{\cos^{-1}(ax)^3}{x} dx$$

Optimal. Leaf size=101

$$-\frac{3}{2}i \cos^{-1}(ax)^2 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + \frac{3}{2} \cos^{-1}(ax) \text{Li}_3(-e^{2i \cos^{-1}(ax)}) + \frac{3}{4}i \text{Li}_4(-e^{2i \cos^{-1}(ax)}) - \frac{1}{4}i \cos^{-1}(ax)^4 + \cos^{-1}(ax)$$

[Out] $-1/4*I*\arccos(a*x)^4 + \arccos(a*x)^3*\ln(1+(a*x+I*(-a^2*x^2+1)^{(1/2)})^2) - 3/2*I*\arccos(a*x)^2*\text{polylog}(2, -(a*x+I*(-a^2*x^2+1)^{(1/2)})^2) + 3/2*\arccos(a*x)*\text{polylog}(3, -(a*x+I*(-a^2*x^2+1)^{(1/2)})^2) + 3/4*I*\text{polylog}(4, -(a*x+I*(-a^2*x^2+1)^{(1/2)})^2)$

Rubi [A] time = 0.11, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {4626, 3719, 2190, 2531, 6609, 2282, 6589}

$$-\frac{3}{2}i \cos^{-1}(ax)^2 \text{PolyLog}(2, -e^{2i \cos^{-1}(ax)}) + \frac{3}{2} \cos^{-1}(ax) \text{PolyLog}(3, -e^{2i \cos^{-1}(ax)}) + \frac{3}{4}i \text{PolyLog}(4, -e^{2i \cos^{-1}(ax)}) - \frac{1}{4}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^3/x, x]

[Out] $(-I/4)*\text{ArcCos}[a*x]^4 + \text{ArcCos}[a*x]^3*\text{Log}[1 + E^{((2*I)*\text{ArcCos}[a*x])}] - ((3*I)/2)*\text{ArcCos}[a*x]^2*\text{PolyLog}[2, -E^{((2*I)*\text{ArcCos}[a*x])}] + (3*\text{ArcCos}[a*x]*\text{PolyLog}[3, -E^{((2*I)*\text{ArcCos}[a*x])}])/2 + ((3*I)/4)*\text{PolyLog}[4, -E^{((2*I)*\text{ArcCos}[a*x])}]$

Rule 2190

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_)^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4626

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0
]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_)^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*(a_.) + (b_.)
*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)^3}{x} dx &= -\text{Subst}\left(\int x^3 \tan(x) dx, x, \cos^{-1}(ax)\right) \\
&= -\frac{1}{4}i \cos^{-1}(ax)^4 + 2i \text{Subst}\left(\int \frac{e^{2ix} x^3}{1 + e^{2ix}} dx, x, \cos^{-1}(ax)\right) \\
&= -\frac{1}{4}i \cos^{-1}(ax)^4 + \cos^{-1}(ax)^3 \log(1 + e^{2i \cos^{-1}(ax)}) - 3 \text{Subst}\left(\int x^2 \log(1 + e^{2ix}) dx, x, \cos^{-1}(ax)\right) \\
&= -\frac{1}{4}i \cos^{-1}(ax)^4 + \cos^{-1}(ax)^3 \log(1 + e^{2i \cos^{-1}(ax)}) - \frac{3}{2}i \cos^{-1}(ax)^2 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + 3i \text{Subst}\left(\int x \log(1 + e^{2ix}) dx, x, \cos^{-1}(ax)\right) \\
&= -\frac{1}{4}i \cos^{-1}(ax)^4 + \cos^{-1}(ax)^3 \log(1 + e^{2i \cos^{-1}(ax)}) - \frac{3}{2}i \cos^{-1}(ax)^2 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + \frac{3}{2} \cos^{-1}(ax) \log(1 + e^{2i \cos^{-1}(ax)}) \\
&= -\frac{1}{4}i \cos^{-1}(ax)^4 + \cos^{-1}(ax)^3 \log(1 + e^{2i \cos^{-1}(ax)}) - \frac{3}{2}i \cos^{-1}(ax)^2 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + \frac{3}{2} \cos^{-1}(ax) \log(1 + e^{2i \cos^{-1}(ax)}) \\
&= -\frac{1}{4}i \cos^{-1}(ax)^4 + \cos^{-1}(ax)^3 \log(1 + e^{2i \cos^{-1}(ax)}) - \frac{3}{2}i \cos^{-1}(ax)^2 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + \frac{3}{2} \cos^{-1}(ax) \log(1 + e^{2i \cos^{-1}(ax)})
\end{aligned}$$

Mathematica [A] time = 0.02, size = 101, normalized size = 1.00

$$-\frac{3}{2}i \cos^{-1}(ax)^2 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + \frac{3}{2} \cos^{-1}(ax) \text{Li}_3(-e^{2i \cos^{-1}(ax)}) + \frac{3}{4}i \text{Li}_4(-e^{2i \cos^{-1}(ax)}) - \frac{1}{4}i \cos^{-1}(ax)^4 + \cos^{-1}(ax) \log(1 + e^{2i \cos^{-1}(ax)})$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^3/x, x]

[Out] $(-1/4*I)*\text{ArcCos}[a*x]^4 + \text{ArcCos}[a*x]^3*\text{Log}[1 + E^{((2*I)*\text{ArcCos}[a*x])}] - ((3*I)/2)*\text{ArcCos}[a*x]^2*\text{PolyLog}[2, -E^{((2*I)*\text{ArcCos}[a*x])}] + (3*\text{ArcCos}[a*x]*\text{PolyLog}[3, -E^{((2*I)*\text{ArcCos}[a*x])}])/2 + ((3*I)/4)*\text{PolyLog}[4, -E^{((2*I)*\text{ArcCos}[a*x])}]$

fricas [F] time = 1.83, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\arccos(ax)^3}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x, x, algorithm="fricas")

[Out] integral(arccos(a*x)^3/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x,x, algorithm="giac")

[Out] integrate(arccos(a*x)^3/x, x)

maple [A] time = 0.13, size = 135, normalized size = 1.34

$$-\frac{i \arccos(ax)^4}{4} + \arccos(ax)^3 \ln\left(1 + \left(i\sqrt{-a^2x^2 + 1} + ax\right)^2\right) - \frac{3i \arccos(ax)^2 \operatorname{polylog}\left(2, -\left(i\sqrt{-a^2x^2 + 1} + ax\right)^2\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^3/x,x)

[Out] -1/4*I*arccos(a*x)^4+arccos(a*x)^3*ln(1+(I*(-a^2*x^2+1)^(1/2)+a*x)^2)-3/2*I*arccos(a*x)^2*polylog(2,-(I*(-a^2*x^2+1)^(1/2)+a*x)^2)+3/2*arccos(a*x)*polylog(3,-(I*(-a^2*x^2+1)^(1/2)+a*x)^2)+3/4*I*polylog(4,-(I*(-a^2*x^2+1)^(1/2)+a*x)^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x,x, algorithm="maxima")

[Out] integrate(arccos(a*x)^3/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acos}(ax)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^3/x,x)

[Out] int(acos(a*x)^3/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acos}^3(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**3/x,x)
```

```
[Out] Integral(acos(a*x)**3/x, x)
```

$$3.28 \quad \int \frac{\cos^{-1}(ax)^3}{x^2} dx$$

Optimal. Leaf size=122

$$6ia \cos^{-1}(ax) \text{Li}_2(-ie^{i \cos^{-1}(ax)}) - 6ia \cos^{-1}(ax) \text{Li}_2(ie^{i \cos^{-1}(ax)}) - 6a \text{Li}_3(-ie^{i \cos^{-1}(ax)}) + 6a \text{Li}_3(ie^{i \cos^{-1}(ax)}) - \frac{\cos^{-1}(ax)}{x}$$

[Out] $-\arccos(ax)^3/x - 6Ia \arccos(ax)^2 \arctan(ax + I(-a^2x^2+1)^{1/2}) + 6Ia \arccos(ax) \text{polylog}(2, -I(ax + I(-a^2x^2+1)^{1/2})) - 6Ia \arccos(ax) \text{polylog}(2, I(ax + I(-a^2x^2+1)^{1/2})) - 6a \text{polylog}(3, -I(ax + I(-a^2x^2+1)^{1/2})) + 6a \text{polylog}(3, I(ax + I(-a^2x^2+1)^{1/2}))$

Rubi [A] time = 0.17, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {4628, 4710, 4181, 2531, 2282, 6589}

$$6ia \cos^{-1}(ax) \text{PolyLog}(2, -ie^{i \cos^{-1}(ax)}) - 6ia \cos^{-1}(ax) \text{PolyLog}(2, ie^{i \cos^{-1}(ax)}) - 6a \text{PolyLog}(3, -ie^{i \cos^{-1}(ax)}) + 6a \text{PolyLog}(3, ie^{i \cos^{-1}(ax)})$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^3/x^2, x]

[Out] $-(\text{ArcCos}[a*x]^3/x) - (6*I)*a*\text{ArcCos}[a*x]^2*\text{ArcTan}[E^{(I*\text{ArcCos}[a*x])}] + (6*I)*a*\text{ArcCos}[a*x]*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcCos}[a*x])}] - (6*I)*a*\text{ArcCos}[a*x]*\text{PolyLog}[2, I*E^{(I*\text{ArcCos}[a*x])}] - 6*a*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcCos}[a*x])}] + 6*a*\text{PolyLog}[3, I*E^{(I*\text{ArcCos}[a*x])}]$

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m-1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist
[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4710

```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_.) + (e_.)*
(x_)^2], x_Symbol] :> -Dist[(c^(m + 1)*Sqrt[d])^(-1), Subst[Int[(a + b*x)^n
*Cos[x]^m, x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*
d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)^3}{x^2} dx &= -\frac{\cos^{-1}(ax)^3}{x} - (3a) \int \frac{\cos^{-1}(ax)^2}{x\sqrt{1-a^2x^2}} dx \\
&= -\frac{\cos^{-1}(ax)^3}{x} + (3a) \operatorname{Subst}\left(\int x^2 \sec(x) dx, x, \cos^{-1}(ax)\right) \\
&= -\frac{\cos^{-1}(ax)^3}{x} - 6ia \cos^{-1}(ax)^2 \tan^{-1}\left(e^{i \cos^{-1}(ax)}\right) - (6a) \operatorname{Subst}\left(\int x \log(1 - ie^{ix}) dx, x, \cos^{-1}(ax)\right) \\
&= -\frac{\cos^{-1}(ax)^3}{x} - 6ia \cos^{-1}(ax)^2 \tan^{-1}\left(e^{i \cos^{-1}(ax)}\right) + 6ia \cos^{-1}(ax) \operatorname{Li}_2\left(-ie^{i \cos^{-1}(ax)}\right) - 6ia \cos^{-1}(ax) \log\left(-ie^{i \cos^{-1}(ax)}\right) \\
&= -\frac{\cos^{-1}(ax)^3}{x} - 6ia \cos^{-1}(ax)^2 \tan^{-1}\left(e^{i \cos^{-1}(ax)}\right) + 6ia \cos^{-1}(ax) \operatorname{Li}_2\left(-ie^{i \cos^{-1}(ax)}\right) - 6ia \cos^{-1}(ax) \log\left(-ie^{i \cos^{-1}(ax)}\right) \\
&= -\frac{\cos^{-1}(ax)^3}{x} - 6ia \cos^{-1}(ax)^2 \tan^{-1}\left(e^{i \cos^{-1}(ax)}\right) + 6ia \cos^{-1}(ax) \operatorname{Li}_2\left(-ie^{i \cos^{-1}(ax)}\right) - 6ia \cos^{-1}(ax) \log\left(-ie^{i \cos^{-1}(ax)}\right)
\end{aligned}$$

Mathematica [A] time = 0.12, size = 139, normalized size = 1.14

$$-\frac{\cos^{-1}(ax)^3}{x} + 3a \left(2i \cos^{-1}(ax) \left(\operatorname{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) - \operatorname{Li}_2 \left(ie^{i \cos^{-1}(ax)} \right) \right) - 2\operatorname{Li}_3 \left(-ie^{i \cos^{-1}(ax)} \right) + 2\operatorname{Li}_3 \left(ie^{i \cos^{-1}(ax)} \right) + c \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCos[a*x]^3/x^2,x]

[Out] $-(\operatorname{ArcCos}[a*x]^3/x) + 3*a*(\operatorname{ArcCos}[a*x]^2*(\operatorname{Log}[1 - I*E^(I*\operatorname{ArcCos}[a*x])] - \operatorname{Log}[1 + I*E^(I*\operatorname{ArcCos}[a*x])]) + (2*I)*\operatorname{ArcCos}[a*x]*(\operatorname{PolyLog}[2, (-I)*E^(I*\operatorname{ArcCos}[a*x])] - \operatorname{PolyLog}[2, I*E^(I*\operatorname{ArcCos}[a*x])]) - 2*\operatorname{PolyLog}[3, (-I)*E^(I*\operatorname{ArcCos}[a*x])] + 2*\operatorname{PolyLog}[3, I*E^(I*\operatorname{ArcCos}[a*x])])$

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{\arccos(ax)^3}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^2,x, algorithm="fricas")

[Out] integral(arccos(a*x)^3/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^2,x, algorithm="giac")

[Out] integrate(arccos(a*x)^3/x^2, x)

maple [F] time = 0.36, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^3/x^2,x)

[Out] int(arccos(a*x)^3/x^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3 - 3ax \int \frac{\sqrt{-ax+1} \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^2}{\sqrt{ax+1}(ax-1)x} dx}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^2,x, algorithm="maxima")

[Out] -(arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3 - 3*a*x*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2/(a^2*x^3 - x), x))/x

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\arccos(ax)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^3/x^2,x)

[Out] int(arccos(a*x)^3/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos^3(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)**3/x**2,x)

[Out] Integral(arccos(a*x)**3/x**2, x)

$$3.29 \quad \int \frac{\cos^{-1}(ax)^3}{x^3} dx$$

Optimal. Leaf size=102

$$-\frac{3}{2}ia^2\text{Li}_2\left(-e^{2i\cos^{-1}(ax)}\right) + \frac{3a\sqrt{1-a^2x^2}\cos^{-1}(ax)^2}{2x} - \frac{3}{2}ia^2\cos^{-1}(ax)^2 + 3a^2\cos^{-1}(ax)\log\left(1+e^{2i\cos^{-1}(ax)}\right) - \frac{\cos^{-1}(ax)}{2x^2}$$

[Out] $-3/2*I*a^2*\arccos(a*x)^2-1/2*\arccos(a*x)^3/x^2+3*a^2*\arccos(a*x)*\ln(1+(a*x+I*(-a^2*x^2+1)^(1/2))^2)-3/2*I*a^2*\text{polylog}(2,-(a*x+I*(-a^2*x^2+1)^(1/2))^2)+3/2*a*\arccos(a*x)^2*(-a^2*x^2+1)^(1/2)/x$

Rubi [A] time = 0.18, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {4628, 4682, 4626, 3719, 2190, 2279, 2391}

$$-\frac{3}{2}ia^2\text{PolyLog}\left(2,-e^{2i\cos^{-1}(ax)}\right) + \frac{3a\sqrt{1-a^2x^2}\cos^{-1}(ax)^2}{2x} - \frac{3}{2}ia^2\cos^{-1}(ax)^2 + 3a^2\cos^{-1}(ax)\log\left(1+e^{2i\cos^{-1}(ax)}\right) - \frac{\cos^{-1}(ax)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^3/x^3,x]

[Out] $((-3*I)/2)*a^2*\text{ArcCos}[a*x]^2 + (3*a*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^2)/(2*x) - \text{ArcCos}[a*x]^3/(2*x^2) + 3*a^2*\text{ArcCos}[a*x]*\text{Log}[1 + E^((2*I)*\text{ArcCos}[a*x])] - ((3*I)/2)*a^2*\text{PolyLog}[2, -E^((2*I)*\text{ArcCos}[a*x])]$

Rule 2190

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^(e_)*((c_) + (d_)*(x_)))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3719

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4626

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4682

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.
)*(x_)^2)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcCos[c*x])^n)/(d*f*(m + 1)), x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^F
racPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c
^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d,
e, f, m, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] &
& NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)^3}{x^3} dx &= -\frac{\cos^{-1}(ax)^3}{2x^2} - \frac{1}{2}(3a) \int \frac{\cos^{-1}(ax)^2}{x^2\sqrt{1-a^2x^2}} dx \\
&= \frac{3a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} - \frac{\cos^{-1}(ax)^3}{2x^2} + (3a^2) \int \frac{\cos^{-1}(ax)}{x} dx \\
&= \frac{3a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} - \frac{\cos^{-1}(ax)^3}{2x^2} - (3a^2) \text{Subst} \left(\int x \tan(x) dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{3}{2}ia^2 \cos^{-1}(ax)^2 + \frac{3a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} - \frac{\cos^{-1}(ax)^3}{2x^2} + (6ia^2) \text{Subst} \left(\int \frac{e^{2ix}x}{1+e^{2ix}} dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{3}{2}ia^2 \cos^{-1}(ax)^2 + \frac{3a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} - \frac{\cos^{-1}(ax)^3}{2x^2} + 3a^2 \cos^{-1}(ax) \log(1 + e^{2i\cos^{-1}(ax)}) \\
&= -\frac{3}{2}ia^2 \cos^{-1}(ax)^2 + \frac{3a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} - \frac{\cos^{-1}(ax)^3}{2x^2} + 3a^2 \cos^{-1}(ax) \log(1 + e^{2i\cos^{-1}(ax)}) \\
&= -\frac{3}{2}ia^2 \cos^{-1}(ax)^2 + \frac{3a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} - \frac{\cos^{-1}(ax)^3}{2x^2} + 3a^2 \cos^{-1}(ax) \log(1 + e^{2i\cos^{-1}(ax)})
\end{aligned}$$

Mathematica [A] time = 0.21, size = 92, normalized size = 0.90

$$\frac{1}{2} \left(-3ia^2 \text{Li}_2(-e^{2i\cos^{-1}(ax)}) + \frac{3a(\sqrt{1-a^2x^2} - iax) \cos^{-1}(ax)^2}{x} + 6a^2 \cos^{-1}(ax) \log(1 + e^{2i\cos^{-1}(ax)}) - \frac{\cos^{-1}(ax)^3}{x^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^3/x^3,x]

[Out] ((3*a*((-I)*a*x + Sqrt[1 - a^2*x^2])*ArcCos[a*x]^2)/x - ArcCos[a*x]^3/x^2 + 6*a^2*ArcCos[a*x]*Log[1 + E^((2*I)*ArcCos[a*x])] - (3*I)*a^2*PolyLog[2, -E^((2*I)*ArcCos[a*x])])/2

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\arccos(ax)^3}{x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^3,x, algorithm="fricas")

[Out] integral(arccos(a*x)^3/x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^3,x, algorithm="giac")

[Out] integrate(arccos(a*x)^3/x^3, x)

maple [A] time = 0.34, size = 113, normalized size = 1.11

$$-\frac{3ia^2 \arccos(ax)^2}{2} - \frac{\arccos(ax)^3}{2x^2} + 3a^2 \arccos(ax) \ln\left(1 + \left(i\sqrt{-a^2x^2 + 1} + ax\right)^2\right) - \frac{3ia^2 \operatorname{polylog}\left(2, -\left(i\sqrt{-a^2x^2 + 1} + ax\right)\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^3/x^3,x)

[Out] $-3/2*I*a^2*\arccos(a*x)^2 - 1/2*\arccos(a*x)^3/x^2 + 3*a^2*\arccos(a*x)*\ln(1+(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) - 3/2*I*a^2*\operatorname{polylog}(2, -(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) + 3/2*a*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/x$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\frac{3}{4} \left(\sqrt{ax+1} \sqrt{-ax+1} \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2 + 4x \int \frac{3\sqrt{ax+1} \sqrt{-ax+1} \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2 + 2(a^3x^3 - ax) \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)}{4(a^2x^4 - x^2)} dx \right)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^3,x, algorithm="maxima")

[Out] $1/2*(6*a*x^2*\operatorname{integrate}(1/2*\sqrt{a*x+1}*\sqrt{-a*x+1}*\arctan2(\sqrt{a*x+1}*\sqrt{-a*x+1}, a*x)^2/(a^2*x^4-x^2), x) - \arctan2(\sqrt{a*x+1}*\sqrt{-a*x+1}, a*x)^3)/x^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acos}(ax)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^3/x^3,x)

```
[Out] int(acos(a*x)^3/x^3, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\arccos^3(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**3/x**3,x)
```

```
[Out] Integral(acos(a*x)**3/x**3, x)
```

$$3.30 \quad \int \frac{\cos^{-1}(ax)^3}{x^4} dx$$

Optimal. Leaf size=192

$$ia^3 \cos^{-1}(ax) \text{Li}_2(-ie^{i \cos^{-1}(ax)}) - ia^3 \cos^{-1}(ax) \text{Li}_2(ie^{i \cos^{-1}(ax)}) - a^3 \text{Li}_3(-ie^{i \cos^{-1}(ax)}) + a^3 \text{Li}_3(ie^{i \cos^{-1}(ax)}) - ia^3 \cos^{-1}(ax)$$

[Out] $-a^2 \arccos(ax)/x - 1/3 \arccos(ax)^3/x^3 - I a^3 \arccos(ax)^2 \arctan(ax + I(-a^2 x^2 + 1)^{1/2}) + a^3 \operatorname{arctanh}((-a^2 x^2 + 1)^{1/2}) + I a^3 \arccos(ax) \operatorname{polylog}(2, -I(a x + I(-a^2 x^2 + 1)^{1/2})) - I a^3 \arccos(ax) \operatorname{polylog}(2, I(a x + I(-a^2 x^2 + 1)^{1/2})) - a^3 \operatorname{polylog}(3, -I(a x + I(-a^2 x^2 + 1)^{1/2})) + a^3 \operatorname{polylog}(3, I(a x + I(-a^2 x^2 + 1)^{1/2})) + 1/2 a^2 \arccos(ax)^2 (-a^2 x^2 + 1)^{1/2}/x^2$

Rubi [A] time = 0.30, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$, Rules used = {4628, 4702, 4710, 4181, 2531, 2282, 6589, 266, 63, 208}

$$ia^3 \cos^{-1}(ax) \operatorname{PolyLog}(2, -ie^{i \cos^{-1}(ax)}) - ia^3 \cos^{-1}(ax) \operatorname{PolyLog}(2, ie^{i \cos^{-1}(ax)}) - a^3 \operatorname{PolyLog}(3, -ie^{i \cos^{-1}(ax)}) + a^3 \operatorname{PolyLog}(3, ie^{i \cos^{-1}(ax)})$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^3/x^4, x]

[Out] $-((a^2 \operatorname{ArcCos}[a x])/x) + (a \sqrt{1 - a^2 x^2} \operatorname{ArcCos}[a x]^2)/(2 x^2) - \operatorname{ArcCos}[a x]^3/(3 x^3) - I a^3 \operatorname{ArcCos}[a x]^2 \operatorname{ArcTan}[E^{I \operatorname{ArcCos}[a x]}] + a^3 \operatorname{ArcTan}[\sqrt{1 - a^2 x^2}] + I a^3 \operatorname{ArcCos}[a x] \operatorname{PolyLog}[2, (-I) E^{I \operatorname{ArcCos}[a x]}] - I a^3 \operatorname{ArcCos}[a x] \operatorname{PolyLog}[2, I E^{I \operatorname{ArcCos}[a x]}] - a^3 \operatorname{PolyLog}[3, (-I) E^{I \operatorname{ArcCos}[a x]}] + a^3 \operatorname{PolyLog}[3, I E^{I \operatorname{ArcCos}[a x]}]$

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x)
)], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4702

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)
*(x_)^2)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcCos[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)
), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcCos[c*x])^n, x], x] + Dist[(b*
c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(f*(m + 1)*(1 - c^2*x^2)^FracPart
[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
```


0] && LtQ[m, -1] && IntegerQ[m]

Rule 4710

Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> -Dist[(c^(m + 1)*Sqrt[d])^(-1), Subst[Int[(a + b*x)^n *Cos[x]^m, x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{-1}(ax)^3}{x^4} dx &= -\frac{\cos^{-1}(ax)^3}{3x^3} - a \int \frac{\cos^{-1}(ax)^2}{x^3 \sqrt{1-a^2x^2}} dx \\
 &= \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x^2} - \frac{\cos^{-1}(ax)^3}{3x^3} + a^2 \int \frac{\cos^{-1}(ax)}{x^2} dx - \frac{1}{2}a^3 \int \frac{\cos^{-1}(ax)^2}{x\sqrt{1-a^2x^2}} dx \\
 &= -\frac{a^2 \cos^{-1}(ax)}{x} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x^2} - \frac{\cos^{-1}(ax)^3}{3x^3} + \frac{1}{2}a^3 \text{Subst} \left(\int x^2 \sec(x) dx, x, \cos^{-1}(ax) \right) \\
 &= -\frac{a^2 \cos^{-1}(ax)}{x} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x^2} - \frac{\cos^{-1}(ax)^3}{3x^3} - ia^3 \cos^{-1}(ax)^2 \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) - \\
 &= -\frac{a^2 \cos^{-1}(ax)}{x} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x^2} - \frac{\cos^{-1}(ax)^3}{3x^3} - ia^3 \cos^{-1}(ax)^2 \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) + \\
 &= -\frac{a^2 \cos^{-1}(ax)}{x} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x^2} - \frac{\cos^{-1}(ax)^3}{3x^3} - ia^3 \cos^{-1}(ax)^2 \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) + \\
 &= -\frac{a^2 \cos^{-1}(ax)}{x} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x^2} - \frac{\cos^{-1}(ax)^3}{3x^3} - ia^3 \cos^{-1}(ax)^2 \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) +
 \end{aligned}$$

Mathematica [A] time = 0.83, size = 165, normalized size = 0.86

$$-\frac{\cos^{-1}(ax) \left(12a^2x^2 + 4 \cos^{-1}(ax)^2 - 3 \cos^{-1}(ax) \sin \left(2 \cos^{-1}(ax) \right) \right)}{12x^3} + a^3 \left(\tanh^{-1} \left(\sqrt{1-a^2x^2} \right) + i \cos^{-1}(ax) \text{Li}_2 \left(e^{i \cos^{-1}(ax)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^3/x^4,x]

[Out] $a^3 \left((-I) \operatorname{ArcCos}[a*x]^2 \operatorname{ArcTan}[E^{(I \operatorname{ArcCos}[a*x])}] + \operatorname{ArcTanh}[\operatorname{Sqrt}[1 - a^2*x^2]] + I \operatorname{ArcCos}[a*x] \operatorname{PolyLog}[2, (-I)E^{(I \operatorname{ArcCos}[a*x])}] - I \operatorname{ArcCos}[a*x] \operatorname{PolyLog}[2, I E^{(I \operatorname{ArcCos}[a*x])}] - \operatorname{PolyLog}[3, (-I)E^{(I \operatorname{ArcCos}[a*x])}] + \operatorname{PolyLog}[3, I E^{(I \operatorname{ArcCos}[a*x])}] \right) - (\operatorname{ArcCos}[a*x] * (12*a^2*x^2 + 4*\operatorname{ArcCos}[a*x]^2 - 3*\operatorname{ArcCos}[a*x]*\operatorname{Sin}[2*\operatorname{ArcCos}[a*x]])) / (12*x^3)$

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\arccos(ax)^3}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^4,x, algorithm="fricas")

[Out] integral(arccos(a*x)^3/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^4,x, algorithm="giac")

[Out] integrate(arccos(a*x)^3/x^4, x)

maple [A] time = 0.42, size = 272, normalized size = 1.42

$$\frac{a \arccos(ax)^2 \sqrt{-a^2x^2+1}}{2x^2} - \frac{a^2 \arccos(ax)}{x} - \frac{\arccos(ax)^3}{3x^3} + \frac{a^3 \arccos(ax)^2 \ln\left(1 - i\left(i\sqrt{-a^2x^2+1} + ax\right)\right)}{2} - ia^3 \arccos(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^3/x^4,x)

[Out] $\frac{1}{2}a*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/x^2 - a^2*\arccos(a*x)/x - \frac{1}{3}\arccos(a*x)^3/x^3 + \frac{1}{2}a^3*\arccos(a*x)^2*\ln(1 - I*(I*(-a^2*x^2+1)^{(1/2)}+a*x)) - I*a^3*\arccos(a*x)*\operatorname{polylog}(2, I*(I*(-a^2*x^2+1)^{(1/2)}+a*x)) + a^3*\operatorname{polylog}(3, I*(I*(-a^2*x^2+1)^{(1/2)}+a*x)) - \frac{1}{2}a^3*\arccos(a*x)^2*\ln(1 + I*(I*(-a^2*x^2+1)^{(1/2)}+a*x)) + I*a^3*\arccos(a*x)*\operatorname{polylog}(2, -I*(I*(-a^2*x^2+1)^{(1/2)}+a*x)) - a^3*\operatorname{polylog}(3, -I*(I*(-a^2*x^2+1)^{(1/2)}+a*x)) - 2*I*a^3*\operatorname{arctan}(I*(-a^2*x^2+1)^{(1/2)}+a*x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{3ax^3 \int \frac{\sqrt{-ax+1} \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2}{\sqrt{ax+1} (ax-1)x^3} dx - \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^3}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^4,x, algorithm="maxima")

[Out] 1/3*(3*a*x^3*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2/(a^2*x^5 - x^3), x) - arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3)/x^3

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\arccos(ax)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^3/x^4,x)

[Out] int(arccos(a*x)^3/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos^3(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)**3/x**4,x)

[Out] Integral(arccos(a*x)**3/x**4, x)

$$3.31 \quad \int \frac{\cos^{-1}(ax)^3}{x^5} dx$$

Optimal. Leaf size=169

$$-\frac{1}{2}ia^4\text{Li}_2\left(-e^{2i\cos^{-1}(ax)}\right) - \frac{1}{2}ia^4\cos^{-1}(ax)^2 + a^4\cos^{-1}(ax)\log\left(1 + e^{2i\cos^{-1}(ax)}\right) - \frac{a^2\cos^{-1}(ax)}{4x^2} + \frac{a\sqrt{1-a^2x^2}\cos^{-1}(ax)}{4x^3}$$

[Out] $-1/4*a^2*\arccos(a*x)/x^2 - 1/2*I*a^4*\arccos(a*x)^2 - 1/4*\arccos(a*x)^3/x^4 + a^4*\arccos(a*x)*\ln(1+(a*x+I*(-a^2*x^2+1)^(1/2)))^2 - 1/2*I*a^4*\text{polylog}(2, -(a*x+I*(-a^2*x^2+1)^(1/2)))^2 + 1/4*a^3*(-a^2*x^2+1)^(1/2)/x + 1/4*a*\arccos(a*x)^2*(-a^2*x^2+1)^(1/2)/x^3 + 1/2*a^3*\arccos(a*x)^2*(-a^2*x^2+1)^(1/2)/x$

Rubi [A] time = 0.29, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.900$, Rules used = {4628, 4702, 4682, 4626, 3719, 2190, 2279, 2391, 264}

$$-\frac{1}{2}ia^4\text{PolyLog}\left(2, -e^{2i\cos^{-1}(ax)}\right) + \frac{a^3\sqrt{1-a^2x^2}}{4x} + \frac{a^3\sqrt{1-a^2x^2}\cos^{-1}(ax)^2}{2x} - \frac{a^2\cos^{-1}(ax)}{4x^2} + \frac{a\sqrt{1-a^2x^2}\cos^{-1}(ax)^2}{4x^3}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^3/x^5, x]

[Out] $(a^3*\text{Sqrt}[1 - a^2*x^2])/(4*x) - (a^2*\text{ArcCos}[a*x])/(4*x^2) - (I/2)*a^4*\text{ArcCos}[a*x]^2 + (a*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^2)/(4*x^3) + (a^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^2)/(2*x) - \text{ArcCos}[a*x]^3/(4*x^4) + a^4*\text{ArcCos}[a*x]*\text{Log}[1 + E^{((2*I)*\text{ArcCos}[a*x])}] - (I/2)*a^4*\text{PolyLog}[2, -E^{((2*I)*\text{ArcCos}[a*x])}]$

Rule 264

Int[(((c_.)*(x_))^(m_.))*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(((c*x)^(m+1)*(a+b*x^n)^(p+1))/(a*c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 2190

Int[(((F_)^(g_.))*((e_.) + (f_.)*(x_)))^(n_.))*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.))*((F_)^(g_.))*((e_.) + (f_.)*(x_)))^(n_.), x_Symbol] := Simp[(((c+d*x)^m*Log[1+(b*(F^(g*(e+f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c+d*x)^(m-1)*Log[1+(b*(F^(g*(e+f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.))*((F_)^(e_.))*((c_.) + (d_.)*(x_))]^(n_.), x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a+b*x]/x, x], x, (F^(e*(c+d*x)))]

$\wedge n], x] /; \text{FreeQ}[\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c_.) * ((d_.) + (e_.) * (x_.)^{\wedge}(n_.))] / (x_.), x_Symbol] \ :> \ -\text{Simp}[\text{PolyLog}[2, -(c * e * x^{\wedge}n)] / n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c * d, 1]$

Rule 3719

$\text{Int}[((c_.) + (d_.) * (x_.)^{\wedge}(m_.) * \tan[(e_.) + (f_.) * (x_.)], x_Symbol] \ :> \ \text{Simp}[(I * (c + d * x)^{\wedge}(m + 1)) / (d * (m + 1)), x] - \text{Dist}[2 * I, \text{Int}[(c + d * x)^{\wedge}m * E^{\wedge}(2 * I * (e + f * x))] / (1 + E^{\wedge}(2 * I * (e + f * x))), x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 4626

$\text{Int}[(a_.) + \text{ArcCos}[(c_.) * (x_.)] * (b_.)^{\wedge}(n_.) / (x_.), x_Symbol] \ :> \ -\text{Subst}[\text{Int}[(a + b * x)^{\wedge}n / \text{Cot}[x], x], x, \text{ArcCos}[c * x]] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rule 4628

$\text{Int}[(a_.) + \text{ArcCos}[(c_.) * (x_.)] * (b_.)^{\wedge}(n_.) * ((d_.) * (x_.)^{\wedge}(m_.)], x_Symbol] \ :> \ \text{Simp}[(d * x)^{\wedge}(m + 1) * (a + b * \text{ArcCos}[c * x])^{\wedge}n / (d * (m + 1)), x] + \text{Dist}[(b * c * n) / (d * (m + 1)), \text{Int}[(d * x)^{\wedge}(m + 1) * (a + b * \text{ArcCos}[c * x])^{\wedge}(n - 1)) / \text{Sqrt}[1 - c^{\wedge}2 * x^{\wedge}2], x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rule 4682

$\text{Int}[(a_.) + \text{ArcCos}[(c_.) * (x_.)] * (b_.)^{\wedge}(n_.) * ((f_.) * (x_.)^{\wedge}(m_.) * ((d_.) + (e_.) * (x_.)^{\wedge}2)^{\wedge}(p_.)], x_Symbol] \ :> \ \text{Simp}[(f * x)^{\wedge}(m + 1) * (d + e * x^{\wedge}2)^{\wedge}(p + 1) * (a + b * \text{ArcCos}[c * x])^{\wedge}n / (d * f * (m + 1)), x] + \text{Dist}[(b * c * n * d^{\wedge}\text{IntPart}[p] * (d + e * x^{\wedge}2)^{\wedge}\text{FracPart}[p]) / (f * (m + 1) * (1 - c^{\wedge}2 * x^{\wedge}2)^{\wedge}\text{FracPart}[p]), \text{Int}[(f * x)^{\wedge}(m + 1) * (1 - c^{\wedge}2 * x^{\wedge}2)^{\wedge}(p + 1/2) * (a + b * \text{ArcCos}[c * x])^{\wedge}(n - 1)], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, p\}, x] \ \&\& \ \text{EqQ}[c^{\wedge}2 * d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{EqQ}[m + 2 * p + 3, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rule 4702

$\text{Int}[(a_.) + \text{ArcCos}[(c_.) * (x_.)] * (b_.)^{\wedge}(n_.) * ((f_.) * (x_.)^{\wedge}(m_.) * ((d_.) + (e_.) * (x_.)^{\wedge}2)^{\wedge}(p_.)], x_Symbol] \ :> \ \text{Simp}[(f * x)^{\wedge}(m + 1) * (d + e * x^{\wedge}2)^{\wedge}(p + 1) * (a + b * \text{ArcCos}[c * x])^{\wedge}n / (d * f * (m + 1)), x] + (\text{Dist}[(c^{\wedge}2 * (m + 2 * p + 3)) / (f^{\wedge}2 * (m + 1)), \text{Int}[(f * x)^{\wedge}(m + 2) * (d + e * x^{\wedge}2)^{\wedge}p * (a + b * \text{ArcCos}[c * x])^{\wedge}n, x], x] + \text{Dist}[(b * c * n * d^{\wedge}\text{IntPart}[p] * (d + e * x^{\wedge}2)^{\wedge}\text{FracPart}[p]) / (f * (m + 1) * (1 - c^{\wedge}2 * x^{\wedge}2)^{\wedge}\text{FracPart}[p]), \text{Int}[(f * x)^{\wedge}(m + 1) * (1 - c^{\wedge}2 * x^{\wedge}2)^{\wedge}(p + 1/2) * (a + b * \text{ArcCos}[c * x])^{\wedge}(n - 1)]$

, x], x)) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{-1}(ax)^3}{x^5} dx &= -\frac{\cos^{-1}(ax)^3}{4x^4} - \frac{1}{4}(3a) \int \frac{\cos^{-1}(ax)^2}{x^4\sqrt{1-a^2x^2}} dx \\
 &= \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{4x^3} - \frac{\cos^{-1}(ax)^3}{4x^4} + \frac{1}{2}a^2 \int \frac{\cos^{-1}(ax)}{x^3} dx - \frac{1}{2}a^3 \int \frac{\cos^{-1}(ax)^2}{x^2\sqrt{1-a^2x^2}} dx \\
 &= -\frac{a^2 \cos^{-1}(ax)}{4x^2} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{4x^3} + \frac{a^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} - \frac{\cos^{-1}(ax)^3}{4x^4} - \frac{1}{4}a^3 \int \frac{\cos^{-1}(ax)}{x} dx \\
 &= \frac{a^3\sqrt{1-a^2x^2}}{4x} - \frac{a^2 \cos^{-1}(ax)}{4x^2} + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{4x^3} + \frac{a^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} - \frac{\cos^{-1}(ax)^3}{4x^4} \\
 &= \frac{a^3\sqrt{1-a^2x^2}}{4x} - \frac{a^2 \cos^{-1}(ax)}{4x^2} - \frac{1}{2}ia^4 \cos^{-1}(ax)^2 + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{4x^3} + \frac{a^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} \\
 &= \frac{a^3\sqrt{1-a^2x^2}}{4x} - \frac{a^2 \cos^{-1}(ax)}{4x^2} - \frac{1}{2}ia^4 \cos^{-1}(ax)^2 + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{4x^3} + \frac{a^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} \\
 &= \frac{a^3\sqrt{1-a^2x^2}}{4x} - \frac{a^2 \cos^{-1}(ax)}{4x^2} - \frac{1}{2}ia^4 \cos^{-1}(ax)^2 + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{4x^3} + \frac{a^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x} \\
 &= \frac{a^3\sqrt{1-a^2x^2}}{4x} - \frac{a^2 \cos^{-1}(ax)}{4x^2} - \frac{1}{2}ia^4 \cos^{-1}(ax)^2 + \frac{a\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{4x^3} + \frac{a^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^2}{2x}
 \end{aligned}$$

Mathematica [A] time = 0.53, size = 149, normalized size = 0.88

$$-\frac{\cos^{-1}(ax)^3}{4x^4} + \frac{1}{4}a^4\sqrt{1-a^2x^2} \left(-\frac{2i\text{Li}_2\left(-e^{2i\cos^{-1}(ax)}\right)}{\sqrt{1-a^2x^2}} + \frac{\cos^{-1}(ax)^2}{a^2x^2} + 2\cos^{-1}(ax)^2 + 1 + \frac{\cos^{-1}(ax)}{ax} \left(-\frac{1}{a^2x^2} - 2i\cos^{-1}(ax) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^3/x^5,x]

[Out] -1/4*ArcCos[a*x]^3/x^4 + (a^4*Sqrt[1 - a^2*x^2]*((1 + 2*ArcCos[a*x]^2 + ArcCos[a*x]^2/(a^2*x^2))/(a*x) + (ArcCos[a*x]*(-(1/(a^2*x^2)) - (2*I)*ArcCos[a*x] + 4*Log[1 + E^((2*I)*ArcCos[a*x])])))/Sqrt[1 - a^2*x^2] - ((2*I)*PolyLog[2, -E^((2*I)*ArcCos[a*x])])/Sqrt[1 - a^2*x^2])/4

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\arccos(ax)^3}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^5,x, algorithm="fricas")

[Out] integral(arccos(a*x)^3/x^5, x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^5,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Value

maple [A] time = 0.45, size = 176, normalized size = 1.04

$$-\frac{ia^4 \arccos(ax)^2}{2} + \frac{a^3 \arccos(ax)^2 \sqrt{-a^2x^2+1}}{2x} + \frac{ia^4}{4} + \frac{a^3 \sqrt{-a^2x^2+1}}{4x} + \frac{a \arccos(ax)^2 \sqrt{-a^2x^2+1}}{4x^3} - \frac{a^2 \arccos(ax)}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^3/x^5,x)

[Out] $-1/2*I*a^4*\arccos(a*x)^2+1/2*a^3*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/x+1/4*I*a^4+1/4*a^3*(-a^2*x^2+1)^{(1/2)}/x+1/4*a*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}/x^3-1/4*a^2*\arccos(a*x)/x^2-1/4*\arccos(a*x)^3/x^4+a^4*\arccos(a*x)*\ln(1+(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2)-1/2*I*a^4*\text{polylog}(2,-(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4} \left((2a^2x^2+1)\sqrt{ax+1}\sqrt{-ax+1} \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2 + 12x^3 \int \frac{9\sqrt{ax+1}\sqrt{-ax+1} \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)}{4x^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^3/x^5,x, algorithm="maxima")

[Out] $\frac{1}{4} * (12 * a * x^4 * \text{integrate}(\frac{1}{4} * \sqrt{a * x + 1} * \sqrt{-a * x + 1} * \arctan2(\sqrt{a * x + 1} * \sqrt{-a * x + 1}, a * x)^2 / (a^2 * x^6 - x^4), x) - \arctan2(\sqrt{a * x + 1} * \sqrt{-a * x + 1}, a * x)^3) / x^4$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\arccos(ax)^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccos(a*x)^3/x^5,x)`

[Out] `int(arccos(a*x)^3/x^5, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos^3(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccos(a*x)**3/x**5,x)`

[Out] `Integral(arccos(a*x)**3/x**5, x)`

3.32 $\int x^5 \cos^{-1}(ax)^4 dx$

Optimal. Leaf size=282

$$\frac{5 \cos^{-1}(ax)^4}{96a^6} + \frac{245 \cos^{-1}(ax)^2}{1152a^6} + \frac{245x^2}{1152a^4} - \frac{5x^2 \cos^{-1}(ax)^2}{16a^4} + \frac{65x^4}{3456a^2} - \frac{5x^4 \cos^{-1}(ax)^2}{48a^2} - \frac{x^5 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{9a} + \dots$$

[Out] 245/1152*x^2/a^4+65/3456*x^4/a^2+1/324*x^6+245/1152*arccos(a*x)^2/a^6-5/16*x^2*arccos(a*x)^2/a^4-5/48*x^4*arccos(a*x)^2/a^2-1/18*x^6*arccos(a*x)^2-5/96*arccos(a*x)^4/a^6+1/6*x^6*arccos(a*x)^4+245/576*x*arccos(a*x)*(-a^2*x^2+1)^(1/2)/a^5+65/864*x^3*arccos(a*x)*(-a^2*x^2+1)^(1/2)/a^3+1/54*x^5*arccos(a*x)*(-a^2*x^2+1)^(1/2)/a-5/24*x*arccos(a*x)^3*(-a^2*x^2+1)^(1/2)/a^5-5/36*x^3*arccos(a*x)^3*(-a^2*x^2+1)^(1/2)/a^3-1/9*x^5*arccos(a*x)^3*(-a^2*x^2+1)^(1/2)/a

Rubi [A] time = 0.87, antiderivative size = 282, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {4628, 4708, 4642, 30}

$$\frac{65x^4}{3456a^2} + \frac{245x^2}{1152a^4} - \frac{x^5 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{9a} + \frac{x^5 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{54a} - \frac{5x^4 \cos^{-1}(ax)^2}{48a^2} - \frac{5x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{36a^3} + \dots$$

Antiderivative was successfully verified.

[In] Int[x^5*ArcCos[a*x]^4,x]

[Out] (245*x^2)/(1152*a^4) + (65*x^4)/(3456*a^2) + x^6/324 + (245*x*Sqrt[1 - a^2*x^2]*ArcCos[a*x])/(576*a^5) + (65*x^3*Sqrt[1 - a^2*x^2]*ArcCos[a*x])/(864*a^3) + (x^5*Sqrt[1 - a^2*x^2]*ArcCos[a*x])/(54*a) + (245*ArcCos[a*x]^2)/(1152*a^6) - (5*x^2*ArcCos[a*x]^2)/(16*a^4) - (5*x^4*ArcCos[a*x]^2)/(48*a^2) - (x^6*ArcCos[a*x]^2)/18 - (5*x*Sqrt[1 - a^2*x^2]*ArcCos[a*x]^3)/(24*a^5) - (5*x^3*Sqrt[1 - a^2*x^2]*ArcCos[a*x]^3)/(36*a^3) - (x^5*Sqrt[1 - a^2*x^2]*ArcCos[a*x]^3)/(9*a) - (5*ArcCos[a*x]^4)/(96*a^6) + (x^6*ArcCos[a*x]^4)/6

Rule 30

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4642

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4708

Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int x^5 \cos^{-1}(ax)^4 dx &= \frac{1}{6}x^6 \cos^{-1}(ax)^4 + \frac{1}{3}(2a) \int \frac{x^6 \cos^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx \\
 &= -\frac{x^5 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{9a} + \frac{1}{6}x^6 \cos^{-1}(ax)^4 - \frac{1}{3} \int x^5 \cos^{-1}(ax)^2 dx + \frac{5 \int \frac{x^4 \cos^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx}{9a} \\
 &= -\frac{1}{18}x^6 \cos^{-1}(ax)^2 - \frac{5x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{36a^3} - \frac{x^5 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{9a} + \frac{1}{6}x^6 \cos^{-1}(ax)^4 \\
 &= \frac{x^5 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{54a} - \frac{5x^4 \cos^{-1}(ax)^2}{48a^2} - \frac{1}{18}x^6 \cos^{-1}(ax)^2 - \frac{5x \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{24a^5} - \frac{1}{6}x^6 \cos^{-1}(ax)^4 \\
 &= \frac{x^6}{324} + \frac{65x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{864a^3} + \frac{x^5 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{54a} - \frac{5x^2 \cos^{-1}(ax)^2}{16a^4} - \frac{5x^4 \cos^{-1}(ax)^3}{48a^2} \\
 &= \frac{65x^4}{3456a^2} + \frac{x^6}{324} + \frac{245x \sqrt{1-a^2x^2} \cos^{-1}(ax)}{576a^5} + \frac{65x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{864a^3} + \frac{x^5 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{54a} \\
 &= \frac{245x^2}{1152a^4} + \frac{65x^4}{3456a^2} + \frac{x^6}{324} + \frac{245x \sqrt{1-a^2x^2} \cos^{-1}(ax)}{576a^5} + \frac{65x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{864a^3} + \frac{x^5 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{54a}
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 167, normalized size = 0.59

$$108 (16a^6x^6 - 5) \cos^{-1}(ax)^4 + a^2x^2 (32a^4x^4 + 195a^2x^2 + 2205) - 144ax \sqrt{1-a^2x^2} (8a^4x^4 + 10a^2x^2 + 15) \cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[x^5*ArcCos[a*x]^4,x]

[Out] $(a^2x^2(2205 + 195a^2x^2 + 32a^4x^4) + 6ax\sqrt{1 - a^2x^2})(735 + 130a^2x^2 + 32a^4x^4)\text{ArcCos}[ax] - 9(-245 + 360a^2x^2 + 120a^4x^4 + 64a^6x^6)\text{ArcCos}[ax]^2 - 144ax\sqrt{1 - a^2x^2}(15 + 10a^2x^2 + 8a^4x^4)\text{ArcCos}[ax]^3 + 108(-5 + 16a^6x^6)\text{ArcCos}[ax]^4)/(10368a^6)$

fricas [A] time = 0.43, size = 153, normalized size = 0.54

$$\frac{32a^6x^6 + 195a^4x^4 + 108(16a^6x^6 - 5)\arccos(ax)^4 + 2205a^2x^2 - 9(64a^6x^6 + 120a^4x^4 + 360a^2x^2 - 245)\arccos(ax)^2 - 144ax\sqrt{1 - a^2x^2}(15 + 10a^2x^2 + 8a^4x^4)\arccos(ax)^3 + 108(-5 + 16a^6x^6)\arccos(ax)^4}{10368a^6}$$

103

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccos(a*x)^4,x, algorithm="fricas")

[Out] $1/10368*(32a^6x^6 + 195a^4x^4 + 108*(16a^6x^6 - 5)*\arccos(a*x)^4 + 2205a^2x^2 - 9*(64a^6x^6 + 120a^4x^4 + 360a^2x^2 - 245)*\arccos(a*x)^2 - 6*\sqrt{-a^2x^2 + 1}*(24*(8a^5x^5 + 10a^3x^3 + 15a*x)*\arccos(a*x)^3 - (32a^5x^5 + 130a^3x^3 + 735a*x)*\arccos(a*x)))/a^6$

giac [A] time = 0.20, size = 245, normalized size = 0.87

$$\frac{1}{6}x^6\arccos(ax)^4 - \frac{1}{18}x^6\arccos(ax)^2 - \frac{\sqrt{-a^2x^2 + 1}x^5\arccos(ax)^3}{9a} + \frac{1}{324}x^6 + \frac{\sqrt{-a^2x^2 + 1}x^5\arccos(ax)}{54a} - \frac{5x^4\arccos(ax)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccos(a*x)^4,x, algorithm="giac")

[Out] $1/6*x^6*\arccos(a*x)^4 - 1/18*x^6*\arccos(a*x)^2 - 1/9*\sqrt{-a^2*x^2 + 1}*x^5*\arccos(a*x)^3/a + 1/324*x^6 + 1/54*\sqrt{-a^2*x^2 + 1}*x^5*\arccos(a*x)/a - 5/48*x^4*\arccos(a*x)^2/a^2 - 5/36*\sqrt{-a^2*x^2 + 1}*x^3*\arccos(a*x)^3/a^3 + 65/3456*x^4/a^2 + 65/864*\sqrt{-a^2*x^2 + 1}*x^3*\arccos(a*x)/a^3 - 5/16*x^2*\arccos(a*x)^2/a^4 - 5/24*\sqrt{-a^2*x^2 + 1}*x*\arccos(a*x)^3/a^5 + 245/1152*x^2/a^4 - 5/96*\arccos(a*x)^4/a^6 + 245/576*\sqrt{-a^2*x^2 + 1}*x*\arccos(a*x)/a^5 + 245/1152*\arccos(a*x)^2/a^6 - 9485/82944/a^6$

maple [A] time = 0.16, size = 318, normalized size = 1.13

$$\frac{a^6x^6\arccos(ax)^4}{6} - \frac{\arccos(ax)^3(8a^5x^5\sqrt{-a^2x^2+1} + 10a^3x^3\sqrt{-a^2x^2+1} + 15ax\sqrt{-a^2x^2+1} + 15\arccos(ax))}{72} - \frac{\arccos(ax)^2a^6x^6}{18} + \frac{\arccos(ax)(8a^5x^5\sqrt{-a^2x^2+1} + 10a^3x^3\sqrt{-a^2x^2+1} + 15ax\sqrt{-a^2x^2+1} + 15\arccos(ax))}{18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x⁵*arccos(a*x)⁴,x)

[Out] $\frac{1}{a^6} \left(\frac{1}{6} a^6 x^6 \arccos(ax)^4 - \frac{1}{72} \arccos(ax)^3 (8a^5 x^5 (-a^2 x^2 + 1)^{1/2} + 10a^3 x^3 (-a^2 x^2 + 1)^{1/2} + 15a x (-a^2 x^2 + 1)^{1/2} + 15 \arccos(ax)) - \frac{1}{18} \arccos(ax)^2 a^6 x^6 + \frac{1}{432} \arccos(ax) (8a^5 x^5 (-a^2 x^2 + 1)^{1/2} + 10a^3 x^3 (-a^2 x^2 + 1)^{1/2} + 15a x (-a^2 x^2 + 1)^{1/2} + 15 \arccos(ax)) - \frac{245}{1152} \arccos(ax)^2 + \frac{1}{324} a^6 x^6 + \frac{65}{3456} a^4 x^4 + \frac{245}{1152} a^2 x^2 - \frac{5}{48} a^4 x^4 \arccos(ax)^2 + \frac{5}{192} \arccos(ax) (2a^3 x^3 (-a^2 x^2 + 1)^{1/2} + 3a x (-a^2 x^2 + 1)^{1/2} + 3 \arccos(ax)) - \frac{5}{16} a^2 x^2 \arccos(ax)^2 + \frac{5}{16} \arccos(ax) (a x (-a^2 x^2 + 1)^{1/2} + \arccos(ax)) - \frac{5}{32} + \frac{5}{32} \arccos(ax)^4 \right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{6} x^6 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^4 - 2a \int \frac{\sqrt{ax+1}\sqrt{-ax+1} x^6 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3}{3(a^2 x^2 - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁵*arccos(a*x)⁴,x, algorithm="maxima")

[Out] $\frac{1}{6} x^6 \arctan^2(\sqrt{ax+1}\sqrt{-ax+1}, ax)^4 - 2a \int \frac{1}{3} \sqrt{ax+1}\sqrt{-ax+1} x^6 \arctan^2(\sqrt{ax+1}\sqrt{-ax+1}, ax)^3}{a^2 x^2 - 1} dx$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^5 \arccos(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x⁵*acos(a*x)⁴,x)

[Out] int(x⁵*acos(a*x)⁴, x)

sympy [A] time = 14.82, size = 275, normalized size = 0.98

$$\left\{ \begin{array}{l} \frac{x^6 \arccos^4(ax)}{6} - \frac{x^6 \arccos^2(ax)}{18} + \frac{x^6}{324} - \frac{x^5 \sqrt{-a^2 x^2 + 1} \arccos^3(ax)}{9a} + \frac{x^5 \sqrt{-a^2 x^2 + 1} \arccos(ax)}{54a} - \frac{5x^4 \arccos^2(ax)}{48a^2} + \frac{65x^4}{3456a^2} - \frac{5x^3 \sqrt{-a^2 x^2 + 1} \arccos^3(ax)}{36a^3} \\ \frac{\pi^4 x^6}{96} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*acos(a*x)**4,x)

```
[Out] Piecewise((x**6*acos(a*x)**4/6 - x**6*acos(a*x)**2/18 + x**6/324 - x**5*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/(9*a) + x**5*sqrt(-a**2*x**2 + 1)*acos(a*x)/(54*a) - 5*x**4*acos(a*x)**2/(48*a**2) + 65*x**4/(3456*a**2) - 5*x**3*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/(36*a**3) + 65*x**3*sqrt(-a**2*x**2 + 1)*acos(a*x)/(864*a**3) - 5*x**2*acos(a*x)**2/(16*a**4) + 245*x**2/(1152*a**4) - 5*x*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/(24*a**5) + 245*x*sqrt(-a**2*x**2 + 1)*acos(a*x)/(576*a**5) - 5*acos(a*x)**4/(96*a**6) + 245*acos(a*x)**2/(1152*a**6), Ne(a, 0)), (pi**4*x**6/96, True))
```

3.33 $\int x^4 \cos^{-1}(ax)^4 dx$

Optimal. Leaf size=250

$$\frac{16576x}{5625a^4} - \frac{32x \cos^{-1}(ax)^2}{25a^4} + \frac{1088x^3}{16875a^2} - \frac{16x^3 \cos^{-1}(ax)^2}{75a^2} - \frac{4x^4 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{25a} + \frac{24x^4 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{625a} - \frac{32x^5}{625a^5}$$

[Out] 16576/5625*x/a^4+1088/16875*x^3/a^2+24/3125*x^5-32/25*x*arccos(a*x)^2/a^4-16/75*x^3*arccos(a*x)^2/a^2-12/125*x^5*arccos(a*x)^2+1/5*x^5*arccos(a*x)^4+16576/5625*arccos(a*x)*(-a^2*x^2+1)^(1/2)/a^5+1088/5625*x^2*arccos(a*x)*(-a^2*x^2+1)^(1/2)/a^3+24/625*x^4*arccos(a*x)*(-a^2*x^2+1)^(1/2)/a-32/75*arccos(a*x)^3*(-a^2*x^2+1)^(1/2)/a^5-16/75*x^2*arccos(a*x)^3*(-a^2*x^2+1)^(1/2)/a^3-4/25*x^4*arccos(a*x)^3*(-a^2*x^2+1)^(1/2)/a

Rubi [A] time = 0.67, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {4628, 4708, 4678, 4620, 8, 30}

$$\frac{1088x^3}{16875a^2} - \frac{4x^4 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{25a} + \frac{24x^4 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{625a} - \frac{16x^3 \cos^{-1}(ax)^2}{75a^2} - \frac{16x^2 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{75a^3} + \frac{16x^2 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{625a} - \frac{32x^5}{625a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4*ArcCos[a*x]^4,x]

[Out] (16576*x)/(5625*a^4) + (1088*x^3)/(16875*a^2) + (24*x^5)/3125 + (16576*sqrt[1 - a^2*x^2]*ArcCos[a*x])/(5625*a^5) + (1088*x^2*sqrt[1 - a^2*x^2]*ArcCos[a*x])/(5625*a^3) + (24*x^4*sqrt[1 - a^2*x^2]*ArcCos[a*x])/(625*a) - (32*x*ArcCos[a*x]^2)/(25*a^4) - (16*x^3*ArcCos[a*x]^2)/(75*a^2) - (12*x^5*ArcCos[a*x]^2)/125 - (32*sqrt[1 - a^2*x^2]*ArcCos[a*x]^3)/(75*a^5) - (16*x^2*sqrt[1 - a^2*x^2]*ArcCos[a*x]^3)/(75*a^3) - (4*x^4*sqrt[1 - a^2*x^2]*ArcCos[a*x]^3)/(25*a) + (x^5*ArcCos[a*x]^4)/5

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4620

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x]))^(n-1)], x] /; FreeQ[a, b, c, n] && IntegerQ[n] && n > 0

$c^2*x^2], x], x] /;$ FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
 := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
 *x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
 .), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p +
 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n
 - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
 , 0] && NeQ[p, -1]

Rule 4708

Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_
 + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
 ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)
 *(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*
 x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1),
 x], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
 && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int x^4 \cos^{-1}(ax)^4 dx &= \frac{1}{5}x^5 \cos^{-1}(ax)^4 + \frac{1}{5}(4a) \int \frac{x^5 \cos^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{4x^4\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{25a} + \frac{1}{5}x^5 \cos^{-1}(ax)^4 - \frac{12}{25} \int x^4 \cos^{-1}(ax)^2 dx + \frac{16}{25a} \int \frac{x^3 \cos^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{12}{125}x^5 \cos^{-1}(ax)^2 - \frac{16x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{75a^3} - \frac{4x^4\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{25a} + \frac{1}{5}x^5 \cos^{-1}(ax)^4 \\
&= \frac{24x^4\sqrt{1-a^2x^2} \cos^{-1}(ax)}{625a} - \frac{16x^3 \cos^{-1}(ax)^2}{75a^2} - \frac{12}{125}x^5 \cos^{-1}(ax)^2 - \frac{32\sqrt{1-a^2x^2} \cos^{-1}(ax)}{75a^5} \\
&= \frac{24x^5}{3125} + \frac{1088x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{5625a^3} + \frac{24x^4\sqrt{1-a^2x^2} \cos^{-1}(ax)}{625a} - \frac{32x \cos^{-1}(ax)^2}{25a^4} - \frac{16x^3}{75a^5} \\
&= \frac{1088x^3}{16875a^2} + \frac{24x^5}{3125} + \frac{16576\sqrt{1-a^2x^2} \cos^{-1}(ax)}{5625a^5} + \frac{1088x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{5625a^3} + \frac{24x^4\sqrt{1-a^2x^2} \cos^{-1}(ax)}{625a} \\
&= \frac{16576x}{5625a^4} + \frac{1088x^3}{16875a^2} + \frac{24x^5}{3125} + \frac{16576\sqrt{1-a^2x^2} \cos^{-1}(ax)}{5625a^5} + \frac{1088x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{5625a^3} + \frac{24x^4\sqrt{1-a^2x^2} \cos^{-1}(ax)}{625a}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 150, normalized size = 0.60

$$\frac{16875a^5x^5 \cos^{-1}(ax)^4 + 8ax(81a^4x^4 + 680a^2x^2 + 31080) - 900ax(9a^4x^4 + 20a^2x^2 + 120) \cos^{-1}(ax)^2 - 4500\sqrt{1-a^2x^2} \cos^{-1}(ax)^3 + 16875a^5x^5 \cos^{-1}(ax)^4}{84375a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*ArcCos[a*x]^4,x]

[Out] (8*a*x*(31080 + 680*a^2*x^2 + 81*a^4*x^4) + 120*Sqrt[1 - a^2*x^2]*(2072 + 136*a^2*x^2 + 27*a^4*x^4)*ArcCos[a*x] - 900*a*x*(120 + 20*a^2*x^2 + 9*a^4*x^4)*ArcCos[a*x]^2 - 4500*Sqrt[1 - a^2*x^2]*(8 + 4*a^2*x^2 + 3*a^4*x^4)*ArcCos[a*x]^3 + 16875*a^5*x^5*ArcCos[a*x]^4)/(84375*a^5)

fricas [A] time = 0.42, size = 134, normalized size = 0.54

$$\frac{16875a^5x^5 \arccos(ax)^4 + 648a^5x^5 + 5440a^3x^3 - 900(9a^5x^5 + 20a^3x^3 + 120ax) \arccos(ax)^2 + 248640ax - 4500\sqrt{1-a^2x^2} \arccos(ax)^3 + 16875a^5x^5 \arccos(ax)^4}{84375a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^4,x, algorithm="fricas")

[Out] $\frac{1}{84375} \cdot (16875 \cdot a^5 \cdot x^5 \cdot \arccos(ax))^4 + 648 \cdot a^5 \cdot x^5 + 5440 \cdot a^3 \cdot x^3 - 900 \cdot (9 \cdot a^5 \cdot x^5 + 20 \cdot a^3 \cdot x^3 + 120 \cdot a \cdot x) \cdot \arccos(ax)^2 + 248640 \cdot a \cdot x - 60 \cdot \sqrt{-a^2 \cdot x^2 + 1} \cdot (75 \cdot (3 \cdot a^4 \cdot x^4 + 4 \cdot a^2 \cdot x^2 + 8) \cdot \arccos(ax)^3 - 2 \cdot (27 \cdot a^4 \cdot x^4 + 136 \cdot a^2 \cdot x^2 + 2072) \cdot \arccos(ax)) / a^5$

giac [A] time = 3.29, size = 212, normalized size = 0.85

$$\frac{1}{5} x^5 \arccos(ax)^4 - \frac{12}{125} x^5 \arccos(ax)^2 - \frac{4 \sqrt{-a^2 x^2 + 1} x^4 \arccos(ax)^3}{25 a} + \frac{24}{3125} x^5 + \frac{24 \sqrt{-a^2 x^2 + 1} x^4 \arccos(ax)}{625 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arccos(a*x)^4,x, algorithm="giac")`

[Out] $\frac{1}{5} x^5 \arccos(ax)^4 - \frac{12}{125} x^5 \arccos(ax)^2 - \frac{4}{25} \sqrt{-a^2 x^2 + 1} x^4 \arccos(ax)^3 / a + \frac{24}{3125} x^5 + \frac{24}{625} \sqrt{-a^2 x^2 + 1} x^4 \arccos(ax) / a - \frac{16}{75} x^3 \arccos(ax)^2 / a^2 - \frac{16}{75} \sqrt{-a^2 x^2 + 1} x^2 \arccos(ax)^3 / a^3 + \frac{1088}{16875} x^3 / a^2 + \frac{1088}{5625} \sqrt{-a^2 x^2 + 1} x^2 \arccos(ax) / a^3 - \frac{32}{25} x \arccos(ax)^2 / a^4 - \frac{32}{75} \sqrt{-a^2 x^2 + 1} \arccos(ax)^3 / a^5 + \frac{16576}{5625} x / a^4 + \frac{16576}{5625} \sqrt{-a^2 x^2 + 1} \arccos(ax) / a^5$

maple [A] time = 0.05, size = 197, normalized size = 0.79

$$\frac{a^5 x^5 \arccos(ax)^4}{5} - \frac{4 \arccos(ax)^3 (3a^4 x^4 + 4a^2 x^2 + 8) \sqrt{-a^2 x^2 + 1}}{75} - \frac{32 a x \arccos(ax)^2}{25} + \frac{16576 a x}{5625} + \frac{64 \arccos(ax) \sqrt{-a^2 x^2 + 1}}{25} - \frac{12 \arccos(ax)^2 a^5}{125} - \frac{16576}{5625}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*arccos(a*x)^4,x)`

[Out] $\frac{1}{a^5} \cdot (1/5 \cdot a^5 \cdot x^5 \cdot \arccos(ax))^4 - 4/75 \cdot \arccos(ax)^3 \cdot (3 \cdot a^4 \cdot x^4 + 4 \cdot a^2 \cdot x^2 + 8) \cdot (-a^2 \cdot x^2 + 1)^{(1/2)} - 32/25 \cdot a \cdot x \cdot \arccos(ax)^2 + 16576/5625 \cdot a \cdot x + 64/25 \cdot \arccos(ax) \cdot (-a^2 \cdot x^2 + 1)^{(1/2)} - 12/125 \cdot \arccos(ax)^2 \cdot a^5 \cdot x^5 + 8/625 \cdot \arccos(ax) \cdot (3 \cdot a^4 \cdot x^4 + 4 \cdot a^2 \cdot x^2 + 8) \cdot (-a^2 \cdot x^2 + 1)^{(1/2)} + 24/3125 \cdot a^5 \cdot x^5 + 1088/16875 \cdot a^3 \cdot x^3 - 16/75 \cdot a^3 \cdot x^3 \cdot \arccos(ax)^2 + 32/225 \cdot \arccos(ax) \cdot (a^2 \cdot x^2 + 2) \cdot (-a^2 \cdot x^2 + 1)^{(1/2)}$

maxima [A] time = 0.70, size = 206, normalized size = 0.82

$$\frac{1}{5} x^5 \arccos(ax)^4 - \frac{4}{75} \left(\frac{3 \sqrt{-a^2 x^2 + 1} x^4}{a^2} + \frac{4 \sqrt{-a^2 x^2 + 1} x^2}{a^4} + \frac{8 \sqrt{-a^2 x^2 + 1}}{a^6} \right) a \arccos(ax)^3 + \frac{4}{84375} \left(2 a \left(\frac{15 (27 \cdot a^4 \cdot x^4 + 136 \cdot a^2 \cdot x^2 + 2072) \cdot \arccos(ax)}{a^5} - \frac{16576 \sqrt{-a^2 x^2 + 1} \arccos(ax)}{5625} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arccos(a*x)^4,x, algorithm="maxima")`

```
[Out] 1/5*x^5*arccos(a*x)^4 - 4/75*(3*sqrt(-a^2*x^2 + 1)*x^4/a^2 + 4*sqrt(-a^2*x^2 + 1)*x^2/a^4 + 8*sqrt(-a^2*x^2 + 1)/a^6)*a*arccos(a*x)^3 + 4/84375*(2*a*(15*(27*sqrt(-a^2*x^2 + 1)*a^2*x^4 + 136*sqrt(-a^2*x^2 + 1)*x^2 + 2072*sqrt(-a^2*x^2 + 1)/a^2)*arccos(a*x)/a^5 + (81*a^4*x^5 + 680*a^2*x^3 + 31080*x)/a^6) - 225*(9*a^4*x^5 + 20*a^2*x^3 + 120*x)*arccos(a*x)^2/a^5)*a
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{acos}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*acos(a*x)^4,x)
```

```
[Out] int(x^4*acos(a*x)^4, x)
```

sympy [A] time = 8.81, size = 248, normalized size = 0.99

$$\left\{ \begin{array}{l} \frac{x^5 \operatorname{acos}^4(ax)}{5} - \frac{12x^5 \operatorname{acos}^2(ax)}{125} + \frac{24x^5}{3125} - \frac{4x^4 \sqrt{-a^2x^2+1} \operatorname{acos}^3(ax)}{25a} + \frac{24x^4 \sqrt{-a^2x^2+1} \operatorname{acos}(ax)}{625a} - \frac{16x^3 \operatorname{acos}^2(ax)}{75a^2} + \frac{1088x^3}{16875a^2} - \frac{16x^2 \sqrt{-a^2x^2+1}}{16875a^2} \\ \frac{\pi^4 x^5}{80} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*acos(a*x)**4,x)
```

```
[Out] Piecewise((x**5*acos(a*x)**4/5 - 12*x**5*acos(a*x)**2/125 + 24*x**5/3125 - 4*x**4*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/(25*a) + 24*x**4*sqrt(-a**2*x**2 + 1)*acos(a*x)/(625*a) - 16*x**3*acos(a*x)**2/(75*a**2) + 1088*x**3/(16875*a**2) - 16*x**2*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/(75*a**3) + 1088*x**2*sqrt(-a**2*x**2 + 1)*acos(a*x)/(5625*a**3) - 32*x*acos(a*x)**2/(25*a**4) + 16576*x/(5625*a**4) - 32*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/(75*a**5) + 16576*sqrt(-a**2*x**2 + 1)*acos(a*x)/(5625*a**5), Ne(a, 0)), (pi**4*x**5/80, True))
```

3.34 $\int x^3 \cos^{-1}(ax)^4 dx$

Optimal. Leaf size=198

$$\frac{3 \cos^{-1}(ax)^4}{32a^4} + \frac{45 \cos^{-1}(ax)^2}{128a^4} + \frac{45x^2}{128a^2} - \frac{9x^2 \cos^{-1}(ax)^2}{16a^2} - \frac{x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{4a} + \frac{3x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{32a} - \frac{3x^3}{32a}$$

[Out] 45/128*x^2/a^2+3/128*x^4+45/128*arccos(a*x)^2/a^4-9/16*x^2*arccos(a*x)^2/a^2-3/16*x^4*arccos(a*x)^2-3/32*arccos(a*x)^4/a^4+1/4*x^4*arccos(a*x)^4+45/64*x*arccos(a*x)*(-a^2*x^2+1)^(1/2)/a^3+3/32*x^3*arccos(a*x)*(-a^2*x^2+1)^(1/2)/a-3/8*x*arccos(a*x)^3*(-a^2*x^2+1)^(1/2)/a^3-1/4*x^3*arccos(a*x)^3*(-a^2*x^2+1)^(1/2)/a

Rubi [A] time = 0.52, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {4628, 4708, 4642, 30}

$$\frac{45x^2}{128a^2} - \frac{x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{4a} + \frac{3x^3 \sqrt{1-a^2x^2} \cos^{-1}(ax)}{32a} - \frac{9x^2 \cos^{-1}(ax)^2}{16a^2} - \frac{3x \sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{8a^3} + \frac{45x \sqrt{1-a^2x^2} \cos^{-1}(ax)}{32a} - \frac{3x^3}{32a}$$

Antiderivative was successfully verified.

[In] Int[x^3*ArcCos[a*x]^4,x]

[Out] (45*x^2)/(128*a^2) + (3*x^4)/128 + (45*x*Sqrt[1 - a^2*x^2]*ArcCos[a*x])/(64*a^3) + (3*x^3*Sqrt[1 - a^2*x^2]*ArcCos[a*x])/(32*a) + (45*ArcCos[a*x]^2)/(128*a^4) - (9*x^2*ArcCos[a*x]^2)/(16*a^2) - (3*x^4*ArcCos[a*x]^2)/16 - (3*x*Sqrt[1 - a^2*x^2]*ArcCos[a*x]^3)/(8*a^3) - (x^3*Sqrt[1 - a^2*x^2]*ArcCos[a*x]^3)/(4*a) - (3*ArcCos[a*x]^4)/(32*a^4) + (x^4*ArcCos[a*x]^4)/4

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4642

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fr

eeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4708

Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^ (m_.))/Sqrt[(d_. + (e_.)*(x_.)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int x^3 \cos^{-1}(ax)^4 dx &= \frac{1}{4}x^4 \cos^{-1}(ax)^4 + a \int \frac{x^4 \cos^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx \\
 &= -\frac{x^3\sqrt{1 - a^2x^2} \cos^{-1}(ax)^3}{4a} + \frac{1}{4}x^4 \cos^{-1}(ax)^4 - \frac{3}{4} \int x^3 \cos^{-1}(ax)^2 dx + \frac{3 \int \frac{x^2 \cos^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx}{4a} \\
 &= -\frac{3}{16}x^4 \cos^{-1}(ax)^2 - \frac{3x\sqrt{1 - a^2x^2} \cos^{-1}(ax)^3}{8a^3} - \frac{x^3\sqrt{1 - a^2x^2} \cos^{-1}(ax)^3}{4a} + \frac{1}{4}x^4 \cos^{-1}(ax)^4 \\
 &= \frac{3x^3\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{32a} - \frac{9x^2 \cos^{-1}(ax)^2}{16a^2} - \frac{3}{16}x^4 \cos^{-1}(ax)^2 - \frac{3x\sqrt{1 - a^2x^2} \cos^{-1}(ax)^3}{8a^3} \\
 &= \frac{3x^4}{128} + \frac{45x\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{64a^3} + \frac{3x^3\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{32a} - \frac{9x^2 \cos^{-1}(ax)^2}{16a^2} - \frac{3}{16}x^4 \cos^{-1}(ax)^2 \\
 &= \frac{45x^2}{128a^2} + \frac{3x^4}{128} + \frac{45x\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{64a^3} + \frac{3x^3\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{32a} + \frac{45 \cos^{-1}(ax)^2}{128a^4} - \frac{9x^4}{128}
 \end{aligned}$$

Mathematica [A] time = 0.08, size = 135, normalized size = 0.68

$$\frac{4(8a^4x^4 - 3) \cos^{-1}(ax)^4 + 3a^2x^2(a^2x^2 + 15) - 16ax\sqrt{1 - a^2x^2}(2a^2x^2 + 3) \cos^{-1}(ax)^3 + 6ax\sqrt{1 - a^2x^2}(2a^2x^2 + 3) \cos^{-1}(ax)^2 - 16a^2x^2 \cos^{-1}(ax)^2}{128a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcCos[a*x]^4, x]

[Out] (3*a^2*x^2*(15 + a^2*x^2) + 6*a*x*Sqrt[1 - a^2*x^2]*(15 + 2*a^2*x^2)*ArcCos[a*x] - 3*(-15 + 24*a^2*x^2 + 8*a^4*x^4)*ArcCos[a*x]^2 - 16*a*x*Sqrt[1 - a^2*x^2]*(2*a^2*x^2 + 3)*ArcCos[a*x]^3 + 16*a*x*Sqrt[1 - a^2*x^2]*(2*a^2*x^2 + 3)*ArcCos[a*x]^2)/128

$$2x^2*(3 + 2a^2x^2)*\text{ArcCos}[ax]^3 + 4*(-3 + 8a^4x^4)*\text{ArcCos}[ax]^4)/(128a^4)$$

fricas [A] time = 0.43, size = 121, normalized size = 0.61

$$\frac{3a^4x^4 + 4(8a^4x^4 - 3)\arccos(ax)^4 + 45a^2x^2 - 3(8a^4x^4 + 24a^2x^2 - 15)\arccos(ax)^2 - 2\sqrt{-a^2x^2 + 1}(8(2a^3x^3 + 3ax)\arccos(ax)^3 - 3(2a^3x^3 + 15ax)\arccos(ax))}{128a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^4,x, algorithm="fricas")

[Out] 1/128*(3*a^4*x^4 + 4*(8*a^4*x^4 - 3)*arccos(a*x)^4 + 45*a^2*x^2 - 3*(8*a^4*x^4 + 24*a^2*x^2 - 15)*arccos(a*x)^2 - 2*sqrt(-a^2*x^2 + 1)*(8*(2*a^3*x^3 + 3*a*x)*arccos(a*x)^3 - 3*(2*a^3*x^3 + 15*a*x)*arccos(a*x)))/a^4

giac [A] time = 0.20, size = 173, normalized size = 0.87

$$\frac{1}{4}x^4\arccos(ax)^4 - \frac{3}{16}x^4\arccos(ax)^2 - \frac{\sqrt{-a^2x^2 + 1}x^3\arccos(ax)^3}{4a} + \frac{3}{128}x^4 + \frac{3\sqrt{-a^2x^2 + 1}x^3\arccos(ax)}{32a} - \frac{9x^2}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^4,x, algorithm="giac")

[Out] 1/4*x^4*arccos(a*x)^4 - 3/16*x^4*arccos(a*x)^2 - 1/4*sqrt(-a^2*x^2 + 1)*x^3*arccos(a*x)^3/a + 3/128*x^4 + 3/32*sqrt(-a^2*x^2 + 1)*x^3*arccos(a*x)/a - 9/16*x^2*arccos(a*x)^2/a^2 - 3/8*sqrt(-a^2*x^2 + 1)*x*arccos(a*x)^3/a^3 + 45/128*x^2/a^2 - 3/32*arccos(a*x)^4/a^4 + 45/64*sqrt(-a^2*x^2 + 1)*x*arccos(a*x)/a^3 + 45/128*arccos(a*x)^2/a^4 - 189/1024/a^4

maple [A] time = 0.07, size = 207, normalized size = 1.05

$$\frac{a^4x^4\arccos(ax)^4}{4} - \frac{\arccos(ax)^3(2a^3x^3\sqrt{-a^2x^2+1}+3ax\sqrt{-a^2x^2+1}+3\arccos(ax))}{8} - \frac{3a^4x^4\arccos(ax)^2}{16} + \frac{3\arccos(ax)(2a^3x^3\sqrt{-a^2x^2+1}+3ax\sqrt{-a^2x^2+1}+3\arccos(ax))}{64}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*arccos(a*x)^4,x)

[Out] 1/a^4*(1/4*a^4*x^4*arccos(a*x)^4-1/8*arccos(a*x)^3*(2*a^3*x^3*(-a^2*x^2+1)^(1/2)+3*a*x*(-a^2*x^2+1)^(1/2)+3*arccos(a*x))-3/16*a^4*x^4*arccos(a*x)^2+3/64*arccos(a*x)*(2*a^3*x^3*(-a^2*x^2+1)^(1/2)+3*a*x*(-a^2*x^2+1)^(1/2)+3*arccos(a*x))-45/128*arccos(a*x)^2+3/128*a^4*x^4+45/128*a^2*x^2-9/16*a^2*x^2*arccos(a*x)^2+9/16*arccos(a*x)*(a*x*(-a^2*x^2+1)^(1/2)+arccos(a*x))-9/32+9/32*arccos(a*x)^4)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4} x^4 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^4 - a \int \frac{\sqrt{ax+1}\sqrt{-ax+1} x^4 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3}{a^2 x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^4,x, algorithm="maxima")

[Out] 1/4*x^4*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^4 - a*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*x^4*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3/(a^2*x^2 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{acos}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*acos(a*x)^4,x)

[Out] int(x^3*acos(a*x)^4, x)

sympy [A] time = 5.51, size = 197, normalized size = 0.99

$$\left\{ \begin{array}{l} \frac{x^4 \operatorname{acos}^4(ax)}{4} - \frac{3x^4 \operatorname{acos}^2(ax)}{16} + \frac{3x^4}{128} - \frac{x^3 \sqrt{-a^2x^2+1} \operatorname{acos}^3(ax)}{4a} + \frac{3x^3 \sqrt{-a^2x^2+1} \operatorname{acos}(ax)}{32a} - \frac{9x^2 \operatorname{acos}^2(ax)}{16a^2} + \frac{45x^2}{128a^2} - \frac{3x \sqrt{-a^2x^2+1} \operatorname{acos}^3(ax)}{8a^3} \\ \frac{\pi^4 x^4}{64} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*acos(a*x)**4,x)

[Out] Piecewise((x**4*acos(a*x)**4/4 - 3*x**4*acos(a*x)**2/16 + 3*x**4/128 - x**3*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/(4*a) + 3*x**3*sqrt(-a**2*x**2 + 1)*acos(a*x)/(32*a) - 9*x**2*acos(a*x)**2/(16*a**2) + 45*x**2/(128*a**2) - 3*x*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/(8*a**3) + 45*x*sqrt(-a**2*x**2 + 1)*acos(a*x)/(64*a**3) - 3*acos(a*x)**4/(32*a**4) + 45*acos(a*x)**2/(128*a**4), Ne(a, 0)), (pi**4*x**4/64, True))

3.35 $\int x^2 \cos^{-1}(ax)^4 dx$

Optimal. Leaf size=166

$$-\frac{4x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)^3}{9a} + \frac{8x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)}{27a} + \frac{160x}{27a^2} - \frac{8x\cos^{-1}(ax)^2}{3a^2} - \frac{8\sqrt{1-a^2x^2}\cos^{-1}(ax)^3}{9a^3} + \frac{160\sqrt{1-a^2x^2}}{27a^3}$$

[Out] $160/27*x/a^2+8/81*x^3-8/3*x*\arccos(a*x)^2/a^2-4/9*x^3*\arccos(a*x)^2+1/3*x^3*\arccos(a*x)^4+160/27*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a^3+8/27*x^2*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}/a-8/9*\arccos(a*x)^3*(-a^2*x^2+1)^{(1/2)}/a^3-4/9*x^2*\arccos(a*x)^3*(-a^2*x^2+1)^{(1/2)}/a$

Rubi [A] time = 0.37, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {4628, 4708, 4678, 4620, 8, 30}

$$\frac{4x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)^3}{9a} - \frac{8\sqrt{1-a^2x^2}\cos^{-1}(ax)^3}{9a^3} + \frac{8x^2\sqrt{1-a^2x^2}\cos^{-1}(ax)}{27a} + \frac{160\sqrt{1-a^2x^2}\cos^{-1}(ax)}{27a^3} + \frac{160x}{27a^2}$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCos[a*x]^4,x]

[Out] $(160*x)/(27*a^2) + (8*x^3)/81 + (160*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(27*a^3) + (8*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(27*a) - (8*x*\text{ArcCos}[a*x]^2)/(3*a^2) - (4*x^3*\text{ArcCos}[a*x]^2)/9 - (8*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^3)/(9*a^3) - (4*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^3)/(9*a) + (x^3*\text{ArcCos}[a*x]^4)/3$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 30

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x]))^(n - 1)]/Sqrt[1 - c^2*x^2], x, x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
 := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
 *x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol]
 := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]
 *(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)
 *(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4708

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol]
 := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)
 *(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)
 *(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int x^2 \cos^{-1}(ax)^4 dx &= \frac{1}{3}x^3 \cos^{-1}(ax)^4 + \frac{1}{3}(4a) \int \frac{x^3 \cos^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx \\
 &= -\frac{4x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{9a} + \frac{1}{3}x^3 \cos^{-1}(ax)^4 - \frac{4}{3} \int x^2 \cos^{-1}(ax)^2 dx + \frac{8 \int \frac{x \cos^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx}{9a} \\
 &= -\frac{4}{9}x^3 \cos^{-1}(ax)^2 - \frac{8\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{9a^3} - \frac{4x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{9a} + \frac{1}{3}x^3 \cos^{-1}(ax)^4 - \frac{4}{9} \int x^2 \cos^{-1}(ax) dx \\
 &= \frac{8x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{27a} - \frac{8x \cos^{-1}(ax)^2}{3a^2} - \frac{4}{9}x^3 \cos^{-1}(ax)^2 - \frac{8\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{9a^3} - \frac{4x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{9a} \\
 &= \frac{8x^3}{81} + \frac{160\sqrt{1-a^2x^2} \cos^{-1}(ax)}{27a^3} + \frac{8x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{27a} - \frac{8x \cos^{-1}(ax)^2}{3a^2} - \frac{4}{9}x^3 \cos^{-1}(ax)^2 - \frac{4}{9} \int x^2 \cos^{-1}(ax) dx \\
 &= \frac{160x}{27a^2} + \frac{8x^3}{81} + \frac{160\sqrt{1-a^2x^2} \cos^{-1}(ax)}{27a^3} + \frac{8x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)}{27a} - \frac{8x \cos^{-1}(ax)^2}{3a^2} - \frac{4}{9}x^3 \cos^{-1}(ax)^2 - \frac{4}{9} \int x^2 \cos^{-1}(ax) dx
 \end{aligned}$$

Mathematica [A] time = 0.08, size = 114, normalized size = 0.69

$$\frac{27a^3x^3 \cos^{-1}(ax)^4 + 8ax(a^2x^2 + 60) - 36\sqrt{1 - a^2x^2}(a^2x^2 + 2) \cos^{-1}(ax)^3 - 36ax(a^2x^2 + 6) \cos^{-1}(ax)^2 + 24\sqrt{1 - a^2x^2}}{81a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCos[a*x]^4,x]

[Out] (8*a*x*(60 + a^2*x^2) + 24*Sqrt[1 - a^2*x^2]*(20 + a^2*x^2)*ArcCos[a*x] - 36*a*x*(6 + a^2*x^2)*ArcCos[a*x]^2 - 36*Sqrt[1 - a^2*x^2]*(2 + a^2*x^2)*ArcCos[a*x]^3 + 27*a^3*x^3*ArcCos[a*x]^4)/(81*a^3)

fricas [A] time = 0.44, size = 99, normalized size = 0.60

$$\frac{27a^3x^3 \arccos(ax)^4 + 8a^3x^3 - 36(a^3x^3 + 6ax) \arccos(ax)^2 + 480ax - 12\sqrt{-a^2x^2 + 1}(3(a^2x^2 + 2) \arccos(ax)^3 - 2(a^2x^2 + 20) \arccos(ax))}{81a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^4,x, algorithm="fricas")

[Out] 1/81*(27*a^3*x^3*arccos(a*x)^4 + 8*a^3*x^3 - 36*(a^3*x^3 + 6*a*x)*arccos(a*x)^2 + 480*a*x - 12*sqrt(-a^2*x^2 + 1)*(3*(a^2*x^2 + 2)*arccos(a*x)^3 - 2*(a^2*x^2 + 20)*arccos(a*x)))/a^3

giac [A] time = 0.20, size = 140, normalized size = 0.84

$$\frac{1}{3}x^3 \arccos(ax)^4 - \frac{4}{9}x^3 \arccos(ax)^2 - \frac{4\sqrt{-a^2x^2 + 1}x^2 \arccos(ax)^3}{9a} + \frac{8}{81}x^3 + \frac{8\sqrt{-a^2x^2 + 1}x^2 \arccos(ax)}{27a} - \frac{8ax \arccos(ax)}{27a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^4,x, algorithm="giac")

[Out] 1/3*x^3*arccos(a*x)^4 - 4/9*x^3*arccos(a*x)^2 - 4/9*sqrt(-a^2*x^2 + 1)*x^2*arccos(a*x)^3/a + 8/81*x^3 + 8/27*sqrt(-a^2*x^2 + 1)*x^2*arccos(a*x)/a - 8/3*x*arccos(a*x)^2/a^2 - 8/9*sqrt(-a^2*x^2 + 1)*arccos(a*x)^3/a^3 + 160/27*x/a^2 + 160/27*sqrt(-a^2*x^2 + 1)*arccos(a*x)/a^3

maple [A] time = 0.05, size = 130, normalized size = 0.78

$$\frac{a^3x^3 \arccos(ax)^4}{3} - \frac{4 \arccos(ax)^3(a^2x^2+2)\sqrt{-a^2x^2+1}}{9} - \frac{8ax \arccos(ax)^2}{3} + \frac{160ax}{27} + \frac{16 \arccos(ax)\sqrt{-a^2x^2+1}}{3} - \frac{4a^3x^3 \arccos(ax)^2}{9} + \frac{8 \arccos(ax)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*arccos(a*x)^4,x)`

[Out] $\frac{1}{a^3} \left(\frac{1}{3} a^3 x^3 \arccos(ax)^4 - \frac{4}{9} a \arccos(ax)^3 \left(\sqrt{-a^2 x^2 + 1} x^2 + \frac{2 \sqrt{-a^2 x^2 + 1}}{a^4} \right) - \frac{4}{9} a^3 x^3 \arccos(ax)^2 + \frac{8}{27} a \arccos(ax) \left(\sqrt{-a^2 x^2 + 1} x^2 + \frac{2 \sqrt{-a^2 x^2 + 1}}{a^4} \right) - \frac{8}{81} a^3 x^3 \right)$

maxima [A] time = 1.07, size = 146, normalized size = 0.88

$$\frac{1}{3} x^3 \arccos(ax)^4 - \frac{4}{9} a \left(\frac{\sqrt{-a^2 x^2 + 1} x^2}{a^2} + \frac{2 \sqrt{-a^2 x^2 + 1}}{a^4} \right) \arccos(ax)^3 + \frac{4}{81} \left(2 a \left(\frac{3 \left(\sqrt{-a^2 x^2 + 1} x^2 + \frac{20 \sqrt{-a^2 x^2 + 1}}{a^2} \right)}{a^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arccos(a*x)^4,x, algorithm="maxima")`

[Out] $\frac{1}{3} x^3 \arccos(ax)^4 - \frac{4}{9} a \left(\sqrt{-a^2 x^2 + 1} x^2 / a^2 + 2 \sqrt{-a^2 x^2 + 1} / a^4 \right) \arccos(ax)^3 + \frac{4}{81} \left(2 a \left(3 \left(\sqrt{-a^2 x^2 + 1} x^2 + \frac{20 \sqrt{-a^2 x^2 + 1}}{a^2} \right) \right) \right) \arccos(ax)^2 / a^3 + \frac{a^2 x^3 + 60 x}{a^4} - 9 \left(a^2 x^3 + 6 x \right) \arccos(ax)^2 / a^3 * a$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \arccos(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*acos(a*x)^4,x)`

[Out] `int(x^2*acos(a*x)^4, x)`

sympy [A] time = 3.04, size = 165, normalized size = 0.99

$$\left\{ \begin{array}{l} \frac{x^3 \arccos^4(ax)}{3} - \frac{4x^3 \arccos^2(ax)}{9} + \frac{8x^3}{81} - \frac{4x^2 \sqrt{-a^2 x^2 + 1} \arccos^3(ax)}{9a} + \frac{8x^2 \sqrt{-a^2 x^2 + 1} \arccos(ax)}{27a} - \frac{8x \arccos^2(ax)}{3a^2} + \frac{160x}{27a^2} - \frac{8 \sqrt{-a^2 x^2 + 1} \arccos^3(ax)}{9a^3} \\ \frac{\pi^4 x^3}{48} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*acos(a*x)**4,x)`

[Out] `Piecewise((x**3*acos(a*x)**4/3 - 4*x**3*acos(a*x)**2/9 + 8*x**3/81 - 4*x**2*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/(9*a) + 8*x**2*sqrt(-a**2*x**2 + 1)*acos(a*x)/(27*a) - 8*x*acos(a*x)**2/(3*a**2) + 160*x/(27*a**2) - 8*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/(9*a**3) + 160*sqrt(-a**2*x**2 + 1)*acos(a*x)/(27*a**3), Ne(a, 0)), (pi**4*x**3/48, True))`

3.36 $\int x \cos^{-1}(ax)^4 dx$

Optimal. Leaf size=112

$$-\frac{x\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{a} + \frac{3x\sqrt{1-a^2x^2} \cos^{-1}(ax)}{2a} - \frac{\cos^{-1}(ax)^4}{4a^2} + \frac{3 \cos^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^4 - \frac{3}{2}x^2 \cos^{-1}(ax)^2$$

[Out] $3/4*x^2+3/4*\arccos(a*x)^2/a^2-3/2*x^2*\arccos(a*x)^2-1/4*\arccos(a*x)^4/a^2+1/2*x^2*\arccos(a*x)^4+3/2*x*\arccos(a*x)*(-a^2*x^2+1)^(1/2)/a-x*\arccos(a*x)^3*(-a^2*x^2+1)^(1/2)/a$

Rubi [A] time = 0.24, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4628, 4708, 4642, 30}

$$-\frac{x\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{a} + \frac{3x\sqrt{1-a^2x^2} \cos^{-1}(ax)}{2a} - \frac{\cos^{-1}(ax)^4}{4a^2} + \frac{3 \cos^{-1}(ax)^2}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^4 - \frac{3}{2}x^2 \cos^{-1}(ax)^2$$

Antiderivative was successfully verified.

[In] Int[x*ArcCos[a*x]^4,x]

[Out] $(3*x^2)/4 + (3*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/(2*a) + (3*\text{ArcCos}[a*x]^2)/(4*a^2) - (3*x^2*\text{ArcCos}[a*x]^2)/2 - (x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^3)/a - \text{ArcCos}[a*x]^4/(4*a^2) + (x^2*\text{ArcCos}[a*x]^4)/2$

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4628

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((d_)*(x_))^(m_), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c^n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4642

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] := -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4708

```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n)*((f_.)*(x_))^m)/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int x \cos^{-1}(ax)^4 dx &= \frac{1}{2}x^2 \cos^{-1}(ax)^4 + (2a) \int \frac{x^2 \cos^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx \\ &= -\frac{x\sqrt{1 - a^2x^2} \cos^{-1}(ax)^3}{a} + \frac{1}{2}x^2 \cos^{-1}(ax)^4 - 3 \int x \cos^{-1}(ax)^2 dx + \frac{\int \frac{\cos^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx}{a} \\ &= -\frac{3}{2}x^2 \cos^{-1}(ax)^2 - \frac{x\sqrt{1 - a^2x^2} \cos^{-1}(ax)^3}{a} - \frac{\cos^{-1}(ax)^4}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^4 - (3a) \int \frac{x^2 \cos^{-1}(ax)}{\sqrt{1 - a^2x^2}} dx \\ &= \frac{3x\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{2a} - \frac{3}{2}x^2 \cos^{-1}(ax)^2 - \frac{x\sqrt{1 - a^2x^2} \cos^{-1}(ax)^3}{a} - \frac{\cos^{-1}(ax)^4}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^4 \\ &= \frac{3x^2}{4} + \frac{3x\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{2a} + \frac{3 \cos^{-1}(ax)^2}{4a^2} - \frac{3}{2}x^2 \cos^{-1}(ax)^2 - \frac{x\sqrt{1 - a^2x^2} \cos^{-1}(ax)^3}{a} \end{aligned}$$

Mathematica [A] time = 0.05, size = 96, normalized size = 0.86

$$\frac{3a^2x^2 + (2a^2x^2 - 1) \cos^{-1}(ax)^4 - 4ax\sqrt{1 - a^2x^2} \cos^{-1}(ax)^3 + (3 - 6a^2x^2) \cos^{-1}(ax)^2 + 6ax\sqrt{1 - a^2x^2} \cos^{-1}(ax)}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCos[a*x]^4, x]

[Out] (3*a^2*x^2 + 6*a*x*Sqrt[1 - a^2*x^2]*ArcCos[a*x] + (3 - 6*a^2*x^2)*ArcCos[a*x]^2 - 4*a*x*Sqrt[1 - a^2*x^2]*ArcCos[a*x]^3 + (-1 + 2*a^2*x^2)*ArcCos[a*x]^4)/(4*a^2)

fricas [A] time = 0.44, size = 82, normalized size = 0.73

$$\frac{(2a^2x^2 - 1) \arccos(ax)^4 + 3a^2x^2 - 3(2a^2x^2 - 1) \arccos(ax)^2 - 2(2ax \arccos(ax)^3 - 3ax \arccos(ax))\sqrt{-a^2x^2}}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^4,x, algorithm="fricas")

[Out] $\frac{1}{4} * ((2 * a^2 * x^2 - 1) * \arccos(a * x)^4 + 3 * a^2 * x^2 - 3 * (2 * a^2 * x^2 - 1) * \arccos(a * x)^2 - 2 * (2 * a * x * \arccos(a * x)^3 - 3 * a * x * \arccos(a * x)) * \sqrt{-a^2 * x^2 + 1}) / a^2$

giac [A] time = 0.19, size = 101, normalized size = 0.90

$$\frac{1}{2} x^2 \arccos(ax)^4 - \frac{3}{2} x^2 \arccos(ax)^2 - \frac{\sqrt{-a^2 x^2 + 1} x \arccos(ax)^3}{a} + \frac{3}{4} x^2 - \frac{\arccos(ax)^4}{4 a^2} + \frac{3 \sqrt{-a^2 x^2 + 1} x \arccos(ax)}{2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^4,x, algorithm="giac")

[Out] $\frac{1}{2} * x^2 * \arccos(a * x)^4 - \frac{3}{2} * x^2 * \arccos(a * x)^2 - \sqrt{-a^2 * x^2 + 1} * x * \arccos(a * x)^3 / a + \frac{3}{4} * x^2 - \frac{1}{4} * \arccos(a * x)^4 / a^2 + \frac{3}{2} * \sqrt{-a^2 * x^2 + 1} * x * \arccos(a * x) / a + \frac{3}{4} * \arccos(a * x)^2 / a^2 - \frac{3}{8} / a^2$

maple [A] time = 0.06, size = 113, normalized size = 1.01

$$\frac{\frac{a^2 x^2 \arccos(ax)^4}{2} - \arccos(ax)^3 \left(ax \sqrt{-a^2 x^2 + 1} + \arccos(ax) \right) - \frac{3 a^2 x^2 \arccos(ax)^2}{2} + \frac{3 \arccos(ax) \left(ax \sqrt{-a^2 x^2 + 1} + \arccos(ax) \right)}{2}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccos(a*x)^4,x)

[Out] $\frac{1}{a^2} * (\frac{1}{2} * a^2 * x^2 * \arccos(a * x)^4 - \arccos(a * x)^3 * (a * x * (-a^2 * x^2 + 1)^{(1/2)} + \arccos(a * x)) - \frac{3}{2} * a^2 * x^2 * \arccos(a * x)^2 + \frac{3}{2} * \arccos(a * x) * (a * x * (-a^2 * x^2 + 1)^{(1/2)} + \arccos(a * x)) - \frac{3}{4} * \arccos(a * x)^2 + \frac{3}{4} * a^2 * x^2 - \frac{3}{4} + \frac{3}{4} * \arccos(a * x)^4)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2} x^2 \arctan \left(\sqrt{ax + 1} \sqrt{-ax + 1}, ax \right) - 2 a \int \frac{\sqrt{ax + 1} \sqrt{-ax + 1} x^2 \arctan \left(\sqrt{ax + 1} \sqrt{-ax + 1}, ax \right)^3}{a^2 x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^4,x, algorithm="maxima")

[Out] $\frac{1}{2} * x^2 * \arctan2(\sqrt{a * x + 1} * \sqrt{-a * x + 1}, a * x)^4 - 2 * a * \int (\sqrt{a * x + 1} * \sqrt{-a * x + 1}) * x^2 * \arctan2(\sqrt{a * x + 1} * \sqrt{-a * x + 1}, a * x)^3 / (a^2 * x^2 - 1), x$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{acos}(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*acos(a*x)^4,x)`

[Out] `int(x*acos(a*x)^4, x)`

sympy [A] time = 1.74, size = 110, normalized size = 0.98

$$\begin{cases} \frac{x^2 \operatorname{acos}^4(ax)}{2} - \frac{3x^2 \operatorname{acos}^2(ax)}{2} + \frac{3x^2}{4} - \frac{x\sqrt{-a^2x^2+1} \operatorname{acos}^3(ax)}{a} + \frac{3x\sqrt{-a^2x^2+1} \operatorname{acos}(ax)}{2a} - \frac{\operatorname{acos}^4(ax)}{4a^2} + \frac{3 \operatorname{acos}^2(ax)}{4a^2} & \text{for } a \neq 0 \\ \frac{\pi^4 x^2}{32} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*acos(a*x)**4,x)`

[Out] `Piecewise((x**2*acos(a*x)**4/2 - 3*x**2*acos(a*x)**2/2 + 3*x**2/4 - x*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/a + 3*x*sqrt(-a**2*x**2 + 1)*acos(a*x)/(2*a) - acos(a*x)**4/(4*a**2) + 3*acos(a*x)**2/(4*a**2), Ne(a, 0)), (pi**4*x**2/32, True))`

3.37 $\int \cos^{-1}(ax)^4 dx$

Optimal. Leaf size=69

$$-\frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{a} + \frac{24\sqrt{1-a^2x^2} \cos^{-1}(ax)}{a} + x \cos^{-1}(ax)^4 - 12x \cos^{-1}(ax)^2 + 24x$$

[Out] $24*x-12*x*\arccos(a*x)^2+x*\arccos(a*x)^4+24*\arccos(a*x)*(-a^2*x^2+1)^(1/2)/a-4*\arccos(a*x)^3*(-a^2*x^2+1)^(1/2)/a$

Rubi [A] time = 0.12, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4620, 4678, 8}

$$-\frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{a} + \frac{24\sqrt{1-a^2x^2} \cos^{-1}(ax)}{a} + x \cos^{-1}(ax)^4 - 12x \cos^{-1}(ax)^2 + 24x$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^4,x]

[Out] $24*x + (24*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x])/a - 12*x*\text{ArcCos}[a*x]^2 - (4*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^3)/a + x*\text{ArcCos}[a*x]^4$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^ (n_.), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \cos^{-1}(ax)^4 dx &= x \cos^{-1}(ax)^4 + (4a) \int \frac{x \cos^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{a} + x \cos^{-1}(ax)^4 - 12 \int \cos^{-1}(ax)^2 dx \\
&= -12x \cos^{-1}(ax)^2 - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{a} + x \cos^{-1}(ax)^4 - (24a) \int \frac{x \cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx \\
&= \frac{24\sqrt{1-a^2x^2} \cos^{-1}(ax)}{a} - 12x \cos^{-1}(ax)^2 - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{a} + x \cos^{-1}(ax)^4 + 24 \int \frac{1}{\sqrt{1-a^2x^2}} dx \\
&= 24x + \frac{24\sqrt{1-a^2x^2} \cos^{-1}(ax)}{a} - 12x \cos^{-1}(ax)^2 - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{a} + x \cos^{-1}(ax)^4
\end{aligned}$$

Mathematica [A] time = 0.03, size = 69, normalized size = 1.00

$$-\frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{a} + \frac{24\sqrt{1-a^2x^2} \cos^{-1}(ax)}{a} + x \cos^{-1}(ax)^4 - 12x \cos^{-1}(ax)^2 + 24x$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^4,x]

[Out] 24*x + (24*sqrt[1 - a^2*x^2]*ArcCos[a*x])/a - 12*x*ArcCos[a*x]^2 - (4*sqrt[1 - a^2*x^2]*ArcCos[a*x]^3)/a + x*ArcCos[a*x]^4

fricas [A] time = 0.43, size = 55, normalized size = 0.80

$$\frac{ax \arccos(ax)^4 - 12ax \arccos(ax)^2 + 24ax - 4\sqrt{-a^2x^2 + 1}(\arccos(ax)^3 - 6 \arccos(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4,x, algorithm="fricas")

[Out] (a*x*arccos(a*x)^4 - 12*a*x*arccos(a*x)^2 + 24*a*x - 4*sqrt(-a^2*x^2 + 1)*(arccos(a*x)^3 - 6*arccos(a*x)))/a

giac [A] time = 0.18, size = 65, normalized size = 0.94

$$x \arccos(ax)^4 - 12x \arccos(ax)^2 - \frac{4\sqrt{-a^2x^2 + 1} \arccos(ax)^3}{a} + 24x + \frac{24\sqrt{-a^2x^2 + 1} \arccos(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4,x, algorithm="giac")

[Out] $x*\arccos(ax)^4 - 12*x*\arccos(ax)^2 - 4*\sqrt{-a^2*x^2 + 1}*\arccos(ax)^3/a + 24*x + 24*\sqrt{-a^2*x^2 + 1}*\arccos(ax)/a$

maple [A] time = 0.07, size = 67, normalized size = 0.97

$$\frac{ax \arccos(ax)^4 - 4 \arccos(ax)^3 \sqrt{-a^2x^2 + 1} - 12ax \arccos(ax)^2 + 24ax + 24 \arccos(ax) \sqrt{-a^2x^2 + 1}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^4,x)

[Out] $1/a*(a*x*\arccos(a*x)^4 - 4*\arccos(a*x)^3*(-a^2*x^2+1)^{(1/2)} - 12*a*x*\arccos(a*x)^2 + 24*a*x + 24*\arccos(a*x)*(-a^2*x^2+1)^{(1/2)})$

maxima [A] time = 0.52, size = 74, normalized size = 1.07

$$x \arccos(ax)^4 - \frac{4 \sqrt{-a^2x^2 + 1} \arccos(ax)^3}{a} - 12 \left(\frac{x \arccos(ax)^2}{a} - \frac{2 \left(x + \frac{\sqrt{-a^2x^2 + 1} \arccos(ax)}{a} \right)}{a} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4,x, algorithm="maxima")

[Out] $x*\arccos(a*x)^4 - 4*\sqrt{-a^2*x^2 + 1}*\arccos(a*x)^3/a - 12*(x*\arccos(a*x)^2/a - 2*(x + \sqrt{-a^2*x^2 + 1}*\arccos(a*x)/a)/a)*a$

mupad [B] time = 0.31, size = 63, normalized size = 0.91

$$\begin{cases} \frac{x \pi^4}{16} & \text{if } a = 0 \\ x \left(\arccos(ax)^4 - 12 \arccos(ax)^2 + 24 \right) + \frac{\sqrt{1-a^2x^2} (24 \arccos(ax) - 4 \arccos(ax)^3)}{a} & \text{if } a \neq 0 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^4,x)

[Out] $\text{piecewise}(a == 0, (x*\pi^4)/16, a \neq 0, x*(-12*\arccos(a*x)^2 + \arccos(a*x)^4 + 24) + ((-a^2*x^2 + 1)^{(1/2)}*(24*\arccos(a*x) - 4*\arccos(a*x)^3))/a)$

sympy [A] time = 0.81, size = 70, normalized size = 1.01

$$\begin{cases} x \operatorname{acos}^4(ax) - 12x \operatorname{acos}^2(ax) + 24x - \frac{4\sqrt{-a^2x^2+1} \operatorname{acos}^3(ax)}{a} + \frac{24\sqrt{-a^2x^2+1} \operatorname{acos}(ax)}{a} & \text{for } a \neq 0 \\ \frac{\pi^4 x}{16} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acos(a*x)**4,x)`

[Out] `Piecewise((x*acos(a*x)**4 - 12*x*acos(a*x)**2 + 24*x - 4*sqrt(-a**2*x**2 + 1)*acos(a*x)**3/a + 24*sqrt(-a**2*x**2 + 1)*acos(a*x)/a, Ne(a, 0)), (pi**4*x/16, True))`

$$3.38 \quad \int \frac{\cos^{-1}(ax)^4}{x} dx$$

Optimal. Leaf size=119

$$-2i \cos^{-1}(ax)^3 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + 3 \cos^{-1}(ax)^2 \text{Li}_3(-e^{2i \cos^{-1}(ax)}) + 3i \cos^{-1}(ax) \text{Li}_4(-e^{2i \cos^{-1}(ax)}) - \frac{3}{2} \text{Li}_5(-e^{2i \cos^{-1}(ax)})$$

[Out] $-1/5 * I * \arccos(a*x)^5 + \arccos(a*x)^4 * \ln(1 + (a*x + I * (-a^2*x^2 + 1)^{1/2})^2) - 2 * I * a * \arccos(a*x)^3 * \text{polylog}(2, -(a*x + I * (-a^2*x^2 + 1)^{1/2})^2) + 3 * \arccos(a*x)^2 * \text{polylog}(3, -(a*x + I * (-a^2*x^2 + 1)^{1/2})^2) + 3 * I * \arccos(a*x) * \text{polylog}(4, -(a*x + I * (-a^2*x^2 + 1)^{1/2})^2) - 3/2 * \text{polylog}(5, -(a*x + I * (-a^2*x^2 + 1)^{1/2})^2)$

Rubi [A] time = 0.13, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {4626, 3719, 2190, 2531, 6609, 2282, 6589}

$$-2i \cos^{-1}(ax)^3 \text{PolyLog}(2, -e^{2i \cos^{-1}(ax)}) + 3 \cos^{-1}(ax)^2 \text{PolyLog}(3, -e^{2i \cos^{-1}(ax)}) + 3i \cos^{-1}(ax) \text{PolyLog}(4, -e^{2i \cos^{-1}(ax)}) - \frac{3}{2} \text{PolyLog}(5, -e^{2i \cos^{-1}(ax)})$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^4/x, x]

[Out] $(-I/5) * \text{ArcCos}[a*x]^5 + \text{ArcCos}[a*x]^4 * \text{Log}[1 + E^{((2*I)*\text{ArcCos}[a*x])}] - (2*I) * \text{ArcCos}[a*x]^3 * \text{PolyLog}[2, -E^{((2*I)*\text{ArcCos}[a*x])}] + 3 * \text{ArcCos}[a*x]^2 * \text{PolyLog}[3, -E^{((2*I)*\text{ArcCos}[a*x])}] + (3*I) * \text{ArcCos}[a*x] * \text{PolyLog}[4, -E^{((2*I)*\text{ArcCos}[a*x])}] - (3 * \text{PolyLog}[5, -E^{((2*I)*\text{ArcCos}[a*x])}]) / 2$

Rule 2190

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)] / ((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[(((c + d*x)^m * Log[1 + (b*(F^(g*(e + f*x)))^n]/a)] / (b*f*g*n * Log[F]), x] - Dist[(d*m) / (b*f*g*n * Log[F]), Int[(c + d*x)^(m - 1) * Log[1 + (b*(F^(g*(e + f*x)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_)^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4626

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0
]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_)^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*(a_.) + (b_.)
*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)^4}{x} dx &= -\text{Subst} \left(\int x^4 \tan(x) dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{1}{5}i \cos^{-1}(ax)^5 + 2i \text{Subst} \left(\int \frac{e^{2ix} x^4}{1 + e^{2ix}} dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{1}{5}i \cos^{-1}(ax)^5 + \cos^{-1}(ax)^4 \log(1 + e^{2i \cos^{-1}(ax)}) - 4 \text{Subst} \left(\int x^3 \log(1 + e^{2ix}) dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{1}{5}i \cos^{-1}(ax)^5 + \cos^{-1}(ax)^4 \log(1 + e^{2i \cos^{-1}(ax)}) - 2i \cos^{-1}(ax)^3 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + 6i \text{Subst} \left(\int x^2 \log(1 + e^{2ix}) dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{1}{5}i \cos^{-1}(ax)^5 + \cos^{-1}(ax)^4 \log(1 + e^{2i \cos^{-1}(ax)}) - 2i \cos^{-1}(ax)^3 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + 3 \cos^{-1}(ax)^2 \text{Li}_3(-e^{2i \cos^{-1}(ax)}) \\
&= -\frac{1}{5}i \cos^{-1}(ax)^5 + \cos^{-1}(ax)^4 \log(1 + e^{2i \cos^{-1}(ax)}) - 2i \cos^{-1}(ax)^3 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + 3 \cos^{-1}(ax)^2 \text{Li}_3(-e^{2i \cos^{-1}(ax)}) \\
&= -\frac{1}{5}i \cos^{-1}(ax)^5 + \cos^{-1}(ax)^4 \log(1 + e^{2i \cos^{-1}(ax)}) - 2i \cos^{-1}(ax)^3 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + 3 \cos^{-1}(ax)^2 \text{Li}_3(-e^{2i \cos^{-1}(ax)}) \\
&= -\frac{1}{5}i \cos^{-1}(ax)^5 + \cos^{-1}(ax)^4 \log(1 + e^{2i \cos^{-1}(ax)}) - 2i \cos^{-1}(ax)^3 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + 3 \cos^{-1}(ax)^2 \text{Li}_3(-e^{2i \cos^{-1}(ax)})
\end{aligned}$$

Mathematica [A] time = 0.02, size = 119, normalized size = 1.00

$$-2i \cos^{-1}(ax)^3 \text{Li}_2(-e^{2i \cos^{-1}(ax)}) + 3 \cos^{-1}(ax)^2 \text{Li}_3(-e^{2i \cos^{-1}(ax)}) + 3i \cos^{-1}(ax) \text{Li}_4(-e^{2i \cos^{-1}(ax)}) - \frac{3}{2} \text{Li}_5(-e^{2i \cos^{-1}(ax)})$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^4/x,x]

[Out] $(-1/5*I)*\text{ArcCos}[a*x]^5 + \text{ArcCos}[a*x]^4*\text{Log}[1 + E^{((2*I)*\text{ArcCos}[a*x])}] - (2*I)*\text{ArcCos}[a*x]^3*\text{PolyLog}[2, -E^{((2*I)*\text{ArcCos}[a*x])}] + 3*\text{ArcCos}[a*x]^2*\text{PolyLog}[3, -E^{((2*I)*\text{ArcCos}[a*x])}] + (3*I)*\text{ArcCos}[a*x]*\text{PolyLog}[4, -E^{((2*I)*\text{ArcCos}[a*x])}] - (3*\text{PolyLog}[5, -E^{((2*I)*\text{ArcCos}[a*x])}])/2$

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\arccos(ax)^4}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x,x, algorithm="fricas")

[Out] integral(arccos(a*x)^4/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^4}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x,x, algorithm="giac")

[Out] integrate(arccos(a*x)^4/x, x)

maple [A] time = 0.12, size = 168, normalized size = 1.41

$$-\frac{i \arccos(ax)^5}{5} + \arccos(ax)^4 \ln\left(1 + \left(i\sqrt{-a^2x^2 + 1} + ax\right)^2\right) - 2i \arccos(ax)^3 \operatorname{polylog}\left(2, -\left(i\sqrt{-a^2x^2 + 1} + ax\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^4/x,x)

[Out] $-1/5*I*\arccos(a*x)^5 + \arccos(a*x)^4*\ln(1+(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) - 2*I*\arccos(a*x)^3*\operatorname{polylog}(2, -(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) + 3*\arccos(a*x)^2*\operatorname{polylog}(3, -(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) + 3*I*\arccos(a*x)*\operatorname{polylog}(4, -(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) - 3/2*\operatorname{polylog}(5, -(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^4}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x,x, algorithm="maxima")

[Out] integrate(arccos(a*x)^4/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acos}(ax)^4}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^4/x,x)

[Out] int(acos(a*x)^4/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acos}^4(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)**4/x, x)

[Out] Integral(acos(a*x)**4/x, x)

$$3.39 \quad \int \frac{\cos^{-1}(ax)^4}{x^2} dx$$

Optimal. Leaf size=176

$$12ia \cos^{-1}(ax)^2 \text{Li}_2(-ie^{i \cos^{-1}(ax)}) - 12ia \cos^{-1}(ax)^2 \text{Li}_2(ie^{i \cos^{-1}(ax)}) - 24a \cos^{-1}(ax) \text{Li}_3(-ie^{i \cos^{-1}(ax)}) + 24a \cos^{-1}(ax)$$

[Out] $-\arccos(ax)^4/x - 8Ia \arccos(ax)^3 \arctan(a x + I(-a^2 x^2 + 1)^{1/2}) + 12Ia \arccos(ax)^2 \text{polylog}(2, -I(a x + I(-a^2 x^2 + 1)^{1/2})) - 12Ia \arccos(ax)^2 \text{polylog}(2, I(a x + I(-a^2 x^2 + 1)^{1/2})) - 24a \arccos(ax) \text{polylog}(3, -I(a x + I(-a^2 x^2 + 1)^{1/2})) + 24a \arccos(ax) \text{polylog}(3, I(a x + I(-a^2 x^2 + 1)^{1/2})) - 24Ia \text{polylog}(4, -I(a x + I(-a^2 x^2 + 1)^{1/2})) + 24Ia \text{polylog}(4, I(a x + I(-a^2 x^2 + 1)^{1/2}))$

Rubi [A] time = 0.20, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {4628, 4710, 4181, 2531, 6609, 2282, 6589}

$$12ia \cos^{-1}(ax)^2 \text{PolyLog}(2, -ie^{i \cos^{-1}(ax)}) - 12ia \cos^{-1}(ax)^2 \text{PolyLog}(2, ie^{i \cos^{-1}(ax)}) - 24a \cos^{-1}(ax) \text{PolyLog}(3, -ie^{i \cos^{-1}(ax)}) + 24a \cos^{-1}(ax) \text{PolyLog}(3, ie^{i \cos^{-1}(ax)})$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^4/x^2, x]

[Out] $-(\text{ArcCos}[a*x]^4/x) - (8*I)*a*\text{ArcCos}[a*x]^3*\text{ArcTan}[E^{(I*\text{ArcCos}[a*x])}] + (12*I)*a*\text{ArcCos}[a*x]^2*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcCos}[a*x])}] - (12*I)*a*\text{ArcCos}[a*x]^2*\text{PolyLog}[2, I*E^{(I*\text{ArcCos}[a*x])}] - 24*a*\text{ArcCos}[a*x]*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcCos}[a*x])}] + 24*a*\text{ArcCos}[a*x]*\text{PolyLog}[3, I*E^{(I*\text{ArcCos}[a*x])}] - (24*I)*a*\text{PolyLog}[4, (-I)*E^{(I*\text{ArcCos}[a*x])}] + (24*I)*a*\text{PolyLog}[4, I*E^{(I*\text{ArcCos}[a*x])}]$

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -

1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 4181

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4710

Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] :> -Dist[(c^(m + 1)*Sqrt[d])^(-1), Subst[Int[(a + b*x)^n *Cos[x]^m, x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)^4}{x^2} dx &= -\frac{\cos^{-1}(ax)^4}{x} - (4a) \int \frac{\cos^{-1}(ax)^3}{x\sqrt{1-a^2x^2}} dx \\
&= -\frac{\cos^{-1}(ax)^4}{x} + (4a) \text{Subst} \left(\int x^3 \sec(x) dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{\cos^{-1}(ax)^4}{x} - 8ia \cos^{-1}(ax)^3 \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) - (12a) \text{Subst} \left(\int x^2 \log(1 - ie^{ix}) dx, x, \cos^{-1}(ax) \right) \\
&= -\frac{\cos^{-1}(ax)^4}{x} - 8ia \cos^{-1}(ax)^3 \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) + 12ia \cos^{-1}(ax)^2 \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) - 12ia \cos^{-1}(ax) \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) \\
&= -\frac{\cos^{-1}(ax)^4}{x} - 8ia \cos^{-1}(ax)^3 \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) + 12ia \cos^{-1}(ax)^2 \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) - 12ia \cos^{-1}(ax) \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) \\
&= -\frac{\cos^{-1}(ax)^4}{x} - 8ia \cos^{-1}(ax)^3 \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) + 12ia \cos^{-1}(ax)^2 \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) - 12ia \cos^{-1}(ax) \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) \\
&= -\frac{\cos^{-1}(ax)^4}{x} - 8ia \cos^{-1}(ax)^3 \tan^{-1} \left(e^{i \cos^{-1}(ax)} \right) + 12ia \cos^{-1}(ax)^2 \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) - 12ia \cos^{-1}(ax) \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right)
\end{aligned}$$

Mathematica [B] time = 1.20, size = 549, normalized size = 3.12

$$a \left(12i \cos^{-1}(ax)^2 \text{Li}_2 \left(-ie^{-i \cos^{-1}(ax)} \right) + 12i \cos^{-1}(ax)^2 \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) - 12i\pi \cos^{-1}(ax) \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) + 24 \cos^{-1}(ax) \text{Li}_2 \left(-ie^{i \cos^{-1}(ax)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCos[a*x]^4/x^2,x]

[Out] $a \left(\left(\frac{-7i}{16} \right) \pi^4 - \frac{i}{2} \pi^3 \text{ArcCos}[a*x] + \left(\frac{3i}{2} \right) \pi^2 \text{ArcCos}[a*x]^2 - (2i) \pi \text{ArcCos}[a*x]^3 + i \text{ArcCos}[a*x]^4 - \text{ArcCos}[a*x]^4 / (a*x) + 3\pi^2 \text{ArcCos}[a*x] \text{Log}[1 - I/E^{(I \text{ArcCos}[a*x])}] - 6\pi \text{ArcCos}[a*x]^2 \text{Log}[1 - I/E^{(I \text{ArcCos}[a*x])}] - (\pi^3 \text{Log}[1 + I/E^{(I \text{ArcCos}[a*x])}]) / 2 + 4 \text{ArcCos}[a*x]^3 \text{Log}[1 + I/E^{(I \text{ArcCos}[a*x])}] + (\pi^3 \text{Log}[1 + I/E^{(I \text{ArcCos}[a*x])}]) / 2 - 3\pi^2 \text{ArcCos}[a*x] \text{Log}[1 + I/E^{(I \text{ArcCos}[a*x])}] + 6\pi \text{ArcCos}[a*x]^2 \text{Log}[1 + I/E^{(I \text{ArcCos}[a*x])}] - 4 \text{ArcCos}[a*x]^3 \text{Log}[1 + I/E^{(I \text{ArcCos}[a*x])}] + (\pi^3 \text{Log}[\text{Tan}[(\pi + 2 \text{ArcCos}[a*x])/4]]) / 2 + (12i) \text{ArcCos}[a*x]^2 \text{PolyLog}[2, (-I)/E^{(I \text{ArcCos}[a*x])}] + (3i) \pi (\pi - 4 \text{ArcCos}[a*x]) \text{PolyLog}[2, I/E^{(I \text{ArcCos}[a*x])}] + (3i) \pi^2 \text{PolyLog}[2, (-I) E^{(I \text{ArcCos}[a*x])}] - (12i) \pi \text{ArcCos}[a*x] \text{PolyLog}[2, (-I) E^{(I \text{ArcCos}[a*x])}] + (12i) \text{ArcCos}[a*x]^2 \text{PolyLog}[2, (-I) E^{(I \text{ArcCos}[a*x])}] + 24 \text{ArcCos}[a*x] \text{PolyLog}[3, (-I)/E^{(I \text{ArcCos}[a*x])}] - 12\pi \text{PolyLog}[3, I/E^{(I \text{ArcCos}[a*x])}] + 12\pi \text{PolyLog}[3, (-I) E^{(I \text{ArcCos}[a*x])}] - 24 \text{ArcCos}[a*x] \text{PolyLog}[3, (-I) E^{(I \text{ArcCos}[a*x])}] - (24i) \text{PolyLog}[4, (-I)/E^{(I \text{ArcCos}[a*x])}] - (24i) \text{PolyLog}[4, (-I) E^{(I \text{ArcCos}[a*x])}] \right)$

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\arccos(ax)^4}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x^2,x, algorithm="fricas")

[Out] integral(arccos(a*x)^4/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^4}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x^2,x, algorithm="giac")

[Out] integrate(arccos(a*x)^4/x^2, x)

maple [F] time = 0.35, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^4}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^4/x^2,x)

[Out] int(arccos(a*x)^4/x^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^4 - 4ax \int \frac{\sqrt{-ax+1} \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3}{\sqrt{ax+1}(ax-1)x} dx}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x^2,x, algorithm="maxima")

[Out] -(arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^4 - 4*a*x*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3/(a^2*x^3 - x), x))/x

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acos}(ax)^4}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acos(a*x)^4/x^2, x)`

[Out] `int(acos(a*x)^4/x^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acos}^4(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acos(a*x)**4/x**2, x)`

[Out] `Integral(acos(a*x)**4/x**2, x)`

$$3.40 \quad \int \frac{\cos^{-1}(ax)^4}{x^3} dx$$

Optimal. Leaf size=121

$$-6ia^2 \cos^{-1}(ax) \operatorname{Li}_2\left(-e^{2i \cos^{-1}(ax)}\right) + 3a^2 \operatorname{Li}_3\left(-e^{2i \cos^{-1}(ax)}\right) + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{x} - 2ia^2 \cos^{-1}(ax)^3 + 6a^2 \cos^{-1}(ax)$$

[Out] $-2*I*a^2*\arccos(a*x)^3-1/2*\arccos(a*x)^4/x^2+6*a^2*\arccos(a*x)^2*\ln(1+(a*x+I*(-a^2*x^2+1)^{(1/2)}))^2)-6*I*a^2*\arccos(a*x)*\operatorname{polylog}(2,-(a*x+I*(-a^2*x^2+1)^{(1/2)}))^2)+3*a^2*\operatorname{polylog}(3,-(a*x+I*(-a^2*x^2+1)^{(1/2)}))^2)+2*a*\arccos(a*x)^3*(-a^2*x^2+1)^{(1/2)}/x$

Rubi [A] time = 0.21, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$, Rules used = {4628, 4682, 4626, 3719, 2190, 2531, 2282, 6589}

$$-6ia^2 \cos^{-1}(ax) \operatorname{PolyLog}\left(2, -e^{2i \cos^{-1}(ax)}\right) + 3a^2 \operatorname{PolyLog}\left(3, -e^{2i \cos^{-1}(ax)}\right) + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{x} - 2ia^2 \cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] `Int[ArcCos[a*x]^4/x^3,x]`

[Out] $(-2*I)*a^2*\operatorname{ArcCos}[a*x]^3 + (2*a*\operatorname{Sqrt}[1 - a^2*x^2]*\operatorname{ArcCos}[a*x]^3)/x - \operatorname{ArcCos}[a*x]^4/(2*x^2) + 6*a^2*\operatorname{ArcCos}[a*x]^2*\operatorname{Log}[1 + E^((2*I)*\operatorname{ArcCos}[a*x])] - (6*I)*a^2*\operatorname{ArcCos}[a*x]*\operatorname{PolyLog}[2, -E^((2*I)*\operatorname{ArcCos}[a*x])] + 3*a^2*\operatorname{PolyLog}[3, -E^((2*I)*\operatorname{ArcCos}[a*x])]$

Rule 2190

`Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

Rule 2282

`Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_)^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4626

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0
]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n*((d_.)*(x_)^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4682

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n*((f_.)*(x_)^(m_)*((d_) + (e_.)
*(x_)^2)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcCos[c*x])^n)/(d*f*(m + 1)), x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^F
racPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c
^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d,
e, f, m, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] &
& NeQ[m, -1]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)^4}{x^3} dx &= -\frac{\cos^{-1}(ax)^4}{2x^2} - (2a) \int \frac{\cos^{-1}(ax)^3}{x^2 \sqrt{1-a^2x^2}} dx \\
&= \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{x} - \frac{\cos^{-1}(ax)^4}{2x^2} + (6a^2) \int \frac{\cos^{-1}(ax)^2}{x} dx \\
&= \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{x} - \frac{\cos^{-1}(ax)^4}{2x^2} - (6a^2) \text{Subst} \left(\int x^2 \tan(x) dx, x, \cos^{-1}(ax) \right) \\
&= -2ia^2 \cos^{-1}(ax)^3 + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{x} - \frac{\cos^{-1}(ax)^4}{2x^2} + (12ia^2) \text{Subst} \left(\int \frac{e^{2ix} x^2}{1+e^{2ix}} dx, x, \cos^{-1}(ax) \right) \\
&= -2ia^2 \cos^{-1}(ax)^3 + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{x} - \frac{\cos^{-1}(ax)^4}{2x^2} + 6a^2 \cos^{-1}(ax)^2 \log(1+e^{2i \cos^{-1}(ax)}) \\
&= -2ia^2 \cos^{-1}(ax)^3 + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{x} - \frac{\cos^{-1}(ax)^4}{2x^2} + 6a^2 \cos^{-1}(ax)^2 \log(1+e^{2i \cos^{-1}(ax)}) \\
&= -2ia^2 \cos^{-1}(ax)^3 + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{x} - \frac{\cos^{-1}(ax)^4}{2x^2} + 6a^2 \cos^{-1}(ax)^2 \log(1+e^{2i \cos^{-1}(ax)}) \\
&= -2ia^2 \cos^{-1}(ax)^3 + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{x} - \frac{\cos^{-1}(ax)^4}{2x^2} + 6a^2 \cos^{-1}(ax)^2 \log(1+e^{2i \cos^{-1}(ax)})
\end{aligned}$$

Mathematica [A] time = 0.41, size = 115, normalized size = 0.95

$$-\frac{\cos^{-1}(ax)^4}{2x^2} - a^2 \left(-2 \cos^{-1}(ax)^2 \left(\frac{\sqrt{1-a^2x^2} \cos^{-1}(ax)}{ax} - i \cos^{-1}(ax) + 3 \log(1+e^{2i \cos^{-1}(ax)}) \right) + 6i \cos^{-1}(ax) \text{Li}_2 \left(e^{2i \cos^{-1}(ax)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^4/x^3,x]

[Out] $-1/2 \text{ArcCos}[a*x]^4/x^2 - a^2 * (-2 * \text{ArcCos}[a*x]^2 * ((-1) * \text{ArcCos}[a*x] + (\text{Sqrt}[1 - a^2*x^2] * \text{ArcCos}[a*x]) / (a*x) + 3 * \text{Log}[1 + E^{((2*I) * \text{ArcCos}[a*x])}])) + (6*I) * \text{ArcCos}[a*x] * \text{PolyLog}[2, -E^{((2*I) * \text{ArcCos}[a*x])}] - 3 * \text{PolyLog}[3, -E^{((2*I) * \text{ArcCos}[a*x])}])$

fricas [F] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\arccos(ax)^4}{x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x^3,x, algorithm="fricas")

[Out] integral(arccos(a*x)^4/x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^4}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x^3,x, algorithm="giac")

[Out] integrate(arccos(a*x)^4/x^3, x)

maple [A] time = 0.34, size = 149, normalized size = 1.23

$$-2ia^2 \arccos(ax)^3 - \frac{\arccos(ax)^4}{2x^2} + 6a^2 \arccos(ax)^2 \ln\left(1 + \left(i\sqrt{-a^2x^2 + 1} + ax\right)^2\right) - 6ia^2 \arccos(ax) \operatorname{polylog}\left(2, -\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^4/x^3, x)

[Out] $-2*I*a^2*\arccos(a*x)^3 - 1/2*a^2*\arccos(a*x)^4/x^2 + 6*a^2*\arccos(a*x)^2*\ln(1 + (I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) - 6*I*a^2*\arccos(a*x)*\operatorname{polylog}(2, -(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) + 3*a^2*\operatorname{polylog}(3, -(I*(-a^2*x^2+1)^{(1/2)}+a*x)^2) + 2*a*\arccos(a*x)^3*(-a^2*x^2+1)^{(1/2)}/x$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^4 - \frac{1}{2}\left(\sqrt{ax+1}\sqrt{-ax+1}\arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3 + 8x\int\frac{7\sqrt{ax+1}\sqrt{-ax+1}}{2x^2}\right)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x^3,x, algorithm="maxima")

[Out] $-1/2*(\arctan2(\sqrt{ax+1}\sqrt{-ax+1}, ax)^4 - 4*ax^2*\operatorname{integrate}(\sqrt{ax+1}\sqrt{-ax+1}\arctan2(\sqrt{ax+1}\sqrt{-ax+1}, ax)^3/(a^2*x^4 - x^2), x))/x^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\operatorname{acos}(ax)^4}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(acos(a*x)^4/x^3,x)
```

```
[Out] int(acos(a*x)^4/x^3, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acos}^4(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**4/x**3,x)
```

```
[Out] Integral(acos(a*x)**4/x**3, x)
```

$$3.41 \quad \int \frac{\cos^{-1}(ax)^4}{x^4} dx$$

Optimal. Leaf size=304

$$2ia^3 \cos^{-1}(ax)^2 \text{Li}_2(-ie^{i \cos^{-1}(ax)}) - 2ia^3 \cos^{-1}(ax)^2 \text{Li}_2(ie^{i \cos^{-1}(ax)}) - 4a^3 \cos^{-1}(ax) \text{Li}_3(-ie^{i \cos^{-1}(ax)}) + 4a^3 \cos^{-1}(ax) \text{Li}_3(ie^{i \cos^{-1}(ax)})$$

```
[Out] -2*a^2*arccos(a*x)^2/x-1/3*arccos(a*x)^4/x^3-8*I*a^3*arccos(a*x)*arctan(a*x
+I*(-a^2*x^2+1)^(1/2))-4/3*I*a^3*arccos(a*x)^3*arctan(a*x+I*(-a^2*x^2+1)^(1
/2))+4*I*a^3*polylog(2,-I*(a*x+I*(-a^2*x^2+1)^(1/2)))+2*I*a^3*arccos(a*x)^2
*polylog(2,-I*(a*x+I*(-a^2*x^2+1)^(1/2)))-4*I*a^3*polylog(2,I*(a*x+I*(-a^2*
x^2+1)^(1/2)))-2*I*a^3*arccos(a*x)^2*polylog(2,I*(a*x+I*(-a^2*x^2+1)^(1/2))
)-4*a^3*arccos(a*x)*polylog(3,-I*(a*x+I*(-a^2*x^2+1)^(1/2)))+4*a^3*arccos(a
*x)*polylog(3,I*(a*x+I*(-a^2*x^2+1)^(1/2)))-4*I*a^3*polylog(4,-I*(a*x+I*(-a
^2*x^2+1)^(1/2)))+4*I*a^3*polylog(4,I*(a*x+I*(-a^2*x^2+1)^(1/2)))+2/3*a*arc
cos(a*x)^3*(-a^2*x^2+1)^(1/2)/x^2
```

Rubi [A] time = 0.42, antiderivative size = 304, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 10, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$, Rules used = {4628, 4702, 4710, 4181, 2531, 6609, 2282, 6589, 2279, 2391}

$$2ia^3 \cos^{-1}(ax)^2 \text{PolyLog}(2, -ie^{i \cos^{-1}(ax)}) - 2ia^3 \cos^{-1}(ax)^2 \text{PolyLog}(2, ie^{i \cos^{-1}(ax)}) - 4a^3 \cos^{-1}(ax) \text{PolyLog}(3, -ie^{i \cos^{-1}(ax)}) + 4a^3 \cos^{-1}(ax) \text{PolyLog}(3, ie^{i \cos^{-1}(ax)})$$

Antiderivative was successfully verified.

```
[In] Int[ArcCos[a*x]^4/x^4,x]
```

```
[Out] (-2*a^2*ArcCos[a*x]^2)/x + (2*a*Sqrt[1 - a^2*x^2]*ArcCos[a*x]^3)/(3*x^2) -
ArcCos[a*x]^4/(3*x^3) - (8*I)*a^3*ArcCos[a*x]*ArcTan[E^(I*ArcCos[a*x])] - (
(4*I)/3)*a^3*ArcCos[a*x]^3*ArcTan[E^(I*ArcCos[a*x])] + (4*I)*a^3*PolyLog[2,
(-I)*E^(I*ArcCos[a*x])] + (2*I)*a^3*ArcCos[a*x]^2*PolyLog[2, (-I)*E^(I*Arc
Cos[a*x])] - (4*I)*a^3*PolyLog[2, I*E^(I*ArcCos[a*x])] - (2*I)*a^3*ArcCos[a
*x]^2*PolyLog[2, I*E^(I*ArcCos[a*x])] - 4*a^3*ArcCos[a*x]*PolyLog[3, (-I)*E
^(I*ArcCos[a*x])] + 4*a^3*ArcCos[a*x]*PolyLog[3, I*E^(I*ArcCos[a*x])] - (4*
I)*a^3*PolyLog[4, (-I)*E^(I*ArcCos[a*x])] + (4*I)*a^3*PolyLog[4, I*E^(I*Arc
Cos[a*x])]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))]^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4702

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcCos[c*x])^n, x], x] + Dist[(b*c*n*d*IntPart[p]*(d + e*x^2)^FracPart[p]]/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
```

0] && LtQ[m, -1] && IntegerQ[m]

Rule 4710

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> -Dist[(c^(m + 1)*Sqrt[d])^(-1), Subst[Int[(a + b*x)^n *Cos[x]^m, x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{-1}(ax)^4}{x^4} dx &= -\frac{\cos^{-1}(ax)^4}{3x^3} - \frac{1}{3}(4a) \int \frac{\cos^{-1}(ax)^3}{x^3\sqrt{1-a^2x^2}} dx \\
&= \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{3x^2} - \frac{\cos^{-1}(ax)^4}{3x^3} + (2a^2) \int \frac{\cos^{-1}(ax)^2}{x^2} dx - \frac{1}{3}(2a^3) \int \frac{\cos^{-1}(ax)^3}{x\sqrt{1-a^2x^2}} dx \\
&= -\frac{2a^2 \cos^{-1}(ax)^2}{x} + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{3x^2} - \frac{\cos^{-1}(ax)^4}{3x^3} + \frac{1}{3}(2a^3) \text{Subst}\left(\int x^3 \sec(x) dx, ax\right) \\
&= -\frac{2a^2 \cos^{-1}(ax)^2}{x} + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{3x^2} - \frac{\cos^{-1}(ax)^4}{3x^3} - \frac{4}{3}ia^3 \cos^{-1}(ax)^3 \tan^{-1}\left(e^{i \cos^{-1}(ax)}\right) \\
&= -\frac{2a^2 \cos^{-1}(ax)^2}{x} + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{3x^2} - \frac{\cos^{-1}(ax)^4}{3x^3} - 8ia^3 \cos^{-1}(ax) \tan^{-1}\left(e^{i \cos^{-1}(ax)}\right) \\
&= -\frac{2a^2 \cos^{-1}(ax)^2}{x} + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{3x^2} - \frac{\cos^{-1}(ax)^4}{3x^3} - 8ia^3 \cos^{-1}(ax) \tan^{-1}\left(e^{i \cos^{-1}(ax)}\right) \\
&= -\frac{2a^2 \cos^{-1}(ax)^2}{x} + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{3x^2} - \frac{\cos^{-1}(ax)^4}{3x^3} - 8ia^3 \cos^{-1}(ax) \tan^{-1}\left(e^{i \cos^{-1}(ax)}\right) \\
&= -\frac{2a^2 \cos^{-1}(ax)^2}{x} + \frac{2a\sqrt{1-a^2x^2} \cos^{-1}(ax)^3}{3x^2} - \frac{\cos^{-1}(ax)^4}{3x^3} - 8ia^3 \cos^{-1}(ax) \tan^{-1}\left(e^{i \cos^{-1}(ax)}\right)
\end{aligned}$$

Mathematica [B] time = 12.08, size = 1475, normalized size = 4.85

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCos[a*x]^4/x^4,x]

[Out] $a^3 \left(-\frac{1}{6} (\text{ArcCos}[a*x]^2 (12 + \text{ArcCos}[a*x]^2)) + 4 (\text{ArcCos}[a*x] (\text{Log}[1 - I E^{I \text{ArcCos}[a*x]}] - \text{Log}[1 + I E^{I \text{ArcCos}[a*x]}])) + I (\text{PolyLog}[2, (-I) E^{I \text{ArcCos}[a*x]}] - \text{PolyLog}[2, I E^{I \text{ArcCos}[a*x]}]) + (2 ((\text{Pi}^3 \text{Log}[\text{Cot}[(\text{Pi}/2 - \text{ArcCos}[a*x])/2]])/8 + (3 \text{Pi}^2 ((\text{Pi}/2 - \text{ArcCos}[a*x]) (\text{Log}[1 - E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}]) - \text{Log}[1 + E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}])) + I (\text{PolyLog}[2, -E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}]] - \text{PolyLog}[2, E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}])))/4 - (3 \text{Pi} ((\text{Pi}/2 - \text{ArcCos}[a*x])^2 (\text{Log}[1 - E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}]) - \text{Log}[1 + E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}])) + (2 I) (\text{Pi}/2 - \text{ArcCos}[a*x]) (\text{PolyLog}[2, -E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}]] - \text{PolyLog}[2, E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}])) + 2 (-\text{PolyLog}[3, -E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}]] + \text{PolyLog}[3, E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}]))/2 + 8 ((I/64) (\text{Pi}/2 - \text{ArcCos}[a*x])^4 + (I/4) (\text{Pi}/2 + (-1/2 \text{Pi} + \text{ArcCos}[a*x])/2)^4 - ((\text{Pi}/2 - \text{ArcCos}[a*x])^3 \text{Log}[1 + E^{I (\text{Pi}/2 - \text{ArcCos}[a*x])}]))/8 - (\text{Pi}^3 (I (\text{Pi}/2 + (-1/2 \text{Pi} + \text{ArcCos}[a*x])/2) - \text{Log}[1 + E^{(2 I) (\text{Pi}/$

$$\begin{aligned}
& 2 + (-1/2\pi + \arccos[ax])/2)))/8 - (\pi/2 + (-1/2\pi + \arccos[ax])/2)^3 \\
& * \log[1 + E^{((2I)(\pi/2 + (-1/2\pi + \arccos[ax])/2))}] + ((3I)/8)(\pi/2 - \\
& \arccos[ax])^2 * \text{PolyLog}[2, -E^{(I(\pi/2 - \arccos[ax]))}] + (3\pi^2 * ((I/2)(\pi/2 + (-1/2\pi + \arccos[ax])/2)^2 - (\pi/2 + (-1/2\pi + \arccos[ax])/2) * \log[\\
& 1 + E^{((2I)(\pi/2 + (-1/2\pi + \arccos[ax])/2))}] + (I/2) * \text{PolyLog}[2, -E^{((2 \\
& * I)(\pi/2 + (-1/2\pi + \arccos[ax])/2))})]/4 + ((3I)/2)(\pi/2 + (-1/2\pi + \\
& \arccos[ax])/2)^2 * \text{PolyLog}[2, -E^{((2I)(\pi/2 + (-1/2\pi + \arccos[ax])/2))} \\
&] - (3(\pi/2 - \arccos[ax]) * \text{PolyLog}[3, -E^{(I(\pi/2 - \arccos[ax]))})]/4 - (3 \\
& * \pi * ((I/3)(\pi/2 + (-1/2\pi + \arccos[ax])/2)^3 - (\pi/2 + (-1/2\pi + \arccos \\
& [ax])/2)^2 * \log[1 + E^{((2I)(\pi/2 + (-1/2\pi + \arccos[ax])/2))}] + I(\pi/2 \\
& + (-1/2\pi + \arccos[ax])/2) * \text{PolyLog}[2, -E^{((2I)(\pi/2 + (-1/2\pi + \arccos \\
& [ax])/2))}] - \text{PolyLog}[3, -E^{((2I)(\pi/2 + (-1/2\pi + \arccos[ax])/2))})/2 \\
&)/2 - (3(\pi/2 + (-1/2\pi + \arccos[ax])/2) * \text{PolyLog}[3, -E^{((2I)(\pi/2 + (- \\
& 1/2\pi + \arccos[ax])/2))})]/2 - ((3I)/4) * \text{PolyLog}[4, -E^{(I(\pi/2 - \arccos[ax] \\
& * x))}] - ((3I)/4) * \text{PolyLog}[4, -E^{((2I)(\pi/2 + (-1/2\pi + \arccos[ax])/2))} \\
&)])]/3 - (-4 * \arccos[ax]^3 + \arccos[ax]^4)/(12 * (\cos[\arccos[ax]/2] - \sin[\arccos[ax]/2])^2) - (\arccos[ax]^4 * \sin[\arccos[ax]/2])/(6 * (\cos[\arccos[ax]/2] - \sin[\arccos[ax]/2])^3) + (\arccos[ax]^4 * \sin[\arccos[ax]/2])/(6 * (\cos[\arccos[ax]/2] + \sin[\arccos[ax]/2])^3) - (4 * \arccos[ax]^3 + \arccos[ax]^4)/(12 * (\cos[\arccos[ax]/2] + \sin[\arccos[ax]/2])^2) - (-12 * \arccos[ax]^2 * \sin[\arccos[ax]/2] - \arccos[ax]^4 * \sin[\arccos[ax]/2])/(6 * (\cos[\arccos[ax]/2] + \sin[\arccos[ax]/2])) - (12 * \arccos[ax]^2 * \sin[\arccos[ax]/2] + \arccos[ax]^4 * \sin[\arccos[ax]/2])/(6 * (\cos[\arccos[ax]/2] - \sin[\arccos[ax]/2]))))
\end{aligned}$$

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\arccos(ax)^4}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x^4,x, algorithm="fricas")

[Out] integral(arccos(a*x)^4/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^4}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x^4,x, algorithm="giac")

[Out] integrate(arccos(a*x)^4/x^4, x)

maple [A] time = 0.43, size = 451, normalized size = 1.48

$$\frac{2a \arccos(ax)^3 \sqrt{-a^2x^2+1}}{3x^2} - \frac{2a^2 \arccos(ax)^2}{x} - \frac{\arccos(ax)^4}{3x^3} + \frac{2a^3 \arccos(ax)^3 \ln\left(1 - i\left(i\sqrt{-a^2x^2+1} + ax\right)\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^4/x^4,x)

[Out] $\frac{2}{3}a \arccos(ax)^3 (-a^2x^2+1)^{1/2}/x^2 - 2a^2 \arccos(ax)^2/x - \frac{1}{3} \arccos(ax)^4/x^3 + \frac{2}{3}a^3 \arccos(ax)^3 \ln(1 - I*(I*(-a^2x^2+1)^{1/2} + ax)) - 2Ia^3 \arccos(ax)^2 \operatorname{polylog}(2, I*(I*(-a^2x^2+1)^{1/2} + ax)) + 4a^3 \arccos(ax) \operatorname{polylog}(3, I*(I*(-a^2x^2+1)^{1/2} + ax)) + 4Ia^3 \operatorname{polylog}(4, I*(I*(-a^2x^2+1)^{1/2} + ax)) - \frac{2}{3}a^3 \arccos(ax)^3 \ln(1 + I*(I*(-a^2x^2+1)^{1/2} + ax)) + 2Ia^3 \arccos(ax)^2 \operatorname{polylog}(2, -I*(I*(-a^2x^2+1)^{1/2} + ax)) - 4a^3 \arccos(ax) \operatorname{polylog}(3, -I*(I*(-a^2x^2+1)^{1/2} + ax)) - 4Ia^3 \operatorname{polylog}(4, -I*(I*(-a^2x^2+1)^{1/2} + ax)) - 4a^3 \arccos(ax) \ln(1 + I*(I*(-a^2x^2+1)^{1/2} + ax)) + 4a^3 a \arccos(ax) \ln(1 - I*(I*(-a^2x^2+1)^{1/2} + ax)) + 4Ia^3 \operatorname{dilog}(1 + I*(I*(-a^2x^2+1)^{1/2} + ax)) - 4Ia^3 \operatorname{dilog}(1 - I*(I*(-a^2x^2+1)^{1/2} + ax))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{4ax^3 \int \frac{\sqrt{ax+1} \sqrt{-ax+1} \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^3}{a^2x^5 - x^3} dx - \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^4}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^4/x^4,x, algorithm="maxima")

[Out] $\frac{1}{3}*(12*a*x^3 \operatorname{integrate}(1/3*\sqrt{a*x+1}*\sqrt{-a*x+1}*\arctan2(\sqrt{a*x+1}*\sqrt{-a*x+1}, a*x)^3/(a^2*x^5 - x^3), x) - \arctan2(\sqrt{a*x+1}*\sqrt{-a*x+1}, a*x)^4)/x^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\operatorname{acos}(ax)^4}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^4/x^4,x)

[Out] int(acos(a*x)^4/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acos}^4(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**4/x**4,x)
```

```
[Out] Integral(acos(a*x)**4/x**4, x)
```


$$3.42 \quad \int \frac{x^6}{\cos^{-1}(ax)} dx$$

Optimal. Leaf size=55

$$-\frac{5\text{Si}(\cos^{-1}(ax))}{64a^7} - \frac{9\text{Si}(3\cos^{-1}(ax))}{64a^7} - \frac{5\text{Si}(5\cos^{-1}(ax))}{64a^7} - \frac{\text{Si}(7\cos^{-1}(ax))}{64a^7}$$

[Out] $-5/64*\text{Si}(\arccos(ax))/a^7-9/64*\text{Si}(3*\arccos(ax))/a^7-5/64*\text{Si}(5*\arccos(ax))/a^7-1/64*\text{Si}(7*\arccos(ax))/a^7$

Rubi [A] time = 0.09, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {4636, 4406, 3299}

$$-\frac{5\text{Si}(\cos^{-1}(ax))}{64a^7} - \frac{9\text{Si}(3\cos^{-1}(ax))}{64a^7} - \frac{5\text{Si}(5\cos^{-1}(ax))}{64a^7} - \frac{\text{Si}(7\cos^{-1}(ax))}{64a^7}$$

Antiderivative was successfully verified.

[In] Int[x^6/ArcCos[a*x], x]

[Out] $(-5*\text{SinIntegral}[\text{ArcCos}[a*x]])/(64*a^7) - (9*\text{SinIntegral}[3*\text{ArcCos}[a*x]])/(64*a^7) - (5*\text{SinIntegral}[5*\text{ArcCos}[a*x]])/(64*a^7) - \text{SinIntegral}[7*\text{ArcCos}[a*x]]/(64*a^7)$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^(n)*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^6}{\cos^{-1}(ax)} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^6(x)\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^7} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{5\sin(x)}{64x} + \frac{9\sin(3x)}{64x} + \frac{5\sin(5x)}{64x} + \frac{\sin(7x)}{64x}\right) dx, x, \cos^{-1}(ax)\right)}{a^7} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(7x)}{x} dx, x, \cos^{-1}(ax)\right)}{64a^7} - \frac{5\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{64a^7} - \frac{5\text{Subst}\left(\int \frac{\sin(5x)}{x} dx, x, \cos^{-1}(ax)\right)}{64a^7} \\
&= -\frac{5\text{Si}\left(\cos^{-1}(ax)\right)}{64a^7} - \frac{9\text{Si}\left(3\cos^{-1}(ax)\right)}{64a^7} - \frac{5\text{Si}\left(5\cos^{-1}(ax)\right)}{64a^7} - \frac{\text{Si}\left(7\cos^{-1}(ax)\right)}{64a^7}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 40, normalized size = 0.73

$$-\frac{5\text{Si}\left(\cos^{-1}(ax)\right) + 9\text{Si}\left(3\cos^{-1}(ax)\right) + 5\text{Si}\left(5\cos^{-1}(ax)\right) + \text{Si}\left(7\cos^{-1}(ax)\right)}{64a^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^6/ArcCos[a*x], x]

[Out] -1/64*(5*SinIntegral[ArcCos[a*x]] + 9*SinIntegral[3*ArcCos[a*x]] + 5*SinIntegral[5*ArcCos[a*x]] + SinIntegral[7*ArcCos[a*x]])/a^7

fricas [F] time = 0.39, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^6}{\arccos(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arccos(a*x), x, algorithm="fricas")

[Out] integral(x^6/arccos(a*x), x)

giac [A] time = 2.98, size = 47, normalized size = 0.85

$$-\frac{\text{Si}\left(7\arccos(ax)\right)}{64a^7} - \frac{5\text{Si}\left(5\arccos(ax)\right)}{64a^7} - \frac{9\text{Si}\left(3\arccos(ax)\right)}{64a^7} - \frac{5\text{Si}\left(\arccos(ax)\right)}{64a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arccos(a*x), x, algorithm="giac")

[Out] $-1/64*\sin_integral(7*\arccos(a*x))/a^7 - 5/64*\sin_integral(5*\arccos(a*x))/a^7 - 9/64*\sin_integral(3*\arccos(a*x))/a^7 - 5/64*\sin_integral(\arccos(a*x))/a^7$

maple [A] time = 0.16, size = 40, normalized size = 0.73

$$\frac{\frac{9 \operatorname{Si}(3 \arccos(ax))}{64} - \frac{5 \operatorname{Si}(5 \arccos(ax))}{64} - \frac{\operatorname{Si}(7 \arccos(ax))}{64} - \frac{5 \operatorname{Si}(\arccos(ax))}{64}}{a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6/arccos(a*x), x)`

[Out] $1/a^7*(-9/64*\operatorname{Si}(3*\arccos(a*x))-5/64*\operatorname{Si}(5*\arccos(a*x))-1/64*\operatorname{Si}(7*\arccos(a*x))-5/64*\operatorname{Si}(\arccos(a*x)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6/arccos(a*x), x, algorithm="maxima")`

[Out] `integrate(x^6/arccos(a*x), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^6}{\operatorname{acos}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6/acos(a*x), x)`

[Out] `int(x^6/acos(a*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{\operatorname{acos}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**6/acos(a*x), x)`

[Out] `Integral(x**6/acos(a*x), x)`

$$3.43 \quad \int \frac{x^5}{\cos^{-1}(ax)} dx$$

Optimal. Leaf size=43

$$-\frac{5\text{Si}\left(2\cos^{-1}(ax)\right)}{32a^6} - \frac{\text{Si}\left(4\cos^{-1}(ax)\right)}{8a^6} - \frac{\text{Si}\left(6\cos^{-1}(ax)\right)}{32a^6}$$

[Out] $-5/32*\text{Si}(2*\arccos(a*x))/a^6 - 1/8*\text{Si}(4*\arccos(a*x))/a^6 - 1/32*\text{Si}(6*\arccos(a*x))/a^6$

Rubi [A] time = 0.08, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {4636, 4406, 3299}

$$-\frac{5\text{Si}\left(2\cos^{-1}(ax)\right)}{32a^6} - \frac{\text{Si}\left(4\cos^{-1}(ax)\right)}{8a^6} - \frac{\text{Si}\left(6\cos^{-1}(ax)\right)}{32a^6}$$

Antiderivative was successfully verified.

[In] Int[x^5/ArcCos[a*x], x]

[Out] $(-5*\text{SinIntegral}[2*\text{ArcCos}[a*x]])/(32*a^6) - \text{SinIntegral}[4*\text{ArcCos}[a*x]]/(8*a^6) - \text{SinIntegral}[6*\text{ArcCos}[a*x]]/(32*a^6)$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]]^n * Cos[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n * Cos[x]^m * Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{\cos^{-1}(ax)} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^5(x) \sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^6} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{5 \sin(2x)}{32x} + \frac{\sin(4x)}{8x} + \frac{\sin(6x)}{32x}\right) dx, x, \cos^{-1}(ax)\right)}{a^6} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(6x)}{x} dx, x, \cos^{-1}(ax)\right)}{32a^6} - \frac{\text{Subst}\left(\int \frac{\sin(4x)}{x} dx, x, \cos^{-1}(ax)\right)}{8a^6} - \frac{5 \text{Subst}\left(\int \frac{\sin(2x)}{x} dx, x, \cos^{-1}(ax)\right)}{32a^6} \\
&= -\frac{5\text{Si}\left(2 \cos^{-1}(ax)\right)}{32a^6} - \frac{\text{Si}\left(4 \cos^{-1}(ax)\right)}{8a^6} - \frac{\text{Si}\left(6 \cos^{-1}(ax)\right)}{32a^6}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 33, normalized size = 0.77

$$-\frac{5\text{Si}\left(2 \cos^{-1}(ax)\right) + 4\text{Si}\left(4 \cos^{-1}(ax)\right) + \text{Si}\left(6 \cos^{-1}(ax)\right)}{32a^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/ArcCos[a*x], x]

[Out] -1/32*(5*SinIntegral[2*ArcCos[a*x]] + 4*SinIntegral[4*ArcCos[a*x]] + SinIntegral[6*ArcCos[a*x]])/a^6

fricas [F] time = 0.39, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^5}{\arccos(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arccos(a*x), x, algorithm="fricas")

[Out] integral(x^5/arccos(a*x), x)

giac [A] time = 0.17, size = 37, normalized size = 0.86

$$-\frac{\text{Si}\left(6 \arccos(ax)\right)}{32a^6} - \frac{\text{Si}\left(4 \arccos(ax)\right)}{8a^6} - \frac{5 \text{Si}\left(2 \arccos(ax)\right)}{32a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arccos(a*x), x, algorithm="giac")

[Out] $-1/32*\sin_integral(6*\arccos(ax))/a^6 - 1/8*\sin_integral(4*\arccos(ax))/a^6 - 5/32*\sin_integral(2*\arccos(ax))/a^6$

maple [A] time = 0.15, size = 33, normalized size = 0.77

$$\frac{\frac{5 \operatorname{Si}(2 \arccos(ax))}{32} - \frac{\operatorname{Si}(4 \arccos(ax))}{8} - \frac{\operatorname{Si}(6 \arccos(ax))}{32}}{a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5/arccos(a*x), x)`

[Out] $1/a^6*(-5/32*\operatorname{Si}(2*\arccos(ax))-1/8*\operatorname{Si}(4*\arccos(ax))-1/32*\operatorname{Si}(6*\arccos(ax)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5/arccos(a*x), x, algorithm="maxima")`

[Out] `integrate(x^5/arccos(a*x), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^5}{\operatorname{acos}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5/acos(a*x), x)`

[Out] `int(x^5/acos(a*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\operatorname{acos}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5/acos(a*x), x)`

[Out] `Integral(x**5/acos(a*x), x)`

$$3.44 \quad \int \frac{x^4}{\cos^{-1}(ax)} dx$$

Optimal. Leaf size=41

$$-\frac{\text{Si}(\cos^{-1}(ax))}{8a^5} - \frac{3\text{Si}(3\cos^{-1}(ax))}{16a^5} - \frac{\text{Si}(5\cos^{-1}(ax))}{16a^5}$$

[Out] $-1/8*\text{Si}(\arccos(a*x))/a^5-3/16*\text{Si}(3*\arccos(a*x))/a^5-1/16*\text{Si}(5*\arccos(a*x))/a^5$

Rubi [A] time = 0.07, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {4636, 4406, 3299}

$$-\frac{\text{Si}(\cos^{-1}(ax))}{8a^5} - \frac{3\text{Si}(3\cos^{-1}(ax))}{16a^5} - \frac{\text{Si}(5\cos^{-1}(ax))}{16a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/ArcCos[a*x], x]

[Out] $-\text{SinIntegral}[\text{ArcCos}[a*x]]/(8*a^5) - (3*\text{SinIntegral}[3*\text{ArcCos}[a*x]])/(16*a^5) - \text{SinIntegral}[5*\text{ArcCos}[a*x]]/(16*a^5)$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^(n)*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*cos[x]^m*sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\cos^{-1}(ax)} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^4(x)\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^5} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{8x} + \frac{3\sin(3x)}{16x} + \frac{\sin(5x)}{16x}\right) dx, x, \cos^{-1}(ax)\right)}{a^5} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(5x)}{x} dx, x, \cos^{-1}(ax)\right)}{16a^5} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{8a^5} - \frac{3\text{Subst}\left(\int \frac{\sin(3x)}{x} dx, x, \cos^{-1}(ax)\right)}{16a^5} \\
&= -\frac{\text{Si}\left(\cos^{-1}(ax)\right)}{8a^5} - \frac{3\text{Si}\left(3\cos^{-1}(ax)\right)}{16a^5} - \frac{\text{Si}\left(5\cos^{-1}(ax)\right)}{16a^5}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 31, normalized size = 0.76

$$-\frac{2\text{Si}\left(\cos^{-1}(ax)\right) + 3\text{Si}\left(3\cos^{-1}(ax)\right) + \text{Si}\left(5\cos^{-1}(ax)\right)}{16a^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/ArcCos[a*x], x]

[Out] -1/16*(2*SinIntegral[ArcCos[a*x]] + 3*SinIntegral[3*ArcCos[a*x]] + SinIntegral[5*ArcCos[a*x]])/a^5

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^4}{\arccos(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x), x, algorithm="fricas")

[Out] integral(x^4/arccos(a*x), x)

giac [A] time = 2.81, size = 35, normalized size = 0.85

$$-\frac{\text{Si}\left(5\arccos(ax)\right)}{16a^5} - \frac{3\text{Si}\left(3\arccos(ax)\right)}{16a^5} - \frac{\text{Si}\left(\arccos(ax)\right)}{8a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x), x, algorithm="giac")

[Out] $-1/16*\sin_integral(5*\arccos(a*x))/a^5 - 3/16*\sin_integral(3*\arccos(a*x))/a^5 - 1/8*\sin_integral(\arccos(a*x))/a^5$

maple [A] time = 0.04, size = 31, normalized size = 0.76

$$\frac{\frac{3 \operatorname{Si}(3 \arccos(ax))}{16} - \frac{\operatorname{Si}(5 \arccos(ax))}{16} - \frac{\operatorname{Si}(\arccos(ax))}{8}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/arccos(a*x),x)`

[Out] $1/a^5*(-3/16*\operatorname{Si}(3*\arccos(a*x))-1/16*\operatorname{Si}(5*\arccos(a*x))-1/8*\operatorname{Si}(\arccos(a*x)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arccos(a*x),x, algorithm="maxima")`

[Out] `integrate(x^4/arccos(a*x), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^4}{\operatorname{acos}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/acos(a*x),x)`

[Out] `int(x^4/acos(a*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{acos}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4/acos(a*x),x)`

[Out] `Integral(x**4/acos(a*x), x)`

$$3.45 \quad \int \frac{x^3}{\cos^{-1}(ax)} dx$$

Optimal. Leaf size=29

$$-\frac{\text{Si}(2 \cos^{-1}(ax))}{4a^4} - \frac{\text{Si}(4 \cos^{-1}(ax))}{8a^4}$$

[Out] $-1/4*\text{Si}(2*\arccos(a*x))/a^4-1/8*\text{Si}(4*\arccos(a*x))/a^4$

Rubi [A] time = 0.06, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {4636, 4406, 3299}

$$-\frac{\text{Si}(2 \cos^{-1}(ax))}{4a^4} - \frac{\text{Si}(4 \cos^{-1}(ax))}{8a^4}$$

Antiderivative was successfully verified.

[In] `Int[x^3/ArcCos[a*x], x]`

[Out] `-SinIntegral[2*ArcCos[a*x]]/(4*a^4) - SinIntegral[4*ArcCos[a*x]]/(8*a^4)`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 4406

`Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]]^n*Cos[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]`

Rule 4636

`Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(n-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]`

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\cos^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\cos^3(x)\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^4} \\
&= \frac{\text{Subst}\left(\int \left(\frac{\sin(2x)}{4x} + \frac{\sin(4x)}{8x}\right) dx, x, \cos^{-1}(ax)\right)}{a^4} \\
&= \frac{\text{Subst}\left(\int \frac{\sin(4x)}{x} dx, x, \cos^{-1}(ax)\right)}{8a^4} - \frac{\text{Subst}\left(\int \frac{\sin(2x)}{x} dx, x, \cos^{-1}(ax)\right)}{4a^4} \\
&= \frac{\text{Si}\left(2\cos^{-1}(ax)\right)}{4a^4} - \frac{\text{Si}\left(4\cos^{-1}(ax)\right)}{8a^4}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 24, normalized size = 0.83

$$\frac{2\text{Si}\left(2\cos^{-1}(ax)\right) + \text{Si}\left(4\cos^{-1}(ax)\right)}{8a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcCos[a*x], x]

[Out] -1/8*(2*SinIntegral[2*ArcCos[a*x]] + SinIntegral[4*ArcCos[a*x]])/a^4

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^3}{\arccos(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x), x, algorithm="fricas")

[Out] integral(x^3/arccos(a*x), x)

giac [A] time = 1.97, size = 25, normalized size = 0.86

$$\frac{\text{Si}\left(4\arccos(ax)\right)}{8a^4} - \frac{\text{Si}\left(2\arccos(ax)\right)}{4a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x), x, algorithm="giac")

[Out] -1/8*sin_integral(4*arccos(a*x))/a^4 - 1/4*sin_integral(2*arccos(a*x))/a^4

maple [A] time = 0.04, size = 24, normalized size = 0.83

$$\frac{\frac{\text{Si}(2 \arccos(ax))}{4} - \frac{\text{Si}(4 \arccos(ax))}{8}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/arccos(a*x), x)`

[Out] `1/a^4*(-1/4*Si(2*arccos(a*x))-1/8*Si(4*arccos(a*x)))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/arccos(a*x), x, algorithm="maxima")`

[Out] `integrate(x^3/arccos(a*x), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{x^3}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/acos(a*x), x)`

[Out] `int(x^3/acos(a*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/acos(a*x), x)`

[Out] `Integral(x**3/acos(a*x), x)`

$$3.46 \quad \int \frac{x^2}{\cos^{-1}(ax)} dx$$

Optimal. Leaf size=27

$$-\frac{\text{Si}(\cos^{-1}(ax))}{4a^3} - \frac{\text{Si}(3\cos^{-1}(ax))}{4a^3}$$

[Out] $-1/4*\text{Si}(\arccos(a*x))/a^3-1/4*\text{Si}(3*\arccos(a*x))/a^3$

Rubi [A] time = 0.06, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {4636, 4406, 3299}

$$-\frac{\text{Si}(\cos^{-1}(ax))}{4a^3} - \frac{\text{Si}(3\cos^{-1}(ax))}{4a^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2/\text{ArcCos}[a*x], x]$

[Out] $-\text{SinIntegral}[\text{ArcCos}[a*x]]/(4*a^3) - \text{SinIntegral}[3*\text{ArcCos}[a*x]]/(4*a^3)$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 4406

$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(p_.)*((c_.) + (d_.)*(x_.))^{(m_.)*\text{Sin}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]]^{n*}\text{Cos}[a + b*x]^p, x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IGtQ}[p, 0]$

Rule 4636

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_.)]*(b_.)]^{(n_.)*(x_.)^{(m_.)}, x_Symbol] \rightarrow -\text{Dist}[(c^{(m+1)})^{(-1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cos}[x]^m*\text{Sin}[x], x], x, \text{ArcCos}[c*x]], x] /; \text{FreeQ}[\{a, b, c, n\}, x] \ \&\& \ \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\cos^{-1}(ax)} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^2(x)\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^3} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{4x} + \frac{\sin(3x)}{4x}\right) dx, x, \cos^{-1}(ax)\right)}{a^3} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{4a^3} - \frac{\text{Subst}\left(\int \frac{\sin(3x)}{x} dx, x, \cos^{-1}(ax)\right)}{4a^3} \\
&= -\frac{\text{Si}\left(\cos^{-1}(ax)\right)}{4a^3} - \frac{\text{Si}\left(3\cos^{-1}(ax)\right)}{4a^3}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 20, normalized size = 0.74

$$-\frac{\text{Si}\left(\cos^{-1}(ax)\right) + \text{Si}\left(3\cos^{-1}(ax)\right)}{4a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcCos[a*x], x]

[Out] -1/4*(SinIntegral[ArcCos[a*x]] + SinIntegral[3*ArcCos[a*x]])/a^3

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{\arccos(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x), x, algorithm="fricas")

[Out] integral(x^2/arccos(a*x), x)

giac [A] time = 1.93, size = 23, normalized size = 0.85

$$-\frac{\text{Si}\left(3\arccos(ax)\right)}{4a^3} - \frac{\text{Si}\left(\arccos(ax)\right)}{4a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x), x, algorithm="giac")

[Out] -1/4*sin_integral(3*arccos(a*x))/a^3 - 1/4*sin_integral(arccos(a*x))/a^3

maple [A] time = 0.04, size = 22, normalized size = 0.81

$$\frac{\frac{\text{Si}(3 \arccos(ax))}{4} - \frac{\text{Si}(\arccos(ax))}{4}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/arccos(a*x),x)`

[Out] `1/a^3*(-1/4*Si(3*arccos(a*x))-1/4*Si(arccos(a*x)))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/arccos(a*x),x, algorithm="maxima")`

[Out] `integrate(x^2/arccos(a*x), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^2}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/acos(a*x),x)`

[Out] `int(x^2/acos(a*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/acos(a*x),x)`

[Out] `Integral(x**2/acos(a*x), x)`

$$3.47 \quad \int \frac{x}{\cos^{-1}(ax)} dx$$

Optimal. Leaf size=14

$$-\frac{\text{Si}(2 \cos^{-1}(ax))}{2a^2}$$

[Out] -1/2*Si(2*arccos(a*x))/a^2

Rubi [A] time = 0.03, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4636, 4406, 12, 3299}

$$-\frac{\text{Si}(2 \cos^{-1}(ax))}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCos[a*x], x]

[Out] -SinIntegral[2*ArcCos[a*x]]/(2*a^2)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]]^n * Cos[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n * Cos[x]^m * Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x}{\cos^{-1}(ax)} dx &= -\frac{\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^2} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(2x)}{2x} dx, x, \cos^{-1}(ax)\right)}{a^2} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(2x)}{x} dx, x, \cos^{-1}(ax)\right)}{2a^2} \\
&= -\frac{\text{Si}\left(2\cos^{-1}(ax)\right)}{2a^2}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 14, normalized size = 1.00

$$-\frac{\text{Si}\left(2\cos^{-1}(ax)\right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcCos[a*x], x]

[Out] -1/2*SinIntegral[2*ArcCos[a*x]]/a^2

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{\arccos(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x), x, algorithm="fricas")

[Out] integral(x/arccos(a*x), x)

giac [A] time = 1.02, size = 12, normalized size = 0.86

$$-\frac{\text{Si}(2 \arccos(ax))}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x), x, algorithm="giac")

[Out] -1/2*sin_integral(2*arccos(a*x))/a^2

maple [A] time = 0.04, size = 13, normalized size = 0.93

$$-\frac{\text{Si}(2 \arccos(ax))}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccos(a*x), x)

[Out] -1/2*Si(2*arccos(a*x))/a^2

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x), x, algorithm="maxima")

[Out] integrate(x/arccos(a*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acos(a*x), x)

[Out] int(x/acos(a*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/acos(a*x), x)

[Out] Integral(x/acos(a*x), x)

$$3.48 \quad \int \frac{1}{\cos^{-1}(ax)} dx$$

Optimal. Leaf size=10

$$\frac{\text{Si}(\cos^{-1}(ax))}{a}$$

[Out] -Si(arccos(a*x))/a

Rubi [A] time = 0.02, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4624, 3299}

$$\frac{\text{Si}(\cos^{-1}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^(-1), x]

[Out] -(SinIntegral[ArcCos[a*x]])/a

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 4624

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_, x_Symbol] :> Dist[1/(b*c), Subst[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rubi steps

$$\begin{aligned} \int \frac{1}{\cos^{-1}(ax)} dx &= -\frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a} \\ &= -\frac{\text{Si}(\cos^{-1}(ax))}{a} \end{aligned}$$

Mathematica [A] time = 0.03, size = 10, normalized size = 1.00

$$\frac{\text{Si}(\cos^{-1}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^(-1), x]

[Out] -(SinIntegral[ArcCos[a*x]]/a)

fricas [F] time = 2.12, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\arccos(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x), x, algorithm="fricas")

[Out] integral(1/arccos(a*x), x)

giac [A] time = 0.98, size = 10, normalized size = 1.00

$$\frac{\text{Si}(\arccos(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x), x, algorithm="giac")

[Out] -sin_integral(arccos(a*x))/a

maple [A] time = 0.03, size = 11, normalized size = 1.10

$$\frac{\text{Si}(\arccos(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccos(a*x), x)

[Out] -Si(arccos(a*x))/a

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x), x, algorithm="maxima")

[Out] integrate(1/arccos(a*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.10

$$\int \frac{1}{\operatorname{acos}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/acos(a*x), x)`

[Out] `int(1/acos(a*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{acos}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/acos(a*x), x)`

[Out] `Integral(1/acos(a*x), x)`

$$3.49 \quad \int \frac{1}{x \cos^{-1}(ax)} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \cos^{-1}(ax)}, x\right)$$

[Out] Unintegrable(1/x/arccos(a*x), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \cos^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*ArcCos[a*x]), x]

[Out] Defer[Int][1/(x*ArcCos[a*x]), x]

Rubi steps

$$\int \frac{1}{x \cos^{-1}(ax)} dx = \int \frac{1}{x \cos^{-1}(ax)} dx$$

Mathematica [A] time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*ArcCos[a*x]), x]

[Out] Integrate[1/(x*ArcCos[a*x]), x]

fricas [A] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x \arccos(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x), x, algorithm="fricas")

[Out] `integral(1/(x*arccos(a*x)), x)`

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arccos(a*x),x, algorithm="giac")`

[Out] `integrate(1/(x*arccos(a*x)), x)`

maple [A] time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/arccos(a*x),x)`

[Out] `int(1/x/arccos(a*x),x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/arccos(a*x),x, algorithm="maxima")`

[Out] `integrate(1/(x*arccos(a*x)), x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*acos(a*x)),x)`

[Out] `int(1/(x*acos(a*x)), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/acos(a*x),x)
```

```
[Out] Integral(1/(x*acos(a*x)), x)
```


$$3.50 \quad \int \frac{1}{x^2 \cos^{-1}(ax)} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \cos^{-1}(ax)}, x\right)$$

[Out] Unintegrable(1/x^2/arccos(a*x), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \cos^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*ArcCos[a*x]), x]

[Out] Defer[Int][1/(x^2*ArcCos[a*x]), x]

Rubi steps

$$\int \frac{1}{x^2 \cos^{-1}(ax)} dx = \int \frac{1}{x^2 \cos^{-1}(ax)} dx$$

Mathematica [A] time = 0.93, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \cos^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*ArcCos[a*x]), x]

[Out] Integrate[1/(x^2*ArcCos[a*x]), x]

fricas [A] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x^2 \arccos(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x), x, algorithm="fricas")

[Out] integral(1/(x^2*arccos(a*x)), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x),x, algorithm="giac")

[Out] integrate(1/(x^2*arccos(a*x)), x)

maple [A] time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arccos(a*x),x)

[Out] int(1/x^2/arccos(a*x),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x),x, algorithm="maxima")

[Out] integrate(1/(x^2*arccos(a*x)), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*acos(a*x)),x)

[Out] int(1/(x^2*acos(a*x)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/acos(a*x),x)
```

```
[Out] Integral(1/(x**2*acos(a*x)), x)
```

$$3.51 \quad \int \frac{x^6}{\cos^{-1}(ax)^2} dx$$

Optimal. Leaf size=82

$$\frac{5\text{Ci}(\cos^{-1}(ax))}{64a^7} - \frac{27\text{Ci}(3\cos^{-1}(ax))}{64a^7} - \frac{25\text{Ci}(5\cos^{-1}(ax))}{64a^7} - \frac{7\text{Ci}(7\cos^{-1}(ax))}{64a^7} + \frac{x^6\sqrt{1-a^2x^2}}{a\cos^{-1}(ax)}$$

[Out] -5/64*Ci(arccos(a*x))/a^7-27/64*Ci(3*arccos(a*x))/a^7-25/64*Ci(5*arccos(a*x))/a^7-7/64*Ci(7*arccos(a*x))/a^7+x^6*(-a^2*x^2+1)^(1/2)/a/arccos(a*x)

Rubi [A] time = 0.08, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {4632, 3302}

$$\frac{5\text{CosIntegral}(\cos^{-1}(ax))}{64a^7} - \frac{27\text{CosIntegral}(3\cos^{-1}(ax))}{64a^7} - \frac{25\text{CosIntegral}(5\cos^{-1}(ax))}{64a^7} - \frac{7\text{CosIntegral}(7\cos^{-1}(ax))}{64a^7} + \frac{x^6\sqrt{1-a^2x^2}}{a\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^6/ArcCos[a*x]^2, x]

[Out] (x^6*sqrt[1 - a^2*x^2])/(a*ArcCos[a*x]) - (5*CosIntegral[ArcCos[a*x]])/(64*a^7) - (27*CosIntegral[3*ArcCos[a*x]])/(64*a^7) - (25*CosIntegral[5*ArcCos[a*x]])/(64*a^7) - (7*CosIntegral[7*ArcCos[a*x]])/(64*a^7)

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> -Simp[(x^m*sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Cos[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\int \frac{x^6}{\cos^{-1}(ax)^2} dx = \frac{x^6 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} + \frac{\text{Subst}\left(\int \left(-\frac{5 \cos(x)}{64x} - \frac{27 \cos(3x)}{64x} - \frac{25 \cos(5x)}{64x} - \frac{7 \cos(7x)}{64x}\right) dx, x, \cos^{-1}(ax)\right)}{a^7}$$

$$= \frac{x^6 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{5 \text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \cos^{-1}(ax)\right)}{64a^7} - \frac{7 \text{Subst}\left(\int \frac{\cos(7x)}{x} dx, x, \cos^{-1}(ax)\right)}{64a^7} - \dots$$

$$= \frac{x^6 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{5 \text{Ci}\left(\cos^{-1}(ax)\right)}{64a^7} - \frac{27 \text{Ci}\left(3 \cos^{-1}(ax)\right)}{64a^7} - \frac{25 \text{Ci}\left(5 \cos^{-1}(ax)\right)}{64a^7} - \frac{7 \text{Ci}\left(7 \cos^{-1}(ax)\right)}{64a^7}$$

Mathematica [A] time = 0.17, size = 86, normalized size = 1.05

$$\frac{-64a^6x^6\sqrt{1-a^2x^2} + 5\cos^{-1}(ax)\text{Ci}\left(\cos^{-1}(ax)\right) + 27\cos^{-1}(ax)\text{Ci}\left(3\cos^{-1}(ax)\right) + 25\cos^{-1}(ax)\text{Ci}\left(5\cos^{-1}(ax)\right) + 7\cos^{-1}(ax)\text{Ci}\left(7\cos^{-1}(ax)\right)}{64a^7\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Integrate[x^6/ArcCos[a*x]^2, x]

[Out] -1/64*(-64*a^6*x^6*Sqrt[1 - a^2*x^2] + 5*ArcCos[a*x]*CosIntegral[ArcCos[a*x]] + 27*ArcCos[a*x]*CosIntegral[3*ArcCos[a*x]] + 25*ArcCos[a*x]*CosIntegral[5*ArcCos[a*x]] + 7*ArcCos[a*x]*CosIntegral[7*ArcCos[a*x]])/(a^7*ArcCos[a*x])

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^6}{\arccos(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arccos(a*x)^2, x, algorithm="fricas")

[Out] integral(x^6/arccos(a*x)^2, x)

giac [A] time = 0.19, size = 72, normalized size = 0.88

$$\frac{\sqrt{-a^2x^2+1}x^6}{a \arccos(ax)} - \frac{7 \text{Ci}(7 \arccos(ax))}{64 a^7} - \frac{25 \text{Ci}(5 \arccos(ax))}{64 a^7} - \frac{27 \text{Ci}(3 \arccos(ax))}{64 a^7} - \frac{5 \text{Ci}(\arccos(ax))}{64 a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arccos(a*x)^2, x, algorithm="giac")

[Out] $\frac{\sqrt{-a^2x^2 + 1}x^6}{a\arccos(ax)} - \frac{7}{64}\frac{\cos_integral(7\arccos(ax))}{a^7} - \frac{25}{64}\frac{\cos_integral(5\arccos(ax))}{a^7} - \frac{27}{64}\frac{\cos_integral(3\arccos(ax))}{a^7} - \frac{5}{64}\frac{\cos_integral(\arccos(ax))}{a^7}$

maple [A] time = 0.21, size = 105, normalized size = 1.28

$$\frac{\frac{9\sin(3\arccos(ax))}{64\arccos(ax)} - \frac{27\text{Ci}(3\arccos(ax))}{64} + \frac{5\sin(5\arccos(ax))}{64\arccos(ax)} - \frac{25\text{Ci}(5\arccos(ax))}{64} + \frac{\sin(7\arccos(ax))}{64\arccos(ax)} - \frac{7\text{Ci}(7\arccos(ax))}{64} + \frac{5\sqrt{-a^2x^2+1}}{64\arccos(ax)}}{a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^6/\arccos(ax)^2, x)$

[Out] $\frac{1}{a^7} \left(\frac{9}{64} \frac{\sin(3\arccos(ax))}{\arccos(ax)} - \frac{27}{64} \text{Ci}(3\arccos(ax)) + \frac{5}{64} \frac{\sin(5\arccos(ax))}{\arccos(ax)} - \frac{25}{64} \text{Ci}(5\arccos(ax)) + \frac{1}{64} \frac{\sin(7\arccos(ax))}{\arccos(ax)} - \frac{7}{64} \text{Ci}(7\arccos(ax)) + \frac{5}{64} \frac{\sqrt{-a^2x^2+1}}{\arccos(ax)} - \frac{5}{4} \text{Ci}(\arccos(ax)) \right)$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6/\arccos(ax)^2, x, \text{algorithm}="maxima")$

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^6}{\arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^6/\arccos(ax)^2, x)$

[Out] $\text{int}(x^6/\arccos(ax)^2, x)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{\arccos^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**6/\arccos(ax)**2, x)$

[Out] $\text{Integral}(x**6/\arccos(ax)**2, x)$

$$3.52 \quad \int \frac{x^5}{\cos^{-1}(ax)^2} dx$$

Optimal. Leaf size=70

$$-\frac{5\text{Ci}(2\cos^{-1}(ax))}{16a^6} - \frac{\text{Ci}(4\cos^{-1}(ax))}{2a^6} - \frac{3\text{Ci}(6\cos^{-1}(ax))}{16a^6} + \frac{x^5\sqrt{1-a^2x^2}}{a\cos^{-1}(ax)}$$

[Out] $-5/16*\text{Ci}(2*\arccos(a*x))/a^6-1/2*\text{Ci}(4*\arccos(a*x))/a^6-3/16*\text{Ci}(6*\arccos(a*x))/a^6+x^5*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)$

Rubi [A] time = 0.06, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {4632, 3302}

$$-\frac{5\text{CosIntegral}(2\cos^{-1}(ax))}{16a^6} - \frac{\text{CosIntegral}(4\cos^{-1}(ax))}{2a^6} - \frac{3\text{CosIntegral}(6\cos^{-1}(ax))}{16a^6} + \frac{x^5\sqrt{1-a^2x^2}}{a\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5/\text{ArcCos}[a*x]^2, x]$

[Out] $(x^5*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcCos}[a*x]) - (5*\text{CosIntegral}[2*\text{ArcCos}[a*x]])/(16*a^6) - \text{CosIntegral}[4*\text{ArcCos}[a*x]]/(2*a^6) - (3*\text{CosIntegral}[6*\text{ArcCos}[a*x]])/(16*a^6)$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 4632

$\text{Int}[((a_.) + \text{ArcCos}[(c_.)*(x_.)]*(b_.))^n*(x_)^m, x_Symbol] \rightarrow -\text{Simp}[(x^m*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^{n+1})/(b*c*(n+1)), x] - \text{Dist}[1/(b*c^{m+1}*(n+1)), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[(a + b*x)^{n+1}, \text{Cos}[x]^{m-1}*(m - (m+1)*\text{Cos}[x]^2), x], x], x, \text{ArcCos}[c*x]], x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{GeQ}[n, -2] \ \&\& \ \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{\cos^{-1}(ax)^2} dx &= \frac{x^5 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} + \frac{\text{Subst} \left(\int \left(-\frac{5 \cos(2x)}{16x} - \frac{\cos(4x)}{2x} - \frac{3 \cos(6x)}{16x} \right) dx, x, \cos^{-1}(ax) \right)}{a^6} \\
&= \frac{x^5 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{3 \text{Subst} \left(\int \frac{\cos(6x)}{x} dx, x, \cos^{-1}(ax) \right)}{16a^6} - \frac{5 \text{Subst} \left(\int \frac{\cos(2x)}{x} dx, x, \cos^{-1}(ax) \right)}{16a^6} \\
&= \frac{x^5 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{5 \text{Ci} \left(2 \cos^{-1}(ax) \right)}{16a^6} - \frac{\text{Ci} \left(4 \cos^{-1}(ax) \right)}{2a^6} - \frac{3 \text{Ci} \left(6 \cos^{-1}(ax) \right)}{16a^6}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 63, normalized size = 0.90

$$-\frac{16a^5x^5\sqrt{1-a^2x^2}}{\cos^{-1}(ax)} + 5\text{Ci}\left(2\cos^{-1}(ax)\right) + 8\text{Ci}\left(4\cos^{-1}(ax)\right) + 3\text{Ci}\left(6\cos^{-1}(ax)\right)$$

$$16a^6$$

Antiderivative was successfully verified.

[In] Integrate[x^5/ArcCos[a*x]^2,x]

[Out] -1/16*((-16*a^5*x^5*Sqrt[1 - a^2*x^2])/ArcCos[a*x] + 5*CosIntegral[2*ArcCos[a*x]] + 8*CosIntegral[4*ArcCos[a*x]] + 3*CosIntegral[6*ArcCos[a*x]])/a^6

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{x^5}{\arccos(ax)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arccos(a*x)^2,x, algorithm="fricas")

[Out] integral(x^5/arccos(a*x)^2, x)

giac [A] time = 0.19, size = 62, normalized size = 0.89

$$\frac{\sqrt{-a^2x^2 + 1}x^5}{a \arccos(ax)} - \frac{3 \text{Ci}(6 \arccos(ax))}{16a^6} - \frac{\text{Ci}(4 \arccos(ax))}{2a^6} - \frac{5 \text{Ci}(2 \arccos(ax))}{16a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arccos(a*x)^2,x, algorithm="giac")

[Out] $\sqrt{-a^2x^2 + 1}x^5/(a\arccos(ax)) - 3/16\cos_integral(6\arccos(ax))/a^6 - 1/2\cos_integral(4\arccos(ax))/a^6 - 5/16\cos_integral(2\arccos(ax))/a^6$

maple [A] time = 0.15, size = 78, normalized size = 1.11

$$\frac{\frac{5 \sin(2 \arccos(ax))}{32 \arccos(ax)} - \frac{5 \operatorname{Ci}(2 \arccos(ax))}{16} + \frac{\sin(4 \arccos(ax))}{8 \arccos(ax)} - \frac{\operatorname{Ci}(4 \arccos(ax))}{2} + \frac{\sin(6 \arccos(ax))}{32 \arccos(ax)} - \frac{3 \operatorname{Ci}(6 \arccos(ax))}{16}}{a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^5/\arccos(ax)^2, x$

[Out] $1/a^6*(5/32/\arccos(ax)*\sin(2*\arccos(ax))-5/16*\operatorname{Ci}(2*\arccos(ax))+1/8/\arccos(ax)*\sin(4*\arccos(ax))-1/2*\operatorname{Ci}(4*\arccos(ax))+1/32/\arccos(ax)*\sin(6*\arccos(ax))-3/16*\operatorname{Ci}(6*\arccos(ax)))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^5/\arccos(ax)^2, x, \text{algorithm}="maxima")$

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5}{\arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int x^5/\arccos(ax)^2, x$

[Out] $\int x^5/\arccos(ax)^2, x$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\arccos^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**5/\arccos(ax)**2, x)$

[Out] $\text{Integral}(x**5/\arccos(ax)**2, x)$

$$3.53 \quad \int \frac{x^4}{\cos^{-1}(ax)^2} dx$$

Optimal. Leaf size=68

$$-\frac{\text{Ci}(\cos^{-1}(ax))}{8a^5} - \frac{9\text{Ci}(3\cos^{-1}(ax))}{16a^5} - \frac{5\text{Ci}(5\cos^{-1}(ax))}{16a^5} + \frac{x^4\sqrt{1-a^2x^2}}{a\cos^{-1}(ax)}$$

[Out] $-1/8*\text{Ci}(\arccos(a*x))/a^5-9/16*\text{Ci}(3*\arccos(a*x))/a^5-5/16*\text{Ci}(5*\arccos(a*x))/a^5+x^4*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)$

Rubi [A] time = 0.06, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {4632, 3302}

$$-\frac{\text{CosIntegral}(\cos^{-1}(ax))}{8a^5} - \frac{9\text{CosIntegral}(3\cos^{-1}(ax))}{16a^5} - \frac{5\text{CosIntegral}(5\cos^{-1}(ax))}{16a^5} + \frac{x^4\sqrt{1-a^2x^2}}{a\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4/\text{ArcCos}[a*x]^2, x]$

[Out] $(x^4*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcCos}[a*x]) - \text{CosIntegral}[\text{ArcCos}[a*x]]/(8*a^5) - (9*\text{CosIntegral}[3*\text{ArcCos}[a*x]])/(16*a^5) - (5*\text{CosIntegral}[5*\text{ArcCos}[a*x]])/(16*a^5)$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 4632

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(x^m*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^{(n+1)})/(b*c*(n+1)), x] - \text{Dist}[1/(b*c^{(m+1)}*(n+1)), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[(a + b*x)^{(n+1)}, \text{Cos}[x]^{(m-1)}*(m - (m+1)*\text{Cos}[x]^2), x], x], x, \text{ArcCos}[c*x]], x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{GeQ}[n, -2] \ \&\& \ \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\cos^{-1}(ax)^2} dx &= \frac{x^4 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} + \frac{\text{Subst}\left(\int \left(-\frac{\cos(x)}{8x} - \frac{9 \cos(3x)}{16x} - \frac{5 \cos(5x)}{16x}\right) dx, x, \cos^{-1}(ax)\right)}{a^5} \\
&= \frac{x^4 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \cos^{-1}(ax)\right)}{8a^5} - \frac{5 \text{Subst}\left(\int \frac{\cos(5x)}{x} dx, x, \cos^{-1}(ax)\right)}{16a^5} - \frac{9 \text{Subst}\left(\int \frac{\cos(3x)}{x} dx, x, \cos^{-1}(ax)\right)}{16a^5} \\
&= \frac{x^4 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Ci}\left(\cos^{-1}(ax)\right)}{8a^5} - \frac{9 \text{Ci}\left(3 \cos^{-1}(ax)\right)}{16a^5} - \frac{5 \text{Ci}\left(5 \cos^{-1}(ax)\right)}{16a^5}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 61, normalized size = 0.90

$$-\frac{16a^4x^4\sqrt{1-a^2x^2}}{\cos^{-1}(ax)} + 2\text{Ci}\left(\cos^{-1}(ax)\right) + 9\text{Ci}\left(3\cos^{-1}(ax)\right) + 5\text{Ci}\left(5\cos^{-1}(ax)\right)$$

$$16a^5$$

Antiderivative was successfully verified.

[In] Integrate[x^4/ArcCos[a*x]^2, x]

[Out] -1/16*((-16*a^4*x^4*Sqrt[1 - a^2*x^2])/ArcCos[a*x] + 2*CosIntegral[ArcCos[a*x]] + 9*CosIntegral[3*ArcCos[a*x]] + 5*CosIntegral[5*ArcCos[a*x]])/a^5

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^4}{\arccos(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^2, x, algorithm="fricas")

[Out] integral(x^4/arccos(a*x)^2, x)

giac [A] time = 2.53, size = 60, normalized size = 0.88

$$\frac{\sqrt{-a^2x^2 + 1}x^4}{a \arccos(ax)} - \frac{5 \text{Ci}(5 \arccos(ax))}{16a^5} - \frac{9 \text{Ci}(3 \arccos(ax))}{16a^5} - \frac{\text{Ci}(\arccos(ax))}{8a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^2, x, algorithm="giac")

[Out] $\sqrt{-a^2x^2 + 1}x^4/(a\arccos(ax)) - 5/16\cos_integral(5\arccos(ax))/a^5 - 9/16\cos_integral(3\arccos(ax))/a^5 - 1/8\cos_integral(\arccos(ax))/a^5$

maple [A] time = 0.05, size = 81, normalized size = 1.19

$$\frac{\frac{3 \sin(3 \arccos(ax))}{16 \arccos(ax)} - \frac{9 \operatorname{Ci}(3 \arccos(ax))}{16} + \frac{\sin(5 \arccos(ax))}{16 \arccos(ax)} - \frac{5 \operatorname{Ci}(5 \arccos(ax))}{16} + \frac{\sqrt{-a^2x^2+1}}{8 \arccos(ax)} - \frac{\operatorname{Ci}(\arccos(ax))}{8}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4/\arccos(a*x)^2, x)$

[Out] $1/a^5*(3/16/\arccos(a*x)*\sin(3*\arccos(a*x))-9/16*\operatorname{Ci}(3*\arccos(a*x))+1/16/\arccos(a*x)*\sin(5*\arccos(a*x))-5/16*\operatorname{Ci}(5*\arccos(a*x))+1/8/\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}-1/8*\operatorname{Ci}(\arccos(a*x)))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4/\arccos(a*x)^2, x, \text{algorithm}="maxima")$

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4/\arccos(a*x)^2, x)$

[Out] $\text{int}(x^4/\arccos(a*x)^2, x)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\arccos^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{**4}/\arccos(a*x)**2, x)$

[Out] $\text{Integral}(x^{**4}/\arccos(a*x)**2, x)$

$$3.54 \quad \int \frac{x^3}{\cos^{-1}(ax)^2} dx$$

Optimal. Leaf size=56

$$-\frac{\text{Ci}(2 \cos^{-1}(ax))}{2a^4} - \frac{\text{Ci}(4 \cos^{-1}(ax))}{2a^4} + \frac{x^3 \sqrt{1 - a^2 x^2}}{a \cos^{-1}(ax)}$$

[Out] $-1/2 * \text{Ci}(2 * \arccos(a * x)) / a^4 - 1/2 * \text{Ci}(4 * \arccos(a * x)) / a^4 + x^3 * (-a^2 * x^2 + 1)^{(1/2)} / a / \arccos(a * x)$

Rubi [A] time = 0.05, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {4632, 3302}

$$-\frac{\text{CosIntegral}(2 \cos^{-1}(ax))}{2a^4} - \frac{\text{CosIntegral}(4 \cos^{-1}(ax))}{2a^4} + \frac{x^3 \sqrt{1 - a^2 x^2}}{a \cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcCos[a*x]^2,x]

[Out] $(x^3 * \text{Sqrt}[1 - a^2 * x^2]) / (a * \text{ArcCos}[a * x]) - \text{CosIntegral}[2 * \text{ArcCos}[a * x]] / (2 * a^4) - \text{CosIntegral}[4 * \text{ArcCos}[a * x]] / (2 * a^4)$

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] :> -Simp[(x^m * Sqrt[1 - c^2 * x^2] * (a + b * ArcCos[c * x])^(n + 1)) / (b * c * (n + 1)), x] - Dist[1 / (b * c^(m + 1) * (n + 1)), Subst[Int[ExpandTrigReduce[(a + b * x)^(n + 1), Cos[x]^(m - 1) * (m - (m + 1) * Cos[x]^2), x], x], x, ArcCos[c * x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\cos^{-1}(ax)^2} dx &= \frac{x^3 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} + \frac{\text{Subst} \left(\int \left(-\frac{\cos(2x)}{2x} - \frac{\cos(4x)}{2x} \right) dx, x, \cos^{-1}(ax) \right)}{a^4} \\
&= \frac{x^3 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Subst} \left(\int \frac{\cos(2x)}{x} dx, x, \cos^{-1}(ax) \right)}{2a^4} - \frac{\text{Subst} \left(\int \frac{\cos(4x)}{x} dx, x, \cos^{-1}(ax) \right)}{2a^4} \\
&= \frac{x^3 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Ci} \left(2 \cos^{-1}(ax) \right)}{2a^4} - \frac{\text{Ci} \left(4 \cos^{-1}(ax) \right)}{2a^4}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 50, normalized size = 0.89

$$-\frac{2a^3x^3\sqrt{1-a^2x^2}}{\cos^{-1}(ax)} + \text{Ci} \left(2 \cos^{-1}(ax) \right) + \text{Ci} \left(4 \cos^{-1}(ax) \right)$$

$$2a^4$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcCos[a*x]^2,x]

[Out] -1/2*((-2*a^3*x^3*Sqrt[1 - a^2*x^2])/ArcCos[a*x] + CosIntegral[2*ArcCos[a*x]] + CosIntegral[4*ArcCos[a*x]])/a^4

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{x^3}{\arccos(ax)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^2,x, algorithm="fricas")

[Out] integral(x^3/arccos(a*x)^2, x)

giac [A] time = 0.19, size = 50, normalized size = 0.89

$$\frac{\sqrt{-a^2x^2 + 1} x^3}{a \arccos(ax)} - \frac{\text{Ci}(4 \arccos(ax))}{2a^4} - \frac{\text{Ci}(2 \arccos(ax))}{2a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^2,x, algorithm="giac")

[Out] sqrt(-a^2*x^2 + 1)*x^3/(a*arccos(a*x)) - 1/2*cos_integral(4*arccos(a*x))/a^4 - 1/2*cos_integral(2*arccos(a*x))/a^4

maple [A] time = 0.04, size = 54, normalized size = 0.96

$$\frac{\frac{\sin(2 \arccos(ax))}{4 \arccos(ax)} - \frac{\text{Ci}(2 \arccos(ax))}{2} + \frac{\sin(4 \arccos(ax))}{8 \arccos(ax)} - \frac{\text{Ci}(4 \arccos(ax))}{2}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccos(a*x)^2,x)

[Out] 1/a^4*(1/4/arccos(a*x)*sin(2*arccos(a*x))-1/2*Ci(2*arccos(a*x))+1/8/arccos(a*x)*sin(4*arccos(a*x))-1/2*Ci(4*arccos(a*x)))

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^3}{\arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/acos(a*x)^2,x)

[Out] int(x^3/acos(a*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\arccos^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/acos(a*x)**2,x)

[Out] Integral(x**3/acos(a*x)**2, x)

$$3.55 \quad \int \frac{x^2}{\cos^{-1}(ax)^2} dx$$

Optimal. Leaf size=54

$$-\frac{\text{Ci}(\cos^{-1}(ax))}{4a^3} - \frac{3\text{Ci}(3\cos^{-1}(ax))}{4a^3} + \frac{x^2\sqrt{1-a^2x^2}}{a\cos^{-1}(ax)}$$

[Out] $-1/4*\text{Ci}(\arccos(a*x))/a^3-3/4*\text{Ci}(3*\arccos(a*x))/a^3+x^2*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)$

Rubi [A] time = 0.05, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {4632, 3302}

$$-\frac{\text{CosIntegral}(\cos^{-1}(ax))}{4a^3} - \frac{3\text{CosIntegral}(3\cos^{-1}(ax))}{4a^3} + \frac{x^2\sqrt{1-a^2x^2}}{a\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCos[a*x]^2, x]

[Out] $(x^2*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcCos}[a*x]) - \text{CosIntegral}[\text{ArcCos}[a*x]]/(4*a^3) - (3*\text{CosIntegral}[3*\text{ArcCos}[a*x]])/(4*a^3)$

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Cos[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\cos^{-1}(ax)^2} dx &= \frac{x^2 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} + \frac{\text{Subst}\left(\int \left(-\frac{\cos(x)}{4x} - \frac{3 \cos(3x)}{4x}\right) dx, x, \cos^{-1}(ax)\right)}{a^3} \\
&= \frac{x^2 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \cos^{-1}(ax)\right)}{4a^3} - \frac{3 \text{Subst}\left(\int \frac{\cos(3x)}{x} dx, x, \cos^{-1}(ax)\right)}{4a^3} \\
&= \frac{x^2 \sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Ci}\left(\cos^{-1}(ax)\right)}{4a^3} - \frac{3 \text{Ci}\left(3 \cos^{-1}(ax)\right)}{4a^3}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 50, normalized size = 0.93

$$-\frac{4a^2x^2\sqrt{1-a^2x^2}}{\cos^{-1}(ax)} + \frac{\text{Ci}\left(\cos^{-1}(ax)\right) + 3\text{Ci}\left(3 \cos^{-1}(ax)\right)}{4a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcCos[a*x]^2,x]

[Out] -1/4*((-4*a^2*x^2*sqrt[1 - a^2*x^2])/ArcCos[a*x] + CosIntegral[ArcCos[a*x]] + 3*CosIntegral[3*ArcCos[a*x]])/a^3

fricas [F] time = 0.39, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{\arccos(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^2,x, algorithm="fricas")

[Out] integral(x^2/arccos(a*x)^2, x)

giac [A] time = 2.81, size = 48, normalized size = 0.89

$$\frac{\sqrt{-a^2x^2 + 1} x^2}{a \arccos(ax)} - \frac{3 \text{Ci}(3 \arccos(ax))}{4 a^3} - \frac{\text{Ci}(\arccos(ax))}{4 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^2,x, algorithm="giac")

[Out] sqrt(-a^2*x^2 + 1)*x^2/(a*arccos(a*x)) - 3/4*cos_integral(3*arccos(a*x))/a^3 - 1/4*cos_integral(arccos(a*x))/a^3

maple [A] time = 0.04, size = 57, normalized size = 1.06

$$\frac{\frac{\sin(3 \arccos(ax))}{4 \arccos(ax)} - \frac{3 \operatorname{Ci}(3 \arccos(ax))}{4} + \frac{\sqrt{-a^2x^2+1}}{4 \arccos(ax)} - \frac{\operatorname{Ci}(\arccos(ax))}{4}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccos(a*x)^2,x)

[Out] 1/a^3*(1/4/arccos(a*x)*sin(3*arccos(a*x))-3/4*Ci(3*arccos(a*x))+1/4/arccos(a*x)*(-a^2*x^2+1)^(1/2)-1/4*Ci(arccos(a*x)))

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^2}{\arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/acos(a*x)^2,x)

[Out] int(x^2/acos(a*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\arccos^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/acos(a*x)**2,x)

[Out] Integral(x**2/acos(a*x)**2, x)

$$3.56 \quad \int \frac{x}{\cos^{-1}(ax)^2} dx$$

Optimal. Leaf size=38

$$\frac{x\sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Ci}(2 \cos^{-1}(ax))}{a^2}$$

[Out] $-\text{Ci}(2*\arccos(a*x))/a^2+x*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)$

Rubi [A] time = 0.02, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4632, 3302}

$$\frac{x\sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{CosIntegral}(2 \cos^{-1}(ax))}{a^2}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCos[a*x]^2,x]

[Out] $(x*\text{Sqrt}[1 - a^2*x^2])/(a*\text{ArcCos}[a*x]) - \text{CosIntegral}[2*\text{ArcCos}[a*x]]/a^2$

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Cos[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{x}{\cos^{-1}(ax)^2} dx &= \frac{x\sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(2x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^2} \\ &= \frac{x\sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Ci}(2 \cos^{-1}(ax))}{a^2} \end{aligned}$$

Mathematica [A] time = 0.10, size = 37, normalized size = 0.97

$$\frac{\frac{ax\sqrt{1-a^2x^2}}{\cos^{-1}(ax)} - \text{Ci}(2\cos^{-1}(ax))}{a^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcCos[a*x]^2,x]

[Out] ((a*x*Sqrt[1 - a^2*x^2])/ArcCos[a*x] - CosIntegral[2*ArcCos[a*x]])/a^2

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{\arccos(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^2,x, algorithm="fricas")

[Out] integral(x/arccos(a*x)^2, x)

giac [A] time = 0.18, size = 36, normalized size = 0.95

$$\frac{\sqrt{-a^2x^2 + 1}x}{a \arccos(ax)} - \frac{\text{Ci}(2 \arccos(ax))}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^2,x, algorithm="giac")

[Out] sqrt(-a^2*x^2 + 1)*x/(a*arccos(a*x)) - cos_integral(2*arccos(a*x))/a^2

maple [A] time = 0.03, size = 30, normalized size = 0.79

$$\frac{\frac{\sin(2\arccos(ax))}{2\arccos(ax)} - \text{Ci}(2\arccos(ax))}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccos(a*x)^2,x)

[Out] 1/a^2*(1/2/arccos(a*x)*sin(2*arccos(a*x))-Ci(2*arccos(a*x)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{-\sqrt{ax+1}\sqrt{-ax+1}x + \left(\int \frac{2\sqrt{-ax+1}a^2x^2}{\sqrt{ax+1}ax \arctan(\sqrt{ax+1}\sqrt{-ax+1},ax) - \sqrt{ax+1} \arctan(\sqrt{ax+1}\sqrt{-ax+1},ax)} dx + \int -\frac{1}{\sqrt{ax+1}ax \arctan(\sqrt{ax+1}\sqrt{-ax+1},ax)} dx\right)}{a \arctan(\sqrt{ax+1}\sqrt{-ax+1},ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^2,x, algorithm="maxima")

[Out] $-(a \arctan 2(\sqrt{a x + 1} \sqrt{-a x + 1}), a x) \int ((2 a^2 x^2 - 1) \sqrt{a x + 1} \sqrt{-a x + 1} / ((a^3 x^2 - a) \arctan 2(\sqrt{a x + 1} \sqrt{-a x + 1}), a x)) dx - \sqrt{a x + 1} \sqrt{-a x + 1} x / (a \arctan 2(\sqrt{a x + 1} \sqrt{-a x + 1}), a x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{x}{\cos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acos(a*x)^2,x)

[Out] int(x/acos(a*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\cos^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/acos(a*x)**2,x)

[Out] Integral(x/acos(a*x)**2, x)

$$3.57 \quad \int \frac{1}{\cos^{-1}(ax)^2} dx$$

Optimal. Leaf size=35

$$\frac{\sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Ci}(\cos^{-1}(ax))}{a}$$

[Out] -Ci(arccos(a*x))/a+(-a^2*x^2+1)^(1/2)/a/arccos(a*x)

Rubi [A] time = 0.08, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4622, 4724, 3302}

$$\frac{\sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{CosIntegral}(\cos^{-1}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^(-2), x]

[Out] Sqrt[1 - a^2*x^2]/(a*ArcCos[a*x]) - CosIntegral[ArcCos[a*x]]/a

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 4622

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n, x_Symbol] := -Simp[(Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1)), Int[(x*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4724

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n*(x_)^m*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

Rubi steps

$$\begin{aligned} \int \frac{1}{\cos^{-1}(ax)^2} dx &= \frac{\sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} + a \int \frac{x}{\sqrt{1-a^2x^2} \cos^{-1}(ax)} dx \\ &= \frac{\sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a} \\ &= \frac{\sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Ci}(\cos^{-1}(ax))}{a} \end{aligned}$$

Mathematica [A] time = 0.04, size = 35, normalized size = 1.00

$$\frac{\sqrt{1-a^2x^2}}{a \cos^{-1}(ax)} - \frac{\text{Ci}(\cos^{-1}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^(-2), x]

[Out] Sqrt[1 - a^2*x^2]/(a*ArcCos[a*x]) - CosIntegral[ArcCos[a*x]]/a

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\arccos(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^2,x, algorithm="fricas")

[Out] integral(arccos(a*x)^(-2), x)

giac [A] time = 1.72, size = 33, normalized size = 0.94

$$-\frac{\text{Ci}(\arccos(ax))}{a} + \frac{\sqrt{-a^2x^2 + 1}}{a \arccos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^2,x, algorithm="giac")

[Out] -cos_integral(arccos(a*x))/a + sqrt(-a^2*x^2 + 1)/(a*arccos(a*x))

maple [A] time = 0.04, size = 32, normalized size = 0.91

$$\frac{\frac{\sqrt{-a^2x^2+1}}{\arccos(ax)} - \text{Ci}(\arccos(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccos(a*x)^2,x)

[Out] 1/a*(1/arccos(a*x)*(-a^2*x^2+1)^(1/2)-Ci(arccos(a*x)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^2 \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax) \int \frac{\sqrt{-ax+1}x}{\sqrt{ax+1}(ax-1)\arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)} dx - \sqrt{ax+1}\sqrt{-ax+1}}{a \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^2,x, algorithm="maxima")

[Out] -(a^2*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*x/((a^2*x^2 - 1)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)), x) - sqrt(a*x + 1)*sqrt(-a*x + 1))/(a*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x))

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{\cos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/acos(a*x)^2,x)

[Out] int(1/acos(a*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/acos(a*x)**2,x)

[Out] Integral(acos(a*x)**(-2), x)

$$3.58 \quad \int \frac{1}{x \cos^{-1}(ax)^2} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \cos^{-1}(ax)^2}, x\right)$$

[Out] Unintegrable(1/x/arccos(a*x)^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \cos^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*ArcCos[a*x]^2),x]

[Out] Defer[Int][1/(x*ArcCos[a*x]^2), x]

Rubi steps

$$\int \frac{1}{x \cos^{-1}(ax)^2} dx = \int \frac{1}{x \cos^{-1}(ax)^2} dx$$

Mathematica [A] time = 1.03, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*ArcCos[a*x]^2),x]

[Out] Integrate[1/(x*ArcCos[a*x]^2), x]

fricas [A] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x \arccos(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^2,x, algorithm="fricas")

[Out] integral(1/(x*arccos(a*x)^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^2,x, algorithm="giac")

[Out] integrate(1/(x*arccos(a*x)^2), x)

maple [A] time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccos(a*x)^2,x)

[Out] int(1/x/arccos(a*x)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{x \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax) \int \frac{\sqrt{-ax+1}}{\sqrt{ax+1} ax^3 \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax) - \sqrt{ax+1} x^2 \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)} dx - \sqrt{ax+1}}{ax \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^2,x, algorithm="maxima")

[Out] -(a*x*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)/((a^3*x^4 - a*x^2)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)), x) - sqrt(a*x + 1)*sqrt(-a*x + 1)/(a*x*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x))

mupad [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*acos(a*x)^2),x)

```
[Out] int(1/(x*acos(a*x)^2), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{x \operatorname{acos}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/acos(a*x)**2,x)
```

```
[Out] Integral(1/(x*acos(a*x)**2), x)
```

$$3.59 \quad \int \frac{1}{x^2 \cos^{-1}(ax)^2} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \cos^{-1}(ax)^2}, x\right)$$

[Out] Unintegrable(1/x^2/arccos(a*x)^2, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \cos^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*ArcCos[a*x]^2), x]

[Out] Defer[Int][1/(x^2*ArcCos[a*x]^2), x]

Rubi steps

$$\int \frac{1}{x^2 \cos^{-1}(ax)^2} dx = \int \frac{1}{x^2 \cos^{-1}(ax)^2} dx$$

Mathematica [A] time = 18.26, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \cos^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*ArcCos[a*x]^2), x]

[Out] Integrate[1/(x^2*ArcCos[a*x]^2), x]

fricas [A] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x^2 \arccos(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^2, x, algorithm="fricas")

[Out] integral(1/(x^2*arccos(a*x)^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^2,x, algorithm="giac")

[Out] integrate(1/(x^2*arccos(a*x)^2), x)

maple [A] time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arccos(a*x)^2,x)

[Out] int(1/x^2/arccos(a*x)^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*acos(a*x)^2),x)

[Out] int(1/(x^2*acos(a*x)^2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/acos(a*x)**2,x)
```

```
[Out] Integral(1/(x**2*acos(a*x)**2), x)
```

$$3.60 \quad \int \frac{x^4}{\cos^{-1}(ax)^3} dx$$

Optimal. Leaf size=98

$$\frac{\text{Si}(\cos^{-1}(ax))}{16a^5} + \frac{27\text{Si}(3\cos^{-1}(ax))}{32a^5} + \frac{25\text{Si}(5\cos^{-1}(ax))}{32a^5} - \frac{2x^3}{a^2\cos^{-1}(ax)} + \frac{x^4\sqrt{1-a^2x^2}}{2a\cos^{-1}(ax)^2} + \frac{5x^5}{2\cos^{-1}(ax)}$$

[Out] $-2*x^3/a^2/\arccos(a*x)+5/2*x^5/\arccos(a*x)+1/16*Si(\arccos(a*x))/a^5+27/32*Si(3*\arccos(a*x))/a^5+25/32*Si(5*\arccos(a*x))/a^5+1/2*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^2$

Rubi [A] time = 0.34, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4634, 4720, 4636, 4406, 3299}

$$\frac{\text{Si}(\cos^{-1}(ax))}{16a^5} + \frac{27\text{Si}(3\cos^{-1}(ax))}{32a^5} + \frac{25\text{Si}(5\cos^{-1}(ax))}{32a^5} + \frac{x^4\sqrt{1-a^2x^2}}{2a\cos^{-1}(ax)^2} - \frac{2x^3}{a^2\cos^{-1}(ax)} + \frac{5x^5}{2\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^4/ArcCos[a*x]^3,x]

[Out] $(x^4*\text{Sqrt}[1 - a^2*x^2])/(2*a*\text{ArcCos}[a*x]^2) - (2*x^3)/(a^2*\text{ArcCos}[a*x]) + (5*x^5)/(2*\text{ArcCos}[a*x]) + \text{SinIntegral}[\text{ArcCos}[a*x]]/(16*a^5) + (27*\text{SinIntegral}[3*\text{ArcCos}[a*x]])/(32*a^5) + (25*\text{SinIntegral}[5*\text{ArcCos}[a*x]])/(32*a^5)$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4634

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] :> -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCo

$s[c*x]^{(n+1)}/\text{Sqrt}[1-c^2*x^2], x], x) /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{IGtQ}[m, 0] \&\& \text{LtQ}[n, -2]$

Rule 4636

$\text{Int}[(a_.) + \text{ArcCos}[c_.*(x_)]*(b_.)^{(n_)}*(x_)^{(m_.)}, x_Symbol] :> -\text{Dist}[(c^{(m+1)})^{(-1)}, \text{Subst}[\text{Int}[(a+b*x)^n*\text{Cos}[x]^m*\text{Sin}[x], x], x, \text{ArcCos}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x\} \&\& \text{IGtQ}[m, 0]$

Rule 4720

$\text{Int}[(((a_.) + \text{ArcCos}[c_.*(x_)]*(b_.)^{(n_)}*((f_.)*(x_))^{(m_.)})/\text{Sqrt}[(d_.) + (e_.)*(x_)^2], x_Symbol] :> -\text{Simp}[(f*x)^m*(a+b*\text{ArcCos}[c*x])^{(n+1)}/(b*c*\text{Sqrt}[d]*(n+1)), x] + \text{Dist}[(f*m)/(b*c*\text{Sqrt}[d]*(n+1)), \text{Int}[(f*x)^{(m-1)}*(a+b*\text{ArcCos}[c*x])^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{EqQ}[c^2*d+e, 0] \&\& \text{LtQ}[n, -1] \&\& \text{GtQ}[d, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x^4}{\cos^{-1}(ax)^3} dx &= \frac{x^4 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{2 \int \frac{x^3}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^2} dx}{a} + \frac{1}{2} (5a) \int \frac{x^5}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^2} dx \\ &= \frac{x^4 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{2x^3}{a^2 \cos^{-1}(ax)} + \frac{5x^5}{2 \cos^{-1}(ax)} - \frac{25}{2} \int \frac{x^4}{\cos^{-1}(ax)} dx + \frac{6 \int \frac{x^2}{\cos^{-1}(ax)} dx}{a^2} \\ &= \frac{x^4 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{2x^3}{a^2 \cos^{-1}(ax)} + \frac{5x^5}{2 \cos^{-1}(ax)} - \frac{6 \text{Subst}\left(\int \frac{\cos^2(x) \sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^5} + \frac{25}{2} \int \frac{x^4}{\cos^{-1}(ax)} dx \\ &= \frac{x^4 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{2x^3}{a^2 \cos^{-1}(ax)} + \frac{5x^5}{2 \cos^{-1}(ax)} - \frac{6 \text{Subst}\left(\int \left(\frac{\sin(x)}{4x} + \frac{\sin(3x)}{4x}\right) dx, x, \cos^{-1}(ax)\right)}{a^5} \\ &= \frac{x^4 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{2x^3}{a^2 \cos^{-1}(ax)} + \frac{5x^5}{2 \cos^{-1}(ax)} + \frac{25 \text{Subst}\left(\int \frac{\sin(5x)}{x} dx, x, \cos^{-1}(ax)\right)}{32a^5} - \frac{3 \text{Subst}\left(\int \frac{\sin(3x)}{x} dx, x, \cos^{-1}(ax)\right)}{16a^5} \\ &= \frac{x^4 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{2x^3}{a^2 \cos^{-1}(ax)} + \frac{5x^5}{2 \cos^{-1}(ax)} + \frac{\text{Si}\left(\cos^{-1}(ax)\right)}{16a^5} + \frac{27 \text{Si}\left(3 \cos^{-1}(ax)\right)}{32a^5} + \frac{25 \text{Si}\left(5 \cos^{-1}(ax)\right)}{32a^5} \end{aligned}$$

Mathematica [A] time = 0.14, size = 103, normalized size = 1.05

$$\frac{80a^5x^5 \cos^{-1}(ax) - 64a^3x^3 \cos^{-1}(ax) + 16a^4x^4 \sqrt{1-a^2x^2} + 2 \cos^{-1}(ax)^2 \text{Si}\left(\cos^{-1}(ax)\right) + 27 \cos^{-1}(ax)^2 \text{Si}\left(3 \cos^{-1}(ax)\right) + 25 \cos^{-1}(ax)^2 \text{Si}\left(5 \cos^{-1}(ax)\right)}{32a^5 \cos^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/ArcCos[a*x]^3,x]

[Out] (16*a^4*x^4*Sqrt[1 - a^2*x^2] - 64*a^3*x^3*ArcCos[a*x] + 80*a^5*x^5*ArcCos[a*x] + 2*ArcCos[a*x]^2*SinIntegral[ArcCos[a*x]] + 27*ArcCos[a*x]^2*SinIntegral[3*ArcCos[a*x]] + 25*ArcCos[a*x]^2*SinIntegral[5*ArcCos[a*x]])/(32*a^5*ArcCos[a*x]^2)

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^4}{\arccos(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^3,x, algorithm="fricas")

[Out] integral(x^4/arccos(a*x)^3, x)

giac [A] time = 0.25, size = 86, normalized size = 0.88

$$\frac{5x^5}{2\arccos(ax)} + \frac{\sqrt{-a^2x^2+1}x^4}{2a\arccos(ax)^2} - \frac{2x^3}{a^2\arccos(ax)} + \frac{25\text{Si}(5\arccos(ax))}{32a^5} + \frac{27\text{Si}(3\arccos(ax))}{32a^5} + \frac{\text{Si}(\arccos(ax))}{16a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^3,x, algorithm="giac")

[Out] 5/2*x^5/arccos(a*x) + 1/2*sqrt(-a^2*x^2 + 1)*x^4/(a*arccos(a*x)^2) - 2*x^3/(a^2*arccos(a*x)) + 25/32*sin_integral(5*arccos(a*x))/a^5 + 27/32*sin_integral(3*arccos(a*x))/a^5 + 1/16*sin_integral(arccos(a*x))/a^5

maple [A] time = 0.13, size = 121, normalized size = 1.23

$$\frac{\frac{3\sin(3\arccos(ax))}{32\arccos(ax)^2} + \frac{9\cos(3\arccos(ax))}{32\arccos(ax)} + \frac{27\text{Si}(3\arccos(ax))}{32} + \frac{\sin(5\arccos(ax))}{32\arccos(ax)^2} + \frac{5\cos(5\arccos(ax))}{32\arccos(ax)} + \frac{25\text{Si}(5\arccos(ax))}{32} + \frac{\sqrt{-a^2x^2-1}}{16\arccos(ax)}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccos(a*x)^3,x)

[Out] 1/a^5*(3/32/arccos(a*x)^2*sin(3*arccos(a*x))+9/32/arccos(a*x)*cos(3*arccos(a*x))+27/32*Si(3*arccos(a*x))+1/32/arccos(a*x)^2*sin(5*arccos(a*x))+5/32/arccos(a*x)*cos(5*arccos(a*x))+25/32*Si(5*arccos(a*x))+1/16/arccos(a*x)^2*(-a^2*x^2+1)^(1/2)+1/16*a*x/arccos(a*x)+1/16*Si(arccos(a*x)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\sqrt{ax+1}\sqrt{-ax+1}ax^4 - \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2 \int \frac{(25a^2x^2-12)x^2}{\arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)} dx + (5a^2x^5 - 4x^3) \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)}{2a^2 \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^3,x, algorithm="maxima")

[Out] 1/2*(sqrt(a*x + 1)*sqrt(-a*x + 1)*a*x^4 - arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2*integrate((25*a^2*x^4 - 12*x^2)/arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x), x) + (5*a^2*x^5 - 4*x^3)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x))/(a^2*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\operatorname{acos}(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acos(a*x)^3,x)

[Out] int(x^4/acos(a*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{acos}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4/acos(a*x)**3,x)

[Out] Integral(x**4/acos(a*x)**3, x)

3.61 $\int \frac{x^3}{\cos^{-1}(ax)^3} dx$

Optimal. Leaf size=83

$$\frac{\text{Si}(2 \cos^{-1}(ax))}{2a^4} + \frac{\text{Si}(4 \cos^{-1}(ax))}{a^4} - \frac{3x^2}{2a^2 \cos^{-1}(ax)} + \frac{x^3 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} + \frac{2x^4}{\cos^{-1}(ax)}$$

[Out] $-3/2*x^2/a^2/\arccos(a*x)+2*x^4/\arccos(a*x)+1/2*Si(2*\arccos(a*x))/a^4+Si(4*\arccos(a*x))/a^4+1/2*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^2$

Rubi [A] time = 0.30, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {4634, 4720, 4636, 4406, 3299, 12}

$$\frac{\text{Si}(2 \cos^{-1}(ax))}{2a^4} + \frac{\text{Si}(4 \cos^{-1}(ax))}{a^4} + \frac{x^3 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{3x^2}{2a^2 \cos^{-1}(ax)} + \frac{2x^4}{\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcCos[a*x]^3,x]

[Out] $(x^3*\text{Sqrt}[1 - a^2*x^2])/(2*a*\text{ArcCos}[a*x]^2) - (3*x^2)/(2*a^2*\text{ArcCos}[a*x]) + (2*x^4)/\text{ArcCos}[a*x] + \text{SinIntegral}[2*\text{ArcCos}[a*x]]/(2*a^4) + \text{SinIntegral}[4*\text{ArcCos}[a*x]]/a^4$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-D
ist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sq
rt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCo
s[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[
m, 0] && LtQ[n, -2]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := -Dist[
(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]
], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4720

```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_))^(m_.))/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m -
1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\cos^{-1}(ax)^3} dx &= \frac{x^3 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{3 \int \frac{x^2}{\sqrt{1 - a^2 x^2} \cos^{-1}(ax)^2} dx}{2a} + (2a) \int \frac{x^4}{\sqrt{1 - a^2 x^2} \cos^{-1}(ax)^2} dx \\
&= \frac{x^3 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{3x^2}{2a^2 \cos^{-1}(ax)} + \frac{2x^4}{\cos^{-1}(ax)} - 8 \int \frac{x^3}{\cos^{-1}(ax)} dx + \frac{3 \int \frac{x}{\cos^{-1}(ax)} dx}{a^2} \\
&= \frac{x^3 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{3x^2}{2a^2 \cos^{-1}(ax)} + \frac{2x^4}{\cos^{-1}(ax)} - \frac{3 \text{Subst}\left(\int \frac{\cos(x) \sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^4} + \frac{8 \text{Subst}\left(\int \frac{x}{\cos^{-1}(ax)} dx, x, \cos^{-1}(ax)\right)}{a^2} \\
&= \frac{x^3 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{3x^2}{2a^2 \cos^{-1}(ax)} + \frac{2x^4}{\cos^{-1}(ax)} - \frac{3 \text{Subst}\left(\int \frac{\sin(2x)}{2x} dx, x, \cos^{-1}(ax)\right)}{a^4} + \frac{8 \text{Subst}\left(\int \frac{x}{\cos^{-1}(ax)} dx, x, \cos^{-1}(ax)\right)}{a^2} \\
&= \frac{x^3 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{3x^2}{2a^2 \cos^{-1}(ax)} + \frac{2x^4}{\cos^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\sin(4x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^4} - \frac{3 \text{Subst}\left(\int \frac{x}{\cos^{-1}(ax)} dx, x, \cos^{-1}(ax)\right)}{a^2} \\
&= \frac{x^3 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{3x^2}{2a^2 \cos^{-1}(ax)} + \frac{2x^4}{\cos^{-1}(ax)} + \frac{\text{Si}\left(2 \cos^{-1}(ax)\right)}{2a^4} + \frac{\text{Si}\left(4 \cos^{-1}(ax)\right)}{a^4}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 70, normalized size = 0.84

$$\frac{\frac{a^2 x^2 (ax \sqrt{1-a^2 x^2} + (4a^2 x^2 - 3) \cos^{-1}(ax))}{\cos^{-1}(ax)^2} + \text{Si}(2 \cos^{-1}(ax)) + 2\text{Si}(4 \cos^{-1}(ax))}{2a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcCos[a*x]^3,x]

[Out] ((a^2*x^2*(a*x*Sqrt[1 - a^2*x^2] + (-3 + 4*a^2*x^2)*ArcCos[a*x]))/ArcCos[a*x]^2 + SinIntegral[2*ArcCos[a*x]] + 2*SinIntegral[4*ArcCos[a*x]])/(2*a^4)

fricas [F] time = 0.40, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^3}{\arccos(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^3,x, algorithm="fricas")

[Out] integral(x^3/arccos(a*x)^3, x)

giac [A] time = 0.23, size = 75, normalized size = 0.90

$$\frac{2x^4}{\arccos(ax)} + \frac{\sqrt{-a^2x^2+1}x^3}{2a\arccos(ax)^2} - \frac{3x^2}{2a^2\arccos(ax)} + \frac{\text{Si}(4\arccos(ax))}{a^4} + \frac{\text{Si}(2\arccos(ax))}{2a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^3,x, algorithm="giac")

[Out] 2*x^4/arccos(a*x) + 1/2*sqrt(-a^2*x^2 + 1)*x^3/(a*arccos(a*x)^2) - 3/2*x^2/(a^2*arccos(a*x)) + sin_integral(4*arccos(a*x))/a^4 + 1/2*sin_integral(2*arccos(a*x))/a^4

maple [A] time = 0.11, size = 82, normalized size = 0.99

$$\frac{\frac{\sin(2\arccos(ax))}{8\arccos(ax)^2} + \frac{\cos(2\arccos(ax))}{4\arccos(ax)} + \frac{\text{Si}(2\arccos(ax))}{2} + \frac{\sin(4\arccos(ax))}{16\arccos(ax)^2} + \frac{\cos(4\arccos(ax))}{4\arccos(ax)} + \text{Si}(4\arccos(ax))}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccos(a*x)^3,x)

[Out] $1/a^4*(1/8/\arccos(ax)^2*\sin(2*\arccos(ax))+1/4/\arccos(ax)*\cos(2*\arccos(ax))+1/2*Si(2*\arccos(ax))+1/16*\sin(4*\arccos(ax))/\arccos(ax)^2+1/4/\arccos(ax)*\cos(4*\arccos(ax))+Si(4*\arccos(ax)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\sqrt{ax+1}\sqrt{-ax+1}ax^3 - 2 \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2 \int \frac{(8a^2x^2-3)x}{\arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)} dx + (4a^2x^4 - 3x^2) \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2}{2a^2 \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/arccos(a*x)^3,x, algorithm="maxima")`

[Out] $1/2*(\sqrt{ax+1}\sqrt{-ax+1}ax^3 - 2*\arctan2(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2*\int((8*a^2*x^3 - 3*x)/\arctan2(\sqrt{ax+1}\sqrt{-ax+1}, ax), x) + (4*a^2*x^4 - 3*x^2)*\arctan2(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2)/(\arctan2(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\cos(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/acos(a*x)^3,x)`

[Out] `int(x^3/acos(a*x)^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\cos^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/acos(a*x)**3,x)`

[Out] `Integral(x**3/acos(a*x)**3, x)`

$$3.62 \quad \int \frac{x^2}{\cos^{-1}(ax)^3} dx$$

Optimal. Leaf size=82

$$\frac{\text{Si}(\cos^{-1}(ax))}{8a^3} + \frac{9\text{Si}(3\cos^{-1}(ax))}{8a^3} + \frac{x^2\sqrt{1-a^2x^2}}{2a\cos^{-1}(ax)^2} - \frac{x}{a^2\cos^{-1}(ax)} + \frac{3x^3}{2\cos^{-1}(ax)}$$

[Out] $-x/a^2/\arccos(ax)+3/2*x^3/\arccos(ax)+1/8*\text{Si}(\arccos(ax))/a^3+9/8*\text{Si}(3*\arccos(ax))/a^3+1/2*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arccos(ax)^2$

Rubi [A] time = 0.24, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {4634, 4720, 4636, 4406, 3299, 4624}

$$\frac{\text{Si}(\cos^{-1}(ax))}{8a^3} + \frac{9\text{Si}(3\cos^{-1}(ax))}{8a^3} + \frac{x^2\sqrt{1-a^2x^2}}{2a\cos^{-1}(ax)^2} - \frac{x}{a^2\cos^{-1}(ax)} + \frac{3x^3}{2\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCos[a*x]^3,x]

[Out] $(x^2*\text{Sqrt}[1-a^2*x^2])/(2*a*\text{ArcCos}[a*x]^2) - x/(a^2*\text{ArcCos}[a*x]) + (3*x^3)/(2*\text{ArcCos}[a*x]) + \text{SinIntegral}[\text{ArcCos}[a*x]]/(8*a^3) + (9*\text{SinIntegral}[3*\text{ArcCos}[a*x]])/(8*a^3)$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4624

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-D
ist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sq
rt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCo
s[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[
m, 0] && LtQ[n, -2]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := -Dist[
(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]
], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4720

```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_))^(m_.))/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m -
1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\cos^{-1}(ax)^3} dx &= \frac{x^2 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{\int \frac{x}{\sqrt{1 - a^2 x^2} \cos^{-1}(ax)^2} dx}{a} + \frac{1}{2}(3a) \int \frac{x^3}{\sqrt{1 - a^2 x^2} \cos^{-1}(ax)^2} dx \\
&= \frac{x^2 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{x}{a^2 \cos^{-1}(ax)} + \frac{3x^3}{2 \cos^{-1}(ax)} - \frac{9}{2} \int \frac{x^2}{\cos^{-1}(ax)} dx + \frac{\int \frac{1}{\cos^{-1}(ax)} dx}{a^2} \\
&= \frac{x^2 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{x}{a^2 \cos^{-1}(ax)} + \frac{3x^3}{2 \cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^3} + \frac{9 \text{Subst}\left(\int \frac{1}{\cos^{-1}(ax)} dx, x, \cos^{-1}(ax)\right)}{a^2} \\
&= \frac{x^2 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{x}{a^2 \cos^{-1}(ax)} + \frac{3x^3}{2 \cos^{-1}(ax)} - \frac{\text{Si}\left(\cos^{-1}(ax)\right)}{a^3} + \frac{9 \text{Subst}\left(\int \left(\frac{\sin(x)}{4x} + \frac{\sin(3x)}{4x}\right) dx, x, \cos^{-1}(ax)\right)}{2a^3} \\
&= \frac{x^2 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{x}{a^2 \cos^{-1}(ax)} + \frac{3x^3}{2 \cos^{-1}(ax)} - \frac{\text{Si}\left(\cos^{-1}(ax)\right)}{a^3} + \frac{9 \text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{8a^3} \\
&= \frac{x^2 \sqrt{1 - a^2 x^2}}{2a \cos^{-1}(ax)^2} - \frac{x}{a^2 \cos^{-1}(ax)} + \frac{3x^3}{2 \cos^{-1}(ax)} + \frac{\text{Si}\left(\cos^{-1}(ax)\right)}{8a^3} + \frac{9 \text{Si}\left(3 \cos^{-1}(ax)\right)}{8a^3}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 65, normalized size = 0.79

$$\frac{4ax \left(ax \sqrt{1-a^2x^2} + (3a^2x^2-2) \cos^{-1}(ax) \right)}{\cos^{-1}(ax)^2} + \frac{\text{Si} \left(\cos^{-1}(ax) \right) + 9\text{Si} \left(3 \cos^{-1}(ax) \right)}{8a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcCos[a*x]^3,x]

[Out] ((4*a*x*(a*x*Sqrt[1 - a^2*x^2] + (-2 + 3*a^2*x^2)*ArcCos[a*x]))/ArcCos[a*x]^2 + SinIntegral[ArcCos[a*x]] + 9*SinIntegral[3*ArcCos[a*x]])/(8*a^3)

fricas [F] time = 0.40, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{x^2}{\arccos(ax)^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^3,x, algorithm="fricas")

[Out] integral(x^2/arccos(a*x)^3, x)

giac [A] time = 0.23, size = 72, normalized size = 0.88

$$\frac{3x^3}{2 \arccos(ax)} + \frac{\sqrt{-a^2x^2+1}x^2}{2a \arccos(ax)^2} - \frac{x}{a^2 \arccos(ax)} + \frac{9 \text{Si}(3 \arccos(ax))}{8a^3} + \frac{\text{Si}(\arccos(ax))}{8a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^3,x, algorithm="giac")

[Out] 3/2*x^3/arccos(a*x) + 1/2*sqrt(-a^2*x^2 + 1)*x^2/(a*arccos(a*x)^2) - x/(a^2*arccos(a*x)) + 9/8*sin_integral(3*arccos(a*x))/a^3 + 1/8*sin_integral(arccos(a*x))/a^3

maple [A] time = 0.04, size = 82, normalized size = 1.00

$$\frac{\frac{\sin(3 \arccos(ax))}{8 \arccos(ax)^2} + \frac{3 \cos(3 \arccos(ax))}{8 \arccos(ax)} + \frac{9 \text{Si}(3 \arccos(ax))}{8} + \frac{\sqrt{-a^2x^2+1}}{8 \arccos(ax)^2} + \frac{ax}{8 \arccos(ax)} + \frac{\text{Si}(\arccos(ax))}{8}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccos(a*x)^3,x)

[Out] $1/a^3*(1/8/\arccos(ax)^2*\sin(3*\arccos(ax))+3/8/\arccos(ax)*\cos(3*\arccos(ax))+9/8*\text{Si}(3*\arccos(ax))+1/8/\arccos(ax)^2*(-a^2*x^2+1)^{(1/2)}+1/8*a*x/\arccos(ax)+1/8*\text{Si}(\arccos(ax)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\sqrt{ax+1}\sqrt{-ax+1}ax^2 - \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2 \int \frac{9a^2x^2-2}{\arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)} dx + (3a^2x^3 - 2x) \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)}{2a^2 \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^3,x, algorithm="maxima")

[Out] $1/2*(\text{sqrt}(a*x+1)*\text{sqrt}(-a*x+1)*a*x^2 - \arctan2(\text{sqrt}(a*x+1)*\text{sqrt}(-a*x+1), a*x)^2*\text{integrate}((9*a^2*x^2-2)/\arctan2(\text{sqrt}(a*x+1)*\text{sqrt}(-a*x+1), a*x), x) + (3*a^2*x^3-2*x)*\arctan2(\text{sqrt}(a*x+1)*\text{sqrt}(-a*x+1), a*x))/ (a^2*\arctan2(\text{sqrt}(a*x+1)*\text{sqrt}(-a*x+1), a*x)^2)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\arccos(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/acos(a*x)^3,x)

[Out] int(x^2/acos(a*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\arccos^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/acos(a*x)**3,x)

[Out] Integral(x**2/acos(a*x)**3, x)

$$3.63 \quad \int \frac{x}{\cos^{-1}(ax)^3} dx$$

Optimal. Leaf size=63

$$\frac{\text{Si}(2 \cos^{-1}(ax))}{a^2} + \frac{x\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{1}{2a^2 \cos^{-1}(ax)} + \frac{x^2}{\cos^{-1}(ax)}$$

[Out] $-1/2/a^2/\arccos(ax)+x^2/\arccos(ax)+\text{Si}(2*\arccos(ax))/a^2+1/2*x*(-a^2*x^2+1)^{(1/2)}/a/\arccos(ax)^2$

Rubi [A] time = 0.16, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$, Rules used = {4634, 4720, 4636, 4406, 12, 3299, 4642}

$$\frac{\text{Si}(2 \cos^{-1}(ax))}{a^2} + \frac{x\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{1}{2a^2 \cos^{-1}(ax)} + \frac{x^2}{\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCos[a*x]^3,x]

[Out] $(x*\text{Sqrt}[1-a^2*x^2])/(2*a*\text{ArcCos}[a*x]^2) - 1/(2*a^2*\text{ArcCos}[a*x]) + x^2/\text{ArcCos}[a*x] + \text{SinIntegral}[2*\text{ArcCos}[a*x]]/a^2$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4634

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-D

```

ist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

```

Rule 4636

```

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

```

Rule 4642

```

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] :> -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

```

Rule 4720

```

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_)^(m_.))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] :> -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{x}{\cos^{-1}(ax)^3} dx &= \frac{x\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{\int \frac{1}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^2} dx}{2a} + a \int \frac{x^2}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^2} dx \\
&= \frac{x\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{1}{2a^2 \cos^{-1}(ax)} + \frac{x^2}{\cos^{-1}(ax)} - 2 \int \frac{x}{\cos^{-1}(ax)} dx \\
&= \frac{x\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{1}{2a^2 \cos^{-1}(ax)} + \frac{x^2}{\cos^{-1}(ax)} + \frac{2 \operatorname{Subst}\left(\int \frac{\cos(x)\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^2} \\
&= \frac{x\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{1}{2a^2 \cos^{-1}(ax)} + \frac{x^2}{\cos^{-1}(ax)} + \frac{2 \operatorname{Subst}\left(\int \frac{\sin(2x)}{2x} dx, x, \cos^{-1}(ax)\right)}{a^2} \\
&= \frac{x\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{1}{2a^2 \cos^{-1}(ax)} + \frac{x^2}{\cos^{-1}(ax)} + \frac{\operatorname{Subst}\left(\int \frac{\sin(2x)}{x} dx, x, \cos^{-1}(ax)\right)}{a^2} \\
&= \frac{x\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} - \frac{1}{2a^2 \cos^{-1}(ax)} + \frac{x^2}{\cos^{-1}(ax)} + \frac{\operatorname{Si}\left(2 \cos^{-1}(ax)\right)}{a^2}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 63, normalized size = 1.00

$$\frac{\operatorname{Si}\left(2 \cos^{-1}(ax)\right)}{a^2} + \frac{x\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} + \frac{2a^2x^2 - 1}{2a^2 \cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcCos[a*x]^3,x]

[Out] (x*sqrt[1 - a^2*x^2])/(2*a*ArcCos[a*x]^2) + (-1 + 2*a^2*x^2)/(2*a^2*ArcCos[a*x]) + SinIntegral[2*ArcCos[a*x]]/a^2

fricas [F] time = 0.39, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{x}{\arccos(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^3,x, algorithm="fricas")

[Out] integral(x/arccos(a*x)^3, x)

giac [A] time = 0.38, size = 57, normalized size = 0.90

$$\frac{x^2}{\arccos(ax)} + \frac{\operatorname{Si}\left(2 \arccos(ax)\right)}{a^2} + \frac{\sqrt{-a^2x^2 + 1} x}{2 a \arccos(ax)^2} - \frac{1}{2 a^2 \arccos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^3,x, algorithm="giac")

[Out] $x^2/\arccos(ax) + \sin_integral(2*\arccos(ax))/a^2 + 1/2*\sqrt{-a^2*x^2 + 1}*x/(a*\arccos(ax)^2) - 1/2/(a^2*\arccos(ax))$

maple [A] time = 0.04, size = 43, normalized size = 0.68

$$\frac{\frac{\sin(2 \arccos(ax))}{4 \arccos(ax)^2} + \frac{\cos(2 \arccos(ax))}{2 \arccos(ax)} + \text{Si}(2 \arccos(ax))}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccos(a*x)^3,x)

[Out] $1/a^2*(1/4/\arccos(a*x)^2*\sin(2*\arccos(a*x))+1/2/\arccos(a*x)*\cos(2*\arccos(a*x))+\text{Si}(2*\arccos(a*x)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{4 a^2 \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2 \int \frac{x}{\arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)} dx - \sqrt{ax+1} \sqrt{-ax+1} ax - (2 a^2 x^2 - 1) \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)}{2 a^2 \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^3,x, algorithm="maxima")

[Out] $-1/2*(4*a^2*\arctan2(\sqrt{a*x + 1}*\sqrt{-a*x + 1}, a*x)^2*\int(x/\arctan2(\sqrt{a*x + 1}*\sqrt{-a*x + 1}, a*x), x) - \sqrt{a*x + 1}*\sqrt{-a*x + 1}*a*x - (2*a^2*x^2 - 1)*\arctan2(\sqrt{a*x + 1}*\sqrt{-a*x + 1}, a*x))/(a^2*\arctan2(\sqrt{a*x + 1}*\sqrt{-a*x + 1}, a*x)^2)$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{\arccos(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acos(a*x)^3,x)

[Out] int(x/acos(a*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\arccos^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/acos(a*x)**3,x)
```

```
[Out] Integral(x/acos(a*x)**3, x)
```

$$3.64 \quad \int \frac{1}{\cos^{-1}(ax)^3} dx$$

Optimal. Leaf size=51

$$\frac{\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} + \frac{\text{Si}(\cos^{-1}(ax))}{2a} + \frac{x}{2 \cos^{-1}(ax)}$$

[Out] 1/2*x/arccos(a*x)+1/2*Si(arccos(a*x))/a+1/2*(-a^2*x^2+1)^(1/2)/a/arccos(a*x)^2

Rubi [A] time = 0.08, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {4622, 4720, 4624, 3299}

$$\frac{\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} + \frac{\text{Si}(\cos^{-1}(ax))}{2a} + \frac{x}{2 \cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^(-3), x]

[Out] Sqrt[1 - a^2*x^2]/(2*a*ArcCos[a*x]^2) + x/(2*ArcCos[a*x]) + SinIntegral[ArcCos[a*x]]/(2*a)

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 4622

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n, x_Symbol] := -Simp[(Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1)), Int[(x*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4624

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 4720


```
Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_.
+ (e_.)*(x_)^2], x_Symbol] :> -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m -
1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{-1}(ax)^3} dx &= \frac{\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} + \frac{1}{2}a \int \frac{x}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^2} dx \\
&= \frac{\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} + \frac{x}{2 \cos^{-1}(ax)} - \frac{1}{2} \int \frac{1}{\cos^{-1}(ax)} dx \\
&= \frac{\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} + \frac{x}{2 \cos^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \cos^{-1}(ax)\right)}{2a} \\
&= \frac{\sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)^2} + \frac{x}{2 \cos^{-1}(ax)} + \frac{\text{Si}\left(\cos^{-1}(ax)\right)}{2a}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 47, normalized size = 0.92

$$\frac{\sqrt{1-a^2x^2} + \cos^{-1}(ax)^2 \text{Si}\left(\cos^{-1}(ax)\right) + ax \cos^{-1}(ax)}{2a \cos^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^(-3), x]

[Out] (Sqrt[1 - a^2*x^2] + a*x*ArcCos[a*x] + ArcCos[a*x]^2*SinIntegral[ArcCos[a*x]])/(2*a*ArcCos[a*x]^2)

fricas [F] time = 0.39, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\arccos(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^3, x, algorithm="fricas")

[Out] integral(arccos(a*x)^(-3), x)

giac [A] time = 0.23, size = 43, normalized size = 0.84

$$\frac{x}{2 \arccos(ax)} + \frac{\text{Si}(\arccos(ax))}{2a} + \frac{\sqrt{-a^2x^2 + 1}}{2a \arccos(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^3,x, algorithm="giac")

[Out] 1/2*x/arccos(a*x) + 1/2*sin_integral(arccos(a*x))/a + 1/2*sqrt(-a^2*x^2 + 1)/(a*arccos(a*x)^2)

maple [A] time = 0.04, size = 43, normalized size = 0.84

$$\frac{\frac{\sqrt{-a^2x^2+1}}{2 \arccos(ax)^2} + \frac{ax}{2 \arccos(ax)} + \frac{\text{Si}(\arccos(ax))}{2}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccos(a*x)^3,x)

[Out] 1/a*(1/2/arccos(a*x)^2*(-a^2*x^2+1)^(1/2)+1/2*a*x/arccos(a*x)+1/2*Si(arccos(a*x)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2 \int \frac{1}{\arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)} dx - ax \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax) - \sqrt{ax+1} \sqrt{-ax+1}}{2a \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^3,x, algorithm="maxima")

[Out] -1/2*(a*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2*integrate(1/arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x), x) - a*x*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x) - sqrt(a*x + 1)*sqrt(-a*x + 1))/(a*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\arccos(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/acos(a*x)^3,x)
```

```
[Out] int(1/acos(a*x)^3, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{\operatorname{acos}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/acos(a*x)**3,x)
```

```
[Out] Integral(acos(a*x)**(-3), x)
```

$$3.65 \quad \int \frac{1}{x \cos^{-1}(ax)^3} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \cos^{-1}(ax)^3}, x\right)$$

[Out] Unintegrable(1/x/arccos(a*x)^3,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \cos^{-1}(ax)^3} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*ArcCos[a*x]^3),x]

[Out] Defer[Int][1/(x*ArcCos[a*x]^3), x]

Rubi steps

$$\int \frac{1}{x \cos^{-1}(ax)^3} dx = \int \frac{1}{x \cos^{-1}(ax)^3} dx$$

Mathematica [A] time = 0.76, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos^{-1}(ax)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*ArcCos[a*x]^3),x]

[Out] Integrate[1/(x*ArcCos[a*x]^3), x]

fricas [A] time = 0.40, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x \arccos(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^3,x, algorithm="fricas")

[Out] integral(1/(x*arccos(a*x)^3), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^3,x, algorithm="giac")

[Out] integrate(1/(x*arccos(a*x)^3), x)

maple [A] time = 0.21, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccos(a*x)^3,x)

[Out] int(1/x/arccos(a*x)^3,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2x^2 \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2 \int \frac{1}{x^3 \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)} dx + \sqrt{ax+1}\sqrt{-ax+1} ax + \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)}{2a^2x^2 \arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^3,x, algorithm="maxima")

[Out] 1/2*(2*x^2*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2*integrate(1/(x^3*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)), x) + sqrt(a*x + 1)*sqrt(-a*x + 1)*a*x + arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x))/(a^2*x^2*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2)

mupad [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \arccos(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*acos(a*x)^3),x)

```
[Out] int(1/(x*acos(a*x)^3), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{x \operatorname{acos}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/acos(a*x)**3,x)
```

```
[Out] Integral(1/(x*acos(a*x)**3), x)
```

$$3.66 \quad \int \frac{1}{x^2 \cos^{-1}(ax)^3} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \cos^{-1}(ax)^3}, x\right)$$

[Out] Unintegrable(1/x^2/arccos(a*x)^3,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \cos^{-1}(ax)^3} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*ArcCos[a*x]^3),x]

[Out] Defer[Int][1/(x^2*ArcCos[a*x]^3), x]

Rubi steps

$$\int \frac{1}{x^2 \cos^{-1}(ax)^3} dx = \int \frac{1}{x^2 \cos^{-1}(ax)^3} dx$$

Mathematica [A] time = 10.19, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \cos^{-1}(ax)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*ArcCos[a*x]^3),x]

[Out] Integrate[1/(x^2*ArcCos[a*x]^3), x]

fricas [A] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x^2 \arccos(ax)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^3,x, algorithm="fricas")

[Out] integral(1/(x^2*arccos(a*x)^3), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^3,x, algorithm="giac")

[Out] integrate(1/(x^2*arccos(a*x)^3), x)

maple [A] time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arccos(a*x)^3,x)

[Out] int(1/x^2/arccos(a*x)^3,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{x^3 \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2 \int \frac{a^2 x^2 - 6}{x^4 \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)} dx - \sqrt{ax+1} \sqrt{-ax+1} ax + (a^2 x^2 - 2) \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2}{2 a^2 x^3 \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^3,x, algorithm="maxima")

[Out] -1/2*(x^3*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2*integrate((a^2*x^2 - 6)/(x^4*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)), x) - sqrt(a*x + 1)*sqrt(-a*x + 1)*a*x + (a^2*x^2 - 2)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x))/(a^2*x^3*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2)

mupad [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \arccos(ax)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*acos(a*x)^3),x)


```
[Out] int(1/(x^2*acos(a*x)^3), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{x^2 \operatorname{acos}^3(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/acos(a*x)**3,x)
```

```
[Out] Integral(1/(x**2*acos(a*x)**3), x)
```

$$3.67 \quad \int \frac{x^4}{\cos^{-1}(ax)^4} dx$$

Optimal. Leaf size=158

$$\frac{\text{Ci}(\cos^{-1}(ax))}{48a^5} + \frac{27\text{Ci}(3\cos^{-1}(ax))}{32a^5} + \frac{125\text{Ci}(5\cos^{-1}(ax))}{96a^5} - \frac{2x^3}{3a^2 \cos^{-1}(ax)^2} - \frac{25x^4\sqrt{1-a^2x^2}}{6a \cos^{-1}(ax)} + \frac{x^4\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} + \frac{2x^2}{a^3}$$

[Out] $-2/3*x^3/a^2/\arccos(a*x)^2+5/6*x^5/\arccos(a*x)^2+1/48*\text{Ci}(\arccos(a*x))/a^5+27/32*\text{Ci}(3*\arccos(a*x))/a^5+125/96*\text{Ci}(5*\arccos(a*x))/a^5+1/3*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^3+2*x^2*(-a^2*x^2+1)^{(1/2)}/a^3/\arccos(a*x)-25/6*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)$

Rubi [A] time = 0.34, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {4634, 4720, 4632, 3302}

$$\frac{\text{CosIntegral}(\cos^{-1}(ax))}{48a^5} + \frac{27\text{CosIntegral}(3\cos^{-1}(ax))}{32a^5} + \frac{125\text{CosIntegral}(5\cos^{-1}(ax))}{96a^5} - \frac{25x^4\sqrt{1-a^2x^2}}{6a \cos^{-1}(ax)} + \frac{x^4\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} + \frac{2x^2}{a^3}$$

Antiderivative was successfully verified.

[In] Int[x^4/ArcCos[a*x]^4,x]

[Out] $(x^4*\text{Sqrt}[1-a^2*x^2])/(3*a*\text{ArcCos}[a*x]^3) - (2*x^3)/(3*a^2*\text{ArcCos}[a*x]^2) + (5*x^5)/(6*\text{ArcCos}[a*x]^2) + (2*x^2*\text{Sqrt}[1-a^2*x^2])/(a^3*\text{ArcCos}[a*x]) - (25*x^4*\text{Sqrt}[1-a^2*x^2])/(6*a*\text{ArcCos}[a*x]) + \text{CosIntegral}[\text{ArcCos}[a*x]]/(48*a^5) + (27*\text{CosIntegral}[3*\text{ArcCos}[a*x]])/(32*a^5) + (125*\text{CosIntegral}[5*\text{ArcCos}[a*x]])/(96*a^5)$

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Cos[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-D
ist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sq
rt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCo
s[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[
m, 0] && LtQ[n, -2]
```

Rule 4720

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_)^(m_.))/Sqrt[(d_.
+ (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^(m*(a + b*ArcCos[c*x])^(n + 1)))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m -
1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x^4}{\cos^{-1}(ax)^4} dx &= \frac{x^4 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)^3} - \frac{4 \int \frac{x^3}{\sqrt{1 - a^2 x^2} \cos^{-1}(ax)^3} dx}{3a} + \frac{1}{3}(5a) \int \frac{x^5}{\sqrt{1 - a^2 x^2} \cos^{-1}(ax)^3} dx \\ &= \frac{x^4 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)^3} - \frac{2x^3}{3a^2 \cos^{-1}(ax)^2} + \frac{5x^5}{6 \cos^{-1}(ax)^2} - \frac{25}{6} \int \frac{x^4}{\cos^{-1}(ax)^2} dx + \frac{2 \int \frac{x^2}{\cos^{-1}(ax)^2} dx}{a^2} \\ &= \frac{x^4 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)^3} - \frac{2x^3}{3a^2 \cos^{-1}(ax)^2} + \frac{5x^5}{6 \cos^{-1}(ax)^2} + \frac{2x^2 \sqrt{1 - a^2 x^2}}{a^3 \cos^{-1}(ax)} - \frac{25x^4 \sqrt{1 - a^2 x^2}}{6a \cos^{-1}(ax)} + \frac{2 \text{Subst}(\int \frac{x^2}{\cos^{-1}(ax)^2} dx)}{a^2} \\ &= \frac{x^4 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)^3} - \frac{2x^3}{3a^2 \cos^{-1}(ax)^2} + \frac{5x^5}{6 \cos^{-1}(ax)^2} + \frac{2x^2 \sqrt{1 - a^2 x^2}}{a^3 \cos^{-1}(ax)} - \frac{25x^4 \sqrt{1 - a^2 x^2}}{6a \cos^{-1}(ax)} - \frac{\text{Subst}(\int \frac{x^2}{\cos^{-1}(ax)^2} dx)}{a^2} \\ &= \frac{x^4 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)^3} - \frac{2x^3}{3a^2 \cos^{-1}(ax)^2} + \frac{5x^5}{6 \cos^{-1}(ax)^2} + \frac{2x^2 \sqrt{1 - a^2 x^2}}{a^3 \cos^{-1}(ax)} - \frac{25x^4 \sqrt{1 - a^2 x^2}}{6a \cos^{-1}(ax)} + \frac{\text{Ci}(c)}{a^2} \end{aligned}$$

Mathematica [A] time = 0.18, size = 159, normalized size = 1.01

$$\frac{80a^5 x^5 \cos^{-1}(ax) - 64a^3 x^3 \cos^{-1}(ax) + 192a^2 x^2 \sqrt{1 - a^2 x^2} \cos^{-1}(ax)^2 + 32a^4 x^4 \sqrt{1 - a^2 x^2} - 400a^4 x^4 \sqrt{1 - a^2 x^2}}{96a^5 \cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/ArcCos[a*x]^4,x]

[Out] $(32*a^4*x^4*\sqrt{1 - a^2*x^2} - 64*a^3*x^3*\text{ArcCos}[a*x] + 80*a^5*x^5*\text{ArcCos}[a*x] + 192*a^2*x^2*\sqrt{1 - a^2*x^2}*\text{ArcCos}[a*x]^2 - 400*a^4*x^4*\sqrt{1 - a^2*x^2}*\text{ArcCos}[a*x]^2 + 2*\text{ArcCos}[a*x]^3*\text{CosIntegral}[\text{ArcCos}[a*x]] + 81*\text{ArcCos}[a*x]^3*\text{CosIntegral}[3*\text{ArcCos}[a*x]] + 125*\text{ArcCos}[a*x]^3*\text{CosIntegral}[5*\text{ArcCos}[a*x]])/(96*a^5*\text{ArcCos}[a*x]^3)$

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^4}{\arccos(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arccos(a*x)^4,x, algorithm="fricas")`

[Out] `integral(x^4/arccos(a*x)^4, x)`

giac [A] time = 0.22, size = 138, normalized size = 0.87

$$\frac{5x^5}{6\arccos(ax)^2} - \frac{25\sqrt{-a^2x^2+1}x^4}{6a\arccos(ax)} + \frac{\sqrt{-a^2x^2+1}x^4}{3a\arccos(ax)^3} - \frac{2x^3}{3a^2\arccos(ax)^2} + \frac{2\sqrt{-a^2x^2+1}x^2}{a^3\arccos(ax)} + \frac{125\text{Ci}(5\arccos(ax))}{96a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arccos(a*x)^4,x, algorithm="giac")`

[Out] $5/6*x^5/\arccos(a*x)^2 - 25/6*\sqrt{-a^2*x^2 + 1}*x^4/(a*\arccos(a*x)) + 1/3*\sqrt{-a^2*x^2 + 1}*x^4/(a*\arccos(a*x)^3) - 2/3*x^3/(a^2*\arccos(a*x)^2) + 2*\sqrt{-a^2*x^2 + 1}*x^2/(a^3*\arccos(a*x)) + 125/96*\text{cos_integral}(5*\arccos(a*x))/a^5 + 27/32*\text{cos_integral}(3*\arccos(a*x))/a^5 + 1/48*\text{cos_integral}(\arccos(a*x))/a^5$

maple [A] time = 0.14, size = 171, normalized size = 1.08

$$\frac{\frac{\sqrt{-a^2x^2+1}}{24\arccos(ax)^3} + \frac{ax}{48\arccos(ax)^2} - \frac{\sqrt{-a^2x^2+1}}{48\arccos(ax)} + \frac{\text{Ci}(\arccos(ax))}{48} + \frac{\sin(3\arccos(ax))}{16\arccos(ax)^3} + \frac{3\cos(3\arccos(ax))}{32\arccos(ax)^2} - \frac{9\sin(3\arccos(ax))}{32\arccos(ax)} + \frac{27\text{Ci}(3\arccos(ax))}{a^5}}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/arccos(a*x)^4,x)`

[Out] $1/a^5*(1/24/\arccos(a*x)^3*(-a^2*x^2+1)^{(1/2)}+1/48*a*x/\arccos(a*x)^2-1/48/\arccos(a*x)*(-a^2*x^2+1)^{(1/2)}+1/48*\text{Ci}(\arccos(a*x))+1/16/\arccos(a*x)^3*\sin(3*\arccos(a*x))+3/32/\arccos(a*x)^2*\cos(3*\arccos(a*x))-9/32/\arccos(a*x)*\sin(3*\arccos(a*x))+27/32*\text{Ci}(3*\arccos(a*x))+1/48/\arccos(a*x)^3*\sin(5*\arccos(a*x))+5$

$/96/\arccos(ax)^2*\cos(5*\arccos(ax))-25/96/\arccos(ax)*\sin(5*\arccos(ax))+1$
 $25/96*Ci(5*\arccos(ax))$)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$a^3 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3 \int \frac{(125a^4x^5 - 136a^2x^3 + 24x)\sqrt{ax+1}\sqrt{-ax+1}}{(a^5x^2 - a^3)\arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)} dx + \left(2a^2x^4 - (25a^2x^4 - 12x^2)\arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)\right) / (a^3 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(ax)^4,x, algorithm="maxima")

[Out] $1/6*(6*a^3*\arctan2(\sqrt{ax+1}*\sqrt{-ax+1}, ax)^3*\int(1/6*(125*a^4*x^5 - 136*a^2*x^3 + 24*x)*\sqrt{ax+1}*\sqrt{-ax+1}/((a^5*x^2 - a^3)*\arctan2(\sqrt{ax+1}*\sqrt{-ax+1}, ax)), x) + (2*a^2*x^4 - (25*a^2*x^4 - 12*x^2)*\arctan2(\sqrt{ax+1}*\sqrt{-ax+1}, ax)^2)*\sqrt{ax+1}*\sqrt{-ax+1} + (5*a^3*x^5 - 4*a*x^3)*\arctan2(\sqrt{ax+1}*\sqrt{-ax+1}, ax))/a^3*\arctan2(\sqrt{ax+1}*\sqrt{-ax+1}, ax)^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\arccos(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acos(ax)^4,x)

[Out] int(x^4/acos(ax)^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\arccos^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4/acos(ax)**4,x)

[Out] Integral(x**4/acos(ax)**4, x)

$$3.68 \quad \int \frac{x^3}{\cos^{-1}(ax)^4} dx$$

Optimal. Leaf size=143

$$\frac{\text{Ci}(2 \cos^{-1}(ax))}{3a^4} + \frac{4\text{Ci}(4 \cos^{-1}(ax))}{3a^4} - \frac{x^2}{2a^2 \cos^{-1}(ax)^2} - \frac{8x^3 \sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)} + \frac{x^3 \sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} + \frac{x \sqrt{1-a^2x^2}}{a^3 \cos^{-1}(ax)} + \frac{2x^4}{3 \cos^{-1}(ax)}$$

[Out] $-1/2*x^2/a^2/\arccos(a*x)^2+2/3*x^4/\arccos(a*x)^2+1/3*\text{Ci}(2*\arccos(a*x))/a^4+4/3*\text{Ci}(4*\arccos(a*x))/a^4+1/3*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^3+x*(-a^2*x^2+1)^{(1/2)}/a^3/\arccos(a*x)-8/3*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)$

Rubi [A] time = 0.29, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {4634, 4720, 4632, 3302}

$$\frac{\text{CosIntegral}(2 \cos^{-1}(ax))}{3a^4} + \frac{4\text{CosIntegral}(4 \cos^{-1}(ax))}{3a^4} - \frac{8x^3 \sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)} + \frac{x^3 \sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{x^2}{2a^2 \cos^{-1}(ax)^2} + \frac{x \sqrt{1-a^2x^2}}{a^3 \cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3/\text{ArcCos}[a*x]^4, x]$

[Out] $(x^3*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcCos}[a*x]^3) - x^2/(2*a^2*\text{ArcCos}[a*x]^2) + (2*x^4)/(3*\text{ArcCos}[a*x]^2) + (x*\text{Sqrt}[1 - a^2*x^2])/(a^3*\text{ArcCos}[a*x]) - (8*x^3*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcCos}[a*x]) + \text{CosIntegral}[2*\text{ArcCos}[a*x]]/(3*a^4) + (4*\text{CosIntegral}[4*\text{ArcCos}[a*x]])/(3*a^4)$

Rule 3302

$\text{Int}[\sin[(e.) + (f.)*(x_)]/((c.) + (d.)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 4632

$\text{Int}(((a.) + \text{ArcCos}[(c.)*(x_)]*(b.))^{(n_)}*(x_)^{(m_.)}, x_Symbol) \rightarrow -\text{Simp}[(x^m*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^{(n+1)})/(b*c*(n+1)), x] - \text{Dist}[1/(b*c^{(m+1)}*(n+1)), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[(a + b*x)^{(n+1)}, \text{Cos}[x]^{(m-1)}*(m - (m+1)*\text{Cos}[x]^2), x], x], x, \text{ArcCos}[c*x]], x] /; \text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{GeQ}[n, -2] \ \&\& \ \text{LtQ}[n, -1]$

Rule 4634

$\text{Int}(((a.) + \text{ArcCos}[(c.)*(x_)]*(b.))^{(n_)}*(x_)^{(m_.)}, x_Symbol) \rightarrow -\text{Simp}[(x^m*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^{(n+1)})/(b*c*(n+1)), x] + (-D$

```
ist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 4720

```
Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] :> -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x^3}{\cos^{-1}(ax)^4} dx &= \frac{x^3 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)^3} - \frac{\int \frac{x^2}{\sqrt{1 - a^2 x^2} \cos^{-1}(ax)^3} dx}{a} + \frac{1}{3}(4a) \int \frac{x^4}{\sqrt{1 - a^2 x^2} \cos^{-1}(ax)^3} dx \\ &= \frac{x^3 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)^3} - \frac{x^2}{2a^2 \cos^{-1}(ax)^2} + \frac{2x^4}{3 \cos^{-1}(ax)^2} - \frac{8}{3} \int \frac{x^3}{\cos^{-1}(ax)^2} dx + \frac{\int \frac{x}{\cos^{-1}(ax)^2} dx}{a^2} \\ &= \frac{x^3 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)^3} - \frac{x^2}{2a^2 \cos^{-1}(ax)^2} + \frac{2x^4}{3 \cos^{-1}(ax)^2} + \frac{x \sqrt{1 - a^2 x^2}}{a^3 \cos^{-1}(ax)} - \frac{8x^3 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{x}{\cos^{-1}(ax)^2} dx\right)}{a^2} \\ &= \frac{x^3 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)^3} - \frac{x^2}{2a^2 \cos^{-1}(ax)^2} + \frac{2x^4}{3 \cos^{-1}(ax)^2} + \frac{x \sqrt{1 - a^2 x^2}}{a^3 \cos^{-1}(ax)} - \frac{8x^3 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)} - \frac{\text{Ci}\left(2 \cos^{-1}(ax)\right)}{a} \\ &= \frac{x^3 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)^3} - \frac{x^2}{2a^2 \cos^{-1}(ax)^2} + \frac{2x^4}{3 \cos^{-1}(ax)^2} + \frac{x \sqrt{1 - a^2 x^2}}{a^3 \cos^{-1}(ax)} - \frac{8x^3 \sqrt{1 - a^2 x^2}}{3a \cos^{-1}(ax)} + \frac{\text{Ci}\left(2 \cos^{-1}(ax)\right)}{3a} \end{aligned}$$

Mathematica [A] time = 0.30, size = 107, normalized size = 0.75

$$\frac{ax(2a^2x^2\sqrt{1-a^2x^2}+ax(4a^2x^2-3)\cos^{-1}(ax)-2\sqrt{1-a^2x^2}(8a^2x^2-3)\cos^{-1}(ax)^2)}{\cos^{-1}(ax)^3} + 2\text{Ci}\left(2\cos^{-1}(ax)\right) + 8\text{Ci}\left(4\cos^{-1}(ax)\right)}{6a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/ArcCos[a*x]^4, x]

[Out] ((a*x*(2*a^2*x^2*Sqrt[1 - a^2*x^2] + a*x*(-3 + 4*a^2*x^2)*ArcCos[a*x] - 2*Sqrt[1 - a^2*x^2]*(-3 + 8*a^2*x^2)*ArcCos[a*x]^2))/ArcCos[a*x]^3 + 2*CosIntegral[2*ArcCos[a*x]] + 8*CosIntegral[4*ArcCos[a*x]])/(6*a^4)

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^3}{\arccos(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^4,x, algorithm="fricas")

[Out] integral(x^3/arccos(a*x)^4, x)

giac [A] time = 0.38, size = 125, normalized size = 0.87

$$\frac{2x^4}{3\arccos(ax)^2} - \frac{8\sqrt{-a^2x^2+1}x^3}{3a\arccos(ax)} + \frac{\sqrt{-a^2x^2+1}x^3}{3a\arccos(ax)^3} - \frac{x^2}{2a^2\arccos(ax)^2} + \frac{\sqrt{-a^2x^2+1}x}{a^3\arccos(ax)} + \frac{4\text{Ci}(4\arccos(ax))}{3a^4} + \frac{\text{Ci}(4\arccos(ax))}{3a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^4,x, algorithm="giac")

[Out] 2/3*x^4/arccos(a*x)^2 - 8/3*sqrt(-a^2*x^2 + 1)*x^3/(a*arccos(a*x)) + 1/3*sqrt(-a^2*x^2 + 1)*x^3/(a*arccos(a*x)^3) - 1/2*x^2/(a^2*arccos(a*x)^2) + sqrt(-a^2*x^2 + 1)*x/(a^3*arccos(a*x)) + 4/3*cos_integral(4*arccos(a*x))/a^4 + 1/3*cos_integral(2*arccos(a*x))/a^4

maple [A] time = 0.12, size = 114, normalized size = 0.80

$$\frac{\frac{\sin(2\arccos(ax))}{12\arccos(ax)^3} + \frac{\cos(2\arccos(ax))}{12\arccos(ax)^2} - \frac{\sin(2\arccos(ax))}{6\arccos(ax)} + \frac{\text{Ci}(2\arccos(ax))}{3} + \frac{\sin(4\arccos(ax))}{24\arccos(ax)^3} + \frac{\cos(4\arccos(ax))}{12\arccos(ax)^2} - \frac{\sin(4\arccos(ax))}{3\arccos(ax)} + \frac{\text{Ci}(4\arccos(ax))}{3}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccos(a*x)^4,x)

[Out] 1/a^4*(1/12/arccos(a*x)^3*sin(2*arccos(a*x))+1/12/arccos(a*x)^2*cos(2*arccos(a*x))-1/6/arccos(a*x)*sin(2*arccos(a*x))+1/3*Ci(2*arccos(a*x))+1/24/arccos(a*x)^3*sin(4*arccos(a*x))+1/12/arccos(a*x)^2*cos(4*arccos(a*x))-1/3/arccos(a*x)*sin(4*arccos(a*x))+4/3*Ci(4*arccos(a*x)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2a^3 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3 \int \frac{(32a^4x^4-30a^2x^2+3)\sqrt{ax+1}\sqrt{-ax+1}}{(a^5x^2-a^3)\arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)} dx + 2\left(a^2x^3 - (8a^2x^3 - 3x)\arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)\right)}{6a^3 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^4,x, algorithm="maxima")

[Out] 1/6*(6*a^3*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3*integrate(1/3*(32*a^4*x^4 - 30*a^2*x^2 + 3)*sqrt(a*x + 1)*sqrt(-a*x + 1)/((a^5*x^2 - a^3)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)), x) + 2*(a^2*x^3 - (8*a^2*x^3 - 3*x)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2)*sqrt(a*x + 1)*sqrt(-a*x + 1) + (4*a^3*x^4 - 3*a*x^2)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x))/(a^3*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\operatorname{acos}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/acos(a*x)^4,x)

[Out] int(x^3/acos(a*x)^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{acos}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/acos(a*x)**4,x)

[Out] Integral(x**3/acos(a*x)**4, x)

$$3.69 \quad \int \frac{x^2}{\cos^{-1}(ax)^4} dx$$

Optimal. Leaf size=141

$$\frac{\text{Ci}(\cos^{-1}(ax))}{24a^3} + \frac{9\text{Ci}(3\cos^{-1}(ax))}{8a^3} - \frac{3x^2\sqrt{1-a^2x^2}}{2a\cos^{-1}(ax)} + \frac{x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^3} - \frac{x}{3a^2\cos^{-1}(ax)^2} + \frac{\sqrt{1-a^2x^2}}{3a^3\cos^{-1}(ax)} + \frac{x^3}{2\cos^{-1}(ax)}$$

[Out] $-1/3*x/a^2/\arccos(a*x)^2+1/2*x^3/\arccos(a*x)^2+1/24*Ci(\arccos(a*x))/a^3+9/8*Ci(3*\arccos(a*x))/a^3+1/3*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^3+1/3*(-a^2*x^2+1)^{(1/2)}/a^3/\arccos(a*x)-3/2*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)$

Rubi [A] time = 0.31, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {4634, 4720, 4632, 3302, 4622, 4724}

$$\frac{\text{CosIntegral}(\cos^{-1}(ax))}{24a^3} + \frac{9\text{CosIntegral}(3\cos^{-1}(ax))}{8a^3} - \frac{3x^2\sqrt{1-a^2x^2}}{2a\cos^{-1}(ax)} + \frac{x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^3} + \frac{\sqrt{1-a^2x^2}}{3a^3\cos^{-1}(ax)} - \frac{x}{3a^2\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCos[a*x]^4,x]

[Out] $(x^2*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcCos}[a*x]^3) - x/(3*a^2*\text{ArcCos}[a*x]^2) + x^3/(2*\text{ArcCos}[a*x]^2) + \text{Sqrt}[1 - a^2*x^2]/(3*a^3*\text{ArcCos}[a*x]) - (3*x^2*\text{Sqrt}[1 - a^2*x^2])/(2*a*\text{ArcCos}[a*x]) + \text{CosIntegral}[\text{ArcCos}[a*x]]/(24*a^3) + (9*\text{CosIntegral}[3*\text{ArcCos}[a*x]])/(8*a^3)$

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 4622

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n, x_Symbol] := -Simp[(Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1)), Int[(x*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dis

```
t[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Cos[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 4720

```
Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\cos^{-1}(ax)^4} dx &= \frac{x^2 \sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{2 \int \frac{x}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^3} dx}{3a} + a \int \frac{x^3}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^3} dx \\
&= \frac{x^2 \sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{x}{3a^2 \cos^{-1}(ax)^2} + \frac{x^3}{2 \cos^{-1}(ax)^2} - \frac{3}{2} \int \frac{x^2}{\cos^{-1}(ax)^2} dx + \frac{\int \frac{1}{\cos^{-1}(ax)^2} dx}{3a^2} \\
&= \frac{x^2 \sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{x}{3a^2 \cos^{-1}(ax)^2} + \frac{x^3}{2 \cos^{-1}(ax)^2} + \frac{\sqrt{1-a^2x^2}}{3a^3 \cos^{-1}(ax)} - \frac{3x^2 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)} - \frac{3 \text{Subst}}{24a^3} \\
&= \frac{x^2 \sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{x}{3a^2 \cos^{-1}(ax)^2} + \frac{x^3}{2 \cos^{-1}(ax)^2} + \frac{\sqrt{1-a^2x^2}}{3a^3 \cos^{-1}(ax)} - \frac{3x^2 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)} - \frac{\text{Subst}}{24a^3} \\
&= \frac{x^2 \sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{x}{3a^2 \cos^{-1}(ax)^2} + \frac{x^3}{2 \cos^{-1}(ax)^2} + \frac{\sqrt{1-a^2x^2}}{3a^3 \cos^{-1}(ax)} - \frac{3x^2 \sqrt{1-a^2x^2}}{2a \cos^{-1}(ax)} + \frac{\text{Ci}(\cos^{-1}(ax))}{24a^3}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 129, normalized size = 0.91

$$\frac{10 \text{Ci}(\cos^{-1}(ax))}{3a^3} - \frac{9(-3 \text{Ci}(\cos^{-1}(ax)) - \text{Ci}(3 \cos^{-1}(ax)))}{8a^3} + \frac{3a^2x^3 - 2x}{6a^2 \cos^{-1}(ax)^2} + \frac{x^2 \sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{\sqrt{1-a^2x^2} (9a^2x^2)}{6a^3 \cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/ArcCos[a*x]^4,x]

[Out] (x^2*sqrt[1 - a^2*x^2])/(3*a*ArcCos[a*x]^3) + (-2*x + 3*a^2*x^3)/(6*a^2*ArcCos[a*x]^2) - (sqrt[1 - a^2*x^2]*(-2 + 9*a^2*x^2))/(6*a^3*ArcCos[a*x]) - (10*cosIntegral[ArcCos[a*x]])/(3*a^3) - (9*(-3*cosIntegral[ArcCos[a*x]] - CosIntegral[3*ArcCos[a*x]]))/(8*a^3)

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{\arccos(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^4,x, algorithm="fricas")

[Out] integral(x^2/arccos(a*x)^4, x)

giac [A] time = 0.19, size = 121, normalized size = 0.86

$$\frac{x^3}{2 \arccos(ax)^2} - \frac{3 \sqrt{-a^2x^2 + 1} x^2}{2a \arccos(ax)} + \frac{\sqrt{-a^2x^2 + 1} x^2}{3a \arccos(ax)^3} + \frac{9 \text{Ci}(3 \arccos(ax))}{8a^3} + \frac{\text{Ci}(\arccos(ax))}{24a^3} - \frac{x}{3a^2 \arccos(ax)^2} + \frac{3}{24a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^4,x, algorithm="giac")

[Out] $\frac{1}{2}x^3/\arccos(ax)^2 - \frac{3}{2}\sqrt{-a^2x^2 + 1}x^2/(a\arccos(ax)) + \frac{1}{3}\sqrt{-a^2x^2 + 1}x^2/(a\arccos(ax)^3) + \frac{9}{8}\cos_integral(3\arccos(ax))/a^3 + \frac{1}{24}\cos_integral(\arccos(ax))/a^3 - \frac{1}{3}x/(a^2\arccos(ax)^2) + \frac{1}{3}\sqrt{-a^2x^2 + 1}/(a^3\arccos(ax))$

maple [A] time = 0.04, size = 117, normalized size = 0.83

$$\frac{\frac{\sqrt{-a^2x^2+1}}{12\arccos(ax)^3} + \frac{ax}{24\arccos(ax)^2} - \frac{\sqrt{-a^2x^2+1}}{24\arccos(ax)} + \frac{\text{Ci}(\arccos(ax))}{24} + \frac{\sin(3\arccos(ax))}{12\arccos(ax)^3} + \frac{\cos(3\arccos(ax))}{8\arccos(ax)^2} - \frac{3\sin(3\arccos(ax))}{8\arccos(ax)} + \frac{9\text{Ci}(3\arccos(ax))}{8\arccos(ax)}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccos(a*x)^4,x)

[Out] $\frac{1}{a^3} \left(\frac{1}{12} \arccos(ax)^3 (-a^2x^2+1)^{1/2} + \frac{1}{24} a x \arccos(ax)^2 - \frac{1}{24} \arccos(ax) (-a^2x^2+1)^{1/2} + \frac{1}{24} \text{Ci}(\arccos(ax)) + \frac{1}{12} \arccos(ax)^3 \sin(3\arccos(ax)) + \frac{1}{8} \arccos(ax)^2 \cos(3\arccos(ax)) - \frac{3}{8} \arccos(ax) \sin(3\arccos(ax)) + \frac{9}{8} \text{Ci}(3\arccos(ax)) \right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^3 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3 \int \frac{(27a^2x^3-20x)\sqrt{ax+1}\sqrt{-ax+1}}{(a^3x^2-a)\arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)} dx + \left(2a^2x^2 - (9a^2x^2 - 2)\arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)\right)}{6a^3 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^4,x, algorithm="maxima")

[Out] $\frac{1}{6} \left(6a^3 \arctan^2(\sqrt{ax+1}\sqrt{-ax+1}, ax) \int \frac{(27a^2x^3-20x)\sqrt{ax+1}\sqrt{-ax+1}}{(a^3x^2-a)\arctan^2(\sqrt{ax+1}\sqrt{-ax+1}, ax)} dx + (2a^2x^2 - (9a^2x^2 - 2)\arctan^2(\sqrt{ax+1}\sqrt{-ax+1}, ax)) \sqrt{ax+1}\sqrt{-ax+1} + (3a^3x^3 - 2a^2x)\arctan^2(\sqrt{ax+1}\sqrt{-ax+1}, ax) \right) / (a^3 \arctan^2(\sqrt{ax+1}\sqrt{-ax+1}, ax))$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\arccos(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/acos(a*x)^4,x)
```

```
[Out] int(x^2/acos(a*x)^4, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^2}{\operatorname{acos}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/acos(a*x)**4,x)
```

```
[Out] Integral(x**2/acos(a*x)**4, x)
```

$$3.70 \quad \int \frac{x}{\cos^{-1}(ax)^4} dx$$

Optimal. Leaf size=97

$$\frac{2\text{Ci}(2 \cos^{-1}(ax))}{3a^2} - \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)} + \frac{x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{1}{6a^2 \cos^{-1}(ax)^2} + \frac{x^2}{3 \cos^{-1}(ax)^2}$$

[Out] $-1/6/a^2/\arccos(ax)^2+1/3*x^2/\arccos(ax)^2+2/3*Ci(2*\arccos(ax))/a^2+1/3*x*(-a^2*x^2+1)^{(1/2)}/a/\arccos(ax)^3-2/3*x*(-a^2*x^2+1)^{(1/2)}/a/\arccos(ax)$

Rubi [A] time = 0.17, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4634, 4720, 4632, 3302, 4642}

$$\frac{2\text{CosIntegral}(2 \cos^{-1}(ax))}{3a^2} - \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)} + \frac{x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{1}{6a^2 \cos^{-1}(ax)^2} + \frac{x^2}{3 \cos^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCos[a*x]^4,x]

[Out] $(x*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcCos}[a*x]^3) - 1/(6*a^2*\text{ArcCos}[a*x]^2) + x^2/(3*\text{ArcCos}[a*x]^2) - (2*x*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcCos}[a*x]) + (2*\text{CosIntegral}[2*\text{ArcCos}[a*x]])/(3*a^2)$

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Cos[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rule 4634

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCo

$s[c*x]^{(n+1)}/\text{Sqrt}[1-c^2*x^2], x], x) /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{IGtQ}[m, 0] \&\& \text{LtQ}[n, -2]$

Rule 4642

$\text{Int}[(a_.) + \text{ArcCos}[c_.*(x_)]*(b_.)^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_)^2], x_Symbol] :> -\text{Simp}[(a + b*\text{ArcCos}[c*x])^{(n+1)}/(b*c*\text{Sqrt}[d]*(n+1)), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{NeQ}[n, -1]$

Rule 4720

$\text{Int}[((a_.) + \text{ArcCos}[c_.*(x_)]*(b_.)^{(n_.)}*((f_.)*(x_))^{(m_.)})/\text{Sqrt}[(d_.) + (e_.)*(x_)^2], x_Symbol] :> -\text{Simp}[(f*x)^m*(a + b*\text{ArcCos}[c*x])^{(n+1)}/(b*c*\text{Sqrt}[d]*(n+1)), x] + \text{Dist}[(f*m)/(b*c*\text{Sqrt}[d]*(n+1)), \text{Int}[(f*x)^{(m-1)}*(a + b*\text{ArcCos}[c*x])^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{LtQ}[n, -1] \&\& \text{GtQ}[d, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x}{\cos^{-1}(ax)^4} dx &= \frac{x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{\int \frac{1}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^3} dx}{3a} + \frac{1}{3}(2a) \int \frac{x^2}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^3} dx \\ &= \frac{x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{1}{6a^2 \cos^{-1}(ax)^2} + \frac{x^2}{3 \cos^{-1}(ax)^2} - \frac{2}{3} \int \frac{x}{\cos^{-1}(ax)^2} dx \\ &= \frac{x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{1}{6a^2 \cos^{-1}(ax)^2} + \frac{x^2}{3 \cos^{-1}(ax)^2} - \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)} + \frac{2 \text{Subst}\left(\int \frac{\cos(2x)}{x} dx, x, \cos^{-1}(ax)\right)}{3a^2} \\ &= \frac{x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} - \frac{1}{6a^2 \cos^{-1}(ax)^2} + \frac{x^2}{3 \cos^{-1}(ax)^2} - \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)} + \frac{2\text{Ci}\left(2 \cos^{-1}(ax)\right)}{3a^2} \end{aligned}$$

Mathematica [A] time = 0.12, size = 86, normalized size = 0.89

$$\frac{2ax\sqrt{1-a^2x^2} - 4ax\sqrt{1-a^2x^2} \cos^{-1}(ax)^2 + (2a^2x^2 - 1) \cos^{-1}(ax) + 4 \cos^{-1}(ax)^3 \text{Ci}\left(2 \cos^{-1}(ax)\right)}{6a^2 \cos^{-1}(ax)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcCos[a*x]^4, x]

[Out] $(2*a*x*\text{Sqrt}[1 - a^2*x^2] + (-1 + 2*a^2*x^2)*\text{ArcCos}[a*x] - 4*a*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^2 + 4*\text{ArcCos}[a*x]^3*\text{CosIntegral}[2*\text{ArcCos}[a*x]])/(6*a^2*\text{ArcCos}[a*x]^3)$

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{\arccos(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^4,x, algorithm="fricas")

[Out] integral(x/arccos(a*x)^4, x)

giac [A] time = 0.57, size = 83, normalized size = 0.86

$$\frac{x^2}{3 \arccos(ax)^2} - \frac{2\sqrt{-a^2x^2+1}x}{3a \arccos(ax)} + \frac{2 \text{Ci}(2 \arccos(ax))}{3a^2} + \frac{\sqrt{-a^2x^2+1}x}{3a \arccos(ax)^3} - \frac{1}{6a^2 \arccos(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^4,x, algorithm="giac")

[Out] 1/3*x^2/arccos(a*x)^2 - 2/3*sqrt(-a^2*x^2 + 1)*x/(a*arccos(a*x)) + 2/3*cos_integral(2*arccos(a*x))/a^2 + 1/3*sqrt(-a^2*x^2 + 1)*x/(a*arccos(a*x)^3) - 1/6/(a^2*arccos(a*x)^2)

maple [A] time = 0.04, size = 60, normalized size = 0.62

$$\frac{\frac{\sin(2 \arccos(ax))}{6 \arccos(ax)^3} + \frac{\cos(2 \arccos(ax))}{6 \arccos(ax)^2} - \frac{\sin(2 \arccos(ax))}{3 \arccos(ax)} + \frac{2 \text{Ci}(2 \arccos(ax))}{3}}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccos(a*x)^4,x)

[Out] 1/a^2*(1/6/arccos(a*x)^3*sin(2*arccos(a*x))+1/6/arccos(a*x)^2*cos(2*arccos(a*x))-1/3/arccos(a*x)*sin(2*arccos(a*x))+2/3*Ci(2*arccos(a*x)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{4a^2 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3 \int \frac{(2a^2x^2-1)\sqrt{ax+1}\sqrt{-ax+1}}{(a^3x^2-a)\arctan(\sqrt{ax+1}\sqrt{-ax+1}, ax)} dx - 2\left(2ax \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)\right)}{6a^2 \arctan\left(\sqrt{ax+1}\sqrt{-ax+1}, ax\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^4,x, algorithm="maxima")

```
[Out] 1/6*(6*a^2*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3*integrate(2/3*(2*a^
2*x^2 - 1)*sqrt(a*x + 1)*sqrt(-a*x + 1)/((a^3*x^2 - a)*arctan2(sqrt(a*x + 1
)*sqrt(-a*x + 1), a*x)), x) - 2*(2*a*x*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1)
, a*x)^2 - a*x)*sqrt(a*x + 1)*sqrt(-a*x + 1) + (2*a^2*x^2 - 1)*arctan2(sqrt
(a*x + 1)*sqrt(-a*x + 1), a*x))/(a^2*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1),
a*x)^3)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\operatorname{acos}(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/acos(a*x)^4,x)
```

```
[Out] int(x/acos(a*x)^4, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{acos}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/acos(a*x)**4,x)
```

```
[Out] Integral(x/acos(a*x)**4, x)
```

$$3.71 \quad \int \frac{1}{\cos^{-1}(ax)^4} dx$$

Optimal. Leaf size=78

$$-\frac{\sqrt{1-a^2x^2}}{6a \cos^{-1}(ax)} + \frac{\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} + \frac{\text{Ci}(\cos^{-1}(ax))}{6a} + \frac{x}{6 \cos^{-1}(ax)^2}$$

[Out] 1/6*x/arccos(a*x)^2+1/6*Ci(arccos(a*x))/a+1/3*(-a^2*x^2+1)^(1/2)/a/arccos(a*x)^3-1/6*(-a^2*x^2+1)^(1/2)/a/arccos(a*x)

Rubi [A] time = 0.16, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {4622, 4720, 4724, 3302}

$$-\frac{\sqrt{1-a^2x^2}}{6a \cos^{-1}(ax)} + \frac{\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} + \frac{\text{CosIntegral}(\cos^{-1}(ax))}{6a} + \frac{x}{6 \cos^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^(-4), x]

[Out] Sqrt[1 - a^2*x^2]/(3*a*ArcCos[a*x]^3) + x/(6*ArcCos[a*x]^2) - Sqrt[1 - a^2*x^2]/(6*a*ArcCos[a*x]) + CosIntegral[ArcCos[a*x]]/(6*a)

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 4622

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n, x_Symbol] :> -Simp[(Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1)), Int[(x*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4720

Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n)*((f_.)*(x_.))^m/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] :> -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]

Rule 4724

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] & & EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\cos^{-1}(ax)^4} dx &= \frac{\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} + \frac{1}{3}a \int \frac{x}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^3} dx \\
 &= \frac{\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} + \frac{x}{6 \cos^{-1}(ax)^2} - \frac{1}{6} \int \frac{1}{\cos^{-1}(ax)^2} dx \\
 &= \frac{\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} + \frac{x}{6 \cos^{-1}(ax)^2} - \frac{\sqrt{1-a^2x^2}}{6a \cos^{-1}(ax)} - \frac{1}{6}a \int \frac{x}{\sqrt{1-a^2x^2} \cos^{-1}(ax)} dx \\
 &= \frac{\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} + \frac{x}{6 \cos^{-1}(ax)^2} - \frac{\sqrt{1-a^2x^2}}{6a \cos^{-1}(ax)} + \frac{\text{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \cos^{-1}(ax)\right)}{6a} \\
 &= \frac{\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^3} + \frac{x}{6 \cos^{-1}(ax)^2} - \frac{\sqrt{1-a^2x^2}}{6a \cos^{-1}(ax)} + \frac{\text{Ci}(\cos^{-1}(ax))}{6a}
 \end{aligned}$$

Mathematica [A] time = 0.05, size = 71, normalized size = 0.91

$$\frac{2\sqrt{1-a^2x^2} - \sqrt{1-a^2x^2} \cos^{-1}(ax)^2 + \cos^{-1}(ax)^3 \text{Ci}(\cos^{-1}(ax)) + ax \cos^{-1}(ax)}{6a \cos^{-1}(ax)^3}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^(-4), x]

[Out] (2*Sqrt[1 - a^2*x^2] + a*x*ArcCos[a*x] - Sqrt[1 - a^2*x^2]*ArcCos[a*x]^2 + ArcCos[a*x]^3*CosIntegral[ArcCos[a*x]])/(6*a*ArcCos[a*x]^3)

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\arccos(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^4,x, algorithm="fricas")

[Out] integral(arccos(a*x)^(-4), x)

giac [A] time = 0.19, size = 66, normalized size = 0.85

$$\frac{\text{Ci}(\arccos(ax))}{6a} + \frac{x}{6 \arccos(ax)^2} - \frac{\sqrt{-a^2x^2+1}}{6a \arccos(ax)} + \frac{\sqrt{-a^2x^2+1}}{3a \arccos(ax)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^4,x, algorithm="giac")

[Out] 1/6*cos_integral(arccos(a*x))/a + 1/6*x/arccos(a*x)^2 - 1/6*sqrt(-a^2*x^2 + 1)/(a*arccos(a*x)) + 1/3*sqrt(-a^2*x^2 + 1)/(a*arccos(a*x)^3)

maple [A] time = 0.04, size = 63, normalized size = 0.81

$$\frac{\frac{\sqrt{-a^2x^2+1}}{3 \arccos(ax)^3} + \frac{ax}{6 \arccos(ax)^2} - \frac{\sqrt{-a^2x^2+1}}{6 \arccos(ax)} + \frac{\text{Ci}(\arccos(ax))}{6}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccos(a*x)^4,x)

[Out] 1/a*(1/3/arccos(a*x)^3*(-a^2*x^2+1)^(1/2)+1/6*a*x/arccos(a*x)^2-1/6/arccos(a*x)*(-a^2*x^2+1)^(1/2)+1/6*Ci(arccos(a*x)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^2 \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^3 \int \frac{\sqrt{ax+1} \sqrt{-ax+1} x}{(a^2x^2-1) \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)} dx + ax \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax) - \sqrt{ax+1} \sqrt{-ax+1}}{6a \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^4,x, algorithm="maxima")

[Out] 1/6*(6*a^2*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3*integrate(1/6*sqrt(a*x + 1)*sqrt(-a*x + 1)*x/((a^2*x^2 - 1)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)), x) + a*x*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x) - sqrt(a*x + 1)*sqrt(-a*x + 1)*(arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2 - 2))/(a*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\arccos(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/acos(a*x)^4,x)
```

```
[Out] int(1/acos(a*x)^4, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{\operatorname{acos}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/acos(a*x)**4,x)
```

```
[Out] Integral(acos(a*x)**(-4), x)
```

$$3.72 \quad \int \frac{1}{x \cos^{-1}(ax)^4} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x \cos^{-1}(ax)^4}, x\right)$$

[Out] Unintegrable(1/x/arccos(a*x)^4, x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \cos^{-1}(ax)^4} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*ArcCos[a*x]^4), x]

[Out] Defer[Int][1/(x*ArcCos[a*x]^4), x]

Rubi steps

$$\int \frac{1}{x \cos^{-1}(ax)^4} dx = \int \frac{1}{x \cos^{-1}(ax)^4} dx$$

Mathematica [A] time = 3.05, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos^{-1}(ax)^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*ArcCos[a*x]^4), x]

[Out] Integrate[1/(x*ArcCos[a*x]^4), x]

fricas [A] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x \arccos(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^4, x, algorithm="fricas")

[Out] integral(1/(x*arccos(a*x)^4), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^4,x, algorithm="giac")

[Out] integrate(1/(x*arccos(a*x)^4), x)

maple [A] time = 0.21, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccos(a*x)^4,x)

[Out] int(1/x/arccos(a*x)^4,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2 a^3 x^3 \arctan\left(\sqrt{ax+1} \sqrt{-ax+1}, ax\right)^3 \int \frac{(2 a^2 x^2 - 3) \sqrt{ax+1} \sqrt{-ax+1}}{(a^5 x^6 - a^3 x^4) \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)} dx + ax \arctan\left(\sqrt{ax+1} \sqrt{-ax+1}, ax\right)}{6 a^3 x^3 \arctan\left(\sqrt{ax+1} \sqrt{-ax+1}, ax\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^4,x, algorithm="maxima")

[Out] 1/6*(6*a^3*x^3*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3*integrate(1/3*(2*a^2*x^2 - 3)*sqrt(a*x + 1)*sqrt(-a*x + 1)/((a^5*x^6 - a^3*x^4)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)), x) + a*x*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x) + 2*(a^2*x^2 + arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2)*sqrt(a*x + 1)*sqrt(-a*x + 1))/(a^3*x^3*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3)

mupad [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x \arccos(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(1/(x*acos(a*x)^4),x)
```

```
[Out] int(1/(x*acos(a*x)^4), x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acos}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/acos(a*x)**4,x)
```

```
[Out] Integral(1/(x*acos(a*x)**4), x)
```

$$3.73 \quad \int \frac{1}{x^2 \cos^{-1}(ax)^4} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{1}{x^2 \cos^{-1}(ax)^4}, x\right)$$

[Out] Unintegrable(1/x^2/arccos(a*x)^4, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \cos^{-1}(ax)^4} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*ArcCos[a*x]^4), x]

[Out] Defer[Int][1/(x^2*ArcCos[a*x]^4), x]

Rubi steps

$$\int \frac{1}{x^2 \cos^{-1}(ax)^4} dx = \int \frac{1}{x^2 \cos^{-1}(ax)^4} dx$$

Mathematica [A] time = 29.95, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \cos^{-1}(ax)^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*ArcCos[a*x]^4), x]

[Out] Integrate[1/(x^2*ArcCos[a*x]^4), x]

fricas [A] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{x^2 \arccos(ax)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^4, x, algorithm="fricas")

[Out] integral(1/(x^2*arccos(a*x)^4), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^4,x, algorithm="giac")

[Out] integrate(1/(x^2*arccos(a*x)^4), x)

maple [A] time = 0.35, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \arccos(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arccos(a*x)^4,x)

[Out] int(1/x^2/arccos(a*x)^4,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^3 x^4 \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)^3 \int \frac{(a^4 x^4 - 20 a^2 x^2 + 24) \sqrt{ax+1} \sqrt{-ax+1}}{(a^5 x^7 - a^3 x^5) \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)} dx - (2 a^2 x^2 - (a^2 x^2 - 6) \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax))}{6 a^3 x^4 \arctan(\sqrt{ax+1} \sqrt{-ax+1}, ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^4,x, algorithm="maxima")

[Out] -1/6*(6*a^3*x^4*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3*integrate(1/6*(a^4*x^4 - 20*a^2*x^2 + 24)*sqrt(a*x + 1)*sqrt(-a*x + 1)/((a^5*x^7 - a^3*x^5)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)), x) - (2*a^2*x^2 - (a^2*x^2 - 6)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^2)*sqrt(a*x + 1)*sqrt(-a*x + 1) + (a^3*x^3 - 2*a*x)*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x))/(a^3*x^4*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x)^3)

mupad [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{1}{x^2 \arccos(ax)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x^2*acos(a*x)^4),x)
```

```
[Out] int(1/(x^2*acos(a*x)^4), x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \operatorname{acos}^4(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/acos(a*x)**4,x)
```

```
[Out] Integral(1/(x**2*acos(a*x)**4), x)
```

3.74 $\int x^4 \sqrt{\cos^{-1}(ax)} dx$

Optimal. Leaf size=121

$$\frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^5} - \frac{\sqrt{\frac{\pi}{6}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^5} - \frac{\sqrt{\frac{\pi}{10}} C\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{80a^5} + \frac{1}{5} x^5 \sqrt{\cos^{-1}(ax)}$$

[Out] $-1/800*\text{FresnelC}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^5 - 1/96*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^5 - 1/16*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^5 + 1/5*x^5*\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.28, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {4630, 4724, 3312, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^5} - \frac{\sqrt{\frac{\pi}{6}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^5} - \frac{\sqrt{\frac{\pi}{10}} \text{FresnelC}\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{80a^5} + \frac{1}{5} x^5$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*\text{Sqrt}[\text{ArcCos}[a*x]], x]$

[Out] $(x^5*\text{Sqrt}[\text{ArcCos}[a*x]])/5 - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(8*a^5) - (\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(16*a^5) - (\text{Sqrt}[\text{Pi}/10]*\text{FresnelC}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(80*a^5)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3312

$\text{Int}[(c_. + (d_.)*(x_.))^{(m)}*\sin[(e_.) + (f_.)*(x_.)]^{(n)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x \ \&\& \ \text{IGtQ}[n, 1] \ \&\& \ (!\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 1]))$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 4630

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned} \int x^4 \sqrt{\cos^{-1}(ax)} dx &= \frac{1}{5} x^5 \sqrt{\cos^{-1}(ax)} + \frac{1}{10} a \int \frac{x^5}{\sqrt{1 - a^2 x^2} \sqrt{\cos^{-1}(ax)}} dx \\ &= \frac{1}{5} x^5 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos^5(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{10a^5} \\ &= \frac{1}{5} x^5 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{5 \cos(x)}{8\sqrt{x}} + \frac{5 \cos(3x)}{16\sqrt{x}} + \frac{\cos(5x)}{16\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{10a^5} \\ &= \frac{1}{5} x^5 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(5x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{160a^5} - \frac{\text{Subst}\left(\int \frac{\cos(3x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{32a^5} \\ &= \frac{1}{5} x^5 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \cos(5x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{80a^5} - \frac{\text{Subst}\left(\int \cos(3x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{16a^5} \\ &= \frac{1}{5} x^5 \sqrt{\cos^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^5} - \frac{\sqrt{\frac{\pi}{6}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^5} - \frac{\sqrt{\frac{\pi}{10}} C\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{80a^5} \end{aligned}$$

Mathematica [C] time = 0.32, size = 212, normalized size = 1.75

$$\frac{25\sqrt{3} \left(-i \cos^{-1}(ax)\right)^{3/2} \Gamma\left(\frac{3}{2}, -3i \cos^{-1}(ax)\right) + 3\sqrt{5} \left(-i \cos^{-1}(ax)\right)^{3/2} \Gamma\left(\frac{3}{2}, -5i \cos^{-1}(ax)\right) - 150\sqrt{\cos^{-1}(ax)^2} \sqrt{-i \cos^{-1}(ax)}}{80a^5}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4*Sqrt[ArcCos[a*x]],x]

[Out] $-1/2400*(-150*\sqrt{I*\text{ArcCos}[a*x]}*\sqrt{\text{ArcCos}[a*x]^2}*\Gamma[3/2, (-I)*\text{ArcCos}[a*x]] - 150*\sqrt{(-I)*\text{ArcCos}[a*x]}*\sqrt{\text{ArcCos}[a*x]^2}*\Gamma[3/2, I*\text{ArcCos}[a*x]} + 25*\sqrt{3}*((-I)*\text{ArcCos}[a*x])^{3/2}*\Gamma[3/2, (-3*I)*\text{ArcCos}[a*x]] + 25*\sqrt{3}*(I*\text{ArcCos}[a*x])^{3/2}*\Gamma[3/2, (3*I)*\text{ArcCos}[a*x]] + 3*\sqrt{5}*((-I)*\text{ArcCos}[a*x])^{3/2}*\Gamma[3/2, (-5*I)*\text{ArcCos}[a*x]] + 3*\sqrt{5}*(I*\text{ArcCos}[a*x])^{3/2}*\Gamma[3/2, (5*I)*\text{ArcCos}[a*x]])/(a^5*\text{ArcCos}[a*x]^{3/2})$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 0.54, size = 315, normalized size = 2.60

$$\frac{\sqrt{10} \sqrt{\pi} i \operatorname{erf}\left(\frac{\sqrt{10} \sqrt{\arccos(ax)}}{i-1}\right)}{1600 a^5 (i-1)} + \frac{\sqrt{6} \sqrt{\pi} i \operatorname{erf}\left(\frac{\sqrt{6} \sqrt{\arccos(ax)}}{i-1}\right)}{192 a^5 (i-1)} + \frac{\sqrt{2} \sqrt{\pi} i \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{i-1}\right)}{32 a^5 (i-1)} + \frac{\sqrt{\arccos(ax)} e^{5i \arccos(ax)}}{160 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^(1/2),x, algorithm="giac")

[Out] $1/1600*\sqrt{10}*\sqrt{\pi}*i*\operatorname{erf}(\sqrt{10}*\sqrt{\arccos(a*x)})/(i-1)/(a^5*(i-1)) + 1/192*\sqrt{6}*\sqrt{\pi}*i*\operatorname{erf}(\sqrt{6}*\sqrt{\arccos(a*x)})/(i-1)/(a^5*(i-1)) + 1/32*\sqrt{2}*\sqrt{\pi}*i*\operatorname{erf}(\sqrt{2}*\sqrt{\arccos(a*x)})/(i-1)/(a^5*(i-1)) + 1/160*\sqrt{\arccos(a*x)}*e^{5*i*\arccos(a*x)}/a^5 + 1/32*\sqrt{\arccos(a*x)}*e^{3*i*\arccos(a*x)}/a^5 + 1/16*\sqrt{\arccos(a*x)}*e^{i*\arccos(a*x)}/a^5 + 1/16*\sqrt{\arccos(a*x)}*e^{-i*\arccos(a*x)}/a^5 + 1/32*\sqrt{\arccos(a*x)}*e^{-3*i*\arccos(a*x)}/a^5 + 1/160*\sqrt{\arccos(a*x)}*e^{-5*i*\arccos(a*x)}/a^5 - 1/1600*\sqrt{10}*\sqrt{\pi}*\operatorname{erf}(-\sqrt{10}*\sqrt{\arccos(a*x)})/(i-1)/(a^5*(i-1)) - 1/192*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}(-\sqrt{6}*\sqrt{\arccos(a*x)})/(i-1)/(a^5*(i-1)) - 1/32*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-\sqrt{2}*\sqrt{\arccos(a*x)})/(i-1)/(a^5*(i-1))$

maple [A] time = 0.31, size = 143, normalized size = 1.18

$$\frac{-3\sqrt{5} \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{5} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) - 25\sqrt{3} \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)}{1600 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*arccos(a*x)^(1/2),x)`

[Out] $\frac{1}{2400}a^{-5}\arccos(ax)^{(1/2)}*(-3*5^{(1/2)}*2^{(1/2)}\pi^{(1/2)}\arccos(ax)^{(1/2)}*\text{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*5^{(1/2)}\arccos(ax)^{(1/2)})-25*3^{(1/2)}*2^{(1/2)}\pi^{(1/2)}\arccos(ax)^{(1/2)}*\text{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*3^{(1/2)}\arccos(ax)^{(1/2)})-150*2^{(1/2)}\pi^{(1/2)}\arccos(ax)^{(1/2)}*\text{FresnelC}(2^{(1/2)}/\pi^{(1/2)}\arccos(ax)^{(1/2)})+300*a*x*\arccos(ax)+150*\arccos(ax)*\cos(3*\arccos(ax))+30*\arccos(ax)*\cos(5*\arccos(ax))$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arccos(a*x)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*acos(a*x)^(1/2),x)`

[Out] `int(x^4*acos(a*x)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*acos(a*x)**(1/2),x)`

[Out] `Integral(x**4*sqrt(acos(a*x)), x)`

3.75 $\int x^3 \sqrt{\cos^{-1}(ax)} dx$

Optimal. Leaf size=95

$$-\frac{\sqrt{\frac{\pi}{2}} C\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{64a^4} - \frac{\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{16a^4} - \frac{3\sqrt{\cos^{-1}(ax)}}{32a^4} + \frac{1}{4}x^4\sqrt{\cos^{-1}(ax)}$$

[Out] $-1/128*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4 - 1/16*\text{FresnelC}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4 - 3/32*\arccos(a*x)^{(1/2)}/a^4 + 1/4*x^4*\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {4630, 4724, 3312, 3304, 3352}

$$-\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{64a^4} - \frac{\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{16a^4} - \frac{3\sqrt{\cos^{-1}(ax)}}{32a^4} + \frac{1}{4}x^4\sqrt{\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*\text{Sqrt}[\text{ArcCos}[a*x]], x]$

[Out] $(-3*\text{Sqrt}[\text{ArcCos}[a*x]])/(32*a^4) + (x^4*\text{Sqrt}[\text{ArcCos}[a*x]])/4 - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(64*a^4) - (\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(16*a^4)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3312

$\text{Int}[(c_. + (d_.)*(x_.))^{(m)}*\sin[(e_.) + (f_.)*(x_.)]^{(n)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x \ \&\& \ \text{IGtQ}[n, 1] \ \&\& \ (!\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 1]))$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 4630

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned}
 \int x^3 \sqrt{\cos^{-1}(ax)} dx &= \frac{1}{4} x^4 \sqrt{\cos^{-1}(ax)} + \frac{1}{8} a \int \frac{x^4}{\sqrt{1 - a^2 x^2} \sqrt{\cos^{-1}(ax)}} dx \\
 &= \frac{1}{4} x^4 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos^4(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{8a^4} \\
 &= \frac{1}{4} x^4 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{3}{8\sqrt{x}} + \frac{\cos(2x)}{2\sqrt{x}} + \frac{\cos(4x)}{8\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{8a^4} \\
 &= -\frac{3\sqrt{\cos^{-1}(ax)}}{32a^4} + \frac{1}{4} x^4 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(4x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{64a^4} - \frac{\text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{16a^4} \\
 &= -\frac{3\sqrt{\cos^{-1}(ax)}}{32a^4} + \frac{1}{4} x^4 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \cos(4x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{32a^4} - \frac{\text{Subst}\left(\int \cos(2x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{16a^4} \\
 &= -\frac{3\sqrt{\cos^{-1}(ax)}}{32a^4} + \frac{1}{4} x^4 \sqrt{\cos^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} C\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{64a^4} - \frac{\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{16a^4}
 \end{aligned}$$

Mathematica [C] time = 0.13, size = 125, normalized size = 1.32

$$\frac{\sqrt{\cos^{-1}(ax)} \left(4i\sqrt{2} \cos^{-1}(ax) \Gamma\left(\frac{3}{2}, -2i \cos^{-1}(ax)\right) + 4\sqrt{2} \sqrt{\cos^{-1}(ax)^2} \Gamma\left(\frac{3}{2}, 2i \cos^{-1}(ax)\right) + i \cos^{-1}(ax) \Gamma\left(\frac{3}{2}, -4i \cos^{-1}(ax)\right) + 4\sqrt{2} \cos^{-1}(ax) \Gamma\left(\frac{3}{2}, 4i \cos^{-1}(ax)\right)\right)}{128a^4 (-i \cos^{-1}(ax))^{3/2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x^3*Sqrt[ArcCos[a*x]], x]
```

```
[Out] -1/128*(Sqrt[ArcCos[a*x]]*((4*I)*Sqrt[2]*ArcCos[a*x]*Gamma[3/2, (-2*I)*ArcCos[a*x]] + 4*Sqrt[2]*Sqrt[ArcCos[a*x]^2]*Gamma[3/2, (2*I)*ArcCos[a*x]] + I*ArcCos[a*x]*Gamma[3/2, (-4*I)*ArcCos[a*x]] + Sqrt[ArcCos[a*x]^2]*Gamma[3/2, (4*I)*ArcCos[a*x]]))/(a^4*((-I)*ArcCos[a*x])^(3/2))
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arccos(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

giac [B] time = 0.87, size = 189, normalized size = 1.99

$$\frac{\sqrt{2} \sqrt{\pi} i \operatorname{erf}\left(-\sqrt{2}(i+1)\sqrt{\arccos(ax)}\right)}{256 a^4(i-1)} + \frac{\sqrt{\pi} i \operatorname{erf}\left(-(i+1)\sqrt{\arccos(ax)}\right)}{32 a^4(i-1)} + \frac{\sqrt{\arccos(ax)} e^{4i \arccos(ax)}}{64 a^4} + \sqrt{\arccos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arccos(a*x)^(1/2),x, algorithm="giac")
```

```
[Out] 1/256*sqrt(2)*sqrt(pi)*i*erf(-sqrt(2)*(i+1)*sqrt(arccos(a*x)))/(a^4*(i-1)) + 1/32*sqrt(pi)*i*erf(-(i+1)*sqrt(arccos(a*x)))/(a^4*(i-1)) + 1/64*sqrt(arccos(a*x))*e^(4*i*arccos(a*x))/a^4 + 1/16*sqrt(arccos(a*x))*e^(2*i*arccos(a*x))/a^4 + 1/16*sqrt(arccos(a*x))*e^(-2*i*arccos(a*x))/a^4 + 1/64*sqrt(arccos(a*x))*e^(-4*i*arccos(a*x))/a^4 - 1/256*sqrt(2)*sqrt(pi)*erf(sqrt(2)*(i-1)*sqrt(arccos(a*x)))/(a^4*(i-1)) - 1/32*sqrt(pi)*erf((i-1)*sqrt(arccos(a*x)))/(a^4*(i-1))
```

maple [A] time = 0.25, size = 91, normalized size = 0.96

$$\frac{-\sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{2\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) - 8\sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 16 \arccos(ax)}{128 a^4 \sqrt{\arccos(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*arccos(a*x)^(1/2),x)
```

```
[Out] 1/128/a^4/arccos(a*x)^(1/2)*(-2^(1/2)*Pi^(1/2)*arccos(a*x)^(1/2)*FresnelC(2*2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))-8*Pi^(1/2)*arccos(a*x)^(1/2)*FresnelC(2*arccos(a*x)^(1/2)/Pi^(1/2))+16*arccos(a*x)*cos(2*arccos(a*x))+4*arccos(a*x)*cos(4*arccos(a*x))
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*acos(a*x)^(1/2),x)

[Out] int(x^3*acos(a*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*acos(a*x)**(1/2),x)

[Out] Integral(x**3*sqrt(acos(a*x)), x)

3.76 $\int x^2 \sqrt{\cos^{-1}(ax)} dx$

Optimal. Leaf size=86

$$\frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^3} - \frac{\sqrt{\frac{\pi}{6}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{12a^3} + \frac{1}{3}x^3 \sqrt{\cos^{-1}(ax)}$$

[Out] $-1/72 * \text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)} * \arccos(ax)^{(1/2)}) * 6^{(1/2)} * \text{Pi}^{(1/2)}/a^{3-1/8}$
 $* \text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)} * \arccos(ax)^{(1/2)}) * 2^{(1/2)} * \text{Pi}^{(1/2)}/a^{3+1/3} * x^3 * \arccos(ax)^{(1/2)}$

Rubi [A] time = 0.18, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {4630, 4724, 3312, 3304, 3352}

$$-\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^3} - \frac{\sqrt{\frac{\pi}{6}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{12a^3} + \frac{1}{3}x^3 \sqrt{\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2 * \text{Sqrt}[\text{ArcCos}[a*x]], x]$

[Out] $(x^3 * \text{Sqrt}[\text{ArcCos}[a*x]])/3 - (\text{Sqrt}[\text{Pi}/2] * \text{FresnelC}[\text{Sqrt}[2/\text{Pi}] * \text{Sqrt}[\text{ArcCos}[a*x]]])/(4*a^3) - (\text{Sqrt}[\text{Pi}/6] * \text{FresnelC}[\text{Sqrt}[6/\text{Pi}] * \text{Sqrt}[\text{ArcCos}[a*x]]])/(12*a^3)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /;$ $\text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3312

$\text{Int}[(c_. + (d_.)*(x_.))^{(m)} * \sin[(e_.) + (f_.)*(x_.)]^{(n)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /;$ $\text{FreeQ}\{c, d, e, f, m\}, x \ \&\& \ \text{IGtQ}[n, 1] \ \&\& \ (!\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 1]))$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2] * \text{FresnelC}[\text{Sqrt}[2/\text{Pi}] * \text{Rt}[d, 2] * (e + f*x)])/(f * \text{Rt}[d, 2]), x] /;$ $\text{FreeQ}\{d, e, f\}, x$

Rule 4630

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned}
 \int x^2 \sqrt{\cos^{-1}(ax)} dx &= \frac{1}{3} x^3 \sqrt{\cos^{-1}(ax)} + \frac{1}{6} a \int \frac{x^3}{\sqrt{1 - a^2 x^2} \sqrt{\cos^{-1}(ax)}} dx \\
 &= \frac{1}{3} x^3 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos^3(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{6a^3} \\
 &= \frac{1}{3} x^3 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{3 \cos(x)}{4\sqrt{x}} + \frac{\cos(3x)}{4\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{6a^3} \\
 &= \frac{1}{3} x^3 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(3x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{24a^3} - \frac{\text{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{8a^3} \\
 &= \frac{1}{3} x^3 \sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \cos(3x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{12a^3} - \frac{\text{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{4a^3} \\
 &= \frac{1}{3} x^3 \sqrt{\cos^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^3} - \frac{\sqrt{\frac{\pi}{6}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{12a^3}
 \end{aligned}$$

Mathematica [C] time = 0.22, size = 122, normalized size = 1.42

$$\frac{\sqrt{i \cos^{-1}(ax)} \left(9 \sqrt{\cos^{-1}(ax)^2} \Gamma\left(\frac{3}{2}, -i \cos^{-1}(ax)\right) - 9i \cos^{-1}(ax) \Gamma\left(\frac{3}{2}, i \cos^{-1}(ax)\right) + \sqrt{3} \left(\sqrt{\cos^{-1}(ax)^2} \Gamma\left(\frac{3}{2}, -3i \cos^{-1}(ax)\right) - 3i \cos^{-1}(ax) \Gamma\left(\frac{3}{2}, 3i \cos^{-1}(ax)\right) \right) \right)}{72a^3 \cos^{-1}(ax)^{3/2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x^2*Sqrt[ArcCos[a*x]], x]
```

```
[Out] (Sqrt[I*ArcCos[a*x]]*(9*Sqrt[ArcCos[a*x]^2]*Gamma[3/2, (-I)*ArcCos[a*x]] -
(9*I)*ArcCos[a*x]*Gamma[3/2, I*ArcCos[a*x]] + Sqrt[3]*(Sqrt[ArcCos[a*x]^2]*
Gamma[3/2, (-3*I)*ArcCos[a*x]] - I*ArcCos[a*x]*Gamma[3/2, (3*I)*ArcCos[a*x]
])))/(72*a^3*ArcCos[a*x]^(3/2))
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccos(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

giac [B] time = 0.28, size = 210, normalized size = 2.44

$$\frac{\sqrt{6} \sqrt{\pi} i \operatorname{erf}\left(\frac{\sqrt{6} \sqrt{\arccos(ax)}}{i-1}\right)}{144 a^3 (i-1)} + \frac{\sqrt{2} \sqrt{\pi} i \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{i-1}\right)}{16 a^3 (i-1)} + \frac{\sqrt{\arccos(ax)} e^{3i \arccos(ax)}}{24 a^3} + \frac{\sqrt{\arccos(ax)} e^{i \arccos(ax)}}{8 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccos(a*x)^(1/2),x, algorithm="giac")
```

```
[Out] 1/144*sqrt(6)*sqrt(pi)*i*erf(sqrt(6)*sqrt(arccos(a*x))/(i - 1))/(a^3*(i - 1
)) + 1/16*sqrt(2)*sqrt(pi)*i*erf(sqrt(2)*sqrt(arccos(a*x))/(i - 1))/(a^3*(i
- 1)) + 1/24*sqrt(arccos(a*x))*e^(3*i*arccos(a*x))/a^3 + 1/8*sqrt(arccos(a
*x))*e^(i*arccos(a*x))/a^3 + 1/8*sqrt(arccos(a*x))*e^(-i*arccos(a*x))/a^3 +
1/24*sqrt(arccos(a*x))*e^(-3*i*arccos(a*x))/a^3 - 1/144*sqrt(6)*sqrt(pi)*e
rf(-sqrt(6)*i*sqrt(arccos(a*x))/(i - 1))/(a^3*(i - 1)) - 1/16*sqrt(2)*sqrt(
pi)*erf(-sqrt(2)*i*sqrt(arccos(a*x))/(i - 1))/(a^3*(i - 1))
```

maple [A] time = 0.20, size = 96, normalized size = 1.12

$$\frac{-\sqrt{3} \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) - 9\sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)}{72a^3 \sqrt{\arccos(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arccos(a*x)^(1/2),x)
```

```
[Out] 1/72/a^3/arccos(a*x)^(1/2)*(-3^(1/2)*2^(1/2)*Pi^(1/2)*arccos(a*x)^(1/2)*Fre
snelC(2^(1/2)/Pi^(1/2)*3^(1/2)*arccos(a*x)^(1/2))-9*2^(1/2)*Pi^(1/2)*arccos
(a*x)^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))+18*a*x*arccos(a*x)
+6*arccos(a*x)*cos(3*arccos(a*x))
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*acos(a*x)^(1/2),x)

[Out] int(x^2*acos(a*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acos(a*x)**(1/2),x)

[Out] Integral(x**2*sqrt(acos(a*x)), x)

3.77 $\int x\sqrt{\cos^{-1}(ax)} dx$

Optimal. Leaf size=59

$$-\frac{\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a^2} - \frac{\sqrt{\cos^{-1}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\cos^{-1}(ax)}$$

[Out] $-1/8*\text{FresnelC}(2*\arccos(a*x)^(1/2)/\text{Pi}^(1/2))*\text{Pi}^(1/2)/a^2-1/4*\arccos(a*x)^(1/2)/a^2+1/2*x^2*\arccos(a*x)^(1/2)$

Rubi [A] time = 0.15, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4630, 4724, 3312, 3304, 3352}

$$-\frac{\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a^2} - \frac{\sqrt{\cos^{-1}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[x*Sqrt[ArcCos[a*x]], x]

[Out] $-\text{Sqrt}[\text{ArcCos}[a*x]]/(4*a^2) + (x^2*\text{Sqrt}[\text{ArcCos}[a*x]])/2 - (\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(8*a^2)$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4630

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x

$\int (m+1)(a+b\text{ArcCos}[c*x])^{n-1}/\text{Sqrt}[1-c^2*x^2], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 4724

$\text{Int}[(a + \text{ArcCos}[c*x])^{n-1} * (b + (d + e*x)^2)^{p-1}, x_Symbol] :> -\text{Dist}[d^p/c^{m+1}, \text{Subst}[\text{Int}[(a + b*x)^n * \text{Cos}[x]^m * \text{Sin}[x]^{2*p+1}, x], x, \text{ArcCos}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[2*p] \&\& \text{GtQ}[p, -1] \&\& \text{IGtQ}[m, 0] \&\& (\text{IntegerQ}[p] \mid \mid \text{GtQ}[d, 0])$

Rubi steps

$$\begin{aligned} \int x\sqrt{\cos^{-1}(ax)} dx &= \frac{1}{2}x^2\sqrt{\cos^{-1}(ax)} + \frac{1}{4} \int \frac{x^2}{\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}} dx \\ &= \frac{1}{2}x^2\sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos^2(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{4a^2} \\ &= \frac{1}{2}x^2\sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \left(\frac{1}{2\sqrt{x}} + \frac{\cos(2x)}{2\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{4a^2} \\ &= -\frac{\sqrt{\cos^{-1}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{8a^2} \\ &= -\frac{\sqrt{\cos^{-1}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \cos(2x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{4a^2} \\ &= -\frac{\sqrt{\cos^{-1}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\cos^{-1}(ax)} - \frac{\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a^2} \end{aligned}$$

Mathematica [A] time = 0.04, size = 49, normalized size = 0.83

$$\frac{\frac{1}{4}\sqrt{\cos^{-1}(ax)} \cos(2\cos^{-1}(ax)) - \frac{1}{8}\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[ArcCos[a*x]], x]

[Out] ((Sqrt[ArcCos[a*x]]*Cos[2*ArcCos[a*x]])/4 - (Sqrt[Pi]*FresnelC[(2*Sqrt[ArcCos[a*x]])/Sqrt[Pi]]/8)/a^2

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 1.57, size = 89, normalized size = 1.51

$$\frac{\sqrt{\pi} i \operatorname{erf}\left(-\left(i+1\right) \sqrt{\arccos(ax)}\right)}{16 a^2(i-1)} + \frac{\sqrt{\arccos(ax)} e^{2 i \arccos(ax)}}{8 a^2} + \frac{\sqrt{\arccos(ax)} e^{-2 i \arccos(ax)}}{8 a^2} - \frac{\sqrt{\pi} \operatorname{erf}\left(\left(i-1\right) \sqrt{\arccos(ax)}\right)}{16 a^2(i-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^(1/2),x, algorithm="giac")

[Out] 1/16*sqrt(pi)*i*erf(-(i + 1)*sqrt(arccos(a*x)))/(a^2*(i - 1)) + 1/8*sqrt(arccos(a*x))*e^(2*i*arccos(a*x))/a^2 + 1/8*sqrt(arccos(a*x))*e^(-2*i*arccos(a*x))/a^2 - 1/16*sqrt(pi)*erf((i - 1)*sqrt(arccos(a*x)))/(a^2*(i - 1))

maple [A] time = 0.16, size = 42, normalized size = 0.71

$$-\frac{-2 \cos(2 \arccos(ax)) \sqrt{\pi} \sqrt{\arccos(ax)} + \pi \operatorname{FresnelC}\left(\frac{2 \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)}{8 a^2 \sqrt{\pi}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccos(a*x)^(1/2),x)

[Out] -1/8/a^2/Pi^(1/2)*(-2*cos(2*arccos(a*x))*Pi^(1/2)*arccos(a*x)^(1/2)+Pi*FresnelC(2*arccos(a*x)^(1/2)/Pi^(1/2)))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x \sqrt{\cos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*cos(a*x)^(1/2),x)`

[Out] `int(x*cos(a*x)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \sqrt{\cos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(a*x)**(1/2),x)`

[Out] `Integral(x*sqrt(cos(a*x)), x)`

3.78 $\int \sqrt{\cos^{-1}(ax)} dx$

Optimal. Leaf size=44

$$x\sqrt{\cos^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a}$$

[Out] $-1/2*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a+x*\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4620, 4724, 3304, 3352}

$$x\sqrt{\cos^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[ArcCos[a*x]], x]

[Out] $x*\text{Sqrt}[\text{ArcCos}[a*x]] - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/a$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4724

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n*(x_)^(m_.)*((d_.) + (e_.)*(x_)^(2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*

$\text{Sin}[x]^{(2*p + 1)}, x], x, \text{ArcCos}[c*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \& \& \text{EqQ}[c^2*d + e, 0] \& \& \text{IntegerQ}[2*p] \& \& \text{GtQ}[p, -1] \& \& \text{IGtQ}[m, 0] \& \& (\text{IntegerQ}[p] \mid \mid \text{GtQ}[d, 0])$

Rubi steps

$$\begin{aligned} \int \sqrt{\cos^{-1}(ax)} dx &= x\sqrt{\cos^{-1}(ax)} + \frac{1}{2}a \int \frac{x}{\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}} dx \\ &= x\sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{2a} \\ &= x\sqrt{\cos^{-1}(ax)} - \frac{\text{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{a} \\ &= x\sqrt{\cos^{-1}(ax)} - \frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a} \end{aligned}$$

Mathematica [C] time = 0.04, size = 76, normalized size = 1.73

$$\frac{\sqrt{\cos^{-1}(ax)} \left(\sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{3}{2}, -i \cos^{-1}(ax)\right) + \sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{3}{2}, i \cos^{-1}(ax)\right) \right)}{2a\sqrt{\cos^{-1}(ax)}^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[ArcCos[a*x]], x]

[Out] (Sqrt[ArcCos[a*x]]*(Sqrt[I*ArcCos[a*x]]*Gamma[3/2, (-I)*ArcCos[a*x]] + Sqrt[(-I)*ArcCos[a*x]]*Gamma[3/2, I*ArcCos[a*x]]))/(2*a*Sqrt[ArcCos[a*x]^2])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 0.22, size = 105, normalized size = 2.39

$$\frac{\sqrt{2} \sqrt{\pi} i \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{i-1}\right)}{4a(i-1)} + \frac{\sqrt{\arccos(ax)} e^{i \arccos(ax)}}{2a} + \frac{\sqrt{\arccos(ax)} e^{-i \arccos(ax)}}{2a} - \frac{\sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{\sqrt{2} i \sqrt{\arccos(ax)}}{i-1}\right)}{4a(i-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(1/2),x, algorithm="giac")

[Out] $\frac{1}{4}\sqrt{2}\sqrt{\pi}i\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{\arccos(ax)}}{i-1}\right)/(a(i-1)) + \frac{1}{2}\sqrt{\arccos(ax)}e^{i\arccos(ax)}/a + \frac{1}{2}\sqrt{\arccos(ax)}e^{-i\arccos(ax)}/a - \frac{1}{4}\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\frac{-\sqrt{2}\sqrt{\arccos(ax)}}{i-1}\right)/(a(i-1))$

maple [A] time = 0.15, size = 49, normalized size = 1.11

$$\frac{-\sqrt{2}\sqrt{\pi}\sqrt{\arccos(ax)}\operatorname{FresnelC}\left(\frac{\sqrt{2}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 2ax\arccos(ax)}{2a\sqrt{\arccos(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^(1/2),x)

[Out] $\frac{1}{2}a/\arccos(ax)^{1/2}*(-2^{1/2}*\pi^{1/2}*\arccos(ax)^{1/2}*\operatorname{FresnelC}(2^{1/2}/\pi^{1/2}*\arccos(ax)^{1/2})+2*a*x*\arccos(ax)$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^(1/2),x)

[Out] int(acos(a*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**(1/2),x)
```

```
[Out] Integral(sqrt(acos(a*x)), x)
```


$$3.79 \quad \int \frac{\sqrt{\cos^{-1}(ax)}}{x} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{\sqrt{\cos^{-1}(ax)}}{x}, x\right)$$

[Out] Unintegrable(arccos(a*x)^(1/2)/x,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{\cos^{-1}(ax)}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[ArcCos[a*x]]/x,x]

[Out] Defer[Int][Sqrt[ArcCos[a*x]]/x, x]

Rubi steps

$$\int \frac{\sqrt{\cos^{-1}(ax)}}{x} dx = \int \frac{\sqrt{\cos^{-1}(ax)}}{x} dx$$

Mathematica [A] time = 0.45, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos^{-1}(ax)}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[ArcCos[a*x]]/x,x]

[Out] Integrate[Sqrt[ArcCos[a*x]]/x, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(1/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\arccos(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(1/2)/x,x, algorithm="giac")

[Out] integrate(sqrt(arccos(a*x))/x, x)

maple [A] time = 0.22, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\arccos(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^(1/2)/x,x)

[Out] int(arccos(a*x)^(1/2)/x,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(1/2)/x,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\sqrt{\arccos(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^(1/2)/x,x)

[Out] int(acos(a*x)^(1/2)/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(ax)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(a*x)**(1/2)/x, x)

[Out] Integral(sqrt(cos(a*x))/x, x)

3.80 $\int x^4 \cos^{-1}(ax)^{3/2} dx$

Optimal. Leaf size=282

$$\frac{2\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{25a^5} + \frac{11\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{400a^5} + \frac{3\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{800a^5} + \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{50a^5} + \dots$$

[Out] $1/5*x^5*\arccos(a*x)^{(3/2)}+3/8000*\text{FresnelS}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2} \\ 2)))*10^{(1/2)}*\text{Pi}^{(1/2)}/a^5+1/192*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2} \\))*6^{(1/2)}*\text{Pi}^{(1/2)}/a^5+3/32*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2} \\))*2^{(1/2)}*\text{Pi}^{(1/2)}/a^5-4/25*(-a^2*x^2+1)^{(1/2)}*\arccos(a*x)^{(1/2)}/a^5-2/25*x^2*(\\ -a^2*x^2+1)^{(1/2)}*\arccos(a*x)^{(1/2)}/a^3-3/50*x^4*(-a^2*x^2+1)^{(1/2)}*\arccos(\\ a*x)^{(1/2)}/a$

Rubi [A] time = 0.51, antiderivative size = 282, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 8, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {4630, 4708, 4678, 4624, 3305, 3351, 4636, 4406}

$$\frac{2\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{25a^5} + \frac{11\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{400a^5} + \frac{3\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{800a^5} + \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{50a^5} + \dots$$

Antiderivative was successfully verified.

[In] Int[x^4*ArcCos[a*x]^(3/2), x]

[Out] $(-4*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[\text{ArcCos}[a*x]])/(25*a^5) - (2*x^2*\text{Sqrt}[1 - a^2*x^2] \\)*\text{Sqrt}[\text{ArcCos}[a*x]]/(25*a^3) - (3*x^4*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[\text{ArcCos}[a*x]]) \\ / (50*a) + (x^5*\text{ArcCos}[a*x]^{(3/2)})/5 + (11*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt} \\ \text{ArcCos}[a*x]])/(400*a^5) + (2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos} \\ [a*x]]])/(25*a^5) + (\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(50 \\ *a^5) + (3*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(800*a^5) \\ + (3*\text{Sqrt}[\text{Pi}/10]*\text{FresnelS}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(800*a^5)$

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_)^2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n * Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4624

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n * Sin[a/b - x/b], x], x, a + b * ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]
```

Rule 4630

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[(x^(m + 1)*(a + b * ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b * ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n * Cos[x]^m * Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4678

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b * ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b * ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4708

```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b * ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b * ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b * ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x^4 \cos^{-1}(ax)^{3/2} dx &= \frac{1}{5}x^5 \cos^{-1}(ax)^{3/2} + \frac{1}{10}(3a) \int \frac{x^5 \sqrt{\cos^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{50a} + \frac{1}{5}x^5 \cos^{-1}(ax)^{3/2} - \frac{3}{100} \int \frac{x^4}{\sqrt{\cos^{-1}(ax)}} dx + \frac{6 \int \frac{x^3 \sqrt{\cos^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx}{25a} \\
&= -\frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{50a} + \frac{1}{5}x^5 \cos^{-1}(ax)^{3/2} + \frac{3 \text{Subst} \left(\int \frac{x^3 \sqrt{\cos^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \right)}{25a} \\
&= -\frac{4\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{50a} + \frac{1}{5}x^5 \cos^{-1}(ax)^{3/2} \\
&= -\frac{4\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{50a} + \frac{1}{5}x^5 \cos^{-1}(ax)^{3/2} \\
&= -\frac{4\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{50a} + \frac{1}{5}x^5 \cos^{-1}(ax)^{3/2} \\
&= -\frac{4\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{50a} + \frac{1}{5}x^5 \cos^{-1}(ax)^{3/2} \\
&= -\frac{4\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{25a^3} - \frac{3x^4 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{50a} + \frac{1}{5}x^5 \cos^{-1}(ax)^{3/2}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 185, normalized size = 0.66

$$\frac{2250 \left(\sqrt{-i \cos^{-1}(ax)} \Gamma \left(\frac{5}{2}, -i \cos^{-1}(ax) \right) + \sqrt{i \cos^{-1}(ax)} \Gamma \left(\frac{5}{2}, i \cos^{-1}(ax) \right) \right) + 125\sqrt{3} \left(\sqrt{-i \cos^{-1}(ax)} \Gamma \left(\frac{5}{2}, -3i \cos^{-1}(ax) \right) + \sqrt{i \cos^{-1}(ax)} \Gamma \left(\frac{5}{2}, 3i \cos^{-1}(ax) \right) \right)}{a^5 \sqrt{1-a^2x^2}}$$

360

Warning: Unable to verify antiderivative.

[In] Integrate[x^4*ArcCos[a*x]^(3/2), x]

[Out]
$$\frac{-1/36000*(2250*(\text{Sqrt}[(-I)*\text{ArcCos}[a*x]]*\text{Gamma}[5/2, (-I)*\text{ArcCos}[a*x]] + \text{Sqrt}[I*\text{ArcCos}[a*x]]*\text{Gamma}[5/2, I*\text{ArcCos}[a*x]]) + 125*\text{Sqrt}[3]*(\text{Sqrt}[(-I)*\text{ArcCos}[a*x]]*\text{Gamma}[5/2, (-3*I)*\text{ArcCos}[a*x]] + \text{Sqrt}[I*\text{ArcCos}[a*x]]*\text{Gamma}[5/2, (3*I)*\text{ArcCos}[a*x]]) + 9*\text{Sqrt}[5]*(\text{Sqrt}[(-I)*\text{ArcCos}[a*x]]*\text{Gamma}[5/2, (-5*I)*\text{ArcCos}[a*x]] + \text{Sqrt}[I*\text{ArcCos}[a*x]]*\text{Gamma}[5/2, (5*I)*\text{ArcCos}[a*x]]))}{a^5*\text{Sqrt}[\text{ArcCos}[a*x]]}$$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 0.50, size = 434, normalized size = 1.54

$$\frac{3i\sqrt{\arccos(ax)}e^{5i\arccos(ax)}}{1600a^5} + \frac{\arccos(ax)^{\frac{3}{2}}e^{5i\arccos(ax)}}{160a^5} + \frac{i\sqrt{\arccos(ax)}e^{3i\arccos(ax)}}{64a^5} + \frac{\arccos(ax)^{\frac{3}{2}}e^{3i\arccos(ax)}}{32a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^(3/2),x, algorithm="giac")

[Out] $\frac{3}{1600}i\sqrt{\arccos(ax)}e^{5i\arccos(ax)}/a^5 + \frac{1}{160}\arccos(ax)^{\frac{3}{2}}e^{5i\arccos(ax)}/a^5 + \frac{1}{64}i\sqrt{\arccos(ax)}e^{3i\arccos(ax)}/a^5 + \frac{1}{32}\arccos(ax)^{\frac{3}{2}}e^{3i\arccos(ax)}/a^5 + \frac{3}{32}i\sqrt{\arccos(ax)}e^{i\arccos(ax)}/a^5 + \frac{1}{16}\arccos(ax)^{\frac{3}{2}}e^{i\arccos(ax)}/a^5 - \frac{3}{32}i\sqrt{\arccos(ax)}e^{-i\arccos(ax)}/a^5 + \frac{1}{16}\arccos(ax)^{\frac{3}{2}}e^{-i\arccos(ax)}/a^5 - \frac{1}{64}i\sqrt{\arccos(ax)}e^{-3i\arccos(ax)}/a^5 + \frac{1}{32}\arccos(ax)^{\frac{3}{2}}e^{-3i\arccos(ax)}/a^5 - \frac{3}{1600}i\sqrt{\arccos(ax)}e^{-5i\arccos(ax)}/a^5 + \frac{1}{160}\arccos(ax)^{\frac{3}{2}}e^{-5i\arccos(ax)}/a^5 - \frac{3}{16000}\sqrt{10}\sqrt{\pi}i\operatorname{erf}(-\sqrt{10}i\sqrt{\arccos(ax)})/(i-1)/(a^5*(i-1)) - \frac{1}{384}\sqrt{6}\sqrt{\pi}i\operatorname{erf}(-\sqrt{6}i\sqrt{\arccos(ax)})/(i-1)/(a^5*(i-1)) - \frac{3}{64}\sqrt{2}\sqrt{\pi}i\operatorname{erf}(-\sqrt{2}i\sqrt{\arccos(ax)})/(i-1)/(a^5*(i-1)) + \frac{3}{16000}\sqrt{10}\sqrt{\pi}\operatorname{erf}(\sqrt{10}\sqrt{\arccos(ax)})/(i-1)/(a^5*(i-1)) + \frac{1}{384}\sqrt{6}\sqrt{\pi}\operatorname{erf}(\sqrt{6}\sqrt{\arccos(ax)})/(i-1)/(a^5*(i-1)) + \frac{3}{64}\sqrt{2}\sqrt{\pi}\operatorname{erf}(\sqrt{2}\sqrt{\arccos(ax)})/(i-1)/(a^5*(i-1))$

maple [A] time = 0.29, size = 193, normalized size = 0.68

$$\frac{9S\left(\frac{\sqrt{2}\sqrt{5}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\sqrt{5}\sqrt{2}\sqrt{\pi}\sqrt{\arccos(ax)} + 125S\left(\frac{\sqrt{2}\sqrt{3}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\sqrt{3}\sqrt{2}\sqrt{\pi}\sqrt{\arccos(ax)} + 3000a^5}{1000000a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*arccos(a*x)^(3/2),x)

```
[Out] 1/24000/a^5*(9*FresnelS(2^(1/2)/Pi^(1/2)*5^(1/2)*arccos(a*x)^(1/2))*5^(1/2)
*2^(1/2)*Pi^(1/2)*arccos(a*x)^(1/2)+125*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)*a
rccos(a*x)^(1/2))*3^(1/2)*2^(1/2)*Pi^(1/2)*arccos(a*x)^(1/2)+3000*a*x*arcco
s(a*x)^2+2250*FresnelS(2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))*2^(1/2)*Pi^(1/2)
*arccos(a*x)^(1/2)+300*arccos(a*x)^2*cos(5*arccos(a*x))+1500*arccos(a*x)^2*
cos(3*arccos(a*x))-4500*arccos(a*x)*(-a^2*x^2+1)^(1/2)-750*arccos(a*x)*sin(
3*arccos(a*x))-90*arccos(a*x)*sin(5*arccos(a*x)))/arccos(a*x)^(1/2)
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arccos(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{acos}(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*acos(a*x)^(3/2),x)
```

```
[Out] int(x^4*acos(a*x)^(3/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 \operatorname{acos}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*acos(a*x)**(3/2),x)
```

```
[Out] Integral(x**4*acos(a*x)**(3/2), x)
```


3.81 $\int x^3 \cos^{-1}(ax)^{3/2} dx$

Optimal. Leaf size=157

$$\frac{3\sqrt{\frac{\pi}{2}} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{512a^4} + \frac{3\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{64a^4} - \frac{3\cos^{-1}(ax)^{3/2}}{32a^4} - \frac{3x^3\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}}{32a} - \frac{9x\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}}{64a^3}$$

[Out] $-3/32*\arccos(a*x)^{(3/2)}/a^4+1/4*x^4*\arccos(a*x)^{(3/2)}+3/1024*\text{FresnelS}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4+3/64*\text{FresnelS}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4-9/64*x*(-a^2*x^2+1)^{(1/2)}*\arccos(a*x)^{(1/2)}/a^3-3/32*x^3*(-a^2*x^2+1)^{(1/2)}*\arccos(a*x)^{(1/2)}/a$

Rubi [A] time = 0.37, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 8, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {4630, 4708, 4642, 4636, 4406, 12, 3305, 3351}

$$\frac{3\sqrt{\frac{\pi}{2}} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{512a^4} + \frac{3\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{64a^4} - \frac{3x^3\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}}{32a} - \frac{9x\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}}{64a^3} - \frac{3\cos^{-1}(ax)^{3/2}}{32a^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*\text{ArcCos}[a*x]^{(3/2)}, x]$

[Out] $(-9*x*\text{Sqrt}[1-a^2*x^2]*\text{Sqrt}[\text{ArcCos}[a*x]])/(64*a^3) - (3*x^3*\text{Sqrt}[1-a^2*x^2]*\text{Sqrt}[\text{ArcCos}[a*x]])/(32*a) - (3*\text{ArcCos}[a*x]^{(3/2)})/(32*a^4) + (x^4*\text{ArcCos}[a*x]^{(3/2)})/4 + (3*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(512*a^4) + (3*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(64*a^4)$

Rule 12

$\text{Int}[(a_*)*(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_*)*(v_) /; \text{FreeQ}[b, x]]$

Rule 3305

$\text{Int}[\sin[(e_*) + (f_*)*(x_)]/\text{Sqrt}[(c_*) + (d_*)*(x_)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_*)*((e_*) + (f_*)*(x_))^{(2)}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4630

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(n - 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4642

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4708

```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x^3 \cos^{-1}(ax)^{3/2} dx &= \frac{1}{4}x^4 \cos^{-1}(ax)^{3/2} + \frac{1}{8}(3a) \int \frac{x^4 \sqrt{\cos^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{32a} + \frac{1}{4}x^4 \cos^{-1}(ax)^{3/2} - \frac{3}{64} \int \frac{x^3}{\sqrt{\cos^{-1}(ax)}} dx + \frac{9}{32a} \int \frac{x^2 \sqrt{\cos^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{9x \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{32a} + \frac{1}{4}x^4 \cos^{-1}(ax)^{3/2} + \frac{3}{64} \int \frac{x^2}{\sqrt{\cos^{-1}(ax)}} dx \\
&= -\frac{9x \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{32a} - \frac{3 \cos^{-1}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \cos^{-1}(ax)^{3/2} \\
&= -\frac{9x \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{32a} - \frac{3 \cos^{-1}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \cos^{-1}(ax)^{3/2} \\
&= -\frac{9x \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{32a} - \frac{3 \cos^{-1}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \cos^{-1}(ax)^{3/2} \\
&= -\frac{9x \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{32a} - \frac{3 \cos^{-1}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \cos^{-1}(ax)^{3/2} \\
&= -\frac{9x \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{64a^3} - \frac{3x^3 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{32a} - \frac{3 \cos^{-1}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \cos^{-1}(ax)^{3/2}
\end{aligned}$$

Mathematica [C] time = 0.09, size = 128, normalized size = 0.82

$$\frac{8\sqrt{2} \sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{5}{2}, -2i \cos^{-1}(ax)\right) + 8\sqrt{2} \sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{5}{2}, 2i \cos^{-1}(ax)\right) + \sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{5}{2}, -4i \cos^{-1}(ax)\right) + \sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{5}{2}, 4i \cos^{-1}(ax)\right)}{512a^4 \sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3*ArcCos[a*x]^(3/2), x]

[Out] $-1/512*(8*\text{Sqrt}[2]*\text{Sqrt}[(-1)*\text{ArcCos}[a*x]]*\text{Gamma}[5/2, (-2*I)*\text{ArcCos}[a*x]] + 8*\text{Sqrt}[2]*\text{Sqrt}[I*\text{ArcCos}[a*x]]*\text{Gamma}[5/2, (2*I)*\text{ArcCos}[a*x]] + \text{Sqrt}[(-1)*\text{ArcCos}[a*x]]*\text{Gamma}[5/2, (-4*I)*\text{ArcCos}[a*x]] + \text{Sqrt}[I*\text{ArcCos}[a*x]]*\text{Gamma}[5/2, (4*I)*\text{ArcCos}[a*x]])/(a^4*\text{Sqrt}[\text{ArcCos}[a*x]])$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)

giac [B] time = 0.32, size = 269, normalized size = 1.71

$$\frac{3i\sqrt{\arccos(ax)}e^{4i\arccos(ax)}}{512a^4} + \frac{\arccos(ax)^{\frac{3}{2}}e^{4i\arccos(ax)}}{64a^4} + \frac{3i\sqrt{\arccos(ax)}e^{2i\arccos(ax)}}{64a^4} + \frac{\arccos(ax)^{\frac{3}{2}}e^{2i\arccos(ax)}}{16a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^(3/2),x, algorithm="giac")

[Out] $\frac{3}{512}i\sqrt{\arccos(ax)}e^{4i\arccos(ax)}/a^4 + \frac{1}{64}\arccos(ax)^{3/2}e^{4i\arccos(ax)}/a^4 + \frac{3}{64}i\sqrt{\arccos(ax)}e^{2i\arccos(ax)}/a^4 + \frac{1}{16}\arccos(ax)^{3/2}e^{2i\arccos(ax)}/a^4 - \frac{3}{64}i\sqrt{\arccos(ax)}e^{-2i\arccos(ax)}/a^4 + \frac{1}{16}\arccos(ax)^{3/2}e^{-2i\arccos(ax)}/a^4 - \frac{3}{512}i\sqrt{\arccos(ax)}e^{-4i\arccos(ax)}/a^4 + \frac{1}{64}\arccos(ax)^{3/2}e^{-4i\arccos(ax)}/a^4 - \frac{3}{2048}\sqrt{2}\sqrt{\pi}i\operatorname{erf}(\sqrt{2}(i-1)\sqrt{\arccos(ax)})/(a^4(i-1)) - \frac{3}{128}\sqrt{\pi}i\operatorname{erf}((i-1)\sqrt{\arccos(ax)})/(a^4(i-1)) + \frac{3}{2048}\sqrt{2}\sqrt{\pi}\operatorname{erf}(-\sqrt{2}(i+1)\sqrt{\arccos(ax)})/(a^4(i-1)) + \frac{3}{128}\sqrt{\pi}\operatorname{erf}(-(i+1)\sqrt{\arccos(ax)})/(a^4(i-1))$

maple [A] time = 0.25, size = 121, normalized size = 0.77

$$\frac{3\sqrt{2}\sqrt{\pi}\sqrt{\arccos(ax)}S\left(\frac{2\sqrt{2}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 128\arccos(ax)^2\cos(2\arccos(ax)) + 32\arccos(ax)^2\cos(4\arccos(ax))}{1024a^4\sqrt{\pi}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*arccos(a*x)^(3/2),x)

[Out] $\frac{1}{1024}a^{-4}(3\sqrt{2}\sqrt{\pi}\sqrt{\arccos(ax)}S\left(\frac{2\sqrt{2}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 128\arccos(ax)^2\cos(2\arccos(ax)) + 32\arccos(ax)^2\cos(4\arccos(ax)) + 48\sqrt{\pi}\sqrt{\arccos(ax)}\operatorname{erf}(\sqrt{2}(i-1)\sqrt{\arccos(ax)}) - 96\arccos(ax)\sin(2\arccos(ax)) - 12\arccos(ax)\sin(4\arccos(ax)))/a^4$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arccos(a*x)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
 expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{acos}(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*acos(a*x)^(3/2),x)`

[Out] `int(x^3*acos(a*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{acos}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*acos(a*x)**(3/2),x)`

[Out] `Integral(x**3*acos(a*x)**(3/2), x)`

3.82 $\int x^2 \cos^{-1}(ax)^{3/2} dx$

Optimal. Leaf size=147

$$\frac{3\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^3} + \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{24a^3} - \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{6a} - \frac{\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{3a^3} + \frac{1}{3}x^3 \cos^{-1}(ax)$$

[Out] $1/3*x^3*\arccos(a*x)^{(3/2)}+1/144*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^3+3/16*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})^2*(1/2)*\text{Pi}^{(1/2)}/a^3-1/3*(-a^2*x^2+1)^{(1/2)}*\arccos(a*x)^{(1/2)}/a^3-1/6*x^2*(-a^2*x^2+1)^{(1/2)}*\arccos(a*x)^{(1/2)}/a$

Rubi [A] time = 0.30, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {4630, 4708, 4678, 4624, 3305, 3351, 4636, 4406}

$$\frac{3\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^3} + \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{24a^3} - \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{6a} - \frac{\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{3a^3} + \frac{1}{3}x^3 \cos^{-1}(ax)$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*\text{ArcCos}[a*x]^{(3/2)}, x]$

[Out] $-(\text{Sqrt}[1-a^2*x^2]*\text{Sqrt}[\text{ArcCos}[a*x]])/(3*a^3) - (x^2*\text{Sqrt}[1-a^2*x^2]*\text{Sqrt}[\text{ArcCos}[a*x]])/(6*a) + (x^3*\text{ArcCos}[a*x]^{(3/2)})/3 + (3*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(8*a^3) + (\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(24*a^3)$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f, x\} \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f, x\}$

Rule 4406

$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(p_.)*((c_.) + (d_.)*(x_.))^{(m_.)*\text{Sin}[(a_.) + (b_.)*(x_.)]^{(n_.)}], x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]^{n*}\text{Cos}[a + b*x]^{p}, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[m, 0]$

tQ[p, 0]

Rule 4624

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 4630

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4708

Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_)*((f_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int x^2 \cos^{-1}(ax)^{3/2} dx &= \frac{1}{3}x^3 \cos^{-1}(ax)^{3/2} + \frac{1}{2}a \int \frac{x^3 \sqrt{\cos^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cos^{-1}(ax)^{3/2} - \frac{1}{12} \int \frac{x^2}{\sqrt{\cos^{-1}(ax)}} dx + \frac{\int \frac{x \sqrt{\cos^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx}{3a} \\
&= -\frac{\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cos^{-1}(ax)^{3/2} + \frac{\text{Subst}\left(\int \frac{\cos^2(x)}{\sqrt{1-\cos^2(x)}} dx\right)}{3a} \\
&= -\frac{\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cos^{-1}(ax)^{3/2} + \frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{4\sqrt{1-\cos^2(x)}}\right) dx\right)}{3a} \\
&= -\frac{\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cos^{-1}(ax)^{3/2} + \frac{\text{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx\right)}{3a} \\
&= -\frac{\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cos^{-1}(ax)^{3/2} + \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a^3} \\
&= -\frac{\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{3a^3} - \frac{x^2 \sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{6a} + \frac{1}{3}x^3 \cos^{-1}(ax)^{3/2} + \frac{3\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^3}
\end{aligned}$$

Mathematica [C] time = 0.10, size = 125, normalized size = 0.85

$$\frac{27\sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{5}{2}, -i \cos^{-1}(ax)\right) + 27\sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{5}{2}, i \cos^{-1}(ax)\right) + \sqrt{3} \left(\sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{5}{2}, -3i \cos^{-1}(ax)\right) + \sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{5}{2}, 3i \cos^{-1}(ax)\right)\right)}{216a^3 \sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*ArcCos[a*x]^(3/2),x]

[Out] -1/216*(27*Sqrt[(-I)*ArcCos[a*x]]*Gamma[5/2, (-I)*ArcCos[a*x]] + 27*Sqrt[I*ArcCos[a*x]]*Gamma[5/2, I*ArcCos[a*x]] + Sqrt[3]*(Sqrt[(-I)*ArcCos[a*x]]*Gamma[5/2, (-3*I)*ArcCos[a*x]] + Sqrt[I*ArcCos[a*x]]*Gamma[5/2, (3*I)*ArcCos[a*x]]))/(a^3*Sqrt[ArcCos[a*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 0.31, size = 289, normalized size = 1.97

$$\frac{i\sqrt{\arccos(ax)}e^{3i\arccos(ax)}}{48a^3} + \frac{\arccos(ax)^{\frac{3}{2}}e^{3i\arccos(ax)}}{24a^3} + \frac{3i\sqrt{\arccos(ax)}e^{i\arccos(ax)}}{16a^3} + \frac{\arccos(ax)^{\frac{3}{2}}e^{i\arccos(ax)}}{8a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^(3/2),x, algorithm="giac")

[Out] $\frac{1}{48}i\sqrt{\arccos(ax)}e^{3i\arccos(ax)}/a^3 + \frac{1}{24}\arccos(ax)^{3/2}e^{3i\arccos(ax)}/a^3 + \frac{3}{16}i\sqrt{\arccos(ax)}e^{i\arccos(ax)}/a^3 + \frac{1}{8}\arccos(ax)^{3/2}e^{i\arccos(ax)}/a^3 - \frac{3}{16}i\sqrt{\arccos(ax)}e^{-i\arccos(ax)}/a^3 + \frac{1}{8}\arccos(ax)^{3/2}e^{-i\arccos(ax)}/a^3 - \frac{1}{48}i\sqrt{\arccos(ax)}e^{-3i\arccos(ax)}/a^3 + \frac{1}{24}\arccos(ax)^{3/2}e^{-3i\arccos(ax)}/a^3 - \frac{1}{288}\sqrt{6}\sqrt{\pi}i\operatorname{erf}(-\sqrt{6}\sqrt{\arccos(ax)})/(i-1)/(a^3(i-1)) - \frac{3}{32}\sqrt{2}\sqrt{\pi}i\operatorname{erf}(-\sqrt{2}\sqrt{\arccos(ax)})/(i-1)/(a^3(i-1)) + \frac{1}{288}\sqrt{6}\sqrt{\pi}\operatorname{erf}(\sqrt{6}\sqrt{\arccos(ax)})/(i-1)/(a^3(i-1)) + \frac{3}{32}\sqrt{2}\sqrt{\pi}\operatorname{erf}(\sqrt{2}\sqrt{\arccos(ax)})/(i-1)/(a^3(i-1))$

maple [A] time = 0.24, size = 130, normalized size = 0.88

$$\frac{S\left(\frac{\sqrt{2}\sqrt{3}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\sqrt{3}\sqrt{2}\sqrt{\pi}\sqrt{\arccos(ax)} + 36ax\arccos(ax)^2 + 27S\left(\frac{\sqrt{2}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\sqrt{2}\sqrt{\pi}\sqrt{\arccos(ax)}}{144a^3\sqrt{\arccos(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccos(a*x)^(3/2),x)

[Out] $\frac{1}{144}a^{-3}(\operatorname{FresnelS}(2^{1/2}/\pi^{1/2})3^{1/2}\arccos(ax)^{1/2})3^{1/2}2^{1/2}\pi^{1/2}\arccos(ax)^{1/2} + 36ax\arccos(ax)^2 + 27\operatorname{FresnelS}(2^{1/2}/\pi^{1/2})\arccos(ax)^{1/2}2^{1/2}\pi^{1/2}\arccos(ax)^{1/2} + 12\arccos(ax)^2\cos(3\arccos(ax)) - 54\arccos(ax)(-a^2x^2+1)^{1/2} - 6\arccos(ax)\sin(3\arccos(ax))/\arccos(ax)^{1/2}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
 expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{acos}(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*acos(a*x)^(3/2),x)`

[Out] `int(x^2*acos(a*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{acos}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*acos(a*x)**(3/2),x)`

[Out] `Integral(x**2*acos(a*x)**(3/2), x)`

3.83 $\int x \cos^{-1}(ax)^{3/2} dx$

Optimal. Leaf size=89

$$\frac{3\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{32a^2} - \frac{3x\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}}{8a} - \frac{\cos^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{3/2}$$

[Out] $-1/4*\arccos(a*x)^{(3/2)}/a^2+1/2*x^2*\arccos(a*x)^{(3/2)}+3/32*\text{FresnelS}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^2-3/8*x*(-a^2*x^2+1)^{(1/2)}*\arccos(a*x)^{(1/2)}/a$

Rubi [A] time = 0.18, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$, Rules used = {4630, 4708, 4642, 4636, 4406, 12, 3305, 3351}

$$\frac{3\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{32a^2} - \frac{3x\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}}{8a} - \frac{\cos^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{3/2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*\text{ArcCos}[a*x]^{(3/2)}, x]$

[Out] $(-3*x*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[\text{ArcCos}[a*x]])/(8*a) - \text{ArcCos}[a*x]^{(3/2)}/(4*a^2) + (x^2*\text{ArcCos}[a*x]^{(3/2)})/2 + (3*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(32*a^2)$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{Match}[Q[u, (b_)*(v_)] /; \text{FreeQ}[b, x]]$

Rule 3305

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{(2)}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4630

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*cos[x]^m*sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4642

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4708

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n*((f_.)*(x_)^m)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcCos[c*x])^n/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x \cos^{-1}(ax)^{3/2} dx &= \frac{1}{2}x^2 \cos^{-1}(ax)^{3/2} + \frac{1}{4}(3a) \int \frac{x^2 \sqrt{\cos^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{3x\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{8a} + \frac{1}{2}x^2 \cos^{-1}(ax)^{3/2} - \frac{3}{16} \int \frac{x}{\sqrt{\cos^{-1}(ax)}} dx + \frac{3 \int \frac{\sqrt{\cos^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx}{8a} \\
&= -\frac{3x\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{8a} - \frac{\cos^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{\cos(x) \sin(x)}{\sqrt{x}} dx, x, \frac{\cos^{-1}(ax)}{a}\right)}{16a^2} \\
&= -\frac{3x\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{8a} - \frac{\cos^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{x}} dx, x, \frac{\cos^{-1}(ax)}{a}\right)}{16a^2} \\
&= -\frac{3x\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{8a} - \frac{\cos^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{\sin(2x)}{\sqrt{x}} dx, x, \frac{\cos^{-1}(ax)}{a}\right)}{32a^2} \\
&= -\frac{3x\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{8a} - \frac{\cos^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \sin(2x^2) dx, x, \frac{\cos^{-1}(ax)}{a}\right)}{16a^2} \\
&= -\frac{3x\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}}{8a} - \frac{\cos^{-1}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{3/2} + \frac{3\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{32a^2}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 64, normalized size = 0.72

$$\frac{3\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right) - 2\sqrt{\cos^{-1}(ax)} \left(3 \sin\left(2 \cos^{-1}(ax)\right) - 4 \cos^{-1}(ax) \cos\left(2 \cos^{-1}(ax)\right)\right)}{32a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCos[a*x]^(3/2),x]

[Out] (3*Sqrt[Pi]*FresnelS[(2*Sqrt[ArcCos[a*x]])/Sqrt[Pi]] - 2*Sqrt[ArcCos[a*x]]*(-4*ArcCos[a*x]*Cos[2*ArcCos[a*x]] + 3*Sin[2*ArcCos[a*x]]))/(32*a^2)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 1.12, size = 129, normalized size = 1.45

$$\frac{3i\sqrt{\arccos(ax)}e^{2i\arccos(ax)}}{32a^2} + \frac{\arccos(ax)^{\frac{3}{2}}e^{2i\arccos(ax)}}{8a^2} - \frac{3i\sqrt{\arccos(ax)}e^{-2i\arccos(ax)}}{32a^2} + \frac{\arccos(ax)^{\frac{3}{2}}e^{-2i\arccos(ax)}}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^(3/2),x, algorithm="giac")

[Out] $\frac{3}{32}i\sqrt{\arccos(ax)}e^{2i\arccos(ax)}/a^2 + \frac{1}{8}\arccos(ax)^{3/2}e^{2i\arccos(ax)}/a^2 - \frac{3}{32}i\sqrt{\arccos(ax)}e^{-2i\arccos(ax)}/a^2 + \frac{1}{8}\arccos(ax)^{3/2}e^{-2i\arccos(ax)}/a^2 - \frac{3}{64}\sqrt{\pi}i\operatorname{erf}((i-1)\sqrt{\arccos(ax)})/(a^2(i-1)) + \frac{3}{64}\sqrt{\pi}\operatorname{erf}(-(i+1)\sqrt{\arccos(ax)})/(a^2(i+1))$

maple [A] time = 0.17, size = 64, normalized size = 0.72

$$\frac{8\arccos(ax)^2\cos(2\arccos(ax)) + 3\sqrt{\pi}\sqrt{\arccos(ax)}S\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) - 6\arccos(ax)\sin(2\arccos(ax))}{32a^2\sqrt{\arccos(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccos(a*x)^(3/2),x)

[Out] $\frac{1}{32}a^{-2}(8\arccos(ax)^2\cos(2\arccos(ax)) + 3\pi^{1/2}\arccos(ax)^{1/2}\operatorname{FresnelS}(2\arccos(ax)^{1/2}/\pi^{1/2}) - 6\arccos(ax)\sin(2\arccos(ax)))/\arccos(ax)^{1/2}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \arccos(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*acos(a*x)^(3/2),x)
```

```
[Out] int(x*acos(a*x)^(3/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x \operatorname{acos}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acos(a*x)**(3/2),x)
```

```
[Out] Integral(x*acos(a*x)**(3/2), x)
```

3.84 $\int \cos^{-1}(ax)^{3/2} dx$

Optimal. Leaf size=75

$$-\frac{3\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}}{2a} + \frac{3\sqrt{\frac{\pi}{2}}S\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{2a} + x\cos^{-1}(ax)^{3/2}$$

[Out] $x*\arccos(a*x)^{(3/2)}+3/4*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a-3/2*(-a^2*x^2+1)^{(1/2)}*\arccos(a*x)^{(1/2)}/a$

Rubi [A] time = 0.10, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4620, 4678, 4624, 3305, 3351}

$$-\frac{3\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}}{2a} + \frac{3\sqrt{\frac{\pi}{2}}S\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{2a} + x\cos^{-1}(ax)^{3/2}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^(3/2), x]

[Out] $(-3*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[\text{ArcCos}[a*x]])/(2*a) + x*\text{ArcCos}[a*x]^{(3/2)} + (3*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(2*a)$

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4624

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x]

n}, x]

Rule 4678

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
 \int \cos^{-1}(ax)^{3/2} dx &= x \cos^{-1}(ax)^{3/2} + \frac{1}{2}(3a) \int \frac{x \sqrt{\cos^{-1}(ax)}}{\sqrt{1 - a^2x^2}} dx \\
 &= -\frac{3\sqrt{1 - a^2x^2} \sqrt{\cos^{-1}(ax)}}{2a} + x \cos^{-1}(ax)^{3/2} - \frac{3}{4} \int \frac{1}{\sqrt{\cos^{-1}(ax)}} dx \\
 &= -\frac{3\sqrt{1 - a^2x^2} \sqrt{\cos^{-1}(ax)}}{2a} + x \cos^{-1}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{4a} \\
 &= -\frac{3\sqrt{1 - a^2x^2} \sqrt{\cos^{-1}(ax)}}{2a} + x \cos^{-1}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \sin(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{2a} \\
 &= -\frac{3\sqrt{1 - a^2x^2} \sqrt{\cos^{-1}(ax)}}{2a} + x \cos^{-1}(ax)^{3/2} + \frac{3\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a}
 \end{aligned}$$

Mathematica [C] time = 0.03, size = 66, normalized size = 0.88

$$\frac{\sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{5}{2}, -i \cos^{-1}(ax)\right) + \sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{5}{2}, i \cos^{-1}(ax)\right)}{2a \sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCos[a*x]^(3/2), x]

[Out] -1/2*(Sqrt[(-I)*ArcCos[a*x]]*Gamma[5/2, (-I)*ArcCos[a*x]] + Sqrt[I*ArcCos[a*x]]*Gamma[5/2, I*ArcCos[a*x]])/(a*Sqrt[ArcCos[a*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)

giac [B] time = 0.33, size = 144, normalized size = 1.92

$$\frac{3i\sqrt{\arccos(ax)}e^{i\arccos(ax)}}{4a} + \frac{\arccos(ax)^{\frac{3}{2}}e^{i\arccos(ax)}}{2a} - \frac{3i\sqrt{\arccos(ax)}e^{-i\arccos(ax)}}{4a} + \frac{\arccos(ax)^{\frac{3}{2}}e^{-i\arccos(ax)}}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(3/2),x, algorithm="giac")

[Out] $\frac{3}{4}i\sqrt{\arccos(ax)}e^{i\arccos(ax)}/a + \frac{1}{2}\arccos(ax)^{\frac{3}{2}}e^{i\arccos(ax)}/a - \frac{3}{4}i\sqrt{\arccos(ax)}e^{-i\arccos(ax)}/a + \frac{1}{2}\arccos(ax)^{\frac{3}{2}}e^{-i\arccos(ax)}/a - \frac{3}{8}\sqrt{2}\sqrt{\pi}i\operatorname{erf}(-\sqrt{2}\sqrt{\arccos(ax)})/(i-1)/(a*(i-1)) + \frac{3}{8}\sqrt{2}\sqrt{\pi}\operatorname{erf}(\sqrt{2}\sqrt{\arccos(ax)})/(i-1)/(a*(i-1))$

maple [A] time = 0.13, size = 72, normalized size = 0.96

$$\frac{\sqrt{2} \left(2 \arccos(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} xa - 3\sqrt{2} \sqrt{\arccos(ax)} \sqrt{\pi} \sqrt{-a^2x^2+1} + 3\pi S\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \right)}{4a\sqrt{\pi}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^(3/2),x)

[Out] $\frac{1}{4}a^{-2}{}^{(1/2)}/\pi^{(1/2)}*(2*\arccos(a*x)^{(3/2)}*2^{(1/2)}*\pi^{(1/2)}*x*a-3*2^{(1/2)}*\arccos(a*x)^{(1/2)}*\pi^{(1/2)}*(-a^2*x^2+1)^{(1/2)}+3*\pi*\operatorname{FresnelS}(2^{(1/2)}/\pi^{(1/2)})*\arccos(a*x)^{(1/2)})$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{acos}(ax)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acos(a*x)^(3/2), x)`

[Out] `int(acos(a*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \operatorname{acos}^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acos(a*x)**(3/2), x)`

[Out] `Integral(acos(a*x)**(3/2), x)`

$$3.85 \quad \int \frac{\cos^{-1}(ax)^{3/2}}{x} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{\cos^{-1}(ax)^{3/2}}{x}, x\right)$$

[Out] Unintegrable(arccos(a*x)^(3/2)/x, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\cos^{-1}(ax)^{3/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCos[a*x]^(3/2)/x, x]

[Out] Defer[Int][ArcCos[a*x]^(3/2)/x, x]

Rubi steps

$$\int \frac{\cos^{-1}(ax)^{3/2}}{x} dx = \int \frac{\cos^{-1}(ax)^{3/2}}{x} dx$$

Mathematica [A] time = 0.45, size = 0, normalized size = 0.00

$$\int \frac{\cos^{-1}(ax)^{3/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCos[a*x]^(3/2)/x, x]

[Out] Integrate[ArcCos[a*x]^(3/2)/x, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(3/2)/x, x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(3/2)/x,x, algorithm="giac")

[Out] integrate(arccos(a*x)^(3/2)/x, x)

maple [A] time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^(3/2)/x,x)

[Out] int(arccos(a*x)^(3/2)/x,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(3/2)/x,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\arccos(ax)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^(3/2)/x,x)

[Out] int(arccos(a*x)^(3/2)/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acos}^{\frac{3}{2}}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)**(3/2)/x,x)

[Out] Integral(acos(a*x)**(3/2)/x, x)

3.86 $\int x^4 \cos^{-1}(ax)^{5/2} dx$

Optimal. Leaf size=298

$$\frac{15\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{32a^5} + \frac{\sqrt{\frac{3\pi}{2}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{320a^5} + \frac{\sqrt{\frac{\pi}{6}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{60a^5} + \frac{3\sqrt{\frac{\pi}{10}} C\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{1600a^5}$$

[Out] $1/5*x^5*\arccos(a*x)^{(5/2)}+3/16000*\text{FresnelC}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^5+5/1152*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^5+15/64*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^5-4/15*\arccos(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a^5-2/15*x^2*\arccos(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a^3-1/10*x^4*\arccos(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a^2-5*x*\arccos(a*x)^{(1/2)}/a^4-1/15*x^3*\arccos(a*x)^{(1/2)}/a^2-3/100*x^5*\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.79, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 26, number of rules used = 8, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {4630, 4708, 4678, 4620, 4724, 3304, 3352, 3312}

$$\frac{15\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{32a^5} + \frac{\sqrt{\frac{3\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{320a^5} + \frac{\sqrt{\frac{\pi}{6}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{60a^5} + \frac{3\sqrt{\frac{\pi}{10}} \text{FresnelC}\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{1600a^5}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*\text{ArcCos}[a*x]^{(5/2)}, x]$

[Out] $(-2*x*\text{Sqrt}[\text{ArcCos}[a*x]])/(5*a^4) - (x^3*\text{Sqrt}[\text{ArcCos}[a*x]])/(15*a^2) - (3*x^5*\text{Sqrt}[\text{ArcCos}[a*x]])/100 - (4*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^{(3/2)})/(15*a^5) - (2*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^{(3/2)})/(15*a^3) - (x^4*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^{(3/2)})/(10*a) + (x^5*\text{ArcCos}[a*x]^{(5/2)})/5 + (15*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(32*a^5) + (\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(60*a^5) + (\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(320*a^5) + (3*\text{Sqrt}[\text{Pi}/10]*\text{FresnelC}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(1600*a^5)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3312

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_)}*\sin[(e_.) + (f_.)*(x_.)]^{(n_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /; \text{FreeQ}\{c, d, e, f$

, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3352

Int[Cos[(d_.)*(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4630

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^p*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4708

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_)^m)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 4724

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Inte

rQ[p] || GtQ[d, 0])

Rubi steps

$$\begin{aligned}
 \int x^4 \cos^{-1}(ax)^{5/2} dx &= \frac{1}{5} x^5 \cos^{-1}(ax)^{5/2} + \frac{1}{2} a \int \frac{x^5 \cos^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx \\
 &= -\frac{x^4 \sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{10a} + \frac{1}{5} x^5 \cos^{-1}(ax)^{5/2} - \frac{3}{20} \int x^4 \sqrt{\cos^{-1}(ax)} dx + \frac{2 \int \frac{x^3 \cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{5a} \\
 &= -\frac{3}{100} x^5 \sqrt{\cos^{-1}(ax)} - \frac{2x^2 \sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^3} - \frac{x^4 \sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{10a} + \frac{1}{5} x^5 \cos^{-1}(ax)^{5/2} \\
 &= -\frac{x^3 \sqrt{\cos^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\cos^{-1}(ax)} - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^3} \\
 &= -\frac{2x \sqrt{\cos^{-1}(ax)}}{5a^4} - \frac{x^3 \sqrt{\cos^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\cos^{-1}(ax)} - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^3} \\
 &= -\frac{2x \sqrt{\cos^{-1}(ax)}}{5a^4} - \frac{x^3 \sqrt{\cos^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\cos^{-1}(ax)} - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^3} \\
 &= -\frac{2x \sqrt{\cos^{-1}(ax)}}{5a^4} - \frac{x^3 \sqrt{\cos^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\cos^{-1}(ax)} - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^3} \\
 &= -\frac{2x \sqrt{\cos^{-1}(ax)}}{5a^4} - \frac{x^3 \sqrt{\cos^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\cos^{-1}(ax)} - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^3} \\
 &= -\frac{2x \sqrt{\cos^{-1}(ax)}}{5a^4} - \frac{x^3 \sqrt{\cos^{-1}(ax)}}{15a^2} - \frac{3}{100} x^5 \sqrt{\cos^{-1}(ax)} - \frac{4\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^5} - \frac{2x^2 \sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{15a^3}
 \end{aligned}$$

Mathematica [C] time = 0.23, size = 212, normalized size = 0.71

$$-625\sqrt{3} \left(-i \cos^{-1}(ax)\right)^{3/2} \Gamma\left(\frac{7}{2}, -3i \cos^{-1}(ax)\right) - 27\sqrt{5} \left(-i \cos^{-1}(ax)\right)^{3/2} \Gamma\left(\frac{7}{2}, -5i \cos^{-1}(ax)\right) + 33750\sqrt{\cos^{-1}(ax)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4*ArcCos[a*x]^(5/2), x]

[Out] -1/540000*(33750*Sqrt[I*ArcCos[a*x]]*Sqrt[ArcCos[a*x]^2]*Gamma[7/2, (-I)*ArcCos[a*x]] + 33750*Sqrt[(-I)*ArcCos[a*x]]*Sqrt[ArcCos[a*x]^2]*Gamma[7/2, I*

ArcCos[a*x]] - 625*Sqrt[3]*((-I)*ArcCos[a*x])^(3/2)*Gamma[7/2, (-3*I)*ArcCos[a*x]] - 625*Sqrt[3]*(I*ArcCos[a*x])^(3/2)*Gamma[7/2, (3*I)*ArcCos[a*x]] - 27*Sqrt[5]*((-I)*ArcCos[a*x])^(3/2)*Gamma[7/2, (-5*I)*ArcCos[a*x]] - 27*Sqrt[5]*(I*ArcCos[a*x])^(3/2)*Gamma[7/2, (5*I)*ArcCos[a*x]])/(a^5*ArcCos[a*x]^(3/2))

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 0.35, size = 547, normalized size = 1.84

$$\frac{i \arccos(ax)^{\frac{3}{2}} e^{5i \arccos(ax)}}{320 a^5} + \frac{\arccos(ax)^{\frac{5}{2}} e^{5i \arccos(ax)}}{160 a^5} + \frac{5 i \arccos(ax)^{\frac{3}{2}} e^{3i \arccos(ax)}}{192 a^5} + \frac{\arccos(ax)^{\frac{5}{2}} e^{3i \arccos(ax)}}{32 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccos(a*x)^(5/2),x, algorithm="giac")

[Out] 1/320*i*arccos(a*x)^(3/2)*e^(5*i*arccos(a*x))/a^5 + 1/160*arccos(a*x)^(5/2)*e^(5*i*arccos(a*x))/a^5 + 5/192*i*arccos(a*x)^(3/2)*e^(3*i*arccos(a*x))/a^5 + 1/32*arccos(a*x)^(5/2)*e^(3*i*arccos(a*x))/a^5 + 5/32*i*arccos(a*x)^(3/2)*e^(i*arccos(a*x))/a^5 + 1/16*arccos(a*x)^(5/2)*e^(i*arccos(a*x))/a^5 - 5/32*i*arccos(a*x)^(3/2)*e^(-i*arccos(a*x))/a^5 + 1/16*arccos(a*x)^(5/2)*e^(-i*arccos(a*x))/a^5 - 5/192*i*arccos(a*x)^(3/2)*e^(-3*i*arccos(a*x))/a^5 + 1/32*arccos(a*x)^(5/2)*e^(-3*i*arccos(a*x))/a^5 - 1/320*i*arccos(a*x)^(3/2)*e^(-5*i*arccos(a*x))/a^5 + 1/160*arccos(a*x)^(5/2)*e^(-5*i*arccos(a*x))/a^5 - 3/32000*sqrt(10)*sqrt(pi)*i*erf(sqrt(10)*sqrt(arccos(a*x)))/(i - 1)/(a^5*(i - 1)) - 5/2304*sqrt(6)*sqrt(pi)*i*erf(sqrt(6)*sqrt(arccos(a*x)))/(i - 1)/(a^5*(i - 1)) - 15/128*sqrt(2)*sqrt(pi)*i*erf(sqrt(2)*sqrt(arccos(a*x)))/(i - 1)/(a^5*(i - 1)) - 3/3200*sqrt(arccos(a*x))*e^(5*i*arccos(a*x))/a^5 - 5/384*sqrt(arccos(a*x))*e^(3*i*arccos(a*x))/a^5 - 15/64*sqrt(arccos(a*x))*e^(i*arccos(a*x))/a^5 - 15/64*sqrt(arccos(a*x))*e^(-i*arccos(a*x))/a^5 - 5/384*sqrt(arccos(a*x))*e^(-3*i*arccos(a*x))/a^5 - 3/3200*sqrt(arccos(a*x))*e^(-5*i*arccos(a*x))/a^5 + 3/32000*sqrt(10)*sqrt(pi)*erf(-sqrt(10)*i*sqrt(arccos(a*x)))/(i - 1)/(a^5*(i - 1)) + 5/2304*sqrt(6)*sqrt(pi)*erf(-sqrt(6)*i*sqrt(arccos(a*x)))/(i - 1)/(a^5*(i - 1)) + 15/128*sqrt(2)*sqrt(pi)*erf(-sqrt(2)*i*sqrt(arccos(a*x)))/(i - 1)/(a^5*(i - 1))

maple [A] time = 0.30, size = 233, normalized size = 0.78

$$27\sqrt{5} \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{5} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 18000ax \arccos(ax)^3 + 625\sqrt{3} \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*arccos(a*x)^(5/2),x)`

[Out] $1/144000/a^5*(27*5^{(1/2)}*2^{(1/2)}*\pi^{(1/2)}*\arccos(a*x)^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*5^{(1/2)}*\arccos(a*x)^{(1/2)})+18000*a*x*\arccos(a*x)^3+625*3^{(1/2)}*2^{(1/2)}*\pi^{(1/2)}*\arccos(a*x)^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*3^{(1/2)}*\arccos(a*x)^{(1/2)})+9000*\arccos(a*x)^3*\cos(3*\arccos(a*x))+1800*\arccos(a*x)^3*\cos(5*\arccos(a*x))+33750*2^{(1/2)}*\pi^{(1/2)}*\arccos(a*x)^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*\arccos(a*x)^{(1/2)})-45000*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}-7500*\arccos(a*x)^2*\sin(3*\arccos(a*x))-900*\arccos(a*x)^2*\sin(5*\arccos(a*x))-67500*a*x*\arccos(a*x)-3750*\arccos(a*x)*\cos(3*\arccos(a*x))-270*\arccos(a*x)*\cos(5*\arccos(a*x)))/\arccos(a*x)^{(1/2)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arccos(a*x)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \operatorname{acos}(ax)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*acos(a*x)^(5/2),x)`

[Out] `int(x^4*acos(a*x)^(5/2), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*acos(a*x)**(5/2),x)`

[Out] Timed out

3.87 $\int x^3 \cos^{-1}(ax)^{5/2} dx$

Optimal. Leaf size=205

$$\frac{15\sqrt{\frac{\pi}{2}} C\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4096a^4} + \frac{15\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{256a^4} - \frac{3\cos^{-1}(ax)^{5/2}}{32a^4} + \frac{225\sqrt{\cos^{-1}(ax)}}{2048a^4} - \frac{45x^2\sqrt{\cos^{-1}(ax)}}{256a^2} - \frac{5x^3\sqrt{\cos^{-1}(ax)}}{256a^2}$$

[Out] $-3/32*\arccos(a*x)^{(5/2)}/a^4+1/4*x^4*\arccos(a*x)^{(5/2)}+15/8192*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4+15/256*\text{FresnelC}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4-15/64*x*\arccos(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a^3-5/32*x^3*\arccos(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a+225/2048*\arccos(a*x)^{(1/2)}/a^4-45/256*x^2*\arccos(a*x)^{(1/2)}/a^2-15/256*x^4*\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.59, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {4630, 4708, 4642, 4724, 3312, 3304, 3352}

$$\frac{15\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4096a^4} + \frac{15\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{256a^4} - \frac{5x^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{32a} - \frac{45x^2\sqrt{\cos^{-1}(ax)}}{256a^2}$$

Antiderivative was successfully verified.

[In] Int[x^3*ArcCos[a*x]^(5/2), x]

[Out] $(225*\text{Sqrt}[\text{ArcCos}[a*x]])/(2048*a^4) - (45*x^2*\text{Sqrt}[\text{ArcCos}[a*x]])/(256*a^2) - (15*x^4*\text{Sqrt}[\text{ArcCos}[a*x]])/256 - (15*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^{(3/2)})/(64*a^3) - (5*x^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^{(3/2)})/(32*a) - (3*\text{ArcCos}[a*x]^{(5/2)})/(32*a^4) + (x^4*\text{ArcCos}[a*x]^{(5/2)})/4 + (15*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(4096*a^4) + (15*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(256*a^4)$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3352

Int[Cos[(d_.)*(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4630

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^n*(x_)^m, x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4642

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^n/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4708

Int((((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^n*((f_.)*(x_)^m)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 4724

Int((((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^n*(x_)^m*((d_) + (e_.)*(x_)^2)^p, x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

Rubi steps

$$\begin{aligned}
\int x^3 \cos^{-1}(ax)^{5/2} dx &= \frac{1}{4}x^4 \cos^{-1}(ax)^{5/2} + \frac{1}{8}(5a) \int \frac{x^4 \cos^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{5x^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{32a} + \frac{1}{4}x^4 \cos^{-1}(ax)^{5/2} - \frac{15}{64} \int x^3 \sqrt{\cos^{-1}(ax)} dx + \frac{15}{32a} \int \frac{x^2 \cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{15}{256}x^4 \sqrt{\cos^{-1}(ax)} - \frac{15x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{32a} + \frac{1}{4}x^4 \cos^{-1}(ax)^{5/2} \\
&= -\frac{45x^2\sqrt{\cos^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\cos^{-1}(ax)} - \frac{15x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{32a} \\
&= -\frac{45x^2\sqrt{\cos^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\cos^{-1}(ax)} - \frac{15x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{64a^3} - \frac{5x^3\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{32a} \\
&= \frac{45\sqrt{\cos^{-1}(ax)}}{2048a^4} - \frac{45x^2\sqrt{\cos^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\cos^{-1}(ax)} - \frac{15x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{64a^3} \\
&= \frac{225\sqrt{\cos^{-1}(ax)}}{2048a^4} - \frac{45x^2\sqrt{\cos^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\cos^{-1}(ax)} - \frac{15x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{64a^3} \\
&= \frac{225\sqrt{\cos^{-1}(ax)}}{2048a^4} - \frac{45x^2\sqrt{\cos^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\cos^{-1}(ax)} - \frac{15x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{64a^3} \\
&= \frac{225\sqrt{\cos^{-1}(ax)}}{2048a^4} - \frac{45x^2\sqrt{\cos^{-1}(ax)}}{256a^2} - \frac{15}{256}x^4 \sqrt{\cos^{-1}(ax)} - \frac{15x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{64a^3}
\end{aligned}$$

Mathematica [C] time = 0.15, size = 140, normalized size = 0.68

$$\frac{-16\sqrt{2} \left(-i \cos^{-1}(ax)\right)^{3/2} \Gamma\left(\frac{7}{2}, -2i \cos^{-1}(ax)\right) - 16\sqrt{2} \left(i \cos^{-1}(ax)\right)^{3/2} \Gamma\left(\frac{7}{2}, 2i \cos^{-1}(ax)\right) + \sqrt{\cos^{-1}(ax)^2} \left(\sqrt{i \cos^{-1}(ax)} - \sqrt{-i \cos^{-1}(ax)}\right)}{2048a^4 \cos^{-1}(ax)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3*ArcCos[a*x]^(5/2), x]

[Out] -1/2048*(-16*Sqrt[2]*((-I)*ArcCos[a*x])^(3/2)*Gamma[7/2, (-2*I)*ArcCos[a*x]] - 16*Sqrt[2]*(I*ArcCos[a*x])^(3/2)*Gamma[7/2, (2*I)*ArcCos[a*x]] + Sqrt[ArcCos[a*x]^2]*(Sqrt[I*ArcCos[a*x]]*Gamma[7/2, (-4*I)*ArcCos[a*x]] + Sqrt[(-I)*ArcCos[a*x]]*Gamma[7/2, (4*I)*ArcCos[a*x]]))/(a^4*ArcCos[a*x]^(3/2))

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x³*arccos(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 2.58, size = 345, normalized size = 1.68

$$\frac{5 i \arccos(ax)^{\frac{3}{2}} e^{(4 i \arccos(ax))}}{512 a^4} + \frac{\arccos(ax)^{\frac{5}{2}} e^{(4 i \arccos(ax))}}{64 a^4} + \frac{5 i \arccos(ax)^{\frac{3}{2}} e^{(2 i \arccos(ax))}}{64 a^4} + \frac{\arccos(ax)^{\frac{5}{2}} e^{(2 i \arccos(ax))}}{16 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x³*arccos(a*x)^(5/2),x, algorithm="giac")

[Out] 5/512*i*arccos(a*x)^(3/2)*e^(4*i*arccos(a*x))/a^4 + 1/64*arccos(a*x)^(5/2)*e^(4*i*arccos(a*x))/a^4 + 5/64*i*arccos(a*x)^(3/2)*e^(2*i*arccos(a*x))/a^4 + 1/16*arccos(a*x)^(5/2)*e^(2*i*arccos(a*x))/a^4 - 5/64*i*arccos(a*x)^(3/2)*e^(-2*i*arccos(a*x))/a^4 + 1/16*arccos(a*x)^(5/2)*e^(-2*i*arccos(a*x))/a^4 - 5/512*i*arccos(a*x)^(3/2)*e^(-4*i*arccos(a*x))/a^4 + 1/64*arccos(a*x)^(5/2)*e^(-4*i*arccos(a*x))/a^4 - 15/16384*sqrt(2)*sqrt(pi)*i*erf(-sqrt(2)*(i + 1)*sqrt(arccos(a*x)))/(a^4*(i - 1)) - 15/512*sqrt(pi)*i*erf(-(i + 1)*sqrt(arccos(a*x)))/(a^4*(i - 1)) - 15/4096*sqrt(arccos(a*x))*e^(4*i*arccos(a*x))/a^4 - 15/256*sqrt(arccos(a*x))*e^(2*i*arccos(a*x))/a^4 - 15/256*sqrt(arccos(a*x))*e^(-2*i*arccos(a*x))/a^4 - 15/4096*sqrt(arccos(a*x))*e^(-4*i*arccos(a*x))/a^4 + 15/16384*sqrt(2)*sqrt(pi)*erf(sqrt(2)*(i - 1)*sqrt(arccos(a*x)))/(a^4*(i - 1)) + 15/512*sqrt(pi)*erf((i - 1)*sqrt(arccos(a*x)))/(a^4*(i - 1))

maple [A] time = 0.26, size = 154, normalized size = 0.75

$$1024 \arccos(ax)^{\frac{5}{2}} \sqrt{\pi} \cos(2 \arccos(ax)) + 256 \arccos(ax)^{\frac{5}{2}} \sqrt{\pi} \cos(4 \arccos(ax)) - 1280 \arccos(ax)^{\frac{3}{2}} \sqrt{\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x³*arccos(a*x)^(5/2),x)

[Out] 1/8192/a^4/Pi^(1/2)*(1024*arccos(a*x)^(5/2)*Pi^(1/2)*cos(2*arccos(a*x))+256*arccos(a*x)^(5/2)*Pi^(1/2)*cos(4*arccos(a*x))-1280*arccos(a*x)^(3/2)*Pi^(1

```
/2)*sin(2*arccos(a*x))-160*arccos(a*x)^(3/2)*Pi^(1/2)*sin(4*arccos(a*x))+15
*Pi*2^(1/2)*FresnelC(2*2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))+480*Pi*FresnelC(
2*arccos(a*x)^(1/2)/Pi^(1/2))-960*cos(2*arccos(a*x))*Pi^(1/2)*arccos(a*x)^(
1/2)-60*Pi^(1/2)*arccos(a*x)^(1/2)*cos(4*arccos(a*x)))
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arccos(a*x)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \operatorname{acos}(ax)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*acos(a*x)^(5/2),x)
```

```
[Out] int(x^3*acos(a*x)^(5/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{acos}^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*acos(a*x)**(5/2),x)
```

```
[Out] Integral(x**3*acos(a*x)**(5/2), x)
```


3.88 $\int x^2 \cos^{-1}(ax)^{5/2} dx$

Optimal. Leaf size=178

$$\frac{15\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^3} + \frac{5\sqrt{\frac{\pi}{6}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{144a^3} - \frac{5x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{18a} - \frac{5x\sqrt{\cos^{-1}(ax)}}{6a^2} - \frac{5\sqrt{1-a^2}}{6a^2}$$

[Out] $1/3*x^3*\arccos(a*x)^{(5/2)}+5/864*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^3+15/32*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^3-5/9*\arccos(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a^3-5/18*x^2*\arccos(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a-5/6*x*\arccos(a*x)^{(1/2)}/a^2-5/36*x^3*\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.46, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 8, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {4630, 4708, 4678, 4620, 4724, 3304, 3352, 3312}

$$\frac{15\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^3} + \frac{5\sqrt{\frac{\pi}{6}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{144a^3} - \frac{5x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{18a} - \frac{5\sqrt{1-a^2}}{6a^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*\text{ArcCos}[a*x]^{(5/2)}, x]$

[Out] $(-5*x*\text{Sqrt}[\text{ArcCos}[a*x]])/(6*a^2) - (5*x^3*\text{Sqrt}[\text{ArcCos}[a*x]])/36 - (5*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^{(3/2)})/(9*a^3) - (5*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^{(3/2)})/(18*a) + (x^3*\text{ArcCos}[a*x]^{(5/2)})/3 + (15*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(16*a^3) + (5*\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(144*a^3)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /;$ $\text{FreeQ}\{c, d, e, f\}, x$ && $\text{ComplexFreeQ}[f]$ && $\text{EqQ}[d*e - c*f, 0]$

Rule 3312

$\text{Int}[(c_. + (d_.)*(x_.))^{(m)}*\sin[(e_.) + (f_.)*(x_.)]^{(n)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /;$ $\text{FreeQ}\{c, d, e, f, m\}, x$ && $\text{IGtQ}[n, 1]$ && $(\text{!RationalQ}[m] \mid\mid (\text{GeQ}[m, -1] \&\& \text{LtQ}[m, 1]))$

Rule 3352

Int[Cos[(d_.)*(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4630

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^p*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4708

Int((((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_)^m))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 4724

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

Rubi steps

$$\begin{aligned}
\int x^2 \cos^{-1}(ax)^{5/2} dx &= \frac{1}{3}x^3 \cos^{-1}(ax)^{5/2} + \frac{1}{6}(5a) \int \frac{x^3 \cos^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{5x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{18a} + \frac{1}{3}x^3 \cos^{-1}(ax)^{5/2} - \frac{5}{12} \int x^2 \sqrt{\cos^{-1}(ax)} dx + \frac{5 \int \frac{x \cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{9a} \\
&= -\frac{5}{36}x^3 \sqrt{\cos^{-1}(ax)} - \frac{5\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{18a} + \frac{1}{3}x^3 \cos^{-1}(ax)^{5/2} \\
&= -\frac{5x\sqrt{\cos^{-1}(ax)}}{6a^2} - \frac{5}{36}x^3 \sqrt{\cos^{-1}(ax)} - \frac{5\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{18a} \\
&= -\frac{5x\sqrt{\cos^{-1}(ax)}}{6a^2} - \frac{5}{36}x^3 \sqrt{\cos^{-1}(ax)} - \frac{5\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{18a} \\
&= -\frac{5x\sqrt{\cos^{-1}(ax)}}{6a^2} - \frac{5}{36}x^3 \sqrt{\cos^{-1}(ax)} - \frac{5\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{18a} \\
&= -\frac{5x\sqrt{\cos^{-1}(ax)}}{6a^2} - \frac{5}{36}x^3 \sqrt{\cos^{-1}(ax)} - \frac{5\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{18a} \\
&= -\frac{5x\sqrt{\cos^{-1}(ax)}}{6a^2} - \frac{5}{36}x^3 \sqrt{\cos^{-1}(ax)} - \frac{5\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{18a}
\end{aligned}$$

Mathematica [C] time = 0.13, size = 122, normalized size = 0.69

$$\frac{81i\sqrt{\cos^{-1}(ax)^2} \Gamma\left(\frac{7}{2}, -i \cos^{-1}(ax)\right) + 81 \cos^{-1}(ax) \Gamma\left(\frac{7}{2}, i \cos^{-1}(ax)\right) + \sqrt{3} \left(i\sqrt{\cos^{-1}(ax)^2} \Gamma\left(\frac{7}{2}, -3i \cos^{-1}(ax)\right) \right)}{648a^3 \sqrt{i \cos^{-1}(ax)} \sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*ArcCos[a*x]^(5/2), x]

[Out] -1/648*((81*I)*Sqrt[ArcCos[a*x]^2]*Gamma[7/2, (-I)*ArcCos[a*x]] + 81*ArcCos[a*x]*Gamma[7/2, I*ArcCos[a*x]] + Sqrt[3]*(I*Sqrt[ArcCos[a*x]^2]*Gamma[7/2, (-3*I)*ArcCos[a*x]] + ArcCos[a*x]*Gamma[7/2, (3*I)*ArcCos[a*x]]))/(a^3*Sqrt[I*ArcCos[a*x]]*Sqrt[ArcCos[a*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 2.97, size = 364, normalized size = 2.04

$$\frac{5 i \arccos(ax)^{\frac{3}{2}} e^{(3 i \arccos(ax))}}{144 a^3} + \frac{\arccos(ax)^{\frac{5}{2}} e^{(3 i \arccos(ax))}}{24 a^3} + \frac{5 i \arccos(ax)^{\frac{3}{2}} e^{(i \arccos(ax))}}{16 a^3} + \frac{\arccos(ax)^{\frac{5}{2}} e^{(i \arccos(ax))}}{8 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^(5/2),x, algorithm="giac")

[Out] $5/144*i*\arccos(a*x)^{(3/2)}*e^{(3*i*\arccos(a*x))}/a^3 + 1/24*\arccos(a*x)^{(5/2)}*e^{(3*i*\arccos(a*x))}/a^3 + 5/16*i*\arccos(a*x)^{(3/2)}*e^{(i*\arccos(a*x))}/a^3 + 1/8*\arccos(a*x)^{(5/2)}*e^{(i*\arccos(a*x))}/a^3 - 5/16*i*\arccos(a*x)^{(3/2)}*e^{(-i*\arccos(a*x))}/a^3 + 1/8*\arccos(a*x)^{(5/2)}*e^{(-i*\arccos(a*x))}/a^3 - 5/144*i*\arccos(a*x)^{(3/2)}*e^{(-3*i*\arccos(a*x))}/a^3 + 1/24*\arccos(a*x)^{(5/2)}*e^{(-3*i*\arccos(a*x))}/a^3 - 5/1728*\sqrt{6}*\sqrt{\pi}*i*\operatorname{erf}(\sqrt{6}*\sqrt{\arccos(a*x)})/(i-1)/(a^3*(i-1)) - 15/64*\sqrt{2}*\sqrt{\pi}*i*\operatorname{erf}(\sqrt{2}*\sqrt{\arccos(a*x)})/(i-1)/(a^3*(i-1)) - 5/288*\sqrt{\arccos(a*x)}*e^{(3*i*\arccos(a*x))}/a^3 - 15/32*\sqrt{\arccos(a*x)}*e^{(i*\arccos(a*x))}/a^3 - 15/32*\sqrt{\arccos(a*x)}*e^{(-i*\arccos(a*x))}/a^3 - 5/288*\sqrt{\arccos(a*x)}*e^{(-3*i*\arccos(a*x))}/a^3 + 5/1728*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}(-\sqrt{6}*i*\sqrt{\arccos(a*x)})/(i-1)/(a^3*(i-1)) + 15/64*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-\sqrt{2}*i*\sqrt{\arccos(a*x)})/(i-1)/(a^3*(i-1))$

maple [A] time = 0.24, size = 156, normalized size = 0.88

$$\frac{216ax \arccos(ax)^3 + 5\sqrt{3} \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 72 \arccos(ax)^3 \cos(3 \arccos(ax))}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccos(a*x)^(5/2),x)

[Out] $1/864/a^3*(216*a*x*\arccos(a*x)^3+5*3^{(1/2)}*2^{(1/2)}*\pi^{(1/2)}*\arccos(a*x)^{(1/2)}* \operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*3^{(1/2)}*\arccos(a*x)^{(1/2)})+72*\arccos(a*x)^3*\cos(3*\arccos(a*x))+405*2^{(1/2)}*\pi^{(1/2)}*\arccos(a*x)^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*\arccos(a*x)^{(1/2)})-540*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}-60*\arccos(a*x)^2*\sin(3*\arccos(a*x))-810*a*x*\arccos(a*x)-30*\arccos(a*x)*\cos(3*\arccos(a*x)))/\arccos(a*x)^{(1/2)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arccos(a*x)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \operatorname{acos}(ax)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*acos(a*x)^(5/2),x)`

[Out] `int(x^2*acos(a*x)^(5/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \operatorname{acos}^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*acos(a*x)**(5/2),x)`

[Out] `Integral(x**2*acos(a*x)**(5/2), x)`

3.89 $\int x \cos^{-1}(ax)^{5/2} dx$

Optimal. Leaf size=119

$$\frac{15\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{128a^2} - \frac{5x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{8a} - \frac{\cos^{-1}(ax)^{5/2}}{4a^2} + \frac{15\sqrt{\cos^{-1}(ax)}}{64a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{5/2} - \frac{15}{32}x^2\sqrt{\cos^{-1}(ax)}$$

[Out] $-1/4*\arccos(a*x)^{(5/2)}/a^2+1/2*x^2*\arccos(a*x)^{(5/2)}+15/128*\text{FresnelC}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^2-5/8*x*\arccos(a*x)^{(3/2)}*(-a^2*x^2+1)^{(1/2)}/a+15/64*\arccos(a*x)^{(1/2)}/a^2-15/32*x^2*\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {4630, 4708, 4642, 4724, 3312, 3304, 3352}

$$\frac{15\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{128a^2} - \frac{5x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{8a} - \frac{\cos^{-1}(ax)^{5/2}}{4a^2} + \frac{15\sqrt{\cos^{-1}(ax)}}{64a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{5/2} - \frac{15}{32}x^2\sqrt{\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] `Int[x*ArcCos[a*x]^(5/2), x]`

[Out] $(15*\text{Sqrt}[\text{ArcCos}[a*x]])/(64*a^2) - (15*x^2*\text{Sqrt}[\text{ArcCos}[a*x]])/32 - (5*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^{(3/2)})/(8*a) - \text{ArcCos}[a*x]^{(5/2)}/(4*a^2) + (x^2*\text{ArcCos}[a*x]^{(5/2)})/2 + (15*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/ \text{Sqrt}[\text{Pi}]])/(128*a^2)$

Rule 3304

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3312

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))`

Rule 3352

`Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]/(f*Rt[d, 2])), x] /; FreeQ[{d, e, f}, x]`

Rule 4630

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4642

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4708

```
Int[(((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_)^(m_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned}
\int x \cos^{-1}(ax)^{5/2} dx &= \frac{1}{2}x^2 \cos^{-1}(ax)^{5/2} + \frac{1}{4}(5a) \int \frac{x^2 \cos^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx \\
&= -\frac{5x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{8a} + \frac{1}{2}x^2 \cos^{-1}(ax)^{5/2} - \frac{15}{16} \int x\sqrt{\cos^{-1}(ax)} dx + \frac{5 \int \frac{\cos^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx}{8a} \\
&= -\frac{15}{32}x^2\sqrt{\cos^{-1}(ax)} - \frac{5x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{8a} - \frac{\cos^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{5/2} - \frac{1}{64}(15\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right) - 2\sqrt{\cos^{-1}(ax)}((15-16\cos^{-1}(ax))^2 \cos(2\cos^{-1}(ax)) + 20\cos^{-1}(ax)\sin(2\cos^{-1}(ax)))) \\
&= -\frac{15}{32}x^2\sqrt{\cos^{-1}(ax)} - \frac{5x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{8a} - \frac{\cos^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{5/2} + \frac{15\sqrt{\cos^{-1}(ax)}}{64a^2} \\
&= -\frac{15}{32}x^2\sqrt{\cos^{-1}(ax)} - \frac{5x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{8a} - \frac{\cos^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{5/2} + \frac{15\sqrt{\cos^{-1}(ax)}}{64a^2} \\
&= \frac{15\sqrt{\cos^{-1}(ax)}}{64a^2} - \frac{15}{32}x^2\sqrt{\cos^{-1}(ax)} - \frac{5x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{8a} - \frac{\cos^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{5/2} \\
&= \frac{15\sqrt{\cos^{-1}(ax)}}{64a^2} - \frac{15}{32}x^2\sqrt{\cos^{-1}(ax)} - \frac{5x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{8a} - \frac{\cos^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{5/2} \\
&= \frac{15\sqrt{\cos^{-1}(ax)}}{64a^2} - \frac{15}{32}x^2\sqrt{\cos^{-1}(ax)} - \frac{5x\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{8a} - \frac{\cos^{-1}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2 \cos^{-1}(ax)^{5/2}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 73, normalized size = 0.61

$$\frac{15\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right) - 2\sqrt{\cos^{-1}(ax)} \left((15 - 16\cos^{-1}(ax))^2 \cos(2\cos^{-1}(ax)) + 20\cos^{-1}(ax)\sin(2\cos^{-1}(ax)) \right)}{128a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCos[a*x]^(5/2), x]

[Out] (15*Sqrt[Pi]*FresnelC[(2*Sqrt[ArcCos[a*x]])/Sqrt[Pi]] - 2*Sqrt[ArcCos[a*x]]*((15 - 16*ArcCos[a*x]^2)*Cos[2*ArcCos[a*x]] + 20*ArcCos[a*x]*Sin[2*ArcCos[a*x]]))/(128*a^2)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.25, size = 167, normalized size = 1.40

$$\frac{5 i \arccos(ax)^{\frac{3}{2}} e^{2i \arccos(ax)}}{32 a^2} + \frac{\arccos(ax)^{\frac{5}{2}} e^{2i \arccos(ax)}}{8 a^2} - \frac{5 i \arccos(ax)^{\frac{3}{2}} e^{-2i \arccos(ax)}}{32 a^2} + \frac{\arccos(ax)^{\frac{5}{2}} e^{-2i \arccos(ax)}}{8 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^(5/2),x, algorithm="giac")

[Out] $5/32*i*\arccos(a*x)^{(3/2)}*e^{(2*i*\arccos(a*x))/a^2} + 1/8*\arccos(a*x)^{(5/2)}*e^{(2*i*\arccos(a*x))/a^2} - 5/32*i*\arccos(a*x)^{(3/2)}*e^{(-2*i*\arccos(a*x))/a^2} + 1/8*\arccos(a*x)^{(5/2)}*e^{(-2*i*\arccos(a*x))/a^2} - 15/256*\sqrt{\pi}*i*\operatorname{erf}(-(i+1)*\sqrt{\arccos(a*x)})/(a^2*(i-1)) - 15/128*\sqrt{\arccos(a*x)}*e^{(2*i*\arccos(a*x))/a^2} - 15/128*\sqrt{\arccos(a*x)}*e^{(-2*i*\arccos(a*x))/a^2} + 15/256*\sqrt{\pi}*\operatorname{erf}((i-1)*\sqrt{\arccos(a*x)})/(a^2*(i-1))$

maple [A] time = 0.18, size = 79, normalized size = 0.66

$$\frac{32 \arccos(ax)^{\frac{5}{2}} \sqrt{\pi} \cos(2 \arccos(ax)) - 40 \arccos(ax)^{\frac{3}{2}} \sqrt{\pi} \sin(2 \arccos(ax)) - 30 \cos(2 \arccos(ax)) \sqrt{\pi}}{128 a^2 \sqrt{\pi}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccos(a*x)^(5/2),x)

[Out] $1/128/a^2/\Pi^{(1/2)}*(32*\arccos(a*x)^{(5/2)}*\Pi^{(1/2)}*\cos(2*\arccos(a*x))-40*\arccos(a*x)^{(3/2)}*\Pi^{(1/2)}*\sin(2*\arccos(a*x))-30*\cos(2*\arccos(a*x))*\Pi^{(1/2)}*\arccos(a*x)^{(1/2)}+15*\Pi*\operatorname{FresnelC}(2*\arccos(a*x)^{(1/2)}/\Pi^{(1/2)})$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{acos}(ax)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*acos(a*x)^(5/2),x)
```

```
[Out] int(x*acos(a*x)^(5/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x \operatorname{acos}^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acos(a*x)**(5/2),x)
```

```
[Out] Integral(x*acos(a*x)**(5/2), x)
```

3.90 $\int \cos^{-1}(ax)^{5/2} dx$

Optimal. Leaf size=88

$$-\frac{5\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{2a} + \frac{15\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a} + x \cos^{-1}(ax)^{5/2} - \frac{15}{4} x \sqrt{\cos^{-1}(ax)}$$

[Out] $x \arccos(ax)^{5/2} + 15/8 \text{FresnelC}(2^{1/2}/\pi^{1/2} \arccos(ax)^{1/2}) * 2^{1/2} / \pi^{1/2} / a - 5/2 \arccos(ax)^{3/2} * (-a^2x^2+1)^{1/2} / a - 15/4 x \arccos(ax)^{1/2}$

Rubi [A] time = 0.16, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4620, 4678, 4724, 3304, 3352}

$$-\frac{5\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}}{2a} + \frac{15\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a} + x \cos^{-1}(ax)^{5/2} - \frac{15}{4} x \sqrt{\cos^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^(5/2), x]

[Out] $(-15*x*\text{Sqrt}[\text{ArcCos}[a*x]])/4 - (5*\text{Sqrt}[1 - a^2*x^2]*\text{ArcCos}[a*x]^{3/2})/(2*a) + x*\text{ArcCos}[a*x]^{5/2} + (15*\text{Sqrt}[\pi/2]*\text{FresnelC}[\text{Sqrt}[2/\pi]*\text{Sqrt}[\text{ArcCos}[a*x]])]/(4*a)$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n-1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4678

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned}
 \int \cos^{-1}(ax)^{5/2} dx &= x \cos^{-1}(ax)^{5/2} + \frac{1}{2}(5a) \int \frac{x \cos^{-1}(ax)^{3/2}}{\sqrt{1 - a^2x^2}} dx \\
 &= -\frac{5\sqrt{1 - a^2x^2} \cos^{-1}(ax)^{3/2}}{2a} + x \cos^{-1}(ax)^{5/2} - \frac{15}{4} \int \sqrt{\cos^{-1}(ax)} dx \\
 &= -\frac{15}{4} x \sqrt{\cos^{-1}(ax)} - \frac{5\sqrt{1 - a^2x^2} \cos^{-1}(ax)^{3/2}}{2a} + x \cos^{-1}(ax)^{5/2} - \frac{1}{8}(15a) \int \frac{x}{\sqrt{1 - a^2x^2} \sqrt{\cos^{-1}(ax)}} dx \\
 &= -\frac{15}{4} x \sqrt{\cos^{-1}(ax)} - \frac{5\sqrt{1 - a^2x^2} \cos^{-1}(ax)^{3/2}}{2a} + x \cos^{-1}(ax)^{5/2} + \frac{15 \operatorname{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{8a} \\
 &= -\frac{15}{4} x \sqrt{\cos^{-1}(ax)} - \frac{5\sqrt{1 - a^2x^2} \cos^{-1}(ax)^{3/2}}{2a} + x \cos^{-1}(ax)^{5/2} + \frac{15 \operatorname{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{4a} \\
 &= -\frac{15}{4} x \sqrt{\cos^{-1}(ax)} - \frac{5\sqrt{1 - a^2x^2} \cos^{-1}(ax)^{3/2}}{2a} + x \cos^{-1}(ax)^{5/2} + \frac{15\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a}
 \end{aligned}$$

Mathematica [C] time = 0.04, size = 76, normalized size = 0.86

$$\frac{\sqrt{\cos^{-1}(ax)} \left(\sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{7}{2}, -i \cos^{-1}(ax)\right) + \sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{7}{2}, i \cos^{-1}(ax)\right) \right)}{2a \sqrt{\cos^{-1}(ax)^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCos[a*x]^(5/2),x]

[Out]
$$-1/2*(\text{Sqrt}[\text{ArcCos}[a*x]]*(\text{Sqrt}[I*\text{ArcCos}[a*x]]*\text{Gamma}[7/2, (-I)*\text{ArcCos}[a*x]] + \text{Sqrt}[(-I)*\text{ArcCos}[a*x]]*\text{Gamma}[7/2, I*\text{ArcCos}[a*x]]))/(a*\text{Sqrt}[\text{ArcCos}[a*x]^2])$$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 2.68, size = 181, normalized size = 2.06

$$\frac{5 i \arccos(ax)^{\frac{3}{2}} e^{i \arccos(ax)}}{4 a} + \frac{\arccos(ax)^{\frac{5}{2}} e^{i \arccos(ax)}}{2 a} - \frac{5 i \arccos(ax)^{\frac{3}{2}} e^{-i \arccos(ax)}}{4 a} + \frac{\arccos(ax)^{\frac{5}{2}} e^{-i \arccos(ax)}}{2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(5/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & 5/4*i*\arccos(a*x)^{(3/2)}*e^{(i*\arccos(a*x))}/a + 1/2*\arccos(a*x)^{(5/2)}*e^{(i*\arccos(a*x))}/a \\ & - 5/4*i*\arccos(a*x)^{(3/2)}*e^{(-i*\arccos(a*x))}/a + 1/2*\arccos(a*x)^{(5/2)}*e^{(-i*\arccos(a*x))}/a \\ & - 15/16*\text{sqrt}(2)*\text{sqrt}(\pi)*i*\text{erf}(\text{sqrt}(2)*\text{sqrt}(\arccos(a*x)))/(i-1)/(a*(i-1)) \\ & - 15/8*\text{sqrt}(\arccos(a*x))*e^{(i*\arccos(a*x))}/a - 15/8*\text{sqrt}(\arccos(a*x))*e^{(-i*\arccos(a*x))}/a \\ & + 15/16*\text{sqrt}(2)*\text{sqrt}(\pi)*\text{erf}(-\text{sqrt}(2)*i*\text{sqrt}(\arccos(a*x)))/(i-1)/(a*(i-1)) \end{aligned}$$

maple [A] time = 0.14, size = 88, normalized size = 1.00

$$\frac{\sqrt{2} \left(4 \arccos(ax)^{\frac{5}{2}} \sqrt{2} \sqrt{\pi} xa - 10 \arccos(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} \sqrt{-a^2x^2 + 1} - 15\sqrt{2} \sqrt{\arccos(ax)} \sqrt{\pi} xa + 15\pi \text{FresnelC}\left(\sqrt{2} \sqrt{\pi} \sqrt{-a^2x^2 + 1}\right) \right)}{8a\sqrt{\pi}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^(5/2),x)

[Out]
$$\begin{aligned} & 1/8/a*2^{(1/2)}/\text{Pi}^{(1/2)}*(4*\arccos(a*x)^{(5/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}*x*a-10*\arccos(a*x)^{(3/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}*(-a^2*x^2+1)^{(1/2)}-15*2^{(1/2)}*\arccos(a*x)^{(1/2)}*\text{Pi}^{(1/2)}*x*a+15*\text{Pi}* \text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})) \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccos(a*x)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
 expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \arccos(ax)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acos(a*x)^(5/2),x)`

[Out] `int(acos(a*x)^(5/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \arccos^{\frac{5}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acos(a*x)**(5/2),x)`

[Out] `Integral(acos(a*x)**(5/2), x)`

$$3.91 \quad \int \frac{\cos^{-1}(ax)^{5/2}}{x} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{\cos^{-1}(ax)^{5/2}}{x}, x\right)$$

[Out] Unintegrable(arccos(a*x)^(5/2)/x, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\cos^{-1}(ax)^{5/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCos[a*x]^(5/2)/x, x]

[Out] Defer[Int][ArcCos[a*x]^(5/2)/x, x]

Rubi steps

$$\int \frac{\cos^{-1}(ax)^{5/2}}{x} dx = \int \frac{\cos^{-1}(ax)^{5/2}}{x} dx$$

Mathematica [A] time = 0.46, size = 0, normalized size = 0.00

$$\int \frac{\cos^{-1}(ax)^{5/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCos[a*x]^(5/2)/x, x]

[Out] Integrate[ArcCos[a*x]^(5/2)/x, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(5/2)/x, x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(5/2)/x,x, algorithm="giac")

[Out] integrate(arccos(a*x)^(5/2)/x, x)

maple [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^(5/2)/x,x)

[Out] int(arccos(a*x)^(5/2)/x,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^(5/2)/x,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{\arccos(ax)^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^(5/2)/x,x)

[Out] int(arccos(a*x)^(5/2)/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acos}^{\frac{5}{2}}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)**(5/2)/x,x)

[Out] Integral(acos(a*x)**(5/2)/x, x)

$$3.92 \quad \int \frac{x^4}{\sqrt{\cos^{-1}(ax)}} dx$$

Optimal. Leaf size=106

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^5} - \frac{\sqrt{\frac{\pi}{10}} S\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^5}$$

[Out] $-1/80*\text{FresnelS}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^{5-1}$
 $/8*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^{5-1}/16*\text{F}$
 $\text{resnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^5$

Rubi [A] time = 0.10, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4636, 4406, 3305, 3351}

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^5} - \frac{\sqrt{\frac{\pi}{10}} S\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/Sqrt[ArcCos[a*x]], x]

[Out] $-(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(4*a^5) - (\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(8*a^5) - (\text{Sqrt}[\text{Pi}/10]*\text{FresnelS}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(8*a^5)$

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]]^n*Cos[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^4}{\sqrt{\cos^{-1}(ax)}} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^4(x)\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^5} \\ &= -\frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{8\sqrt{x}} + \frac{3\sin(3x)}{16\sqrt{x}} + \frac{\sin(5x)}{16\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{a^5} \\ &= -\frac{\text{Subst}\left(\int \frac{\sin(5x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{16a^5} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{8a^5} - \frac{3\text{Subst}\left(\int \frac{\sin(3x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{16a^5} \\ &= -\frac{\text{Subst}\left(\int \sin(5x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{8a^5} - \frac{\text{Subst}\left(\int \sin(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{4a^5} - \frac{3\text{Subst}\left(\int \sin(3x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{16a^5} \\ &= -\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{3\pi}{2}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^5} - \frac{\sqrt{\frac{\pi}{10}} S\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^5} \end{aligned}$$

Mathematica [C] time = 0.12, size = 192, normalized size = 1.81

$$\frac{-10\sqrt{-i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, -i\cos^{-1}(ax)\right) - 10\sqrt{i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, i\cos^{-1}(ax)\right) - 5\sqrt{3}\sqrt{-i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, -3i\cos^{-1}(ax)\right) - 5\sqrt{3}\sqrt{i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, 3i\cos^{-1}(ax)\right)}{16a^5}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4/Sqrt[ArcCos[a*x]], x]

[Out]
$$\frac{-1/160*(-10*\text{Sqrt}[(-1)*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (-1)*\text{ArcCos}[a*x]] - 10*\text{Sqrt}[1*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, 1*\text{ArcCos}[a*x]] - 5*\text{Sqrt}[3]*\text{Sqrt}[(-1)*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (-3*I)*\text{ArcCos}[a*x]] - 5*\text{Sqrt}[3]*\text{Sqrt}[1*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (3*I)*\text{ArcCos}[a*x]] - \text{Sqrt}[5]*\text{Sqrt}[(-1)*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (-5*I)*\text{ArcCos}[a*x]] - \text{Sqrt}[5]*\text{Sqrt}[1*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (5*I)*\text{ArcCos}[a*x]])}{(a^5*\text{Sqrt}[\text{ArcCos}[a*x]])}$$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)

giac [B] time = 0.38, size = 202, normalized size = 1.91

$$\frac{\sqrt{10} \sqrt{\pi} i \operatorname{erf}\left(-\frac{\sqrt{10} i \sqrt{\arccos(ax)}}{i-1}\right)}{160 a^5 (i-1)} + \frac{\sqrt{6} \sqrt{\pi} i \operatorname{erf}\left(-\frac{\sqrt{6} i \sqrt{\arccos(ax)}}{i-1}\right)}{32 a^5 (i-1)} + \frac{\sqrt{2} \sqrt{\pi} i \operatorname{erf}\left(-\frac{\sqrt{2} i \sqrt{\arccos(ax)}}{i-1}\right)}{16 a^5 (i-1)} - \frac{\sqrt{10} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{10} \sqrt{\arccos(ax)}}{i-1}\right)}{160 a^5 (i-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(1/2),x, algorithm="giac")

[Out] 1/160*sqrt(10)*sqrt(pi)*i*erf(-sqrt(10)*i*sqrt(arccos(a*x))/(i - 1))/(a^5*(i - 1)) + 1/32*sqrt(6)*sqrt(pi)*i*erf(-sqrt(6)*i*sqrt(arccos(a*x))/(i - 1))/(a^5*(i - 1)) + 1/16*sqrt(2)*sqrt(pi)*i*erf(-sqrt(2)*i*sqrt(arccos(a*x))/(i - 1))/(a^5*(i - 1)) - 1/160*sqrt(10)*sqrt(pi)*erf(sqrt(10)*sqrt(arccos(a*x))/(i - 1))/(a^5*(i - 1)) - 1/32*sqrt(6)*sqrt(pi)*erf(sqrt(6)*sqrt(arccos(a*x))/(i - 1))/(a^5*(i - 1)) - 1/16*sqrt(2)*sqrt(pi)*erf(sqrt(2)*sqrt(arccos(a*x))/(i - 1))/(a^5*(i - 1))

maple [A] time = 0.20, size = 72, normalized size = 0.68

$$\frac{\sqrt{2} \sqrt{\pi} \left(5\sqrt{3} S\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + \sqrt{5} S\left(\frac{\sqrt{2} \sqrt{5} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 10 S\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \right)}{80a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccos(a*x)^(1/2),x)

[Out] -1/80/a^5*2^(1/2)*Pi^(1/2)*(5*3^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)*arccos(a*x)^(1/2))+5^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*5^(1/2)*arccos(a*x)^(1/2))+10*FresnelS(2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\sqrt{\cos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acos(a*x)^(1/2),x)

[Out] int(x^4/acos(a*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{\cos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4/acos(a*x)**(1/2),x)

[Out] Integral(x**4/sqrt(acos(a*x)), x)

$$3.93 \quad \int \frac{x^3}{\sqrt{\cos^{-1}(ax)}} dx$$

Optimal. Leaf size=65

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^4} - \frac{\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{4a^4}$$

[Out] $-1/16*\text{FresnelS}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4-1/4*\text{FresnelS}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4$

Rubi [A] time = 0.08, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4636, 4406, 3305, 3351}

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^4} - \frac{\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{4a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/Sqrt[ArcCos[a*x]],x]

[Out] $-(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(8*a^4) - (\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(4*a^4)$

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]]^n*Cos[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> -Dist[
(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]
], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\sqrt{\cos^{-1}(ax)}} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^3(x)\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^4} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{\sin(2x)}{4\sqrt{x}} + \frac{\sin(4x)}{8\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{a^4} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(4x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{8a^4} - \frac{\text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{4a^4} \\
&= -\frac{\text{Subst}\left(\int \sin(4x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{4a^4} - \frac{\text{Subst}\left(\int \sin(2x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{2a^4} \\
&= -\frac{\sqrt{\frac{\pi}{2}} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^4} - \frac{\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{4a^4}
\end{aligned}$$

Mathematica [C] time = 0.09, size = 130, normalized size = 2.00

$$\frac{-2\sqrt{2}\sqrt{-i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, -2i\cos^{-1}(ax)\right) - 2\sqrt{2}\sqrt{i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, 2i\cos^{-1}(ax)\right) - \sqrt{-i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, -4i\cos^{-1}(ax)\right) - \sqrt{i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, 4i\cos^{-1}(ax)\right)}{32a^4\sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x^3/Sqrt[ArcCos[a*x]], x]
```

```
[Out] -1/32*(-2*Sqrt[2]*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-2*I)*ArcCos[a*x]] - 2
*Sqrt[2]*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (2*I)*ArcCos[a*x]] - Sqrt[(-I)*ArcC
os[a*x]]*Gamma[1/2, (-4*I)*ArcCos[a*x]] - Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (4
*I)*ArcCos[a*x]])/(a^4*Sqrt[ArcCos[a*x]])
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arccos(a*x)^(1/2), x, algorithm="fricas")
```

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 3.60, size = 113, normalized size = 1.74

$$\frac{\sqrt{2}\sqrt{\pi}i\operatorname{erf}\left(\sqrt{2}(i-1)\sqrt{\arccos(ax)}\right)}{32a^4(i-1)} + \frac{\sqrt{\pi}i\operatorname{erf}\left((i-1)\sqrt{\arccos(ax)}\right)}{8a^4(i-1)} - \frac{\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(-\sqrt{2}(i+1)\sqrt{\arccos(ax)}\right)}{32a^4(i-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^(1/2),x, algorithm="giac")

[Out] 1/32*sqrt(2)*sqrt(pi)*i*erf(sqrt(2)*(i-1)*sqrt(arccos(a*x)))/(a^4*(i-1)) + 1/8*sqrt(pi)*i*erf((i-1)*sqrt(arccos(a*x)))/(a^4*(i-1)) - 1/32*sqrt(2)*sqrt(pi)*erf(-sqrt(2)*(i+1)*sqrt(arccos(a*x)))/(a^4*(i-1)) - 1/8*sqrt(pi)*erf(-(i+1)*sqrt(arccos(a*x)))/(a^4*(i-1))

maple [A] time = 0.19, size = 43, normalized size = 0.66

$$\frac{\sqrt{\pi}\left(\sqrt{2}S\left(\frac{2\sqrt{2}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 4S\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\right)}{16a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccos(a*x)^(1/2),x)

[Out] -1/16/a^4*Pi^(1/2)*(2^(1/2)*FresnelS(2*2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))+4*FresnelS(2*arccos(a*x)^(1/2)/Pi^(1/2)))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^3}{\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(x^3/acos(a*x)^(1/2),x)
```

```
[Out] int(x^3/acos(a*x)^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{\cos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3/acos(a*x)**(1/2),x)
```

```
[Out] Integral(x**3/sqrt(acos(a*x)), x)
```

$$3.94 \quad \int \frac{x^2}{\sqrt{\cos^{-1}(ax)}} dx$$

Optimal. Leaf size=71

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^3} - \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^3}$$

[Out] $-1/12*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^{3-1/4}$
 $*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^3$

Rubi [A] time = 0.08, antiderivative size = 71, normalized size of antiderivative = 1.00,
 number of steps used = 7, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} =$
 0.333, Rules used = {4636, 4406, 3305, 3351}

$$-\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^3} - \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^3}$$

Antiderivative was successfully verified.

[In] `Int[x^2/Sqrt[ArcCos[a*x]],x]`

[Out] $-(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(2*a^3) - (\text{Sqrt}[\text{Pi}/6]*$
 $\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(2*a^3)$

Rule 3305

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d`
`, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}`
`, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3351

`Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne`
`lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rule 4406

`Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b`
`_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x`
`]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG`
`tQ[p, 0]`

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := -Dist[
(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]
], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2}{\sqrt{\cos^{-1}(ax)}} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^2(x)\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^3} \\ &= -\frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{4\sqrt{x}} + \frac{\sin(3x)}{4\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{a^3} \\ &= -\frac{\text{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{4a^3} - \frac{\text{Subst}\left(\int \frac{\sin(3x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{4a^3} \\ &= -\frac{\text{Subst}\left(\int \sin(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{2a^3} - \frac{\text{Subst}\left(\int \sin(3x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{2a^3} \\ &= -\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^3} - \frac{\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^3} \end{aligned}$$

Mathematica [C] time = 0.10, size = 126, normalized size = 1.77

$$\frac{-3\sqrt{-i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, -i\cos^{-1}(ax)\right) - 3\sqrt{i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, i\cos^{-1}(ax)\right) - \sqrt{3}\left(\sqrt{-i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, -3i\cos^{-1}(ax)\right) + \sqrt{i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, 3i\cos^{-1}(ax)\right)\right)}{24a^3\sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x^2/Sqrt[ArcCos[a*x]], x]
```

```
[Out] -1/24*(-3*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-I)*ArcCos[a*x]] - 3*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, I*ArcCos[a*x]] - Sqrt[3]*(Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-3*I)*ArcCos[a*x]] + Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (3*I)*ArcCos[a*x]]))/ (a^3*Sqrt[ArcCos[a*x]])
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arccos(a*x)^(1/2), x, algorithm="fricas")
```

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

giac [B] time = 0.34, size = 135, normalized size = 1.90

$$\frac{\sqrt{6}\sqrt{\pi}i\operatorname{erf}\left(-\frac{\sqrt{6}i\sqrt{\arccos(ax)}}{i-1}\right)}{24a^3(i-1)} + \frac{\sqrt{2}\sqrt{\pi}i\operatorname{erf}\left(-\frac{\sqrt{2}i\sqrt{\arccos(ax)}}{i-1}\right)}{8a^3(i-1)} - \frac{\sqrt{6}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{6}\sqrt{\arccos(ax)}}{i-1}\right)}{24a^3(i-1)} - \frac{\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{\arccos(ax)}}{i-1}\right)}{8a^3(i-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(1/2),x, algorithm="giac")

[Out] 1/24*sqrt(6)*sqrt(pi)*i*erf(-sqrt(6)*i*sqrt(arccos(a*x))/(i-1))/(a^3*(i-1)) + 1/8*sqrt(2)*sqrt(pi)*i*erf(-sqrt(2)*i*sqrt(arccos(a*x))/(i-1))/(a^3*(i-1)) - 1/24*sqrt(6)*sqrt(pi)*erf(sqrt(6)*sqrt(arccos(a*x))/(i-1))/(a^3*(i-1)) - 1/8*sqrt(2)*sqrt(pi)*erf(sqrt(2)*sqrt(arccos(a*x))/(i-1))/(a^3*(i-1))

maple [A] time = 0.17, size = 50, normalized size = 0.70

$$-\frac{\sqrt{2}\sqrt{\pi}\left(\sqrt{3}S\left(\frac{\sqrt{2}\sqrt{3}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)+3S\left(\frac{\sqrt{2}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\right)}{12a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccos(a*x)^(1/2),x)

[Out] -1/12/a^3*2^(1/2)*Pi^(1/2)*(3^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)*arccos(a*x)^(1/2))+3*FresnelS(2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/acos(a*x)^(1/2),x)
```

```
[Out] int(x^2/acos(a*x)^(1/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^2}{\sqrt{\cos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/acos(a*x)**(1/2),x)
```

```
[Out] Integral(x**2/sqrt(acos(a*x)), x)
```

$$3.95 \quad \int \frac{x}{\sqrt{\cos^{-1}(ax)}} dx$$

Optimal. Leaf size=28

$$-\frac{\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a^2}$$

[Out] $-1/2*\text{FresnelS}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^2$

Rubi [A] time = 0.04, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4636, 4406, 12, 3305, 3351}

$$-\frac{\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[x/Sqrt[ArcCos[a*x]], x]

[Out] $-(\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(2*a^2)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]]^n * Cos[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> -Dist[
(c^(m + 1))^( -1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]
], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x}{\sqrt{\cos^{-1}(ax)}} dx &= -\frac{\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^2} \\ &= -\frac{\text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^2} \\ &= -\frac{\text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{2a^2} \\ &= -\frac{\text{Subst}\left(\int \sin(2x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{a^2} \\ &= -\frac{\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a^2} \end{aligned}$$

Mathematica [A] time = 0.03, size = 28, normalized size = 1.00

$$-\frac{\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/Sqrt[ArcCos[a*x]], x]
```

```
[Out] -1/2*(Sqrt[Pi]*FresnelS[(2*Sqrt[ArcCos[a*x]])/Sqrt[Pi]])/a^2
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/arccos(a*x)^(1/2), x, algorithm="fricas")
```

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 2.59, size = 51, normalized size = 1.82

$$\frac{\sqrt{\pi} i \operatorname{erf}\left((i-1)\sqrt{\arccos(ax)}\right)}{4a^2(i-1)} - \frac{\sqrt{\pi} \operatorname{erf}\left(-(i+1)\sqrt{\arccos(ax)}\right)}{4a^2(i-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(1/2),x, algorithm="giac")

[Out] 1/4*sqrt(pi)*i*erf((i-1)*sqrt(arccos(a*x)))/(a^2*(i-1)) - 1/4*sqrt(pi)*erf(-(i+1)*sqrt(arccos(a*x)))/(a^2*(i-1))

maple [A] time = 0.12, size = 21, normalized size = 0.75

$$-\frac{S\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\sqrt{\pi}}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccos(a*x)^(1/2),x)

[Out] -1/2*FresnelS(2*arccos(a*x)^(1/2)/Pi^(1/2))*Pi^(1/2)/a^2

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x}{\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acos(a*x)^(1/2),x)

[Out] int(x/acos(a*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{\cos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/acos(a*x)**(1/2), x)

[Out] Integral(x/sqrt(acos(a*x)), x)

$$3.96 \quad \int \frac{1}{\sqrt{\cos^{-1}(ax)}} dx$$

Optimal. Leaf size=31

$$-\frac{\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a}$$

[Out] -FresnelS(2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))*2^(1/2)*Pi^(1/2)/a

Rubi [A] time = 0.02, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4624, 3305, 3351}

$$-\frac{\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[ArcCos[a*x]],x]

[Out] -((Sqrt[2*Pi]*FresnelS[Sqrt[2/Pi]*Sqrt[ArcCos[a*x]]])/a)

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_)^2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4624

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^n_, x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rubi steps

$$\int \frac{1}{\sqrt{\cos^{-1}(ax)}} dx = -\frac{\text{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a}$$

$$= -\frac{2 \text{Subst}\left(\int \sin(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{a}$$

$$= -\frac{\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a}$$

Mathematica [C] time = 0.03, size = 68, normalized size = 2.19

$$-\frac{-\sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{1}{2}, -i \cos^{-1}(ax)\right) - \sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{1}{2}, i \cos^{-1}(ax)\right)}{2a\sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/Sqrt[ArcCos[a*x]], x]

[Out] $-1/2*(-(\text{Sqrt}[(-I)*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (-I)*\text{ArcCos}[a*x]]) - \text{Sqrt}[I*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, I*\text{ArcCos}[a*x]])/(a*\text{Sqrt}[\text{ArcCos}[a*x]])$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 3.16, size = 68, normalized size = 2.19

$$\frac{\sqrt{2} \sqrt{\pi} i \operatorname{erf}\left(-\frac{\sqrt{2} i \sqrt{\arccos(ax)}}{i-1}\right)}{2a(i-1)} - \frac{\sqrt{2} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{i-1}\right)}{2a(i-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^(1/2), x, algorithm="giac")

[Out] $\frac{1}{2}\sqrt{2}\sqrt{\pi}i\operatorname{erf}\left(\frac{-\sqrt{2}\sqrt{\arccos(ax)}}{i-1}\right)/(a(i-1)) - \frac{1}{2}\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{\arccos(ax)}}{i-1}\right)/(a(i-1))$

maple [A] time = 0.06, size = 26, normalized size = 0.84

$$\frac{S\left(\frac{\sqrt{2}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\sqrt{2}\sqrt{\pi}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/arccos(a*x)^(1/2), x)`

[Out] `-FresnelS(2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))*2^(1/2)*Pi^(1/2)/a`

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arccos(a*x)^(1/2), x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mapad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/acos(a*x)^(1/2), x)`

[Out] `int(1/acos(a*x)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/acos(a*x)**(1/2), x)`

[Out] `Integral(1/sqrt(acos(a*x)), x)`

$$3.97 \quad \int \frac{1}{x \sqrt{\cos^{-1}(ax)}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \sqrt{\cos^{-1}(ax)}}, x\right)$$

[Out] Unintegrable(1/x/arccos(a*x)^(1/2), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \sqrt{\cos^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*Sqrt[ArcCos[a*x]]), x]

[Out] Defer[Int][1/(x*Sqrt[ArcCos[a*x]]), x]

Rubi steps

$$\int \frac{1}{x \sqrt{\cos^{-1}(ax)}} dx = \int \frac{1}{x \sqrt{\cos^{-1}(ax)}} dx$$

Mathematica [A] time = 0.35, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{\cos^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*Sqrt[ArcCos[a*x]]), x]

[Out] Integrate[1/(x*Sqrt[ArcCos[a*x]]), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(1/2),x, algorithm="giac")

[Out] integrate(1/(x*sqrt(arccos(a*x))), x)

maple [A] time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccos(a*x)^(1/2),x)

[Out] int(1/x/arccos(a*x)^(1/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*acos(a*x)^(1/2)),x)

[Out] int(1/(x*acos(a*x)^(1/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\cos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/acos(a*x)**(1/2), x)
```

```
[Out] Integral(1/(x*sqrt(acos(a*x))), x)
```

$$3.98 \quad \int \frac{1}{x^2 \sqrt{\cos^{-1}(ax)}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x^2 \sqrt{\cos^{-1}(ax)}}, x\right)$$

[Out] Unintegrable(1/x^2/arccos(a*x)^(1/2), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \sqrt{\cos^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*Sqrt[ArcCos[a*x]]), x]

[Out] Defer[Int][1/(x^2*Sqrt[ArcCos[a*x]]), x]

Rubi steps

$$\int \frac{1}{x^2 \sqrt{\cos^{-1}(ax)}} dx = \int \frac{1}{x^2 \sqrt{\cos^{-1}(ax)}} dx$$

Mathematica [A] time = 3.98, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\cos^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*Sqrt[ArcCos[a*x]]), x]

[Out] Integrate[1/(x^2*Sqrt[ArcCos[a*x]]), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^(1/2),x, algorithm="giac")

[Out] integrate(1/(x^2*sqrt(arccos(a*x))), x)

maple [A] time = 0.48, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arccos(a*x)^(1/2),x)

[Out] int(1/x^2/arccos(a*x)^(1/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x^2 \sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*acos(a*x)^(1/2)),x)

[Out] int(1/(x^2*acos(a*x)^(1/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{\cos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/acos(a*x)**(1/2), x)
```

```
[Out] Integral(1/(x**2*sqrt(acos(a*x))), x)
```

$$3.99 \quad \int \frac{x^6}{\cos^{-1}(ax)^{3/2}} dx$$

Optimal. Leaf size=171

$$\frac{5\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^7} - \frac{9\sqrt{\frac{3\pi}{2}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^7} - \frac{5\sqrt{\frac{5\pi}{2}} C\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^7} - \frac{\sqrt{\frac{7\pi}{2}} C\left(\sqrt{\frac{14}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^7}$$

[Out] $-5/32*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^{7-9/3}$
 $2*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^{7-5/32}*\text{Fr}$
 $\text{esnelC}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^{7-1/32}*\text{Fres}$
 $\text{nelC}(14^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*14^{(1/2)}*\text{Pi}^{(1/2)}/a^{7+2*x^6*(-a^2$
 $*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4632, 3304, 3352}

$$\frac{5\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^7} - \frac{9\sqrt{\frac{3\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^7} - \frac{5\sqrt{\frac{5\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^7}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^6/\text{ArcCos}[a*x]^{(3/2)}, x]$

[Out] $(2*x^6*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcCos}[a*x]]) - (5*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]])/(16*a^7) - (9*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]])/(16*a^7) - (5*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]])/(16*a^7) - (\text{Sqrt}[(7*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[14/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]])/(16*a^7)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] := \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 4632

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dis
t[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Co
s[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{
a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{x^6}{\cos^{-1}(ax)^{3/2}} dx &= \frac{2x^6\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} + \frac{2 \operatorname{Subst}\left(\int \left(-\frac{5\cos(x)}{64\sqrt{x}} - \frac{27\cos(3x)}{64\sqrt{x}} - \frac{25\cos(5x)}{64\sqrt{x}} - \frac{7\cos(7x)}{64\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{a^7} \\ &= \frac{2x^6\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{5 \operatorname{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{32a^7} - \frac{7 \operatorname{Subst}\left(\int \frac{\cos(7x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{32a^7} \\ &= \frac{2x^6\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{5 \operatorname{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{16a^7} - \frac{7 \operatorname{Subst}\left(\int \cos(7x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{16a^7} \\ &= \frac{2x^6\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{5\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^7} - \frac{9\sqrt{\frac{3\pi}{2}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^7} - \frac{5\sqrt{\frac{5\pi}{2}} C\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{16a^7} \end{aligned}$$

Mathematica [C] time = 0.35, size = 306, normalized size = 1.79

$$i\left(-10i\sqrt{1-a^2x^2} - 18i \sin\left(3 \cos^{-1}(ax)\right) - 10i \sin\left(5 \cos^{-1}(ax)\right) - 2i \sin\left(7 \cos^{-1}(ax)\right) + 5\sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{1}{2}, -i \cos^{-1}(ax)\right)\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x^6/ArcCos[a*x]^(3/2), x]
```

```
[Out] ((I/64)*((-10*I)*Sqrt[1 - a^2*x^2] + 5*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-
I)*ArcCos[a*x]] - 5*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, I*ArcCos[a*x]] + 9*Sqrt[
3]*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-3*I)*ArcCos[a*x]] - 9*Sqrt[3]*Sqrt[I
*ArcCos[a*x]]*Gamma[1/2, (3*I)*ArcCos[a*x]] + 5*Sqrt[5]*Sqrt[(-I)*ArcCos[a*
x]]*Gamma[1/2, (-5*I)*ArcCos[a*x]] - 5*Sqrt[5]*Sqrt[I*ArcCos[a*x]]*Gamma[1/
2, (5*I)*ArcCos[a*x]] + Sqrt[7]*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-7*I)*Ar
cCos[a*x]] - Sqrt[7]*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (7*I)*ArcCos[a*x]] - (1
8*I)*Sin[3*ArcCos[a*x]] - (10*I)*Sin[5*ArcCos[a*x]] - (2*I)*Sin[7*ArcCos[a*
x]]))/ (a^7*Sqrt[ArcCos[a*x]])
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arccos(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{\arccos(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arccos(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^6/arccos(a*x)^(3/2), x)

maple [A] time = 0.33, size = 182, normalized size = 1.06

$$\frac{-\sqrt{2} \sqrt{\pi} \sqrt{7} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{7} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \sqrt{\arccos(ax)} - 5\sqrt{5} \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{5} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/arccos(a*x)^(3/2),x)

[Out] 1/32/a^7/arccos(a*x)^(1/2)*(-2^(1/2)*Pi^(1/2)*7^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)*7^(1/2)*arccos(a*x)^(1/2))*arccos(a*x)^(1/2)-5*5^(1/2)*2^(1/2)*Pi^(1/2)*arccos(a*x)^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)*5^(1/2)*arccos(a*x)^(1/2))-9*3^(1/2)*2^(1/2)*Pi^(1/2)*arccos(a*x)^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)*arccos(a*x)^(1/2))-5*2^(1/2)*Pi^(1/2)*arccos(a*x)^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))+5*(-a^2*x^2+1)^(1/2)+sin(7*arccos(a*x))+9*sin(3*arccos(a*x))+5*sin(5*arccos(a*x)))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^6}{\operatorname{acos}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6/acos(a*x)^(3/2),x)`

[Out] `int(x^6/acos(a*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{\operatorname{acos}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**6/acos(a*x)**(3/2),x)`

[Out] `Integral(x**6/acos(a*x)**(3/2), x)`

$$3.100 \quad \int \frac{x^5}{\cos^{-1}(ax)^{3/2}} dx$$

Optimal. Leaf size=127

$$\frac{\sqrt{\frac{\pi}{2}} C\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^6} - \frac{\sqrt{3\pi} C\left(2\sqrt{\frac{3}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^6} - \frac{5\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a^6} + \frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}}$$

[Out] $-1/2*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^6-5/8*\text{FresnelC}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^6-1/8*\text{FresnelC}(2*3^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*3^{(1/2)}*\text{Pi}^{(1/2)}/a^6+2*x^5*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4632, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^6} - \frac{\sqrt{3\pi} \text{FresnelC}\left(2\sqrt{\frac{3}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^6} - \frac{5\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a^6} + \frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Int[x^5/ArcCos[a*x]^(3/2), x]

[Out] $(2*x^5*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcCos}[a*x]]) - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/a^6 - (\text{Sqrt}[3*\text{Pi}]*\text{FresnelC}[2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(8*a^6) - (5*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(8*a^6)$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := -Simp[x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1)/(b*c*(n + 1)), x] - Dis

t[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Cos[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{x^5}{\cos^{-1}(ax)^{3/2}} dx &= \frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} + \frac{2 \operatorname{Subst}\left(\int \left(-\frac{5\cos(2x)}{16\sqrt{x}} - \frac{\cos(4x)}{2\sqrt{x}} - \frac{3\cos(6x)}{16\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{a^6} \\ &= \frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{3 \operatorname{Subst}\left(\int \frac{\cos(6x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{8a^6} - \frac{5 \operatorname{Subst}\left(\int \frac{\cos(2x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{8a^6} \\ &= \frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{3 \operatorname{Subst}\left(\int \cos(6x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{4a^6} - \frac{5 \operatorname{Subst}\left(\int \cos(2x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{4a^6} \\ &= \frac{2x^5\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} C\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^6} - \frac{\sqrt{3\pi} C\left(2\sqrt{\frac{3}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{8a^6} - \frac{5\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a^6} \end{aligned}$$

Mathematica [C] time = 0.56, size = 226, normalized size = 1.78

$$i\left(-10i \sin\left(2 \cos^{-1}(ax)\right) - 8i \sin\left(4 \cos^{-1}(ax)\right) - 2i \sin\left(6 \cos^{-1}(ax)\right) + 5\sqrt{2} \sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{1}{2}, -2i \cos^{-1}(ax)\right) - \dots\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^5/ArcCos[a*x]^(3/2), x]

[Out] ((I/32)*(5*Sqrt[2]*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-2*I)*ArcCos[a*x]] - 5*Sqrt[2]*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (2*I)*ArcCos[a*x]] + 8*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-4*I)*ArcCos[a*x]] - 8*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (4*I)*ArcCos[a*x]] + Sqrt[6]*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-6*I)*ArcCos[a*x]] - Sqrt[6]*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (6*I)*ArcCos[a*x]] - (10*I)*Sin[2*ArcCos[a*x]] - (8*I)*Sin[4*ArcCos[a*x]] - (2*I)*Sin[6*ArcCos[a*x]]))/(a^6*Sqrt[ArcCos[a*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arccos(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arccos(a*x)^(3/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vector & l) Error: Bad Argument Value

maple [A] time = 0.26, size = 121, normalized size = 0.95

$$\frac{-2\sqrt{\pi} \sqrt{3} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{6} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \sqrt{\arccos(ax)} - 8\sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{2\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) - 16a^6 \sqrt{\arccos(ax)}}{16a^6 \sqrt{\arccos(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/arccos(a*x)^(3/2),x)

[Out] 1/16/a^6/arccos(a*x)^(1/2)*(-2*Pi^(1/2)*3^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)*6^(1/2)*arccos(a*x)^(1/2))*arccos(a*x)^(1/2)-8*2^(1/2)*Pi^(1/2)*arccos(a*x)^(1/2)*FresnelC(2*2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))-10*Pi^(1/2)*arccos(a*x)^(1/2)*FresnelC(2*arccos(a*x)^(1/2)/Pi^(1/2))+5*sin(2*arccos(a*x))+4*sin(4*arccos(a*x))+sin(6*arccos(a*x)))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5}{\arccos(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5/acos(a*x)^(3/2), x)`

[Out] `int(x^5/acos(a*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\operatorname{acos}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5/acos(a*x)**(3/2), x)`

[Out] `Integral(x**5/acos(a*x)**(3/2), x)`

$$3.101 \quad \int \frac{x^4}{\cos^{-1}(ax)^{3/2}} dx$$

Optimal. Leaf size=136

$$\frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^5} - \frac{3\sqrt{\frac{3\pi}{2}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{5\pi}{2}} C\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^5} + \frac{2x^4\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}}$$

[Out] $-1/4*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^5-3/8*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^5-1/8*\text{FresnelC}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^5+2*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4632, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^5} - \frac{3\sqrt{\frac{3\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{5\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^5} + \frac{2x^4\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4/\text{ArcCos}[a*x]^{(3/2)}, x]$

[Out] $(2*x^4*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcCos}[a*x]]) - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(2*a^5) - (3*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(4*a^5) - (\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(4*a^5)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 4632

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_)]*(b_.))^{(n_)}*(x_)^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[x^m*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^{(n+1)}]/(b*c*(n+1)), x] - \text{Dis}$

t[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Cos[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{x^4}{\cos^{-1}(ax)^{3/2}} dx &= \frac{2x^4\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} + \frac{2 \operatorname{Subst}\left(\int \left(-\frac{\cos(x)}{8\sqrt{x}} - \frac{9\cos(3x)}{16\sqrt{x}} - \frac{5\cos(5x)}{16\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{a^5} \\ &= \frac{2x^4\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{\operatorname{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{4a^5} - \frac{5 \operatorname{Subst}\left(\int \frac{\cos(5x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{8a^5} - \dots \\ &= \frac{2x^4\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{\operatorname{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{2a^5} - \frac{5 \operatorname{Subst}\left(\int \cos(5x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{4a^5} \\ &= \frac{2x^4\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^5} - \frac{3\sqrt{\frac{3\pi}{2}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^5} - \frac{\sqrt{\frac{5\pi}{2}} C\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{4a^5} \end{aligned}$$

Mathematica [C] time = 0.23, size = 233, normalized size = 1.71

$$i\left(-4i\sqrt{1-a^2x^2} - 6i \sin\left(3 \cos^{-1}(ax)\right) - 2i \sin\left(5 \cos^{-1}(ax)\right) + 2\sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{1}{2}, -i \cos^{-1}(ax)\right) - 2\sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{1}{2}, i \cos^{-1}(ax)\right)\right) / (a^5 \sqrt{\cos^{-1}(ax)})$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4/ArcCos[a*x]^(3/2), x]

[Out] ((I/16)*((-4*I)*Sqrt[1 - a^2*x^2] + 2*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-I)*ArcCos[a*x]] - 2*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, I*ArcCos[a*x]] + 3*Sqrt[3]*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-3*I)*ArcCos[a*x]] - 3*Sqrt[3]*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (3*I)*ArcCos[a*x]] + Sqrt[5]*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-5*I)*ArcCos[a*x]] - Sqrt[5]*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (5*I)*ArcCos[a*x]] - (6*I)*Sin[3*ArcCos[a*x]] - (2*I)*Sin[5*ArcCos[a*x]]))/(a^5*Sqrt[ArcCos[a*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\arccos(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^4/arccos(a*x)^(3/2), x)

maple [A] time = 0.18, size = 140, normalized size = 1.03

$$\frac{\sqrt{5} \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{5} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 3\sqrt{3} \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)}{8a^5 \sqrt{\arccos(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccos(a*x)^(3/2),x)

[Out]
$$\begin{aligned} & -1/8/a^5*(5^{(1/2)}*2^{(1/2)}*Pi^{(1/2)}*\arccos(a*x)^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/Pi^{(1/2)} \\ & *5^{(1/2)}*\arccos(a*x)^{(1/2)})+3*3^{(1/2)}*2^{(1/2)}*Pi^{(1/2)}*\arccos(a*x)^{(1/2)} \\ & *\operatorname{FresnelC}(2^{(1/2)}/Pi^{(1/2)}*3^{(1/2)}*\arccos(a*x)^{(1/2)})+2*2^{(1/2)}*Pi^{(1/2)}*\arccos(a*x)^{(1/2)} \\ & *\operatorname{FresnelC}(2^{(1/2)}/Pi^{(1/2)}*\arccos(a*x)^{(1/2)})-2*(-a^2*x^2+1)^{(1/2)}-3*\sin(3*\arccos(a*x)) \\ & -\sin(5*\arccos(a*x)))/\arccos(a*x)^{(1/2)} \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\operatorname{acos}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4/acos(a*x)^(3/2), x)
```

```
[Out] int(x^4/acos(a*x)^(3/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^4}{\operatorname{acos}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4/acos(a*x)**(3/2), x)
```

```
[Out] Integral(x**4/acos(a*x)**(3/2), x)
```

3.102 $\int \frac{x^3}{\cos^{-1}(ax)^{3/2}} dx$

Optimal. Leaf size=91

$$-\frac{\sqrt{\frac{\pi}{2}} C\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^4} - \frac{\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{a^4} + \frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}}$$

[Out] $-1/2*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4-\text{FresnelC}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4+2*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4632, 3304, 3352}

$$-\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^4} - \frac{\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{a^4} + \frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3/\text{ArcCos}[a*x]^{(3/2)}, x]$

[Out] $(2*x^3*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcCos}[a*x]]) - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/a^4 - (\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/a^4$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \text{ :> Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(\text{f}*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 4632

$\text{Int}[(c_. + \text{ArcCos}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \text{ :> -Simp}[(x^m*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^{(n+1)})/(b*c*(n+1)), x] - \text{Dist}[1/(b*c^{(m+1)}*(n+1)), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[(a + b*x)^{(n+1)}, \text{Cos}[x]^{(m-1)}*(m - (m+1)*\text{Cos}[x]^2)], x], x, \text{ArcCos}[c*x]], x] /; \text{FreeQ}\{$

a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{\cos^{-1}(ax)^{3/2}} dx &= \frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} + \frac{2 \operatorname{Subst}\left(\int \left(-\frac{\cos(2x)}{2\sqrt{x}} - \frac{\cos(4x)}{2\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{a^4} \\
 &= \frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{\operatorname{Subst}\left(\int \frac{\cos(2x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^4} - \frac{\operatorname{Subst}\left(\int \frac{\cos(4x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^4} \\
 &= \frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{2 \operatorname{Subst}\left(\int \cos(2x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{a^4} - \frac{2 \operatorname{Subst}\left(\int \cos(4x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{a^4} \\
 &= \frac{2x^3\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} C\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^4} - \frac{\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{a^4}
 \end{aligned}$$

Mathematica [C] time = 0.48, size = 154, normalized size = 1.69

$$\frac{2 \sin\left(2 \cos^{-1}(ax)\right) + \sin\left(4 \cos^{-1}(ax)\right) + i\sqrt{2} \sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{1}{2}, -2i \cos^{-1}(ax)\right) - i\sqrt{2} \sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{1}{2}, 2i \cos^{-1}(ax)\right)}{4a^4 \sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3/ArcCos[a*x]^(3/2),x]

[Out] (I*Sqrt[2]*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-2*I)*ArcCos[a*x]] - I*Sqrt[2]*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (2*I)*ArcCos[a*x]] + I*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-4*I)*ArcCos[a*x]] - I*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (4*I)*ArcCos[a*x]] + 2*Sin[2*ArcCos[a*x]] + Sin[4*ArcCos[a*x]])/(4*a^4*Sqrt[ArcCos[a*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^(3/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
eur & l) Error: Bad Argument Value

maple [A] time = 0.20, size = 81, normalized size = 0.89

$$\frac{-2\sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{2\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) - 4\sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 2 \sin(2 \arccos(ax))}{4a^4 \sqrt{\arccos(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arccos(a*x)^(3/2),x)

[Out] 1/4/a^4/arccos(a*x)^(1/2)*(-2*2^(1/2)*Pi^(1/2)*arccos(a*x)^(1/2)*FresnelC(2
*2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))-4*Pi^(1/2)*arccos(a*x)^(1/2)*FresnelC(
2*arccos(a*x)^(1/2)/Pi^(1/2))+2*sin(2*arccos(a*x))+sin(4*arccos(a*x)))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\arccos(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/acos(a*x)^(3/2),x)

[Out] int(x^3/acos(a*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{acos}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/acos(a*x)**(3/2),x)

[Out] Integral(x**3/acos(a*x)**(3/2), x)

$$3.103 \quad \int \frac{x^2}{\cos^{-1}(ax)^{3/2}} dx$$

Optimal. Leaf size=97

$$-\frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^3} - \frac{\sqrt{\frac{3\pi}{2}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^3} + \frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}}$$

[Out] $-1/2*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(ax)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^3-1/2*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(ax)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^3+2*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arccos(ax)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4632, 3304, 3352}

$$-\frac{\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^3} - \frac{\sqrt{\frac{3\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^3} + \frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCos[a*x]^(3/2), x]

[Out] $(2*x^2*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcCos}[a*x]]) - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/a^3 - (\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/a^3$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n*(x_)^m, x_Symbol] := -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Cos[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{

a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2}{\cos^{-1}(ax)^{3/2}} dx &= \frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} + \frac{2 \operatorname{Subst}\left(\int \left(-\frac{\cos(x)}{4\sqrt{x}} - \frac{3\cos(3x)}{4\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{a^3} \\
 &= \frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{\operatorname{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{2a^3} - \frac{3 \operatorname{Subst}\left(\int \frac{\cos(3x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{2a^3} \\
 &= \frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{\operatorname{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{a^3} - \frac{3 \operatorname{Subst}\left(\int \cos(3x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{a^3} \\
 &= \frac{2x^2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^3} - \frac{\sqrt{\frac{3\pi}{2}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^3}
 \end{aligned}$$

Mathematica [C] time = 0.13, size = 159, normalized size = 1.64

$$\frac{i\left(-2i\sqrt{1-a^2x^2} - 2i \sin\left(3 \cos^{-1}(ax)\right) + \sqrt{-i \cos^{-1}(ax)} \Gamma\left(\frac{1}{2}, -i \cos^{-1}(ax)\right) - \sqrt{i \cos^{-1}(ax)} \Gamma\left(\frac{1}{2}, i \cos^{-1}(ax)\right) + \sqrt{3} \operatorname{ArcCos}[a x]\right)}{4a^3\sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/ArcCos[a*x]^(3/2), x]

[Out] ((I/4)*((-2*I)*Sqrt[1 - a^2*x^2] + Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-I)*ArcCos[a*x]] - Sqrt[I*ArcCos[a*x]]*Gamma[1/2, I*ArcCos[a*x]] + Sqrt[3]*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-3*I)*ArcCos[a*x]] - Sqrt[3]*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, (3*I)*ArcCos[a*x]] - (2*I)*Sin[3*ArcCos[a*x]])/(a^3*Sqrt[ArcCos[a*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\arccos(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^2/arccos(a*x)^(3/2), x)

maple [A] time = 0.15, size = 96, normalized size = 0.99

$$\frac{\sqrt{3} \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + \sqrt{2} \sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)}{2a^3 \sqrt{\arccos(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccos(a*x)^(3/2),x)

[Out] $-1/2/a^3*(3^{(1/2)}*2^{(1/2)}*\pi^{(1/2)}*\arccos(a*x)^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*3^{(1/2)}*\arccos(a*x)^{(1/2)})+2^{(1/2)}*\pi^{(1/2)}*\arccos(a*x)^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*\arccos(a*x)^{(1/2)})-(-a^2*x^2+1)^{(1/2)}-\sin(3*\arccos(a*x)))/\arccos(a*x)^{(1/2)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\operatorname{acos}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/acos(a*x)^(3/2),x)

[Out] int(x^2/acos(a*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{acos}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/acos(a*x)**(3/2), x)

[Out] Integral(x**2/acos(a*x)**(3/2), x)

3.104 $\int \frac{x}{\cos^{-1}(ax)^{3/2}} dx$

Optimal. Leaf size=55

$$\frac{2x\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{2\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{a^2}$$

[Out] $-2*\text{FresnelC}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^2+2*x*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {4632, 3304, 3352}

$$\frac{2x\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{2\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCos[a*x]^(3/2), x]

[Out] $(2*x*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcCos}[a*x]]) - (2*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/a^2$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_), x_Symbol] := -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Cos[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
\int \frac{x}{\cos^{-1}(ax)^{3/2}} dx &= \frac{2x\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{2 \operatorname{Subst}\left(\int \frac{\cos(2x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^2} \\
&= \frac{2x\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{4 \operatorname{Subst}\left(\int \cos(2x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{a^2} \\
&= \frac{2x\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{2\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{a^2}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 44, normalized size = 0.80

$$\frac{\frac{\sin(2\cos^{-1}(ax))}{\sqrt{\cos^{-1}(ax)}} - 2\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcCos[a*x]^(3/2),x]

[Out] (-2*Sqrt[Pi]*FresnelC[(2*Sqrt[ArcCos[a*x]])/Sqrt[Pi]] + Sin[2*ArcCos[a*x]]/Sqrt[ArcCos[a*x]])/a^2

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\arccos(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(x/arccos(a*x)^(3/2), x)

maple [A] time = 0.15, size = 42, normalized size = 0.76

$$\frac{-2\sqrt{\pi} \sqrt{\arccos(ax)} \operatorname{FresnelC}\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + \sin(2 \arccos(ax))}{a^2 \sqrt{\arccos(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccos(a*x)^(3/2), x)

[Out] 1/a^2/arccos(a*x)^(1/2)*(-2*Pi^(1/2)*arccos(a*x)^(1/2)*FresnelC(2*arccos(a*x)^(1/2)/Pi^(1/2))+sin(2*arccos(a*x)))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{\operatorname{acos}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acos(a*x)^(3/2), x)

[Out] int(x/acos(a*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{acos}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/acos(a*x)**(3/2), x)

[Out] Integral(x/acos(a*x)**(3/2), x)

$$3.105 \quad \int \frac{1}{\cos^{-1}(ax)^{3/2}} dx$$

Optimal. Leaf size=59

$$\frac{2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{2\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{a}$$

[Out] $-2*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a+2*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4622, 4724, 3304, 3352}

$$\frac{2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{2\sqrt{2\pi} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{a}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^(-3/2), x]

[Out] $(2*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[\text{ArcCos}[a*x]]) - (2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/a$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4622

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_), x_Symbol] :> -Simp[(Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1)), Int[(x*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*
Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &
& EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Intege
rQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{1}{\cos^{-1}(ax)^{3/2}} dx &= \frac{2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} + (2a) \int \frac{x}{\sqrt{1-a^2x^2}\sqrt{\cos^{-1}(ax)}} dx \\ &= \frac{2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{2 \operatorname{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a} \\ &= \frac{2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{4 \operatorname{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{a} \\ &= \frac{2\sqrt{1-a^2x^2}}{a\sqrt{\cos^{-1}(ax)}} - \frac{2\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{a} \end{aligned}$$

Mathematica [C] time = 0.04, size = 86, normalized size = 1.46

$$\frac{-2\sqrt{1-a^2x^2} - i\sqrt{-i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, -i\cos^{-1}(ax)\right) + i\sqrt{i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, i\cos^{-1}(ax)\right)}{a\sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCos[a*x]^(-3/2), x]

[Out] -((-2*Sqrt[1 - a^2*x^2] - I*Sqrt[(-I)*ArcCos[a*x]]*Gamma[1/2, (-I)*ArcCos[a*x]] + I*Sqrt[I*ArcCos[a*x]]*Gamma[1/2, I*ArcCos[a*x]])/(a*Sqrt[ArcCos[a*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\arccos(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(arccos(a*x)^(-3/2), x)

maple [A] time = 0.13, size = 66, normalized size = 1.12

$$\frac{\sqrt{2} \left(2 \arccos(ax) \pi \operatorname{FresnelC} \left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}} \right) - \sqrt{2} \sqrt{\arccos(ax)} \sqrt{\pi} \sqrt{-a^2 x^2 + 1} \right)}{a \sqrt{\pi} \arccos(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccos(a*x)^(3/2),x)

[Out] -1/a*2^(1/2)/Pi^(1/2)/arccos(a*x)*(2*arccos(a*x)*Pi*FresnelC(2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))-2^(1/2)*arccos(a*x)^(1/2)*Pi^(1/2)*(-a^2*x^2+1)^(1/2))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\operatorname{acos}(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/acos(a*x)^(3/2),x)

[Out] `int(1/acos(a*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{acos}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/acos(a*x)**(3/2), x)`

[Out] `Integral(acos(a*x)**(-3/2), x)`

$$3.106 \quad \int \frac{1}{x \cos^{-1}(ax)^{3/2}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \cos^{-1}(ax)^{3/2}}, x\right)$$

[Out] Unintegrable(1/x/arccos(a*x)^(3/2), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \cos^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*ArcCos[a*x]^(3/2)), x]

[Out] Defer[Int][1/(x*ArcCos[a*x]^(3/2)), x]

Rubi steps

$$\int \frac{1}{x \cos^{-1}(ax)^{3/2}} dx = \int \frac{1}{x \cos^{-1}(ax)^{3/2}} dx$$

Mathematica [A] time = 0.51, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*ArcCos[a*x]^(3/2)), x]

[Out] Integrate[1/(x*ArcCos[a*x]^(3/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(1/(x*arccos(a*x)^(3/2)), x)

maple [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccos(a*x)^(3/2),x)

[Out] int(1/x/arccos(a*x)^(3/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x \arccos(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*arccos(a*x)^(3/2)),x)

[Out] int(1/(x*arccos(a*x)^(3/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acos}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/acos(a*x)**(3/2), x)

[Out] Integral(1/(x*acos(a*x)**(3/2)), x)

$$3.107 \quad \int \frac{x^4}{\cos^{-1}(ax)^{5/2}} dx$$

Optimal. Leaf size=235

$$\frac{4\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^5} + \frac{25\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a^5} - \frac{4\sqrt{\frac{2\pi}{3}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^5} + \frac{25\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^5}$$

[Out] $3/4*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^5+1/6*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^5+5/12*\text{FresnelS}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^5+2/3*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(3/2)}-16/3*x^3/a^2/\arccos(a*x)^{(1/2)}+20/3*x^5/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.41, antiderivative size = 235, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4634, 4720, 4636, 4406, 3305, 3351}

$$\frac{4\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^5} + \frac{25\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a^5} - \frac{4\sqrt{\frac{2\pi}{3}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^5} + \frac{25\sqrt{\frac{\pi}{6}} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{2a^5}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4/\text{ArcCos}[a*x]^{(5/2)}, x]$

[Out] $(2*x^4*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcCos}[a*x]^{(3/2)}) - (16*x^3)/(3*a^2*\text{Sqrt}[\text{ArcCos}[a*x]]) + (20*x^5)/(3*\text{Sqrt}[\text{ArcCos}[a*x]]) + (25*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(3*a^5) - (4*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/a^5 + (25*\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(2*a^5) - (4*\text{Sqrt}[(2*\text{Pi})/3]*\text{FresnelS}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/a^5 + (5*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(6*a^5)$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4720

```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\cos^{-1}(ax)^{5/2}} dx &= \frac{2x^4\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{8\int \frac{x^3}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{3/2}} dx}{3a} + \frac{1}{3}(10a) \int \frac{x^5}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{3/2}} dx \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\cos^{-1}(ax)}} - \frac{100}{3} \int \frac{x^4}{\sqrt{\cos^{-1}(ax)}} dx + \frac{16}{a^2} \int \frac{x^2}{\sqrt{\cos^{-1}(ax)}} dx \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\cos^{-1}(ax)}} - \frac{16 \operatorname{Subst}\left(\int \frac{\cos^2(x)\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^5} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\cos^{-1}(ax)}} - \frac{16 \operatorname{Subst}\left(\int \left(\frac{\sin(x)}{4\sqrt{x}} + \frac{\sin(3x)}{4\sqrt{x}}\right) dx, x, \cos^{-1}(ax)\right)}{a^5} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\cos^{-1}(ax)}} + \frac{25 \operatorname{Subst}\left(\int \frac{\sin(5x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{12a^5} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\cos^{-1}(ax)}} + \frac{25 \operatorname{Subst}\left(\int \sin(5x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{6a^5} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{16x^3}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{20x^5}{3\sqrt{\cos^{-1}(ax)}} + \frac{25\sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{3a^5} - \frac{4\sqrt{2\pi}}{3a^5}
\end{aligned}$$

Mathematica [C] time = 1.82, size = 322, normalized size = 1.37

$$\frac{2\left(-\sqrt{1-a^2x^2} - e^{-i\cos^{-1}(ax)}\cos^{-1}(ax) - e^{i\cos^{-1}(ax)}\cos^{-1}(ax) + \sqrt{-i\cos^{-1}(ax)}\cos^{-1}(ax)\Gamma\left(\frac{1}{2}, -i\cos^{-1}(ax)\right) + \sqrt{i\cos^{-1}(ax)}\cos^{-1}(ax)\Gamma\left(\frac{1}{2}, i\cos^{-1}(ax)\right)\right)}{3a^5}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4/ArcCos[a*x]^(5/2), x]

[Out]
$$\begin{aligned}
& -1/24*(2*(-\operatorname{Sqrt}[1-a^2x^2] - \operatorname{ArcCos}[a*x])/E^{(I*\operatorname{ArcCos}[a*x])} - E^{(I*\operatorname{ArcCos}[a*x])})*\operatorname{ArcCos}[a*x] + \operatorname{Sqrt}[(-I)*\operatorname{ArcCos}[a*x]]*\operatorname{ArcCos}[a*x]*\operatorname{Gamma}[1/2, (-I)*\operatorname{ArcCos}[a*x]] \\
& + \operatorname{Sqrt}[I*\operatorname{ArcCos}[a*x]]*\operatorname{ArcCos}[a*x]*\operatorname{Gamma}[1/2, I*\operatorname{ArcCos}[a*x]]) - 5*\operatorname{ArcCos}[a*x]*(E^{((-5*I)*\operatorname{ArcCos}[a*x])} + E^{((5*I)*\operatorname{ArcCos}[a*x])} - \operatorname{Sqrt}[5]*\operatorname{Sqrt}[(-I)*\operatorname{ArcCos}[a*x]]*\operatorname{Gamma}[1/2, (-5*I)*\operatorname{ArcCos}[a*x]] - \operatorname{Sqrt}[5]*\operatorname{Sqrt}[I*\operatorname{ArcCos}[a*x]]*\operatorname{Gamma}[1/2, (5*I)*\operatorname{ArcCos}[a*x]]) \\
& - 3*(3*\operatorname{ArcCos}[a*x]*(E^{((-3*I)*\operatorname{ArcCos}[a*x])} + E^{((3*I)*\operatorname{ArcCos}[a*x])} - \operatorname{Sqrt}[3]*\operatorname{Sqrt}[(-I)*\operatorname{ArcCos}[a*x]]*\operatorname{Gamma}[1/2, (-3*I)*\operatorname{ArcCos}[a*x]] - \operatorname{Sqrt}[3]*\operatorname{Sqrt}[I*\operatorname{ArcCos}[a*x]]*\operatorname{Gamma}[1/2, (3*I)*\operatorname{ArcCos}[a*x]]) \\
& + \operatorname{Sin}[3*\operatorname{ArcCos}[a*x]] - \operatorname{Sin}[5*\operatorname{ArcCos}[a*x]])/(a^5*\operatorname{ArcCos}[a*x]^(3/2))
\end{aligned}$$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\arccos(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(5/2),x, algorithm="giac")

[Out] integrate(x^4/arccos(a*x)^(5/2), x)

maple [A] time = 0.24, size = 173, normalized size = 0.74

$$10\sqrt{2} \sqrt{\pi} \sqrt{5} S\left(\frac{\sqrt{2} \sqrt{5} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{3}{2}} + 18\sqrt{2} \sqrt{\pi} \sqrt{3} S\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{3}{2}} + 4\sqrt{2} \sqrt{\pi} S$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccos(a*x)^(5/2),x)

[Out] $\frac{1}{24}a^{-5}(10*2^{(1/2)}*Pi^{(1/2)}*5^{(1/2)}*FresnelS(2^{(1/2)}/Pi^{(1/2)}*5^{(1/2)}*\arccos(a*x)^{(1/2)})*\arccos(a*x)^{(3/2)}+18*2^{(1/2)}*Pi^{(1/2)}*3^{(1/2)}*FresnelS(2^{(1/2)}/Pi^{(1/2)}*3^{(1/2)}*\arccos(a*x)^{(1/2)})*\arccos(a*x)^{(3/2)}+4*2^{(1/2)}*Pi^{(1/2)}*FresnelS(2^{(1/2)}/Pi^{(1/2)}*\arccos(a*x)^{(1/2)})*\arccos(a*x)^{(3/2)}+4*a*x*\arccos(a*x)+18*\arccos(a*x)*\cos(3*\arccos(a*x))+10*\arccos(a*x)*\cos(5*\arccos(a*x))+2*(-a^2*x^2+1)^{(1/2)}+3*\sin(3*\arccos(a*x))+\sin(5*\arccos(a*x)))/\arccos(a*x)^{(3/2)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{\operatorname{acos}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acos(a*x)^(5/2),x)

[Out] int(x^4/acos(a*x)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\operatorname{acos}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4/acos(a*x)**(5/2),x)

[Out] Integral(x**4/acos(a*x)**(5/2), x)

$$3.108 \quad \int \frac{x^3}{\cos^{-1}(ax)^{5/2}} dx$$

Optimal. Leaf size=126

$$\frac{4\sqrt{2\pi} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a^4} + \frac{4\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{3a^4} - \frac{4x^2}{a^2\sqrt{\cos^{-1}(ax)}} + \frac{2x^3\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} + \frac{16x^4}{3\sqrt{\cos^{-1}(ax)}}$$

[Out] $4/3\text{FresnelS}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4+4/3\text{FresnelS}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4+2/3*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(3/2)}-4*x^2/a^2/\arccos(a*x)^{(1/2)}+16/3*x^4/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {4634, 4720, 4636, 4406, 3305, 3351, 12}

$$\frac{4\sqrt{2\pi} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a^4} + \frac{4\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{3a^4} + \frac{2x^3\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\cos^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\cos^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3/\text{ArcCos}[a*x]^{(5/2)}, x]$

[Out] $(2*x^3*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcCos}[a*x]^{(3/2)}) - (4*x^2)/(a^2*\text{Sqrt}[\text{ArcCos}[a*x]]) + (16*x^4)/(3*\text{Sqrt}[\text{ArcCos}[a*x]]) + (4*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(3*a^4) + (4*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(3*a^4)$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{(2)}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*cos[x]^m*sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4720

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\cos^{-1}(ax)^{5/2}} dx &= \frac{2x^3\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{2\int \frac{x^2}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{3/2}} dx}{a} + \frac{1}{3}(8a) \int \frac{x^4}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{3/2}} dx \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\cos^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\cos^{-1}(ax)}} - \frac{64}{3} \int \frac{x^3}{\sqrt{\cos^{-1}(ax)}} dx + \frac{8\int \frac{x}{\sqrt{\cos^{-1}(ax)}} dx}{a^2} \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\cos^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\cos^{-1}(ax)}} - \frac{8\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^4} \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\cos^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\cos^{-1}(ax)}} - \frac{8\text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{a^4} + \dots \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\cos^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\cos^{-1}(ax)}} + \frac{8\text{Subst}\left(\int \frac{\sin(4x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{3a^4} - \dots \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\cos^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\cos^{-1}(ax)}} + \frac{16\text{Subst}\left(\int \sin(4x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{3a^4} \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{4x^2}{a^2\sqrt{\cos^{-1}(ax)}} + \frac{16x^4}{3\sqrt{\cos^{-1}(ax)}} + \frac{4\sqrt{2\pi} S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{3a^4} + \frac{4\sqrt{\pi} S\left(\sqrt{\cos^{-1}(ax)}\right)}{3a^4}
\end{aligned}$$

Mathematica [C] time = 0.98, size = 203, normalized size = 1.61

$$-\sin\left(4\cos^{-1}(ax)\right) - 4\cos^{-1}(ax)\left(e^{-4i\cos^{-1}(ax)} + e^{4i\cos^{-1}(ax)} - 2\sqrt{-i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, -4i\cos^{-1}(ax)\right) - 2\sqrt{i\cos^{-1}(ax)}\Gamma\left(\frac{1}{2}, 4i\cos^{-1}(ax)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3/ArcCos[a*x]^(5/2), x]

[Out] $-1/12*(-4*\text{ArcCos}[a*x]*(E^{\wedge}((-4*I)*\text{ArcCos}[a*x]) + E^{\wedge}((4*I)*\text{ArcCos}[a*x])) - 2*Sqrt[(-I)*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (-4*I)*\text{ArcCos}[a*x]] - 2*Sqrt[I*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (4*I)*\text{ArcCos}[a*x]] - 2*(2*\text{ArcCos}[a*x]*(E^{\wedge}((-2*I)*\text{ArcCos}[a*x]) + E^{\wedge}((2*I)*\text{ArcCos}[a*x]) - Sqrt[2]*Sqrt[(-I)*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (-2*I)*\text{ArcCos}[a*x]] - Sqrt[2]*Sqrt[I*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (2*I)*\text{ArcCos}[a*x]]) + Sin[2*\text{ArcCos}[a*x]] - Sin[4*\text{ArcCos}[a*x]])/(a^4*\text{ArcCos}[a*x]^(3/2))$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/arccos(a*x)^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/arccos(a*x)^(5/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vector & l) Error: Bad Argument Value

maple [A] time = 0.22, size = 107, normalized size = 0.85

$$\frac{16\sqrt{2} \sqrt{\pi} S\left(\frac{2\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{3}{2}} + 16\sqrt{\pi} S\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{3}{2}} + 8 \arccos(ax) \cos(2 \arccos(ax))}{12a^4 \arccos(ax)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/arccos(a*x)^(5/2),x)`

[Out] $\frac{1}{12a^4} (16 \cdot 2^{1/2} \cdot \pi^{1/2} \operatorname{FresnelS}(2 \cdot 2^{1/2} / \pi^{1/2} \arccos(ax)^{1/2}) \arccos(ax)^{3/2} + 16 \pi^{1/2} \operatorname{FresnelS}(2 \arccos(ax)^{1/2} / \pi^{1/2}) \arccos(ax)^{3/2} + 8 \arccos(ax) \cos(2 \arccos(ax)) + 8 \arccos(ax) \cos(4 \arccos(ax)) + 2 \sin(2 \arccos(ax)) + \sin(4 \arccos(ax))) / \arccos(ax)^{3/2}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/arccos(a*x)^(5/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\arccos(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3/acos(a*x)^(5/2), x)
```

```
[Out] int(x^3/acos(a*x)^(5/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^3}{\operatorname{acos}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3/acos(a*x)**(5/2), x)
```

```
[Out] Integral(x**3/acos(a*x)**(5/2), x)
```

$$3.109 \quad \int \frac{x^2}{\cos^{-1}(ax)^{5/2}} dx$$

Optimal. Leaf size=125

$$\frac{\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a^3} + \frac{\sqrt{6\pi} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^3} + \frac{2x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{4x^3}{\sqrt{\cos^{-1}(ax)}}$$

[Out] 1/3*FresnelS(2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))*2^(1/2)*Pi^(1/2)/a^3+FresnelS(6^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))*6^(1/2)*Pi^(1/2)/a^3+2/3*x^2*(-a^2*x^2+1)^(1/2)/a/arccos(a*x)^(3/2)-8/3*x/a^2/arccos(a*x)^(1/2)+4*x^3/arccos(a*x)^(1/2)

Rubi [A] time = 0.29, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {4634, 4720, 4636, 4406, 3305, 3351, 4624}

$$\frac{\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a^3} + \frac{\sqrt{6\pi} S\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^3} + \frac{2x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{4x^3}{\sqrt{\cos^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Int[x^2/ArcCos[a*x]^(5/2), x]

[Out] (2*x^2*Sqrt[1 - a^2*x^2])/(3*a*ArcCos[a*x]^(3/2)) - (8*x)/(3*a^2*Sqrt[ArcCos[a*x]]) + (4*x^3)/Sqrt[ArcCos[a*x]] + (Sqrt[2*Pi]*FresnelS[Sqrt[2/Pi]*Sqrt[ArcCos[a*x]]])/(3*a^3) + (Sqrt[6*Pi]*FresnelS[Sqrt[6/Pi]*Sqrt[ArcCos[a*x]]])/a^3

Rule 3305

Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x

$]^n \cos[a + b*x]^p, x] /;$ FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4624

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_), x_Symbol] :> Dist[1/(b*c), Subst[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 4634

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_)*(x_)^(m_.), x_Symbol] :> -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_)*(x_)^(m_.), x_Symbol] :> -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*cos[x]^m*sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 4720

Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^ (n_)*((f_.)*(x_)^(m_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\cos^{-1}(ax)^{5/2}} dx &= \frac{2x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{4\int \frac{x}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{3/2}} dx}{3a} + (2a) \int \frac{x^3}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{3/2}} dx \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{4x^3}{\sqrt{\cos^{-1}(ax)}} - 12 \int \frac{x^2}{\sqrt{\cos^{-1}(ax)}} dx + \frac{8\int \frac{1}{\sqrt{\cos^{-1}(ax)}}}{3a^2} \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{4x^3}{\sqrt{\cos^{-1}(ax)}} - \frac{8\text{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{3a^3} + \frac{1}{3a^2} \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{4x^3}{\sqrt{\cos^{-1}(ax)}} - \frac{16\text{Subst}\left(\int \sin(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{3a^3} \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{4x^3}{\sqrt{\cos^{-1}(ax)}} - \frac{8\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{3a^3} + \frac{3\text{Subst}\left(\int \frac{1}{\sqrt{x}} dx, x, \sqrt{\cos^{-1}(ax)}\right)}{3a^2} \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{4x^3}{\sqrt{\cos^{-1}(ax)}} - \frac{8\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{3a^3} + \frac{6\text{Subst}\left(\int \frac{1}{\sqrt{x}} dx, x, \sqrt{\cos^{-1}(ax)}\right)}{3a^2} \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{3a\cos^{-1}(ax)^{3/2}} - \frac{8x}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{4x^3}{\sqrt{\cos^{-1}(ax)}} + \frac{\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{3a^3} + \frac{\sqrt{6\pi} S\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{3a^2}
\end{aligned}$$

Mathematica [C] time = 0.91, size = 220, normalized size = 1.76

$$-\sqrt{1-a^2x^2} - e^{-i\cos^{-1}(ax)}\cos^{-1}(ax) - e^{i\cos^{-1}(ax)}\cos^{-1}(ax) - \sin(3\cos^{-1}(ax)) + \sqrt{-i\cos^{-1}(ax)}\cos^{-1}(ax)\Gamma\left(\frac{1}{2},$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/ArcCos[a*x]^(5/2), x]

[Out] $-1/6*(-\text{Sqrt}[1 - a^2*x^2] - \text{ArcCos}[a*x]/E^{(I*\text{ArcCos}[a*x])} - E^{(I*\text{ArcCos}[a*x])})*\text{ArcCos}[a*x] + \text{Sqrt}[(-I)*\text{ArcCos}[a*x]]*\text{ArcCos}[a*x]*\text{Gamma}[1/2, (-I)*\text{ArcCos}[a*x]] + \text{Sqrt}[I*\text{ArcCos}[a*x]]*\text{ArcCos}[a*x]*\text{Gamma}[1/2, I*\text{ArcCos}[a*x]] - 3*\text{ArcCos}[a*x]*(E^{((-3*I)*\text{ArcCos}[a*x])} + E^{((3*I)*\text{ArcCos}[a*x])} - \text{Sqrt}[3]*\text{Sqrt}[(-I)*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (-3*I)*\text{ArcCos}[a*x]] - \text{Sqrt}[3]*\text{Sqrt}[I*\text{ArcCos}[a*x]]*\text{Gamma}[1/2, (3*I)*\text{ArcCos}[a*x]]) - \text{Sin}[3*\text{ArcCos}[a*x]])/(a^3*\text{ArcCos}[a*x]^(3/2))$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\arccos(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(5/2),x, algorithm="giac")

[Out] integrate(x^2/arccos(a*x)^(5/2), x)

maple [A] time = 0.18, size = 115, normalized size = 0.92

$$\frac{6\sqrt{2} \sqrt{\pi} \sqrt{3} S\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{3}{2}} + 2\sqrt{2} \sqrt{\pi} S\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{3}{2}} + 2ax \arccos(ax) + 6}{6a^3 \arccos(ax)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccos(a*x)^(5/2),x)

[Out] 1/6/a^3*(6*2^(1/2)*Pi^(1/2)*3^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)*arccos(a*x)^(1/2))*arccos(a*x)^(3/2)+2*2^(1/2)*Pi^(1/2)*FresnelS(2^(1/2)/Pi^(1/2))*arccos(a*x)^(1/2))*arccos(a*x)^(3/2)+2*a*x*arccos(a*x)+6*arccos(a*x)*cos(3*arccos(a*x))+(-a^2*x^2+1)^(1/2)+sin(3*arccos(a*x)))/arccos(a*x)^(3/2)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\arccos(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/acos(a*x)^(5/2),x)
```

```
[Out] int(x^2/acos(a*x)^(5/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^2}{\operatorname{acos}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/acos(a*x)**(5/2),x)
```

```
[Out] Integral(x**2/acos(a*x)**(5/2), x)
```

$$3.110 \quad \int \frac{x}{\cos^{-1}(ax)^{5/2}} dx$$

Optimal. Leaf size=89

$$\frac{8\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{3a^2} + \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\cos^{-1}(ax)}}$$

[Out] 8/3*FresnelS(2*arccos(a*x)^(1/2)/Pi^(1/2))*Pi^(1/2)/a^2+2/3*x*(-a^2*x^2+1)^(1/2)/a/arccos(a*x)^(3/2)-4/3/a^2/arccos(a*x)^(1/2)+8/3*x^2/arccos(a*x)^(1/2)

Rubi [A] time = 0.17, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$, Rules used = {4634, 4720, 4636, 4406, 12, 3305, 3351, 4642}

$$\frac{8\sqrt{\pi} S\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{3a^2} + \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\cos^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCos[a*x]^(5/2), x]

[Out] (2*x*Sqrt[1 - a^2*x^2])/(3*a*ArcCos[a*x]^(3/2)) - 4/(3*a^2*Sqrt[ArcCos[a*x]]) + (8*x^2)/(3*Sqrt[ArcCos[a*x]]) + (8*Sqrt[Pi]*FresnelS[(2*Sqrt[ArcCos[a*x]])/Sqrt[Pi]])/(3*a^2)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4406


```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4642

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4720

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x}{\cos^{-1}(ax)^{5/2}} dx &= \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} - \frac{2 \int \frac{1}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}} dx}{3a} + \frac{1}{3}(4a) \int \frac{x^2}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}} dx \\
&= \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\cos^{-1}(ax)}} - \frac{16}{3} \int \frac{x}{\sqrt{\cos^{-1}(ax)}} dx \\
&= \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\cos^{-1}(ax)}} + \frac{16 \text{Subst} \left(\int \frac{\cos(x)\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax) \right)}{3a^2} \\
&= \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\cos^{-1}(ax)}} + \frac{16 \text{Subst} \left(\int \frac{\sin(2x)}{2\sqrt{x}} dx, x, \cos^{-1}(ax) \right)}{3a^2} \\
&= \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\cos^{-1}(ax)}} + \frac{8 \text{Subst} \left(\int \frac{\sin(2x)}{\sqrt{x}} dx, x, \cos^{-1}(ax) \right)}{3a^2} \\
&= \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\cos^{-1}(ax)}} + \frac{16 \text{Subst} \left(\int \sin(2x^2) dx, x, \sqrt{\cos^{-1}(ax)} \right)}{3a^2} \\
&= \frac{2x\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} - \frac{4}{3a^2\sqrt{\cos^{-1}(ax)}} + \frac{8x^2}{3\sqrt{\cos^{-1}(ax)}} + \frac{8\sqrt{\pi} S \left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}} \right)}{3a^2}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 61, normalized size = 0.69

$$\frac{8\sqrt{\pi} S \left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}} \right) + \frac{4 \cos^{-1}(ax) \cos(2 \cos^{-1}(ax)) + \sin(2 \cos^{-1}(ax))}{\cos^{-1}(ax)^{3/2}}}{3a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcCos[a*x]^(5/2), x]

[Out] (8*Sqrt[Pi]*FresnelS[(2*Sqrt[ArcCos[a*x]])/Sqrt[Pi]] + (4*ArcCos[a*x]*Cos[2*ArcCos[a*x]] + Sin[2*ArcCos[a*x]])/ArcCos[a*x]^(3/2))/(3*a^2)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\arccos(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(5/2),x, algorithm="giac")

[Out] integrate(x/arccos(a*x)^(5/2), x)

maple [A] time = 0.14, size = 56, normalized size = 0.63

$$\frac{8\sqrt{\pi} S\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{3}{2}} + 4 \arccos(ax) \cos(2 \arccos(ax)) + \sin(2 \arccos(ax))}{3a^2 \arccos(ax)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccos(a*x)^(5/2),x)

[Out] 1/3/a^2*(8*Pi^(1/2)*FresnelS(2*arccos(a*x)^(1/2)/Pi^(1/2))*arccos(a*x)^(3/2)+4*arccos(a*x)*cos(2*arccos(a*x))+sin(2*arccos(a*x)))/arccos(a*x)^(3/2)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\arccos(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acos(a*x)^(5/2),x)

[Out] int(x/acos(a*x)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\operatorname{acos}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/acos(a*x)**(5/2),x)

[Out] Integral(x/acos(a*x)**(5/2), x)

$$3.111 \quad \int \frac{1}{\cos^{-1}(ax)^{5/2}} dx$$

Optimal. Leaf size=76

$$\frac{2\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} + \frac{4\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a} + \frac{4x}{3\sqrt{\cos^{-1}(ax)}}$$

[Out] $4/3*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a+2/3*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(3/2)}+4/3*x/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4622, 4720, 4624, 3305, 3351}

$$\frac{2\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} + \frac{4\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a} + \frac{4x}{3\sqrt{\cos^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^(-5/2), x]

[Out] $(2*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{ArcCos}[a*x]^{(3/2)}) + (4*x)/(3*\text{Sqrt}[\text{ArcCos}[a*x]]) + (4*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(3*a)$

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4622

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n, x_Symbol] := -Simp[(Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1)), Int[(x*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4624

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^ (n_), x_Symbol] := Dist[1/(b*c), Sub
st[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c,
n}, x]
```

Rule 4720

```
Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^ (n_)*((f_.)*(x_.))^ (m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m -
1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{-1}(ax)^{5/2}} dx &= \frac{2\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} + \frac{1}{3}(2a) \int \frac{x}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^{3/2}} dx \\
&= \frac{2\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} + \frac{4x}{3\sqrt{\cos^{-1}(ax)}} - \frac{4}{3} \int \frac{1}{\sqrt{\cos^{-1}(ax)}} dx \\
&= \frac{2\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} + \frac{4x}{3\sqrt{\cos^{-1}(ax)}} + \frac{4 \operatorname{Subst}\left(\int \frac{\sin(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{3a} \\
&= \frac{2\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} + \frac{4x}{3\sqrt{\cos^{-1}(ax)}} + \frac{8 \operatorname{Subst}\left(\int \sin(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{3a} \\
&= \frac{2\sqrt{1-a^2x^2}}{3a \cos^{-1}(ax)^{3/2}} + \frac{4x}{3\sqrt{\cos^{-1}(ax)}} + \frac{4\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 122, normalized size = 1.61

$$\frac{2\left(-\sqrt{1-a^2x^2} - e^{-i \cos^{-1}(ax)} \cos^{-1}(ax) - e^{i \cos^{-1}(ax)} \cos^{-1}(ax) + \sqrt{-i \cos^{-1}(ax)} \cos^{-1}(ax) \Gamma\left(\frac{1}{2}, -i \cos^{-1}(ax)\right) + \sqrt{i \cos^{-1}(ax)} \cos^{-1}(ax) \Gamma\left(\frac{1}{2}, i \cos^{-1}(ax)\right)\right)}{3a \cos^{-1}(ax)^{3/2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcCos[a*x]^(-5/2), x]
```

```
[Out] (-2*(-Sqrt[1 - a^2*x^2] - ArcCos[a*x]/E^(I*ArcCos[a*x]) - E^(I*ArcCos[a*x])
*ArcCos[a*x] + Sqrt[(-I)*ArcCos[a*x]]*ArcCos[a*x]*Gamma[1/2, (-I)*ArcCos[a*
```

x]] + Sqrt[I*ArcCos[a*x]]*ArcCos[a*x]*Gamma[1/2, I*ArcCos[a*x]]))/(3*a*ArcCos[a*x]^(3/2))

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\arccos(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^(5/2),x, algorithm="giac")

[Out] integrate(arccos(a*x)^(-5/2), x)

maple [A] time = 0.17, size = 83, normalized size = 1.09

$$\frac{\sqrt{2} \left(4\pi \arccos(ax)^2 S\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) + 2 \arccos(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} xa + \sqrt{2} \sqrt{\arccos(ax)} \sqrt{\pi} \sqrt{-a^2x^2 + 1} \right)}{3a\sqrt{\pi} \arccos(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccos(a*x)^(5/2),x)

[Out] 1/3/a*2^(1/2)/Pi^(1/2)*(4*Pi*arccos(a*x)^2*FresnelS(2^(1/2)/Pi^(1/2)*arccos(a*x)^(1/2))+2*arccos(a*x)^(3/2)*2^(1/2)*Pi^(1/2)*x*a+2^(1/2)*arccos(a*x)^(1/2)*Pi^(1/2)*(-a^2*x^2+1)^(1/2))/arccos(a*x)^2

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
 expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\operatorname{acos}(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/acos(a*x)^(5/2), x)

[Out] int(1/acos(a*x)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\operatorname{acos}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/acos(a*x)**(5/2), x)

[Out] Integral(acos(a*x)**(-5/2), x)

$$3.112 \quad \int \frac{1}{x \cos^{-1}(ax)^{5/2}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \cos^{-1}(ax)^{5/2}}, x\right)$$

[Out] Unintegrable(1/x/arccos(a*x)^(5/2), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \cos^{-1}(ax)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*ArcCos[a*x]^(5/2)), x]

[Out] Defer[Int][1/(x*ArcCos[a*x]^(5/2)), x]

Rubi steps

$$\int \frac{1}{x \cos^{-1}(ax)^{5/2}} dx = \int \frac{1}{x \cos^{-1}(ax)^{5/2}} dx$$

Mathematica [A] time = 0.51, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos^{-1}(ax)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*ArcCos[a*x]^(5/2)), x]

[Out] Integrate[1/(x*ArcCos[a*x]^(5/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(5/2),x, algorithm="giac")

[Out] integrate(1/(x*arccos(a*x)^(5/2)), x)

maple [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccos(a*x)^(5/2),x)

[Out] int(1/x/arccos(a*x)^(5/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x \arccos(ax)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*arccos(a*x)^(5/2)),x)

[Out] int(1/(x*arccos(a*x)^(5/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acos}^{\frac{5}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/acos(a*x)**(5/2), x)

[Out] Integral(1/(x*acos(a*x)**(5/2)), x)

$$3.113 \quad \int \frac{x^4}{\cos^{-1}(ax)^{7/2}} dx$$

Optimal. Leaf size=264

$$\frac{\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{15a^5} - \frac{8\sqrt{6\pi} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{5a^5} + \frac{5\sqrt{\frac{3\pi}{2}} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^5} + \frac{5\sqrt{\frac{5\pi}{2}} C\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a^5}$$

[Out] $-16/15*x^3/a^2/\arccos(a*x)^{(3/2)}+4/3*x^5/\arccos(a*x)^{(3/2)}+9/10*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^5+1/15*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^5+5/6*\text{FresnelC}(10^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*10^{(1/2)}*\text{Pi}^{(1/2)}/a^5+2/5*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(5/2)}+32/5*x^2*(-a^2*x^2+1)^{(1/2)}/a^3/\arccos(a*x)^{(1/2)}-40/3*x^4*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.38, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {4634, 4720, 4632, 3304, 3352}

$$\frac{\sqrt{2\pi} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{15a^5} - \frac{8\sqrt{6\pi} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{5a^5} + \frac{5\sqrt{\frac{3\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{a^5} + \frac{5\sqrt{\frac{5\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{10}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{3a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/ArcCos[a*x]^(7/2), x]

[Out] $(2*x^4*\text{Sqrt}[1 - a^2*x^2])/(5*a*\text{ArcCos}[a*x]^{(5/2)}) - (16*x^3)/(15*a^2*\text{ArcCos}[a*x]^{(3/2)}) + (4*x^5)/(3*\text{ArcCos}[a*x]^{(3/2)}) + (32*x^2*\text{Sqrt}[1 - a^2*x^2])/(5*a^3*\text{Sqrt}[\text{ArcCos}[a*x]]) - (40*x^4*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{Sqrt}[\text{ArcCos}[a*x]]) + (\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(15*a^5) + (5*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/a^5 - (8*\text{Sqrt}[6*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(5*a^5) + (5*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelC}[\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(3*a^5)$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4632

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] :> -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dis
t[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Co
s[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{
a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] :> -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-D
ist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sq
rt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCo
s[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[
m, 0] && LtQ[n, -2]
```

Rule 4720

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_)^(m_.))/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] :> -Simp[((f*x)^(m*(a + b*ArcCos[c*x])^(n + 1)))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m -
1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\cos^{-1}(ax)^{7/2}} dx &= \frac{2x^4\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{8\int \frac{x^3}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{5/2}} dx}{5a} + (2a)\int \frac{x^5}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{5/2}} dx \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{16x^3}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{4x^5}{3\cos^{-1}(ax)^{3/2}} - \frac{20}{3}\int \frac{x^4}{\cos^{-1}(ax)^{3/2}} dx + \frac{16\int \frac{x^2}{\cos^{-1}(ax)^{5/2}} dx}{5a^2} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{16x^3}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{4x^5}{3\cos^{-1}(ax)^{3/2}} + \frac{32x^2\sqrt{1-a^2x^2}}{5a^3\sqrt{\cos^{-1}(ax)}} - \frac{40x^4\sqrt{1-a^2x^2}}{3a\sqrt{\cos^{-1}(ax)}} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{16x^3}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{4x^5}{3\cos^{-1}(ax)^{3/2}} + \frac{32x^2\sqrt{1-a^2x^2}}{5a^3\sqrt{\cos^{-1}(ax)}} - \frac{40x^4\sqrt{1-a^2x^2}}{3a\sqrt{\cos^{-1}(ax)}} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{16x^3}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{4x^5}{3\cos^{-1}(ax)^{3/2}} + \frac{32x^2\sqrt{1-a^2x^2}}{5a^3\sqrt{\cos^{-1}(ax)}} - \frac{40x^4\sqrt{1-a^2x^2}}{3a\sqrt{\cos^{-1}(ax)}} \\
&= \frac{2x^4\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{16x^3}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{4x^5}{3\cos^{-1}(ax)^{3/2}} + \frac{32x^2\sqrt{1-a^2x^2}}{5a^3\sqrt{\cos^{-1}(ax)}} - \frac{40x^4\sqrt{1-a^2x^2}}{3a\sqrt{\cos^{-1}(ax)}}
\end{aligned}$$

Mathematica [C] time = 8.06, size = 418, normalized size = 1.58

$$\frac{2\left(-6\sqrt{1-a^2x^2} - 2ie^{i\cos^{-1}(ax)}\cos^{-1}(ax)\left(2\cos^{-1}(ax) - i\right) - 4\cos^{-1}(ax)\left(-i\cos^{-1}(ax)\right)^{3/2}\Gamma\left(\frac{1}{2}, -i\cos^{-1}(ax)\right)\right) + e^{i\cos^{-1}(ax)}\left(2\cos^{-1}(ax) - i\right)^{3/2}\Gamma\left(\frac{1}{2}, -i\cos^{-1}(ax)\right)}{5a^3\sqrt{\cos^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4/ArcCos[a*x]^(7/2), x]

[Out]
$$\begin{aligned}
& -1/240*(2*(-6*\text{Sqrt}[1 - a^2*x^2] - (2*I)*E^{(I*\text{ArcCos}[a*x])}*\text{ArcCos}[a*x]*(-I + \\
& 2*\text{ArcCos}[a*x]) - 4*((-I)*\text{ArcCos}[a*x])^{(3/2)}*\text{ArcCos}[a*x]*\text{Gamma}[1/2, (-I)*\text{Arc} \\
& \text{Cos}[a*x]]) + (\text{ArcCos}[a*x]*(-2 + (4*I)*\text{ArcCos}[a*x] - 4*E^{(I*\text{ArcCos}[a*x])}*(I* \\
& \text{ArcCos}[a*x])^{(3/2)}*\text{Gamma}[1/2, I*\text{ArcCos}[a*x]]))/E^{(I*\text{ArcCos}[a*x])}) - 5*\text{ArcCo} \\
& \text{s}[a*x]*(2*E^{((5*I)*\text{ArcCos}[a*x])}*(1 + (10*I)*\text{ArcCos}[a*x]) + 20*\text{Sqrt}[5]*((-I) \\
& *\text{ArcCos}[a*x])^{(3/2)}*\text{Gamma}[1/2, (-5*I)*\text{ArcCos}[a*x]]) + (2 - (20*I)*\text{ArcCos}[a*x] \\
& + 20*\text{Sqrt}[5]*E^{((5*I)*\text{ArcCos}[a*x])}*(I*\text{ArcCos}[a*x])^{(3/2)}*\text{Gamma}[1/2, (5*I) \\
& *\text{ArcCos}[a*x]])/E^{((5*I)*\text{ArcCos}[a*x])}) + 9*(-2*\text{ArcCos}[a*x]*(E^{((3*I)*\text{ArcCos}[\\
& a*x])}*(1 + (6*I)*\text{ArcCos}[a*x]) + 6*\text{Sqrt}[3]*((-I)*\text{ArcCos}[a*x])^{(3/2)}*\text{Gamma}[1/ \\
& 2, (-3*I)*\text{ArcCos}[a*x]]) + (1 - (6*I)*\text{ArcCos}[a*x] + 6*\text{Sqrt}[3]*E^{((3*I)*\text{ArcCos} \\
& [a*x])}*(I*\text{ArcCos}[a*x])^{(3/2)}*\text{Gamma}[1/2, (3*I)*\text{ArcCos}[a*x]])/E^{((3*I)*\text{ArcCos} \\
& [a*x])}) - 2*\text{Sin}[3*\text{ArcCos}[a*x]]) - 6*\text{Sin}[5*\text{ArcCos}[a*x]])/(a^5*\text{ArcCos}[a*x]^(5 \\
& /2))
\end{aligned}$$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(7/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(7/2),x, algorithm="giac")

[Out] integrate(x^4/arccos(a*x)^(7/2), x)

maple [A] time = 0.25, size = 225, normalized size = 0.85

$$\frac{-100\sqrt{2} \sqrt{\pi} \sqrt{5} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{5} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{5}{2}} - 108\sqrt{2} \sqrt{\pi} \sqrt{3} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{5}{2}}}{\arccos(ax)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/arccos(a*x)^(7/2),x)

[Out]
$$\frac{-1/120/a^5*(-100*2^{(1/2)}*Pi^{(1/2)}*5^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}*5^{(1/2)}*\arccos(a*x)^{(1/2)})*\arccos(a*x)^{(5/2)}-108*2^{(1/2)}*Pi^{(1/2)}*3^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}*3^{(1/2)}*\arccos(a*x)^{(1/2)})*\arccos(a*x)^{(5/2)}-8*2^{(1/2)}*Pi^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}*\arccos(a*x)^{(1/2)})*\arccos(a*x)^{(5/2)}+8*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}+108*\arccos(a*x)^2*\sin(3*\arccos(a*x))+100*\arccos(a*x)^2*\sin(5*\arccos(a*x))-4*a*x*\arccos(a*x)-18*\arccos(a*x)*\cos(3*\arccos(a*x))-10*\arccos(a*x)*\cos(5*\arccos(a*x))-6*(-a^2*x^2+1)^{(1/2)}-9*\sin(3*\arccos(a*x))-3*\sin(5*\arccos(a*x)))/\arccos(a*x)^{(5/2)}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arccos(a*x)^(7/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
 expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{\arccos(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/acos(a*x)^(7/2),x)

[Out] int(x^4/acos(a*x)^(7/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\arccos^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4/acos(a*x)**(7/2),x)

[Out] Integral(x**4/acos(a*x)**(7/2), x)

$$3.114 \quad \int \frac{x^3}{\cos^{-1}(ax)^{7/2}} dx$$

Optimal. Leaf size=190

$$\frac{32\sqrt{2\pi} C\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{15a^4} + \frac{16\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{15a^4} - \frac{4x^2}{5a^2 \cos^{-1}(ax)^{3/2}} - \frac{128x^3 \sqrt{1-a^2x^2}}{15a \sqrt{\cos^{-1}(ax)}} + \frac{2x^3 \sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} + \frac{16}{5a^2 \cos^{-1}(ax)^{3/2}}$$

[Out] $-4/5*x^2/a^2/\arccos(a*x)^{(3/2)}+16/15*x^4/\arccos(a*x)^{(3/2)}+16/15*\text{FresnelC}(2*\arccos(a*x)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^4+32/15*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^4+2/5*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(5/2)}+16/5*x*(-a^2*x^2+1)^{(1/2)}/a^3/\arccos(a*x)^{(1/2)}-128/15*x^3*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {4634, 4720, 4632, 3304, 3352}

$$\frac{32\sqrt{2\pi} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{15a^4} + \frac{16\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{15a^4} - \frac{128x^3 \sqrt{1-a^2x^2}}{15a \sqrt{\cos^{-1}(ax)}} + \frac{2x^3 \sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} - \frac{16}{5a^2 \cos^{-1}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^3/ArcCos[a*x]^(7/2), x]

[Out] $(2*x^3*\text{Sqrt}[1-a^2*x^2])/(5*a*\text{ArcCos}[a*x]^{(5/2)}) - (4*x^2)/(5*a^2*\text{ArcCos}[a*x]^{(3/2)}) + (16*x^4)/(15*\text{ArcCos}[a*x]^{(3/2)}) + (16*x*\text{Sqrt}[1-a^2*x^2])/(5*a^3*\text{Sqrt}[\text{ArcCos}[a*x]]) - (128*x^3*\text{Sqrt}[1-a^2*x^2])/(15*a*\text{Sqrt}[\text{ArcCos}[a*x]]) + (32*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(15*a^4) + (16*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(15*a^4)$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4632

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dis
t[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Co
s[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{
a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-D
ist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sq
rt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCo
s[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[
m, 0] && LtQ[n, -2]
```

Rule 4720

```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_)^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m -
1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\cos^{-1}(ax)^{7/2}} dx &= \frac{2x^3\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{6\int \frac{x^2}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{5/2}} dx}{5a} + \frac{1}{5}(8a)\int \frac{x^4}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{5/2}} dx \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{4x^2}{5a^2\cos^{-1}(ax)^{3/2}} + \frac{16x^4}{15\cos^{-1}(ax)^{3/2}} - \frac{64}{15}\int \frac{x^3}{\cos^{-1}(ax)^{3/2}} dx + \frac{8\int \frac{x^4}{\cos^{-1}(ax)^{5/2}} dx}{5a^2} \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{4x^2}{5a^2\cos^{-1}(ax)^{3/2}} + \frac{16x^4}{15\cos^{-1}(ax)^{3/2}} + \frac{16x\sqrt{1-a^2x^2}}{5a^3\sqrt{\cos^{-1}(ax)}} - \frac{128x^3\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{4x^2}{5a^2\cos^{-1}(ax)^{3/2}} + \frac{16x^4}{15\cos^{-1}(ax)^{3/2}} + \frac{16x\sqrt{1-a^2x^2}}{5a^3\sqrt{\cos^{-1}(ax)}} - \frac{128x^3\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{4x^2}{5a^2\cos^{-1}(ax)^{3/2}} + \frac{16x^4}{15\cos^{-1}(ax)^{3/2}} + \frac{16x\sqrt{1-a^2x^2}}{5a^3\sqrt{\cos^{-1}(ax)}} - \frac{128x^3\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} \\
&= \frac{2x^3\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{4x^2}{5a^2\cos^{-1}(ax)^{3/2}} + \frac{16x^4}{15\cos^{-1}(ax)^{3/2}} + \frac{16x\sqrt{1-a^2x^2}}{5a^3\sqrt{\cos^{-1}(ax)}} - \frac{128x^3\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}}
\end{aligned}$$

Mathematica [C] time = 4.33, size = 264, normalized size = 1.39

$$-4e^{-2i\cos^{-1}(ax)} \left(e^{4i\cos^{-1}(ax)} (1 + 4i\cos^{-1}(ax)) - 4i\cos^{-1}(ax) + 1 \right) \cos^{-1}(ax) - 6\sin(2\cos^{-1}(ax)) - 3\sin(4\cos^{-1}(ax))$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3/ArcCos[a*x]^(7/2), x]

[Out]
$$-1/60 * ((-4 * (1 + E^{((4*I)*ArcCos[a*x])}) * (1 + (4*I)*ArcCos[a*x]) - (4*I)*ArcCos[a*x]) * ArcCos[a*x]) / E^{((2*I)*ArcCos[a*x])} + (16 * Sqrt[2] * ArcCos[a*x]^3 * Gamma[1/2, (-2*I)*ArcCos[a*x]]) / Sqrt[(-I)*ArcCos[a*x]] + (16*I)*Sqrt[2] * (I * ArcCos[a*x])^{5/2} * Gamma[1/2, (2*I)*ArcCos[a*x]] - 2 * ArcCos[a*x] * (2 * E^{((4*I)*ArcCos[a*x])} * (1 + (8*I)*ArcCos[a*x]) + 32 * ((-I)*ArcCos[a*x])^{3/2} * Gamma[1/2, (-4*I)*ArcCos[a*x]] + (2 * (1 - (8*I)*ArcCos[a*x] + 16 * E^{((4*I)*ArcCos[a*x])}) * (I * ArcCos[a*x])^{3/2} * Gamma[1/2, (4*I)*ArcCos[a*x]]) / E^{((4*I)*ArcCos[a*x])} - 6 * Sin[2 * ArcCos[a*x]] - 3 * Sin[4 * ArcCos[a*x]]) / (a^4 * ArcCos[a*x]^{5/2})$$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arccos(a*x)^(7/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arccos(a*x)^(7/2),x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
eur & l) Error: Bad Argument Value
```

```
maple [A] time = 0.20, size = 139, normalized size = 0.73
```

$$-128\sqrt{2}\sqrt{\pi}\operatorname{FresnelC}\left(\frac{2\sqrt{2}\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\arccos(ax)^{\frac{5}{2}} - 64\sqrt{\pi}\operatorname{FresnelC}\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\arccos(ax)^{\frac{5}{2}} + 32\sin(2\arccos(ax))\arccos(ax)^{\frac{5}{2}} - 64\sqrt{\pi}\operatorname{FresnelC}\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right)\arccos(ax)^{\frac{5}{2}} + 32\sin(2\arccos(ax))\arccos(ax)^{\frac{5}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3/arccos(a*x)^(7/2),x)
```

```
[Out] -1/60/a^4*(-128*2^(1/2)*Pi^(1/2)*FresnelC(2*2^(1/2)/Pi^(1/2)*arccos(a*x)^(1
/2))*arccos(a*x)^(5/2)-64*Pi^(1/2)*FresnelC(2*arccos(a*x)^(1/2)/Pi^(1/2))*a
rccos(a*x)^(5/2)+32*sin(2*arccos(a*x))*arccos(a*x)^2+64*sin(4*arccos(a*x))*
arccos(a*x)^2-8*arccos(a*x)*cos(2*arccos(a*x))-8*arccos(a*x)*cos(4*arccos(a
*x))-6*sin(2*arccos(a*x))-3*sin(4*arccos(a*x)))/arccos(a*x)^(5/2)
```

```
maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arccos(a*x)^(7/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.
```

```
mupad [F] time = 0.00, size = -1, normalized size = -0.01
```

$$\int \frac{x^3}{\arccos(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/acos(a*x)^(7/2),x)`

[Out] `int(x^3/acos(a*x)^(7/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\operatorname{acos}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/acos(a*x)**(7/2),x)`

[Out] `Integral(x**3/acos(a*x)**(7/2), x)`

$$3.115 \quad \int \frac{x^2}{\cos^{-1}(ax)^{7/2}} dx$$

Optimal. Leaf size=191

$$\frac{2\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{15a^3} + \frac{6\sqrt{6\pi} C\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{5a^3} - \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\cos^{-1}(ax)}} + \frac{2x^2\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\cos^{-1}(ax)^{3/2}} + \dots$$

[Out] $-8/15*x/a^2/\arccos(a*x)^{(3/2)}+4/5*x^3/\arccos(a*x)^{(3/2)}+2/15*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a^3+6/5*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/a^3+2/5*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(5/2)}+16/15*(-a^2*x^2+1)^{(1/2)}/a^3/\arccos(a*x)^{(1/2)}-24/5*x^2*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 191, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {4634, 4720, 4632, 3304, 3352, 4622, 4724}

$$\frac{2\sqrt{2\pi} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{15a^3} + \frac{6\sqrt{6\pi} \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{5a^3} - \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\cos^{-1}(ax)}} + \frac{2x^2\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} + \frac{16x}{15a^2\cos^{-1}(ax)^{3/2}} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2/\text{ArcCos}[a*x]^{(7/2)}, x]$

[Out] $(2*x^2*\text{Sqrt}[1 - a^2*x^2])/(5*a*\text{ArcCos}[a*x]^{(5/2)}) - (8*x)/(15*a^2*\text{ArcCos}[a*x]^{(3/2)}) + (4*x^3)/(5*\text{ArcCos}[a*x]^{(3/2)}) + (16*\text{Sqrt}[1 - a^2*x^2])/(15*a^3*\text{Sqrt}[\text{ArcCos}[a*x]]) - (24*x^2*\text{Sqrt}[1 - a^2*x^2])/(5*a*\text{Sqrt}[\text{ArcCos}[a*x]]) + (2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(15*a^3) + (6*\text{Sqrt}[6*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(5*a^3)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 4622

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(Sqrt[1 - c
^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1))
, Int[(x*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a
, b, c}, x] && LtQ[n, -1]
```

Rule 4632

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dis
t[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Co
s[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{
a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-D
ist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sq
rt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCo
s[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[
m, 0] && LtQ[n, -2]
```

Rule 4720

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_)*((f_.)*(x_)^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m -
1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_)*(x_)^(m_)*((d_) + (e_.)*(x_)^
2)^(p_), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*
Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &
& EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Intege
rQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\cos^{-1}(ax)^{7/2}} dx &= \frac{2x^2\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{4\int \frac{x}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{5/2}} dx}{5a} + \frac{1}{5}(6a)\int \frac{x^3}{\sqrt{1-a^2x^2}\cos^{-1}(ax)^{5/2}} dx \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{4x^3}{5\cos^{-1}(ax)^{3/2}} - \frac{12}{5}\int \frac{x^2}{\cos^{-1}(ax)^{3/2}} dx + \frac{8\int \frac{1}{\cos^{-1}(ax)}}{15a^2} \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{4x^3}{5\cos^{-1}(ax)^{3/2}} + \frac{16\sqrt{1-a^2x^2}}{15a^3\sqrt{\cos^{-1}(ax)}} - \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\cos^{-1}(ax)}} \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{4x^3}{5\cos^{-1}(ax)^{3/2}} + \frac{16\sqrt{1-a^2x^2}}{15a^3\sqrt{\cos^{-1}(ax)}} - \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\cos^{-1}(ax)}} \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{4x^3}{5\cos^{-1}(ax)^{3/2}} + \frac{16\sqrt{1-a^2x^2}}{15a^3\sqrt{\cos^{-1}(ax)}} - \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\cos^{-1}(ax)}} \\
&= \frac{2x^2\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{8x}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{4x^3}{5\cos^{-1}(ax)^{3/2}} + \frac{16\sqrt{1-a^2x^2}}{15a^3\sqrt{\cos^{-1}(ax)}} - \frac{24x^2\sqrt{1-a^2x^2}}{5a\sqrt{\cos^{-1}(ax)}}
\end{aligned}$$

Mathematica [C] time = 2.86, size = 281, normalized size = 1.47

$$-6\sqrt{1-a^2x^2} - 2ie^{i\cos^{-1}(ax)}\cos^{-1}(ax)(2\cos^{-1}(ax)-i) - 6\sin(3\cos^{-1}(ax)) - 4\cos^{-1}(ax)(-i\cos^{-1}(ax))^{3/2}\Gamma\left(\frac{1}{2}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/ArcCos[a*x]^(7/2), x]

[Out] $-1/60*(-6*\text{Sqrt}[1 - a^2*x^2] - (2*I)*E^{(I*\text{ArcCos}[a*x])}*\text{ArcCos}[a*x]*(-I + 2*\text{ArcCos}[a*x]) - 4*((-I)*\text{ArcCos}[a*x])^{(3/2)}*\text{ArcCos}[a*x]*\text{Gamma}[1/2, (-I)*\text{ArcCos}[a*x]] + (\text{ArcCos}[a*x]*(-2 + (4*I)*\text{ArcCos}[a*x] - 4*E^{(I*\text{ArcCos}[a*x])}*(I*\text{ArcCos}[a*x])^{(3/2)}*\text{Gamma}[1/2, I*\text{ArcCos}[a*x]]))/E^{(I*\text{ArcCos}[a*x])} - 6*\text{ArcCos}[a*x]*(E^{((3*I)*\text{ArcCos}[a*x])}*(1 + (6*I)*\text{ArcCos}[a*x]) + 6*\text{Sqrt}[3]*((-I)*\text{ArcCos}[a*x])^{(3/2)}*\text{Gamma}[1/2, (-3*I)*\text{ArcCos}[a*x]] + (1 - (6*I)*\text{ArcCos}[a*x] + 6*\text{Sqrt}[3]*E^{((3*I)*\text{ArcCos}[a*x])}*(I*\text{ArcCos}[a*x])^{(3/2)}*\text{Gamma}[1/2, (3*I)*\text{ArcCos}[a*x]]))/E^{((3*I)*\text{ArcCos}[a*x])} - 6*\text{Sin}[3*\text{ArcCos}[a*x]])/(a^3*\text{ArcCos}[a*x]^{(5/2)})$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(7/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\arccos(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(7/2),x, algorithm="giac")

[Out] integrate(x^2/arccos(a*x)^(7/2), x)

maple [A] time = 0.18, size = 154, normalized size = 0.81

$$\frac{-36\sqrt{2} \sqrt{\pi} \sqrt{3} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{5}{2}} - 4\sqrt{2} \sqrt{\pi} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{5}{2}}}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arccos(a*x)^(7/2),x)

[Out] $-1/30/a^3*(-36*2^{(1/2)}*Pi^{(1/2)}*3^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}*3^{(1/2)}*\arccos(a*x)^{(1/2)})*\arccos(a*x)^{(5/2)}-4*2^{(1/2)}*Pi^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}*\arccos(a*x)^{(1/2)})*\arccos(a*x)^{(5/2)}+4*\arccos(a*x)^2*(-a^2*x^2+1)^{(1/2)}+36*\arccos(a*x)^2*\sin(3*\arccos(a*x))-2*a*x*\arccos(a*x)-6*\arccos(a*x)*\cos(3*\arccos(a*x))-3*(-a^2*x^2+1)^{(1/2)}-3*\sin(3*\arccos(a*x)))/\arccos(a*x)^{(5/2)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arccos(a*x)^(7/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\operatorname{acos}(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/acos(a*x)^(7/2), x)`

[Out] `int(x^2/acos(a*x)^(7/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\operatorname{acos}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/acos(a*x)**(7/2), x)`

[Out] `Integral(x**2/acos(a*x)**(7/2), x)`

$$3.116 \quad \int \frac{x}{\cos^{-1}(ax)^{7/2}} dx$$

Optimal. Leaf size=119

$$\frac{32\sqrt{\pi} C\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{15a^2} - \frac{32x\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} + \frac{2x\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{4}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{8x^2}{15\cos^{-1}(ax)^{3/2}}$$

[Out] $-4/15/a^2/\arccos(ax)^{(3/2)}+8/15*x^2/\arccos(ax)^{(3/2)}+32/15*\text{FresnelC}(2*\arccos(ax)^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/a^2+2/5*x*(-a^2*x^2+1)^{(1/2)}/a/\arccos(ax)^{(5/2)}-32/15*x*(-a^2*x^2+1)^{(1/2)}/a/\arccos(ax)^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {4634, 4720, 4632, 3304, 3352, 4642}

$$\frac{32\sqrt{\pi} \text{FresnelC}\left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}}\right)}{15a^2} - \frac{32x\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} + \frac{2x\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} - \frac{4}{15a^2\cos^{-1}(ax)^{3/2}} + \frac{8x^2}{15\cos^{-1}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x/ArcCos[a*x]^(7/2), x]

[Out] $(2*x*\text{Sqrt}[1 - a^2*x^2])/(5*a*\text{ArcCos}[a*x]^{(5/2)}) - 4/(15*a^2*\text{ArcCos}[a*x]^{(3/2)}) + (8*x^2)/(15*\text{ArcCos}[a*x]^{(3/2)}) - (32*x*\text{Sqrt}[1 - a^2*x^2])/(15*a*\text{Sqrt}[\text{ArcCos}[a*x]]) + (32*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcCos}[a*x]])/\text{Sqrt}[\text{Pi}]])/(15*a^2)$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/ (f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4632

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_), x_Symbol] := -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Co

$s[x]^{(m-1)} \cdot (m - (m+1) \cdot \cos[x]^2)$, x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rule 4634

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> -Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

Rule 4642

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4720

Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_)^(m_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x}{\cos^{-1}(ax)^{7/2}} dx &= \frac{2x\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} - \frac{2 \int \frac{1}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^{5/2}} dx}{5a} + \frac{1}{5}(4a) \int \frac{x^2}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^{5/2}} dx \\
&= \frac{2x\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} - \frac{4}{15a^2 \cos^{-1}(ax)^{3/2}} + \frac{8x^2}{15 \cos^{-1}(ax)^{3/2}} - \frac{16}{15} \int \frac{x}{\cos^{-1}(ax)^{3/2}} dx \\
&= \frac{2x\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} - \frac{4}{15a^2 \cos^{-1}(ax)^{3/2}} + \frac{8x^2}{15 \cos^{-1}(ax)^{3/2}} - \frac{32x\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} + \frac{32 \text{Subst} \left(\int \frac{1}{\sqrt{1-a^2x^2}} dx \right)}{15a^2} \\
&= \frac{2x\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} - \frac{4}{15a^2 \cos^{-1}(ax)^{3/2}} + \frac{8x^2}{15 \cos^{-1}(ax)^{3/2}} - \frac{32x\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} + \frac{64 \text{Subst} \left(\int \frac{1}{\sqrt{1-a^2x^2}} dx \right)}{15a^2} \\
&= \frac{2x\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} - \frac{4}{15a^2 \cos^{-1}(ax)^{3/2}} + \frac{8x^2}{15 \cos^{-1}(ax)^{3/2}} - \frac{32x\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} + \frac{32\sqrt{\pi} C \left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}} \right)}{15a^2}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 75, normalized size = 0.63

$$\frac{32\sqrt{\pi} C \left(\frac{2\sqrt{\cos^{-1}(ax)}}{\sqrt{\pi}} \right) + \frac{4 \cos(2 \cos^{-1}(ax))}{\cos^{-1}(ax)^{3/2}} - \frac{(16 \cos^{-1}(ax)^2 - 3) \sin(2 \cos^{-1}(ax))}{\cos^{-1}(ax)^{5/2}}}{15a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/ArcCos[a*x]^(7/2),x]

[Out] ((4*Cos[2*ArcCos[a*x]])/ArcCos[a*x]^(3/2) + 32*Sqrt[Pi]*FresnelC[(2*Sqrt[ArcCos[a*x]])/Sqrt[Pi]] - ((-3 + 16*ArcCos[a*x]^2)*Sin[2*ArcCos[a*x]])/ArcCos[a*x]^(5/2))/(15*a^2)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(7/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\arccos(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(7/2),x, algorithm="giac")

[Out] integrate(x/arccos(a*x)^(7/2), x)

maple [A] time = 0.16, size = 73, normalized size = 0.61

$$\frac{-32\sqrt{\pi} \operatorname{FresnelC}\left(\frac{2\sqrt{\arccos(ax)}}{\sqrt{\pi}}\right) \arccos(ax)^{\frac{5}{2}} + 16 \sin(2 \arccos(ax)) \arccos(ax)^2 - 4 \arccos(ax) \cos(2 \arccos(ax))}{15a^2 \arccos(ax)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arccos(a*x)^(7/2),x)

[Out] $-1/15/a^2*(-32*\pi^{(1/2)}*\operatorname{FresnelC}(2*\arccos(a*x)^{(1/2)}/\pi^{(1/2)})*\arccos(a*x)^{(5/2)}+16*\sin(2*\arccos(a*x))*\arccos(a*x)^2-4*\arccos(a*x)*\cos(2*\arccos(a*x))-3*\sin(2*\arccos(a*x)))/\arccos(a*x)^{(5/2)}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arccos(a*x)^(7/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\arccos(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/acos(a*x)^(7/2),x)

[Out] int(x/acos(a*x)^(7/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\arccos^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/acos(a*x)**(7/2),x)
```

```
[Out] Integral(x/acos(a*x)**(7/2), x)
```

$$3.117 \quad \int \frac{1}{\cos^{-1}(ax)^{7/2}} dx$$

Optimal. Leaf size=105

$$-\frac{8\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} + \frac{2\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} + \frac{8\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{15a} + \frac{4x}{15\cos^{-1}(ax)^{3/2}}$$

[Out] $4/15*x/\arccos(a*x)^{(3/2)}+8/15*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/a+2/5*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(5/2)}-8/15*(-a^2*x^2+1)^{(1/2)}/a/\arccos(a*x)^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4622, 4720, 4724, 3304, 3352}

$$-\frac{8\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} + \frac{2\sqrt{1-a^2x^2}}{5a\cos^{-1}(ax)^{5/2}} + \frac{8\sqrt{2\pi} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{\cos^{-1}(ax)}\right)}{15a} + \frac{4x}{15\cos^{-1}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^(-7/2), x]

[Out] $(2*\text{Sqrt}[1 - a^2*x^2])/(5*a*\text{ArcCos}[a*x]^{(5/2)}) + (4*x)/(15*\text{ArcCos}[a*x]^{(3/2)}) - (8*\text{Sqrt}[1 - a^2*x^2])/(15*a*\text{Sqrt}[\text{ArcCos}[a*x]]) + (8*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcCos}[a*x]]])/(15*a)$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4622

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1)), Int[(x*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4720

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] :> -Simp[((f*x)^(m*(a + b*ArcCos[c*x]))^(n + 1))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m -
1)*(a + b*ArcCos[c*x]))^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] :> -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^(n*Cos[x]^m*
Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &
& EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Intege
rQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{-1}(ax)^{7/2}} dx &= \frac{2\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} + \frac{1}{5}(2a) \int \frac{x}{\sqrt{1-a^2x^2} \cos^{-1}(ax)^{5/2}} dx \\
&= \frac{2\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} + \frac{4x}{15 \cos^{-1}(ax)^{3/2}} - \frac{4}{15} \int \frac{1}{\cos^{-1}(ax)^{3/2}} dx \\
&= \frac{2\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} + \frac{4x}{15 \cos^{-1}(ax)^{3/2}} - \frac{8\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} - \frac{1}{15}(8a) \int \frac{x}{\sqrt{1-a^2x^2} \sqrt{\cos^{-1}(ax)}} dx \\
&= \frac{2\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} + \frac{4x}{15 \cos^{-1}(ax)^{3/2}} - \frac{8\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} + \frac{8 \operatorname{Subst}\left(\int \frac{\cos(x)}{\sqrt{x}} dx, x, \cos^{-1}(ax)\right)}{15a} \\
&= \frac{2\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} + \frac{4x}{15 \cos^{-1}(ax)^{3/2}} - \frac{8\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} + \frac{16 \operatorname{Subst}\left(\int \cos(x^2) dx, x, \sqrt{\cos^{-1}(ax)}\right)}{15a} \\
&= \frac{2\sqrt{1-a^2x^2}}{5a \cos^{-1}(ax)^{5/2}} + \frac{4x}{15 \cos^{-1}(ax)^{3/2}} - \frac{8\sqrt{1-a^2x^2}}{15a\sqrt{\cos^{-1}(ax)}} + \frac{8\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}} \sqrt{\cos^{-1}(ax)}\right)}{15a}
\end{aligned}$$

Mathematica [C] time = 1.17, size = 151, normalized size = 1.44

$$\frac{-6\sqrt{1-a^2x^2} - 2ie^{i\cos^{-1}(ax)} \cos^{-1}(ax) (2\cos^{-1}(ax) - i) - 4\cos^{-1}(ax) (-i\cos^{-1}(ax))^{3/2} \Gamma\left(\frac{1}{2}, -i\cos^{-1}(ax)\right) + e^{-i\cos^{-1}(ax)}}{15a \cos^{-1}(ax)^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCos[a*x]^(-7/2),x]

[Out]
$$-1/15*(-6*\sqrt{1-a^2*x^2} - (2*I)*E^{(I*\text{ArcCos}[a*x])}*\text{ArcCos}[a*x]*(-I + 2*\text{ArcCos}[a*x]) - 4*((-I)*\text{ArcCos}[a*x])^{(3/2)}*\text{ArcCos}[a*x]*\text{Gamma}[1/2, (-I)*\text{ArcCos}[a*x]] + (\text{ArcCos}[a*x]*(-2 + (4*I)*\text{ArcCos}[a*x] - 4*E^{(I*\text{ArcCos}[a*x])}*(I*\text{ArcCos}[a*x])^{(3/2)}*\text{Gamma}[1/2, I*\text{ArcCos}[a*x])))/E^{(I*\text{ArcCos}[a*x])})/(a*\text{ArcCos}[a*x])^{(5/2)}$$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^(7/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\arccos(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arccos(a*x)^(7/2),x, algorithm="giac")

[Out] integrate(arccos(a*x)^(-7/2), x)

maple [A] time = 0.16, size = 110, normalized size = 1.05

$$\frac{\sqrt{2} \left(8\pi \arccos(ax)^3 \text{FresnelC} \left(\frac{\sqrt{2} \sqrt{\arccos(ax)}}{\sqrt{\pi}} \right) - 4 \arccos(ax)^{5/2} \sqrt{2} \sqrt{\pi} \sqrt{-a^2x^2 + 1} + 2 \arccos(ax)^{3/2} \sqrt{2} \sqrt{\pi} x \right)}{15a\sqrt{\pi} \arccos(ax)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arccos(a*x)^(7/2),x)

[Out]
$$1/15/a*2^{(1/2)}/\text{Pi}^{(1/2)}*(8*\text{Pi}*\arccos(a*x)^3*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*\arccos(a*x)^{(1/2)})-4*\arccos(a*x)^{(5/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}*(-a^2*x^2+1)^{(1/2)}+2*\arccos(a*x)^{(3/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}*x*a+3*2^{(1/2)}*\arccos(a*x)^{(1/2)}*\text{Pi}^{(1/2)}*(-a^2*x^2+1)^{(1/2)})/\arccos(a*x)^3$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arccos(a*x)^(7/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
 expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\arccos(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/acos(a*x)^(7/2),x)`

[Out] `int(1/acos(a*x)^(7/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\arccos^2(ax)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/acos(a*x)**(7/2),x)`

[Out] `Integral(acos(a*x)**(-7/2), x)`

$$3.118 \quad \int \frac{1}{x \cos^{-1}(ax)^{7/2}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x \cos^{-1}(ax)^{7/2}}, x\right)$$

[Out] Unintegrable(1/x/arccos(a*x)^(7/2), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \cos^{-1}(ax)^{7/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*ArcCos[a*x]^(7/2)), x]

[Out] Defer[Int][1/(x*ArcCos[a*x]^(7/2)), x]

Rubi steps

$$\int \frac{1}{x \cos^{-1}(ax)^{7/2}} dx = \int \frac{1}{x \cos^{-1}(ax)^{7/2}} dx$$

Mathematica [A] time = 0.53, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos^{-1}(ax)^{7/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*ArcCos[a*x]^(7/2)), x]

[Out] Integrate[1/(x*ArcCos[a*x]^(7/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(7/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(7/2),x, algorithm="giac")

[Out] integrate(1/(x*arccos(a*x)^(7/2)), x)

maple [A] time = 0.21, size = 0, normalized size = 0.00

$$\int \frac{1}{x \arccos(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arccos(a*x)^(7/2),x)

[Out] int(1/x/arccos(a*x)^(7/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arccos(a*x)^(7/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x \arccos(ax)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*arccos(a*x)^(7/2)),x)

[Out] int(1/(x*arccos(a*x)^(7/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \operatorname{acos}^{\frac{7}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/acos(a*x)**(7/2),x)

[Out] Integral(1/(x*acos(a*x)**(7/2)), x)

3.119 $\int (bx)^m \cos^{-1}(ax)^4 dx$

Optimal. Leaf size=65

$$\frac{4a \operatorname{Int}\left(\frac{\cos^{-1}(ax)^3 (bx)^{m+1}}{\sqrt{1-a^2x^2}}, x\right)}{b(m+1)} + \frac{\cos^{-1}(ax)^4 (bx)^{m+1}}{b(m+1)}$$

[Out] $(b*x)^{(1+m)}*\arccos(a*x)^4/b/(1+m)+4*a*\operatorname{Unintegrable}((b*x)^{(1+m)}*\arccos(a*x)^3/(-a^2*x^2+1)^{(1/2)},x)/b/(1+m)$

Rubi [A] time = 0.12, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (bx)^m \cos^{-1}(ax)^4 dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Int}[(b*x)^m*\operatorname{ArcCos}[a*x]^4, x]$

[Out] $((b*x)^{(1+m)}*\operatorname{ArcCos}[a*x]^4)/(b*(1+m)) + (4*a*\operatorname{Defer}[\operatorname{Int}][((b*x)^{(1+m)}*\operatorname{ArcCos}[a*x]^3)/\operatorname{Sqrt}[1-a^2*x^2], x])/b*(1+m)$

Rubi steps

$$\int (bx)^m \cos^{-1}(ax)^4 dx = \frac{(bx)^{1+m} \cos^{-1}(ax)^4}{b(1+m)} + \frac{(4a) \int \frac{(bx)^{1+m} \cos^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx}{b(1+m)}$$

Mathematica [A] time = 1.30, size = 0, normalized size = 0.00

$$\int (bx)^m \cos^{-1}(ax)^4 dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Integrate}[(b*x)^m*\operatorname{ArcCos}[a*x]^4, x]$

[Out] $\operatorname{Integrate}[(b*x)^m*\operatorname{ArcCos}[a*x]^4, x]$

fricas [A] time = 0.61, size = 0, normalized size = 0.00

$$\operatorname{integral}((bx)^m \arccos(ax)^4, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^4,x, algorithm="fricas")

[Out] integral((b*x)^m*arccos(a*x)^4, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^4,x, algorithm="giac")

[Out] integrate((b*x)^m*arccos(a*x)^4, x)

maple [A] time = 1.12, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m*arccos(a*x)^4,x)

[Out] int((b*x)^m*arccos(a*x)^4,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^4,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int \arccos(ax)^4 (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^4*(b*x)^m,x)

[Out] int(arccos(a*x)^4*(b*x)^m, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \operatorname{acos}^4(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)**m*acos(a*x)**4,x)
```

```
[Out] Integral((b*x)**m*acos(a*x)**4, x)
```

3.120 $\int (bx)^m \cos^{-1}(ax)^3 dx$

Optimal. Leaf size=65

$$\frac{3a \operatorname{Int}\left(\frac{\cos^{-1}(ax)^2 (bx)^{m+1}}{\sqrt{1-a^2x^2}}, x\right)}{b(m+1)} + \frac{\cos^{-1}(ax)^3 (bx)^{m+1}}{b(m+1)}$$

[Out] $(b*x)^{(1+m)}*\arccos(a*x)^3/b/(1+m)+3*a*\operatorname{Unintegrable}((b*x)^{(1+m)}*\arccos(a*x)^2/(-a^2*x^2+1)^{(1/2)}, x)/b/(1+m)$

Rubi [A] time = 0.11, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (bx)^m \cos^{-1}(ax)^3 dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Int}[(b*x)^m*\operatorname{ArcCos}[a*x]^3, x]$

[Out] $((b*x)^{(1+m)}*\operatorname{ArcCos}[a*x]^3)/(b*(1+m)) + (3*a*\operatorname{Defer}[\operatorname{Int}[(b*x)^{(1+m)}*\operatorname{ArcCos}[a*x]^2/\operatorname{Sqrt}[1-a^2*x^2], x])/b*(1+m)$

Rubi steps

$$\int (bx)^m \cos^{-1}(ax)^3 dx = \frac{(bx)^{1+m} \cos^{-1}(ax)^3}{b(1+m)} + \frac{(3a) \int \frac{(bx)^{1+m} \cos^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx}{b(1+m)}$$

Mathematica [A] time = 1.18, size = 0, normalized size = 0.00

$$\int (bx)^m \cos^{-1}(ax)^3 dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Integrate}[(b*x)^m*\operatorname{ArcCos}[a*x]^3, x]$

[Out] $\operatorname{Integrate}[(b*x)^m*\operatorname{ArcCos}[a*x]^3, x]$

fricas [A] time = 0.57, size = 0, normalized size = 0.00

$$\operatorname{integral}((bx)^m \arccos(ax)^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^3,x, algorithm="fricas")

[Out] integral((b*x)^m*arccos(a*x)^3, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^3,x, algorithm="giac")

[Out] integrate((b*x)^m*arccos(a*x)^3, x)

maple [A] time = 0.84, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m*arccos(a*x)^3,x)

[Out] int((b*x)^m*arccos(a*x)^3,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^3,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int \operatorname{acos}(ax)^3 (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^3*(b*x)^m,x)

[Out] int(acos(a*x)^3*(b*x)^m, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \operatorname{acos}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)**m*acos(a*x)**3,x)

[Out] Integral((b*x)**m*acos(a*x)**3, x)

3.121 $\int (bx)^m \cos^{-1}(ax)^2 dx$

Optimal. Leaf size=150

$$\frac{2a^2(bx)^{m+3} {}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; \frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}; a^2x^2\right)}{b^3(m+1)(m+2)(m+3)} + \frac{2a \cos^{-1}(ax)(bx)^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2x^2\right)}{b^2(m+1)(m+2)} + \frac{\cos^{-1}(ax)^2}{b(m+1)}$$

[Out] (b*x)^(1+m)*arccos(a*x)^2/b/(1+m)+2*a*(b*x)^(2+m)*arccos(a*x)*hypergeom([1/2, 1+1/2*m], [2+1/2*m], a^2*x^2)/b^2/(1+m)/(2+m)+2*a^2*(b*x)^(3+m)*HypergeometricPFQ([1, 3/2+1/2*m, 3/2+1/2*m], [2+1/2*m, 5/2+1/2*m], a^2*x^2)/b^3/(3+m)/(m^2+3*m+2)

Rubi [A] time = 0.11, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4628, 4712}

$$\frac{2a^2(bx)^{m+3} {}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; \frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}; a^2x^2\right)}{b^3(m+1)(m+2)(m+3)} + \frac{2a \cos^{-1}(ax)(bx)^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2x^2\right)}{b^2(m+1)(m+2)} + \frac{\cos^{-1}(ax)^2}{b(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(b*x)^m*ArcCos[a*x]^2,x]

[Out] ((b*x)^(1+m)*ArcCos[a*x]^2)/(b*(1+m)) + (2*a*(b*x)^(2+m)*ArcCos[a*x]*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, a^2*x^2])/(b^2*(1+m)*(2+m)) + (2*a^2*(b*x)^(3+m)*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, a^2*x^2])/(b^3*(1+m)*(2+m)*(3+m))

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol] :> Simp[((d*x)^(m+1)*(a + b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a + b*ArcCos[c*x])^(n-1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4712

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] :> Simp[((f*x)^(m+1)*(a + b*ArcCos[c*x])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/(Sqrt[d]*f*(m+1)), x] + Simp[(b*c*(f*x)^(m+2)*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2*x^2])/(Sqrt[d]*f^2*(m+1)*(m+2)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

Rubi steps

$$\int (bx)^m \cos^{-1}(ax)^2 dx = \frac{(bx)^{1+m} \cos^{-1}(ax)^2}{b(1+m)} + \frac{(2a) \int \frac{(bx)^{1+m} \cos^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{b(1+m)}$$

$$= \frac{(bx)^{1+m} \cos^{-1}(ax)^2}{b(1+m)} + \frac{2a(bx)^{2+m} \cos^{-1}(ax) {}_2F_1\left(\frac{1}{2}, \frac{2+m}{2}; \frac{4+m}{2}; a^2x^2\right)}{b^2(1+m)(2+m)} + \frac{2a^2(bx)^{3+m} {}_3F_2\left(1, \frac{3+m}{2}, \frac{3+m}{2}; \frac{5+m}{2}, \frac{5+m}{2}; a^2x^2\right)}{b^3(1+m)(2+m)}$$

Mathematica [C] time = 2.38, size = 132, normalized size = 0.88

$$\frac{x(bx)^m \left(ax \left(\sqrt{\pi} a^{2-m} x \Gamma(m+2) {}_3\tilde{F}_2\left(1, \frac{m+3}{2}, \frac{m+3}{2}; \frac{m+4}{2}, \frac{m+5}{2}; a^2x^2\right) + \frac{8\sqrt{1-a^2x^2} \cos^{-1}(ax) {}_2F_1\left(1, \frac{m+3}{2}, \frac{m+4}{2}; a^2x^2\right)}{m+2} \right) + 4 \cos^{-1}(ax) \right)}{4(m+1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(b*x)^m*ArcCos[a*x]^2,x]

[Out] (x*(b*x)^m*(4*ArcCos[a*x]^2 + a*x*((8*Sqrt[1 - a^2*x^2]*ArcCos[a*x]*Hypergeometric2F1[1, (3 + m)/2, (4 + m)/2, a^2*x^2])/(2 + m) + (a*Sqrt[Pi]*x*Gamma[2 + m]*HypergeometricPFQRegularized[{1, (3 + m)/2, (3 + m)/2}, {(4 + m)/2, (5 + m)/2}, a^2*x^2])/2^m)))/(4*(1 + m))

fricas [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}((bx)^m \arccos(ax)^2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^2,x, algorithm="fricas")

[Out] integral((b*x)^m*arccos(a*x)^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^2,x, algorithm="giac")

[Out] integrate((b*x)^m*arccos(a*x)^2, x)

maple [F] time = 1.48, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m*arccos(a*x)^2,x)

[Out] int((b*x)^m*arccos(a*x)^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \arccos(ax)^2 (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^2*(b*x)^m,x)

[Out] int(arccos(a*x)^2*(b*x)^m, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)**m*arccos(a*x)**2,x)

[Out] Integral((b*x)**m*arccos(a*x)**2, x)

3.122 $\int (bx)^m \cos^{-1}(ax) dx$

Optimal. Leaf size=68

$$\frac{a(bx)^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2x^2\right)}{b^2(m+1)(m+2)} + \frac{\cos^{-1}(ax)(bx)^{m+1}}{b(m+1)}$$

[Out] (b*x)^(1+m)*arccos(a*x)/b/(1+m)+a*(b*x)^(2+m)*hypergeom([1/2, 1+1/2*m], [2+1/2*m], a^2*x^2)/b^2/(1+m)/(2+m)

Rubi [A] time = 0.03, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {4628, 364}

$$\frac{a(bx)^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; a^2x^2\right)}{b^2(m+1)(m+2)} + \frac{\cos^{-1}(ax)(bx)^{m+1}}{b(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(b*x)^m*ArcCos[a*x], x]

[Out] ((b*x)^(1 + m)*ArcCos[a*x])/(b*(1 + m)) + (a*(b*x)^(2 + m)*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, a^2*x^2])/(b^2*(1 + m)*(2 + m))

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/ (c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\int (bx)^m \cos^{-1}(ax) dx = \frac{(bx)^{1+m} \cos^{-1}(ax)}{b(1+m)} + \frac{a \int \frac{(bx)^{1+m}}{\sqrt{1-a^2x^2}} dx}{b(1+m)}$$

$$= \frac{(bx)^{1+m} \cos^{-1}(ax)}{b(1+m)} + \frac{a(bx)^{2+m} {}_2F_1\left(\frac{1}{2}, \frac{2+m}{2}; \frac{4+m}{2}; a^2x^2\right)}{b^2(1+m)(2+m)}$$

Mathematica [A] time = 0.03, size = 54, normalized size = 0.79

$$\frac{x(bx)^m \left(ax {}_2F_1\left(\frac{1}{2}, \frac{m}{2} + 1; \frac{m}{2} + 2; a^2x^2\right) + (m+2) \cos^{-1}(ax) \right)}{(m+1)(m+2)}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x)^m*ArcCos[a*x], x]

[Out] (x*(b*x)^m*((2+m)*ArcCos[a*x] + a*x*Hypergeometric2F1[1/2, 1+m/2, 2+m/2, a^2*x^2]))/((1+m)*(2+m))

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}((bx)^m \arccos(ax), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x), x, algorithm="fricas")

[Out] integral((b*x)^m*arccos(a*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x), x, algorithm="giac")

[Out] integrate((b*x)^m*arccos(a*x), x)

maple [F] time = 1.60, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x)^m*arccos(a*x),x)`

[Out] `int((b*x)^m*arccos(a*x),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{b^m x x^m \arctan\left(\sqrt{ax+1} \sqrt{-ax+1}, ax\right) - \frac{(ab^m m + ab^m) \int \frac{\sqrt{-ax+1} x^m}{\sqrt{ax+1}(ax-1)} dx}{m+1}}{m+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m*arccos(a*x),x, algorithm="maxima")`

[Out] `(b^m*x*x^m*arctan2(sqrt(a*x + 1)*sqrt(-a*x + 1), a*x) - (a*b^m*m + a*b^m)*integrate(sqrt(a*x + 1)*sqrt(-a*x + 1)*x*x^m/((a^2*m + a^2)*x^2 - m - 1), x))/(m + 1)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \operatorname{acos}(ax) (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acos(a*x)*(b*x)^m,x)`

[Out] `int(acos(a*x)*(b*x)^m, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \operatorname{acos}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)**m*acos(a*x),x)`

[Out] `Integral((b*x)**m*acos(a*x), x)`

$$3.123 \quad \int \frac{(bx)^m}{\cos^{-1}(ax)} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{(bx)^m}{\cos^{-1}(ax)}, x\right)$$

[Out] Unintegrable((b*x)^m/arccos(a*x), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(bx)^m}{\cos^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[(b*x)^m/ArcCos[a*x], x]

[Out] Defer[Int] [(b*x)^m/ArcCos[a*x], x]

Rubi steps

$$\int \frac{(bx)^m}{\cos^{-1}(ax)} dx = \int \frac{(bx)^m}{\cos^{-1}(ax)} dx$$

Mathematica [A] time = 0.71, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\cos^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(b*x)^m/ArcCos[a*x], x]

[Out] Integrate[(b*x)^m/ArcCos[a*x], x]

fricas [A] time = 0.40, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bx)^m}{\arccos(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m/arccos(a*x),x, algorithm="fricas")

[Out] integral((b*x)^m/arccos(a*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m/arccos(a*x),x, algorithm="giac")

[Out] integrate((b*x)^m/arccos(a*x), x)

maple [A] time = 0.82, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m/arccos(a*x),x)

[Out] int((b*x)^m/arccos(a*x),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m/arccos(a*x),x, algorithm="maxima")

[Out] integrate((b*x)^m/arccos(a*x), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{(bx)^m}{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m/acos(a*x),x)

[Out] int((b*x)^m/acos(a*x), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\operatorname{acos}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)**m/acos(a*x), x)

[Out] Integral((b*x)**m/acos(a*x), x)

$$3.124 \quad \int \frac{(bx)^m}{\cos^{-1}(ax)^2} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{(bx)^m}{\cos^{-1}(ax)^2}, x\right)$$

[Out] Unintegrable((b*x)^m/arccos(a*x)^2, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(bx)^m}{\cos^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(b*x)^m/ArcCos[a*x]^2, x]

[Out] Defer[Int] [(b*x)^m/ArcCos[a*x]^2, x]

Rubi steps

$$\int \frac{(bx)^m}{\cos^{-1}(ax)^2} dx = \int \frac{(bx)^m}{\cos^{-1}(ax)^2} dx$$

Mathematica [A] time = 0.75, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\cos^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(b*x)^m/ArcCos[a*x]^2, x]

[Out] Integrate[(b*x)^m/ArcCos[a*x]^2, x]

fricas [A] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bx)^m}{\arccos(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m/arccos(a*x)^2,x, algorithm="fricas")

[Out] integral((b*x)^m/arccos(a*x)^2, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m/arccos(a*x)^2,x, algorithm="giac")

[Out] integrate((b*x)^m/arccos(a*x)^2, x)

maple [A] time = 1.05, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m/arccos(a*x)^2,x)

[Out] int((b*x)^m/arccos(a*x)^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m/arccos(a*x)^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{(bx)^m}{\arccos(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m/acos(a*x)^2,x)

[Out] int((b*x)^m/acos(a*x)^2, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\operatorname{acos}^2(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)**m/acos(a*x)**2,x)

[Out] Integral((b*x)**m/acos(a*x)**2, x)

3.125 $\int (bx)^m \cos^{-1}(ax)^{3/2} dx$

Optimal. Leaf size=17

$$\text{Int}(\cos^{-1}(ax)^{3/2}(bx)^m, x)$$

[Out] Unintegrable((b*x)^m*arccos(a*x)^(3/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (bx)^m \cos^{-1}(ax)^{3/2} dx$$

Verification is Not applicable to the result.

[In] Int[(b*x)^m*ArcCos[a*x]^(3/2), x]

[Out] Defer[Int] [(b*x)^m*ArcCos[a*x]^(3/2), x]

Rubi steps

$$\int (bx)^m \cos^{-1}(ax)^{3/2} dx = \int (bx)^m \cos^{-1}(ax)^{3/2} dx$$

Mathematica [A] time = 6.45, size = 0, normalized size = 0.00

$$\int (bx)^m \cos^{-1}(ax)^{3/2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(b*x)^m*ArcCos[a*x]^(3/2), x]

[Out] Integrate[(b*x)^m*ArcCos[a*x]^(3/2), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^(3/2),x, algorithm="giac")

[Out] integrate((b*x)^m*arccos(a*x)^(3/2), x)

maple [A] time = 0.17, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m*arccos(a*x)^(3/2),x)

[Out] int((b*x)^m*arccos(a*x)^(3/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \arccos(ax)^{3/2} (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^(3/2)*(b*x)^m,x)

[Out] int(arccos(a*x)^(3/2)*(b*x)^m, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos^{\frac{3}{2}}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x)**m*acos(a*x)**(3/2),x)
```

```
[Out] Integral((b*x)**m*acos(a*x)**(3/2), x)
```

$$3.126 \quad \int (bx)^m \sqrt{\cos^{-1}(ax)} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\sqrt{\cos^{-1}(ax)} (bx)^m, x\right)$$

[Out] Unintegrable((b*x)^m*arccos(a*x)^(1/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (bx)^m \sqrt{\cos^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[(b*x)^m*Sqrt[ArcCos[a*x]], x]

[Out] Defer[Int][(b*x)^m*Sqrt[ArcCos[a*x]], x]

Rubi steps

$$\int (bx)^m \sqrt{\cos^{-1}(ax)} dx = \int (bx)^m \sqrt{\cos^{-1}(ax)} dx$$

Mathematica [A] time = 6.68, size = 0, normalized size = 0.00

$$\int (bx)^m \sqrt{\cos^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(b*x)^m*Sqrt[ArcCos[a*x]], x]

[Out] Integrate[(b*x)^m*Sqrt[ArcCos[a*x]], x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^(1/2),x, algorithm="giac")

[Out] integrate((b*x)^m*sqrt(arccos(a*x)), x)

maple [A] time = 0.14, size = 0, normalized size = 0.00

$$\int (bx)^m \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m*arccos(a*x)^(1/2),x)

[Out] int((b*x)^m*arccos(a*x)^(1/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \sqrt{\arccos(ax)} (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^(1/2)*(b*x)^m,x)

[Out] int(acos(a*x)^(1/2)*(b*x)^m, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \sqrt{\arccos(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)**m*acos(a*x)**(1/2),x)

[Out] Integral((b*x)**m*sqrt(acos(a*x)), x)

$$3.127 \quad \int \frac{(bx)^m}{\sqrt{\cos^{-1}(ax)}} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{(bx)^m}{\sqrt{\cos^{-1}(ax)}}, x\right)$$

[Out] Unintegrable((b*x)^m/arccos(a*x)^(1/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(bx)^m}{\sqrt{\cos^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Int[(b*x)^m/Sqrt[ArcCos[a*x]], x]

[Out] Defer[Int] [(b*x)^m/Sqrt[ArcCos[a*x]], x]

Rubi steps

$$\int \frac{(bx)^m}{\sqrt{\cos^{-1}(ax)}} dx = \int \frac{(bx)^m}{\sqrt{\cos^{-1}(ax)}} dx$$

Mathematica [A] time = 6.26, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\sqrt{\cos^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(b*x)^m/Sqrt[ArcCos[a*x]], x]

[Out] Integrate[(b*x)^m/Sqrt[ArcCos[a*x]], x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arccos(a*x)^(1/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: `integrate: implementation incomplete (constant residues)`

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arccos(a*x)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*x)^m/sqrt(arccos(a*x)), x)`

maple [A] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x)^m/arccos(a*x)^(1/2),x)`

[Out] `int((b*x)^m/arccos(a*x)^(1/2),x)`

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x)^m/arccos(a*x)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: `expt: undefined: 0 to a negative exponent.`

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{(bx)^m}{\sqrt{\arccos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x)^m/acos(a*x)^(1/2),x)`

[Out] `int((b*x)^m/acos(a*x)^(1/2), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\sqrt{\cos(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)**m/acos(a*x)**(1/2), x)

[Out] Integral((b*x)**m/sqrt(acos(a*x)), x)

$$3.128 \quad \int \frac{(bx)^m}{\cos^{-1}(ax)^{3/2}} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{(bx)^m}{\cos^{-1}(ax)^{3/2}}, x\right)$$

[Out] Unintegrable((b*x)^m/arccos(a*x)^(3/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(bx)^m}{\cos^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(b*x)^m/ArcCos[a*x]^(3/2), x]

[Out] Defer[Int] [(b*x)^m/ArcCos[a*x]^(3/2), x]

Rubi steps

$$\int \frac{(bx)^m}{\cos^{-1}(ax)^{3/2}} dx = \int \frac{(bx)^m}{\cos^{-1}(ax)^{3/2}} dx$$

Mathematica [A] time = 3.72, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\cos^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(b*x)^m/ArcCos[a*x]^(3/2), x]

[Out] Integrate[(b*x)^m/ArcCos[a*x]^(3/2), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m/arccos(a*x)^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\arccos(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m/arccos(a*x)^(3/2),x, algorithm="giac")

[Out] integrate((b*x)^m/arccos(a*x)^(3/2), x)

maple [A] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\arccos(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m/arccos(a*x)^(3/2),x)

[Out] int((b*x)^m/arccos(a*x)^(3/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m/arccos(a*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{(bx)^m}{\arccos(ax)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m/acos(a*x)^(3/2),x)

[Out] int((b*x)^m/acos(a*x)^(3/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx)^m}{\operatorname{acos}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)**m/acos(a*x)**(3/2), x)

[Out] Integral((b*x)**m/acos(a*x)**(3/2), x)

3.129 $\int (bx)^m \cos^{-1}(ax)^n dx$

Optimal. Leaf size=15

$$\text{Int}((bx)^m \cos^{-1}(ax)^n, x)$$

[Out] Unintegrable((b*x)^m*arccos(a*x)^n, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (bx)^m \cos^{-1}(ax)^n dx$$

Verification is Not applicable to the result.

[In] Int[(b*x)^m*ArcCos[a*x]^n, x]

[Out] Defer[Int] [(b*x)^m*ArcCos[a*x]^n, x]

Rubi steps

$$\int (bx)^m \cos^{-1}(ax)^n dx = \int (bx)^m \cos^{-1}(ax)^n dx$$

Mathematica [A] time = 1.12, size = 0, normalized size = 0.00

$$\int (bx)^m \cos^{-1}(ax)^n dx$$

Verification is Not applicable to the result.

[In] Integrate[(b*x)^m*ArcCos[a*x]^n, x]

[Out] Integrate[(b*x)^m*ArcCos[a*x]^n, x]

fricas [A] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}((bx)^m \arccos(ax)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^n, x, algorithm="fricas")

[Out] integral((b*x)^m*arccos(a*x)^n, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^n,x, algorithm="giac")

[Out] integrate((b*x)^m*arccos(a*x)^n, x)

maple [A] time = 1.23, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^m*arccos(a*x)^n,x)

[Out] int((b*x)^m*arccos(a*x)^n,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^m*arccos(a*x)^n,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \arccos(ax)^n (bx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^n*(b*x)^m,x)

[Out] int(arccos(a*x)^n*(b*x)^m, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^m \arccos^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)**m*arccos(a*x)**n,x)

[Out] Integral((b*x)**m*arccos(a*x)**n, x)

3.130 $\int x^3 \cos^{-1}(ax)^n dx$

Optimal. Leaf size=165

$$\frac{2^{-n-4} \cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \Gamma(n+1, -2i \cos^{-1}(ax))}{a^4} + \frac{2^{-2(n+3)} \cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \Gamma(n+1, -4i \cos^{-1}(ax))}{a^4}$$

[Out] $2^{(-4-n)*\arccos(ax)^n*\text{GAMMA}(1+n, -2*I*\arccos(ax))/a^4/((-I*\arccos(ax))^n) + 2^{(-4-n)*\arccos(ax)^n*\text{GAMMA}(1+n, 2*I*\arccos(ax))/a^4/((I*\arccos(ax))^n) + \arccos(ax)^n*\text{GAMMA}(1+n, -4*I*\arccos(ax))/(2^{(6+2*n)})/a^4/((-I*\arccos(ax))^n) + \arccos(ax)^n*\text{GAMMA}(1+n, 4*I*\arccos(ax))/(2^{(6+2*n)})/a^4/((I*\arccos(ax))^n)$

Rubi [A] time = 0.18, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {4636, 4406, 3308, 2181}

$$\frac{2^{-n-4} \cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \text{Gamma}(n+1, -2i \cos^{-1}(ax))}{a^4} + \frac{2^{-2(n+3)} \cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \text{Gamma}(n+1, -4i \cos^{-1}(ax))}{a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3*ArcCos[a*x]^n,x]

[Out] $(2^{(-4-n)*\text{ArcCos}[a*x]^n*\text{Gamma}[1+n, (-2*I)*\text{ArcCos}[a*x]])/(a^4*((-I)*\text{ArcCos}[a*x])^n) + (2^{(-4-n)*\text{ArcCos}[a*x]^n*\text{Gamma}[1+n, (2*I)*\text{ArcCos}[a*x]])/(a^4*(I*\text{ArcCos}[a*x])^n) + (\text{ArcCos}[a*x]^n*\text{Gamma}[1+n, (-4*I)*\text{ArcCos}[a*x]])/(2^{(2*(3+n))*a^4*((-I)*\text{ArcCos}[a*x])^n) + (\text{ArcCos}[a*x]^n*\text{Gamma}[1+n, (4*I)*\text{ArcCos}[a*x]])/(2^{(2*(3+n))*a^4*(I*\text{ArcCos}[a*x])^n}$

Rule 2181

Int[(F_)^((g_)*(e_) + (f_)*(x_))*((c_) + (d_)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F])/d]*(c + d*x)]/(d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3308

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^(n)*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int x^3 \cos^{-1}(ax)^n dx &= -\frac{\text{Subst}\left(\int x^n \cos^3(x) \sin(x) dx, x, \cos^{-1}(ax)\right)}{a^4} \\ &= -\frac{\text{Subst}\left(\int \left(\frac{1}{4}x^n \sin(2x) + \frac{1}{8}x^n \sin(4x)\right) dx, x, \cos^{-1}(ax)\right)}{a^4} \\ &= -\frac{\text{Subst}\left(\int x^n \sin(4x) dx, x, \cos^{-1}(ax)\right)}{8a^4} - \frac{\text{Subst}\left(\int x^n \sin(2x) dx, x, \cos^{-1}(ax)\right)}{4a^4} \\ &= -\frac{i \text{Subst}\left(\int e^{-4ix} x^n dx, x, \cos^{-1}(ax)\right)}{16a^4} + \frac{i \text{Subst}\left(\int e^{4ix} x^n dx, x, \cos^{-1}(ax)\right)}{16a^4} - \frac{i \text{Subst}\left(\int e^{-2ix} x^n dx, x, \cos^{-1}(ax)\right)}{8a^4} + \frac{i \text{Subst}\left(\int e^{2ix} x^n dx, x, \cos^{-1}(ax)\right)}{8a^4} \\ &= \frac{2^{-4-n} (-i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \Gamma(1+n, -2i \cos^{-1}(ax))}{a^4} + \frac{2^{-4-n} (i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \Gamma(1+n, 2i \cos^{-1}(ax))}{a^4} \end{aligned}$$

Mathematica [A] time = 0.13, size = 130, normalized size = 0.79

$$\frac{2^{-2(n+3)} \cos^{-1}(ax)^n (\cos^{-1}(ax)^2)^{-n} \left(2^{n+2} (-i \cos^{-1}(ax))^n \Gamma(n+1, 2i \cos^{-1}(ax)) + (-i \cos^{-1}(ax))^n \Gamma(n+1, 4i \cos^{-1}(ax))\right)}{a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcCos[a*x]^n, x]

[Out] (ArcCos[a*x]^n*(2^(2 + n)*(I*ArcCos[a*x])^n*Gamma[1 + n, (-2*I)*ArcCos[a*x]] + 2^(2 + n)*((-I)*ArcCos[a*x])^n*Gamma[1 + n, (2*I)*ArcCos[a*x]]) + (I*ArcCos[a*x])^n*Gamma[1 + n, (-4*I)*ArcCos[a*x]] + ((-I)*ArcCos[a*x])^n*Gamma[1 + n, (4*I)*ArcCos[a*x]])/(2^(2*(3 + n))*a^4*(ArcCos[a*x]^2)^n)

fricas [F] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral}(x^3 \arccos(ax)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^n,x, algorithm="fricas")

[Out] integral(x^3*arccos(a*x)^n, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^n,x, algorithm="giac")

[Out] integrate(x^3*arccos(a*x)^n, x)

maple [C] time = 0.55, size = 287, normalized size = 1.74

$$\frac{\sqrt{\pi} \left(\frac{2 \arccos(ax)^{1+n} \sin(2 \arccos(ax))}{\sqrt{\pi} (2+n)} - \frac{2^{\frac{1}{2}-n} \sqrt{\arccos(ax)} \operatorname{LommelS1}\left(n+\frac{3}{2}, \frac{3}{2}, 2 \arccos(ax)\right) \sin(2 \arccos(ax))}{\sqrt{\pi} (2+n)} - \frac{3 \cdot 2^{\frac{3}{2}-n} \left(\frac{4}{3} + \frac{2n}{3}\right) (2 \arccos(ax))}{8a^4} \right)}{8a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*arccos(a*x)^n,x)

[Out] $-1/8 \cdot \pi^{1/2} / a^4 \cdot (2/\pi^{1/2} / (2+n) \cdot \arccos(a \cdot x)^{(1+n)} \cdot \sin(2 \cdot \arccos(a \cdot x)) - 2^{(1/2-n)}/\pi^{1/2} / (2+n) \cdot \arccos(a \cdot x)^{(1/2)} \cdot \operatorname{LommelS1}(n+3/2, 3/2, 2 \cdot \arccos(a \cdot x)) \cdot \sin(2 \cdot \arccos(a \cdot x)) - 3 \cdot 2^{(-3/2-n)}/\pi^{1/2} / (2+n) / \arccos(a \cdot x)^{(1/2)} \cdot (4/3 + 2/3 \cdot n) \cdot (2 \cdot \arccos(a \cdot x) \cdot \cos(2 \cdot \arccos(a \cdot x)) - \sin(2 \cdot \arccos(a \cdot x))) \cdot \operatorname{LommelS1}(n+1/2, 1/2, 2 \cdot \arccos(a \cdot x)) - 2^{(-5-n)} \cdot \pi^{1/2} / a^4 \cdot (2^{(2+n)}/\pi^{1/2} / (2+n) \cdot \arccos(a \cdot x)^{(1+n)} \cdot \sin(4 \cdot \arccos(a \cdot x)) - 2^{(1-n)}/\pi^{1/2} / (2+n) \cdot \arccos(a \cdot x)^{(1/2)} \cdot \operatorname{LommelS1}(n+3/2, 3/2, 4 \cdot \arccos(a \cdot x)) \cdot \sin(4 \cdot \arccos(a \cdot x)) - 3 \cdot 2^{(-2-n)}/\pi^{1/2} / (2+n) / \arccos(a \cdot x)^{(1/2)} \cdot (4/3 + 2/3 \cdot n) \cdot (4 \cdot \arccos(a \cdot x) \cdot \cos(4 \cdot \arccos(a \cdot x)) - \sin(4 \cdot \arccos(a \cdot x))) \cdot \operatorname{LommelS1}(n+1/2, 1/2, 4 \cdot \arccos(a \cdot x)))$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccos(a*x)^n,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \operatorname{acos}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*acos(a*x)^n,x)`

[Out] `int(x^3*acos(a*x)^n, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \operatorname{acos}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*acos(a*x)**n,x)`

[Out] `Integral(x**3*acos(a*x)**n, x)`

3.131 $\int x^2 \cos^{-1}(ax)^n dx$

Optimal. Leaf size=163

$$\frac{\cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \Gamma(n+1, -i \cos^{-1}(ax))}{8a^3} + \frac{3^{-n-1} \cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \Gamma(n+1, -3i \cos^{-1}(ax))}{8a^3} +$$

[Out] $1/8 \arccos(ax)^n \text{GAMMA}(1+n, -I \arccos(ax)) / a^3 / ((-I \arccos(ax))^n) + 1/8 \arccos(ax)^n \text{GAMMA}(1+n, I \arccos(ax)) / a^3 / ((I \arccos(ax))^n) + 1/8 \cdot 3^{-(1+n)} \arccos(ax)^n \text{GAMMA}(1+n, -3 \cdot I \arccos(ax)) / a^3 / ((-I \arccos(ax))^n) + 1/8 \cdot 3^{-(1+n)} \arccos(ax)^n \text{GAMMA}(1+n, 3 \cdot I \arccos(ax)) / a^3 / ((I \arccos(ax))^n)$

Rubi [A] time = 0.15, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {4636, 4406, 3308, 2181}

$$\frac{\cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \text{Gamma}(n+1, -i \cos^{-1}(ax))}{8a^3} + \frac{3^{-n-1} \cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \text{Gamma}(n+1, -3i \cos^{-1}(ax))}{8a^3} +$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCos[a*x]^n,x]

[Out] $(\text{ArcCos}[a*x]^n \text{Gamma}[1+n, (-I) \text{ArcCos}[a*x]]) / (8*a^3 * ((-I) \text{ArcCos}[a*x])^n) + (\text{ArcCos}[a*x]^n \text{Gamma}[1+n, I \text{ArcCos}[a*x]]) / (8*a^3 * (I \text{ArcCos}[a*x])^n) + (3^{-(1+n)} \text{ArcCos}[a*x]^n \text{Gamma}[1+n, (-3*I) \text{ArcCos}[a*x]]) / (8*a^3 * ((-I) \text{ArcCos}[a*x])^n) + (3^{-(1+n)} \text{ArcCos}[a*x]^n \text{Gamma}[1+n, (3*I) \text{ArcCos}[a*x]]) / (8*a^3 * (I \text{ArcCos}[a*x])^n)$

Rule 2181

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F])/d]*(c + d*x)]/(d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^(n)*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^m, x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*cos[x]^m*sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int x^2 \cos^{-1}(ax)^n dx &= -\frac{\text{Subst}\left(\int x^n \cos^2(x) \sin(x) dx, x, \cos^{-1}(ax)\right)}{a^3} \\ &= -\frac{\text{Subst}\left(\int \left(\frac{1}{4}x^n \sin(x) + \frac{1}{4}x^n \sin(3x)\right) dx, x, \cos^{-1}(ax)\right)}{a^3} \\ &= -\frac{\text{Subst}\left(\int x^n \sin(x) dx, x, \cos^{-1}(ax)\right)}{4a^3} - \frac{\text{Subst}\left(\int x^n \sin(3x) dx, x, \cos^{-1}(ax)\right)}{4a^3} \\ &= -\frac{i \text{Subst}\left(\int e^{-ix} x^n dx, x, \cos^{-1}(ax)\right)}{8a^3} + \frac{i \text{Subst}\left(\int e^{ix} x^n dx, x, \cos^{-1}(ax)\right)}{8a^3} - \frac{i \text{Subst}\left(\int e^{-3ix} x^n dx, x, \cos^{-1}(ax)\right)}{8a^3} \\ &= \frac{(-i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \Gamma(1+n, -i \cos^{-1}(ax))}{8a^3} + \frac{(i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \Gamma(1+n, i \cos^{-1}(ax))}{8a^3} - \frac{(-3i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \Gamma(1+n, -3i \cos^{-1}(ax))}{8a^3} \end{aligned}$$

Mathematica [A] time = 0.22, size = 152, normalized size = 0.93

$$\frac{1}{8} 3^{-n-1} \cos^{-1}(ax)^n (\cos^{-1}(ax)^2)^{-n} \left((-i \cos^{-1}(ax))^n \Gamma(n+1, 3i \cos^{-1}(ax)) + (i \cos^{-1}(ax))^n \Gamma(n+1, -3i \cos^{-1}(ax)) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCos[a*x]^n, x]
```

```
[Out] (((ArcCos[a*x]^n*Gamma[1 + n, (-I)*ArcCos[a*x]])/(2*((-I)*ArcCos[a*x])^n) + (ArcCos[a*x]^n*Gamma[1 + n, I*ArcCos[a*x]])/(2*(I*ArcCos[a*x])^n))/4 + (3^(-1 - n)*ArcCos[a*x]^n*((I*ArcCos[a*x])^n*Gamma[1 + n, (-3*I)*ArcCos[a*x]] + ((-I)*ArcCos[a*x])^n*Gamma[1 + n, (3*I)*ArcCos[a*x]]))/(8*(ArcCos[a*x]^2)^n))/a^3
```

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}(x^2 \arccos(ax)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^n,x, algorithm="fricas")

[Out] integral(x^2*arccos(a*x)^n, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^n,x, algorithm="giac")

[Out] integrate(x^2*arccos(a*x)^n, x)

maple [F] time = 0.32, size = 0, normalized size = 0.00

$$\int x^2 \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccos(a*x)^n,x)

[Out] int(x^2*arccos(a*x)^n,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccos(a*x)^n,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*acos(a*x)^n,x)
```

```
[Out] int(x^2*acos(a*x)^n, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x^2 \operatorname{acos}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*acos(a*x)**n,x)
```

```
[Out] Integral(x**2*acos(a*x)**n, x)
```

3.132 $\int x \cos^{-1}(ax)^n dx$

Optimal. Leaf size=83

$$\frac{2^{-n-3} \cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \Gamma(n+1, -2i \cos^{-1}(ax))}{a^2} + \frac{2^{-n-3} (i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \Gamma(n+1, 2i \cos^{-1}(ax))}{a^2}$$

[Out] $2^{(-3-n)*\arccos(a*x)^n*\text{GAMMA}(1+n, -2*I*\arccos(a*x))/a^2/((-I*\arccos(a*x))^n) + 2^{(-3-n)*\arccos(a*x)^n*\text{GAMMA}(1+n, 2*I*\arccos(a*x))/a^2/((I*\arccos(a*x))^n)$

Rubi [A] time = 0.08, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4636, 4406, 12, 3308, 2181}

$$\frac{2^{-n-3} \cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \text{Gamma}(n+1, -2i \cos^{-1}(ax))}{a^2} + \frac{2^{-n-3} (i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \text{Gamma}(n+1, 2i \cos^{-1}(ax))}{a^2}$$

Antiderivative was successfully verified.

[In] Int[x*ArcCos[a*x]^n, x]

[Out] $(2^{(-3-n)*\text{ArcCos}[a*x]^n*\text{Gamma}[1+n, (-2*I)*\text{ArcCos}[a*x]])/(a^2*((-I)*\text{ArcCos}[a*x])^n) + (2^{(-3-n)*\text{ArcCos}[a*x]^n*\text{Gamma}[1+n, (2*I)*\text{ArcCos}[a*x]])/(a^2*(I*\text{ArcCos}[a*x])^n)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2181

Int[(F_)^((g_)*((e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3308

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^(n)*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^m, x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*cos[x]^m*sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int x \cos^{-1}(ax)^n dx &= -\frac{\text{Subst}\left(\int x^n \cos(x) \sin(x) dx, x, \cos^{-1}(ax)\right)}{a^2} \\ &= -\frac{\text{Subst}\left(\int \frac{1}{2}x^n \sin(2x) dx, x, \cos^{-1}(ax)\right)}{a^2} \\ &= -\frac{\text{Subst}\left(\int x^n \sin(2x) dx, x, \cos^{-1}(ax)\right)}{2a^2} \\ &= -\frac{i \text{Subst}\left(\int e^{-2ix} x^n dx, x, \cos^{-1}(ax)\right)}{4a^2} + \frac{i \text{Subst}\left(\int e^{2ix} x^n dx, x, \cos^{-1}(ax)\right)}{4a^2} \\ &= \frac{2^{-3-n} (-i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \Gamma(1+n, -2i \cos^{-1}(ax))}{a^2} + \frac{2^{-3-n} (i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \Gamma(1+n, 2i \cos^{-1}(ax))}{a^2} \end{aligned}$$

Mathematica [A] time = 0.07, size = 74, normalized size = 0.89

$$\frac{2^{-n-3} \cos^{-1}(ax)^n (\cos^{-1}(ax)^2)^{-n} \left((-i \cos^{-1}(ax))^n \Gamma(n+1, 2i \cos^{-1}(ax)) + (i \cos^{-1}(ax))^n \Gamma(n+1, -2i \cos^{-1}(ax)) \right)}{a^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCos[a*x]^n, x]
```

```
[Out] (2^(-3 - n)*ArcCos[a*x]^n*((I*ArcCos[a*x])^n*Gamma[1 + n, (-2*I)*ArcCos[a*x]] + ((-I)*ArcCos[a*x])^n*Gamma[1 + n, (2*I)*ArcCos[a*x]]))/(a^2*(ArcCos[a*x]^2)^n)
```

fricas [F] time = 0.52, size = 0, normalized size = 0.00

$$\text{integral}(x \arccos(ax)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^n,x, algorithm="fricas")

[Out] integral(x*arccos(a*x)^n, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^n,x, algorithm="giac")

[Out] integrate(x*arccos(a*x)^n, x)

maple [C] time = 0.15, size = 138, normalized size = 1.66

$$\frac{\sqrt{\pi} \left(\frac{2 \arccos(ax)^{1+n} \sin(2 \arccos(ax))}{\sqrt{\pi} (2+n)} - \frac{2^{\frac{1}{2}-n} \sqrt{\arccos(ax)} \operatorname{LommelS1}\left(n+\frac{3}{2}, \frac{3}{2}, 2 \arccos(ax)\right) \sin(2 \arccos(ax))}{\sqrt{\pi} (2+n)} - \frac{3 \cdot 2^{\frac{3}{2}-n} \left(\frac{4}{3} + \frac{2n}{3}\right) (2 \arccos(ax))}{\sqrt{\pi} (2+n)} \right)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccos(a*x)^n,x)

[Out] $-1/4 \cdot \pi^{1/2} / a^2 \cdot (2 / \pi^{1/2} / (2+n) \cdot \arccos(a \cdot x)^{(1+n)} \cdot \sin(2 \cdot \arccos(a \cdot x)) - 2^{(1/2-n)} / \pi^{1/2} / (2+n) \cdot \arccos(a \cdot x)^{(1/2)} \cdot \operatorname{LommelS1}(n+3/2, 3/2, 2 \cdot \arccos(a \cdot x)) \cdot \sin(2 \cdot \arccos(a \cdot x)) - 3 \cdot 2^{(-3/2-n)} / \pi^{1/2} / (2+n) / \arccos(a \cdot x)^{(1/2)} \cdot (4/3 + 2/3 \cdot n) \cdot (2 \cdot \arccos(a \cdot x) \cdot \cos(2 \cdot \arccos(a \cdot x)) - \sin(2 \cdot \arccos(a \cdot x))) \cdot \operatorname{LommelS1}(n+1/2, 1/2, 2 \cdot \arccos(a \cdot x)))$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccos(a*x)^n,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \operatorname{acos}(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*acos(a*x)^n,x)
```

```
[Out] int(x*acos(a*x)^n, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x \operatorname{acos}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acos(a*x)**n,x)
```

```
[Out] Integral(x*acos(a*x)**n, x)
```

3.133 $\int \cos^{-1}(ax)^n dx$

Optimal. Leaf size=75

$$\frac{\cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \Gamma(n+1, -i \cos^{-1}(ax))}{2a} + \frac{(i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \Gamma(n+1, i \cos^{-1}(ax))}{2a}$$

[Out] $1/2*\arccos(a*x)^n*\text{GAMMA}(1+n, -I*\arccos(a*x))/a/((-I*\arccos(a*x))^n)+1/2*\arccos(a*x)^n*\text{GAMMA}(1+n, I*\arccos(a*x))/a/(I*\arccos(a*x))^n$

Rubi [A] time = 0.05, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4624, 3308, 2181}

$$\frac{\cos^{-1}(ax)^n (-i \cos^{-1}(ax))^{-n} \text{Gamma}(n+1, -i \cos^{-1}(ax))}{2a} + \frac{(i \cos^{-1}(ax))^{-n} \cos^{-1}(ax)^n \text{Gamma}(n+1, i \cos^{-1}(ax))}{2a}$$

Antiderivative was successfully verified.

[In] Int[ArcCos[a*x]^n, x]

[Out] $(\text{ArcCos}[a*x]^n*\text{Gamma}[1+n, (-I)*\text{ArcCos}[a*x]])/(2*a*((-I)*\text{ArcCos}[a*x])^n) + (\text{ArcCos}[a*x]^n*\text{Gamma}[1+n, I*\text{ArcCos}[a*x]])/(2*a*(I*\text{ArcCos}[a*x])^n)$

Rule 2181

Int[(F_)^((g_)*(e_) + (f_)*(x_))*((c_) + (d_)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3308

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 4624

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rubi steps

$$\begin{aligned} \int \cos^{-1}(ax)^n dx &= -\frac{\text{Subst}\left(\int x^n \sin(x) dx, x, \cos^{-1}(ax)\right)}{a} \\ &= -\frac{i \text{Subst}\left(\int e^{-ix} x^n dx, x, \cos^{-1}(ax)\right)}{2a} + \frac{i \text{Subst}\left(\int e^{ix} x^n dx, x, \cos^{-1}(ax)\right)}{2a} \\ &= \frac{\left(-i \cos^{-1}(ax)\right)^{-n} \cos^{-1}(ax)^n \Gamma(1+n, -i \cos^{-1}(ax))}{2a} + \frac{\left(i \cos^{-1}(ax)\right)^{-n} \cos^{-1}(ax)^n \Gamma(1+n, i \cos^{-1}(ax))}{2a} \end{aligned}$$

Mathematica [A] time = 0.04, size = 70, normalized size = 0.93

$$\frac{\cos^{-1}(ax)^n \left(\cos^{-1}(ax)^2\right)^{-n} \left(\left(-i \cos^{-1}(ax)\right)^n \Gamma(n+1, i \cos^{-1}(ax)) + \left(i \cos^{-1}(ax)\right)^n \Gamma(n+1, -i \cos^{-1}(ax))\right)}{2a}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCos[a*x]^n, x]

[Out] (ArcCos[a*x]^n*((I*ArcCos[a*x])^n*Gamma[1+n, (-I)*ArcCos[a*x]] + ((-I)*ArcCos[a*x])^n*Gamma[1+n, I*ArcCos[a*x]]))/(2*a*(ArcCos[a*x]^2)^n)

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}(\arccos(ax)^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n, x, algorithm="fricas")

[Out] integral(arccos(a*x)^n, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n, x, algorithm="giac")

[Out] integrate(arccos(a*x)^n, x)

maple [C] time = 0.12, size = 148, normalized size = 1.97

$$2^n \sqrt{\pi} \left(\frac{\arccos(ax)^{1+n} 2^{-n} \sqrt{-a^2 x^2 + 1}}{\sqrt{\pi} (2+n)} - \frac{2^{-n} \sqrt{\arccos(ax)} \text{LommelS1}\left(n + \frac{3}{2}, \frac{3}{2}, \arccos(ax)\right) \sqrt{-a^2 x^2 + 1}}{\sqrt{\pi} (2+n)} - \frac{3 \cdot 2^{-1-n} \left(\frac{4}{3} + \frac{2n}{3}\right) \left(ax \arccos(ax) - \sqrt{-a^2 x^2 + 1}\right)}{\sqrt{\pi} (2+n)} \right)$$

a

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccos(a*x)^n,x)`

[Out] $-2^n \pi^{1/2} / a * (1/\pi^{1/2}) / (2+n) * \arccos(ax)^{(1+n)} * 2^{-n} * (-a^2 x^2 + 1)^{(1/2)} - 2^{-n} / \pi^{1/2} / (2+n) * \arccos(ax)^{(1/2)} * \text{LommelS1}(n+3/2, 3/2, \arccos(ax)) * (-a^2 x^2 + 1)^{(1/2)} - 3 * 2^{-n} / \pi^{1/2} / (2+n) / \arccos(ax)^{(1/2)} * (4/3 + 2/3 * n) * (a * x * \arccos(ax) - (-a^2 x^2 + 1)^{(1/2)}) * \text{LommelS1}(n+1/2, 1/2, \arccos(ax))$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccos(a*x)^n,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: expt: undefined: 0 to a negative exponent.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(acos(a*x)^n,x)`

[Out] `int(acos(a*x)^n, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \arccos^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acos(a*x)**n,x)`

[Out] `Integral(acos(a*x)**n, x)`

$$3.134 \quad \int \frac{\cos^{-1}(ax)^n}{x} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{\cos^{-1}(ax)^n}{x}, x\right)$$

[Out] Unintegrable(arccos(a*x)^n/x, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\cos^{-1}(ax)^n}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCos[a*x]^n/x, x]

[Out] Defer[Int][ArcCos[a*x]^n/x, x]

Rubi steps

$$\int \frac{\cos^{-1}(ax)^n}{x} dx = \int \frac{\cos^{-1}(ax)^n}{x} dx$$

Mathematica [A] time = 0.36, size = 0, normalized size = 0.00

$$\int \frac{\cos^{-1}(ax)^n}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCos[a*x]^n/x, x]

[Out] Integrate[ArcCos[a*x]^n/x, x]

fricas [A] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\arccos(ax)^n}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/x, x, algorithm="fricas")

[Out] integral(arccos(a*x)^n/x, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/x,x, algorithm="giac")

[Out] integrate(arccos(a*x)^n/x, x)

maple [A] time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^n/x,x)

[Out] int(arccos(a*x)^n/x,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/x,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{\arccos(ax)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^n/x,x)

[Out] int(acos(a*x)^n/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos^n(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**n/x, x)
```

```
[Out] Integral(acos(a*x)**n/x, x)
```

$$3.135 \quad \int \frac{\cos^{-1}(ax)^n}{x^2} dx$$

Optimal. Leaf size=13

$$\text{Int}\left(\frac{\cos^{-1}(ax)^n}{x^2}, x\right)$$

[Out] Unintegrable(arccos(a*x)^n/x^2, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\cos^{-1}(ax)^n}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCos[a*x]^n/x^2, x]

[Out] Defer[Int][ArcCos[a*x]^n/x^2, x]

Rubi steps

$$\int \frac{\cos^{-1}(ax)^n}{x^2} dx = \int \frac{\cos^{-1}(ax)^n}{x^2} dx$$

Mathematica [A] time = 0.95, size = 0, normalized size = 0.00

$$\int \frac{\cos^{-1}(ax)^n}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCos[a*x]^n/x^2, x]

[Out] Integrate[ArcCos[a*x]^n/x^2, x]

fricas [A] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\arccos(ax)^n}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/x^2, x, algorithm="fricas")

[Out] integral(arccos(a*x)^n/x^2, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/x^2,x, algorithm="giac")

[Out] integrate(arccos(a*x)^n/x^2, x)

maple [A] time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^n/x^2,x)

[Out] int(arccos(a*x)^n/x^2,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/x^2,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.08

$$\int \frac{\arccos(ax)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^n/x^2,x)

[Out] int(acos(a*x)^n/x^2, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos^n(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**n/x**2,x)
```

```
[Out] Integral(acos(a*x)**n/x**2, x)
```

3.136 $\int (bx)^{3/2} \cos^{-1}(ax)^n dx$

Optimal. Leaf size=17

$$\text{Int}\left((bx)^{3/2} \cos^{-1}(ax)^n, x\right)$$

[Out] Unintegrable((b*x)^(3/2)*arccos(a*x)^n, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (bx)^{3/2} \cos^{-1}(ax)^n dx$$

Verification is Not applicable to the result.

[In] Int[(b*x)^(3/2)*ArcCos[a*x]^n, x]

[Out] Defer[Int] [(b*x)^(3/2)*ArcCos[a*x]^n, x]

Rubi steps

$$\int (bx)^{3/2} \cos^{-1}(ax)^n dx = \int (bx)^{3/2} \cos^{-1}(ax)^n dx$$

Mathematica [A] time = 4.72, size = 0, normalized size = 0.00

$$\int (bx)^{3/2} \cos^{-1}(ax)^n dx$$

Verification is Not applicable to the result.

[In] Integrate[(b*x)^(3/2)*ArcCos[a*x]^n, x]

[Out] Integrate[(b*x)^(3/2)*ArcCos[a*x]^n, x]

fricas [A] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{bx} bx \arccos(ax)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^(3/2)*arccos(a*x)^n, x, algorithm="fricas")

[Out] integral(sqrt(b*x)*b*x*arccos(a*x)^n, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx)^{\frac{3}{2}} \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^(3/2)*arccos(a*x)^n,x, algorithm="giac")

[Out] integrate((b*x)^(3/2)*arccos(a*x)^n, x)

maple [A] time = 0.20, size = 0, normalized size = 0.00

$$\int (bx)^{\frac{3}{2}} \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x)^(3/2)*arccos(a*x)^n,x)

[Out] int((b*x)^(3/2)*arccos(a*x)^n,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)^(3/2)*arccos(a*x)^n,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mpad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \arccos(ax)^n (bx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^n*(b*x)^(3/2),x)

[Out] int(arccos(a*x)^n*(b*x)^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x)**(3/2)*arccos(a*x)**n,x)

[Out] Timed out

$$3.137 \quad \int \sqrt{bx} \cos^{-1}(ax)^n dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\sqrt{bx} \cos^{-1}(ax)^n, x\right)$$

[Out] Unintegrable(arccos(a*x)^n*(b*x)^(1/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \sqrt{bx} \cos^{-1}(ax)^n dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[b*x]*ArcCos[a*x]^n, x]

[Out] Defer[Int][Sqrt[b*x]*ArcCos[a*x]^n, x]

Rubi steps

$$\int \sqrt{bx} \cos^{-1}(ax)^n dx = \int \sqrt{bx} \cos^{-1}(ax)^n dx$$

Mathematica [A] time = 5.95, size = 0, normalized size = 0.00

$$\int \sqrt{bx} \cos^{-1}(ax)^n dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[b*x]*ArcCos[a*x]^n, x]

[Out] Integrate[Sqrt[b*x]*ArcCos[a*x]^n, x]

fricas [A] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{bx} \arccos(ax)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n*(b*x)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x)*arccos(a*x)^n, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx} \arccos(ax)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n*(b*x)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x)*arccos(a*x)^n, x)

maple [A] time = 0.18, size = 0, normalized size = 0.00

$$\int \arccos(ax)^n \sqrt{bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^n*(b*x)^(1/2),x)

[Out] int(arccos(a*x)^n*(b*x)^(1/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n*(b*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \operatorname{acos}(ax)^n \sqrt{bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^n*(b*x)^(1/2),x)

[Out] int(acos(a*x)^n*(b*x)^(1/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx} \operatorname{acos}^n(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)**n*(b*x)**(1/2),x)

[Out] Integral(sqrt(b*x)*acos(a*x)**n, x)

$$3.138 \quad \int \frac{\cos^{-1}(ax)^n}{\sqrt{bx}} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{\cos^{-1}(ax)^n}{\sqrt{bx}}, x\right)$$

[Out] Unintegrable(arccos(a*x)^n/(b*x)^(1/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\cos^{-1}(ax)^n}{\sqrt{bx}} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCos[a*x]^n/Sqrt[b*x], x]

[Out] Defer[Int][ArcCos[a*x]^n/Sqrt[b*x], x]

Rubi steps

$$\int \frac{\cos^{-1}(ax)^n}{\sqrt{bx}} dx = \int \frac{\cos^{-1}(ax)^n}{\sqrt{bx}} dx$$

Mathematica [A] time = 1.92, size = 0, normalized size = 0.00

$$\int \frac{\cos^{-1}(ax)^n}{\sqrt{bx}} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCos[a*x]^n/Sqrt[b*x], x]

[Out] Integrate[ArcCos[a*x]^n/Sqrt[b*x], x]

fricas [A] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx} \arccos(ax)^n}{bx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/(b*x)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x)*arccos(a*x)^n/(b*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^n}{\sqrt{bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/(b*x)^(1/2),x, algorithm="giac")

[Out] integrate(arccos(a*x)^n/sqrt(b*x), x)

maple [A] time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^n}{\sqrt{bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^n/(b*x)^(1/2),x)

[Out] int(arccos(a*x)^n/(b*x)^(1/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/(b*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{\arccos(ax)^n}{\sqrt{bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^n/(b*x)^(1/2),x)

[Out] int(arccos(a*x)^n/(b*x)^(1/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acos}^n(ax)}{\sqrt{bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acos(a*x)**n/(b*x)**(1/2), x)
```

```
[Out] Integral(acos(a*x)**n/sqrt(b*x), x)
```

$$3.139 \quad \int \frac{\cos^{-1}(ax)^n}{(bx)^{3/2}} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{\cos^{-1}(ax)^n}{(bx)^{3/2}}, x\right)$$

[Out] Unintegrable(arccos(a*x)^n/(b*x)^(3/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\cos^{-1}(ax)^n}{(bx)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCos[a*x]^n/(b*x)^(3/2), x]

[Out] Defer[Int][ArcCos[a*x]^n/(b*x)^(3/2), x]

Rubi steps

$$\int \frac{\cos^{-1}(ax)^n}{(bx)^{3/2}} dx = \int \frac{\cos^{-1}(ax)^n}{(bx)^{3/2}} dx$$

Mathematica [A] time = 2.01, size = 0, normalized size = 0.00

$$\int \frac{\cos^{-1}(ax)^n}{(bx)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCos[a*x]^n/(b*x)^(3/2), x]

[Out] Integrate[ArcCos[a*x]^n/(b*x)^(3/2), x]

fricas [A] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx} \arccos(ax)^n}{b^2 x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/(b*x)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x)*arccos(a*x)^n/(b^2*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^n}{(bx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/(b*x)^(3/2),x, algorithm="giac")

[Out] integrate(arccos(a*x)^n/(b*x)^(3/2), x)

maple [A] time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{\arccos(ax)^n}{(bx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccos(a*x)^n/(b*x)^(3/2),x)

[Out] int(arccos(a*x)^n/(b*x)^(3/2),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccos(a*x)^n/(b*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
expt: undefined: 0 to a negative exponent.

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{\arccos(ax)^n}{(bx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(acos(a*x)^n/(b*x)^(3/2),x)

[Out] int(acos(a*x)^n/(b*x)^(3/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\operatorname{acos}^n(ax)}{(bx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acos(a*x)**n/(b*x)**(3/2), x)

[Out] Integral(acos(a*x)**n/(b*x)**(3/2), x)

3.140 $\int x^3 (a + b \cos^{-1}(cx)) dx$

Optimal. Leaf size=76

$$\frac{1}{4}x^4 (a + b \cos^{-1}(cx)) + \frac{3b \sin^{-1}(cx)}{32c^4} - \frac{bx^3 \sqrt{1-c^2x^2}}{16c} - \frac{3bx \sqrt{1-c^2x^2}}{32c^3}$$

[Out] $1/4*x^4*(a+b*\arccos(c*x))+3/32*b*\arcsin(c*x)/c^4-3/32*b*x*(-c^2*x^2+1)^{(1/2)}/c^3-1/16*b*x^3*(-c^2*x^2+1)^{(1/2)}/c$

Rubi [A] time = 0.04, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4628, 321, 216}

$$\frac{1}{4}x^4 (a + b \cos^{-1}(cx)) - \frac{bx^3 \sqrt{1-c^2x^2}}{16c} - \frac{3bx \sqrt{1-c^2x^2}}{32c^3} + \frac{3b \sin^{-1}(cx)}{32c^4}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*ArcCos[c*x]),x]

[Out] $(-3*b*x*\text{Sqrt}[1 - c^2*x^2])/(32*c^3) - (b*x^3*\text{Sqrt}[1 - c^2*x^2])/(16*c) + (x^4*(a + b*\text{ArcCos}[c*x]))/4 + (3*b*\text{ArcSin}[c*x])/(32*c^4)$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n-1)*(c*x)^(m-n+1)*(a+b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[(a*c^n*(m-n+1))/(b*(m+n*p+1)), Int[(c*x)^(m-n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_)^(m_.), x_Symbol] := Simp[((d*x)^(m+1)*(a+b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a+b*ArcCos[c*x])^(n-1))/Sqrt[1-c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x^3 (a + b \cos^{-1}(cx)) dx &= \frac{1}{4}x^4 (a + b \cos^{-1}(cx)) + \frac{1}{4}(bc) \int \frac{x^4}{\sqrt{1-c^2x^2}} dx \\
&= -\frac{bx^3\sqrt{1-c^2x^2}}{16c} + \frac{1}{4}x^4 (a + b \cos^{-1}(cx)) + \frac{(3b) \int \frac{x^2}{\sqrt{1-c^2x^2}} dx}{16c} \\
&= -\frac{3bx\sqrt{1-c^2x^2}}{32c^3} - \frac{bx^3\sqrt{1-c^2x^2}}{16c} + \frac{1}{4}x^4 (a + b \cos^{-1}(cx)) + \frac{(3b) \int \frac{1}{\sqrt{1-c^2x^2}} dx}{32c^3} \\
&= -\frac{3bx\sqrt{1-c^2x^2}}{32c^3} - \frac{bx^3\sqrt{1-c^2x^2}}{16c} + \frac{1}{4}x^4 (a + b \cos^{-1}(cx)) + \frac{3b \sin^{-1}(cx)}{32c^4}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 68, normalized size = 0.89

$$\frac{ax^4}{4} + \frac{3b \sin^{-1}(cx)}{32c^4} + b\sqrt{1-c^2x^2} \left(-\frac{3x}{32c^3} - \frac{x^3}{16c} \right) + \frac{1}{4}bx^4 \cos^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*ArcCos[c*x]),x]

[Out] (a*x^4)/4 + b*Sqrt[1 - c^2*x^2]*((-3*x)/(32*c^3) - x^3/(16*c)) + (b*x^4*ArcCos[c*x])/4 + (3*b*ArcSin[c*x])/(32*c^4)

fricas [A] time = 0.47, size = 62, normalized size = 0.82

$$\frac{8ac^4x^4 + (8bc^4x^4 - 3b) \arccos(cx) - (2bc^3x^3 + 3bcx)\sqrt{-c^2x^2 + 1}}{32c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arccos(c*x)),x, algorithm="fricas")

[Out] 1/32*(8*a*c^4*x^4 + (8*b*c^4*x^4 - 3*b)*arccos(c*x) - (2*b*c^3*x^3 + 3*b*c*x)*sqrt(-c^2*x^2 + 1))/c^4

giac [A] time = 0.17, size = 67, normalized size = 0.88

$$\frac{1}{4}bx^4 \arccos(cx) + \frac{1}{4}ax^4 - \frac{\sqrt{-c^2x^2 + 1}bx^3}{16c} - \frac{3\sqrt{-c^2x^2 + 1}bx}{32c^3} - \frac{3b \arccos(cx)}{32c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*arccos(c*x)),x, algorithm="giac")

[Out] $\frac{1}{4}bx^4\arccos(cx) + \frac{1}{4}ax^4 - \frac{1}{16}\sqrt{-c^2x^2 + 1}bx^3/c - \frac{3}{32}\sqrt{-c^2x^2 + 1}bx/c^3 - \frac{3}{32}b\arccos(cx)/c^4$

maple [A] time = 0.02, size = 72, normalized size = 0.95

$$\frac{\frac{c^4x^4a}{4} + b\left(\frac{c^4x^4\arccos(cx)}{4} - \frac{c^3x^3\sqrt{-c^2x^2+1}}{16} - \frac{3cx\sqrt{-c^2x^2+1}}{32} + \frac{3\arcsin(cx)}{32}\right)}{c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3(a+b\arccos(cx)), x)$

[Out] $\frac{1}{c^4}\left(\frac{1}{4}c^4x^4a+b\left(\frac{1}{4}c^4x^4\arccos(cx)-\frac{1}{16}c^3x^3(-c^2x^2+1)^{(1/2)}-\frac{3}{32}c^2x^2(-c^2x^2+1)^{(1/2)}+\frac{3}{32}c\arcsin(cx)\right)\right)$

maxima [A] time = 0.41, size = 71, normalized size = 0.93

$$\frac{1}{4}ax^4 + \frac{1}{32}\left(8x^4\arccos(cx) - \left(\frac{2\sqrt{-c^2x^2+1}x^3}{c^2} + \frac{3\sqrt{-c^2x^2+1}x}{c^4} - \frac{3\arcsin(cx)}{c^5}\right)c\right)b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3(a+b\arccos(cx)), x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{4}ax^4 + \frac{1}{32}(8x^4\arccos(cx) - (2\sqrt{-c^2x^2 + 1}x^3/c^2 + 3\sqrt{-c^2x^2 + 1}x/c^4 - 3\arcsin(cx)/c^5)c)b$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (a + b \arccos(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3(a + b\arccos(cx)), x)$

[Out] $\text{int}(x^3(a + b\arccos(cx)), x)$

sympy [A] time = 0.92, size = 85, normalized size = 1.12

$$\begin{cases} \frac{ax^4}{4} + \frac{bx^4\arccos(cx)}{4} - \frac{bx^3\sqrt{-c^2x^2+1}}{16c} - \frac{3bx\sqrt{-c^2x^2+1}}{32c^3} - \frac{3b\arccos(cx)}{32c^4} & \text{for } c \neq 0 \\ \frac{x^4\left(a + \frac{\pi b}{2}\right)}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*acos(c*x)),x)
```

```
[Out] Piecewise((a*x**4/4 + b*x**4*acos(c*x)/4 - b*x**3*sqrt(-c**2*x**2 + 1)/(16*c) - 3*b*x*sqrt(-c**2*x**2 + 1)/(32*c**3) - 3*b*acos(c*x)/(32*c**4), Ne(c, 0)), (x**4*(a + pi*b/2)/4, True))
```


3.141 $\int x^2 (a + b \cos^{-1}(cx)) dx$

Optimal. Leaf size=60

$$\frac{1}{3}x^3 (a + b \cos^{-1}(cx)) + \frac{b(1 - c^2x^2)^{3/2}}{9c^3} - \frac{b\sqrt{1 - c^2x^2}}{3c^3}$$

[Out] $1/9*b*(-c^2*x^2+1)^(3/2)/c^3+1/3*x^3*(a+b*\arccos(c*x))-1/3*b*(-c^2*x^2+1)^(1/2)/c^3$

Rubi [A] time = 0.04, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4628, 266, 43}

$$\frac{1}{3}x^3 (a + b \cos^{-1}(cx)) + \frac{b(1 - c^2x^2)^{3/2}}{9c^3} - \frac{b\sqrt{1 - c^2x^2}}{3c^3}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*ArcCos[c*x]),x]

[Out] $-(b*\text{Sqrt}[1 - c^2*x^2])/(3*c^3) + (b*(1 - c^2*x^2)^(3/2))/(9*c^3) + (x^3*(a + b*\text{ArcCos}[c*x]))/3$

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \cos^{-1}(cx)) dx &= \frac{1}{3}x^3 (a + b \cos^{-1}(cx)) + \frac{1}{3}(bc) \int \frac{x^3}{\sqrt{1-c^2x^2}} dx \\
&= \frac{1}{3}x^3 (a + b \cos^{-1}(cx)) + \frac{1}{6}(bc) \text{Subst} \left(\int \frac{x}{\sqrt{1-c^2x}} dx, x, x^2 \right) \\
&= \frac{1}{3}x^3 (a + b \cos^{-1}(cx)) + \frac{1}{6}(bc) \text{Subst} \left(\int \left(\frac{1}{c^2\sqrt{1-c^2x}} - \frac{\sqrt{1-c^2x}}{c^2} \right) dx, x, x^2 \right) \\
&= -\frac{b\sqrt{1-c^2x^2}}{3c^3} + \frac{b(1-c^2x^2)^{3/2}}{9c^3} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))
\end{aligned}$$

Mathematica [A] time = 0.05, size = 55, normalized size = 0.92

$$\frac{ax^3}{3} + b \left(-\frac{2}{9c^3} - \frac{x^2}{9c} \right) \sqrt{1-c^2x^2} + \frac{1}{3}bx^3 \cos^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*ArcCos[c*x]),x]

[Out] (a*x^3)/3 + b*(-2/(9*c^3) - x^2/(9*c))*Sqrt[1 - c^2*x^2] + (b*x^3*ArcCos[c*x])/3

fricas [A] time = 0.47, size = 54, normalized size = 0.90

$$\frac{3bc^3x^3 \arccos(cx) + 3ac^3x^3 - (bc^2x^2 + 2b)\sqrt{-c^2x^2 + 1}}{9c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x)),x, algorithm="fricas")

[Out] 1/9*(3*b*c^3*x^3*arccos(c*x) + 3*a*c^3*x^3 - (b*c^2*x^2 + 2*b)*sqrt(-c^2*x^2 + 1))/c^3

giac [A] time = 0.15, size = 56, normalized size = 0.93

$$\frac{1}{3}bx^3 \arccos(cx) + \frac{1}{3}ax^3 - \frac{\sqrt{-c^2x^2 + 1}bx^2}{9c} - \frac{2\sqrt{-c^2x^2 + 1}b}{9c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x)),x, algorithm="giac")

[Out] $\frac{1}{3}bx^3\arccos(cx) + \frac{1}{3}ax^3 - \frac{1}{9}\sqrt{-c^2x^2 + 1}bx^2/c - \frac{2}{9}\sqrt{-c^2x^2 + 1}b/c^3$

maple [A] time = 0.01, size = 64, normalized size = 1.07

$$\frac{\frac{c^3x^3a}{3} + b\left(\frac{c^3x^3\arccos(cx)}{3} - \frac{c^2x^2\sqrt{-c^2x^2+1}}{9} - \frac{2\sqrt{-c^2x^2+1}}{9}\right)}{c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccos(c*x)),x)`

[Out] $\frac{1}{c^3}\left(\frac{1}{3}c^3x^3a + b\left(\frac{1}{3}c^3x^3\arccos(cx) - \frac{1}{9}c^2x^2(-c^2x^2+1)^{1/2} - \frac{2}{9}(-c^2x^2+1)^{1/2}\right)\right)$

maxima [A] time = 0.42, size = 60, normalized size = 1.00

$$\frac{1}{3}ax^3 + \frac{1}{9}\left(3x^3\arccos(cx) - c\left(\frac{\sqrt{-c^2x^2+1}x^2}{c^2} + \frac{2\sqrt{-c^2x^2+1}}{c^4}\right)\right)b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccos(c*x)),x, algorithm="maxima")`

[Out] $\frac{1}{3}ax^3 + \frac{1}{9}(3x^3\arccos(cx) - c(\sqrt{-c^2x^2 + 1}x^2/c^2 + 2\sqrt{-c^2x^2 + 1}/c^4))b$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\begin{cases} \frac{ax^3}{3} - b\left(\frac{\sqrt{\frac{1}{c^2}-x^2}\left(\frac{2}{c^2}+x^2\right)}{9} - \frac{x^3\arccos(cx)}{3}\right) & \text{if } 0 < c \\ \int x^2 (a + b \arccos(cx)) dx & \text{if } -0 < c \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*acos(c*x)),x)`

[Out] $\text{piecewise}(0 < c, -b\left(\left(\frac{1}{c^2} - x^2\right)^{1/2}\left(\frac{2}{c^2} + x^2\right)\right)/9 - (x^3\arccos(cx))/3) + (ax^3)/3, \sim 0 < c, \text{int}(x^2*(a + b*acos(c*x)), x)$

sympy [A] time = 0.45, size = 70, normalized size = 1.17

$$\begin{cases} \frac{ax^3}{3} + \frac{bx^3 \operatorname{acos}(cx)}{3} - \frac{bx^2 \sqrt{-c^2x^2+1}}{9c} - \frac{2b\sqrt{-c^2x^2+1}}{9c^3} & \text{for } c \neq 0 \\ \frac{x^3 \left(a + \frac{\pi b}{2}\right)}{3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*acos(c*x)),x)

[Out] Piecewise((a*x**3/3 + b*x**3*acos(c*x)/3 - b*x**2*sqrt(-c**2*x**2 + 1)/(9*c) - 2*b*sqrt(-c**2*x**2 + 1)/(9*c**3), Ne(c, 0)), (x**3*(a + pi*b/2)/3, True))

3.142 $\int x \left(a + b \cos^{-1}(cx) \right) dx$

Optimal. Leaf size=51

$$\frac{1}{2}x^2 \left(a + b \cos^{-1}(cx) \right) - \frac{bx\sqrt{1-c^2x^2}}{4c} + \frac{b \sin^{-1}(cx)}{4c^2}$$

[Out] $1/2*x^2*(a+b*\arccos(c*x))+1/4*b*\arcsin(c*x)/c^2-1/4*b*x*(-c^2*x^2+1)^{(1/2)}/c$

Rubi [A] time = 0.02, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {4628, 321, 216}

$$\frac{1}{2}x^2 \left(a + b \cos^{-1}(cx) \right) - \frac{bx\sqrt{1-c^2x^2}}{4c} + \frac{b \sin^{-1}(cx)}{4c^2}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*ArcCos[c*x]),x]

[Out] $-(b*x*\text{Sqrt}[1 - c^2*x^2])/(4*c) + (x^2*(a + b*\text{ArcCos}[c*x]))/2 + (b*\text{ArcSin}[c*x])/(4*c^2)$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n-1)*(c*x)^(m-n+1)*(a+b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[(a*c^n*(m-n+1))/(b*(m+n*p+1)), Int[(c*x)^(m-n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[((d*x)^(m+1)*(a+b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a+b*ArcCos[c*x])^(n-1))/Sqrt[1-c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int x(a + b \cos^{-1}(cx)) dx &= \frac{1}{2}x^2(a + b \cos^{-1}(cx)) + \frac{1}{2}(bc) \int \frac{x^2}{\sqrt{1 - c^2x^2}} dx \\
&= -\frac{bx\sqrt{1 - c^2x^2}}{4c} + \frac{1}{2}x^2(a + b \cos^{-1}(cx)) + \frac{b \int \frac{1}{\sqrt{1 - c^2x^2}} dx}{4c} \\
&= -\frac{bx\sqrt{1 - c^2x^2}}{4c} + \frac{1}{2}x^2(a + b \cos^{-1}(cx)) + \frac{b \sin^{-1}(cx)}{4c^2}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 56, normalized size = 1.10

$$\frac{ax^2}{2} - \frac{bx\sqrt{1 - c^2x^2}}{4c} + \frac{b \sin^{-1}(cx)}{4c^2} + \frac{1}{2}bx^2 \cos^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*ArcCos[c*x]),x]

[Out] (a*x^2)/2 - (b*x*Sqrt[1 - c^2*x^2])/(4*c) + (b*x^2*ArcCos[c*x])/2 + (b*ArcSin[c*x])/(4*c^2)

fricas [A] time = 0.47, size = 50, normalized size = 0.98

$$\frac{2ac^2x^2 - \sqrt{-c^2x^2 + 1}bcx + (2bc^2x^2 - b)\arccos(cx)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x)),x, algorithm="fricas")

[Out] 1/4*(2*a*c^2*x^2 - sqrt(-c^2*x^2 + 1)*b*c*x + (2*b*c^2*x^2 - b)*arccos(c*x))/c^2

giac [A] time = 0.20, size = 46, normalized size = 0.90

$$\frac{1}{2}bx^2 \arccos(cx) + \frac{1}{2}ax^2 - \frac{\sqrt{-c^2x^2 + 1}bx}{4c} - \frac{b \arccos(cx)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x)),x, algorithm="giac")

[Out] 1/2*b*x^2*arccos(c*x) + 1/2*a*x^2 - 1/4*sqrt(-c^2*x^2 + 1)*b*x/c - 1/4*b*arccos(c*x)/c^2

maple [A] time = 0.01, size = 52, normalized size = 1.02

$$\frac{\frac{c^2 x^2 a}{2} + b \left(\frac{c^2 x^2 \arccos(cx)}{2} - \frac{cx \sqrt{-c^2 x^2 + 1}}{4} + \frac{\arcsin(cx)}{4} \right)}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arccos(c*x)),x)`

[Out] `1/c^2*(1/2*c^2*x^2*a+b*(1/2*c^2*x^2*arccos(c*x)-1/4*c*x*(-c^2*x^2+1)^(1/2)+1/4*arcsin(c*x)))`

maxima [A] time = 0.41, size = 50, normalized size = 0.98

$$\frac{1}{2} ax^2 + \frac{1}{4} \left(2x^2 \arccos(cx) - c \left(\frac{\sqrt{-c^2 x^2 + 1} x}{c^2} - \frac{\arcsin(cx)}{c^3} \right) \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccos(c*x)),x, algorithm="maxima")`

[Out] `1/2*a*x^2 + 1/4*(2*x^2*arccos(c*x) - c*(sqrt(-c^2*x^2 + 1)*x/c^2 - arcsin(c*x)/c^3))*b`

mupad [B] time = 0.30, size = 45, normalized size = 0.88

$$\frac{ax^2}{2} + \frac{b \left(\frac{\arccos(cx)(2c^2 x^2 - 1)}{4} - \frac{cx \sqrt{1 - c^2 x^2}}{4} \right)}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*acos(c*x)),x)`

[Out] `(a*x^2)/2 + (b*((acos(c*x)*(2*c^2*x^2 - 1))/4 - (c*x*(1 - c^2*x^2)^(1/2))/4))/c^2`

sympy [A] time = 0.24, size = 60, normalized size = 1.18

$$\begin{cases} \frac{ax^2}{2} + \frac{bx^2 \arccos(cx)}{2} - \frac{bx \sqrt{-c^2 x^2 + 1}}{4c} - \frac{b \arccos(cx)}{4c^2} & \text{for } c \neq 0 \\ \frac{x^2 \left(a + \frac{\pi b}{2} \right)}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*acos(c*x)),x)
```

```
[Out] Piecewise((a*x**2/2 + b*x**2*acos(c*x)/2 - b*x*sqrt(-c**2*x**2 + 1)/(4*c) -  
b*acos(c*x)/(4*c**2), Ne(c, 0)), (x**2*(a + pi*b/2)/2, True))
```


3.143 $\int (a + b \cos^{-1}(cx)) dx$

Optimal. Leaf size=31

$$ax - \frac{b\sqrt{1-c^2x^2}}{c} + bx \cos^{-1}(cx)$$

[Out] a*x+b*x*arccos(c*x)-b*(-c^2*x^2+1)^(1/2)/c

Rubi [A] time = 0.02, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4620, 261}

$$ax - \frac{b\sqrt{1-c^2x^2}}{c} + bx \cos^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[a + b*ArcCos[c*x], x]

[Out] a*x - (b*Sqrt[1 - c^2*x^2])/c + b*x*ArcCos[c*x]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] :> Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rubi steps

$$\begin{aligned} \int (a + b \cos^{-1}(cx)) dx &= ax + b \int \cos^{-1}(cx) dx \\ &= ax + bx \cos^{-1}(cx) + (bc) \int \frac{x}{\sqrt{1-c^2x^2}} dx \\ &= ax - \frac{b\sqrt{1-c^2x^2}}{c} + bx \cos^{-1}(cx) \end{aligned}$$

Mathematica [A] time = 0.01, size = 31, normalized size = 1.00

$$ax - \frac{b\sqrt{1-c^2x^2}}{c} + bx \cos^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[a + b*ArcCos[c*x], x]

[Out] a*x - (b*Sqrt[1 - c^2*x^2])/c + b*x*ArcCos[c*x]

fricas [A] time = 0.41, size = 32, normalized size = 1.03

$$\frac{bcx \arccos(cx) + acx - \sqrt{-c^2x^2 + 1} b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arccos(c*x), x, algorithm="fricas")

[Out] (b*c*x*arccos(c*x) + a*c*x - sqrt(-c^2*x^2 + 1)*b)/c

giac [A] time = 0.18, size = 31, normalized size = 1.00

$$ax + \frac{\left(cx \arccos(cx) - \sqrt{-c^2x^2 + 1}\right)b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arccos(c*x), x, algorithm="giac")

[Out] a*x + (c*x*arccos(c*x) - sqrt(-c^2*x^2 + 1))*b/c

maple [A] time = 0.00, size = 32, normalized size = 1.03

$$ax + \frac{b \left(cx \arccos(cx) - \sqrt{-c^2x^2 + 1} \right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b*arccos(c*x), x)

[Out] a*x+b/c*(c*x*arccos(c*x)-(-c^2*x^2+1)^(1/2))

maxima [A] time = 0.41, size = 31, normalized size = 1.00

$$ax + \frac{\left(cx \arccos(cx) - \sqrt{-c^2x^2 + 1}\right)b}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*arccos(c*x),x, algorithm="maxima")`

[Out] `a*x + (c*x*arccos(c*x) - sqrt(-c^2*x^2 + 1))*b/c`

mupad [B] time = 0.33, size = 29, normalized size = 0.94

$$ax - \frac{b\sqrt{1-c^2x^2}}{c} + bx \operatorname{acos}(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a + b*acos(c*x),x)`

[Out] `a*x - (b*(1 - c^2*x^2)^(1/2))/c + b*x*acos(c*x)`

sympy [A] time = 0.13, size = 29, normalized size = 0.94

$$ax + b \left(\begin{cases} x \operatorname{acos}(cx) - \frac{\sqrt{-c^2x^2+1}}{c} & \text{for } c \neq 0 \\ \frac{\pi x}{2} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*acos(c*x),x)`

[Out] `a*x + b*Piecewise((x*acos(c*x) - sqrt(-c**2*x**2 + 1)/c, Ne(c, 0)), (pi*x/2, True))`

$$3.144 \quad \int \frac{a+b \cos^{-1}(cx)}{x} dx$$

Optimal. Leaf size=63

$$-\frac{i(a+b \cos^{-1}(cx))^2}{2b} + \log(1 + e^{2i \cos^{-1}(cx)})(a+b \cos^{-1}(cx)) - \frac{1}{2}ib \operatorname{Li}_2(-e^{2i \cos^{-1}(cx)})$$

[Out] $-1/2*I*(a+b*\arccos(c*x))^2/b+(a+b*\arccos(c*x))*\ln(1+(c*x+I*(-c^2*x^2+1))^{(1/2)})^2)-1/2*I*b*\operatorname{polylog}(2,-(c*x+I*(-c^2*x^2+1))^{(1/2)})^2$

Rubi [A] time = 0.07, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {4626, 3719, 2190, 2279, 2391}

$$-\frac{1}{2}ib \operatorname{PolyLog}(2, -e^{2i \cos^{-1}(cx)}) - \frac{i(a+b \cos^{-1}(cx))^2}{2b} + \log(1 + e^{2i \cos^{-1}(cx)})(a+b \cos^{-1}(cx))$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCos}[c*x])/x, x]$

[Out] $((-I/2)*(a + b*\operatorname{ArcCos}[c*x])^2)/b + (a + b*\operatorname{ArcCos}[c*x])* \operatorname{Log}[1 + E^{((2*I)*\operatorname{ArcCos}[c*x])}] - (I/2)*b*\operatorname{PolyLog}[2, -E^{((2*I)*\operatorname{ArcCos}[c*x])}]$

Rule 2190

$\operatorname{Int}[(((F_)^((g_)*((e_) + (f_)*(x_))))^{(n_)*((c_) + (d_)*(x_))^{(m_))})/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^{(n_)}), x_Symbol] := \operatorname{Simp}[(c + d*x)^m*\operatorname{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*\operatorname{Log}[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*\operatorname{Log}[F]), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2279

$\operatorname{Int}[\operatorname{Log}[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^{(n_)}], x_Symbol] := \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \operatorname{GtQ}[a, 0]$

Rule 2391

$\operatorname{Int}[\operatorname{Log}[(c_)*((d_) + (e_)*(x_))^{(n_)}]/(x_), x_Symbol] := -\operatorname{Simp}[\operatorname{PolyLog}[2, -(c*e*x^n)]/n, x] /; \operatorname{FreeQ}\{c, d, e, n\}, x] \&\& \operatorname{EqQ}[c*d, 1]$

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4626

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \cos^{-1}(cx)}{x} dx &= -\text{Subst} \left(\int (a + bx) \tan(x) dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{i(a + b \cos^{-1}(cx))^2}{2b} + 2i \text{Subst} \left(\int \frac{e^{2ix}(a + bx)}{1 + e^{2ix}} dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{i(a + b \cos^{-1}(cx))^2}{2b} + (a + b \cos^{-1}(cx)) \log(1 + e^{2i \cos^{-1}(cx)}) - b \text{Subst} \left(\int \log(1 + e^{2ix}) dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{i(a + b \cos^{-1}(cx))^2}{2b} + (a + b \cos^{-1}(cx)) \log(1 + e^{2i \cos^{-1}(cx)}) + \frac{1}{2}(ib) \text{Subst} \left(\int \frac{\log(1 + e^{2ix})}{x} dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{i(a + b \cos^{-1}(cx))^2}{2b} + (a + b \cos^{-1}(cx)) \log(1 + e^{2i \cos^{-1}(cx)}) - \frac{1}{2}ib \text{Li}_2(-e^{2i \cos^{-1}(cx)})
\end{aligned}$$

Mathematica [A] time = 0.02, size = 58, normalized size = 0.92

$$a \log(x) - \frac{1}{2}ib \text{Li}_2(-e^{2i \cos^{-1}(cx)}) - \frac{1}{2}ib \cos^{-1}(cx)^2 + b \cos^{-1}(cx) \log(1 + e^{2i \cos^{-1}(cx)})$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcCos[c*x])/x, x]
```

```
[Out] (-1/2*I)*b*ArcCos[c*x]^2 + b*ArcCos[c*x]*Log[1 + E^((2*I)*ArcCos[c*x])] + a
*Log[x] - (I/2)*b*PolyLog[2, -E^((2*I)*ArcCos[c*x])]
```

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{b \arccos(cx) + a}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x,x, algorithm="fricas")

[Out] integral((b*arccos(c*x) + a)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \arccos(cx) + a}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x,x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)/x, x)

maple [A] time = 0.04, size = 77, normalized size = 1.22

$$a \ln(cx) - \frac{ib \arccos(cx)^2}{2} + b \arccos(cx) \ln\left(1 + \left(cx + i\sqrt{-c^2x^2 + 1}\right)^2\right) - \frac{ib \operatorname{polylog}\left(2, -\left(cx + i\sqrt{-c^2x^2 + 1}\right)^2\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))/x,x)

[Out] a*ln(c*x)-1/2*I*b*arccos(c*x)^2+b*arccos(c*x)*ln(1+(c*x+I*(-c^2*x^2+1)^(1/2))^2)-1/2*I*b*polylog(2,-(c*x+I*(-c^2*x^2+1)^(1/2))^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$b \int \frac{\arctan\left(\frac{\sqrt{cx+1}\sqrt{-cx+1}}{x}, cx\right)}{x} dx + a \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x,x, algorithm="maxima")

[Out] b*integrate(arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)/x, x) + a*log(x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \arccos(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))/x,x)
```

```
[Out] int((a + b*acos(c*x))/x, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \cos(cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))/x,x)
```

```
[Out] Integral((a + b*acos(c*x))/x, x)
```

$$3.145 \quad \int \frac{a+b \cos^{-1}(cx)}{x^2} dx$$

Optimal. Leaf size=32

$$bc \tanh^{-1}\left(\sqrt{1-c^2x^2}\right) - \frac{a+b \cos^{-1}(cx)}{x}$$

[Out] $(-a-b*\arccos(c*x))/x+b*c*\operatorname{arctanh}((-c^2*x^2+1)^{(1/2)})$

Rubi [A] time = 0.03, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4628, 266, 63, 208}

$$bc \tanh^{-1}\left(\sqrt{1-c^2x^2}\right) - \frac{a+b \cos^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCos}[c*x])/x^2, x]$

[Out] $-(a + b*\operatorname{ArcCos}[c*x])/x + b*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[1 - c^2*x^2]]$

Rule 63

$\operatorname{Int}[(a_.) + (b_.)*(x_.)^{(m_.)}*((c_.) + (d_.)*(x_.)^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\operatorname{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$

Rule 266

$\operatorname{Int}[(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^p, x_Symbol] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m+1)/n]-1)}*(a + b*x)^p, x], x, x^n], x] /; \operatorname{FreeQ}[\{a, b, m, n, p\}, x] \&\& \operatorname{IntegerQ}[\operatorname{Simplify}[(m+1)/n]]$

Rule 4628

$\operatorname{Int}[(a_.) + \operatorname{ArcCos}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(d*x)^{(m+1)}*(a + b*\operatorname{ArcCos}[c*x])^n/(d*(m+1)), x] + \operatorname{Dist}[(b*c*n$

)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{a + b \cos^{-1}(cx)}{x^2} dx &= -\frac{a + b \cos^{-1}(cx)}{x} - (bc) \int \frac{1}{x\sqrt{1 - c^2x^2}} dx \\ &= -\frac{a + b \cos^{-1}(cx)}{x} - \frac{1}{2}(bc) \text{Subst} \left(\int \frac{1}{x\sqrt{1 - c^2x}} dx, x, x^2 \right) \\ &= -\frac{a + b \cos^{-1}(cx)}{x} + \frac{b \text{Subst} \left(\int \frac{1}{\frac{1}{c^2} - \frac{x^2}{c^2}} dx, x, \sqrt{1 - c^2x^2} \right)}{c} \\ &= -\frac{a + b \cos^{-1}(cx)}{x} + bc \tanh^{-1} \left(\sqrt{1 - c^2x^2} \right) \end{aligned}$$

Mathematica [A] time = 0.01, size = 43, normalized size = 1.34

$$-\frac{a}{x} + bc \log \left(\sqrt{1 - c^2x^2} + 1 \right) - bc \log(x) - \frac{b \cos^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCos[c*x])/x^2,x]

[Out] -(a/x) - (b*ArcCos[c*x])/x - b*c*Log[x] + b*c*Log[1 + Sqrt[1 - c^2*x^2]]

fricas [B] time = 0.46, size = 92, normalized size = 2.88

$$\frac{bcx \log \left(\sqrt{-c^2x^2 + 1} + 1 \right) - bcx \log \left(\sqrt{-c^2x^2 + 1} - 1 \right) - 2bx \arctan \left(\frac{\sqrt{-c^2x^2 + 1} cx}{c^2x^2 - 1} \right) + 2(bx - b) \arccos(cx) - 2a}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x^2,x, algorithm="fricas")

[Out] 1/2*(b*c*x*log(sqrt(-c^2*x^2 + 1) + 1) - b*c*x*log(sqrt(-c^2*x^2 + 1) - 1) - 2*b*x*arctan(sqrt(-c^2*x^2 + 1)*c*x/(c^2*x^2 - 1)) + 2*(b*x - b)*arccos(c*x) - 2*a)/x

giac [B] time = 0.46, size = 347, normalized size = 10.84

$$-\frac{bc \arccos(cx)}{\frac{c^2x^2-1}{(cx+1)^2} + 1} + \frac{bc \log\left(\left|cx + \sqrt{-c^2x^2 + 1} + 1\right|\right)}{\frac{c^2x^2-1}{(cx+1)^2} + 1} - \frac{bc \log\left(\left|-cx + \sqrt{-c^2x^2 + 1} - 1\right|\right)}{\frac{c^2x^2-1}{(cx+1)^2} + 1} - \frac{ac}{\frac{c^2x^2-1}{(cx+1)^2} + 1} + \frac{(c^2x^2 - 1)bc \arccos(cx)}{(cx + 1)^2 \left(\frac{c^2x^2-1}{(cx+1)^2} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x^2,x, algorithm="giac")

[Out] $-b*c*\arccos(c*x)/((c^2*x^2 - 1)/(c*x + 1)^2 + 1) + b*c*\log(\text{abs}(c*x + \sqrt{-c^2*x^2 + 1} + 1))/((c^2*x^2 - 1)/(c*x + 1)^2 + 1) - b*c*\log(\text{abs}(-c*x + \sqrt{-c^2*x^2 + 1} - 1))/((c^2*x^2 - 1)/(c*x + 1)^2 + 1) - a*c/((c^2*x^2 - 1)/(c*x + 1)^2 + 1) + (c^2*x^2 - 1)*b*c*\arccos(c*x)/((c*x + 1)^2*((c^2*x^2 - 1)/(c*x + 1)^2 + 1)) + (c^2*x^2 - 1)*b*c*\log(\text{abs}(c*x + \sqrt{-c^2*x^2 + 1} + 1))/((c*x + 1)^2*((c^2*x^2 - 1)/(c*x + 1)^2 + 1)) - (c^2*x^2 - 1)*b*c*\log(\text{abs}(-c*x + \sqrt{-c^2*x^2 + 1} - 1))/((c*x + 1)^2*((c^2*x^2 - 1)/(c*x + 1)^2 + 1)) + (c^2*x^2 - 1)*a*c/((c*x + 1)^2*((c^2*x^2 - 1)/(c*x + 1)^2 + 1))$

maple [A] time = 0.00, size = 41, normalized size = 1.28

$$c \left(-\frac{a}{cx} + b \left(-\frac{\arccos(cx)}{cx} + \operatorname{arctanh} \left(\frac{1}{\sqrt{-c^2x^2 + 1}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))/x^2,x)

[Out] $c*(-1/c/x*a+b*(-1/c/x*\arccos(c*x)+\operatorname{arctanh}(1/(-c^2*x^2+1)^{(1/2)})))$

maxima [A] time = 0.41, size = 47, normalized size = 1.47

$$\left(c \log \left(\frac{2\sqrt{-c^2x^2 + 1}}{|x|} + \frac{2}{|x|} \right) - \frac{\arccos(cx)}{x} \right) b - \frac{a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x^2,x, algorithm="maxima")

[Out] $(c*\log(2*\sqrt{-c^2*x^2 + 1}/\text{abs}(x) + 2/\text{abs}(x)) - \arccos(c*x)/x)*b - a/x$

mupad [B] time = 0.29, size = 33, normalized size = 1.03

$$bc \operatorname{atanh} \left(\frac{1}{\sqrt{1 - c^2 x^2}} \right) - \frac{b \operatorname{acos}(cx)}{x} - \frac{a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(c*x))/x^2,x)`

[Out] `b*c*atanh(1/(1 - c^2*x^2)^(1/2)) - (b*acos(c*x))/x - a/x`

sympy [A] time = 1.63, size = 41, normalized size = 1.28

$$-\frac{a}{x} - bc \left(\begin{cases} -\operatorname{acosh}\left(\frac{1}{cx}\right) & \text{for } \frac{1}{|c^2x^2|} > 1 \\ i \operatorname{asin}\left(\frac{1}{cx}\right) & \text{otherwise} \end{cases} \right) - \frac{b \operatorname{acos}(cx)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acos(c*x))/x**2,x)`

[Out] `-a/x - b*c*Piecewise((-acosh(1/(c*x)), 1/Abs(c**2*x**2) > 1), (I*asin(1/(c*x)), True)) - b*acos(c*x)/x`

$$3.146 \quad \int \frac{a+b \cos^{-1}(cx)}{x^3} dx$$

Optimal. Leaf size=39

$$\frac{bc\sqrt{1-c^2x^2}}{2x} - \frac{a+b \cos^{-1}(cx)}{2x^2}$$

[Out] $1/2*(-a-b*\arccos(c*x))/x^2+1/2*b*c*(-c^2*x^2+1)^(1/2)/x$

Rubi [A] time = 0.02, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4628, 264}

$$\frac{bc\sqrt{1-c^2x^2}}{2x} - \frac{a+b \cos^{-1}(cx)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])/x^3, x]

[Out] (b*c*Sqrt[1 - c^2*x^2])/(2*x) - (a + b*ArcCos[c*x])/(2*x^2)

Rule 264

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{a+b \cos^{-1}(cx)}{x^3} dx &= -\frac{a+b \cos^{-1}(cx)}{2x^2} - \frac{1}{2}(bc) \int \frac{1}{x^2\sqrt{1-c^2x^2}} dx \\ &= \frac{bc\sqrt{1-c^2x^2}}{2x} - \frac{a+b \cos^{-1}(cx)}{2x^2} \end{aligned}$$

Mathematica [A] time = 0.02, size = 44, normalized size = 1.13

$$-\frac{a}{2x^2} + \frac{bc\sqrt{1-c^2x^2}}{2x} - \frac{b\cos^{-1}(cx)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCos[c*x])/x^3,x]

[Out] -1/2*a/x^2 + (b*c*Sqrt[1 - c^2*x^2])/(2*x) - (b*ArcCos[c*x])/(2*x^2)

fricas [A] time = 0.45, size = 37, normalized size = 0.95

$$\frac{\sqrt{-c^2x^2+1}bcx+ax^2-b\arccos(cx)-a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x^3,x, algorithm="fricas")

[Out] 1/2*(sqrt(-c^2*x^2 + 1)*b*c*x + a*x^2 - b*arccos(c*x) - a)/x^2

giac [B] time = 0.16, size = 492, normalized size = 12.62

$$-\frac{bc^2\arccos(cx)}{2\left(\frac{2(c^2x^2-1)}{(cx+1)^2} + \frac{(c^2x^2-1)^2}{(cx+1)^4} + 1\right)} - \frac{ac^2}{2\left(\frac{2(c^2x^2-1)}{(cx+1)^2} + \frac{(c^2x^2-1)^2}{(cx+1)^4} + 1\right)} + \frac{(c^2x^2-1)bc^2\arccos(cx)}{(cx+1)^2\left(\frac{2(c^2x^2-1)}{(cx+1)^2} + \frac{(c^2x^2-1)^2}{(cx+1)^4} + 1\right)} + \frac{\sqrt{-c^2x^2+1}}{(cx+1)\left(\frac{2(c^2x^2-1)}{(cx+1)^2} + \frac{(c^2x^2-1)^2}{(cx+1)^4} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x^3,x, algorithm="giac")

[Out] -1/2*b*c^2*arccos(c*x)/(2*(c^2*x^2 - 1)/(c*x + 1)^2 + (c^2*x^2 - 1)^2/(c*x + 1)^4 + 1) - 1/2*a*c^2/(2*(c^2*x^2 - 1)/(c*x + 1)^2 + (c^2*x^2 - 1)^2/(c*x + 1)^4 + 1) + (c^2*x^2 - 1)*b*c^2*arccos(c*x)/((c*x + 1)^2*(2*(c^2*x^2 - 1)/(c*x + 1)^2 + (c^2*x^2 - 1)^2/(c*x + 1)^4 + 1)) + sqrt(-c^2*x^2 + 1)*b*c^2/((c*x + 1)*(2*(c^2*x^2 - 1)/(c*x + 1)^2 + (c^2*x^2 - 1)^2/(c*x + 1)^4 + 1)) + (c^2*x^2 - 1)*a*c^2/((c*x + 1)^2*(2*(c^2*x^2 - 1)/(c*x + 1)^2 + (c^2*x^2 - 1)^2/(c*x + 1)^4 + 1)) - 1/2*(c^2*x^2 - 1)^2*b*c^2*arccos(c*x)/((c*x + 1)^4*(2*(c^2*x^2 - 1)/(c*x + 1)^2 + (c^2*x^2 - 1)^2/(c*x + 1)^4 + 1)) - (-c^2*x^2 + 1)^(3/2)*b*c^2/((c*x + 1)^3*(2*(c^2*x^2 - 1)/(c*x + 1)^2 + (c^2*x^2 - 1)^2/(c*x + 1)^4 + 1)) - 1/2*(c^2*x^2 - 1)^2*a*c^2/((c*x + 1)^4*(2*(c^2*x^2 - 1)/(c*x + 1)^2 + (c^2*x^2 - 1)^2/(c*x + 1)^4 + 1))

maple [A] time = 0.01, size = 50, normalized size = 1.28

$$c^2\left(-\frac{a}{2c^2x^2} + b\left(-\frac{\arccos(cx)}{2c^2x^2} + \frac{\sqrt{-c^2x^2+1}}{2cx}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccos(c*x))/x^3,x)`

[Out] `c^2*(-1/2*a/c^2/x^2+b*(-1/2/c^2/x^2*arccos(c*x)+1/2/c/x*(-c^2*x^2+1)^(1/2))`
`)`

maxima [A] time = 0.41, size = 37, normalized size = 0.95

$$\frac{1}{2} b \left(\frac{\sqrt{-c^2 x^2 + 1} c}{x} - \frac{\arccos(cx)}{x^2} \right) - \frac{a}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccos(c*x))/x^3,x, algorithm="maxima")`

[Out] `1/2*b*(sqrt(-c^2*x^2 + 1)*c/x - arccos(c*x)/x^2) - 1/2*a/x^2`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{a + b \arccos(cx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(c*x))/x^3,x)`

[Out] `int((a + b*acos(c*x))/x^3, x)`

sympy [A] time = 1.34, size = 63, normalized size = 1.62

$$-\frac{a}{2x^2} - \frac{bc \left(\begin{cases} -\frac{i\sqrt{c^2x^2-1}}{x} & \text{for } |c^2x^2| > 1 \\ -\frac{\sqrt{-c^2x^2+1}}{x} & \text{otherwise} \end{cases} \right)}{2} - \frac{b \arccos(cx)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acos(c*x))/x**3,x)`

[Out] `-a/(2*x**2) - b*c*Piecewise((-I*sqrt(c**2*x**2 - 1)/x, Abs(c**2*x**2) > 1),`
`(-sqrt(-c**2*x**2 + 1)/x, True))/2 - b*acos(c*x)/(2*x**2)`

$$3.147 \quad \int \frac{a+b \cos^{-1}(cx)}{x^4} dx$$

Optimal. Leaf size=62

$$-\frac{a+b \cos^{-1}(cx)}{3x^3} + \frac{bc\sqrt{1-c^2x^2}}{6x^2} + \frac{1}{6}bc^3 \tanh^{-1}\left(\sqrt{1-c^2x^2}\right)$$

[Out] 1/3*(-a-b*arccos(c*x))/x^3+1/6*b*c^3*arctanh((-c^2*x^2+1)^(1/2))+1/6*b*c*(-c^2*x^2+1)^(1/2)/x^2

Rubi [A] time = 0.04, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {4628, 266, 51, 63, 208}

$$-\frac{a+b \cos^{-1}(cx)}{3x^3} + \frac{bc\sqrt{1-c^2x^2}}{6x^2} + \frac{1}{6}bc^3 \tanh^{-1}\left(\sqrt{1-c^2x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])/x^4,x]

[Out] (b*c*Sqrt[1 - c^2*x^2])/(6*x^2) - (a + b*ArcCos[c*x])/(3*x^3) + (b*c^3*ArcTanh[Sqrt[1 - c^2*x^2]])/6

Rule 51

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 4628

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((d_)*(x_)^(m_)), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \cos^{-1}(cx)}{x^4} dx &= -\frac{a + b \cos^{-1}(cx)}{3x^3} - \frac{1}{3}(bc) \int \frac{1}{x^3 \sqrt{1 - c^2 x^2}} dx \\
&= -\frac{a + b \cos^{-1}(cx)}{3x^3} - \frac{1}{6}(bc) \operatorname{Subst}\left(\int \frac{1}{x^2 \sqrt{1 - c^2 x}} dx, x, x^2\right) \\
&= \frac{bc \sqrt{1 - c^2 x^2}}{6x^2} - \frac{a + b \cos^{-1}(cx)}{3x^3} - \frac{1}{12}(bc^3) \operatorname{Subst}\left(\int \frac{1}{x \sqrt{1 - c^2 x}} dx, x, x^2\right) \\
&= \frac{bc \sqrt{1 - c^2 x^2}}{6x^2} - \frac{a + b \cos^{-1}(cx)}{3x^3} + \frac{1}{6}(bc) \operatorname{Subst}\left(\int \frac{1}{\frac{1}{c^2} - \frac{x^2}{c^2}} dx, x, \sqrt{1 - c^2 x^2}\right) \\
&= \frac{bc \sqrt{1 - c^2 x^2}}{6x^2} - \frac{a + b \cos^{-1}(cx)}{3x^3} + \frac{1}{6}bc^3 \tanh^{-1}\left(\sqrt{1 - c^2 x^2}\right)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 79, normalized size = 1.27

$$-\frac{a}{3x^3} - \frac{1}{6}bc^3 \log(x) + \frac{bc \sqrt{1 - c^2 x^2}}{6x^2} + \frac{1}{6}bc^3 \log\left(\sqrt{1 - c^2 x^2} + 1\right) - \frac{b \cos^{-1}(cx)}{3x^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcCos[c*x])/x^4, x]
```

```
[Out] -1/3*a/x^3 + (b*c*Sqrt[1 - c^2*x^2])/(6*x^2) - (b*ArcCos[c*x])/(3*x^3) - (b
*c^3*Log[x])/6 + (b*c^3*Log[1 + Sqrt[1 - c^2*x^2]])/6
```


fricas [B] time = 0.46, size = 121, normalized size = 1.95

$$\frac{bc^3x^3 \log\left(\sqrt{-c^2x^2+1} + 1\right) - bc^3x^3 \log\left(\sqrt{-c^2x^2+1} - 1\right) - 4bx^3 \arctan\left(\frac{\sqrt{-c^2x^2+1}cx}{c^2x^2-1}\right) + 2\sqrt{-c^2x^2+1}bcx + 4}{12x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x^4,x, algorithm="fricas")

[Out] 1/12*(b*c^3*x^3*log(sqrt(-c^2*x^2 + 1) + 1) - b*c^3*x^3*log(sqrt(-c^2*x^2 + 1) - 1) - 4*b*x^3*arctan(sqrt(-c^2*x^2 + 1)*c*x/(c^2*x^2 - 1)) + 2*sqrt(-c^2*x^2 + 1)*b*c*x + 4*(b*x^3 - b)*arccos(c*x) - 4*a)/x^3

giac [B] time = 1.67, size = 1634, normalized size = 26.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x^4,x, algorithm="giac")

[Out] -1/3*b*c^3*arccos(c*x)/(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1) + 1/6*b*c^3*log(abs(c*x + sqrt(-c^2*x^2 + 1) + 1))/(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1) - 1/6*b*c^3*log(abs(-c*x + sqrt(-c^2*x^2 + 1) - 1))/(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1) - 1/3*a*c^3/(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1) + (c^2*x^2 - 1)*b*c^3*arccos(c*x)/((c*x + 1)^2*(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1)) + 1/2*(c^2*x^2 - 1)*b*c^3*log(abs(c*x + sqrt(-c^2*x^2 + 1) + 1))/((c*x + 1)^2*(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1)) - 1/2*(c^2*x^2 - 1)*b*c^3*log(abs(-c*x + sqrt(-c^2*x^2 + 1) - 1))/((c*x + 1)^2*(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1)) + 1/3*sqrt(-c^2*x^2 + 1)*b*c^3/((c*x + 1)*(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1)) + (c^2*x^2 - 1)*a*c^3/((c*x + 1)^2*(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1)) - (c^2*x^2 - 1)^2*b*c^3*arccos(c*x)/((c*x + 1)^4*(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1)) + 1/2*(c^2*x^2 - 1)^2*b*c^3*log(abs(c*x + sqrt(-c^2*x^2 + 1) + 1))/((c*x + 1)^4*(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1)) - 1/2*(c^2*x^2 - 1)^2*b*c^3*log(abs(-c*x + sqrt(-c^2*x^2 + 1) - 1))/((c*x + 1)^4*(3*(c^2*x^2 - 1)/(c*x + 1)^2 + 3*(c^2*x^2 - 1)^2/(c*x + 1)^4 + (c^2*x^2 - 1)^3/(c*x + 1)^6 + 1)) - (c^2*x^2

$$\begin{aligned}
& - 1)^2 * a * c^3 / ((c * x + 1)^4 * (3 * (c^2 * x^2 - 1) / (c * x + 1)^2 + 3 * (c^2 * x^2 - 1)^2 / \\
& (c * x + 1)^4 + (c^2 * x^2 - 1)^3 / (c * x + 1)^6 + 1)) + 1/3 * (c^2 * x^2 - 1)^3 * b * c^3 \\
& * \arccos(c * x) / ((c * x + 1)^6 * (3 * (c^2 * x^2 - 1) / (c * x + 1)^2 + 3 * (c^2 * x^2 - 1)^2 / \\
& (c * x + 1)^4 + (c^2 * x^2 - 1)^3 / (c * x + 1)^6 + 1)) + 1/6 * (c^2 * x^2 - 1)^3 * b * c^3 \\
& * \log(\text{abs}(c * x + \sqrt{-c^2 * x^2 + 1}) + 1) / ((c * x + 1)^6 * (3 * (c^2 * x^2 - 1) / (c * x \\
& + 1)^2 + 3 * (c^2 * x^2 - 1)^2 / (c * x + 1)^4 + (c^2 * x^2 - 1)^3 / (c * x + 1)^6 + 1)) \\
& - 1/6 * (c^2 * x^2 - 1)^3 * b * c^3 * \log(\text{abs}(-c * x + \sqrt{-c^2 * x^2 + 1}) - 1) / ((c * x + \\
& 1)^6 * (3 * (c^2 * x^2 - 1) / (c * x + 1)^2 + 3 * (c^2 * x^2 - 1)^2 / (c * x + 1)^4 + (c^2 * x^2 \\
& - 1)^3 / (c * x + 1)^6 + 1)) - 1/3 * (c^2 * x^2 - 1)^2 * \sqrt{-c^2 * x^2 + 1} * b * c^3 / \\
& ((c * x + 1)^5 * (3 * (c^2 * x^2 - 1) / (c * x + 1)^2 + 3 * (c^2 * x^2 - 1)^2 / (c * x + 1)^4 + \\
& (c^2 * x^2 - 1)^3 / (c * x + 1)^6 + 1)) + 1/3 * (c^2 * x^2 - 1)^3 * a * c^3 / ((c * x + 1)^6 \\
& * (3 * (c^2 * x^2 - 1) / (c * x + 1)^2 + 3 * (c^2 * x^2 - 1)^2 / (c * x + 1)^4 + (c^2 * x^2 - \\
& 1)^3 / (c * x + 1)^6 + 1))
\end{aligned}$$

maple [A] time = 0.00, size = 65, normalized size = 1.05

$$c^3 \left(-\frac{a}{3c^3x^3} + b \left(-\frac{\arccos(cx)}{3c^3x^3} + \frac{\sqrt{-c^2x^2+1}}{6c^2x^2} + \frac{\operatorname{arctanh}\left(\frac{1}{\sqrt{-c^2x^2+1}}\right)}{6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))/x^4,x)

[Out] $c^3 * (-1/3 * a / c^3 / x^3 + b * (-1/3 / c^3 / x^3 * \arccos(c * x) + 1/6 / c^2 / x^2 * (-c^2 * x^2 + 1)^{(1/2)} + 1/6 * \operatorname{arctanh}(1 / (-c^2 * x^2 + 1)^{(1/2)})))$

maxima [A] time = 0.41, size = 69, normalized size = 1.11

$$\frac{1}{6} \left(\left(c^2 \log \left(\frac{2 \sqrt{-c^2 x^2 + 1}}{|x|} + \frac{2}{|x|} \right) + \frac{\sqrt{-c^2 x^2 + 1}}{x^2} \right) c - \frac{2 \arccos(cx)}{x^3} \right) b - \frac{a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/x^4,x, algorithm="maxima")

[Out] $1/6 * ((c^2 * \log(2 * \sqrt{-c^2 * x^2 + 1} / \text{abs}(x)) + 2 / \text{abs}(x)) + \sqrt{-c^2 * x^2 + 1} / x^2) * c - 2 * \arccos(c * x) / x^3 * b - 1/3 * a / x^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \arccos(cx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(c*x))/x^4,x)`

[Out] `int((a + b*acos(c*x))/x^4, x)`

sympy [A] time = 2.55, size = 121, normalized size = 1.95

$$\frac{a}{3x^3} - \frac{bc \left(\begin{cases} \frac{c^2 \operatorname{acosh}\left(\frac{1}{cx}\right)}{2} - \frac{c \sqrt{-1 + \frac{1}{c^2 x^2}}}{2x} & \text{for } \frac{1}{|c^2 x^2|} > 1 \\ \frac{ic^2 \operatorname{asin}\left(\frac{1}{cx}\right)}{2} - \frac{ic}{2x \sqrt{1 - \frac{1}{c^2 x^2}}} + \frac{i}{2cx^3 \sqrt{1 - \frac{1}{c^2 x^2}}} & \text{otherwise} \end{cases} \right)}{3} - \frac{b \operatorname{acos}(cx)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acos(c*x))/x**4,x)`

[Out] `-a/(3*x**3) - b*c*Piecewise((-c**2*acosh(1/(c*x))/2 - c*sqrt(-1 + 1/(c**2*x**2))/(2*x), 1/Abs(c**2*x**2) > 1), (I*c**2*asin(1/(c*x))/2 - I*c/(2*x*sqrt(1 - 1/(c**2*x**2))) + I/(2*c*x**3*sqrt(1 - 1/(c**2*x**2))), True))/3 - b*a*cos(c*x)/(3*x**3)`

3.148 $\int x^2 (a + b \cos^{-1}(cx))^2 dx$

Optimal. Leaf size=102

$$\frac{2bx^2\sqrt{1-c^2x^2}(a+b\cos^{-1}(cx))}{9c} - \frac{4b\sqrt{1-c^2x^2}(a+b\cos^{-1}(cx))}{9c^3} + \frac{1}{3}x^3(a+b\cos^{-1}(cx))^2 - \frac{4b^2x}{9c^2} - \frac{2}{27}b^2x^3$$

[Out] $-4/9*b^2*x/c^2-2/27*b^2*x^3+1/3*x^3*(a+b*\arccos(c*x))^2-4/9*b*(a+b*\arccos(c*x))*(-c^2*x^2+1)^{(1/2)}/c^3-2/9*b*x^2*(a+b*\arccos(c*x))*(-c^2*x^2+1)^{(1/2)}/c$

Rubi [A] time = 0.15, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4628, 4708, 4678, 8, 30}

$$\frac{2bx^2\sqrt{1-c^2x^2}(a+b\cos^{-1}(cx))}{9c} - \frac{4b\sqrt{1-c^2x^2}(a+b\cos^{-1}(cx))}{9c^3} + \frac{1}{3}x^3(a+b\cos^{-1}(cx))^2 - \frac{4b^2x}{9c^2} - \frac{2}{27}b^2x^3$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*ArcCos[c*x])^2,x]

[Out] $(-4*b^2*x)/(9*c^2) - (2*b^2*x^3)/27 - (4*b*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x]))/(9*c^3) - (2*b*x^2*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x]))/(9*c) + (x^3*(a + b*ArcCos[c*x])^2)/3$

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 30

Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4678

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4708

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int x^2 (a + b \cos^{-1}(cx))^2 dx &= \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^2 + \frac{1}{3}(2bc) \int \frac{x^3 (a + b \cos^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx \\ &= -\frac{2bx^2\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))}{9c} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^2 - \frac{1}{9}(2b^2) \int x^2 dx + \dots \\ &= -\frac{2}{27}b^2x^3 - \frac{4b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))}{9c^3} - \frac{2bx^2\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))}{9c} + \dots \\ &= -\frac{4b^2x}{9c^2} - \frac{2b^2x^3}{27} - \frac{4b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))}{9c^3} - \frac{2bx^2\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))}{9c} \end{aligned}$$

Mathematica [A] time = 0.16, size = 121, normalized size = 1.19

$$\frac{9a^2c^3x^3 - 6ab\sqrt{1 - c^2x^2} (c^2x^2 + 2) - 6b \cos^{-1}(cx) (b\sqrt{1 - c^2x^2} (c^2x^2 + 2) - 3ac^3x^3) + 9b^2c^3x^3 \cos^{-1}(cx)^2 - 2b^2c^3x^3}{27c^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*(a + b*ArcCos[c*x])^2,x]
```

```
[Out] (9*a^2*c^3*x^3 - 6*a*b*Sqrt[1 - c^2*x^2]*(2 + c^2*x^2) - 2*b^2*c*x*(6 + c^2*x^2) - 6*b*(-3*a*c^3*x^3 + b*Sqrt[1 - c^2*x^2]*(2 + c^2*x^2))*ArcCos[c*x] + 9*b^2*c^3*x^3*ArcCos[c*x]^2)/(27*c^3)
```

fricas [A] time = 0.49, size = 111, normalized size = 1.09

$$\frac{9b^2c^3x^3 \arccos(cx)^2 + 18abc^3x^3 \arccos(cx) + (9a^2 - 2b^2)c^3x^3 - 12b^2cx - 6(abc^2x^2 + 2ab + (b^2c^2x^2 + 2b^2))}{27c^3} \arccos(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] 1/27*(9*b^2*c^3*x^3*arccos(c*x)^2 + 18*a*b*c^3*x^3*arccos(c*x) + (9*a^2 - 2*b^2)*c^3*x^3 - 12*b^2*c*x - 6*(a*b*c^2*x^2 + 2*a*b + (b^2*c^2*x^2 + 2*b^2)*arccos(c*x))*sqrt(-c^2*x^2 + 1))/c^3

giac [A] time = 2.24, size = 143, normalized size = 1.40

$$\frac{1}{3}b^2x^3 \arccos(cx)^2 + \frac{2}{3}abx^3 \arccos(cx) + \frac{1}{3}a^2x^3 - \frac{2}{27}b^2x^3 - \frac{2\sqrt{-c^2x^2+1}b^2x^2 \arccos(cx)}{9c} - \frac{2\sqrt{-c^2x^2+1}abx^2}{9c} - \frac{4b^2}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] 1/3*b^2*x^3*arccos(c*x)^2 + 2/3*a*b*x^3*arccos(c*x) + 1/3*a^2*x^3 - 2/27*b^2*x^3 - 2/9*sqrt(-c^2*x^2 + 1)*b^2*x^2*arccos(c*x)/c - 2/9*sqrt(-c^2*x^2 + 1)*a*b*x^2/c - 4/9*b^2*x/c^2 - 4/9*sqrt(-c^2*x^2 + 1)*b^2*arccos(c*x)/c^3 - 4/9*sqrt(-c^2*x^2 + 1)*a*b/c^3

maple [A] time = 0.05, size = 126, normalized size = 1.24

$$\frac{c^3x^3a^2}{3} + b^2 \left(\frac{\arccos(cx)^2c^3x^3}{3} - \frac{2\arccos(cx)(c^2x^2+2)\sqrt{-c^2x^2+1}}{9} - \frac{2c^3x^3}{27} - \frac{4cx}{9} \right) + 2ab \left(\frac{c^3x^3 \arccos(cx)}{3} - \frac{c^2x^2\sqrt{-c^2x^2+1}}{9} - \frac{2\sqrt{-c^2x^2+1}}{9} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arccos(c*x))^2,x)

[Out] 1/c^3*(1/3*c^3*x^3*a^2+b^2*(1/3*arccos(c*x)^2*c^3*x^3-2/9*arccos(c*x)*(c^2*x^2+2)*(-c^2*x^2+1)^(1/2)-2/27*c^3*x^3-4/9*c*x)+2*a*b*(1/3*c^3*x^3*arccos(c*x)-1/9*c^2*x^2*(-c^2*x^2+1)^(1/2)-2/9*(-c^2*x^2+1)^(1/2)))

maxima [A] time = 0.42, size = 142, normalized size = 1.39

$$\frac{1}{3}b^2x^3 \arccos(cx)^2 + \frac{1}{3}a^2x^3 + \frac{2}{9} \left(3x^3 \arccos(cx) - c \left(\frac{\sqrt{-c^2x^2+1}x^2}{c^2} + \frac{2\sqrt{-c^2x^2+1}}{c^4} \right) \right) ab - \frac{2}{27} \left(3c \left(\frac{\sqrt{-c^2x^2+1}x^2}{c^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] $\frac{1}{3}b^2x^3\arccos(cx)^2 + \frac{1}{3}a^2x^3 + \frac{2}{9}(3x^3\arccos(cx) - c(\sqrt{-c^2x^2 + 1})x^2/c^2 + 2\sqrt{-c^2x^2 + 1}/c^4)*ab - \frac{2}{27}(3c(\sqrt{-c^2x^2 + 1})x^2/c^2 + 2\sqrt{-c^2x^2 + 1}/c^4)\arccos(cx) + (c^2x^3 + 6x)/c^2*b^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (a + b \arccos(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*acos(c*x))^2,x)

[Out] int(x^2*(a + b*acos(c*x))^2, x)

sympy [A] time = 1.05, size = 175, normalized size = 1.72

$$\left\{ \begin{array}{l} \frac{a^2x^3}{3} + \frac{2abx^3\arccos(cx)}{3} - \frac{2abx^2\sqrt{-c^2x^2+1}}{9c} - \frac{4ab\sqrt{-c^2x^2+1}}{9c^3} + \frac{b^2x^3\arccos^2(cx)}{3} - \frac{2b^2x^3}{27} - \frac{2b^2x^2\sqrt{-c^2x^2+1}\arccos(cx)}{9c} - \frac{4b^2x}{9c^2} - \frac{4b^2\sqrt{-c^2x^2+1}}{9c^3} \\ \frac{x^3\left(a + \frac{\pi b}{2}\right)^2}{3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*acos(c*x))**2,x)

[Out] Piecewise((a**2*x**3/3 + 2*a*b*x**3*acos(c*x)/3 - 2*a*b*x**2*sqrt(-c**2*x**2 + 1)/(9*c) - 4*a*b*sqrt(-c**2*x**2 + 1)/(9*c**3) + b**2*x**3*acos(c*x)**2/3 - 2*b**2*x**3/27 - 2*b**2*x**2*sqrt(-c**2*x**2 + 1)*acos(c*x)/(9*c) - 4*b**2*x/(9*c**2) - 4*b**2*sqrt(-c**2*x**2 + 1)*acos(c*x)/(9*c**3), Ne(c, 0)), (x**3*(a + pi*b/2)**2/3, True))

$$3.149 \quad \int x \left(a + b \cos^{-1}(cx) \right)^2 dx$$

Optimal. Leaf size=76

$$-\frac{bx\sqrt{1-c^2x^2} (a + b \cos^{-1}(cx))}{2c} - \frac{(a + b \cos^{-1}(cx))^2}{4c^2} + \frac{1}{2}x^2 (a + b \cos^{-1}(cx))^2 - \frac{1}{4}b^2x^2$$

[Out] $-1/4*b^2*x^2-1/4*(a+b*\arccos(c*x))^2/c^2+1/2*x^2*(a+b*\arccos(c*x))^2-1/2*b*x*(a+b*\arccos(c*x))*(-c^2*x^2+1)^(1/2)/c$

Rubi [A] time = 0.12, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4628, 4708, 4642, 30}

$$-\frac{bx\sqrt{1-c^2x^2} (a + b \cos^{-1}(cx))}{2c} - \frac{(a + b \cos^{-1}(cx))^2}{4c^2} + \frac{1}{2}x^2 (a + b \cos^{-1}(cx))^2 - \frac{1}{4}b^2x^2$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*ArcCos[c*x])^2,x]

[Out] $-(b^2*x^2)/4 - (b*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x]))/(2*c) - (a + b*\text{ArcCos}[c*x])^2/(4*c^2) + (x^2*(a + b*\text{ArcCos}[c*x])^2)/2$

Rule 30

Int[(x_)^(m_), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4628

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((d_)*(x_)^(m_)), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4642

Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] :> -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4708


```
Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_.
+ (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*
x^2))/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int x (a + b \cos^{-1}(cx))^2 dx &= \frac{1}{2}x^2 (a + b \cos^{-1}(cx))^2 + (bc) \int \frac{x^2 (a + b \cos^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx \\ &= -\frac{bx\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))}{2c} + \frac{1}{2}x^2 (a + b \cos^{-1}(cx))^2 - \frac{1}{2}b^2 \int x dx + \frac{b \int \frac{a+b}{\sqrt{1 - c^2x^2}} dx}{2c} \\ &= -\frac{1}{4}b^2x^2 - \frac{bx\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))}{2c} - \frac{(a + b \cos^{-1}(cx))^2}{4c^2} + \frac{1}{2}x^2 (a + b \cos^{-1}(cx))^2 \end{aligned}$$

Mathematica [A] time = 0.13, size = 104, normalized size = 1.37

$$\frac{cx \left(2a^2cx - 2ab\sqrt{1 - c^2x^2} - b^2cx \right) + 2bcx \cos^{-1}(cx) \left(2acx - b\sqrt{1 - c^2x^2} \right) + 2ab \sin^{-1}(cx) + b^2 \left(2c^2x^2 - 1 \right) \cos^{-1}(cx)}{4c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*ArcCos[c*x])^2,x]

[Out] (c*x*(2*a^2*c*x - b^2*c*x - 2*a*b*Sqrt[1 - c^2*x^2]) + 2*b*c*x*(2*a*c*x - b*Sqrt[1 - c^2*x^2])*ArcCos[c*x] + b^2*(-1 + 2*c^2*x^2)*ArcCos[c*x]^2 + 2*a*b*ArcSin[c*x])/(4*c^2)

fricas [A] time = 0.54, size = 99, normalized size = 1.30

$$\frac{(2a^2 - b^2)c^2x^2 + (2b^2c^2x^2 - b^2) \arccos(cx)^2 + 2(2abc^2x^2 - ab) \arccos(cx) - 2(b^2cx \arccos(cx) + abcx)\sqrt{-c^2x^2 + 1}}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] $\frac{1}{4}((2a^2 - b^2)c^2x^2 + (2b^2c^2x^2 - b^2)\arccos(cx)^2 + 2(2ab * c^2x^2 - ab)\arccos(cx) - 2(b^2cx\arccos(cx) + abcx)\sqrt{-c^2x^2 + 1})/c^2$

giac [A] time = 2.04, size = 119, normalized size = 1.57

$$\frac{1}{2}b^2x^2\arccos(cx)^2 + abx^2\arccos(cx) + \frac{1}{2}a^2x^2 - \frac{1}{4}b^2x^2 - \frac{\sqrt{-c^2x^2+1}b^2x\arccos(cx)}{2c} - \frac{\sqrt{-c^2x^2+1}abx}{2c} - \frac{b^2\arccos(cx)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] $\frac{1}{2}b^2x^2\arccos(cx)^2 + abx^2\arccos(cx) + \frac{1}{2}a^2x^2 - \frac{1}{4}b^2x^2 - \frac{1}{2}\sqrt{-c^2x^2+1}b^2x\arccos(cx)/c - \frac{1}{2}\sqrt{-c^2x^2+1}abx/c - \frac{1}{4}b^2\arccos(cx)^2/c^2 - \frac{1}{2}ab\arccos(cx)/c^2 + \frac{1}{8}b^2/c^2$

maple [A] time = 0.06, size = 118, normalized size = 1.55

$$\frac{c^2x^2a^2}{2} + b^2 \left(\frac{c^2x^2\arccos(cx)^2}{2} - \frac{\arccos(cx)(cx\sqrt{-c^2x^2+1} + \arccos(cx))}{2} + \frac{\arccos(cx)^2}{4} - \frac{c^2x^2}{4} + \frac{1}{4} \right) + 2ab \left(\frac{c^2x^2\arccos(cx)}{2} - \frac{cx\sqrt{-c^2x^2+1}}{4} \right)$$

$$c^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arccos(c*x))^2,x)

[Out] $\frac{1}{c^2} * \left(\frac{1}{2}c^2x^2a^2 + b^2 * \left(\frac{1}{2}c^2x^2\arccos(cx)^2 - \frac{1}{2}\arccos(cx) * (cx * (-c^2x^2+1)^{(1/2)} + \arccos(cx)) + \frac{1}{4}\arccos(cx)^2 - \frac{1}{4}c^2x^2 + \frac{1}{4} \right) + 2ab * \left(\frac{1}{2}c^2x^2\arccos(cx) - \frac{1}{4}cx * (-c^2x^2+1)^{(1/2)} + \frac{1}{4}\arcsin(cx) \right) \right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2}a^2x^2 + \frac{1}{2} \left(2x^2\arccos(cx) - c \left(\frac{\sqrt{-c^2x^2+1}x}{c^2} - \frac{\arcsin(cx)}{c^3} \right) \right) ab + \frac{1}{2} \left(x^2\arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) \right)^2 - 2c \int \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] $\frac{1}{2}a^2x^2 + \frac{1}{2}(2x^2\arccos(cx) - c(\sqrt{-c^2x^2+1}x/c^2 - \arcsin(cx)/c^3)) * ab + \frac{1}{2}(x^2\arctan2(\sqrt{cx+1}\sqrt{-cx+1}, cx)^2 - 2 * c * \int \sqrt{cx+1}\sqrt{-cx+1} * x^2\arctan2(\sqrt{cx+1}\sqrt{-cx+1}, x) * b^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x(a + b \operatorname{acos}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*acos(c*x))^2,x)`

[Out] `int(x*(a + b*acos(c*x))^2, x)`

sympy [A] time = 0.54, size = 131, normalized size = 1.72

$$\begin{cases} \frac{a^2x^2}{2} + abx^2 \operatorname{acos}(cx) - \frac{abx\sqrt{-c^2x^2+1}}{2c} - \frac{ab \operatorname{acos}(cx)}{2c^2} + \frac{b^2x^2 \operatorname{acos}^2(cx)}{2} - \frac{b^2x^2}{4} - \frac{b^2x\sqrt{-c^2x^2+1} \operatorname{acos}(cx)}{2c} - \frac{b^2 \operatorname{acos}^2(cx)}{4c^2} & \text{for } c \neq 0 \\ \frac{x^2\left(a + \frac{\pi b}{2}\right)^2}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acos(c*x))**2,x)`

[Out] `Piecewise((a**2*x**2/2 + a*b*x**2*acos(c*x) - a*b*x*sqrt(-c**2*x**2 + 1)/(2*c) - a*b*acos(c*x)/(2*c**2) + b**2*x**2*acos(c*x)**2/2 - b**2*x**2/4 - b**2*x*sqrt(-c**2*x**2 + 1)*acos(c*x)/(2*c) - b**2*acos(c*x)**2/(4*c**2), Ne(c, 0)), (x**2*(a + pi*b/2)**2/2, True))`

$$3.150 \quad \int \left(a + b \cos^{-1}(cx) \right)^2 dx$$

Optimal. Leaf size=47

$$-\frac{2b\sqrt{1-c^2x^2} \left(a + b \cos^{-1}(cx) \right)}{c} + x \left(a + b \cos^{-1}(cx) \right)^2 - 2b^2x$$

[Out] $-2*b^2*x+x*(a+b*\arccos(c*x))^2-2*b*(a+b*\arccos(c*x))*(-c^2*x^2+1)^{(1/2)}/c$

Rubi [A] time = 0.06, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {4620, 4678, 8}

$$-\frac{2b\sqrt{1-c^2x^2} \left(a + b \cos^{-1}(cx) \right)}{c} + x \left(a + b \cos^{-1}(cx) \right)^2 - 2b^2x$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])^2,x]

[Out] $-2*b^2*x - (2*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x]))/c + x*(a + b*\text{ArcCos}[c*x])^2$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^n*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int (a + b \cos^{-1}(cx))^2 dx &= x(a + b \cos^{-1}(cx))^2 + (2bc) \int \frac{x(a + b \cos^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx \\
&= -\frac{2b\sqrt{1 - c^2x^2}(a + b \cos^{-1}(cx))}{c} + x(a + b \cos^{-1}(cx))^2 - (2b^2) \int 1 dx \\
&= -2b^2x - \frac{2b\sqrt{1 - c^2x^2}(a + b \cos^{-1}(cx))}{c} + x(a + b \cos^{-1}(cx))^2
\end{aligned}$$

Mathematica [A] time = 0.07, size = 76, normalized size = 1.62

$$x(a^2 - 2b^2) - \frac{2ab\sqrt{1 - c^2x^2}}{c} + \frac{2b \cos^{-1}(cx)(acx - b\sqrt{1 - c^2x^2})}{c} + b^2x \cos^{-1}(cx)^2$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCos[c*x])^2,x]

[Out] (a^2 - 2*b^2)*x - (2*a*b*Sqrt[1 - c^2*x^2])/c + (2*b*(a*c*x - b*Sqrt[1 - c^2*x^2])*ArcCos[c*x])/c + b^2*x*ArcCos[c*x]^2

fricas [A] time = 0.43, size = 65, normalized size = 1.38

$$\frac{b^2cx \arccos(cx)^2 + 2abcx \arccos(cx) + (a^2 - 2b^2)cx - 2\sqrt{-c^2x^2 + 1}(b^2 \arccos(cx) + ab)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] (b^2*c*x*arccos(c*x)^2 + 2*a*b*c*x*arccos(c*x) + (a^2 - 2*b^2)*c*x - 2*sqrt(-c^2*x^2 + 1)*(b^2*arccos(c*x) + a*b))/c

giac [A] time = 0.19, size = 75, normalized size = 1.60

$$b^2x \arccos(cx)^2 + 2abx \arccos(cx) + a^2x - 2b^2x - \frac{2\sqrt{-c^2x^2 + 1}b^2 \arccos(cx)}{c} - \frac{2\sqrt{-c^2x^2 + 1}ab}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] b^2*x*arccos(c*x)^2 + 2*a*b*x*arccos(c*x) + a^2*x - 2*b^2*x - 2*sqrt(-c^2*x^2 + 1)*b^2*arccos(c*x)/c - 2*sqrt(-c^2*x^2 + 1)*a*b/c

maple [A] time = 0.06, size = 74, normalized size = 1.57

$$\frac{cx a^2 + b^2 \left(cx \arccos(cx)^2 - 2cx - 2 \arccos(cx) \sqrt{-c^2 x^2 + 1} \right) + 2ab \left(cx \arccos(cx) - \sqrt{-c^2 x^2 + 1} \right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^2,x)

[Out] 1/c*(c*x*a^2+b^2*(c*x*arccos(c*x)^2-2*c*x-2*arccos(c*x)*(-c^2*x^2+1)^(1/2))+2*a*b*(c*x*arccos(c*x)-(-c^2*x^2+1)^(1/2)))

maxima [A] time = 0.42, size = 73, normalized size = 1.55

$$b^2 x \arccos(cx)^2 - 2b^2 \left(x + \frac{\sqrt{-c^2 x^2 + 1} \arccos(cx)}{c} \right) + a^2 x + \frac{2 \left(cx \arccos(cx) - \sqrt{-c^2 x^2 + 1} \right) ab}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] b^2*x*arccos(c*x)^2 - 2*b^2*(x + sqrt(-c^2*x^2 + 1)*arccos(c*x)/c) + a^2*x + 2*(c*x*arccos(c*x) - sqrt(-c^2*x^2 + 1))*a*b/c

mupad [B] time = 0.46, size = 96, normalized size = 2.04

$$\begin{cases} x \left(a^2 + \pi a b + \frac{\pi^2 b^2}{4} \right) & \text{if } c = 0 \\ a^2 x + b^2 x \left(\arccos(cx)^2 - 2 \right) - \frac{2b^2 \arccos(cx) \sqrt{1-c^2 x^2}}{c} - \frac{2ab \left(\sqrt{1-c^2 x^2} - cx \arccos(cx) \right)}{c} & \text{if } c \neq 0 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))^2,x)

[Out] piecewise(c == 0, x*(a^2 + (b^2*pi^2)/4 + a*b*pi), c != 0, a^2*x + b^2*x*(a*cos(c*x)^2 - 2) - (2*b^2*acos(c*x)*(-c^2*x^2 + 1)^(1/2))/c - (2*a*b*((-c^2*x^2 + 1)^(1/2) - c*x*acos(c*x)))/c)

sympy [A] time = 0.26, size = 87, normalized size = 1.85

$$\begin{cases} a^2 x + 2abx \arccos(cx) - \frac{2ab\sqrt{-c^2 x^2 + 1}}{c} + b^2 x \arccos^2(cx) - 2b^2 x - \frac{2b^2\sqrt{-c^2 x^2 + 1} \arccos(cx)}{c} & \text{for } c \neq 0 \\ x \left(a + \frac{\pi b}{2} \right)^2 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))**2,x)
```

```
[Out] Piecewise((a**2*x + 2*a*b*x*acos(c*x) - 2*a*b*sqrt(-c**2*x**2 + 1)/c + b**2  
*x*acos(c*x)**2 - 2*b**2*x - 2*b**2*sqrt(-c**2*x**2 + 1)*acos(c*x)/c, Ne(c,  
0)), (x*(a + pi*b/2)**2, True))
```

$$3.151 \quad \int \frac{(a+b \cos^{-1}(cx))^2}{x} dx$$

Optimal. Leaf size=92

$$-ib \operatorname{Li}_2\left(-e^{2i \cos^{-1}(cx)}\right) (a+b \cos^{-1}(cx)) - \frac{i(a+b \cos^{-1}(cx))^3}{3b} + \log\left(1+e^{2i \cos^{-1}(cx)}\right) (a+b \cos^{-1}(cx))^2 + \frac{1}{2} b^2 \operatorname{Li}_3\left(-e^{2i \cos^{-1}(cx)}\right)$$

[Out] $-1/3*I*(a+b*\arccos(c*x))^3/b+(a+b*\arccos(c*x))^2*\ln(1+(c*x+I*(-c^2*x^2+1))^{1/2})^2-I*b*(a+b*\arccos(c*x))*\operatorname{polylog}(2,-(c*x+I*(-c^2*x^2+1))^{1/2})^2+1/2*b^2*\operatorname{polylog}(3,-(c*x+I*(-c^2*x^2+1))^{1/2})^2$

Rubi [A] time = 0.12, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {4626, 3719, 2190, 2531, 2282, 6589}

$$-ib \operatorname{PolyLog}\left(2, -e^{2i \cos^{-1}(cx)}\right) (a+b \cos^{-1}(cx)) + \frac{1}{2} b^2 \operatorname{PolyLog}\left(3, -e^{2i \cos^{-1}(cx)}\right) - \frac{i(a+b \cos^{-1}(cx))^3}{3b} + \log\left(1+e^{2i \cos^{-1}(cx)}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCos}[c*x])^2/x, x]$

[Out] $((-I/3)*(a + b*\operatorname{ArcCos}[c*x])^3)/b + (a + b*\operatorname{ArcCos}[c*x])^2*\operatorname{Log}[1 + E^{((2*I)*\operatorname{ArcCos}[c*x])}] - I*b*(a + b*\operatorname{ArcCos}[c*x])* \operatorname{PolyLog}[2, -E^{((2*I)*\operatorname{ArcCos}[c*x])}] + (b^2*\operatorname{PolyLog}[3, -E^{((2*I)*\operatorname{ArcCos}[c*x])}])/2$

Rule 2190

$\operatorname{Int}[(((F_)^{((g_)*(e_)+(f_)*(x_)))})^{(n_)*((c_)+(d_)*(x_))^{(m_))})/((a_)+(b_)*((F_)^{((g_)*(e_)+(f_)*(x_)))})^{(n_)}), x_Symbol] \rightarrow \operatorname{Simp}[(c+d*x)^m*\operatorname{Log}[1+(b*(F^{(g*(e+f*x)))})^n)/a]/(b*f*g*n*\operatorname{Log}[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*\operatorname{Log}[F]), \operatorname{Int}[(c+d*x)^{(m-1)}*\operatorname{Log}[1+(b*(F^{(g*(e+f*x)))})^n)/a], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2282

$\operatorname{Int}[u, x_Symbol] \rightarrow \operatorname{With}\{v = \operatorname{FunctionOfExponential}[u, x]\}, \operatorname{Dist}[v/D[v, x], \operatorname{Subst}[\operatorname{Int}[\operatorname{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \operatorname{FunctionOfExponentialQ}[u, x] \&\& !\operatorname{MatchQ}[u, (w_)*((a_)*(v_)^{(n_))^{(m_)} /; \operatorname{FreeQ}\{a, m, n\}, x] \&\& \operatorname{IntegerQ}[m*n] \&\& !\operatorname{MatchQ}[u, E^{((c_)*((a_)+(b_)*x))}*(F_)[v_] /; \operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{InverseFunctionQ}[F[x]]]$

Rule 2531


```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4626

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0
]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos^{-1}(cx))^2}{x} dx &= -\text{Subst} \left(\int (a + bx)^2 \tan(x) dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{i(a + b \cos^{-1}(cx))^3}{3b} + 2i \text{Subst} \left(\int \frac{e^{2ix}(a + bx)^2}{1 + e^{2ix}} dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{i(a + b \cos^{-1}(cx))^3}{3b} + (a + b \cos^{-1}(cx))^2 \log(1 + e^{2i \cos^{-1}(cx)}) - (2b) \text{Subst} \left(\int (a + b \cos^{-1}(cx)) \tan(x) dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{i(a + b \cos^{-1}(cx))^3}{3b} + (a + b \cos^{-1}(cx))^2 \log(1 + e^{2i \cos^{-1}(cx)}) - ib(a + b \cos^{-1}(cx)) \text{Subst} \left(\int \tan(x) dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{i(a + b \cos^{-1}(cx))^3}{3b} + (a + b \cos^{-1}(cx))^2 \log(1 + e^{2i \cos^{-1}(cx)}) - ib(a + b \cos^{-1}(cx)) \log(1 + e^{2i \cos^{-1}(cx)}) \\
&= -\frac{i(a + b \cos^{-1}(cx))^3}{3b} + (a + b \cos^{-1}(cx))^2 \log(1 + e^{2i \cos^{-1}(cx)}) - ib(a + b \cos^{-1}(cx)) \log(1 + e^{2i \cos^{-1}(cx)})
\end{aligned}$$

Mathematica [A] time = 0.13, size = 128, normalized size = 1.39

$$a^2 \log(cx) - ib \text{Li}_2(-e^{2i \cos^{-1}(cx)}) (a + b \cos^{-1}(cx)) - iab \cos^{-1}(cx)^2 + 2ab \cos^{-1}(cx) \log(1 + e^{2i \cos^{-1}(cx)}) + \frac{1}{2} b^2 \text{Li}_3(-e^{2i \cos^{-1}(cx)})$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^2/x, x]

[Out] (-I)*a*b*ArcCos[c*x]^2 - (I/3)*b^2*ArcCos[c*x]^3 + 2*a*b*ArcCos[c*x]*Log[1 + E^((2*I)*ArcCos[c*x])] + b^2*ArcCos[c*x]^2*Log[1 + E^((2*I)*ArcCos[c*x])] + a^2*Log[c*x] - I*b*(a + b*ArcCos[c*x])*PolyLog[2, -E^((2*I)*ArcCos[c*x])] + (b^2*PolyLog[3, -E^((2*I)*ArcCos[c*x])])/2

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{b^2 \arccos(cx)^2 + 2ab \arccos(cx) + a^2}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/x, x, algorithm="fricas")

[Out] integral((b^2*arccos(c*x)^2 + 2*a*b*arccos(c*x) + a^2)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/x,x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^2/x, x)

maple [A] time = 0.09, size = 194, normalized size = 2.11

$$a^2 \ln(cx) - \frac{ib^2 \arccos(cx)^3}{3} + b^2 \arccos(cx)^2 \ln\left(1 + \left(cx + i\sqrt{-c^2x^2 + 1}\right)^2\right) - ib^2 \arccos(cx) \operatorname{polylog}\left(2, -\left(cx + i\sqrt{-c^2x^2 + 1}\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^2/x,x)

[Out] a^2*ln(c*x)-1/3*I*b^2*arccos(c*x)^3+b^2*arccos(c*x)^2*ln(1+(c*x+I*(-c^2*x^2+1)^(1/2))^2)-I*b^2*arccos(c*x)*polylog(2,-(c*x+I*(-c^2*x^2+1)^(1/2))^2)+1/2*b^2*polylog(3,-(c*x+I*(-c^2*x^2+1)^(1/2))^2)-I*a*b*arccos(c*x)^2-I*a*b*polylog(2,-(c*x+I*(-c^2*x^2+1)^(1/2))^2)+2*a*b*arccos(c*x)*ln(1+(c*x+I*(-c^2*x^2+1)^(1/2))^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \log(x) + \int \frac{b^2 \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)^2 + 2ab \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/x,x, algorithm="maxima")

[Out] a^2*log(x) + integrate((b^2*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 2*a*b*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x))/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \arccos(cx))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*arccos(c*x))^2/x,x)

```
[Out] int((a + b*acos(c*x))^2/x, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{(a + b \operatorname{acos}(cx))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))**2/x,x)
```

```
[Out] Integral((a + b*acos(c*x))**2/x, x)
```

$$3.152 \quad \int \frac{(a+b \cos^{-1}(cx))^2}{x^2} dx$$

Optimal. Leaf size=89

$$-\frac{(a+b \cos^{-1}(cx))^2}{x} - 4ibc \tan^{-1}(e^{i \cos^{-1}(cx)})(a+b \cos^{-1}(cx)) + 2ib^2 c \operatorname{Li}_2(-ie^{i \cos^{-1}(cx)}) - 2ib^2 c \operatorname{Li}_2(ie^{i \cos^{-1}(cx)})$$

[Out] $-(a+b \arccos(cx))^2/x - 4I*b*c*(a+b \arccos(cx))*\arctan(cx+I*(-c^2*x^2+1)^{(1/2)}) + 2*I*b^2*c*\operatorname{polylog}(2, -I*(cx+I*(-c^2*x^2+1)^{(1/2)})) - 2*I*b^2*c*\operatorname{polylog}(2, I*(cx+I*(-c^2*x^2+1)^{(1/2)}))$

Rubi [A] time = 0.13, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4628, 4710, 4181, 2279, 2391}

$$2ib^2 c \operatorname{PolyLog}(2, -ie^{i \cos^{-1}(cx)}) - 2ib^2 c \operatorname{PolyLog}(2, ie^{i \cos^{-1}(cx)}) - \frac{(a+b \cos^{-1}(cx))^2}{x} - 4ibc \tan^{-1}(e^{i \cos^{-1}(cx)})(a+b \cos^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])^2/x^2, x]

[Out] $-((a + b \operatorname{ArcCos}[c*x])^2/x) - (4*I)*b*c*(a + b \operatorname{ArcCos}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcCos}[c*x])}] + (2*I)*b^2*c*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcCos}[c*x])}] - (2*I)*b^2*c*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcCos}[c*x])}]$

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4181

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]

], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
 := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
 *x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4710

Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.))/Sqrt[(d_.) + (e_.)*
 (x_.)^2], x_Symbol] := -Dist[(c^(m + 1)*Sqrt[d])^(-1), Subst[Int[(a + b*x)^n
 *Cos[x]^m, x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*
 d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \cos^{-1}(cx))^2}{x^2} dx &= -\frac{(a + b \cos^{-1}(cx))^2}{x} - (2bc) \int \frac{a + b \cos^{-1}(cx)}{x\sqrt{1 - c^2x^2}} dx \\
 &= -\frac{(a + b \cos^{-1}(cx))^2}{x} + (2bc) \text{Subst} \left(\int (a + bx) \sec(x) dx, x, \cos^{-1}(cx) \right) \\
 &= -\frac{(a + b \cos^{-1}(cx))^2}{x} - 4ibc (a + b \cos^{-1}(cx)) \tan^{-1} (e^{i \cos^{-1}(cx)}) - (2b^2c) \text{Subst} \left(\int \log \right) \\
 &= -\frac{(a + b \cos^{-1}(cx))^2}{x} - 4ibc (a + b \cos^{-1}(cx)) \tan^{-1} (e^{i \cos^{-1}(cx)}) + (2ib^2c) \text{Subst} \left(\int \log \right) \\
 &= -\frac{(a + b \cos^{-1}(cx))^2}{x} - 4ibc (a + b \cos^{-1}(cx)) \tan^{-1} (e^{i \cos^{-1}(cx)}) + 2ib^2c \text{Li}_2 (-ie^{i \cos^{-1}(cx)})
 \end{aligned}$$

Mathematica [A] time = 0.23, size = 134, normalized size = 1.51

$$\frac{a^2 + 2ab \left(\cos^{-1}(cx) - cx \tanh^{-1} \left(\sqrt{1 - c^2x^2} \right) \right) + b^2 \left(\cos^{-1}(cx)^2 - 2cx \left(i \left(\text{Li}_2 \left(-ie^{i \cos^{-1}(cx)} \right) - \text{Li}_2 \left(ie^{i \cos^{-1}(cx)} \right) \right) \right) + \right)}{x}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^2/x^2,x]

[Out] $-\left(\left(a^2 + 2ab \operatorname{ArcCos}[cx] - c x \operatorname{ArcTanh}[\operatorname{Sqrt}[1 - c^2 x^2]]\right) + b^2 \left(\operatorname{ArcCos}[cx]^2 - 2cx \operatorname{ArcCos}[cx] \operatorname{Log}[1 - I E^{I \operatorname{ArcCos}[cx]}] - \operatorname{Log}[1 + I E^{I \operatorname{ArcCos}[cx]}]\right) + I \left(\operatorname{PolyLog}[2, (-I) E^{I \operatorname{ArcCos}[cx]}] - \operatorname{PolyLog}[2, I E^{I \operatorname{ArcCos}[cx]}]\right)\right) / x$

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{b^2 \arccos(cx)^2 + 2ab \arccos(cx) + a^2}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccos(c*x))^2/x^2,x, algorithm="fricas")`

[Out] `integral((b^2*arccos(c*x)^2 + 2*a*b*arccos(c*x) + a^2)/x^2, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccos(c*x))^2/x^2,x, algorithm="giac")`

[Out] `integrate((b*arccos(c*x) + a)^2/x^2, x)`

maple [A] time = 0.11, size = 187, normalized size = 2.10

$$-\frac{a^2}{x} - \frac{b^2 \arccos(cx)^2}{x} - 2cb^2 \arccos(cx) \ln\left(1 + i\left(cx + i\sqrt{-c^2x^2 + 1}\right)\right) + 2cb^2 \arccos(cx) \ln\left(1 - i\left(cx + i\sqrt{-c^2x^2 + 1}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arccos(c*x))^2/x^2,x)`

[Out] $-a^2/x - b^2/x \arccos(cx)^2 - 2c b^2 \arccos(cx) \ln(1 + I(c x + I(-c^2 x^2 + 1)^{1/2})) + 2c b^2 \arccos(cx) \ln(1 - I(c x + I(-c^2 x^2 + 1)^{1/2})) + 2 I c b^2 \operatorname{dilog}(1 + I(c x + I(-c^2 x^2 + 1)^{1/2})) - 2 I c b^2 \operatorname{dilog}(1 - I(c x + I(-c^2 x^2 + 1)^{1/2})) - 2 a b / x \arccos(cx) + 2 c a b \operatorname{arctanh}(1 / (-c^2 x^2 + 1)^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$2 \left(c \log\left(\frac{2\sqrt{-c^2x^2+1}}{|x|} + \frac{2}{|x|}\right) - \frac{\arccos(cx)}{x} \right) ab + \frac{\left(2cx \int \frac{\sqrt{-cx+1} \arctan\left(\frac{\sqrt{cx+1}\sqrt{-cx+1}, cx}{\sqrt{cx+1}(cx-1)x}\right) dx - \arctan\left(\sqrt{cx+1}\sqrt{-cx+1}\right)}{x}\right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/x^2,x, algorithm="maxima")

[Out] 2*(c*log(2*sqrt(-c^2*x^2 + 1)/abs(x) + 2/abs(x)) - arccos(c*x)/x)*a*b + (2*c*x*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)/(c^2*x^3 - x), x) - arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2)*b^2/x - a^2/x

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \arccos(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))^2/x^2,x)

[Out] int((a + b*acos(c*x))^2/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**2/x**2,x)

[Out] Integral((a + b*acos(c*x))**2/x**2, x)

3.153 $\int x^2 (a + b \cos^{-1}(cx))^3 dx$

Optimal. Leaf size=178

$$-\frac{4ab^2x}{3c^2} - \frac{2}{9}b^2x^3(a + b \cos^{-1}(cx)) - \frac{bx^2\sqrt{1-c^2x^2}(a + b \cos^{-1}(cx))^2}{3c} - \frac{2b\sqrt{1-c^2x^2}(a + b \cos^{-1}(cx))^2}{3c^3} + \frac{1}{3}x^3(a +$$

[Out] $-4/3*a*b^2*x/c^2 - 2/27*b^3*(-c^2*x^2+1)^{(3/2)}/c^3 - 4/3*b^3*x*\arccos(c*x)/c^2 - 2/9*b^2*x^3*(a+b*\arccos(c*x))+1/3*x^3*(a+b*\arccos(c*x))^3 + 14/9*b^3*(-c^2*x^2+1)^{(1/2)}/c^3 - 2/3*b*(a+b*\arccos(c*x))^2*(-c^2*x^2+1)^{(1/2)}/c^3 - 1/3*b*x^2*(a+b*\arccos(c*x))^2*(-c^2*x^2+1)^{(1/2)}/c$

Rubi [A] time = 0.30, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4628, 4708, 4678, 4620, 261, 266, 43}

$$-\frac{4ab^2x}{3c^2} - \frac{2}{9}b^2x^3(a + b \cos^{-1}(cx)) - \frac{bx^2\sqrt{1-c^2x^2}(a + b \cos^{-1}(cx))^2}{3c} - \frac{2b\sqrt{1-c^2x^2}(a + b \cos^{-1}(cx))^2}{3c^3} + \frac{1}{3}x^3(a +$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*ArcCos[c*x])^3,x]

[Out] $(-4*a*b^2*x)/(3*c^2) + (14*b^3*\text{Sqrt}[1 - c^2*x^2])/(9*c^3) - (2*b^3*(1 - c^2*x^2)^{(3/2)})/(27*c^3) - (4*b^3*x*\text{ArcCos}[c*x])/(3*c^2) - (2*b^2*x^3*(a + b*\text{ArcCos}[c*x]))/9 - (2*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^2)/(3*c^3) - (b*x^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^2)/(3*c) + (x^3*(a + b*\text{ArcCos}[c*x])^3)/3$

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 4620

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_), x_Symbol] := Simp[x*(a + b*Ar
cCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4628

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((d_)*(x_)^(m_)), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4678

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*(x_)*((d_) + (e_)*(x_)^2)^(p_
), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p +
1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 4708

```
Int[((a_) + ArcCos[(c_)*(x_)])*(b_)^(n_)*((f_)*(x_)^(m_))/Sqrt[(d_)
+ (e_)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)
*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \cos^{-1}(cx))^3 dx &= \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^3 + (bc) \int \frac{x^3 (a + b \cos^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx \\
&= -\frac{bx^2\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^2}{3c} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^3 - \frac{1}{3}(2b^2) \int x^2 (a + b \cos^{-1}(cx))^2 dx \\
&= -\frac{2}{9}b^2x^3 (a + b \cos^{-1}(cx)) - \frac{2b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^2}{3c^3} - \frac{bx^2\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))}{3c} \\
&= -\frac{4ab^2x}{3c^2} - \frac{2}{9}b^2x^3 (a + b \cos^{-1}(cx)) - \frac{2b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^2}{3c^3} - \frac{bx^2\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))}{3c} \\
&= -\frac{4ab^2x}{3c^2} - \frac{4b^3x \cos^{-1}(cx)}{3c^2} - \frac{2}{9}b^2x^3 (a + b \cos^{-1}(cx)) - \frac{2b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))}{3c^3} \\
&= -\frac{4ab^2x}{3c^2} + \frac{14b^3\sqrt{1 - c^2x^2}}{9c^3} - \frac{2b^3(1 - c^2x^2)^{3/2}}{27c^3} - \frac{4b^3x \cos^{-1}(cx)}{3c^2} - \frac{2}{9}b^2x^3 (a + b \cos^{-1}(cx))
\end{aligned}$$

Mathematica [A] time = 0.25, size = 218, normalized size = 1.22

$$9a^3c^3x^3 - 3b \cos^{-1}(cx) \left(-9a^2c^3x^3 + 6ab\sqrt{1 - c^2x^2} (c^2x^2 + 2) + 2b^2cx (c^2x^2 + 6) \right) - 9a^2b\sqrt{1 - c^2x^2} (c^2x^2 + 2) -$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*ArcCos[c*x])^3,x]

[Out] (9*a^3*c^3*x^3 - 9*a^2*b*Sqrt[1 - c^2*x^2]*(2 + c^2*x^2) - 6*a*b^2*c*x*(6 + c^2*x^2) + 2*b^3*Sqrt[1 - c^2*x^2]*(20 + c^2*x^2) - 3*b*(-9*a^2*c^3*x^3 + 6*a*b*Sqrt[1 - c^2*x^2]*(2 + c^2*x^2) + 2*b^2*c*x*(6 + c^2*x^2))*ArcCos[c*x] - 9*b^2*(-3*a*c^3*x^3 + b*Sqrt[1 - c^2*x^2]*(2 + c^2*x^2))*ArcCos[c*x]^2 + 9*b^3*c^3*x^3*ArcCos[c*x]^3)/(27*c^3)

fricas [A] time = 0.47, size = 195, normalized size = 1.10

$$9b^3c^3x^3 \arccos(cx)^3 + 27ab^2c^3x^3 \arccos(cx)^2 + 3(3a^3 - 2ab^2)c^3x^3 - 36ab^2cx + 3((9a^2b - 2b^3)c^3x^3 - 12b^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x))^3,x, algorithm="fricas")

[Out] $\frac{1}{27}(9b^3c^3x^3\arccos(cx)^3 + 27a^2b^2c^3x^3\arccos(cx)^2 + 3(3a^3 - 2ab^2)c^3x^3 - 36a^2b^2cx + 3((9a^2b - 2b^3)c^3x^3 - 12b^3cx)\arccos(cx) - ((9a^2b - 2b^3)c^2x^2 + 18a^2b - 40b^3 + 9(b^3c^2x^2 + 2b^3)\arccos(cx)^2 + 18(a^2b^2c^2x^2 + 2ab^2)\arccos(cx))\sqrt{-c^2x^2 + 1})/c^3$

giac [A] time = 3.98, size = 289, normalized size = 1.62

$$\frac{1}{3}b^3x^3\arccos(cx)^3 + ab^2x^3\arccos(cx)^2 + a^2bx^3\arccos(cx) - \frac{2}{9}b^3x^3\arccos(cx) - \frac{\sqrt{-c^2x^2 + 1}b^3x^2\arccos(cx)^2}{3c} + \frac{1}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x))^3,x, algorithm="giac")

[Out] $\frac{1}{3}b^3x^3\arccos(cx)^3 + a^2b^2x^3\arccos(cx)^2 + a^2b^2x^3\arccos(cx) - \frac{2}{9}b^3x^3\arccos(cx) - \frac{1}{3}\sqrt{-c^2x^2 + 1}b^3x^2\arccos(cx)^2/c + \frac{1}{3}a^3x^3 - \frac{2}{9}a^2b^2x^3 - \frac{2}{3}\sqrt{-c^2x^2 + 1}a^2b^2x^2\arccos(cx)/c - \frac{1}{3}\sqrt{-c^2x^2 + 1}a^2b^2x^2/c + \frac{2}{27}\sqrt{-c^2x^2 + 1}b^3x^2/c - \frac{4}{3}b^3x\arccos(cx)/c^2 - \frac{2}{3}\sqrt{-c^2x^2 + 1}b^3\arccos(cx)^2/c^3 - \frac{4}{3}a^2b^2x/c^2 - \frac{4}{3}\sqrt{-c^2x^2 + 1}a^2b^2\arccos(cx)/c^3 - \frac{2}{3}\sqrt{-c^2x^2 + 1}a^2b/c^3 + \frac{40}{27}\sqrt{-c^2x^2 + 1}b^3/c^3$

maple [A] time = 0.05, size = 235, normalized size = 1.32

$$\frac{c^3x^3a^3}{3} + b^3 \left(\frac{\arccos(cx)^3c^3x^3}{3} - \frac{\arccos(cx)^2(c^2x^2+2)\sqrt{-c^2x^2+1}}{3} + \frac{4\sqrt{-c^2x^2+1}}{3} - \frac{4cx\arccos(cx)}{3} - \frac{2c^3x^3\arccos(cx)}{9} + \frac{2(c^2x^2+2)\sqrt{-c^2x^2+1}}{27} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arccos(c*x))^3,x)

[Out] $\frac{1}{c^3}(\frac{1}{3}c^3x^3a^3 + b^3(\frac{1}{3}\arccos(cx)^3c^3x^3 - \frac{1}{3}\arccos(cx)^2(c^2x^2+2)(-c^2x^2+1)^{(1/2)} + \frac{4}{3}(-c^2x^2+1)^{(1/2)} - \frac{4}{3}cx\arccos(cx) - \frac{2}{9}c^3x^3\arccos(cx) + \frac{2}{27}(c^2x^2+2)(-c^2x^2+1)^{(1/2)}) + 3a^2b^2(\frac{1}{3}\arccos(cx)^2c^3x^3 - \frac{2}{9}\arccos(cx)(c^2x^2+2)(-c^2x^2+1)^{(1/2)} - \frac{2}{27}c^3x^3 - \frac{4}{9}cx) + 3a^2b(\frac{1}{3}c^3x^3\arccos(cx) - \frac{1}{9}c^2x^2(-c^2x^2+1)^{(1/2)} - \frac{2}{9}(-c^2x^2+1)^{(1/2)}))$

maxima [A] time = 0.43, size = 273, normalized size = 1.53

$$\frac{1}{3}b^3x^3\arccos(cx)^3 + ab^2x^3\arccos(cx)^2 + \frac{1}{3}a^3x^3 + \frac{1}{3} \left(3x^3\arccos(cx) - c \left(\frac{\sqrt{-c^2x^2 + 1}x^2}{c^2} + \frac{2\sqrt{-c^2x^2 + 1}}{c^4} \right) \right) a^2b - \frac{2}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x))^3,x, algorithm="maxima")

[Out] $\frac{1}{3}b^3x^3\arccos(cx)^3 + a^2bx^3\arccos(cx)^2 + \frac{1}{3}a^3x^3 + \frac{1}{3}(3x^3\arccos(cx) - c(\sqrt{-c^2x^2+1})x^2/c^2 + 2\sqrt{-c^2x^2+1}/c^4) \cdot a^2b - \frac{2}{9}(3c(\sqrt{-c^2x^2+1})x^2/c^2 + 2\sqrt{-c^2x^2+1}/c^4) \cdot \arccos(cx) + (c^2x^3 + 6x)/c^2 \cdot a^2b^2 - \frac{1}{27}(9c(\sqrt{-c^2x^2+1})x^2/c^2 + 2\sqrt{-c^2x^2+1}/c^4) \cdot \arccos(cx)^2 - 2c((\sqrt{-c^2x^2+1})x^2 + 20\sqrt{-c^2x^2+1}/c^2)/c^2 - 3(c^2x^3 + 6x) \cdot \arccos(cx)/c^3) \cdot b^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (a + b \arccos(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*acos(c*x))^3,x)

[Out] int(x^2*(a + b*acos(c*x))^3, x)

sympy [A] time = 2.32, size = 333, normalized size = 1.87

$$\left\{ \begin{array}{l} \frac{a^3x^3}{3} + a^2bx^3 \arccos(cx) - \frac{a^2bx^2\sqrt{-c^2x^2+1}}{3c} - \frac{2a^2b\sqrt{-c^2x^2+1}}{3c^3} + ab^2x^3 \arccos^2(cx) - \frac{2ab^2x^3}{9} - \frac{2ab^2x^2\sqrt{-c^2x^2+1} \arccos(cx)}{3c} - \frac{4ab^2}{3c^2} \\ \frac{x^3\left(a + \frac{\pi b}{2}\right)^3}{3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*acos(c*x))**3,x)

[Out] Piecewise((a**3*x**3/3 + a**2*b*x**3*acos(c*x) - a**2*b*x**2*sqrt(-c**2*x**2 + 1)/(3*c) - 2*a**2*b*sqrt(-c**2*x**2 + 1)/(3*c**3) + a*b**2*x**3*acos(c*x)**2 - 2*a*b**2*x**3/9 - 2*a*b**2*x**2*sqrt(-c**2*x**2 + 1)*acos(c*x)/(3*c) - 4*a*b**2*x/(3*c**2) - 4*a*b**2*sqrt(-c**2*x**2 + 1)*acos(c*x)/(3*c**3) + b**3*x**3*acos(c*x)**3/3 - 2*b**3*x**3*acos(c*x)/9 - b**3*x**2*sqrt(-c**2*x**2 + 1)*acos(c*x)**2/(3*c) + 2*b**3*x**2*sqrt(-c**2*x**2 + 1)/(27*c) - 4*b**3*x*acos(c*x)/(3*c**2) - 2*b**3*sqrt(-c**2*x**2 + 1)*acos(c*x)**2/(3*c**3) + 40*b**3*sqrt(-c**2*x**2 + 1)/(27*c**3), Ne(c, 0)), (x**3*(a + pi*b/2)**3/3, True))

3.154 $\int x \left(a + b \cos^{-1}(cx) \right)^3 dx$

Optimal. Leaf size=125

$$-\frac{3}{4}b^2x^2(a+b\cos^{-1}(cx))-\frac{3bx\sqrt{1-c^2x^2}(a+b\cos^{-1}(cx))^2}{4c}-\frac{(a+b\cos^{-1}(cx))^3}{4c^2}+\frac{1}{2}x^2(a+b\cos^{-1}(cx))^3+\frac{3b^3x\sqrt{1-c^2x^2}}{8c^3}$$

[Out] $-3/4*b^2*x^2*(a+b*\arccos(c*x))-1/4*(a+b*\arccos(c*x))^3/c^2+1/2*x^2*(a+b*\arccos(c*x))^3-3/8*b^3*\arcsin(c*x)/c^2+3/8*b^3*x*(-c^2*x^2+1)^(1/2)/c-3/4*b*x*(a+b*\arccos(c*x))^2*(-c^2*x^2+1)^(1/2)/c$

Rubi [A] time = 0.21, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {4628, 4708, 4642, 321, 216}

$$-\frac{3}{4}b^2x^2(a+b\cos^{-1}(cx))-\frac{3bx\sqrt{1-c^2x^2}(a+b\cos^{-1}(cx))^2}{4c}-\frac{(a+b\cos^{-1}(cx))^3}{4c^2}+\frac{1}{2}x^2(a+b\cos^{-1}(cx))^3+\frac{3b^3x\sqrt{1-c^2x^2}}{8c^3}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*ArcCos[c*x])^3,x]

[Out] $(3*b^3*x*\text{Sqrt}[1 - c^2*x^2])/(8*c) - (3*b^2*x^2*(a + b*\text{ArcCos}[c*x]))/4 - (3*b*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^2)/(4*c) - (a + b*\text{ArcCos}[c*x])^3/(4*c^2) + (x^2*(a + b*\text{ArcCos}[c*x])^3)/2 - (3*b^3*\text{ArcSin}[c*x])/(8*c^2)$

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2

*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4642

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n_/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] :> -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4708

Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n_)*((f_.)*(x_)^m_)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCos[c*x])^n)/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int x(a + b \cos^{-1}(cx))^3 dx &= \frac{1}{2}x^2(a + b \cos^{-1}(cx))^3 + \frac{1}{2}(3bc) \int \frac{x^2(a + b \cos^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx \\
 &= -\frac{3bx\sqrt{1 - c^2x^2}(a + b \cos^{-1}(cx))^2}{4c} + \frac{1}{2}x^2(a + b \cos^{-1}(cx))^3 - \frac{1}{2}(3b^2) \int x(a + b \cos^{-1}(cx))^2 dx \\
 &= -\frac{3}{4}b^2x^2(a + b \cos^{-1}(cx)) - \frac{3bx\sqrt{1 - c^2x^2}(a + b \cos^{-1}(cx))^2}{4c} - \frac{(a + b \cos^{-1}(cx))^3}{4c^2} \\
 &= \frac{3b^3x\sqrt{1 - c^2x^2}}{8c} - \frac{3}{4}b^2x^2(a + b \cos^{-1}(cx)) - \frac{3bx\sqrt{1 - c^2x^2}(a + b \cos^{-1}(cx))^2}{4c} - \frac{(a + b \cos^{-1}(cx))^3}{4c^2} \\
 &= \frac{3b^3x\sqrt{1 - c^2x^2}}{8c} - \frac{3}{4}b^2x^2(a + b \cos^{-1}(cx)) - \frac{3bx\sqrt{1 - c^2x^2}(a + b \cos^{-1}(cx))^2}{4c} - \frac{(a + b \cos^{-1}(cx))^3}{4c^2}
 \end{aligned}$$

Mathematica [A] time = 0.18, size = 185, normalized size = 1.48

$$\frac{(6a^2b - 3b^3) \sin^{-1}(cx) - 6bcx \cos^{-1}(cx) \left(-2a^2cx + 2ab\sqrt{1 - c^2x^2} + b^2cx\right) + cx \left(4a^3cx - 6a^2b\sqrt{1 - c^2x^2} - 6ab^2c\right)}{8c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*ArcCos[c*x])^3,x]

[Out] (c*x*(4*a^3*c*x - 6*a*b^2*c*x - 6*a^2*b*Sqrt[1 - c^2*x^2] + 3*b^3*Sqrt[1 - c^2*x^2]) - 6*b*c*x*(-2*a^2*c*x + b^2*c*x + 2*a*b*Sqrt[1 - c^2*x^2])*ArcCos[c*x] - 6*b^2*(a - 2*a*c^2*x^2 + b*c*x*Sqrt[1 - c^2*x^2])*ArcCos[c*x]^2 + 2*b^3*(-1 + 2*c^2*x^2)*ArcCos[c*x]^3 + (6*a^2*b - 3*b^3)*ArcSin[c*x])/(8*c^2)

fricas [A] time = 0.44, size = 169, normalized size = 1.35

$$\frac{2(2a^3 - 3ab^2)c^2x^2 + 2(2b^3c^2x^2 - b^3)\arccos(cx)^3 + 6(2ab^2c^2x^2 - ab^2)\arccos(cx)^2 + 3(2(2a^2b - b^3)c^2x^2 - 2b^3)\arccos(cx) + (6a^2b - 3b^3)\arcsin(cx)}{8c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^3,x, algorithm="fricas")

[Out] 1/8*(2*(2*a^3 - 3*a*b^2)*c^2*x^2 + 2*(2*b^3*c^2*x^2 - b^3)*arccos(c*x)^3 + 6*(2*a*b^2*c^2*x^2 - a*b^2)*arccos(c*x)^2 + 3*(2*(2*a^2*b - b^3)*c^2*x^2 - 2*a^2*b + b^3)*arccos(c*x) - 3*(2*b^3*c*x*arccos(c*x)^2 + 4*a*b^2*c*x*arccos(c*x) + (2*a^2*b - b^3)*c*x)*sqrt(-c^2*x^2 + 1))/c^2

giac [B] time = 0.22, size = 231, normalized size = 1.85

$$\frac{1}{2}b^3x^2\arccos(cx)^3 + \frac{3}{2}ab^2x^2\arccos(cx)^2 + \frac{3}{2}a^2bx^2\arccos(cx) - \frac{3}{4}b^3x^2\arccos(cx) - \frac{3\sqrt{-c^2x^2+1}b^3x\arccos(cx)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^3,x, algorithm="giac")

[Out] 1/2*b^3*x^2*arccos(c*x)^3 + 3/2*a*b^2*x^2*arccos(c*x)^2 + 3/2*a^2*b*x^2*arccos(c*x) - 3/4*b^3*x^2*arccos(c*x) - 3/4*sqrt(-c^2*x^2 + 1)*b^3*x*arccos(c*x)^2/c + 1/2*a^3*x^2 - 3/4*a*b^2*x^2 - 3/2*sqrt(-c^2*x^2 + 1)*a*b^2*x*arccos(c*x)/c - 1/4*b^3*arccos(c*x)^3/c^2 - 3/4*sqrt(-c^2*x^2 + 1)*a^2*b*x/c + 3/8*sqrt(-c^2*x^2 + 1)*b^3*x/c - 3/4*a*b^2*arccos(c*x)^2/c^2 - 3/4*a^2*b*arccos(c*x)/c^2 + 3/8*b^3*arccos(c*x)/c^2 + 3/8*a*b^2/c^2

maple [A] time = 0.06, size = 211, normalized size = 1.69

$$\frac{c^2x^2a^3}{2} + b^3 \left(\frac{c^2x^2\arccos(cx)^3}{2} - \frac{3\arccos(cx)^2(cx\sqrt{-c^2x^2+1} + \arccos(cx))}{4} - \frac{3c^2x^2\arccos(cx)}{4} + \frac{3cx\sqrt{-c^2x^2+1}}{8} + \frac{3\arccos(cx)}{8} + \frac{\arccos(cx)^3}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arccos(c*x))^3,x)

[Out] $1/c^2*(1/2*c^2*x^2*a^3+b^3*(1/2*c^2*x^2*\arccos(c*x))^3-3/4*\arccos(c*x)^2*(c*x*(-c^2*x^2+1)^{(1/2)}+\arccos(c*x))-3/4*c^2*x^2*\arccos(c*x)+3/8*c*x*(-c^2*x^2+1)^{(1/2)}+3/8*\arccos(c*x)+1/2*\arccos(c*x)^3)+3*a*b^2*(1/2*c^2*x^2*\arccos(c*x)^2-1/2*\arccos(c*x)*(c*x*(-c^2*x^2+1)^{(1/2)}+\arccos(c*x))+1/4*\arccos(c*x)^2-1/4*c^2*x^2+1/4)+3*a^2*b*(1/2*c^2*x^2*\arccos(c*x)-1/4*c*x*(-c^2*x^2+1)^{(1/2)}+1/4*\arcsin(c*x))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2} b^3 x^2 \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right)^3 + \frac{1}{2} a^3 x^2 + \frac{3}{4} \left(2x^2 \arccos(cx) - c \left(\frac{\sqrt{-c^2x^2+1}x}{c^2} - \frac{\arcsin(cx)}{c^3}\right)\right) a^2 b - \int -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arccos(c*x))^3,x, algorithm="maxima")`

[Out] $1/2*b^3*x^2*\arctan2(\sqrt{c*x+1}*\sqrt{-c*x+1}, c*x)^3 + 1/2*a^3*x^2 + 3/4*(2*x^2*\arccos(c*x) - c*(\sqrt{-c^2*x^2+1}*x/c^2 - \arcsin(c*x)/c^3))*a^2*b - \int (3/2*(\sqrt{c*x+1}*\sqrt{-c*x+1})*b^3*c*x^2*\arctan2(\sqrt{c*x+1}*\sqrt{-c*x+1}, c*x)^2 - 2*(a*b^2*c^2*x^3 - a*b^2*x)*\arctan2(\sqrt{c*x+1}*\sqrt{-c*x+1}, c*x)^2)/(c^2*x^2 - 1), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x(a + b \arccos(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*acos(c*x))^3,x)`

[Out] `int(x*(a + b*acos(c*x))^3, x)`

sympy [A] time = 1.20, size = 269, normalized size = 2.15

$$\left\{ \begin{array}{l} \frac{a^3 x^2}{2} + \frac{3a^2 b x^2 \arccos(cx)}{2} - \frac{3a^2 b x \sqrt{-c^2 x^2 + 1}}{4c} - \frac{3a^2 b \arccos(cx)}{4c^2} + \frac{3ab^2 x^2 \arccos^2(cx)}{2} - \frac{3ab^2 x^2}{4} - \frac{3ab^2 x \sqrt{-c^2 x^2 + 1} \arccos(cx)}{2c} - \frac{3ab^2 \arccos^2(cx)}{4c^2} \\ \frac{x^2 \left(a + \frac{\pi b}{2}\right)^3}{2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*acos(c*x))**3,x)`

[Out] `Piecewise((a**3*x**2/2 + 3*a**2*b*x**2*acos(c*x)/2 - 3*a**2*b*x*sqrt(-c**2*x**2 + 1)/(4*c) - 3*a**2*b*acos(c*x)/(4*c**2) + 3*a*b**2*x**2*acos(c*x)**2/`

```

2 - 3*a*b**2*x**2/4 - 3*a*b**2*x*sqrt(-c**2*x**2 + 1)*acos(c*x)/(2*c) - 3*a
*b**2*acos(c*x)**2/(4*c**2) + b**3*x**2*acos(c*x)**3/2 - 3*b**3*x**2*acos(c
*x)/4 - 3*b**3*x*sqrt(-c**2*x**2 + 1)*acos(c*x)**2/(4*c) + 3*b**3*x*sqrt(-c
**2*x**2 + 1)/(8*c) - b**3*acos(c*x)**3/(4*c**2) + 3*b**3*acos(c*x)/(8*c**2
), Ne(c, 0)), (x**2*(a + pi*b/2)**3/2, True))

```

3.155 $\int (a + b \cos^{-1}(cx))^3 dx$

Optimal. Leaf size=82

$$-6ab^2x - \frac{3b\sqrt{1-c^2x^2} (a + b \cos^{-1}(cx))^2}{c} + x(a + b \cos^{-1}(cx))^3 + \frac{6b^3\sqrt{1-c^2x^2}}{c} - 6b^3x \cos^{-1}(cx)$$

[Out] $-6*a*b^2*x - 6*b^3*x*\arccos(c*x) + x*(a + b*\arccos(c*x))^3 + 6*b^3*(-c^2*x^2 + 1)^{(1/2)}/c - 3*b*(a + b*\arccos(c*x))^2*(-c^2*x^2 + 1)^{(1/2)}/c$

Rubi [A] time = 0.11, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {4620, 4678, 261}

$$-6ab^2x - \frac{3b\sqrt{1-c^2x^2} (a + b \cos^{-1}(cx))^2}{c} + x(a + b \cos^{-1}(cx))^3 + \frac{6b^3\sqrt{1-c^2x^2}}{c} - 6b^3x \cos^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])^3, x]

[Out] $-6*a*b^2*x + (6*b^3*\text{Sqrt}[1 - c^2*x^2])/c - 6*b^3*x*\text{ArcCos}[c*x] - (3*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^2)/c + x*(a + b*\text{ArcCos}[c*x])^3$

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] :> Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d*IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int (a + b \cos^{-1}(cx))^3 dx &= x (a + b \cos^{-1}(cx))^3 + (3bc) \int \frac{x (a + b \cos^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx \\
&= -\frac{3b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^2}{c} + x (a + b \cos^{-1}(cx))^3 - (6b^2) \int (a + b \cos^{-1}(cx)) dx \\
&= -6ab^2x - \frac{3b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^2}{c} + x (a + b \cos^{-1}(cx))^3 - (6b^3) \int \cos^{-1}(cx) dx \\
&= -6ab^2x - 6b^3x \cos^{-1}(cx) - \frac{3b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^2}{c} + x (a + b \cos^{-1}(cx))^3 - (6b^3) \int \cos^{-1}(cx) dx \\
&= -6ab^2x + \frac{6b^3\sqrt{1 - c^2x^2}}{c} - 6b^3x \cos^{-1}(cx) - \frac{3b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^2}{c} + x (a + b \cos^{-1}(cx))^3 - (6b^3) \int \cos^{-1}(cx) dx
\end{aligned}$$

Mathematica [A] time = 0.12, size = 128, normalized size = 1.56

$$\frac{-3b(a^2 - 2b^2)\sqrt{1 - c^2x^2} + 3b \cos^{-1}(cx) (a^2cx - 2ab\sqrt{1 - c^2x^2} - 2b^2cx) + acx(a^2 - 6b^2) + 3b^2 \cos^{-1}(cx)^2 (acx - 2ab\sqrt{1 - c^2x^2} - 2b^2cx)}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCos[c*x])^3,x]

[Out] (a*(a^2 - 6*b^2)*c*x - 3*b*(a^2 - 2*b^2)*Sqrt[1 - c^2*x^2] + 3*b*(a^2*c*x - 2*b^2*c*x - 2*a*b*Sqrt[1 - c^2*x^2])*ArcCos[c*x] + 3*b^2*(a*c*x - b*Sqrt[1 - c^2*x^2])*ArcCos[c*x]^2 + b^3*c*x*ArcCos[c*x]^3)/c

fricas [A] time = 0.47, size = 108, normalized size = 1.32

$$\frac{b^3cx \arccos(cx)^3 + 3ab^2cx \arccos(cx)^2 + 3(a^2b - 2b^3)cx \arccos(cx) + (a^3 - 6ab^2)cx - 3(b^3 \arccos(cx)^2 + 2ab\sqrt{1 - c^2x^2} - 2b^2cx)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3,x, algorithm="fricas")

[Out] (b^3*c*x*arccos(c*x)^3 + 3*a*b^2*c*x*arccos(c*x)^2 + 3*(a^2*b - 2*b^3)*c*x*arccos(c*x) + (a^3 - 6*a*b^2)*c*x - 3*(b^3*arccos(c*x)^2 + 2*a*b^2*arccos(c*x) + a^2*b - 2*b^3)*sqrt(-c^2*x^2 + 1))/c

giac [A] time = 0.19, size = 150, normalized size = 1.83

$$b^3 x \arccos(cx)^3 + 3ab^2 x \arccos(cx)^2 + 3a^2 b x \arccos(cx) - 6b^3 x \arccos(cx) - \frac{3\sqrt{-c^2 x^2 + 1} b^3 \arccos(cx)^2}{c} + a^3 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3,x, algorithm="giac")

[Out] $b^3 x \arccos(c x)^3 + 3 a b^2 x \arccos(c x)^2 + 3 a^2 b x \arccos(c x) - 6 b^3 x \arccos(c x) - 3 \sqrt{-c^2 x^2 + 1} b^3 \arccos(c x)^2 / c + a^3 x - 6 a b^2 x - 6 \sqrt{-c^2 x^2 + 1} a b^2 \arccos(c x) / c - 3 \sqrt{-c^2 x^2 + 1} a^2 b / c + 6 \sqrt{-c^2 x^2 + 1} b^3 / c$

maple [A] time = 0.08, size = 134, normalized size = 1.63

$$\frac{c x a^3 + b^3 \left(c x \arccos(c x)^3 - 3 \arccos(c x)^2 \sqrt{-c^2 x^2 + 1} + 6 \sqrt{-c^2 x^2 + 1} - 6 c x \arccos(c x) \right) + 3 a b^2 \left(c x \arccos(c x) \right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^3,x)

[Out] $1/c * (c*x*a^3 + b^3 * (c*x*\arccos(c*x)^3 - 3*\arccos(c*x)^2 * (-c^2*x^2+1)^{(1/2)} + 6 * (-c^2*x^2+1)^{(1/2)} - 6*c*x*\arccos(c*x)) + 3*a*b^2 * (c*x*\arccos(c*x)^2 - 2*c*x - 2*\arccos(c*x) * (-c^2*x^2+1)^{(1/2)} + 3*a^2*b * (c*x*\arccos(c*x) - (-c^2*x^2+1)^{(1/2)}))$

maxima [A] time = 0.40, size = 144, normalized size = 1.76

$$b^3 x \arccos(cx)^3 + 3ab^2 x \arccos(cx)^2 - 3 \left(\frac{\sqrt{-c^2 x^2 + 1} \arccos(cx)^2}{c} + \frac{2 \left(c x \arccos(cx) - \sqrt{-c^2 x^2 + 1} \right)}{c} \right) b^3 - 6ab^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3,x, algorithm="maxima")

[Out] $b^3 x \arccos(c x)^3 + 3 a b^2 x \arccos(c x)^2 - 3 * (\sqrt{-c^2 x^2 + 1} * \arccos(c x)^2 / c + 2 * (c x \arccos(c x) - \sqrt{-c^2 x^2 + 1}) / c) * b^3 - 6 a b^2 * (x + \sqrt{-c^2 x^2 + 1} * \arccos(c x) / c) + a^3 x + 3 * (c x \arccos(c x) - \sqrt{-c^2 x^2 + 1}) * a^2 b / c$

mupad [B] time = 0.47, size = 164, normalized size = 2.00

$$\left\{ \begin{array}{l} x \left(a^3 + \frac{3\pi a^2 b}{2} + \frac{3\pi^2 a b^2}{4} + \frac{\pi^3 b^3}{8} \right) \\ a^3 x - b^3 x \left(6 \arccos(c x) - \arccos(c x)^3 \right) - \frac{3 a^2 b \left(\sqrt{1 - c^2 x^2} - c x \arccos(c x) \right)}{c} + 3 a b^2 x \left(\arccos(c x)^2 - 2 \right) - \frac{b^3 \sqrt{1 - c^2 x^2} \left(3 \arccos(c x) \right)}{c} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(c*x))^3,x)`

[Out] `piecewise(c == 0, x*(a^3 + (b^3*pi^3)/8 + (3*a*b^2*pi^2)/4 + (3*a^2*b*pi)/2), c ~= 0, a^3*x - b^3*x*(6*acos(c*x) - acos(c*x)^3) - (3*a^2*b*((- c^2*x^2 + 1)^(1/2) - c*x*acos(c*x)))/c + 3*a*b^2*x*(acos(c*x)^2 - 2) - (b^3*(- c^2*x^2 + 1)^(1/2)*(3*acos(c*x)^2 - 6))/c - (6*a*b^2*acos(c*x)*(- c^2*x^2 + 1)^(1/2))/c)`

sympy [A] time = 0.58, size = 165, normalized size = 2.01

$$\begin{cases} a^3x + 3a^2bx \operatorname{acos}(cx) - \frac{3a^2b\sqrt{-c^2x^2+1}}{c} + 3ab^2x \operatorname{acos}^2(cx) - 6ab^2x - \frac{6ab^2\sqrt{-c^2x^2+1} \operatorname{acos}(cx)}{c} + b^3x \operatorname{acos}^3(cx) - 6b^3x \\ x\left(a + \frac{\pi b}{2}\right)^3 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acos(c*x))**3,x)`

[Out] `Piecewise((a**3*x + 3*a**2*b*x*acos(c*x) - 3*a**2*b*sqrt(-c**2*x**2 + 1)/c + 3*a*b**2*x*acos(c*x)**2 - 6*a*b**2*x - 6*a*b**2*sqrt(-c**2*x**2 + 1)*acos(c*x)/c + b**3*x*acos(c*x)**3 - 6*b**3*x*acos(c*x) - 3*b**3*sqrt(-c**2*x**2 + 1)*acos(c*x)**2/c + 6*b**3*sqrt(-c**2*x**2 + 1)/c, Ne(c, 0)), (x*(a + pi*b/2)**3, True))`

$$3.156 \quad \int \frac{(a+b \cos^{-1}(cx))^3}{x} dx$$

Optimal. Leaf size=127

$$\frac{3}{2}b^2 \text{Li}_3(-e^{2i \cos^{-1}(cx)}) (a+b \cos^{-1}(cx)) - \frac{3}{2}ib \text{Li}_2(-e^{2i \cos^{-1}(cx)}) (a+b \cos^{-1}(cx))^2 - \frac{i(a+b \cos^{-1}(cx))^4}{4b} + \log(1 +$$

[Out] $-1/4*I*(a+b*\arccos(c*x))^4/b+(a+b*\arccos(c*x))^3*\ln(1+(c*x+I*(-c^2*x^2+1))^{(1/2)})^2-3/2*I*b*(a+b*\arccos(c*x))^2*\text{polylog}(2,-(c*x+I*(-c^2*x^2+1))^{(1/2)})^2)+3/2*b^2*(a+b*\arccos(c*x))*\text{polylog}(3,-(c*x+I*(-c^2*x^2+1))^{(1/2)})^2)+3/4*I*b^3*\text{polylog}(4,-(c*x+I*(-c^2*x^2+1))^{(1/2)})^2)$

Rubi [A] time = 0.14, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4626, 3719, 2190, 2531, 6609, 2282, 6589}

$$\frac{3}{2}b^2 \text{PolyLog}(3, -e^{2i \cos^{-1}(cx)}) (a+b \cos^{-1}(cx)) - \frac{3}{2}ib \text{PolyLog}(2, -e^{2i \cos^{-1}(cx)}) (a+b \cos^{-1}(cx))^2 + \frac{3}{4}ib^3 \text{PolyLog}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])^3/x, x]

[Out] $((-I/4)*(a + b*\text{ArcCos}[c*x])^4)/b + (a + b*\text{ArcCos}[c*x])^3*\text{Log}[1 + E^{((2*I)*\text{ArcCos}[c*x])}] - ((3*I)/2)*b*(a + b*\text{ArcCos}[c*x])^2*\text{PolyLog}[2, -E^{((2*I)*\text{ArcCos}[c*x])}] + (3*b^2*(a + b*\text{ArcCos}[c*x])*\text{PolyLog}[3, -E^{((2*I)*\text{ArcCos}[c*x])}])/2 + ((3*I)/4)*b^3*\text{PolyLog}[4, -E^{((2*I)*\text{ArcCos}[c*x])}]$

Rule 2190

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[(c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4626

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.)^(n_.)/(x_), x_Symbol] :> -Subst[Int[
(a + b*x)^n/Cot[x], x], x, ArcCos[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0
]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_)))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos^{-1}(cx))^3}{x} dx &= -\text{Subst} \left(\int (a + bx)^3 \tan(x) dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{i(a + b \cos^{-1}(cx))^4}{4b} + 2i \text{Subst} \left(\int \frac{e^{2ix}(a + bx)^3}{1 + e^{2ix}} dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{i(a + b \cos^{-1}(cx))^4}{4b} + (a + b \cos^{-1}(cx))^3 \log(1 + e^{2i \cos^{-1}(cx)}) - (3b) \text{Subst} \left(\int (a + \right. \\
&= -\frac{i(a + b \cos^{-1}(cx))^4}{4b} + (a + b \cos^{-1}(cx))^3 \log(1 + e^{2i \cos^{-1}(cx)}) - \frac{3}{2} ib (a + b \cos^{-1}(cx) \\
&= -\frac{i(a + b \cos^{-1}(cx))^4}{4b} + (a + b \cos^{-1}(cx))^3 \log(1 + e^{2i \cos^{-1}(cx)}) - \frac{3}{2} ib (a + b \cos^{-1}(cx) \\
&= -\frac{i(a + b \cos^{-1}(cx))^4}{4b} + (a + b \cos^{-1}(cx))^3 \log(1 + e^{2i \cos^{-1}(cx)}) - \frac{3}{2} ib (a + b \cos^{-1}(cx) \\
&= -\frac{i(a + b \cos^{-1}(cx))^4}{4b} + (a + b \cos^{-1}(cx))^3 \log(1 + e^{2i \cos^{-1}(cx)}) - \frac{3}{2} ib (a + b \cos^{-1}(cx) \\
&= -\frac{i(a + b \cos^{-1}(cx))^4}{4b} + (a + b \cos^{-1}(cx))^3 \log(1 + e^{2i \cos^{-1}(cx)}) - \frac{3}{2} ib (a + b \cos^{-1}(cx)
\end{aligned}$$

Mathematica [A] time = 0.19, size = 204, normalized size = 1.61

$$\frac{1}{4} \left(4a^3 \log(cx) - 6ia^2b \cos^{-1}(cx)^2 + 12a^2b \cos^{-1}(cx) \log(1 + e^{2i \cos^{-1}(cx)}) + 6b^2 \text{Li}_3(-e^{2i \cos^{-1}(cx)}) (a + b \cos^{-1}(cx)) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^3/x, x]

[Out] ((-6*I)*a^2*b*ArcCos[c*x]^2 - (4*I)*a*b^2*ArcCos[c*x]^3 - I*b^3*ArcCos[c*x]^4 + 12*a^2*b*ArcCos[c*x]*Log[1 + E^((2*I)*ArcCos[c*x])] + 12*a*b^2*ArcCos[c*x]^2*Log[1 + E^((2*I)*ArcCos[c*x])] + 4*b^3*ArcCos[c*x]^3*Log[1 + E^((2*I)*ArcCos[c*x])] + 4*a^3*Log[c*x] - (6*I)*b*(a + b*ArcCos[c*x])^2*PolyLog[2, -E^((2*I)*ArcCos[c*x])] + 6*b^2*(a + b*ArcCos[c*x])*PolyLog[3, -E^((2*I)*ArcCos[c*x])] + (3*I)*b^3*PolyLog[4, -E^((2*I)*ArcCos[c*x])])/4

fricas [F] time = 0.55, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{b^3 \arccos(cx)^3 + 3ab^2 \arccos(cx)^2 + 3a^2b \arccos(cx) + a^3}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/x,x, algorithm="fricas")

[Out] integral((b^3*arccos(c*x)^3 + 3*a*b^2*arccos(c*x)^2 + 3*a^2*b*arccos(c*x) + a^3)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/x,x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^3/x, x)

maple [B] time = 0.10, size = 353, normalized size = 2.78

$$a^3 \ln(cx) - \frac{ib^3 \arccos(cx)^4}{4} + b^3 \arccos(cx)^3 \ln\left(1 + \left(cx + i\sqrt{-c^2x^2 + 1}\right)^2\right) - \frac{3ib^3 \arccos(cx)^2 \operatorname{polylog}\left(2, -\left(cx + i\sqrt{-c^2x^2 + 1}\right)\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^3/x,x)

[Out] a^3*ln(c*x)-1/4*I*b^3*arccos(c*x)^4+b^3*arccos(c*x)^3*ln(1+(c*x+I*(-c^2*x^2+1)^(1/2))^2)-3/2*I*b^3*arccos(c*x)^2*polylog(2,-(c*x+I*(-c^2*x^2+1)^(1/2))^2)+3/2*b^3*arccos(c*x)*polylog(3,-(c*x+I*(-c^2*x^2+1)^(1/2))^2)+3/4*I*b^3*polylog(4,-(c*x+I*(-c^2*x^2+1)^(1/2))^2)-I*a*b^2*arccos(c*x)^3+3*a*b^2*arccos(c*x)^2*ln(1+(c*x+I*(-c^2*x^2+1)^(1/2))^2)-3*I*a*b^2*arccos(c*x)*polylog(2,-(c*x+I*(-c^2*x^2+1)^(1/2))^2)+3/2*a*b^2*polylog(3,-(c*x+I*(-c^2*x^2+1)^(1/2))^2)-3/2*I*a^2*b*arccos(c*x)^2+3*a^2*b*arccos(c*x)*ln(1+(c*x+I*(-c^2*x^2+1)^(1/2))^2)-3/2*I*a^2*b*polylog(2,-(c*x+I*(-c^2*x^2+1)^(1/2))^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$a^3 \log(x) + \int \frac{b^3 \arctan\left(\sqrt{cx+1}\sqrt{-cx+1}, cx\right)^3 + 3ab^2 \arctan\left(\sqrt{cx+1}\sqrt{-cx+1}, cx\right)^2 + 3a^2b \arctan\left(\sqrt{cx+1}\sqrt{-cx+1}, cx\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/x,x, algorithm="maxima")

[Out] a^3*log(x) + integrate((b^3*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^3 + 3*a*b^2*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 3*a^2*b*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x))/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \operatorname{acos}(c x))^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))^3/x, x)

[Out] int((a + b*acos(c*x))^3/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{acos}(c x))^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**3/x, x)

[Out] Integral((a + b*acos(c*x))**3/x, x)

$$3.157 \quad \int \frac{(a+b \cos^{-1}(cx))^3}{x^2} dx$$

Optimal. Leaf size=151

$$6ib^2c\text{Li}_2(-ie^{i\cos^{-1}(cx)}) (a+b\cos^{-1}(cx)) - 6ib^2c\text{Li}_2(ie^{i\cos^{-1}(cx)}) (a+b\cos^{-1}(cx)) - \frac{(a+b\cos^{-1}(cx))^3}{x} - 6ibc \tan^{-1}\left(\frac{a+b\cos^{-1}(cx)}{x}\right)$$

[Out] $-(a+b*\arccos(c*x))^3/x - 6*I*b*c*(a+b*\arccos(c*x))^2*\arctan(c*x+I*(-c^2*x^2+1)^{(1/2)}) + 6*I*b^2*c*(a+b*\arccos(c*x))*\text{polylog}(2, -I*(c*x+I*(-c^2*x^2+1)^{(1/2)})) - 6*I*b^2*c*(a+b*\arccos(c*x))*\text{polylog}(2, I*(c*x+I*(-c^2*x^2+1)^{(1/2)})) - 6*b^3*c*\text{polylog}(3, -I*(c*x+I*(-c^2*x^2+1)^{(1/2)})) + 6*b^3*c*\text{polylog}(3, I*(c*x+I*(-c^2*x^2+1)^{(1/2)}))$

Rubi [A] time = 0.21, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {4628, 4710, 4181, 2531, 2282, 6589}

$$6ib^2c\text{PolyLog}(2, -ie^{i\cos^{-1}(cx)}) (a+b\cos^{-1}(cx)) - 6ib^2c\text{PolyLog}(2, ie^{i\cos^{-1}(cx)}) (a+b\cos^{-1}(cx)) - 6b^3c\text{PolyLog}(3, -ie^{i\cos^{-1}(cx)}) (a+b\cos^{-1}(cx)) + 6b^3c\text{PolyLog}(3, ie^{i\cos^{-1}(cx)}) (a+b\cos^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])^3/x^2, x]

[Out] $-(a + b*\text{ArcCos}[c*x])^3/x - (6*I)*b*c*(a + b*\text{ArcCos}[c*x])^2*\text{ArcTan}[E^{(I*\text{ArcCos}[c*x])}] + (6*I)*b^2*c*(a + b*\text{ArcCos}[c*x])* \text{PolyLog}[2, (-I)*E^{(I*\text{ArcCos}[c*x])}] - (6*I)*b^2*c*(a + b*\text{ArcCos}[c*x])* \text{PolyLog}[2, I*E^{(I*\text{ArcCos}[c*x])}] - 6*b^3*c*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcCos}[c*x])}] + 6*b^3*c*\text{PolyLog}[3, I*E^{(I*\text{ArcCos}[c*x])}]$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))] * ((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m * PolyLog[2, -(e*(F^(c*(a + b*x))))^n]) / (b*c*n*Log[F]), x] + Dist[(g*m) / (b*c*n*Log[F]), Int[(f + g*x)^(m-1) * PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f}
```

, g, n}, x] && GtQ[m, 0]

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4628

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4710

```
Int[(((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> -Dist[(c^(m + 1)*Sqrt[d])^(-1), Subst[Int[(a + b*x)^n * Cos[x]^m, x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos^{-1}(cx))^3}{x^2} dx &= -\frac{(a + b \cos^{-1}(cx))^3}{x} - (3bc) \int \frac{(a + b \cos^{-1}(cx))^2}{x\sqrt{1 - c^2x^2}} dx \\
&= -\frac{(a + b \cos^{-1}(cx))^3}{x} + (3bc) \operatorname{Subst} \left(\int (a + bx)^2 \sec(x) dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{(a + b \cos^{-1}(cx))^3}{x} - 6ibc (a + b \cos^{-1}(cx))^2 \tan^{-1} \left(e^{i \cos^{-1}(cx)} \right) - (6b^2c) \operatorname{Subst} \left(\int (a + bx) \sec(x) dx, x, \cos^{-1}(cx) \right) \\
&= -\frac{(a + b \cos^{-1}(cx))^3}{x} - 6ibc (a + b \cos^{-1}(cx))^2 \tan^{-1} \left(e^{i \cos^{-1}(cx)} \right) + 6ib^2c (a + b \cos^{-1}(cx)) \tan^{-1} \left(e^{i \cos^{-1}(cx)} \right) \\
&= -\frac{(a + b \cos^{-1}(cx))^3}{x} - 6ibc (a + b \cos^{-1}(cx))^2 \tan^{-1} \left(e^{i \cos^{-1}(cx)} \right) + 6ib^2c (a + b \cos^{-1}(cx)) \tan^{-1} \left(e^{i \cos^{-1}(cx)} \right) \\
&= -\frac{(a + b \cos^{-1}(cx))^3}{x} - 6ibc (a + b \cos^{-1}(cx))^2 \tan^{-1} \left(e^{i \cos^{-1}(cx)} \right) + 6ib^2c (a + b \cos^{-1}(cx)) \tan^{-1} \left(e^{i \cos^{-1}(cx)} \right)
\end{aligned}$$

Mathematica [B] time = 0.32, size = 308, normalized size = 2.04

$$-\frac{a^3}{x} + 3a^2bc \log \left(\sqrt{1 - c^2x^2} + 1 \right) - 3a^2bc \log(x) - \frac{3a^2b \cos^{-1}(cx)}{x} + 3ab^2c \left(-\frac{\cos^{-1}(cx)^2}{cx} + 2 \left(i \left(\operatorname{Li}_2 \left(-ie^{i \cos^{-1}(cx)} \right) - \operatorname{Li}_2 \left(e^{i \cos^{-1}(cx)} \right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^3/x^2,x]

[Out] $-(a^3/x) - (3a^2b \operatorname{ArcCos}[c*x])/x - 3a^2b*c \operatorname{Log}[x] + 3a^2b*c \operatorname{Log}[1 + \operatorname{Sqrt}[1 - c^2*x^2]] + 3a*b^2*c * (-\operatorname{ArcCos}[c*x]^2/(c*x)) + 2*(\operatorname{ArcCos}[c*x] * (\operatorname{Log}[1 - I * E^{(I * \operatorname{ArcCos}[c*x])}] - \operatorname{Log}[1 + I * E^{(I * \operatorname{ArcCos}[c*x])}]) + I * (\operatorname{PolyLog}[2, (-I) * E^{(I * \operatorname{ArcCos}[c*x])}] - \operatorname{PolyLog}[2, I * E^{(I * \operatorname{ArcCos}[c*x])}])) + b^3*c * (-\operatorname{ArcCos}[c*x]^3/(c*x)) + 3*(\operatorname{ArcCos}[c*x]^2 * (\operatorname{Log}[1 - I * E^{(I * \operatorname{ArcCos}[c*x])}] - \operatorname{Log}[1 + I * E^{(I * \operatorname{ArcCos}[c*x])}]) + (2*I) * \operatorname{ArcCos}[c*x] * (\operatorname{PolyLog}[2, (-I) * E^{(I * \operatorname{ArcCos}[c*x])}] - \operatorname{PolyLog}[2, I * E^{(I * \operatorname{ArcCos}[c*x])}]) - 2*(\operatorname{PolyLog}[3, (-I) * E^{(I * \operatorname{ArcCos}[c*x])}] - \operatorname{PolyLog}[3, I * E^{(I * \operatorname{ArcCos}[c*x])}]))$

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{b^3 \arccos(cx)^3 + 3ab^2 \arccos(cx)^2 + 3a^2b \arccos(cx) + a^3}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/x^2,x, algorithm="fricas")

[Out] integral((b^3*arccos(c*x)^3 + 3*a*b^2*arccos(c*x)^2 + 3*a^2*b*arccos(c*x) + a^3)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/x^2,x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^3/x^2, x)

maple [F] time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^3/x^2,x)

[Out] int((a+b*arccos(c*x))^3/x^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$3 \left(c \log \left(\frac{2\sqrt{-c^2x^2+1}}{|x|} + \frac{2}{|x|} \right) - \frac{\arccos(cx)}{x} \right) a^2 b - \frac{a^3}{x} - \frac{b^3 \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)^3}{x} - 3x \int \frac{\sqrt{cx+1}\sqrt{-cx+1} b^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/x^2,x, algorithm="maxima")

[Out] 3*(c*log(2*sqrt(-c^2*x^2 + 1)/abs(x) + 2/abs(x)) - arccos(c*x)/x)*a^2*b - a^3/x - (b^3*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^3 - x*integrate(3*(sqrt(c*x + 1)*sqrt(-c*x + 1)*b^3*c*x*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + (a*b^2*c^2*x^2 - a*b^2)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2)/(c^2*x^4 - x^2), x))/x

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \arccos(cx))^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))^3/x^2, x)
```

```
[Out] int((a + b*acos(c*x))^3/x^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{acos}(cx))^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))**3/x**2, x)
```

```
[Out] Integral((a + b*acos(c*x))**3/x**2, x)
```


$$3.158 \quad \int \frac{x^2}{a+b \cos^{-1}(cx)} dx$$

Optimal. Leaf size=121

$$\frac{\sin\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{4bc^3} + \frac{\sin\left(\frac{3a}{b}\right) \text{Ci}\left(\frac{3(a+b \cos^{-1}(cx))}{b}\right)}{4bc^3} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{4bc^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{Si}\left(\frac{3(a+b \cos^{-1}(cx))}{b}\right)}{4bc^3}$$

[Out] -1/4*cos(a/b)*Si((a+b*arccos(c*x))/b)/b/c^3-1/4*cos(3*a/b)*Si(3*(a+b*arccos(c*x))/b)/b/c^3+1/4*Ci((a+b*arccos(c*x))/b)*sin(a/b)/b/c^3+1/4*Ci(3*(a+b*arccos(c*x))/b)*sin(3*a/b)/b/c^3

Rubi [A] time = 0.22, antiderivative size = 117, normalized size of antiderivative = 0.97, number of steps used = 9, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4636, 4406, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{4bc^3} + \frac{\sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \cos^{-1}(cx)\right)}{4bc^3} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{4bc^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{Si}\left(\frac{3a}{b} + 3 \cos^{-1}(cx)\right)}{4bc^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/(a + b*ArcCos[c*x]), x]

[Out] (CosIntegral[a/b + ArcCos[c*x]]*Sin[a/b])/(4*b*c^3) + (CosIntegral[(3*a)/b + 3*ArcCos[c*x]]*Sin[(3*a)/b])/(4*b*c^3) - (Cos[a/b]*SinIntegral[a/b + ArcCos[c*x]])/(4*b*c^3) - (Cos[(3*a)/b]*SinIntegral[(3*a)/b + 3*ArcCos[c*x]])/(4*b*c^3)

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&

NeQ[d*e - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2}{a + b \cos^{-1}(cx)} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^2(x) \sin(x)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{c^3} \\
 &= -\frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{4(a+bx)} + \frac{\sin(3x)}{4(a+bx)}\right) dx, x, \cos^{-1}(cx)\right)}{c^3} \\
 &= -\frac{\text{Subst}\left(\int \frac{\sin(x)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{4c^3} - \frac{\text{Subst}\left(\int \frac{\sin(3x)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{4c^3} \\
 &= -\frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{4c^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{3a}{b}+3x\right)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{4c^3} \\
 &= \frac{\text{Ci}\left(\frac{a}{b} + \cos^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{4bc^3} + \frac{\text{Ci}\left(\frac{3a}{b} + 3 \cos^{-1}(cx)\right) \sin\left(\frac{3a}{b}\right)}{4bc^3} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{4bc^3}
 \end{aligned}$$

Mathematica [A] time = 0.19, size = 91, normalized size = 0.75

$$\frac{\sin\left(\frac{a}{b}\right) \left(-\text{Ci}\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right) - \sin\left(\frac{3a}{b}\right) \text{Ci}\left(3\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right) + \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right) + \cos\left(\frac{3a}{b}\right) \text{Si}\left(3\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right)}{4bc^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b*ArcCos[c*x]), x]

[Out] $-1/4*(-(\text{CosIntegral}[a/b + \text{ArcCos}[c*x]]*\text{Sin}[a/b]) - \text{CosIntegral}[3*(a/b + \text{ArcCos}[c*x]])*\text{Sin}[(3*a)/b] + \text{Cos}[a/b]*\text{SinIntegral}[a/b + \text{ArcCos}[c*x]] + \text{Cos}[(3*a)/b]*\text{SinIntegral}[3*(a/b + \text{ArcCos}[c*x])])/(b*c^3)$

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{b \arccos(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*arccos(c*x)),x, algorithm="fricas")`

[Out] `integral(x^2/(b*arccos(c*x) + a), x)`

giac [A] time = 0.20, size = 172, normalized size = 1.42

$$\frac{\cos\left(\frac{a}{b}\right)^2 \text{Ci}\left(\frac{3a}{b} + 3 \arccos(cx)\right) \sin\left(\frac{a}{b}\right) - \cos\left(\frac{a}{b}\right)^3 \text{Si}\left(\frac{3a}{b} + 3 \arccos(cx)\right) \text{Ci}\left(\frac{3a}{b} + 3 \arccos(cx)\right) \sin\left(\frac{a}{b}\right)}{bc^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*arccos(c*x)),x, algorithm="giac")`

[Out] `cos(a/b)^2*cos_integral(3*a/b + 3*arccos(c*x))*sin(a/b)/(b*c^3) - cos(a/b)^3*sin_integral(3*a/b + 3*arccos(c*x))/(b*c^3) - 1/4*cos_integral(3*a/b + 3*arccos(c*x))*sin(a/b)/(b*c^3) + 1/4*cos_integral(a/b + arccos(c*x))*sin(a/b)/(b*c^3) + 3/4*cos(a/b)*sin_integral(3*a/b + 3*arccos(c*x))/(b*c^3) - 1/4*cos(a/b)*sin_integral(a/b + arccos(c*x))/(b*c^3)`

maple [A] time = 0.04, size = 102, normalized size = 0.84

$$\frac{\frac{\text{Si}\left(3 \arccos(cx) + \frac{3a}{b}\right) \cos\left(\frac{3a}{b}\right)}{4b} + \frac{\text{Ci}\left(3 \arccos(cx) + \frac{3a}{b}\right) \sin\left(\frac{3a}{b}\right)}{4b} - \frac{\text{Si}\left(\arccos(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right)}{4b} + \frac{\text{Ci}\left(\arccos(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right)}{4b}}{c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a+b*arccos(c*x)),x)`

[Out] `1/c^3*(-1/4*Si(3*arccos(c*x)+3*a/b)*cos(3*a/b)/b+1/4*Ci(3*arccos(c*x)+3*a/b)*sin(3*a/b)/b-1/4*Si(arccos(c*x)+a/b)*cos(a/b)/b+1/4*Ci(arccos(c*x)+a/b)*sin(a/b)/b)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{b \arccos(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x)),x, algorithm="maxima")

[Out] integrate(x^2/(b*arccos(c*x) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b*acos(c*x)),x)

[Out] int(x^2/(a + b*acos(c*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(a+b*acos(c*x)),x)

[Out] Integral(x**2/(a + b*acos(c*x)), x)

$$3.159 \quad \int \frac{x}{a+b \cos^{-1}(cx)} dx$$

Optimal. Leaf size=63

$$\frac{\sin\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2(a+b \cos^{-1}(cx))}{b}\right)}{2bc^2} - \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2(a+b \cos^{-1}(cx))}{b}\right)}{2bc^2}$$

[Out] $-1/2*\cos(2*a/b)*\text{Si}(2*(a+b*\arccos(c*x))/b)/b/c^2+1/2*\text{Ci}(2*(a+b*\arccos(c*x))/b)*\sin(2*a/b)/b/c^2$

Rubi [A] time = 0.12, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4636, 4406, 12, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right)}{2bc^2} - \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right)}{2bc^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x/(a + b*\text{ArcCos}[c*x]), x]$

[Out] $(\text{CosIntegral}[(2*a)/b + 2*\text{ArcCos}[c*x]]*\text{Sin}[(2*a)/b])/(2*b*c^2) - (\text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcCos}[c*x]])/(2*b*c^2)$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{Match}[\text{Q}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_)*(x_)]/((c_.) + (d_)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_)*(x_)]/((c_.) + (d_)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_)*(x_)]/((c_.) + (d_)*(x_)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)$

) / d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^(n)*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x}{a + b \cos^{-1}(cx)} dx &= -\frac{\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{c^2} \\
 &= -\frac{\text{Subst}\left(\int \frac{\sin(2x)}{2(a+bx)} dx, x, \cos^{-1}(cx)\right)}{c^2} \\
 &= -\frac{\text{Subst}\left(\int \frac{\sin(2x)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{2c^2} \\
 &= -\frac{\cos\left(\frac{2a}{b}\right)\text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{2c^2} + \frac{\sin\left(\frac{2a}{b}\right)\text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{2c^2} \\
 &= \frac{\text{Ci}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{2bc^2} - \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right)}{2bc^2}
 \end{aligned}$$

Mathematica [A] time = 0.07, size = 56, normalized size = 0.89

$$-\frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right) - \sin\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right)}{2bc^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b*ArcCos[c*x]),x]

[Out] $-1/2*(-(\text{CosIntegral}[(2*a)/b + 2*\text{ArcCos}[c*x]]*\text{Sin}[(2*a)/b]) + \text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcCos}[c*x]])/(b*c^2)$

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{b \arccos(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x)),x, algorithm="fricas")

[Out] integral(x/(b*arccos(c*x) + a), x)

giac [A] time = 0.19, size = 86, normalized size = 1.37

$$\frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2 \arccos(cx)\right) \sin\left(\frac{a}{b}\right) - \cos\left(\frac{a}{b}\right)^2 \text{Si}\left(\frac{2a}{b} + 2 \arccos(cx)\right)}{bc^2} + \frac{\text{Si}\left(\frac{2a}{b} + 2 \arccos(cx)\right)}{2bc^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x)),x, algorithm="giac")

[Out] $\cos(a/b)*\text{cos_integral}(2*a/b + 2*\arccos(c*x))*\text{sin}(a/b)/(b*c^2) - \cos(a/b)^2*\text{sin_integral}(2*a/b + 2*\arccos(c*x))/(b*c^2) + 1/2*\text{sin_integral}(2*a/b + 2*\arccos(c*x))/(b*c^2)$

maple [A] time = 0.05, size = 58, normalized size = 0.92

$$\frac{-\frac{\text{Si}\left(2 \arccos(cx) + \frac{2a}{b}\right) \cos\left(\frac{2a}{b}\right)}{2b} + \frac{\text{Ci}\left(2 \arccos(cx) + \frac{2a}{b}\right) \sin\left(\frac{2a}{b}\right)}{2b}}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*arccos(c*x)),x)

[Out] $1/c^2*(-1/2*\text{Si}(2*\arccos(c*x)+2*a/b)*\cos(2*a/b)/b+1/2*\text{Ci}(2*\arccos(c*x)+2*a/b)*\sin(2*a/b)/b)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{b \arccos(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x)),x, algorithm="maxima")

[Out] integrate(x/(b*arccos(c*x) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*acos(c*x)),x)

[Out] int(x/(a + b*acos(c*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*acos(c*x)),x)

[Out] Integral(x/(a + b*acos(c*x)), x)

$$3.160 \quad \int \frac{1}{a+b \cos^{-1}(cx)} dx$$

Optimal. Leaf size=54

$$\frac{\sin\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{bc} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{bc}$$

[Out] $-\cos(a/b) * \text{Si}((a+b * \arccos(c*x))/b) / b / c + \text{Ci}((a+b * \arccos(c*x))/b) * \sin(a/b) / b / c$

Rubi [A] time = 0.06, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {4624, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{bc} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{bc}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b * \text{ArcCos}[c*x])^{-1}, x]$

[Out] $(\text{CosIntegral}[(a + b * \text{ArcCos}[c*x])/b] * \text{Sin}[a/b]) / (b*c) - (\text{Cos}[a/b] * \text{SinIntegral}[(a + b * \text{ArcCos}[c*x])/b]) / (b*c)$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)] / ((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] / ; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)] / ((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] / ; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)] / ((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x] / (c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x] / (c + d*x), x], x] / ; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 4624

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_.)] * (b_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[1/(b*c), \text{Subst}[\text{Int}[x^n * \text{Sin}[a/b - x/b], x], x, a + b * \text{ArcCos}[c*x]], x] / ; \text{FreeQ}\{a, b, c,$

n}, x]

Rubi steps

$$\begin{aligned} \int \frac{1}{a + b \cos^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\sin\left(\frac{a-x}{b}\right)}{x} dx, x, a + b \cos^{-1}(cx)\right)}{bc} \\ &= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{x}{b}\right)}{x} dx, x, a + b \cos^{-1}(cx)\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{x} dx, x, a + b \cos^{-1}(cx)\right)}{bc} \\ &= \frac{\text{Ci}\left(\frac{a+b \cos^{-1}(cx)}{b}\right) \sin\left(\frac{a}{b}\right)}{bc} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{bc} \end{aligned}$$

Mathematica [A] time = 0.07, size = 46, normalized size = 0.85

$$-\frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right) - \sin\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{bc}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCos[c*x])^(-1), x]

[Out] -((- (CosIntegral[a/b + ArcCos[c*x]]*Sin[a/b]) + Cos[a/b]*SinIntegral[a/b + ArcCos[c*x]])/(b*c))

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{b \arccos(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x)), x, algorithm="fricas")

[Out] integral(1/(b*arccos(c*x) + a), x)

giac [A] time = 0.18, size = 50, normalized size = 0.93

$$\frac{\text{Ci}\left(\frac{a}{b} + \arccos(cx)\right) \sin\left(\frac{a}{b}\right)}{bc} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \arccos(cx)\right)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x)),x, algorithm="giac")

[Out] $\cos_integral(a/b + \arccos(c*x))*\sin(a/b)/(b*c) - \cos(a/b)*\sin_integral(a/b + \arccos(c*x))/(b*c)$

maple [A] time = 0.07, size = 49, normalized size = 0.91

$$\frac{-\frac{\text{Si}(\arccos(cx)+\frac{a}{b})\cos(\frac{a}{b})}{b} + \frac{\text{Ci}(\arccos(cx)+\frac{a}{b})\sin(\frac{a}{b})}{b}}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arccos(c*x)),x)

[Out] $1/c*(-\text{Si}(\arccos(c*x)+a/b)*\cos(a/b)/b+\text{Ci}(\arccos(c*x)+a/b)*\sin(a/b)/b)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{b \arccos(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x)),x, algorithm="maxima")

[Out] integrate(1/(b*arccos(c*x) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*acos(c*x)),x)

[Out] int(1/(a + b*acos(c*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*acos(c*x)),x)

[Out] Integral(1/(a + b*acos(c*x)), x)

$$3.161 \quad \int \frac{1}{x(a+b \cos^{-1}(cx))} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x(a+b \cos^{-1}(cx))}, x\right)$$

[Out] Unintegrable(1/x/(a+b*arccos(c*x)), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \cos^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*ArcCos[c*x])), x]

[Out] Defer[Int][1/(x*(a + b*ArcCos[c*x])), x]

Rubi steps

$$\int \frac{1}{x(a+b \cos^{-1}(cx))} dx = \int \frac{1}{x(a+b \cos^{-1}(cx))} dx$$

Mathematica [A] time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \cos^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcCos[c*x])), x]

[Out] Integrate[1/(x*(a + b*ArcCos[c*x])), x]

fricas [A] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx \arccos(cx) + ax'}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x)),x, algorithm="fricas")

[Out] integral(1/(b*x*arccos(c*x) + a*x), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x)),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Not invertible Error: Bad Argument Value

maple [A] time = 0.44, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \arccos(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*arccos(c*x)),x)

[Out] int(1/x/(a+b*arccos(c*x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x)),x, algorithm="maxima")

[Out] integrate(1/((b*arccos(c*x) + a)*x), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x(a + b \arccos(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*acos(c*x))),x)

[Out] int(1/(x*(a + b*acos(c*x))), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \cos(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*cos(c*x)),x)

[Out] Integral(1/(x*(a + b*cos(c*x))), x)

$$3.162 \quad \int \frac{1}{x^2(a+b \cos^{-1}(cx))} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x^2(a+b \cos^{-1}(cx))}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b*arccos(c*x)), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2(a+b \cos^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*ArcCos[c*x])), x]

[Out] Defer[Int][1/(x^2*(a + b*ArcCos[c*x])), x]

Rubi steps

$$\int \frac{1}{x^2(a+b \cos^{-1}(cx))} dx = \int \frac{1}{x^2(a+b \cos^{-1}(cx))} dx$$

Mathematica [A] time = 3.94, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b \cos^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*ArcCos[c*x])), x]

[Out] Integrate[1/(x^2*(a + b*ArcCos[c*x])), x]

fricas [A] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx^2 \arccos(cx) + ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x)),x, algorithm="fricas")

[Out] integral(1/(b*x^2*arccos(c*x) + a*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x)),x, algorithm="giac")

[Out] integrate(1/((b*arccos(c*x) + a)*x^2), x)

maple [A] time = 0.31, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \arccos(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*arccos(c*x)),x)

[Out] int(1/x^2/(a+b*arccos(c*x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x)),x, algorithm="maxima")

[Out] integrate(1/((b*arccos(c*x) + a)*x^2), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x^2 (a + b \arccos(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*acos(c*x))),x)

[Out] int(1/(x^2*(a + b*acos(c*x))), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \cos(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*cos(c*x)),x)

[Out] Integral(1/(x**2*(a + b*cos(c*x))), x)

$$3.163 \quad \int \frac{x^2}{(a+b \cos^{-1}(cx))^2} dx$$

Optimal. Leaf size=155

$$\frac{\cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{4b^2c^3} - \frac{3 \cos\left(\frac{3a}{b}\right) \operatorname{Ci}\left(\frac{3(a+b \cos^{-1}(cx))}{b}\right)}{4b^2c^3} - \frac{\sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{4b^2c^3} - \frac{3 \sin\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3(a+b \cos^{-1}(cx))}{b}\right)}{4b^2c^3} +$$

[Out] $-1/4*\operatorname{Ci}((a+b*\arccos(c*x))/b)*\cos(a/b)/b^2/c^3-3/4*\operatorname{Ci}(3*(a+b*\arccos(c*x))/b)*\cos(3*a/b)/b^2/c^3-1/4*\operatorname{Si}((a+b*\arccos(c*x))/b)*\sin(a/b)/b^2/c^3-3/4*\operatorname{Si}(3*(a+b*\arccos(c*x))/b)*\sin(3*a/b)/b^2/c^3+x^2*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arccos(c*x))$

Rubi [A] time = 0.18, antiderivative size = 151, normalized size of antiderivative = 0.97, number of steps used = 8, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4632, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{4b^2c^3} - \frac{3 \cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \cos^{-1}(cx)\right)}{4b^2c^3} - \frac{\sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{4b^2c^3} -$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2/(a + b*\operatorname{ArcCos}[c*x])^2, x]$

[Out] $(x^2*\operatorname{Sqrt}[1 - c^2*x^2])/(b*c*(a + b*\operatorname{ArcCos}[c*x])) - (\operatorname{Cos}[a/b]*\operatorname{CosIntegral}[a/b + \operatorname{ArcCos}[c*x]])/(4*b^2*c^3) - (3*\operatorname{Cos}[(3*a)/b]*\operatorname{CosIntegral}[(3*a)/b + 3*\operatorname{ArcCos}[c*x]])/(4*b^2*c^3) - (\operatorname{Sin}[a/b]*\operatorname{SinIntegral}[a/b + \operatorname{ArcCos}[c*x]])/(4*b^2*c^3) - (3*\operatorname{Sin}[(3*a)/b]*\operatorname{SinIntegral}[(3*a)/b + 3*\operatorname{ArcCos}[c*x]])/(4*b^2*c^3)$

Rule 3299

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \ \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \operatorname{Pi}/2 + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \ \&\& \operatorname{EqQ}[d*(e - \operatorname{Pi}/2) - c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 4632

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n_*(x_)^m_., x_Symbol] := -Simp[
(x^m*sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dis
t[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Co
s[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{
a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2}{(a + b \cos^{-1}(cx))^2} dx &= \frac{x^2 \sqrt{1 - c^2 x^2}}{bc (a + b \cos^{-1}(cx))} + \frac{\text{Subst} \left(\int \left(-\frac{\cos(x)}{4(a+bx)} - \frac{3 \cos(3x)}{4(a+bx)} \right) dx, x, \cos^{-1}(cx) \right)}{bc^3} \\ &= \frac{x^2 \sqrt{1 - c^2 x^2}}{bc (a + b \cos^{-1}(cx))} - \frac{\text{Subst} \left(\int \frac{\cos(x)}{a+bx} dx, x, \cos^{-1}(cx) \right)}{4bc^3} - \frac{3 \text{Subst} \left(\int \frac{\cos(3x)}{a+bx} dx, x, \cos^{-1}(cx) \right)}{4bc^3} \\ &= \frac{x^2 \sqrt{1 - c^2 x^2}}{bc (a + b \cos^{-1}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{Subst} \left(\int \frac{\cos\left(\frac{a}{b} + x\right)}{a+bx} dx, x, \cos^{-1}(cx) \right)}{4bc^3} - \frac{\left(3 \cos\left(\frac{3a}{b}\right)\right) \text{Subst} \left(\int \frac{\cos\left(\frac{3a}{b} + x\right)}{a+bx} dx, x, \cos^{-1}(cx) \right)}{4bc^3} \\ &= \frac{x^2 \sqrt{1 - c^2 x^2}}{bc (a + b \cos^{-1}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{4b^2 c^3} - \frac{3 \cos\left(\frac{3a}{b}\right) \text{Ci}\left(\frac{3a}{b} + 3 \cos^{-1}(cx)\right)}{4b^2 c^3} \end{aligned}$$

Mathematica [A] time = 0.61, size = 124, normalized size = 0.80

$$\frac{-\frac{4bc^2x^2\sqrt{1-c^2x^2}}{a+b\cos^{-1}(cx)} + \cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \cos^{-1}(cx)\right) + 3 \cos\left(\frac{3a}{b}\right) \text{Ci}\left(3\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right) + \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right) + \sin\left(\frac{3a}{b}\right) \text{Si}\left(3\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right)}{4b^2c^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2/(a + b*ArcCos[c*x])^2, x]
```

```
[Out] -1/4*((-4*b*c^2*x^2*sqrt[1 - c^2*x^2])/(a + b*ArcCos[c*x]) + Cos[a/b]*CosIntegral[a/b + ArcCos[c*x]] + 3*Cos[(3*a)/b]*CosIntegral[3*(a/b + ArcCos[c*x])])
```

)] + Sin[a/b]*SinIntegral[a/b + ArcCos[c*x]] + 3*Sin[(3*a)/b]*SinIntegral[3*(a/b + ArcCos[c*x])]/(b^2*c^3)

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{b^2 \arccos(cx)^2 + 2ab \arccos(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] integral(x^2/(b^2*arccos(c*x)^2 + 2*a*b*arccos(c*x) + a^2), x)

giac [B] time = 0.23, size = 615, normalized size = 3.97

$$\frac{3b \arccos(cx) \cos\left(\frac{a}{b}\right)^3 \text{Ci}\left(\frac{3a}{b} + 3 \arccos(cx)\right) - 3b \arccos(cx) \cos\left(\frac{a}{b}\right)^2 \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{3a}{b} + 3 \arccos(cx)\right)}{b^3 c^3 \arccos(cx) + ab^2 c^3} + \frac{\sqrt{-c^2 x^2 + 1}}{b^3 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -3*b*\arccos(c*x)*\cos(a/b)^3*\cos_integral(3*a/b + 3*\arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) - 3*b*\arccos(c*x)*\cos(a/b)^2*\sin(a/b)*\sin_integral(3*a/b + 3*\arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) + \sqrt{-c^2*x^2 + 1} \\ & *b*c^2*x^2/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) - 3*a*\cos(a/b)^3*\cos_integral(3*a/b + 3*\arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) - 3*a*\cos(a/b)^2*\sin(a/b)*\sin_integral(3*a/b + 3*\arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) \\ & + 9/4*b*\arccos(c*x)*\cos(a/b)*\cos_integral(3*a/b + 3*\arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) - 1/4*b*\arccos(c*x)*\cos(a/b)*\cos_integral(a/b + \arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) + 3/4*b*\arccos(c*x)*\sin(a/b)*\sin_integral(3*a/b + 3*\arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) - 1/4*b*\arccos(c*x)*\sin(a/b)*\sin_integral(a/b + \arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) \\ & + 9/4*a*\cos(a/b)*\cos_integral(3*a/b + 3*\arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) - 1/4*a*\cos(a/b)*\cos_integral(a/b + \arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) + 3/4*a*\sin(a/b)*\sin_integral(3*a/b + 3*\arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) - 1/4*a*\sin(a/b)*\sin_integral(a/b + \arccos(c*x))/(b^3*c^3*\arccos(c*x) + a*b^2*c^3) \end{aligned}$$

maple [A] time = 0.05, size = 147, normalized size = 0.95

$$\frac{\sin(3 \arccos(cx))}{4(a+b \arccos(cx))b} - \frac{3\left(\text{Si}\left(3 \arccos(cx) + \frac{3a}{b}\right) \sin\left(\frac{3a}{b}\right) + \text{Ci}\left(3 \arccos(cx) + \frac{3a}{b}\right) \cos\left(\frac{3a}{b}\right)\right)}{4b^2} + \frac{\sqrt{-c^2 x^2 + 1}}{4(a+b \arccos(cx))b} - \frac{\text{Si}\left(\arccos(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right) + \text{Ci}\left(\arccos(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right)}{4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a+b*arccos(c*x))^2,x)`

[Out] $1/c^3*(1/4*\sin(3*\arccos(c*x))/(a+b*\arccos(c*x))/b-3/4*(\text{Si}(3*\arccos(c*x)+3*a/b)*\sin(3*a/b)+\text{Ci}(3*\arccos(c*x)+3*a/b)*\cos(3*a/b))/b^2+1/4*(-c^2*x^2+1)^{(1/2)}/(a+b*\arccos(c*x))/b-1/4*(\text{Si}(\arccos(c*x)+a/b)*\sin(a/b)+\text{Ci}(\arccos(c*x)+a/b)*\cos(a/b))/b^2)$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*arccos(c*x))^2,x, algorithm="maxima")`

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a + b*acos(c*x))^2,x)`

[Out] `int(x^2/(a + b*acos(c*x))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(a+b*acos(c*x))**2,x)`

[Out] `Integral(x**2/(a + b*acos(c*x))**2, x)`

$$3.164 \quad \int \frac{x}{(a+b \cos^{-1}(cx))^2} dx$$

Optimal. Leaf size=91

$$-\frac{\cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2(a+b \cos^{-1}(cx))}{b}\right)}{b^2 c^2} - \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2(a+b \cos^{-1}(cx))}{b}\right)}{b^2 c^2} + \frac{x\sqrt{1-c^2x^2}}{bc(a+b \cos^{-1}(cx))}$$

[Out] $-\text{Ci}(2*(a+b*\arccos(c*x))/b)*\cos(2*a/b)/b^2/c^2-\text{Si}(2*(a+b*\arccos(c*x))/b)*\sin(2*a/b)/b^2/c^2+x*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arccos(c*x))$

Rubi [A] time = 0.10, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4632, 3303, 3299, 3302}

$$-\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right)}{b^2 c^2} - \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right)}{b^2 c^2} + \frac{x\sqrt{1-c^2x^2}}{bc(a+b \cos^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x/(a + b*\text{ArcCos}[c*x])^2, x]$

[Out] $(x*\text{Sqrt}[1 - c^2*x^2])/(b*c*(a + b*\text{ArcCos}[c*x])) - (\text{Cos}[(2*a)/b]*\text{CosIntegral}[(2*a)/b + 2*\text{ArcCos}[c*x]])/(b^2*c^2) - (\text{Sin}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcCos}[c*x]])/(b^2*c^2)$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 4632

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dis
t[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Co
s[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{
a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{x}{(a + b \cos^{-1}(cx))^2} dx &= \frac{x\sqrt{1 - c^2x^2}}{bc(a + b \cos^{-1}(cx))} - \frac{\text{Subst}\left(\int \frac{\cos(2x)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{bc^2} \\ &= \frac{x\sqrt{1 - c^2x^2}}{bc(a + b \cos^{-1}(cx))} - \frac{\cos\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{bc^2} - \frac{\sin\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b} + 2x\right)}{a+bx} dx, x, \cos^{-1}(cx)\right)}{bc^2} \\ &= \frac{x\sqrt{1 - c^2x^2}}{bc(a + b \cos^{-1}(cx))} - \frac{\cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right)}{b^2c^2} - \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right)}{b^2c^2} \end{aligned}$$

Mathematica [A] time = 0.27, size = 80, normalized size = 0.88

$$\frac{\frac{bcx\sqrt{1-c^2x^2}}{a+b\cos^{-1}(cx)} - \cos\left(\frac{2a}{b}\right) \text{Ci}\left(2\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right) - \sin\left(\frac{2a}{b}\right) \text{Si}\left(2\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right)}{b^2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b*ArcCos[c*x])^2,x]

[Out] ((b*c*x*Sqrt[1 - c^2*x^2])/(a + b*ArcCos[c*x]) - Cos[(2*a)/b]*CosIntegral[2*(a/b + ArcCos[c*x])] - Sin[(2*a)/b]*SinIntegral[2*(a/b + ArcCos[c*x])])/(b^2*c^2)

fricas [F] time = 1.18, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{b^2 \arccos(cx)^2 + 2ab \arccos(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] integral(x/(b^2*arccos(c*x))^2 + 2*a*b*arccos(c*x) + a^2), x)

giac [B] time = 0.22, size = 323, normalized size = 3.55

$$\frac{2 b \arccos (c x) \cos \left(\frac{a}{b}\right)^2 \operatorname{Ci}\left(\frac{2 a}{b}+2 \arccos (c x)\right)}{b^3 c^2 \arccos (c x)+a b^2 c^2}-\frac{2 b \arccos (c x) \cos \left(\frac{a}{b}\right) \sin \left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{2 a}{b}+2 \arccos (c x)\right)}{b^3 c^2 \arccos (c x)+a b^2 c^2}-\frac{2 a \cos \left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{2 a}{b}+2 \arccos (c x)\right)}{b^3 c^2 \arccos (c x)+a b^2 c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] -2*b*arccos(c*x)*cos(a/b)^2*cos_integral(2*a/b + 2*arccos(c*x))/(b^3*c^2*arccos(c*x) + a*b^2*c^2) - 2*b*arccos(c*x)*cos(a/b)*sin(a/b)*sin_integral(2*a/b + 2*arccos(c*x))/(b^3*c^2*arccos(c*x) + a*b^2*c^2) - 2*a*cos(a/b)^2*cos_integral(2*a/b + 2*arccos(c*x))/(b^3*c^2*arccos(c*x) + a*b^2*c^2) - 2*a*cos(a/b)*sin(a/b)*sin_integral(2*a/b + 2*arccos(c*x))/(b^3*c^2*arccos(c*x) + a*b^2*c^2) + sqrt(-c^2*x^2 + 1)*b*c*x/(b^3*c^2*arccos(c*x) + a*b^2*c^2) + b*arccos(c*x)*cos_integral(2*a/b + 2*arccos(c*x))/(b^3*c^2*arccos(c*x) + a*b^2*c^2) + a*cos_integral(2*a/b + 2*arccos(c*x))/(b^3*c^2*arccos(c*x) + a*b^2*c^2)

maple [A] time = 0.04, size = 78, normalized size = 0.86

$$\frac{\frac{\sin(2 \arccos(cx))}{2(a+b \arccos(cx))b} - \frac{\operatorname{Si}\left(2 \arccos(cx)+\frac{2a}{b}\right) \sin\left(\frac{2a}{b}\right) + \operatorname{Ci}\left(2 \arccos(cx)+\frac{2a}{b}\right) \cos\left(\frac{2a}{b}\right)}{b^2}}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*arccos(c*x))^2,x)

[Out] 1/c^2*(1/2*sin(2*arccos(c*x))/(a+b*arccos(c*x))/b-(Si(2*arccos(c*x)+2*a/b)*sin(2*a/b)+Ci(2*arccos(c*x)+2*a/b)*cos(2*a/b))/b^2)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a+b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a + b*acos(c*x))^2,x)
```

```
[Out] int(x/(a + b*acos(c*x))^2, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x}{(a + b \operatorname{acos}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*acos(c*x))**2,x)
```

```
[Out] Integral(x/(a + b*acos(c*x))**2, x)
```

$$3.165 \quad \int \frac{1}{(a+b \cos^{-1}(cx))^2} dx$$

Optimal. Leaf size=86

$$-\frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{b^2 c} - \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{b^2 c} + \frac{\sqrt{1-c^2 x^2}}{bc(a+b \cos^{-1}(cx))}$$

[Out] $-\text{Ci}((a+b*\arccos(c*x))/b)*\cos(a/b)/b^2/c - \text{Si}((a+b*\arccos(c*x))/b)*\sin(a/b)/b^2/c + (-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arccos(c*x))$

Rubi [A] time = 0.17, antiderivative size = 82, normalized size of antiderivative = 0.95, number of steps used = 5, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4622, 4724, 3303, 3299, 3302}

$$-\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{b^2 c} - \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{b^2 c} + \frac{\sqrt{1-c^2 x^2}}{bc(a+b \cos^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCos}[c*x])^{-2}, x]$

[Out] $\text{Sqrt}[1 - c^2*x^2]/(b*c*(a + b*\text{ArcCos}[c*x])) - (\text{Cos}[a/b]*\text{CosIntegral}[a/b + \text{ArcCos}[c*x]])/(b^2*c) - (\text{Sin}[a/b]*\text{SinIntegral}[a/b + \text{ArcCos}[c*x]])/(b^2*c)$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 4622

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(Sqrt[1 - c
^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1))
, Int[(x*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a
, b, c}, x] && LtQ[n, -1]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*
Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &
& EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Intege
rQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos^{-1}(cx))^2} dx &= \frac{\sqrt{1 - c^2x^2}}{bc(a + b \cos^{-1}(cx))} + \frac{c \int \frac{x}{\sqrt{1 - c^2x^2}(a + b \cos^{-1}(cx))} dx}{b} \\ &= \frac{\sqrt{1 - c^2x^2}}{bc(a + b \cos^{-1}(cx))} - \frac{\text{Subst}\left(\int \frac{\cos(x)}{a + bx} dx, x, \cos^{-1}(cx)\right)}{bc} \\ &= \frac{\sqrt{1 - c^2x^2}}{bc(a + b \cos^{-1}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b} + x\right)}{a + bx} dx, x, \cos^{-1}(cx)\right)}{bc} - \frac{\sin\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{1}{a + bx} dx, x, \cos^{-1}(cx)\right)}{bc} \\ &= \frac{\sqrt{1 - c^2x^2}}{bc(a + b \cos^{-1}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{b^2c} - \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{b^2c} \end{aligned}$$

Mathematica [A] time = 0.16, size = 72, normalized size = 0.84

$$\frac{\frac{b\sqrt{1-c^2x^2}}{a+b\cos^{-1}(cx)} - \cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \cos^{-1}(cx)\right) - \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{b^2c}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcCos[c*x])^(-2), x]
```

```
[Out] ((b*Sqrt[1 - c^2*x^2])/(a + b*ArcCos[c*x]) - Cos[a/b]*CosIntegral[a/b + Arc
Cos[c*x]] - Sin[a/b]*SinIntegral[a/b + ArcCos[c*x]])/(b^2*c)
```

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{b^2 \arccos(cx)^2 + 2ab \arccos(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*arccos(c*x)^2 + 2*a*b*arccos(c*x) + a^2), x)

giac [B] time = 0.19, size = 193, normalized size = 2.24

$$\frac{b \arccos(cx) \cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \arccos(cx)\right)}{b^3 c \arccos(cx) + ab^2 c} - \frac{b \arccos(cx) \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \arccos(cx)\right)}{b^3 c \arccos(cx) + ab^2 c} - \frac{a \cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \arccos(cx)\right)}{b^3 c \arccos(cx) + ab^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] -b*arccos(c*x)*cos(a/b)*cos_integral(a/b + arccos(c*x))/(b^3*c*arccos(c*x) + a*b^2*c) - b*arccos(c*x)*sin(a/b)*sin_integral(a/b + arccos(c*x))/(b^3*c*arccos(c*x) + a*b^2*c) - a*cos(a/b)*cos_integral(a/b + arccos(c*x))/(b^3*c*arccos(c*x) + a*b^2*c) - a*sin(a/b)*sin_integral(a/b + arccos(c*x))/(b^3*c*arccos(c*x) + a*b^2*c) + sqrt(-c^2*x^2 + 1)*b/(b^3*c*arccos(c*x) + a*b^2*c)

maple [A] time = 0.08, size = 74, normalized size = 0.86

$$\frac{\frac{\sqrt{-c^2x^2+1}}{(a+b \arccos(cx))b} - \frac{\text{Si}\left(\arccos(cx)+\frac{a}{b}\right)\sin\left(\frac{a}{b}\right)+\text{Ci}\left(\arccos(cx)+\frac{a}{b}\right)\cos\left(\frac{a}{b}\right)}{b^2}}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arccos(c*x))^2,x)

[Out] 1/c*((-c^2*x^2+1)^(1/2)/(a+b*arccos(c*x))/b-(Si(arccos(c*x)+a/b)*sin(a/b)+Ci(arccos(c*x)+a/b)*cos(a/b))/b^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{-\sqrt{cx+1}\sqrt{-cx+1} + \frac{(b^2c^2 \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) + abc^2) \int \frac{\sqrt{-cx+1}}{\sqrt{cx+1}(cx-1)(b \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) + a)} dx}{b}}{b^2c \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] -((b^2*c^2*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c^2)*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*x/(a*b*c^2*x^2 - a*b + (b^2*c^2*x^2 - b^2)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)), x) - sqrt(c*x + 1)*sqrt(-c*x + 1))/(b^2*c*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*acos(c*x))^2,x)

[Out] int(1/(a + b*acos(c*x))^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*acos(c*x))**2,x)

[Out] Integral((a + b*acos(c*x))**(-2), x)

$$3.166 \quad \int \frac{1}{x(a+b \cos^{-1}(cx))^2} dx$$

Optimal. Leaf size=17

$$\text{Int} \left(\frac{1}{x(a+b \cos^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable(1/x/(a+b*arccos(c*x))^2,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*ArcCos[c*x])^2), x]

[Out] Defer[Int][1/(x*(a + b*ArcCos[c*x])^2), x]

Rubi steps

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^2} dx = \int \frac{1}{x(a+b \cos^{-1}(cx))^2} dx$$

Mathematica [A] time = 7.12, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcCos[c*x])^2), x]

[Out] Integrate[1/(x*(a + b*ArcCos[c*x])^2), x]

fricas [A] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^2x \arccos(cx)^2 + 2abx \arccos(cx) + a^2x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x*arccos(c*x)^2 + 2*a*b*x*arccos(c*x) + a^2*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] integrate(1/((b*arccos(c*x) + a)^2*x), x)

maple [A] time = 0.44, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*arccos(c*x))^2,x)

[Out] int(1/x/(a+b*arccos(c*x))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{-\sqrt{cx+1}\sqrt{-cx+1} + \frac{(b^2cx \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) + abcx) \int \frac{\sqrt{-cx+1}}{\sqrt{cx+1}(cx-1)(b \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) + a)x^2} dx}{bc}}{b^2cx \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) + abcx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] -((b^2*c*x*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c*x)*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)/(a*b*c^3*x^4 - a*b*c*x^2 + (b^2*c^3*x^4 - b^2*c*x^2)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)), x) - sqrt(c*x + 1)*sqrt(-c*x + 1))/(b^2*c*x*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c*x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x(a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(a + b*acos(c*x))^2), x)`

[Out] `int(1/(x*(a + b*acos(c*x))^2), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{acos}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*acos(c*x))**2,x)`

[Out] `Integral(1/(x*(a + b*acos(c*x))**2), x)`

$$3.167 \quad \int \frac{1}{x^2(a+b \cos^{-1}(cx))^2} dx$$

Optimal. Leaf size=17

$$\text{Int} \left(\frac{1}{x^2 (a + b \cos^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable(1/x^2/(a+b*arccos(c*x))^2,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*ArcCos[c*x])^2),x]

[Out] Defer[Int][1/(x^2*(a + b*ArcCos[c*x])^2), x]

Rubi steps

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^2} dx = \int \frac{1}{x^2 (a + b \cos^{-1}(cx))^2} dx$$

Mathematica [A] time = 56.12, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*ArcCos[c*x])^2),x]

[Out] Integrate[1/(x^2*(a + b*ArcCos[c*x])^2), x]

fricas [A] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^2 x^2 \arccos(cx)^2 + 2 ab x^2 \arccos(cx) + a^2 x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*x^2*arccos(c*x)^2 + 2*a*b*x^2*arccos(c*x) + a^2*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] integrate(1/((b*arccos(c*x) + a)^2*x^2), x)

maple [A] time = 0.35, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*arccos(c*x))^2,x)

[Out] int(1/x^2/(a+b*arccos(c*x))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x^2 (a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*acos(c*x))^2),x)

[Out] int(1/(x^2*(a + b*acos(c*x))^2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{acos}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*acos(c*x))**2,x)

[Out] Integral(1/(x**2*(a + b*acos(c*x))**2), x)

$$3.168 \quad \int \frac{x^2}{(a+b \cos^{-1}(cx))^3} dx$$

Optimal. Leaf size=197

$$\frac{\sin\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{8b^3c^3} - \frac{9 \sin\left(\frac{3a}{b}\right) \text{Ci}\left(\frac{3(a+b \cos^{-1}(cx))}{b}\right)}{8b^3c^3} + \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{8b^3c^3} + \frac{9 \cos\left(\frac{3a}{b}\right) \text{Si}\left(\frac{3(a+b \cos^{-1}(cx))}{b}\right)}{8b^3c^3}$$

[Out] $-x/b^2/c^2/(a+b*\arccos(c*x))+3/2*x^3/b^2/(a+b*\arccos(c*x))+1/8*\cos(a/b)*\text{Si}((a+b*\arccos(c*x))/b)/b^3/c^3+9/8*\cos(3*a/b)*\text{Si}(3*(a+b*\arccos(c*x))/b)/b^3/c^3-1/8*\text{Ci}((a+b*\arccos(c*x))/b)*\sin(a/b)/b^3/c^3-9/8*\text{Ci}(3*(a+b*\arccos(c*x))/b)*\sin(3*a/b)/b^3/c^3+1/2*x^2*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arccos(c*x))^2$

Rubi [A] time = 0.53, antiderivative size = 246, normalized size of antiderivative = 1.25, number of steps used = 16, number of rules used = 8, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {4634, 4720, 4636, 4406, 3303, 3299, 3302, 4624}

$$\frac{9 \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{8b^3c^3} + \frac{\sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{b^3c^3} - \frac{9 \sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \cos^{-1}(cx)\right)}{8b^3c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2/(a + b*\text{ArcCos}[c*x])^3, x]$

[Out] $(x^2*\text{Sqrt}[1 - c^2*x^2])/(2*b*c*(a + b*\text{ArcCos}[c*x])^2) - x/(b^2*c^2*(a + b*\text{ArcCos}[c*x])) + (3*x^3)/(2*b^2*(a + b*\text{ArcCos}[c*x])) - (9*\text{CosIntegral}[a/b + \text{ArcCos}[c*x]]*\text{Sin}[a/b])/(8*b^3*c^3) + (\text{CosIntegral}[(a + b*\text{ArcCos}[c*x])/b]*\text{Sin}[a/b])/(b^3*c^3) - (9*\text{CosIntegral}[(3*a)/b + 3*\text{ArcCos}[c*x]]*\text{Sin}[(3*a)/b])/(8*b^3*c^3) + (9*\text{Cos}[a/b]*\text{SinIntegral}[a/b + \text{ArcCos}[c*x]])/(8*b^3*c^3) + (9*\text{Cos}[(3*a)/b]*\text{SinIntegral}[(3*a)/b + 3*\text{ArcCos}[c*x]])/(8*b^3*c^3) - (\text{Cos}[a/b]*\text{SinIntegral}[(a + b*\text{ArcCos}[c*x])/b])/(b^3*c^3)$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 4624

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[1/(b*c), Sub
st[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c,
n}, x]
```

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n*(x_)^(m_.), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-D
ist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sq
rt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCo
s[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[
m, 0] && LtQ[n, -2]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n*(x_)^(m_.), x_Symbol] := -Dist[
(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]
], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4720

```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n*((f_.)*(x_))^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := -Simp[(((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m -
1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + b \cos^{-1}(cx))^3} dx &= \frac{x^2 \sqrt{1 - c^2 x^2}}{2bc (a + b \cos^{-1}(cx))^2} - \frac{\int \frac{x}{\sqrt{1 - c^2 x^2} (a + b \cos^{-1}(cx))^2} dx}{bc} + \frac{(3c) \int \frac{x^3}{\sqrt{1 - c^2 x^2} (a + b \cos^{-1}(cx))^2} dx}{2b} \\
&= \frac{x^2 \sqrt{1 - c^2 x^2}}{2bc (a + b \cos^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \cos^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \cos^{-1}(cx))} - \frac{9 \int \frac{x^2}{a + b \cos^{-1}(cx)} dx}{2b^2} \\
&= \frac{x^2 \sqrt{1 - c^2 x^2}}{2bc (a + b \cos^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \cos^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \cos^{-1}(cx))} + \frac{\text{Subst} \left(\int \frac{x^2}{a + b \cos^{-1}(cx)} dx \right)}{2b^2} \\
&= \frac{x^2 \sqrt{1 - c^2 x^2}}{2bc (a + b \cos^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \cos^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \cos^{-1}(cx))} + \frac{9 \text{Subst} \left(\int \frac{x^2}{a + b \cos^{-1}(cx)} dx \right)}{2b^2} \\
&= \frac{x^2 \sqrt{1 - c^2 x^2}}{2bc (a + b \cos^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \cos^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \cos^{-1}(cx))} + \frac{\text{Ci} \left(\frac{a + b \cos^{-1}(cx)}{b} \right)}{b} \\
&= \frac{x^2 \sqrt{1 - c^2 x^2}}{2bc (a + b \cos^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \cos^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \cos^{-1}(cx))} + \frac{\text{Ci} \left(\frac{a + b \cos^{-1}(cx)}{b} \right)}{b} \\
&= \frac{x^2 \sqrt{1 - c^2 x^2}}{2bc (a + b \cos^{-1}(cx))^2} - \frac{x}{b^2 c^2 (a + b \cos^{-1}(cx))} + \frac{3x^3}{2b^2 (a + b \cos^{-1}(cx))} - \frac{9 \text{Ci} \left(\frac{a}{b} + \cos^{-1}(cx) \right)}{c^2}
\end{aligned}$$

Mathematica [A] time = 0.49, size = 169, normalized size = 0.86

$$\frac{4b^2 x^2 \sqrt{1 - c^2 x^2}}{c(a + b \cos^{-1}(cx))^2} - \frac{\sin\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{c^3} - \frac{9 \sin\left(\frac{3a}{b}\right) \text{Ci}\left(3\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right)}{c^3} + \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{c^3} + \frac{9 \cos\left(\frac{3a}{b}\right) \text{Si}\left(3\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right)}{c^3} - \frac{9 \text{Ci}\left(\frac{a}{b} + \cos^{-1}(cx)\right)}{c^2}$$

$$8b^3$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b*ArcCos[c*x])^3,x]

[Out] ((4*b^2*x^2*sqrt[1 - c^2*x^2])/(c*(a + b*ArcCos[c*x])^2) - (8*b*x)/(c^2*(a + b*ArcCos[c*x])) + (12*b*x^3)/(a + b*ArcCos[c*x]) - (CosIntegral[a/b + ArcCos[c*x]]*Sin[a/b])/c^3 - (9*CosIntegral[3*(a/b + ArcCos[c*x])] * Sin[(3*a)/b])

))/c^3 + (Cos[a/b]*SinIntegral[a/b + ArcCos[c*x]])/c^3 + (9*Cos[(3*a)/b]*SinIntegral[3*(a/b + ArcCos[c*x])])/c^3)/(8*b^3)

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{b^3 \arccos(cx)^3 + 3ab^2 \arccos(cx)^2 + 3a^2b \arccos(cx) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^3,x, algorithm="fricas")

[Out] integral(x^2/(b^3*arccos(c*x)^3 + 3*a*b^2*arccos(c*x)^2 + 3*a^2*b*arccos(c*x) + a^3), x)

giac [B] time = 1.14, size = 1479, normalized size = 7.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & 3/2*b^2*c^3*x^3*\arccos(c*x)/(b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) \\ & + a^2*b^3*c^3) + 3/2*a*b*c^3*x^3/(b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) \\ & + a^2*b^3*c^3) - 9/2*b^2*\arccos(c*x)^2*\cos(a/b)^2*\cos_integral(3*a/b + 3*\arccos(c*x))*\sin(a/b) \\ & / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) + 9/2*b^2*\arccos(c*x)^2*\cos(a/b)^3*\sin_integral(3*a/b + 3*\arccos(c*x)) \\ & / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) - 9*a*b*\arccos(c*x)*\cos(a/b)^2*\cos_integral(3*a/b + 3*\arccos(c*x))*\sin(a/b) \\ & / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) + 9*a*b*\arccos(c*x)*\cos(a/b)^3*\sin_integral(3*a/b + 3*\arccos(c*x)) \\ & / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) + 1/2*\sqrt{-c^2*x^2 + 1}*b^2*c^2*x^2 \\ & / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) + 9/8*b^2*\arccos(c*x)^2*\cos_integral(3*a/b + 3*\arccos(c*x))*\sin(a/b) \\ & / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) - 9/2*a^2*\cos(a/b)^2*\cos_integral(3*a/b + 3*\arccos(c*x))*\sin(a/b) \\ & / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) - 1/8*b^2*\arccos(c*x)^2*\cos_integral(a/b + \arccos(c*x))*\sin(a/b) \\ & / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) + a^2*b^3*c^3) - 27/8*b^2*\arccos(c*x)^2*\cos(a/b)*\sin_integral(3*a/b + 3*a \\ & rccos(c*x)) / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) + 9/2*a^2*\cos(a/b)^3*\sin_integral(3*a/b + 3*\arccos(c*x)) \\ & / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) + 1/8*b^2*\arccos(c*x)^2*\cos(a/b)*\sin_integral(a/b + \arccos(c*x)) \\ & / (b^5*c^3*\arccos(c*x)^2 + 2*a*b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) - b^2*c*x*\arccos(c*x) / (b^5*c^3*\arccos(c*x)^2 + 2*a \\ & *b^4*c^3*\arccos(c*x) + a^2*b^3*c^3) + 9/4*a*b*\arccos(c*x)*\cos_integral(3*a \end{aligned}$$


```
2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 2*a*b^3*c^2*arctan2(sqrt(c*x + 1)*
sqrt(-c*x + 1), c*x) + a^2*b^2*c^2)*integrate(1/2*(9*c^2*x^2 - 2)/(b^3*c^2*
arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b^2*c^2), x)/(b^4*c^2*arcta
n2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 2*a*b^3*c^2*arctan2(sqrt(c*x + 1)
*sqrt(-c*x + 1), c*x) + a^2*b^2*c^2)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(a + b \operatorname{acos}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(a + b*acos(c*x))^3, x)
```

```
[Out] int(x^2/(a + b*acos(c*x))^3, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \operatorname{acos}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(a+b*acos(c*x))**3, x)
```

```
[Out] Integral(x**2/(a + b*acos(c*x))**3, x)
```

$$3.169 \quad \int \frac{x}{(a+b \cos^{-1}(cx))^3} dx$$

Optimal. Leaf size=130

$$-\frac{\sin\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2(a+b \cos^{-1}(cx))}{b}\right)}{b^3 c^2} + \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2(a+b \cos^{-1}(cx))}{b}\right)}{b^3 c^2} - \frac{1}{2b^2 c^2 (a+b \cos^{-1}(cx))} + \frac{x^2}{b^2 (a+b \cos^{-1}(cx))} + \frac{x}{2bc(a+b \cos^{-1}(cx))}$$

[Out] $-1/2/b^2/c^2/(a+b*\arccos(c*x))+x^2/b^2/(a+b*\arccos(c*x))+\cos(2*a/b)*\text{Si}(2*(a+b*\arccos(c*x))/b)/b^3/c^2-\text{Ci}(2*(a+b*\arccos(c*x))/b)*\sin(2*a/b)/b^3/c^2+1/2*x*(-c^2*x^2+1)^(1/2)/b/c/(a+b*\arccos(c*x))^2$

Rubi [A] time = 0.31, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {4634, 4720, 4636, 4406, 12, 3303, 3299, 3302, 4642}

$$-\frac{\sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right)}{b^3 c^2} + \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \cos^{-1}(cx)\right)}{b^3 c^2} - \frac{1}{2b^2 c^2 (a+b \cos^{-1}(cx))} + \frac{x^2}{b^2 (a+b \cos^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] `Int[x/(a + b*ArcCos[c*x])^3, x]`

[Out] $(x*\text{Sqrt}[1 - c^2*x^2])/(2*b*c*(a + b*\text{ArcCos}[c*x])^2) - 1/(2*b^2*c^2*(a + b*\text{ArcCos}[c*x])) + x^2/(b^2*(a + b*\text{ArcCos}[c*x])) - (\text{CosIntegral}[(2*a)/b + 2*\text{ArcCos}[c*x])*\text{Sin}[(2*a)/b])/(b^3*c^2) + (\text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcCos}[c*x]])/(b^3*c^2)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -`

$c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{NeQ}[d*e - c*f, 0]$

Rule 4406

$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(p_.)*((c_.) + (d_.)*(x_.))^{(m_.)*\text{Sin}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]^{n*Cos}[a + b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

Rule 4634

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_.)]*(b_.)]^{(n_.)*(x_.)^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(x^m*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^{(n + 1)})/(b*c*(n + 1)), x] + (-\text{Dist}[(c*(m + 1))/(b*(n + 1)), \text{Int}[(x^{(m + 1)}*(a + b*\text{ArcCos}[c*x])^{(n + 1)})/\text{Sqrt}[1 - c^2*x^2], x], x] + \text{Dist}[m/(b*c*(n + 1)), \text{Int}[(x^{(m - 1)}*(a + b*\text{ArcCos}[c*x])^{(n + 1)})/\text{Sqrt}[1 - c^2*x^2], x], x]) /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{LtQ}[n, -2]$

Rule 4636

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_.)]*(b_.)]^{(n_.)*(x_.)^{(m_.)}, x_Symbol] \rightarrow -\text{Dist}[(c^{(m + 1)})^{(-1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cos}[x]^m*\text{Sin}[x], x], x, \text{ArcCos}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rule 4642

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_.)]*(b_.)]^{(n_.)/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x_Symbol] \rightarrow -\text{Simp}[(a + b*\text{ArcCos}[c*x])^{(n + 1)})/(b*c*\text{Sqrt}[d]*(n + 1)), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{NeQ}[n, -1]$

Rule 4720

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_.)]*(b_.)]^{(n_.)*((f_.)*(x_.))^{(m_.)/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x_Symbol] \rightarrow -\text{Simp}[(f*x)^m*(a + b*\text{ArcCos}[c*x])^{(n + 1)})/(b*c*\text{Sqrt}[d]*(n + 1)), x] + \text{Dist}[(f*m)/(b*c*\text{Sqrt}[d]*(n + 1)), \text{Int}[(f*x)^{(m - 1)}*(a + b*\text{ArcCos}[c*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{LtQ}[n, -1] \&\& \text{GtQ}[d, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{x}{(a + b \cos^{-1}(cx))^3} dx &= \frac{x\sqrt{1-c^2x^2}}{2bc(a + b \cos^{-1}(cx))^2} - \frac{\int \frac{1}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))^2} dx}{2bc} + \frac{c \int \frac{x^2}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))^2} dx}{b} \\
&= \frac{x\sqrt{1-c^2x^2}}{2bc(a + b \cos^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \cos^{-1}(cx))} + \frac{x^2}{b^2(a + b \cos^{-1}(cx))} - \frac{2 \int \frac{x}{a+b \cos^{-1}(cx)} dx}{b^2} \\
&= \frac{x\sqrt{1-c^2x^2}}{2bc(a + b \cos^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \cos^{-1}(cx))} + \frac{x^2}{b^2(a + b \cos^{-1}(cx))} + \frac{2 \text{Subst}\left(\int \frac{x}{a+b \cos^{-1}(cx)} dx\right)}{b^2} \\
&= \frac{x\sqrt{1-c^2x^2}}{2bc(a + b \cos^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \cos^{-1}(cx))} + \frac{x^2}{b^2(a + b \cos^{-1}(cx))} + \frac{2 \text{Subst}\left(\int \frac{x}{a+b \cos^{-1}(cx)} dx\right)}{b^2} \\
&= \frac{x\sqrt{1-c^2x^2}}{2bc(a + b \cos^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \cos^{-1}(cx))} + \frac{x^2}{b^2(a + b \cos^{-1}(cx))} + \frac{\text{Subst}\left(\int \frac{x}{a+b \cos^{-1}(cx)} dx\right)}{b^2} \\
&= \frac{x\sqrt{1-c^2x^2}}{2bc(a + b \cos^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \cos^{-1}(cx))} + \frac{x^2}{b^2(a + b \cos^{-1}(cx))} + \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(2\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right)}{b^2} \\
&= \frac{x\sqrt{1-c^2x^2}}{2bc(a + b \cos^{-1}(cx))^2} - \frac{1}{2b^2c^2(a + b \cos^{-1}(cx))} + \frac{x^2}{b^2(a + b \cos^{-1}(cx))} - \frac{\text{Ci}\left(\frac{2a}{b} + 2\cos^{-1}(cx)\right)}{b^2}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 107, normalized size = 0.82

$$\frac{\frac{b^2cx\sqrt{1-c^2x^2}}{(a+b \cos^{-1}(cx))^2} + \frac{b(2c^2x^2-1)}{a+b \cos^{-1}(cx)} - 2 \sin\left(\frac{2a}{b}\right) \text{Ci}\left(2\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right) + 2 \cos\left(\frac{2a}{b}\right) \text{Si}\left(2\left(\frac{a}{b} + \cos^{-1}(cx)\right)\right)}{2b^3c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b*ArcCos[c*x])^3,x]

[Out] ((b^2*c*x*Sqrt[1 - c^2*x^2])/(a + b*ArcCos[c*x])^2 + (b*(-1 + 2*c^2*x^2))/(a + b*ArcCos[c*x]) - 2*CosIntegral[2*(a/b + ArcCos[c*x])]*Sin[(2*a)/b] + 2*Cos[(2*a)/b]*SinIntegral[2*(a/b + ArcCos[c*x])])/(2*b^3*c^2)

fricas [F] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{b^3 \arccos(cx)^3 + 3ab^2 \arccos(cx)^2 + 3a^2b \arccos(cx) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^3,x, algorithm="fricas")

[Out] integral(x/(b^3*arccos(c*x)^3 + 3*a*b^2*arccos(c*x)^2 + 3*a^2*b*arccos(c*x) + a^3), x)

giac [B] time = 1.77, size = 860, normalized size = 6.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^3,x, algorithm="giac")

[Out]
$$b^2c^2x^2\arccos(cx)/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) - 2b^2\arccos(cx)^2\cos(a/b)\cos_integral(2a/b + 2\arccos(cx))*\sin(a/b)/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) + 2b^2\arccos(cx)^2\cos(a/b)^2\sin_integral(2a/b + 2\arccos(cx))/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) + ab^2c^2x^2/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) - 4ab^2\arccos(cx)\cos(a/b)\cos_integral(2a/b + 2\arccos(cx))*\sin(a/b)/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) + 4ab^2\arccos(cx)\cos(a/b)^2\sin_integral(2a/b + 2\arccos(cx))/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) - 2a^2\cos(a/b)\cos_integral(2a/b + 2\arccos(cx))*\sin(a/b)/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) - b^2\arccos(cx)^2\sin_integral(2a/b + 2\arccos(cx))/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) + 2a^2\cos(a/b)^2\sin_integral(2a/b + 2\arccos(cx))/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) + 1/2\sqrt{-c^2x^2 + 1}b^2cx/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) - 2ab^2\arccos(cx)\sin_integral(2a/b + 2\arccos(cx))/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) - 1/2b^2\arccos(cx)/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) - a^2\sin_integral(2a/b + 2\arccos(cx))/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2) - 1/2ab/(b^5c^2\arccos(cx)^2 + 2ab^4c^2\arccos(cx) + a^2b^3c^2)$$

maple [A] time = 0.04, size = 157, normalized size = 1.21

$$\frac{\sin(2\arccos(cx))}{4(a+b\arccos(cx))^2b} + \frac{2\arccos(cx)\text{Si}\left(2\arccos(cx)+\frac{2a}{b}\right)\cos\left(\frac{2a}{b}\right)b-2\arccos(cx)\text{Ci}\left(2\arccos(cx)+\frac{2a}{b}\right)\sin\left(\frac{2a}{b}\right)b+2\text{Si}\left(2\arccos(cx)+\frac{2a}{b}\right)\cos\left(\frac{2a}{b}\right)a-2\text{Ci}\left(2\arccos(cx)+\frac{2a}{b}\right)\sin\left(\frac{2a}{b}\right)a}{2(a+b\arccos(cx))b^3}$$

$$c^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a+b*arccos(c*x))^3,x)`

[Out] $\frac{1}{c^2} \left(\frac{1}{4} \sin(2 \arccos(cx)) / (a + b \arccos(cx))^2 + \frac{1}{2} (2 \arccos(cx) \operatorname{Si}(2 \arccos(cx) + 2a/b) \cos(2a/b) b - 2 \arccos(cx) \operatorname{Ci}(2 \arccos(cx) + 2a/b) \sin(2a/b) b + 2 \operatorname{Si}(2 \arccos(cx) + 2a/b) \cos(2a/b) a - 2 \operatorname{Ci}(2 \arccos(cx) + 2a/b) \sin(2a/b) a + \cos(2 \arccos(cx)) b) / (a + b \arccos(cx)) / b^3 \right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2ac^2x^2 + \sqrt{cx+1}\sqrt{-cx+1}bcx + (2bc^2x^2 - b) \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) - a - \frac{4(b^4c^2 \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx))^2}{2(b^4c^2 \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx))^2 + 2ab^3c^2 \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)}}{2(b^4c^2 \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx))^2 + 2ab^3c^2 \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arccos(c*x))^3,x, algorithm="maxima")`

[Out] $\frac{1}{2} (2ac^2x^2 + \sqrt{cx+1}\sqrt{-cx+1}bcx + (2bc^2x^2 - b) \operatorname{arctan}(\sqrt{cx+1}\sqrt{-cx+1}, cx) - 4(b^4c^2 \operatorname{arctan}(\sqrt{cx+1}\sqrt{-cx+1}, cx))^2 + 2ab^3c^2 \operatorname{arctan}(\sqrt{cx+1}\sqrt{-cx+1}, cx) + a^2b^2c^2) \operatorname{integrate}(x/(b^3 \operatorname{arctan}(\sqrt{cx+1}\sqrt{-cx+1}, cx)), cx) + a^2b^2c^2) / (b^4c^2 \operatorname{arctan}(\sqrt{cx+1}\sqrt{-cx+1}, cx))^2 + 2ab^3c^2 \operatorname{arctan}(\sqrt{cx+1}\sqrt{-cx+1}, cx) + a^2b^2c^2)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + b \arccos(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a + b*acos(c*x))^3,x)`

[Out] `int(x/(a + b*acos(c*x))^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \arccos(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*acos(c*x))**3,x)`

[Out] `Integral(x/(a + b*acos(c*x))**3, x)`

$$3.170 \quad \int \frac{1}{(a+b \cos^{-1}(cx))^3} dx$$

Optimal. Leaf size=111

$$-\frac{\sin\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{2b^3c} + \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{2b^3c} + \frac{x}{2b^2(a+b \cos^{-1}(cx))} + \frac{\sqrt{1-c^2x^2}}{2bc(a+b \cos^{-1}(cx))^2}$$

[Out] $1/2*x/b^2/(a+b*\arccos(c*x))+1/2*\cos(a/b)*\text{Si}((a+b*\arccos(c*x))/b)/b^3/c-1/2*\text{Ci}((a+b*\arccos(c*x))/b)*\sin(a/b)/b^3/c+1/2*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arccos(c*x))^2$

Rubi [A] time = 0.17, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {4622, 4720, 4624, 3303, 3299, 3302}

$$-\frac{\sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{2b^3c} + \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \cos^{-1}(cx)}{b}\right)}{2b^3c} + \frac{x}{2b^2(a+b \cos^{-1}(cx))} + \frac{\sqrt{1-c^2x^2}}{2bc(a+b \cos^{-1}(cx))^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCos}[c*x])^{-3}, x]$

[Out] $\text{Sqrt}[1 - c^2*x^2]/(2*b*c*(a + b*\text{ArcCos}[c*x])^2) + x/(2*b^2*(a + b*\text{ArcCos}[c*x])) - (\text{CosIntegral}[(a + b*\text{ArcCos}[c*x])/b]*\text{Sin}[a/b])/(2*b^3*c) + (\text{Cos}[a/b]*\text{SinIntegral}[(a + b*\text{ArcCos}[c*x])/b])/(2*b^3*c)$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*(e - \text{Pi}/2) - c*f, 0]

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /;$ FreeQ[{c, d, e, f}, x] &&

NeQ[d*e - c*f, 0]

Rule 4622

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1)), Int[(x*(a + b*ArcCos[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 4624

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 4720

Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_))*((f_.)*(x_))^(m_.)/Sqrt[(d_ + (e_.)*(x_)^2], x_Symbol] := -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos^{-1}(cx))^3} dx &= \frac{\sqrt{1 - c^2x^2}}{2bc (a + b \cos^{-1}(cx))^2} + \frac{c \int \frac{x}{\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^2} dx}{2b} \\
&= \frac{\sqrt{1 - c^2x^2}}{2bc (a + b \cos^{-1}(cx))^2} + \frac{x}{2b^2 (a + b \cos^{-1}(cx))} - \frac{\int \frac{1}{a + b \cos^{-1}(cx)} dx}{2b^2} \\
&= \frac{\sqrt{1 - c^2x^2}}{2bc (a + b \cos^{-1}(cx))^2} + \frac{x}{2b^2 (a + b \cos^{-1}(cx))} - \frac{\text{Subst} \left(\int \frac{\sin\left(\frac{a-x}{b}\right)}{x} dx, x, a + b \cos^{-1}(cx) \right)}{2b^3c} \\
&= \frac{\sqrt{1 - c^2x^2}}{2bc (a + b \cos^{-1}(cx))^2} + \frac{x}{2b^2 (a + b \cos^{-1}(cx))} + \frac{\cos\left(\frac{a}{b}\right) \text{Subst} \left(\int \frac{\sin\left(\frac{x}{b}\right)}{x} dx, x, a + b \cos^{-1}(cx) \right)}{2b^3c} \\
&= \frac{\sqrt{1 - c^2x^2}}{2bc (a + b \cos^{-1}(cx))^2} + \frac{x}{2b^2 (a + b \cos^{-1}(cx))} - \frac{\text{Ci} \left(\frac{a + b \cos^{-1}(cx)}{b} \right) \sin\left(\frac{a}{b}\right)}{2b^3c} + \frac{\cos\left(\frac{a}{b}\right)}{2b^3c}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 89, normalized size = 0.80

$$\frac{b(ax + b\sqrt{1 - c^2x^2} + bcx \cos^{-1}(cx))}{(a + b \cos^{-1}(cx))^2} - \sin\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \cos^{-1}(cx)\right) + \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \cos^{-1}(cx)\right)$$

$$2b^3c$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCos[c*x])^(-3), x]

[Out] ((b*(a*c*x + b*Sqrt[1 - c^2*x^2] + b*c*x*ArcCos[c*x]))/(a + b*ArcCos[c*x])^2 - CosIntegral[a/b + ArcCos[c*x]]*Sin[a/b] + Cos[a/b]*SinIntegral[a/b + ArcCos[c*x]])/(2*b^3*c)

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^3 \arccos(cx)^3 + 3ab^2 \arccos(cx)^2 + 3a^2b \arccos(cx) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*arccos(c*x)^3 + 3*a*b^2*arccos(c*x)^2 + 3*a^2*b*arccos(c*x) + a^3), x)

giac [B] time = 1.89, size = 481, normalized size = 4.33

$$\frac{b^2 \arccos(cx)^2 \operatorname{Ci}\left(\frac{a}{b} + \arccos(cx)\right) \sin\left(\frac{a}{b}\right)}{2\left(b^5c \arccos(cx)^2 + 2ab^4c \arccos(cx) + a^2b^3c\right)} + \frac{b^2 \arccos(cx)^2 \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \arccos(cx)\right)}{2\left(b^5c \arccos(cx)^2 + 2ab^4c \arccos(cx) + a^2b^3c\right)} + \frac{1}{2\left(b^5c \arccos(cx)^2 + 2ab^4c \arccos(cx) + a^2b^3c\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^3,x, algorithm="giac")

[Out]
$$-1/2*b^2*arccos(c*x)^2*cos_integral(a/b + arccos(c*x))*sin(a/b)/(b^5*c*arccos(c*x)^2 + 2*a*b^4*c*arccos(c*x) + a^2*b^3*c) + 1/2*b^2*arccos(c*x)^2*cos(a/b)*sin_integral(a/b + arccos(c*x))/(b^5*c*arccos(c*x)^2 + 2*a*b^4*c*arccos(c*x) + a^2*b^3*c) + 1/2*b^2*c*x*arccos(c*x)/(b^5*c*arccos(c*x)^2 + 2*a*b^4*c*arccos(c*x) + a^2*b^3*c) - a*b*arccos(c*x)*cos_integral(a/b + arccos(c*x))*sin(a/b)/(b^5*c*arccos(c*x)^2 + 2*a*b^4*c*arccos(c*x) + a^2*b^3*c) + a*b*arccos(c*x)*cos(a/b)*sin_integral(a/b + arccos(c*x))/(b^5*c*arccos(c*x)^2 + 2*a*b^4*c*arccos(c*x) + a^2*b^3*c) + 1/2*a*b*c*x/(b^5*c*arccos(c*x)^2 + 2*a*b^4*c*arccos(c*x) + a^2*b^3*c) - 1/2*a^2*cos_integral(a/b + arccos(c*x))*sin(a/b)/(b^5*c*arccos(c*x)^2 + 2*a*b^4*c*arccos(c*x) + a^2*b^3*c) + 1/2*a^2*cos(a/b)*sin_integral(a/b + arccos(c*x))/(b^5*c*arccos(c*x)^2 + 2*a*b^4*c*arccos(c*x) + a^2*b^3*c) + 1/2*sqrt(-c^2*x^2 + 1)*b^2/(b^5*c*arccos(c*x)^2 + 2*a*b^4*c*arccos(c*x) + a^2*b^3*c)$$

maple [A] time = 0.08, size = 139, normalized size = 1.25

$$\frac{\sqrt{-c^2x^2+1}}{2(a+b \arccos(cx))^2b} + \frac{\arccos(cx) \operatorname{Si}\left(\arccos(cx)+\frac{a}{b}\right) \cos\left(\frac{a}{b}\right)b - \arccos(cx) \operatorname{Ci}\left(\arccos(cx)+\frac{a}{b}\right) \sin\left(\frac{a}{b}\right)b + \operatorname{Si}\left(\arccos(cx)+\frac{a}{b}\right) \cos\left(\frac{a}{b}\right)a - \operatorname{Ci}\left(\arccos(cx)+\frac{a}{b}\right) \sin\left(\frac{a}{b}\right)a}{2(a+b \arccos(cx))b^3}$$

c

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arccos(c*x))^3,x)

[Out]
$$1/c*(1/2*(-c^2*x^2+1)^{(1/2)}/(a+b*arccos(c*x))^2/b+1/2*(arccos(c*x)*\operatorname{Si}(arccos(c*x)+a/b)*\cos(a/b)*b - arccos(c*x)*\operatorname{Ci}(arccos(c*x)+a/b)*\sin(a/b)*b + \operatorname{Si}(arccos(c*x)+a/b)*\cos(a/b)*a - \operatorname{Ci}(arccos(c*x)+a/b)*\sin(a/b)*a + x*b*c)/(a+b*arccos(c*x))^2/b^3)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{bcx \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right) + acx + \sqrt{cx+1} \sqrt{-cx+1} b - \left(b^4c \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right)^2 + 2ab^3c \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right)\right)}{2\left(b^4c \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right)^2 + 2ab^3c \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arccos(c*x))^3,x, algorithm="maxima")`

[Out] $\frac{1}{2}(b c x \arctan 2(\sqrt{c x+1} \sqrt{-c x+1}), c x)+a c x+\sqrt{c x+1} \sqrt{-c x+1} b-2\left(b^4 c \arctan 2(\sqrt{c x+1} \sqrt{-c x+1}), c x\right)^2+2 a b^3 c \arctan 2(\sqrt{c x+1} \sqrt{-c x+1}), c x)+a^2 b^2 c \int \frac{1}{2\left(b^3 \arctan 2(\sqrt{c x+1} \sqrt{-c x+1}), c x)+a b^2\right)} d x) / \left(b^4 c \arctan 2(\sqrt{c x+1} \sqrt{-c x+1}), c x\right)^2+2 a b^3 c \arctan 2(\sqrt{c x+1} \sqrt{-c x+1}), c x)+a^2 b^2 c$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a+b \arccos (c x))^3} d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*acos(c*x))^3,x)`

[Out] `int(1/(a + b*acos(c*x))^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b \arccos (c x))^3} d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*acos(c*x))**3,x)`

[Out] `Integral((a + b*acos(c*x))**(-3), x)`

$$3.171 \quad \int \frac{1}{x(a+b \cos^{-1}(cx))^3} dx$$

Optimal. Leaf size=17

$$\text{Int} \left(\frac{1}{x(a+b \cos^{-1}(cx))^3}, x \right)$$

[Out] Unintegrable(1/x/(a+b*arccos(c*x))^3,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^3} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*ArcCos[c*x])^3), x]

[Out] Defer[Int][1/(x*(a + b*ArcCos[c*x])^3), x]

Rubi steps

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^3} dx = \int \frac{1}{x(a+b \cos^{-1}(cx))^3} dx$$

Mathematica [A] time = 3.67, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcCos[c*x])^3), x]

[Out] Integrate[1/(x*(a + b*ArcCos[c*x])^3), x]

fricas [A] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^3 x \arccos(cx)^3 + 3 ab^2 x \arccos(cx)^2 + 3 a^2 b x \arccos(cx) + a^3 x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x*arccos(c*x)^3 + 3*a*b^2*x*arccos(c*x)^2 + 3*a^2*b*x*arccos(c*x) + a^3*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x))^3,x, algorithm="giac")

[Out] integrate(1/((b*arccos(c*x) + a)^3*x), x)

maple [A] time = 0.58, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \arccos(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*arccos(c*x))^3,x)

[Out] int(1/x/(a+b*arccos(c*x))^3,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\sqrt{cx+1} \sqrt{-cx+1} bcx + b \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx) + a + \frac{2(b^4 c^2 x^2 \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx)^2 + 2 ab^3 c^2 x^2 \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx))}{b^2}}{2(b^4 c^2 x^2 \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx)^2 + 2 ab^3 c^2 x^2 \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x))^3,x, algorithm="maxima")

[Out] 1/2*(sqrt(c*x + 1)*sqrt(-c*x + 1)*b*c*x + b*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + 2*(b^4*c^2*x^2*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 2*a*b^3*c^2*x^2*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a^2*b^2*c^2*x^2)*integrate(1/(b^3*c^2*x^3*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b^2*c^2*x^3), x) + a)/(b^4*c^2*x^2*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 2*a*b^3*c^2*x^2*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a^2*b^2*c^2*x^2)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x(a + b \operatorname{acos}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(a + b*acos(c*x))^3), x)`

[Out] `int(1/(x*(a + b*acos(c*x))^3), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{acos}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*acos(c*x))**3, x)`

[Out] `Integral(1/(x*(a + b*acos(c*x))**3), x)`

$$3.172 \quad \int \frac{1}{x^2 (a + b \cos^{-1}(cx))^3} dx$$

Optimal. Leaf size=17

$$\text{Int} \left(\frac{1}{x^2 (a + b \cos^{-1}(cx))^3}, x \right)$$

[Out] Unintegrable(1/x^2/(a+b*arccos(c*x))^3,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^3} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*ArcCos[c*x])^3),x]

[Out] Defer[Int][1/(x^2*(a + b*ArcCos[c*x])^3), x]

Rubi steps

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^3} dx = \int \frac{1}{x^2 (a + b \cos^{-1}(cx))^3} dx$$

Mathematica [A] time = 35.44, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*ArcCos[c*x])^3),x]

[Out] Integrate[1/(x^2*(a + b*ArcCos[c*x])^3), x]

fricas [A] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^3 x^2 \arccos(cx)^3 + 3 a b^2 x^2 \arccos(cx)^2 + 3 a^2 b x^2 \arccos(cx) + a^3 x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*x^2*arccos(c*x)^3 + 3*a*b^2*x^2*arccos(c*x)^2 + 3*a^2*b*x^2*arccos(c*x) + a^3*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^3,x, algorithm="giac")

[Out] integrate(1/((b*arccos(c*x) + a)^3*x^2), x)

maple [A] time = 0.93, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \arccos(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*arccos(c*x))^3,x)

[Out] int(1/x^2/(a+b*arccos(c*x))^3,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{ac^2x^2 - \sqrt{cx+1}\sqrt{-cx+1}bcx + (bc^2x^2 - 2b)\arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) + (b^4c^2x^3\arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) + 2ab^3c^2x^3\arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)^2 + 2ab^3c^2x^3\arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)^2)}{2(b^4c^2x^3\arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)^2 + 2ab^3c^2x^3\arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)^2 + 2ab^3c^2x^3\arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^3,x, algorithm="maxima")

[Out] -1/2*(a*c^2*x^2 - sqrt(c*x + 1)*sqrt(-c*x + 1)*b*c*x + (b*c^2*x^2 - 2*b)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + 2*(b^4*c^2*x^3*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 2*a*b^3*c^2*x^3*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a^2*b^2*c^2*x^3)*integrate(1/2*(c^2*x^2 - 6)/(b^3*c^2*x^4*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b^2*c^2*x^4), x) - 2*a)/(b^4*c^2*x^3*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 2*a*b^3*c^2*x^3*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a^2*b^2*c^2*x^3)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x^2 (a + b \operatorname{acos}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*(a + b*acos(c*x))^3), x)`

[Out] `int(1/(x^2*(a + b*acos(c*x))^3), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{acos}(cx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*acos(c*x))**3, x)`

[Out] `Integral(1/(x**2*(a + b*acos(c*x))**3), x)`

3.173 $\int x^2 \sqrt{a + b \cos^{-1}(cx)} dx$

Optimal. Leaf size=242

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{4c^3} - \frac{\sqrt{\frac{\pi}{6}} \sqrt{b} \cos\left(\frac{3a}{b}\right) C\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{12c^3} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{4c^3}$$

[Out] $-1/72*\cos(3*a/b)*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})$
 $*b^{(1/2)}*6^{(1/2)}*\text{Pi}^{(1/2)}/c^3-1/72*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})$
 $*\sin(3*a/b)*b^{(1/2)}*6^{(1/2)}*\text{Pi}^{(1/2)}/c^3-1/8*\cos(a/b)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})$
 $*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/c^3-1/8*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})$
 $*\sin(a/b)*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/c^3+1/3*x^3*(a+b*\arccos(c*x))^{(1/2)}$

Rubi [A] time = 0.70, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 8, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4630, 4724, 3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{4c^3} - \frac{\sqrt{\frac{\pi}{6}} \sqrt{b} \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{12c^3} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{4c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]], x]$

[Out] $(x^3*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/3 - (\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(4*c^3) - (\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[(3*a)/b]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(12*c^3) - (\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])*\text{Sin}[a/b]/(4*c^3) - (\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])*\text{Sin}[(3*a)/b]/(12*c^3)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}$

, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4630

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4724

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^(2))^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{a + b \cos^{-1}(cx)} dx &= \frac{1}{3} x^3 \sqrt{a + b \cos^{-1}(cx)} + \frac{1}{6} (bc) \int \frac{x^3}{\sqrt{1 - c^2 x^2} \sqrt{a + b \cos^{-1}(cx)}} dx \\
&= \frac{1}{3} x^3 \sqrt{a + b \cos^{-1}(cx)} - \frac{b \operatorname{Subst} \left(\int \frac{\cos^3(x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{6c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \cos^{-1}(cx)} - \frac{b \operatorname{Subst} \left(\int \left(\frac{3 \cos(x)}{4\sqrt{a+bx}} + \frac{\cos(3x)}{4\sqrt{a+bx}} \right) dx, x, \cos^{-1}(cx) \right)}{6c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \cos^{-1}(cx)} - \frac{b \operatorname{Subst} \left(\int \frac{\cos(3x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{24c^3} - \frac{b \operatorname{Subst} \left(\int \frac{\cos(x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{8c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \cos^{-1}(cx)} - \frac{(b \cos \left(\frac{a}{b} \right)) \operatorname{Subst} \left(\int \frac{\cos \left(\frac{a}{b} + x \right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{8c^3} - \frac{(b \cos \left(\frac{3a}{b} \right)) \operatorname{Subst} \left(\int \frac{\cos \left(\frac{3a}{b} + x \right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{8c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \cos^{-1}(cx)} - \frac{\cos \left(\frac{a}{b} \right) \operatorname{Subst} \left(\int \cos \left(\frac{x^2}{b} \right) dx, x, \sqrt{a + b \cos^{-1}(cx)} \right)}{4c^3} - \frac{\cos \left(\frac{3a}{b} \right) \operatorname{Subst} \left(\int \cos \left(\frac{x^2}{b} \right) dx, x, \sqrt{a + b \cos^{-1}(cx)} \right)}{4c^3} \\
&= \frac{1}{3} x^3 \sqrt{a + b \cos^{-1}(cx)} - \frac{\sqrt{b} \sqrt{\frac{\pi}{2}} \cos \left(\frac{a}{b} \right) C \left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \cos^{-1}(cx)}}{\sqrt{b}} \right)}{4c^3} - \frac{\sqrt{b} \sqrt{\frac{\pi}{6}} \cos \left(\frac{3a}{b} \right) C \left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \cos^{-1}(cx)}}{\sqrt{b}} \right)}{12c^3}
\end{aligned}$$

Mathematica [C] time = 0.53, size = 243, normalized size = 1.00

$$\frac{e^{-\frac{3ia}{b}} \sqrt{a + b \cos^{-1}(cx)} \left(9e^{\frac{2ia}{b}} \sqrt{\frac{i(a+b \cos^{-1}(cx))}{b}} \Gamma \left(\frac{3}{2}, -\frac{i(a+b \cos^{-1}(cx))}{b} \right) + 9e^{\frac{4ia}{b}} \sqrt{-\frac{i(a+b \cos^{-1}(cx))}{b}} \Gamma \left(\frac{3}{2}, \frac{i(a+b \cos^{-1}(cx))}{b} \right) + \sqrt{72c^3 \sqrt{\frac{(a+b \cos^{-1}(cx))^2}{b^2}}} \right)}{72c^3 \sqrt{\frac{(a+b \cos^{-1}(cx))^2}{b^2}}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*Sqrt[a + b*ArcCos[c*x]],x]

[Out] (Sqrt[a + b*ArcCos[c*x]]*(9*E^(((2*I)*a)/b)*Sqrt[(I*(a + b*ArcCos[c*x]))/b] *Gamma[3/2, ((-I)*(a + b*ArcCos[c*x]))/b] + 9*E^(((4*I)*a)/b)*Sqrt[((-I)*(a + b*ArcCos[c*x]))/b]*Gamma[3/2, (I*(a + b*ArcCos[c*x]))/b] + Sqrt[3]*(Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamma[3/2, ((-3*I)*(a + b*ArcCos[c*x]))/b] + E^(((6*I)*a)/b)*Sqrt[((-I)*(a + b*ArcCos[c*x]))/b]*Gamma[3/2, ((3*I)*(a + b*ArcCos[c*x]))/b]))/(72*c^3*E^(((3*I)*a)/b)*Sqrt[(a + b*ArcCos[c*x])^2/b^2])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arccos(c*x))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

```
giac [B] time = 4.43, size = 1095, normalized size = 4.52
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arccos(c*x))^(1/2),x, algorithm="giac")
```

```
[Out] -1/8*sqrt(2)*sqrt(pi)*a*b*i*erf(-1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt
(abs(b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e^(a*i/b)/((
b^2*i/sqrt(abs(b)) + b*sqrt(abs(b)))*c^3) - 1/8*sqrt(2)*sqrt(pi)*a*b*i*erf(
1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arc
cos(c*x) + a)*sqrt(abs(b))/b)*e^(-a*i/b)/((b^2*i/sqrt(abs(b)) - b*sqrt(abs(
b)))*c^3) - 1/4*sqrt(pi)*a*sqrt(b)*i*erf(-1/2*sqrt(6)*sqrt(b*arccos(c*x) +
a)*sqrt(b)*i/abs(b) - 1/2*sqrt(6)*sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(3*a*i
/b)/((sqrt(6)*b^2*i/abs(b) + sqrt(6)*b)*c^3) + 1/16*sqrt(2)*sqrt(pi)*b^2*er
f(-1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*
arccos(c*x) + a)*sqrt(abs(b))/b)*e^(a*i/b)/((b^2*i/sqrt(abs(b)) + b*sqrt(ab
s(b)))*c^3) - 1/16*sqrt(2)*sqrt(pi)*b^2*erf(1/2*sqrt(2)*sqrt(b*arccos(c*x)
+ a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e
^(-a*i/b)/((b^2*i/sqrt(abs(b)) - b*sqrt(abs(b)))*c^3) - 1/4*sqrt(pi)*a*sqrt
(b)*i*erf(1/2*sqrt(6)*sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - 1/2*sqrt(6
)*sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(-3*a*i/b)/((sqrt(6)*b^2*i/abs(b) - sq
rt(6)*b)*c^3) + 1/4*sqrt(pi)*a*i*erf(-1/2*sqrt(6)*sqrt(b*arccos(c*x) + a)*s
qrt(b)*i/abs(b) - 1/2*sqrt(6)*sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(3*a*i/b)/
((sqrt(6)*b^(3/2)*i/abs(b) + sqrt(6)*sqrt(b))*c^3) + 1/4*sqrt(pi)*a*i*erf(-
1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arc
cos(c*x) + a)*sqrt(abs(b))/b)*e^(a*i/b)/((sqrt(2)*b*i/sqrt(abs(b)) + sqrt(2
)*sqrt(abs(b)))*c^3) + 1/4*sqrt(pi)*a*i*erf(1/2*sqrt(2)*sqrt(b*arccos(c*x)
+ a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e
^(-a*i/b)/((sqrt(2)*b*i/sqrt(abs(b)) - sqrt(2)*sqrt(abs(b)))*c^3) + 1/4*sq
rt(pi)*a*i*erf(1/2*sqrt(6)*sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - 1/2*sq
rt(6)*sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(-3*a*i/b)/((sqrt(6)*b^(3/2)*i/abs
(b) - sqrt(6)*sqrt(b))*c^3) + 1/24*sqrt(pi)*b^(3/2)*erf(-1/2*sqrt(6)*sqrt(b
*arccos(c*x) + a)*sqrt(b)*i/abs(b) - 1/2*sqrt(6)*sqrt(b*arccos(c*x) + a)/sq
rt(b))*e^(3*a*i/b)/((sqrt(6)*b^2*i/abs(b) + sqrt(6)*b)*c^3) - 1/24*sqrt(pi)
*b^(3/2)*erf(1/2*sqrt(6)*sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - 1/2*sq
rt(6)*sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(-3*a*i/b)/((sqrt(6)*b^2*i/abs(b) -
sqrt(6)*b)*c^3) + 1/24*sqrt(b*arccos(c*x) + a)*e^(3*i*arccos(c*x))/c^3 + 1
```

$$\frac{1}{8}\sqrt{b\arccos(cx) + a}e^{i\arccos(cx)}/c^3 + \frac{1}{8}\sqrt{b\arccos(cx) + a}e^{-i\arccos(cx)}/c^3 + \frac{1}{24}\sqrt{b\arccos(cx) + a}e^{-3i\arccos(cx)}/c^3$$

maple [A] time = 0.38, size = 357, normalized size = 1.48

$$-\sqrt{3}\sqrt{2}\sqrt{\pi}\sqrt{\frac{1}{b}}\sqrt{a+b\arccos(cx)}\cos\left(\frac{3a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{2}\sqrt{3}\sqrt{a+b\arccos(cx)}}{\sqrt{\pi}\sqrt{\frac{1}{b}}b}\right)b - \sqrt{3}\sqrt{2}\sqrt{\pi}\sqrt{\frac{1}{b}}\sqrt{a+b\arccos(cx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*arccos(c*x))^(1/2),x)

[Out] $\frac{1}{72}c^3/(a+b\arccos(cx))^{1/2}*(-3^{1/2}*2^{1/2}*\pi^{1/2}*(1/b)^{1/2}*(a+b\arccos(cx))^{1/2}*\cos(3a/b)*\text{FresnelC}(2^{1/2}/\pi^{1/2}*3^{1/2}/(1/b)^{1/2}*(a+b\arccos(cx))^{1/2}/b)*b-3^{1/2}*2^{1/2}*\pi^{1/2}*(1/b)^{1/2}*(a+b\arccos(cx))^{1/2}*\sin(3a/b)*\text{FresnelS}(2^{1/2}/\pi^{1/2}*3^{1/2}/(1/b)^{1/2}*(a+b\arccos(cx))^{1/2}/b)*b-9*2^{1/2}*\pi^{1/2}*(1/b)^{1/2}*(a+b\arccos(cx))^{1/2}*\text{FresnelC}(2^{1/2}/\pi^{1/2}/(1/b)^{1/2}*(a+b\arccos(cx))^{1/2}/b)*\cos(a/b)*b-9*2^{1/2}*\pi^{1/2}*(1/b)^{1/2}*(a+b\arccos(cx))^{1/2}*\text{FresnelS}(2^{1/2}/\pi^{1/2}/(1/b)^{1/2}*(a+b\arccos(cx))^{1/2}/b)*\sin(a/b)*b+6*\arccos(cx)*\cos(3*(a+b\arccos(cx))/b-3a/b)*b+6*\cos(3*(a+b\arccos(cx))/b-3a/b)*a+18*\arccos(cx)*\cos((a+b\arccos(cx))/b-a/b)*b+18*\cos((a+b\arccos(cx))/b-a/b)*a)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b\arccos(cx) + a}x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*arccos(c*x) + a)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \sqrt{a + b\arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*acos(c*x))^(1/2),x)

[Out] int(x^2*(a + b*acos(c*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{a + b \cos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*cos(c*x))**(1/2), x)
```

```
[Out] Integral(x**2*sqrt(a + b*cos(c*x)), x)
```

3.174 $\int x\sqrt{a+b\cos^{-1}(cx)} dx$

Optimal. Leaf size=137

$$\frac{\sqrt{\pi}\sqrt{b}\cos\left(\frac{2a}{b}\right)C\left(\frac{2\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{8c^2} - \frac{\sqrt{\pi}\sqrt{b}\sin\left(\frac{2a}{b}\right)S\left(\frac{2\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{8c^2} - \frac{\sqrt{a+b\cos^{-1}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a+b\cos^{-1}(cx)}$$

[Out] $-1/8*\cos(2*a/b)*\text{FresnelC}(2*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*b^{(1/2)}$
 $*\text{Pi}^{(1/2)}/c^2-1/8*\text{FresnelS}(2*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\sin$
 $(2*a/b)*b^{(1/2)*\text{Pi}^{(1/2)}/c^2-1/4*(a+b*\arccos(c*x))^{(1/2)}/c^2+1/2*x^2*(a+b*$
 $\arccos(c*x))^{(1/2)}$

Rubi [A] time = 0.40, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.571, Rules used = {4630, 4724, 3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\pi}\sqrt{b}\cos\left(\frac{2a}{b}\right)\text{FresnelC}\left(\frac{2\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{8c^2} - \frac{\sqrt{\pi}\sqrt{b}\sin\left(\frac{2a}{b}\right)S\left(\frac{2\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{8c^2} - \frac{\sqrt{a+b\cos^{-1}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a+b\cos^{-1}(cx)}$$

Antiderivative was successfully verified.

[In] `Int[x*Sqrt[a + b*ArcCos[c*x]], x]`

[Out] $-\text{Sqrt}[a + b*\text{ArcCos}[c*x]]/(4*c^2) + (x^2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/2 - (\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])]/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))/ (8*c^2) - (\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])]/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))*\text{Sin}[(2*a)/b]/(8*c^2)$

Rule 3304

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3305

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3306

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d`

$\ast e - c\ast f)/d], \text{Int}[\text{Cos}[(c\ast f)/d + f\ast x]/\text{Sqrt}[c + d\ast x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{NeQ}[d\ast e - c\ast f, 0]$

Rule 3312

$\text{Int}[\text{((c_.) + (d_.)\ast(x_))}^{\text{(m_)}}\ast\text{sin}[\text{(e_.) + (f_.)\ast(x_)}]^{\text{(n_)}}], x_Symbol] \text{:>} \text{Int}[\text{ExpandTrigReduce}[(c + d\ast x)^m, \text{Sin}[e + f\ast x]^n, x], x] /; \text{FreeQ}[\{c, d, e, f, m\}, x] \ \&\& \ \text{IGtQ}[n, 1] \ \&\& \ (\text{!RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 1]))$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)\ast((e_.) + (f_.)\ast(x_))^{2}], x_Symbol] \text{:>} \text{Simp}[(\text{Sqrt}[\text{Pi}/2]\ast\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]\ast\text{Rt}[d, 2]\ast(e + f\ast x)])/(f\ast\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)\ast((e_.) + (f_.)\ast(x_))^{2}], x_Symbol] \text{:>} \text{Simp}[(\text{Sqrt}[\text{Pi}/2]\ast\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]\ast\text{Rt}[d, 2]\ast(e + f\ast x)])/(f\ast\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 4630

$\text{Int}[\text{((a_.) + ArcCos}[(c_.)\ast(x_)]\ast(b_.))^{(n_)}\ast(x_)^{(m_.)}, x_Symbol] \text{:>} \text{Simp}[(x^{(m + 1)}\ast(a + b\ast\text{ArcCos}[c\ast x])^n)/(m + 1), x] + \text{Dist}[(b\ast c^n)/(m + 1), \text{Int}[(x^{(m + 1)}\ast(a + b\ast\text{ArcCos}[c\ast x])^{(n - 1)})/\text{Sqrt}[1 - c^2\ast x^2], x], x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{GtQ}[n, 0]$

Rule 4724

$\text{Int}[\text{((a_.) + ArcCos}[(c_.)\ast(x_)]\ast(b_.))^{(n_.)}\ast(x_)^{(m_.)}\ast((d_) + (e_.)\ast(x_)^2)^{(p_.)}, x_Symbol] \text{:>} -\text{Dist}[d^p/c^{(m + 1)}, \text{Subst}[\text{Int}[(a + b\ast x)^n\ast\text{Cos}[x]^m\ast\text{Sin}[x]^{(2\ast p + 1)}, x], x, \text{ArcCos}[c\ast x]], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c^2\ast d + e, 0] \ \&\& \ \text{IntegerQ}[2\ast p] \ \&\& \ \text{GtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[d, 0])$

Rubi steps

$$\begin{aligned}
\int x\sqrt{a+b\cos^{-1}(cx)} dx &= \frac{1}{2}x^2\sqrt{a+b\cos^{-1}(cx)} + \frac{1}{4}(bc) \int \frac{x^2}{\sqrt{1-c^2x^2}\sqrt{a+b\cos^{-1}(cx)}} dx \\
&= \frac{1}{2}x^2\sqrt{a+b\cos^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{\cos^2(x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{4c^2} \\
&= \frac{1}{2}x^2\sqrt{a+b\cos^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \left(\frac{1}{2\sqrt{a+bx}} + \frac{\cos(2x)}{2\sqrt{a+bx}}\right) dx, x, \cos^{-1}(cx)\right)}{4c^2} \\
&= -\frac{\sqrt{a+b\cos^{-1}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a+b\cos^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{\cos(2x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{8c^2} \\
&= -\frac{\sqrt{a+b\cos^{-1}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a+b\cos^{-1}(cx)} - \frac{\left(b \cos\left(\frac{2a}{b}\right)\right) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{2a}{b}+2x\right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{8c^2} \\
&= -\frac{\sqrt{a+b\cos^{-1}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a+b\cos^{-1}(cx)} - \frac{\cos\left(\frac{2a}{b}\right) \operatorname{Subst}\left(\int \cos\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a+b\cos^{-1}(cx)}\right)}{4c^2} \\
&= -\frac{\sqrt{a+b\cos^{-1}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a+b\cos^{-1}(cx)} - \frac{\sqrt{b}\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{8c^2} - \dots
\end{aligned}$$

Mathematica [A] time = 0.24, size = 123, normalized size = 0.90

$$\frac{\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{\frac{1}{b}}\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{\pi}}\right) + \sqrt{\pi} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{\frac{1}{b}}\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{\pi}}\right) - 2\sqrt{\frac{1}{b}} \cos\left(2\cos^{-1}(cx)\right) \sqrt{a+b\cos^{-1}(cx)}}{8\sqrt{\frac{1}{b}}c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[a + b*ArcCos[c*x]], x]

[Out] $-1/8*(-2*\sqrt{b^{-1}})*\sqrt{a + b*\operatorname{ArcCos}[c*x]}*\cos[2*\operatorname{ArcCos}[c*x]] + \sqrt{\pi}*\cos[(2*a)/b]*\operatorname{FresnelC}[(2*\sqrt{b^{-1}})*\sqrt{a + b*\operatorname{ArcCos}[c*x]})/\sqrt{\pi}] + \sqrt{\pi}*\operatorname{FresnelS}[(2*\sqrt{b^{-1}})*\sqrt{a + b*\operatorname{ArcCos}[c*x]})/\sqrt{\pi}]*\sin[(2*a)/b]/(\sqrt{b^{-1}}*c^2)$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 1.15, size = 469, normalized size = 3.42

$$\frac{\sqrt{\pi} a \sqrt{b} i \operatorname{erf}\left(-\frac{\sqrt{b \arccos(cx)+a} \sqrt{b} i}{|b|} - \frac{\sqrt{b \arccos(cx)+a}}{\sqrt{b}}\right) e^{\left(\frac{2ai}{b}\right)} - \sqrt{\pi} a \sqrt{b} i \operatorname{erf}\left(\frac{\sqrt{b \arccos(cx)+a} \sqrt{b} i}{|b|} - \frac{\sqrt{b \arccos(cx)+a}}{\sqrt{b}}\right) e^{\left(-\frac{2ai}{b}\right)}}{4\left(\frac{b^2 i}{|b|} + b\right) c^2 - 4\left(\frac{b^2 i}{|b|} - b\right) c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/4 * \sqrt{\pi} * a * \sqrt{b} * i * \operatorname{erf}(-\sqrt{b \arccos(c*x)} + a) * \sqrt{b} * i / \operatorname{abs}(b) - \sqrt{b \arccos(c*x)} + a / \sqrt{b} * e^{(2*a*i/b)} / ((b^2*i/\operatorname{abs}(b) + b)*c^2) - 1/4 * \\ & \sqrt{\pi} * a * \sqrt{b} * i * \operatorname{erf}(\sqrt{b \arccos(c*x)} + a) * \sqrt{b} * i / \operatorname{abs}(b) - \sqrt{b \arccos(c*x)} + a / \sqrt{b} * e^{(-2*a*i/b)} / ((b^2*i/\operatorname{abs}(b) - b)*c^2) + 1/4 * \sqrt{\pi} * \\ & a * i * \operatorname{erf}(\sqrt{b \arccos(c*x)} + a) * \sqrt{b} * i / \operatorname{abs}(b) - \sqrt{b \arccos(c*x)} + a / \sqrt{b} * e^{(-2*a*i/b)} / ((b^{(3/2)}*i/\operatorname{abs}(b) - \sqrt{b})*c^2) + 1/16 * \sqrt{\pi} * \\ & b^{(3/2)} * \operatorname{erf}(-\sqrt{b \arccos(c*x)} + a) * \sqrt{b} * i / \operatorname{abs}(b) - \sqrt{b \arccos(c*x)} + a / \sqrt{b} * e^{(2*a*i/b)} / ((b^2*i/\operatorname{abs}(b) + b)*c^2) + 1/4 * \sqrt{\pi} * a * i * \operatorname{erf} \\ & (-\sqrt{b \arccos(c*x)} + a) * \sqrt{b} * i / \operatorname{abs}(b) - \sqrt{b \arccos(c*x)} + a / \sqrt{b} * e^{(2*a*i/b)} / (\sqrt{b} * c^2 * (b*i/\operatorname{abs}(b) + 1)) - 1/16 * \sqrt{\pi} * b^{(3/2)} * \operatorname{erf}(\sqrt{b \arccos(c*x)} + a) * \sqrt{b} * i / \operatorname{abs}(b) - \sqrt{b \arccos(c*x)} + a / \sqrt{b} * e^{(-2*a*i/b)} / ((b^2*i/\operatorname{abs}(b) - b)*c^2) + 1/8 * \sqrt{b \arccos(c*x)} + a * e^{(2*i \arccos(c*x))} / c^2 + 1/8 * \sqrt{b \arccos(c*x)} + a * e^{(-2*i \arccos(c*x))} / c^2 \end{aligned}$$

maple [A] time = 0.27, size = 173, normalized size = 1.26

$$\frac{-\sqrt{\pi} \sqrt{\frac{1}{b}} \sqrt{a + b \arccos(cx)} \cos\left(\frac{2a}{b}\right) \operatorname{FresnelC}\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) b - \sqrt{\pi} \sqrt{\frac{1}{b}} \sqrt{a + b \arccos(cx)} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right)}{8c^2 \sqrt{a + b \arccos(cx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arccos(c*x))^(1/2),x)

[Out]
$$\begin{aligned} & 1/8/c^2/(a+b \arccos(c*x))^{(1/2)} * (-\operatorname{Pi}^{(1/2)} * (1/b)^{(1/2)} * (a+b \arccos(c*x))^{(1/2)} * \cos(2*a/b) * \operatorname{FresnelC}(2/\operatorname{Pi}^{(1/2)}/(1/b)^{(1/2)} * (a+b \arccos(c*x))^{(1/2)}/b) * b \\ & - \operatorname{Pi}^{(1/2)} * (1/b)^{(1/2)} * (a+b \arccos(c*x))^{(1/2)} * \sin(2*a/b) * \operatorname{FresnelS}(2/\operatorname{Pi}^{(1/2)}/(1/b)^{(1/2)} * (a+b \arccos(c*x))^{(1/2)}/b) * b + 2 * \arccos(c*x) * \cos(2*(a+b \arccos(c*x))/b - 2*a/b) * a \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \arccos(cx) + a} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*arccos(c*x) + a)*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \sqrt{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*acos(c*x))^(1/2),x)

[Out] int(x*(a + b*acos(c*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \sqrt{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*acos(c*x))**(1/2),x)

[Out] Integral(x*sqrt(a + b*acos(c*x)), x)

3.175 $\int \sqrt{a + b \cos^{-1}(cx)} dx$

Optimal. Leaf size=121

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{c} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{c} + x\sqrt{a + b \cos^{-1}(cx)}$$

[Out] $-1/2*\cos(a/b)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/c - 1/2*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/c + x*(a+b*\arccos(c*x))^{(1/2)}$

Rubi [A] time = 0.28, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {4620, 4724, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{c} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{c} + x\sqrt{a + b \cos^{-1}(cx)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*ArcCos[c*x]], x]

[Out] $x*\text{Sqrt}[a + b*\text{ArcCos}[c*x]] - (\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/c - (\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/c$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,

$e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{NeQ}[d*e - c*f, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_)*(e_)+(f_)*(x_)]^2], x_Symbol] \text{ :> } \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] \text{ /; } \text{FreeQ}[\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_)*(e_)+(f_)*(x_)]^2], x_Symbol] \text{ :> } \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] \text{ /; } \text{FreeQ}[\{d, e, f\}, x]$

Rule 4620

$\text{Int}[(a_)+\text{ArcCos}[(c_)*(x_)]*(b_)]^{(n_)}, x_Symbol] \text{ :> } \text{Simp}[x*(a + b*\text{ArcCos}[c*x])^n, x] + \text{Dist}[b*c*n, \text{Int}[(x*(a + b*\text{ArcCos}[c*x])^{(n-1)})/\text{Sqrt}[1 - c^2*x^2], x], x] \text{ /; } \text{FreeQ}[\{a, b, c\}, x] \&\& \text{GtQ}[n, 0]$

Rule 4724

$\text{Int}[(a_)+\text{ArcCos}[(c_)*(x_)]*(b_)]^{(n_)}*(x_)^{(m_)}*((d_)+(e_)*(x_)^2)^{(p_)}, x_Symbol] \text{ :> } -\text{Dist}[d^p/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cos}[x]^m*\text{Sin}[x]^{(2*p+1)}, x], x, \text{ArcCos}[c*x]], x] \text{ /; } \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[2*p] \&\& \text{GtQ}[p, -1] \&\& \text{IGtQ}[m, 0] \&\& (\text{IntegerQ}[p] \text{ || } \text{GtQ}[d, 0])$

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos^{-1}(cx)} dx &= x\sqrt{a + b \cos^{-1}(cx)} + \frac{1}{2}(bc) \int \frac{x}{\sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}} dx \\
&= x\sqrt{a + b \cos^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{\cos(x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{2c} \\
&= x\sqrt{a + b \cos^{-1}(cx)} - \frac{(b \cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{2c} - \frac{(b \sin\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\sin(x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{2c} \\
&= x\sqrt{a + b \cos^{-1}(cx)} - \frac{\cos\left(\frac{a}{b}\right) \operatorname{Subst}\left(\int \cos\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \cos^{-1}(cx)}\right)}{c} - \frac{\sin\left(\frac{a}{b}\right) \operatorname{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \cos^{-1}(cx)}\right)}{c} \\
&= x\sqrt{a + b \cos^{-1}(cx)} - \frac{\sqrt{b} \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{c} - \frac{\sqrt{b} \sqrt{\frac{\pi}{2}} S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{c}
\end{aligned}$$

Mathematica [C] time = 0.25, size = 120, normalized size = 0.99

$$\frac{e^{-\frac{ia}{b}} \sqrt{a + b \cos^{-1}(cx)} \left(-\frac{\Gamma\left(\frac{3}{2}, \frac{i(a+b \cos^{-1}(cx))}{b}\right)}{\sqrt{-\frac{i(a+b \cos^{-1}(cx))}{b}}} - \frac{e^{\frac{2ia}{b}} \Gamma\left(\frac{3}{2}, \frac{i(a+b \cos^{-1}(cx))}{b}\right)}{\sqrt{\frac{i(a+b \cos^{-1}(cx))}{b}}} \right)}{2c}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b*ArcCos[c*x]], x]

[Out] $-1/2*(\text{Sqrt}[a + b*\text{ArcCos}[c*x]]*(-(\text{Gamma}[3/2, ((-I)*(a + b*\text{ArcCos}[c*x]))/b])/Sqrt[((-I)*(a + b*\text{ArcCos}[c*x]))/b]) - (E^{((2*I)*a)/b}*\text{Gamma}[3/2, (I*(a + b*\text{ArcCos}[c*x]))/b])/Sqrt[(I*(a + b*\text{ArcCos}[c*x]))/b])/(c*E^{(I*a)/b})$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 0.79, size = 546, normalized size = 4.51

$$\frac{\sqrt{2} \sqrt{\pi} a b i \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{b \arccos(cx)+a} i}{2 \sqrt{|b|}} - \frac{\sqrt{2} \sqrt{b \arccos(cx)+a} \sqrt{|b|}}{2 b}\right) e^{\left(\frac{a i}{b}\right)} \sqrt{2} \sqrt{\pi} a b i \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{b \arccos(cx)+a} i}{2 \sqrt{|b|}} - \frac{\sqrt{2} \sqrt{b \arccos(cx)+a} \sqrt{|b|}}{2 b}\right)}{2\left(\frac{b^2 i}{\sqrt{|b|}} + b \sqrt{|b|}\right) c} - \frac{\sqrt{2} \sqrt{\pi} a b i \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{b \arccos(cx)+a} i}{2 \sqrt{|b|}} - \frac{\sqrt{2} \sqrt{b \arccos(cx)+a} \sqrt{|b|}}{2 b}\right) e^{\left(\frac{a i}{b}\right)} \sqrt{2} \sqrt{\pi} a b i \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{b \arccos(cx)+a} i}{2 \sqrt{|b|}} - \frac{\sqrt{2} \sqrt{b \arccos(cx)+a} \sqrt{|b|}}{2 b}\right)}{2\left(\frac{b^2 i}{\sqrt{|b|}} - b \sqrt{|b|}\right) c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*\sqrt{2}*\sqrt{\pi}*a*b*i*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(a*i/b)/((b^2*i/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})*c)} - 1/2*\sqrt{2}*\sqrt{\pi}*a*b*i*\operatorname{erf}(1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(a*i/b)/((b^2*i/\sqrt{\operatorname{abs}(b)} - b*\sqrt{\operatorname{abs}(b)})*c)} \\ & + 1/4*\sqrt{2}*\sqrt{\pi}*b^2*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(a*i/b)/((b^2*i/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})*c)} - 1/4*\sqrt{2}*\sqrt{\pi}*b^2*\operatorname{erf}(1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(a*i/b)/((b^2*i/\sqrt{\operatorname{abs}(b)} - b*\sqrt{\operatorname{abs}(b)})*c)} \\ & + \sqrt{\pi}*a*i*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(a*i/b)/((\sqrt{2}*b*i/\sqrt{\operatorname{abs}(b)} + \sqrt{2}*\sqrt{\operatorname{abs}(b)})*c)} + \sqrt{\pi}*a*i*\operatorname{erf}(1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(a*i/b)/((\sqrt{2}*b*i/\sqrt{\operatorname{abs}(b)} - \sqrt{2}*\sqrt{\operatorname{abs}(b)})*c)} \\ & + 1/2*\sqrt{b*\arccos(c*x) + a}*e^{(i*\arccos(c*x))/c} + 1/2*\sqrt{b*\arccos(c*x) + a}*e^{(-i*\arccos(c*x))/c} \end{aligned}$$

maple [A] time = 0.21, size = 179, normalized size = 1.48

$$\frac{-\sqrt{2} \sqrt{\pi} \sqrt{\frac{1}{b}} \sqrt{a + b \arccos(cx)} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{a + b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \cos\left(\frac{a}{b}\right) b - \sqrt{2} \sqrt{\pi} \sqrt{\frac{1}{b}} \sqrt{a + b \arccos(cx)} \operatorname{S}\left(\frac{\sqrt{2}}{2c\sqrt{a + b \arccos(cx)}}\right)}{2c\sqrt{a + b \arccos(cx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^(1/2),x)

[Out]
$$\begin{aligned} & 1/2/c/(a+b*\arccos(c*x))^{(1/2)}*(-2^{(1/2)}*Pi^{(1/2)}*(1/b)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/Pi^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b)*\cos(a/b)*b - 2^{(1/2)}*Pi^{(1/2)}*(1/b)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}*\operatorname{FresnelS}(2^{(1/2)}/Pi^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b)*\sin(a/b)*b + 2*\arccos(c*x)*\cos((a+b*\arccos(c*x))/b-a/b)*b + 2*\cos((a+b*\arccos(c*x))/b-a/b)*a \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \arccos(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*arccos(c*x) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))^(1/2),x)

[Out] int((a + b*acos(c*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**(1/2),x)

[Out] Integral(sqrt(a + b*acos(c*x)), x)

$$3.176 \quad \int \frac{\sqrt{a+b \cos^{-1}(cx)}}{x} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{\sqrt{a+b \cos^{-1}(cx)}}{x}, x\right)$$

[Out] Unintegrable((a+b*arccos(c*x))^(1/2)/x,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{a+b \cos^{-1}(cx)}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[a + b*ArcCos[c*x]]/x,x]

[Out] Defer[Int][Sqrt[a + b*ArcCos[c*x]]/x, x]

Rubi steps

$$\int \frac{\sqrt{a+b \cos^{-1}(cx)}}{x} dx = \int \frac{\sqrt{a+b \cos^{-1}(cx)}}{x} dx$$

Mathematica [A] time = 4.20, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a+b \cos^{-1}(cx)}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[a + b*ArcCos[c*x]]/x,x]

[Out] Integrate[Sqrt[a + b*ArcCos[c*x]]/x, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(1/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \arccos(cx) + a}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(1/2)/x,x, algorithm="giac")

[Out] integrate(sqrt(b*arccos(c*x) + a)/x, x)

maple [A] time = 0.29, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \arccos(cx)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^(1/2)/x,x)

[Out] int((a+b*arccos(c*x))^(1/2)/x,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \arccos(cx) + a}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(1/2)/x,x, algorithm="maxima")

[Out] integrate(sqrt(b*arccos(c*x) + a)/x, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{a + b \arccos(cx)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))^(1/2)/x,x)

[Out] int((a + b*acos(c*x))^(1/2)/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \cos(cx)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**(1/2)/x,x)

[Out] Integral(sqrt(a + b*acos(c*x))/x, x)

$$3.177 \quad \int \frac{\sqrt{a+b \cos^{-1}(cx)}}{x^2} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{\sqrt{a+b \cos^{-1}(cx)}}{x^2}, x\right)$$

[Out] Unintegrable((a+b*arccos(c*x))^(1/2)/x^2, x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{a+b \cos^{-1}(cx)}}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[a + b*ArcCos[c*x]]/x^2, x]

[Out] Defer[Int][Sqrt[a + b*ArcCos[c*x]]/x^2, x]

Rubi steps

$$\int \frac{\sqrt{a+b \cos^{-1}(cx)}}{x^2} dx = \int \frac{\sqrt{a+b \cos^{-1}(cx)}}{x^2} dx$$

Mathematica [A] time = 11.60, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a+b \cos^{-1}(cx)}}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[a + b*ArcCos[c*x]]/x^2, x]

[Out] Integrate[Sqrt[a + b*ArcCos[c*x]]/x^2, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(1/2)/x^2, x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \arccos(cx) + a}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(1/2)/x^2,x, algorithm="giac")

[Out] integrate(sqrt(b*arccos(c*x) + a)/x^2, x)

maple [A] time = 0.63, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \arccos(cx)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^(1/2)/x^2,x)

[Out] int((a+b*arccos(c*x))^(1/2)/x^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \arccos(cx) + a}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate(sqrt(b*arccos(c*x) + a)/x^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{a + b \arccos(cx)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*arccos(c*x))^(1/2)/x^2,x)

[Out] int((a + b*arccos(c*x))^(1/2)/x^2, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \cos(cx)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**(1/2)/x**2,x)

[Out] Integral(sqrt(a + b*acos(c*x))/x**2, x)

$$3.178 \quad \int x^2 \left(a + b \cos^{-1}(cx) \right)^{3/2} dx$$

Optimal. Leaf size=313

$$\frac{3\sqrt{\frac{\pi}{2}} b^{3/2} \sin\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{8c^3} - \frac{\sqrt{\frac{\pi}{6}} b^{3/2} \sin\left(\frac{3a}{b}\right) C\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{24c^3} + \frac{3\sqrt{\frac{\pi}{2}} b^{3/2} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{8c^3}$$

[Out] $1/3*x^3*(a+b*\arccos(c*x))^{3/2}+1/144*b^{3/2}*\cos(3*a/b)*\text{FresnelS}(6^{1/2}/\text{Pi}^{1/2}*(a+b*\arccos(c*x))^{1/2}/b^{1/2})*6^{1/2}*\text{Pi}^{1/2}/c^3-1/144*b^{3/2}*\text{FresnelC}(6^{1/2}/\text{Pi}^{1/2}*(a+b*\arccos(c*x))^{1/2}/b^{1/2})*\sin(3*a/b)*6^{1/2}*\text{Pi}^{1/2}/c^3+3/16*b^{3/2}*\cos(a/b)*\text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}*(a+b*\arccos(c*x))^{1/2}/b^{1/2})*2^{1/2}*\text{Pi}^{1/2}/c^3-3/16*b^{3/2}*\text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}*(a+b*\arccos(c*x))^{1/2}/b^{1/2})*\sin(a/b)*2^{1/2}*\text{Pi}^{1/2}/c^3-1/3*b*(-c^2*x^2+1)^{1/2}*(a+b*\arccos(c*x))^{1/2}/c^3-1/6*b*x^2*(-c^2*x^2+1)^{1/2}*(a+b*\arccos(c*x))^{1/2}/c$

Rubi [A] time = 0.95, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 11, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.688$, Rules used = {4630, 4708, 4678, 4624, 3306, 3305, 3351, 3304, 3352, 4636, 4406}

$$\frac{3\sqrt{\frac{\pi}{2}} b^{3/2} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{8c^3} - \frac{\sqrt{\frac{\pi}{6}} b^{3/2} \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{24c^3} + \frac{3\sqrt{\frac{\pi}{2}} b^{3/2} \cos\left(\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{8c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(a + b*\text{ArcCos}[c*x])^{3/2}, x]$

[Out] $-(b*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(3*c^3) - (b*x^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(6*c) + (x^3*(a + b*\text{ArcCos}[c*x])^{3/2})/3 + (3*b^{3/2}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(8*c^3) + (b^{3/2}*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(24*c^3) - (3*b^{3/2}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(8*c^3) - (b^{3/2}*\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(24*c^3)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 4624

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Sub
st[Int[x^n*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c,
n}, x]
```

Rule 4630

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[(
x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x
^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[
(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*cos[x]^m*sin[x], x], x, ArcCos[c*x]
], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4678

```
Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p +
1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 4708

```
Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)
*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \cos^{-1}(cx))^{3/2} dx &= \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^{3/2} + \frac{1}{2}(bc) \int \frac{x^3 \sqrt{a + b \cos^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= -\frac{bx^2 \sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{6c} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^{3/2} - \frac{1}{12}b^2 \int \frac{x}{\sqrt{a + b \cos^{-1}(cx)}} dx \\
&= -\frac{b\sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{6c} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^{3/2} \\
&= -\frac{b\sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{6c} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^{3/2} \\
&= -\frac{b\sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{6c} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^{3/2} \\
&= -\frac{b\sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{6c} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^{3/2} \\
&= -\frac{b\sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{6c} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^{3/2} \\
&= -\frac{b\sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{3c^3} - \frac{bx^2 \sqrt{1 - c^2x^2} \sqrt{a + b \cos^{-1}(cx)}}{6c} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^{3/2}
\end{aligned}$$

Mathematica [C] time = 10.11, size = 589, normalized size = 1.88

$$\frac{b \left(-18 \left(3\sqrt{1 - c^2x^2} - 2cx \cos^{-1}(cx) \right) \sqrt{a + b \cos^{-1}(cx)} - 9\sqrt{2\pi} \sqrt{\frac{1}{b}} \left(3b \sin\left(\frac{a}{b}\right) - 2a \cos\left(\frac{a}{b}\right) \right) C\left(\sqrt{\frac{1}{b}} \sqrt{\frac{2}{\pi}} \sqrt{a + b \cos^{-1}(cx)}\right) \right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*(a + b*ArcCos[c*x])^(3/2), x]

[Out] (a*Sqrt[a + b*ArcCos[c*x]]*(9*E^(((2*I)*a)/b)*Sqrt[(I*(a + b*ArcCos[c*x]))]/b)*Gamma[3/2, ((-I)*(a + b*ArcCos[c*x]))/b] + 9*E^(((4*I)*a)/b)*Sqrt[((-I)*

$$\frac{(a + b \operatorname{ArcCos}[c x])}{b} \Gamma\left[\frac{3}{2}, \frac{(I(a + b \operatorname{ArcCos}[c x]))}{b} + \sqrt{3} \left(\sqrt{\frac{(I(a + b \operatorname{ArcCos}[c x]))}{b}} \Gamma\left[\frac{3}{2}, \frac{((-3I)(a + b \operatorname{ArcCos}[c x]))}{b} + E^{\left(\frac{(6I)a}{b}\right)} \sqrt{\frac{((-I)(a + b \operatorname{ArcCos}[c x]))}{b}} \Gamma\left[\frac{3}{2}, \frac{(3I)(a + b \operatorname{ArcCos}[c x])}{b}\right]\right)\right]}{(72c^3 E^{\left(\frac{(3I)a}{b}\right)} \sqrt{(a + b \operatorname{ArcCos}[c x])^2/b^2})} + (b(-18\sqrt{a + b \operatorname{ArcCos}[c x]})(3\sqrt{1 - c^2 x^2} - 2c x \operatorname{ArcCos}[c x]) + 9\sqrt{b^{-1}} \sqrt{2\pi} \operatorname{FresnelS}[\sqrt{b^{-1}}] \sqrt{2/\pi} \sqrt{a + b \operatorname{ArcCos}[c x]}) (3b \cos[a/b] + 2a \sin[a/b]) - 9\sqrt{b^{-1}} \sqrt{2\pi} \operatorname{FresnelC}[\sqrt{b^{-1}}] \sqrt{2/\pi} \sqrt{a + b \operatorname{ArcCos}[c x]}) (-2a \cos[a/b] + 3b \sin[a/b]) + \sqrt{b^{-1}} \sqrt{6\pi} \operatorname{FresnelS}[\sqrt{b^{-1}}] \sqrt{6/\pi} \sqrt{a + b \operatorname{ArcCos}[c x]}) (b \cos[(3a)/b] + 2a \sin[(3a)/b]) - \sqrt{b^{-1}} \sqrt{6\pi} \operatorname{FresnelC}[\sqrt{b^{-1}}] \sqrt{6/\pi} \sqrt{a + b \operatorname{ArcCos}[c x]}) (-2a \cos[(3a)/b] + b \sin[(3a)/b]) - 6\sqrt{a + b \operatorname{ArcCos}[c x]} (-2 \operatorname{ArcCos}[c x] \cos[3 \operatorname{ArcCos}[c x]] + \sin[3 \operatorname{ArcCos}[c x]])\right)}{(144c^3)}$$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 3.44, size = 2037, normalized size = 6.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x))^(3/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8 \sqrt{2} \sqrt{\pi} a^2 b^2 i \operatorname{erf}(-1/2 \sqrt{2} \sqrt{b \operatorname{arccos}(c x) + a}) i / \sqrt{\operatorname{abs}(b)} - 1/2 \sqrt{2} \sqrt{b \operatorname{arccos}(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{(a i / b)} / ((b^3 i / \sqrt{\operatorname{abs}(b)} + b^2 \sqrt{\operatorname{abs}(b)}) c^3) - 1/8 \sqrt{2} \sqrt{\pi} a^2 b^2 i \operatorname{erf}(1/2 \sqrt{2} \sqrt{b \operatorname{arccos}(c x) + a}) i / \sqrt{\operatorname{abs}(b)} - 1/2 \sqrt{2} \sqrt{b \operatorname{arccos}(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{(-a i / b)} / ((b^3 i / \sqrt{\operatorname{abs}(b)} - b^2 \sqrt{\operatorname{abs}(b)}) c^3) - 1/4 \sqrt{\pi} a^2 b^{(3/2)} i \operatorname{erf}(-1/2 \sqrt{6} \sqrt{b \operatorname{arccos}(c x) + a}) \sqrt{b} i / \operatorname{abs}(b) - 1/2 \sqrt{6} \sqrt{b \operatorname{arccos}(c x) + a} / \sqrt{b} e^{(3 a i / b)} / ((\sqrt{6} b^3 i / \operatorname{abs}(b) + \sqrt{6} b^2) c^3) + 1/8 \sqrt{2} \sqrt{\pi} a^2 b^3 \operatorname{erf}(-1/2 \sqrt{2} \sqrt{b \operatorname{arccos}(c x) + a}) i / \sqrt{\operatorname{abs}(b)} - 1/2 \sqrt{2} \sqrt{b \operatorname{arccos}(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{(a i / b)} / ((b^3 i / \sqrt{\operatorname{abs}(b)} + b^2 \sqrt{\operatorname{abs}(b)}) c^3) - 3/32 \sqrt{2} \sqrt{\pi} b^3 i \operatorname{erf}(-1/2 \sqrt{2} \sqrt{b \operatorname{arccos}(c x) + a}) i / \sqrt{\operatorname{abs}(b)} - 1/2 \sqrt{2} \sqrt{b \operatorname{arccos}(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{(a i / b)} / ((b^2 i / \sqrt{\operatorname{abs}(b)} + b \sqrt{\operatorname{abs}(b)}) c^3) - 1/8 \sqrt{2} \sqrt{\pi} a^2 b^3 \operatorname{erf}(1/2 \sqrt{2} \sqrt{b \operatorname{arccos}(c x) + a}) i / \sqrt{\operatorname{abs}(b)} \end{aligned}$$

$\text{ccos}(c*x) + a) * a * e^{(i * \arccos(c*x))} / c^3 + 1/8 * \sqrt{b * \arccos(c*x) + a} * a * e^{(-i * \arccos(c*x))} / c^3 + 1/24 * \sqrt{b * \arccos(c*x) + a} * a * e^{(-3 * i * \arccos(c*x))} / c^3$

maple [B] time = 0.37, size = 541, normalized size = 1.73

$$\frac{\sqrt{3} \sqrt{2} \sqrt{\frac{1}{b}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{3} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \sqrt{\pi} \sqrt{a+b \arccos(cx)} b^2 - \sqrt{3} \sqrt{2} \sqrt{\frac{1}{b}} \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{3}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arccos(c*x))^(3/2),x)`

[Out] $\frac{1}{144} c^3 (3^{1/2} 2^{1/2} (1/b)^{1/2} \cos(3a/b) \text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}) * 3^{1/2} / (1/b)^{1/2} (a+b \arccos(cx))^{1/2} / b * \text{Pi}^{1/2} (a+b \arccos(cx))^{1/2} * b^2 - 3^{1/2} 2^{1/2} (1/b)^{1/2} \sin(3a/b) \text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}) * 3^{1/2} / (1/b)^{1/2} (a+b \arccos(cx))^{1/2} / b * \text{Pi}^{1/2} (a+b \arccos(cx))^{1/2} * b^2 + 27 * 2^{1/2} (1/b)^{1/2} \cos(a/b) \text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}) / (1/b)^{1/2} (a+b \arccos(cx))^{1/2} / b * \text{Pi}^{1/2} (a+b \arccos(cx))^{1/2} * b^2 - 27 * 2^{1/2} (1/b)^{1/2} \sin(a/b) \text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}) / (1/b)^{1/2} (a+b \arccos(cx))^{1/2} / b * \text{Pi}^{1/2} (a+b \arccos(cx))^{1/2} * b^2 + 36 \arccos(cx)^2 \cos((a+b \arccos(cx))/b - a/b) * b^2 + 12 \arccos(cx)^2 \cos(3(a+b \arccos(cx))/b - 3a/b) * b^2 + 72 \arccos(cx) \cos((a+b \arccos(cx))/b - a/b) * a * b - 54 \arccos(cx) \sin((a+b \arccos(cx))/b - a/b) * b^2 + 24 \arccos(cx) \cos(3(a+b \arccos(cx))/b - 3a/b) * a * b - 6 \arccos(cx) \sin(3(a+b \arccos(cx))/b - 3a/b) * b^2 + 36 \cos((a+b \arccos(cx))/b - a/b) * a^2 - 54 \sin((a+b \arccos(cx))/b - a/b) * a * b + 12 \cos(3(a+b \arccos(cx))/b - 3a/b) * a^2 - 6 \sin(3(a+b \arccos(cx))/b - 3a/b) * a * b) / (a+b \arccos(cx))^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \arccos(cx) + a)^{3/2} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccos(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*arccos(c*x) + a)^(3/2)*x^2, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (a + b \arccos(cx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a + b*acos(c*x))^(3/2),x)
```

```
[Out] int(x^2*(a + b*acos(c*x))^(3/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x^2 (a + b \operatorname{acos}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*acos(c*x))**(3/2),x)
```

```
[Out] Integral(x**2*(a + b*acos(c*x))**(3/2), x)
```

$$3.179 \quad \int x \left(a + b \cos^{-1}(cx) \right)^{3/2} dx$$

Optimal. Leaf size=172

$$\frac{3\sqrt{\pi} b^{3/2} \sin\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{32c^2} + \frac{3\sqrt{\pi} b^{3/2} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{32c^2} - \frac{3bx\sqrt{1-c^2x^2} \sqrt{a+b \cos^{-1}(cx)}}{8c} - \frac{(a+b \cos^{-1}(cx))^{3/2}}{c}$$

[Out] $-1/4*(a+b*\arccos(c*x))^{(3/2)}/c^2+1/2*x^2*(a+b*\arccos(c*x))^{(3/2)}+3/32*b^{(3/2)}*\cos(2*a/b)*\text{FresnelS}(2*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/c^2-3/32*b^{(3/2)}*\text{FresnelC}(2*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a/b)*\text{Pi}^{(1/2)}/c^2-3/8*b*x*(-c^2*x^2+1)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/c$

Rubi [A] time = 0.46, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.786$, Rules used = {4630, 4708, 4642, 4636, 4406, 12, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\pi} b^{3/2} \sin\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi} \sqrt{b}}\right)}{32c^2} + \frac{3\sqrt{\pi} b^{3/2} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{32c^2} - \frac{3bx\sqrt{1-c^2x^2} \sqrt{a+b \cos^{-1}(cx)}}{8c} - \frac{(a+b \cos^{-1}(cx))^{3/2}}{c}$$

Antiderivative was successfully verified.

[In] `Int[x*(a + b*ArcCos[c*x])^(3/2), x]`

[Out] $(-3*b*x*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(8*c) - (a + b*\text{ArcCos}[c*x])^{(3/2)}/(4*c^2) + (x^2*(a + b*\text{ArcCos}[c*x])^{(3/2)})/2 + (3*b^{(3/2)}*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])/(32*c^2) - (3*b^{(3/2)}*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[(2*a)/b])/(32*c^2)$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 3304

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^(n)*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4630

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*cos[x]^m*sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 4642

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fr

Mathematica [A] time = 0.95, size = 155, normalized size = 0.90

$$\frac{-3\sqrt{\pi} b \sin\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{\frac{1}{b}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi}}\right) + 3\sqrt{\pi} b \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{\frac{1}{b}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi}}\right) + 2\sqrt{\frac{1}{b}} \sqrt{a+b \cos^{-1}(cx)} (4a \cos^{-1}(cx) - \pi)}{32\sqrt{\frac{1}{b}} c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*ArcCos[c*x])^(3/2), x]

[Out] (3*b*Sqrt[Pi]*Cos[(2*a)/b]*FresnelS[(2*Sqrt[b^(-1)]*Sqrt[a + b*ArcCos[c*x]])/Sqrt[Pi]] - 3*b*Sqrt[Pi]*FresnelC[(2*Sqrt[b^(-1)]*Sqrt[a + b*ArcCos[c*x]])/Sqrt[Pi]]*Sin[(2*a)/b] + 2*Sqrt[b^(-1)]*Sqrt[a + b*ArcCos[c*x]]*(4*a*Cos[2*ArcCos[c*x]] + 4*b*ArcCos[c*x]*Cos[2*ArcCos[c*x]] - 3*b*Sin[2*ArcCos[c*x]]))/((32*Sqrt[b^(-1)]*c^2)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 5.42, size = 884, normalized size = 5.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^(3/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/4*\sqrt{\pi}*a^2*b^{(3/2)}*i*\operatorname{erf}(-\sqrt{b*\arccos(c*x)} + a)*\sqrt{b}*i/\operatorname{abs}(b) - \\ & \sqrt{b*\arccos(c*x)} + a/\sqrt{b})*e^{(2*a*i/b)/((b^3*i/\operatorname{abs}(b) + b^2)*c^2)} - \\ & 1/4*\sqrt{\pi}*a^2*b^{(3/2)}*i*\operatorname{erf}(\sqrt{b*\arccos(c*x)} + a)*\sqrt{b}*i/\operatorname{abs}(b) - \sqrt{b*\arccos(c*x)} + a/\sqrt{b})*e^{(-2*a*i/b)/((b^3*i/\operatorname{abs}(b) - b^2)*c^2)} + \\ & 1/4*\sqrt{\pi}*a^2*b*i*\operatorname{erf}(\sqrt{b*\arccos(c*x)} + a)*\sqrt{b}*i/\operatorname{abs}(b) - \sqrt{b*a*\arccos(c*x)} + a/\sqrt{b})*e^{(-2*a*i/b)/((b^{(5/2)}*i/\operatorname{abs}(b) - b^{(3/2)})*c^2)} + \\ & 1/8*\sqrt{\pi}*a*b^{(5/2)}*\operatorname{erf}(-\sqrt{b*\arccos(c*x)} + a)*\sqrt{b}*i/\operatorname{abs}(b) - \sqrt{b*\arccos(c*x)} + a/\sqrt{b})*e^{(2*a*i/b)/((b^3*i/\operatorname{abs}(b) + b^2)*c^2)} + \\ & 1/4*\sqrt{\pi}*a^2*\sqrt{b}*i*\operatorname{erf}(-\sqrt{b*\arccos(c*x)} + a)*\sqrt{b}*i/\operatorname{abs}(b) - \sqrt{b*\arccos(c*x)} + a/\sqrt{b})*e^{(2*a*i/b)/((b^2*i/\operatorname{abs}(b) + b)*c^2)} - \\ & 3/64*\sqrt{\pi}*b^{(5/2)}*i*\operatorname{erf}(-\sqrt{b*\arccos(c*x)} + a)*\sqrt{b}*i/\operatorname{abs}(b) - \sqrt{b*\arccos(c*x)} + a/\sqrt{b})*e^{(2*a*i/b)/((b^2*i/\operatorname{abs}(b) + b)*c^2)} - \\ & 3/64*\sqrt{\pi}*b^{(5/2)}*i*\operatorname{erf}(\sqrt{b*\arccos(c*x)} + a)*\sqrt{b}*i/\operatorname{abs}(b) - \sqrt{b*\arccos(c*x)} + a/\sqrt{b})*e^{(-2*a*i/b)/((b^2*i/\operatorname{abs}(b) + b)*c^2)} \end{aligned}$$

```

os(c*x) + a)/sqrt(b))*e^(2*a*i/b)/((b^2*i/abs(b) + b)*c^2) - 1/8*sqrt(pi)*a
*b^(5/2)*erf(sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x)
+ a)/sqrt(b))*e^(-2*a*i/b)/((b^3*i/abs(b) - b^2)*c^2) - 3/64*sqrt(pi)*b^(5/
2)*i*erf(sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)
/sqrt(b))*e^(-2*a*i/b)/((b^2*i/abs(b) - b)*c^2) - 1/8*sqrt(pi)*a*b^2*erf(-s
qrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*
e^(2*a*i/b)/((b^(5/2)*i/abs(b) + b^(3/2))*c^2) + 1/8*sqrt(pi)*a*b^2*erf(sqr
t(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^
(-2*a*i/b)/((b^(5/2)*i/abs(b) - b^(3/2))*c^2) + 3/32*sqrt(b*arccos(c*x) + a
)*b*i*e^(2*i*arccos(c*x))/c^2 + 1/8*sqrt(b*arccos(c*x) + a)*b*arccos(c*x)*e
^(2*i*arccos(c*x))/c^2 - 3/32*sqrt(b*arccos(c*x) + a)*b*i*e^(-2*i*arccos(c*x
))/c^2 + 1/8*sqrt(b*arccos(c*x) + a)*b*arccos(c*x)*e^(-2*i*arccos(c*x))/c^
2 + 1/8*sqrt(b*arccos(c*x) + a)*a*e^(2*i*arccos(c*x))/c^2 + 1/8*sqrt(b*arcc
os(c*x) + a)*a*e^(-2*i*arccos(c*x))/c^2

```

maple [A] time = 0.25, size = 267, normalized size = 1.55

$$3\sqrt{\pi} \sqrt{\frac{1}{b}} \sqrt{a + b \arccos(cx)} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) b^2 - 3\sqrt{\pi} \sqrt{\frac{1}{b}} \sqrt{a + b \arccos(cx)} \sin\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arccos(c*x))^(3/2), x)

[Out] 1/32/c^2*(3*Pi^(1/2)*(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)*cos(2*a/b)*FresnelS(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*b^2-3*Pi^(1/2)*(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)*sin(2*a/b)*FresnelC(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*b^2+8*arccos(c*x)^2*cos(2*(a+b*arccos(c*x))/b-2*a/b)*b^2+16*arccos(c*x)*cos(2*(a+b*arccos(c*x))/b-2*a/b)*a*b-6*arccos(c*x)*sin(2*(a+b*arccos(c*x))/b-2*a/b)*b^2+8*cos(2*(a+b*arccos(c*x))/b-2*a/b)*a^2-6*sin(2*(a+b*arccos(c*x))/b-2*a/b)*a*b)/(a+b*arccos(c*x))^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \arccos(cx) + a)^{\frac{3}{2}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^(3/2), x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(3/2)*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x (a + b \arccos(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(a + b*acos(c*x))^(3/2),x)
```

```
[Out] int(x*(a + b*acos(c*x))^(3/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x (a + b \operatorname{acos}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*acos(c*x))**(3/2),x)
```

```
[Out] Integral(x*(a + b*acos(c*x))**(3/2), x)
```

$$3.180 \quad \int \left(a + b \cos^{-1}(cx) \right)^{3/2} dx$$

Optimal. Leaf size=159

$$\frac{3\sqrt{\frac{\pi}{2}} b^{3/2} \sin\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2c} + \frac{3\sqrt{\frac{\pi}{2}} b^{3/2} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2c} - \frac{3b\sqrt{1-c^2x^2} \sqrt{a+b \cos^{-1}(cx)}}{2c} +$$

[Out] $x*(a+b*\arccos(c*x))^{(3/2)}+3/4*b^{(3/2)}*\cos(a/b)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/c-3/4*b^{(3/2)}*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*2^{(1/2)}*\text{Pi}^{(1/2)}/c-3/2*b*(-c^2*x^2+1)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/c$

Rubi [A] time = 0.24, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {4620, 4678, 4624, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\frac{\pi}{2}} b^{3/2} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2c} + \frac{3\sqrt{\frac{\pi}{2}} b^{3/2} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2c} - \frac{3b\sqrt{1-c^2x^2} \sqrt{a+b \cos^{-1}(cx)}}{2c}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCos}[c*x])^{(3/2)}, x]$

[Out] $(-3*b*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(2*c) + x*(a + b*\text{ArcCos}[c*x])^{(3/2)} + (3*b^{(3/2)}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(2*c) - (3*b^{(3/2)}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(2*c)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4620

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_.), x_Symbol] := Simp[x*(a + b*Ar
cCos[c*x])n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])(n - 1))/Sqrt[1 -
c2*x2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4624

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_.), x_Symbol] := Dist[1/(b*c), Sub
st[Int[xn*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c,
n}, x]
```

Rule 4678

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_.)(x_)*((d_.) + (e_.)*(x_)2)(p_
.), x_Symbol] := Simp[((d + e*x2)(p + 1)(a + b*ArcCos[c*x])n)/(2*e*(p +
1)), x] - Dist[(b*n*dIntPart[p](d + e*x2)FracPart[p])/(2*c*(p + 1)*(1
- c2*x2)FracPart[p]), Int[(1 - c2*x2)(p + 1/2)(a + b*ArcCos[c*x])(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos^{-1}(cx))^{3/2} dx &= x (a + b \cos^{-1}(cx))^{3/2} + \frac{1}{2}(3bc) \int \frac{x \sqrt{a + b \cos^{-1}(cx)}}{\sqrt{1 - c^2 x^2}} dx \\
&= -\frac{3b\sqrt{1 - c^2 x^2} \sqrt{a + b \cos^{-1}(cx)}}{2c} + x (a + b \cos^{-1}(cx))^{3/2} - \frac{1}{4} (3b^2) \int \frac{1}{\sqrt{a + b \cos^{-1}(cx)}} dx \\
&= -\frac{3b\sqrt{1 - c^2 x^2} \sqrt{a + b \cos^{-1}(cx)}}{2c} + x (a + b \cos^{-1}(cx))^{3/2} - \frac{(3b) \operatorname{Subst} \left(\int \frac{\sin\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx \right)}{4c} \\
&= -\frac{3b\sqrt{1 - c^2 x^2} \sqrt{a + b \cos^{-1}(cx)}}{2c} + x (a + b \cos^{-1}(cx))^{3/2} + \frac{(3b \cos\left(\frac{a}{b}\right)) \operatorname{Subst} \left(\int \frac{\sin}{\sqrt{x}} dx \right)}{4c} \\
&= -\frac{3b\sqrt{1 - c^2 x^2} \sqrt{a + b \cos^{-1}(cx)}}{2c} + x (a + b \cos^{-1}(cx))^{3/2} + \frac{(3b \cos\left(\frac{a}{b}\right)) \operatorname{Subst} \left(\int \sin dx \right)}{4c} \\
&= -\frac{3b\sqrt{1 - c^2 x^2} \sqrt{a + b \cos^{-1}(cx)}}{2c} + x (a + b \cos^{-1}(cx))^{3/2} + \frac{3b^{3/2} \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \cos^{-1}(cx)}}{\sqrt{1 - c^2 x^2}}\right)}{2c}
\end{aligned}$$

Mathematica [C] time = 2.65, size = 295, normalized size = 1.86

$$b \left(2 \left(2cx \cos^{-1}(cx) - 3\sqrt{1 - c^2 x^2} \right) \sqrt{a + b \cos^{-1}(cx)} - \sqrt{2\pi} \sqrt{\frac{1}{b}} \left(3b \sin\left(\frac{a}{b}\right) - 2a \cos\left(\frac{a}{b}\right) \right) C \left(\sqrt{\frac{1}{b}} \sqrt{\frac{2}{\pi}} \sqrt{a + b \cos^{-1}(cx)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^(3/2), x]

[Out] ((-2*a*Sqrt[a + b*ArcCos[c*x]]*(-Gamma[3/2, ((-I)*(a + b*ArcCos[c*x]))]/b)/Sqrt[((-I)*(a + b*ArcCos[c*x]))/b]) - (E^(((2*I)*a)/b)*Gamma[3/2, (I*(a + b*ArcCos[c*x]))/b])/Sqrt[(I*(a + b*ArcCos[c*x]))/b])/E^((I*a)/b) + b*(2*Sqrt[a + b*ArcCos[c*x]]*(-3*Sqrt[1 - c^2*x^2] + 2*c*x*ArcCos[c*x]) + Sqrt[b^(-1)]*Sqrt[2*Pi]*FresnelS[Sqrt[b^(-1)]*Sqrt[2/Pi]*Sqrt[a + b*ArcCos[c*x]]])*(3*b*Cos[a/b] + 2*a*Sin[a/b]) - Sqrt[b^(-1)]*Sqrt[2*Pi]*FresnelC[Sqrt[b^(-1)]*Sqrt[2/Pi]*Sqrt[a + b*ArcCos[c*x]]]*(-2*a*Cos[a/b] + 3*b*Sin[a/b]))/(4*c)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 3.98, size = 1022, normalized size = 6.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(3/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*\sqrt{2}*\sqrt{\pi}*a^2*b^2*i*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a})*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(a*i/b)} \\ & /((b^3*i/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})*c) - 1/2*\sqrt{2}*\sqrt{\pi}*a^2*b^2*i*\operatorname{erf}(1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a})*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-a*i/b)} \\ & /((b^3*i/\sqrt{\operatorname{abs}(b)} - b^2*\sqrt{\operatorname{abs}(b)})*c) + 1/2*\sqrt{2}*\sqrt{\pi}*a*b^3*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a})*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(a*i/b)} \\ & /((b^3*i/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})*c) - 3/8*\sqrt{2}*\sqrt{\pi}*b^3*i*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a})*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(a*i/b)} \\ & /((b^2*i/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})*c) - 1/2*\sqrt{2}*\sqrt{\pi}*a*b^3*\operatorname{erf}(1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a})*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-a*i/b)} \\ & /((b^3*i/\sqrt{\operatorname{abs}(b)} - b^2*\sqrt{\operatorname{abs}(b)})*c) - 3/8*\sqrt{2}*\sqrt{\pi}*b^3*i*\operatorname{erf}(1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a})*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-a*i/b)} \\ & /((b^2*i/\sqrt{\operatorname{abs}(b)} - b*\sqrt{\operatorname{abs}(b)})*c) + \sqrt{\pi}*a^2*b*i*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a})*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(a*i/b)} \\ & /((\sqrt{2}*b^2*i/\sqrt{\operatorname{abs}(b)} + \sqrt{2}*b*\sqrt{\operatorname{abs}(b)})*c) + \sqrt{\pi}*a^2*b*i*\operatorname{erf}(1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a})*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-a*i/b)} \\ & /((\sqrt{2}*b^2*i/\sqrt{\operatorname{abs}(b)} - \sqrt{2}*b*\sqrt{\operatorname{abs}(b)})*c) - 1/2*\sqrt{2}*\sqrt{\pi}*a*b^2*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a})*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(a*i/b)} \\ & /((b^2*i/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})*c) + 1/2*\sqrt{2}*\sqrt{\pi}*a*b^2*\operatorname{erf}(1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a})*i/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arccos(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-a*i/b)} \\ & /((b^2*i/\sqrt{\operatorname{abs}(b)} - b*\sqrt{\operatorname{abs}(b)})*c) + 3/4*\sqrt{b*\arccos(c*x) + a}*b*i*e^{(i*\arccos(c*x))}/c + 1/2*\sqrt{b*\arccos(c*x) + a}*b*\arccos(c*x)*e^{(i*\arccos(c*x))}/c - 3/4*\sqrt{b*\arccos(c*x) + a}*b*i*e^{(-i*\arccos(c*x))}/c + 1/2*\sqrt{b*\arccos(c*x) + a}*a*e^{(i*\arccos(c*x))}/c + 1/2*\sqrt{b*\arccos(c*x) + a}*a*e^{(-i*\arccos(c*x))}/c \end{aligned}$$

maple [B] time = 0.22, size = 270, normalized size = 1.70

$$3\sqrt{2} \sqrt{\frac{1}{b}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \sqrt{\pi} \sqrt{a+b \arccos(cx)} b^2 - 3\sqrt{2} \sqrt{\frac{1}{b}} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^(3/2), x)

[Out] 1/4/c*(3*2^(1/2)*(1/b)^(1/2)*cos(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*Pi^(1/2)*(a+b*arccos(c*x))^(1/2)*b^2-3*2^(1/2)*(1/b)^(1/2)*sin(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*Pi^(1/2)*(a+b*arccos(c*x))^(1/2)*b^2+4*arccos(c*x)^2*cos((a+b*arccos(c*x))/b-a/b)*b^2+8*arccos(c*x)*cos((a+b*arccos(c*x))/b-a/b)*a*b-6*arccos(c*x)*sin((a+b*arccos(c*x))/b-a/b)*b^2+4*cos((a+b*arccos(c*x))/b-a/b)*a^2-6*sin((a+b*arccos(c*x))/b-a/b)*a*b)/(a+b*arccos(c*x))^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \arccos(cx) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(3/2), x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \arccos(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))^(3/2), x)

[Out] int((a + b*acos(c*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \arccos(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**(3/2), x)

[Out] Integral((a + b*acos(c*x))**(3/2), x)

$$3.181 \quad \int \frac{(a+b \cos^{-1}(cx))^{3/2}}{x} dx$$

Optimal. Leaf size=19

$$\text{Int} \left(\frac{(a + b \cos^{-1}(cx))^{3/2}}{x}, x \right)$$

[Out] Unintegrable((a+b*arccos(c*x))^(3/2)/x,x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a + b \cos^{-1}(cx))^{3/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCos[c*x])^(3/2)/x,x]

[Out] Defer[Int] [(a + b*ArcCos[c*x])^(3/2)/x, x]

Rubi steps

$$\int \frac{(a + b \cos^{-1}(cx))^{3/2}}{x} dx = \int \frac{(a + b \cos^{-1}(cx))^{3/2}}{x} dx$$

Mathematica [A] time = 3.86, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos^{-1}(cx))^{3/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCos[c*x])^(3/2)/x,x]

[Out] Integrate[(a + b*ArcCos[c*x])^(3/2)/x, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(3/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(3/2)/x,x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^(3/2)/x, x)

maple [A] time = 0.29, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^(3/2)/x,x)

[Out] int((a+b*arccos(c*x))^(3/2)/x,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(3/2)/x,x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(3/2)/x, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(a + b \arccos(cx))^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*arccos(c*x))^(3/2)/x,x)

[Out] int((a + b*arccos(c*x))^(3/2)/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{acos}(cx))^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**(3/2)/x,x)

[Out] Integral((a + b*acos(c*x))**(3/2)/x, x)

$$3.182 \quad \int \frac{(a+b \cos^{-1}(cx))^{3/2}}{x^2} dx$$

Optimal. Leaf size=19

$$\text{Int} \left(\frac{(a + b \cos^{-1}(cx))^{3/2}}{x^2}, x \right)$$

[Out] Unintegrable((a+b*arccos(c*x))^(3/2)/x^2,x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a + b \cos^{-1}(cx))^{3/2}}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCos[c*x])^(3/2)/x^2,x]

[Out] Defer[Int] [(a + b*ArcCos[c*x])^(3/2)/x^2, x]

Rubi steps

$$\int \frac{(a + b \cos^{-1}(cx))^{3/2}}{x^2} dx = \int \frac{(a + b \cos^{-1}(cx))^{3/2}}{x^2} dx$$

Mathematica [A] time = 11.16, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos^{-1}(cx))^{3/2}}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCos[c*x])^(3/2)/x^2,x]

[Out] Integrate[(a + b*ArcCos[c*x])^(3/2)/x^2, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(3/2)/x^2,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(3/2)/x^2,x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^(3/2)/x^2, x)

maple [A] time = 0.64, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^(3/2)/x^2,x)

[Out] int((a+b*arccos(c*x))^(3/2)/x^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(3/2)/x^2,x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(3/2)/x^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(a + b \arccos(cx))^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*arccos(c*x))^(3/2)/x^2,x)

[Out] int((a + b*arccos(c*x))^(3/2)/x^2, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{acos}(cx))^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**(3/2)/x**2,x)

[Out] Integral((a + b*acos(c*x))**(3/2)/x**2, x)

$$3.183 \quad \int x^2 (a + b \cos^{-1}(cx))^{5/2} dx$$

Optimal. Leaf size=358

$$\frac{15\sqrt{\frac{\pi}{2}} b^{5/2} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{16c^3} + \frac{5\sqrt{\frac{\pi}{6}} b^{5/2} \cos\left(\frac{3a}{b}\right) C\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{144c^3} + \frac{15\sqrt{\frac{\pi}{2}} b^{5/2} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{16c^3}$$

[Out] $\frac{1}{3}x^3(a+b\arccos(cx))^{5/2} + \frac{5}{864}b^{5/2}\cos(3a/b)\text{FresnelC}(6^{1/2}/\text{Pi}^{1/2}(a+b\arccos(cx))^{1/2}/b^{1/2})^{6^{1/2}}\text{Pi}^{1/2}/c^3 + \frac{5}{864}b^{5/2}\text{FresnelS}(6^{1/2}/\text{Pi}^{1/2}(a+b\arccos(cx))^{1/2}/b^{1/2})\sin(3a/b)6^{1/2}\text{Pi}^{1/2}/c^3 + \frac{15}{32}b^{5/2}\cos(a/b)\text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}(a+b\arccos(cx))^{1/2}/b^{1/2})^{2^{1/2}}\text{Pi}^{1/2}/c^3 + \frac{15}{32}b^{5/2}\text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}(a+b\arccos(cx))^{1/2}/b^{1/2})\sin(a/b)2^{1/2}\text{Pi}^{1/2}/c^3 - \frac{5}{9}b(a+b\arccos(cx))^{3/2}(-c^2x^2+1)^{1/2}/c^3 - \frac{5}{18}b^2x^2(a+b\arccos(cx))^{3/2}(-c^2x^2+1)^{1/2}/c^3 - \frac{5}{36}b^2x^3(a+b\arccos(cx))^{1/2}$

Rubi [A] time = 1.32, antiderivative size = 358, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 11, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.688$, Rules used = {4630, 4708, 4678, 4620, 4724, 3306, 3305, 3351, 3304, 3352, 3312}

$$\frac{15\sqrt{\frac{\pi}{2}} b^{5/2} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{16c^3} + \frac{5\sqrt{\frac{\pi}{6}} b^{5/2} \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{144c^3} + \frac{15\sqrt{\frac{\pi}{2}} b^{5/2} \sin\left(\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{16c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2(a + b\text{ArcCos}[cx])^{5/2}, x]$

[Out] $(-5b^2x\sqrt{a + b\text{ArcCos}[cx]})/(6c^2) - (5b^2x^3\sqrt{a + b\text{ArcCos}[cx]})/36 - (5b\sqrt{1 - c^2x^2}(a + b\text{ArcCos}[cx])^{3/2})/(9c^3) - (5b^2x^2\sqrt{1 - c^2x^2}(a + b\text{ArcCos}[cx])^{3/2})/(18c) + (x^3(a + b\text{ArcCos}[cx])^{5/2})/3 + (15b^{5/2}\sqrt{\text{Pi}/2}\cos[a/b]\text{FresnelC}[(\sqrt{2/\text{Pi}})\sqrt{a + b\text{ArcCos}[cx]})/\sqrt{b}])/(16c^3) + (5b^{5/2}\sqrt{\text{Pi}/6}\cos[(3a)/b]\text{FresnelC}[(\sqrt{6/\text{Pi}})\sqrt{a + b\text{ArcCos}[cx]})/\sqrt{b}])/(144c^3) + (15b^{5/2}\sqrt{\text{Pi}/2}\text{FresnelS}[(\sqrt{2/\text{Pi}})\sqrt{a + b\text{ArcCos}[cx]})/\sqrt{b}]\sin[a/b])/(16c^3) + (5b^{5/2}\sqrt{\text{Pi}/6}\text{FresnelS}[(\sqrt{6/\text{Pi}})\sqrt{a + b\text{ArcCos}[cx]})/\sqrt{b}]\sin[(3a)/b])/(144c^3)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)(x_.)]/\sqrt{[(c_.) + (d_.)(x_.)]}, x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \sqrt{c + d*x}], x] /; \text{FreeQ}\{c, d$

, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4620

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcCos[c*x])^n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 4630

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4678

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcCos[c*x])^n)/(2*e*(p + 1)), x] - Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcCos[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4708

Int((((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 4724

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x]^(2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \cos^{-1}(cx))^{5/2} dx &= \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^{5/2} + \frac{1}{6}(5bc) \int \frac{x^3 (a + b \cos^{-1}(cx))^{3/2}}{\sqrt{1 - c^2x^2}} dx \\
&= -\frac{5bx^2\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{18c} + \frac{1}{3}x^3 (a + b \cos^{-1}(cx))^{5/2} - \frac{1}{12} (5b^2) \int x^2 \sqrt{1 - c^2x^2} dx \\
&= -\frac{5}{36}b^2x^3\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{9c^3} - \frac{5bx^2\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{1/2}}{12c} \\
&= -\frac{5b^2x\sqrt{a + b \cos^{-1}(cx)}}{6c^2} - \frac{5}{36}b^2x^3\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{1/2}}{9c^3} \\
&= -\frac{5b^2x\sqrt{a + b \cos^{-1}(cx)}}{6c^2} - \frac{5}{36}b^2x^3\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{1/2}}{9c^3} \\
&= -\frac{5b^2x\sqrt{a + b \cos^{-1}(cx)}}{6c^2} - \frac{5}{36}b^2x^3\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{1/2}}{9c^3} \\
&= -\frac{5b^2x\sqrt{a + b \cos^{-1}(cx)}}{6c^2} - \frac{5}{36}b^2x^3\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{1/2}}{9c^3} \\
&= -\frac{5b^2x\sqrt{a + b \cos^{-1}(cx)}}{6c^2} - \frac{5}{36}b^2x^3\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{1/2}}{9c^3} \\
&= -\frac{5b^2x\sqrt{a + b \cos^{-1}(cx)}}{6c^2} - \frac{5}{36}b^2x^3\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{1/2}}{9c^3} \\
&= -\frac{5b^2x\sqrt{a + b \cos^{-1}(cx)}}{6c^2} - \frac{5}{36}b^2x^3\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{1/2}}{9c^3}
\end{aligned}$$

Mathematica [C] time = 17.23, size = 1002, normalized size = 2.80

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*(a + b*ArcCos[c*x])^(5/2),x]

[Out] (a^2*Sqrt[a + b*ArcCos[c*x]]*(9*E^(((2*I)*a)/b)*Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamma[3/2, ((-I)*(a + b*ArcCos[c*x]))/b] + 9*E^(((4*I)*a)/b)*Sqrt[((-I)*(a + b*ArcCos[c*x]))/b]*Gamma[3/2, (I*(a + b*ArcCos[c*x]))/b] + Sqrt[3]*(Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamma[3/2, ((-3*I)*(a + b*ArcCos[c*x]))/b]

$$+ E^{((6I)a/b) \sqrt{((-I)(a + b \arccos(cx)))/b}} \Gamma[3/2, ((3I)(a + b \arccos(cx))/b)] / (72c^3 E^{((3I)a/b) \sqrt{(a + b \arccos(cx))^2/b^2}} + (a b (-18 \sqrt{a + b \arccos(cx)} (3 \sqrt{1 - c^2 x^2} - 2 c x \arccos(cx)) + 9 \sqrt{b^{-1}} \sqrt{2\pi} \operatorname{FresnelS}[\sqrt{b^{-1}} \sqrt{2/\pi}] \sqrt{a + b \arccos(cx)}] (3b \cos[a/b] + 2a \sin[a/b]) - 9 \sqrt{b^{-1}} \sqrt{2\pi} \operatorname{FresnelC}[\sqrt{b^{-1}} \sqrt{2/\pi}] \sqrt{a + b \arccos(cx)}] (-2a \cos[a/b] + 3b \sin[a/b]) + \sqrt{b^{-1}} \sqrt{6\pi} \operatorname{FresnelS}[\sqrt{b^{-1}} \sqrt{6/\pi}] \sqrt{a + b \arccos(cx)}] (b \cos[(3a)/b] + 2a \sin[(3a)/b]) - \sqrt{b^{-1}} \sqrt{6\pi} \operatorname{FresnelC}[\sqrt{b^{-1}} \sqrt{6/\pi}] \sqrt{a + b \arccos(cx)}] (-2a \cos[(3a)/b] + b \sin[(3a)/b]) - 6 \sqrt{a + b \arccos(cx)} (-2 \arccos(cx) \cos[3 \arccos(cx)] + \sin[3 \arccos(cx)])) / (72c^3 - ((-54 \sqrt{a + b \arccos(cx)} (2 \sqrt{1 - c^2 x^2} (a - 5b \arccos(cx)) + b c x (-15 + 4 \arccos(cx)^2)) / \sqrt{b^{-1}} + 27 \sqrt{2\pi} \operatorname{FresnelC}[\sqrt{b^{-1}} \sqrt{2/\pi}] \sqrt{a + b \arccos(cx)}] ((4a^2 - 15b^2) \cos[a/b] - 12ab \sin[a/b]) - 27 \sqrt{2\pi} \operatorname{FresnelS}[\sqrt{b^{-1}} \sqrt{2/\pi}] \sqrt{a + b \arccos(cx)}] (-12ab \cos[a/b] + (-4a^2 + 15b^2) \sin[a/b]) + \sqrt{6\pi} \operatorname{FresnelC}[\sqrt{b^{-1}} \sqrt{6/\pi}] \sqrt{a + b \arccos(cx)}] ((12a^2 - 5b^2) \cos[(3a)/b] - 12ab \sin[(3a)/b]) - \sqrt{6\pi} \operatorname{FresnelS}[\sqrt{b^{-1}} \sqrt{6/\pi}] \sqrt{a + b \arccos(cx)}] (-12ab \cos[(3a)/b] + (-12a^2 + 5b^2) \sin[(3a)/b]) - (6 \sqrt{a + b \arccos(cx)} (b(-5 + 12 \arccos(cx)^2) \cos[3 \arccos(cx)] + 2(a - 5b \arccos(cx)) \sin[3 \arccos(cx)])) / \sqrt{b^{-1}}) / (864 \sqrt{b^{-1}} c^3)$$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccos(c*x))^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 5.42, size = 2760, normalized size = 7.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arccos(c*x))^(5/2),x, algorithm="giac")`

[Out]
$$-1/8 \sqrt{2} \sqrt{\pi} a^3 b^3 i \operatorname{erf}(-1/2 \sqrt{2} \sqrt{b \arccos(cx) + a}) i / \sqrt{\operatorname{abs}(b)} - 1/2 \sqrt{2} \sqrt{b \arccos(cx) + a} \sqrt{\operatorname{abs}(b)} / b e^{(a i / b)} / ((b^4 i / \sqrt{\operatorname{abs}(b)} + b^3 \sqrt{\operatorname{abs}(b)}) c^3) - 1/8 \sqrt{2} \sqrt{\pi} a^3 b^3 i \operatorname{erf}(1/2 \sqrt{2} \sqrt{b \arccos(cx) + a}) i / \sqrt{\operatorname{abs}(b)} - 1/2 \sqrt{2} \sqrt{b \arccos(cx) + a} \sqrt{\operatorname{abs}(b)} / b e^{(-a i / b)} / ((b^4 i / \sqrt{\operatorname{abs}(b)} - b$$

$b \cdot i / \text{abs}(b) - 1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot \arccos(cx) + a} / \sqrt{b} \cdot e^{-3 \cdot a \cdot i / b} / ((\sqrt{6} \cdot b^{2 \cdot i / \text{abs}(b)} - \sqrt{6} \cdot b) \cdot c^3) + 5/144 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^{2 \cdot i \cdot \arccos(cx)} \cdot e^{(3 \cdot i \cdot \arccos(cx))} / c^3 + 1/24 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^{2 \cdot \arccos(cx)} \cdot e^{(3 \cdot i \cdot \arccos(cx))} / c^3 + 5/16 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^{2 \cdot i \cdot \arccos(cx)} \cdot e^{(i \cdot \arccos(cx))} / c^3 + 1/8 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^{2 \cdot \arccos(cx)} \cdot e^{(i \cdot \arccos(cx))} / c^3 - 5/16 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^{2 \cdot i \cdot \arccos(cx)} \cdot e^{-i \cdot \arccos(cx)} / c^3 + 1/8 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^{2 \cdot \arccos(cx)} \cdot e^{-i \cdot \arccos(cx)} / c^3 - 5/144 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^{2 \cdot i \cdot \arccos(cx)} \cdot e^{-3 \cdot i \cdot \arccos(cx)} / c^3 + 1/24 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^{2 \cdot \arccos(cx)} \cdot e^{-3 \cdot i \cdot \arccos(cx)} / c^3 - 1/4 \cdot \sqrt{\pi} \cdot a^2 \cdot b^{2 \cdot \text{erf}(-1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot \arccos(cx) + a})} \cdot \sqrt{b} \cdot i / \text{abs}(b) - 1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot \arccos(cx) + a} / \sqrt{b} \cdot e^{(3 \cdot a \cdot i / b)} / ((\sqrt{6} \cdot b^{(5/2) \cdot i / \text{abs}(b)} + \sqrt{6} \cdot b^{(3/2)}) \cdot c^3) + 1/4 \cdot \sqrt{\pi} \cdot a^2 \cdot b^{2 \cdot \text{erf}(1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot \arccos(cx) + a})} \cdot \sqrt{b} \cdot i / \text{abs}(b) - 1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot \arccos(cx) + a} / \sqrt{b} \cdot e^{-3 \cdot a \cdot i / b} / ((\sqrt{6} \cdot b^{(5/2) \cdot i / \text{abs}(b)} - \sqrt{6} \cdot b^{(3/2)}) \cdot c^3) - 5/288 \cdot \sqrt{\pi} \cdot b^{(7/2) \cdot \text{erf}(-1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot \arccos(cx) + a})} \cdot \sqrt{b} \cdot i / \text{abs}(b) - 1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot \arccos(cx) + a} / \sqrt{b} \cdot e^{(3 \cdot a \cdot i / b)} / ((\sqrt{6} \cdot b^{2 \cdot i / \text{abs}(b)} + \sqrt{6} \cdot b) \cdot c^3) + 5/288 \cdot \sqrt{\pi} \cdot b^{(7/2) \cdot \text{erf}(1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot \arccos(cx) + a})} \cdot \sqrt{b} \cdot i / \text{abs}(b) - 1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot \arccos(cx) + a} / \sqrt{b} \cdot e^{-3 \cdot a \cdot i / b} / ((\sqrt{6} \cdot b^{2 \cdot i / \text{abs}(b)} - \sqrt{6} \cdot b) \cdot c^3) + 5/144 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a \cdot b \cdot i \cdot e^{(3 \cdot i \cdot \arccos(cx))} / c^3 + 1/12 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a \cdot b \cdot \arccos(cx) \cdot e^{(3 \cdot i \cdot \arccos(cx))} / c^3 + 5/16 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a \cdot b \cdot i \cdot e^{(i \cdot \arccos(cx))} / c^3 + 1/4 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a \cdot b \cdot \arccos(cx) \cdot e^{(i \cdot \arccos(cx))} / c^3 - 5/16 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a \cdot b \cdot i \cdot e^{-i \cdot \arccos(cx)} / c^3 + 1/4 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a \cdot b \cdot \arccos(cx) \cdot e^{-i \cdot \arccos(cx)} / c^3 - 5/144 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a \cdot b \cdot i \cdot e^{-3 \cdot i \cdot \arccos(cx)} / c^3 + 1/12 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a \cdot b \cdot \arccos(cx) \cdot e^{-3 \cdot i \cdot \arccos(cx)} / c^3 + 1/24 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a^2 \cdot e^{(3 \cdot i \cdot \arccos(cx))} / c^3 - 5/288 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^2 \cdot e^{(3 \cdot i \cdot \arccos(cx))} / c^3 + 1/8 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a^2 \cdot e^{(i \cdot \arccos(cx))} / c^3 - 15/32 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^2 \cdot e^{(i \cdot \arccos(cx))} / c^3 + 1/8 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a^2 \cdot e^{-i \cdot \arccos(cx)} / c^3 - 15/32 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^2 \cdot e^{-i \cdot \arccos(cx)} / c^3 + 1/24 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot a^2 \cdot e^{-3 \cdot i \cdot \arccos(cx)} / c^3 - 5/288 \cdot \sqrt{b \cdot \arccos(cx) + a} \cdot b^2 \cdot e^{-3 \cdot i \cdot \arccos(cx)} / c^3$

maple [B] time = 0.40, size = 792, normalized size = 2.21

$$5\sqrt{3} \sqrt{\frac{1}{b}} \sqrt{\pi} \sqrt{2} \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \sqrt{a+b \arccos(cx)} b^3 + 5\sqrt{3} \sqrt{\frac{1}{b}} \sqrt{\pi} \sqrt{2} \sin\left(\frac{3a}{b}\right) S$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2 \cdot (a+b \cdot \arccos(cx))^{(5/2)}, x)$

[Out] $1/864/c^3 \cdot (5 \cdot 3^{(1/2)} \cdot (1/b)^{(1/2)} \cdot \pi^{(1/2)} \cdot 2^{(1/2)} \cdot \cos(3 \cdot a/b) \cdot \text{FresnelC}(2^{(1/2)}$

$$2)/\text{Pi}^{(1/2)}*3^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b*(a+b*\arccos(c*x))^{(1/2)}*b^3+5*3^{(1/2)}*(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*2^{(1/2)}*\sin(3*a/b)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*3^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b*(a+b*\arccos(c*x))^{(1/2)}*b^3+405*(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*2^{(1/2)}*\cos(a/b)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b*(a+b*\arccos(c*x))^{(1/2)}*b^3+405*(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*2^{(1/2)}*\sin(a/b)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b*(a+b*\arccos(c*x))^{(1/2)}*b^3+216*\arccos(c*x)^3*\cos((a+b*\arccos(c*x))/b-a/b)*b^3+72*\arccos(c*x)^3*\cos(3*(a+b*\arccos(c*x))/b-3*a/b)*b^3+648*\arccos(c*x)^2*\cos((a+b*\arccos(c*x))/b-a/b)*a*b^2-540*\arccos(c*x)^2*\sin((a+b*\arccos(c*x))/b-a/b)*b^3+216*\arccos(c*x)^2*\cos(3*(a+b*\arccos(c*x))/b-3*a/b)*a*b^2-60*\arccos(c*x)^2*\sin(3*(a+b*\arccos(c*x))/b-3*a/b)*b^3+648*\arccos(c*x)*\cos((a+b*\arccos(c*x))/b-a/b)*a^2*b-810*\arccos(c*x)*\cos((a+b*\arccos(c*x))/b-a/b)*b^3-1080*\arccos(c*x)*\sin((a+b*\arccos(c*x))/b-a/b)*a*b^2+216*\arccos(c*x)*\cos(3*(a+b*\arccos(c*x))/b-3*a/b)*a^2*b-30*\arccos(c*x)*\cos(3*(a+b*\arccos(c*x))/b-3*a/b)*b^3-120*\arccos(c*x)*\sin(3*(a+b*\arccos(c*x))/b-3*a/b)*a*b^2+216*\cos((a+b*\arccos(c*x))/b-a/b)*a^3-810*\cos((a+b*\arccos(c*x))/b-a/b)*a*b^2-540*\sin((a+b*\arccos(c*x))/b-a/b)*a^2*b+72*\cos(3*(a+b*\arccos(c*x))/b-3*a/b)*a^3-30*\cos(3*(a+b*\arccos(c*x))/b-3*a/b)*a*b^2-60*\sin(3*(a+b*\arccos(c*x))/b-3*a/b)*a^2*b)/(a+b*\arccos(c*x))^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \arccos(cx) + a)^{5/2} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*arccos(c*x))^(5/2),x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(5/2)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (a + b \arccos(cx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*acos(c*x))^(5/2),x)

[Out] int(x^2*(a + b*acos(c*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a + b \arccos(cx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(x**2*(a+b*acos(c*x))**(5/2),x)
```

```
[Out] Integral(x**2*(a + b*acos(c*x))**(5/2), x)
```

$$3.184 \quad \int x \left(a + b \cos^{-1}(cx) \right)^{5/2} dx$$

Optimal. Leaf size=216

$$\frac{15\sqrt{\pi} b^{5/2} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{128c^2} + \frac{15\sqrt{\pi} b^{5/2} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{128c^2} + \frac{15b^2\sqrt{a+b\cos^{-1}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a}$$

[Out] $-1/4*(a+b*\arccos(c*x))^{(5/2)}/c^2+1/2*x^2*(a+b*\arccos(c*x))^{(5/2)}+15/128*b^{(5/2)}*\cos(2*a/b)*\text{FresnelC}(2*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/c^2+15/128*b^{(5/2)}*\text{FresnelS}(2*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a/b)*\text{Pi}^{(1/2)}/c^2-5/8*b*x*(a+b*\arccos(c*x))^{(3/2)}*(-c^2*x^2+1)^{(1/2)}/c+15/64*b^2*(a+b*\arccos(c*x))^{(1/2)}/c^2-15/32*b^2*x^2*(a+b*\arccos(c*x))^{(1/2)}$

Rubi [A] time = 0.70, antiderivative size = 216, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {4630, 4708, 4642, 4724, 3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{15\sqrt{\pi} b^{5/2} \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{128c^2} + \frac{15\sqrt{\pi} b^{5/2} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b\cos^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{128c^2} + \frac{15b^2\sqrt{a+b\cos^{-1}(cx)}}{64c^2} - \frac{15}{32}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(a + b*\text{ArcCos}[c*x])^{(5/2)}, x]$

[Out] $(15*b^2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(64*c^2) - (15*b^2*x^2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/32 - (5*b*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^{(3/2)})/(8*c) - (a + b*\text{ArcCos}[c*x])^{(5/2)}/(4*c^2) + (x^2*(a + b*\text{ArcCos}[c*x])^{(5/2)})/2 + (15*b^{(5/2)}*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))/(128*c^2) + (15*b^{(5/2)}*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))*\text{Sin}[(2*a)/b])/(128*c^2)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}$

, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4630

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[(x^(m + 1)*(a + b*ArcCos[c*x])^n)/(m + 1), x] + Dist[(b*c^n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4642

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4708

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)*((f_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCos[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcCos[c*x])^n]/Sqrt[d + e*x^2], x], x] - Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n - 1),

$x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \\ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{IntegerQ}[m]$

Rule 4724

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_Symbol] :> -\text{Dist}[d^p/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cos}[x]^m*\text{Sin}[x]^{(2*p+1)}, x], x, \text{ArcCos}[c*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ \text{GtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[d, 0])$

Rubi steps

$$\begin{aligned}
 \int x (a + b \cos^{-1}(cx))^{5/2} dx &= \frac{1}{2}x^2 (a + b \cos^{-1}(cx))^{5/2} + \frac{1}{4}(5bc) \int \frac{x^2 (a + b \cos^{-1}(cx))^{3/2}}{\sqrt{1 - c^2x^2}} dx \\
 &= -\frac{5bx\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{8c} + \frac{1}{2}x^2 (a + b \cos^{-1}(cx))^{5/2} - \frac{1}{16} (15b^2) \int x\sqrt{a + b \cos^{-1}(cx)} dx \\
 &= -\frac{15}{32}b^2x^2\sqrt{a + b \cos^{-1}(cx)} - \frac{5bx\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{8c} - \frac{(a + b \cos^{-1}(cx))^{3/2}}{4c^2} \\
 &= -\frac{15}{32}b^2x^2\sqrt{a + b \cos^{-1}(cx)} - \frac{5bx\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{8c} - \frac{(a + b \cos^{-1}(cx))^{3/2}}{4c^2} \\
 &= -\frac{15}{32}b^2x^2\sqrt{a + b \cos^{-1}(cx)} - \frac{5bx\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{8c} - \frac{(a + b \cos^{-1}(cx))^{3/2}}{4c^2} \\
 &= \frac{15b^2\sqrt{a + b \cos^{-1}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a + b \cos^{-1}(cx)} - \frac{5bx\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{8c} \\
 &= \frac{15b^2\sqrt{a + b \cos^{-1}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a + b \cos^{-1}(cx)} - \frac{5bx\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{8c} \\
 &= \frac{15b^2\sqrt{a + b \cos^{-1}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a + b \cos^{-1}(cx)} - \frac{5bx\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{8c} \\
 &= \frac{15b^2\sqrt{a + b \cos^{-1}(cx)}}{64c^2} - \frac{15}{32}b^2x^2\sqrt{a + b \cos^{-1}(cx)} - \frac{5bx\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{8c}
 \end{aligned}$$

Mathematica [A] time = 2.20, size = 201, normalized size = 0.93

$$2\sqrt{\frac{1}{b}} \sqrt{a + b \cos^{-1}(cx)} \left((16a^2 - 15b^2) \cos(2 \cos^{-1}(cx)) + 4b \cos^{-1}(cx) (8a \cos(2 \cos^{-1}(cx)) - 5b \sin(2 \cos^{-1}(cx))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*ArcCos[c*x])^(5/2), x]

[Out] $(15*b^2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[b^{(-1)}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[\text{Pi}]] + 15*b^2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[b^{(-1)}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[\text{Pi}]]*\text{Sin}[(2*a)/b] + 2*\text{Sqrt}[b^{(-1)}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]]*((16*a^2 - 15*b^2)*\text{Cos}[2*\text{ArcCos}[c*x]] + 16*b^2*\text{ArcCos}[c*x]^2*\text{Cos}[2*\text{ArcCos}[c*x]] - 20*a*b*\text{Sin}[2*\text{ArcCos}[c*x]] + 4*b*\text{ArcCos}[c*x]*(8*a*\text{Cos}[2*\text{ArcCos}[c*x]] - 5*b*\text{Sin}[2*\text{ArcCos}[c*x]])))/(128*\text{Sqrt}[b^{(-1)}]*c^2)$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [B] time = 5.51, size = 1366, normalized size = 6.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^(5/2), x, algorithm="giac")

[Out] $-1/4*\text{sqrt}(\text{pi})*a^3*b^{(3/2)}*i*\text{erf}(-\text{sqrt}(b*\text{arccos}(c*x) + a)*\text{sqrt}(b)*i/\text{abs}(b) - \text{sqrt}(b*\text{arccos}(c*x) + a)/\text{sqrt}(b))*e^{(2*a*i/b)}/((b^3*i/\text{abs}(b) + b^2)*c^2) - 1/4*\text{sqrt}(\text{pi})*a^3*b^{(3/2)}*i*\text{erf}(\text{sqrt}(b*\text{arccos}(c*x) + a)*\text{sqrt}(b)*i/\text{abs}(b) - \text{sqrt}(b*\text{arccos}(c*x) + a)/\text{sqrt}(b))*e^{(-2*a*i/b)}/((b^3*i/\text{abs}(b) - b^2)*c^2) + 9/64*\text{sqrt}(\text{pi})*a*b^3*i*\text{erf}(-\text{sqrt}(b*\text{arccos}(c*x) + a)*\text{sqrt}(b)*i/\text{abs}(b) - \text{sqrt}(b*\text{arccos}(c*x) + a)/\text{sqrt}(b))*e^{(2*a*i/b)}/((b^{(5/2)}*i/\text{abs}(b) + b^{(3/2)})*c^2) + 1/4*\text{sqrt}(\text{pi})*a^3*b*i*\text{erf}(\text{sqrt}(b*\text{arccos}(c*x) + a)*\text{sqrt}(b)*i/\text{abs}(b) - \text{sqrt}(b*\text{arccos}(c*x) + a)/\text{sqrt}(b))*e^{(-2*a*i/b)}/((b^{(5/2)}*i/\text{abs}(b) - b^{(3/2)})*c^2) + 9/64*\text{sqrt}(\text{pi})*a*b^3*i*\text{erf}(\text{sqrt}(b*\text{arccos}(c*x) + a)*\text{sqrt}(b)*i/\text{abs}(b) - \text{sqrt}(b*\text{arccos}(c*x) + a)/\text{sqrt}(b))*e^{(-2*a*i/b)}/((b^{(5/2)}*i/\text{abs}(b) - b^{(3/2)})*c^2)$

) + 3/8*sqrt(pi)*a^2*b^(5/2)*erf(-sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(2*a*i/b)/((b^3*i/abs(b) + b^2)*c^2) + 1/4*sqrt(pi)*a^3*sqrt(b)*i*erf(-sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(2*a*i/b)/((b^2*i/abs(b) + b)*c^2) - 9/64*sqrt(pi)*a*b^(5/2)*i*erf(-sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(2*a*i/b)/((b^2*i/abs(b) + b)*c^2) - 3/8*sqrt(pi)*a^2*b^(5/2)*erf(sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(-2*a*i/b)/((b^3*i/abs(b) - b^2)*c^2) - 9/64*sqrt(pi)*a*b^(5/2)*i*erf(sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(-2*a*i/b)/((b^2*i/abs(b) - b)*c^2) + 5/32*sqrt(b*arccos(c*x) + a)*b^2*i*arccos(c*x)*e^(2*i*arccos(c*x))/c^2 + 1/8*sqrt(b*arccos(c*x) + a)*b^2*arccos(c*x)^2*e^(2*i*arccos(c*x))/c^2 - 5/32*sqrt(b*arccos(c*x) + a)*b^2*i*arccos(c*x)*e^(-2*i*arccos(c*x))/c^2 + 1/8*sqrt(b*arccos(c*x) + a)*b^2*arccos(c*x)^2*e^(-2*i*arccos(c*x))/c^2 - 3/8*sqrt(pi)*a^2*b^2*erf(-sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(2*a*i/b)/((b^(5/2)*i/abs(b) + b^(3/2))*c^2) + 3/8*sqrt(pi)*a^2*b^2*erf(sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(-2*a*i/b)/((b^(5/2)*i/abs(b) - b^(3/2))*c^2) - 15/256*sqrt(pi)*b^(7/2)*erf(-sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(2*a*i/b)/((b^2*i/abs(b) + b)*c^2) + 15/256*sqrt(pi)*b^(7/2)*erf(sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(-2*a*i/b)/((b^2*i/abs(b) - b)*c^2) + 5/32*sqrt(b*arccos(c*x) + a)*a*b*i*e^(2*i*arccos(c*x))/c^2 + 1/4*sqrt(b*arccos(c*x) + a)*a*b*arccos(c*x)*e^(2*i*arccos(c*x))/c^2 - 5/32*sqrt(b*arccos(c*x) + a)*a*b*i*e^(-2*i*arccos(c*x))/c^2 + 1/4*sqrt(b*arccos(c*x) + a)*a*b*arccos(c*x)*e^(-2*i*arccos(c*x))/c^2 + 1/8*sqrt(b*arccos(c*x) + a)*a^2*e^(2*i*arccos(c*x))/c^2 - 15/128*sqrt(b*arccos(c*x) + a)*b^2*e^(2*i*arccos(c*x))/c^2 + 1/8*sqrt(b*arccos(c*x) + a)*a^2*e^(-2*i*arccos(c*x))/c^2 - 15/128*sqrt(b*arccos(c*x) + a)*b^2*e^(-2*i*arccos(c*x))/c^2

maple [B] time = 0.28, size = 394, normalized size = 1.82

$$15\sqrt{a + b \arccos(cx)} \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b} b}}\right) \sqrt{\pi} \sqrt{\frac{1}{b}} b^3 + 15\sqrt{a + b \arccos(cx)} \sin\left(\frac{2a}{b}\right) \text{S}\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b} b}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*arccos(c*x))^(5/2), x)

[Out] 1/128/c^2*(15*(a+b*arccos(c*x))^(1/2)*cos(2*a/b)*FresnelC(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*Pi^(1/2)*(1/b)^(1/2)*b^3+15*(a+b*arccos(c*x))^(1/2)*sin(2*a/b)*FresnelS(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*Pi^(1/2)*(1/b)^(1/2)*b^3+32*arccos(c*x)^3*cos(2*(a+b*arccos(c*x))/b-2*a/b)*b^3+96*arccos(c*x)^2*cos(2*(a+b*arccos(c*x))/b-2*a/b)*a*b^2-40*arccos(c*x)

$c*x)^2*\sin(2*(a+b*\arccos(c*x))/b-2*a/b)*b^3+96*\arccos(c*x)*\cos(2*(a+b*\arccos(c*x))/b-2*a/b)*a^2*b-30*\arccos(c*x)*\cos(2*(a+b*\arccos(c*x))/b-2*a/b)*b^3-80*\arccos(c*x)*\sin(2*(a+b*\arccos(c*x))/b-2*a/b)*a*b^2+32*\cos(2*(a+b*\arccos(c*x))/b-2*a/b)*a^3-30*\cos(2*(a+b*\arccos(c*x))/b-2*a/b)*a*b^2-40*\sin(2*(a+b*\arccos(c*x))/b-2*a/b)*a^2*b)/(a+b*\arccos(c*x))^(1/2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \arccos(cx) + a)^{\frac{5}{2}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))^(5/2),x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(5/2)*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x (a + b \arccos(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*arccos(c*x))^(5/2),x)

[Out] int(x*(a + b*arccos(c*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x (a + b \arccos(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*arccos(c*x))**(5/2),x)

[Out] Integral(x*(a + b*arccos(c*x))**(5/2), x)

3.185 $\int (a + b \cos^{-1}(cx))^{5/2} dx$

Optimal. Leaf size=179

$$\frac{15\sqrt{\frac{\pi}{2}} b^{5/2} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{4c} + \frac{15\sqrt{\frac{\pi}{2}} b^{5/2} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{4c} - \frac{15}{4} b^2 x \sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1}}$$

[Out] $x*(a+b*\arccos(c*x))^{(5/2)}+15/8*b^{(5/2)}*\cos(a/b)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/c+15/8*b^{(5/2)}*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*2^{(1/2)}*\text{Pi}^{(1/2)}/c-5/2*b*(a+b*\arccos(c*x))^{(3/2)}*(-c^2*x^2+1)^{(1/2)}/c-15/4*b^2*x*(a+b*\arccos(c*x))^{(1/2)}$

Rubi [A] time = 0.43, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {4620, 4678, 4724, 3306, 3305, 3351, 3304, 3352}

$$\frac{15\sqrt{\frac{\pi}{2}} b^{5/2} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{4c} + \frac{15\sqrt{\frac{\pi}{2}} b^{5/2} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{4c} - \frac{15}{4} b^2 x \sqrt{a + b \cos^{-1}(cx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCos}[c*x])^{(5/2)}, x]$

[Out] $(-15*b^2*x*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/4 - (5*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^{(3/2)})/(2*c) + x*(a + b*\text{ArcCos}[c*x])^{(5/2)} + (15*b^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(4*c) + (15*b^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(4*c)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4620

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_.), x_Symbol] := Simp[x*(a + b*Ar
cCos[c*x])n, x] + Dist[b*c*n, Int[(x*(a + b*ArcCos[c*x])(n - 1))/Sqrt[1 -
c2*x2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4678

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_.)(x_)(m_.)((d_) + (e_.)*(x_)2)(p_
.), x_Symbol] := Simp[((d + e*x2)(p + 1)(a + b*ArcCos[c*x])n)/(2*e*(p +
1)), x] - Dist[(b*n*dIntPart[p](d + e*x2)FracPart[p])/(2*c*(p + 1)*(1
- c2*x2)FracPart[p]), Int[(1 - c2*x2)(p + 1/2)(a + b*ArcCos[c*x])(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_.)(x_)(m_.)((d_) + (e_.)*(x_)2)(p_
.), x_Symbol] := -Dist[dp/c(m + 1), Subst[Int[(a + b*x)n*Cos[x]m*
Sin[x](2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &
& EqQ[c2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Intege
rQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos^{-1}(cx))^{5/2} dx &= x (a + b \cos^{-1}(cx))^{5/2} + \frac{1}{2}(5bc) \int \frac{x (a + b \cos^{-1}(cx))^{3/2}}{\sqrt{1 - c^2x^2}} dx \\
&= -\frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{2c} + x (a + b \cos^{-1}(cx))^{5/2} - \frac{1}{4}(15b^2) \int \sqrt{a + b \cos^{-1}(cx)} dx \\
&= -\frac{15}{4}b^2x\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{2c} + x (a + b \cos^{-1}(cx))^{5/2} \\
&= -\frac{15}{4}b^2x\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{2c} + x (a + b \cos^{-1}(cx))^{5/2} \\
&= -\frac{15}{4}b^2x\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{2c} + x (a + b \cos^{-1}(cx))^{5/2} \\
&= -\frac{15}{4}b^2x\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{2c} + x (a + b \cos^{-1}(cx))^{5/2} \\
&= -\frac{15}{4}b^2x\sqrt{a + b \cos^{-1}(cx)} - \frac{5b\sqrt{1 - c^2x^2} (a + b \cos^{-1}(cx))^{3/2}}{2c} + x (a + b \cos^{-1}(cx))^{5/2}
\end{aligned}$$

Mathematica [C] time = 4.85, size = 383, normalized size = 2.14

$$be^{-\frac{ia}{b}} \left(\sqrt{\frac{\pi}{2}} \sqrt{\frac{1}{b}} (4a^2 + 15b^2) \left(1 + e^{\frac{2ia}{b}} \right) \sqrt{a + b \cos^{-1}(cx)} C \left(\sqrt{\frac{1}{b}} \sqrt{\frac{2}{\pi}} \sqrt{a + b \cos^{-1}(cx)} \right) - i \sqrt{\frac{\pi}{2}} \sqrt{\frac{1}{b}} (4a^2 + 15b^2) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^(5/2), x]

[Out] (b*(-2*E^((I*a)/b)*(a + b*ArcCos[c*x]))*(5*(3*b*c*x + 2*a*Sqrt[1 - c^2*x^2]) + (-8*a*c*x + 10*b*Sqrt[1 - c^2*x^2])*ArcCos[c*x] - 4*b*c*x*ArcCos[c*x]^2) + Sqrt[b^(-1)]*(4*a^2 + 15*b^2)*(1 + E^(((2*I)*a)/b))*Sqrt[Pi/2]*Sqrt[a + b*ArcCos[c*x]]*FresnelC[Sqrt[b^(-1)]*Sqrt[2/Pi]*Sqrt[a + b*ArcCos[c*x]]] - I*Sqrt[b^(-1)]*(4*a^2 + 15*b^2)*(-1 + E^(((2*I)*a)/b))*Sqrt[Pi/2]*Sqrt[a + b*ArcCos[c*x]]*FresnelS[Sqrt[b^(-1)]*Sqrt[2/Pi]*Sqrt[a + b*ArcCos[c*x]]] + (4*I)*a^2*Sqrt[(-I)*(a + b*ArcCos[c*x])]/b*Gamma[3/2, ((-I)*(a + b*ArcCos[c*x]))/b] - (4*I)*a^2*E^(((2*I)*a)/b)*Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamm

```
a[3/2, (I*(a + b*ArcCos[c*x]))/b)]/(8*c*E^((I*a)/b)*Sqrt[a + b*ArcCos[c*x]
])
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccos(c*x))^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

giac [B] time = 6.93, size = 1209, normalized size = 6.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccos(c*x))^(5/2),x, algorithm="giac")
```

```
[Out] -1/2*sqrt(2)*sqrt(pi)*a^3*b^3*i*erf(-1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/
sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e^(a*i/b
)/((b^4*i/sqrt(abs(b)) + b^3*sqrt(abs(b)))*c) - 1/2*sqrt(2)*sqrt(pi)*a^3*b^
3*i*erf(1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sq
rt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e^(-a*i/b)/((b^4*i/sqrt(abs(b)) - b^3
*sqrt(abs(b)))*c) + 3/2*sqrt(2)*sqrt(pi)*a^2*b^3*erf(-1/2*sqrt(2)*sqrt(b*ar
ccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(ab
s(b))/b)*e^(a*i/b)/((b^3*i/sqrt(abs(b)) + b^2*sqrt(abs(b)))*c) - 3/2*sqrt(2
)*sqrt(pi)*a^2*b^3*erf(1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt(abs(b)) -
1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e^(-a*i/b)/((b^3*i/sqr
t(abs(b)) - b^2*sqrt(abs(b)))*c) + sqrt(pi)*a^3*b*i*erf(-1/2*sqrt(2)*sqrt(b
*arccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt
(abs(b))/b)*e^(a*i/b)/((sqrt(2)*b^2*i/sqrt(abs(b)) + sqrt(2)*b*sqrt(abs(b))
)*c) + sqrt(pi)*a^3*b*i*erf(1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt(abs(
b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e^(-a*i/b)/((sqrt
(2)*b^2*i/sqrt(abs(b)) - sqrt(2)*b*sqrt(abs(b)))*c) - 3/2*sqrt(2)*sqrt(pi)*
a^2*b^2*erf(-1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(
2)*sqrt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e^(a*i/b)/((b^2*i/sqrt(abs(b)) +
b*sqrt(abs(b)))*c) - 15/16*sqrt(2)*sqrt(pi)*b^4*erf(-1/2*sqrt(2)*sqrt(b*ar
ccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(ab
s(b))/b)*e^(a*i/b)/((b^2*i/sqrt(abs(b)) + b*sqrt(abs(b)))*c) + 3/2*sqrt(2)*
sqrt(pi)*a^2*b^2*erf(1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt(abs(b)) - 1
/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e^(-a*i/b)/((b^2*i/sqrt(
abs(b)) - b*sqrt(abs(b)))*c) + 15/16*sqrt(2)*sqrt(pi)*b^4*erf(1/2*sqrt(2)*s
qrt(b*arccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)
```

*sqrt(abs(b))/b)*e^(-a*i/b)/((b^2*i/sqrt(abs(b)) - b*sqrt(abs(b)))*c) + 5/4
 *sqrt(b*arccos(c*x) + a)*b^2*i*arccos(c*x)*e^(i*arccos(c*x))/c + 1/2*sqrt(b
 *arccos(c*x) + a)*b^2*arccos(c*x)^2*e^(i*arccos(c*x))/c - 5/4*sqrt(b*arccos
 (c*x) + a)*b^2*i*arccos(c*x)*e^(-i*arccos(c*x))/c + 1/2*sqrt(b*arccos(c*x)
 + a)*b^2*arccos(c*x)^2*e^(-i*arccos(c*x))/c + 5/4*sqrt(b*arccos(c*x) + a)*a
 *b*i*e^(i*arccos(c*x))/c + sqrt(b*arccos(c*x) + a)*a*b*arccos(c*x)*e^(i*arc
 cos(c*x))/c - 5/4*sqrt(b*arccos(c*x) + a)*a*b*i*e^(-i*arccos(c*x))/c + sqrt
 (b*arccos(c*x) + a)*a*b*arccos(c*x)*e^(-i*arccos(c*x))/c + 1/2*sqrt(b*arcco
 s(c*x) + a)*a^2*e^(i*arccos(c*x))/c - 15/8*sqrt(b*arccos(c*x) + a)*b^2*e^(i
 *arccos(c*x))/c + 1/2*sqrt(b*arccos(c*x) + a)*a^2*e^(-i*arccos(c*x))/c - 15
 /8*sqrt(b*arccos(c*x) + a)*b^2*e^(-i*arccos(c*x))/c

maple [B] time = 0.23, size = 393, normalized size = 2.20

$$15\sqrt{\frac{1}{b}} \sqrt{\pi} \sqrt{2} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \sqrt{a+b \arccos(cx)} b^3 + 15\sqrt{\frac{1}{b}} \sqrt{\pi} \sqrt{2} \sin\left(\frac{a}{b}\right) \text{S}\left(\frac{\sqrt{2} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^(5/2), x)

[Out] 1/8/c*(15*(1/b)^(1/2)*Pi^(1/2)*2^(1/2)*cos(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*(a+b*arccos(c*x))^(1/2)*b^3+15*(1/b)^(1/2)*Pi^(1/2)*2^(1/2)*sin(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*(a+b*arccos(c*x))^(1/2)*b^3+8*arccos(c*x)^3*cos((a+b*arccos(c*x))/b-a/b)*b^3+24*arccos(c*x)^2*cos((a+b*arccos(c*x))/b-a/b)*a*b^2-20*arccos(c*x)^2*sin((a+b*arccos(c*x))/b-a/b)*b^3+24*arccos(c*x)*cos((a+b*arccos(c*x))/b-a/b)*a^2*b-30*arccos(c*x)*cos((a+b*arccos(c*x))/b-a/b)*b^3-40*arccos(c*x)*sin((a+b*arccos(c*x))/b-a/b)*a*b^2+8*cos((a+b*arccos(c*x))/b-a/b)*a^3-30*cos((a+b*arccos(c*x))/b-a/b)*a*b^2-20*sin((a+b*arccos(c*x))/b-a/b)*a^2*b)/(a+b*arccos(c*x))^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \arccos(cx) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(5/2), x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \arccos(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(c*x))^(5/2), x)`

[Out] `int((a + b*acos(c*x))^(5/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \operatorname{acos}(cx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acos(c*x))**(5/2), x)`

[Out] `Integral((a + b*acos(c*x))**(5/2), x)`

$$3.186 \quad \int \frac{(a+b \cos^{-1}(cx))^{5/2}}{x} dx$$

Optimal. Leaf size=19

$$\text{Int} \left(\frac{(a + b \cos^{-1}(cx))^{5/2}}{x}, x \right)$$

[Out] Unintegrable((a+b*arccos(c*x))^(5/2)/x,x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a + b \cos^{-1}(cx))^{5/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCos[c*x])^(5/2)/x,x]

[Out] Defer[Int][(a + b*ArcCos[c*x])^(5/2)/x, x]

Rubi steps

$$\int \frac{(a + b \cos^{-1}(cx))^{5/2}}{x} dx = \int \frac{(a + b \cos^{-1}(cx))^{5/2}}{x} dx$$

Mathematica [A] time = 3.88, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos^{-1}(cx))^{5/2}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCos[c*x])^(5/2)/x,x]

[Out] Integrate[(a + b*ArcCos[c*x])^(5/2)/x, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(5/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(5/2)/x,x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^(5/2)/x, x)

maple [A] time = 0.31, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^(5/2)/x,x)

[Out] int((a+b*arccos(c*x))^(5/2)/x,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(5/2)/x,x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(5/2)/x, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(a + b \arccos(cx))^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*arccos(c*x))^(5/2)/x,x)

[Out] int((a + b*arccos(c*x))^(5/2)/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(cx))^{\frac{5}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**(5/2)/x,x)

[Out] Integral((a + b*acos(c*x))**(5/2)/x, x)

$$3.187 \quad \int \frac{(a+b \cos^{-1}(cx))^{5/2}}{x^2} dx$$

Optimal. Leaf size=19

$$\text{Int} \left(\frac{(a + b \cos^{-1}(cx))^{5/2}}{x^2}, x \right)$$

[Out] Unintegrable((a+b*arccos(c*x))^(5/2)/x^2, x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a + b \cos^{-1}(cx))^{5/2}}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCos[c*x])^(5/2)/x^2, x]

[Out] Defer[Int] [(a + b*ArcCos[c*x])^(5/2)/x^2, x]

Rubi steps

$$\int \frac{(a + b \cos^{-1}(cx))^{5/2}}{x^2} dx = \int \frac{(a + b \cos^{-1}(cx))^{5/2}}{x^2} dx$$

Mathematica [A] time = 10.99, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos^{-1}(cx))^{5/2}}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCos[c*x])^(5/2)/x^2, x]

[Out] Integrate[(a + b*ArcCos[c*x])^(5/2)/x^2, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(5/2)/x^2,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^{\frac{5}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(5/2)/x^2,x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^(5/2)/x^2, x)

maple [A] time = 0.63, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^{\frac{5}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^(5/2)/x^2,x)

[Out] int((a+b*arccos(c*x))^(5/2)/x^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^{\frac{5}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^(5/2)/x^2,x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(5/2)/x^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(a + b \arccos(cx))^{\frac{5}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*arccos(c*x))^(5/2)/x^2,x)

[Out] int((a + b*arccos(c*x))^(5/2)/x^2, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \operatorname{acos}(cx))^{\frac{5}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**(5/2)/x**2,x)

[Out] Integral((a + b*acos(c*x))**(5/2)/x**2, x)

$$3.188 \quad \int \frac{x^2}{\sqrt{a+b \cos^{-1}(cx)}} dx$$

Optimal. Leaf size=223

$$\frac{\sqrt{\frac{\pi}{2}} \sin\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c^3} + \frac{\sqrt{\frac{\pi}{6}} \sin\left(\frac{3a}{b}\right) C\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c^3} - \frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c^3} - \frac{\sqrt{\frac{\pi}{6}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c^3}$$

[Out] $-1/12*\cos(3*a/b)*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(cx))^{(1/2)}/b^{(1/2)})$
 $*6^{(1/2)}*\text{Pi}^{(1/2)}/c^3/b^{(1/2)}+1/12*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(cx))^{(1/2)}/b^{(1/2)})$
 $*\sin(3*a/b)*6^{(1/2)}*\text{Pi}^{(1/2)}/c^3/b^{(1/2)}-1/4*\cos(a/b)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(cx))^{(1/2)}/b^{(1/2)})$
 $*2^{(1/2)}*\text{Pi}^{(1/2)}/c^3/b^{(1/2)}+1/4*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(cx))^{(1/2)}/b^{(1/2)})$
 $*\sin(a/b)*2^{(1/2)}*\text{Pi}^{(1/2)}/c^3/b^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {4636, 4406, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c^3} + \frac{\sqrt{\frac{\pi}{6}} \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c^3} - \frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c^3} - \frac{\sqrt{\frac{\pi}{6}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b}c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2/\text{Sqrt}[a + b*\text{ArcCos}[c*x]], x]$

[Out] $-(\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(2*\text{Sqrt}[b]*c^3) - (\text{Sqrt}[\text{Pi}/6]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(2*\text{Sqrt}[b]*c^3) + (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(2*\text{Sqrt}[b]*c^3) + (\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(2*\text{Sqrt}[b]*c^3)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}$

, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]ⁿ*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_)])^(n_.)*((b_.)*(x_))^(m_.), x_Symbol] :> -Dist[(c^(m + 1))⁽⁻¹⁾, Subst[Int[(a + b*x)ⁿ*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sqrt{a+b \cos^{-1}(cx)}} dx &= -\frac{\text{Subst}\left(\int \frac{\cos^2(x) \sin(x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{c^3} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{4\sqrt{a+bx}} + \frac{\sin(3x)}{4\sqrt{a+bx}}\right) dx, x, \cos^{-1}(cx)\right)}{c^3} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{4c^3} - \frac{\text{Subst}\left(\int \frac{\sin(3x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{4c^3} \\
&= -\frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{4c^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{3a}{b}+3x\right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{4c^3} \\
&= -\frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a+b \cos^{-1}(cx)}\right)}{2bc^3} - \frac{\cos\left(\frac{3a}{b}\right) \text{Subst}\left(\int \sin\left(\frac{3x^2}{b}\right) dx, x, \sqrt{a+b \cos^{-1}(cx)}\right)}{2bc^3} \\
&= -\frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3} - \frac{\sqrt{\frac{\pi}{6}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3} + \frac{\sqrt{\frac{\pi}{2}} C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{b} c^3}
\end{aligned}$$

Mathematica [C] time = 0.46, size = 225, normalized size = 1.01

$$\frac{e^{-\frac{3ia}{b}} \left(3e^{\frac{2ia}{b}} \sqrt{-\frac{i(a+b \cos^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, -\frac{i(a+b \cos^{-1}(cx))}{b}\right) + 3e^{\frac{4ia}{b}} \sqrt{\frac{i(a+b \cos^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, \frac{i(a+b \cos^{-1}(cx))}{b}\right) + \sqrt{3} \left(\sqrt{-\frac{i(a+b \cos^{-1}(cx))}{b}} \right) \right)}{24c^3 \sqrt{a+b \cos^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/Sqrt[a + b*ArcCos[c*x]], x]

[Out] (3*E^(((2*I)*a)/b)*Sqrt[((-I)*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, ((-I)*(a + b*ArcCos[c*x]))/b] + 3*E^(((4*I)*a)/b)*Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, (I*(a + b*ArcCos[c*x]))/b] + Sqrt[3]*(Sqrt[((-I)*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, ((-3*I)*(a + b*ArcCos[c*x]))/b] + E^(((6*I)*a)/b)*Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, ((3*I)*(a + b*ArcCos[c*x]))/b]))/(24*c^3 * E^(((3*I)*a)/b)*Sqrt[a + b*ArcCos[c*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 1.45, size = 330, normalized size = 1.48

$$\frac{\sqrt{\pi} i \operatorname{erf}\left(-\frac{\sqrt{6} \sqrt{b \arccos(cx)+a} \sqrt{bi}}{2|b|} - \frac{\sqrt{6} \sqrt{b \arccos(cx)+a}}{2\sqrt{b}}\right) e^{\left(\frac{3ai}{b}\right)} + \sqrt{\pi} i \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{b \arccos(cx)+a} i}{2\sqrt{|b|}} - \frac{\sqrt{2} \sqrt{b \arccos(cx)+a} \sqrt{|b|}}{2b}\right) e^{\left(\frac{3ai}{b}\right)}}{4\left(\frac{\sqrt{6} b^2 i}{|b|} + \sqrt{6} \sqrt{b}\right) c^3} + \frac{\sqrt{\pi} i \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{b \arccos(cx)+a} i}{2\sqrt{|b|}} - \frac{\sqrt{2} \sqrt{b \arccos(cx)+a} \sqrt{|b|}}{2b}\right) e^{\left(\frac{3ai}{b}\right)}}{4\left(\frac{\sqrt{2} bi}{\sqrt{|b|}} + \sqrt{2} \sqrt{|b|}\right) c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^(1/2),x, algorithm="giac")

[Out] $\frac{1}{4} \sqrt{\pi} i \operatorname{erf}\left(-\frac{1}{2} \sqrt{6} \sqrt{b \arccos(cx) + a} \sqrt{b} i / \operatorname{abs}(b) - \frac{1}{2} \sqrt{6} \sqrt{b \arccos(cx) + a} / \sqrt{b}\right) e^{(3ai/b)} / ((\sqrt{6} b^{(3/2)} i / \operatorname{abs}(b) + \sqrt{6} \sqrt{b}) c^3) + \frac{1}{4} \sqrt{\pi} i \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{b \arccos(cx) + a} i / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arccos(cx) + a} \sqrt{\operatorname{abs}(b)} / b\right) e^{(ai/b)} / ((\sqrt{2} b i / \sqrt{\operatorname{abs}(b)} + \sqrt{2} \sqrt{\operatorname{abs}(b)}) c^3) + \frac{1}{4} \sqrt{\pi} i \operatorname{erf}\left(\frac{1}{2} \sqrt{2} \sqrt{b \arccos(cx) + a} i / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arccos(cx) + a} \sqrt{\operatorname{abs}(b)} / b\right) e^{(-ai/b)} / ((\sqrt{2} b i / \sqrt{\operatorname{abs}(b)} - \sqrt{2} \sqrt{\operatorname{abs}(b)}) c^3) + \frac{1}{4} \sqrt{\pi} i \operatorname{erf}\left(\frac{1}{2} \sqrt{6} \sqrt{b \arccos(cx) + a} \sqrt{b} i / \operatorname{abs}(b) - \frac{1}{2} \sqrt{6} \sqrt{b \arccos(cx) + a} / \sqrt{b}\right) e^{(-3ai/b)} / ((\sqrt{6} b^{(3/2)} i / \operatorname{abs}(b) - \sqrt{6} \sqrt{b}) c^3)$

maple [A] time = 0.27, size = 167, normalized size = 0.75

$$\frac{\sqrt{2} \sqrt{\pi} \sqrt{\frac{1}{b}} \left(\sqrt{3} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{3} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) - \sqrt{3} \sin\left(\frac{3a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \right) + 3 \cos\left(\frac{a}{b}\right)}{12c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*arccos(c*x))^(1/2),x)

[Out] $-\frac{1}{12} c^3 2^{(1/2)} \pi^{(1/2)} (1/b)^{(1/2)} (3^{(1/2)} \cos(3a/b) \operatorname{FresnelS}(2^{(1/2)}) / \pi^{(1/2)} 3^{(1/2)} / (1/b)^{(1/2)} (a+b \arccos(cx))^{(1/2)} / b - 3^{(1/2)} \sin(3a/b) \operatorname{FresnelC}(2^{(1/2)}) / \pi^{(1/2)} 3^{(1/2)} / (1/b)^{(1/2)} (a+b \arccos(cx))^{(1/2)} / b) + 3 \cos(a/b) \operatorname{FresnelS}(2^{(1/2)}) / \pi^{(1/2)} / (1/b)^{(1/2)} (a+b \arccos(cx))^{(1/2)} / b - 3 \sin(a/b) \operatorname{FresnelC}(2^{(1/2)}) / \pi^{(1/2)} / (1/b)^{(1/2)} (a+b \arccos(cx))^{(1/2)} / b)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{b \arccos(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/sqrt(b*arccos(c*x) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{\sqrt{a + b \arccos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b*acos(c*x))^(1/2),x)

[Out] int(x^2/(a + b*acos(c*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{a + b \arccos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(a+b*acos(c*x))**(1/2),x)

[Out] Integral(x**2/sqrt(a + b*acos(c*x)), x)

$$3.189 \quad \int \frac{x}{\sqrt{a+b \cos^{-1}(cx)}} dx$$

Optimal. Leaf size=99

$$\frac{\sqrt{\pi} \sin\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{2\sqrt{b} c^2} - \frac{\sqrt{\pi} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{2\sqrt{b} c^2}$$

[Out] $-1/2*\cos(2*a/b)*\text{FresnelS}(2*(a+b*\arccos(c*x))^{1/2}/b^{1/2}/\text{Pi}^{1/2})*\text{Pi}^{1/2}/c^2/b^{1/2}+1/2*\text{FresnelC}(2*(a+b*\arccos(c*x))^{1/2}/b^{1/2}/\text{Pi}^{1/2})*\sin(2*a/b)*\text{Pi}^{1/2}/c^2/b^{1/2}$

Rubi [A] time = 0.17, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {4636, 4406, 12, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\pi} \sin\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi} \sqrt{b}}\right)}{2\sqrt{b} c^2} - \frac{\sqrt{\pi} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{2\sqrt{b} c^2}$$

Antiderivative was successfully verified.

[In] Int[x/Sqrt[a + b*ArcCos[c*x]], x]

[Out] $-(\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])]/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))/((2*\text{Sqrt}[b]*c^2) + (\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])]/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))*\text{Sin}[(2*a)/b])/((2*\text{Sqrt}[b]*c^2)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)](p_.)*((c_.) + (d_.)*(x_))(m_.)*Sin[(a_.) + (b
_.)*(x_)](n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)m, Sin[a + b*x
]n*Cos[a + b*x]p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_.)(x_)(m_.), x_Symbol] := -Dist[
(c(m + 1))(-1), Subst[Int[(a + b*x)n*Cos[x]m*Sin[x], x], x, ArcCos[c*x
]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x}{\sqrt{a + b \cos^{-1}(cx)}} dx &= -\frac{\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{c^2} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{c^2} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{2c^2} \\
&= -\frac{\cos\left(\frac{2a}{b}\right)\text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{2c^2} + \frac{\sin\left(\frac{2a}{b}\right)\text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b}+2x\right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{2c^2} \\
&= -\frac{\cos\left(\frac{2a}{b}\right)\text{Subst}\left(\int \sin\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a + b \cos^{-1}(cx)}\right)}{bc^2} + \frac{\sin\left(\frac{2a}{b}\right)\text{Subst}\left(\int \cos\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a + b \cos^{-1}(cx)}\right)}{bc^2} \\
&= -\frac{\sqrt{\pi} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{2\sqrt{b} c^2} + \frac{\sqrt{\pi} C\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right) \sin\left(\frac{2a}{b}\right)}{2\sqrt{b} c^2}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 91, normalized size = 0.92

$$-\frac{\sqrt{\pi} \sqrt{\frac{1}{b}} \left(\cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{\frac{1}{b}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi}}\right) - \sin\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{\frac{1}{b}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi}}\right) \right)}{2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/Sqrt[a + b*ArcCos[c*x]], x]

[Out] -1/2*(Sqrt[b^(-1)]*Sqrt[Pi]*(Cos[(2*a)/b]*FresnelS[(2*Sqrt[b^(-1)]*Sqrt[a + b*ArcCos[c*x]])/Sqrt[Pi]] - FresnelC[(2*Sqrt[b^(-1)]*Sqrt[a + b*ArcCos[c*x]])/Sqrt[Pi]]*Sin[(2*a)/b]))/c^2

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 1.28, size = 139, normalized size = 1.40

$$\frac{\sqrt{\pi} i \operatorname{erf}\left(\frac{\sqrt{b \arccos(cx)+a} \sqrt{bi} - \sqrt{b \arccos(cx)+a}}{|b| \sqrt{b}}\right) e^{\left(-\frac{2ai}{b}\right)} + \sqrt{\pi} i \operatorname{erf}\left(-\frac{\sqrt{b \arccos(cx)+a} \sqrt{bi} - \sqrt{b \arccos(cx)+a}}{|b| \sqrt{b}}\right) e^{\left(\frac{2ai}{b}\right)}}{4 \left(\frac{b^2 i}{|b|} - \sqrt{b}\right) c^2 + 4 \sqrt{b} c^2 \left(\frac{bi}{|b|} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^(1/2),x, algorithm="giac")

[Out] 1/4*sqrt(pi)*i*erf(sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(-2*a*i/b)/((b^(3/2)*i/abs(b) - sqrt(b))*c^2) + 1/4*sqrt(pi)*i*erf(-sqrt(b*arccos(c*x) + a)*sqrt(b)*i/abs(b) - sqrt(b*arccos(c*x) + a)/sqrt(b))*e^(2*a*i/b)/(sqrt(b)*c^2*(b*i/abs(b) + 1))

maple [A] time = 0.11, size = 80, normalized size = 0.81

$$\frac{\sqrt{\pi} \sqrt{\frac{1}{b}} \left(\cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) - \sin\left(\frac{2a}{b}\right) \operatorname{FresnelC}\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \right)}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*arccos(c*x))^(1/2),x)

[Out] -1/2*Pi^(1/2)*(1/b)^(1/2)*(cos(2*a/b)*FresnelS(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)-sin(2*a/b)*FresnelC(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b))/c^2

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{b \arccos(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^(1/2),x, algorithm="maxima")

[Out] integrate(x/sqrt(b*arccos(c*x) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\sqrt{a + b \arccos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a + b*acos(c*x))^(1/2),x)
```

```
[Out] int(x/(a + b*acos(c*x))^(1/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x}{\sqrt{a + b \cos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*acos(c*x))**(1/2),x)
```

```
[Out] Integral(x/sqrt(a + b*acos(c*x)), x)
```

$$3.190 \quad \int \frac{1}{\sqrt{a+b \cos^{-1}(cx)}} dx$$

Optimal. Leaf size=102

$$\frac{\sqrt{2\pi} \sin\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{b} c} - \frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{b} c}$$

[Out] $-\cos(a/b) * \text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)} * (a+b * \arccos(c*x))^{(1/2)}/b^{(1/2)}) * 2^{(1/2)} * \text{Pi}^{(1/2)}/c/b^{(1/2)} + \text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)} * (a+b * \arccos(c*x))^{(1/2)}/b^{(1/2)}) * \sin(a/b) * 2^{(1/2)} * \text{Pi}^{(1/2)}/c/b^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4624, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{2\pi} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{b} c} - \frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{b} c}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + b*ArcCos[c*x]],x]

[Out] $-\left(\frac{\text{Sqrt}[2 * \text{Pi}] * \text{Cos}[a/b] * \text{FresnelS}[\left(\frac{\text{Sqrt}[2/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcCos}[c * x]]}{\text{Sqrt}[b]}\right)]}{\text{Sqrt}[b] * c}\right) + \left(\frac{\text{Sqrt}[2 * \text{Pi}] * \text{FresnelC}[\left(\frac{\text{Sqrt}[2/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcCos}[c * x]]}{\text{Sqrt}[b]}\right)] * \text{Sin}[a/b]}{\text{Sqrt}[b] * c}\right)$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] :> Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] :> Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d

*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_)*((e_) + (f_)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_)*((e_) + (f_)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4624

Int[((a_) + ArcCos[(c_)*(x_)]*(b_))^(n_), x_Symbol] := Dist[1/(b*c), Subst[Int[xⁿ*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{a + b \cos^{-1}(cx)}} dx &= \frac{\text{Subst}\left(\int \frac{\sin\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + b \cos^{-1}(cx)\right)}{bc} \\ &= -\frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \cos^{-1}(cx)\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \cos^{-1}(cx)\right)}{bc} \\ &= -\frac{\left(2 \cos\left(\frac{a}{b}\right)\right) \text{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \cos^{-1}(cx)}\right)}{bc} + \frac{\left(2 \sin\left(\frac{a}{b}\right)\right) \text{Subst}\left(\int \cos\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \cos^{-1}(cx)}\right)}{bc} \\ &= -\frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}c} + \frac{\sqrt{2\pi} C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \cos^{-1}(cx)}}{\sqrt{b}}\right) \sin\left(\frac{a}{b}\right)}{\sqrt{b}c} \end{aligned}$$

Mathematica [C] time = 0.09, size = 118, normalized size = 1.16

$$\frac{e^{-\frac{ia}{b}} \left(\sqrt{-\frac{i(a+b \cos^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2'} - \frac{i(a+b \cos^{-1}(cx))}{b}\right) + e^{\frac{2ia}{b}} \sqrt{\frac{i(a+b \cos^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2'} + \frac{i(a+b \cos^{-1}(cx))}{b}\right) \right)}{2c\sqrt{a + b \cos^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/Sqrt[a + b*ArcCos[c*x]],x]

[Out] (Sqrt[((-I)*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, ((-I)*(a + b*ArcCos[c*x]))/b] + E^(((2*I)*a)/b)*Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, (I*(a + b*ArcCos[c*x]))/b])/(2*c*E^((I*a)/b)*Sqrt[a + b*ArcCos[c*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 1.21, size = 163, normalized size = 1.60

$$\frac{\sqrt{\pi} i \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{b \arccos(cx)+a} i}{2 \sqrt{|b|}} - \frac{\sqrt{2} \sqrt{b \arccos(cx)+a} \sqrt{|b|}}{2 b}\right) e^{\left(\frac{a i}{b}\right)} + \sqrt{\pi} i \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{b \arccos(cx)+a} i}{2 \sqrt{|b|}} - \frac{\sqrt{2} \sqrt{b \arccos(cx)+a} \sqrt{|b|}}{2 b}\right) e^{\left(-\frac{a i}{b}\right)}}{\left(\frac{\sqrt{2} b i}{\sqrt{|b|}} + \sqrt{2} \sqrt{|b|}\right) c} + \frac{\sqrt{\pi} i \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{b \arccos(cx)+a} i}{2 \sqrt{|b|}} - \frac{\sqrt{2} \sqrt{b \arccos(cx)+a} \sqrt{|b|}}{2 b}\right) e^{\left(-\frac{a i}{b}\right)}}{\left(\frac{\sqrt{2} b i}{\sqrt{|b|}} - \sqrt{2} \sqrt{|b|}\right) c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^(1/2),x, algorithm="giac")

[Out] sqrt(pi)*i*erf(-1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e^(a*i/b)/((sqrt(2)*b*i/sqrt(abs(b)) + sqrt(2)*sqrt(abs(b)))*c) + sqrt(pi)*i*erf(1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*i/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arccos(c*x) + a)*sqrt(abs(b))/b)*e^(-a*i/b)/((sqrt(2)*b*i/sqrt(abs(b)) - sqrt(2)*sqrt(abs(b)))*c)

maple [A] time = 0.09, size = 85, normalized size = 0.83

$$\frac{\sqrt{2} \sqrt{\pi} \sqrt{\frac{1}{b}} \left(\cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) - \sin\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \right)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arccos(c*x))^(1/2),x)

[Out] $-2^{(1/2)} * \text{Pi}^{(1/2)} * (1/b)^{(1/2)} * (\cos(a/b) * \text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}) / (1/b)^{(1/2)} * (a + b * \arccos(cx))^{(1/2)} / b - \sin(a/b) * \text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}) / (1/b)^{(1/2)} * (a + b * \arccos(cx))^{(1/2)} / b) / c$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \arccos(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arccos(c*x))^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/sqrt(b*arccos(c*x) + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a + b \arccos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*acos(c*x))^(1/2),x)`

[Out] `int(1/(a + b*acos(c*x))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \arccos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*acos(c*x))**(1/2),x)`

[Out] `Integral(1/sqrt(a + b*acos(c*x)), x)`

$$3.191 \quad \int \frac{1}{x\sqrt{a+b\cos^{-1}(cx)}} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{1}{x\sqrt{a+b\cos^{-1}(cx)}}, x\right)$$

[Out] Unintegrable(1/x/(a+b*arccos(c*x))^(1/2), x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x\sqrt{a+b\cos^{-1}(cx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*Sqrt[a + b*ArcCos[c*x]]), x]

[Out] Defer[Int][1/(x*Sqrt[a + b*ArcCos[c*x]]), x]

Rubi steps

$$\int \frac{1}{x\sqrt{a+b\cos^{-1}(cx)}} dx = \int \frac{1}{x\sqrt{a+b\cos^{-1}(cx)}} dx$$

Mathematica [A] time = 4.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{a+b\cos^{-1}(cx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*Sqrt[a + b*ArcCos[c*x]]), x]

[Out] Integrate[1/(x*Sqrt[a + b*ArcCos[c*x]]), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x))^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \arccos(cx) + a} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b*arccos(c*x) + a)*x), x)

maple [A] time = 0.27, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{a + b \arccos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*arccos(c*x))^(1/2),x)

[Out] int(1/x/(a+b*arccos(c*x))^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \arccos(cx) + a} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*arccos(c*x))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b*arccos(c*x) + a)*x), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x \sqrt{a + b \arccos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*acos(c*x))^(1/2)),x)

[Out] int(1/(x*(a + b*acos(c*x))^(1/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{a + b \cos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(a+b*cos(c*x))**(1/2),x)
```

```
[Out] Integral(1/(x*sqrt(a + b*cos(c*x))), x)
```

$$3.192 \quad \int \frac{1}{x^2 \sqrt{a+b \cos^{-1}(cx)}} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{1}{x^2 \sqrt{a+b \cos^{-1}(cx)}}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b*arccos(c*x))^(1/2), x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \sqrt{a+b \cos^{-1}(cx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*sqrt[a + b*ArcCos[c*x]]), x]

[Out] Defer[Int][1/(x^2*sqrt[a + b*ArcCos[c*x]]), x]

Rubi steps

$$\int \frac{1}{x^2 \sqrt{a+b \cos^{-1}(cx)}} dx = \int \frac{1}{x^2 \sqrt{a+b \cos^{-1}(cx)}} dx$$

Mathematica [A] time = 13.66, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{a+b \cos^{-1}(cx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*sqrt[a + b*ArcCos[c*x]]), x]

[Out] Integrate[1/(x^2*sqrt[a + b*ArcCos[c*x]]), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \arccos(cx) + a} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b*arccos(c*x) + a)*x^2), x)

maple [A] time = 0.60, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{a + b \arccos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*arccos(c*x))^(1/2),x)

[Out] int(1/x^2/(a+b*arccos(c*x))^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \arccos(cx) + a} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b*arccos(c*x) + a)*x^2), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 \sqrt{a + b \arccos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*acos(c*x))^(1/2)),x)

[Out] int(1/(x^2*(a + b*acos(c*x))^(1/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{a + b \arccos(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*acos(c*x))**(1/2), x)

[Out] Integral(1/(x**2*sqrt(a + b*acos(c*x))), x)

$$3.193 \quad \int \frac{x^2}{(a+b \cos^{-1}(cx))^{3/2}} dx$$

Optimal. Leaf size=252

$$\frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} - \frac{\sqrt{\frac{3\pi}{2}} \cos\left(\frac{3a}{b}\right) C\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} - \frac{\sqrt{\frac{\pi}{2}} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} - \frac{\sqrt{\frac{3\pi}{2}} \sin\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3}$$

[Out] $-1/2*\cos(a/b)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c^{3-1/2}*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c^{3-1/2}*\cos(3*a/b)*\text{FresnelC}(6^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c^{3-1/2}*\text{FresnelS}(6^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*\sin(3*a/b)*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c^{3+2*x^2*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arccos(c*x))^{(1/2)}$

Rubi [A] time = 0.39, antiderivative size = 252, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4632, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} - \frac{\sqrt{\frac{3\pi}{2}} \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} - \frac{\sqrt{\frac{\pi}{2}} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} - \frac{\sqrt{\frac{3\pi}{2}} \sin\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2/(a + b*\text{ArcCos}[c*x])^{(3/2)}, x]$

[Out] $(2*x^2*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcCos}[c*x]]) - (\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^3) - (\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[(3*a)/b]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^3) - (\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b])*Sin[a/b])/(b^{(3/2)}*c^3) - (\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b])*Sin[(3*a)/b])/(b^{(3/2)}*c^3)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3305


```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4632

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dis
t[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Co
s[x]^(m - 1)*(m - (m + 1)*Cos[x]^2), x], x], x, ArcCos[c*x]], x] /; FreeQ[{
a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + b \cos^{-1}(cx))^{3/2}} dx &= \frac{2x^2 \sqrt{1 - c^2 x^2}}{bc \sqrt{a + b \cos^{-1}(cx)}} + \frac{2 \operatorname{Subst} \left(\int \left(-\frac{\cos(x)}{4\sqrt{a+bx}} - \frac{3 \cos(3x)}{4\sqrt{a+bx}} \right) dx, x, \cos^{-1}(cx) \right)}{bc^3} \\
&= \frac{2x^2 \sqrt{1 - c^2 x^2}}{bc \sqrt{a + b \cos^{-1}(cx)}} - \frac{\operatorname{Subst} \left(\int \frac{\cos(x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{2bc^3} - \frac{3 \operatorname{Subst} \left(\int \frac{\cos(3x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{2bc^3} \\
&= \frac{2x^2 \sqrt{1 - c^2 x^2}}{bc \sqrt{a + b \cos^{-1}(cx)}} - \frac{\cos\left(\frac{a}{b}\right) \operatorname{Subst} \left(\int \frac{\cos\left(\frac{a}{b} + x\right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{2bc^3} - \frac{\left(3 \cos\left(\frac{3a}{b}\right)\right) \operatorname{Subst} \left(\int \frac{\cos\left(\frac{3a}{b} + x\right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{2bc^3} \\
&= \frac{2x^2 \sqrt{1 - c^2 x^2}}{bc \sqrt{a + b \cos^{-1}(cx)}} - \frac{\cos\left(\frac{a}{b}\right) \operatorname{Subst} \left(\int \cos\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \cos^{-1}(cx)} \right)}{b^2 c^3} - \frac{\left(3 \cos\left(\frac{3a}{b}\right)\right) \operatorname{Subst} \left(\int \cos\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \cos^{-1}(cx)} \right)}{b^2 c^3} \\
&= \frac{2x^2 \sqrt{1 - c^2 x^2}}{bc \sqrt{a + b \cos^{-1}(cx)}} - \frac{\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) C \left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \cos^{-1}(cx)}}{\sqrt{b}} \right)}{b^{3/2} c^3} - \frac{\sqrt{\frac{3\pi}{2}} \cos\left(\frac{3a}{b}\right) C \left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a + b \cos^{-1}(cx)}}{\sqrt{b}} \right)}{b^{3/2} c^3}
\end{aligned}$$

Mathematica [C] time = 0.57, size = 273, normalized size = 1.08

$$\frac{e^{-\frac{3ia}{b}} \left(8c^2 x^2 e^{\frac{3ia}{b}} \sqrt{1 - c^2 x^2} + i e^{\frac{2ia}{b}} \sqrt{-\frac{i(a + b \cos^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, -\frac{i(a + b \cos^{-1}(cx))}{b}\right) - i e^{\frac{4ia}{b}} \sqrt{\frac{i(a + b \cos^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, \frac{i(a + b \cos^{-1}(cx))}{b}\right) \right)}{4bc^3 \sqrt{a + b \cos^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/(a + b*ArcCos[c*x])^(3/2), x]

[Out] (8*c^2*E^(((3*I)*a)/b)*x^2*Sqrt[1 - c^2*x^2] + I*E^(((2*I)*a)/b)*Sqrt[((-I)*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, ((-I)*(a + b*ArcCos[c*x]))/b] - I*E^(((4*I)*a)/b)*Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, (I*(a + b*ArcCos[c*x]))/b] + I*Sqrt[3]*Sqrt[((-I)*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, ((-3*I)*(a + b*ArcCos[c*x]))/b] - I*Sqrt[3]*E^(((6*I)*a)/b)*Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, ((3*I)*(a + b*ArcCos[c*x]))/b])/(4*b*c^3*E^(((3*I)*a)/b)*Sqrt[a + b*ArcCos[c*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \arccos(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^(3/2),x, algorithm="giac")

[Out] integrate(x^2/(b*arccos(c*x) + a)^(3/2), x)

maple [A] time = 0.27, size = 295, normalized size = 1.17

$$-\sqrt{3} \sqrt{a + b \arccos(cx)} \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \sqrt{2} \sqrt{\pi} \sqrt{\frac{1}{b}} - \sqrt{3} \sqrt{a + b \arccos(cx)} \sin\left(\frac{3a}{b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*arccos(c*x))^(3/2),x)

[Out] 1/2/c^3/b/(a+b*arccos(c*x))^(1/2)*(-3^(1/2)*(a+b*arccos(c*x))^(1/2)*cos(3*a/b)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*2^(1/2)*Pi^(1/2)*(1/b)^(1/2)-3^(1/2)*(a+b*arccos(c*x))^(1/2)*sin(3*a/b)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*2^(1/2)*Pi^(1/2)*(1/b)^(1/2)-(a+b*arccos(c*x))^(1/2)*cos(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*2^(1/2)*Pi^(1/2)*(1/b)^(1/2)-(a+b*arccos(c*x))^(1/2)*sin(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*2^(1/2)*Pi^(1/2)*(1/b)^(1/2)+sin((a+b*arccos(c*x))/b-a/b)+sin(3*(a+b*arccos(c*x))/b-3*a/b))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \arccos(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^(3/2),x, algorithm="maxima")

[Out] integrate(x^2/(b*arccos(c*x) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(a + b \operatorname{acos}(cx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a + b*acos(c*x))^(3/2), x)`

[Out] `int(x^2/(a + b*acos(c*x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \operatorname{acos}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(a+b*acos(c*x))**(3/2), x)`

[Out] `Integral(x**2/(a + b*acos(c*x))**(3/2), x)`

$$3.194 \quad \int \frac{x}{(a+b \cos^{-1}(cx))^{3/2}} dx$$

Optimal. Leaf size=130

$$-\frac{2\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{b^{3/2} c^2} - \frac{2\sqrt{\pi} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{b^{3/2} c^2} + \frac{2x\sqrt{1-c^2x^2}}{bc\sqrt{a+b \cos^{-1}(cx)}}$$

[Out] $-2*\cos(2*a/b)*\text{FresnelC}(2*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/b^{(3/2)}/c^2-2*\text{FresnelS}(2*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a/b)*\text{Pi}^{(1/2)}/b^{(3/2)}/c^2+2*x*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arccos(c*x))^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {4632, 3306, 3305, 3351, 3304, 3352}

$$-\frac{2\sqrt{\pi} \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi} \sqrt{b}}\right)}{b^{3/2} c^2} - \frac{2\sqrt{\pi} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{b^{3/2} c^2} + \frac{2x\sqrt{1-c^2x^2}}{bc\sqrt{a+b \cos^{-1}(cx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x/(a + b*\text{ArcCos}[c*x])^{(3/2)}, x]$

[Out] $(2*x*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcCos}[c*x]]) - (2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))/(b^{(3/2)}*c^2) - (2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]))*\text{Sin}[(2*a)/b])/(b^{(3/2)}*c^2)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3306

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] + \text{Dist}[\text{Sin}[(d$

$*e - c*f)/d]$, $\text{Int}[\text{Cos}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] /;$ $\text{FreeQ}[\{c, d, e, f\}, x]$ && $\text{ComplexFreeQ}[f]$ && $\text{NeQ}[d*e - c*f, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] := \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /;$ $\text{FreeQ}[\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] := \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /;$ $\text{FreeQ}[\{d, e, f\}, x]$

Rule 4632

$\text{Int}[(a_.) + \text{ArcCos}[(c_.)*(x_)]*(b_.)^{(n_)}*(x_)^{(m_.)}, x_Symbol] := -\text{Simp}[(x^m*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcCos}[c*x])^{(n + 1)})/(b*c*(n + 1)), x] - \text{Dist}[1/(b*c^{(m + 1)}*(n + 1)), \text{Subst}[\text{Int}[\text{ExpandTrigReduce}[(a + b*x)^{(n + 1)}, \text{Cos}[x]^{(m - 1)}*(m - (m + 1)*\text{Cos}[x]^2), x], x], x, \text{ArcCos}[c*x]], x] /;$ $\text{FreeQ}[\{a, b, c\}, x]$ && $\text{IGtQ}[m, 0]$ && $\text{GeQ}[n, -2]$ && $\text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned} \int \frac{x}{(a + b \cos^{-1}(cx))^{3/2}} dx &= \frac{2x\sqrt{1 - c^2x^2}}{bc\sqrt{a + b \cos^{-1}(cx)}} - \frac{2 \text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{bc^2} \\ &= \frac{2x\sqrt{1 - c^2x^2}}{bc\sqrt{a + b \cos^{-1}(cx)}} - \frac{\left(2 \cos\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{bc^2} - \frac{\left(2 \sin\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b} + 2x\right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx)\right)}{bc^2} \\ &= \frac{2x\sqrt{1 - c^2x^2}}{bc\sqrt{a + b \cos^{-1}(cx)}} - \frac{\left(4 \cos\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \cos\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a + b \cos^{-1}(cx)}\right)}{b^2c^2} - \frac{\left(4 \sin\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \sin\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a + b \cos^{-1}(cx)}\right)}{b^2c^2} \\ &= \frac{2x\sqrt{1 - c^2x^2}}{bc\sqrt{a + b \cos^{-1}(cx)}} - \frac{2\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{b^{3/2}c^2} - \frac{2\sqrt{\pi} S\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right) \sin\left(\frac{2a}{b}\right)}{b^{3/2}c^2} \end{aligned}$$

Mathematica [A] time = 0.37, size = 124, normalized size = 0.95

$$\frac{-2\sqrt{\pi} \left(\frac{1}{b}\right)^{3/2} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{\frac{1}{b}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi}}\right) - 2\sqrt{\pi} \left(\frac{1}{b}\right)^{3/2} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{\frac{1}{b}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi}}\right) + \frac{\sin(2 \cos^{-1}(cx))}{b \sqrt{a+b \cos^{-1}(cx)}}}{c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b*ArcCos[c*x])^(3/2), x]

[Out] $(-2*(b^{-1})^{3/2}*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[b^{-1}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[\text{Pi}]] - 2*(b^{-1})^{3/2}*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[b^{-1}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[\text{Pi}]]*\text{Sin}[(2*a)/b] + \text{Sin}[2*\text{ArcCos}[c*x]])/(b*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/c^2$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \arccos(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^(3/2), x, algorithm="giac")

[Out] integrate(x/(b*arccos(c*x) + a)^(3/2), x)

maple [A] time = 0.18, size = 142, normalized size = 1.09

$$\frac{-2\sqrt{\frac{1}{b}} \sqrt{\pi} \sqrt{a + b \arccos(cx)} \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) - 2\sqrt{\frac{1}{b}} \sqrt{\pi} \sqrt{a + b \arccos(cx)} \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right)}{c^2 b \sqrt{a + b \arccos(cx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*arccos(c*x))^(3/2), x)

```
[Out] 1/c^2/b/(a+b*arccos(c*x))^(1/2)*(-2*(1/b)^(1/2)*Pi^(1/2)*(a+b*arccos(c*x))^(1/2)*cos(2*a/b)*FresnelC(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)-2*(1/b)^(1/2)*Pi^(1/2)*(a+b*arccos(c*x))^(1/2)*sin(2*a/b)*FresnelS(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)+sin(2*(a+b*arccos(c*x))/b-2*a/b)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \arccos(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arccos(c*x))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(x/(b*arccos(c*x) + a)^(3/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + b \arccos(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a + b*acos(c*x))^(3/2),x)
```

```
[Out] int(x/(a + b*acos(c*x))^(3/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \arccos(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*acos(c*x))**(3/2),x)
```

```
[Out] Integral(x/(a + b*acos(c*x))**(3/2), x)
```


$$3.195 \quad \int \frac{1}{(a+b \cos^{-1}(cx))^{3/2}} dx$$

Optimal. Leaf size=137

$$\frac{2\sqrt{2\pi} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{2\pi} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b \cos^{-1}(cx)}}$$

[Out] $-2*\cos(a/b)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c-2*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)})*\sin(a/b)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/c+2*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arccos(c*x))^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {4622, 4724, 3306, 3305, 3351, 3304, 3352}

$$\frac{2\sqrt{2\pi} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{2\pi} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b \cos^{-1}(cx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCos}[c*x])^{(-3/2)}, x]$

[Out] $(2*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcCos}[c*x]]) - (2*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a/b]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c) - (2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(b^{(3/2)}*c)$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4622

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_), x_Symbol] := -Simp[(Sqrt[1 - c
2*x2]*(a + b*ArcCos[c*x])(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1))
, Int[(x*(a + b*ArcCos[c*x])(n + 1))/Sqrt[1 - c2*x2], x], x] /; FreeQ[{a
, b, c}, x] && LtQ[n, -1]
```

Rule 4724

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_.)*(x_)(m_.)*((d_) + (e_.)*(x_)
2)(p_.), x_Symbol] := -Dist[dp/c(m + 1), Subst[Int[(a + b*x)n*Cos[x]m*
Sin[x](2*p + 1), x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &
& EqQ[c2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Intege
rQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos^{-1}(cx))^{3/2}} dx &= \frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\cos^{-1}(cx)}} + \frac{(2c) \int \frac{x}{\sqrt{1-c^2x^2} \sqrt{a+b\cos^{-1}(cx)}} dx}{b} \\
&= \frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\cos^{-1}(cx)}} - \frac{2 \text{Subst} \left(\int \frac{\cos(x)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{bc} \\
&= \frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\cos^{-1}(cx)}} - \frac{(2 \cos \left(\frac{a}{b} \right)) \text{Subst} \left(\int \frac{\cos \left(\frac{a}{b} + x \right)}{\sqrt{a+bx}} dx, x, \cos^{-1}(cx) \right)}{bc} - \frac{(2 \sin \left(\frac{a}{b} \right))}{bc} \\
&= \frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\cos^{-1}(cx)}} - \frac{(4 \cos \left(\frac{a}{b} \right)) \text{Subst} \left(\int \cos \left(\frac{x^2}{b} \right) dx, x, \sqrt{a+b\cos^{-1}(cx)} \right)}{b^2c} - \frac{(4 \sin \left(\frac{a}{b} \right))}{b^2c} \\
&= \frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b\cos^{-1}(cx)}} - \frac{2\sqrt{2\pi} \cos \left(\frac{a}{b} \right) C \left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\cos^{-1}(cx)}}{\sqrt{b}} \right)}{b^{3/2}c} - \frac{2\sqrt{2\pi} S \left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b\cos^{-1}(cx)}}{\sqrt{b}} \right)}{b^{3/2}c}
\end{aligned}$$

Mathematica [C] time = 0.19, size = 150, normalized size = 1.09

$$\frac{ie^{-\frac{ia}{b}} \left(2ie^{\frac{ia}{b}} \sqrt{1-c^2x^2} - \sqrt{-\frac{i(a+b\cos^{-1}(cx))}{b}} \Gamma \left(\frac{1}{2}, -\frac{i(a+b\cos^{-1}(cx))}{b} \right) + e^{\frac{2ia}{b}} \sqrt{\frac{i(a+b\cos^{-1}(cx))}{b}} \Gamma \left(\frac{1}{2}, \frac{i(a+b\cos^{-1}(cx))}{b} \right) \right)}{bc\sqrt{a+b\cos^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^(-3/2), x]

[Out] ((-I)*((2*I)*E^((I*a)/b)*Sqrt[1 - c^2*x^2] - Sqrt[(-I)*(a + b*ArcCos[c*x])]/b)*Gamma[1/2, ((-I)*(a + b*ArcCos[c*x]))/b] + E^(((2*I)*a)/b)*Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, (I*(a + b*ArcCos[c*x]))/b])/(b*c*E^((I*a)/b)*Sqrt[a + b*ArcCos[c*x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^(3/2),x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^(-3/2), x)

maple [A] time = 0.19, size = 150, normalized size = 1.09

$$\frac{2 \left(\sqrt{a + b \arccos(cx)} \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a + b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \sqrt{2} \sqrt{\pi} \sqrt{\frac{1}{b}} + \sqrt{a + b \arccos(cx)} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{a + b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \right)}{cb \sqrt{a + b \arccos(cx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arccos(c*x))^(3/2),x)

[Out] $-2/c/b * ((a+b*\arccos(c*x))^{1/2} * \sin(a/b) * \text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}/(1/b)^{1/2}) * (a+b*\arccos(c*x))^{1/2}/b * 2^{1/2} * \text{Pi}^{1/2} * (1/b)^{1/2} + (a+b*\arccos(c*x))^{1/2} * \cos(a/b) * \text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}/(1/b)^{1/2}) * (a+b*\arccos(c*x))^{1/2}/b * 2^{1/2} * \text{Pi}^{1/2} * (1/b)^{1/2} - \sin((a+b*\arccos(c*x))/b - a/b)) / (a+b*\arccos(c*x))^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^(3/2),x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(-3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \arccos(cx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*acos(c*x))^(3/2), x)`

[Out] `int(1/(a + b*acos(c*x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \operatorname{acos}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*acos(c*x))**(3/2), x)`

[Out] `Integral((a + b*acos(c*x))**(-3/2), x)`

$$3.196 \quad \int \frac{1}{x(a+b \cos^{-1}(cx))^{3/2}} dx$$

Optimal. Leaf size=19

$$\text{Int} \left(\frac{1}{x(a+b \cos^{-1}(cx))^{3/2}}, x \right)$$

[Out] Unintegrable(1/x/(a+b*arccos(c*x))^(3/2), x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*ArcCos[c*x])^(3/2)), x]

[Out] Defer[Int][1/(x*(a + b*ArcCos[c*x])^(3/2)), x]

Rubi steps

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^{3/2}} dx = \int \frac{1}{x(a+b \cos^{-1}(cx))^{3/2}} dx$$

Mathematica [A] time = 4.72, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcCos[c*x])^(3/2)), x]

[Out] Integrate[1/(x*(a + b*ArcCos[c*x])^(3/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arccos(c*x))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arccos(c*x))^(3/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vector & l) Error: Bad Argument Value

maple [A] time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \arccos(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*arccos(c*x))^(3/2),x)`

[Out] `int(1/x/(a+b*arccos(c*x))^(3/2),x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arccos(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/((b*arccos(c*x) + a)^(3/2)*x), x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x(a+b \arccos(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x*(a + b*acos(c*x))^(3/2)),x)
```

```
[Out] int(1/(x*(a + b*acos(c*x))^(3/2)), x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{acos}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(a+b*acos(c*x))**(3/2),x)
```

```
[Out] Integral(1/(x*(a + b*acos(c*x))**(3/2)), x)
```


$$3.197 \quad \int \frac{1}{x^2 (a + b \cos^{-1}(cx))^{3/2}} dx$$

Optimal. Leaf size=19

$$\text{Int} \left(\frac{1}{x^2 (a + b \cos^{-1}(cx))^{3/2}}, x \right)$$

[Out] Unintegrable(1/x^2/(a+b*arccos(c*x))^(3/2), x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*ArcCos[c*x])^(3/2)), x]

[Out] Defer[Int][1/(x^2*(a + b*ArcCos[c*x])^(3/2)), x]

Rubi steps

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^{3/2}} dx = \int \frac{1}{x^2 (a + b \cos^{-1}(cx))^{3/2}} dx$$

Mathematica [A] time = 13.94, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*ArcCos[c*x])^(3/2)), x]

[Out] Integrate[1/(x^2*(a + b*ArcCos[c*x])^(3/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^(3/2),x, algorithm="giac")

[Out] integrate(1/((b*arccos(c*x) + a)^(3/2)*x^2), x)

maple [A] time = 0.64, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \arccos(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*arccos(c*x))^(3/2),x)

[Out] int(1/x^2/(a+b*arccos(c*x))^(3/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((b*arccos(c*x) + a)^(3/2)*x^2), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b \arccos(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*(a + b*acos(c*x))^(3/2)),x)`

[Out] `int(1/(x^2*(a + b*acos(c*x))^(3/2)), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{acos}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*acos(c*x))**(3/2),x)`

[Out] `Integral(1/(x**2*(a + b*acos(c*x))**(3/2)), x)`

$$3.198 \quad \int \frac{x^2}{(a+b \cos^{-1}(cx))^{5/2}} dx$$

Optimal. Leaf size=292

$$\frac{\sqrt{2\pi} \sin\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^3} - \frac{\sqrt{6\pi} \sin\left(\frac{3a}{b}\right) C\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{5/2}c^3} + \frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^3} + \frac{\sqrt{6\pi} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{5/2}c^3}$$

[Out] $\frac{1}{3} \cos(a/b) \text{FresnelS}(2^{1/2}/\pi^{1/2} * (a+b \arccos(cx))^{1/2}/b^{1/2}) * 2^{1/2} \pi^{1/2}/b^{5/2}/c^3 - \frac{1}{3} \text{FresnelC}(2^{1/2}/\pi^{1/2} * (a+b \arccos(cx))^{1/2}/b^{1/2}) * \sin(a/b) * 2^{1/2} \pi^{1/2}/b^{5/2}/c^3 + \cos(3a/b) \text{FresnelS}(6^{1/2}/\pi^{1/2} * (a+b \arccos(cx))^{1/2}/b^{1/2}) * 6^{1/2} \pi^{1/2}/b^{5/2}/c^3 - \text{FresnelC}(6^{1/2}/\pi^{1/2} * (a+b \arccos(cx))^{1/2}/b^{1/2}) * \sin(3a/b) * 6^{1/2} \pi^{1/2}/b^{5/2}/c^3 + 2/3 * x^2 * (-c^2 * x^2 + 1)^{1/2}/b/c/(a+b \arccos(cx))^{3/2} - 8/3 * x/b^2/c^2/(a+b \arccos(cx))^{1/2} + 4 * x^3/b^2/(a+b \arccos(cx))^{1/2}$

Rubi [A] time = 0.95, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 10, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4634, 4720, 4636, 4406, 3306, 3305, 3351, 3304, 3352, 4624}

$$\frac{\sqrt{2\pi} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^3} - \frac{\sqrt{6\pi} \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{5/2}c^3} + \frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^3} + \frac{\sqrt{6\pi} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{b^{5/2}c^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2/(a + b \cdot \text{ArcCos}[c \cdot x])^{5/2}, x]$

[Out] $\frac{(2 * x^2 * \text{Sqrt}[1 - c^2 * x^2]) / (3 * b * c * (a + b * \text{ArcCos}[c * x])^{3/2}) - (8 * x) / (3 * b^2 * c^2 * \text{Sqrt}[a + b * \text{ArcCos}[c * x]]) + (4 * x^3) / (b^2 * \text{Sqrt}[a + b * \text{ArcCos}[c * x]]) + (\text{Sqrt}[2 * \pi] * \text{Cos}[a/b] * \text{FresnelS}[(\text{Sqrt}[2/\pi] * \text{Sqrt}[a + b * \text{ArcCos}[c * x]]) / \text{Sqrt}[b]]) / (3 * b^{5/2} * c^3) + (\text{Sqrt}[6 * \pi] * \text{Cos}[(3 * a)/b] * \text{FresnelS}[(\text{Sqrt}[6/\pi] * \text{Sqrt}[a + b * \text{ArcCos}[c * x]]) / \text{Sqrt}[b]]) / (b^{5/2} * c^3) - (\text{Sqrt}[2 * \pi] * \text{FresnelC}[(\text{Sqrt}[2/\pi] * \text{Sqrt}[a + b * \text{ArcCos}[c * x]]) / \text{Sqrt}[b]] * \text{Sin}[a/b]) / (3 * b^{5/2} * c^3) - (\text{Sqrt}[6 * \pi] * \text{FresnelC}[(\text{Sqrt}[6/\pi] * \text{Sqrt}[a + b * \text{ArcCos}[c * x]]) / \text{Sqrt}[b]] * \text{Sin}[(3 * a)/b]) / (b^{5/2} * c^3)$

Rule 3304

$\text{Int}[\sin[\pi/2 + (e_{.}) + (f_{.}) * (x_{.})] / \text{Sqrt}[(c_{.}) + (d_{.}) * (x_{.})], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f * x^2)/d], x], x, \text{Sqrt}[c + d * x], x] /; \text{FreeQ}\{c, d$

, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]ⁿ*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4624

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] := Dist[1/(b*c), Subst[Int[xⁿ*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 4634

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((x_)^(m_.), x_Symbol] := -Simp[(x^m*Sqrt[1 - c²*x²]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1)]/Sqrt[1 - c²*x²], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCos[c*x])^(n + 1)]/Sqrt[1 - c²*x²], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[

$m, 0$ && LtQ[n, -2]

Rule 4636

Int[((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_*(x_)^m_.), x_Symbol] :> -Dist[(c^(m + 1))^(-1), Subst[Int[(a + b*x)^n*Cos[x]^m*Sin[x], x], x, ArcCos[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 4720

Int[(((a_.) + ArcCos[(c_.)*(x_)]*(b_.))^n_)*((f_.)*(x_)^m_.)/Sqrt[(d_ + (e_.)*(x_)^2], x_Symbol] :> -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + b \cos^{-1}(cx))^{5/2}} dx &= \frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{4 \int \frac{x}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))^{3/2}} dx}{3bc} + \frac{(2c) \int \frac{x^3}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))^{3/2}} dx}{b} \\
&= \frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \cos^{-1}(cx)}} - \frac{12 \int \frac{x}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))^{3/2}} dx}{b} \\
&= \frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8 \int \frac{x}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))^{3/2}} dx}{b} \quad \text{8 Subs} \\
&= \frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{12 \int \frac{x}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))^{3/2}} dx}{b} \quad \text{12 Sub} \\
&= \frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{3 \int \frac{x}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))^{3/2}} dx}{b} \quad \text{3 Subs} \\
&= \frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \cos^{-1}(cx)}} - \frac{8\sqrt{2\pi}}{b} \quad \text{8}\sqrt{2\pi} \\
&= \frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \cos^{-1}(cx)}} - \frac{8\sqrt{2\pi}}{b} \quad \text{8}\sqrt{2\pi} \\
&= \frac{2x^2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{8x}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{4x^3}{b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{\sqrt{2\pi}}{b} \quad \sqrt{2\pi}
\end{aligned}$$

Mathematica [C] time = 2.88, size = 322, normalized size = 1.10

$$-(a + b \cos^{-1}(cx)) \left(-e^{-\frac{ia}{b}} \sqrt{\frac{i(a+b \cos^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, -\frac{i(a+b \cos^{-1}(cx))}{b}\right) - e^{\frac{ia}{b}} \sqrt{\frac{i(a+b \cos^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, \frac{i(a+b \cos^{-1}(cx))}{b}\right) \right) + e^{-i}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/(a + b*ArcCos[c*x])^(5/2),x]

[Out]
$$-1/6*(-(b*\sqrt{1 - c^2*x^2}) - (a + b*\text{ArcCos}[c*x])*(E^{((-I)*\text{ArcCos}[c*x])} + E^{(I*\text{ArcCos}[c*x])} - (\sqrt{((-I)*(a + b*\text{ArcCos}[c*x]))/b})*\Gamma[1/2, ((-I)*(a + b*\text{ArcCos}[c*x]))/b])/E^{((I*a)/b)} - E^{((I*a)/b)}*\sqrt{(I*(a + b*\text{ArcCos}[c*x]))/b})*\Gamma[1/2, (I*(a + b*\text{ArcCos}[c*x]))/b]) - 3*(a + b*\text{ArcCos}[c*x])*(E^{((-3*I)*\text{ArcCos}[c*x])} + E^{((3*I)*\text{ArcCos}[c*x])} - (\sqrt{3}*\sqrt{((-I)*(a + b*\text{ArcCos}[c*x]))/b})*\Gamma[1/2, ((-3*I)*(a + b*\text{ArcCos}[c*x]))/b])/E^{((3*I)*a)/b} - \sqrt{3}*E^{((3*I)*a)/b}*\sqrt{(I*(a + b*\text{ArcCos}[c*x]))/b})*\Gamma[1/2, ((3*I)*(a + b*\text{ArcCos}[c*x]))/b]) - b*\sin[3*\text{ArcCos}[c*x]])/(b^2*c^3*(a + b*\text{ArcCos}[c*x])^{(3/2)})$$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \arccos(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^(5/2),x, algorithm="giac")

[Out] integrate(x^2/(b*arccos(c*x) + a)^(5/2), x)

maple [B] time = 0.33, size = 659, normalized size = 2.26

$$6 \arccos(cx) \sqrt{3} \sqrt{2} \sqrt{\pi} \sqrt{\frac{1}{b}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{3} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \sqrt{a + b \arccos(cx)} b - 6 \arccos(cx) \sqrt{3} \sqrt{2} \sqrt{\pi} \sqrt{\frac{1}{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*arccos(c*x))^(5/2),x)

[Out]
$$1/6/c^3/b^2*(6*\arccos(c*x)*3^{(1/2)}*2^{(1/2)}*\pi^{(1/2)}*(1/b)^{(1/2)}*\cos(3*a/b)*\text{FresnelS}(2^{(1/2)}/\pi^{(1/2)}*3^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arccos(c*x))^{(1/2)}/b)*(a$$

$+b*\arccos(c*x))^{(1/2)*b-6*\arccos(c*x)*3^{(1/2)*2^{(1/2)*\text{Pi}^{(1/2)*(1/b)^{(1/2)*\sin(3*a/b)*\text{FresnelC}(2^{(1/2)/\text{Pi}^{(1/2)*3^{(1/2)/(1/b)^{(1/2)*(a+b*\arccos(c*x))^{(1/2)/b}*(a+b*\arccos(c*x))^{(1/2)*b+2*\arccos(c*x)*2^{(1/2)*\text{Pi}^{(1/2)*(1/b)^{(1/2)*\cos(a/b)*\text{FresnelS}(2^{(1/2)/\text{Pi}^{(1/2)/(1/b)^{(1/2)*(a+b*\arccos(c*x))^{(1/2)/b}*(a+b*\arccos(c*x))^{(1/2)*b-2*\arccos(c*x)*2^{(1/2)*\text{Pi}^{(1/2)*(1/b)^{(1/2)*\sin(a/b)*\text{FresnelC}(2^{(1/2)/\text{Pi}^{(1/2)/(1/b)^{(1/2)*(a+b*\arccos(c*x))^{(1/2)/b}*(a+b*\arccos(c*x))^{(1/2)*b+6*3^{(1/2)*2^{(1/2)*\text{Pi}^{(1/2)*(1/b)^{(1/2)*\cos(3*a/b)*\text{FresnelS}(2^{(1/2)/\text{Pi}^{(1/2)*3^{(1/2)/(1/b)^{(1/2)*(a+b*\arccos(c*x))^{(1/2)/b}*(a+b*\arccos(c*x))^{(1/2)*a-6*3^{(1/2)*2^{(1/2)*\text{Pi}^{(1/2)*(1/b)^{(1/2)*\sin(3*a/b)*\text{FresnelC}(2^{(1/2)/\text{Pi}^{(1/2)*3^{(1/2)/(1/b)^{(1/2)*(a+b*\arccos(c*x))^{(1/2)/b}*(a+b*\arccos(c*x))^{(1/2)*a+2*2^{(1/2)*\text{Pi}^{(1/2)*(1/b)^{(1/2)*\cos(a/b)*\text{FresnelS}(2^{(1/2)/\text{Pi}^{(1/2)/(1/b)^{(1/2)*(a+b*\arccos(c*x))^{(1/2)/b}*(a+b*\arccos(c*x))^{(1/2)*a-2*2^{(1/2)*\text{Pi}^{(1/2)*(1/b)^{(1/2)*\sin(a/b)*\text{FresnelC}(2^{(1/2)/\text{Pi}^{(1/2)/(1/b)^{(1/2)*(a+b*\arccos(c*x))^{(1/2)/b}*(a+b*\arccos(c*x))^{(1/2)*a+2*\arccos(c*x)*\cos((a+b*\arccos(c*x))/b-a/b)*b+6*\arccos(c*x)*\cos(3*(a+b*\arccos(c*x))/b-3*a/b)*b+\sin((a+b*\arccos(c*x))/b-a/b)*b+2*\cos((a+b*\arccos(c*x))/b-a/b)*a+\sin(3*(a+b*\arccos(c*x))/b-3*a/b)*b+6*\cos(3*(a+b*\arccos(c*x))/b-3*a/b)*a)/(a+b*\arccos(c*x))^{(3/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \arccos(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*arccos(c*x))^(5/2),x, algorithm="maxima")

[Out] integrate(x^2/(b*arccos(c*x) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(a + b \arccos(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b*acos(c*x))^(5/2),x)

[Out] int(x^2/(a + b*acos(c*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \arccos(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(a+b*acos(c*x))**(5/2),x)
```

```
[Out] Integral(x**2/(a + b*acos(c*x))**(5/2), x)
```

$$3.199 \quad \int \frac{x}{(a+b \cos^{-1}(cx))^{5/2}} dx$$

Optimal. Leaf size=180

$$\frac{8\sqrt{\pi} \sin\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{3b^{5/2}c^2} + \frac{8\sqrt{\pi} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{3b^{5/2}c^2} - \frac{4}{3b^2c^2\sqrt{a+b \cos^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b \cos^{-1}(cx)}}$$

[Out] $8/3*\cos(2*a/b)*\text{FresnelS}(2*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/b^{(5/2)}/c^2-8/3*\text{FresnelC}(2*(a+b*\arccos(c*x))^{(1/2)}/b^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a/b)*\text{Pi}^{(1/2)}/b^{(5/2)}/c^2+2/3*x*(-c^2*x^2+1)^{(1/2)}/b/c/(a+b*\arccos(c*x))^{(3/2)}-4/3/b^2/c^2/(a+b*\arccos(c*x))^{(1/2)}+8/3*x^2/b^2/(a+b*\arccos(c*x))^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.786$, Rules used = {4634, 4720, 4636, 4406, 12, 3306, 3305, 3351, 3304, 3352, 4642}

$$\frac{8\sqrt{\pi} \sin\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi} \sqrt{b}}\right)}{3b^{5/2}c^2} + \frac{8\sqrt{\pi} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{3b^{5/2}c^2} - \frac{4}{3b^2c^2\sqrt{a+b \cos^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a+b \cos^{-1}(cx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x/(a + b*\text{ArcCos}[c*x])^{(5/2)}, x]$

[Out] $(2*x*\text{Sqrt}[1 - c^2*x^2])/(3*b*c*(a + b*\text{ArcCos}[c*x])^{(3/2)}) - 4/(3*b^2*c^2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]]) + (8*x^2)/(3*b^2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]]) + (8*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]])/(3*b^{(5/2)*c^2} - (8*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcCos}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[(2*a)/b])/(3*b^{(5/2)*c^2})$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 4634

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Simp[
(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcCos[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-D
ist[(c*(m + 1))/(b*(n + 1)), Int[(x^(m + 1)*(a + b*ArcCos[c*x])^(n + 1))/Sq
rt[1 - c^2*x^2], x], x] + Dist[m/(b*c*(n + 1)), Int[(x^(m - 1)*(a + b*ArcCo
s[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[
m, 0] && LtQ[n, -2]
```

Rule 4636

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := -Dist[
(c^(m + 1))^(n + 1), Subst[Int[(a + b*x)^n*cos[x]^m*sin[x], x], x, ArcCos[c*x
], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4642

```
Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> -Simp[(a + b*ArcCos[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x]
&& EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4720

```
Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> -Simp[((f*x)^m*(a + b*ArcCos[c*x])^(n + 1))/(b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)^(m - 1)*(a + b*ArcCos[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c^2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x}{(a + b \cos^{-1}(cx))^{5/2}} dx &= \frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{2 \int \frac{1}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))^{3/2}} dx}{3bc} + \frac{(4c) \int \frac{x^2}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))}}{3b} \\
&= \frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \cos^{-1}(cx)}} - \frac{16 \int \frac{1}{\sqrt{1-c^2x^2}}}{3b} \\
&= \frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{16 \text{Sub}}{3b} \\
&= \frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{16 \text{Sub}}{3b} \\
&= \frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{16 \text{Sub}}{3b} \\
&= \frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8 \text{Subs}}{3b} \\
&= \frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{(8 \cos)}{3b} \\
&= \frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{(16 \cos)}{3b} \\
&= \frac{2x\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} - \frac{4}{3b^2c^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8x^2}{3b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{8\sqrt{\pi} c}{3b}
\end{aligned}$$

Mathematica [A] time = 0.76, size = 176, normalized size = 0.98

$$\frac{-8\sqrt{\pi} \sqrt{\frac{1}{b}} \sin\left(\frac{2a}{b}\right) (a + b \cos^{-1}(cx))^{3/2} C\left(\frac{2\sqrt{\frac{1}{b}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi}}\right) + 8\sqrt{\pi} \sqrt{\frac{1}{b}} \cos\left(\frac{2a}{b}\right) (a + b \cos^{-1}(cx))^{3/2} S\left(\frac{2\sqrt{\frac{1}{b}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{\pi}}\right)}{3b^2c^2(a + b \cos^{-1}(cx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b*ArcCos[c*x])^(5/2), x]

```
[Out] (4*a*cos[2*ArcCos[c*x]] + 4*b*ArcCos[c*x]*cos[2*ArcCos[c*x]] + 8*Sqrt[b^(-1)]*Sqrt[Pi]*(a + b*ArcCos[c*x])^(3/2)*cos[(2*a)/b]*FresnelS[(2*Sqrt[b^(-1)]*Sqrt[a + b*ArcCos[c*x]])/Sqrt[Pi]] - 8*Sqrt[b^(-1)]*Sqrt[Pi]*(a + b*ArcCos[c*x])^(3/2)*FresnelC[(2*Sqrt[b^(-1)]*Sqrt[a + b*ArcCos[c*x]])/Sqrt[Pi]]*sin[(2*a)/b] + b*sin[2*ArcCos[c*x]])/(3*b^2*c^2*(a + b*ArcCos[c*x])^(3/2))
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arccos(c*x))^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \arccos(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*arccos(c*x))^(5/2),x, algorithm="giac")
```

```
[Out] integrate(x/(b*arccos(c*x) + a)^(5/2), x)
```

maple [B] time = 0.22, size = 311, normalized size = 1.73

$$8 \arccos(cx) \sqrt{\pi} \sqrt{a + b \arccos(cx)} \cos\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}}}\right) \sqrt{\frac{1}{b}} b - 8 \arccos(cx) \sqrt{\pi} \sqrt{a + b \arccos(cx)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a+b*arccos(c*x))^(5/2),x)
```

```
[Out] 1/3/c^2/b^2*(8*arccos(c*x)*Pi^(1/2)*(a+b*arccos(c*x))^(1/2)*cos(2*a/b)*FresnelS(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*(1/b)^(1/2)*b-8*arccos(c*x)*Pi^(1/2)*(a+b*arccos(c*x))^(1/2)*sin(2*a/b)*FresnelC(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*(1/b)^(1/2)*b+8*Pi^(1/2)*(a+b*arccos(c*x))^(1/2)*cos(2*a/b)*FresnelS(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*(1/b)^(1/2)*a-8*Pi^(1/2)*(a+b*arccos(c*x))^(1/2)*sin(2*a/b)*FresnelC(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arccos(c*x))^(1/2)/b)*(1/b)^(1/2)*a+4*arccos(c*x)
```

) $\cos(2*(a+b*\arccos(c*x))/b-2*a/b)*b+\sin(2*(a+b*\arccos(c*x))/b-2*a/b)*b+4*\cos(2*(a+b*\arccos(c*x))/b-2*a/b)*a)/(a+b*\arccos(c*x))^{3/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \arccos(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*arccos(c*x))^(5/2),x, algorithm="maxima")

[Out] integrate(x/(b*arccos(c*x) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + b \arccos(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*acos(c*x))^(5/2),x)

[Out] int(x/(a + b*acos(c*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \arccos(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*acos(c*x))**(5/2),x)

[Out] Integral(x/(a + b*acos(c*x))**(5/2), x)

$$3.200 \quad \int \frac{1}{(a+b \cos^{-1}(cx))^{5/2}} dx$$

Optimal. Leaf size=163

$$\frac{4\sqrt{2\pi} \sin\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} + \frac{4\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} + \frac{4x}{3b^2\sqrt{a+b \cos^{-1}(cx)}} + \frac{2\sqrt{1-c^2}}{3bc(a+b \cos^{-1}(cx))}$$

[Out] 4/3*cos(a/b)*FresnelS(2^(1/2)/Pi^(1/2)*(a+b*arccos(c*x))^(1/2)/b^(1/2))*2^(1/2)*Pi^(1/2)/b^(5/2)/c-4/3*FresnelC(2^(1/2)/Pi^(1/2)*(a+b*arccos(c*x))^(1/2)/b^(1/2))*sin(a/b)*2^(1/2)*Pi^(1/2)/b^(5/2)/c+2/3*(-c^2*x^2+1)^(1/2)/b/c/(a+b*arccos(c*x))^(3/2)+4/3*x/b^2/(a+b*arccos(c*x))^(1/2)

Rubi [A] time = 0.26, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {4622, 4720, 4624, 3306, 3305, 3351, 3304, 3352}

$$\frac{4\sqrt{2\pi} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} + \frac{4\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} + \frac{4x}{3b^2\sqrt{a+b \cos^{-1}(cx)}} + \frac{2\sqrt{1-c^2}}{3bc(a+b \cos^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])^(-5/2), x]

[Out] (2*Sqrt[1 - c^2*x^2])/(3*b*c*(a + b*ArcCos[c*x])^(3/2)) + (4*x)/(3*b^2*Sqrt[a + b*ArcCos[c*x]]) + (4*Sqrt[2*Pi]*Cos[a/b]*FresnelS[(Sqrt[2/Pi]*Sqrt[a + b*ArcCos[c*x]])/Sqrt[b]])/(3*b^(5/2)*c) - (4*Sqrt[2*Pi]*FresnelC[(Sqrt[2/Pi]*Sqrt[a + b*ArcCos[c*x]])/Sqrt[b]]*Sin[a/b])/(3*b^(5/2)*c)

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4622

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_), x_Symbol] := -Simp[(Sqrt[1 - c
2*x2]*(a + b*ArcCos[c*x])(n + 1))/(b*c*(n + 1)), x] - Dist[c/(b*(n + 1))
, Int[(x*(a + b*ArcCos[c*x])(n + 1))/Sqrt[1 - c2*x2], x], x] /; FreeQ[{a
, b, c}, x] && LtQ[n, -1]
```

Rule 4624

```
Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_), x_Symbol] := Dist[1/(b*c), Sub
st[Int[xn*Sin[a/b - x/b], x], x, a + b*ArcCos[c*x]], x] /; FreeQ[{a, b, c,
n}, x]
```

Rule 4720

```
Int[(((a_.) + ArcCos[(c_.)*(x_)])*(b_.))(n_)*((f_.)*(x_))(m_)/Sqrt[(d_)
+ (e_.)*(x_)2], x_Symbol] := -Simp[((f*x)m*(a + b*ArcCos[c*x])(n + 1))/(
b*c*Sqrt[d]*(n + 1)), x] + Dist[(f*m)/(b*c*Sqrt[d]*(n + 1)), Int[(f*x)(m -
1)*(a + b*ArcCos[c*x])(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[c2*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos^{-1}(cx))^{5/2}} dx &= \frac{2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} + \frac{(2c) \int \frac{x}{\sqrt{1-c^2x^2}(a+b \cos^{-1}(cx))^{3/2}} dx}{3b} \\
&= \frac{2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} + \frac{4x}{3b^2\sqrt{a + b \cos^{-1}(cx)}} - \frac{4 \int \frac{1}{\sqrt{a+b \cos^{-1}(cx)}} dx}{3b^2} \\
&= \frac{2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} + \frac{4x}{3b^2\sqrt{a + b \cos^{-1}(cx)}} - \frac{4 \operatorname{Subst}\left(\int \frac{\sin\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + b \cos^{-1}(cx)\right)}{3b^3c} \\
&= \frac{2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} + \frac{4x}{3b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{(4 \cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \cos^{-1}(cx)\right)}{3b^3c} \\
&= \frac{2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} + \frac{4x}{3b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{(8 \cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, a + b \cos^{-1}(cx)\right)}{3b^3c} \\
&= \frac{2\sqrt{1-c^2x^2}}{3bc(a + b \cos^{-1}(cx))^{3/2}} + \frac{4x}{3b^2\sqrt{a + b \cos^{-1}(cx)}} + \frac{4\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \cos^{-1}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c}
\end{aligned}$$

Mathematica [C] time = 1.73, size = 194, normalized size = 1.19

$$\frac{2 \left(e^{-\frac{ia}{b}} (a + b \cos^{-1}(cx)) \left(e^{\frac{i(a+b \cos^{-1}(cx))}{b}} - \sqrt{-\frac{i(a+b \cos^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, -\frac{i(a+b \cos^{-1}(cx))}{b}\right) \right) - e^{-i \cos^{-1}(cx)} (a + b \cos^{-1}(cx)) \left(e^{\frac{i(a+b \cos^{-1}(cx))}{b}} - \sqrt{-\frac{i(a+b \cos^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, -\frac{i(a+b \cos^{-1}(cx))}{b}\right) \right) \right)}{3b^2c (a + b \cos^{-1}(cx))^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^(-5/2), x]

[Out] (2*(b*Sqrt[1 - c^2*x^2] + ((a + b*ArcCos[c*x])*(E^((I*(a + b*ArcCos[c*x])))/b) - Sqrt[((-I)*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, ((-I)*(a + b*ArcCos[c*x]))/b]))/E^((I*a)/b) - ((a + b*ArcCos[c*x])*(-1 + E^((I*(a + b*ArcCos[c*x]))/b)*Sqrt[(I*(a + b*ArcCos[c*x]))/b]*Gamma[1/2, (I*(a + b*ArcCos[c*x]))/b]))/E^(I*ArcCos[c*x]))/(3*b^2*c*(a + b*ArcCos[c*x])^(3/2))

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^(5/2),x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^(-5/2), x)

maple [B] time = 0.23, size = 324, normalized size = 1.99

$$\frac{4 \arccos(cx) \sqrt{2} \sqrt{\pi} \sqrt{\frac{1}{b}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{2} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \sqrt{a+b \arccos(cx)} b}{3} - \frac{4 \arccos(cx) \sqrt{2} \sqrt{\pi} \sqrt{\frac{1}{b}} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{a+b \arccos(cx)}}{\sqrt{\pi} \sqrt{\frac{1}{b}} b}\right) \sqrt{a+b \arccos(cx)}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arccos(c*x))^(5/2),x)

[Out] $\frac{2}{3} \frac{c}{b^2} (2 \arccos(cx))^2 (1/2) \pi^{1/2} (1/b)^{1/2} \cos(a/b) \text{FresnelS}(2^{1/2} / \pi^{1/2} / (1/b)^{1/2} (a+b \arccos(cx))^{1/2} / b) (a+b \arccos(cx))^{1/2} b - 2 \arccos(cx)^2 (1/2) \pi^{1/2} (1/b)^{1/2} \sin(a/b) \text{FresnelC}(2^{1/2} / \pi^{1/2} / (1/b)^{1/2} (a+b \arccos(cx))^{1/2} / b) (a+b \arccos(cx))^{1/2} b + 2 (1/2) \pi^{1/2} (1/b)^{1/2} \cos(a/b) \text{FresnelS}(2^{1/2} / \pi^{1/2} / (1/b)^{1/2} (a+b \arccos(cx))^{1/2} / b) (a+b \arccos(cx))^{1/2} a - 2 (1/2) \pi^{1/2} (1/b)^{1/2} \sin(a/b) \text{FresnelC}(2^{1/2} / \pi^{1/2} / (1/b)^{1/2} (a+b \arccos(cx))^{1/2} / b) (a+b \arccos(cx))^{1/2} a + 2 \arccos(cx) \cos((a+b \arccos(cx)) / b - a/b) b + \sin((a+b \arccos(cx)) / b - a/b) b + 2 \cos((a+b \arccos(cx)) / b - a/b) a) / (a+b \arccos(cx))^{3/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^(5/2),x, algorithm="maxima")

[Out] integrate((b*arccos(c*x) + a)^(-5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \arccos(cx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*acos(c*x))^(5/2),x)

[Out] int(1/(a + b*acos(c*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \arccos(cx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*acos(c*x))**(5/2),x)

[Out] Integral((a + b*acos(c*x))**(-5/2), x)

$$3.201 \quad \int \frac{1}{x(a+b \cos^{-1}(cx))^{5/2}} dx$$

Optimal. Leaf size=19

$$\text{Int} \left(\frac{1}{x(a+b \cos^{-1}(cx))^{5/2}}, x \right)$$

[Out] Unintegrable(1/x/(a+b*arccos(c*x))^(5/2), x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*ArcCos[c*x])^(5/2)), x]

[Out] Defer[Int][1/(x*(a + b*ArcCos[c*x])^(5/2)), x]

Rubi steps

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^{5/2}} dx = \int \frac{1}{x(a+b \cos^{-1}(cx))^{5/2}} dx$$

Mathematica [A] time = 4.89, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \cos^{-1}(cx))^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*ArcCos[c*x])^(5/2)), x]

[Out] Integrate[1/(x*(a + b*ArcCos[c*x])^(5/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arccos(c*x))^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arccos(c*x))^(5/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vector & l) Error: Bad Argument Value

maple [A] time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \arccos(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*arccos(c*x))^(5/2),x)`

[Out] `int(1/x/(a+b*arccos(c*x))^(5/2),x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^{\frac{5}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*arccos(c*x))^(5/2),x, algorithm="maxima")`

[Out] `integrate(1/((b*arccos(c*x) + a)^(5/2)*x), x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x(a+b \arccos(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(a + b*acos(c*x))^(5/2)),x)`

[Out] `int(1/(x*(a + b*acos(c*x))^(5/2)), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \operatorname{acos}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*acos(c*x))**(5/2),x)`

[Out] `Integral(1/(x*(a + b*acos(c*x))**(5/2)), x)`

$$3.202 \quad \int \frac{1}{x^2 (a + b \cos^{-1}(cx))^{5/2}} dx$$

Optimal. Leaf size=19

$$\text{Int} \left(\frac{1}{x^2 (a + b \cos^{-1}(cx))^{5/2}}, x \right)$$

[Out] Unintegrable(1/x^2/(a+b*arccos(c*x))^(5/2), x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*ArcCos[c*x])^(5/2)), x]

[Out] Defer[Int][1/(x^2*(a + b*ArcCos[c*x])^(5/2)), x]

Rubi steps

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^{5/2}} dx = \int \frac{1}{x^2 (a + b \cos^{-1}(cx))^{5/2}} dx$$

Mathematica [A] time = 14.41, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \cos^{-1}(cx))^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*ArcCos[c*x])^(5/2)), x]

[Out] Integrate[1/(x^2*(a + b*ArcCos[c*x])^(5/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^{\frac{5}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^(5/2),x, algorithm="giac")

[Out] integrate(1/((b*arccos(c*x) + a)^(5/2)*x^2), x)

maple [A] time = 0.62, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \arccos(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*arccos(c*x))^(5/2),x)

[Out] int(1/x^2/(a+b*arccos(c*x))^(5/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \arccos(cx) + a)^{\frac{5}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*arccos(c*x))^(5/2),x, algorithm="maxima")

[Out] integrate(1/((b*arccos(c*x) + a)^(5/2)*x^2), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b \arccos(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*(a + b*acos(c*x))^(5/2)),x)`

[Out] `int(1/(x^2*(a + b*acos(c*x))^(5/2)), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \operatorname{acos}(cx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*acos(c*x))**(5/2),x)`

[Out] `Integral(1/(x**2*(a + b*acos(c*x))**(5/2)), x)`

3.203 $\int (dx)^{5/2} (a + b \cos^{-1}(cx)) dx$

Optimal. Leaf size=120

$$\frac{2(dx)^{7/2} (a + b \cos^{-1}(cx))}{7d} + \frac{20bd^{5/2} F\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{147c^{7/2}} - \frac{4b\sqrt{1-c^2x^2} (dx)^{5/2}}{49c} - \frac{20bd^2\sqrt{1-c^2x^2}\sqrt{dx}}{147c^3}$$

[Out] $2/7*(d*x)^{(7/2)*(a+b*\arccos(c*x))/d+20/147*b*d^{(5/2)*\text{EllipticF}(c^{(1/2)*(d*x)}^{(1/2)/d^{(1/2)},I)/c^{(7/2)-4/49*b*(d*x)^{(5/2)*(-c^2*x^2+1)^{(1/2)/c}-20/147*b*d^2*(d*x)^{(1/2)*(-c^2*x^2+1)^{(1/2)/c^3}}$

Rubi [A] time = 0.07, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4628, 321, 329, 221}

$$\frac{2(dx)^{7/2} (a + b \cos^{-1}(cx))}{7d} - \frac{20bd^2\sqrt{1-c^2x^2}\sqrt{dx}}{147c^3} + \frac{20bd^{5/2} F\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{147c^{7/2}} - \frac{4b\sqrt{1-c^2x^2} (dx)^{5/2}}{49c}$$

Antiderivative was successfully verified.

[In] Int[(d*x)^(5/2)*(a + b*ArcCos[c*x]),x]

[Out] $(-20*b*d^2*\text{Sqrt}[d*x]*\text{Sqrt}[1 - c^2*x^2])/(147*c^3) - (4*b*(d*x)^{(5/2)*\text{Sqrt}[1 - c^2*x^2]}/(49*c) + (2*(d*x)^{(7/2)*(a + b*\text{ArcCos}[c*x])})/(7*d) + (20*b*d^{(5/2)*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/(\text{Sqrt}[d]), -1])}/(147*c^{(7/2)})$

Rule 221

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 321

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 329

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^

$n)^p, x], x, (c*x)^{(1/k)], x]] /; \text{FreeQ}[\{a, b, c, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{F}$
 $\text{ractionQ}[m] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 4628

$\text{Int}[\{(a_.) + \text{ArcCos}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}*((d_.)*(x_.))^{(m_.)}, x_Symbol]$
 $:\> \text{Simp}[\{(d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^n\}/(d*(m+1)), x] + \text{Dist}[(b*c*n$
 $)/(d*(m+1)), \text{Int}[\{(d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^{(n-1)}\}/\text{Sqrt}[1 - c^2$
 $*x^2], x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int (dx)^{5/2} (a + b \cos^{-1}(cx)) dx &= \frac{2(dx)^{7/2} (a + b \cos^{-1}(cx))}{7d} + \frac{(2bc) \int \frac{(dx)^{7/2}}{\sqrt{1-c^2x^2}} dx}{7d} \\ &= -\frac{4b(dx)^{5/2} \sqrt{1-c^2x^2}}{49c} + \frac{2(dx)^{7/2} (a + b \cos^{-1}(cx))}{7d} + \frac{(10bd) \int \frac{(dx)^{3/2}}{\sqrt{1-c^2x^2}} dx}{49c} \\ &= -\frac{20bd^2 \sqrt{dx} \sqrt{1-c^2x^2}}{147c^3} - \frac{4b(dx)^{5/2} \sqrt{1-c^2x^2}}{49c} + \frac{2(dx)^{7/2} (a + b \cos^{-1}(cx))}{7d} + \dots \\ &= -\frac{20bd^2 \sqrt{dx} \sqrt{1-c^2x^2}}{147c^3} - \frac{4b(dx)^{5/2} \sqrt{1-c^2x^2}}{49c} + \frac{2(dx)^{7/2} (a + b \cos^{-1}(cx))}{7d} + \dots \\ &= -\frac{20bd^2 \sqrt{dx} \sqrt{1-c^2x^2}}{147c^3} - \frac{4b(dx)^{5/2} \sqrt{1-c^2x^2}}{49c} + \frac{2(dx)^{7/2} (a + b \cos^{-1}(cx))}{7d} + \dots \end{aligned}$$

Mathematica [C] time = 0.29, size = 158, normalized size = 1.32

$$\frac{2d^2 \sqrt{dx} \left(21ac^3 x^3 \sqrt{1-c^2x^2} + 6bc^4 x^4 + 4bc^2 x^2 + \frac{10ib \sqrt{x} \sqrt{1-\frac{1}{c^2x^2}} F\left(i \sinh^{-1}\left(\frac{\sqrt{-\frac{1}{c}}}{\sqrt{x}}\right)\right)}{\sqrt{-\frac{1}{c}}} + 21bc^3 x^3 \sqrt{1-c^2x^2} \cos^{-1}(cx) \right)}{147c^3 \sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d*x)^(5/2)*(a + b*ArcCos[c*x]),x]

[Out] $(2*d^2*\text{Sqrt}[d*x]*(-10*b + 4*b*c^2*x^2 + 6*b*c^4*x^4 + 21*a*c^3*x^3*\text{Sqrt}[1 - c^2*x^2] + 21*b*c^3*x^3*\text{Sqrt}[1 - c^2*x^2]*\text{ArcCos}[c*x] + ((10*I)*b*\text{Sqrt}[1 - 1/(c^2*x^2)]*\text{Sqrt}[x]*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[-c^{(-1)}]/\text{Sqrt}[x]], -1])/ \text{Sqrt}[-c^{(-1)}]))/(147*c^3*\text{Sqrt}[1 - c^2*x^2])$

fricas [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bd^2x^2 \arccos(cx) + ad^2x^2\right)\sqrt{dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(5/2)*(a+b*arccos(c*x)),x, algorithm="fricas")`

[Out] `integral((b*d^2*x^2*arccos(c*x) + a*d^2*x^2)*sqrt(d*x), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{5}{2}} (b \arccos(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(5/2)*(a+b*arccos(c*x)),x, algorithm="giac")`

[Out] `integrate((d*x)^(5/2)*(b*arccos(c*x) + a), x)`

maple [A] time = 0.03, size = 144, normalized size = 1.20

$$\frac{\frac{2(dx)^{\frac{7}{2}}a}{7} + 2b \left(\frac{(dx)^{\frac{7}{2}} \arccos(cx)}{7} + \frac{2c \left(-\frac{d^2(dx)^{\frac{5}{2}} \sqrt{-c^2x^2+1}}{7c^2} - \frac{5d^4 \sqrt{dx} \sqrt{-c^2x^2+1}}{21c^4} + \frac{5d^4 \sqrt{-cx+1} \sqrt{cx+1} \text{EllipticF}\left(\sqrt{dx} \sqrt{\frac{c}{d}}, i\right)}{21c^4 \sqrt{\frac{c}{d}} \sqrt{-c^2x^2+1}} \right)}{7d} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(5/2)*(a+b*arccos(c*x)),x)`

[Out] `2/d*(1/7*(d*x)^(7/2)*a+b*(1/7*(d*x)^(7/2)*arccos(c*x)+2/7*c/d*(-1/7/c^2*d^2*(d*x)^(5/2)*(-c^2*x^2+1)^(1/2)-5/21/c^4*d^4*(d*x)^(1/2)*(-c^2*x^2+1)^(1/2)+5/21/c^4*d^4/(c/d)^(1/2)*(-c*x+1)^(1/2)*(c*x+1)^(1/2)/(-c^2*x^2+1)^(1/2)*EllipticF((d*x)^(1/2)*(c/d)^(1/2),I)))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$42bc^4d^{\frac{5}{2}}x^{\frac{7}{2}} \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right) - \left(12bc^4d^2x^{\frac{7}{2}} + 42bc^5d^2 \int \frac{\sqrt{cx+1} \sqrt{-cx+1} x^{\frac{7}{2}}}{c^2x^2-1} dx + 28bc^2d^2x^{\frac{3}{2}} + 21\left(2bc^4d^2x^{\frac{7}{2}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(5/2)*(a+b*arccos(c*x)),x, algorithm="maxima")

[Out] $\frac{1}{147}*(42*b*c^4*d^{5/2}*x^{7/2}*\arctan2(\sqrt{c*x+1}*\sqrt{-c*x+1}, c*x) - (12*b*c^4*d^2*x^{7/2} + 294*b*c^5*d^2*\integrate(1/7*\sqrt{c*x+1}*\sqrt{-c*x+1}*x^{7/2}/(c^2*x^2-1), x) + 28*b*c^2*d^2*x^{3/2} + 21*(2*b*d^2*\arctan(\sqrt{c}*\sqrt{x}) + b*d^2*\log((c*x-1)/(c*x+2*\sqrt{c}*\sqrt{x}+1)))*\sqrt{c})*\sqrt{d})/c^4$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{acos}(cx)) (dx)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))*(d*x)^(5/2),x)

[Out] int((a + b*acos(c*x))*(d*x)^(5/2), x)

sympy [A] time = 98.83, size = 82, normalized size = 0.68

$$a \left(\begin{cases} 0 & \text{for } d = 0 \\ \frac{2(dx)^{7/2}}{7d} & \text{otherwise} \end{cases} \right) + bc \left(\begin{cases} 0 & \text{for } d = 0 \\ \frac{d^{5/2} x^{9/2} \Gamma\left(\frac{9}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{9}{4} \middle| \frac{13}{4} \right) c^2 x^2 e^{2i\pi}}{7\Gamma\left(\frac{13}{4}\right)} & \text{otherwise} \end{cases} \right) + b \left(\begin{cases} 0 & \text{for } d = 0 \\ \frac{2(dx)^{7/2}}{7d} & \text{otherwise} \end{cases} \right) \operatorname{acos}(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**(5/2)*(a+b*acos(c*x)),x)

[Out] $a*\operatorname{Piecewise}((0, \operatorname{Eq}(d, 0)), (2*(d*x)**(7/2)/(7*d), \operatorname{True})) + b*c*\operatorname{Piecewise}((0, \operatorname{Eq}(d, 0)), (d**(5/2)*x**(9/2)*\operatorname{gamma}(9/4)*\operatorname{hyper}((1/2, 9/4), (13/4,)), c**2*x**2*\operatorname{exp_polar}(2*I*\pi))/(7*\operatorname{gamma}(13/4)), \operatorname{True})) + b*\operatorname{Piecewise}((0, \operatorname{Eq}(d, 0)), (2*(d*x)**(7/2)/(7*d), \operatorname{True}))*\operatorname{acos}(c*x)$

3.204 $\int (dx)^{3/2} (a + b \cos^{-1}(cx)) dx$

Optimal. Leaf size=124

$$\frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))}{5d} - \frac{12bd^{3/2} F\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{25c^{5/2}} + \frac{12bd^{3/2} E\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{25c^{5/2}} - \frac{4b\sqrt{1-c^2x^2} (dx)^{3/2}}{25c}$$

[Out] 2/5*(d*x)^(5/2)*(a+b*arccos(c*x))/d+12/25*b*d^(3/2)*EllipticE(c^(1/2)*(d*x)^(1/2)/d^(1/2),I)/c^(5/2)-12/25*b*d^(3/2)*EllipticF(c^(1/2)*(d*x)^(1/2)/d^(1/2),I)/c^(5/2)-4/25*b*(d*x)^(3/2)*(-c^2*x^2+1)^(1/2)/c

Rubi [A] time = 0.09, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {4628, 321, 329, 307, 221, 1199, 424}

$$\frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))}{5d} - \frac{12bd^{3/2} F\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{25c^{5/2}} + \frac{12bd^{3/2} E\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{25c^{5/2}} - \frac{4b\sqrt{1-c^2x^2} (dx)^{3/2}}{25c}$$

Antiderivative was successfully verified.

[In] Int[(d*x)^(3/2)*(a + b*ArcCos[c*x]),x]

[Out] (-4*b*(d*x)^(3/2)*Sqrt[1 - c^2*x^2])/(25*c) + (2*(d*x)^(5/2)*(a + b*ArcCos[c*x]))/(5*d) + (12*b*d^(3/2)*EllipticE[ArcSin[(Sqrt[c]*Sqrt[d*x])/Sqrt[d]], -1])/(25*c^(5/2)) - (12*b*d^(3/2)*EllipticF[ArcSin[(Sqrt[c]*Sqrt[d*x])/Sqrt[d]], -1])/(25*c^(5/2))

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 307

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[-(b/a), 2]}, -Dist[q^(-1), Int[1/Sqrt[a + b*x^4], x], x] + Dist[1/q, Int[(1 + q*x^2)/Sqrt[a + b*x^4], x], x]] /; FreeQ[{a, b}, x] && NegQ[b/a]

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n-1)*(c*x)^(m-n+1)*(a + b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[(a*c^n*(m-n+1))/(b*(m+n*p+1)), Int[(c*x)^(m-n)*(a + b*x^n)^p, x],

$x] /; \text{FreeQ}\{a, b, c, p\}, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[m, n - 1] \ \&\& \ \text{NeQ}[m + n * p + 1, 0] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 329

$\text{Int}[(c \cdot x)^m \cdot (a + (b \cdot x)^n)^p, x_Symbol] \text{ :> With}\{k = \text{Denominator}[m]\}, \text{Dist}[k/c, \text{Subst}[\text{Int}[x^{k(m+1)-1} \cdot (a + (b \cdot x^{k \cdot n})) / c^n]^p, x], x, (c \cdot x)^{1/k}], x] /; \text{FreeQ}\{a, b, c, p\}, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{FractionQ}[m] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 424

$\text{Int}[\text{Sqrt}[a + (b \cdot x)^2] / \text{Sqrt}[c + (d \cdot x)^2], x_Symbol] \text{ :> Simp}[(\text{Sqrt}[a] \cdot \text{EllipticE}[\text{ArcSin}[\text{Rt}[-(d/c), 2] \cdot x], (b \cdot c) / (a \cdot d)]) / (\text{Sqrt}[c] \cdot \text{Rt}[-(d/c), 2]), x] /; \text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{NegQ}[d/c] \ \&\& \ \text{GtQ}[c, 0] \ \&\& \ \text{GtQ}[a, 0]$

Rule 1199

$\text{Int}[(d + (e \cdot x)^2) / \text{Sqrt}[a + (c \cdot x)^4], x_Symbol] \text{ :> Dist}[d / \text{Sqrt}[a], \text{Int}[\text{Sqrt}[1 + (e \cdot x^2) / d] / \text{Sqrt}[1 - (e \cdot x^2) / d], x], x] /; \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{NegQ}[c/a] \ \&\& \ \text{EqQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{GtQ}[a, 0]$

Rule 4628

$\text{Int}[(a + \text{ArcCos}[c \cdot x]) \cdot (b \cdot x)^n \cdot (d \cdot x)^m, x_Symbol] \text{ :> Simp}[(d \cdot x)^{m+1} \cdot (a + b \cdot \text{ArcCos}[c \cdot x])^n / (d \cdot (m+1)), x] + \text{Dist}[(b \cdot c \cdot n) / (d \cdot (m+1)), \text{Int}[(d \cdot x)^{m+1} \cdot (a + b \cdot \text{ArcCos}[c \cdot x])^{n-1} / \text{Sqrt}[1 - c^2 \cdot x^2], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned}
\int (dx)^{3/2} (a + b \cos^{-1}(cx)) dx &= \frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))}{5d} + \frac{(2bc) \int \frac{(dx)^{5/2}}{\sqrt{1-c^2x^2}} dx}{5d} \\
&= -\frac{4b(dx)^{3/2}\sqrt{1-c^2x^2}}{25c} + \frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))}{5d} + \frac{(6bd) \int \frac{\sqrt{dx}}{\sqrt{1-c^2x^2}} dx}{25c} \\
&= -\frac{4b(dx)^{3/2}\sqrt{1-c^2x^2}}{25c} + \frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))}{5d} + \frac{(12bd) \text{Subst} \left(\int \frac{x^2}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, \right)}{25c} \\
&= -\frac{4b(dx)^{3/2}\sqrt{1-c^2x^2}}{25c} + \frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))}{5d} - \frac{(12bd) \text{Subst} \left(\int \frac{1}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, \right)}{25c^2} \\
&= -\frac{4b(dx)^{3/2}\sqrt{1-c^2x^2}}{25c} + \frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))}{5d} - \frac{12bd^{3/2}F \left(\sin^{-1} \left(\frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \right)}{25c^{5/2}} \\
&= -\frac{4b(dx)^{3/2}\sqrt{1-c^2x^2}}{25c} + \frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))}{5d} + \frac{12bd^{3/2}E \left(\sin^{-1} \left(\frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \right)}{25c^{5/2}}
\end{aligned}$$

Mathematica [C] time = 0.08, size = 66, normalized size = 0.53

$$\frac{2(dx)^{3/2} \left(5acx + 2b {}_2F_1 \left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^2x^2 \right) - 2b\sqrt{1-c^2x^2} + 5bcx \cos^{-1}(cx) \right)}{25c}$$

Antiderivative was successfully verified.

[In] Integrate[(d*x)^(3/2)*(a + b*ArcCos[c*x]),x]

[Out] (2*(d*x)^(3/2)*(5*a*c*x - 2*b*Sqrt[1 - c^2*x^2] + 5*b*c*x*ArcCos[c*x] + 2*b*Hypergeometric2F1[1/2, 3/4, 7/4, c^2*x^2]))/(25*c)

fricas [F] time = 0.55, size = 0, normalized size = 0.00

$$\text{integral} \left((bdx \arccos(cx) + adx)\sqrt{dx}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*(a+b*arccos(c*x)),x, algorithm="fricas")

[Out] integral((b*d*x*arccos(c*x) + a*d*x)*sqrt(d*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} (b \arccos(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*(a+b*arccos(c*x)),x, algorithm="giac")

[Out] integrate((d*x)^(3/2)*(b*arccos(c*x) + a), x)

maple [A] time = 0.02, size = 138, normalized size = 1.11

$$\frac{\frac{2(dx)^{\frac{5}{2}}a}{5} + 2b \left(\frac{(dx)^{\frac{5}{2}} \arccos(cx)}{5} + \frac{2c \left(-\frac{d^2(dx)^{\frac{3}{2}} \sqrt{-c^2x^2+1}}{5c^2} - \frac{3d^3 \sqrt{-cx+1} \sqrt{cx+1} \left(\text{EllipticF}\left(\sqrt{dx} \sqrt{\frac{c}{d}}, i\right) - \text{EllipticE}\left(\sqrt{dx} \sqrt{\frac{c}{d}}, i\right) \right)}{5c^3 \sqrt{\frac{c}{d}} \sqrt{-c^2x^2+1}} \right)}{5d}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(3/2)*(a+b*arccos(c*x)),x)

[Out] 2/d*(1/5*(d*x)^(5/2)*a+b*(1/5*(d*x)^(5/2)*arccos(c*x)+2/5*c/d*(-1/5/c^2*d^2*(d*x)^(3/2)*(-c^2*x^2+1)^(1/2)-3/5/c^3*d^3/(c/d)^(1/2)*(-c*x+1)^(1/2)*(c*x+1)^(1/2)/(-c^2*x^2+1)^(1/2)*(EllipticF((d*x)^(1/2)*(c/d)^(1/2),I)-EllipticE((d*x)^(1/2)*(c/d)^(1/2),I))))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{10bc^3d^{\frac{3}{2}}x^{\frac{5}{2}} \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) - \left(4bc^3dx^{\frac{5}{2}} + 10bc^4d \int \frac{\sqrt{cx+1}\sqrt{-cx+1}x^{\frac{5}{2}}}{c^2x^2-1} dx + 20bcd\sqrt{x} - 5(2bd \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)) \right)}{25c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*(a+b*arccos(c*x)),x, algorithm="maxima")

[Out] 1/25*(10*b*c^3*d^(3/2)*x^(5/2)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) - (4*b*c^3*d*x^(5/2) + 50*b*c^4*d*integrate(1/5*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(5/2)/(c^2*x^2 - 1), x) + 20*b*c*d*sqrt(x) - 5*(2*b*d*arctan(sqrt(c)*sqrt(x)) - b*d*log((c*x - 1)/(c*x + 2*sqrt(c)*sqrt(x) + 1)))*sqrt(c)*sqrt(d))/c^3

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{acos}(cx)) (dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(c*x))*(d*x)^(3/2), x)`

[Out] `int((a + b*acos(c*x))*(d*x)^(3/2), x)`

sympy [A] time = 16.85, size = 82, normalized size = 0.66

$$a \left(\begin{cases} 0 & \text{for } d = 0 \\ \frac{2(dx)^{5/2}}{5d} & \text{otherwise} \end{cases} \right) + bc \left(\begin{cases} 0 & \text{for } d = 0 \\ \frac{d^{3/2} x^{7/2} \Gamma(\frac{7}{4}) {}_2F_1\left(\frac{1}{2}, \frac{7}{4} \middle| \frac{11}{4}\right) c^2 x^2 e^{2i\pi}}{5\Gamma(\frac{11}{4})} & \text{otherwise} \end{cases} \right) + b \left(\begin{cases} 0 & \text{for } d = 0 \\ \frac{2(dx)^{5/2}}{5d} & \text{otherwise} \end{cases} \right) \operatorname{acos}(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(3/2)*(a+b*acos(c*x)), x)`

[Out] `a*Piecewise((0, Eq(d, 0)), (2*(d*x)**(5/2)/(5*d), True)) + b*c*Piecewise((0, Eq(d, 0)), (d**(3/2)*x**(7/2)*gamma(7/4)*hyper((1/2, 7/4), (11/4,), c**2*x**2*exp_polar(2*I*pi))/(5*gamma(11/4)), True)) + b*Piecewise((0, Eq(d, 0)), (2*(d*x)**(5/2)/(5*d), True))*acos(c*x)`

3.205 $\int \sqrt{dx} (a + b \cos^{-1}(cx)) dx$

Optimal. Leaf size=88

$$\frac{2(dx)^{3/2} (a + b \cos^{-1}(cx))}{3d} + \frac{4b\sqrt{d} F\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{9c^{3/2}} - \frac{4b\sqrt{1-c^2x^2}\sqrt{dx}}{9c}$$

[Out] $2/3*(d*x)^{(3/2)}*(a+b*\arccos(c*x))/d+4/9*b*EllipticF(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)}, I)*d^{(1/2)}/c^{(3/2)}-4/9*b*(d*x)^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c$

Rubi [A] time = 0.05, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4628, 321, 329, 221}

$$\frac{2(dx)^{3/2} (a + b \cos^{-1}(cx))}{3d} - \frac{4b\sqrt{1-c^2x^2}\sqrt{dx}}{9c} + \frac{4b\sqrt{d} F\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{9c^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d*x]*(a + b*ArcCos[c*x]), x]

[Out] $(-4*b*\text{Sqrt}[d*x]*\text{Sqrt}[1 - c^2*x^2])/(9*c) + (2*(d*x)^{(3/2)}*(a + b*\text{ArcCos}[c*x]))/(3*d) + (4*b*\text{Sqrt}[d]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/(\text{Sqrt}[d])], -1])/(9*c^{(3/2)})$

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n-1)*(c*x)^(m-n+1)*(a+b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[(a*c^n*(m-n+1))/(b*(m+n*p+1)), Int[(c*x)^(m-n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 329

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m+1)-1)*(a+(b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F

ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
 := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
 *x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \sqrt{dx} (a + b \cos^{-1}(cx)) dx &= \frac{2(dx)^{3/2} (a + b \cos^{-1}(cx))}{3d} + \frac{(2bc) \int \frac{(dx)^{3/2}}{\sqrt{1-c^2x^2}} dx}{3d} \\ &= -\frac{4b\sqrt{dx} \sqrt{1-c^2x^2}}{9c} + \frac{2(dx)^{3/2} (a + b \cos^{-1}(cx))}{3d} + \frac{(2bd) \int \frac{1}{\sqrt{dx} \sqrt{1-c^2x^2}} dx}{9c} \\ &= -\frac{4b\sqrt{dx} \sqrt{1-c^2x^2}}{9c} + \frac{2(dx)^{3/2} (a + b \cos^{-1}(cx))}{3d} + \frac{(4b) \text{Subst} \left[\int \frac{1}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right]}{9c} \\ &= -\frac{4b\sqrt{dx} \sqrt{1-c^2x^2}}{9c} + \frac{2(dx)^{3/2} (a + b \cos^{-1}(cx))}{3d} + \frac{4b\sqrt{d} F \left(\sin^{-1} \left(\frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{9c^{3/2}} \end{aligned}$$

Mathematica [C] time = 0.21, size = 113, normalized size = 1.28

$$\frac{2}{9} \sqrt{dx} \left(3ax - \frac{2b\sqrt{1-c^2x^2}}{c} - \frac{2ib\sqrt{-\frac{1}{c}} \sqrt{x} \sqrt{1-\frac{1}{c^2x^2}} F \left(i \sinh^{-1} \left(\frac{\sqrt{-\frac{1}{c}}}{\sqrt{x}} \right) \right) - 1}{\sqrt{1-c^2x^2}} + 3bx \cos^{-1}(cx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d*x]*(a + b*ArcCos[c*x]),x]

[Out] (2*Sqrt[d*x]*(3*a*x - (2*b*Sqrt[1 - c^2*x^2])/c + 3*b*x*ArcCos[c*x] - ((2*I
)*b*Sqrt[-c^(-1)]*Sqrt[1 - 1/(c^2*x^2)]*Sqrt[x]*EllipticF[I*ArcSinh[Sqrt[-c
 ^(-1)]/Sqrt[x]], -1])/Sqrt[1 - c^2*x^2]))/9

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{dx}(b \arccos(cx) + a), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))*(d*x)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(d*x)*(b*arccos(c*x) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx}(b \arccos(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))*(d*x)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(d*x)*(b*arccos(c*x) + a), x)

maple [A] time = 0.01, size = 119, normalized size = 1.35

$$\frac{\frac{2(dx)^{\frac{3}{2}}a}{3} + 2b \left(\frac{(dx)^{\frac{3}{2}} \arccos(cx)}{3} + \frac{2c \left(-\frac{d^2 \sqrt{dx} \sqrt{-c^2x^2+1}}{3c^2} + \frac{d^2 \sqrt{-cx+1} \sqrt{cx+1} \text{EllipticF}\left(\sqrt{dx} \sqrt{\frac{c}{d}}\right)}{3c^2 \sqrt{\frac{c}{d}} \sqrt{-c^2x^2+1}} \right)}{3d} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))*(d*x)^(1/2),x)

[Out] 2/d*(1/3*(d*x)^(3/2)*a+b*(1/3*(d*x)^(3/2)*arccos(c*x)+2/3*c/d*(-1/3/c^2*d^2*(d*x)^(1/2)*(-c^2*x^2+1)^(1/2)+1/3/c^2*d^2/(c/d)^(1/2)*(-c*x+1)^(1/2)*(c*x+1)^(1/2)/(-c^2*x^2+1)^(1/2)*EllipticF((d*x)^(1/2)*(c/d)^(1/2),I)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{6bc^2\sqrt{d}x^{\frac{3}{2}}\arctan\left(\sqrt{cx+1}\sqrt{-cx+1},cx\right)-\left(6bc^3\int\frac{\sqrt{cx+1}\sqrt{-cx+1}x^{\frac{3}{2}}}{c^2x^2-1}dx+4bc^2x^{\frac{3}{2}}+3\left(2b\arctan\left(\sqrt{c}\sqrt{x}\right)+b\right)\right)}{9c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))*(d*x)^(1/2),x, algorithm="maxima")

[Out] $\frac{1}{9}(6bc^2\sqrt{d}x^{3/2}\arctan_2(\sqrt{cx+1}\sqrt{-cx+1}, cx) - (18b^3c^3\int \frac{1}{3}\sqrt{cx+1}\sqrt{-cx+1}x^{3/2}/(c^2x^2-1), x) + 4b^2c^2x^{3/2} + 3(2b\arctan(\sqrt{c}\sqrt{x}) + b\log((cx-1)/(cx+2\sqrt{c}\sqrt{x}+1)))\sqrt{c})\sqrt{d})/c^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{acos}(cx)) \sqrt{dx} \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*acos(c*x))*(d*x)^(1/2), x)`

[Out] `int((a + b*acos(c*x))*(d*x)^(1/2), x)`

sympy [A] time = 2.50, size = 76, normalized size = 0.86

$$\frac{2a(dx)^{\frac{3}{2}}}{3d} + \frac{bc(dx)^{\frac{5}{2}}\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{9}{4} \middle| c^2x^2e^{2i\pi}\right)}{3d^2\Gamma\left(\frac{9}{4}\right)} + \frac{2b(dx)^{\frac{3}{2}}\operatorname{acos}(cx)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acos(c*x))*(d*x)**(1/2), x)`

[Out] `2*a*(d*x)**(3/2)/(3*d) + b*c*(d*x)**(5/2)*gamma(5/4)*hyper((1/2, 5/4), (9/4,), c**2*x**2*exp_polar(2*I*pi))/(3*d**2*gamma(9/4)) + 2*b*(d*x)**(3/2)*acos(c*x)/(3*d)`

$$3.206 \quad \int \frac{a+b \cos^{-1}(cx)}{\sqrt{dx}} dx$$

Optimal. Leaf size=89

$$\frac{2\sqrt{dx} (a + b \cos^{-1}(cx))}{d} - \frac{4bF\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{\sqrt{c}\sqrt{d}} + \frac{4bE\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{\sqrt{c}\sqrt{d}}$$

[Out] $4*b*EllipticE(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)}, I)/c^{(1/2)}/d^{(1/2)} - 4*b*EllipticF(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)}, I)/c^{(1/2)}/d^{(1/2)} + 2*(a+b*arccos(c*x))*(d*x)^{(1/2)}/d$

Rubi [A] time = 0.07, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4628, 329, 307, 221, 1199, 424}

$$\frac{2\sqrt{dx} (a + b \cos^{-1}(cx))}{d} - \frac{4bF\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{\sqrt{c}\sqrt{d}} + \frac{4bE\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{\sqrt{c}\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])/Sqrt[d*x], x]

[Out] $(2*\text{Sqrt}[d*x]*(a + b*\text{ArcCos}[c*x]))/d + (4*b*EllipticE[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/(\text{Sqrt}[d])], -1])/(\text{Sqrt}[c]*\text{Sqrt}[d]) - (4*b*EllipticF[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/(\text{Sqrt}[d])], -1])/(\text{Sqrt}[c]*\text{Sqrt}[d])$

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 307

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[-(b/a), 2]}, -Dist[q^(-1), Int[1/Sqrt[a + b*x^4], x], x] + Dist[1/q, Int[(1 + q*x^2)/Sqrt[a + b*x^4], x], x] /; FreeQ[{a, b}, x] && NegQ[b/a]

Rule 329

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^

$n)^p, x], x, (c*x)^{(1/k)}, x]] /; \text{FreeQ}\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{FractionQ}[m] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 424

$\text{Int}[\text{Sqrt}[(a_) + (b_)*(x_)^2]/\text{Sqrt}[(c_) + (d_)*(x_)^2], x_Symbol] \text{ :> } \text{Simp}[(\text{Sqrt}[a]*\text{EllipticE}[\text{ArcSin}[\text{Rt}[-(d/c), 2]*x], (b*c)/(a*d)])/(\text{Sqrt}[c]*\text{Rt}[-(d/c), 2]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NegQ}[d/c] \&\& \text{GtQ}[c, 0] \&\& \text{GtQ}[a, 0]$

Rule 1199

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \text{ :> } \text{Dist}[d/\text{Sqrt}[a], \text{Int}[\text{Sqrt}[1 + (e*x^2)/d]/\text{Sqrt}[1 - (e*x^2)/d], x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{NegQ}[c/a] \&\& \text{EqQ}[c*d^2 + a*e^2, 0] \&\& \text{GtQ}[a, 0]$

Rule 4628

$\text{Int}[(a_) + \text{ArcCos}[(c_)*(x_)]*(b_)]^{(n_)}*(d_)*(x_)^{(m_)}, x_Symbol] \text{ :> } \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^n/(d*(m+1)), x] + \text{Dist}[(b*c*n)/(d*(m+1)), \text{Int}[(d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^{(n-1)}]/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{a + b \cos^{-1}(cx)}{\sqrt{dx}} dx &= \frac{2\sqrt{dx} (a + b \cos^{-1}(cx))}{d} + \frac{(2bc) \int \frac{\sqrt{dx}}{\sqrt{1-c^2x^2}} dx}{d} \\
&= \frac{2\sqrt{dx} (a + b \cos^{-1}(cx))}{d} + \frac{(4bc) \text{Subst} \left(\int \frac{x^2}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{d^2} \\
&= \frac{2\sqrt{dx} (a + b \cos^{-1}(cx))}{d} - \frac{(4b) \text{Subst} \left(\int \frac{1}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{d} + \frac{(4b) \text{Subst} \left(\int \frac{1+\frac{cx^2}{d}}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{d} \\
&= \frac{2\sqrt{dx} (a + b \cos^{-1}(cx))}{d} - \frac{4bF \left(\sin^{-1} \left(\frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{\sqrt{c} \sqrt{d}} + \frac{(4b) \text{Subst} \left(\int \frac{\sqrt{1+\frac{cx^2}{d}}}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{d} \\
&= \frac{2\sqrt{dx} (a + b \cos^{-1}(cx))}{d} + \frac{4bE \left(\sin^{-1} \left(\frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{\sqrt{c} \sqrt{d}} - \frac{4bF \left(\sin^{-1} \left(\frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{\sqrt{c} \sqrt{d}}
\end{aligned}$$

Mathematica [C] time = 0.04, size = 45, normalized size = 0.51

$$\frac{2x \left(3(a + b \cos^{-1}(cx)) + 2bcx {}_2F_1 \left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^2x^2 \right) \right)}{3\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCos[c*x])/Sqrt[d*x], x]

[Out] (2*x*(3*(a + b*ArcCos[c*x]) + 2*b*c*x*Hypergeometric2F1[1/2, 3/4, 7/4, c^2*x^2]))/(3*Sqrt[d*x])

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx} (b \arccos(cx) + a)}{dx}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/(d*x)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(d*x)*(b*arccos(c*x) + a)/(d*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \arccos(cx) + a}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/(d*x)^(1/2),x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)/sqrt(d*x), x)

maple [A] time = 0.01, size = 98, normalized size = 1.10

$$\frac{2a\sqrt{dx} + 2b \left(\sqrt{dx} \arccos(cx) - \frac{2\sqrt{-cx+1} \sqrt{cx+1} \left(\text{EllipticF}\left(\sqrt{dx} \sqrt{\frac{c}{d}}, i\right) - \text{EllipticE}\left(\sqrt{dx} \sqrt{\frac{c}{d}}, i\right) \right)}{\sqrt{\frac{c}{d}} \sqrt{-c^2x^2+1}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))/(d*x)^(1/2),x)

[Out] 2/d*(a*(d*x)^(1/2)+b*((d*x)^(1/2)*arccos(c*x)-2/(c/d)^(1/2)*(-c*x+1)^(1/2)*(c*x+1)^(1/2)/(-c^2*x^2+1)^(1/2)*(EllipticF((d*x)^(1/2)*(c/d)^(1/2),I)-EllipticE((d*x)^(1/2)*(c/d)^(1/2),I))))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2bc\sqrt{d}\sqrt{x}\arctan\left(\sqrt{cx+1}\sqrt{-cx+1}, cx\right) - \left(2bc^2 \int \frac{\sqrt{-cx+1}\sqrt{x}}{\sqrt{cx+1}cx-\sqrt{cx+1}} dx + 4bc\sqrt{x} - \left(2b\arctan\left(\sqrt{c}\sqrt{x}\right) - b\log\left(\frac{c*x-1}{c*x+2*\sqrt{c}*sqrt{x}+1}\right)\right)*sqrt(c)*sqrt(d)\right)}{cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/(d*x)^(1/2),x, algorithm="maxima")

[Out] (2*b*c*sqrt(d)*sqrt(x)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) - (2*b*c^2*d*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(c^2*d*x^2 - d), x) + 4*b*c*sqrt(x) - (2*b*arctan(sqrt(c)*sqrt(x)) - b*log((c*x - 1)/(c*x + 2*sqrt(c)*sqrt(x) + 1)))*sqrt(c))*sqrt(d))/(c*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \arccos(cx)}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))/(d*x)^(1/2),x)
```

```
[Out] int((a + b*acos(c*x))/(d*x)^(1/2), x)
```

```
sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))/(d*x)**(1/2),x)
```

```
[Out] Exception raised: TypeError
```

$$3.207 \quad \int \frac{a+b \cos^{-1}(cx)}{(dx)^{3/2}} dx$$

Optimal. Leaf size=55

$$-\frac{2(a+b \cos^{-1}(cx))}{d\sqrt{dx}} - \frac{4b\sqrt{c} F\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{d^{3/2}}$$

[Out] $-4*b*EllipticF(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)}, I)*c^{(1/2)}/d^{(3/2)}-2*(a+b*\arccos(c*x))/d/(d*x)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {4628, 329, 221}

$$-\frac{2(a+b \cos^{-1}(cx))}{d\sqrt{dx}} - \frac{4b\sqrt{c} F\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right) \middle| -1\right)}{d^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{ArcCos}[c*x])/(d*x)^{(3/2)}, x]$

[Out] $(-2*(a + b*\text{ArcCos}[c*x]))/(d*\text{Sqrt}[d*x]) - (4*b*\text{Sqrt}[c]*\text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/ \text{Sqrt}[d]], -1])/d^{(3/2)}$

Rule 221

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{Simp}[\text{EllipticF}[\text{ArcSin}[(\text{Rt}[-b, 4]*x)/\text{Rt}[a, 4]], -1]/(\text{Rt}[a, 4]*\text{Rt}[-b, 4]), x] /;$ FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 329

$\text{Int}[(c_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{With}[\{k = \text{Denominator}[m]\}, \text{Dist}[k/c, \text{Subst}[\text{Int}[x^{(k*(m+1)-1)}*(a + (b*x^{(k*n))}/c^n)^p, x], x, (c*x)^{(1/k)}], x]] /;$ FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4628

$\text{Int}[(a_.) + \text{ArcCos}[(c_)*(x_)]*(b_.)^{(n_)}*((d_)*(x_))^{(m_)}], x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^n/(d*(m+1)), x] + \text{Dist}[(b*c*n)/(d*(m+1)), \text{Int}[(d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^{(n-1)}/\text{Sqrt}[1 - c^2]$

*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{a + b \cos^{-1}(cx)}{(dx)^{3/2}} dx &= -\frac{2(a + b \cos^{-1}(cx))}{d\sqrt{dx}} - \frac{(2bc) \int \frac{1}{\sqrt{dx} \sqrt{1-c^2x^2}} dx}{d} \\ &= -\frac{2(a + b \cos^{-1}(cx))}{d\sqrt{dx}} - \frac{(4bc) \text{Subst} \left(\int \frac{1}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{d^2} \\ &= -\frac{2(a + b \cos^{-1}(cx))}{d\sqrt{dx}} - \frac{4b\sqrt{c} F \left(\sin^{-1} \left(\frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{d^{3/2}} \end{aligned}$$

Mathematica [C] time = 0.17, size = 93, normalized size = 1.69

$$\frac{2x \left(-a + \frac{2ib\sqrt{-\frac{1}{c}}c^2x^{3/2}\sqrt{1-\frac{1}{c^2x^2}} F \left(i \sinh^{-1} \left(\frac{\sqrt{-\frac{1}{c}}}{\sqrt{x}} \right) \middle| -1 \right)}{\sqrt{1-c^2x^2}} - b \cos^{-1}(cx) \right)}{(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCos[c*x])/(d*x)^(3/2), x]

[Out] (2*x*(-a - b*ArcCos[c*x] + ((2*I)*b*Sqrt[-c^(-1)]*c^2*Sqrt[1 - 1/(c^2*x^2)]*x^(3/2)*EllipticF[I*ArcSinh[Sqrt[-c^(-1)]/Sqrt[x]], -1])/Sqrt[1 - c^2*x^2]))/(d*x)^(3/2)

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx} (b \arccos(cx) + a)}{d^2 x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/(d*x)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(d*x)*(b*arccos(c*x) + a)/(d^2*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \arccos(cx) + a}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/(d*x)^(3/2),x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)/(d*x)^(3/2), x)

maple [A] time = 0.01, size = 85, normalized size = 1.55

$$\frac{-\frac{2a}{\sqrt{dx}} + 2b \left(-\frac{\arccos(cx)}{\sqrt{dx}} - \frac{2c\sqrt{-cx+1}\sqrt{cx+1}\operatorname{EllipticF}\left(\sqrt{dx}\sqrt{\frac{c}{d}}, i\right)}{d\sqrt{\frac{c}{d}}\sqrt{-c^2x^2+1}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))/(d*x)^(3/2),x)

[Out] 2/d*(-1/(d*x)^(1/2)*a+b*(-1/(d*x)^(1/2)*arccos(c*x)-2*c/d/(c/d)^(1/2)*(-c*x+1)^(1/2)*(c*x+1)^(1/2)/(-c^2*x^2+1)^(1/2)*EllipticF((d*x)^(1/2)*(c/d)^(1/2),I)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2b \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) - \left(2bc \int \frac{\sqrt{-cx+1}}{\sqrt{cx+1}cx^{\frac{3}{2}} - \sqrt{cx+1}\sqrt{x}} dx - \left(2b \arctan\left(\frac{1}{\sqrt{c}\sqrt{x}}\right) - b \log\left(-\frac{cx-1}{cx+2\sqrt{c}\sqrt{x}+1}\right) \right) \right)}{d^{\frac{3}{2}}\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/(d*x)^(3/2),x, algorithm="maxima")

[Out] -(2*b*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) - (2*b*c*d^2*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(c^2*d^2*x^3 - d^2*x), x) - (2*b*arctan(1/(sqrt(c)*sqrt(x))) - b*log(-(c*x - 1)/(c*x + 2*sqrt(c)*sqrt(x) + 1))))*sqrt(c))*sqrt(x))/(d^(3/2)*sqrt(x))

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \operatorname{acos}(cx)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))/(d*x)^(3/2), x)
```

```
[Out] int((a + b*acos(c*x))/(d*x)^(3/2), x)
```

```
sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))/(d*x)**(3/2), x)
```

```
[Out] Exception raised: TypeError
```

$$3.208 \quad \int \frac{a+b \cos^{-1}(cx)}{(dx)^{5/2}} dx$$

Optimal. Leaf size=125

$$\frac{2(a+b \cos^{-1}(cx))}{3d(dx)^{3/2}} - \frac{4bc^{3/2}F\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{3d^{5/2}} + \frac{4bc^{3/2}E\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{3d^{5/2}} + \frac{4bc\sqrt{1-c^2x^2}}{3d^2\sqrt{dx}}$$

[Out] $-2/3*(a+b*\arccos(c*x))/d/(d*x)^{(3/2)}+4/3*b*c^{(3/2)}*EllipticE(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)},I)/d^{(5/2)}-4/3*b*c^{(3/2)}*EllipticF(c^{(1/2)}*(d*x)^{(1/2)}/d^{(1/2)},I)/d^{(5/2)}+4/3*b*c*(-c^2*x^2+1)^{(1/2)}/d^2/(d*x)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {4628, 325, 329, 307, 221, 1199, 424}

$$\frac{2(a+b \cos^{-1}(cx))}{3d(dx)^{3/2}} + \frac{4bc\sqrt{1-c^2x^2}}{3d^2\sqrt{dx}} - \frac{4bc^{3/2}F\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{3d^{5/2}} + \frac{4bc^{3/2}E\left(\sin^{-1}\left(\frac{\sqrt{c}\sqrt{dx}}{\sqrt{d}}\right)\middle| -1\right)}{3d^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])/(d*x)^(5/2), x]

[Out] $(4*b*c*\text{Sqrt}[1 - c^2*x^2])/(3*d^2*\text{Sqrt}[d*x]) - (2*(a + b*\text{ArcCos}[c*x]))/(3*d*(d*x)^{(3/2)}) + (4*b*c^{(3/2)}*EllipticE[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/ \text{Sqrt}[d]], -1])/(3*d^{(5/2)}) - (4*b*c^{(3/2)}*EllipticF[\text{ArcSin}[(\text{Sqrt}[c]*\text{Sqrt}[d*x])/ \text{Sqrt}[d]], -1])/(3*d^{(5/2)})$

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 307

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[-(b/a), 2]}, -Dist[q^(-1), Int[1/Sqrt[a + b*x^4], x], x] + Dist[1/q, Int[(1 + q*x^2)/Sqrt[a + b*x^4], x], x] /; FreeQ[{a, b}, x] && NegQ[b/a]

Rule 325

Int[((c_.)*(x_))^(m)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1))

+ 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 329

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 1199

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[d/Sqrt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \cos^{-1}(cx)}{(dx)^{5/2}} dx &= \frac{2(a + b \cos^{-1}(cx))}{3d(dx)^{3/2}} - \frac{(2bc) \int \frac{1}{(dx)^{3/2} \sqrt{1-c^2x^2}} dx}{3d} \\
&= \frac{4bc\sqrt{1-c^2x^2}}{3d^2\sqrt{dx}} - \frac{2(a + b \cos^{-1}(cx))}{3d(dx)^{3/2}} + \frac{(2bc^3) \int \frac{\sqrt{dx}}{\sqrt{1-c^2x^2}} dx}{3d^3} \\
&= \frac{4bc\sqrt{1-c^2x^2}}{3d^2\sqrt{dx}} - \frac{2(a + b \cos^{-1}(cx))}{3d(dx)^{3/2}} + \frac{(4bc^3) \text{Subst} \left(\int \frac{x^2}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{3d^4} \\
&= \frac{4bc\sqrt{1-c^2x^2}}{3d^2\sqrt{dx}} - \frac{2(a + b \cos^{-1}(cx))}{3d(dx)^{3/2}} - \frac{(4bc^2) \text{Subst} \left(\int \frac{1}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{3d^3} + \frac{(4bc^2) \text{Subst} \left(\int \frac{1}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{3d^3} \\
&= \frac{4bc\sqrt{1-c^2x^2}}{3d^2\sqrt{dx}} - \frac{2(a + b \cos^{-1}(cx))}{3d(dx)^{3/2}} - \frac{4bc^{3/2} F \left(\sin^{-1} \left(\frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{3d^{5/2}} + \frac{(4bc^2) \text{Subst} \left(\int \frac{1}{\sqrt{1-\frac{c^2x^4}{d^2}}} dx, x, \sqrt{dx} \right)}{3d^3} \\
&= \frac{4bc\sqrt{1-c^2x^2}}{3d^2\sqrt{dx}} - \frac{2(a + b \cos^{-1}(cx))}{3d(dx)^{3/2}} + \frac{4bc^{3/2} E \left(\sin^{-1} \left(\frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{3d^{5/2}} - \frac{4bc^{3/2} F \left(\sin^{-1} \left(\frac{\sqrt{c} \sqrt{dx}}{\sqrt{d}} \right) \middle| -1 \right)}{3d^{5/2}}
\end{aligned}$$

Mathematica [C] time = 0.09, size = 68, normalized size = 0.54

$$\frac{2x \left(2bc^3 x^3 {}_2F_1 \left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^2 x^2 \right) - 3 \left(a - 2bcx\sqrt{1-c^2x^2} + b \cos^{-1}(cx) \right) \right)}{9(dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCos[c*x])/(d*x)^(5/2), x]

[Out] (2*x*(-3*(a - 2*b*c*x*Sqrt[1 - c^2*x^2] + b*ArcCos[c*x]) + 2*b*c^3*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, c^2*x^2]))/(9*(d*x)^(5/2))

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx} (b \arccos(cx) + a)}{d^3 x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/(d*x)^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(d*x)*(b*arccos(c*x) + a)/(d^3*x^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \arccos(cx) + a}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/(d*x)^(5/2),x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)/(d*x)^(5/2), x)

maple [A] time = 0.01, size = 129, normalized size = 1.03

$$\frac{-\frac{2a}{3(dx)^{\frac{3}{2}}} + 2b \left(-\frac{\arccos(cx)}{3(dx)^{\frac{3}{2}}} - \frac{2c \left(-\frac{\sqrt{-c^2x^2+1}}{\sqrt{dx}} + \frac{c\sqrt{-cx+1}\sqrt{cx+1} \left(\text{EllipticF}\left(\sqrt{dx}\sqrt{\frac{c}{d}}, i\right) - \text{EllipticE}\left(\sqrt{dx}\sqrt{\frac{c}{d}}, i\right) \right)}{d\sqrt{\frac{c}{d}}\sqrt{-c^2x^2+1}} \right)}{3d} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))/(d*x)^(5/2),x)

[Out] 2/d*(-1/3*a/(d*x)^(3/2)+b*(-1/3/(d*x)^(3/2)*arccos(c*x)-2/3*c/d*(-(-c^2*x^2+1)^(1/2)/(d*x)^(1/2)+c/d/(c/d)^(1/2)*(-c*x+1)^(1/2)*(c*x+1)^(1/2)/(-c^2*x^2+1)^(1/2)*(EllipticF((d*x)^(1/2)*(c/d)^(1/2),I)-EllipticE((d*x)^(1/2)*(c/d)^(1/2),I))))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2b \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx) - \left(2bcd^3x \int \frac{\sqrt{cx+1}\sqrt{-cx+1}\sqrt{x}}{c^2d^3x^4-d^3x^2} dx + \left(2bcx \arctan\left(\frac{1}{\sqrt{c}\sqrt{x}}\right) + bcx \log\left(-\frac{cx}{cx+2}\right) \right) \right)}{3d^{\frac{5}{2}}x^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))/(d*x)^(5/2),x, algorithm="maxima")

[Out] -1/3*(2*b*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) - (6*b*c*d^3*x*integrate(1/3*sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(c^2*d^3*x^4 - d^3*x^2), x) + (

```
2*b*c*x*arctan(1/(sqrt(c)*sqrt(x))) + b*c*x*log(-(c*x - 1)/(c*x + 2*sqrt(c)
*sqrt(x) + 1))*sqrt(c)*sqrt(x))/(d^(5/2)*x^(3/2))
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \operatorname{acos}(c x)}{(d x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))/(d*x)^(5/2), x)
```

```
[Out] int((a + b*acos(c*x))/(d*x)^(5/2), x)
```

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))/(d*x)**(5/2), x)
```

```
[Out] Exception raised: TypeError
```

3.209 $\int (dx)^{5/2} \left(a + b \cos^{-1}(cx) \right)^2 dx$

Optimal. Leaf size=109

$$\frac{16b^2c^2(dx)^{11/2} {}_3F_2\left(1, \frac{11}{4}, \frac{11}{4}; \frac{13}{4}, \frac{15}{4}; c^2x^2\right)}{693d^3} + \frac{8bc(dx)^{9/2} {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; c^2x^2\right)(a + b \cos^{-1}(cx))}{63d^2} + \frac{2(dx)^{7/2}(a + b \cos^{-1}(cx))}{7d}$$

[Out] $2/7*(d*x)^{(7/2)}*(a+b*\arccos(c*x))^{2/d}+8/63*b*c*(d*x)^{(9/2)}*(a+b*\arccos(c*x))$
 $*\text{hypergeom}([1/2, 9/4], [13/4], c^2*x^2)/d^2+16/693*b^2*c^2*(d*x)^{(11/2)}*\text{Hyper}$
 $\text{geometricPFQ}([1, 11/4, 11/4], [13/4, 15/4], c^2*x^2)/d^3$

Rubi [A] time = 0.14, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4628, 4712}

$$\frac{16b^2c^2(dx)^{11/2} {}_3F_2\left(1, \frac{11}{4}, \frac{11}{4}; \frac{13}{4}, \frac{15}{4}; c^2x^2\right)}{693d^3} + \frac{8bc(dx)^{9/2} {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; c^2x^2\right)(a + b \cos^{-1}(cx))}{63d^2} + \frac{2(dx)^{7/2}(a + b \cos^{-1}(cx))}{7d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d*x)^{(5/2)}*(a + b*\text{ArcCos}[c*x])^2, x]$

[Out] $(2*(d*x)^{(7/2)}*(a + b*\text{ArcCos}[c*x])^2)/(7*d) + (8*b*c*(d*x)^{(9/2)}*(a + b*\text{Arc}$
 $\text{Cos}[c*x])*\text{Hypergeometric2F1}[1/2, 9/4, 13/4, c^2*x^2])/(63*d^2) + (16*b^2*c^2$
 $*(d*x)^{(11/2)}*\text{HypergeometricPFQ}[\{1, 11/4, 11/4\}, \{13/4, 15/4\}, c^2*x^2])/($
 $693*d^3)$

Rule 4628

$\text{Int}[\left((a_{.}) + \text{ArcCos}[(c_{.})*(x_{.})]*(b_{.})\right)^{(n_{.})}*((d_{.})*(x_{.}))^{(m_{.})}, x_Symbol]$
 $:\> \text{Simp}[\left((d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^n\right)/(d*(m+1)), x] + \text{Dist}[(b*c*n$
 $)/(d*(m+1)), \text{Int}[\left((d*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])^{(n-1)}\right)/\text{Sqrt}[1 - c^2$
 $*x^2], x], x] /;$ FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4712

$\text{Int}[\left((a_{.}) + \text{ArcCos}[(c_{.})*(x_{.})]*(b_{.})\right)*((f_{.})*(x_{.}))^{(m_{.})}/\text{Sqrt}[(d_{.}) + (e_{.})$
 $*(x_{.})^2], x_Symbol] :\> \text{Simp}[\left((f*x)^{(m+1)}*(a + b*\text{ArcCos}[c*x])*\text{Hypergeomet}$
 $\text{ric2F1}[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/(\text{Sqrt}[d]*f*(m+1)), x] + \text{Simp}[\$
 $(b*c*(f*x)^{(m+2)}*\text{HypergeometricPFQ}[\{1, 1+m/2, 1+m/2\}, \{3/2+m/2, 2+$
 $m/2\}, c^2*x^2])/(\text{Sqrt}[d]*f^2*(m+1)*(m+2)), x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

Rubi steps

$$\int (dx)^{5/2} (a + b \cos^{-1}(cx))^2 dx = \frac{2(dx)^{7/2} (a + b \cos^{-1}(cx))^2}{7d} + \frac{(4bc) \int \frac{(dx)^{7/2} (a + b \cos^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{7d}$$

$$= \frac{2(dx)^{7/2} (a + b \cos^{-1}(cx))^2}{7d} + \frac{8bc(dx)^{9/2} (a + b \cos^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; c^2x^2\right)}{63d^2} + \dots$$

Mathematica [B] time = 1.45, size = 234, normalized size = 2.15

$$(dx)^{5/2} \left(\frac{b^2 \left(\frac{105 \sqrt{2} \pi c x {}_3F_2\left(\frac{3}{4}, \frac{3}{4}, 1; \frac{5}{4}, \frac{7}{4}; c^2 x^2\right)}{\Gamma\left(\frac{5}{4}\right)\Gamma\left(\frac{7}{4}\right)} + 882c^3x^3 \cos^{-1}(cx)^2 + 840\sqrt{1-c^2x^2} {}_2F_1\left(\frac{3}{4}, 1; \frac{5}{4}; c^2x^2\right) \cos^{-1}(cx) - 16cx(9c^2x^2+35) - 168\sqrt{1-c^2x^2}(3c^2x^2+5) \right)}{c^3} \right)$$

3087x²

Warning: Unable to verify antiderivative.

[In] Integrate[(d*x)^(5/2)*(a + b*ArcCos[c*x])^2,x]

[Out] ((d*x)^(5/2)*(882*a^2*x^3 + (84*a*b*(-2*Sqrt[1 - c^2*x^2])*(5 + 3*c^2*x^2) + 21*c^3*x^3*ArcCos[c*x] + 10*Hypergeometric2F1[1/4, 1/2, 5/4, c^2*x^2]))/c^3 + (b^2*(-16*c*x*(35 + 9*c^2*x^2) - 168*Sqrt[1 - c^2*x^2]*(5 + 3*c^2*x^2)*ArcCos[c*x] + 882*c^3*x^3*ArcCos[c*x]^2 + 840*Sqrt[1 - c^2*x^2]*ArcCos[c*x]*Hypergeometric2F1[3/4, 1, 5/4, c^2*x^2] + (105*Sqrt[2]*c*Pi*x*HypergeometricPFQ[{3/4, 3/4, 1}, {5/4, 7/4}, c^2*x^2])/(Gamma[5/4]*Gamma[7/4])))/c^3)/(3087*x^2)

fricas [F] time = 0.52, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 d^2 x^2 \arccos(cx)^2 + 2abd^2 x^2 \arccos(cx) + a^2 d^2 x^2\right) \sqrt{dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(5/2)*(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] integral((b^2*d^2*x^2*arccos(c*x)^2 + 2*a*b*d^2*x^2*arccos(c*x) + a^2*d^2*x^2)*sqrt(d*x), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(5/2)*(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
eur & l) Error: Bad Argument Value

maple [F] time = 0.37, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{5}{2}} (a + b \arccos(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(5/2)*(a+b*arccos(c*x))^2,x)

[Out] int((d*x)^(5/2)*(a+b*arccos(c*x))^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2}{7} b^2 d^{\frac{5}{2}} x^{\frac{7}{2}} \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right)^2 + \frac{1}{42} a^2 c^2 d^{\frac{5}{2}} \left(\frac{4 \left(3 c^2 x^{\frac{7}{2}} + 7 x^{\frac{3}{2}}\right)}{c^4} + \frac{42 \arctan\left(\sqrt{c} \sqrt{x}\right)}{c^{\frac{11}{2}}} + \frac{21 \log\left(\frac{c\sqrt{x}-\sqrt{c}}{c\sqrt{x}+\sqrt{c}}\right)}{c^{\frac{11}{2}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(5/2)*(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] 2/7*b^2*d^(5/2)*x^(7/2)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 1/42
*a^2*c^2*d^(5/2)*(4*(3*c^2*x^(7/2) + 7*x^(3/2))/c^4 + 42*arctan(sqrt(c)*sqrt
t(x))/c^(11/2) + 21*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(11/
2)) + 14*a*b*c^2*d^(5/2)*integrate(1/7*x^(9/2)*arctan(sqrt(c*x + 1)*sqrt(-c
*x + 1)/(c*x))/(c^2*x^2 - 1), x) - 4*b^2*c*d^(5/2)*integrate(1/7*sqrt(c*x +
1)*sqrt(-c*x + 1)*x^(7/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*
x^2 - 1), x) - 1/6*a^2*d^(5/2)*(4*x^(3/2)/c^2 + 6*arctan(sqrt(c)*sqrt(x))/c
^(7/2) + 3*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(7/2)) - 14*a
*b*d^(5/2)*integrate(1/7*x^(5/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))
/(c^2*x^2 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \arccos(cx))^2 (dx)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))^2*(d*x)^(5/2),x)

[Out] int((a + b*acos(c*x))^2*(d*x)^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**(5/2)*(a+b*acos(c*x))**2,x)

[Out] Timed out

3.210 $\int (dx)^{3/2} (a + b \cos^{-1}(cx))^2 dx$

Optimal. Leaf size=109

$$\frac{16b^2c^2(dx)^{9/2} {}_3F_2\left(1, \frac{9}{4}, \frac{9}{4}; \frac{11}{4}, \frac{13}{4}; c^2x^2\right)}{315d^3} + \frac{8bc(dx)^{7/2} {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; c^2x^2\right)(a + b \cos^{-1}(cx))}{35d^2} + \frac{2(dx)^{5/2}(a + b \cos^{-1}(cx))}{5d}$$

[Out] $2/5*(d*x)^{(5/2)}*(a+b*\arccos(c*x))^{2/d}+8/35*b*c*(d*x)^{(7/2)}*(a+b*\arccos(c*x))$
 $*\text{hypergeom}([1/2, 7/4], [11/4], c^2*x^2)/d^2+16/315*b^2*c^2*(d*x)^{(9/2)}*\text{Hyper}$
 $\text{geometricPFQ}([1, 9/4, 9/4], [11/4, 13/4], c^2*x^2)/d^3$

Rubi [A] time = 0.14, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4628, 4712}

$$\frac{16b^2c^2(dx)^{9/2} {}_3F_2\left(1, \frac{9}{4}, \frac{9}{4}; \frac{11}{4}, \frac{13}{4}; c^2x^2\right)}{315d^3} + \frac{8bc(dx)^{7/2} {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; c^2x^2\right)(a + b \cos^{-1}(cx))}{35d^2} + \frac{2(dx)^{5/2}(a + b \cos^{-1}(cx))}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d*x)^{(3/2)}*(a + b*\text{ArcCos}[c*x])^2, x]$

[Out] $(2*(d*x)^{(5/2)}*(a + b*\text{ArcCos}[c*x])^2)/(5*d) + (8*b*c*(d*x)^{(7/2)}*(a + b*\text{Arc}$
 $\text{Cos}[c*x])*\text{Hypergeometric2F1}[1/2, 7/4, 11/4, c^2*x^2])/(35*d^2) + (16*b^2*c^2$
 $*(d*x)^{(9/2)}*\text{HypergeometricPFQ}[\{1, 9/4, 9/4\}, \{11/4, 13/4\}, c^2*x^2])/(315$
 $*d^3)$

Rule 4628

$\text{Int}[(a + \text{ArcCos}[c*x])*(b*x)^n*(d*x)^m, x]$
 $\text{Simp}[(d*x)^{m+1}*(a + b*\text{ArcCos}[c*x])^n/(d*(m+1)), x] + \text{Dist}[(b*c^n)$
 $/(d*(m+1)), \text{Int}[(d*x)^{m+1}*(a + b*\text{ArcCos}[c*x])^{n-1}/\text{Sqrt}[1 - c^2$
 $*x^2], x], x] /;$ FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4712

$\text{Int}[(a + \text{ArcCos}[c*x])*(b*x)^m*(f*x)^n/\text{Sqrt}[d + e*x^2], x]$
 $\text{Simp}[(f*x)^{m+1}*(a + b*\text{ArcCos}[c*x])*\text{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, c^2*x^2])$
 $/(\text{Sqrt}[d]*f^{m+1}), x] + \text{Simp}[(b*c*(f*x)^{m+2}*\text{HypergeometricPFQ}[\{1, 1+m/2, 1+m/2\}, \{3/2+m/2, 2+m/2\}, c^2*x^2])$
 $/(\text{Sqrt}[d]*f^{2*(m+1)}*(m+2)), x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

Rubi steps

$$\int (dx)^{3/2} (a + b \cos^{-1}(cx))^2 dx = \frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))^2}{5d} + \frac{(4bc) \int \frac{(dx)^{5/2} (a + b \cos^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{5d}$$

$$= \frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))^2}{5d} + \frac{8bc(dx)^{7/2} (a + b \cos^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; c^2x^2\right)}{35d^2} + \dots$$

Mathematica [A] time = 8.62, size = 176, normalized size = 1.61

$$(dx)^{3/2} \left(\frac{525\sqrt{2}\pi b^2 c^2 x^3 {}_3F_2\left(1, \frac{9}{4}, \frac{9}{4}; \frac{11}{4}, \frac{13}{4}; c^2x^2\right)}{\Gamma\left(\frac{11}{4}\right)\Gamma\left(\frac{13}{4}\right)} + 4480a^2x + \frac{128b\left(28a {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^2x^2\right) - 28a\sqrt{1-c^2x^2} + 70acx \cos^{-1}(cx) + 20bc^2x^2\sqrt{1-c^2x^2} {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; c^2x^2\right)\right)}{c} \right)$$

11200

Warning: Unable to verify antiderivative.

[In] Integrate[(d*x)^(3/2)*(a + b*ArcCos[c*x])^2,x]

[Out] ((d*x)^(3/2)*(4480*a^2*x + (128*b*(-28*a*Sqrt[1 - c^2*x^2] + 70*a*c*x*ArcCos[c*x] + 35*b*c*x*ArcCos[c*x]^2 + 28*a*Hypergeometric2F1[1/2, 3/4, 7/4, c^2*x^2] + 20*b*c^2*x^2*Sqrt[1 - c^2*x^2]*ArcCos[c*x]*Hypergeometric2F1[1, 9/4, 11/4, c^2*x^2]))/c + (525*Sqrt[2]*b^2*c^2*Pi*x^3*HypergeometricPFQ[{1, 9/4, 9/4}, {11/4, 13/4}, c^2*x^2])/(Gamma[11/4]*Gamma[13/4])))/11200

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 dx \arccos(cx)^2 + 2 ab dx \arccos(cx) + a^2 dx\right) \sqrt{dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] integral((b^2*d*x*arccos(c*x)^2 + 2*a*b*d*x*arccos(c*x) + a^2*d*x)*sqrt(d*x), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
 eur & l) Error: Bad Argument Value

maple [F] time = 0.34, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} (a + b \arccos(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(3/2)*(a+b*arccos(c*x))^2,x)

[Out] int((d*x)^(3/2)*(a+b*arccos(c*x))^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2}{5} b^2 d^{\frac{3}{2}} x^{\frac{5}{2}} \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right)^2 + \frac{1}{10} a^2 c^2 d^{\frac{3}{2}} \left(\frac{4\left(c^2 x^{\frac{5}{2}} + 5\sqrt{x}\right)}{c^4} - \frac{10 \arctan\left(\sqrt{c} \sqrt{x}\right)}{c^{\frac{9}{2}}} + \frac{5 \log\left(\frac{c\sqrt{x}-\sqrt{c}}{c\sqrt{x}+\sqrt{c}}\right)}{c^{\frac{9}{2}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] 2/5*b^2*d^(3/2)*x^(5/2)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 1/10
 *a^2*c^2*d^(3/2)*(4*(c^2*x^(5/2) + 5*sqrt(x))/c^4 - 10*arctan(sqrt(c)*sqrt(x))/c^(9/2) +
 5*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(9/2)) +
 10*a*b*c^2*d^(3/2)*integrate(1/5*x^(7/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x +
 1)/(c*x))/(c^2*x^2 - 1), x) - 4*b^2*c*d^(3/2)*integrate(1/5*sqrt(c*x + 1)*s
 qrt(-c*x + 1)*x^(5/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*x^2 -
 1), x) - 1/2*a^2*d^(3/2)*(4*sqrt(x)/c^2 - 2*arctan(sqrt(c)*sqrt(x))/c^(5/2)
) + log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(5/2)) - 10*a*b*d^(3
 /2)*integrate(1/5*x^(3/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*x
 ^2 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \arccos(cx))^2 (dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*arccos(c*x))^2*(d*x)^(3/2),x)

[Out] int((a + b*arccos(c*x))^2*(d*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} (a + b \operatorname{acos}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**(3/2)*(a+b*acos(c*x))**2,x)

[Out] Integral((d*x)**(3/2)*(a + b*acos(c*x))**2, x)

3.211 $\int \sqrt{dx} \left(a + b \cos^{-1}(cx) \right)^2 dx$

Optimal. Leaf size=109

$$\frac{16b^2c^2(dx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{105d^3} + \frac{8bc(dx)^{5/2} {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2\right)(a + b \cos^{-1}(cx))}{15d^2} + \frac{2(dx)^{3/2}(a + b \cos^{-1}(cx))}{3d}$$

[Out] $2/3*(d*x)^{(3/2)}*(a+b*\arccos(c*x))^{2/d}+8/15*b*c*(d*x)^{(5/2)}*(a+b*\arccos(c*x))$
 $*\text{hypergeom}([1/2, 5/4], [9/4], c^2*x^2)/d^2+16/105*b^2*c^2*(d*x)^{(7/2)}*\text{Hyperg}$
 $\text{eometricPFQ}([1, 7/4, 7/4], [9/4, 11/4], c^2*x^2)/d^3$

Rubi [A] time = 0.13, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4628, 4712}

$$\frac{16b^2c^2(dx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{105d^3} + \frac{8bc(dx)^{5/2} {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2\right)(a + b \cos^{-1}(cx))}{15d^2} + \frac{2(dx)^{3/2}(a + b \cos^{-1}(cx))}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d*x]*(a + b*ArcCos[c*x])^2,x]

[Out] $(2*(d*x)^{(3/2)}*(a + b*\text{ArcCos}[c*x])^2)/(3*d) + (8*b*c*(d*x)^{(5/2)}*(a + b*\text{Arc}$
 $\text{Cos}[c*x])*\text{Hypergeometric2F1}[1/2, 5/4, 9/4, c^2*x^2])/(15*d^2) + (16*b^2*c^2$
 $*(d*x)^{(7/2)}*\text{HypergeometricPFQ}[\{1, 7/4, 7/4\}, \{9/4, 11/4\}, c^2*x^2])/(105*d$
 $^3)$

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
 :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2
 *x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4712

Int[(((a_.) + ArcCos[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_)/Sqrt[(d_) + (e_.
)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*(a + b*ArcCos[c*x])*Hypergeomet
 ric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(Sqrt[d]*f*(m + 1)), x] + Simp[
 (b*c*(f*x)^(m + 2)*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 +
 m/2}, c^2*x^2])/(Sqrt[d]*f^2*(m + 1)*(m + 2)), x] /; FreeQ[{a, b, c, d, e,
 f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

Rubi steps

$$\int \sqrt{dx} (a + b \cos^{-1}(cx))^2 dx = \frac{2(dx)^{3/2} (a + b \cos^{-1}(cx))^2}{3d} + \frac{(4bc) \int \frac{(dx)^{3/2} (a + b \cos^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{3d}$$

$$= \frac{2(dx)^{3/2} (a + b \cos^{-1}(cx))^2}{3d} + \frac{8bc(dx)^{5/2} (a + b \cos^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2\right)}{15d^2} + \dots$$

Mathematica [A] time = 0.62, size = 202, normalized size = 1.85

$$\frac{1}{27} \sqrt{dx} \left(\frac{3\sqrt{2} \pi b^2 x {}_3F_2\left(\frac{3}{4}, \frac{3}{4}, 1; \frac{5}{4}, \frac{7}{4}; c^2x^2\right)}{\Gamma\left(\frac{5}{4}\right) \Gamma\left(\frac{7}{4}\right)} + \frac{2\left(9a^2cx + 12ab {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; c^2x^2\right) - 12ab\sqrt{1-c^2x^2} + 18abcx \cos^{-1}(cx)\right)}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[d*x]*(a + b*ArcCos[c*x])^2,x]

[Out] (Sqrt[d*x]*((2*(9*a^2*c*x - 8*b^2*c*x - 12*a*b*Sqrt[1 - c^2*x^2] + 18*a*b*c*x*ArcCos[c*x] - 12*b^2*Sqrt[1 - c^2*x^2]*ArcCos[c*x] + 9*b^2*c*x*ArcCos[c*x]^2 + 12*a*b*Hypergeometric2F1[1/4, 1/2, 5/4, c^2*x^2] + 12*b^2*Sqrt[1 - c^2*x^2]*ArcCos[c*x]*Hypergeometric2F1[3/4, 1, 5/4, c^2*x^2]))/c + (3*Sqrt[2]*b^2*Pi*x*HypergeometricPFQ[{3/4, 3/4, 1}, {5/4, 7/4}, c^2*x^2])/(Gamma[5/4]*Gamma[7/4])))/27

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \arccos(cx)^2 + 2ab \arccos(cx) + a^2\right)\sqrt{dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2*(d*x)^(1/2),x, algorithm="fricas")

[Out] integral((b^2*arccos(c*x)^2 + 2*a*b*arccos(c*x) + a^2)*sqrt(d*x), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2*(d*x)^(1/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
 eur & l) Error: Bad Argument Value

maple [F] time = 0.35, size = 0, normalized size = 0.00

$$\int (a + b \arccos(cx))^2 \sqrt{dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^2*(d*x)^(1/2),x)

[Out] int((a+b*arccos(c*x))^2*(d*x)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2}{3} b^2 \sqrt{d} x^{\frac{3}{2}} \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right)^2 + \frac{1}{6} a^2 c^2 \sqrt{d} \left(\frac{4x^{\frac{3}{2}}}{c^2} + \frac{6 \arctan(\sqrt{c} \sqrt{x})}{c^{\frac{7}{2}}} + \frac{3 \log\left(\frac{c\sqrt{x}-\sqrt{c}}{c\sqrt{x}+\sqrt{c}}\right)}{c^{\frac{7}{2}}} \right) + 6 abc^2 \sqrt{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2*(d*x)^(1/2),x, algorithm="maxima")

[Out] 2/3*b^2*sqrt(d)*x^(3/2)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^2 + 1/6*a^2*c^2*sqrt(d)*(4*x^(3/2)/c^2 + 6*arctan(sqrt(c)*sqrt(x))/c^(7/2) + 3*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(7/2)) + 6*a*b*c^2*sqrt(d)*integrate(1/3*x^(5/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*x^2 - 1), x) - 4*b^2*c*sqrt(d)*integrate(1/3*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(3/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*x^2 - 1), x) - 1/2*a^2*sqrt(d)*(2*arctan(sqrt(c)*sqrt(x))/c^(3/2) + log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(3/2)) - 6*a*b*sqrt(d)*integrate(1/3*sqrt(x)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*x^2 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \arccos(cx))^2 \sqrt{dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))^2*(d*x)^(1/2),x)

[Out] int((a + b*acos(c*x))^2*(d*x)^(1/2),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} (a + b \arccos(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))**2*(d*x)**(1/2),x)
```

```
[Out] Integral(sqrt(d*x)*(a + b*acos(c*x))**2, x)
```

$$3.212 \quad \int \frac{(a+b \cos^{-1}(cx))^2}{\sqrt{dx}} dx$$

Optimal. Leaf size=107

$$\frac{16b^2c^2(dx)^{5/2} {}_3F_2\left(1, \frac{5}{4}, \frac{5}{4}; \frac{7}{4}, \frac{9}{4}; c^2x^2\right)}{15d^3} + \frac{8bc(dx)^{3/2} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^2x^2\right)(a+b \cos^{-1}(cx))}{3d^2} + \frac{2\sqrt{dx}(a+b \cos^{-1}(cx))^2}{d}$$

[Out] 8/3*b*c*(d*x)^(3/2)*(a+b*arccos(c*x))*hypergeom([1/2, 3/4], [7/4], c^2*x^2)/d
^2+16/15*b^2*c^2*(d*x)^(5/2)*HypergeometricPFQ([1, 5/4, 5/4], [7/4, 9/4], c^2
x^2)/d^3+2(a+b*arccos(c*x))^2*(d*x)^(1/2)/d

Rubi [A] time = 0.12, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4628, 4712}

$$\frac{16b^2c^2(dx)^{5/2} {}_3F_2\left(1, \frac{5}{4}, \frac{5}{4}; \frac{7}{4}, \frac{9}{4}; c^2x^2\right)}{15d^3} + \frac{8bc(dx)^{3/2} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^2x^2\right)(a+b \cos^{-1}(cx))}{3d^2} + \frac{2\sqrt{dx}(a+b \cos^{-1}(cx))^2}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])^2/Sqrt[d*x], x]

[Out] (2*Sqrt[d*x]*(a + b*ArcCos[c*x])^2)/d + (8*b*c*(d*x)^(3/2)*(a + b*ArcCos[c*x])*Hypergeometric2F1[1/2, 3/4, 7/4, c^2*x^2])/(3*d^2) + (16*b^2*c^2*(d*x)^(5/2)*HypergeometricPFQ[{1, 5/4, 5/4}, {7/4, 9/4}, c^2*x^2])/(15*d^3)

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^ (n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m+1)*(a + b*ArcCos[c*x])^n)/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[((d*x)^(m+1)*(a + b*ArcCos[c*x])^(n-1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4712

Int[(((a_.) + ArcCos[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_)]/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m+1)*(a + b*ArcCos[c*x])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/(Sqrt[d]*f*(m+1)), x] + Simp[(b*c*(f*x)^(m+2)*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2*x^2])/(Sqrt[d]*f^2*(m+1)*(m+2)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

Rubi steps

$$\int \frac{(a + b \cos^{-1}(cx))^2}{\sqrt{dx}} dx = \frac{2\sqrt{dx} (a + b \cos^{-1}(cx))^2}{d} + \frac{(4bc) \int \frac{\sqrt{dx} (a + b \cos^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{d}$$

$$= \frac{2\sqrt{dx} (a + b \cos^{-1}(cx))^2}{d} + \frac{8bc(dx)^{3/2} (a + b \cos^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^2x^2\right)}{3d^2} + \frac{16b^2c^2(dx)^{5/2} (a + b \cos^{-1}(cx))^2}{15d^3}$$

Mathematica [A] time = 1.49, size = 142, normalized size = 1.33

$$\frac{3\sqrt{2}\pi b^2c^2x^3 {}_3F_2\left(1, \frac{5}{4}, \frac{5}{4}; \frac{7}{4}, \frac{9}{4}; c^2x^2\right) + 8x\Gamma\left(\frac{7}{4}\right)\Gamma\left(\frac{9}{4}\right)\left(4abcx {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^2x^2\right) + 3(a + b \cos^{-1}(cx))^2 + 2b^2 {}_2F_1\left(1, \frac{5}{4}; \frac{7}{4}; c^2x^2\right)\right)}{12\Gamma\left(\frac{7}{4}\right)\Gamma\left(\frac{9}{4}\right)\sqrt{dx}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^2/Sqrt[d*x], x]

[Out] (3*Sqrt[2]*b^2*c^2*Pi*x^3*HypergeometricPFQ[{1, 5/4, 5/4}, {7/4, 9/4}, c^2*x^2] + 8*x*Gamma[7/4]*Gamma[9/4]*(3*(a + b*ArcCos[c*x])^2 + 4*a*b*c*x*Hypergeometric2F1[1/2, 3/4, 7/4, c^2*x^2] + 2*b^2*ArcCos[c*x]*Hypergeometric2F1[1, 5/4, 7/4, c^2*x^2]*Sin[2*ArcCos[c*x]]))/(12*Sqrt[d*x]*Gamma[7/4]*Gamma[9/4])

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^2 \arccos(cx))^2 + 2ab \arccos(cx) + a^2}{\sqrt{dx}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/(d*x)^(1/2), x, algorithm="fricas")

[Out] integral((b^2*arccos(c*x))^2 + 2*a*b*arccos(c*x) + a^2)*sqrt(d*x)/(d*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^2}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/(d*x)^(1/2), x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^2/sqrt(d*x), x)

maple [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^2}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^2/(d*x)^(1/2), x)

[Out] int((a+b*arccos(c*x))^2/(d*x)^(1/2), x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/(d*x)^(1/2), x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \arccos(cx))^2}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))^2/(d*x)^(1/2), x)

[Out] int((a + b*acos(c*x))^2/(d*x)^(1/2), x)

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**2/(d*x)**(1/2), x)

[Out] Exception raised: TypeError

$$3.213 \quad \int \frac{(a+b \cos^{-1}(cx))^2}{(dx)^{3/2}} dx$$

Optimal. Leaf size=105

$$\frac{16b^2c^2(dx)^{3/2} {}_3F_2\left(\frac{3}{4}, \frac{3}{4}, 1; \frac{5}{4}, \frac{7}{4}; c^2x^2\right)}{3d^3} - \frac{8bc\sqrt{dx} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; c^2x^2\right)(a+b \cos^{-1}(cx))}{d^2} - \frac{2(a+b \cos^{-1}(cx))^2}{d\sqrt{dx}}$$

[Out] $-16/3*b^2*c^2*(d*x)^{(3/2)}*HypergeometricPFQ([3/4, 3/4, 1], [5/4, 7/4], c^2*x^2)/d^3 - 2*(a+b*\arccos(c*x))^2/d/(d*x)^{(1/2)} - 8*b*c*(a+b*\arccos(c*x))*hypergeom(m([1/4, 1/2], [5/4], c^2*x^2)*(d*x)^{(1/2)}/d^2$

Rubi [A] time = 0.13, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4628, 4712}

$$\frac{16b^2c^2(dx)^{3/2} {}_3F_2\left(\frac{3}{4}, \frac{3}{4}, 1; \frac{5}{4}, \frac{7}{4}; c^2x^2\right)}{3d^3} - \frac{8bc\sqrt{dx} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; c^2x^2\right)(a+b \cos^{-1}(cx))}{d^2} - \frac{2(a+b \cos^{-1}(cx))^2}{d\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])^2/(d*x)^(3/2), x]

[Out] $(-2*(a + b*\text{ArcCos}[c*x])^2)/(d*\text{Sqrt}[d*x]) - (8*b*c*\text{Sqrt}[d*x]*(a + b*\text{ArcCos}[c*x])*Hypergeometric2F1[1/4, 1/2, 5/4, c^2*x^2])/d^2 - (16*b^2*c^2*(d*x)^{(3/2)}*HypergeometricPFQ[{3/4, 3/4, 1}, {5/4, 7/4}, c^2*x^2])/(3*d^3)$

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4712

Int((((a_.) + ArcCos[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_.))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*(a + b*ArcCos[c*x])*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(Sqrt[d]*f*(m + 1)), x] + Simp[(b*c*(f*x)^(m + 2)*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2*x^2])/(Sqrt[d]*f^2*(m + 1)*(m + 2)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

Rubi steps

$$\int \frac{(a + b \cos^{-1}(cx))^2}{(dx)^{3/2}} dx = -\frac{2(a + b \cos^{-1}(cx))^2}{d\sqrt{dx}} - \frac{(4bc) \int \frac{a+b \cos^{-1}(cx)}{\sqrt{dx} \sqrt{1-c^2x^2}} dx}{d}$$

$$= -\frac{2(a + b \cos^{-1}(cx))^2}{d\sqrt{dx}} - \frac{8bc\sqrt{dx} (a + b \cos^{-1}(cx)) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; c^2x^2\right)}{d^2} - \frac{16b^2c^2(dx)^{3/2}}{d^2}$$

Mathematica [A] time = 0.52, size = 129, normalized size = 1.23

$$x \left(-\frac{\sqrt{2} \pi b^2 c^2 x^2 {}_3F_2\left(\frac{3}{4}, \frac{3}{4}, 1; \frac{5}{4}, \frac{7}{4}; c^2 x^2\right)}{\Gamma\left(\frac{5}{4}\right) \Gamma\left(\frac{7}{4}\right)} - 2 \left(4abcx {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; c^2 x^2\right) + (a + b \cos^{-1}(cx))^2 + 2b^2 {}_2F_1\left(\frac{3}{4}, 1; \frac{5}{4}; c^2 x^2\right) \cos^{-1}(cx) \right) \right) / (dx)^{3/2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^2/(d*x)^(3/2), x]

[Out] (x*(-((Sqrt[2]*b^2*c^2*Pi*x^2*HypergeometricPFQ[{3/4, 3/4, 1}, {5/4, 7/4}, c^2*x^2])/(Gamma[5/4]*Gamma[7/4])) - 2*((a + b*ArcCos[c*x])^2 + 4*a*b*c*x*Hypergeometric2F1[1/4, 1/2, 5/4, c^2*x^2] + 2*b^2*ArcCos[c*x]*Hypergeometric2F1[3/4, 1, 5/4, c^2*x^2]*Sin[2*ArcCos[c*x]])))/(d*x)^(3/2)

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^2 \arccos(cx)^2 + 2ab \arccos(cx) + a^2)\sqrt{dx}}{d^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/(d*x)^(3/2), x, algorithm="fricas")

[Out] integral((b^2*arccos(c*x)^2 + 2*a*b*arccos(c*x) + a^2)*sqrt(d*x)/(d^2*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^2}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/(d*x)^(3/2),x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^2/(d*x)^(3/2), x)

maple [F] time = 0.36, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^2}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^2/(d*x)^(3/2),x)

[Out] int((a+b*arccos(c*x))^2/(d*x)^(3/2),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/(d*x)^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \arccos(cx))^2}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*acos(c*x))^2/(d*x)^(3/2),x)

[Out] int((a + b*acos(c*x))^2/(d*x)^(3/2), x)

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acos(c*x))**2/(d*x)**(3/2),x)

[Out] Exception raised: TypeError

$$3.214 \quad \int \frac{(a+b \cos^{-1}(cx))^2}{(dx)^{5/2}} dx$$

Optimal. Leaf size=109

$$\frac{16b^2c^2\sqrt{dx} {}_3F_2\left(\frac{1}{4}, \frac{1}{4}, 1; \frac{3}{4}, \frac{5}{4}; c^2x^2\right)}{3d^3} + \frac{8bc {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; c^2x^2\right)(a+b \cos^{-1}(cx))}{3d^2\sqrt{dx}} - \frac{2(a+b \cos^{-1}(cx))^2}{3d(dx)^{3/2}}$$

[Out] $-2/3*(a+b*\arccos(c*x))^2/d/(d*x)^{(3/2)}+8/3*b*c*(a+b*\arccos(c*x))*\text{hypergeom}([-1/4, 1/2], [3/4], c^2*x^2)/d^2/(d*x)^{(1/2)}+16/3*b^2*c^2*\text{HypergeometricPFQ}([1/4, 1/4, 1], [3/4, 5/4], c^2*x^2)*(d*x)^{(1/2)}/d^3$

Rubi [A] time = 0.14, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {4628, 4712}

$$\frac{16b^2c^2\sqrt{dx} {}_3F_2\left(\frac{1}{4}, \frac{1}{4}, 1; \frac{3}{4}, \frac{5}{4}; c^2x^2\right)}{3d^3} + \frac{8bc {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; c^2x^2\right)(a+b \cos^{-1}(cx))}{3d^2\sqrt{dx}} - \frac{2(a+b \cos^{-1}(cx))^2}{3d(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCos[c*x])^2/(d*x)^(5/2), x]

[Out] $(-2*(a + b*\text{ArcCos}[c*x])^2)/(3*d*(d*x)^{(3/2)}) + (8*b*c*(a + b*\text{ArcCos}[c*x])*Hypergeometric2F1[-1/4, 1/2, 3/4, c^2*x^2])/(3*d^2*\text{Sqrt}[d*x]) + (16*b^2*c^2*\text{Sqrt}[d*x]*\text{HypergeometricPFQ}[\{1/4, 1/4, 1\}, \{3/4, 5/4\}, c^2*x^2])/(3*d^3)$

Rule 4628

Int[((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))^n_.*((d_.)*(x_.))^m_.], x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^n)/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCos[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4712

Int[(((a_.) + ArcCos[(c_.)*(x_.)]*(b_.))*(f_.)*(x_.))^m_/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*(a + b*ArcCos[c*x])*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(Sqrt[d]*f*(m + 1)), x] + Simp[(b*c*(f*x)^(m + 2)*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2*x^2])/(Sqrt[d]*f^2*(m + 1)*(m + 2)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

Rubi steps

$$\int \frac{(a + b \cos^{-1}(cx))^2}{(dx)^{5/2}} dx = -\frac{2(a + b \cos^{-1}(cx))^2}{3d(dx)^{3/2}} - \frac{(4bc) \int \frac{a + b \cos^{-1}(cx)}{(dx)^{3/2} \sqrt{1 - c^2 x^2}} dx}{3d}$$

$$= -\frac{2(a + b \cos^{-1}(cx))^2}{3d(dx)^{3/2}} + \frac{8bc(a + b \cos^{-1}(cx)) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; c^2 x^2\right)}{3d^2 \sqrt{dx}} + \frac{16b^2 c^2 \sqrt{dx} {}_3F_2\left(\dots\right)}{3d^2 \sqrt{dx}}$$

Mathematica [A] time = 0.93, size = 198, normalized size = 1.82

$$\frac{x \left(3\sqrt{2} \pi b^2 c^4 x^4 {}_3F_2\left(1, \frac{5}{4}, \frac{5}{4}; \frac{7}{4}, \frac{9}{4}; c^2 x^2\right) - 8\Gamma\left(\frac{7}{4}\right) \Gamma\left(\frac{9}{4}\right) \left(3\left(a^2 + 2b \cos^{-1}(cx)\right) \left(a - 2bcx\sqrt{1 - c^2 x^2}\right) - 8b^2 c^2 x^2 + b^2 c \right) \right)}{36\Gamma\left(\frac{7}{4}\right) \Gamma\left(\frac{9}{4}\right) (dx)^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCos[c*x])^2/(d*x)^(5/2), x]

[Out] (x*(-8*Gamma[7/4]*Gamma[9/4]*(3*(a^2 - 8*b^2*c^2*x^2 + 2*b*(a - 2*b*c*x*Sqrt[1 - c^2*x^2])*ArcCos[c*x] + b^2*ArcCos[c*x]^2) - 12*a*b*c*x*Hypergeometric2F1[-1/4, 1/2, 3/4, c^2*x^2] - 4*b^2*c^3*x^3*Sqrt[1 - c^2*x^2]*ArcCos[c*x]*Hypergeometric2F1[1, 5/4, 7/4, c^2*x^2]) + 3*Sqrt[2]*b^2*c^4*Pi*x^4*HypergeometricPFQ[{1, 5/4, 5/4}, {7/4, 9/4}, c^2*x^2]))/(36*(d*x)^(5/2)*Gamma[7/4]*Gamma[9/4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^2 \arccos(cx))^2 + 2ab \arccos(cx) + a^2}{d^3 x^3} \sqrt{dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/(d*x)^(5/2), x, algorithm="fricas")

[Out] integral((b^2*arccos(c*x)^2 + 2*a*b*arccos(c*x) + a^2)*sqrt(d*x)/(d^3*x^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^2}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/(d*x)^(5/2),x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^2/(d*x)^(5/2), x)

maple [F] time = 0.39, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^2}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^2/(d*x)^(5/2),x)

[Out] int((a+b*arccos(c*x))^2/(d*x)^(5/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\left(3 a^2 c^2 \sqrt{d} \left(\frac{2 \arctan(\sqrt{c} \sqrt{x})}{\sqrt{c} d^3} - \frac{\log\left(\frac{c \sqrt{x} - \sqrt{c}}{c \sqrt{x} + \sqrt{c}}\right)}{\sqrt{c} d^3} \right) - 12 a b c^2 \sqrt{d} \int \frac{x^{\frac{5}{2}} \arctan\left(\frac{\sqrt{cx+1} \sqrt{-cx+1}}{cx}\right)}{c^2 d^3 x^5 - d^3 x^3} dx - 8 b^2 c \sqrt{d} \int \frac{\sqrt{cx+1} \sqrt{-cx+1} x^{\frac{3}{2}}}{c^2 d^3 x^5} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^2/(d*x)^(5/2),x, algorithm="maxima")

[Out] $-1/6*((3*a^2*c^2*\sqrt{d}*(2*\arctan(\sqrt{c}*\sqrt{x}))/(\sqrt{c}*d^3) - \log((c*\sqrt{x} - \sqrt{c})/(c*\sqrt{x} + \sqrt{c}))/(\sqrt{c}*d^3)) - 36*a*b*c^2*\sqrt{d}*\int(1/3*x^{(5/2)}*\arctan(\sqrt{c*x + 1}*\sqrt{-c*x + 1}/(c*x)))/(c^2*d^3*x^5 - d^3*x^3), x) - 24*b^2*c*\sqrt{d}*\int(1/3*\sqrt{c*x + 1}*\sqrt{-c*x + 1})*x^{(3/2)}*\arctan(\sqrt{c*x + 1}*\sqrt{-c*x + 1}/(c*x)))/(c^2*d^3*x^5 - d^3*x^3), x) - a^2*\sqrt{d}*(6*c^{(3/2)}*\arctan(\sqrt{c}*\sqrt{x}))/d^3 - 3*c^{(3/2)}*\log((c*\sqrt{x} - \sqrt{c})/(c*\sqrt{x} + \sqrt{c}))/d^3 - 4/(d^3*x^{(3/2)})) + 36*a*b*\sqrt{d}*\int(1/3*\sqrt{x}*\arctan(\sqrt{c*x + 1}*\sqrt{-c*x + 1}/(c*x)))/(c^2*d^3*x^5 - d^3*x^3), x)*d^{(5/2)}*x^{(3/2)} + 4*b^2*\arctan^2(\sqrt{c*x + 1}*\sqrt{-c*x + 1}, c*x)^2)/(d^{(5/2)}*x^{(3/2)})$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \arccos(cx))^2}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))^2/(d*x)^(5/2),x)
```

```
[Out] int((a + b*acos(c*x))^2/(d*x)^(5/2), x)
```

```
sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))**2/(d*x)**(5/2),x)
```

```
[Out] Exception raised: TypeError
```

$$3.215 \quad \int (dx)^{3/2} \left(a + b \cos^{-1}(cx) \right)^3 dx$$

Optimal. Leaf size=69

$$\frac{6bc \operatorname{Int} \left(\frac{(dx)^{5/2} (a + b \cos^{-1}(cx))^2}{\sqrt{1-c^2x^2}}, x \right)}{5d} + \frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))^3}{5d}$$

[Out] $2/5*(d*x)^{(5/2)}*(a+b*\arccos(c*x))^{3/d}+6/5*b*c*\operatorname{Unintegrable}((d*x)^{(5/2)}*(a+b*\arccos(c*x))^{2/(-c^2*x^2+1)^{(1/2)},x)/d$

Rubi [A] time = 0.16, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (dx)^{3/2} \left(a + b \cos^{-1}(cx) \right)^3 dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Int}[(d*x)^{(3/2)}*(a + b*\operatorname{ArcCos}[c*x])^3, x]$

[Out] $(2*(d*x)^{(5/2)}*(a + b*\operatorname{ArcCos}[c*x])^3)/(5*d) + (6*b*c*\operatorname{Defer}[\operatorname{Int}[(d*x)^{(5/2)}*(a + b*\operatorname{ArcCos}[c*x])^2]/\operatorname{Sqrt}[1 - c^2*x^2], x])/(5*d)$

Rubi steps

$$\int (dx)^{3/2} \left(a + b \cos^{-1}(cx) \right)^3 dx = \frac{2(dx)^{5/2} (a + b \cos^{-1}(cx))^3}{5d} + \frac{(6bc) \int \frac{(dx)^{5/2} (a + b \cos^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{5d}$$

Mathematica [A] time = 34.99, size = 0, normalized size = 0.00

$$\int (dx)^{3/2} \left(a + b \cos^{-1}(cx) \right)^3 dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Integrate}[(d*x)^{(3/2)}*(a + b*\operatorname{ArcCos}[c*x])^3, x]$

[Out] $\operatorname{Integrate}[(d*x)^{(3/2)}*(a + b*\operatorname{ArcCos}[c*x])^3, x]$

fricas [A] time = 0.53, size = 0, normalized size = 0.00

$$\operatorname{integral} \left((b^3 dx \arccos(cx))^3 + 3 ab^2 dx \arccos(cx)^2 + 3 a^2 b dx \arccos(cx) + a^3 dx \right) \sqrt{dx}, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*(a+b*arccos(c*x))^3,x, algorithm="fricas")

[Out] integral((b^3*d*x*arccos(c*x)^3 + 3*a*b^2*d*x*arccos(c*x)^2 + 3*a^2*b*d*x*arccos(c*x) + a^3*d*x)*sqrt(d*x), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*(a+b*arccos(c*x))^3,x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vector & l) Error: Bad Argument Value

maple [A] time = 0.34, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} (a + b \arccos(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(3/2)*(a+b*arccos(c*x))^3,x)

[Out] int((d*x)^(3/2)*(a+b*arccos(c*x))^3,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2}{5} b^3 d^{\frac{3}{2}} x^{\frac{5}{2}} \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right)^3 + \frac{1}{10} a^3 c^2 d^{\frac{3}{2}} \left(\frac{4\left(c^2 x^{\frac{5}{2}} + 5\sqrt{x}\right)}{c^4} - \frac{10 \arctan\left(\sqrt{c}\sqrt{x}\right)}{c^{\frac{9}{2}}} + \frac{5 \log\left(\frac{c\sqrt{x}-\sqrt{c}}{c\sqrt{x}+\sqrt{c}}\right)}{c^{\frac{9}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*(a+b*arccos(c*x))^3,x, algorithm="maxima")

[Out] 2/5*b^3*d^(3/2)*x^(5/2)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^3 + 1/10*a^3*c^2*d^(3/2)*(4*(c^2*x^(5/2) + 5*sqrt(x))/c^4 - 10*arctan(sqrt(c)*sqrt(x))/c^(9/2) + 5*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(9/2)) + 15*a*b^2*c^2*d^(3/2)*integrate(1/5*x^(7/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*x^2 - 1), x) + 15*a^2*b*c^2*d^(3/2)*integrate(1/5*x^(7/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*x^2 - 1), x) - 6*b^3*c*d^(3/2)*integrate(1/5*sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(5/2)*arctan(sqrt(c*x +

```
1)*sqrt(-c*x + 1)/(c*x))^2/(c^2*x^2 - 1), x) - 1/2*a^3*d^(3/2)*(4*sqrt(x)/c
^2 - 2*arctan(sqrt(c)*sqrt(x))/c^(5/2) + log((c*sqrt(x) - sqrt(c))/(c*sqrt(
x) + sqrt(c)))/c^(5/2)) - 15*a*b^2*d^(3/2)*integrate(1/5*x^(3/2)*arctan(sqrt
(c*x + 1)*sqrt(-c*x + 1)/(c*x))^2/(c^2*x^2 - 1), x) - 15*a^2*b*d^(3/2)*int
egrate(1/5*x^(3/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*x^2 - 1)
, x)
```

mupad [A] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{acos}(cx))^3 (dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))^3*(d*x)^(3/2), x)
```

```
[Out] int((a + b*acos(c*x))^3*(d*x)^(3/2), x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx)^{\frac{3}{2}} (a + b \operatorname{acos}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**(3/2)*(a+b*acos(c*x))**3, x)
```

```
[Out] Integral((d*x)**(3/2)*(a + b*acos(c*x))**3, x)
```

$$3.216 \quad \int \sqrt{dx} \left(a + b \cos^{-1}(cx) \right)^3 dx$$

Optimal. Leaf size=67

$$\frac{2bc \operatorname{Int} \left(\frac{(dx)^{3/2} (a + b \cos^{-1}(cx))^2}{\sqrt{1-c^2x^2}}, x \right)}{d} + \frac{2(dx)^{3/2} (a + b \cos^{-1}(cx))^3}{3d}$$

[Out] $2/3*(d*x)^{(3/2)}*(a+b*\arccos(c*x))^{3/d}+2*b*c*\operatorname{Unintegrable}((d*x)^{(3/2)}*(a+b*\arccos(c*x))^{2/(-c^2*x^2+1)^{(1/2)},x)/d$

Rubi [A] time = 0.17, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \sqrt{dx} \left(a + b \cos^{-1}(cx) \right)^3 dx$$

Verification is Not applicable to the result.

[In] `Int[Sqrt[d*x]*(a + b*ArcCos[c*x])^3,x]`

[Out] $(2*(d*x)^{(3/2)}*(a + b*\operatorname{ArcCos}[c*x])^3)/(3*d) + (2*b*c*\operatorname{Defer}[\operatorname{Int}][((d*x)^{(3/2)}*(a + b*\operatorname{ArcCos}[c*x])^2)/\operatorname{Sqrt}[1 - c^2*x^2], x])/d$

Rubi steps

$$\int \sqrt{dx} \left(a + b \cos^{-1}(cx) \right)^3 dx = \frac{2(dx)^{3/2} (a + b \cos^{-1}(cx))^3}{3d} + \frac{(2bc) \int \frac{(dx)^{3/2} (a + b \cos^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{d}$$

Mathematica [A] time = 147.33, size = 0, normalized size = 0.00

$$\int \sqrt{dx} \left(a + b \cos^{-1}(cx) \right)^3 dx$$

Verification is Not applicable to the result.

[In] `Integrate[Sqrt[d*x]*(a + b*ArcCos[c*x])^3,x]`

[Out] `Integrate[Sqrt[d*x]*(a + b*ArcCos[c*x])^3, x]`

fricas [A] time = 0.73, size = 0, normalized size = 0.00

$$\operatorname{integral} \left((b^3 \arccos(cx))^3 + 3ab^2 \arccos(cx)^2 + 3a^2b \arccos(cx) + a^3 \right) \sqrt{dx}, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3*(d*x)^(1/2),x, algorithm="fricas")

[Out] integral((b^3*arccos(c*x)^3 + 3*a*b^2*arccos(c*x)^2 + 3*a^2*b*arccos(c*x) + a^3)*sqrt(d*x), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3*(d*x)^(1/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument Value

maple [A] time = 0.37, size = 0, normalized size = 0.00

$$\int (a + b \arccos(cx))^3 \sqrt{dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^3*(d*x)^(1/2),x)

[Out] int((a+b*arccos(c*x))^3*(d*x)^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2}{3} b^3 \sqrt{d} x^{\frac{3}{2}} \arctan\left(\sqrt{cx+1} \sqrt{-cx+1}, cx\right) + \frac{1}{6} a^3 c^2 \sqrt{d} \left(\frac{4x^{\frac{3}{2}}}{c^2} + \frac{6 \arctan\left(\sqrt{c} \sqrt{x}\right)}{c^{\frac{7}{2}}} + \frac{3 \log\left(\frac{c\sqrt{x}-\sqrt{c}}{c\sqrt{x}+\sqrt{c}}\right)}{c^{\frac{7}{2}}} \right) + 3ab^2c^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3*(d*x)^(1/2),x, algorithm="maxima")

[Out] 2/3*b^3*sqrt(d)*x^(3/2)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)^3 + 1/6*a^3*c^2*sqrt(d)*(4*x^(3/2)/c^2 + 6*arctan(sqrt(c)*sqrt(x))/c^(7/2) + 3*log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(7/2)) + 3*a*b^2*c^2*sqrt(d)*integrate(x^(5/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))^2/(c^2*x^2 - 1), x) + 3*a^2*b*c^2*sqrt(d)*integrate(x^(5/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*x^2 - 1), x) - 2*b^3*c*sqrt(d)*integrate(sqrt(c*x + 1)*sqrt(-c*x + 1)*x^(3/2)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))^2/(c^2*x^2 - 1), x)

```

2 - 1), x) - 1/2*a^3*sqrt(d)*(2*arctan(sqrt(c)*sqrt(x))/c^(3/2) + log((c*sqrt(x) - sqrt(c))/(c*sqrt(x) + sqrt(c)))/c^(3/2)) - 3*a*b^2*sqrt(d)*integrate(sqrt(x)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))^2/(c^2*x^2 - 1), x) - 3*a^2*b*sqrt(d)*integrate(sqrt(x)*arctan(sqrt(c*x + 1)*sqrt(-c*x + 1)/(c*x))/(c^2*x^2 - 1), x)

```

mupad [A] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \operatorname{acos}(cx))^3 \sqrt{dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))^3*(d*x)^(1/2), x)
```

```
[Out] int((a + b*acos(c*x))^3*(d*x)^(1/2), x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{dx} (a + b \operatorname{acos}(cx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))**3*(d*x)**(1/2), x)
```

```
[Out] Integral(sqrt(d*x)*(a + b*acos(c*x))**3, x)
```

$$3.217 \quad \int \frac{(a+b \cos^{-1}(cx))^3}{\sqrt{dx}} dx$$

Optimal. Leaf size=65

$$\frac{6bc \operatorname{Int}\left(\frac{\sqrt{dx}(a+b \cos^{-1}(cx))^2}{\sqrt{1-c^2x^2}}, x\right)}{d} + \frac{2\sqrt{dx}(a+b \cos^{-1}(cx))^3}{d}$$

[Out] $2*(a+b*\arccos(c*x))^3*(d*x)^{(1/2)}/d+6*b*c*\operatorname{Unintegrable}((a+b*\arccos(c*x))^2*(d*x)^{(1/2)}/(-c^2*x^2+1)^{(1/2)}, x)/d$

Rubi [A] time = 0.15, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a+b \cos^{-1}(cx))^3}{\sqrt{dx}} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCos}[c*x])^3/\operatorname{Sqrt}[d*x], x]$

[Out] $(2*\operatorname{Sqrt}[d*x]*(a + b*\operatorname{ArcCos}[c*x])^3)/d + (6*b*c*\operatorname{Defer}[\operatorname{Int}[(\operatorname{Sqrt}[d*x]*(a + b*\operatorname{ArcCos}[c*x])^2)/\operatorname{Sqrt}[1 - c^2*x^2], x])/d$

Rubi steps

$$\int \frac{(a+b \cos^{-1}(cx))^3}{\sqrt{dx}} dx = \frac{2\sqrt{dx}(a+b \cos^{-1}(cx))^3}{d} + \frac{(6bc) \int \frac{\sqrt{dx}(a+b \cos^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{d}$$

Mathematica [A] time = 11.33, size = 0, normalized size = 0.00

$$\int \frac{(a+b \cos^{-1}(cx))^3}{\sqrt{dx}} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Integrate}[(a + b*\operatorname{ArcCos}[c*x])^3/\operatorname{Sqrt}[d*x], x]$

[Out] $\operatorname{Integrate}[(a + b*\operatorname{ArcCos}[c*x])^3/\operatorname{Sqrt}[d*x], x]$

fricas [A] time = 0.52, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^3 \arccos(cx)^3 + 3ab^2 \arccos(cx)^2 + 3a^2b \arccos(cx) + a^3)\sqrt{dx}}{dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/(d*x)^(1/2),x, algorithm="fricas")

[Out] integral((b^3*arccos(c*x)^3 + 3*a*b^2*arccos(c*x)^2 + 3*a^2*b*arccos(c*x) + a^3)*sqrt(d*x)/(d*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^3}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/(d*x)^(1/2),x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^3/sqrt(d*x), x)

maple [F(-2)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^3}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^3/(d*x)^(1/2),x)

[Out] int((a+b*arccos(c*x))^3/(d*x)^(1/2),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/(d*x)^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(a + b \arccos(cx))^3}{\sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))^3/(d*x)^(1/2), x)
```

```
[Out] int((a + b*acos(c*x))^3/(d*x)^(1/2), x)
```

```
sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))**3/(d*x)**(1/2), x)
```

```
[Out] Exception raised: TypeError
```

$$3.218 \quad \int \frac{(a+b \cos^{-1}(cx))^3}{(dx)^{3/2}} dx$$

Optimal. Leaf size=65

$$-\frac{6bc \operatorname{Int}\left(\frac{(a+b \cos^{-1}(cx))^2}{\sqrt{1-c^2x^2} \sqrt{dx}}, x\right)}{d} - \frac{2(a+b \cos^{-1}(cx))^3}{d\sqrt{dx}}$$

[Out] $-2*(a+b*\arccos(c*x))^3/d/(d*x)^{(1/2)}-6*b*c*\operatorname{Unintegrable}((a+b*\arccos(c*x))^2/(d*x)^{(1/2)/(-c^2*x^2+1)^{(1/2)}, x)/d$

Rubi [A] time = 0.16, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a+b \cos^{-1}(cx))^3}{(dx)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCos}[c*x])^3/(d*x)^{(3/2)}, x]$

[Out] $(-2*(a + b*\operatorname{ArcCos}[c*x])^3)/(d*\operatorname{Sqrt}[d*x]) - (6*b*c*\operatorname{Defer}[\operatorname{Int}[(a + b*\operatorname{ArcCos}[c*x])^2/(\operatorname{Sqrt}[d*x]*\operatorname{Sqrt}[1 - c^2*x^2]), x])/d$

Rubi steps

$$\int \frac{(a+b \cos^{-1}(cx))^3}{(dx)^{3/2}} dx = -\frac{2(a+b \cos^{-1}(cx))^3}{d\sqrt{dx}} - \frac{(6bc) \int \frac{(a+b \cos^{-1}(cx))^2}{\sqrt{dx} \sqrt{1-c^2x^2}} dx}{d}$$

Mathematica [A] time = 8.06, size = 0, normalized size = 0.00

$$\int \frac{(a+b \cos^{-1}(cx))^3}{(dx)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Integrate}[(a + b*\operatorname{ArcCos}[c*x])^3/(d*x)^{(3/2)}, x]$

[Out] $\operatorname{Integrate}[(a + b*\operatorname{ArcCos}[c*x])^3/(d*x)^{(3/2)}, x]$

fricas [A] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(b^3 \arccos(cx))^3 + 3ab^2 \arccos(cx)^2 + 3a^2b \arccos(cx) + a^3}{d^2x^2} \sqrt{dx}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/(d*x)^(3/2),x, algorithm="fricas")

[Out] integral((b^3*arccos(c*x)^3 + 3*a*b^2*arccos(c*x)^2 + 3*a^2*b*arccos(c*x) + a^3)*sqrt(d*x)/(d^2*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^3}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/(d*x)^(3/2),x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^3/(d*x)^(3/2), x)

maple [A] time = 0.37, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^3}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^3/(d*x)^(3/2),x)

[Out] int((a+b*arccos(c*x))^3/(d*x)^(3/2),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/(d*x)^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(a + b \arccos(cx))^3}{(dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))^3/(d*x)^(3/2),x)
```

```
[Out] int((a + b*acos(c*x))^3/(d*x)^(3/2), x)
```

```
sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))**3/(d*x)**(3/2),x)
```

```
[Out] Exception raised: TypeError
```


$$3.219 \quad \int \frac{(a+b \cos^{-1}(cx))^3}{(dx)^{5/2}} dx$$

Optimal. Leaf size=67

$$-\frac{2bc \operatorname{Int}\left(\frac{(a+b \cos^{-1}(cx))^2}{\sqrt{1-c^2x^2}}(dx)^{3/2}, x\right)}{d} - \frac{2(a+b \cos^{-1}(cx))^3}{3d(dx)^{3/2}}$$

[Out] $-2/3*(a+b*\arccos(c*x))^3/d/(d*x)^{(3/2)}-2*b*c*\operatorname{Unintegrable}((a+b*\arccos(c*x))^2/(d*x)^{(3/2)}/(-c^2*x^2+1)^{(1/2)}, x)/d$

Rubi [A] time = 0.17, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a+b \cos^{-1}(cx))^3}{(dx)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCos}[c*x])^3/(d*x)^{(5/2)}, x]$

[Out] $(-2*(a + b*\operatorname{ArcCos}[c*x])^3)/(3*d*(d*x)^{(3/2)}) - (2*b*c*\operatorname{Defer}[\operatorname{Int}[(a + b*\operatorname{ArcCos}[c*x])^2/((d*x)^{(3/2})*\operatorname{Sqrt}[1 - c^2*x^2]), x])/d$

Rubi steps

$$\int \frac{(a+b \cos^{-1}(cx))^3}{(dx)^{5/2}} dx = -\frac{2(a+b \cos^{-1}(cx))^3}{3d(dx)^{3/2}} - \frac{(2bc) \int \frac{(a+b \cos^{-1}(cx))^2}{(dx)^{3/2} \sqrt{1-c^2x^2}} dx}{d}$$

Mathematica [A] time = 12.96, size = 0, normalized size = 0.00

$$\int \frac{(a+b \cos^{-1}(cx))^3}{(dx)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Integrate}[(a + b*\operatorname{ArcCos}[c*x])^3/(d*x)^{(5/2)}, x]$

[Out] $\operatorname{Integrate}[(a + b*\operatorname{ArcCos}[c*x])^3/(d*x)^{(5/2)}, x]$

fricas [A] time = 0.52, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^3 \arccos(cx)^3 + 3ab^2 \arccos(cx)^2 + 3a^2b \arccos(cx) + a^3)\sqrt{dx}}{d^3x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/(d*x)^(5/2),x, algorithm="fricas")

[Out] integral((b^3*arccos(c*x)^3 + 3*a*b^2*arccos(c*x)^2 + 3*a^2*b*arccos(c*x) + a^3)*sqrt(d*x)/(d^3*x^3), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \arccos(cx) + a)^3}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/(d*x)^(5/2),x, algorithm="giac")

[Out] integrate((b*arccos(c*x) + a)^3/(d*x)^(5/2), x)

maple [A] time = 0.37, size = 0, normalized size = 0.00

$$\int \frac{(a + b \arccos(cx))^3}{(dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccos(c*x))^3/(d*x)^(5/2),x)

[Out] int((a+b*arccos(c*x))^3/(d*x)^(5/2),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccos(c*x))^3/(d*x)^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \arccos(cx))^3}{(dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*acos(c*x))^3/(d*x)^(5/2), x)
```

```
[Out] int((a + b*acos(c*x))^3/(d*x)^(5/2), x)
```

```
sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acos(c*x))**3/(d*x)**(5/2), x)
```

```
[Out] Exception raised: TypeError
```

$$3.220 \quad \int \frac{(dx)^{3/2}}{a+b \cos^{-1}(cx)} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{(dx)^{3/2}}{a + b \cos^{-1}(cx)}, x \right)$$

[Out] Unintegrable((d*x)^(3/2)/(a+b*arccos(c*x)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(dx)^{3/2}}{a + b \cos^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[(d*x)^(3/2)/(a + b*ArcCos[c*x]), x]

[Out] Defer[Int] [(d*x)^(3/2)/(a + b*ArcCos[c*x]), x]

Rubi steps

$$\int \frac{(dx)^{3/2}}{a + b \cos^{-1}(cx)} dx = \int \frac{(dx)^{3/2}}{a + b \cos^{-1}(cx)} dx$$

Mathematica [A] time = 3.78, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{3/2}}{a + b \cos^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d*x)^(3/2)/(a + b*ArcCos[c*x]), x]

[Out] Integrate[(d*x)^(3/2)/(a + b*ArcCos[c*x]), x]

fricas [A] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx} dx}{b \arccos(cx) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)/(a+b*arccos(c*x)),x, algorithm="fricas")

[Out] integral(sqrt(d*x)*d*x/(b*arccos(c*x) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{b \arccos(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)/(a+b*arccos(c*x)),x, algorithm="giac")

[Out] integrate((d*x)^(3/2)/(b*arccos(c*x) + a), x)

maple [A] time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(3/2)/(a+b*arccos(c*x)),x)

[Out] int((d*x)^(3/2)/(a+b*arccos(c*x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{b \arccos(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)/(a+b*arccos(c*x)),x, algorithm="maxima")

[Out] integrate((d*x)^(3/2)/(b*arccos(c*x) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(dx)^{\frac{3}{2}}}{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(3/2)/(a + b*acos(c*x)),x)

[Out] int((d*x)^(3/2)/(a + b*acos(c*x)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{a + b \operatorname{acos}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**(3/2)/(a+b*acos(c*x)),x)

[Out] Integral((d*x)**(3/2)/(a + b*acos(c*x)), x)

$$3.221 \quad \int \frac{\sqrt{dx}}{a+b \cos^{-1}(cx)} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{\sqrt{dx}}{a + b \cos^{-1}(cx)}, x \right)$$

[Out] Unintegrable((d*x)^(1/2)/(a+b*arccos(c*x)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{dx}}{a + b \cos^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[d*x]/(a + b*ArcCos[c*x]), x]

[Out] Defer[Int][Sqrt[d*x]/(a + b*ArcCos[c*x]), x]

Rubi steps

$$\int \frac{\sqrt{dx}}{a + b \cos^{-1}(cx)} dx = \int \frac{\sqrt{dx}}{a + b \cos^{-1}(cx)} dx$$

Mathematica [A] time = 2.46, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{a + b \cos^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[d*x]/(a + b*ArcCos[c*x]), x]

[Out] Integrate[Sqrt[d*x]/(a + b*ArcCos[c*x]), x]

fricas [A] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx}}{b \arccos(cx) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(1/2)/(a+b*arccos(c*x)),x, algorithm="fricas")

[Out] integral(sqrt(d*x)/(b*arccos(c*x) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{b \arccos(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(1/2)/(a+b*arccos(c*x)),x, algorithm="giac")

[Out] integrate(sqrt(d*x)/(b*arccos(c*x) + a), x)

maple [A] time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(1/2)/(a+b*arccos(c*x)),x)

[Out] int((d*x)^(1/2)/(a+b*arccos(c*x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{b \arccos(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(1/2)/(a+b*arccos(c*x)),x, algorithm="maxima")

[Out] integrate(sqrt(d*x)/(b*arccos(c*x) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{dx}}{a + b \arccos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(1/2)/(a + b*acos(c*x)),x)

[Out] int((d*x)^(1/2)/(a + b*acos(c*x)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{a + b \cos(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**(1/2)/(a+b*cos(c*x)), x)

[Out] Integral(sqrt(d*x)/(a + b*cos(c*x)), x)

$$3.222 \quad \int \frac{1}{\sqrt{dx} (a+b \cos^{-1}(cx))} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{\sqrt{dx} (a + b \cos^{-1}(cx))}, x \right)$$

[Out] Unintegrable(1/(a+b*arccos(c*x))/(d*x)^(1/2), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{\sqrt{dx} (a + b \cos^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(Sqrt[d*x]*(a + b*ArcCos[c*x])), x]

[Out] Defer[Int][1/(Sqrt[d*x]*(a + b*ArcCos[c*x])), x]

Rubi steps

$$\int \frac{1}{\sqrt{dx} (a + b \cos^{-1}(cx))} dx = \int \frac{1}{\sqrt{dx} (a + b \cos^{-1}(cx))} dx$$

Mathematica [A] time = 0.95, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (a + b \cos^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(Sqrt[d*x]*(a + b*ArcCos[c*x])), x]

[Out] Integrate[1/(Sqrt[d*x]*(a + b*ArcCos[c*x])), x]

fricas [A] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx}}{bdx \arccos(cx) + adx}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))/(d*x)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(d*x)/(b*d*x*arccos(c*x) + a*d*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (b \arccos(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))/(d*x)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(d*x)*(b*arccos(c*x) + a)), x)

maple [A] time = 0.28, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \arccos(cx)) \sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arccos(c*x))/(d*x)^(1/2),x)

[Out] int(1/(a+b*arccos(c*x))/(d*x)^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (b \arccos(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))/(d*x)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(d*x)*(b*arccos(c*x) + a)), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{(a + b \arccos(cx)) \sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*acos(c*x))*(d*x)^(1/2)),x)

```
[Out] int(1/((a + b*acos(c*x))*(d*x)^(1/2)), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{\sqrt{dx} (a + b \operatorname{acos}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*acos(c*x))/(d*x)**(1/2), x)
```

```
[Out] Integral(1/(sqrt(d*x)*(a + b*acos(c*x))), x)
```

$$3.223 \quad \int \frac{1}{(dx)^{3/2}(a+b \cos^{-1}(cx))} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))}, x \right)$$

[Out] Unintegrable(1/(d*x)^(3/2)/(a+b*arccos(c*x)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d*x)^(3/2)*(a + b*ArcCos[c*x])), x]

[Out] Defer[Int][1/((d*x)^(3/2)*(a + b*ArcCos[c*x])), x]

Rubi steps

$$\int \frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))} dx = \int \frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))} dx$$

Mathematica [A] time = 3.43, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d*x)^(3/2)*(a + b*ArcCos[c*x])), x]

[Out] Integrate[1/((d*x)^(3/2)*(a + b*ArcCos[c*x])), x]

fricas [A] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx}}{bd^2x^2 \arccos(cx) + ad^2x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x)^(3/2)/(a+b*arccos(c*x)),x, algorithm="fricas")

[Out] integral(sqrt(d*x)/(b*d^2*x^2*arccos(c*x) + a*d^2*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}} (b \arccos(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x)^(3/2)/(a+b*arccos(c*x)),x, algorithm="giac")

[Out] integrate(1/((d*x)^(3/2)*(b*arccos(c*x) + a)), x)

maple [A] time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}} (a + b \arccos(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x)^(3/2)/(a+b*arccos(c*x)),x)

[Out] int(1/(d*x)^(3/2)/(a+b*arccos(c*x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}} (b \arccos(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x)^(3/2)/(a+b*arccos(c*x)),x, algorithm="maxima")

[Out] integrate(1/((d*x)^(3/2)*(b*arccos(c*x) + a)), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{(a + b \arccos(cx)) (dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*acos(c*x))*(d*x)^(3/2)),x)

[Out] int(1/((a + b*acos(c*x))*(d*x)^(3/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}} (a + b \operatorname{acos}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x)**(3/2)/(a+b*acos(c*x)), x)`

[Out] `Integral(1/((d*x)**(3/2)*(a + b*acos(c*x))), x)`

$$3.224 \quad \int \frac{(dx)^{3/2}}{(a+b \cos^{-1}(cx))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{(dx)^{3/2}}{(a + b \cos^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable((d*x)^(3/2)/(a+b*arccos(c*x))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(dx)^{3/2}}{(a + b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(d*x)^(3/2)/(a + b*ArcCos[c*x])^2,x]

[Out] Defer[Int] [(d*x)^(3/2)/(a + b*ArcCos[c*x])^2, x]

Rubi steps

$$\int \frac{(dx)^{3/2}}{(a + b \cos^{-1}(cx))^2} dx = \int \frac{(dx)^{3/2}}{(a + b \cos^{-1}(cx))^2} dx$$

Mathematica [A] time = 7.10, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{3/2}}{(a + b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d*x)^(3/2)/(a + b*ArcCos[c*x])^2,x]

[Out] Integrate[(d*x)^(3/2)/(a + b*ArcCos[c*x])^2, x]

fricas [A] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx} dx}{b^2 \arccos(cx)^2 + 2ab \arccos(cx) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)/(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(d*x)*d*x/(b^2*arccos(c*x)^2 + 2*a*b*arccos(c*x) + a^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{(b \arccos(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)/(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] integrate((d*x)^(3/2)/(b*arccos(c*x) + a)^2, x)

maple [A] time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{(a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(3/2)/(a+b*arccos(c*x))^2,x)

[Out] int((d*x)^(3/2)/(a+b*arccos(c*x))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\sqrt{cx+1} \sqrt{-cx+1} d^{\frac{3}{2}} x^{\frac{3}{2}} - \frac{1}{2} (b^2 c \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx) + abc) \sqrt{d} \int \frac{(5c^2 dx^2 - 3d) \sqrt{cx+1} \sqrt{-cx+1} \sqrt{x}}{abc^3 x^2 - abc + (b^2 c^3 x^2 - b^2 c) \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx)} dx}{b^2 c \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)/(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] (sqrt(c*x + 1)*sqrt(-c*x + 1)*d^(3/2)*x^(3/2) - (b^2*c*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c)*sqrt(d)*integrate(1/2*(5*c^2*d*x^2 - 3*d)*sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(a*b*c^3*x^2 - a*b*c + (b^2*c^3*x^2 - b^2*c)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)), x)/(b^2*c*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(d x)^{3/2}}{(a + b \operatorname{acos}(c x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^(3/2)/(a + b*acos(c*x))^2,x)
```

```
[Out] int((d*x)^(3/2)/(a + b*acos(c*x))^2, x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx)^{\frac{3}{2}}}{(a + b \operatorname{acos}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**(3/2)/(a+b*acos(c*x))**2,x)
```

```
[Out] Integral((d*x)**(3/2)/(a + b*acos(c*x))**2, x)
```

$$3.225 \quad \int \frac{\sqrt{dx}}{(a+b \cos^{-1}(cx))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{\sqrt{dx}}{(a+b \cos^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable((d*x)^(1/2)/(a+b*arccos(c*x))^2, x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{dx}}{(a+b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[d*x]/(a + b*ArcCos[c*x])^2, x]

[Out] Defer[Int][Sqrt[d*x]/(a + b*ArcCos[c*x])^2, x]

Rubi steps

$$\int \frac{\sqrt{dx}}{(a+b \cos^{-1}(cx))^2} dx = \int \frac{\sqrt{dx}}{(a+b \cos^{-1}(cx))^2} dx$$

Mathematica [A] time = 5.44, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{(a+b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[d*x]/(a + b*ArcCos[c*x])^2, x]

[Out] Integrate[Sqrt[d*x]/(a + b*ArcCos[c*x])^2, x]

fricas [A] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx}}{b^2 \arccos(cx)^2 + 2ab \arccos(cx) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(1/2)/(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(d*x)/(b^2*arccos(c*x)^2 + 2*a*b*arccos(c*x) + a^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{(b \arccos(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(1/2)/(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] integrate(sqrt(d*x)/(b*arccos(c*x) + a)^2, x)

maple [A] time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{(a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(1/2)/(a+b*arccos(c*x))^2,x)

[Out] int((d*x)^(1/2)/(a+b*arccos(c*x))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\frac{1}{2} (b^2 c \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx) + abc) \sqrt{d} \int \frac{(3c^2x^2-1)\sqrt{cx+1}\sqrt{-cx+1}\sqrt{x}}{abc^3x^3-abcx+(b^2c^3x^3-b^2cx) \arctan(\sqrt{cx+1}\sqrt{-cx+1}, cx)} dx - \sqrt{cx+1}\sqrt{-cx+1}}{b^2 c \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(1/2)/(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] -((b^2*c*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c)*sqrt(d)*integrate(1/2*(3*c^2*x^2 - 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(a*b*c^3*x^3 - a*b*c*x + (b^2*c^3*x^3 - b^2*c*x)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)), x) - sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(d)*sqrt(x))/(b^2*c*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sqrt{dx}}{(a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x)^(1/2)/(a + b*acos(c*x))^2, x)`

[Out] `int((d*x)^(1/2)/(a + b*acos(c*x))^2, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{dx}}{(a + b \operatorname{acos}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(1/2)/(a+b*acos(c*x))**2, x)`

[Out] `Integral(sqrt(d*x)/(a + b*acos(c*x))**2, x)`

$$3.226 \quad \int \frac{1}{\sqrt{dx} (a+b \cos^{-1}(cx))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{\sqrt{dx} (a+b \cos^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable(1/(a+b*arccos(c*x))^2/(d*x)^(1/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{\sqrt{dx} (a+b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(Sqrt[d*x]*(a + b*ArcCos[c*x]))^2], x]

[Out] Defer[Int][1/(Sqrt[d*x]*(a + b*ArcCos[c*x]))^2], x]

Rubi steps

$$\int \frac{1}{\sqrt{dx} (a+b \cos^{-1}(cx))^2} dx = \int \frac{1}{\sqrt{dx} (a+b \cos^{-1}(cx))^2} dx$$

Mathematica [A] time = 10.43, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (a+b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(Sqrt[d*x]*(a + b*ArcCos[c*x]))^2], x]

[Out] Integrate[1/(Sqrt[d*x]*(a + b*ArcCos[c*x]))^2], x]

fricas [A] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx}}{b^2 dx \arccos(cx)^2 + 2 ab dx \arccos(cx) + a^2 dx}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^2/(d*x)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(d*x)/(b^2*d*x*arccos(c*x)^2 + 2*a*b*d*x*arccos(c*x) + a^2*d*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (b \arccos(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^2/(d*x)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(d*x)*(b*arccos(c*x) + a)^2), x)

maple [A] time = 0.27, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \arccos(cx))^2 \sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*arccos(c*x))^2/(d*x)^(1/2),x)

[Out] int(1/(a+b*arccos(c*x))^2/(d*x)^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\frac{1}{2} (b^2 c dx \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx) + abc dx) \sqrt{d} \int \frac{(c^2 x^2 + 1) \sqrt{cx+1} \sqrt{-cx+1} \sqrt{x}}{abc^3 dx^4 - abc dx^2 + (b^2 c^3 dx^4 - b^2 c dx^2) \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx)} dx -}{b^2 c dx \arctan(\sqrt{cx+1} \sqrt{-cx+1}, cx) + abc dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*arccos(c*x))^2/(d*x)^(1/2),x, algorithm="maxima")

[Out] -((b^2*c*d*x*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c*d*x)*sqrt(d) *integrate(1/2*(c^2*x^2 + 1)*sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(a*b*c^3*d*x^4 - a*b*c*d*x^2 + (b^2*c^3*d*x^4 - b^2*c*d*x^2)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)), x) - sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(d)*sqrt(x))/(b^2*c*d*x*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c*d*x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{(a + b \arccos(cx))^2 \sqrt{dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*acos(c*x))^2*(d*x)^(1/2)),x)`

[Out] `int(1/((a + b*acos(c*x))^2*(d*x)^(1/2)), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx} (a + b \operatorname{acos}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*acos(c*x))**2/(d*x)**(1/2),x)`

[Out] `Integral(1/(sqrt(d*x)*(a + b*acos(c*x))**2), x)`

$$3.227 \quad \int \frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable(1/(d*x)^(3/2)/(a+b*arccos(c*x))^2, x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d*x)^(3/2)*(a + b*ArcCos[c*x])^2), x]

[Out] Defer[Int][1/((d*x)^(3/2)*(a + b*ArcCos[c*x])^2), x]

Rubi steps

$$\int \frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))^2} dx = \int \frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))^2} dx$$

Mathematica [A] time = 15.21, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{3/2} (a + b \cos^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d*x)^(3/2)*(a + b*ArcCos[c*x])^2), x]

[Out] Integrate[1/((d*x)^(3/2)*(a + b*ArcCos[c*x])^2), x]

fricas [A] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{dx}}{b^2 d^2 x^2 \arccos(cx)^2 + 2 ab d^2 x^2 \arccos(cx) + a^2 d^2 x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x)^(3/2)/(a+b*arccos(c*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(d*x)/(b^2*d^2*x^2*arccos(c*x)^2 + 2*a*b*d^2*x^2*arccos(c*x) + a^2*d^2*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}} (b \arccos(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x)^(3/2)/(a+b*arccos(c*x))^2,x, algorithm="giac")

[Out] integrate(1/((d*x)^(3/2)*(b*arccos(c*x) + a)^2), x)

maple [A] time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}} (a + b \arccos(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x)^(3/2)/(a+b*arccos(c*x))^2,x)

[Out] int(1/(d*x)^(3/2)/(a+b*arccos(c*x))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\frac{1}{2} \left(b^2 c d^2 x^2 \arctan \left(\sqrt{c x + 1} \sqrt{-c x + 1}, c x \right) + a b c d^2 x^2 \right) \sqrt{d} \int \frac{(c^2 x^2 - 3) \sqrt{c x + 1} \sqrt{-c x + 1} \sqrt{x}}{a b c^3 d^2 x^5 - a b c d^2 x^3 + (b^2 c^3 d^2 x^5 - b^2 c d^2 x^3) \arctan(\sqrt{c x + 1} \sqrt{-c x + 1}, c x)} dx}{b^2 c d^2 x^2 \arctan \left(\sqrt{c x + 1} \sqrt{-c x + 1}, c x \right) + a b c d^2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x)^(3/2)/(a+b*arccos(c*x))^2,x, algorithm="maxima")

[Out] ((b^2*c*d^2*x^2*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c*d^2*x^2)*sqrt(d)*integrate(1/2*(c^2*x^2 - 3)*sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(x)/(a*b*c^3*d^2*x^5 - a*b*c*d^2*x^3 + (b^2*c^3*d^2*x^5 - b^2*c*d^2*x^3)*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x)), x) + sqrt(c*x + 1)*sqrt(-c*x + 1)*sqrt(d)*sqrt(x))/(b^2*c*d^2*x^2*arctan2(sqrt(c*x + 1)*sqrt(-c*x + 1), c*x) + a*b*c*d^2*x^2)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{(a + b \operatorname{acos}(cx))^2 (dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*acos(c*x))^2*(d*x)^(3/2)), x)

[Out] int(1/((a + b*acos(c*x))^2*(d*x)^(3/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx)^{\frac{3}{2}} (a + b \operatorname{acos}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x)**(3/2)/(a+b*acos(c*x))**2, x)

[Out] Integral(1/((d*x)**(3/2)*(a + b*acos(c*x))**2), x)

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```
(* ::Text:: *)
```

```
(*The following summarizes the type number assigned an *)
```

```
(*expression based on the functions it involves*)
```

```
(*1 = rational function*)
```

```
(*2 = algebraic function*)
```

```
(*3 = elementary function*)
```

```
(*4 = special function*)
```

```
(*5 = hyperpergeometric function*)
```

```
(*6 = appell function*)
```

```
(*7 = rootsum function*)
```

```
(*8 = integrate function*)
```

```
(*9 = unknown function*)
```

```
ExpnType[expn_] :=
```

```
  If[AtomQ[expn],
```

```
    1,
```

```
  If[ListQ[expn],
```

```
    Max[Map[ExpnType,expn]],
```

```
  If[Head[expn]===Power,
```

```
    If[IntegerQ[expn[[2]]],
```

```
      ExpnType[expn[[1]],
```

```
    If[Head[expn[[2]]]===Rational,
```

```
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
```

```
        1,
```

```
        Max[ExpnType[expn[[1]],2]],
```

```
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]]],
```

```
  If[Head[expn]===Plus || Head[expn]===Times,
```

```
    Max[ExpnType[First[expn],ExpnType[Rest[expn]]],
```

```
  If[ElementaryFunctionQ[Head[expn]],
```

```
    Max[3,ExpnType[expn[[1]]],
```

```
  If[SpecialFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
```

```
  If[HypergeometricFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
```

```
  If[AppellFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
```

```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
            ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```



```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
        ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
        ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
    ))
    else:
        return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
(expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```



```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

```

```

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```